

10 都道府県別疾病

1 幼稚園 (1) 男

区 分	栄養 注意	せき 柱異常	胸郭 異常	目								耳			鼻 蓄り の症
				近 視	遠 視	乱 視	弱 視 (両眼)	色 異 常	ト ホ ム	結 膜 炎	その 他 疾	難 聴 (両耳)	中 耳 炎	その 他 疾	
全 国	0.5	0.3	1.2	1.8	0.1	0.1	0.1	0.6	0.3	2.3	0.6	0.1	0.3	0.6	0.4
北海道 北青森 道 道 道 道 道	0.5	0.3	1.1	2.4	-	-	-	-	0.3	1.0	0.4	0.1	0.1	0.2	0.1
	0.3	-	0.9	0.3	-	-	-	-	0.9	2.4	0.6	-	0.2	1.9	0.4
	0.2	-	1.1	-	-	-	-	-	2.1	4.0	0.6	-	0.3	0.6	0.5
	0.7	0.3	2.6	1.2	-	-	0.2	0.5	0.8	2.8	1.0	0.2	0.3	0.2	0.2
	0.2	0.1	1.0	-	-	-	-	0.1	0.6	3.9	0.3	-	0.0	0.2	0.0
山形県 山形市 山形市 山形市 山形市	0.9	0.4	3.0	0.4	-	0.1	-	0.3	0.4	3.0	0.8	0.1	0.4	0.5	0.3
	0.1	0.1	1.2	1.5	-	-	0.1	0.4	1.3	2.2	0.5	0.1	0.1	0.2	1.1
	0.3	0.1	1.3	1.2	-	-	-	0.6	-	1.7	0.3	0.1	0.6	0.2	0.0
	0.6	0.8	1.3	0.3	-	-	-	0.5	0.7	1.9	0.4	0.2	-	0.1	0.1
	0.3	0.1	1.2	0.2	-	-	-	0.8	-	2.5	0.7	0.1	0.2	0.2	0.1
埼玉県 埼玉市 埼玉市 埼玉市 埼玉市	0.6	0.5	1.0	2.8	1.1	0.1	0.2	0.6	0.2	2.1	0.6	-	0.4	1.3	0.4
	0.1	0.2	1.2	0.5	-	-	0.2	0.9	0.5	2.8	1.6	0.1	0.3	1.6	0.1
	0.3	0.1	0.9	-	-	-	-	0.3	0.0	2.7	1.4	0.1	0.1	0.6	0.1
	0.9	0.1	0.9	-	-	-	-	-	-	1.7	0.3	-	0.3	1.1	0.1
	0.6	0.1	1.8	19.4	-	-	-	-	-	1.4	0.2	-	0.2	0.2	0.0
富山県 富山市 富山市 富山市 富山市	0.0	0.4	1.9	2.8	-	-	-	0.6	-	3.4	0.3	-	0.1	0.1	0.3
	0.4	0.1	3.5	0.3	-	-	-	-	-	3.1	0.7	0.1	0.1	-	-
	1.0	1.0	1.9	4.9	-	0.1	-	1.1	0.3	3.0	0.2	0.1	0.1	0.3	0.3
	0.6	0.0	1.0	1.5	-	-	-	-	0.8	1.7	0.8	0.1	0.3	0.9	0.1
	0.2	0.4	0.7	0.6	-	0.0	0.0	-	0.1	1.8	0.6	-	0.1	0.1	0.3
岐阜県 岐阜市 岐阜市 岐阜市 岐阜市	0.6	0.4	0.3	8.0	-	-	1.0	1.1	0.4	2.8	0.3	1.0	0.1	0.4	0.2
	0.3	0.1	1.0	5.7	-	-	-	2.5	0.2	1.6	0.5	0.6	-	1.2	-
	0.3	0.2	1.5	-	-	-	0.4	0.8	0.3	1.6	0.4	0.3	0.3	0.4	0.6
	0.4	0.3	1.7	2.3	-	-	-	1.7	0.8	3.3	0.7	-	0.1	0.4	0.3
	0.6	1.1	1.8	2.5	-	0.2	0.1	0.8	-	1.3	0.9	-	0.3	0.7	0.1
東京都 都立 都立 都立 都立	1.5	1.0	1.0	-	-	-	-	2.6	0.0	2.4	0.3	0.1	0.3	1.1	0.1
	0.2	0.3	0.5	4.6	0.9	1.7	0.2	1.2	0.3	3.0	0.4	0.2	0.3	1.1	0.3
	1.1	0.1	0.7	1.8	-	-	-	0.9	0.3	3.1	0.5	0.3	0.5	0.9	0.7
	0.2	0.2	0.4	3.4	1.1	0.1	0.1	1.5	0.7	1.9	0.7	0.4	0.2	0.5	1.1
	0.6	0.3	0.3	-	-	-	-	-	1.1	3.2	0.4	-	0.0	0.1	-
東京都 島根県 島根県 島根県 島根県	0.5	0.2	1.8	-	-	-	-	2.7	0.1	1.7	-	-	0.1	-	-
	0.3	0.2	1.7	-	-	-	-	0.3	0.6	1.4	0.9	1.0	0.2	1.2	0.4
	0.1	0.1	1.3	2.0	-	-	-	1.7	0.2	3.5	1.2	0.9	0.7	3.3	1.4
	0.4	0.2	1.3	3.9	-	-	-	1.3	0.0	1.8	0.3	0.2	0.3	0.9	1.3
	0.4	0.3	1.1	2.6	0.1	-	-	1.0	0.1	2.0	0.7	0.4	0.4	0.3	0.8
徳島県 徳島市 徳島市 徳島市 徳島市	0.7	0.2	1.1	-	-	-	-	0.8	0.1	2.8	1.1	-	0.4	0.5	0.4
	0.4	0.1	1.2	3.0	-	-	-	0.8	0.1	1.9	0.4	0.0	0.1	0.9	0.1
	0.4	0.1	1.0	0.8	-	0.1	-	0.1	0.1	2.2	0.3	0.1	0.0	0.6	0.1
	-	-	1.1	-	-	-	-	-	-	1.2	0.2	-	0.2	0.1	0.5
	1.2	0.3	1.1	0.7	0.2	0.1	0.0	0.4	0.1	1.9	0.2	0.1	0.9	0.5	2.4
佐賀県 佐賀市 佐賀市 佐賀市 佐賀市	0.2	0.5	0.8	0.4	-	-	-	-	0.1	2.6	0.5	-	0.2	0.0	0.2
	0.3	0.2	1.5	4.4	-	-	-	0.6	0.0	1.1	0.2	0.1	0.2	0.1	0.1
	0.4	0.5	0.7	0.5	-	0.1	0.1	0.6	0.2	3.6	0.9	0.0	0.1	0.7	0.1
	-	0.1	1.1	0.8	-	-	-	0.3	0.3	2.7	0.3	0.3	0.3	0.1	1.0
	0.5	0.2	2.1	1.3	-	-	-	-	1.4	1.7	0.4	-	0.1	0.0	0.1
佐賀県 佐賀市	0.2	0.4	1.8	-	-	-	-	-	0.9	2.2	1.1	0.3	0.4	0.2	0.7

(注) この表は、健康診断受検者のうち疾病異常被患者(疾病異常に該当する旨健康診断票に記載のあった者)の占める割合を示したものである。

異常被患率(一般検診)

(%)

およびいん頭			言語障害	精神薄弱	麻痺性小児	運動障害	心臓の疾患	ぜん息	腎臓の疾患	身体虚弱	伝染性皮膚病	寄生虫病	その他の異常	歯					その他疾患	むし歯とその他の歯疾	（前掲） の他の歯疾 のある者
アノイ デド	へんせんと	肥 の 鼻の の																			

10 都道府県別疾病異

1 幼稚園 (2) 女

区 分	栄養 注意	せき 柱異常	胸郭 異常	目								耳			鼻 の症
				近 視	遠 視	乱 視	弱 視 (両眼)	色異 神常	ト ホ ラム	結 膜 炎	その 他疾	難 聴 (両耳)	中 耳 炎	その 他疾	
全 国	0.4	0.2	0.5	2.2	0.1	0.0	0.0	0.1	0.4	2.5	0.5	0.1	0.2	0.6	0.3
北海道 北青岩宮秋	0.6	0.1	0.2	2.7	-	-	-	-	0.2	1.0	0.3	-	0.0	0.2	0.0
	0.1	-	0.1	0.2	-	-	-	-	1.0	2.0	0.3	-	0.3	2.0	0.5
	0.5	0.0	0.3	-	-	-	-	-	2.4	4.7	0.8	-	0.1	0.8	1.0
	0.2	0.1	1.1	1.5	-	-	-	0.1	1.0	3.5	1.0	-	0.2	0.3	0.1
	0.3	0.0	0.3	-	0.1	-	-	-	0.6	4.2	0.4	-	0.0	0.2	-
山形県 山形市 山形市	0.6	0.6	1.0	0.1	-	-	0.1	-	0.5	3.3	0.8	-	0.5	0.4	0.3
	0.2	0.0	0.5	1.4	-	-	0.1	-	2.0	2.1	0.3	0.1	0.1	0.3	0.8
	0.1	0.0	0.7	1.9	-	-	-	-	-	1.4	0.2	0.1	0.7	0.2	-
	0.4	0.8	0.5	0.4	-	-	-	0.1	0.8	1.7	0.5	0.1	-	0.1	-
	-	-	0.4	0.6	-	-	-	0.2	0.1	2.5	0.6	0.0	0.2	0.3	0.1
静岡県 沼津市 沼津市	0.5	0.2	0.4	3.8	1.3	-	0.1	0.1	0.3	2.2	0.6	0.2	0.3	1.2	0.2
	0.3	0.2	0.4	-	-	-	-	-	0.6	2.5	0.9	0.4	0.8	1.8	0.1
	0.5	0.1	0.3	-	-	-	-	-	-	3.1	1.2	0.0	0.1	0.4	0.1
	0.8	0.1	0.5	-	-	-	-	-	-	1.9	0.2	-	0.4	1.3	0.0
	0.6	0.2	0.7	17.3	-	-	-	-	-	1.7	0.4	-	0.1	0.1	0.1
富山県 富山県 富山県	0.2	0.2	0.4	4.1	0.1	-	-	-	0.1	3.5	0.1	0.1	0.2	0.1	0.2
	0.2	0.1	1.1	0.1	-	-	-	-	-	2.6	0.4	-	0.1	0.1	-
	1.1	0.4	0.8	6.7	-	0.1	-	-	0.1	3.7	0.3	0.2	0.2	0.3	0.2
	0.2	0.2	0.4	1.6	-	-	-	-	0.2	3.2	0.8	-	0.1	0.9	0.2
	0.0	0.3	0.2	0.3	-	-	-	-	-	2.2	0.7	-	0.0	0.1	0.2
岐阜県 岐阜市 岐阜市	0.4	0.3	0.1	7.4	-	-	1.1	-	0.3	2.5	0.1	-	0.0	0.4	0.1
	0.2	0.1	0.4	6.0	-	-	-	-	0.3	2.3	0.3	0.7	0.1	1.1	0.1
	0.2	0.1	0.5	-	-	-	-	0.1	0.2	2.6	0.6	0.2	0.1	0.4	0.4
	0.5	0.3	0.7	2.4	-	-	1.2	0.2	0.6	2.6	0.6	0.2	0.1	0.3	0.2
	0.3	0.5	0.7	3.2	0.1	0.1	-	-	0.0	1.2	0.7	0.0	0.3	0.6	0.0
東京都 都立大 都立大	1.1	0.7	0.4	-	-	-	-	1.0	0.1	2.7	0.4	0.0	0.3	1.0	0.1
	0.2	0.1	0.2	6.4	-	1.7	0.3	-	0.4	3.6	0.7	0.4	0.2	0.8	0.1
	0.7	0.2	0.6	2.1	0.2	0.2	-	-	0.4	3.8	0.6	0.5	0.5	1.0	0.3
	0.1	0.1	0.2	4.6	0.8	-	0.1	0.1	1.2	3.0	0.6	0.2	0.2	0.6	0.9
	0.3	0.4	0.1	-	-	-	-	-	1.8	2.8	0.3	-	0.1	-	-
東京都 島根県 島根県	0.4	0.1	1.1	-	-	-	-	1.1	-	1.3	-	-	-	-	-
	0.2	0.2	1.3	-	-	-	-	-	0.5	1.5	0.8	0.1	0.3	0.5	0.1
	0.2	0.0	0.6	2.9	-	-	-	0.2	0.2	4.1	1.4	0.8	0.3	3.1	1.0
	0.1	0.1	0.4	5.3	0.7	-	-	0.1	0.1	1.9	0.5	0.1	0.1	0.6	0.9
	0.1	0.1	0.3	2.3	-	-	-	-	0.1	2.1	0.5	0.1	0.1	0.4	0.5
徳島県 徳島市 徳島市	1.0	0.1	0.4	-	-	-	1.1	0.4	0.1	3.3	1.2	-	0.3	0.2	0.2
	0.4	-	0.3	4.1	-	-	-	-	0.5	1.9	0.4	0.1	0.1	0.7	-
	0.3	0.0	0.2	0.9	-	-	0.0	0.0	0.1	1.9	0.3	-	0.0	0.9	-
	0.2	-	0.1	-	-	-	-	-	-	0.7	0.2	-	-	0.1	0.2
	0.6	0.2	0.6	0.4	0.1	0.0	-	0.1	0.2	1.3	0.4	0.1	0.8	0.6	1.5
佐賀県 佐賀市 佐賀市	0.0	0.3	0.5	1.0	-	-	-	-	0.6	2.5	0.5	-	0.3	0.0	0.1
	0.2	0.0	0.4	4.9	0.3	-	-	0.1	0.2	1.2	0.2	0.1	0.1	0.2	0.2
	0.2	0.1	0.5	0.9	-	-	-	-	0.2	2.7	0.4	0.0	0.1	0.4	0.1
	-	0.1	0.6	1.5	-	-	-	0.1	0.4	2.6	0.2	-	0.3	0.1	0.3
	0.4	0.2	1.1	-	-	-	-	-	1.1	2.1	0.2	0.1	0.0	-	-

常 被 患 率 (一 般 検 診) (つづき)

(%)

およびいん頭				言語 障害	精神 薄弱	脳麻 性小 児痺	延能 動障 機害	心臓 の疾 患	ぜ ん 息	腎 臓 の 疾 患	身 体 虚 弱	伝皮 染膚 性疾 患の 患	寄 生 虫 病	そ疾 の病 他異 の常	齒					
アノ イ デド	へう んせ んと ん大	肥 せ ん大	鼻の 他 の疾 患 の 頭												齒				その 他 疾	むし 歯と そ の 疾 患 者 (電 通)
															む 計	む 処 置 者	む 未 処 置 者	齒 者 ある		
0.5	9.5	2.8	0.1	0.0	0.0	0.0	0.0	0.3	0.2	0.0	0.1	0.4	0.3	0.5	92.8	5.9	86.9	0.5	0.32	
-	10.2	0.3	-	-	-	-	-	0.3	0.2	-	0.1	1.0	0.0	0.6	89.3	4.8	84.5	0.2	0.1	
0.3	12.7	3.7	-	-	-	-	0.1	0.1	0.1	-	-	0.2	0.1	0.8	96.4	5.6	90.8	0.4	0.4	
0.1	8.7	3.1	0.1	-	-	-	0.0	0.2	0.3	-	0.2	0.4	-	1.2	94.1	5.1	89.0	0.6	0.2	
0.2	9.6	2.2	0.0	-	-	-	0.1	0.1	0.2	-	0.0	0.7	0.2	0.4	91.7	4.6	87.1	-	-	
0.2	8.3	0.5	0.1	0.1	-	-	-	0.2	0.1	-	0.0	0.4	0.0	0.7	97.9	3.0	94.9	-	-	
0.1	9.5	2.6	0.0	-	-	-	-	0.2	0.0	-	-	0.5	-	0.4	86.8	3.6	83.2	0.2	0.2	
0.5	7.9	2.2	0.1	-	-	-	-	0.1	0.1	-	0.1	0.1	0.9	0.2	96.9	2.4	94.5	0.5	0.5	
0.1	7.7	1.3	0.1	-	-	0.0	-	0.1	0.2	-	0.0	0.0	0.1	0.3	95.3	2.6	92.7	0.5	0.5	
-	13.0	1.3	-	-	-	-	-	-	-	-	-	0.3	0.1	0.3	96.2	4.0	92.2	1.2	1.2	
0.4	10.3	0.8	0.1	0.0	0.0	-	-	0.3	0.1	-	0.0	0.7	0.3	0.2	95.2	3.5	91.7	0.2	0.2	
0.3	9.5	2.4	0.2	-	-	-	0.0	0.2	0.3	-	0.1	0.3	0.3	0.5	91.6	9.4	82.2	1.3	1.3	
0.2	12.7	4.6	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.0	-	0.2	0.1	0.6	91.8	8.6	83.2	0.2	0.2	
0.0	6.9	3.0	-	-	0.0	-	-	0.1	0.3	-	0.0	0.4	-	0.5	93.1	12.9	80.2	0.2	0.2	
0.3	14.7	1.8	0.0	0.1	-	0.0	0.4	0.4	0.4	-	0.0	0.7	0.2	0.8	92.6	10.7	81.9	0.6	0.3	
-	7.2	2.5	0.1	0.0	-	-	-	0.3	0.0	-	0.1	0.4	0.2	0.8	93.0	5.9	87.1	0.1	-	
0.2	5.4	2.7	2.7	0.2	-	-	-	0.1	0.3	0.4	0.1	0.6	0.6	0.9	90.1	5.3	84.8	1.0	0.2	
0.6	11.3	0.8	0.1	-	-	-	-	0.8	0.2	-	0.3	0.3	0.2	1.6	92.0	2.0	90.0	0.1	-	
0.2	9.9	1.5	0.1	0.0	0.0	0.1	0.2	0.1	-	-	0.1	0.4	-	0.6	92.0	1.7	90.3	0.3	0.2	
2.6	10.8	3.1	-	-	-	-	-	0.1	-	-	-	0.9	0.0	0.0	94.9	15.2	79.7	0.8	0.8	
1.2	6.8	4.7	0.1	-	-	0.0	0.2	0.1	0.0	0.0	0.0	0.7	-	0.5	93.4	8.0	85.4	0.2	0.2	
1.2	7.9	1.0	0.1	-	-	-	-	0.3	0.1	-	-	0.3	0.1	0.5	87.0	6.5	80.5	0.3	0.3	
-	8.5	0.9	0.2	0.1	0.0	0.2	0.3	0.1	-	-	0.0	0.3	0.0	0.3	95.3	3.7	91.6	0.5	0.4	
0.2	9.8	2.1	0.1	0.0	-	0.0	0.2	0.1	0.0	0.0	0.0	0.2	-	0.6	92.5	6.9	85.6	0.6	0.6	
-	15.7	3.3	0.0	-	-	-	0.4	0.2	0.0	0.0	0.1	0.3	0.0	0.8	95.2	2.0	93.2	0.9	0.6	
0.1	16.6	4.4	0.1	-	0.1	-	0.4	0.1	-	-	-	0.6	1.6	0.6	94.0	4.9	89.1	0.4	0.4	
0.3	14.4	6.9	0.1	-	-	-	-	0.2	0.2	-	0.0	0.3	-	0.5	92.3	5.3	87.0	0.1	0.1	
0.1	8.6	3.7	0.2	0.1	-	-	-	0.3	0.3	0.1	0.1	0.5	0.2	0.7	93.6	4.9	88.7	0.9	0.5	
0.8	9.9	2.7	0.2	-	-	0.0	0.6	0.5	0.1	-	-	0.4	0.4	0.7	93.6	9.4	84.2	0.1	0.1	
0.9	10.1	3.0	0.3	-	-	0.1	0.3	0.2	-	0.7	0.3	1.1	0.4	0.4	94.4	5.3	89.1	0.2	0.1	
0.1	10.4	0.7	0.1	0.1	-	0.1	0.1	0.3	0.3	-	-	-	0.2	0.1	90.0	2.3	87.7	0.1	0.1	
1.4	7.5	0.9	-	-	-	-	-	0.1	-	-	0.1	0.2	0.1	0.8	95.2	5.6	89.6	0.2	0.1	
1.5	8.6	5.9	0.1	0.1	0.0	0.1	0.4	0.1	0.0	-	0.5	0.5	0.3	0.3	96.7	3.7	93.0	0.1	0.1	
0.9	10.8	6.6	0.1	0.0	-	0.1	0.3	0.3	-	0.0	0.2	-	0.2	0.2	94.9	3.4	91.5	0.2	-	
0.6	7.4	2.9	0.1	0.0	0.0	-	0.2	0.4	0.4	-	-	0.9	0.6	0.2	92.9	5.2	87.7	0.5	0.5	
0.7	8.5	2.0	0.1	0.0	-	0.1	0.4	0.0	0.0	-	-	0.7	0.0	0.5	92.8	4.3	88.5	0.2	-	
0.3	5.6	6.1	0.1	-	-	0.1	1.0	-	-	-	-	0.1	0.0	0.3	94.9	0.5	94.4	0.2	0.1	
0.0	11.5	3.3	0.1	0.1	-	0.2	1.0	0.1	-	0.1	0.6	0.3	0.4	0.3	93.8	7.3	86.5	0.1	0.1	
0.1	8.6	0.7	0.1	-	-	0.0	0.5	0.2	-	0.0	-	-	0.2	0.5	83.9	4.7	79.2	5.0	0.2	
-	6.1	2.0	-	-	-	-	0.1	-	-	-	-	1.6	0.3	0.1	96.0	3.3	92.7	0.1	-	
2.9	7.9	4.8	0.2	0.1	0.1	0.1	0.3	0.5	0.1	0.1	0.1	1.3	1.4	0.9	91.1	11.8	79.3	0.3	0.1	
-	9.1	3.2	0.0	0.1	-	-	0.6	0.0	-	0.2	0.6	0.1	-	0.7	86.7	2.7	84.0	0.3	0.3	
-	5.6	0.9	0.0	-	-	-	0.0	0.2	-	-	-	0.1	-	1.0	95.3	1.8	93.5	-	-	
0.6	6.0	3.7	0.0	0.0	-	-	0.3	0.1	-	-	-	0.2	0.1	0.1	91.0	7.4	83.6	0.1	0.1	
0.3	8.0	3.0	-	-	-	0.2	0.4	0.4	-	-	0.4	0.8	0.3	0.3	90.4	5.0	85.4	0.9	0.9	
0.4	9.4	1.1	0.1	0.0	0.0	0.0	0.2	0.3	-	-	-	0.1	0.2	0.4	90.2	4.1	86.1	0.1	0.1	
0.3	6.6	4.1	0.1	0.0	-	-	0.1	0.3	-	0.1	0.4	0.1	0.1	0.4	95.9	2.9	93.0	0.2	-	

10 都道府県別疾病異

2 小学校 (1) 男

区 分	栄格要注意	せき柱異常	胸郭異常	目								耳			鼻
				近視	遠視	乱視	弱視(両眼)	色異神常	トホーラム	結膜炎	その他眼疾	難聴(両耳)	中耳炎	その他耳疾	蓄うの症
全 国	0.5	0.5	1.0	10.1	0.2	0.2	0.2	3.0	1.2	3.8	1.0	0.3	0.3	1.3	1.7
北海道 北 青 森 道 森 手 城 田	0.4	0.1	0.4	16.1	0.1	0.1	0.2	3.0	0.9	2.0	0.5	0.4	0.1	0.1	0.9
	0.2	0.1	0.6	13.3	0.4	0.1	0.2	2.5	3.2	4.2	0.7	0.4	0.2	2.0	2.3
	0.2	0.1	1.3	8.7	0.1	0.1	0.1	3.3	5.8	3.7	1.5	0.2	0.4	4.3	7.4
	0.2	0.2	1.0	6.6	0.1	0.3	0.1	2.2	2.9	3.9	1.0	0.4	0.2	0.9	1.8
山 福 茨 栃 群 山 福 茨 栃 群	0.1	0.1	0.6	11.7	0.2	0.0	0.4	2.3	2.5	2.8	0.9	0.1	0.3	0.2	0.1
	1.7	3.4	3.4	6.8	0.2	0.2	0.2	3.4	1.4	6.6	1.6	0.2	0.3	0.7	2.1
	0.2	0.1	0.6	8.4	0.0	0.1	0.3	2.6	4.1	4.5	1.5	0.2	0.3	0.1	0.3
	0.1	0.6	1.1	7.9	0.1	0.1	0.1	1.9	1.0	1.5	0.6	0.7	0.2	0.7	0.2
埼 千 東 神 新 埼 千 東 神 新	0.3	1.0	1.3	7.5	0.2	0.1	0.1	3.1	2.3	4.3	1.7	0.2	0.3	0.5	1.7
	0.2	0.4	0.9	7.6	0.2	0.6	0.1	3.1	0.2	2.3	1.8	0.3	0.6	1.3	1.6
	0.0	0.3	1.5	9.4	0.1	0.2	0.1	2.7	0.5	4.3	0.8	0.3	0.2	1.3	1.0
	0.1	0.1	0.7	7.9	0.2	-	0.1	2.4	0.8	6.3	1.0	0.3	0.3	1.7	1.0
富 石 福 山 長 富 石 福 山 長	0.5	0.5	0.9	12.2	0.3	0.2	0.1	2.7	0.1	5.2	2.2	0.3	0.2	4.0	4.0
	0.7	0.1	0.7	16.0	0.2	-	0.3	2.5	0.4	6.7	1.3	0.2	0.2	1.6	1.8
	0.8	0.4	2.6	11.2	0.0	0.1	0.1	3.2	0.0	3.1	1.6	0.5	0.2	0.5	1.5
	1.0	1.0	1.9	14.3	0.2	0.3	0.1	3.0	0.1	4.7	0.7	0.3	0.4	2.7	4.0
岐 静 愛 三 滋 岐 静 愛 三 滋	0.3	0.3	1.3	11.8	0.2	0.1	0.1	3.0	0.4	2.4	0.4	0.4	0.2	0.1	0.6
	0.5	0.5	0.9	13.7	0.1	0.2	0.3	3.6	1.0	3.5	0.4	0.3	0.2	0.8	0.6
	0.9	0.8	1.1	9.4	0.9	0.1	0.2	3.6	0.3	4.6	1.6	0.3	0.2	5.2	2.9
	0.5	0.8	0.9	9.3	0.1	0.3	0.1	4.1	0.4	3.9	1.1	0.3	0.2	1.5	5.2
京 大 兵 奈 和 京 大 兵 奈 和	0.4	0.3	0.6	9.5	0.2	0.6	0.3	2.6	0.7	5.0	1.7	0.3	0.3	1.0	0.8
	0.5	0.2	0.6	11.6	0.2	0.1	0.0	3.1	0.8	5.1	0.9	0.5	0.2	1.9	0.3
	0.4	0.3	1.1	12.3	0.4	0.3	0.1	3.1	0.6	2.9	0.4	0.5	0.1	0.7	0.3
	0.3	0.6	0.7	7.0	0.1	0.1	0.0	4.2	2.4	2.9	0.5	0.4	0.1	0.6	0.7
都 阪 庫 良 山 都 阪 庫 良 山	0.5	0.6	0.7	9.6	0.2	0.4	0.2	2.9	0.1	1.0	0.7	0.3	0.2	1.0	0.3
	0.6	0.9	0.7	13.3	0.2	0.4	0.2	3.2	0.2	3.4	0.6	0.6	0.3	1.0	0.6
	1.1	0.4	0.7	11.5	0.7	0.7	0.1	3.2	0.8	4.4	1.4	0.2	0.4	1.6	1.6
	0.9	0.3	0.7	11.5	0.3	0.2	0.2	3.5	0.8	5.7	0.5	0.2	0.7	2.7	0.7
鳥 島 岡 広 山 鳥 島 岡 広 山	0.4	0.3	0.8	9.3	0.2	0.1	0.1	3.1	0.5	2.9	0.5	0.2	0.3	0.3	0.7
	0.6	0.5	1.2	9.1	0.1	0.1	0.2	3.5	4.0	3.9	0.5	0.2	0.2	0.0	0.3
	0.8	0.6	1.3	7.6	0.2	0.2	0.1	3.2	0.7	3.1	1.7	0.4	0.3	2.2	2.1
	0.4	0.2	1.2	5.5	-	0.1	0.4	3.0	0.8	1.0	0.3	0.4	0.4	0.2	1.5
徳 香 愛 高 福 徳 香 愛 高 福	0.3	0.3	0.9	10.9	0.1	0.4	0.2	4.1	0.3	4.2	2.3	0.3	0.4	1.6	0.8
	0.3	0.3	0.7	9.6	0.4	0.8	0.2	2.8	0.3	2.7	0.8	0.4	0.6	1.2	1.9
	0.2	0.3	0.7	12.4	0.2	0.3	0.6	3.6	0.5	3.4	0.6	0.4	0.5	2.0	4.5
	0.7	0.2	0.6	9.1	0.1	0.2	0.2	2.9	0.3	2.5	1.1	0.3	0.5	0.7	1.5
佐 長 熊 大 宮 鹿 佐 長 熊 大 宮 鹿	0.4	0.1	0.8	12.1	0.0	0.1	0.1	3.6	1.5	1.5	1.1	0.2	0.4	1.0	1.2
	0.5	0.2	0.9	11.0	0.2	0.2	0.4	2.6	1.4	4.4	0.8	0.3	0.5	0.2	1.0
	0.1	0.3	0.8	5.9	0.0	0.0	0.1	2.4	0.2	2.1	0.4	0.4	0.3	0.2	0.7
	0.8	0.8	1.3	10.1	0.1	0.1	0.2	3.0	1.5	5.1	0.7	0.7	0.9	2.1	4.6
佐 長 熊 大 宮 鹿 佐 長 熊 大 宮 鹿	0.3	1.1	0.5	9.1	0.0	0.2	0.2	2.6	1.0	6.1	0.6	0.7	0.6	2.0	1.5
	0.4	1.0	0.6	9.3	0.1	0.3	0.1	2.9	0.5	3.1	0.9	0.2	0.5	0.6	3.4
	0.4	0.2	1.2	7.8	0.0	0.1	0.2	3.0	0.8	4.8	1.0	0.5	0.4	1.3	1.9
	0.2	0.3	1.1	8.0	0.5	0.4	0.1	3.0	1.9	4.3	0.8	0.3	0.4	0.6	3.2
佐 長 熊 大 宮 鹿 佐 長 熊 大 宮 鹿	0.5	0.2	0.9	8.8	0.0	0.1	0.2	2.6	2.3	2.5	1.1	0.1	0.4	0.3	1.8
	0.2	0.5	0.8	8.7	0.0	0.0	-	2.5	3.3	2.8	1.7	0.2	0.6	1.6	1.3

常 被 患 率 (一 般 検 診) (つづき)

(%)

およびいん頭			言語障害	精神薄弱	脳麻性小児痺	運動障害	心臓の疾患	ぜん息	腎臓の疾患	身体虚弱	伝皮染膚性疾患	寄生虫病	そ疾の病異常	歯					その他疾患	かしの歯とそ疾	の歯とそ疾
アノイデド	へんせんと	肥大の他の頭患												む計	処完了置者	歯未処置者	歯ある者				
0.5	10.2	6.2	0.4	1.4	0.1	0.2	0.4	0.3	0.1	0.3	1.6	0.3	0.7	91.5	8.9	82.6	1.8	1.59			
0.1	8.4	2.3	0.3	0.7	0.1	0.2	0.2	0.2	0.1	0.1	1.9	0.5	0.7	95.1	3.2	91.9	0.8	0.7			
0.2	10.5	3.8	0.8	1.7	0.0	0.2	0.1	0.1	0.0	0.2	2.4	0.1	1.8	97.6	2.6	95.0	2.0	1.4			
1.6	17.5	12.6	0.4	1.4	0.1	0.2	0.3	0.2	0.1	0.2	2.6	0.1	3.2	93.3	1.8	91.5	1.3	1.2			
0.4	9.7	6.2	0.8	2.2	0.0	0.3	0.1	0.3	0.1	0.3	3.2	0.3	1.3	85.6	5.2	80.4	1.1	1.1			
0.8	8.8	1.0	0.3	1.1	-	0.1	0.2	0.0	0.0	0.2	2.7	0.0	0.6	96.4	1.6	94.8	0.4	0.3			
0.3	11.1	8.6	0.4	1.5	0.0	0.2	0.3	0.2	0.1	0.9	4.2	0.0	0.4	91.2	15.9	75.3	1.6	1.4			
0.1	9.9	0.4	0.3	2.2	0.0	0.2	0.2	0.1	0.0	0.2	1.3	0.9	0.7	93.9	4.4	89.5	1.4	1.4			
0.1	9.6	1.2	0.5	1.1	0.1	0.3	0.3	0.2	0.0	0.2	0.5	0.4	0.7	89.3	5.7	83.6	2.4	1.7			
0.3	13.1	3.4	0.3	2.1	0.0	0.3	0.3	0.2	0.1	0.2	4.2	0.3	0.5	94.4	5.6	88.8	1.5	1.5			
1.0	14.8	7.9	0.3	1.3	0.0	0.2	0.2	0.2	0.1	0.1	2.7	-	0.7	92.5	14.0	78.5	8.3	8.3			
0.4	12.4	8.2	0.4	1.5	0.0	0.3	0.2	0.2	0.1	0.1	1.2	0.6	0.4	85.8	17.6	68.2	2.9	2.9			
0.0	14.1	7.2	0.7	1.6	0.0	1.8	0.3	0.2	0.1	0.3	1.1	0.3	0.3	91.5	5.9	85.6	0.8	0.4			
0.4	10.6	12.4	0.2	0.8	0.0	0.2	0.2	1.1	0.1	0.3	0.8	-	0.5	96.4	12.0	84.4	0.9	0.9			
0.4	12.3	6.8	0.2	0.6	0.0	0.1	0.2	0.5	0.0	0.1	0.5	0.1	1.0	93.2	11.9	81.3	1.3	1.1			
0.3	10.3	11.2	0.4	1.6	0.0	0.2	0.4	0.1	0.0	0.7	3.2	0.7	0.7	88.5	11.5	77.0	1.6	0.9			
0.3	6.5	10.5	0.5	1.6	0.0	0.2	0.2	0.3	0.1	0.4	1.9	0.6	0.9	86.9	19.0	67.9	0.6	0.6			
1.1	7.5	2.4	0.3	0.8	0.0	0.3	0.2	0.0	0.1	0.1	0.8	-	1.4	89.2	12.4	76.8	0.9	0.8			
0.4	10.1	2.6	0.5	0.9	0.1	0.3	0.5	0.2	0.0	0.3	2.4	-	0.8	84.0	10.0	74.0	0.9	0.0			
1.5	13.1	9.0	0.4	1.3	0.0	0.2	0.3	0.3	0.1	0.4	0.4	0.3	0.5	94.3	9.0	85.3	2.0	2.0			
0.7	8.9	11.2	0.4	1.2	0.0	0.1	0.3	0.1	0.0	0.4	1.3	0.2	0.7	97.1	8.5	88.6	2.1	2.1			
0.4	8.3	5.0	0.3	1.2	0.0	0.2	0.3	0.2	0.1	0.2	1.7	0.4	0.5	89.3	10.5	78.8	1.1	0.9			
1.4	8.7	4.3	0.7	2.2	0.0	0.2	0.4	0.4	0.0	0.4	1.0	0.1	0.3	90.0	12.7	77.3	0.5	0.5			
0.1	10.2	3.5	0.3	0.6	0.0	0.3	0.3	0.3	0.1	0.4	2.0	0.0	0.2	94.0	7.0	87.0	4.1	4.1			
0.4	10.0	2.7	0.5	1.0	0.1	0.3	0.4	0.3	0.0	0.2	0.7	0.0	0.9	95.3	4.8	90.5	2.2	2.1			
0.4	16.5	4.3	0.6	2.1	0.1	0.3	0.7	0.5	0.2	0.2	0.9	0.2	1.1	92.4	9.0	83.4	3.4	2.9			
0.3	8.3	7.2	0.6	1.0	0.1	0.3	0.4	0.4	0.1	0.2	1.3	0.0	0.6	93.7	10.0	83.7	3.6	2.8			
0.8	8.0	9.1	0.4	1.3	0.1	0.3	0.5	0.7	0.1	0.6	0.7	0.2	0.4	92.4	11.4	81.0	1.7	1.3			
0.3	9.9	8.0	0.4	1.0	0.0	0.2	0.6	0.5	0.0	0.2	0.6	-	0.8	91.2	7.3	83.9	1.6	1.5			
0.3	11.4	3.0	0.2	1.3	0.1	0.2	0.4	0.3	0.1	0.2	0.7	0.4	0.5	91.2	10.7	80.5	0.9	0.3			
0.1	10.0	0.5	0.4	1.1	0.1	0.2	0.3	0.4	0.0	0.2	0.5	0.1	0.6	93.2	8.7	84.5	1.3	1.2			
0.8	7.8	7.5	0.3	1.1	0.0	0.2	0.3	0.2	0.1	0.1	1.4	1.0	0.6	88.5	9.4	79.1	3.4	3.0			
0.5	13.2	4.7	0.5	1.3	0.1	0.2	0.3	0.4	0.1	0.3	2.1	0.4	0.4	94.1	7.1	87.0	5.2	5.0			
0.6	12.2	5.9	0.4	0.9	0.0	0.2	0.4	0.5	0.1	0.1	1.3	0.0	0.6	94.4	10.1	84.3	2.4	1.7			
0.3	9.3	4.8	0.7	1.9	0.1	0.3	0.4	0.5	0.1	0.2	2.2	0.4	0.9	90.8	11.4	79.4	1.2	1.0			
0.9	6.3	10.7	0.6	1.8	0.1	0.5	0.4	0.3	0.0	0.3	2.1	-	0.3	91.5	10.0	81.5	1.1	0.5			
0.2	8.4	7.5	0.2	1.3	0.0	0.2	0.5	0.1	0.0	0.1	0.6	0.0	1.1	93.7	3.7	90.0	0.9	0.8			
0.2	9.3	5.6	0.3	1.6	0.0	0.2	0.9	0.8	0.2	0.1	0.6	2.2	0.6	90.1	15.3	74.8	0.5	0.5			
0.1	10.5	3.3	0.4	1.9	0.1	0.2	0.4	0.3	0.1	0.2	0.3	0.4	0.4	89.3	5.7	83.6	0.7	0.6			
0.2	10.5	1.4	0.3	1.3	0.1	0.2	0.3	0.1	0.1	0.2	1.6	0.5	0.6	89.2	9.8	79.4	1.2	0.8			
2.6	10.0	3.9	0.4	1.1	0.1	0.3	0.4	0.5	0.0	0.4	3.7	0.1	0.6	90.4	9.7	80.7	1.0	0.7			
0.9	10.7	12.6	0.4	1.6	0.1	0.3	0.4	0.2	0.0	0.1	1.6	0.5	0.6	91.2	4.2	87.0	2.4	2.4			
0.4	7.0	5.0	0.3	1.2	0.1	0.3	0.3	0.4	0.0	0.2	2.2	0.1	0.3	90.8	8.2	82.6	2.2	2.2			
0.7	8.9	7.2	0.2	1.4	0.0	0.5	0.5	0.4	0.0	0.1	5.1	0.5	1.5	86.5	7.5	79.0	1.3	0.9			
0.8	7.5	4.5	0.9	1.7	0.0	0.1	0.5	0.4	0.0	0.2	0.9	1.4	0.3	86.8	10.9	75.9	1.1	1.0			
0.0	6.6	4.6	0.5	2.5	0.1	0.3	0.5	0.3	0.1	0.2	0.7	0.4	0.8	92.8	5.2	87.6	0.9	0.9			
0.4	6.9	7.8	0.3	0.6	0.0	0.2	0.3	0.4	0.1	0.2	0.3	0.1	0.8	90.4	3.8	86.6	1.7	1.6			

10 都道府県別疾病異

2 小学校 (2) 女

区 分	栄養 注意	せき 柱異常	胸郭 異常	目								耳			鼻 の 症
				近 視	遠 視	乱 視	弱 視 (両眼)	色 異 常	ト ホ ー ラム	結 膜 炎	その 他 疾	難 聴 (両耳)	中 耳 炎	その 他 疾	
全 国	0.4	0.4	0.6	12.6	0.2	0.3	0.2	0.2	1.6	4.5	1.1	0.3	0.2	1.1	1.3
北海道 北青森 道 岩手 宮城 秋田	0.3	0.1	0.3	20.3	0.1	0.2	0.3	0.2	1.0	2.4	0.5	0.5	0.1	0.0	0.9
	0.3	0.1	0.3	18.1	0.0	0.0	0.2	0.2	4.9	5.4	0.6	0.4	0.1	2.1	2.0
	0.1	0.1	0.5	12.6	0.0	0.2	0.0	0.2	7.2	4.7	1.9	0.1	0.5	3.8	6.2
	0.2	0.2	0.5	8.3	0.2	0.4	0.1	0.0	3.7	4.3	1.1	0.3	0.1	0.6	1.1
	0.2	0.1	0.2	15.0	0.1	0.1	0.4	0.1	3.8	3.2	0.8	0.2	0.2	0.1	0.1
山形 福島 茨城 栃木 群馬	1.6	2.8	1.8	9.0	0.3	0.2	0.2	0.1	2.3	8.8	1.7	0.1	0.2	0.6	1.4
	0.2	0.0	0.3	10.6	-	0.2	0.2	0.3	5.7	5.1	1.3	0.0	0.1	0.1	0.2
	0.1	0.4	0.6	10.2	0.0	0.1	0.1	0.1	1.0	1.7	0.6	0.3	0.1	0.6	0.2
	0.2	1.0	0.9	9.6	0.1	0.2	0.1	0.2	3.2	6.1	1.5	0.3	0.2	0.4	1.3
	0.1	0.1	0.6	9.5	0.2	0.7	0.1	0.1	0.3	2.8	2.0	0.2	0.2	1.0	1.3
埼玉県 千葉県 東京都 神奈川 新潟	0.1	0.2	1.2	12.0	0.1	0.2	0.1	0.1	0.6	5.0	0.7	0.2	0.2	1.1	0.8
	0.1	0.0	0.5	10.3	0.4	0.1	0.1	0.2	1.0	8.6	0.9	0.2	0.4	1.0	0.8
	0.5	0.4	0.7	15.3	0.2	0.3	0.1	0.2	0.1	6.5	2.7	0.2	0.3	4.0	3.4
	0.4	0.2	0.3	19.0	0.0	0.0	0.3	0.1	0.6	7.0	1.4	0.1	0.1	1.7	1.5
	0.7	0.2	1.4	14.0	0.0	0.1	0.1	0.2	0.2	3.7	2.1	0.4	0.2	0.7	1.4
富山 石川 福井 山梨 長野	0.9	0.8	1.0	18.9	0.3	0.5	0.1	0.2	0.2	5.8	0.9	0.4	0.2	2.5	2.7
	0.3	0.3	1.0	14.9	0.1	0.2	0.1	0.1	0.5	2.8	0.4	0.4	0.1	0.1	0.4
	0.2	0.3	0.4	16.0	0.0	0.2	0.3	0.2	1.4	3.8	0.2	0.3	0.1	0.8	0.4
	0.9	0.6	0.5	12.2	0.6	0.1	0.3	0.2	0.5	6.1	1.5	0.4	0.1	3.9	2.1
	0.4	0.8	0.5	11.8	0.1	0.4	0.2	0.1	0.7	4.9	1.4	0.3	0.2	1.1	3.6
岐阜 静岡県 愛知県 三重 滋賀	0.4	0.3	0.4	11.4	0.1	0.6	0.3	0.3	0.9	5.2	1.9	0.2	0.3	0.7	0.5
	0.4	0.1	0.4	14.5	0.2	0.1	0.0	0.2	0.8	5.8	0.9	0.3	0.1	1.5	0.2
	0.7	0.4	0.8	14.7	0.3	0.2	0.1	0.1	0.9	3.2	0.6	0.5	0.1	0.7	0.2
	0.2	0.5	0.4	9.3	0.0	0.0	0.1	0.3	2.8	3.2	0.6	0.3	0.1	0.5	0.4
	0.3	0.6	0.4	11.7	0.1	0.4	0.2	0.2	0.1	1.1	0.5	0.2	0.2	0.7	0.2
京都 大阪 兵衛 奈良 和歌山	0.7	0.6	0.7	16.4	0.2	0.5	0.1	0.1	0.3	4.2	0.5	0.6	0.2	1.0	0.3
	1.2	0.2	0.5	14.6	0.7	1.0	0.0	0.1	1.2	5.3	1.4	0.2	0.3	1.3	0.9
	1.2	0.2	0.2	14.7	0.2	0.5	0.2	0.2	1.2	7.3	0.5	0.2	0.7	2.5	0.6
	0.3	0.2	0.6	11.3	0.3	0.2	0.1	0.2	0.7	3.0	0.5	0.1	0.1	0.3	0.4
	0.5	0.2	0.5	11.5	0.0	0.1	0.2	0.1	5.1	4.2	0.4	0.0	0.1	0.0	0.2
鳥取 島根 岡山 広島	0.6	0.4	0.9	9.8	0.1	0.1	0.1	0.1	0.9	3.6	1.2	0.3	0.2	1.5	1.3
	0.2	0.2	0.6	5.7	-	0.1	0.3	0.2	1.1	1.0	0.4	0.2	0.3	0.2	1.2
	0.2	0.3	0.5	13.3	0.1	0.5	0.2	0.2	0.6	4.8	2.6	0.4	0.4	1.3	0.5
	0.4	0.2	0.5	10.9	0.7	0.6	0.1	0.2	0.6	2.6	0.8	0.3	0.2	0.9	1.6
	0.1	0.2	0.3	14.7	0.3	0.6	0.7	0.1	0.6	4.9	0.7	0.4	0.3	1.5	3.4
徳島 香川県 愛媛 高松 福岡	0.6	0.2	0.4	12.2	0.2	0.3	0.3	0.2	0.4	2.7	1.0	0.2	0.4	0.4	1.0
	0.6	0.0	0.4	15.7	0.1	0.2	0.1	0.2	1.2	1.8	1.0	0.3	0.3	0.9	1.0
	0.5	0.2	0.5	14.0	0.2	0.3	0.3	0.2	2.0	5.7	0.9	0.2	0.3	0.3	0.8
	0.1	0.2	0.6	7.1	0.0	0.1	0.1	0.2	0.2	1.9	0.5	0.4	0.2	0.1	0.6
	0.4	0.6	0.9	12.4	0.0	0.1	0.1	0.2	2.0	5.5	0.8	0.6	0.7	2.1	3.2
佐賀 熊本 大分 宮崎 鹿児島	0.4	1.0	0.5	11.3	0.1	0.3	0.3	0.1	1.3	6.9	0.6	0.5	0.4	1.8	1.5
	0.5	1.3	0.5	11.3	0.1	0.5	0.1	0.1	0.6	4.1	1.1	0.1	0.4	0.4	2.2
	0.4	0.2	0.9	9.6	0.0	0.0	0.1	0.2	1.1	6.4	1.1	0.3	0.3	1.1	1.4
	0.2	0.3	0.8	10.4	0.2	0.3	0.1	0.2	2.5	4.6	0.5	0.1	0.3	0.4	2.2
	0.4	0.2	0.6	11.1	0.0	0.1	0.2	0.2	3.4	3.3	1.1	0.2	0.3	0.3	1.5
	0.2	0.3	0.5	10.2	0.0	0.0	0.0	0.3	3.9	3.2	1.9	0.2	0.3	1.3	1.1
	0.2	0.3	0.5	10.2	0.0	0.0	0.0	0.3	3.9	3.2	1.9	0.2	0.3	1.3	1.1

常 被 患 率 (一 般 検 診) (つづき)

(%)

およびいん頭			言語 障害	精神 薄弱	麻痺 小児	運動 障害	心臓 の疾患	ぜん 息	腎 臓 疾患	身体 虚弱	伝染 皮膚 性疾 患	寄生 虫 病	その 病 他 常	歯					その 他 疾	むし 歯と その 疾	の 他 の 疾 患 者 (再掲)	
アノ イ デ ド	へん とん とん	肥 大 の 頭												む し 計	むし 歯 完 了 者 置	むし 歯 未 完 了 者 置						
0.4	9.6	4.4	0.2	1.1	0.0	0.2	0.4	0.2	0.1	0.3	0.9	0.3	0.6	92.4	10.8	81.6	1.7	1.50				
0.1	8.7	1.5	0.2	0.8	0.1	0.3	0.4	0.1	0.0	0.3	0.9	0.4	0.5	96.0	4.2	91.8	1.0	0.9				
0.3	9.9	3.2	0.4	1.3	0.0	0.2	0.2	0.1	0.0	0.2	1.2	0.1	1.2	97.9	3.3	94.6	1.6	1.1				
1.0	17.2	10.5	0.2	1.0	0.0	0.2	0.3	0.1	0.1	0.3	1.6	0.1	2.2	94.0	2.5	91.5	1.4	1.2				
0.3	9.3	4.5	0.2	1.8	0.0	0.3	0.2	0.1	0.1	0.3	1.7	0.2	0.8	86.7	7.1	79.6	1.1	1.1				
0.5	8.2	0.6	0.1	0.9	-	0.2	0.3	0.0	-	0.3	1.2	-	0.3	97.0	1.9	95.1	0.6	0.5				
0.2	11.4	5.2	0.1	1.2	0.0	0.2	0.4	0.1	0.0	0.9	2.0	0.0	0.5	92.7	18.1	74.6	1.8	1.6				
0.1	8.6	0.2	0.1	1.9	0.0	0.2	0.3	0.1	0.0	0.3	0.8	0.7	0.3	94.8	5.5	89.3	1.5	1.5				
0.0	9.4	0.7	0.2	0.8	0.1	0.2	0.3	0.1	0.0	0.3	0.5	0.3	0.5	91.1	7.8	83.3	2.2	1.5				
0.2	12.2	2.4	0.1	1.7	0.0	0.2	0.3	0.1	0.0	0.2	2.7	0.3	0.5	95.5	7.6	87.9	1.5	1.5				
0.6	13.4	5.4	0.2	0.9	0.0	0.2	0.3	0.1	0.0	0.2	1.8	0.0	0.8	88.2	15.4	72.8	6.9	6.9				
0.4	11.5	5.9	0.2	1.2	0.1	0.2	0.4	0.1	0.0	0.1	0.7	0.5	0.3	88.7	21.5	67.2	2.8	2.8				
0.0	13.2	4.0	0.3	1.3	0.0	0.1	0.3	0.1	0.0	0.2	0.6	0.3	0.2	92.3	8.1	84.2	0.9	0.6				
0.3	9.9	9.2	0.1	0.6	0.0	0.2	0.3	0.6	0.1	0.3	0.4	-	0.4	96.6	14.0	82.6	0.9	0.8				
0.5	12.1	4.8	0.1	0.5	0.0	0.1	0.3	0.3	0.0	0.0	0.3	0.2	0.8	94.8	13.6	81.2	1.3	1.1				
0.2	10.1	8.6	0.2	1.2	0.0	0.1	0.4	0.1	0.1	0.8	1.5	0.8	0.5	91.8	14.2	77.6	1.5	1.4				
0.3	6.0	8.1	0.1	1.2	0.0	0.2	0.2	0.1	0.1	0.4	0.9	0.5	0.9	88.7	22.8	65.9	0.6	0.6				
1.0	7.2	1.8	0.1	0.8	0.0	0.2	0.2	0.1	0.0	0.1	0.3	0.0	1.2	91.5	14.8	76.7	1.0	0.9				
0.5	9.4	1.6	0.2	0.9	0.1	0.2	0.5	0.1	0.0	0.4	1.1	0.0	0.5	86.1	12.3	73.8	0.8	0.5				
1.2	11.9	6.2	0.1	1.1	0.0	0.1	0.1	0.2	0.0	0.5	0.2	0.2	0.5	95.7	9.9	85.8	1.8	1.8				
0.7	8.1	9.1	0.1	0.9	0.0	0.1	0.2	0.1	0.0	0.5	1.0	0.1	0.6	97.7	11.3	86.4	2.2	2.1				
0.2	7.5	3.1	0.1	0.9	0.1	0.2	0.3	0.1	0.0	0.1	0.9	0.3	0.3	90.3	12.2	78.1	1.3	0.6				
1.0	8.4	2.4	0.2	2.3	0.0	0.1	0.4	0.2	0.0	0.2	0.4	0.0	0.3	91.5	14.5	77.0	0.4	0.3				
0.0	9.5	2.5	0.1	0.5	0.0	0.2	0.3	0.2	0.1	0.5	1.3	-	0.1	94.6	8.6	86.0	3.6	3.6				
0.3	9.2	2.1	0.1	0.8	0.0	0.2	0.4	0.2	0.1	0.2	0.2	0.0	0.7	95.5	5.9	89.6	2.0	2.0				
0.4	15.6	3.0	0.2	1.9	0.0	0.2	0.8	0.2	0.2	0.2	0.6	0.1	0.9	92.7	10.3	82.4	3.4	2.7				
0.1	7.5	4.8	0.2	1.0	0.0	0.2	0.5	0.1	0.1	0.3	0.7	-	0.6	93.4	11.3	82.1	3.1	1.9				
0.7	7.7	6.5	0.2	0.8	0.0	0.1	0.6	0.4	0.1	0.6	0.4	0.2	0.4	93.4	14.3	79.1	1.6	0.8				
0.3	9.9	5.7	0.1	0.9	0.1	0.2	0.5	0.2	0.1	0.2	0.4	-	0.5	92.5	9.6	82.9	1.3	1.3				
0.1	10.5	2.2	1.7	0.9	0.1	0.2	0.4	0.1	0.0	0.1	0.5	0.4	0.7	92.2	14.2	78.0	1.0	0.8				
0.1	8.6	0.2	0.2	1.1	-	0.3	0.4	0.2	0.0	0.2	0.3	0.0	0.3	93.2	10.5	82.7	1.0	1.0				
0.6	7.7	5.5	0.1	0.9	0.0	0.1	0.4	0.0	0.0	0.1	0.8	0.8	0.4	89.9	11.0	78.9	2.7	2.4				
0.3	12.2	4.0	0.2	1.1	0.1	0.2	0.4	0.2	0.1	0.3	0.9	0.5	0.5	94.3	8.4	85.9	4.7	4.6				
0.5	10.8	4.1	0.2	0.7	0.0	0.1	0.4	0.2	0.1	0.1	0.6	-	0.5	94.7	12.9	81.8	2.7	2.1				
0.2	8.6	3.4	0.3	1.5	0.0	0.2	0.4	0.2	0.0	0.3	0.9	0.3	0.7	91.5	13.7	77.8	1.3	1.1				
0.8	5.7	8.1	0.3	1.3	0.1	0.3	0.4	0.2	0.1	0.3	1.1	0.0	0.3	92.4	11.5	80.9	0.9	0.5				
0.2	7.3	5.1	0.0	0.9	-	0.1	0.5	0.0	0.0	0.1	0.2	0.0	1.0	94.2	5.3	88.9	1.1	1.1				
0.2	9.2	3.8	0.1	1.1	0.0	0.2	0.9	0.3	0.1	0.2	0.3	1.8	0.3	90.9	17.6	73.3	0.5	0.5				
0.1	10.0	1.9	0.2	1.5	0.0	0.3	0.3	0.1	0.1	0.2	0.2	0.3	0.3	89.6	8.0	81.6	0.4	0.3				
0.1	10.2	1.0	0.1	1.2	0.0	0.2	0.2	0.1	0.0	0.1	0.8	0.4	0.5	90.7	12.0	78.7	1.3	0.9				
2.3	9.8	10.0	0.2	1.0	0.1	0.2	0.4	0.2	0.1	0.3	1.6	0.0	0.5	90.2	12.0	78.2	1.1	0.8				
0.7	9.2	9.7	0.1	1.5	0.0	0.3	0.5	0.1	0.0	0.1	1.0	0.3	0.5	91.9	6.2	85.7	2.3	2.3				
0.4	6.1	3.3	0.1	1.0	0.0	0.2	0.3	0.2	-	0.2	1.5	0.0	0.3	91.8	10.3	81.5	2.2	2.2				
0.6	8.3	4.9	0.1	1.1	0.0	0.3	0.5	0.3	0.0	0.1	2.7	0.6	1.1	88.0	10.1	77.9	1.3	0.8				
0.3	6.6	4.1	0.2	1.7	0.1	0.1	0.3	0.2	0.0	0.1	0.4	0.9	0.2	88.7	12.8	75.9	1.2	1.1				
0.0	5.8	3.0	0.2	2.5	0.0	0.3	0.5	0.1	0.1	0.1	0.3	0.7	0.5	93.6	6.9	86.7	1.2	1.2				
0.4	6.6	6.1	0.2	0.4	0.0	0.3	0.4	0.2	0.0	0.2	0.3	0.0	0.7	91.5	4.3	87.2	1.5	1.4				

10 都道府県別疾病異

3 中学校 (1) 男

区 分	栄養 要注意	せき 柱異常	胸郭 異常	目									耳			鼻 蓄う の症
				近 視	遠 視	乱 視	弱 視 (両眼)	色異 神常	トホ ラム	結 膜炎	その 他疾	難 聴 (両耳)	中 耳 炎	その 他疾		
全 国	0.3	0.4	0.6	19.8	0.2	0.7	0.3	4.1	1.5	3.7	0.9	0.4	0.4	1.0	2.0	
北海道 北青森宮秋	0.1	0.1	0.2	25.4	0.1	0.6	0.1	3.9	0.7	3.2	0.4	0.2	0.2	0.5	1.4	
	0.0	0.1	0.2	19.3	0.1	0.1	0.8	4.9	4.8	5.3	0.4	1.0	0.4	1.8	2.4	
	0.3	0.1	0.3	16.7	-	0.2	0.3	4.2	7.9	4.1	1.7	0.1	0.3	2.0	7.8	
	0.4	0.2	0.9	15.0	0.3	0.8	0.5	4.0	2.9	6.6	1.8	0.4	0.4	0.6	4.2	
	0.1	0.0	0.1	17.0	0.4	-	0.4	4.2	3.5	3.9	0.8	0.5	0.2	0.7	1.1	
山形県 福島茨栃群	1.8	2.2	2.1	17.7	0.5	1.2	0.1	4.0	1.7	6.0	1.3	0.1	0.3	0.5	3.6	
	0.1	0.3	0.3	19.3	0.1	0.3	0.3	3.9	5.0	2.3	0.6	0.4	0.4	0.3	1.8	
	0.2	0.2	0.5	16.5	0.6	0.4	0.2	2.8	1.0	1.2	0.7	0.3	0.2	0.1	0.9	
	0.2	0.5	1.2	14.7	0.4	0.2	0.4	4.0	2.3	6.4	1.7	0.3	0.3	0.8	0.8	
	0.3	0.5	0.6	14.1	0.2	0.6	0.4	3.2	0.3	2.3	1.1	0.2	0.3	0.6	1.3	
埼玉県 千葉県 東京都 神奈川 新潟	0.0	0.3	0.5	16.7	0.1	0.8	0.3	4.0	0.2	4.4	0.7	0.2	0.3	1.1	1.1	
	0.1	0.1	0.5	15.3	0.3	1.0	1.8	4.0	0.9	5.1	1.7	0.3	0.3	0.5	1.3	
	0.2	0.1	0.3	28.4	0.3	2.8	0.1	4.3	0.6	4.7	1.9	0.4	0.5	3.8	2.2	
	0.1	0.2	0.4	21.2	0.0	0.3	0.3	3.8	0.2	5.6	1.9	0.8	0.2	0.4	0.2	
	0.2	0.1	0.7	21.3	0.0	0.2	0.1	4.2	0.3	3.7	1.4	0.4	0.6	0.9	2.0	
富山県 石川県 福井 山梨 長野	0.4	0.3	0.6	26.3	0.0	0.3	0.6	4.7	0.3	4.7	0.9	0.3	0.1	0.8	3.9	
	0.3	0.1	0.3	24.3	0.0	0.6	0.1	5.0	1.0	2.8	0.4	0.3	0.0	0.2	1.0	
	0.1	0.1	0.3	27.0	0.0	0.5	0.5	4.4	0.5	1.7	0.3	0.6	0.2	0.4	0.6	
	1.6	0.6	0.7	13.8	-	0.6	0.2	4.5	0.3	4.7	1.2	0.2	0.3	2.5	4.8	
	0.3	0.5	0.6	20.2	0.1	0.1	0.1	4.3	0.2	3.6	1.4	0.3	0.3	1.4	5.7	
岐阜県 静岡県 愛三滋	0.1	0.3	0.6	18.7	0.2	0.6	0.4	4.1	0.6	2.7	1.1	0.2	0.3	0.5	1.2	
	0.2	0.3	0.4	25.5	0.3	5.0	0.1	3.6	1.0	3.8	1.6	0.3	0.3	1.4	0.8	
	0.6	0.6	0.7	28.3	0.1	1.2	0.1	3.2	1.1	3.2	1.5	0.2	0.2	0.3	0.5	
	0.1	0.4	0.4	20.9	0.1	1.2	0.3	4.5	3.4	3.1	0.4	0.3	0.2	0.1	1.4	
	0.4	0.4	0.4	19.0	0.0	0.2	0.1	4.2	0.1	1.5	0.3	0.1	0.2	0.5	0.2	
東京都 大田奈和	0.5	0.1	0.2	21.2	0.3	0.7	0.2	4.1	0.3	1.5	1.2	1.6	0.2	0.3	0.7	
	0.2	0.1	0.5	25.7	0.1	1.5	0.1	4.0	1.0	4.0	1.1	0.4	0.5	1.7	1.1	
	0.9	0.2	0.4	23.9	0.6	2.0	0.8	4.6	0.9	4.3	0.2	0.5	0.4	1.3	1.6	
	0.5	0.2	1.0	21.0	0.7	0.6	0.5	5.0	0.6	2.6	0.8	0.3	0.5	0.5	0.7	
	0.6	0.8	1.0	16.5	0.3	1.0	0.7	3.9	5.4	4.4	0.4	0.3	0.3	0.1	0.3	
東京都 島根岡広山	0.2	0.1	1.0	18.8	0.0	0.3	0.2	3.8	0.7	2.5	0.3	0.2	0.3	0.8	1.9	
	0.3	0.3	0.7	16.0	0.6	1.3	0.3	4.5	1.2	1.3	0.5	0.4	0.4	0.5	1.7	
	0.2	0.3	0.6	23.3	0.4	0.4	0.1	4.0	0.6	3.3	0.5	0.6	0.2	0.9	2.1	
	0.2	0.3	0.5	20.1	0.1	0.7	0.8	3.9	0.2	3.3	0.6	0.3	0.3	0.8	1.9	
	0.1	0.2	0.5	22.2	0.0	0.9	0.4	4.5	0.4	4.6	1.0	0.7	0.8	0.6	3.1	
東京都 徳香愛高福	0.7	0.5	0.5	17.5	0.1	0.4	0.2	3.9	0.4	3.5	0.7	0.8	0.4	0.4	2.0	
	0.1	0.2	0.4	30.0	0.0	0.0	0.1	4.0	0.7	2.9	1.0	0.5	0.6	1.3	2.1	
	0.1	0.1	0.5	18.7	0.1	0.8	0.2	3.4	1.3	4.3	0.9	0.4	0.5	0.2	1.2	
	0.1	0.2	0.5	12.3	0.0	0.0	0.1	3.3	0.2	1.1	0.2	0.6	0.3	0.3	1.5	
	0.2	0.2	0.6	23.8	0.3	0.8	0.1	4.6	2.2	4.8	1.0	0.7	1.0	3.1	4.0	
東京都 佐長熊大宮鹿	0.3	0.1	0.2	19.4	-	0.3	0.2	3.5	1.1	3.4	1.0	0.6	0.6	2.4	3.4	
	0.2	0.6	0.7	18.2	0.2	0.7	0.2	4.2	1.1	2.2	0.3	0.5	0.7	2.0	3.5	
	0.1	1.0	0.5	14.1	0.1	0.1	0.2	4.5	1.1	4.3	0.7	0.7	0.4	0.9	0.9	
	0.3	0.1	0.3	16.8	0.2	1.2	0.6	4.5	0.8	4.4	0.9	0.3	0.5	1.3	2.8	
	0.3	0.3	0.6	12.1	0.0	0.2	0.4	4.1	3.7	6.6	0.9	0.3	0.6	0.3	1.2	
	0.3	1.5	1.4	12.8	0.1	0.3	0.0	3.0	4.5	3.8	0.8	0.5	0.5	1.1	1.9	

10 都道府県別疾病異

3 中学校 (2) 女

区 分	栄養 要注 意	せき 柱異 常	胸 郭異 常	目								耳			鼻 の症
				近 視	遠 視	乱 視	弱 視 (両 眼)	色 異 神 常	ト ホ ー ム	結 膜 炎	その 他 疾	難 聴 (両 耳)	中 耳 炎	その 他 疾	
全 国	0.2	0.3	0.3	24.7	0.2	0.8	0.4	0.3	1.6	3.7	0.9	0.4	0.3	0.7	1.8
北海道 青森 岩手 宮城 秋田	0.1	0.1	0.1	32.4	0.1	0.8	0.1	0.2	0.8	2.8	0.4	0.1	0.1	0.3	1.0
	0.1	0.0	0.2	26.7	0.0	0.8	1.0	0.5	5.2	5.1	0.3	0.7	0.2	1.5	2.2
	0.1	0.1	0.2	23.3	0.1	0.2	0.4	0.2	9.2	4.6	1.9	0.1	0.2	1.5	7.1
	0.1	0.1	0.2	19.9	0.4	0.8	0.9	0.1	2.6	6.3	2.2	0.2	0.2	0.4	4.0
山形 福島 茨城 栃木 群馬	0.0	0.0	0.1	20.5	0.6	-	0.5	0.2	3.6	3.6	0.8	0.4	0.2	0.5	1.1
	1.1	2.4	0.9	22.1	0.5	1.3	0.1	0.2	2.2	7.1	1.2	0.1	0.3	0.4	3.5
	0.1	0.1	0.2	25.4	0.1	0.4	0.3	0.3	4.8	2.4	0.5	0.2	0.2	0.2	1.5
	0.1	0.1	0.1	21.4	0.3	0.7	0.1	0.1	0.8	1.0	0.6	0.2	0.1	0.1	0.7
埼玉県 千葉県 東京都 神奈川県	0.2	0.2	0.6	19.4	0.3	0.2	0.4	0.1	2.5	6.4	1.6	0.4	0.4	0.5	0.5
	0.1	0.4	0.2	17.4	0.2	0.8	0.6	0.2	0.5	1.9	0.8	0.2	0.2	0.3	1.2
	0.0	0.2	0.2	22.3	0.1	1.1	0.4	0.2	0.4	4.1	0.6	0.2	0.2	0.8	1.2
	0.0	0.1	0.2	19.2	0.7	0.9	1.5	0.2	0.8	5.3	1.8	2.3	0.3	0.4	1.0
富山 石川 福井 山梨 長野	0.1	0.1	0.1	32.5	0.1	1.5	0.1	0.2	0.8	3.9	1.7	0.5	0.4	3.1	2.0
	0.0	0.1	0.2	21.1	0.0	0.5	0.4	0.2	0.2	5.6	1.7	0.4	0.1	0.1	0.2
	0.1	0.1	0.3	27.2	0.0	0.2	0.0	0.3	0.2	4.2	1.4	0.4	0.3	0.9	1.6
	0.2	0.4	0.3	30.5	0.1	0.4	0.6	0.3	0.3	4.2	1.1	0.2	0.2	0.6	3.1
岐阜 静岡県 愛知県 三重県	0.2	0.1	0.1	29.0	0.1	0.4	0.0	0.3	0.6	3.3	0.4	0.1	0.1	0.0	0.8
	0.1	0.1	0.2	30.1	0.0	0.5	0.4	0.4	0.8	1.7	0.4	0.4	0.1	0.4	0.3
	1.2	0.6	0.4	19.5	0.2	0.6	0.2	0.3	0.3	4.6	1.1	0.3	0.2	1.4	4.3
	0.2	0.3	0.2	25.5	0.1	0.2	0.1	0.3	0.2	3.0	1.0	0.3	0.3	0.7	5.2
京都 大阪 兵庫県 奈良 和歌山	0.2	0.4	0.5	23.2	0.1	0.7	0.5	0.2	0.6	2.6	0.8	0.1	0.2	0.3	1.0
	0.2	0.1	0.1	29.4	0.1	4.8	0.1	0.2	1.2	3.3	1.6	0.2	0.2	1.0	0.8
	0.3	0.4	0.4	32.4	0.1	1.8	0.1	0.2	1.0	2.7	1.3	0.2	0.3	0.2	0.5
	0.1	0.6	0.5	27.5	0.1	0.5	0.4	0.3	3.3	2.5	0.4	0.4	0.1	0.1	1.1
徳島 香川県 愛媛 高松 福岡	0.3	0.3	0.1	22.5	0.0	0.3	0.1	0.5	0.1	1.7	0.3	0.1	0.1	0.4	0.2
	0.4	0.2	0.1	24.5	0.1	0.8	0.2	0.2	0.3	1.5	1.4	1.7	0.0	0.1	0.4
	0.1	0.1	0.3	33.0	0.1	1.8	0.1	0.2	0.9	3.3	1.0	0.4	0.5	1.8	0.8
	0.6	0.1	0.2	28.5	0.5	1.4	0.2	0.2	1.0	4.7	0.2	0.5	0.3	0.9	1.1
鳥取 岡山 広島 山口	0.2	0.2	0.3	24.9	0.5	0.4	0.7	0.5	0.5	2.6	0.3	0.3	0.4	0.3	0.7
	0.4	0.6	0.4	21.3	0.1	1.2	1.2	0.2	5.0	4.2	0.2	0.4	0.2	0.1	0.4
	0.3	0.1	0.6	23.3	0.1	0.5	0.2	0.2	1.0	2.5	0.4	0.1	0.2	0.4	2.0
	0.2	0.3	0.5	17.3	0.1	1.6	0.2	0.4	1.4	1.4	0.5	0.3	0.2	0.3	1.5
徳島 香川県 愛媛 高松 福岡	0.3	0.2	0.4	30.2	0.2	0.2	0.3	0.6	3.3	0.7	0.3	0.2	0.2	0.6	1.8
	0.2	0.2	0.2	27.5	0.2	0.8	0.6	0.3	0.2	2.8	0.8	0.2	0.3	0.3	1.5
	0.3	0.1	0.3	28.9	0.1	1.5	0.3	0.1	0.4	4.7	1.1	0.5	0.6	0.6	2.7
	0.4	0.0	0.1	21.9	0.1	0.4	0.2	0.2	0.4	2.3	0.6	0.5	0.2	0.4	1.4
徳島 香川県 愛媛 高松 福岡	0.1	0.3	0.2	36.5	0.0	0.1	0.0	0.3	0.8	3.1	1.1	0.5	0.4	0.8	2.1
	0.1	0.1	0.1	25.1	0.1	1.2	0.3	0.3	1.4	4.1	0.9	0.4	0.2	0.3	1.3
	0.2	0.2	0.2	17.5	0.0	0.1	0.1	0.3	0.3	1.4	0.2	0.5	0.3	0.2	1.3
	0.1	0.1	0.3	29.7	0.2	1.3	0.1	0.2	2.7	4.8	1.1	0.8	1.0	2.5	4.0
佐賀 長門 熊野 大宮 鹿島	0.2	0.1	0.1	23.8	-	0.3	0.4	0.1	1.2	3.7	0.9	0.4	0.4	1.5	3.3
	0.2	0.4	0.3	22.6	0.1	1.0	0.3	0.3	1.0	2.2	0.4	0.4	0.6	1.1	2.5
	0.1	0.6	0.3	19.2	0.0	0.2	0.3	0.7	1.3	4.8	0.7	0.4	0.3	0.5	0.6
	0.3	0.0	0.2	21.2	0.2	1.6	0.8	0.2	1.0	3.7	0.8	0.3	0.4	0.9	2.6
佐賀 長門 熊野 大宮 鹿島	0.2	0.1	0.4	17.1	0.1	0.3	0.7	0.2	4.4	7.0	0.9	0.3	0.4	0.2	1.0
	0.2	1.1	1.0	15.5	0.1	0.5	0.0	0.2	4.8	3.9	0.7	0.4	0.3	0.7	2.0

常 被 患 率 (一 般 検 診) (つづき)

(%)

およびいん頭				言語 障害	精神 薄弱	麻痺 性小 児痺	延能 動障 害	心臓 の疾 患	ぜ ん 息	腎臓 の疾 患	身体 虚 弱	伝皮 染膚 性疾 患	寄 生 虫 病	そ の 病 異 常	歯					その 他 疾 患	むし 歯と そ の 他 疾 患	むし 歯と そ の 他 疾 患	(再 掲) の 他 の 疾 患	
アノ イ デ	へん と	う せ ん と	肥 大 の 頭												鼻 疾 患 の 頭	む 計	し 処 置 者	菌 完 了 者	歯 未 処 置 者					菌 有 者
0.1	6.2	3.0	0.1	2.0	0.0	0.3	0.4	0.1	0.1	0.3	0.7	0.3	0.5	89.7	22.4	67.3	2.3	1.65						
0.1	4.0	1.6	0.1	1.4	0.0	0.2	0.4	0.0	0.0	0.0	0.7	0.1	0.3	94.6	8.1	86.5	0.9	0.3						
0.3	5.3	6.2	0.2	3.2	0.0	0.3	0.3	0.0	0.0	0.5	0.9	-	0.5	94.5	8.4	86.1	2.9	2.3						
0.0	9.2	9.8	0.1	2.0	0.0	0.2	0.3	0.0	0.0	0.3	1.4	0.0	0.6	89.2	6.9	82.3	4.4	3.8						
0.1	7.8	3.5	0.3	3.8	0.0	0.4	0.3	0.0	0.1	0.6	2.9	1.2	0.6	80.8	12.7	68.1	1.2	1.2						
0.1	5.6	1.2	0.1	1.8	0.0	0.2	0.3	0.0	0.0	0.2	1.3	-	0.3	90.7	10.5	80.2	2.0	1.3						
-	8.6	2.3	0.1	2.7	0.0	0.3	0.4	0.0	0.0	0.5	2.5	0.2	1.0	93.2	30.7	62.5	1.4	1.1						
0.3	4.5	1.0	0.1	1.0	0.0	0.3	0.4	0.1	0.1	0.2	0.8	1.1	0.2	87.6	15.3	72.3	3.2	3.2						
0.1	5.6	0.7	0.2	1.9	0.0	0.2	0.4	0.1	0.0	0.1	0.8	0.3	0.4	88.0	16.4	71.6	3.0	3.0						
0.2	7.6	3.0	0.1	2.4	0.0	0.3	0.3	0.1	0.1	0.2	1.3	0.8	0.5	89.5	21.9	67.6	3.5	3.5						
0.1	8.8	1.8	0.1	2.1	0.0	0.1	0.4	0.1	0.1	0.1	1.6	0.5	0.6	93.0	19.0	74.0	5.0	4.0						
0.0	6.8	1.8	0.1	2.0	0.0	0.2	0.3	0.1	0.0	0.3	1.1	0.3	0.3	94.2	28.7	65.5	3.4	3.4						
0.1	8.8	3.3	0.2	3.1	0.0	0.3	0.3	0.1	0.1	0.4	0.4	0.0	0.2	88.1	19.9	68.2	1.4	1.3						
0.1	6.6	7.3	0.1	0.3	0.0	0.1	0.2	0.1	0.0	0.2	0.3	-	0.7	94.6	29.8	64.8	1.5	1.4						
0.0	6.1	2.6	0.1	0.4	0.0	0.2	0.4	0.2	0.1	0.1	0.4	0.1	0.3	95.0	25.3	69.7	2.0	2.0						
-	6.9	2.8	0.2	2.0	0.0	0.3	0.4	0.0	0.1	0.3	1.8	0.4	0.5	91.7	31.2	60.5	2.4	2.4						
-	5.9	5.1	0.1	3.0	0.0	0.3	0.3	0.1	0.1	0.3	0.3	1.3	0.4	93.4	31.4	62.0	0.4	0.4						
-	5.2	0.8	0.1	2.1	-	0.2	0.3	0.0	0.1	0.1	0.1	-	0.2	94.2	28.7	65.5	0.3	0.2						
0.0	6.1	1.3	0.0	2.0	0.0	0.2	0.5	0.0	0.0	0.3	0.6	0.0	0.5	88.1	25.5	62.6	1.6	1.0						
0.0	6.9	4.9	0.1	2.3	0.1	0.2	0.4	0.0	0.0	0.1	0.4	0.1	0.5	93.1	21.7	71.4	2.2	2.2						
-	6.5	4.6	0.2	1.7	0.0	0.4	0.5	0.0	0.1	0.4	0.7	0.1	0.4	93.0	31.3	61.7	2.7	2.1						
0.0	5.3	2.4	0.1	1.6	0.1	0.2	0.4	0.1	0.1	0.2	0.6	0.5	0.7	90.1	22.2	67.9	3.4	3.1						
0.1	4.7	1.8	0.2	2.5	0.0	0.2	0.3	0.1	0.1	0.4	0.2	0.1	0.7	91.1	34.8	56.3	0.8	0.8						
0.1	5.9	1.9	0.1	0.5	0.0	0.1	0.3	0.1	0.1	0.2	0.2	0.0	0.5	88.9	25.1	63.8	2.4	2.1						
0.0	7.8	1.4	0.4	1.6	0.1	0.3	0.3	0.6	0.1	0.3	0.3	0.0	0.5	92.6	15.4	77.2	3.6	3.1						
0.0	6.4	1.3	0.1	2.8	0.1	0.4	0.9	0.1	0.1	0.1	0.4	0.7	0.5	92.6	22.9	69.7	3.8	3.4						
-	4.3	1.8	0.2	1.0	0.1	0.2	0.4	0.1	0.1	0.3	0.1	0.7	0.5	90.7	34.0	56.7	1.0	-						
0.0	5.3	2.7	0.1	1.9	0.0	0.2	0.9	0.1	0.1	0.2	0.2	0.1	0.5	90.0	25.7	64.3	2.7	2.7						
0.0	6.6	2.6	0.2	1.7	0.0	0.3	0.7	0.1	0.1	0.5	-	0.3	0.8	86.4	26.1	60.3	2.1	1.9						
0.1	5.4	0.9	0.1	1.5	0.1	0.3	0.6	0.0	0.1	0.2	0.2	1.4	0.4	87.4	31.7	55.7	2.3	2.0						
0.1	6.2	0.3	0.0	1.3	0.0	0.1	0.6	0.1	0.1	0.1	0.0	0.1	0.3	87.0	22.4	64.6	4.2	3.6						
0.0	8.0	5.8	0.0	1.6	0.0	0.2	0.2	0.0	0.0	0.0	0.9	0.0	0.4	91.5	18.5	73.0	3.5	3.1						
-	6.6	2.7	0.1	2.0	0.1	0.2	0.8	0.1	0.2	0.3	0.6	0.1	0.7	88.4	21.4	67.0	5.5	5.1						
0.0	5.1	1.6	0.0	0.8	0.0	0.2	0.4	0.0	0.1	0.3	0.6	0.0	0.3	89.0	31.5	57.5	1.1	0.7						
-	5.0	1.8	0.1	2.5	0.1	0.4	0.5	0.1	0.1	0.8	0.4	0.2	0.8	86.6	26.2	60.4	3.1	2.8						
0.0	5.9	3.0	0.3	2.4	0.1	0.5	0.6	0.1	0.1	0.9	0.8	0.2	0.9	88.7	19.8	68.9	3.8	3.2						
0.0	5.3	4.4	0.1	1.6	0.0	0.2	0.4	-	0.1	0.1	0.2	0.1	0.6	84.2	13.8	70.4	1.0	1.0						
0.0	4.6	3.0	0.0	0.9	-	0.1	0.6	0.0	0.1	0.1	0.0	0.2	0.8	91.3	35.8	55.5	0.9	0.9						
0.0	5.0	0.6	0.2	2.8	0.0	0.3	0.5	0.1	0.2	0.3	0.1	0.1	0.3	84.9	16.6	68.3	3.2	2.3						
0.0	6.1	0.5	0.2	1.9	0.1	0.1	0.5	0.0	0.1	0.2	0.7	0.6	0.5	90.3	24.3	66.0	2.8	2.5						
0.2	5.6	9.3	0.1	3.4	0.0	0.3	0.7	0.1	0.1	0.4	0.7	0.3	0.5	85.5	26.3	59.2	0.9	0.8						
0.0	5.6	8.9	0.2	1.5	0.0	0.3	0.3	0.0	0.1	0.3	0.8	0.2	0.3	84.9	16.6	68.3	1.9	1.9						
0.0	5.7	2.4	0.2	1.3	0.0	0.4	0.6	0.1	0.1	0.4	1.1	0.3	0.7	84.5	24.1	60.4	0.8	0.8						
0.9	4.4	3.8	0.1	2.4	0.0	0.5	0.3	0.1	0.1	0.3	0.5	0.7	0.6	83.2	27.6	55.6	1.5	1.1						
0.6	7.0	1.4	0.3	1.5	0.1	0.4	0.2	0.0	0.0	0.4	0.6	1.8	0.2	86.1	21.9	64.2	0.7	0.6						
-	6.0	1.3	0.2	6.6	0.1	0.4	0.7	0.1	0.1	0.2	0.2	0.4	0.4	88.3	14.6	73.7	0.7	0.7						
0.0	5.4	1.2	0.1	0.6	0.0	0.3	0.4	0.0	0.1	0.4	0.2	0.1	0.4	89.6	9.3	80.3	1.7	1.4						

10 都道府県別疾病異

4 高等学校 (1) 男

区 分	栄養 注意	せき 柱異常	胸郭 異常	目								耳			鼻 の症
				近 視	遠 視	乱 視	弱 視 (両眼)	色 異 神常	ト ホ ラム	結 膜 炎	その 他疾	難 聴 (両耳)	中 耳 炎	その 他疾	
全 国	0.2	0.3	0.4	36.7	0.3	1.6	0.4	4.1	1.0	3.1	0.9	0.3	0.4	0.6	1.7
北海道	0.1	0.2	0.2	35.5	0.0	1.2	0.6	4.8	0.1	2.0	0.6	0.5	0.2	0.4	1.1
青森	0.0	0.0	0.0	37.7	0.3	0.6	0.0	4.9	2.8	7.8	0.1	0.0	0.1	0.0	2.2
岩手	0.1	0.1	0.2	39.3	0.1	0.6	0.3	3.7	7.5	4.3	1.3	0.2	0.7	1.3	4.3
宮城	0.3	2.3	0.8	27.7	0.1	1.9	-	4.3	1.8	3.5	0.5	0.2	0.3	0.6	2.1
秋田	-	0.1	0.2	35.9	-	0.3	-	4.9	3.8	7.1	0.3	0.1	0.4	0.3	2.3
山形	0.9	1.3	0.9	37.6	0.0	1.8	0.1	4.6	1.1	4.2	2.7	0.3	0.3	0.6	2.2
福島	0.3	0.3	0.3	32.5	0.3	3.5	0.9	4.4	3.5	2.5	0.2	0.1	0.0	-	0.5
茨城	-	0.1	0.4	25.5	0.0	0.6	-	3.0	0.2	0.8	0.6	0.3	0.3	1.3	1.5
栃木	0.0	0.1	0.5	25.7	0.9	1.3	0.1	4.0	1.6	2.2	1.1	0.5	0.3	0.4	1.4
群馬	0.1	0.0	0.3	34.8	0.2	2.0	0.0	4.9	0.1	1.6	3.6	0.4	0.1	0.2	1.5
埼玉県	0.1	0.8	0.2	34.0	0.3	2.1	0.0	3.5	0.5	5.3	1.2	0.5	0.3	1.0	1.0
千葉県	0.0	0.0	0.5	29.0	0.2	1.3	0.2	3.7	0.6	5.8	0.9	0.1	0.3	0.5	0.7
東京都	0.1	0.2	0.3	46.3	0.0	0.7	0.0	4.2	0.0	4.1	0.3	0.1	0.3	0.4	1.0
神奈川県	0.1	0.2	0.2	19.0	-	-	-	3.1	0.3	2.0	0.8	0.3	0.2	0.4	0.2
新潟県	0.1	0.8	0.4	35.2	0.0	0.5	0.2	3.1	0.0	2.0	0.8	0.4	0.3	0.4	3.2
富山県	0.0	0.3	0.5	44.9	0.0	0.4	0.5	2.8	0.0	3.9	1.1	0.2	0.2	1.1	2.3
石川県	0.0	0.1	0.2	42.8	0.0	0.2	0.1	3.9	0.6	1.6	0.4	0.4	0.4	0.6	1.3
福井県	0.1	0.9	0.7	49.7	0.1	0.5	-	4.2	0.8	1.5	0.4	0.6	0.1	0.1	0.4
山梨県	1.5	0.3	4.0	34.6	-	0.4	8.5	3.6	0.3	5.0	0.7	3.6	0.8	2.6	3.8
長野県	0.1	0.2	0.2	30.2	0.1	1.2	0.0	3.2	0.1	2.7	1.7	0.1	0.2	0.6	4.7
岐阜県	0.1	0.1	0.4	40.2	-	1.0	2.6	3.1	1.3	3.6	1.5	0.2	0.1	0.1	1.7
静岡県	0.0	0.1	0.4	46.4	-	1.7	0.1	5.2	0.5	4.2	0.4	0.4	0.4	1.7	1.3
愛知県	0.1	0.1	0.4	49.1	0.2	3.9	0.0	3.8	0.4	4.3	0.7	0.7	0.8	0.7	2.3
三重県	0.0	0.1	0.2	36.9	-	2.4	0.4	5.8	1.5	2.2	0.4	0.7	0.7	0.7	1.7
滋賀県	0.0	0.5	0.1	44.5	0.6	0.7	0.1	4.2	-	0.2	0.1	0.3	0.2	0.0	0.6
京都府	0.1	0.4	0.2	30.7	0.1	1.4	0.0	4.4	0.1	2.6	1.3	0.1	0.3	0.3	1.3
大阪府	0.2	0.1	0.7	41.3	0.2	6.8	-	6.2	0.5	1.9	1.1	0.2	0.7	1.1	2.3
兵庫県	0.1	0.1	0.3	46.2	0.1	4.0	0.3	4.3	1.1	4.1	0.8	0.2	0.5	0.3	0.8
奈良県	0.0	0.2	0.3	39.4	0.0	2.0	0.1	5.0	0.3	0.8	0.1	0.6	0.3	0.0	0.7
和歌山県	0.3	0.1	0.3	28.5	0.3	0.4	0.1	4.4	4.4	1.2	0.2	0.2	0.2	0.3	1.0
鳥取県	0.2	0.5	0.7	35.9	0.2	1.7	-	4.4	0.4	1.5	0.2	0.2	0.1	0.0	0.8
島根県	0.1	0.1	0.3	36.7	2.6	3.2	0.6	3.0	0.3	0.8	0.4	0.2	0.2	0.4	0.7
岡山県	0.2	0.0	0.2	42.2	0.0	1.9	0.5	5.2	0.2	3.4	3.3	0.3	0.3	0.9	1.6
広島県	0.0	0.3	0.2	37.7	-	3.5	1.9	3.2	0.2	3.2	0.7	0.1	0.6	1.1	1.5
山口県	0.1	0.1	0.2	40.8	0.1	1.5	0.1	4.4	1.1	3.3	0.5	0.2	0.6	1.2	2.0
徳島県	0.2	0.0	0.2	30.9	-	0.4	0.4	4.1	0.2	2.3	1.1	0.7	0.6	0.5	3.1
香川県	0.2	0.2	0.3	48.8	0.0	0.9	0.0	4.0	0.6	2.0	1.0	0.5	0.6	0.9	2.0
愛媛県	0.2	0.1	0.2	34.8	1.4	8.6	0.1	4.1	0.2	2.8	0.6	0.2	0.2	0.1	0.4
高知県	0.0	0.1	0.6	28.2	0.0	0.5	0.0	4.3	0.0	0.5	0.5	0.3	0.1	0.0	0.7
福岡県	0.5	0.2	0.4	31.2	1.0	1.5	0.5	3.6	0.9	2.7	1.0	0.3	0.4	0.2	3.0
佐賀県	0.0	0.3	0.3	36.7	0.9	1.0	0.1	4.2	1.2	3.8	0.8	0.3	0.5	1.1	3.1
長門県	0.1	0.8	0.2	39.7	0.0	2.3	0.1	4.7	0.8	4.3	0.5	0.2	0.9	0.5	2.7
熊本市	0.1	0.7	0.4	25.4	0.0	0.6	0.3	4.1	0.3	3.7	1.2	0.3	1.5	0.6	1.8
大分県	0.6	0.6	1.1	41.3	0.4	0.9	0.1	3.7	0.1	1.7	0.2	0.6	0.1	-	0.8
宮崎県	0.1	0.1	0.4	18.4	0.1	0.8	0.1	4.1	1.8	5.7	0.8	0.2	0.4	0.4	1.5
鹿児島県	0.0	0.2	0.3	30.5	0.1	1.8	-	3.9	0.8	2.0	1.3	0.3	0.6	0.3	1.6

常 被 患 率 (一 般 検 診) (つづき)

(%)

およびいん頭				言語 障害	精神 薄弱	麻痺 性小 児痺	運動 障害 機害	心臓 の疾患	ぜん 息	腎臓 の疾患	身体 虚弱	伝染 性疾 の患	寄 生 虫 病	そ疾 の病 他異 の常	歯					その 他疾	むし 歯と そ疾	の ある の 他疾	の ある の 他疾
アノ イ ド	へん せんと	肥 大 の 頭	鼻の 疾患 その他												むし歯			その 他					
															計	処完了 置者	未処置 者						
0.0	3.4	3.1	0.1	0.0	0.0	0.1	0.4	0.0	0.1	0.0	0.2	0.1	0.4	86.8	21.0	65.8	3.0	2.72					
-	1.8	1.5	0.0	-	0.0	0.1	0.4	0.1	0.1	-	0.3	0.0	0.8	93.3	10.0	83.3	3.1	2.8					
-	3.9	4.2	0.0	-	-	0.1	0.1	0.0	-	0.0	0.2	0.0	0.0	89.7	13.0	76.7	3.0	1.5					
0.2	6.4	8.9	-	-	-	0.2	0.1	-	0.1	0.0	-	-	0.5	87.6	12.6	75.0	1.3	1.2					
-	3.4	2.7	0.1	-	-	0.2	0.2	-	0.0	0.0	0.6	-	0.3	77.3	15.8	61.5	0.9	0.9					
-	4.3	2.7	0.0	-	-	0.2	0.2	0.0	0.0	0.0	0.5	-	0.3	88.8	10.9	77.9	2.2	1.8					
0.0	4.5	6.1	0.0	-	0.0	0.2	0.4	0.0	0.1	0.1	0.1	-	0.6	88.7	20.5	68.2	3.4	2.5					
-	4.2	0.2	0.0	-	0.0	0.1	0.2	0.0	0.0	-	0.3	0.5	0.3	86.6	16.1	70.5	4.7	4.7					
-	2.7	1.0	0.0	-	0.0	0.1	0.3	0.1	0.1	0.0	-	0.3	0.1	84.3	14.7	69.6	1.8	1.6					
-	5.7	4.2	0.0	-	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.4	0.2	91.6	17.7	73.9	4.1	4.1					
-	1.9	1.8	0.0	-	-	0.2	0.3	0.0	0.1	0.1	-	-	0.8	90.4	29.3	61.1	4.3	4.3					
-	2.2	1.6	0.0	-	0.0	0.1	0.2	-	0.0	-	-	0.1	0.1	93.3	22.2	71.1	2.2	2.2					
-	5.0	2.5	0.2	-	-	0.1	0.3	-	0.0	-	0.1	-	0.6	89.0	17.8	71.2	2.6	2.1					
-	2.0	4.2	0.0	-	0.0	0.0	0.5	0.0	0.0	-	0.0	-	0.2	93.4	21.3	72.1	1.2	0.2					
-	2.0	2.2	-	-	0.0	0.1	0.0	-	0.1	-	-	0.0	0.4	94.3	21.7	72.6	1.0	1.0					
-	2.9	3.9	0.0	-	0.0	0.1	0.2	0.0	0.1	0.1	0.7	0.1	0.3	89.4	19.7	69.7	1.0	0.7					
0.0	1.4	2.1	0.0	-	-	0.2	0.2	-	0.0	0.0	0.1	0.2	0.3	88.9	26.0	62.9	1.3	1.0					
0.0	2.8	2.4	0.1	0.1	0.0	0.2	0.6	0.0	0.1	0.0	-	-	0.6	92.5	26.4	66.1	2.9	2.7					
-	1.6	1.9	-	-	-	0.1	0.6	0.0	0.3	-	0.6	-	1.0	80.8	22.2	58.6	1.4	0.5					
0.0	5.2	5.2	-	-	0.0	0.1	0.2	0.0	0.2	0.1	0.1	0.1	0.6	92.3	18.6	73.7	2.3	2.3					
-	3.0	8.6	-	-	0.0	0.2	0.3	0.0	0.0	0.0	0.0	-	0.1	90.9	21.0	69.9	3.9	3.9					
0.0	3.7	0.9	0.0	-	-	0.1	0.7	0.0	0.1	0.0	0.3	0.3	0.8	90.9	16.9	74.0	8.9	8.9					
0.0	3.7	3.7	0.2	-	-	0.3	0.3	0.1	0.1	0.0	0.0	0.0	0.2	91.3	39.4	51.9	3.6	3.2					
0.3	5.4	4.1	0.1	-	0.0	0.1	0.3	0.1	0.2	0.0	0.0	-	0.0	88.3	22.6	65.7	6.3	5.0					
0.1	2.0	1.1	0.0	-	-	0.1	0.2	0.1	0.0	0.0	0.0	-	0.2	90.3	19.5	70.8	6.0	6.0					
-	5.0	0.2	-	-	0.0	0.1	0.6	0.0	0.0	0.1	0.0	0.1	0.8	90.3	21.3	69.0	3.4	3.3					
0.1	3.0	3.9	0.0	-	-	0.1	0.2	0.1	0.2	0.0	0.1	0.2	0.0	0.3	86.9	24.4	62.5	0.8	0.3				
0.1	2.7	3.3	0.0	-	-	0.1	0.6	0.0	0.3	0.0	0.0	0.0	-	0.4	74.0	20.5	53.5	1.4	1.2				
-	1.6	1.4	0.0	-	0.0	0.1	0.6	0.0	0.1	0.0	-	0.0	0.4	87.3	32.5	54.8	3.2	2.5					
-	3.3	0.1	0.4	-	0.1	0.3	0.4	0.0	0.1	-	0.4	0.6	0.2	91.0	24.3	66.7	7.0	6.9					
0.0	3.3	1.6	-	-	-	0.1	0.7	0.1	0.2	-	0.0	-	0.5	88.0	22.4	65.6	3.8	3.7					
-	2.7	1.0	0.0	-	0.0	0.1	0.4	0.0	0.1	-	0.4	0.4	0.7	87.1	24.6	62.5	2.4	2.4					
-	5.1	2.3	0.1	-	-	0.2	0.5	0.0	0.0	0.0	0.5	0.0	0.7	81.1	25.9	55.2	8.6	8.0					
-	2.1	2.5	-	-	0.0	0.2	0.6	0.0	0.1	0.0	0.0	0.0	0.4	85.4	34.1	51.3	3.2	2.7					
0.1	3.5	2.9	0.0	-	0.0	0.1	0.4	0.0	0.0	0.0	0.2	0.3	0.3	83.6	27.3	56.3	1.7	1.1					
0.0	2.4	3.2	0.1	-	0.0	0.3	0.3	0.0	0.1	0.0	0.1	-	0.4	87.3	24.9	62.4	1.7	1.7					
-	3.6	7.9	0.0	-	0.0	0.1	0.3	0.1	0.0	0.1	0.1	0.0	0.2	86.5	19.2	67.3	1.0	0.9					
0.0	5.1	2.5	0.0	-	-	0.2	0.4	0.1	0.0	0.0	0.2	0.2	0.5	87.6	30.1	57.5	1.2	1.2					
0.1	2.7	0.2	0.1	0.0	0.0	0.3	0.4	0.0	0.1	0.3	0.1	0.0	0.4	86.2	16.9	69.3	4.2	3.3					
0.0	2.1	0.4	-	-	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.3	0.8	89.9	22.6	67.3	2.6	2.5					
0.2	3.3	5.5	0.1	0.0	-	0.2	0.4	0.1	0.1	0.0	0.1	0.0	0.4	69.8	22.1	47.7	1.0	0.4					
-	3.3	8.1	0.0	-	0.0	0.1	0.1	0.0	0.0	0.0	0.2	0.0	0.8	84.8	14.7	70.1	5.4	5.4					
-	2.4	2.9	0.0	-	0.0	0.2	0.3	0.0	0.0	0.1	1.1	0.1	0.2	83.5	19.6	63.9	3.9	3.9					
-	7.3	8.9	0.0	0.0	-	0.1	0.5	-	0.0	-	0.5	0.2	0.3	74.3	20.5	53.8	5.5	4.4					
-	4.3	0.6	0.6	-	-	0.1	0.3	-	0.1	-	0.6	0.2	0.3	86.9	23.2	63.7	3.5	3.5					
-	2.8	2.5	0.0	0.0	0.0	0.3	0.6	0.0	0.1	0.1	0.1	1.1	0.8	89.0	13.8	75.2	5.0	5.0					
-	1.7	1.2	0.1	-	-	0.1	0.3	0.0	0.0	0.0	0.0	-	0.4	92.8	11.2	81.6	1.2	1.1					

10 都道府県別疾病異

4 高等学校 (2) 女

区 分	栄養 注意	せき 柱異常	胸郭 異常	目								耳			鼻 蓄う の症
				近 視	遠 視	乱 視	弱 視 (両眼)	色異 神常	トホ ーラム	結 膜炎	その 眼疾	難 聴 (両耳)	中 耳炎	その 耳疾	
全 国	0.2	0.2	0.1	40.4	0.3	1.5	0.2	0.2	0.7	2.3	0.8	0.2	0.2	0.5	1.3
北海道 北青岩宮秋	0.2	0.0	0.1	40.3	0.0	1.2	0.2	0.2	0.2	2.6	0.4	0.5	0.1	0.3	0.3
	0.0	-	0.0	28.1	0.2	0.8	0.0	0.2	2.1	4.8	0.5	0.0	0.1	1.1	0.9
	-	0.0	0.0	45.0	0.1	0.6	0.2	0.3	7.7	3.7	2.8	0.1	0.3	1.5	3.2
	-	0.0	0.0	36.5	0.3	2.2	0.0	0.0	1.3	3.3	0.6	0.2	0.2	0.9	2.5
山形 山福次柳群	0.1	0.1	0.4	39.4	-	0.3	-	0.1	1.9	2.1	0.1	0.3	0.2	0.1	1.1
	0.5	0.8	0.3	45.4	0.5	0.9	0.2	0.0	1.2	3.8	2.0	0.2	0.2	0.4	1.8
	0.0	0.0	0.1	45.6	0.1	0.9	0.7	0.3	3.8	1.5	0.3	0.1	0.1	0.1	0.2
	-	0.3	0.2	33.8	0.3	0.8	0.2	0.1	1.2	0.6	1.2	0.0	0.1	0.6	0.5
宮城 玉葉京川瀧	0.0	0.1	0.2	31.8	0.4	1.2	-	0.2	1.2	1.7	0.7	0.2	0.2	0.5	1.5
	0.0	0.0	0.0	34.2	0.6	3.6	0.1	0.1	0.1	0.8	1.2	0.1	0.2	0.6	1.0
	0.3	0.7	0.0	36.5	0.3	2.8	0.8	0.1	0.1	4.8	0.3	0.2	0.1	0.1	0.8
	0.0	0.0	0.1	35.6	0.1	1.7	0.8	0.1	0.2	4.2	1.1	0.1	0.1	0.2	0.8
奈良 富石福山長	0.2	0.2	0.0	44.5	0.1	0.7	-	0.2	0.0	4.3	1.0	0.1	0.2	0.7	0.8
	-	0.1	0.0	20.3	0.0	1.0	-	0.0	0.0	1.6	0.4	0.1	0.1	0.3	0.0
	0.0	0.2	0.0	35.6	0.2	0.1	0.6	0.1	-	1.7	0.8	0.2	0.1	0.2	1.2
	0.0	0.2	0.1	49.2	-	0.5	0.5	0.3	-	2.9	0.7	0.1	0.2	0.4	2.0
岐阜 岐静愛三滋	0.0	0.1	0.2	44.4	-	0.2	0.1	0.3	0.2	1.1	0.9	0.2	0.2	0.3	0.7
	0.2	0.1	0.3	51.0	0.0	0.2	-	0.1	0.1	1.2	0.2	0.3	0.1	0.1	0.3
	0.4	0.1	0.0	31.6	0.2	0.9	1.3	0.2	0.2	3.6	0.4	0.1	0.1	2.1	2.6
	-	-	0.1	39.8	0.0	1.0	0.2	0.1	0.0	1.8	1.9	0.1	0.2	0.2	3.9
愛知 京大兵奈和	0.7	0.0	0.1	39.0	0.0	1.7	0.1	0.2	0.6	3.0	1.0	-	0.1	0.0	0.7
	-	0.0	0.1	47.0	-	1.2	0.1	0.1	0.4	3.3	0.6	0.1	0.2	1.3	1.0
	0.0	-	0.0	52.4	0.5	3.2	-	0.2	0.2	1.6	0.1	0.6	0.2	0.1	0.8
	-	0.0	0.0	47.5	0.6	3.3	-	0.1	0.7	1.1	0.3	0.2	0.3	0.2	1.1
京都 鳥島岡広山	0.0	0.0	0.0	44.1	0.4	1.1	0.5	0.2	-	0.2	0.0	0.2	0.1	-	0.5
	0.3	0.2	0.1	25.2	0.1	0.5	0.0	0.3	0.1	1.1	0.5	0.1	0.1	0.3	0.5
	0.1	0.1	0.1	46.2	1.6	9.7	0.0	0.2	0.4	1.1	0.6	0.1	0.4	0.8	1.4
	0.4	0.2	0.1	47.1	0.1	2.1	0.2	0.3	0.2	1.9	1.7	0.4	0.2	0.5	0.8
大阪 徳香愛高福	-	0.0	-	36.6	0.5	1.3	0.1	0.2	0.2	0.9	0.2	0.3	0.3	1.1	0.6
	0.3	0.0	0.0	35.1	0.3	0.1	0.3	0.3	5.0	1.6	0.3	0.1	0.2	0.4	1.2
	0.1	0.2	0.2	32.7	0.1	0.7	-	0.1	0.2	1.6	0.1	0.1	-0.1	0.0	1.0
	0.1	0.0	0.1	38.2	2.4	2.5	0.4	0.2	0.1	0.4	0.1	0.2	0.2	0.2	1.1
兵庫 賀崎本分崎島	0.1	0.1	0.1	48.3	0.1	3.0	0.7	0.3	0.3	4.5	2.1	0.2	0.2	0.5	0.7
	0.2	0.2	0.0	46.5	0.2	3.0	0.8	0.1	0.1	1.9	0.8	0.2	0.3	0.6	1.2
	0.2	0.0	0.1	43.6	0.0	2.0	0.2	0.2	0.7	1.7	0.3	0.2	0.3	0.6	1.6
	0.0	0.0	0.1	30.1	-	1.7	0.1	0.2	0.2	1.5	1.2	0.3	0.2	0.2	2.2
福岡 佐長熊大宮鹿	-	0.0	0.1	58.1	-	0.5	0.1	0.1	0.5	1.6	0.9	0.6	0.3	0.7	2.0
	0.1	0.0	0.1	41.9	0.1	2.1	0.1	0.1	0.2	2.2	0.9	0.1	0.1	0.1	0.9
	0.1	0.1	0.0	29.9	0.0	0.9	-	0.2	0.0	0.3	0.2	0.1	0.2	0.0	0.6
	0.1	0.2	0.1	37.8	1.3	0.3	0.1	0.2	1.2	4.4	1.8	0.1	0.3	0.4	4.0
鹿児島 賀崎本分崎島	-	-	0.0	42.2	0.3	-	-	0.1	0.3	2.5	1.3	0.1	0.6	0.9	2.5
	0.6	2.7	0.6	41.0	0.2	2.2	0.2	0.4	0.3	3.0	0.3	0.1	0.7	0.3	1.9
	0.5	0.3	0.3	32.6	0.0	0.6	0.3	0.2	0.2	4.6	1.2	0.3	0.6	0.5	1.5
	2.0	0.1	0.1	43.5	0.2	2.3	0.0	0.1	0.0	0.7	0.0	0.4	0.2	0.0	1.0
沖縄 賀崎本分崎島	0.0	0.0	0.0	25.5	-	2.0	-	0.1	1.3	4.0	0.4	0.2	0.3	0.4	1.5
	0.1	0.1	0.1	36.6	0.1	1.8	-	0.1	0.8	2.6	0.9	0.2	0.2	0.4	1.1
	-	-	0.0	42.2	0.3	-	-	0.1	0.3	2.5	1.3	0.1	0.6	0.9	2.5
	0.6	2.7	0.6	41.0	0.2	2.2	0.2	0.4	0.3	3.0	0.3	0.1	0.7	0.3	1.9

常 被 患 率 (一 般 検 診) (つづき)

(%)

およびいん頭			言語障害	精神薄弱	脳麻性小児痺	運動障害	心臓の疾患	ぜん息	腎臓疾患	身体虚弱	伝染皮膚性病	寄生虫病	その病他異常	歯					その他疾患	の（再掲） 他の歯とそ の歯とそ	
アノイ デド	へんせんと	肥 大												む	計	処 置 者	未 処 置 者	歯 者 ある			
0.1	3.5	2.4	0.0	0.0	0.0	0.1	0.4	0.0	0.1	0.1	0.0	0.1	0.7	91.4	25.3	66.1	2.9	2.62			
0.0	1.2	0.3	-	-	-	0.1	0.3	0.0	0.0	0.0	-	0.2	0.6	96.2	10.8	85.4	3.1	2.9			
-	3.5	5.2	-	-	-	0.1	0.1	-	-	-	-	-	0.0	93.5	16.2	77.3	4.7	3.8			
0.0	6.1	7.4	0.0	-	-	0.1	0.1	0.0	0.0	0.0	-	-	0.7	91.6	17.4	74.2	1.9	1.7			
-	4.7	3.3	0.0	-	-	0.2	0.2	0.1	0.2	-	0.1	0.1	1.4	90.9	13.0	77.9	6.1	6.0			
-	5.3	1.3	0.0	-	0.0	0.1	0.1	-	0.0	0.0	0.0	-	0.4	94.1	12.3	81.8	2.1	2.1			
0.0	5.1	3.5	0.0	-	0.0	0.2	0.2	-	0.1	0.0	0.1	-	0.7	93.9	25.1	68.8	2.4	2.3			
-	2.7	0.4	0.0	-	0.0	0.1	0.3	0.0	0.1	0.0	0.1	0.8	0.5	91.6	16.5	75.1	3.2	3.2			
0.2	5.1	0.9	0.1	-	0.0	0.2	0.4	0.0	0.0	0.0	0.1	0.5	0.4	91.9	16.3	75.6	2.0	2.0			
-	7.8	4.5	0.0	-	-	0.1	0.2	0.1	0.2	0.0	0.0	0.4	0.2	92.3	24.6	67.7	4.0	3.9			
0.0	4.3	1.8	-	-	-	0.0	0.1	-	0.1	0.1	0.0	-	0.6	92.0	22.2	69.8	3.3	3.3			
-	4.2	2.0	-	-	0.0	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.4	94.8	31.4	63.4	3.7	3.7			
0.0	3.4	2.1	-	-	-	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.5	94.1	20.3	73.8	2.0	1.5			
0.0	4.5	7.2	0.0	-	-	0.1	0.7	-	-	-	0.0	-	1.0	95.2	33.5	61.7	1.3	0.9			
-	1.3	0.7	0.0	-	-	0.0	0.1	-	0.0	0.0	0.1	0.0	0.2	97.9	24.9	73.0	1.1	1.1			
0.0	2.5	1.6	0.0	-	-	0.0	0.1	-	0.1	0.0	0.0	0.1	1.1	94.2	28.0	66.2	0.9	0.8			
-	2.0	1.4	0.0	-	-	0.0	0.6	0.0	0.1	0.1	0.0	0.2	1.1	91.5	28.9	62.6	0.3	-			
0.0	3.3	2.6	0.0	0.1	-	0.1	0.3	-	0.1	0.0	-	-	0.7	95.8	27.9	67.9	0.6	0.5			
-	2.2	0.7	0.0	-	0.0	0.2	0.7	0.0	0.1	0.0	0.0	0.0	1.1	87.4	21.4	66.0	3.5	2.5			
-	4.3	6.7	-	-	-	0.1	0.2	0.0	-	0.0	0.0	-	1.0	96.1	18.7	77.4	1.1	1.1			
0.0	3.6	6.5	-	-	0.0	0.1	0.2	-	0.0	0.0	0.0	-	0.4	94.6	25.4	69.2	3.4	3.4			
0.1	2.1	0.8	0.1	-	0.0	0.1	0.6	0.1	0.1	0.1	0.0	0.2	0.8	94.2	22.0	72.2	7.9	7.6			
-	3.6	2.7	0.0	-	-	0.1	0.2	0.0	-	0.0	-	0.1	0.3	94.9	44.2	50.7	2.9	2.8			
0.3	3.5	1.6	0.0	-	-	0.0	0.4	0.0	0.0	-	0.0	-	0.0	87.6	30.4	57.2	2.4	1.5			
0.0	3.2	1.0	0.0	-	-	0.0	0.1	0.1	0.1	0.1	0.0	-	0.3	88.6	21.0	67.6	5.2	5.1			
-	2.6	0.3	-	-	-	0.1	0.4	0.1	0.1	0.7	0.0	0.0	1.3	91.6	28.0	63.6	4.9	4.8			
0.2	5.1	1.6	-	-	-	0.1	0.8	0.0	0.1	0.2	0.1	-	1.2	93.3	24.7	68.6	1.2	0.9			
0.0	1.9	2.4	-	-	-	0.1	0.2	0.0	0.2	-	-	-	0.4	92.9	25.9	67.0	2.1	2.0			
0.0	2.5	1.2	0.0	-	0.0	0.3	0.7	0.0	0.1	0.0	-	-	1.5	92.4	31.5	60.9	3.0	2.4			
-	3.5	0.8	-	-	-	0.1	0.2	0.0	0.0	0.0	0.1	0.4	0.5	91.9	39.2	52.7	2.2	0.9			
0.1	4.0	2.1	-	-	-	0.1	0.8	0.2	0.4	0.0	-	-	0.8	92.0	29.7	62.3	2.1	2.0			
-	3.7	0.8	-	-	0.0	0.1	0.5	0.0	0.0	-	0.2	0.6	1.0	90.4	30.0	60.4	1.8	1.7			
0.0	4.1	1.7	0.1	-	-	0.1	0.4	0.0	0.1	0.0	0.3	0.3	1.1	86.5	27.3	59.2	8.9	8.3			
-	2.6	2.9	0.0	-	-	0.1	0.4	0.1	0.1	0.1	-	0.0	0.9	90.0	39.8	50.2	2.6	2.3			
-	2.2	1.9	0.1	-	-	0.0	0.4	0.0	0.0	0.2	0.1	0.2	0.3	88.8	32.0	56.8	0.7	0.6			
-	1.8	3.2	0.0	-	-	0.2	0.4	0.0	0.0	0.0	0.2	-	0.4	91.2	28.4	62.8	2.2	2.1			
-	2.7	3.5	0.0	-	-	0.2	0.4	0.0	0.0	0.1	0.1	-	0.1	87.4	22.5	64.9	2.3	2.1			
0.0	5.0	3.7	-	-	-	0.2	0.8	0.1	0.1	0.0	0.0	0.1	1.1	92.1	42.0	50.1	1.1	1.1			
0.2	2.6	0.1	0.0	-	0.0	0.2	0.5	0.1	0.1	0.3	-	0.4	0.5	84.3	20.2	64.1	3.7	3.2			
-	2.5	0.1	-	-	-	0.1	0.2	-	0.0	0.2	0.0	0.3	0.8	92.0	27.8	64.2	1.4	1.1			
0.5	3.9	5.2	0.0	-	-	0.1	0.4	0.0	0.1	-	0.0	0.0	0.5	78.4	29.0	49.4	2.2	2.2			
0.1	2.1	6.1	-	-	-	0.1	0.2	-	-	0.0	0.0	0.2	0.6	88.4	18.5	69.9	3.8	3.8			
0.0	4.3	2.1	0.0	-	-	0.2	0.2	0.1	0.1	0.1	0.1	-	1.1	89.0	26.9	62.1	2.7	2.7			
0.1	6.2	4.5	0.0	-	-	0.1	0.2	0.0	0.0	0.0	0.0	0.2	0.4	80.1	23.2	56.9	4.3	3.1			
0.0	3.6	0.3	0.1	-	-	0.1	0.8	0.0	0.1	1.2	0.1	-	1.6	92.8	21.7	71.1	2.8	2.8			
0.2	4.0	1.7	-	-	-	0.1	0.4	0.0	0.0	0.1	0.0	0.6	1.6	89.1	20.7	68.4	6.4	6.4			
0.3	1.6	1.4	0.0	-	-	0.1	0.2	0.0	0.1	0.1	0.0	-	0.3	95.7	16.1	79.6	3.0	2.8			