

## 税関別国別品別表

## 輸出

1990 年 12 月 確定 (Fixed Annual)

PAGE 1

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 610 W SAMOA                     |                   |                   |                    |                   |             |                              |                   |             |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 264         |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 9                 | 264         |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 9                 | 264         |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 195               | 2453        |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 109               | 2878        |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 304               | 5331        |
| 8413.70-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 48                | 995         |
| 8413 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 48                | 995         |
| 8431.20-000                     |                   | KG                |                    | -                 | -           |                              | 75                | 307         |
| 8431.49-110                     |                   | KG                |                    | -                 | -           |                              | 40                | 295         |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 115               | 602         |
| 8469.10-200                     | NO                | KG                | -                  | -                 | -           | 1                            | 15                | 201         |
| 8469 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 15                | 201         |
| 8479.89-900                     | NO                | KG                | 1                  | 20                | 203         | 1                            | 20                | 203         |
| 8479 4-ST                       | NO                | KG                | 1                  | 20                | 203         | 1                            | 20                | 203         |
| 8483.10-000                     |                   | KG                |                    | -                 | -           |                              | 53                | 335         |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 29                | 677         |
| 8483 4-ST                       | **                | KG                |                    | -                 | -           |                              | 82                | 1012        |
| 84 2-ST                         |                   | KG                |                    | 20                | 203         |                              | 584               | 8344        |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 12                | 271         |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 63                | 1999        |
| 8517 4-ST                       |                   | KG                |                    | -                 | -           |                              | 75                | 2270        |
| 8518.30-900                     | NO                | KG                | -                  | -                 | -           | 16                           | 3                 | 240         |
| 8518 4-ST                       | NO                | KG                | -                  | -                 | -           | 16                           | 3                 | 240         |
| 85 2-ST                         |                   | KG                |                    | -                 | -           |                              | 78                | 2510        |
| 9026.90-000                     |                   | KG                |                    | 11                | 320         |                              | 11                | 320         |
| 9026 4-ST                       | **                | KG                |                    | 11                | 320         |                              | 11                | 320         |
| 90 2-ST                         | **                | KG                |                    | 11                | 320         |                              | 11                | 320         |
| TOTAL                           |                   | KG                |                    | 31                | 523         |                              | 682               | 11438       |
| 611 VANUATU                     |                   |                   |                    |                   |             |                              |                   |             |
| 4421.90-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 324         |
| 4421 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 324         |
| 44 2-ST                         | **                | KG                |                    | -                 | -           |                              | 8                 | 324         |
| 7610.90-100                     |                   | KG                |                    | -                 | -           |                              | 460               | 642         |
| 7610 4-ST                       | **                | KG                |                    | -                 | -           |                              | 460               | 642         |
| 76 2-ST                         | **                | KG                |                    | -                 | -           |                              | 460               | 642         |
| 8425.49-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 72                | 292         |
| 8425 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 72                | 292         |
| 8431.10-000                     |                   | KG                |                    | -                 | -           |                              | 55                | 225         |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 55                | 225         |
| 84 2-ST                         |                   | KG                |                    | -                 | -           |                              | 127               | 517         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 10                           | 110               | 550         |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 542               | 4167        |
| 8517 4-ST                       |                   | KG                |                    | -                 | -           |                              | 652               | 4717        |
| 8532.30-100                     |                   | TH                |                    | -                 | -           |                              | 9                 | 1046        |
| 8532 4-ST                       | **                | TH                |                    | -                 | -           |                              | 9                 | 1046        |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 82000                        | 41                | 480         |
| 8533 4-ST                       | NO                | KG                | -                  | -                 | -           | 82000                        | 41                | 480         |
| 8539.39-000                     | NO                | KG                | -                  | -                 | -           | 160                          | 10                | 201         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 160                          | 10                | 201         |
| 8541.40-910                     | NO                |                   |                    | -                 | -           |                              | 58000             | 305         |
| 8541 4-ST                       | **                | NO                |                    | -                 | -           |                              | 58000             | 305         |
| 8542.11-911                     |                   | NO                |                    | 10006             | 3373        |                              | 10006             | 3373        |
| 8542 4-ST                       | **                | NO                |                    | 10006             | 3373        |                              | 10006             | 3373        |
| 85 2-ST                         |                   |                   |                    |                   | 3373        |                              |                   | 10122       |
| 9013.80-000                     | NO                | KG                | -                  | -                 | -           | 1596                         | 5                 | 279         |
| 9013 4-ST                       | NO                | KG                | -                  | -                 | -           | 1596                         | 5                 | 279         |
| 9018.19-900                     |                   | KG                |                    | -                 | -           |                              | 37                | 1530        |
| 9018.50-900                     |                   | KG                |                    | -                 | -           |                              | 239               | 4413        |
| 9018 4-ST                       | **                | KG                |                    | -                 | -           |                              | 276               | 5943        |
| 9027.90-900                     |                   | KG                |                    | -                 | -           |                              | 93                | 374         |
| 9027 4-ST                       | **                | KG                |                    | -                 | -           |                              | 93                | 374         |
| 9031.40-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 20                | 352         |
| 9031 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 20                | 352         |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 611 VANUATU                     |                   |                   |                     |                     |             |                              |                     |             |
| 90 2-ST                         |                   | KG                |                     | -                   | -           |                              | 394                 | 6948        |
| 9102.12-000                     |                   | NO                |                     | -                   | -           |                              | 710                 | 737         |
| 9102 4-ST                       | **                | NO                |                     | -                   | -           |                              | 710                 | 737         |
| 91 2-ST                         | **                | NO                |                     | -                   | -           |                              | 710                 | 737         |
| TOTAL                           |                   |                   |                     |                     | 3373        |                              |                     | 19290       |
| 612 FIJI                        |                   |                   |                     |                     |             |                              |                     |             |
| 0000.00-190                     |                   | KG                |                     | -                   | -           |                              | 23                  | 452         |
| 0000 4-ST                       | **                | KG                |                     | -                   | -           |                              | 23                  | 452         |
| 00 2-ST                         | **                | KG                |                     | -                   | -           |                              | 23                  | 452         |
| 3701.10-000                     |                   | SM                |                     | -                   | -           |                              | 1612                | 1074        |
| 3701 4-ST                       | **                | SM                |                     | -                   | -           |                              | 1612                | 1074        |
| 3702.54-000                     |                   | SM                |                     | -                   | -           |                              | 106                 | 221         |
| 3702 4-ST                       | **                | SM                |                     | -                   | -           |                              | 106                 | 221         |
| 37 2-ST                         | **                | SM                |                     | -                   | -           |                              | 1718                | 1295        |
| 3822.00-000                     |                   | KG                |                     | -                   | -           |                              | 98                  | 5363        |
| 3822 4-ST                       | **                | KG                |                     | -                   | -           |                              | 98                  | 5363        |
| 3823.90-000                     |                   | KG                |                     | -                   | -           |                              | 169                 | 462         |
| 3823 4-ST                       | **                | KG                |                     | -                   | -           |                              | 169                 | 462         |
| 38 2-ST                         | **                | KG                |                     | -                   | -           |                              | 267                 | 5825        |
| 3923.29-000                     |                   | KG                |                     | -                   | -           |                              | 780                 | 771         |
| 3923 4-ST                       | **                | KG                |                     | -                   | -           |                              | 780                 | 771         |
| 39 2-ST                         | **                | KG                |                     | -                   | -           |                              | 780                 | 771         |
| 4009.40-000                     |                   | KG                |                     | -                   | -           |                              | 17                  | 274         |
| 4009.50-900                     |                   | KG                |                     | -                   | -           |                              | 63                  | 403         |
| 4009 4-ST                       | **                | KG                |                     | -                   | -           |                              | 80                  | 677         |
| 4016.93-000                     |                   | KG                |                     | -                   | -           |                              | 1                   | 217         |
| 4016.99-000                     |                   | KG                |                     | -                   | -           |                              | 74                  | 776         |
| 4016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 75                  | 993         |
| 40 2-ST                         | **                | KG                |                     | -                   | -           |                              | 155                 | 1670        |
| 4420.10-000                     |                   | KG                |                     | -                   | -           |                              | 40                  | 750         |
| 4420 4-ST                       | **                | KG                |                     | -                   | -           |                              | 40                  | 750         |
| 44 2-ST                         | **                | KG                |                     | -                   | -           |                              | 40                  | 750         |
| 4821.10-000                     |                   | KG                |                     | 708                 | 1056        |                              | 1470                | 2495        |
| 4821.90-000                     |                   | KG                |                     | 285                 | 512         |                              | 285                 | 512         |
| 4821 4-ST                       | **                | KG                |                     | 993                 | 1568        |                              | 1755                | 3007        |
| 48 2-ST                         | **                | KG                |                     | 993                 | 1568        |                              | 1755                | 3007        |
| 4901.99-000                     |                   | NO                |                     | -                   | -           |                              | 173                 | 2121        |
| 4901 4-ST                       | **                | NO                |                     | -                   | -           |                              | 173                 | 2121        |
| 49 2-ST                         | **                | NO                |                     | -                   | -           |                              | 173                 | 2121        |
| 6815.10-900                     |                   | KG                |                     | -                   | -           |                              | 1                   | 245         |
| 6815 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1                   | 245         |
| 68 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1                   | 245         |
| 7315.11-900                     |                   | KG                |                     | -                   | -           |                              | 240                 | 592         |
| 7315 4-ST                       | **                | KG                |                     | -                   | -           |                              | 240                 | 592         |
| 73 2-ST                         | **                | KG                |                     | -                   | -           |                              | 240                 | 592         |
| 7616.90-000                     |                   | KG                |                     | -                   | -           |                              | 118                 | 463         |
| 7616 4-ST                       | **                | KG                |                     | -                   | -           |                              | 118                 | 463         |
| 76 2-ST                         | **                | KG                |                     | -                   | -           |                              | 118                 | 463         |
| 8406.90-000                     |                   | KG                |                     | 8                   | 244         |                              | 11                  | 820         |
| 8406 4-ST                       | **                | KG                |                     | 8                   | 244         |                              | 11                  | 820         |
| 8409.91-100                     |                   | KG                |                     | -                   | -           |                              | 686                 | 2029        |
| 8409.91-200                     |                   | KG                |                     | -                   | -           |                              | 92                  | 874         |
| 8409.99-200                     |                   | KG                |                     | 27                  | 255         |                              | 48                  | 738         |
| 8409.99-900                     |                   | KG                |                     | -                   | -           |                              | 35                  | 598         |
| 8409 4-ST                       | **                | KG                |                     | 27                  | 255         |                              | 861                 | 4239        |
| 8412.29-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 52                  | 610         |
| 8412 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 52                  | 610         |
| 8413.60-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 19                  | 315         |
| 8413 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 19                  | 315         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>612 FIJI</b>                 |                   |                   |                     |                     |             |                              |                     |             |
| 8414.90-900                     |                   | KG                |                     | 17                  | 280         |                              | 17                  | 280         |
| 8414 4-ST                       | **                | KG                |                     | 17                  | 280         |                              | 17                  | 280         |
| 8421.23-000                     | NO                | KG                | -                   | -                   | -           | 92                           | 44                  | 209         |
| 8421 4-ST                       | NO                | KG                | -                   | -                   | -           | 92                           | 44                  | 209         |
| 8422.90-000                     |                   | KG                |                     | -                   | -           |                              | 26                  | 1151        |
| 8422 4-ST                       | **                | KG                |                     | -                   | -           |                              | 26                  | 1151        |
| 8425.31-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 103                 | 756         |
| 8425 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 103                 | 756         |
| 8431.42-000                     |                   | KG                |                     | 33                  | 323         |                              | 33                  | 323         |
| 8431.49-110                     |                   | KG                |                     | -                   | -           |                              | 18                  | 288         |
| 8431.49-900                     |                   | KG                |                     | -                   | -           |                              | 86                  | 495         |
| 8431 4-ST                       | **                | KG                |                     | 33                  | 323         |                              | 137                 | 1106        |
| 8442.50-000                     |                   | KG                |                     | 755                 | 1189        |                              | 755                 | 1189        |
| 8442 4-ST                       | **                | KG                |                     | 755                 | 1189        |                              | 755                 | 1189        |
| 8443.90-100                     |                   | KG                |                     | -                   | -           |                              | 250                 | 373         |
| 8443 4-ST                       | **                | KG                |                     | -                   | -           |                              | 250                 | 373         |
| 8448.51-100                     | TH                | KG                | -                   | -                   | -           | 38                           | 31                  | 1147        |
| 8448 4-ST                       | TH                | KG                | -                   | -                   | -           | 38                           | 31                  | 1147        |
| 8467.89-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 25                  | 225         |
| 8467 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 25                  | 225         |
| 8470.10-000                     |                   | NO                |                     | -                   | -           |                              | 20                  | 381         |
| 8470 4-ST                       | **                | NO                |                     | -                   | -           |                              | 20                  | 381         |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 21                  | 558         |
| 8473 4-ST                       | **                | KG                |                     | -                   | -           |                              | 21                  | 558         |
| 8481.30-900                     |                   | KG                |                     | -                   | -           |                              | 64                  | 432         |
| 8481.40-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 252         |
| 8481.80-110                     |                   | KG                |                     | -                   | -           |                              | 8                   | 239         |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 34                  | 340         |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 32                  | 392         |
| 8481 4-ST                       | **                | KG                |                     | -                   | -           |                              | 141                 | 1655        |
| 8483.10-000                     |                   | KG                |                     | -                   | -           |                              | 212                 | 1018        |
| 8483.30-200                     |                   | KG                |                     | 5                   | 234         |                              | 29                  | 488         |
| 8483.40-100                     | NO                | KG                | 1                   | 85                  | 483         | 1                            | 85                  | 483         |
| 8483.40-200                     |                   | KG                |                     | -                   | -           |                              | 137                 | 492         |
| 8483.40-300                     |                   | KG                |                     | -                   | -           |                              | 45                  | 226         |
| 8483.90-100                     |                   | KG                |                     | -                   | -           |                              | 51                  | 229         |
| 8483.90-400                     |                   | KG                |                     | -                   | -           |                              | 5                   | 383         |
| 8483 4-ST                       |                   | KG                |                     | 90                  | 717         |                              | 564                 | 3319        |
| 84 2-ST                         |                   |                   |                     |                     | 3008        |                              |                     | 18333       |
| 8504.32-900                     | NO                | KG                | -                   | -                   | -           | 8                            | 300                 | 1009        |
| 8504 4-ST                       | NO                | KG                | -                   | -                   | -           | 8                            | 300                 | 1009        |
| 8517.10-100                     | NO                | KG                | -                   | -                   | -           | 600                          | 960                 | 6900        |
| 8517.10-900                     | NO                | KG                | -                   | -                   | -           | 1354                         | 1015                | 4671        |
| 8517.40-000                     | NO                | KG                | 2                   | 44                  | 4900        | 2                            | 44                  | 4900        |
| 8517.90-000                     |                   | KG                |                     | -                   | -           |                              | 11                  | 457         |
| 8517 4-ST                       |                   | KG                |                     | 44                  | 4900        |                              | 2030                | 16928       |
| 8520.39-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 44                  | 806         |
| 8520 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 44                  | 806         |
| 8521.10-000                     | NO                | KG                | 1                   | 11                  | 449         | 23                           | 158                 | 2487        |
| 8521 4-ST                       | NO                | KG                | 1                   | 11                  | 449         | 23                           | 158                 | 2487        |
| 8522.90-900                     |                   | KG                |                     | 18                  | 727         |                              | 235                 | 4331        |
| 8522 4-ST                       | **                | KG                |                     | 18                  | 727         |                              | 235                 | 4331        |
| 8525.30-110                     | NO                | KG                | 42                  | 92                  | 3317        | 139                          | 284                 | 12601       |
| 8525.30-190                     | NO                | KG                | 1                   | 6                   | 743         | 3                            | 68                  | 2548        |
| 8525 4-ST                       | NO                | KG                | 43                  | 98                  | 4060        | 142                          | 352                 | 15149       |
| 8526.91-900                     | NO                | KG                | -                   | -                   | -           | 3                            | 16                  | 285         |
| 8526 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 16                  | 285         |
| 8528.10-119                     | NO                |                   |                     | 20                  | 274         |                              | 20                  | 274         |
| 8528 4-ST                       | **                | NO                |                     | 20                  | 274         |                              | 20                  | 274         |
| 8529.90-900                     |                   | KG                |                     | -                   | -           |                              | 14                  | 1220        |
| 8529 4-ST                       | **                | KG                |                     | -                   | -           |                              | 14                  | 1220        |
| 8536.50-900                     | NO                | KG                | -                   | -                   | -           | 500                          | 50                  | 525         |
| 8536 4-ST                       | NO                | KG                | -                   | -                   | -           | 500                          | 50                  | 525         |
| 8537.10-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 15                  | 446         |
| 8537 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 15                  | 446         |
| 8539.39-000                     | NO                | KG                | 4                   | 2                   | 204         | 8                            | 7                   | 475         |
| 8539 4-ST                       | NO                | KG                | 4                   | 2                   | 204         | 8                            | 7                   | 475         |
| 8541.60-100                     |                   | NO                |                     | -                   | -           |                              | 80000               | 5825        |
| 8541 4-ST                       | **                | NO                |                     | -                   | -           |                              | 80000               | 5825        |
| 8543.80-000                     | NO                | KG                | -                   | -                   | -           | 13                           | 76                  | 2224        |
| 8543 4-ST                       | NO                | KG                | -                   | -                   | -           | 13                           | 76                  | 2224        |
| 85 2-ST                         |                   |                   |                     |                     | 10614       |                              |                     | 51984       |

## 税関別国別品別表

## 輸出

1990 年 12 月 確定 (Fixed Annual)

PAGE 4

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |              | 累計 (CUMULATIVE YEAR TO DATE) |                   |               |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|--------------|------------------------------|-------------------|---------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE  | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE   |
| <b>612 FIJI</b>                 |                   |                   |                    |                   |              |                              |                   |               |
| 8708.29-000                     |                   | KG                |                    | -                 | -            |                              | 59                | 438           |
| 8708 4-ST                       | **                | KG                |                    | -                 | -            |                              | 59                | 438           |
| 87 2-ST                         | **                | KG                |                    | -                 | -            |                              | 59                | 438           |
| <b>9002.11-100</b>              |                   | NO                |                    | -                 | -            |                              | 28                | 393           |
| 9002.19-000                     |                   | KG                |                    | 0                 | 214          |                              | 6                 | 1066          |
| 9002 4-ST                       | **                |                   |                    |                   | 214          |                              |                   | 1459          |
| 9006.30-900                     | NO                | KG                | -                  | -                 | -            | 80                           | 77                | 2400          |
| 9006.51-000                     |                   | NO                |                    | -                 | -            |                              | 57                | 1918          |
| 9006.53-000                     |                   | NO                |                    | 60                | 870          |                              | 322               | 4693          |
| 9006.59-100                     | NO                | KG                | -                  | -                 | -            | 1                            | 10                | 484           |
| 9006 4-ST                       |                   |                   |                    |                   | 870          |                              |                   | 9495          |
| 9011.20-000                     | NO                | KG                | -                  | -                 | -            | 1                            | 15                | 539           |
| 9011 4-ST                       | NO                | KG                | -                  | -                 | -            | 1                            | 15                | 539           |
| 9013.80-000                     | NO                | KG                | -                  | -                 | -            | 2                            | 16                | 1708          |
| 9013 4-ST                       | NO                | KG                | -                  | -                 | -            | 2                            | 16                | 1708          |
| 9014.80-100                     | NO                | KG                | -                  | -                 | -            | 2                            | 24                | 278           |
| 9014.90-100                     |                   | KG                |                    | -                 | -            |                              | 18                | 206           |
| 9014 4-ST                       |                   | KG                |                    | -                 | -            |                              | 42                | 484           |
| 9015.80-100                     | NO                | KG                | 1                  | 45                | 958          | 3                            | 83                | 2102          |
| 9015.80-900                     | NO                | KG                | -                  | -                 | -            | 8                            | 27                | 492           |
| 9015 4-ST                       | NO                | KG                | 1                  | 45                | 958          | 11                           | 110               | 2594          |
| 9018.11-100                     | NO                | KG                | -                  | -                 | -            | 8                            | 67                | 1476          |
| 9018 4-ST                       | NO                | KG                | -                  | -                 | -            | 8                            | 67                | 1476          |
| 9030.39-900                     | NO                | KG                | -                  | -                 | -            | 1                            | 6                 | 327           |
| 9030.40-000                     | NO                | KG                | -                  | -                 | -            | 5                            | 164               | 8245          |
| 9030 4-ST                       | NO                | KG                | -                  | -                 | -            | 6                            | 170               | 8572          |
| 9031.40-000                     | NO                | KG                | -                  | -                 | -            | 1                            | 7                 | 374           |
| 9031.80-110                     | NO                | KG                | -                  | -                 | -            | 6                            | 14                | 206           |
| 9031.80-190                     | NO                | KG                | 10                 | 76                | 2201         | 15                           | 122               | 6138          |
| 9031.80-900                     | NO                | KG                | -                  | -                 | -            | 1                            | 255               | 9149          |
| 9031.90-100                     |                   | KG                |                    | -                 | -            |                              | 22                | 306           |
| 9031 4-ST                       |                   | KG                |                    | 76                | 2201         |                              | 420               | 16173         |
| 90 2-ST                         |                   |                   |                    |                   | 4243         |                              |                   | 42500         |
| <b>9405.40-290</b>              |                   | KG                |                    | -                 | -            |                              | 80                | 259           |
| 9405.40-900                     |                   | KG                |                    | -                 | -            |                              | 10                | 232           |
| 9405 4-ST                       | **                | KG                |                    | -                 | -            |                              | 90                | 491           |
| 94 2-ST                         | **                | KG                |                    | -                 | -            |                              | 90                | 491           |
| <b>9507.20-100</b>              |                   | GS                |                    | -                 | -            |                              | 13                | 243           |
| 9507 4-ST                       | **                | GS                |                    | -                 | -            |                              | 13                | 243           |
| 95 2-ST                         | **                | GS                |                    | -                 | -            |                              | 13                | 243           |
| <b>9612.10-000</b>              |                   | DZ                |                    | -                 | -            |                              | 8                 | 255           |
| 9612 4-ST                       | **                | DZ                |                    | -                 | -            |                              | 8                 | 255           |
| 96 2-ST                         | **                | DZ                |                    | -                 | -            |                              | 8                 | 255           |
| <b>TOTAL</b>                    |                   |                   |                    |                   | <b>19433</b> |                              |                   | <b>131435</b> |
| <b>613 SOLOMON</b>              |                   |                   |                    |                   |              |                              |                   |               |
| 7315.89-900                     |                   | KG                |                    | 52                | 314          |                              | 52                | 314           |
| 7315 4-ST                       | **                | KG                |                    | 52                | 314          |                              | 52                | 314           |
| 73 2-ST                         | **                | KG                |                    | 52                | 314          |                              | 52                | 314           |
| <b>8208.90-000</b>              |                   | KG                |                    | -                 | -            |                              | 27                | 263           |
| 8208 4-ST                       | **                | KG                |                    | -                 | -            |                              | 27                | 263           |
| 82 2-ST                         | **                | KG                |                    | -                 | -            |                              | 27                | 263           |
| <b>8409.91-200</b>              |                   | KG                |                    | -                 | -            |                              | 67                | 462           |
| 8409.99-200                     |                   | KG                |                    | 4                 | 280          |                              | 41                | 1242          |
| 8409.99-900                     |                   | KG                |                    | -                 | -            |                              | 80                | 424           |
| 8409 4-ST                       | **                | KG                |                    | 4                 | 280          |                              | 188               | 2128          |
| 8413.30-000                     | NO                | KG                | 2                  | 54                | 516          | 4                            | 80                | 783           |
| 8413 4-ST                       | NO                | KG                | 2                  | 54                | 516          | 4                            | 80                | 783           |
| 8431.20-000                     |                   | KG                |                    | -                 | -            |                              | 44                | 218           |
| 8431.39-200                     |                   | KG                |                    | -                 | -            |                              | 45                | 250           |
| 8431 4-ST                       | **                | KG                |                    | -                 | -            |                              | 89                | 468           |
| 8481.20-000                     |                   | KG                |                    | -                 | -            |                              | 43                | 220           |
| <b>8481.80-190</b>              |                   | KG                |                    | -                 | -            |                              | 98                | 630           |
| 8481 4-ST                       | **                | KG                |                    | -                 | -            |                              | 141               | 850           |
| 8483.30-200                     |                   | KG                |                    | -                 | -            |                              | 2                 | 361           |
| 8483 4-ST                       | **                | KG                |                    | -                 | -            |                              | 2                 | 361           |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |              |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|--------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE  |
| <b>613 SOLOMON</b>              |                   |                   |                      |                      |             |                              |                      |              |
| <b>8485.10-000</b>              | NO                | KG                | -                    | -                    | -           | <b>44</b>                    | <b>34</b>            | <b>363</b>   |
| <b>8485 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>44</b>                    | <b>34</b>            | <b>363</b>   |
| <b>84 2-ST</b>                  |                   | KG                |                      | <b>58</b>            | <b>796</b>  |                              | <b>534</b>           | <b>4953</b>  |
| <b>8504.31-910</b>              | NO                | KG                | -                    | -                    | -           | <b>6</b>                     | <b>20</b>            | <b>593</b>   |
| <b>8504.32-900</b>              | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>40</b>            | <b>357</b>   |
| <b>8504.40-110</b>              | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>10</b>            | <b>464</b>   |
| <b>8504 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>8</b>                     | <b>70</b>            | <b>1414</b>  |
| <b>8511.30-900</b>              |                   | KG                |                      | -                    | -           |                              | <b>16</b>            | <b>331</b>   |
| <b>8511 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | <b>16</b>            | <b>331</b>   |
| <b>8517.82-100</b>              | NO                | KG                | -                    | -                    | -           | <b>3</b>                     | <b>23</b>            | <b>483</b>   |
| <b>8517.90-000</b>              |                   | KG                |                      | -                    | -           |                              | <b>25</b>            | <b>4466</b>  |
| <b>8517 4-ST</b>                |                   | KG                |                      | -                    | -           |                              | <b>48</b>            | <b>4949</b>  |
| <b>8525.20-920</b>              | NO                | KG                | -                    | -                    | -           | <b>9</b>                     | <b>18</b>            | <b>430</b>   |
| <b>8525 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>9</b>                     | <b>18</b>            | <b>430</b>   |
| <b>8529.90-900</b>              |                   | KG                |                      | -                    | -           |                              | <b>18</b>            | <b>5458</b>  |
| <b>8529 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | <b>18</b>            | <b>5458</b>  |
| <b>8532.22-000</b>              |                   | TH                |                      | -                    | -           |                              | <b>0</b>             | <b>286</b>   |
| <b>8532 4-ST</b>                | **                | TH                |                      | -                    | -           |                              | <b>0</b>             | <b>286</b>   |
| <b>8539.21-000</b>              | NO                | KG                | -                    | -                    | -           | <b>25</b>                    | <b>25</b>            | <b>673</b>   |
| <b>8539 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>25</b>                    | <b>25</b>            | <b>673</b>   |
| <b>8540.42-000</b>              | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>34</b>            | <b>3459</b>  |
| <b>8540 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>34</b>            | <b>3459</b>  |
| <b>8544.41-910</b>              |                   | KG                |                      | -                    | -           |                              | <b>12</b>            | <b>262</b>   |
| <b>8544 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | <b>12</b>            | <b>262</b>   |
| <b>85 2-ST</b>                  |                   |                   |                      |                      | -           |                              |                      | <b>17262</b> |
| <b>8708.50-000</b>              |                   | KG                |                      | -                    | -           |                              | <b>60</b>            | <b>282</b>   |
| <b>8708 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | <b>60</b>            | <b>282</b>   |
| <b>87 2-ST</b>                  | **                | KG                |                      | -                    | -           |                              | <b>60</b>            | <b>282</b>   |
| <b>8801.90-100</b>              | NO                | KG                | -                    | -                    | -           | <b>1400</b>                  | <b>290</b>           | <b>743</b>   |
| <b>8801 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>1400</b>                  | <b>290</b>           | <b>743</b>   |
| <b>88 2-ST</b>                  | NO                | KG                | -                    | -                    | -           | <b>1400</b>                  | <b>290</b>           | <b>743</b>   |
| <b>9002.19-000</b>              |                   | KG                |                      | -                    | -           |                              | <b>14</b>            | <b>221</b>   |
| <b>9002 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | <b>14</b>            | <b>221</b>   |
| <b>9013.10-100</b>              | NO                | KG                | -                    | -                    | -           | <b>50</b>                    | <b>15</b>            | <b>340</b>   |
| <b>9013 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>50</b>                    | <b>15</b>            | <b>340</b>   |
| <b>9014.80-100</b>              | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>60</b>            | <b>1200</b>  |
| <b>9014 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>60</b>            | <b>1200</b>  |
| <b>9022.30-900</b>              | NO                | KG                | -                    | -                    | -           | <b>2</b>                     | <b>79</b>            | <b>3931</b>  |
| <b>9022 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>2</b>                     | <b>79</b>            | <b>3931</b>  |
| <b>90 2-ST</b>                  |                   | KG                |                      | -                    | -           |                              | <b>168</b>           | <b>5692</b>  |
| <b>9102.12-000</b>              |                   | NO                |                      | -                    | -           |                              | <b>1190</b>          | <b>995</b>   |
| <b>9102 4-ST</b>                | **                | NO                |                      | -                    | -           |                              | <b>1190</b>          | <b>995</b>   |
| <b>91 2-ST</b>                  | **                | NO                |                      | -                    | -           |                              | <b>1190</b>          | <b>995</b>   |
| <b>9507.20-900</b>              |                   | GS                |                      | -                    | -           |                              | <b>13</b>            | <b>303</b>   |
| <b>9507 4-ST</b>                | **                | GS                |                      | -                    | -           |                              | <b>13</b>            | <b>303</b>   |
| <b>95 2-ST</b>                  | **                | GS                |                      | -                    | -           |                              | <b>13</b>            | <b>303</b>   |
| <b>TOTAL</b>                    |                   |                   |                      |                      | <b>1110</b> |                              |                      | <b>30807</b> |
| <b>614 TONGA</b>                |                   |                   |                      |                      |             |                              |                      |              |
| <b>8471.92-110</b>              | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>9</b>             | <b>279</b>   |
| <b>8471 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>9</b>             | <b>279</b>   |
| <b>8483.10-000</b>              |                   | KG                |                      | -                    | -           |                              | <b>40</b>            | <b>427</b>   |
| <b>8483.30-200</b>              |                   | KG                |                      | -                    | -           |                              | <b>60</b>            | <b>1137</b>  |
| <b>8483 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | <b>100</b>           | <b>1564</b>  |
| <b>84 2-ST</b>                  |                   | KG                |                      | -                    | -           |                              | <b>109</b>           | <b>1843</b>  |
| <b>8517.10-100</b>              | NO                | KG                | -                    | -                    | -           | <b>388</b>                   | <b>292</b>           | <b>1338</b>  |
| <b>8517.82-100</b>              | NO                | KG                | <b>2</b>             | <b>24</b>            | <b>331</b>  | <b>10</b>                    | <b>98</b>            | <b>1617</b>  |
| <b>8517.90-000</b>              |                   | KG                |                      | -                    | -           |                              | <b>48</b>            | <b>296</b>   |
| <b>8517 4-ST</b>                |                   | KG                |                      | <b>24</b>            | <b>331</b>  |                              | <b>438</b>           | <b>3251</b>  |
| <b>8526.91-900</b>              | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>5</b>             | <b>1125</b>  |
| <b>8526 4-ST</b>                | NO                | KG                | -                    | -                    | -           | <b>1</b>                     | <b>5</b>             | <b>1125</b>  |
| <b>8529.90-900</b>              |                   | KG                |                      | <b>5</b>             | <b>300</b>  |                              | <b>254</b>           | <b>7349</b>  |
| <b>8529 4-ST</b>                | **                | KG                |                      | <b>5</b>             | <b>300</b>  |                              | <b>254</b>           | <b>7349</b>  |
| <b>85 2-ST</b>                  |                   | KG                |                      | <b>29</b>            | <b>631</b>  |                              | <b>697</b>           | <b>11725</b> |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |             |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE |
| 614 TONGA                       |                   |                   |                      |                      |             |                              |                      |             |
| 9030.39-900                     | NO                | KG                | -                    | -                    | -           | 1                            | 13                   | 573         |
| 9030 4-ST                       | NO                | KG                | -                    | -                    | -           | 1                            | 13                   | 573         |
| 9032.89-111                     | NO                | KG                | -                    | -                    | -           | 1                            | 3                    | 220         |
| 9032 4-ST                       | NO                | KG                | -                    | -                    | -           | 1                            | 3                    | 220         |
| 90 2-ST                         | NO                | KG                | -                    | -                    | -           | 2                            | 16                   | 793         |
| 9102.12-000                     |                   | NO                |                      | -                    | -           |                              | 310                  | 306         |
| 9102 4-ST                       | **                | NO                |                      | -                    | -           |                              | 310                  | 306         |
| 91 2-ST                         | **                | NO                |                      | -                    | -           |                              | 310                  | 306         |
| TOTAL                           |                   |                   |                      |                      | 631         |                              |                      | 14667       |
| 615 KIRIBAT                     |                   |                   |                      |                      |             |                              |                      |             |
| 8409.99-900                     |                   | KG                |                      | -                    | -           |                              | 44                   | 618         |
| 8409 4-ST                       | **                | KG                |                      | -                    | -           |                              | 44                   | 618         |
| 8414.90-100                     |                   | KG                |                      | -                    | -           |                              | 90                   | 561         |
| 8414 4-ST                       | **                | KG                |                      | -                    | -           |                              | 90                   | 561         |
| 8448.49-000                     |                   | KG                |                      | -                    | -           |                              | 26                   | 227         |
| 8448 4-ST                       | **                | KG                |                      | -                    | -           |                              | 26                   | 227         |
| 8480.71-000                     |                   | KG                |                      | -                    | -           |                              | 1                    | 400         |
| 8480 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1                    | 400         |
| 8483.10-000                     |                   | KG                |                      | -                    | -           |                              | 112                  | 1140        |
| 8483.30-200                     |                   | KG                |                      | -                    | -           |                              | 26                   | 209         |
| 8483 4-ST                       | **                | KG                |                      | -                    | -           |                              | 138                  | 1349        |
| 84 2-ST                         | **                | KG                |                      | -                    | -           |                              | 299                  | 3155        |
| 8525.20-920                     | NO                | KG                | 16                   | 12                   | 856         | 16                           | 12                   | 856         |
| 8525 4-ST                       | NO                | KG                | 16                   | 12                   | 856         | 16                           | 12                   | 856         |
| 8541.40-990                     |                   | NO                |                      | 750                  | 670         |                              | 750                  | 670         |
| 8541 4-ST                       | **                | NO                |                      | 750                  | 670         |                              | 750                  | 670         |
| 85 2-ST                         |                   |                   |                      |                      | 1526        |                              |                      | 1526        |
| TOTAL                           |                   |                   |                      |                      | 1526        |                              |                      | 4681        |
| 617 R NAURU                     |                   |                   |                      |                      |             |                              |                      |             |
| 8517.81-100                     | NO                | KG                | -                    | -                    | -           | 1                            | 32                   | 275         |
| 8517 4-ST                       | NO                | KG                | -                    | -                    | -           | 1                            | 32                   | 275         |
| 85 2-ST                         | NO                | KG                | -                    | -                    | -           | 1                            | 32                   | 275         |
| TOTAL                           | NO                | KG                | -                    | -                    | -           | 1                            | 32                   | 275         |
| 618 NEWCALD                     |                   |                   |                      |                      |             |                              |                      |             |
| 0000.00-190                     |                   | KG                |                      | -                    | -           |                              | 13                   | 349         |
| 0000 4-ST                       | **                | KG                |                      | -                    | -           |                              | 13                   | 349         |
| 00 2-ST                         | **                | KG                |                      | -                    | -           |                              | 13                   | 349         |
| 3002.90-000                     |                   | KG                |                      | -                    | -           |                              | 6                    | 439         |
| 3002 4-ST                       | **                | KG                |                      | -                    | -           |                              | 6                    | 439         |
| 30 2-ST                         | **                | KG                |                      | -                    | -           |                              | 6                    | 439         |
| 3702.51-000                     |                   | SM                |                      | 12                   | 201         |                              | 12                   | 201         |
| 3702.54-000                     |                   | SM                |                      | 177                  | 800         |                              | 247                  | 1346        |
| 3702.55-900                     |                   | SM                |                      | -                    | -           |                              | 53                   | 413         |
| 3702 4-ST                       | **                | SM                |                      | 189                  | 1001        |                              | 312                  | 1960        |
| 37 2-ST                         | **                | SM                |                      | 189                  | 1001        |                              | 312                  | 1960        |
| 3822.00-000                     |                   | KG                |                      | -                    | -           |                              | 18                   | 1281        |
| 3822 4-ST                       | **                | KG                |                      | -                    | -           |                              | 18                   | 1281        |
| 38 2-ST                         | **                | KG                |                      | -                    | -           |                              | 18                   | 1281        |
| 4008.21-000                     |                   | KG                |                      | -                    | -           |                              | 125                  | 410         |
| 4008 4-ST                       | **                | KG                |                      | -                    | -           |                              | 125                  | 410         |
| 4016.93-000                     |                   | KG                |                      | -                    | -           |                              | 51                   | 308         |
| 4016 4-ST                       | **                | KG                |                      | -                    | -           |                              | 51                   | 308         |
| 40 2-ST                         | **                | KG                |                      | -                    | -           |                              | 176                  | 718         |
| 4901.99-000                     |                   | NO                |                      | -                    | -           |                              | 70                   | 202         |
| 4901 4-ST                       | **                | NO                |                      | -                    | -           |                              | 70                   | 202         |
| 49 2-ST                         | **                | NO                |                      | -                    | -           |                              | 70                   | 202         |
| 6506.10-000                     | DZ                | KG                | -                    | -                    | -           | 1                            | 16                   | 204         |
| 6506 4-ST                       | DZ                | KG                | -                    | -                    | -           | 1                            | 16                   | 204         |
| 65 2-ST                         | DZ                | KG                | -                    | -                    | -           | 1                            | 16                   | 204         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 618 NEWCALD                     |                   |                   |                    |                   |             |                              |                   |             |
| 7312.10-290                     |                   | MT                |                    | -                 | -           |                              | 0                 | 240         |
| 7312 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 240         |
| 7326.90-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 521         |
| 7326 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 521         |
| 73 2-ST                         | **                | MT                |                    | -                 | -           |                              | 0                 | 761         |
| 8409.99-200                     |                   | KG                |                    | 8                 | 406         |                              | 34                | 1009        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 24                | 516         |
| 8409 4-ST                       | **                | KG                |                    | 8                 | 406         |                              | 58                | 1525        |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 40                | 1054        |
| 8413 4-ST                       | **                | KG                |                    | -                 | -           |                              | 40                | 1054        |
| 8414.59-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 40                | 638         |
| 8414.90-100                     |                   | KG                |                    | 35                | 960         |                              | 35                | 960         |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 4                 | 222         |
| 8414 4-ST                       |                   | KG                |                    | 35                | 960         |                              | 79                | 1820        |
| 8421.23-000                     | NO                | KG                | -                  | -                 | -           | 187                          | 118               | 233         |
| 8421 4-ST                       | NO                | KG                | -                  | -                 | -           | 187                          | 118               | 233         |
| 8469.10-100                     |                   | NO                |                    | -                 | -           |                              | 25                | 837         |
| 8469 4-ST                       | **                | NO                |                    | -                 | -           |                              | 25                | 837         |
| 8470.10-000                     |                   | NO                |                    | 160               | 203         |                              | 160               | 203         |
| 8470.50-900                     |                   | NO                |                    | -                 | -           |                              | 5                 | 1508        |
| 8470 4-ST                       | **                | NO                |                    | 160               | 203         |                              | 165               | 1711        |
| 8471.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 14                | 218         |
| 8471.92-110                     | NO                | KG                | -                  | -                 | -           | 12                           | 129               | 492         |
| 8471.92-120                     | NO                | KG                | -                  | -                 | -           | 7                            | 160               | 1932        |
| 8471 4-ST                       | NO                | KG                | -                  | -                 | -           | 20                           | 303               | 2642        |
| 8473.29-000                     |                   | KG                |                    | -                 | -           |                              | 33                | 2188        |
| 8473 4-ST                       | **                | KG                |                    | -                 | -           |                              | 33                | 2188        |
| 8479.89-900                     | NO                | KG                | 1                  | 139               | 1842        | 1                            | 139               | 1842        |
| 8479 4-ST                       | NO                | KG                | 1                  | 139               | 1842        | 1                            | 139               | 1842        |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 34                | 510         |
| 8483 4-ST                       | **                | KG                |                    | -                 | -           |                              | 34                | 510         |
| 8484.90-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 1022        |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 1022        |
| 84 2-ST                         |                   |                   |                    |                   | 3411        |                              |                   | 15384       |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 538         |
| 8504 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 538         |
| 8521.10-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 46                | 1350        |
| 8521 4-ST                       | NO                | KG                | -                  | -                 | -           | 10                           | 46                | 1350        |
| 8522.90-900                     |                   | KG                |                    | -                 | -           |                              | 32                | 260         |
| 8522 4-ST                       | **                | KG                |                    | -                 | -           |                              | 32                | 260         |
| 8523.13-200                     |                   | KG                |                    | -                 | -           |                              | 20                | 224         |
| 8523 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 224         |
| 8525.20-910                     | NO                | KG                | 6                  | 32                | 694         | 11                           | 62                | 1273        |
| 8525.20-920                     | NO                | KG                | 26                 | 44                | 1230        | 117                          | 150               | 4133        |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 144                          | 332               | 16537       |
| 8525 4-ST                       | NO                | KG                | 32                 | 76                | 1924        | 272                          | 544               | 21943       |
| 8526.10-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 20                | 264         |
| 8526.91-200                     | NO                | KG                | -                  | -                 | -           | 1                            | 15                | 219         |
| 8526.91-900                     | NO                | KG                | -                  | -                 | -           | 3                            | 59                | 558         |
| 8526 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 94                | 1041        |
| 8527.11-920                     |                   | NO                |                    | -                 | -           |                              | 29                | 231         |
| 8527.21-000                     |                   | NO                |                    | -                 | -           |                              | 18                | 417         |
| 8527 4-ST                       | **                | NO                |                    | -                 | -           |                              | 47                | 648         |
| 8528.10-190                     |                   | NO                |                    | -                 | -           |                              | 2                 | 220         |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 2                 | 220         |
| 8538.10-000                     |                   | KG                |                    | -                 | -           |                              | 185               | 416         |
| 8538 4-ST                       | **                | KG                |                    | -                 | -           |                              | 185               | 416         |
| 8543.80-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 39                | 1855        |
| 8543 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 39                | 1855        |
| 85 2-ST                         |                   |                   |                    |                   | 1924        |                              |                   | 28495       |
| 8711.20-900                     |                   | NO                |                    | -                 | -           |                              | 1                 | 383         |
| 8711 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 383         |
| 87 2-ST                         | **                | NO                |                    | -                 | -           |                              | 1                 | 383         |
| 9002.11-100                     |                   | NO                |                    | 28                | 569         |                              | 93                | 1833        |
| 9002 4-ST                       | **                | NO                |                    | 28                | 569         |                              | 93                | 1833        |
| 9006.51-000                     |                   | NO                |                    | 19                | 848         |                              | 62                | 2809        |
| 9006.53-000                     |                   | NO                |                    | 36                | 847         |                              | 334               | 5192        |
| 9006.59-900                     | NO                | KG                | -                  | -                 | -           | 25                           | 10                | 437         |
| 9006 4-ST                       |                   |                   |                    |                   | 1695        |                              |                   | 8438        |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 618 NEWCALD                     |                   |                   |                    |                   |             |                              |                   |             |
| 9009.90-000                     |                   | KG                |                    | -                 | -           |                              | 484               | 1949        |
| 9009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 484               | 1949        |
| 9018.19-100                     | NO                | KG                | -                  | -                 | -           | 8                            | 96                | 4034        |
| 9018.19-210                     | NO                | KG                | -                  | -                 | -           | 1                            | 83                | 2250        |
| 9018.19-900                     |                   | KG                |                    | -                 | -           |                              | 16                | 450         |
| 9018.90-110                     | NO                | KG                | 4                  | 71                | 1604        | 4                            | 71                | 1604        |
| 9018.90-390                     |                   | KG                |                    | 8                 | 3599        |                              | 29                | 6079        |
| 9018 4-ST                       |                   | KG                |                    | 79                | 5203        |                              | 295               | 14417       |
| 9022.11-910                     | NO                | KG                | -                  | -                 | -           | 1                            | 23                | 504         |
| 9022 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 23                | 504         |
| 9030.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 290         |
| 9030 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 290         |
| 90 2-ST                         |                   |                   |                    |                   | 7467        |                              |                   | 27431       |
| 9102.11-000                     |                   | NO                |                    | 170               | 387         |                              | 6240              | 14780       |
| 9102.12-000                     |                   | NO                |                    | 540               | 986         |                              | 13140             | 19019       |
| 9102.19-000                     |                   | NO                |                    | 130               | 316         |                              | 1950              | 5543        |
| 9102 4-ST                       | **                | NO                |                    | 840               | 1689        |                              | 21330             | 39342       |
| 9107.00-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 40                | 218         |
| 9107 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 40                | 218         |
| 91 2-ST                         |                   |                   |                    |                   | 1689        |                              |                   | 39560       |
| 9506.29-000                     |                   | KG                |                    | -                 | -           |                              | 388               | 1475        |
| 9506 4-ST                       | **                | KG                |                    | -                 | -           |                              | 388               | 1475        |
| 95 2-ST                         | **                | KG                |                    | -                 | -           |                              | 388               | 1475        |
| 9608.10-000                     |                   | DZ                |                    | -                 | -           |                              | 599               | 567         |
| 9608 4-ST                       | **                | DZ                |                    | -                 | -           |                              | 599               | 567         |
| 96 2-ST                         | **                | DZ                |                    | -                 | -           |                              | 599               | 567         |
| TOTAL                           |                   |                   |                    |                   | 15492       |                              |                   | 119209      |
| 619 F OCEAN                     |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | -                 | -           |                              | 44                | 3309        |
| 0000 4-ST                       | **                | KG                |                    | -                 | -           |                              | 44                | 3309        |
| 00 2-ST                         | **                | KG                |                    | -                 | -           |                              | 44                | 3309        |
| 2936.90-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 247         |
| 2936 4-ST                       | **                | KG                |                    | -                 | -           |                              | 6                 | 247         |
| 29 2-ST                         | **                | KG                |                    | -                 | -           |                              | 6                 | 247         |
| 3702.54-000                     |                   | SM                |                    | -                 | -           |                              | 36                | 238         |
| 3702 4-ST                       | **                | SM                |                    | -                 | -           |                              | 36                | 238         |
| 37 2-ST                         | **                | SM                |                    | -                 | -           |                              | 36                | 238         |
| 3822.00-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 280         |
| 3822 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 280         |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 4                 | 280         |
| 3920.10-000                     |                   | KG                |                    | -                 | -           |                              | 120               | 240         |
| 3920 4-ST                       | **                | KG                |                    | -                 | -           |                              | 120               | 240         |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 120               | 240         |
| 4811.90-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 360         |
| 4811 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 360         |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 4                 | 360         |
| 5404.90-000                     |                   | KG                |                    | -                 | -           |                              | 122               | 346         |
| 5404 4-ST                       | **                | KG                |                    | -                 | -           |                              | 122               | 346         |
| 54 2-ST                         | **                | KG                |                    | -                 | -           |                              | 122               | 346         |
| 7318.15-190                     |                   | KG                |                    | -                 | -           |                              | 23                | 298         |
| 7318.16-900                     |                   | KG                |                    | -                 | -           |                              | 17                | 240         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 40                | 538         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 40                | 538         |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 36                | 362         |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 70                | 2077        |
| 8409.99-900                     |                   | KG                |                    | 17                | 737         |                              | 68                | 1771        |
| 8409 4-ST                       | **                | KG                |                    | 17                | 737         |                              | 174               | 4210        |
| 8412.29-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 59                | 330         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 59                | 330         |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 516         |



101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 619 F OCEAN                     |                   |                   |                    |                   |             |                              |                   |             |
| 8413 4-ST                       | **                | KG                |                    | -                 | -           |                              | 14                | 516         |
| 8414.40-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 50                | 428         |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 64                | 813         |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 497               | 6119        |
| 8414 4-ST                       |                   | KG                |                    | -                 | -           |                              | 611               | 7360        |
| 8431.49-110                     |                   | KG                |                    | 18                | 850         |                              | 18                | 850         |
| 8431 4-ST                       | **                | KG                |                    | 18                | 850         |                              | 18                | 850         |
| 8469.21-000                     |                   | NO                |                    | -                 | -           |                              | 20                | 370         |
| 8469 4-ST                       | **                | NO                |                    | -                 | -           |                              | 20                | 370         |
| 8470.10-000                     |                   | NO                |                    | -                 | -           |                              | 90                | 244         |
| 8470.50-900                     |                   | NO                |                    | -                 | -           |                              | 4                 | 1206        |
| 8470 4-ST                       | **                | NO                |                    | -                 | -           |                              | 94                | 1450        |
| 8473.29-000                     |                   | KG                |                    | -                 | -           |                              | 24                | 462         |
| 8473 4-ST                       | **                | KG                |                    | -                 | -           |                              | 24                | 462         |
| 8477.80-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 40                | 392         |
| 8477.90-100                     |                   | KG                |                    | -                 | -           |                              | 2                 | 340         |
| 8477 4-ST                       |                   | KG                |                    | -                 | -           |                              | 42                | 732         |
| 8479.89-900                     | NO                | KG                | 1                  | 134               | 1684        | 1                            | 134               | 1684        |
| 8479 4-ST                       | NO                | KG                | 1                  | 134               | 1684        | 1                            | 134               | 1684        |
| 8485.90-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 266         |
| 8485 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 266         |
| 84 2-ST                         |                   |                   |                    |                   | 3271        |                              |                   | 18230       |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 385         |
| 8517 4-ST                       | **                | KG                |                    | -                 | -           |                              | 6                 | 385         |
| 8521.10-000                     | NO                | KG                | 30                 | 174               | 1875        | 110                          | 693               | 4921        |
| 8521 4-ST                       | NO                | KG                | 30                 | 174               | 1875        | 110                          | 693               | 4921        |
| 8522.90-900                     |                   | KG                |                    | -                 | -           |                              | 73                | 1758        |
| 8522 4-ST                       | **                | KG                |                    | -                 | -           |                              | 73                | 1758        |
| 8525.20-910                     | NO                | KG                | -                  | -                 | -           | 2                            | 11                | 227         |
| 8525.20-920                     | NO                | KG                | -                  | -                 | -           | 104                          | 286               | 4441        |
| 8525.20-990                     | NO                | KG                | -                  | -                 | -           | 21                           | 53                | 1481        |
| 8525.30-110                     | NO                | KG                | 5                  | 5                 | 435         | 17                           | 17                | 1479        |
| 8525 4-ST                       | NO                | KG                | 5                  | 5                 | 435         | 144                          | 367               | 7628        |
| 8526.91-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 28                | 274         |
| 8526 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 28                | 274         |
| 8528.10-119                     |                   | NO                |                    | -                 | -           |                              | 1                 | 305         |
| 8528.10-190                     |                   | NO                |                    | -                 | -           |                              | 2                 | 222         |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 3                 | 527         |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 72                | 1025        |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 72                | 1025        |
| 8543.80-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 22                | 330         |
| 8543 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 22                | 330         |
| 85 2-ST                         |                   |                   |                    |                   | 2310        |                              |                   | 16848       |
| 8708.99-200                     |                   | KG                |                    | -                 | -           |                              | 291               | 208         |
| 8708 4-ST                       | **                | KG                |                    | -                 | -           |                              | 291               | 208         |
| 87 2-ST                         | **                | KG                |                    | -                 | -           |                              | 291               | 208         |
| 9010.20-000                     | NO                | KG                | 1                  | 36                | 364         | 1                            | 36                | 364         |
| 9010 4-ST                       | NO                | KG                | 1                  | 36                | 364         | 1                            | 36                | 364         |
| 9018.19-210                     | NO                | KG                | 1                  | 120               | 5263        | 4                            | 390               | 14932       |
| 9018.19-900                     |                   | KG                |                    | 85                | 2445        |                              | 85                | 2445        |
| 9018 4-ST                       |                   | KG                |                    | 205               | 7708        |                              | 475               | 17377       |
| 9025.19-100                     | NO                | KG                | 4                  | 4                 | 234         | 4                            | 4                 | 234         |
| 9025 4-ST                       | NO                | KG                | 4                  | 4                 | 234         | 4                            | 4                 | 234         |
| 9026.10-190                     | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 320         |
| 9026 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 320         |
| 9027.80-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 1                 | 420         |
| 9027 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 1                 | 420         |
| 9029.20-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 2                 | 262         |
| 9029 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 2                 | 262         |
| 9030.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 213         |
| 9030 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 213         |
| 9031.90-900                     |                   | KG                |                    | -                 | -           |                              | 4                 | 320         |
| 9031 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 320         |
| 90 2-ST                         |                   | KG                |                    | 245               | 8306        |                              | 536               | 19510       |
| 9102.11-000                     |                   | NO                |                    | -                 | -           |                              | 920               | 2139        |
| 9102.12-000                     |                   | NO                |                    | 750               | 960         |                              | 10490             | 15144       |
| 9102.19-000                     |                   | NO                |                    | -                 | -           |                              | 320               | 929         |
| 9102 4-ST                       | **                | NO                |                    | 750               | 960         |                              | 11730             | 18212       |
| 91 2-ST                         | **                | NO                |                    | 750               | 960         |                              | 11730             | 18212       |

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1単位<br>UNIT1 | 第2単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|---------------|---------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |               |               | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 619 F OCEAN                     |               |               |                    |                   |             |                              |                   |             |
| 9504.10-000                     |               | KG            |                    | -                 | -           |                              | 19                | 952         |
| 9504.90-100                     |               | KG            |                    | 32                | 558         |                              | 32                | 558         |
| 9504 4-ST                       | **            | KG            |                    | 32                | 558         |                              | 51                | 1510        |
| 9507.10-900                     |               | DZ            |                    | 250               | 243         |                              | 250               | 243         |
| 9507.90-000                     |               | KG            |                    | -                 | -           |                              | 80                | 604         |
| 9507 4-ST                       | **            |               |                    |                   | 243         |                              |                   | 847         |
| 95 2-ST                         | **            |               |                    |                   | 801         |                              |                   | 2357        |
| 9601.90-000                     |               | KG            |                    | 52                | 1325        |                              | 943               | 53438       |
| 9601 4-ST                       | **            | KG            |                    | 52                | 1325        |                              | 943               | 53438       |
| 96 2-ST                         | **            | KG            |                    | 52                | 1325        |                              | 943               | 53438       |
| TOTAL                           |               |               |                    |                   | 16973       |                              |                   | 134361      |
| 620 GUAM                        |               |               |                    |                   |             |                              |                   |             |
| 0000.00-190                     |               | KG            |                    | 593               | 7908        |                              | 18434             | 139647      |
| 0000 4-ST                       | **            | KG            |                    | 593               | 7908        |                              | 18434             | 139647      |
| 00 2-ST                         | **            | KG            |                    | 593               | 7908        |                              | 18434             | 139647      |
| 2106.90-900                     |               | KG            |                    | -                 | -           |                              | 346               | 812         |
| 2106 4-ST                       | **            | KG            |                    | -                 | -           |                              | 346               | 812         |
| 21 2-ST                         | **            | KG            |                    | -                 | -           |                              | 346               | 812         |
| 2402.20-000                     |               | TH            |                    | 1600              | 3646        |                              | 1600              | 3646        |
| 2402 4-ST                       | **            | TH            |                    | 1600              | 3646        |                              | 1600              | 3646        |
| 24 2-ST                         | **            | TH            |                    | 1600              | 3646        |                              | 1600              | 3646        |
| 2827.59-000                     |               | KG            |                    | -                 | -           |                              | 555               | 1200        |
| 2827 4-ST                       | **            | KG            |                    | -                 | -           |                              | 555               | 1200        |
| 28 2-ST                         | **            | KG            |                    | -                 | -           |                              | 555               | 1200        |
| 2909.49-000                     |               | KG            |                    | -                 | -           |                              | 60                | 320         |
| 2909 4-ST                       | **            | KG            |                    | -                 | -           |                              | 60                | 320         |
| 29 2-ST                         | **            | KG            |                    | -                 | -           |                              | 60                | 320         |
| 3208.20-900                     |               | KG            |                    | -                 | -           |                              | 458               | 286         |
| 3208 4-ST                       | **            | KG            |                    | -                 | -           |                              | 458               | 286         |
| 3210.00-900                     |               | KG            |                    | -                 | -           |                              | 1200              | 223         |
| 3210 4-ST                       | **            | KG            |                    | -                 | -           |                              | 1200              | 223         |
| 3214.10-000                     |               | KG            |                    | -                 | -           |                              | 2011              | 1267        |
| 3214 4-ST                       | **            | KG            |                    | -                 | -           |                              | 2011              | 1267        |
| 32 2-ST                         | **            | KG            |                    | -                 | -           |                              | 3669              | 1776        |
| 3305.10-000                     |               | KG            |                    | 350               | 686         |                              | 700               | 1257        |
| 3305.90-000                     |               | KG            |                    | 350               | 686         |                              | 700               | 1257        |
| 3305 4-ST                       | **            | KG            |                    | 700               | 1372        |                              | 1400              | 2514        |
| 33 2-ST                         | **            | KG            |                    | 700               | 1372        |                              | 1400              | 2514        |
| 3401.19-000                     |               | KG            |                    | -                 | -           |                              | 250               | 280         |
| 3401 4-ST                       | **            | KG            |                    | -                 | -           |                              | 250               | 280         |
| 34 2-ST                         | **            | KG            |                    | -                 | -           |                              | 250               | 280         |
| 3506.91-000                     |               | KG            |                    | -                 | -           |                              | 1236              | 647         |
| 3506 4-ST                       | **            | KG            |                    | -                 | -           |                              | 1236              | 647         |
| 35 2-ST                         | **            | KG            |                    | -                 | -           |                              | 1236              | 647         |
| 3701.20-000                     |               | SM            |                    | -                 | -           |                              | 1                 | 318         |
| 3701.91-000                     |               | SM            |                    | -                 | -           |                              | 0                 | 245         |
| 3701 4-ST                       | **            | SM            |                    | -                 | -           |                              | 1                 | 563         |
| 3702.54-000                     |               | SM            |                    | -                 | -           |                              | 526               | 3896        |
| 3702 4-ST                       | **            | SM            |                    | -                 | -           |                              | 526               | 3896        |
| 3703.20-000                     |               | SM            |                    | 96                | 217         |                              | 838               | 865         |
| 3703 4-ST                       | **            | SM            |                    | 96                | 217         |                              | 838               | 865         |
| 3704.00-100                     |               | SM            |                    | -                 | -           |                              | 674               | 1126        |
| 3704.00-900                     |               | SM            |                    | -                 | -           |                              | 3298              | 2235        |
| 3704 4-ST                       | **            | SM            |                    | -                 | -           |                              | 3972              | 3361        |
| 3705.10-000                     |               | SM            |                    | -                 | -           |                              | 6                 | 380         |
| 3705.90-000                     |               | SM            |                    | -                 | -           |                              | 3                 | 260         |
| 3705 4-ST                       | **            | SM            |                    | -                 | -           |                              | 9                 | 640         |
| 3707.90-000                     |               | KG            |                    | 184               | 235         |                              | 463               | 453         |
| 3707 4-ST                       | **            | KG            |                    | 184               | 235         |                              | 463               | 453         |
| 37 2-ST                         | **            |               |                    |                   | 452         |                              |                   | 9778        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 620 GUAM                        |                   |                   |                    |                   |             |                              |                   |             |
| 3918.10-900                     |                   | KG                |                    | -                 | -           |                              | 260               | 527         |
| 3918 4-ST                       | **                | KG                |                    | -                 | -           |                              | 260               | 527         |
| 3919.10-200                     |                   | KG                |                    | -                 | -           |                              | 100               | 255         |
| 3919 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 255         |
| 3920.42-100                     |                   | KG                |                    | 740               | 467         |                              | 984               | 1454        |
| 3920 4-ST                       | **                | KG                |                    | 740               | 467         |                              | 984               | 1454        |
| 3921.90-100                     |                   | KG                |                    | -                 | -           |                              | 518               | 251         |
| 3921 4-ST                       | **                | KG                |                    | -                 | -           |                              | 518               | 251         |
| 3922.10-000                     |                   | KG                |                    | -                 | -           |                              | 715               | 599         |
| 3922.90-000                     |                   | KG                |                    | -                 | -           |                              | 32                | 485         |
| 3922 4-ST                       | **                | KG                |                    | -                 | -           |                              | 747               | 1084        |
| 3923.29-000                     |                   | KG                |                    | -                 | -           |                              | 51                | 432         |
| 3923 4-ST                       | **                | KG                |                    | -                 | -           |                              | 51                | 432         |
| 3924.90-100                     | DZ                | KG                | -                  | -                 | -           | 20                           | 25                | 375         |
| 3924 4-ST                       | DZ                | KG                | -                  | -                 | -           | 20                           | 25                | 375         |
| 3926.10-000                     |                   | KG                |                    | -                 | -           |                              | 17                | 225         |
| 3926.90-000                     |                   | KG                |                    | 46                | 449         |                              | 167               | 1985        |
| 3926 4-ST                       | **                | KG                |                    | 46                | 449         |                              | 184               | 2210        |
| 39 2-ST                         |                   | KG                |                    | 786               | 916         |                              | 2869              | 6588        |
| 4009.10-000                     |                   | KG                |                    | -                 | -           |                              | 83                | 442         |
| 4009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 83                | 442         |
| 4011.99-000                     | NO                | KG                | -                  | -                 | -           | 12                           | 129               | 315         |
| 4011 4-ST                       | NO                | KG                | -                  | -                 | -           | 12                           | 129               | 315         |
| 4016.91-000                     |                   | KG                |                    | -                 | -           |                              | 600               | 1137        |
| 4016.99-000                     |                   | KG                |                    | 70                | 207         |                              | 85                | 524         |
| 4016 4-ST                       | **                | KG                |                    | 70                | 207         |                              | 685               | 1661        |
| 40 2-ST                         |                   | KG                |                    | 70                | 207         |                              | 897               | 2418        |
| 4202.91-000                     | DZ                | KG                | 1                  | 24                | 252         | 1                            | 24                | 252         |
| 4202.99-000                     | DZ                | KG                | -                  | -                 | -           | 17                           | 173               | 784         |
| 4202 4-ST                       | DZ                | KG                | 1                  | 24                | 252         | 18                           | 197               | 1036        |
| 42 2-ST                         | DZ                | KG                | 1                  | 24                | 252         | 18                           | 197               | 1036        |
| 4412.11-190                     |                   | SM                |                    | -                 | -           |                              | 119               | 204         |
| 4412 4-ST                       | **                | SM                |                    | -                 | -           |                              | 119               | 204         |
| 4415.20-000                     |                   | KG                |                    | -                 | -           |                              | 17900             | 2419        |
| 4415 4-ST                       | **                | KG                |                    | -                 | -           |                              | 17900             | 2419        |
| 4421.10-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 242         |
| 4421.90-000                     |                   | KG                |                    | 25                | 304         |                              | 835               | 2510        |
| 4421 4-ST                       | **                | KG                |                    | 25                | 304         |                              | 865               | 2752        |
| 44 2-ST                         | **                |                   |                    |                   | 304         |                              |                   | 5375        |
| 4811.29-000                     |                   | KG                |                    | -                 | -           |                              | 92                | 252         |
| 4811 4-ST                       | **                | KG                |                    | -                 | -           |                              | 92                | 252         |
| 4814.20-000                     |                   | KG                |                    | -                 | -           |                              | 396               | 422         |
| 4814 4-ST                       | **                | KG                |                    | -                 | -           |                              | 396               | 422         |
| 4819.20-000                     |                   | KG                |                    | -                 | -           |                              | 279               | 678         |
| 4819 4-ST                       | **                | KG                |                    | -                 | -           |                              | 279               | 678         |
| 4820.10-900                     |                   | KG                |                    | 784               | 836         |                              | 784               | 836         |
| 4820.30-000                     |                   | KG                |                    | -                 | -           |                              | 77                | 220         |
| 4820.90-000                     |                   | KG                |                    | -                 | -           |                              | 286               | 216         |
| 4820 4-ST                       | **                | KG                |                    | 784               | 836         |                              | 1147              | 1272        |
| 4821.10-000                     |                   | KG                |                    | 93                | 231         |                              | 463               | 1244        |
| 4821 4-ST                       | **                | KG                |                    | 93                | 231         |                              | 463               | 1244        |
| 4823.40-000                     |                   | KG                |                    | -                 | -           |                              | 519               | 649         |
| 4823.59-900                     |                   | KG                |                    | -                 | -           |                              | 8                 | 293         |
| 4823.90-900                     |                   | KG                |                    | -                 | -           |                              | 762               | 220         |
| 4823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1289              | 1162        |
| 48 2-ST                         | **                | KG                |                    | 877               | 1067        |                              | 3666              | 5030        |
| 4906.00-000                     |                   | KG                |                    | -                 | -           |                              | 120               | 1563        |
| 4906 4-ST                       | **                | KG                |                    | -                 | -           |                              | 120               | 1563        |
| 4910.00-000                     |                   | KG                |                    | 350               | 400         |                              | 634               | 900         |
| 4910 4-ST                       | **                | KG                |                    | 350               | 400         |                              | 634               | 900         |
| 4911.10-000                     |                   | KG                |                    | -                 | -           |                              | 331               | 879         |
| 4911.91-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 691         |
| 4911.99-000                     |                   | KG                |                    | -                 | -           |                              | 2048              | 3061        |
| 4911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2386              | 4631        |
| 49 2-ST                         | **                | KG                |                    | 350               | 400         |                              | 3140              | 7094        |
| 5703.10-000                     | SM                | KG                | -                  | -                 | -           | 47                           | 155               | 613         |
| 5703.20-900                     | SM                | KG                | -                  | -                 | -           | 692                          | 1539              | 2405        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 620 GUAM                        |                   |                   |                    |                   |             |                              |                   |             |
| 5703.30-900                     | SM                | KG                | -                  | -                 | -           | 75                           | 342               | 900         |
| 5703 4-ST                       | SM                | KG                | -                  | -                 | -           | 814                          | 2036              | 3918        |
| 57 2-ST                         | SM                | KG                | -                  | -                 | -           | 814                          | 2036              | 3918        |
| 5806.32-100                     |                   | KG                |                    | -                 | -           |                              | 150               | 208         |
| 5806 4-ST                       | **                | KG                |                    | -                 | -           |                              | 150               | 208         |
| 58 2-ST                         | **                | KG                |                    | -                 | -           |                              | 150               | 208         |
| 6203.31-000                     | DZ                | KG                | -                  | -                 | -           | 1                            | 10                | 248         |
| 6203.33-000                     | DZ                | KG                | 14                 | 71                | 2319        | 28                           | 179               | 3628        |
| 6203.43-000                     | DZ                | KG                | 14                 | 61                | 875         | 34                           | 177               | 2018        |
| 6203 4-ST                       | DZ                | KG                | 28                 | 132               | 3194        | 63                           | 366               | 5894        |
| 6204.31-000                     | DZ                | KG                | -                  | -                 | -           | 1                            | 12                | 255         |
| 6204.33-000                     | DZ                | KG                | 2                  | 19                | 411         | 2                            | 19                | 411         |
| 6204.53-000                     | DZ                | KG                | 13                 | 31                | 755         | 25                           | 71                | 1345        |
| 6204.63-000                     | DZ                | KG                | 7                  | 25                | 549         | 7                            | 25                | 549         |
| 6204 4-ST                       | DZ                | KG                | 22                 | 75                | 1715        | 35                           | 127               | 2560        |
| 6205.30-000                     | DZ                | KG                | -                  | -                 | -           | 8                            | 19                | 314         |
| 6205 4-ST                       | DZ                | KG                | -                  | -                 | -           | 8                            | 19                | 314         |
| 6206.40-000                     | DZ                | KG                | -                  | -                 | -           | 13                           | 28                | 615         |
| 6206.90-000                     | DZ                | KG                | 24                 | 44                | 1303        | 24                           | 44                | 1303        |
| 6206 4-ST                       | DZ                | KG                | 24                 | 44                | 1303        | 37                           | 72                | 1918        |
| 6208.21-000                     | DZ                | KG                | -                  | -                 | -           | 16                           | 108               | 410         |
| 6208 4-ST                       | DZ                | KG                | -                  | -                 | -           | 16                           | 108               | 410         |
| 6211.33-000                     | DZ                | KG                | -                  | -                 | -           | 16                           | 43                | 930         |
| 6211.49-000                     | DZ                | KG                | -                  | -                 | -           | 7                            | 23                | 315         |
| 6211 4-ST                       | DZ                | KG                | -                  | -                 | -           | 23                           | 66                | 1245        |
| 6217.10-000                     |                   | KG                |                    | 203               | 1032        |                              | 203               | 1032        |
| 6217 4-ST                       | **                | KG                |                    | 203               | 1032        |                              | 203               | 1032        |
| 62 2-ST                         |                   | KG                |                    | 454               | 7244        |                              | 961               | 13373       |
| 6301.20-000                     | NO                | KG                | -                  | -                 | -           | 72                           | 194               | 1304        |
| 6301 4-ST                       | NO                | KG                | -                  | -                 | -           | 72                           | 194               | 1304        |
| 6302.31-000                     | DZ                | KG                | -                  | -                 | -           | 6                            | 108               | 578         |
| 6302.53-000                     | DZ                | KG                | -                  | -                 | -           | 2                            | 40                | 1436        |
| 6302 4-ST                       | DZ                | KG                | -                  | -                 | -           | 8                            | 148               | 2014        |
| 6303.91-000                     | DZ                | KG                | 3                  | 105               | 749         | 51                           | 2105              | 11085       |
| 6303.92-000                     | DZ                | KG                | 5                  | 314               | 4867        | 41                           | 1544              | 9084        |
| 6303 4-ST                       | DZ                | KG                | 8                  | 419               | 5616        | 92                           | 3649              | 20169       |
| 6304.19-000                     | DZ                | KG                | 3                  | 90                | 972         | 31                           | 1236              | 6513        |
| 6304.99-000                     |                   | KG                |                    | 14                | 400         |                              | 14                | 400         |
| 6304 4-ST                       |                   | KG                |                    | 104               | 1372        |                              | 1250              | 6913        |
| 6307.90-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 639         |
| 6307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 639         |
| 63 2-ST                         |                   | KG                |                    | 523               | 6988        |                              | 5272              | 31039       |
| 6404.19-110                     |                   | DZ                |                    | -                 | -           |                              | 1                 | 326         |
| 6404 4-ST                       | **                | DZ                |                    | -                 | -           |                              | 1                 | 326         |
| 64 2-ST                         | **                | DZ                |                    | -                 | -           |                              | 1                 | 326         |
| 6702.10-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 300         |
| 6702 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 300         |
| 67 2-ST                         | **                | KG                |                    | -                 | -           |                              | 20                | 300         |
| 6802.21-000                     |                   | KG                |                    | 600               | 2114        |                              | 600               | 2114        |
| 6802.23-000                     |                   | KG                |                    | -                 | -           |                              | 68                | 1344        |
| 6802.91-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 232         |
| 6802 4-ST                       | **                | KG                |                    | 600               | 2114        |                              | 768               | 3690        |
| 6810.99-000                     |                   | KG                |                    | 5                 | 219         |                              | 5                 | 219         |
| 6810 4-ST                       | **                | KG                |                    | 5                 | 219         |                              | 5                 | 219         |
| 68 2-ST                         | **                | KG                |                    | 605               | 2333        |                              | 773               | 3909        |
| 6907.90-900                     |                   | KG                |                    | -                 | -           |                              | 422               | 382         |
| 6907 4-ST                       | **                | KG                |                    | -                 | -           |                              | 422               | 382         |
| 6908.90-200                     |                   | MT                |                    | -                 | -           |                              | 1                 | 702         |
| 6908 4-ST                       | **                | MT                |                    | -                 | -           |                              | 1                 | 702         |
| 6910.90-000                     |                   | KG                |                    | -                 | -           |                              | 164               | 689         |
| 6910 4-ST                       | **                | KG                |                    | -                 | -           |                              | 164               | 689         |
| 6911.10-110                     | DZ                | KG                | -                  | -                 | -           | 44                           | 109               | 506         |
| 6911.10-192                     | DZ                | KG                | -                  | -                 | -           | 49                           | 189               | 783         |
| 6911 4-ST                       | DZ                | KG                | -                  | -                 | -           | 93                           | 298               | 1289        |
| 6912.00-900                     |                   | KG                |                    | 14                | 400         |                              | 14                | 400         |
| 6912 4-ST                       | **                | KG                |                    | 14                | 400         |                              | 14                | 400         |

Country by Customs by Commodity

EXPORT

101 東京航空貨物 (原木)

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 620 GUAM                        |                   |                   |                     |                     |             |                              |                     |             |
| 69 2-ST                         |                   |                   |                     |                     | 400         |                              |                     | 3462        |
| 7009.91-000                     |                   | KG                | -                   | -                   | -           |                              | 1218                | 449         |
| 7009 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 1218                | 449         |
| 7013.99-100                     |                   | KG                | -                   | -                   | -           |                              | 35                  | 323         |
| 7013 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 35                  | 323         |
| 70 2-ST                         | **                | KG                | -                   | -                   | -           |                              | 1253                | 772         |
| 7101.22-920                     |                   | GR                | -                   | -                   | -           |                              | 318                 | 262         |
| 7101 4-ST                       | **                | GR                | -                   | -                   | -           |                              | 318                 | 262         |
| 7113.19-100                     |                   | GR                | 1000                | 560                 | 2200        |                              | 4830                |             |
| 7113 4-ST                       | **                | GR                | 1000                | 560                 | 2200        |                              | 4830                |             |
| 7116.10-190                     |                   | GR                | -                   | -                   | -           |                              | 1528                | 441         |
| 7116 4-ST                       | **                | GR                | -                   | -                   | -           |                              | 1528                | 441         |
| 7117.19-000                     |                   | KG                | 1                   | 300                 | 1           |                              | 300                 |             |
| 7117 4-ST                       | **                | KG                | 1                   | 300                 | 1           |                              | 300                 |             |
| 71 2-ST                         | **                |                   |                     | 860                 |             |                              |                     | 5833        |
| 7219.33-900                     |                   | MT                | -                   | -                   | -           |                              | 0                   | 328         |
| 7219 4-ST                       | **                | MT                | -                   | -                   | -           |                              | 0                   | 328         |
| 72 2-ST                         | **                | MT                | -                   | -                   | -           |                              | 0                   | 328         |
| 7307.19-000                     |                   | KG                | -                   | -                   | -           |                              | 469                 | 491         |
| 7307.21-000                     |                   | MT                | -                   | -                   | -           |                              | 0                   | 282         |
| 7307.93-100                     |                   | MT                | 0                   | 213                 | 0           |                              | 0                   | 213         |
| 7307.99-900                     |                   | MT                | -                   | -                   | -           |                              | 0                   | 607         |
| 7307 4-ST                       | **                |                   |                     | 213                 |             |                              |                     | 1593        |
| 7308.30-000                     |                   | MT                | 0                   | 265                 | 0           |                              | 0                   | 1036        |
| 7308.90-900                     |                   | MT                | -                   | -                   | -           |                              | 1                   | 2701        |
| 7308 4-ST                       | **                | MT                | 0                   | 265                 | 1           |                              | 3737                |             |
| 7310.29-000                     |                   | KG                | -                   | -                   | -           |                              | 150                 | 4000        |
| 7310 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 150                 | 4000        |
| 7312.10-119                     |                   | MT                | -                   | -                   | -           |                              | 1                   | 525         |
| 7312.10-199                     |                   | MT                | -                   | -                   | -           |                              | 0                   | 208         |
| 7312 4-ST                       | **                | MT                | -                   | -                   | -           |                              | 1                   | 733         |
| 7315.12-000                     |                   | KG                | -                   | -                   | -           |                              | 200                 | 292         |
| 7315 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 200                 | 292         |
| 7318.19-000                     |                   | KG                | -                   | -                   | -           |                              | 51                  | 267         |
| 7318.22-000                     |                   | KG                | -                   | -                   | -           |                              | 332                 | 320         |
| 7318 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 383                 | 587         |
| 7324.90-000                     |                   | KG                | 80                  | 293                 | 180         |                              | 885                 |             |
| 7324 4-ST                       | **                | KG                | 80                  | 293                 | 180         |                              | 885                 |             |
| 7326.90-000                     |                   | MT                | -                   | -                   | -           |                              | 0                   | 2189        |
| 7326 4-ST                       | **                | MT                | -                   | -                   | -           |                              | 0                   | 2189        |
| 73 2-ST                         | **                |                   |                     | 771                 |             |                              |                     | 14016       |
| 7418.10-000                     |                   | KG                | -                   | -                   | -           |                              | 16                  | 256         |
| 7418 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 16                  | 256         |
| 74 2-ST                         | **                | KG                | -                   | -                   | -           |                              | 16                  | 256         |
| 7508.00-000                     |                   | KG                | -                   | -                   | -           |                              | 119                 | 1832        |
| 7508 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 119                 | 1832        |
| 75 2-ST                         | **                | KG                | -                   | -                   | -           |                              | 119                 | 1832        |
| 7606.11-000                     |                   | KG                | -                   | -                   | -           |                              | 110                 | 426         |
| 7606 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 110                 | 426         |
| 7607.19-000                     |                   | KG                | -                   | -                   | -           |                              | 24                  | 308         |
| 7607 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 24                  | 308         |
| 7610.10-000                     |                   | KG                | -                   | -                   | -           |                              | 1772                | 2608        |
| 7610.90-100                     |                   | KG                | -                   | -                   | -           |                              | 304                 | 2385        |
| 7610.90-900                     |                   | KG                | -                   | -                   | -           |                              | 881                 | 2041        |
| 7610 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 2957                | 7034        |
| 76 2-ST                         | **                | KG                | -                   | -                   | -           |                              | 3091                | 7768        |
| 8202.99-100                     |                   | NO                | -                   | -                   | -           |                              | 50                  | 247         |
| 8202 4-ST                       | **                | NO                | -                   | -                   | -           |                              | 50                  | 247         |
| 8204.20-000                     |                   | KG                | -                   | -                   | -           |                              | 32                  | 290         |
| 8204 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 32                  | 290         |
| 8207.50-200                     | NO                | KG                | -                   | -                   | -           | 356                          | 48                  | 796         |
| 8207.50-900                     |                   | KG                | 41                  | 282                 | 41          |                              | 282                 |             |
| 8207 4-ST                       |                   | KG                | 41                  | 282                 | 89          |                              | 1078                |             |
| 8211.93-000                     | DZ                | KG                | -                   | -                   | -           | 35                           | 58                  | 328         |
| 8211 4-ST                       | DZ                | KG                | -                   | -                   | -           | 35                           | 58                  | 328         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 620 GUAM                        |                   |                   |                    |                   |             |                              |                   |             |
| 8215.99-000                     | DZ                | KG                | -                  | -                 | -           | 353                          | 282               | 4779        |
| 8215 4-ST                       | DZ                | KG                | -                  | -                 | -           | 353                          | 282               | 4779        |
| 82 2-ST                         |                   |                   |                    |                   | 282         |                              |                   | 6722        |
| 8302.10-000                     |                   | KG                |                    | -                 | -           |                              | 524               | 2855        |
| 8302.41-000                     |                   | KG                |                    | 50                | 740         |                              | 351               | 2455        |
| 8302.50-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 447         |
| 8302.60-000                     |                   | KG                |                    | -                 | -           |                              | 114               | 611         |
| 8302 4-ST                       | **                | KG                |                    | 50                | 740         |                              | 1049              | 6368        |
| 8307.10-000                     |                   | KG                |                    | -                 | -           |                              | 85                | 378         |
| 8307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 85                | 378         |
| 8308.90-900                     |                   | KG                |                    | -                 | -           |                              | 52                | 491         |
| 8308 4-ST                       | **                | KG                |                    | -                 | -           |                              | 52                | 491         |
| 8310.00-000                     |                   | KG                |                    | -                 | -           |                              | 523               | 1721        |
| 8310 4-ST                       | **                | KG                |                    | -                 | -           |                              | 523               | 1721        |
| 8311.20-900                     |                   | KG                |                    | 520               | 202         |                              | 520               | 202         |
| 8311 4-ST                       | **                | KG                |                    | 520               | 202         |                              | 520               | 202         |
| 83 2-ST                         | **                | KG                |                    | 570               | 942         |                              | 2229              | 9160        |
| 8409.91-100                     |                   | KG                |                    | -                 | -           |                              | 130               | 305         |
| 8409.91-200                     |                   | KG                |                    | 133               | 4090        |                              | 195               | 4704        |
| 8409.91-900                     |                   | KG                |                    | -                 | -           |                              | 64                | 264         |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 951               | 11159       |
| 8409 4-ST                       | **                | KG                |                    | 133               | 4090        |                              | 1340              | 16432       |
| 8412.21-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 81                | 560         |
| 8412.31-000                     | NO                | KG                | -                  | -                 | -           | 9                            | 161               | 544         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 14                           | 242               | 1104        |
| 8413.60-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 43                | 629         |
| 8413.70-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 80                | 230         |
| 8413.81-000                     | NO                | KG                | 2                  | 150               | 303         | 3                            | 190               | 691         |
| 8413.91-000                     |                   | KG                |                    | 250               | 449         |                              | 758               | 2345        |
| 8413 4-ST                       |                   | KG                |                    | 400               | 752         |                              | 1071              | 3895        |
| 8414.10-000                     | NO                | KG                | 1                  | 10                | 218         | 1                            | 10                | 218         |
| 8414.51-900                     | NO                | KG                | -                  | -                 | -           | 6                            | 300               | 456         |
| 8414.59-000                     | NO                | KG                | 1                  | 30                | 500         | 3                            | 490               | 1100        |
| 8414.80-210                     | NO                | KG                | -                  | -                 | -           | 2                            | 640               | 1600        |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 72                | 727         |
| 8414.90-900                     |                   | KG                |                    | 24                | 459         |                              | 344               | 1439        |
| 8414 4-ST                       |                   | KG                |                    | 64                | 1177        |                              | 1856              | 5540        |
| 8418.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 41                | 224         |
| 8418.50-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 305               | 2238        |
| 8418.99-100                     |                   | KG                |                    | -                 | -           |                              | 169               | 1262        |
| 8418 4-ST                       |                   | KG                |                    | -                 | -           |                              | 515               | 3724        |
| 8419.89-000                     |                   | KG                |                    | -                 | -           |                              | 58                | 410         |
| 8419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 58                | 410         |
| 8421.21-000                     | NO                | KG                | -                  | -                 | -           | 12                           | 263               | 1457        |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 13                | 269         |
| 8421 4-ST                       |                   | KG                |                    | -                 | -           |                              | 276               | 1726        |
| 8422.90-000                     |                   | KG                |                    | -                 | -           |                              | 50                | 431         |
| 8422 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 431         |
| 8424.10-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 11                | 328         |
| 8424.90-000                     |                   | KG                |                    | -                 | -           |                              | 19                | 269         |
| 8424 4-ST                       |                   | KG                |                    | -                 | -           |                              | 30                | 597         |
| 8431.41-000                     |                   | KG                |                    | -                 | -           |                              | 64                | 346         |
| 8431.43-000                     |                   | KG                |                    | -                 | -           |                              | 63                | 336         |
| 8431.49-110                     |                   | KG                |                    | -                 | -           |                              | 1466              | 837         |
| 8431.49-900                     |                   | KG                |                    | 52                | 508         |                              | 388               | 1099        |
| 8431 4-ST                       | **                | KG                |                    | 52                | 508         |                              | 1981              | 2618        |
| 8433.90-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 332         |
| 8433 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 332         |
| 8438.80-900                     | NO                | KG                | 1                  | 23                | 255         | 1                            | 23                | 255         |
| 8438 4-ST                       | NO                | KG                | 1                  | 23                | 255         | 1                            | 23                | 255         |
| 8450.20-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 453         |
| 8450.90-000                     |                   | KG                |                    | -                 | -           |                              | 157               | 451         |
| 8450 4-ST                       | **                |                   |                    |                   | -           |                              |                   | 904         |
| 8451.90-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 472         |
| 8451 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 472         |
| 8464.90-200                     | NO                | KG                | -                  | -                 | -           | 1                            | 47                | 949         |
| 8464 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 47                | 949         |
| 8471.20-000                     | NO                | KG                | 1                  | 25                | 328         | 2                            | 78                | 1434        |
| 8471.91-000                     | NO                | KG                | 4                  | 142               | 1681        | 7                            | 192               | 2445        |
| 8471.92-110                     | NO                | KG                | 2                  | 27                | 347         | 3                            | 37                | 562         |
| 8471.92-120                     | NO                | KG                | 1                  | 25                | 316         | 1                            | 25                | 316         |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 620 GUAM                        |                   |                   |                     |                     |             |                              |                     |             |
| 8471.92-200                     | NO                | KG                | -                   | -                   | -           | 2                            | 60                  | 999         |
| 8471.92-900                     | NO                | KG                | -                   | -                   | -           | 3                            | 9                   | 433         |
| 8471.99-000                     | NO                | KG                | -                   | -                   | -           | 3                            | 24                  | 499         |
| 8471 4-ST                       | NO                | KG                | 8                   | 219                 | 2672        | 21                           | 425                 | 6688        |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 840         |
| 8473 4-ST                       | **                | KG                |                     | -                   | -           |                              | 20                  | 840         |
| 8481.10-000                     |                   | KG                |                     | 297                 | 452         |                              | 519                 | 988         |
| 8481.20-000                     |                   | KG                |                     | -                   | -           |                              | 99                  | 287         |
| 8481.30-900                     |                   | KG                |                     | 37                  | 574         |                              | 37                  | 574         |
| 8481.80-110                     |                   | KG                |                     | -                   | -           |                              | 10                  | 222         |
| 8481.80-190                     |                   | KG                |                     | 208                 | 1295        |                              | 401                 | 3214        |
| 8481.90-000                     |                   | KG                |                     | 12                  | 277         |                              | 42                  | 4294        |
| 8481 4-ST                       | **                | KG                |                     | 554                 | 2598        |                              | 1108                | 9579        |
| 8482.40-000                     |                   | KG                |                     | -                   | -           |                              | 24                  | 331         |
| 8482.50-000                     |                   | KG                |                     | 88                  | 298         |                              | 88                  | 298         |
| 8482 4-ST                       | **                | KG                |                     | 88                  | 298         |                              | 112                 | 629         |
| 8483.10-000                     |                   | KG                |                     | 100                 | 1620        |                              | 609                 | 4402        |
| 8483.40-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 60                  | 323         |
| 8483.40-200                     |                   | KG                |                     | -                   | -           |                              | 178                 | 1353        |
| 8483.40-300                     |                   | KG                |                     | -                   | -           |                              | 30                  | 243         |
| 8483.90-300                     |                   | KG                |                     | -                   | -           |                              | 200                 | 1112        |
| 8483.90-900                     |                   | KG                |                     | -                   | -           |                              | 80                  | 550         |
| 8483 4-ST                       |                   | KG                |                     | 100                 | 1620        |                              | 1157                | 7983        |
| 8484.10-000                     |                   | KG                |                     | 8                   | 414         |                              | 14                  | 1194        |
| 8484 4-ST                       | **                | KG                |                     | 8                   | 414         |                              | 14                  | 1194        |
| 8485.90-000                     |                   | KG                |                     | -                   | -           |                              | 165                 | 1993        |
| 8485 4-ST                       | **                | KG                |                     | -                   | -           |                              | 165                 | 1993        |
| 84 2-ST                         |                   |                   |                     |                     | 14384       |                              |                     | 68295       |
| 8501.31-191                     | NO                | KG                | -                   | -                   | -           | 4                            | 18                  | 259         |
| 8501.31-200                     | NO                | KG                | -                   | -                   | -           | 1                            | 7                   | 265         |
| 8501.32-190                     | NO                | KG                | -                   | -                   | -           | 1                            | 45                  | 245         |
| 8501.51-000                     | NO                | KG                | -                   | -                   | -           | 8                            | 366                 | 2400        |
| 8501.52-200                     | NO                | KG                | -                   | -                   | -           | 6                            | 498                 | 1438        |
| 8501.61-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 250                 | 940         |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 21                           | 1184                | 5547        |
| 8502.12-000                     | ST                | KG                | -                   | -                   | -           | 1                            | 390                 | 400         |
| 8502 4-ST                       | ST                | KG                | -                   | -                   | -           | 1                            | 390                 | 400         |
| 8503.00-000                     |                   | KG                |                     | -                   | -           |                              | 74                  | 559         |
| 8503 4-ST                       | **                | KG                |                     | -                   | -           |                              | 74                  | 559         |
| 8504.31-920                     | NO                | KG                | 12                  | 150                 | 596         | 12                           | 150                 | 596         |
| 8504.32-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 40                  | 271         |
| 8504.40-110                     | NO                | KG                | -                   | -                   | -           | 7                            | 45                  | 217         |
| 8504.40-900                     | NO                | KG                | -                   | -                   | -           | 5                            | 123                 | 3250        |
| 8504 4-ST                       | NO                | KG                | 12                  | 150                 | 596         | 25                           | 358                 | 4334        |
| 8507.30-000                     |                   | KG                |                     | -                   | -           |                              | 102                 | 1508        |
| 8507 4-ST                       | **                | KG                |                     | -                   | -           |                              | 102                 | 1508        |
| 8508.10-000                     | NO                |                   |                     | -                   | -           |                              | 4                   | 279         |
| 8508.80-100                     | NO                |                   |                     | -                   | -           |                              | 43                  | 705         |
| 8508.80-900                     | NO                |                   |                     | -                   | -           |                              | 19                  | 7227        |
| 8508 4-ST                       | **                | NO                |                     | -                   | -           |                              | 66                  | 8211        |
| 8510.10-100                     | NO                |                   |                     | -                   | -           |                              | 530                 | 855         |
| 8510 4-ST                       | **                | NO                |                     | -                   | -           |                              | 530                 | 855         |
| 8511.40-100                     |                   | KG                |                     | -                   | -           |                              | 32                  | 264         |
| 8511.40-900                     |                   | KG                |                     | -                   | -           |                              | 14                  | 232         |
| 8511 4-ST                       | **                | KG                |                     | -                   | -           |                              | 46                  | 496         |
| 8512.20-000                     |                   | KG                |                     | -                   | -           |                              | 14                  | 525         |
| 8512 4-ST                       | **                | KG                |                     | -                   | -           |                              | 14                  | 525         |
| 8515.90-000                     |                   | KG                |                     | -                   | -           |                              | 159                 | 1686        |
| 8515 4-ST                       | **                | KG                |                     | -                   | -           |                              | 159                 | 1686        |
| 8516.31-000                     |                   | NO                |                     | -                   | -           |                              | 23                  | 271         |
| 8516.79-100                     |                   | NO                |                     | -                   | -           |                              | 15                  | 252         |
| 8516 4-ST                       | **                | NO                |                     | -                   | -           |                              | 38                  | 523         |
| 8517.10-100                     | NO                | KG                | -                   | -                   | -           | 291                          | 332                 | 2627        |
| 8517.10-900                     | NO                | KG                | 82                  | 105                 | 4853        | 82                           | 105                 | 4853        |
| 8517.30-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 589                 | 8264        |
| 8517.40-000                     | NO                | KG                | 1                   | 8                   | 2034        | 3                            | 21                  | 10734       |
| 8517.81-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 174                 | 1660        |
| 8517.90-000                     |                   | KG                |                     | -                   | -           |                              | 23                  | 9113        |
| 8517 4-ST                       |                   | KG                |                     | 113                 | 6887        |                              | 1244                | 37251       |
| 8518.22-900                     | NO                | KG                | -                   | -                   | -           | 4                            | 37                  | 224         |
| 8518 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 37                  | 224         |
| 8519.91-900                     |                   | NO                |                     | -                   | -           |                              | 12                  | 318         |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 620 GUAM                        |                   |                   |                     |                     |             |                              |                     |             |
| 8519.99-100                     |                   | NO                |                     | -                   | -           |                              | 10                  | 382         |
| 8519 4-ST                       | **                | NO                |                     | -                   | -           |                              | 22                  | 700         |
| 8521.10-000                     | NO                | KG                | -                   | -                   | -           | 7                            | 188                 | 3017        |
| 8521.90-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 61                  | 1890        |
| 8521 4-ST                       | NO                | KG                | -                   | -                   | -           | 12                           | 249                 | 4907        |
| 8522.90-900                     |                   | KG                |                     | -                   | -           |                              | 156                 | 253         |
| 8522 4-ST                       | **                | KG                |                     | -                   | -           |                              | 156                 | 253         |
| 8523.13-200                     |                   | KG                |                     | -                   | -           |                              | 150                 | 218         |
| 8523.90-000                     |                   | KG                |                     | -                   | -           |                              | 150                 | 900         |
| 8523 4-ST                       | **                | KG                |                     | -                   | -           |                              | 300                 | 1118        |
| 8524.90-900                     |                   | KG                |                     | -                   | -           |                              | 31                  | 3252        |
| 8524 4-ST                       | **                | KG                |                     | -                   | -           |                              | 31                  | 3252        |
| 8525.10-910                     | NO                | KG                | -                   | -                   | -           | 1                            | 13                  | 290         |
| 8525.20-910                     | NO                | KG                | -                   | -                   | -           | 5                            | 125                 | 595         |
| 8525.20-920                     | NO                | KG                | 5                   | 12                  | 568         | 22                           | 141                 | 4054        |
| 8525.20-990                     | NO                | KG                | -                   | -                   | -           | 4                            | 247                 | 3630        |
| 8525.30-110                     | NO                | KG                | -                   | -                   | -           | 429                          | 1185                | 34372       |
| 8525 4-ST                       | NO                | KG                | 5                   | 12                  | 568         | 461                          | 1711                | 42941       |
| 8526.91-200                     | NO                | KG                | -                   | -                   | -           | 4                            | 204                 | 3271        |
| 8526.91-900                     | NO                | KG                | -                   | -                   | -           | 15                           | 276                 | 3778        |
| 8526 4-ST                       | NO                | KG                | -                   | -                   | -           | 19                           | 480                 | 7049        |
| 8527.11-920                     |                   | NO                |                     | -                   | -           |                              | 80                  | 532         |
| 8527.21-000                     |                   | NO                |                     | -                   | -           |                              | 4                   | 231         |
| 8527.90-000                     |                   | NO                |                     | -                   | -           |                              | 5                   | 3589        |
| 8527 4-ST                       | **                | NO                |                     | -                   | -           |                              | 89                  | 4352        |
| 8529.90-900                     |                   | KG                |                     | -                   | -           |                              | 96                  | 1710        |
| 8529 4-ST                       | **                | KG                |                     | -                   | -           |                              | 96                  | 1710        |
| 8536.69-000                     |                   | KG                |                     | -                   | -           |                              | 45                  | 218         |
| 8536.90-100                     |                   | KG                |                     | -                   | -           |                              | 10                  | 440         |
| 8536.90-200                     |                   | KG                |                     | -                   | -           |                              | 122                 | 751         |
| 8536 4-ST                       | **                | KG                |                     | -                   | -           |                              | 177                 | 1409        |
| 8537.10-000                     | NO                | KG                | -                   | -                   | -           | 6                            | 330                 | 1473        |
| 8537 4-ST                       | NO                | KG                | -                   | -                   | -           | 6                            | 330                 | 1473        |
| 8539.21-000                     | NO                | KG                | 60                  | 20                  | 1649        | 168                          | 57                  | 4537        |
| 8539.29-900                     | NO                | KG                | 40                  | 24                  | 2572        | 120                          | 63                  | 3353        |
| 8539.39-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 13                  | 302         |
| 8539.40-300                     | NO                | KG                | -                   | -                   | -           | 30                           | 13                  | 1080        |
| 8539 4-ST                       | NO                | KG                | 100                 | 44                  | 4221        | 322                          | 146                 | 9272        |
| 8540.41-900                     | NO                | KG                | -                   | -                   | -           | 2                            | 6                   | 351         |
| 8540 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 6                   | 351         |
| 8543.80-000                     | NO                | KG                | 2                   | 12                  | 290         | 5                            | 34                  | 1202        |
| 8543 4-ST                       | NO                | KG                | 2                   | 12                  | 290         | 5                            | 34                  | 1202        |
| 8544.41-910                     |                   | KG                |                     | -                   | -           |                              | 9                   | 233         |
| 8544.49-910                     |                   | KG                |                     | -                   | -           |                              | 209                 | 682         |
| 8544.51-910                     |                   | KG                |                     | -                   | -           |                              | 95                  | 250         |
| 8544 4-ST                       | **                | KG                |                     | -                   | -           |                              | 313                 | 1165        |
| 85 2-ST                         |                   |                   |                     |                     | 12562       |                              |                     | 143273      |
| 8708.29-000                     |                   | KG                |                     | -                   | -           |                              | 52                  | 475         |
| 8708.50-000                     |                   | KG                |                     | -                   | -           |                              | 222                 | 764         |
| 8708.91-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 350         |
| 8708.94-000                     |                   | KG                |                     | -                   | -           |                              | 6                   | 300         |
| 8708.99-900                     |                   | KG                |                     | 100                 | 461         |                              | 100                 | 461         |
| 8708 4-ST                       | **                |                   |                     |                     | 461         |                              |                     | 2350        |
| 8716.80-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 100                 | 387         |
| 8716 4-ST                       | NO                | KG                | -                   | -                   | -           | 10                           | 100                 | 387         |
| 87 2-ST                         |                   |                   |                     |                     | 461         |                              |                     | 2737        |
| 8907.90-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 81                  | 1470        |
| 8907 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 81                  | 1470        |
| 89 2-ST                         | NO                | KG                | -                   | -                   | -           | 1                            | 81                  | 1470        |
| 9002.11-100                     |                   | NO                |                     | -                   | -           |                              | 823                 | 10436       |
| 9002.19-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 288         |
| 9002.20-000                     |                   | DZ                |                     | -                   | -           |                              | 43                  | 323         |
| 9002.90-000                     |                   | KG                |                     | 33                  | 1206        |                              | 44                  | 1535        |
| 9002 4-ST                       | **                |                   |                     |                     | 1206        |                              |                     | 12582       |
| 9005.10-100                     | DZ                | KG                | 5                   | 68                  | 510         | 8                            | 621                 | 11071       |
| 9005.80-900                     | NO                | KG                | 3                   | 45                  | 279         | 3                            | 45                  | 279         |
| 9005.90-000                     |                   | KG                |                     | -                   | -           |                              | 48                  | 366         |
| 9005 4-ST                       |                   | KG                |                     | 113                 | 789         |                              | 714                 | 11716       |
| 9006.30-900                     | NO                | KG                | -                   | -                   | -           | 125                          | 180                 | 3252        |
| 9006.51-000                     |                   | NO                |                     | 20                  | 718         |                              | 190                 | 10402       |



101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 620 GUAM                        |                   |                   |                    |                   |             |                              |                   |             |
| 9006.52-000                     |                   | NO                |                    | -                 | -           |                              | 120               | 1925        |
| 9006.53-000                     |                   | NO                |                    | 120               | 2510        |                              | 1375              | 15104       |
| 9006.61-000                     |                   | NO                |                    | -                 | -           |                              | 281               | 2880        |
| 9006.69-000                     |                   | NO                |                    | 2                 | 700         |                              | 2                 | 700         |
| 9006.91-100                     |                   | NO                |                    | -                 | -           |                              | 140               | 589         |
| 9006.91-900                     |                   | KG                |                    | -                 | -           |                              | 343               | 2074        |
| 9006.99-000                     |                   | KG                |                    | 20                | 316         |                              | 20                | 316         |
| 9006 4-ST                       |                   |                   |                    |                   | 4244        |                              |                   | 37242       |
| 9008.30-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 32                | 332         |
| 9008 4-ST                       | NO                | KG                | -                  | -                 | -           | 10                           | 32                | 332         |
| 9009.12-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 126               | 486         |
| 9009.90-000                     |                   | KG                |                    | -                 | -           |                              | 23                | 316         |
| 9009 4-ST                       |                   | KG                |                    | -                 | -           |                              | 149               | 802         |
| 9010.90-000                     |                   | KG                |                    | -                 | -           |                              | 32                | 930         |
| 9010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 32                | 930         |
| 9014.20-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 15                | 800         |
| 9014.80-910                     | NO                | KG                | -                  | -                 | -           | 4                            | 367               | 6900        |
| 9014.90-100                     |                   | KG                |                    | -                 | -           |                              | 33                | 2053        |
| 9014.90-900                     |                   | KG                |                    | -                 | -           |                              | 14                | 210         |
| 9014 4-ST                       |                   | KG                |                    | -                 | -           |                              | 429               | 9963        |
| 9015.10-000                     | NO                | KG                | 3                  | 135               | 3127        | 4                            | 139               | 3913        |
| 9015.20-000                     | NO                | KG                | 2                  | 19                | 526         | 16                           | 291               | 7341        |
| 9015.30-000                     | NO                | KG                | 18                 | 19                | 631         | 27                           | 57                | 1779        |
| 9015.80-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 28                | 398         |
| 9015.80-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 205         |
| 9015.90-100                     |                   | KG                |                    | -                 | -           |                              | 4                 | 275         |
| 9015 4-ST                       |                   | KG                |                    | 173               | 4284        |                              | 525               | 13911       |
| 9017.10-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 48                | 349         |
| 9017.20-000                     |                   | KG                |                    | -                 | -           |                              | 65                | 206         |
| 9017 4-ST                       |                   | KG                |                    | -                 | -           |                              | 113               | 555         |
| 9018.90-390                     |                   | KG                |                    | 4                 | 211         |                              | 4                 | 211         |
| 9018 4-ST                       | **                | KG                |                    | 4                 | 211         |                              | 4                 | 211         |
| 9023.00-000                     |                   | KG                |                    | -                 | -           |                              | 420               | 7274        |
| 9023 4-ST                       | **                | KG                |                    | -                 | -           |                              | 420               | 7274        |
| 9025.11-900                     | NO                | KG                | -                  | -                 | -           | 40                           | 19                | 226         |
| 9025.19-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 57                | 435         |
| 9025 4-ST                       | NO                | KG                | -                  | -                 | -           | 41                           | 76                | 661         |
| 9026.10-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 3                 | 209         |
| 9026.90-000                     |                   | KG                |                    | -                 | -           |                              | 122               | 866         |
| 9026 4-ST                       |                   | KG                |                    | -                 | -           |                              | 125               | 1075        |
| 9029.10-910                     | NO                | KG                | -                  | -                 | -           | 8                            | 19                | 216         |
| 9029.20-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 24                | 1018        |
| 9029 4-ST                       | NO                | KG                | -                  | -                 | -           | 9                            | 43                | 1234        |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 510         |
| 9031.90-100                     |                   | KG                |                    | -                 | -           |                              | 41                | 1121        |
| 9031 4-ST                       |                   | KG                |                    | -                 | -           |                              | 49                | 1631        |
| 9032.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 338         |
| 9032.89-111                     | NO                | KG                | -                  | -                 | -           | 2                            | 12                | 240         |
| 9032 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 18                | 578         |
| 90 2-ST                         |                   |                   |                    |                   | 10734       |                              |                   | 100697      |
| 9102.11-000                     |                   | NO                |                    | 706               | 5467        |                              | 4114              | 32468       |
| 9102.12-000                     |                   | NO                |                    | 213               | 494         |                              | 779               | 1327        |
| 9102.19-000                     |                   | NO                |                    | -                 | -           |                              | 336               | 2767        |
| 9102.91-000                     |                   | NO                |                    | -                 | -           |                              | 100               | 250         |
| 9102 4-ST                       | **                | NO                |                    | 919               | 5961        |                              | 5329              | 36812       |
| 9105.11-000                     | NO                | KG                | 500                | 40                | 349         | 962                          | 192               | 1128        |
| 9105.21-000                     | NO                | KG                | -                  | -                 | -           | 40                           | 128               | 774         |
| 9105.91-000                     | NO                | KG                | -                  | -                 | -           | 141                          | 64                | 215         |
| 9105 4-ST                       | NO                | KG                | 500                | 40                | 349         | 1143                         | 384               | 2117        |
| 91 2-ST                         |                   |                   |                    |                   | 6310        |                              |                   | 38929       |
| 9401.61-000                     | NO                | KG                | 22                 | 1052              | 1689        | 22                           | 1052              | 1689        |
| 9401 4-ST                       | NO                | KG                | 22                 | 1052              | 1689        | 22                           | 1052              | 1689        |
| 9403.10-100                     |                   | KG                |                    | -                 | -           |                              | 320               | 853         |
| 9403.20-100                     |                   | KG                |                    | -                 | -           |                              | 660               | 840         |
| 9403.70-000                     |                   | KG                |                    | -                 | -           |                              | 130               | 402         |
| 9403.90-000                     |                   | KG                |                    | -                 | -           |                              | 232               | 1645        |
| 9403 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1342              | 3740        |
| 9404.90-000                     |                   | KG                |                    | 55                | 249         |                              | 55                | 249         |
| 9404 4-ST                       | **                | KG                |                    | 55                | 249         |                              | 55                | 249         |
| 9405.10-100                     |                   | KG                |                    | -                 | -           |                              | 317               | 3001        |
| 9405.10-900                     |                   | KG                |                    | -                 | -           |                              | 54                | 302         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 620 GUAM                        |                   |                   |                    |                   |             |                              |                   |             |
| 9405.40-210                     | NO                | KG                | -                  | -                 | -           | 82                           | 425               | 1491        |
| 9405.40-220                     | NO                | KG                | 40                 | 72                | 240         | 40                           | 72                | 240         |
| 9405.60-000                     |                   | KG                |                    | -                 | -           |                              | 188               | 734         |
| 9405.92-000                     |                   | KG                |                    | -                 | -           |                              | 104               | 851         |
| 9405 4-ST                       |                   | KG                |                    | 72                | 240         |                              | 1160              | 6619        |
| 94 2-ST                         |                   | KG                |                    | 1179              | 2178        |                              | 3609              | 12297       |
| 9503.20-000                     | DZ                | KG                | 22                 | 119               | 1099        | 44                           | 171               | 1832        |
| 9503.90-900                     |                   | KG                |                    | -                 | -           |                              | 53                | 644         |
| 9503 4-ST                       |                   | KG                |                    | 119               | 1099        |                              | 224               | 2476        |
| 9506.31-000                     |                   | NO                |                    | 189               | 1962        |                              | 207               | 2210        |
| 9506.39-000                     |                   | KG                |                    | -                 | -           |                              | 156               | 980         |
| 9506.99-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 264         |
| 9506 4-ST                       | **                |                   |                    |                   | 1962        |                              |                   | 3454        |
| 95 2-ST                         |                   |                   |                    |                   | 3061        |                              |                   | 5930        |
| 9603.21-000                     | DZ                | KG                | 500                | 120               | 203         | 2166                         | 620               | 939         |
| 9603 4-ST                       | DZ                | KG                | 500                | 120               | 203         | 2166                         | 620               | 939         |
| 9608.10-000                     |                   | DZ                |                    | 891               | 3743        |                              | 2736              | 24263       |
| 9608.20-100                     |                   | DZ                |                    | -                 | -           |                              | 250               | 750         |
| 9608.40-000                     |                   | DZ                |                    | -                 | -           |                              | 250               | 720         |
| 9608.50-000                     |                   | DZ                |                    | 37                | 712         |                              | 832               | 8821        |
| 9608 4-ST                       | **                | DZ                |                    | 928               | 4455        |                              | 4068              | 34554       |
| 9613.20-200                     |                   | DZ                |                    | 342               | 12890       |                              | 974               | 33047       |
| 9613.20-900                     |                   | DZ                |                    | 123               | 3438        |                              | 1235              | 32038       |
| 9613.30-100                     |                   | DZ                |                    | -                 | -           |                              | 44                | 641         |
| 9613 4-ST                       | **                | DZ                |                    | 465               | 16328       |                              | 2253              | 65726       |
| 9615.90-100                     |                   | KG                |                    | -                 | -           |                              | 44                | 987         |
| 9615 4-ST                       | **                | KG                |                    | -                 | -           |                              | 44                | 987         |
| 96 2-ST                         |                   |                   |                    |                   | 20986       |                              |                   | 102206      |
| 9702.00-000                     | NO                | KG                | 4                  | 33                | 615         | 4                            | 33                | 615         |
| 9702 4-ST                       | NO                | KG                | 4                  | 33                | 615         | 4                            | 33                | 615         |
| 97 2-ST                         | NO                | KG                | 4                  | 33                | 615         | 4                            | 33                | 615         |
| TOTAL                           |                   |                   |                    |                   | 107635      |                              |                   | 767832      |
| 621 A SAMOA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8409.99-200                     |                   | KG                |                    | 5                 | 211         |                              | 583               | 5793        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 27                | 851         |
| 8409 4-ST                       | **                | KG                |                    | 5                 | 211         |                              | 610               | 6644        |
| 8413.30-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 79                | 1050        |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 56                | 916         |
| 8413 4-ST                       |                   | KG                |                    | -                 | -           |                              | 135               | 1966        |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 170               | 2955        |
| 8414 4-ST                       | **                | KG                |                    | -                 | -           |                              | 170               | 2955        |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 283         |
| 8421 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 283         |
| 8431.10-000                     |                   | KG                |                    | -                 | -           |                              | 13                | 470         |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 42                | 249         |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 55                | 719         |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 23                | 417         |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 23                | 417         |
| 8483.10-000                     |                   | KG                |                    | -                 | -           |                              | 70                | 401         |
| 8483.40-200                     |                   | KG                |                    | -                 | -           |                              | 70                | 844         |
| 8483.90-100                     |                   | KG                |                    | -                 | -           |                              | 61                | 920         |
| 8483 4-ST                       | **                | KG                |                    | -                 | -           |                              | 201               | 2165        |
| 8485.90-000                     |                   | KG                |                    | -                 | -           |                              | 42                | 590         |
| 8485 4-ST                       | **                | KG                |                    | -                 | -           |                              | 42                | 590         |
| 84 2-ST                         |                   | KG                |                    | 5                 | 211         |                              | 1239              | 15739       |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 25                | 377         |
| 8517 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 25                | 377         |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 2                            | 7                 | 238         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 7                 | 238         |
| 8526.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 59                | 800         |
| 8526.91-200                     | NO                | KG                | -                  | -                 | -           | 1                            | 77                | 800         |
| 8526 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 136               | 1600        |
| 85 2-ST                         | NO                | KG                | -                  | -                 | -           | 6                            | 168               | 2215        |
| 9014.90-100                     |                   | KG                |                    | -                 | -           |                              | 8                 | 825         |
| 9014 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 825         |
| 90 2-ST                         | **                | KG                |                    | -                 | -           |                              | 8                 | 825         |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 621 A SAMOA                     |                   |                   |                     |                     |             |                              |                     |             |
| 9102.11-000                     |                   | NO                |                     | -                   | -           |                              | 110                 | 271         |
| 9102.12-000                     |                   | NO                |                     | -                   | -           |                              | 530                 | 891         |
| 9102 4-ST                       | **                | NO                |                     | -                   | -           |                              | 640                 | 1162        |
| 91 2-ST                         | **                | NO                |                     | -                   | -           |                              | 640                 | 1162        |
| 9504.90-100                     |                   | KG                |                     | -                   | -           |                              | 37                  | 492         |
| 9504 4-ST                       | **                | KG                |                     | -                   | -           |                              | 37                  | 492         |
| 9507.20-900                     |                   | GS                |                     | -                   | -           |                              | 27                  | 316         |
| 9507.90-000                     |                   | KG                |                     | -                   | -           |                              | 82                  | 315         |
| 9507 4-ST                       | **                |                   |                     |                     | -           |                              |                     | 631         |
| 95 2-ST                         | **                |                   |                     |                     | -           |                              |                     | 1123        |
| TOTAL                           |                   |                   |                     |                     | 211         |                              |                     | 21064       |
| 622 A OCEAN                     |                   |                   |                     |                     |             |                              |                     |             |
| 8413.60-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 43                  | 680         |
| 8413 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 43                  | 680         |
| 84 2-ST                         | NO                | KG                | -                   | -                   | -           | 1                            | 43                  | 680         |
| TOTAL                           | NO                | KG                | -                   | -                   | -           | 1                            | 43                  | 680         |
| 624 TUVALU                      |                   |                   |                     |                     |             |                              |                     |             |
| 8517.10-900                     | NO                | KG                | -                   | -                   | -           | 76                           | 65                  | 471         |
| 8517.90-000                     |                   | KG                |                     | -                   | -           |                              | 37                  | 247         |
| 8517 4-ST                       |                   | KG                |                     | -                   | -           |                              | 102                 | 718         |
| 85 2-ST                         |                   | KG                |                     | -                   | -           |                              | 102                 | 718         |
| TOTAL                           |                   | KG                |                     | -                   | -           |                              | 102                 | 718         |
| 625 MARSHAL                     |                   |                   |                     |                     |             |                              |                     |             |
| 0000.00-190                     |                   | KG                |                     | -                   | -           |                              | 18                  | 807         |
| 0000 4-ST                       | **                | KG                |                     | -                   | -           |                              | 18                  | 807         |
| 00 2-ST                         | **                | KG                |                     | -                   | -           |                              | 18                  | 807         |
| 7326.90-000                     |                   | MT                |                     | -                   | -           |                              | 0                   | 258         |
| 7326 4-ST                       | **                | MT                |                     | -                   | -           |                              | 0                   | 258         |
| 73 2-ST                         | **                | MT                |                     | -                   | -           |                              | 0                   | 258         |
| 8409.91-200                     |                   | KG                |                     | -                   | -           |                              | 100                 | 378         |
| 8409.99-200                     |                   | KG                |                     | -                   | -           |                              | 5                   | 360         |
| 8409 4-ST                       | **                | KG                |                     | -                   | -           |                              | 105                 | 738         |
| 8414.80-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 18                  | 320         |
| 8414.90-100                     |                   | KG                |                     | -                   | -           |                              | 48                  | 269         |
| 8414 4-ST                       |                   | KG                |                     | -                   | -           |                              | 66                  | 589         |
| 8419.89-000                     |                   | KG                |                     | -                   | -           |                              | 37                  | 478         |
| 8419 4-ST                       | **                | KG                |                     | -                   | -           |                              | 37                  | 478         |
| 8471.20-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 10                  | 1260        |
| 8471 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 10                  | 1260        |
| 8481.20-000                     |                   | KG                |                     | -                   | -           |                              | 4                   | 302         |
| 8481 4-ST                       | **                | KG                |                     | -                   | -           |                              | 4                   | 302         |
| 8483.10-000                     |                   | KG                |                     | -                   | -           |                              | 76                  | 285         |
| 8483 4-ST                       | **                | KG                |                     | -                   | -           |                              | 76                  | 285         |
| 84 2-ST                         | **                | KG                |                     | -                   | -           |                              | 298                 | 3652        |
| 9026.10-110                     | NO                | KG                | -                   | -                   | -           | 9                            | 17                  | 270         |
| 9026 4-ST                       | NO                | KG                | -                   | -                   | -           | 9                            | 17                  | 270         |
| 90 2-ST                         | NO                | KG                | -                   | -                   | -           | 9                            | 17                  | 270         |
| 9504.10-000                     |                   | KG                |                     | -                   | -           |                              | 149                 | 1529        |
| 9504 4-ST                       | **                | KG                |                     | -                   | -           |                              | 149                 | 1529        |
| 95 2-ST                         | **                | KG                |                     | -                   | -           |                              | 149                 | 1529        |
| TOTAL                           |                   |                   |                     |                     | -           |                              |                     | 6516        |
| 626 MICRONE                     |                   |                   |                     |                     |             |                              |                     |             |
| 3822.00-000                     |                   | KG                |                     | -                   | -           |                              | 36                  | 800         |
| 3822 4-ST                       | **                | KG                |                     | -                   | -           |                              | 36                  | 800         |
| 38 2-ST                         | **                | KG                |                     | -                   | -           |                              | 36                  | 800         |
| 4016.99-000                     |                   | KG                |                     | -                   | -           |                              | 46                  | 215         |
| 4016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 46                  | 215         |
| 40 2-ST                         | **                | KG                |                     | -                   | -           |                              | 46                  | 215         |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 626 MICRONE                     |                   |                   |                    |                   |             |                              |                   |             |
| 7308.40-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 208         |
| 7308 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 208         |
| 73 2-ST                         | **                | MT                |                    | -                 | -           |                              | 0                 | 208         |
| 8208.10-000                     |                   | KG                |                    | -                 | -           |                              | 335               | 693         |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 335               | 693         |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 335               | 693         |
| 8413.50-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 335         |
| 8413 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 335         |
| 8418.99-100                     |                   | KG                |                    | 132               | 390         |                              | 132               | 390         |
| 8418 4-ST                       | **                | KG                |                    | 132               | 390         |                              | 132               | 390         |
| 8467.92-000                     |                   | KG                |                    | -                 | -           |                              | 42                | 439         |
| 8467 4-ST                       | **                | KG                |                    | -                 | -           |                              | 42                | 439         |
| 8471.99-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 3                 | 487         |
| 8471 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 3                 | 487         |
| 8482.20-000                     |                   | KG                |                    | -                 | -           |                              | 48                | 225         |
| 8482 4-ST                       | **                | KG                |                    | -                 | -           |                              | 48                | 225         |
| 84 2-ST                         |                   | KG                |                    | 132               | 390         |                              | 255               | 1876        |
| 8502.12-000                     | ST                | KG                | -                  | -                 | -           | 1                            | 89                | 250         |
| 8502 4-ST                       | ST                | KG                | -                  | -                 | -           | 1                            | 89                | 250         |
| 8524.90-900                     |                   | KG                |                    | -                 | -           |                              | 16                | 455         |
| 8524 4-ST                       | **                | KG                |                    | -                 | -           |                              | 16                | 455         |
| 8525.10-920                     | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 900         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 900         |
| 8528.10-119                     |                   | NO                |                    | -                 | -           |                              | 3                 | 240         |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 3                 | 240         |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 10                | 1455        |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 1455        |
| 8539.29-100                     | NO                | KG                | -                  | -                 | -           | 250                          | 7                 | 208         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 250                          | 7                 | 208         |
| 8543.80-000                     |                   | KG                |                    | -                 | -           | 16                           | 26                | 3800        |
| 8543 4-ST                       | NO                | KG                | -                  | -                 | -           | 16                           | 26                | 3800        |
| 85 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 7308        |
| 9009.12-000                     | NO                | KG                | 1                  | 18                | 220         | 1                            | 18                | 220         |
| 9009 4-ST                       | NO                | KG                | 1                  | 18                | 220         | 1                            | 18                | 220         |
| 9011.80-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 15                | 532         |
| 9011 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 15                | 532         |
| 9014.80-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 12                | 400         |
| 9014 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 12                | 400         |
| 90 2-ST                         | NO                | KG                | 1                  | 18                | 220         | 4                            | 45                | 1152        |
| 9102.12-000                     |                   | NO                |                    | -                 | -           |                              | 190               | 214         |
| 9102.19-000                     |                   | NO                |                    | -                 | -           |                              | 50                | 215         |
| 9102 4-ST                       | **                | NO                |                    | -                 | -           |                              | 240               | 429         |
| 91 2-ST                         | **                | NO                |                    | -                 | -           |                              | 240               | 429         |
| TOTAL                           |                   |                   |                    |                   | 610         |                              |                   | 12681       |
| 627 MARIANA                     |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 2041              | 2554        |                              | 3380              | 10937       |
| 0000 4-ST                       | **                | KG                |                    | 2041              | 2554        |                              | 3380              | 10937       |
| 00 2-ST                         | **                | KG                |                    | 2041              | 2554        |                              | 3380              | 10937       |
| 2106.90-900                     |                   | KG                |                    | -                 | -           |                              | 50                | 216         |
| 2106 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 216         |
| 21 2-ST                         | **                | KG                |                    | -                 | -           |                              | 50                | 216         |
| 2208.30-000                     |                   | L                 |                    | -                 | -           |                              | 36                | 201         |
| 2208 4-ST                       | **                | L                 |                    | -                 | -           |                              | 36                | 201         |
| 22 2-ST                         | **                | L                 |                    | -                 | -           |                              | 36                | 201         |
| 3703.20-000                     |                   | SM                |                    | 390               | 272         |                              | 1945              | 1431        |
| 3703 4-ST                       | **                | SM                |                    | 390               | 272         |                              | 1945              | 1431        |
| 37 2-ST                         | **                | SM                |                    | 390               | 272         |                              | 1945              | 1431        |
| 3823.90-000                     |                   | KG                |                    | -                 | -           |                              | 25                | 296         |
| 3823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 25                | 296         |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 25                | 296         |
| 3925.30-000                     |                   | KG                |                    | -                 | -           |                              | 80                | 344         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 627 MARIANA                     |                   |                   |                    |                   |             |                              |                   |             |
| 3925 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 80                | 344         |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 323               | 425         |
| 3926 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 323               | 425         |
| 39 2-ST                         | ***               | KG                |                    | -                 | -           |                              | 403               | 769         |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 343         |
| 4016 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 22                | 343         |
| 40 2-ST                         | ***               | KG                |                    | -                 | -           |                              | 22                | 343         |
| 4420.90-900                     |                   | KG                |                    | 450               | 1457        |                              | 450               | 1457        |
| 4420 4-ST                       | ***               | KG                |                    | 450               | 1457        |                              | 450               | 1457        |
| 44 2-ST                         | ***               | KG                |                    | 450               | 1457        |                              | 450               | 1457        |
| 4810.99-000                     |                   | KG                |                    | -                 | -           |                              | 25                | 289         |
| 4810 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 25                | 289         |
| 4814.20-000                     |                   | KG                |                    | 490               | 900         |                              | 490               | 900         |
| 4814 4-ST                       | ***               | KG                |                    | 490               | 900         |                              | 490               | 900         |
| 4820.90-000                     |                   | KG                |                    | -                 | -           |                              | 82                | 1027        |
| 4820 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 82                | 1027        |
| 4823.90-900                     |                   | KG                |                    | -                 | -           |                              | 263               | 1250        |
| 4823 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 263               | 1250        |
| 48 2-ST                         | ***               | KG                |                    | 490               | 900         |                              | 860               | 3466        |
| 4901.10-000                     |                   | KG                |                    | -                 | -           |                              | 172               | 550         |
| 4901.99-000                     |                   | NO                |                    | -                 | -           |                              | 2237              | 735         |
| 4901 4-ST                       | ***               |                   |                    | -                 | -           |                              |                   | 1285        |
| 4910.00-000                     |                   | KG                |                    | 210               | 240         |                              | 210               | 240         |
| 4910 4-ST                       | ***               | KG                |                    | 210               | 240         |                              | 210               | 240         |
| 4911.10-000                     |                   | KG                |                    | -                 | -           |                              | 89                | 415         |
| 4911.91-000                     |                   | KG                |                    | -                 | -           |                              | 29                | 300         |
| 4911.99-000                     |                   | KG                |                    | 129               | 330         |                              | 849               | 958         |
| 4911 4-ST                       | ***               | KG                |                    | 129               | 330         |                              | 967               | 1673        |
| 49 2-ST                         | ***               |                   |                    |                   | 570         |                              |                   | 3198        |
| 5209.51-900                     | SM                | KG                | 149                | 33                | 289         | 285                          | 63                | 553         |
| 5209 4-ST                       | SM                | KG                | 149                | 33                | 289         | 285                          | 63                | 553         |
| 52 2-ST                         | SM                | KG                | 149                | 33                | 289         | 285                          | 63                | 553         |
| 5608.19-000                     |                   | KG                |                    | -                 | -           |                              | 131               | 421         |
| 5608 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 131               | 421         |
| 56 2-ST                         | ***               | KG                |                    | -                 | -           |                              | 131               | 421         |
| 6104.22-000                     | DZ                | KG                | -                  | -                 | -           | 1                            | 7                 | 264         |
| 6104.52-000                     | DZ                | KG                | 17                 | 47                | 293         | 17                           | 47                | 293         |
| 6104.62-000                     | DZ                | KG                | 17                 | 66                | 240         | 22                           | 73                | 544         |
| 6104 4-ST                       | DZ                | KG                | 34                 | 113               | 533         | 40                           | 127               | 1101        |
| 6106.10-100                     | DZ                | KG                | 42                 | 124               | 575         | 42                           | 124               | 575         |
| 6106 4-ST                       | DZ                | KG                | 42                 | 124               | 575         | 42                           | 124               | 575         |
| 6109.10-900                     | DZ                | KG                | -                  | -                 | -           | 16                           | 28                | 220         |
| 6109 4-ST                       | DZ                | KG                | -                  | -                 | -           | 16                           | 28                | 220         |
| 6110.20-900                     | DZ                | KG                | 22                 | 86                | 411         | 29                           | 112               | 1034        |
| 6110 4-ST                       | DZ                | KG                | 22                 | 86                | 411         | 29                           | 112               | 1034        |
| 61 2-ST                         | DZ                | KG                | 98                 | 323               | 1519        | 127                          | 391               | 2930        |
| 6202.13-000                     | DZ                | KG                | -                  | -                 | -           | 23                           | 180               | 800         |
| 6202 4-ST                       | DZ                | KG                | -                  | -                 | -           | 23                           | 180               | 800         |
| 6203.33-000                     | DZ                | KG                | -                  | -                 | -           | 2                            | 16                | 204         |
| 6203.43-000                     | DZ                | KG                | 15                 | 65                | 1444        | 26                           | 121               | 2541        |
| 6203 4-ST                       | DZ                | KG                | 15                 | 65                | 1444        | 28                           | 137               | 2745        |
| 6204.53-000                     | DZ                | KG                | 32                 | 120               | 3360        | 34                           | 138               | 3602        |
| 6204.62-000                     | DZ                | KG                | 12                 | 30                | 1580        | 12                           | 30                | 1580        |
| 6204 4-ST                       | DZ                | KG                | 44                 | 150               | 4940        | 46                           | 168               | 5182        |
| 6205.20-000                     | DZ                | KG                | 18                 | 40                | 1595        | 20                           | 47                | 1865        |
| 6205.30-000                     | DZ                | KG                | 31                 | 70                | 3202        | 36                           | 85                | 3554        |
| 6205 4-ST                       | DZ                | KG                | 49                 | 110               | 4797        | 56                           | 132               | 5419        |
| 6206.40-000                     | DZ                | KG                | 10                 | 15                | 947         | 10                           | 15                | 947         |
| 6206 4-ST                       | DZ                | KG                | 10                 | 15                | 947         | 10                           | 15                | 947         |
| 6211.43-000                     | DZ                | KG                | -                  | -                 | -           | 22                           | 60                | 1435        |
| 6211 4-ST                       | DZ                | KG                | -                  | -                 | -           | 22                           | 60                | 1435        |
| 6217.10-000                     |                   | KG                |                    | 20                | 870         |                              | 20                | 870         |
| 6217 4-ST                       | ***               | KG                |                    | 20                | 870         |                              | 20                | 870         |
| 62 2-ST                         |                   | KG                |                    | 360               | 12998       |                              | 712               | 17398       |

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 627 MARIANA                     |                   |                   |                     |                     |             |                              |                     |             |
| 6302.51-000                     | DZ                | KG                | -                   | -                   | -           | 7                            | 59                  | 232         |
| 6302.53-000                     | DZ                | KG                | 1                   | 12                  | 453         | 5                            | 37                  | 678         |
| 6302 4-ST                       | DZ                | KG                | 1                   | 12                  | 453         | 12                           | 96                  | 910         |
| 6303.92-000                     | DZ                | KG                | 16                  | 300                 | 860         | 16                           | 300                 | 860         |
| 6303 4-ST                       | DZ                | KG                | 16                  | 300                 | 860         | 16                           | 300                 | 860         |
| 6304.92-000                     |                   | KG                |                     | 172                 | 2199        |                              | 172                 | 2199        |
| 6304 4-ST                       | **                | KG                |                     | 172                 | 2199        |                              | 172                 | 2199        |
| 63 2-ST                         |                   | KG                |                     | 484                 | 3512        |                              | 568                 | 3969        |
| 6405.20-000                     |                   | DZ                |                     | 166                 | 620         |                              | 166                 | 620         |
| 6405 4-ST                       | **                | DZ                |                     | 166                 | 620         |                              | 166                 | 620         |
| 64 2-ST                         | **                | DZ                |                     | 166                 | 620         |                              | 166                 | 620         |
| 6702.90-000                     |                   | KG                |                     | -                   | -           |                              | 267                 | 1750        |
| 6702 4-ST                       | **                | KG                |                     | -                   | -           |                              | 267                 | 1750        |
| 67 2-ST                         | **                | KG                |                     | -                   | -           |                              | 267                 | 1750        |
| 6804.21-100                     |                   | KG                |                     | -                   | -           |                              | 45                  | 1050        |
| 6804 4-ST                       | **                | KG                |                     | -                   | -           |                              | 45                  | 1050        |
| 6812.90-000                     |                   | KG                |                     | -                   | -           |                              | 40                  | 350         |
| 6812 4-ST                       | **                | KG                |                     | -                   | -           |                              | 40                  | 350         |
| 68 2-ST                         | **                | KG                |                     | -                   | -           |                              | 85                  | 1400        |
| 6914.10-000                     |                   | KG                |                     | -                   | -           |                              | 46                  | 520         |
| 6914 4-ST                       | **                | KG                |                     | -                   | -           |                              | 46                  | 520         |
| 69 2-ST                         | **                | KG                |                     | -                   | -           |                              | 46                  | 520         |
| 7007.11-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 224         |
| 7007.19-000                     |                   | KG                |                     | -                   | -           |                              | 150                 | 450         |
| 7007 4-ST                       | **                | KG                |                     | -                   | -           |                              | 170                 | 674         |
| 7013.21-000                     |                   | KG                |                     | 339                 | 1620        |                              | 339                 | 1620        |
| 7013 4-ST                       | **                | KG                |                     | 339                 | 1620        |                              | 339                 | 1620        |
| 70 2-ST                         | **                | KG                |                     | 339                 | 1620        |                              | 509                 | 2294        |
| 7307.21-000                     |                   | MT                |                     | -                   | -           |                              | 0                   | 240         |
| 7307.29-000                     |                   | MT                |                     | -                   | -           |                              | 0                   | 1009        |
| 7307 4-ST                       | **                | MT                |                     | -                   | -           |                              | 0                   | 1249        |
| 7318.15-190                     |                   | KG                |                     | -                   | -           |                              | 17                  | 540         |
| 7318.19-000                     |                   | KG                |                     | -                   | -           |                              | 39                  | 1210        |
| 7318.22-000                     |                   | KG                |                     | -                   | -           |                              | 27                  | 854         |
| 7318 4-ST                       | **                | KG                |                     | -                   | -           |                              | 83                  | 2604        |
| 7321.90-000                     |                   | KG                |                     | -                   | -           |                              | 25                  | 223         |
| 7321 4-ST                       | **                | KG                |                     | -                   | -           |                              | 25                  | 223         |
| 7324.90-000                     |                   | KG                |                     | -                   | -           |                              | 32                  | 294         |
| 7324 4-ST                       | **                | KG                |                     | -                   | -           |                              | 32                  | 294         |
| 7326.90-000                     |                   | MT                |                     | -                   | -           |                              | 0                   | 760         |
| 7326 4-ST                       | **                | MT                |                     | -                   | -           |                              | 0                   | 760         |
| 73 2-ST                         | **                |                   |                     | -                   | -           |                              |                     | 5130        |
| 7419.99-000                     |                   | KG                |                     | -                   | -           |                              | 16                  | 1220        |
| 7419 4-ST                       | **                | KG                |                     | -                   | -           |                              | 16                  | 1220        |
| 74 2-ST                         | **                | KG                |                     | -                   | -           |                              | 16                  | 1220        |
| 7610.10-000                     |                   | KG                |                     | -                   | -           |                              | 380                 | 1109        |
| 7610 4-ST                       | **                | KG                |                     | -                   | -           |                              | 380                 | 1109        |
| 7613.00-000                     | NO                | KG                | -                   | -                   | -           | 18                           | 270                 | 630         |
| 7613 4-ST                       | NO                | KG                | -                   | -                   | -           | 18                           | 270                 | 630         |
| 7616.90-000                     |                   | KG                |                     | -                   | -           |                              | 100                 | 874         |
| 7616 4-ST                       | **                | KG                |                     | -                   | -           |                              | 100                 | 874         |
| 76 2-ST                         |                   | KG                |                     | -                   | -           |                              | 750                 | 2613        |
| 8301.60-000                     |                   | KG                |                     | -                   | -           |                              | 40                  | 1325        |
| 8301 4-ST                       | **                | KG                |                     | -                   | -           |                              | 40                  | 1325        |
| 8306.29-000                     |                   | KG                |                     | -                   | -           |                              | 73                  | 365         |
| 8306 4-ST                       | **                | KG                |                     | -                   | -           |                              | 73                  | 365         |
| 8307.10-000                     |                   | KG                |                     | -                   | -           |                              | 306                 | 1027        |
| 8307 4-ST                       | **                | KG                |                     | -                   | -           |                              | 306                 | 1027        |
| 8310.00-000                     |                   | KG                |                     | 30                  | 442         |                              | 30                  | 442         |
| 8310 4-ST                       | **                | KG                |                     | 30                  | 442         |                              | 30                  | 442         |
| 83 2-ST                         | **                | KG                |                     | 30                  | 442         |                              | 449                 | 3159        |
| 8403.90-000                     |                   | KG                |                     | -                   | -           |                              | 32                  | 995         |
| 8403 4-ST                       | **                | KG                |                     | -                   | -           |                              | 32                  | 995         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 627 MARIANA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8407.21-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 307               | 1600        |
| 8407 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 307               | 1600        |
| 8408.10-910                     | NO                | KG                | -                  | -                 | -           | 1                            | 136               | 1147        |
| 8408 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 136               | 1147        |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 34                | 331         |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 295               | 2952        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 280               | 2392        |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 609               | 5675        |
| 8412.29-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 202               | 1000        |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 202               | 1000        |
| 8413.60-900                     | NO                | KG                | -                  | -                 | -           | 3                            | 79                | 1215        |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 159               | 1085        |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 251               | 554         |
| 8413 4-ST                       |                   | KG                |                    | -                 | -           |                              | 489               | 2854        |
| 8414.51-900                     | NO                | KG                | -                  | -                 | -           | 28                           | 60                | 309         |
| 8414.59-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 60                | 280         |
| 8414.80-220                     | NO                | KG                | 2                  | 130               | 731         | 4                            | 225               | 1572        |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 115               | 450         |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 20                | 230         |
| 8414 4-ST                       |                   | KG                |                    | 130               | 731         |                              | 480               | 2841        |
| 8415.81-900                     | NO                |                   |                    | -                 | -           |                              | 16                | 2924        |
| 8415 4-ST                       | **                | NO                |                    | -                 | -           |                              | 16                | 2924        |
| 8419.81-000                     |                   | KG                |                    | -                 | -           |                              | 210               | 712         |
| 8419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 210               | 712         |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 36                | 454         |
| 8421 4-ST                       | **                | KG                |                    | -                 | -           |                              | 36                | 454         |
| 8425.31-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 14                | 300         |
| 8425 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 14                | 300         |
| 8431.42-000                     |                   | KG                |                    | -                 | -           |                              | 43                | 383         |
| 8431.49-190                     |                   | KG                |                    | -                 | -           |                              | 68                | 302         |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 23                | 1133        |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 134               | 1818        |
| 8464.90-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 172               | 313         |
| 8464 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 172               | 313         |
| 8470.21-000                     |                   | NO                |                    | -                 | -           |                              | 36                | 210         |
| 8470.40-000                     |                   | NO                |                    | -                 | -           |                              | 2                 | 1805        |
| 8470.50-900                     |                   | NO                |                    | -                 | -           |                              | 6                 | 4070        |
| 8470 4-ST                       | **                | NO                |                    | -                 | -           |                              | 44                | 6085        |
| 8471.91-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 90                | 1200        |
| 8471.92-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 25                | 300         |
| 8471.92-120                     | NO                | KG                | 1                  | 52                | 600         | 1                            | 52                | 600         |
| 8471 4-ST                       | NO                | KG                | 1                  | 52                | 600         | 3                            | 167               | 2100        |
| 8476.90-000                     |                   | KG                |                    | -                 | -           |                              | 96                | 997         |
| 8476 4-ST                       | **                | KG                |                    | -                 | -           |                              | 96                | 997         |
| 8481.20-000                     |                   | KG                |                    | 64                | 1144        |                              | 64                | 1144        |
| 8481.80-110                     |                   | KG                |                    | -                 | -           |                              | 6                 | 224         |
| 8481 4-ST                       | **                | KG                |                    | 64                | 1144        |                              | 70                | 1368        |
| 84 2-ST                         |                   |                   |                    |                   | 2475        |                              |                   | 33183       |
| 8501.31-192                     | NO                | KG                | -                  | -                 | -           | 5                            | 715               | 855         |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 715               | 855         |
| 8502.13-000                     | ST                | KG                | -                  | -                 | -           | 1                            | 890               | 881         |
| 8502 4-ST                       | ST                | KG                | -                  | -                 | -           | 1                            | 890               | 881         |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 2                            | 27                | 509         |
| 8504 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 27                | 509         |
| 8517.10-900                     | NO                | KG                | -                  | -                 | -           | 55                           | 47                | 430         |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 415         |
| 8517 4-ST                       |                   | KG                |                    | -                 | -           |                              | 63                | 845         |
| 8521.10-000                     | NO                | KG                | -                  | -                 | -           | 25                           | 140               | 1873        |
| 8521.90-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 66                | 296         |
| 8521 4-ST                       | NO                | KG                | -                  | -                 | -           | 27                           | 206               | 2169        |
| 8524.23-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 218         |
| 8524.90-900                     |                   | KG                |                    | -                 | -           |                              | 75                | 1916        |
| 8524 4-ST                       | **                | KG                |                    | -                 | -           |                              | 77                | 2134        |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 4                            | 20                | 275         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 20                | 275         |
| 8528.10-119                     |                   | NO                |                    | -                 | -           |                              | 6                 | 876         |
| 8528.10-190                     |                   | NO                |                    | -                 | -           |                              | 2                 | 396         |
| 8528.10-900                     |                   | NO                |                    | -                 | -           |                              | 2                 | 613         |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 10                | 1885        |
| 8531.10-000                     |                   | KG                |                    | -                 | -           |                              | 95                | 1062        |
| 8531 4-ST                       | **                | KG                |                    | -                 | -           |                              | 95                | 1062        |
| 8532.10-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 338         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 627 MARIANA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8532 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 338         |
| 8536.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 10                | 254         |
| 8536 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 10                | 254         |
| 8542.11-911                     |                   | NO                |                    | -                 | -           |                              | 48                | 216         |
| 8542 4-ST                       | **                | NO                |                    | -                 | -           |                              | 48                | 216         |
| 8543.80-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 1                 | 950         |
| 8543 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 1                 | 950         |
| 85 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 12373       |
| 8708.29-000                     |                   | KG                |                    | 28                | 215         |                              | 28                | 215         |
| 8708.80-000                     |                   | NO                |                    | -                 | -           |                              | 10                | 253         |
| 8708.91-000                     |                   | NO                |                    | -                 | -           |                              | 2                 | 224         |
| 8708.93-000                     |                   | KG                |                    | -                 | -           |                              | 48                | 222         |
| 8708.99-900                     |                   | KG                |                    | -                 | -           |                              | 148               | 747         |
| 8708 4-ST                       | **                |                   |                    |                   | 215         |                              |                   | 1661        |
| 87 2-ST                         | **                |                   |                    |                   | 215         |                              |                   | 1661        |
| 8907.10-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 360               | 2400        |
| 8907 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 360               | 2400        |
| 89 2-ST                         | NO                | KG                | -                  | -                 | -           | 2                            | 360               | 2400        |
| 9015.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 9                 | 713         |
| 9015 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 9                 | 713         |
| 9032.10-100                     | NO                | KG                | -                  | -                 | -           | 20                           | 10                | 217         |
| 9032.90-000                     |                   | KG                |                    | -                 | -           |                              | 205               | 720         |
| 9032 4-ST                       |                   | KG                |                    | -                 | -           |                              | 215               | 937         |
| 90 2-ST                         |                   | KG                |                    | -                 | -           |                              | 224               | 1650        |
| 9103.10-000                     | NO                | KG                | -                  | -                 | -           | 50                           | 69                | 265         |
| 9103 4-ST                       | NO                | KG                | -                  | -                 | -           | 50                           | 69                | 265         |
| 91 2-ST                         | NO                | KG                | -                  | -                 | -           | 50                           | 69                | 265         |
| 9401.40-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 160               | 354         |
| 9401 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 160               | 354         |
| 9405.10-100                     |                   | KG                |                    | -                 | -           |                              | 900               | 3379        |
| 9405.10-900                     |                   | KG                |                    | -                 | -           |                              | 376               | 1155        |
| 9405.40-210                     | NO                | KG                | -                  | -                 | -           | 10                           | 50                | 273         |
| 9405.40-220                     | NO                | KG                | -                  | -                 | -           | 18                           | 14                | 314         |
| 9405 4-ST                       |                   | KG                |                    | -                 | -           |                              | 1340              | 5121        |
| 94 2-ST                         |                   | KG                |                    | -                 | -           |                              | 1500              | 5475        |
| 9504.90-900                     |                   | KG                |                    | -                 | -           |                              | 15                | 454         |
| 9504 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 454         |
| 9506.31-000                     |                   | NO                |                    | -                 | -           |                              | 44                | 289         |
| 9506.99-000                     |                   | KG                |                    | -                 | -           |                              | 90                | 333         |
| 9506 4-ST                       | **                |                   |                    |                   | -           |                              |                   | 622         |
| 95 2-ST                         | **                |                   |                    |                   | -           |                              |                   | 1076        |
| 9606.22-000                     | GS                | KG                | -                  | -                 | -           | 29                           | 15                | 229         |
| 9606 4-ST                       | GS                | KG                | -                  | -                 | -           | 29                           | 15                | 229         |
| 9613.20-200                     |                   | DZ                |                    | -                 | -           |                              | 85                | 1546        |
| 9613 4-ST                       | **                | DZ                |                    | -                 | -           |                              | 85                | 1546        |
| 96 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 1775        |
| 9701.90-000                     |                   | KG                |                    | -                 | -           |                              | 5                 | 240         |
| 9701 4-ST                       | **                | KG                |                    | -                 | -           |                              | 5                 | 240         |
| 97 2-ST                         | **                | KG                |                    | -                 | -           |                              | 5                 | 240         |
| TOTAL                           |                   |                   |                    |                   | 29443       |                              |                   | 126389      |
| 628 PALAU                       |                   |                   |                    |                   |             |                              |                   |             |
| 3002.90-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 218         |
| 3002 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7                 | 218         |
| 30 2-ST                         | **                | KG                |                    | -                 | -           |                              | 7                 | 218         |
| 3923.10-000                     |                   | KG                |                    | -                 | -           |                              | 110               | 315         |
| 3923 4-ST                       | **                | KG                |                    | -                 | -           |                              | 110               | 315         |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 110               | 315         |
| 4009.10-000                     |                   | KG                |                    | -                 | -           |                              | 23                | 271         |
| 4009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 23                | 271         |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 23                | 271         |



Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 628 PALAU                       |                   |                   |                    |                   |             |                              |                   |             |
| 4419.00-100                     |                   | KG                |                    | -                 | -           |                              | 85                | 333         |
| 4419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 85                | 333         |
| 44 2-ST                         | **                | KG                |                    | -                 | -           |                              | 85                | 333         |
| 6306.12-000                     |                   | KG                |                    | -                 | -           |                              | 48                | 1195        |
| 6306 4-ST                       | **                | KG                |                    | -                 | -           |                              | 48                | 1195        |
| 63 2-ST                         | **                | KG                |                    | -                 | -           |                              | 48                | 1195        |
| 6912.00-192                     | DZ                | KG                | -                  | -                 | -           | 23                           | 85                | 245         |
| 6912 4-ST                       | DZ                | KG                | -                  | -                 | -           | 23                           | 85                | 245         |
| 69 2-ST                         | DZ                | KG                | -                  | -                 | -           | 23                           | 85                | 245         |
| 7007.11-000                     |                   | KG                |                    | -                 | -           |                              | 137               | 292         |
| 7007 4-ST                       | **                | KG                |                    | -                 | -           |                              | 137               | 292         |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 137               | 292         |
| 7307.93-100                     |                   | MT                |                    | -                 | -           |                              | 0                 | 243         |
| 7307 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 243         |
| 7323.93-900                     |                   | KG                |                    | -                 | -           |                              | 45                | 784         |
| 7323 4-ST                       | **                | KG                |                    | -                 | -           |                              | 45                | 784         |
| 73 2-ST                         | **                |                   |                    |                   | -           |                              |                   | 1027        |
| 8301.40-000                     |                   | KG                |                    | -                 | -           |                              | 59                | 396         |
| 8301 4-ST                       | **                | KG                |                    | -                 | -           |                              | 59                | 396         |
| 8306.29-000                     |                   | KG                |                    | -                 | -           |                              | 21                | 240         |
| 8306 4-ST                       | **                | KG                |                    | -                 | -           |                              | 21                | 240         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 80                | 636         |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 45                | 484         |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 45                | 484         |
| 8413.60-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 20                | 217         |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 86                | 220         |
| 8413 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 106               | 437         |
| 8414.30-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 46                | 214         |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 5                 | 322         |
| 8414 4-ST                       |                   | KG                |                    | -                 | -           |                              | 51                | 536         |
| 8421.21-000                     | NO                | KG                | -                  | -                 | -           | 250                          | 125               | 537         |
| 8421 4-ST                       | NO                | KG                | -                  | -                 | -           | 250                          | 125               | 537         |
| 8431.49-900                     |                   | KG                |                    | 131               | 457         |                              | 170               | 741         |
| 8431 4-ST                       | **                | KG                |                    | 131               | 457         |                              | 170               | 741         |
| 8469.10-100                     | NO                |                   |                    | 5                 | 259         |                              | 5                 | 259         |
| 8469 4-ST                       | **                | NO                |                    | 5                 | 259         |                              | 5                 | 259         |
| 8470.21-000                     | NO                |                   |                    | -                 | -           |                              | 40                | 288         |
| 8470 4-ST                       | **                | NO                |                    | -                 | -           |                              | 40                | 288         |
| 8481.20-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 260         |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 260         |
| 84 2-ST                         |                   |                   |                    |                   | 716         |                              |                   | 3542        |
| 8521.10-000                     | NO                | KG                | 1                  | 9                 | 245         | 1                            | 9                 | 245         |
| 8521 4-ST                       | NO                | KG                | 1                  | 9                 | 245         | 1                            | 9                 | 245         |
| 8525.20-920                     | NO                | KG                | -                  | -                 | -           | 4                            | 26                | 244         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 26                | 244         |
| 8536.90-200                     |                   | KG                |                    | -                 | -           |                              | 70                | 300         |
| 8536 4-ST                       | **                | KG                |                    | -                 | -           |                              | 70                | 300         |
| 8543.80-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 39                | 760         |
| 8543 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 39                | 760         |
| 85 2-ST                         |                   | KG                |                    | 9                 | 245         |                              | 144               | 1549        |
| 8703.22-900                     |                   | NO                |                    | -                 | -           |                              | 3                 | 900         |
| 8703 4-ST                       | **                | NO                |                    | -                 | -           |                              | 3                 | 900         |
| 87 2-ST                         | **                | NO                |                    | -                 | -           |                              | 3                 | 900         |
| 9011.80-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 24                | 1116        |
| 9011 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 24                | 1116        |
| 9015.80-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 7                 | 304         |
| 9015 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 7                 | 304         |
| 90 2-ST                         | NO                | KG                | -                  | -                 | -           | 2                            | 31                | 1420        |
| TOTAL                           |                   |                   |                    |                   | 961         |                              |                   | 11943       |
|                                 |                   |                   |                    |                   |             |                              |                   |             |