

Country by Customs by Commodity

EXPORT

401 大阪航空貨物

OSAKA KOUKUU

単位：(1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 112 SNGAPOR                     |                   |                   |                     |                     |             |                              |                     |             |
| 0000.00-190                     |                   | KG                |                     | 3                   | 386         |                              | 974                 | 48426       |
| 0000 4-ST                       | **                | KG                |                     | 3                   | 386         |                              | 974                 | 48426       |
| 00 2-ST                         | **                | KG                |                     | 3                   | 386         |                              | 974                 | 48426       |
| 2922.49-000                     |                   | KG                |                     | -                   | -           |                              | 100                 | 1216        |
| 2922 4-ST                       | **                | KG                |                     | -                   | -           |                              | 100                 | 1216        |
| 2933.39-000                     |                   | KG                |                     | 30                  | 1261        |                              | 50                  | 2123        |
| 2933 4-ST                       | **                | KG                |                     | 30                  | 1261        |                              | 50                  | 2123        |
| 29 2-ST                         | **                | KG                |                     | 30                  | 1261        |                              | 150                 | 3339        |
| 3004.90-900                     |                   | KG                |                     | 130                 | 1463        |                              | 216                 | 5822        |
| 3004 4-ST                       | **                | KG                |                     | 130                 | 1463        |                              | 216                 | 5822        |
| 30 2-ST                         | **                | KG                |                     | 130                 | 1463        |                              | 216                 | 5822        |
| 3204.17-100                     |                   | KG                |                     | -                   | -           |                              | 600                 | 672         |
| 3204.17-900                     |                   | KG                |                     | -                   | -           |                              | 400                 | 454         |
| 3204 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1000                | 1126        |
| 3212.10-000                     |                   | KG                |                     | 20                  | 265         |                              | 20                  | 265         |
| 3212 4-ST                       | **                | KG                |                     | 20                  | 265         |                              | 20                  | 265         |
| 3215.19-000                     |                   | KG                |                     | -                   | -           |                              | 41                  | 204         |
| 3215 4-ST                       | **                | KG                |                     | -                   | -           |                              | 41                  | 204         |
| 32 2-ST                         | **                | KG                |                     | 20                  | 265         |                              | 1061                | 1595        |
| 3304.20-000                     |                   | KG                |                     | -                   | -           |                              | 22                  | 619         |
| 3304.91-000                     |                   | KG                |                     | -                   | -           |                              | 24                  | 268         |
| 3304.99-900                     |                   | KG                |                     | -                   | -           |                              | 255                 | 862         |
| 3304 4-ST                       | **                | KG                |                     | -                   | -           |                              | 301                 | 1749        |
| 33 2-ST                         | **                | KG                |                     | -                   | -           |                              | 301                 | 1749        |
| 3403.99-000                     |                   | KG                |                     | -                   | -           |                              | 75                  | 206         |
| 3403 4-ST                       | **                | KG                |                     | -                   | -           |                              | 75                  | 206         |
| 34 2-ST                         | **                | KG                |                     | -                   | -           |                              | 75                  | 206         |
| 3810.10-000                     |                   | KG                |                     | 50                  | 230         |                              | 1054                | 4784        |
| 3810 4-ST                       | **                | KG                |                     | 50                  | 230         |                              | 1054                | 4784        |
| 3823.90-900                     |                   | KG                |                     | -                   | -           |                              | 60                  | 889         |
| 3823 4-ST                       | **                | KG                |                     | -                   | -           |                              | 60                  | 889         |
| 38 2-ST                         | **                | KG                |                     | 50                  | 230         |                              | 1114                | 5673        |
| 3904.61-100                     |                   | KG                |                     | -                   | -           |                              | 200                 | 354         |
| 3904.69-100                     |                   | KG                |                     | -                   | -           |                              | 100                 | 285         |
| 3904 4-ST                       | **                | KG                |                     | -                   | -           |                              | 300                 | 639         |
| 3908.10-000                     |                   | KG                |                     | -                   | -           |                              | 150                 | 488         |
| 3908 4-ST                       | **                | KG                |                     | -                   | -           |                              | 150                 | 488         |
| 3917.32-100                     |                   | KG                |                     | -                   | -           |                              | 320                 | 371         |
| 3917 4-ST                       | **                | KG                |                     | -                   | -           |                              | 320                 | 371         |
| 3919.10-300                     |                   | KG                |                     | -                   | -           |                              | 142                 | 685         |
| 3919.10-900                     |                   | KG                |                     | -                   | -           |                              | 30                  | 315         |
| 3919 4-ST                       | **                | KG                |                     | -                   | -           |                              | 172                 | 1000        |
| 3920.20-000                     |                   | KG                |                     | -                   | -           |                              | 127                 | 529         |
| 3920.30-000                     |                   | KG                |                     | -                   | -           |                              | 291                 | 1397        |
| 3920.41-900                     |                   | KG                |                     | -                   | -           |                              | 4678                | 2748        |
| 3920.62-000                     |                   | KG                |                     | 2373                | 11505       |                              | 4762                | 21890       |
| 3920 4-ST                       | **                | KG                |                     | 2373                | 11505       |                              | 9858                | 26564       |
| 3923.21-000                     |                   | KG                |                     | -                   | -           |                              | 180                 | 385         |
| 3923.90-000                     |                   | KG                |                     | -                   | -           |                              | 412                 | 1415        |
| 3923 4-ST                       | **                | KG                |                     | -                   | -           |                              | 592                 | 1800        |
| 3924.90-900                     |                   | KG                |                     | -                   | -           |                              | 53                  | 390         |
| 3924 4-ST                       | **                | KG                |                     | -                   | -           |                              | 53                  | 390         |
| 3926.90-000                     |                   | KG                |                     | 126                 | 1713        |                              | 1003                | 8012        |
| 3926 4-ST                       | **                | KG                |                     | 126                 | 1713        |                              | 1003                | 8012        |
| 39 2-ST                         | **                | KG                |                     | 2499                | 13218       |                              | 12448               | 39264       |
| 4010.10-000                     |                   | KG                |                     | -                   | -           |                              | 22                  | 896         |
| 4010.99-100                     |                   | KG                |                     | -                   | -           |                              | 18                  | 268         |
| 4010 4-ST                       | **                | KG                |                     | -                   | -           |                              | 40                  | 1164        |
| 4016.93-000                     |                   | KG                |                     | -                   | -           |                              | 148                 | 4740        |
| 4016.99-000                     |                   | KG                |                     | -                   | -           |                              | 12                  | 222         |
| 4016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 160                 | 4962        |
| 40 2-ST                         | **                | KG                |                     | -                   | -           |                              | 200                 | 6126        |
| 4202.39-000                     | DZ                | KG                | -                   | -                   | -           | 108                          | 80                  | 757         |
| 4202.92-000                     | DZ                | KG                | 64                  | 35                  | 580         | 129                          | 75                  | 1157        |

Country by Customs by Commodity

EXPORT

401 大阪航空貨物

OSAKA KOUKUU

単位：(1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 112 SNGAPOR                     |                   |                   |                     |                     |             |                              |                     |             |
| 4202 4-ST                       | DZ                | KG                | 64                  | 35                  | 580         | 237                          | 155                 | 1914        |
| 4203.10-000                     | DZ                | KG                | -                   | -                   | -           | 0                            | 21                  | 316         |
| 4203 4-ST                       | DZ                | KG                | -                   | -                   | -           | 0                            | 21                  | 316         |
| 4204.00-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 230         |
| 4204 4-ST                       | **                | KG                |                     | -                   | -           |                              | 3                   | 230         |
| 42 2-ST                         |                   | KG                |                     | 35                  | 580         |                              | 179                 | 2460        |
| 4816.90-100                     |                   | KG                |                     | -                   | -           |                              | 75                  | 270         |
| 4816 4-ST                       | **                | KG                |                     | -                   | -           |                              | 75                  | 270         |
| 4819.20-000                     |                   | KG                |                     | 1125                | 443         |                              | 1125                | 443         |
| 4819 4-ST                       | **                | KG                |                     | 1125                | 443         |                              | 1125                | 443         |
| 4821.10-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 230         |
| 4821 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5                   | 230         |
| 48 2-ST                         | **                | KG                |                     | 1125                | 443         |                              | 1205                | 943         |
| 4911.10-000                     |                   | KG                |                     | -                   | -           |                              | 177                 | 325         |
| 4911.99-000                     |                   | KG                |                     | -                   | -           |                              | 300                 | 1190        |
| 4911 4-ST                       | **                | KG                |                     | -                   | -           |                              | 477                 | 1515        |
| 49 2-ST                         | **                | KG                |                     | -                   | -           |                              | 477                 | 1515        |
| 5208.29-000                     | SM                | KG                | -                   | -                   | -           | 3757                         | 420                 | 1205        |
| 5208.32-300                     | SM                | KG                | -                   | -                   | -           | 1839                         | 218                 | 715         |
| 5208.33-000                     | SM                | KG                | -                   | -                   | -           | 3047                         | 311                 | 1006        |
| 5208.52-100                     | SM                | KG                | -                   | -                   | -           | 2423                         | 329                 | 586         |
| 5208 4-ST                       | SM                | KG                | -                   | -                   | -           | 11066                        | 1278                | 3512        |
| 52 2-ST                         | SM                | KG                | -                   | -                   | -           | 11066                        | 1278                | 3512        |
| 5408.24-100                     | SM                | KG                | -                   | -                   | -           | 7474                         | 635                 | 3858        |
| 5408 4-ST                       | SM                | KG                | -                   | -                   | -           | 7474                         | 635                 | 3858        |
| 54 2-ST                         | SM                | KG                | -                   | -                   | -           | 7474                         | 635                 | 3858        |
| 5516.12-000                     | SM                | KG                | 5823                | 696                 | 2516        | 5823                         | 696                 | 2516        |
| 5516 4-ST                       | SM                | KG                | 5823                | 696                 | 2516        | 5823                         | 696                 | 2516        |
| 55 2-ST                         | SM                | KG                | 5823                | 696                 | 2516        | 5823                         | 696                 | 2516        |
| 5608.19-000                     |                   | KG                |                     | 132                 | 262         |                              | 132                 | 262         |
| 5608 4-ST                       | **                | KG                |                     | 132                 | 262         |                              | 132                 | 262         |
| 56 2-ST                         | **                | KG                |                     | 132                 | 262         |                              | 132                 | 262         |
| 5703.20-900                     | SM                | KG                | -                   | -                   | -           | 72                           | 168                 | 396         |
| 5703 4-ST                       | SM                | KG                | -                   | -                   | -           | 72                           | 168                 | 396         |
| 57 2-ST                         | SM                | KG                | -                   | -                   | -           | 72                           | 168                 | 396         |
| 5807.10-000                     |                   | KG                |                     | 72                  | 442         |                              | 72                  | 442         |
| 5807 4-ST                       | **                | KG                |                     | 72                  | 442         |                              | 72                  | 442         |
| 58 2-ST                         | **                | KG                |                     | 72                  | 442         |                              | 72                  | 442         |
| 5906.99-000                     |                   | KG                |                     | 120                 | 369         |                              | 120                 | 369         |
| 5906 4-ST                       | **                | KG                |                     | 120                 | 369         |                              | 120                 | 369         |
| 5911.10-000                     |                   | KG                |                     | 64                  | 571         |                              | 99                  | 853         |
| 5911.90-000                     |                   | KG                |                     | -                   | -           |                              | 16                  | 331         |
| 5911 4-ST                       | **                | KG                |                     | 64                  | 571         |                              | 115                 | 1184        |
| 59 2-ST                         | **                | KG                |                     | 184                 | 940         |                              | 235                 | 1553        |
| 6106.10-100                     | DZ                | KG                | -                   | -                   | -           | 36                           | 39                  | 229         |
| 6106 4-ST                       | DZ                | KG                | -                   | -                   | -           | 36                           | 39                  | 229         |
| 61 2-ST                         | DZ                | KG                | -                   | -                   | -           | 36                           | 39                  | 229         |
| 6204.19-000                     | DZ                | KG                | 2                   | 15                  | 249         | 2                            | 15                  | 249         |
| 6204.52-000                     | DZ                | KG                | -                   | -                   | -           | 45                           | 88                  | 623         |
| 6204.62-000                     | DZ                | KG                | -                   | -                   | -           | 26                           | 42                  | 299         |
| 6204 4-ST                       | DZ                | KG                | 2                   | 15                  | 249         | 73                           | 145                 | 1171        |
| 6206.30-000                     | DZ                | KG                | -                   | -                   | -           | 50                           | 81                  | 567         |
| 6206 4-ST                       | DZ                | KG                | -                   | -                   | -           | 50                           | 81                  | 567         |
| 6213.20-000                     | DZ                | KG                | -                   | -                   | -           | 266                          | 48                  | 549         |
| 6213 4-ST                       | DZ                | KG                | -                   | -                   | -           | 266                          | 48                  | 549         |
| 62 2-ST                         | DZ                | KG                | 2                   | 15                  | 249         | 389                          | 274                 | 2287        |
| 6804.22-200                     |                   | KG                |                     | -                   | -           |                              | 31                  | 814         |
| 6804.22-900                     |                   | KG                |                     | 23                  | 353         |                              | 28                  | 619         |
| 6804 4-ST                       | **                | KG                |                     | 23                  | 353         |                              | 59                  | 1433        |
| 6812.90-000                     |                   | KG                |                     | 5                   | 230         |                              | 5                   | 230         |
| 6812 4-ST                       | **                | KG                |                     | 5                   | 230         |                              | 5                   | 230         |

401 大阪航空貨物

Country by Customs by Commodity

EXPORT

OSAKA KOUKUU

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 112 SNGAPOR<br>68 2-ST          | ***               | KG                |                    | 28                | 583         |                              | 64                | 1663        |
| 6903.90-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 583         |
| 6903 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 60                | 583         |
| 69 2-ST                         | ***               | KG                |                    | -                 | -           |                              | 60                | 583         |
| 7011.20-000                     |                   | KG                |                    | -                 | -           |                              | 714               | 548         |
| 7011 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 714               | 548         |
| 7019.90-000                     |                   | KG                |                    | 54                | 231         |                              | 54                | 231         |
| 7019 4-ST                       | ***               | KG                |                    | 54                | 231         |                              | 54                | 231         |
| 70 2-ST                         | ***               | KG                |                    | 54                | 231         |                              | 768               | 779         |
| 7212.40-100                     |                   | MT                |                    | -                 | -           |                              | 1                 | 559         |
| 7212 4-ST                       | ***               | MT                |                    | -                 | -           |                              | 1                 | 559         |
| 72 2-ST                         | ***               | MT                |                    | -                 | -           |                              | 1                 | 559         |
| 7309.00-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 209         |
| 7309 4-ST                       | ***               | MT                |                    | -                 | -           |                              | 0                 | 209         |
| 7312.10-112                     |                   | MT                |                    | -                 | -           |                              | 0                 | 926         |
| 7312 4-ST                       | ***               | MT                |                    | -                 | -           |                              | 0                 | 926         |
| 7317.00-900                     |                   | KG                |                    | -                 | -           |                              | 40                | 262         |
| 7317 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 40                | 262         |
| 7318.15-110                     |                   | KG                |                    | 21                | 230         |                              | 21                | 230         |
| 7318.15-190                     |                   | KG                |                    | 43                | 359         |                              | 7874              | 10184       |
| 7318.16-900                     |                   | KG                |                    | -                 | -           |                              | 786               | 1543        |
| 7318.21-000                     |                   | KG                |                    | -                 | -           |                              | 68                | 466         |
| 7318.22-000                     |                   | KG                |                    | -                 | -           |                              | 7186              | 14635       |
| 7318 4-ST                       | ***               | KG                |                    | 64                | 589         |                              | 15935             | 27058       |
| 7320.20-000                     |                   | KG                |                    | -                 | -           |                              | 1658              | 3641        |
| 7320 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 1658              | 3641        |
| 7326.90-000                     |                   | MT                |                    | -                 | -           |                              | 5                 | 904         |
| 7326 4-ST                       | ***               | MT                |                    | -                 | -           |                              | 5                 | 904         |
| 73 2-ST                         | ***               |                   |                    |                   | 589         |                              |                   | 33000       |
| 7419.99-000                     |                   | KG                |                    | -                 | -           |                              | 58                | 866         |
| 7419 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 58                | 866         |
| 74 2-ST                         | ***               | KG                |                    | -                 | -           |                              | 58                | 866         |
| 7606.11-000                     |                   | KG                |                    | -                 | -           |                              | 1018              | 549         |
| 7606 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 1018              | 549         |
| 7616.90-000                     |                   | KG                |                    | -                 | -           |                              | 52                | 627         |
| 7616 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 52                | 627         |
| 76 2-ST                         | ***               | KG                |                    | -                 | -           |                              | 1070              | 1176        |
| 8102.93-000                     |                   | KG                |                    | -                 | -           |                              | 13                | 340         |
| 8102 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 13                | 340         |
| 8108.90-000                     |                   | KG                |                    | 2                 | 325         |                              | 2                 | 325         |
| 8108 4-ST                       | ***               | KG                |                    | 2                 | 325         |                              | 2                 | 325         |
| 81 2-ST                         | ***               | KG                |                    | 2                 | 325         |                              | 15                | 665         |
| 8204.11-900                     | NO                | KG                | 3                  | 25                | 235         | 7                            | 63                | 571         |
| 8204 4-ST                       | NO                | KG                | 3                  | 25                | 235         | 7                            | 63                | 571         |
| 8207.20-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 2                 | 242         |
| 8207.30-100                     | NO                | KG                | -                  | -                 | -           | 79                           | 69                | 3056        |
| 8207.30-900                     |                   | KG                |                    | 259               | 38982       |                              | 732               | 51620       |
| 8207.40-110                     | NO                | KG                | 1013               | 29                | 1226        | 1013                         | 29                | 1226        |
| 8207.50-100                     | NO                | KG                | 10                 | 2                 | 837         | 310                          | 47                | 3150        |
| 8207.60-900                     |                   | KG                |                    | -                 | -           |                              | 12                | 561         |
| 8207.70-900                     |                   | KG                |                    | -                 | -           |                              | 43                | 1209        |
| 8207.80-200                     | NO                | KG                | -                  | -                 | -           | 480                          | 36                | 389         |
| 8207.90-900                     |                   | KG                |                    | 4                 | 278         |                              | 4                 | 278         |
| 8207 4-ST                       |                   | KG                |                    | 294               | 41323       |                              | 974               | 61731       |
| 8208.10-000                     |                   | KG                |                    | -                 | -           |                              | 34                | 543         |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 68                | 4766        |
| 8208 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 102               | 5309        |
| 8209.00-100                     | NO                | KG                |                    | -                 | -           | 1156                         | 12                | 467         |
| 8209 4-ST                       | NO                | KG                | -                  | -                 | -           | 1156                         | 12                | 467         |
| 82 2-ST                         |                   | KG                |                    | 319               | 41558       |                              | 1151              | 68078       |
| 8302.10-000                     |                   | KG                |                    | -                 | -           |                              | 527               | 307         |
| 8302.41-000                     |                   | KG                |                    | 86                | 614         |                              | 86                | 614         |
| 8302.60-000                     |                   | KG                |                    | 510               | 1571        |                              | 510               | 1571        |
| 8302 4-ST                       | ***               | KG                |                    | 596               | 2185        |                              | 1123              | 2492        |

401 大阪航空貨物

Country by Customs by Commodity

EXPORT

OSAKA KOUKUU

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 112 SNGAPOR                     |                   |                   |                    |                   |             |                              |                   |             |
| 8306.29-000                     |                   | KG                |                    | -                 | -           |                              | 85                | 315         |
| 8306 4-ST                       | **                | KG                |                    | -                 | -           |                              | 85                | 315         |
| 8310.00-000                     |                   | KG                |                    | -                 | -           |                              | 167               | 1740        |
| 8310 4-ST                       | **                | KG                |                    | -                 | -           |                              | 167               | 1740        |
| 8311.10-190                     |                   | KG                |                    | -                 | -           |                              | 200               | 336         |
| 8311 4-ST                       | **                | KG                |                    | -                 | -           |                              | 200               | 336         |
| 83 2-ST                         | **                | KG                |                    | 596               | 2185        |                              | 1575              | 4883        |
| 8402.90-900                     |                   | KG                |                    | -                 | -           |                              | 24                | 1545        |
| 8402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 24                | 1545        |
| 8409.99-100                     |                   | KG                |                    | 10                | 224         |                              | 192               | 1293        |
| 8409.99-200                     |                   | KG                |                    | 1130              | 11922       |                              | 10886             | 75390       |
| 8409.99-900                     |                   | KG                |                    | 430               | 5157        |                              | 2007              | 25507       |
| 8409 4-ST                       | **                | KG                |                    | 1570              | 17303       |                              | 13085             | 102190      |
| 8412.21-000                     | NO                | KG                | 15                 | 65                | 216         | 25                           | 341               | 4133        |
| 8412.29-000                     | NO                | KG                | 1                  | 300               | 836         | 18                           | 401               | 1775        |
| 8412.90-000                     |                   | KG                |                    | -                 | -           |                              | 136               | 1240        |
| 8412 4-ST                       |                   | KG                |                    | 365               | 1052        |                              | 878               | 7148        |
| 8413.30-000                     | NO                | KG                | 2                  | 49                | 602         | 12                           | 275               | 3236        |
| 8413.50-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 18                | 476         |
| 8413.60-100                     | NO                | KG                | 2                  | 10                | 648         | 10                           | 109               | 2629        |
| 8413.60-900                     | NO                | KG                | 1                  | 23                | 276         | 12                           | 474               | 3317        |
| 8413.70-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 210         |
| 8413.70-200                     | NO                | KG                | 1                  | 25                | 268         | 1                            | 25                | 268         |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 50                | 366         |
| 8413.91-000                     |                   | KG                |                    | 96                | 2210        |                              | 789               | 15190       |
| 8413 4-ST                       |                   | KG                |                    | 203               | 4004        |                              | 1770              | 25692       |
| 8414.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 268         |
| 8414.30-900                     | NO                | KG                | 1                  | 35                | 254         | 2                            | 108               | 494         |
| 8414.59-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 198               | 2706        |
| 8414.80-210                     | NO                | KG                | -                  | -                 | -           | 1                            | 105               | 375         |
| 8414.90-100                     |                   | KG                |                    | 284               | 2055        |                              | 597               | 7798        |
| 8414.90-900                     |                   | KG                |                    | 9                 | 766         |                              | 121               | 3779        |
| 8414 4-ST                       |                   | KG                |                    | 328               | 3075        |                              | 1137              | 15420       |
| 8415.90-000                     |                   | KG                |                    | -                 | -           |                              | 150               | 949         |
| 8415 4-ST                       | **                | KG                |                    | -                 | -           |                              | 150               | 949         |
| 8416.20-000                     |                   | KG                |                    | 35                | 464         |                              | 35                | 464         |
| 8416 4-ST                       | **                | KG                |                    | 35                | 464         |                              | 35                | 464         |
| 8418.61-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 48                | 280         |
| 8418 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 48                | 280         |
| 8419.50-000                     |                   | KG                |                    | -                 | -           |                              | 50                | 272         |
| 8419.89-000                     |                   | KG                |                    | -                 | -           |                              | 247               | 2811        |
| 8419.90-000                     |                   | KG                |                    | -                 | -           |                              | 11                | 213         |
| 8419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 308               | 3296        |
| 8421.21-000                     | NO                | KG                | 1                  | 21                | 212         | 1                            | 21                | 212         |
| 8421.23-000                     | NO                | KG                | -                  | -                 | -           | 29                           | 36                | 733         |
| 8421.29-000                     | NO                | KG                | 16                 | 44                | 284         | 16                           | 44                | 284         |
| 8421.91-000                     |                   | KG                |                    | -                 | -           |                              | 50                | 744         |
| 8421.99-000                     |                   | KG                |                    | 15                | 246         |                              | 72                | 1582        |
| 8421 4-ST                       |                   | KG                |                    | 80                | 742         |                              | 223               | 3555        |
| 8423.90-000                     |                   | KG                |                    | -                 | -           |                              | 50                | 229         |
| 8423 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 229         |
| 8424.90-000                     |                   | KG                |                    | -                 | -           |                              | 106               | 777         |
| 8424 4-ST                       | **                | KG                |                    | -                 | -           |                              | 106               | 777         |
| 8425.11-000                     | NO                | KG                | 1                  | 225               | 250         | 1                            | 225               | 250         |
| 8425 4-ST                       | NO                | KG                | 1                  | 225               | 250         | 1                            | 225               | 250         |
| 8428.39-900                     | NO                | KG                | -                  | -                 | -           | 8                            | 155               | 752         |
| 8428 4-ST                       | NO                | KG                | -                  | -                 | -           | 8                            | 155               | 752         |
| 8431.10-000                     |                   | KG                |                    | -                 | -           |                              | 43                | 608         |
| 8431.39-900                     |                   | KG                |                    | 9                 | 383         |                              | 9                 | 383         |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 33                | 584         |
| 8431 4-ST                       | **                | KG                |                    | 9                 | 383         |                              | 85                | 1575        |
| 8443.90-100                     |                   | KG                |                    | -                 | -           |                              | 50                | 226         |
| 8443 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 226         |
| 8451.90-000                     |                   | KG                |                    | 48                | 255         |                              | 48                | 255         |
| 8451 4-ST                       | **                | KG                |                    | 48                | 255         |                              | 48                | 255         |
| 8452.29-200                     | NO                | KG                | -                  | -                 | -           | 3                            | 96                | 559         |
| 8452.29-900                     | NO                | KG                | 1                  | 27                | 495         | 1                            | 27                | 495         |
| 8452.90-120                     | NO                | KG                | -                  | -                 | -           | 1202                         | 75                | 3497        |
| 8452.90-920                     | NO                | KG                | -                  | -                 | -           | 4916                         | 308               | 14838       |
| 8452.90-990                     |                   | KG                |                    | 18                | 629         |                              | 25                | 1102        |
| 8452 4-ST                       |                   | KG                |                    | 45                | 1124        |                              | 531               | 20491       |
| 8454.90-000                     |                   | KG                |                    | -                 | -           |                              | 817               | 6186        |

Country by Customs by Commodity

EXPORT

OSAKA KOUKUU

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 112 SNGAPOR                     |                   |                   |                     |                     |             |                              |                     |             |
| 8454 4-ST                       | **                | KG                |                     | -                   | -           |                              | 817                 | 6186        |
| 8456.30-900                     | NO                | KG                | 1                   | 56                  | 750         | 1                            | 56                  | 750         |
| 8456 4-ST                       | NO                | KG                | 1                   | 56                  | 750         | 1                            | 56                  | 750         |
| 8462.99-000                     | NO                | KG                | 2                   | 3500                | 35560       | 2                            | 3500                | 35560       |
| 8462 4-ST                       | NO                | KG                | 2                   | 3500                | 35560       | 2                            | 3500                | 35560       |
| 8463.30-000                     | NO                | KG                | 1                   | 33                  | 360         | 1                            | 33                  | 360         |
| 8463 4-ST                       | NO                | KG                | 1                   | 33                  | 360         | 1                            | 33                  | 360         |
| 8464.20-200                     | NO                | KG                | -                   | -                   | -           | 5                            | 71                  | 1075        |
| 8464 4-ST                       | NO                | KG                | -                   | -                   | -           | 5                            | 71                  | 1075        |
| 8466.10-100                     |                   | KG                |                     | -                   | -           |                              | 104                 | 720         |
| 8466.20-000                     |                   | KG                |                     | 38                  | 466         |                              | 64                  | 934         |
| 8466.92-000                     |                   | KG                |                     | -                   | -           |                              | 142                 | 4534        |
| 8466.93-000                     |                   | KG                |                     | -                   | -           |                              | 195                 | 2125        |
| 8466.94-000                     |                   | KG                |                     | 302                 | 11234       |                              | 302                 | 11234       |
| 8466 4-ST                       | **                | KG                |                     | 340                 | 11700       |                              | 807                 | 19547       |
| 8467.11-000                     | NO                | KG                | -                   | -                   | -           | 67                           | 70                  | 1349        |
| 8467.92-000                     |                   | KG                |                     | -                   | -           |                              | 16                  | 267         |
| 8467 4-ST                       |                   | KG                |                     | -                   | -           |                              | 86                  | 1616        |
| 8471.20-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 8                   | 669         |
| 8471.91-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 12                  | 528         |
| 8471.92-110                     | NO                | KG                | -                   | -                   | -           | 1                            | 8                   | 244         |
| 8471.93-300                     | NO                | KG                | 92736               | 35385               | 1493335     | 116090                       | 44110               | 1872356     |
| 8471.99-000                     | NO                | KG                | -                   | -                   | -           | 8                            | 1                   | 286         |
| 8471 4-ST                       | NO                | KG                | 92736               | 35385               | 1493335     | 116102                       | 44139               | 1874083     |
| 8472.90-000                     | NO                | KG                | -                   | -                   | -           | 15                           | 180                 | 1696        |
| 8472 4-ST                       | NO                | KG                | -                   | -                   | -           | 15                           | 180                 | 1696        |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 17                  | 4894        |
| 8473 4-ST                       | **                | KG                |                     | -                   | -           |                              | 17                  | 4894        |
| 8474.90-100                     |                   | KG                |                     | -                   | -           |                              | 164                 | 845         |
| 8474 4-ST                       | **                | KG                |                     | -                   | -           |                              | 164                 | 845         |
| 8477.80-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 60                  | 1203        |
| 8477.90-100                     |                   | KG                |                     | -                   | -           |                              | 106                 | 10815       |
| 8477 4-ST                       |                   | KG                |                     | -                   | -           |                              | 166                 | 12018       |
| 8479.89-900                     | NO                | KG                | -                   | -                   | -           | 13                           | 352                 | 1655        |
| 8479.90-000                     |                   | KG                |                     | 62                  | 2501        |                              | 330                 | 17244       |
| 8479 4-ST                       |                   | KG                |                     | 62                  | 2501        |                              | 682                 | 18899       |
| 8480.20-000                     |                   | KG                |                     | 145                 | 600         |                              | 295                 | 1200        |
| 8480.41-000                     |                   | KG                |                     | 70                  | 1533        |                              | 1656                | 24659       |
| 8480.49-000                     |                   | KG                |                     | -                   | -           |                              | 92                  | 2481        |
| 8480.71-000                     |                   | KG                |                     | 3                   | 329         |                              | 2939                | 35571       |
| 8480.79-000                     |                   | KG                |                     | 9                   | 1389        |                              | 23                  | 2639        |
| 8480 4-ST                       | **                | KG                |                     | 227                 | 3851        |                              | 5005                | 66550       |
| 8481.20-000                     |                   | KG                |                     | -                   | -           |                              | 25                  | 440         |
| 8481.30-900                     |                   | KG                |                     | -                   | -           |                              | 64                  | 1112        |
| 8481.40-000                     |                   | KG                |                     | -                   | -           |                              | 34                  | 312         |
| 8481.80-110                     |                   | KG                |                     | 70                  | 397         |                              | 500                 | 5109        |
| 8481.80-190                     |                   | KG                |                     | 9                   | 224         |                              | 1170                | 6094        |
| 8481.80-200                     |                   | KG                |                     | -                   | -           |                              | 48                  | 207         |
| 8481.80-900                     |                   | KG                |                     | -                   | -           |                              | 20                  | 407         |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 40                  | 512         |
| 8481 4-ST                       | **                | KG                |                     | 79                  | 621         |                              | 1901                | 14193       |
| 8482.10-000                     |                   | KG                |                     | -                   | -           |                              | 46                  | 678         |
| 8482.40-000                     |                   | KG                |                     | 15                  | 946         |                              | 15                  | 946         |
| 8482.91-900                     |                   | KG                |                     | -                   | -           |                              | 32                  | 619         |
| 8482 4-ST                       | **                | KG                |                     | 15                  | 946         |                              | 93                  | 2243        |
| 8483.10-000                     |                   | KG                |                     | 1234                | 6258        |                              | 1475                | 9535        |
| 8483.30-100                     |                   | KG                |                     | -                   | -           |                              | 56                  | 470         |
| 8483.30-200                     |                   | KG                |                     | 302                 | 4645        |                              | 3291                | 30319       |
| 8483.40-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 25                  | 446         |
| 8483.40-200                     |                   | KG                |                     | -                   | -           |                              | 1532                | 7529        |
| 8483.40-300                     |                   | KG                |                     | -                   | -           |                              | 73                  | 857         |
| 8483.40-900                     |                   | KG                |                     | -                   | -           |                              | 60                  | 1380        |
| 8483.50-000                     |                   | KG                |                     | -                   | -           |                              | 46                  | 480         |
| 8483.90-900                     |                   | KG                |                     | -                   | -           |                              | 26                  | 1037        |
| 8483 4-ST                       |                   | KG                |                     | 1536                | 10903       |                              | 6584                | 52053       |
| 8484.10-000                     |                   | KG                |                     | -                   | -           |                              | 35                  | 914         |
| 8484 4-ST                       | **                | KG                |                     | -                   | -           |                              | 35                  | 914         |
| 8485.90-000                     |                   | KG                |                     | 33                  | 2244        |                              | 304                 | 10881       |
| 8485 4-ST                       | **                | KG                |                     | 33                  | 2244        |                              | 304                 | 10881       |
| 84 2-ST                         |                   | KG                |                     | 44174               | 1591423     |                              | 83548               | 2309457     |
| 8501.10-191                     | NO                | KG                | 800                 | 20                  | 1187        | 1031                         | 75                  | 1671        |
| 8501.10-192                     | NO                | KG                | -                   | -                   | -           | 160                          | 13                  | 391         |

Country by Customs by Commodity

EXPORT

OSAKA KOUKUU

単位：(1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 112 SNGAPOR                     |                   |                   |                     |                     |             |                              |                     |             |
| 8501.10-910                     | NO                | KG                | -                   | -                   | -           | 30                           | 102                 | 451         |
| 8501.51-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 275                 | 1587        |
| 8501.52-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 20                  | 204         |
| 8501 4-ST                       | NO                | KG                | 800                 | 20                  | 1187        | 1232                         | 485                 | 4304        |
| 8504.31-910                     | NO                | KG                | -                   | -                   | -           | 3000                         | 14                  | 216         |
| 8504.40-110                     | NO                | KG                | 2548                | 3139                | 11605       | 4150                         | 4966                | 18990       |
| 8504.40-190                     | NO                | KG                | 2                   | 8                   | 202         | 2                            | 8                   | 202         |
| 8504.40-900                     | NO                | KG                | 1                   | 10                  | 334         | 2                            | 12                  | 703         |
| 8504.50-000                     |                   | KG                |                     | -                   | -           |                              | 374                 | 533         |
| 8504 4-ST                       |                   | KG                |                     | 3157                | 12141       |                              | 5374                | 20644       |
| 8505.19-000                     |                   | KG                |                     | -                   | -           |                              | 7                   | 310         |
| 8505.20-000                     |                   | KG                |                     | -                   | -           |                              | 29                  | 483         |
| 8505.90-100                     | NO                | KG                | 800                 | 425                 | 404         | 800                          | 425                 | 404         |
| 8505 4-ST                       |                   | KG                |                     | 425                 | 404         |                              | 461                 | 1197        |
| 8507.30-000                     |                   | KG                |                     | 2219                | 26571       |                              | 5865                | 62433       |
| 8507 4-ST                       | **                | KG                |                     | 2219                | 26571       |                              | 5865                | 62433       |
| 8508.80-100                     |                   | NO                |                     | 7                   | 552         |                              | 7                   | 552         |
| 8508.80-900                     |                   | NO                |                     | 22                  | 885         |                              | 42                  | 1533        |
| 8508 4-ST                       | **                | NO                |                     | 29                  | 1437        |                              | 49                  | 2085        |
| 8515.90-000                     |                   | KG                |                     | -                   | -           |                              | 122                 | 1724        |
| 8515 4-ST                       | **                | KG                |                     | -                   | -           |                              | 122                 | 1724        |
| 8516.80-000                     |                   | KG                |                     | 12                  | 278         |                              | 41                  | 948         |
| 8516 4-ST                       | **                | KG                |                     | 12                  | 278         |                              | 41                  | 948         |
| 8518.10-100                     | NO                | KG                | 5792                | 158                 | 4351        | 16123                        | 781                 | 9276        |
| 8518.30-100                     |                   | NO                |                     | 575                 | 2012        |                              | 905                 | 3086        |
| 8518.30-900                     | NO                | KG                | 2005                | 220                 | 2923        | 2005                         | 220                 | 2923        |
| 8518.90-000                     |                   | KG                |                     | 29                  | 330         |                              | 29                  | 330         |
| 8518 4-ST                       |                   |                   |                     |                     | 9616        |                              |                     | 15615       |
| 8523.20-000                     |                   | KG                |                     | 470                 | 34839       |                              | 4309                | 268592      |
| 8523 4-ST                       | **                | KG                |                     | 470                 | 34839       |                              | 4309                | 268592      |
| 8525.20-910                     | NO                | KG                | 130                 | 841                 | 11038       | 302                          | 1985                | 26074       |
| 8525.20-920                     | NO                | KG                | 3665                | 3362                | 86781       | 11786                        | 9207                | 257508      |
| 8525.20-990                     | NO                | KG                | 267                 | 214                 | 10006       | 663                          | 714                 | 23995       |
| 8525.30-900                     | NO                | KG                | -                   | -                   | -           | 12                           | 4                   | 507         |
| 8525 4-ST                       | NO                | KG                | 4062                | 4417                | 107825      | 12763                        | 11910               | 308084      |
| 8526.10-000                     | NO                | KG                | 2                   | 128                 | 520         | 2                            | 128                 | 520         |
| 8526 4-ST                       | NO                | KG                | 2                   | 128                 | 520         | 2                            | 128                 | 520         |
| 8527.90-000                     |                   | NO                |                     | 77                  | 3245        |                              | 244                 | 12014       |
| 8527 4-ST                       | **                | NO                |                     | 77                  | 3245        |                              | 244                 | 12014       |
| 8528.10-900                     |                   | NO                |                     | -                   | -           |                              | 1                   | 300         |
| 8528 4-ST                       | **                | NO                |                     | -                   | -           |                              | 1                   | 300         |
| 8529.10-100                     |                   | NO                |                     | -                   | -           |                              | 19200               | 5478        |
| 8529.90-900                     |                   | KG                |                     | 128                 | 1655        |                              | 810                 | 10973       |
| 8529 4-ST                       | **                |                   |                     |                     | 1655        |                              |                     | 16451       |
| 8531.10-000                     |                   | KG                |                     | -                   | -           |                              | 41                  | 520         |
| 8531.20-000                     |                   | KG                |                     | -                   | -           |                              | 63                  | 823         |
| 8531.80-000                     |                   | KG                |                     | -                   | -           |                              | 128                 | 1756        |
| 8531 4-ST                       | **                | KG                |                     | -                   | -           |                              | 232                 | 3099        |
| 8532.22-000                     |                   | TH                |                     | 41                  | 290         |                              | 41                  | 290         |
| 8532 4-ST                       | **                | TH                |                     | 41                  | 290         |                              | 41                  | 290         |
| 8533.21-000                     | TH                | KG                | -                   | -                   | -           | 192                          | 20                  | 243         |
| 8533.40-000                     | NO                | KG                | 48                  | 5                   | 385         | 49                           | 6                   | 710         |
| 8533 4-ST                       |                   | KG                |                     | 5                   | 385         |                              | 26                  | 953         |
| 8536.10-000                     |                   | KG                |                     | -                   | -           |                              | 110                 | 2203        |
| 8536.30-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 270         |
| 8536.41-000                     |                   | KG                |                     | 15                  | 334         |                              | 49                  | 1073        |
| 8536.49-000                     |                   | KG                |                     | -                   | -           |                              | 4                   | 253         |
| 8536.50-900                     | NO                | KG                | -                   | -                   | -           | 7538                         | 77                  | 1266        |
| 8536.69-000                     |                   | KG                |                     | 62                  | 244         |                              | 180                 | 1706        |
| 8536.90-100                     |                   | KG                |                     | 1                   | 240         |                              | 121                 | 1646        |
| 8536.90-200                     |                   | KG                |                     | 520                 | 4338        |                              | 529                 | 4665        |
| 8536 4-ST                       |                   | KG                |                     | 598                 | 5156        |                              | 1072                | 13082       |
| 8537.10-000                     | NO                | KG                | -                   | -                   | -           | 87                           | 143                 | 3657        |
| 8537 4-ST                       | NO                | KG                | -                   | -                   | -           | 87                           | 143                 | 3657        |
| 8538.90-900                     |                   | KG                |                     | 8                   | 679         |                              | 31                  | 2327        |
| 8538 4-ST                       | **                | KG                |                     | 8                   | 679         |                              | 31                  | 2327        |
| 8539.21-000                     | NO                | KG                | -                   | -                   | -           | 2300                         | 58                  | 1213        |
| 8539.29-200                     | NO                | KG                | -                   | -                   | -           | 39148                        | 162                 | 1071        |
| 8539.90-000                     |                   | KG                |                     | 193                 | 9117        |                              | 555                 | 26565       |
| 8539 4-ST                       |                   | KG                |                     | 193                 | 9117        |                              | 775                 | 28849       |
| 8540.41-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 13                  | 291         |
| 8540.89-900                     | NO                | KG                | -                   | -                   | -           | 30                           | 45                  | 1860        |
| 8540 4-ST                       | NO                | KG                | -                   | -                   | -           | 31                           | 58                  | 2151        |

Country by Customs by Commodity

EXPORT

401 大阪航空貨物

OSAKA KOUKUU

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |             |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE |
| 112 SNGAPOR                     |                   |                   |                      |                      |             |                              |                      |             |
| 8541.10-100                     |                   | TH                |                      | -                    | -           |                              | 6782                 | 3662        |
| 8541.10-910                     |                   | NO                |                      | -                    | -           |                              | 576000               | 4715        |
| 8541.10-920                     |                   | NO                |                      | -                    | -           |                              | 400000               | 941         |
| 8541.21-910                     |                   | NO                |                      | -                    | -           |                              | 643000               | 6581        |
| 8541.29-910                     |                   | NO                |                      | 2009                 | 470         |                              | 150009               | 1846        |
| 8541.29-990                     |                   | NO                |                      | -                    | -           |                              | 234000               | 2353        |
| 8541.30-900                     |                   | NO                |                      | -                    | -           |                              | 50000                | 997         |
| 8541.40-100                     |                   | TH                |                      | -                    | -           |                              | 10                   | 340         |
| 8541.40-910                     |                   | NO                |                      | -                    | -           |                              | 210000               | 1890        |
| 8541.90-000                     |                   | KG                |                      | 98                   | 5009        |                              | 98                   | 5009        |
| 8541 4-ST                       | **                |                   |                      |                      | 5479        |                              |                      | 28334       |
| 8542.11-912                     |                   | NO                |                      | 20436                | 2554        |                              | 235209               | 26686       |
| 8542.11-919                     |                   | NO                |                      | -                    | -           |                              | 38200                | 4007        |
| 8542.11-990                     |                   | NO                |                      | -                    | -           |                              | 31893                | 2273        |
| 8542.19-900                     |                   | NO                |                      | -                    | -           |                              | 136706               | 15893       |
| 8542.20-000                     |                   | NO                |                      | -                    | -           |                              | 1305                 | 579         |
| 8542 4-ST                       | **                |                   |                      | 20436                | 2554        |                              | 443313               | 49438       |
| 8543.80-000                     | NO                | KG                | 83                   | 270                  | 2084        | 175                          | 343                  | 3947        |
| 8543.90-000                     |                   | KG                |                      | -                    | -           |                              | 206                  | 6778        |
| 8543 4-ST                       |                   | KG                |                      | 270                  | 2084        |                              | 549                  | 10725       |
| 8544.41-910                     |                   | KG                |                      | 33                   | 347         |                              | 33                   | 347         |
| 8544.49-910                     |                   | KG                |                      | -                    | -           |                              | 80                   | 916         |
| 8544 4-ST                       | **                | KG                |                      | 33                   | 347         |                              | 113                  | 1263        |
| 8545.20-000                     |                   | KG                |                      | -                    | -           |                              | 8                    | 260         |
| 8545 4-ST                       | **                | KG                |                      | -                    | -           |                              | 8                    | 260         |
| 85 2-ST                         |                   |                   |                      |                      | 225809      |                              |                      | 859339      |
| 8708.99-900                     |                   | KG                |                      | -                    | -           |                              | 122                  | 455         |
| 8708 4-ST                       | **                | KG                |                      | -                    | -           |                              | 122                  | 455         |
| 8709.90-000                     |                   | KG                |                      | -                    | -           |                              | 86                   | 922         |
| 8709 4-ST                       | **                | KG                |                      | -                    | -           |                              | 86                   | 922         |
| 8714.94-000                     |                   | KG                |                      | 9759                 | 17815       |                              | 69716                | 133305      |
| 8714.96-900                     |                   | KG                |                      | 13210                | 8741        |                              | 31036                | 20837       |
| 8714.99-900                     |                   | KG                |                      | -                    | -           |                              | 2347                 | 4846        |
| 8714 4-ST                       | **                | KG                |                      | 22969                | 26556       |                              | 103099               | 158988      |
| 87 2-ST                         | **                | KG                |                      | 22969                | 26556       |                              | 103307               | 160365      |
| 9001.50-000                     |                   | DZ                |                      | -                    | -           |                              | 464                  | 1253        |
| 9001 4-ST                       | **                | DZ                |                      | -                    | -           |                              | 464                  | 1253        |
| 9002.19-000                     |                   | KG                |                      | -                    | -           |                              | 20                   | 302         |
| 9002 4-ST                       | **                | KG                |                      | -                    | -           |                              | 20                   | 302         |
| 9003.19-100                     |                   | DZ                |                      | 234                  | 7059        |                              | 1314                 | 33650       |
| 9003 4-ST                       | **                | DZ                |                      | 234                  | 7059        |                              | 1314                 | 33650       |
| 9004.10-000                     |                   | DZ                |                      | 141                  | 3458        |                              | 165                  | 3663        |
| 9004 4-ST                       | **                | DZ                |                      | 141                  | 3458        |                              | 165                  | 3663        |
| 9005.10-900                     | DZ                | KG                | -                    | -                    | -           | 0                            | 16                   | 254         |
| 9005 4-ST                       |                   | KG                | -                    | -                    | -           | 0                            | 16                   | 254         |
| 9008.30-000                     | NO                | KG                | -                    | -                    | -           | 80                           | 800                  | 2904        |
| 9008 4-ST                       | NO                | KG                | -                    | -                    | -           | 80                           | 800                  | 2904        |
| 9010.90-000                     |                   | KG                |                      | -                    | -           |                              | 71                   | 1455        |
| 9010 4-ST                       | **                | KG                |                      | -                    | -           |                              | 71                   | 1455        |
| 9013.80-000                     | NO                | KG                | -                    | -                    | -           | 80                           | 800                  | 2400        |
| 9013 4-ST                       | NO                | KG                | -                    | -                    | -           | 80                           | 800                  | 2400        |
| 9014.10-000                     | NO                | KG                | 1                    | 10                   | 250         | 1                            | 10                   | 250         |
| 9014.80-100                     | NO                | KG                | -                    | -                    | -           | 7                            | 97                   | 1494        |
| 9014.90-100                     |                   | KG                |                      | 40                   | 3440        |                              | 63                   | 4830        |
| 9014 4-ST                       |                   | KG                |                      | 50                   | 3690        |                              | 170                  | 6574        |
| 9015.30-000                     | NO                | KG                | -                    | -                    | -           | 67                           | 41                   | 338         |
| 9015.80-100                     | NO                | KG                | 1                    | 15                   | 307         | 1                            | 15                   | 307         |
| 9015 4-ST                       | NO                | KG                | 1                    | 15                   | 307         | 68                           | 56                   | 645         |
| 9017.30-910                     | NO                | KG                | 68                   | 32                   | 351         | 68                           | 32                   | 351         |
| 9017.30-920                     | NO                | KG                | 50                   | 11                   | 290         | 50                           | 11                   | 290         |
| 9017.30-990                     | NO                | KG                | -                    | -                    | -           | 2                            | 34                   | 1187        |
| 9017 4-ST                       | NO                | KG                | 118                  | 43                   | 641         | 120                          | 77                   | 1828        |
| 9018.19-210                     | NO                | KG                | 2                    | 110                  | 3844        | 2                            | 110                  | 3844        |
| 9018.19-900                     |                   | KG                |                      | -                    | -           |                              | 16                   | 533         |
| 9018.90-110                     | NO                | KG                | 1                    | 100                  | 700         | 1                            | 100                  | 700         |
| 9018 4-ST                       |                   | KG                |                      | 210                  | 4544        |                              | 226                  | 5077        |
| 9019.10-000                     |                   | KG                |                      | 400                  | 2000        |                              | 400                  | 2000        |
| 9019 4-ST                       | **                | KG                |                      | 400                  | 2000        |                              | 400                  | 2000        |
| 9024.80-900                     | NO                | KG                | -                    | -                    | -           | 50                           | 19                   | 679         |
| 9024 4-ST                       |                   | KG                | -                    | -                    | -           | 50                           | 19                   | 679         |
| 9025.11-100                     | DZ                | KG                | -                    | -                    | -           | 250                          | 44                   | 254         |

401 大阪航空貨物

Country by Customs by Commodity

EXPORT

OSAKA KOUKUU

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>112 SINGAPOR</b>             |                   |                   |                    |                   |             |                              |                   |             |
| 9025.11-900                     | NO                | KG                | -                  | -                 | -           | 4                            | 12                | 259         |
| 9025.19-100                     | NO                | KG                | -                  | -                 | -           | 2881                         | 97                | 1684        |
| 9025.19-900                     | NO                | KG                | -                  | -                 | -           | 27                           | 30                | 542         |
| 9025.90-000                     |                   | KG                |                    | -                 | -           |                              | 21                | 1109        |
| 9025 4-ST                       |                   | KG                |                    | -                 | -           |                              | 204               | 3848        |
| 9026.10-190                     | NO                | KG                | -                  | -                 | -           | 6                            | 25                | 774         |
| 9026.20-900                     | NO                | KG                | 46                 | 24                | 337         | 175                          | 198               | 2673        |
| 9026.90-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 338         |
| 9026 4-ST                       |                   | KG                |                    | 24                | 337         |                              | 226               | 3785        |
| 9028.10-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 12                | 218         |
| 9028 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 12                | 218         |
| 9029.20-100                     | NO                | KG                | -                  | -                 | -           | 13                           | 208               | 508         |
| 9029.90-000                     |                   | KG                |                    | 35                | 518         |                              | 56                | 1075        |
| 9029 4-ST                       |                   | KG                |                    | 35                | 518         |                              | 264               | 1583        |
| 9031.80-190                     | NO                | KG                | 23                 | 45                | 1148        | 143                          | 155               | 4722        |
| 9031.80-900                     | NO                | KG                | -                  | -                 | -           | 51                           | 333               | 2730        |
| 9031 4-ST                       | NO                | KG                | 23                 | 45                | 1148        | 194                          | 488               | 7452        |
| 9032.81-000                     | NO                | KG                | 1                  | 8                 | 220         | 1                            | 8                 | 220         |
| 9032.89-112                     | NO                | KG                | -                  | -                 | -           | 8                            | 316               | 817         |
| 9032.89-119                     | NO                | KG                | -                  | -                 | -           | 1                            | 2                 | 350         |
| 9032.90-000                     |                   | KG                |                    | -                 | -           |                              | 19                | 836         |
| 9032 4-ST                       |                   | KG                |                    | 8                 | 220         |                              | 345               | 2223        |
| 90 2-ST                         |                   |                   |                    |                   | 23922       |                              |                   | 81793       |
| 9102.11-000                     |                   | NO                |                    | 1140              | 1583        |                              | 6050              | 8347        |
| 9102.12-000                     |                   | NO                |                    | 1700              | 1270        |                              | 6530              | 19548       |
| 9102 4-ST                       | **                | NO                |                    | 2840              | 2853        |                              | 12580             | 27895       |
| 9107.00-000                     | NO                | KG                | 4401               | 1361              | 4777        | 4401                         | 1361              | 4777        |
| 9107 4-ST                       | NO                | KG                | 4401               | 1361              | 4777        | 4401                         | 1361              | 4777        |
| 91 2-ST                         |                   |                   |                    |                   | 7630        |                              |                   | 32672       |
| 9401.90-000                     |                   | KG                |                    | -                 | -           |                              | 294               | 238         |
| 9401 4-ST                       | **                | KG                |                    | -                 | -           |                              | 294               | 238         |
| 9403.90-000                     |                   | KG                |                    | 915               | 682         |                              | 915               | 682         |
| 9403 4-ST                       | **                | KG                |                    | 915               | 682         |                              | 915               | 682         |
| 94 2-ST                         | **                | KG                |                    | 915               | 682         |                              | 1209              | 920         |
| 9504.90-100                     |                   | KG                |                    | -                 | -           |                              | 220               | 7561        |
| 9504 4-ST                       | **                | KG                |                    | -                 | -           |                              | 220               | 7561        |
| 9507.90-000                     |                   | KG                |                    | 86                | 446         |                              | 20863             | 85003       |
| 9507 4-ST                       | **                | KG                |                    | 86                | 446         |                              | 20863             | 85003       |
| 95 2-ST                         | **                | KG                |                    | 86                | 446         |                              | 21083             | 92564       |
| 9606.21-000                     | GS                | KG                | -                  | -                 | -           | 1674                         | 165               | 2556        |
| 9606.29-100                     | GS                | KG                | -                  | -                 | -           | 2438                         | 126               | 2274        |
| 9606 4-ST                       | GS                | KG                | -                  | -                 | -           | 4112                         | 291               | 4830        |
| 9607.19-000                     |                   | KG                |                    | -                 | -           |                              | 103               | 539         |
| 9607 4-ST                       | **                | KG                |                    | -                 | -           |                              | 103               | 539         |
| 9612.10-000                     |                   | DZ                |                    | -                 | -           |                              | 29                | 346         |
| 9612 4-ST                       | **                | DZ                |                    | -                 | -           |                              | 29                | 346         |
| 96 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 5715        |
| TOTAL                           |                   |                   |                    |                   | 1944194     |                              |                   | 3787250     |
| <b>113 MALYSIA</b>              |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 104               | 2371        |                              | 491               | 8644        |
| 0000 4-ST                       | **                | KG                |                    | 104               | 2371        |                              | 491               | 8644        |
| 00 2-ST                         | **                | KG                |                    | 104               | 2371        |                              | 491               | 8644        |
| 2818.20-000                     |                   | KG                |                    | -                 | -           |                              | 260               | 211         |
| 2818 4-ST                       | **                | KG                |                    | -                 | -           |                              | 260               | 211         |
| 28 2-ST                         | **                | KG                |                    | -                 | -           |                              | 260               | 211         |
| 3207.10-100                     |                   | KG                |                    | -                 | -           |                              | 15                | 221         |
| 3207.30-000                     |                   | KG                |                    | 150               | 370         |                              | 150               | 370         |
| 3207.40-000                     |                   | KG                |                    | 30                | 267         |                              | 918               | 2942        |
| 3207 4-ST                       | **                | KG                |                    | 180               | 637         |                              | 1083              | 3533        |
| 32 2-ST                         | **                | KG                |                    | 180               | 637         |                              | 1083              | 3533        |
| 3302.10-000                     |                   | KG                |                    | -                 | -           |                              | 3010              | 6487        |
| 3302 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3010              | 6487        |
| 33 2-ST                         | **                | KG                |                    | -                 | -           |                              | 3010              | 6487        |



## 税関別国別品別表

## 輸出

1992 年 12 月 確定 (Fixed Annual)

PAGE 9

401 大阪航空貨物

Country by Customs by Commodity

EXPORT

OSAKA KOUKUU

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>113 MALYSIA</b>              |                   |                   |                     |                     |             |                              |                     |             |
| 3907.30-000                     |                   | KG                |                     | -                   | -           |                              | 2010                | 1612        |
| 3907 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2010                | 1612        |
| 3917.32-900                     |                   | KG                |                     | 240                 | 2520        |                              | 5078                | 33297       |
| 3917 4-ST                       | **                | KG                |                     | 240                 | 2520        |                              | 5078                | 33297       |
| <b>3919.10-200</b>              |                   | KG                |                     | -                   | -           |                              | 1015                | 467         |
| 3919 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1015                | 467         |
| 3921.90-410                     |                   | KG                |                     | -                   | -           |                              | 25                  | 591         |
| 3921 4-ST                       | **                | KG                |                     | -                   | -           |                              | 25                  | 591         |
| 3923.29-000                     |                   | KG                |                     | -                   | -           |                              | 91                  | 276         |
| 3923 4-ST                       | **                | KG                |                     | -                   | -           |                              | 91                  | 276         |
| 3926.90-000                     |                   | KG                |                     | 37                  | 1302        |                              | 108                 | 5696        |
| 3926 4-ST                       | **                | KG                |                     | 37                  | 1302        |                              | 108                 | 5696        |
| 39 2-ST                         | **                | KG                |                     | 277                 | 3822        |                              | 8327                | 41939       |
| <b>4010.99-100</b>              |                   | KG                |                     | -                   | -           |                              | 15                  | 248         |
| 4010 4-ST                       | **                | KG                |                     | -                   | -           |                              | 15                  | 248         |
| 4016.99-000                     |                   | KG                |                     | 38                  | 272         |                              | 38                  | 272         |
| 4016 4-ST                       | **                | KG                |                     | 38                  | 272         |                              | 38                  | 272         |
| 40 2-ST                         | **                | KG                |                     | 38                  | 272         |                              | 53                  | 520         |
| <b>4421.90-000</b>              |                   | KG                |                     | -                   | -           |                              | 17                  | 324         |
| 4421 4-ST                       | **                | KG                |                     | -                   | -           |                              | 17                  | 324         |
| 44 2-ST                         | **                | KG                |                     | -                   | -           |                              | 17                  | 324         |
| <b>4805.40-000</b>              |                   | KG                |                     | -                   | -           |                              | 15                  | 358         |
| 4805 4-ST                       | **                | KG                |                     | -                   | -           |                              | 15                  | 358         |
| 4811.90-900                     |                   | KG                |                     | -                   | -           |                              | 76                  | 296         |
| 4811 4-ST                       | **                | KG                |                     | -                   | -           |                              | 76                  | 296         |
| 4821.10-000                     |                   | KG                |                     | -                   | -           |                              | 56                  | 1859        |
| 4821 4-ST                       | **                | KG                |                     | -                   | -           |                              | 56                  | 1859        |
| 48 2-ST                         | **                | KG                |                     | -                   | -           |                              | 147                 | 2513        |
| 5208.22-000                     | SM                | KG                | -                   | -                   | -           | 1000                         | 103                 | 337         |
| 5208.32-300                     | SM                | KG                | -                   | -                   | -           | 2446                         | 253                 | 824         |
| 5208.33-000                     | SM                | KG                | -                   | -                   | -           | 9955                         | 1677                | 2867        |
| 5208.42-900                     | SM                | KG                | -                   | -                   | -           | 5245                         | 677                 | 1921        |
| 5208.51-300                     | SM                | KG                | -                   | -                   | -           | 3971                         | 221                 | 1622        |
| 5208 4-ST                       | SM                | KG                | -                   | -                   | -           | 22617                        | 2931                | 7571        |
| 52 2-ST                         | SM                | KG                | -                   | -                   | -           | 22617                        | 2931                | 7571        |
| <b>5401.10-200</b>              |                   | KG                |                     | 132                 | 329         |                              | 132                 | 329         |
| 5401 4-ST                       | **                | KG                |                     | 132                 | 329         |                              | 132                 | 329         |
| 5407.60-220                     | SM                | KG                | -                   | -                   | -           | 3326                         | 502                 | 1568        |
| 5407.60-490                     | SM                | KG                | -                   | -                   | -           | 3969                         | 394                 | 2423        |
| 5407 4-ST                       | SM                | KG                | -                   | -                   | -           | 7295                         | 896                 | 3991        |
| 54 2-ST                         |                   | KG                |                     | 132                 | 329         |                              | 1028                | 4320        |
| <b>5508.10-200</b>              |                   | KG                |                     | 339                 | 808         |                              | 339                 | 808         |
| 5508 4-ST                       | **                | KG                |                     | 339                 | 808         |                              | 339                 | 808         |
| 55 2-ST                         | **                | KG                |                     | 339                 | 808         |                              | 339                 | 808         |
| <b>5810.92-100</b>              |                   | KG                |                     | 64                  | 1249        |                              | 284                 | 5538        |
| 5810 4-ST                       | **                | KG                |                     | 64                  | 1249        |                              | 284                 | 5538        |
| 58 2-ST                         | **                | KG                |                     | 64                  | 1249        |                              | 284                 | 5538        |
| <b>5911.90-000</b>              |                   | KG                |                     | 15                  | 320         |                              | 15                  | 320         |
| 5911 4-ST                       | **                | KG                |                     | 15                  | 320         |                              | 15                  | 320         |
| 59 2-ST                         | **                | KG                |                     | 15                  | 320         |                              | 15                  | 320         |
| <b>6002.20-210</b>              |                   | KG                |                     | -                   | -           |                              | 81                  | 466         |
| 6002.43-110                     |                   | KG                |                     | -                   | -           |                              | 418                 | 751         |
| 6002 4-ST                       | **                | KG                |                     | -                   | -           |                              | 499                 | 1217        |
| 60 2-ST                         | **                | KG                |                     | -                   | -           |                              | 499                 | 1217        |
| <b>6804.21-100</b>              |                   | KG                |                     | 1                   | 342         |                              | 1                   | 342         |
| 6804 4-ST                       | **                | KG                |                     | 1                   | 342         |                              | 1                   | 342         |
| 68 2-ST                         | **                | KG                |                     | 1                   | 342         |                              | 1                   | 342         |
| <b>7002.31-000</b>              |                   | KG                |                     | -                   | -           |                              | 26                  | 950         |
| 7002 4-ST                       | **                | KG                |                     | -                   | -           |                              | 26                  | 950         |
| 70 2-ST                         | **                | KG                |                     | -                   | -           |                              | 26                  | 950         |
| <b>7210.70-900</b>              |                   | MT                |                     | 2                   | 424         |                              | 2                   | 424         |

401 大阪航空貨物

Country by Customs by Commodity

EXPORT

OSAKA KOUKUU

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>113 MALYSIA</b>              |                   |                   |                     |                     |             |                              |                     |             |
| 7210 4-ST                       | ***               | MT                |                     | 2                   | 424         |                              | 2                   | 424         |
| 72 2-ST                         | ***               | MT                |                     | 2                   | 424         |                              | 2                   | 424         |
| 7318.15-900                     |                   | KG                |                     | -                   | -           |                              | 90                  | 284         |
| 7318.22-000                     |                   | KG                |                     | -                   | -           |                              | 771                 | 1711        |
| 7318 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 861                 | 1995        |
| 7320.20-000                     |                   | KG                |                     | -                   | -           |                              | 0                   | 268         |
| 7320 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 0                   | 268         |
| 7326.90-000                     |                   | MT                |                     | -                   | -           |                              | 9                   | 464         |
| 7326 4-ST                       | ***               | MT                |                     | -                   | -           |                              | 9                   | 464         |
| 73 2-ST                         | ***               |                   |                     | -                   | -           |                              |                     | 2727        |
| 7407.29-000                     |                   | KG                |                     | -                   | -           |                              | 97                  | 367         |
| 7407 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 97                  | 367         |
| 7409.31-000                     |                   | MT                |                     | -                   | -           |                              | 0                   | 306         |
| 7409 4-ST                       | ***               | MT                |                     | -                   | -           |                              | 0                   | 306         |
| 74 2-ST                         | ***               |                   |                     | -                   | -           |                              |                     | 673         |
| 8205.59-000                     |                   | KG                |                     | -                   | -           |                              | 8                   | 307         |
| 8205 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 8                   | 307         |
| 8207.30-900                     |                   | KG                |                     | 6                   | 754         |                              | 22                  | 4647        |
| 8207.40-110                     | NO                | KG                | -                   | -                   | -           | 613                          | 16                  | 314         |
| 8207.50-900                     |                   | KG                |                     | -                   | -           |                              | 1                   | 316         |
| 8207.70-900                     |                   | KG                |                     | -                   | -           |                              | 19                  | 409         |
| 8207 4-ST                       |                   | KG                |                     | 6                   | 754         |                              | 58                  | 5686        |
| 8208.10-000                     |                   | KG                |                     | -                   | -           |                              | 72                  | 1297        |
| 8208.90-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 1330        |
| 8208 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 74                  | 2627        |
| 8209.00-100                     | NO                | KG                | -                   | -                   | -           | 2712                         | 22                  | 627         |
| 8209 4-ST                       | NO                | KG                | -                   | -                   | -           | 2712                         | 22                  | 627         |
| 82 2-ST                         |                   | KG                |                     | 6                   | 754         |                              | 162                 | 9247        |
| 8310.00-000                     |                   | KG                |                     | -                   | -           |                              | 230                 | 1594        |
| 8310 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 230                 | 1594        |
| 83 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 230                 | 1594        |
| 8412.21-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 120                 | 315         |
| 8412.31-000                     | NO                | KG                | 7                   | 24                  | 248         | 73                           | 49                  | 553         |
| 8412 4-ST                       | NO                | KG                | 7                   | 24                  | 248         | 75                           | 169                 | 868         |
| 8413.91-000                     |                   | KG                |                     | 18                  | 381         |                              | 31                  | 693         |
| 8413 4-ST                       | ***               | KG                |                     | 18                  | 381         |                              | 31                  | 693         |
| 8414.90-100                     |                   | KG                |                     | -                   | -           |                              | 20                  | 648         |
| 8414 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 20                  | 648         |
| 8419.90-000                     |                   | KG                |                     | -                   | -           |                              | 21                  | 1498        |
| 8419 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 21                  | 1498        |
| 8421.29-000                     | NO                | KG                | 4                   | 9                   | 320         | 4                            | 9                   | 320         |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 206         |
| 8421 4-ST                       |                   | KG                |                     | 9                   | 320         |                              | 12                  | 526         |
| 8422.90-000                     |                   | KG                |                     | 240                 | 2000        |                              | 240                 | 2000        |
| 8422 4-ST                       | ***               | KG                |                     | 240                 | 2000        |                              | 240                 | 2000        |
| 8431.31-000                     |                   | KG                |                     | 40                  | 466         |                              | 40                  | 466         |
| 8431 4-ST                       | ***               | KG                |                     | 40                  | 466         |                              | 40                  | 466         |
| 8441.10-000                     | NO                | KG                | 1                   | 110                 | 777         | 1                            | 110                 | 777         |
| 8441.90-000                     |                   | KG                |                     | 15                  | 390         |                              | 15                  | 390         |
| 8441 4-ST                       |                   | KG                |                     | 125                 | 1167        |                              | 125                 | 1167        |
| 8442.50-000                     |                   | KG                |                     | 1                   | 284         |                              | 21                  | 557         |
| 8442 4-ST                       | ***               | KG                |                     | 1                   | 284         |                              | 21                  | 557         |
| 8448.32-000                     |                   | KG                |                     | 12                  | 651         |                              | 17                  | 943         |
| 8448.41-000                     | NO                | KG                | -                   | -                   | -           | 80                           | 42                  | 327         |
| 8448.42-000                     |                   | KG                |                     | 377                 | 1924        |                              | 401                 | 2348        |
| 8448.49-000                     |                   | KG                |                     | -                   | -           |                              | 126                 | 1923        |
| 8448.59-100                     |                   | KG                |                     | -                   | -           |                              | 34                  | 869         |
| 8448 4-ST                       |                   | KG                |                     | 389                 | 2575        |                              | 620                 | 6410        |
| 8451.90-000                     |                   | KG                |                     | -                   | -           |                              | 70                  | 1429        |
| 8451 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 70                  | 1429        |
| 8465.99-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 150                 | 4489        |
| 8465 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 150                 | 4489        |
| 8466.94-000                     |                   | KG                |                     | -                   | -           |                              | 0                   | 407         |
| 8466 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 0                   | 407         |
| 8467.11-000                     | NO                | KG                | -                   | -                   | -           | 50                           | 15                  | 705         |
| 8467 4-ST                       | NO                | KG                | -                   | -                   | -           | 50                           | 15                  | 705         |
| 8471.20-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 3                   | 350         |
| 8471.93-300                     | NO                | KG                | -                   | -                   | -           | 1                            | 18                  | 609         |

Country by Customs by Commodity

EXPORT

OSAKA KOUKUU

単位：(1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 113 MALYSIA                     |                   |                   |                     |                     |             |                              |                     |             |
| 8471 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 21                  | 959         |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 16                  | 400         |
| 8473 4-ST                       | **                | KG                |                     | -                   | -           |                              | 16                  | 400         |
| 8479.90-000                     |                   | KG                |                     | 10                  | 835         |                              | 648                 | 8456        |
| 8479 4-ST                       | **                | KG                |                     | 10                  | 835         |                              | 648                 | 8456        |
| 8480.79-000                     |                   | KG                |                     | -                   | -           |                              | 410                 | 2742        |
| 8480 4-ST                       | **                | KG                |                     | -                   | -           |                              | 410                 | 2742        |
| 8481.10-000                     |                   | KG                |                     | -                   | -           |                              | 17                  | 228         |
| 8481.20-000                     |                   | KG                |                     | 4                   | 901         |                              | 55                  | 1415        |
| 8481.40-000                     |                   | KG                |                     | -                   | -           |                              | 23                  | 741         |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 61                  | 778         |
| 8481.90-000                     |                   | KG                |                     | 15                  | 374         |                              | 27                  | 620         |
| 8481 4-ST                       | **                | KG                |                     | 19                  | 1275        |                              | 183                 | 3782        |
| 8483.30-200                     |                   | KG                |                     | 6                   | 270         |                              | 6                   | 270         |
| 8483.40-200                     |                   | KG                |                     | -                   | -           |                              | 20                  | 711         |
| 8483.90-400                     |                   | KG                |                     | 58                  | 435         |                              | 58                  | 435         |
| 8483.90-900                     |                   | KG                |                     | -                   | -           |                              | 110                 | 862         |
| 8483 4-ST                       | **                | KG                |                     | 64                  | 705         |                              | 194                 | 2278        |
| 8484.90-000                     |                   | KG                |                     | 3                   | 220         |                              | 3                   | 220         |
| 8484 4-ST                       | **                | KG                |                     | 3                   | 220         |                              | 3                   | 220         |
| 84 2-ST                         |                   | KG                |                     | 942                 | 10476       |                              | 3009                | 40700       |
| 8501.40-910                     | NO                | KG                | -                   | -                   | -           | 1                            | 28                  | 302         |
| 8501.51-000                     | NO                | KG                | -                   | -                   | -           | 7                            | 96                  | 537         |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 8                            | 124                 | 839         |
| 8504.40-900                     | NO                | KG                | 2                   | 60                  | 251         | 19                           | 206                 | 1958        |
| 8504.50-000                     |                   | KG                |                     | -                   | -           |                              | 1403                | 15105       |
| 8504.90-000                     |                   | KG                |                     | -                   | -           |                              | 177                 | 2224        |
| 8504 4-ST                       |                   | KG                |                     | 60                  | 251         |                              | 1786                | 19287       |
| 8505.20-000                     |                   | KG                |                     | -                   | -           |                              | 19                  | 241         |
| 8505 4-ST                       | **                | KG                |                     | -                   | -           |                              | 19                  | 241         |
| 8515.19-000                     |                   | KG                |                     | -                   | -           |                              | 4                   | 404         |
| 8515.90-000                     |                   | KG                |                     | 9                   | 607         |                              | 9                   | 607         |
| 8515 4-ST                       | **                | KG                |                     | 9                   | 607         |                              | 13                  | 1011        |
| 8516.80-000                     |                   | KG                |                     | 48                  | 609         |                              | 121                 | 1230        |
| 8516 4-ST                       | **                | KG                |                     | 48                  | 609         |                              | 121                 | 1230        |
| 8522.90-900                     |                   | KG                |                     | -                   | -           |                              | 491                 | 3237        |
| 8522 4-ST                       | **                | KG                |                     | -                   | -           |                              | 491                 | 3237        |
| 8523.20-000                     |                   | KG                |                     | 958                 | 41801       |                              | 5243                | 210373      |
| 8523 4-ST                       | **                | KG                |                     | 958                 | 41801       |                              | 5243                | 210373      |
| 8529.10-200                     |                   | NO                |                     | -                   | -           |                              | 116                 | 209         |
| 8529.10-900                     |                   | KG                |                     | 822                 | 4441        |                              | 822                 | 4441        |
| 8529.90-900                     |                   | KG                |                     | 3912                | 24171       |                              | 15767               | 89573       |
| 8529 4-ST                       | **                |                   |                     |                     | 28612       |                              |                     | 94223       |
| 8531.80-000                     |                   | KG                |                     | -                   | -           |                              | 92                  | 791         |
| 8531 4-ST                       | **                | KG                |                     | -                   | -           |                              | 92                  | 791         |
| 8532.21-000                     |                   | TH                |                     | 12                  | 381         |                              | 131                 | 1468        |
| 8532.23-000                     |                   | TH                |                     | 373                 | 5143        |                              | 35824               | 107203      |
| 8532.24-000                     |                   | TH                |                     | 40029               | 25547       |                              | 285070              | 199776      |
| 8532.90-000                     |                   | KG                |                     | 1243                | 4183        |                              | 9539                | 26883       |
| 8532 4-ST                       | **                |                   |                     |                     | 35254       |                              |                     | 335330      |
| 8533.21-000                     | TH                | KG                | -                   | -                   | -           | 178                          | 21                  | 231         |
| 8533.39-000                     | NO                | KG                | 5                   | 45                  | 228         | 5                            | 45                  | 228         |
| 8533.90-000                     |                   | KG                |                     | -                   | -           |                              | 1105                | 3058        |
| 8533 4-ST                       |                   | KG                |                     | 45                  | 228         |                              | 1171                | 3517        |
| 8536.20-000                     | NO                | KG                | -                   | -                   | -           | 77                           | 17                  | 214         |
| 8536.41-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 217         |
| 8536.49-000                     |                   | KG                |                     | -                   | -           |                              | 227                 | 4104        |
| 8536.50-900                     | NO                | KG                | 158200              | 42                  | 3097        | 426000                       | 149                 | 8122        |
| 8536.69-000                     |                   | KG                |                     | -                   | -           |                              | 46                  | 1772        |
| 8536.90-100                     |                   | KG                |                     | -                   | -           |                              | 52                  | 2694        |
| 8536.90-200                     |                   | KG                |                     | 94                  | 2599        |                              | 725                 | 8635        |
| 8536 4-ST                       |                   | KG                |                     | 136                 | 5696        |                              | 1219                | 25758       |
| 8537.10-000                     | NO                | KG                | 5                   | 27                  | 585         | 9                            | 42                  | 1079        |
| 8537 4-ST                       | NO                | KG                | 5                   | 27                  | 585         | 9                            | 42                  | 1079        |
| 8538.90-900                     |                   | KG                |                     | 9                   | 1182        |                              | 9                   | 1182        |
| 8538 4-ST                       | **                | KG                |                     | 9                   | 1182        |                              | 9                   | 1182        |
| 8539.39-000                     | NO                | KG                | -                   | -                   | -           | 90                           | 12                  | 578         |
| 8539 4-ST                       | NO                | KG                | -                   | -                   | -           | 90                           | 12                  | 578         |
| 8540.20-100                     | NO                | KG                | -                   | -                   | -           | 8740                         | 610                 | 7295        |
| 8540.91-000                     |                   | KG                |                     | -                   | -           |                              | 1197                | 13638       |
| 8540 4-ST                       |                   | KG                |                     | -                   | -           |                              | 1807                | 20933       |
| 8541.10-910                     |                   | NO                |                     | 187864              | 1213        |                              | 6343388             | 42274       |

Country by Customs by Commodity

EXPORT

401 大阪航空貨物

OSAKA KOUKUU

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 113 MALYSIA                     |                   |                   |                     |                     |             |                              |                     |             |
| 8541.10-920                     |                   | NO                |                     | -                   | -           |                              | 635328              | 4338        |
| 8541.21-910                     |                   | NO                |                     | 348000              | 2131        |                              | 4124000             | 28910       |
| 8541.21-990                     |                   | NO                |                     | -                   | -           |                              | 163000              | 2356        |
| 8541.40-910                     |                   | NO                |                     | 183000              | 1497        |                              | 1129800             | 9259        |
| 8541.40-990                     |                   | NO                |                     | 57031               | 1491        |                              | 104031              | 2298        |
| 8541.60-900                     |                   | NO                |                     | 252775              | 4562        |                              | 1607869             | 30518       |
| 8541 4-ST                       | **                | NO                |                     | 1028670             | 10894       |                              | 14107416            | 119953      |
| 8542.11-912                     |                   | NO                |                     | 121170              | 25120       |                              | 498588              | 89073       |
| 8542.11-919                     |                   | NO                |                     | 56000               | 5671        |                              | 101875              | 11724       |
| 8542.11-990                     |                   | NO                |                     | 3000                | 340         |                              | 82125               | 9778        |
| 8542.19-900                     |                   | NO                |                     | 379500              | 30842       |                              | 2026500             | 157548      |
| 8542.20-000                     |                   | NO                |                     | -                   | -           |                              | 4000                | 905         |
| 8542.90-000                     |                   | KG                |                     | 19                  | 1727        |                              | 19                  | 1727        |
| 8542 4-ST                       | **                |                   |                     |                     | 63700       |                              |                     | 270755      |
| 8543.80-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 5                   | 545         |
| 8543 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 5                   | 545         |
| 8544.41-910                     |                   | KG                |                     | 32                  | 449         |                              | 32                  | 449         |
| 8544.51-910                     |                   | KG                |                     | -                   | -           |                              | 735                 | 462         |
| 8544 4-ST                       | **                | KG                |                     | 32                  | 449         |                              | 767                 | 911         |
| 8548.00-000                     |                   | KG                |                     | 19                  | 719         |                              | 429                 | 4418        |
| 8548 4-ST                       | **                | KG                |                     | 19                  | 719         |                              | 429                 | 4418        |
| 85 2-ST                         |                   |                   |                     |                     | 190587      |                              |                     | 1116191     |
| 8714.94-000                     |                   | KG                |                     | -                   | -           |                              | 1621                | 3395        |
| 8714 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1621                | 3395        |
| 87 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1621                | 3395        |
| 9002.19-000                     |                   | KG                |                     | 9                   | 523         |                              | 9                   | 523         |
| 9002 4-ST                       | **                | KG                |                     | 9                   | 523         |                              | 9                   | 523         |
| 9003.19-100                     |                   | DZ                |                     | -                   | -           |                              | 100                 | 5160        |
| 9003 4-ST                       | **                | DZ                |                     | -                   | -           |                              | 100                 | 5160        |
| 9010.90-000                     |                   | KG                |                     | 26                  | 521         |                              | 26                  | 521         |
| 9010 4-ST                       | **                | KG                |                     | 26                  | 521         |                              | 26                  | 521         |
| 9022.19-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 55                  | 1400        |
| 9022 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 55                  | 1400        |
| 9025.19-100                     | NO                | KG                | 1                   | 1                   | 237         | 1                            | 1                   | 237         |
| 9025 4-ST                       | NO                | KG                | 1                   | 1                   | 237         | 1                            | 1                   | 237         |
| 9026.20-110                     | NO                | KG                | -                   | -                   | -           | 5                            | 3                   | 285         |
| 9026.20-900                     | NO                | KG                | -                   | -                   | -           | 51                           | 119                 | 1644        |
| 9026 4-ST                       | NO                | KG                | -                   | -                   | -           | 56                           | 122                 | 1929        |
| 9027.10-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 5                   | 328         |
| 9027.80-110                     | NO                | KG                | -                   | -                   | -           | 2                            | 480                 | 8912        |
| 9027.80-190                     | NO                | KG                | -                   | -                   | -           | 3                            | 39                  | 1884        |
| 9027 4-ST                       | NO                | KG                | -                   | -                   | -           | 6                            | 524                 | 11124       |
| 9029.20-100                     | NO                | KG                | 1                   | 2                   | 286         | 10                           | 153                 | 1450        |
| 9029 4-ST                       | NO                | KG                | 1                   | 2                   | 286         | 10                           | 153                 | 1450        |
| 9030.39-100                     | NO                | KG                | -                   | -                   | -           | 6                            | 6                   | 319         |
| 9030.39-900                     | NO                | KG                | 3                   | 56                  | 2876        | 9                            | 103                 | 3994        |
| 9030.89-990                     | NO                | KG                | -                   | -                   | -           | 1                            | 4                   | 1275        |
| 9030.90-000                     |                   | KG                |                     | 3                   | 234         |                              | 20                  | 1248        |
| 9030 4-ST                       |                   | KG                |                     | 59                  | 3110        |                              | 133                 | 6836        |
| 9031.80-190                     | NO                | KG                | 2                   | 8                   | 380         | 2                            | 8                   | 380         |
| 9031 4-ST                       | NO                | KG                | 2                   | 8                   | 380         | 2                            | 8                   | 380         |
| 9032.89-111                     | NO                | KG                | 1                   | 2                   | 332         | 1                            | 2                   | 332         |
| 9032 4-ST                       | NO                | KG                | 1                   | 2                   | 332         | 1                            | 2                   | 332         |
| 9033.00-000                     |                   | KG                |                     | -                   | -           |                              | 27                  | 827         |
| 9033 4-ST                       | **                | KG                |                     | -                   | -           |                              | 27                  | 827         |
| 90 2-ST                         |                   |                   |                     |                     | 5389        |                              |                     | 30719       |
| 9606.29-100                     | GS                | KG                | -                   | -                   | -           | 852                          | 39                  | 722         |
| 9606 4-ST                       | GS                | KG                | -                   | -                   | -           | 852                          | 39                  | 722         |
| 96 2-ST                         | GS                | KG                | -                   | -                   | -           | 852                          | 39                  | 722         |
| TOTAL                           |                   |                   |                     |                     | 217780      |                              |                     | 1291629     |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |