

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 137 SU ARAB                     |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 5                 | 1993        |                              | 121               | 3094        |
| 0000 4-ST                       | **                | KG                |                    | 5                 | 1993        |                              | 121               | 3094        |
| 00 2-ST                         | **                | KG                |                    | 5                 | 1993        |                              | 121               | 3094        |
| 3701.30-000                     |                   | SM                |                    | -                 | -           |                              | 62                | 536         |
| 3701.99-000                     |                   | SM                |                    | -                 | -           |                              | 12                | 247         |
| 3701 4-ST                       | **                | SM                |                    | -                 | -           |                              | 74                | 783         |
| 3707.90-000                     |                   | KG                |                    | 26                | 239         |                              | 1199              | 3126        |
| 3707 4-ST                       | **                | KG                |                    | 26                | 239         |                              | 1199              | 3126        |
| 37 2-ST                         | **                |                   |                    |                   | 239         |                              |                   | 3909        |
| 3823.90-900                     |                   | KG                |                    | -                 | -           |                              | 160               | 967         |
| 3823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 160               | 967         |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 160               | 967         |
| 3905.20-100                     |                   | KG                |                    | -                 | -           |                              | 10000             | 3171        |
| 3905 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10000             | 3171        |
| 3906.90-900                     |                   | KG                |                    | -                 | -           |                              | 100               | 535         |
| 3906 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 535         |
| 3907.30-000                     |                   | KG                |                    | -                 | -           |                              | 350               | 2065        |
| 3907 4-ST                       | **                | KG                |                    | -                 | -           |                              | 350               | 2065        |
| 3917.32-100                     |                   | KG                |                    | -                 | -           |                              | 150               | 260         |
| 3917.40-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 225         |
| 3917 4-ST                       | **                | KG                |                    | -                 | -           |                              | 170               | 485         |
| 3919.10-200                     |                   | KG                |                    | -                 | -           |                              | 457               | 703         |
| 3919.10-300                     |                   | KG                |                    | 24                | 409         |                              | 24                | 409         |
| 3919 4-ST                       | **                | KG                |                    | 24                | 409         |                              | 481               | 1112        |
| 3921.90-900                     |                   | KG                |                    | -                 | -           |                              | 20                | 248         |
| 3921 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 248         |
| 3926.90-000                     |                   | KG                |                    | 72                | 893         |                              | 208               | 5803        |
| 3926 4-ST                       | **                | KG                |                    | 72                | 893         |                              | 208               | 5803        |
| 39 2-ST                         | **                | KG                |                    | 96                | 1302        |                              | 11329             | 13419       |
| 4010.91-100                     |                   | KG                |                    | -                 | -           |                              | 28                | 794         |
| 4010.99-100                     |                   | KG                |                    | -                 | -           |                              | 10                | 277         |
| 4010.99-900                     |                   | KG                |                    | -                 | -           |                              | 195               | 740         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 233               | 1811        |
| 4016.93-000                     |                   | KG                |                    | 0                 | 1988        |                              | 83                | 7816        |
| 4016.99-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 510         |
| 4016 4-ST                       | **                | KG                |                    | 0                 | 1988        |                              | 85                | 8326        |
| 40 2-ST                         | **                | KG                |                    | 0                 | 1988        |                              | 318               | 10137       |
| 4202.32-000                     | DZ                | KG                | -                  | -                 | -           | 83                           | 330               | 1041        |
| 4202.92-000                     | DZ                | KG                | -                  | -                 | -           | 157                          | 1175              | 3191        |
| 4202 4-ST                       | DZ                | KG                | -                  | -                 | -           | 240                          | 1505              | 4232        |
| 42 2-ST                         | DZ                | KG                | -                  | -                 | -           | 240                          | 1505              | 4232        |
| 4816.10-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 450         |
| 4816 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 450         |
| 4820.10-900                     |                   | KG                |                    | -                 | -           |                              | 80                | 225         |
| 4820 4-ST                       | **                | KG                |                    | -                 | -           |                              | 80                | 225         |
| 4823.40-000                     |                   | KG                |                    | 72                | 261         |                              | 92                | 523         |
| 4823.90-200                     |                   | KG                |                    | -                 | -           |                              | 203               | 1860        |
| 4823.90-900                     |                   | KG                |                    | -                 | -           |                              | 99                | 770         |
| 4823 4-ST                       | **                | KG                |                    | 72                | 261         |                              | 394               | 3153        |
| 48 2-ST                         | **                | KG                |                    | 72                | 261         |                              | 534               | 3828        |
| 4901.99-000                     |                   | NO                |                    | -                 | -           |                              | 536               | 493         |
| 4901 4-ST                       | **                | NO                |                    | -                 | -           |                              | 536               | 493         |
| 4911.10-000                     |                   | KG                |                    | -                 | -           |                              | 1876              | 3980        |
| 4911.99-000                     |                   | KG                |                    | -                 | -           |                              | 170               | 250         |
| 4911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2046              | 4230        |
| 49 2-ST                         | **                |                   |                    | -                 | -           |                              |                   | 4723        |
| 5112.11-000                     | SM                | KG                | -                  | -                 | -           | 429                          | 79                | 326         |
| 5112 4-ST                       | SM                | KG                | -                  | -                 | -           | 429                          | 79                | 326         |
| 51 2-ST                         | SM                | KG                | -                  | -                 | -           | 429                          | 79                | 326         |
| 5208.52-100                     | SM                | KG                | -                  | -                 | -           | 420                          | 63                | 207         |
| 5208.52-200                     | SM                | KG                | -                  | -                 | -           | 1085                         | 122               | 300         |
| 5208 4-ST                       | SM                | KG                | -                  | -                 | -           | 1505                         | 185               | 507         |
| 5210.49-000                     | SM                | KG                | -                  | -                 | -           | 656                          | 118               | 1252        |
| 5210 4-ST                       | SM                | KG                | -                  | -                 | -           | 656                          | 118               | 1252        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 137 SU ARAB<br>52 2-ST          | SM                | KG                | -                  | -                 | -           | 2161                         | 303               | 1759        |
| 5402.62-000                     |                   | KG                | -                  | -                 | -           |                              | 96                | 495         |
| 5402 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 96                | 495         |
| 5407.93-000                     | SM                | KG                | -                  | -                 | -           | 833                          | 168               | 509         |
| 5407 4-ST                       | SM                | KG                | -                  | -                 | -           | 833                          | 168               | 509         |
| 5408.22-200                     | SM                | KG                | -                  | -                 | -           | 4820                         | 520               | 5062        |
| 5408.32-200                     | SM                | KG                | -                  | -                 | -           | 2511                         | 249               | 2574        |
| 5408.33-200                     | SM                | KG                | -                  | -                 | -           | 2825                         | 428               | 3469        |
| 5408.33-300                     | SM                | KG                | -                  | -                 | -           | 3023                         | 343               | 4374        |
| 5408 4-ST                       | SM                | KG                | -                  | -                 | -           | 13179                        | 1540              | 15479       |
| 54 2-ST                         |                   | KG                | -                  | -                 | -           |                              | 1804              | 16483       |
| 5513.11-000                     | SM                | KG                | -                  | -                 | -           | 836                          | 103               | 303         |
| 5513.31-000                     | SM                | KG                | -                  | -                 | -           | 2067                         | 191               | 762         |
| 5513 4-ST                       | SM                | KG                | -                  | -                 | -           | 2903                         | 294               | 1065        |
| 5515.11-000                     | SM                | KG                | -                  | -                 | -           | 2771                         | 452               | 884         |
| 5515 4-ST                       | SM                | KG                | -                  | -                 | -           | 2771                         | 452               | 884         |
| 5516.23-000                     | SM                | KG                | -                  | -                 | -           | 529                          | 80                | 1276        |
| 5516 4-ST                       | SM                | KG                | -                  | -                 | -           | 529                          | 80                | 1276        |
| 55 2-ST                         | SM                | KG                | -                  | -                 | -           | 6203                         | 826               | 3225        |
| 5605.00-000                     |                   | KG                | -                  | -                 | -           |                              | 797               | 2814        |
| 5605 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 797               | 2814        |
| 5607.90-000                     |                   | KG                | -                  | -                 | -           |                              | 11819             | 22680       |
| 5607 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 11819             | 22680       |
| 56 2-ST                         | **                | KG                | -                  | -                 | -           |                              | 12616             | 25494       |
| 5804.10-900                     |                   | KG                | -                  | -                 | -           |                              | 33                | 1383        |
| 5804 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 33                | 1383        |
| 5806.32-100                     |                   | KG                | -                  | -                 | -           |                              | 302               | 2567        |
| 5806 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 302               | 2567        |
| 5808.90-000                     |                   | KG                | -                  | -                 | -           |                              | 434               | 2804        |
| 5808 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 434               | 2804        |
| 5810.91-000                     |                   | KG                | -                  | -                 | -           |                              | 79                | 1714        |
| 5810 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 79                | 1714        |
| 58 2-ST                         | **                | KG                | -                  | -                 | -           |                              | 848               | 8468        |
| 5908.00-000                     |                   | KG                | -                  | -                 | -           |                              | 444               | 1507        |
| 5908 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 444               | 1507        |
| 5911.90-000                     |                   | KG                | -                  | -                 | -           |                              | 210               | 630         |
| 5911 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 210               | 630         |
| 59 2-ST                         | **                | KG                | -                  | -                 | -           |                              | 654               | 2137        |
| 6002.20-210                     |                   | KG                | -                  | -                 | -           |                              | 989               | 4663        |
| 6002.43-200                     |                   | KG                | -                  | -                 | -           |                              | 1349              | 4488        |
| 6002 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 2338              | 9151        |
| 60 2-ST                         | **                | KG                | -                  | -                 | -           |                              | 2338              | 9151        |
| 6101.20-000                     | DZ                | KG                | -                  | -                 | -           | 1                            | 12                | 217         |
| 6101 4-ST                       | DZ                | KG                | -                  | -                 | -           | 1                            | 12                | 217         |
| 6117.90-000                     |                   | KG                | -                  | -                 | -           |                              | 3077              | 5779        |
| 6117 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 3077              | 5779        |
| 61 2-ST                         | **                | KG                | -                  | -                 | -           |                              | 3089              | 5996        |
| 6217.90-000                     |                   | KG                | -                  | -                 | -           |                              | 740               | 1797        |
| 6217 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 740               | 1797        |
| 62 2-ST                         | **                | KG                | -                  | -                 | -           |                              | 740               | 1797        |
| 6804.21-100                     |                   | KG                |                    | 297               | 5389        |                              | 1740              | 28196       |
| 6804.21-200                     |                   | KG                | -                  | -                 | -           |                              | 173               | 4935        |
| 6804.21-900                     |                   | KG                | -                  | -                 | -           |                              | 27                | 1122        |
| 6804.22-200                     |                   | KG                | -                  | -                 | -           |                              | 364               | 2729        |
| 6804 4-ST                       | **                | KG                |                    | 297               | 5389        |                              | 2304              | 36982       |
| 6812.90-000                     |                   | KG                | -                  | -                 | -           |                              | 174               | 2161        |
| 6812 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 174               | 2161        |
| 6815.10-900                     |                   | KG                | -                  | -                 | -           |                              | 40                | 578         |
| 6815 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 40                | 578         |
| 68 2-ST                         | **                | KG                |                    | 297               | 5389        |                              | 2518              | 39721       |
| 6909.19-000                     |                   | KG                | -                  | -                 | -           |                              | 1                 | 259         |
| 6909 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 1                 | 259         |
| 69 2-ST                         | **                | KG                | -                  | -                 | -           |                              | 1                 | 259         |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 137 SU ARAB                     |                   |                   |                    |                   |             |                              |                   |             |
| 7020.00-000                     |                   | KG                |                    | -                 | -           |                              | 102               | 928         |
| 7020 4-ST                       | **                | KG                |                    | -                 | -           |                              | 102               | 928         |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 102               | 928         |
| 7219.33-900                     |                   | MT                |                    | -                 | -           |                              | 0                 | 645         |
| 7219 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 645         |
| 7220.20-390                     |                   | MT                |                    | -                 | -           |                              | 1                 | 703         |
| 7220 4-ST                       | **                | MT                |                    | -                 | -           |                              | 1                 | 703         |
| 72 2-ST                         | **                | MT                |                    | -                 | -           |                              | 1                 | 1348        |
| 7306.30-200                     |                   | MT                |                    | -                 | -           |                              | 0                 | 408         |
| 7306.40-900                     |                   | MT                |                    | -                 | -           |                              | 0                 | 316         |
| 7306.90-900                     |                   | MT                |                    | -                 | -           |                              | 0                 | 225         |
| 7306 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 949         |
| 7307.19-000                     |                   | KG                |                    | -                 | -           |                              | 200               | 239         |
| 7307.93-900                     |                   | MT                |                    | -                 | -           |                              | 0                 | 245         |
| 7307 4-ST                       | **                |                   |                    | -                 | -           |                              |                   | 484         |
| 7310.29-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 289         |
| 7310 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 289         |
| 7315.11-900                     |                   | KG                |                    | -                 | -           |                              | 8                 | 267         |
| 7315 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 267         |
| 7318.15-110                     |                   | KG                | 85                 |                   | 330         |                              | 85                | 330         |
| 7318.15-900                     |                   | KG                |                    | -                 | -           |                              | 2                 | 395         |
| 7318.16-100                     |                   | KG                |                    | -                 | -           |                              | 16                | 610         |
| 7318.16-900                     |                   | KG                |                    | -                 | -           |                              | 20                | 1063        |
| 7318 4-ST                       | **                | KG                | 85                 |                   | 330         |                              | 123               | 2398        |
| 7320.20-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 270         |
| 7320.90-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 303         |
| 7320 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 573         |
| 7326.90-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 912         |
| 7326 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 912         |
| 73 2-ST                         | **                |                   |                    | -                 | 330         |                              |                   | 5872        |
| 7411.10-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 228         |
| 7411 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 228         |
| 7419.99-000                     |                   | KG                |                    | -                 | -           |                              | 35                | 848         |
| 7419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 35                | 848         |
| 74 2-ST                         | **                |                   |                    | -                 | -           |                              |                   | 1076        |
| 7607.20-000                     |                   | KG                |                    | -                 | -           |                              | 56                | 375         |
| 7607 4-ST                       | **                | KG                |                    | -                 | -           |                              | 56                | 375         |
| 76 2-ST                         | **                | KG                |                    | -                 | -           |                              | 56                | 375         |
| 7905.00-000                     |                   | KG                |                    | -                 | -           |                              | 12                | 300         |
| 7905 4-ST                       | **                | KG                |                    | -                 | -           |                              | 12                | 300         |
| 79 2-ST                         | **                | KG                |                    | -                 | -           |                              | 12                | 300         |
| 8202.20-000                     |                   | NO                | 10                 |                   | 257         |                              | 20                | 479         |
| 8202 4-ST                       | **                | NO                | 10                 |                   | 257         |                              | 20                | 479         |
| 8207.30-100                     | NO                | KG                | 18                 | 18                | 246         | 18                           | 18                | 246         |
| 8207.30-900                     |                   | KG                |                    | -                 | -           |                              | 8                 | 1745        |
| 8207.40-110                     | NO                | KG                | 100                | 19                | 506         | 100                          | 19                | 506         |
| 8207.40-190                     | NO                | KG                | -                  | -                 | -           | 110                          | 74                | 447         |
| 8207 4-ST                       |                   | KG                |                    | 37                | 752         |                              | 119               | 2944        |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 145               | 2565        |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 145               | 2565        |
| 8209.00-100                     | NO                | KG                | -                  | -                 | -           | 867                          | 42                | 2836        |
| 8209 4-ST                       | NO                | KG                | -                  | -                 | -           | 867                          | 42                | 2836        |
| 82 2-ST                         |                   |                   |                    | -                 | 1009        |                              |                   | 8824        |
| 8301.30-000                     |                   | KG                |                    | -                 | -           |                              | 949               | 4062        |
| 8301 4-ST                       | **                | KG                |                    | -                 | -           |                              | 949               | 4062        |
| 8302.42-000                     |                   | KG                |                    | -                 | -           |                              | 96                | 276         |
| 8302 4-ST                       | **                | KG                |                    | -                 | -           |                              | 96                | 276         |
| 8309.10-000                     |                   | KG                |                    | -                 | -           |                              | 1067              | 270         |
| 8309 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1067              | 270         |
| 8311.10-110                     |                   | KG                |                    | -                 | -           |                              | 500               | 791         |
| 8311 4-ST                       | **                | KG                |                    | -                 | -           |                              | 500               | 791         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 2612              | 5399        |
| 8402.90-900                     |                   | KG                |                    | -                 | -           |                              | 30                | 230         |
| 8402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 230         |
| 8408.90-300                     | NO                | KG                | -                  | -                 | -           | 1                            | 450               | 251         |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 137 SU ARAB                     |                   |                   |                    |                   |             |                              |                   |             |
| 8408 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 450               | 251         |
| 8409.91-100                     |                   | KG                | -                  | -                 | -           |                              | 602               | 1972        |
| 8409.91-200                     |                   | KG                |                    | 114               | 720         |                              | 114               | 720         |
| 8409.91-900                     |                   | KG                |                    | 1                 | 461         |                              | 13                | 933         |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 479               | 1788        |
| 8409.99-200                     |                   | KG                |                    | 27                | 274         |                              | 136               | 3573        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 871               | 16099       |
| 8409 4-ST                       | **                | KG                |                    | 142               | 1455        |                              | 2215              | 25085       |
| 8410.90-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 260         |
| 8410 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1                 | 260         |
| 8412.21-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 50                | 718         |
| 8412.31-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 14                | 387         |
| 8412.39-000                     | NO                | KG                | 10                 | 21                | 454         | 10                           | 21                | 454         |
| 8412.90-000                     |                   | KG                |                    | -                 | -           |                              | 102               | 494         |
| 8412 4-ST                       |                   | KG                |                    | 21                | 454         |                              | 187               | 2053        |
| 8413.30-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 156               | 501         |
| 8413.50-100                     | NO                | KG                | 12                 | 67                | 530         | 12                           | 67                | 530         |
| 8413.60-900                     | NO                | KG                | -                  | -                 | -           | 3                            | 161               | 1636        |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 50                | 258         |
| 8413.91-000                     |                   | KG                |                    | 82                | 2142        |                              | 339               | 16607       |
| 8413 4-ST                       |                   | KG                |                    | 149               | 2672        |                              | 773               | 19532       |
| 8414.30-900                     | NO                | KG                | -                  | -                 | -           | 6                            | 406               | 900         |
| 8414.80-100                     | NO                | KG                | -                  | -                 | -           | 10                           | 30                | 261         |
| 8414.80-220                     | NO                | KG                | -                  | -                 | -           | 1                            | 200               | 1163        |
| 8414.90-100                     |                   | KG                |                    | 2                 | 302         |                              | 219               | 10341       |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 49                | 1224        |
| 8414 4-ST                       |                   | KG                |                    | 2                 | 302         |                              | 904               | 13889       |
| 8418.69-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 336               | 1008        |
| 8418 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 336               | 1008        |
| 8419.81-000                     |                   | KG                |                    | -                 | -           |                              | 136               | 559         |
| 8419.90-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 663         |
| 8419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 164               | 1222        |
| 8421.21-000                     | NO                | KG                | -                  | -                 | -           | 8                            | 378               | 2599        |
| 8421.23-000                     | NO                | KG                | -                  | -                 | -           | 52                           | 61                | 1560        |
| 8421.29-000                     | NO                | KG                | -                  | -                 | -           | 509                          | 244               | 1868        |
| 8421.39-000                     | NO                | KG                | -                  | -                 | -           | 15                           | 17                | 400         |
| 8421.91-000                     |                   | KG                |                    | -                 | -           |                              | 0                 | 571         |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 58                | 2071        |
| 8421 4-ST                       |                   | KG                |                    | -                 | -           |                              | 758               | 9069        |
| 8424.81-200                     | NO                | KG                | -                  | -                 | -           | 7                            | 172               | 518         |
| 8424.90-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 535         |
| 8424 4-ST                       |                   | KG                |                    | -                 | -           |                              | 174               | 1053        |
| 8425.49-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 140               | 275         |
| 8425 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 140               | 275         |
| 8431.20-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 786         |
| 8431.31-000                     |                   | KG                |                    | -                 | -           |                              | 373               | 1929        |
| 8431.39-200                     |                   | KG                |                    | -                 | -           |                              | 40                | 525         |
| 8431.49-110                     |                   | KG                |                    | -                 | -           |                              | 577               | 4592        |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 502               | 2679        |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1522              | 10511       |
| 8441.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 12                | 715         |
| 8441.90-000                     |                   | KG                |                    | -                 | -           |                              | 217               | 5139        |
| 8441 4-ST                       |                   | KG                |                    | -                 | -           |                              | 229               | 5854        |
| 8448.49-000                     |                   | KG                |                    | -                 | -           |                              | 103               | 3190        |
| 8448 4-ST                       | **                | KG                |                    | -                 | -           |                              | 103               | 3190        |
| 8451.50-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 34                | 255         |
| 8451 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 34                | 255         |
| 8452.29-900                     | NO                | KG                | -                  | -                 | -           | 5                            | 350               | 3156        |
| 8452.30-900                     | TH                | KG                | 539                | 290               | 6354        | 579                          | 319               | 6589        |
| 8452.90-990                     |                   | KG                |                    | -                 | -           |                              | 2                 | 433         |
| 8452 4-ST                       |                   | KG                |                    | 290               | 6354        |                              | 671               | 10178       |
| 8464.20-200                     | NO                | KG                | -                  | -                 | -           | 6                            | 99                | 1239        |
| 8464 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 99                | 1239        |
| 8465.99-900                     | NO                | KG                | -                  | -                 | -           | 7                            | 70                | 448         |
| 8465 4-ST                       | NO                | KG                | -                  | -                 | -           | 7                            | 70                | 448         |
| 8466.93-000                     |                   | KG                |                    | 14                | 978         |                              | 14                | 978         |
| 8466.94-000                     |                   | KG                |                    | -                 | -           |                              | 40                | 457         |
| 8466 4-ST                       | **                | KG                |                    | 14                | 978         |                              | 54                | 1435        |
| 8467.19-900                     | NO                | KG                | -                  | -                 | -           | 7                            | 25                | 2056        |
| 8467 4-ST                       | NO                | KG                | -                  | -                 | -           | 7                            | 25                | 2056        |
| 8468.10-000                     |                   | KG                |                    | -                 | -           |                              | 24                | 271         |
| 8468.20-000                     |                   | KG                |                    | -                 | -           |                              | 150               | 1189        |
| 8468 4-ST                       | **                | KG                |                    | -                 | -           |                              | 174               | 1460        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 137 SU ARAB                     |                   |                   |                    |                   |             |                              |                   |             |
| 8470.10-000                     |                   | NO                |                    | -                 | -           |                              | 200               | 320         |
| 8470.90-900                     | NO                | KG                | -                  | -                 | -           | 88                           | 439               | 4418        |
| 8470 4-ST                       |                   |                   |                    |                   |             |                              |                   | 4738        |
| 8471.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 249         |
| 8471.92-110                     | NO                | KG                | -                  | -                 | -           | 200                          | 2640              | 8113        |
| 8471.92-120                     | NO                | KG                | -                  | -                 | -           | 3                            | 57                | 268         |
| 8471.92-130                     | NO                | KG                | -                  | -                 | -           | 1                            | 37                | 456         |
| 8471.92-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 5                 | 2597        |
| 8471.93-200                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 354         |
| 8471.93-300                     | NO                | KG                | -                  | -                 | -           | 1                            | 3                 | 500         |
| 8471 4-ST                       | NO                | KG                | -                  | -                 | -           | 209                          | 2754              | 12537       |
| 8472.90-000                     | NO                | KG                | -                  | -                 | -           | 22                           | 288               | 2494        |
| 8472 4-ST                       | NO                | KG                | -                  | -                 | -           | 22                           | 288               | 2494        |
| 8473.29-000                     |                   | KG                |                    | 2                 | 280         |                              | 2                 | 280         |
| 8473.30-000                     |                   | KG                |                    | 2                 | 1300        |                              | 40                | 31636       |
| 8473 4-ST                       | **                | KG                |                    | 4                 | 1580        |                              | 42                | 31916       |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 18                           | 473               | 3266        |
| 8479.90-000                     |                   | KG                |                    | 2                 | 370         |                              | 4                 | 939         |
| 8479 4-ST                       |                   | KG                |                    | 2                 | 370         |                              | 477               | 4205        |
| 8481.10-000                     |                   | KG                |                    | -                 | -           |                              | 241               | 2703        |
| 8481.20-000                     |                   | KG                |                    | -                 | -           |                              | 308               | 6104        |
| 8481.30-900                     |                   | KG                | 152                | -                 | 496         |                              | 166               | 733         |
| 8481.40-000                     |                   | KG                |                    | -                 | -           |                              | 156               | 2388        |
| 8481.80-110                     |                   | KG                |                    | -                 | -           |                              | 26                | 504         |
| 8481.80-190                     |                   | KG                |                    | 78                | 1427        |                              | 281               | 7739        |
| 8481.80-900                     |                   | KG                |                    | -                 | -           |                              | 18                | 1446        |
| 8481.90-000                     |                   | KG                |                    | 7                 | 587         |                              | 293               | 13613       |
| 8481 4-ST                       | **                | KG                | 237                | -                 | 2510        |                              | 1489              | 35230       |
| 8482.10-000                     |                   | KG                |                    | 0                 | 441         |                              | 284               | 1966        |
| 8482.80-000                     |                   | KG                |                    | -                 | -           |                              | 171               | 720         |
| 8482 4-ST                       | **                | KG                |                    | 0                 | 441         |                              | 455               | 2686        |
| 8483.10-000                     |                   | KG                | 267                | -                 | 564         |                              | 549               | 7374        |
| 8483.30-100                     |                   | KG                |                    | -                 | -           |                              | 5                 | 379         |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 516               | 15967       |
| 8483.40-200                     |                   | KG                |                    | -                 | -           |                              | 301               | 3173        |
| 8483.60-000                     |                   | KG                |                    | 72                | 571         |                              | 143               | 1710        |
| 8483 4-ST                       | **                | KG                | 339                | -                 | 1135        |                              | 1514              | 28603       |
| 8484.10-000                     |                   | KG                |                    | 4                 | 974         |                              | 55                | 3612        |
| 8484 4-ST                       | **                | KG                |                    | 4                 | 974         |                              | 55                | 3612        |
| 8485.90-000                     |                   | KG                |                    | 3                 | 874         |                              | 371               | 14618       |
| 8485 4-ST                       | **                | KG                |                    | 3                 | 874         |                              | 371               | 14618       |
| 84 2-ST                         |                   |                   |                    |                   | 20099       |                              |                   | 251192      |
| 8501.31-192                     | NO                | KG                | -                  | -                 | -           | 1                            | 13                | 286         |
| 8501.51-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 65                | 1081        |
| 8501.52-100                     | NO                | KG                | -                  | -                 | -           | 23                           | 379               | 3813        |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 28                           | 457               | 5180        |
| 8503.00-000                     |                   | KG                |                    | 11                | 349         |                              | 11                | 349         |
| 8503 4-ST                       | **                | KG                |                    | 11                | 349         |                              | 11                | 349         |
| 8504.10-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 60                | 483         |
| 8504.31-910                     | NO                | KG                | -                  | -                 | -           | 55                           | 270               | 5585        |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 77                           | 87                | 5202        |
| 8504.40-190                     | NO                | KG                | -                  | -                 | -           | 1                            | 18                | 520         |
| 8504.40-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 19                | 707         |
| 8504.90-000                     |                   | KG                |                    | 4                 | 240         |                              | 4                 | 240         |
| 8504 4-ST                       |                   | KG                |                    | 4                 | 240         |                              | 458               | 12737       |
| 8505.20-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 245         |
| 8505.90-900                     |                   | KG                |                    | -                 | -           |                              | 0                 | 241         |
| 8505 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 486         |
| 8507.30-000                     |                   | KG                |                    | -                 | -           |                              | 83                | 975         |
| 8507 4-ST                       | **                | KG                |                    | -                 | -           |                              | 83                | 975         |
| 8508.80-900                     |                   | NO                |                    | -                 | -           |                              | 2                 | 250         |
| 8508 4-ST                       | **                | NO                |                    | -                 | -           |                              | 2                 | 250         |
| 8510.10-100                     |                   | NO                |                    | -                 | -           |                              | 30                | 218         |
| 8510.90-000                     |                   | KG                |                    | 13                | 354         |                              | 13                | 354         |
| 8510 4-ST                       | **                |                   |                    |                   | 354         |                              |                   | 572         |
| 8511.40-100                     |                   | KG                |                    | -                 | -           |                              | 271               | 825         |
| 8511.50-000                     |                   | KG                |                    | -                 | -           |                              | 362               | 994         |
| 8511.90-100                     |                   | KG                |                    | -                 | -           |                              | 223               | 1087        |
| 8511 4-ST                       | **                | KG                |                    | -                 | -           |                              | 856               | 2906        |
| 8515.90-000                     |                   | KG                |                    | -                 | -           |                              | 4660              | 10086       |
| 8515 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4660              | 10086       |
| 8516.80-000                     |                   | KG                |                    | -                 | -           |                              | 117               | 1807        |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 137 SU ARAB                     |                   |                   |                    |                   |             |                              |                   |             |
| 8516 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 117               | 1807        |
| 8517.10-100                     | NO                | KG                | -                  | -                 | -           | 400                          | 440               | 5251        |
| 8517.30-000                     | NO                | KG                | -                  | -                 | -           | 20                           | 342               | 2010        |
| 8517.81-200                     | NO                | KG                | -                  | -                 | -           | 10                           | 15                | 248         |
| 8517.81-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 7                 | 230         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 174                          | 1606              | 14633       |
| 8517.82-900                     | NO                | KG                | -                  | -                 | -           | 5                            | 2                 | 250         |
| 8517.90-000                     |                   | KG                | -                  | -                 | -           |                              | 324               | 11246       |
| 8517 4-ST                       |                   | KG                | -                  | -                 | -           |                              | 2736              | 33868       |
| 8518.90-000                     |                   | KG                |                    | 39                | 655         |                              | 39                | 655         |
| 8518 4-ST                       | **                | KG                |                    | 39                | 655         |                              | 39                | 655         |
| 8519.99-100                     |                   | NO                |                    | -                 | -           |                              | 4                 | 2496        |
| 8519.99-900                     |                   | NO                |                    | -                 | -           |                              | 50                | 1877        |
| 8519 4-ST                       | **                | NO                |                    | -                 | -           |                              | 54                | 4373        |
| 8520.31-100                     |                   | NO                |                    | -                 | -           |                              | 60                | 1246        |
| 8520 4-ST                       | **                | NO                |                    | -                 | -           |                              | 60                | 1246        |
| 8521.10-000                     |                   | NO                | -                  | -                 | -           | 106                          | 57                | 2418        |
| 8521 4-ST                       | NO                | KG                | -                  | -                 | -           | 106                          | 57                | 2418        |
| 8522.90-900                     |                   | KG                |                    | -                 | -           |                              | 5                 | 287         |
| 8522 4-ST                       | **                | KG                |                    | -                 | -           |                              | 5                 | 287         |
| 8524.23-000                     |                   | KG                |                    | -                 | -           |                              | 333               | 1663        |
| 8524 4-ST                       | **                | KG                |                    | -                 | -           |                              | 333               | 1663        |
| 8525.20-920                     | NO                | KG                | -                  | -                 | -           | 51                           | 47                | 1132        |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 200                          | 380               | 20072       |
| 8525.30-900                     | NO                | KG                | -                  | -                 | -           | 20                           | 14                | 475         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 271                          | 441               | 21679       |
| 8526.92-000                     | NO                | KG                | -                  | -                 | -           | 721                          | 145               | 2713        |
| 8526 4-ST                       | NO                | KG                | -                  | -                 | -           | 721                          | 145               | 2713        |
| 8527.21-000                     |                   | NO                |                    | -                 | -           |                              | 8                 | 373         |
| 8527.29-000                     |                   | NO                |                    | -                 | -           |                              | 8                 | 400         |
| 8527 4-ST                       | **                | NO                |                    | -                 | -           |                              | 16                | 773         |
| 8528.10-119                     |                   | NO                |                    | -                 | -           |                              | 9                 | 979         |
| 8528.10-190                     |                   | NO                |                    | -                 | -           |                              | 2                 | 384         |
| 8528.20-900                     |                   | NO                |                    | -                 | -           |                              | 36                | 2181        |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 47                | 3544        |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 17                | 207         |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 17                | 207         |
| 8531.10-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 888         |
| 8531.80-000                     |                   | KG                |                    | -                 | -           |                              | 34                | 287         |
| 8531.90-000                     |                   | KG                |                    | -                 | -           |                              | 11                | 2080        |
| 8531 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 3255        |
| 8532.10-000                     |                   | NO                |                    | -                 | -           |                              | 2                 | 745         |
| 8532.22-000                     |                   | TH                |                    | -                 | -           |                              | 29                | 1561        |
| 8532 4-ST                       | **                |                   |                    | -                 | -           |                              |                   | 2306        |
| 8533.29-000                     | TH                | KG                | -                  | -                 | -           | 0                            | 0                 | 250         |
| 8533.31-000                     | NO                | KG                | -                  | -                 | -           | 8400                         | 55                | 1401        |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 160                          | 2                 | 590         |
| 8533 4-ST                       |                   | KG                |                    | -                 | -           |                              | 57                | 2241        |
| 8536.10-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 284         |
| 8536.20-000                     | NO                | KG                | 3                  | 15                | 334         | 21                           | 53                | 1297        |
| 8536.41-000                     |                   | KG                |                    | -                 | -           |                              | 116               | 1247        |
| 8536.49-000                     |                   | KG                |                    | -                 | -           |                              | 123               | 11782       |
| 8536.50-900                     | NO                | KG                | -                  | -                 | -           | 397                          | 109               | 4937        |
| 8536.69-000                     |                   | KG                |                    | -                 | -           |                              | 17                | 309         |
| 8536.90-100                     |                   | KG                |                    | -                 | -           |                              | 24                | 521         |
| 8536.90-200                     |                   | KG                |                    | -                 | -           |                              | 55                | 2015        |
| 8536 4-ST                       |                   | KG                |                    | 15                | 334         |                              | 499               | 22392       |
| 8537.10-000                     | NO                | KG                | 3                  | 21                | 592         | 19                           | 56                | 3054        |
| 8537 4-ST                       | NO                | KG                | 3                  | 21                | 592         | 19                           | 56                | 3054        |
| 8538.90-100                     |                   | KG                |                    | -                 | -           |                              | 6                 | 239         |
| 8538.90-900                     |                   | KG                |                    | 60                | 548         |                              | 79                | 8264        |
| 8538 4-ST                       | **                | KG                |                    | 60                | 548         |                              | 85                | 8503        |
| 8539.21-000                     | NO                | KG                | -                  | -                 | -           | 268                          | 25                | 647         |
| 8539.29-100                     | NO                | KG                | -                  | -                 | -           | 70000                        | 193               | 1855        |
| 8539.29-200                     | NO                | KG                | -                  | -                 | -           | 8000                         | 9                 | 685         |
| 8539.29-900                     | NO                | KG                | -                  | -                 | -           | 50000                        | 135               | 1382        |
| 8539.31-000                     | NO                | KG                | -                  | -                 | -           | 200                          | 5                 | 240         |
| 8539.39-000                     | NO                | KG                | -                  | -                 | -           | 18                           | 0                 | 576         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 128486                       | 367               | 5385        |
| 8540.20-100                     | NO                | KG                | -                  | -                 | -           | 50                           | 3                 | 469         |
| 8540.30-000                     | NO                | KG                | -                  | -                 | -           | 8                            | 3                 | 296         |
| 8540.89-900                     | NO                | KG                | -                  | -                 | -           | 50                           | 1                 | 668         |
| 8540 4-ST                       | NO                | KG                | -                  | -                 | -           | 108                          | 7                 | 1433        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 137 SU ARAB                     |                   |                   |                    |                   |             |                              |                   |             |
| 8541.10-920                     |                   | NO                |                    | -                 | -           |                              | 2                 | 674         |
| 8541.21-910                     |                   | NO                |                    | -                 | -           |                              | 5200              | 391         |
| 8541 4-ST                       | **                | NO                |                    | -                 | -           |                              | 5202              | 1065        |
| 8542.11-912                     |                   | NO                |                    | -                 | -           |                              | 9500              | 3515        |
| 8542.11-919                     |                   | NO                |                    | -                 | -           |                              | 12550             | 1546        |
| 8542.11-990                     |                   | NO                |                    | -                 | -           |                              | 2910              | 377         |
| 8542.19-900                     |                   | NO                |                    | 4620              | 468         |                              | 14488             | 1089        |
| 8542.20-000                     |                   | NO                |                    | -                 | -           |                              | 160               | 214         |
| 8542 4-ST                       | **                | NO                |                    | 4620              | 468         |                              | 39608             | 6741        |
| 8543.80-000                     | NO                | KG                | -                  | -                 | -           | 632                          | 439               | 10223       |
| 8543.90-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 3855        |
| 8543 4-ST                       |                   | KG                |                    | -                 | -           |                              | 470               | 14078       |
| 8544.41-910                     |                   | KG                |                    | -                 | -           |                              | 10                | 247         |
| 8544.41-990                     |                   | KG                |                    | -                 | -           |                              | 21                | 505         |
| 8544.59-910                     |                   | KG                |                    | 17                | 236         |                              | 17                | 236         |
| 8544 4-ST                       | **                | KG                |                    | 17                | 236         |                              | 48                | 988         |
| 8546.20-900                     |                   | KG                |                    | -                 | -           |                              | 30                | 1122        |
| 8546 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 1122        |
| 8547.90-900                     |                   | KG                |                    | -                 | -           |                              | 25                | 428         |
| 8547 4-ST                       | **                | KG                |                    | -                 | -           |                              | 25                | 428         |
| 85 2-ST                         |                   |                   |                    |                   | 3776        |                              |                   | 181765      |
| 8708.29-000                     |                   | KG                |                    | 187               | 724         |                              | 187               | 724         |
| 8708.80-000                     |                   | NO                |                    | -                 | -           |                              | 24                | 244         |
| 8708.93-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 275         |
| 8708.99-100                     |                   | KG                |                    | 28                | 322         |                              | 174               | 1050        |
| 8708 4-ST                       | **                |                   |                    |                   | 1046        |                              |                   | 2293        |
| 87 2-ST                         | **                |                   |                    |                   | 1046        |                              |                   | 2293        |
| 9002.11-100                     |                   | NO                |                    | -                 | -           |                              | 139               | 2564        |
| 9002.11-200                     |                   | NO                |                    | -                 | -           |                              | 12                | 1095        |
| 9002.11-900                     |                   | KG                |                    | -                 | -           |                              | 12                | 922         |
| 9002.19-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 1113        |
| 9002.90-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 1069        |
| 9002 4-ST                       | **                |                   |                    |                   |             |                              |                   | 6763        |
| 9003.19-100                     |                   | DZ                |                    | -                 | -           |                              | 25                | 1425        |
| 9003 4-ST                       | **                | DZ                |                    | -                 | -           |                              | 25                | 1425        |
| 9005.10-100                     | DZ                | KG                | -                  | -                 | -           | 1                            | 13                | 336         |
| 9005 4-ST                       | DZ                | KG                | -                  | -                 | -           | 1                            | 13                | 336         |
| 9006.51-000                     |                   | NO                |                    | -                 | -           |                              | 110               | 4101        |
| 9006.61-000                     |                   | NO                |                    | -                 | -           |                              | 60                | 583         |
| 9006 4-ST                       | **                | NO                |                    | -                 | -           |                              | 170               | 4684        |
| 9007.29-100                     | NO                | KG                | -                  | -                 | -           | 35                           | 443               | 3669        |
| 9007 4-ST                       | NO                | KG                | -                  | -                 | -           | 35                           | 443               | 3669        |
| 9008.20-000                     | NO                | KG                | -                  | -                 | -           | 15                           | 1062              | 3708        |
| 9008.30-000                     | NO                | KG                | -                  | -                 | -           | 33                           | 564               | 2491        |
| 9008.90-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 364         |
| 9008 4-ST                       |                   | KG                |                    | -                 | -           |                              | 1640              | 6563        |
| 9009.90-000                     |                   | KG                |                    | -                 | -           |                              | 945               | 10174       |
| 9009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 945               | 10174       |
| 9010.10-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 613               | 4160        |
| 9010.20-000                     | NO                | KG                | -                  | -                 | -           | 13                           | 234               | 2416        |
| 9010.90-000                     |                   | KG                |                    | -                 | -           |                              | 293               | 4350        |
| 9010 4-ST                       |                   | KG                |                    | -                 | -           |                              | 1140              | 10926       |
| 9014.10-000                     | NO                | KG                | -                  | -                 | -           | 4680                         | 73                | 1021        |
| 9014 4-ST                       | NO                | KG                | -                  | -                 | -           | 4680                         | 73                | 1021        |
| 9016.00-100                     |                   | KG                |                    | -                 | -           |                              | 32                | 450         |
| 9016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 32                | 450         |
| 9018.49-900                     |                   | KG                |                    | 36                | 776         |                              | 105               | 2093        |
| 9018.90-200                     |                   | KG                |                    | -                 | -           |                              | 20                | 414         |
| 9018.90-311                     |                   | KG                |                    | -                 | -           |                              | 147               | 817         |
| 9018 4-ST                       | **                | KG                |                    | 36                | 776         |                              | 272               | 3324        |
| 9023.00-000                     |                   | KG                |                    | -                 | -           |                              | 257               | 1512        |
| 9023 4-ST                       | **                | KG                |                    | -                 | -           |                              | 257               | 1512        |
| 9025.11-900                     | NO                | KG                | -                  | -                 | -           | 3                            | 5                 | 216         |
| 9025.19-100                     | NO                | KG                | -                  | -                 | -           | 15                           | 41                | 1709        |
| 9025.19-900                     | NO                | KG                | 12                 | 16                | 424         | 38                           | 40                | 1122        |
| 9025.90-000                     |                   | KG                |                    | 32                | 1729        |                              | 321               | 11430       |
| 9025 4-ST                       |                   | KG                |                    | 48                | 2153        |                              | 407               | 14477       |
| 9026.10-900                     | NO                | KG                | -                  | -                 | -           | 31                           | 34                | 500         |
| 9026.20-110                     | NO                | KG                | -                  | -                 | -           | 2                            | 17                | 251         |
| 9026.20-190                     | NO                | KG                | -                  | -                 | -           | 5                            | 35                | 554         |
| 9026.20-900                     | NO                | KG                | -                  | -                 | -           | 521                          | 243               | 4583        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 137 SU ARAB                     |                   |                   |                    |                   |             |                              |                   |             |
| 9026.80-190                     | NO                | KG                | 2                  | 7                 | 468         | 2                            | 7                 | 468         |
| 9026.90-000                     |                   | KG                | -                  | -                 | -           |                              | 90                | 6228        |
| 9026 4-ST                       |                   | KG                |                    | 7                 | 468         |                              | 426               | 12584       |
| 9027.30-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 12                | 580         |
| 9027.40-000                     | NO                | KG                | -                  | -                 | -           | 16                           | 6                 | 386         |
| 9027.50-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 14                | 1391        |
| 9027.80-190                     | NO                | KG                | -                  | -                 | -           | 36                           | 38                | 4893        |
| 9027.90-100                     |                   | KG                |                    | 1                 | 630         |                              | 75                | 3436        |
| 9027 4-ST                       |                   | KG                |                    | 1                 | 630         |                              | 145               | 10686       |
| 9028.20-900                     | NO                | KG                | -                  | -                 | -           | 4                            | 10                | 400         |
| 9028 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 10                | 400         |
| 9029.20-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 2                 | 840         |
| 9029.90-000                     |                   | KG                |                    | -                 | -           |                              | 13                | 1532        |
| 9029 4-ST                       |                   | KG                |                    | -                 | -           |                              | 15                | 2372        |
| 9030.39-100                     | NO                | KG                | 5                  | 4                 | 216         | 62                           | 27                | 2427        |
| 9030.39-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 370         |
| 9030.89-990                     | NO                | KG                | -                  | -                 | -           | 3                            | 19                | 1232        |
| 9030.90-000                     |                   | KG                |                    | 20                | 308         |                              | 55                | 1186        |
| 9030 4-ST                       |                   | KG                |                    | 24                | 524         |                              | 107               | 5215        |
| 9031.80-190                     | NO                | KG                | 1                  | 24                | 1723        | 8                            | 66                | 11047       |
| 9031.80-900                     | NO                | KG                | -                  | -                 | -           | 6                            | 16                | 1105        |
| 9031.90-100                     |                   | KG                |                    | -                 | -           |                              | 7                 | 1550        |
| 9031 4-ST                       |                   | KG                |                    | 24                | 1723        |                              | 89                | 13702       |
| 9032.20-000                     | NO                | KG                | -                  | -                 | -           | 8                            | 55                | 3248        |
| 9032.81-000                     | NO                | KG                | 3                  | 10                | 264         | 15                           | 47                | 2293        |
| 9032.89-119                     | NO                | KG                | -                  | -                 | -           | 100                          | 22                | 738         |
| 9032.89-900                     | NO                | KG                | -                  | -                 | -           | 3                            | 13                | 203         |
| 9032 4-ST                       | NO                | KG                | 3                  | 10                | 264         | 126                          | 137               | 6482        |
| 9033.00-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 252         |
| 9033 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 252         |
| 90 2-ST                         |                   |                   |                    |                   | 6538        |                              |                   | 117017      |
| 9102.12-000                     |                   | NO                |                    | -                 | -           |                              | 8000              | 3200        |
| 9102 4-ST                       | **                | NO                |                    | -                 | -           |                              | 8000              | 3200        |
| 9107.00-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 1                 | 674         |
| 9107 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 1                 | 674         |
| 91 2-ST                         |                   |                   |                    |                   |             |                              |                   | 3874        |
| 9401.90-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 419         |
| 9401 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 419         |
| 9402.10-900                     |                   | KG                |                    | 10                | 222         |                              | 10                | 222         |
| 9402 4-ST                       | **                | KG                |                    | 10                | 222         |                              | 10                | 222         |
| 94 2-ST                         | **                | KG                |                    | 10                | 222         |                              | 30                | 641         |
| 9503.30-100                     | DZ                | KG                | -                  | -                 | -           | 1                            | 97                | 981         |
| 9503.90-900                     |                   | KG                |                    | -                 | -           |                              | 46                | 548         |
| 9503 4-ST                       |                   | KG                |                    | -                 | -           |                              | 143               | 1529        |
| 9504.90-900                     |                   | KG                |                    | 624               | 7481        |                              | 1143              | 18886       |
| 9504 4-ST                       | **                | KG                |                    | 624               | 7481        |                              | 1143              | 18886       |
| 95 2-ST                         |                   | KG                |                    | 624               | 7481        |                              | 1286              | 20415       |
| 9603.50-000                     | DZ                | KG                | -                  | -                 | -           | 0                            | 4                 | 204         |
| 9603 4-ST                       | DZ                | KG                | -                  | -                 | -           | 0                            | 4                 | 204         |
| 9606.21-000                     | GS                | KG                | -                  | -                 | -           | 515                          | 413               | 8734        |
| 9606.22-000                     | GS                | KG                | -                  | -                 | -           | 460                          | 286               | 7210        |
| 9606 4-ST                       | GS                | KG                | -                  | -                 | -           | 975                          | 699               | 15944       |
| 9608.10-000                     |                   | DZ                |                    | 45                | 275         |                              | 478               | 665         |
| 9608 4-ST                       | **                | DZ                |                    | 45                | 275         |                              | 478               | 665         |
| 9612.10-000                     |                   | DZ                |                    | 109               | 678         |                              | 137               | 1425        |
| 9612 4-ST                       | **                | DZ                |                    | 109               | 678         |                              | 137               | 1425        |
| 9613.20-200                     |                   | DZ                |                    | -                 | -           |                              | 40                | 550         |
| 9613 4-ST                       | **                | DZ                |                    | -                 | -           |                              | 40                | 550         |
| 96 2-ST                         |                   |                   |                    |                   | 953         |                              |                   | 18788       |
| TOTAL                           |                   |                   |                    |                   | 52626       |                              |                   | 779232      |
| 138 KUWAIT                      |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 26                | 465         |                              | 523               | 8794        |
| 0000 4-ST                       | **                | KG                |                    | 26                | 465         |                              | 523               | 8794        |
| 00 2-ST                         | **                | KG                |                    | 26                | 465         |                              | 523               | 8794        |
| 2916.19-000                     |                   | KG                |                    | -                 | -           |                              | 350               | 641         |
| 2916 4-ST                       | **                | KG                |                    | -                 | -           |                              | 350               | 641         |



404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 138 KUWAIT<br>29 2-ST           | **                | KG                |                    | -                 | -           |                              | 350               | 641         |
| 3701.30-000                     |                   | SM                |                    | -                 | -           |                              | 124               | 528         |
| 3701 4-ST                       | **                | SM                |                    | -                 | -           |                              | 124               | 528         |
| 3707.90-000                     |                   | KG                |                    | -                 | -           |                              | 563               | 1332        |
| 3707 4-ST                       | **                | KG                |                    | -                 | -           |                              | 563               | 1332        |
| 37 2-ST                         | **                |                   |                    | -                 | -           |                              |                   | 1860        |
| 3823.90-900                     |                   | KG                |                    | -                 | -           |                              | 40                | 290         |
| 3823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 40                | 290         |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 40                | 290         |
| 3921.90-300                     |                   | KG                |                    | -                 | -           |                              | 136               | 452         |
| 3921 4-ST                       | **                | KG                |                    | -                 | -           |                              | 136               | 452         |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 616               | 7204        |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 616               | 7204        |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 752               | 7656        |
| 4010.99-100                     |                   | KG                |                    | -                 | -           |                              | 14                | 500         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 14                | 500         |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 247               | 9508        |
| 4016.99-000                     |                   | KG                |                    | 171               | 1985        |                              | 289               | 3422        |
| 4016 4-ST                       | **                | KG                |                    | 171               | 1985        |                              | 536               | 12930       |
| 40 2-ST                         | **                | KG                |                    | 171               | 1985        |                              | 550               | 13430       |
| 4202.12-000                     | DZ                | KG                | -                  | -                 | -           | 25                           | 450               | 1792        |
| 4202.92-000                     | DZ                | KG                | -                  | -                 | -           | 49                           | 873               | 4236        |
| 4202 4-ST                       | DZ                | KG                | -                  | -                 | -           | 74                           | 1323              | 6028        |
| 4204.00-000                     |                   | KG                |                    | -                 | -           |                              | 79                | 447         |
| 4204 4-ST                       | **                | KG                |                    | -                 | -           |                              | 79                | 447         |
| 42 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1402              | 6475        |
| 4823.90-200                     |                   | KG                |                    | -                 | -           |                              | 9                 | 2412        |
| 4823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 9                 | 2412        |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 9                 | 2412        |
| 4901.99-000                     |                   | NO                |                    | -                 | -           |                              | 627               | 314         |
| 4901 4-ST                       | **                | NO                |                    | -                 | -           |                              | 627               | 314         |
| 4911.99-000                     |                   | KG                |                    | -                 | -           |                              | 330               | 666         |
| 4911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 330               | 666         |
| 49 2-ST                         | **                |                   |                    | -                 | -           |                              |                   | 980         |
| 5007.20-190                     | SM                | KG                | -                  | -                 | -           | 1023                         | 77                | 1724        |
| 5007 4-ST                       | SM                | KG                | -                  | -                 | -           | 1023                         | 77                | 1724        |
| 50 2-ST                         | SM                | KG                | -                  | -                 | -           | 1023                         | 77                | 1724        |
| 5407.43-200                     | SM                | KG                | -                  | -                 | -           | 1923                         | 167               | 908         |
| 5407.60-220                     | SM                | KG                | -                  | -                 | -           | 4154                         | 303               | 1835        |
| 5407 4-ST                       | SM                | KG                | -                  | -                 | -           | 6077                         | 470               | 2743        |
| 54 2-ST                         | SM                | KG                | -                  | -                 | -           | 6077                         | 470               | 2743        |
| 5608.19-000                     |                   | KG                |                    | -                 | -           |                              | 164               | 2842        |
| 5608 4-ST                       | **                | KG                |                    | -                 | -           |                              | 164               | 2842        |
| 5609.00-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 490         |
| 5609 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 490         |
| 56 2-ST                         | **                | KG                |                    | -                 | -           |                              | 194               | 3332        |
| 5806.32-200                     |                   | KG                |                    | -                 | -           |                              | 165               | 683         |
| 5806 4-ST                       | **                | KG                |                    | -                 | -           |                              | 165               | 683         |
| 58 2-ST                         | **                | KG                |                    | -                 | -           |                              | 165               | 683         |
| 5911.40-000                     |                   | KG                |                    | -                 | -           |                              | 160               | 883         |
| 5911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 160               | 883         |
| 59 2-ST                         | **                | KG                |                    | -                 | -           |                              | 160               | 883         |
| 6812.70-000                     |                   | KG                |                    | 10                | 610         |                              | 10                | 610         |
| 6812.90-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 340         |
| 6812 4-ST                       | **                | KG                |                    | 10                | 610         |                              | 11                | 950         |
| 6815.10-900                     |                   | KG                |                    | -                 | -           |                              | 35                | 395         |
| 6815.99-000                     |                   | KG                |                    | 160               | 1211        |                              | 160               | 1211        |
| 6815 4-ST                       | **                | KG                |                    | 160               | 1211        |                              | 195               | 1606        |
| 68 2-ST                         | **                | KG                |                    | 170               | 1821        |                              | 206               | 2556        |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 138 KUWAIT                      |                   |                   |                    |                   |             |                              |                   |             |
| 7116.10-900                     |                   | GR                |                    | -                 | -           |                              | 98                | 380         |
| 7116 4-ST                       | **                | GR                |                    | -                 | -           |                              | 98                | 380         |
| 7117.90-100                     |                   | DZ                | -                  | -                 | -           | 1200                         | 288               | 1137        |
| 7117 4-ST                       | DZ                | KG                | -                  | -                 | -           | 1200                         | 288               | 1137        |
| 71 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 1517        |
| 7307.29-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 449         |
| 7307.99-100                     |                   | MT                |                    | -                 | -           |                              | 0                 | 242         |
| 7307.99-900                     |                   | MT                |                    | -                 | -           |                              | 0                 | 318         |
| 7307 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 1009        |
| 7314.11-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 280         |
| 7314 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 280         |
| 7315.11-900                     |                   | KG                |                    | -                 | -           |                              | 181               | 266         |
| 7315 4-ST                       | **                | KG                |                    | -                 | -           |                              | 181               | 266         |
| 7318.15-190                     |                   | KG                |                    | -                 | -           |                              | 13                | 560         |
| 7318.16-900                     |                   | KG                |                    | -                 | -           |                              | 21                | 559         |
| 7318.19-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 211         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 35                | 1330        |
| 7320.10-900                     |                   | KG                |                    | -                 | -           |                              | 4                 | 511         |
| 7320.20-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 434         |
| 7320 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 945         |
| 7326.90-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 419         |
| 7326 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 419         |
| 73 2-ST                         | **                |                   |                    |                   | -           |                              |                   | 4249        |
| 7412.10-000                     |                   | KG                |                    | -                 | -           |                              | 13                | 234         |
| 7412 4-ST                       | **                | KG                |                    | -                 | -           |                              | 13                | 234         |
| 74 2-ST                         | **                | KG                |                    | -                 | -           |                              | 13                | 234         |
| 7508.00-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 930         |
| 7508 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1                 | 930         |
| 75 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1                 | 930         |
| 7907.90-000                     |                   | KG                |                    | -                 | -           |                              | 84                | 435         |
| 7907 4-ST                       | **                | KG                |                    | -                 | -           |                              | 84                | 435         |
| 79 2-ST                         | **                | KG                |                    | -                 | -           |                              | 84                | 435         |
| 8108.90-000                     |                   | KG                |                    | 113               | 900         |                              | 113               | 900         |
| 8108 4-ST                       | **                | KG                |                    | 113               | 900         |                              | 113               | 900         |
| 81 2-ST                         | **                | KG                |                    | 113               | 900         |                              | 113               | 900         |
| 8204.12-900                     | NO                | KG                | -                  | -                 | -           | 200                          | 95                | 380         |
| 8204 4-ST                       | NO                | KG                | -                  | -                 | -           | 200                          | 95                | 380         |
| 8205.70-000                     |                   | NO                |                    | -                 | -           |                              | 100               | 1350        |
| 8205 4-ST                       | **                | NO                |                    | -                 | -           |                              | 100               | 1350        |
| 82 2-ST                         | **                |                   |                    |                   | -           |                              |                   | 1730        |
| 8301.60-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 571         |
| 8301 4-ST                       | **                | KG                |                    | -                 | -           |                              | 28                | 571         |
| 8302.41-000                     |                   | KG                |                    | -                 | -           |                              | 62                | 273         |
| 8302 4-ST                       | **                | KG                |                    | -                 | -           |                              | 62                | 273         |
| 8307.10-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 610         |
| 8307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 610         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 93                | 1454        |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 3                 | 350         |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 99                | 2548        |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 102               | 2898        |
| 8412.31-000                     | NO                | KG                | 6                  | 138               | 1437        | 6                            | 138               | 1437        |
| 8412 4-ST                       | NO                | KG                | 6                  | 138               | 1437        | 6                            | 138               | 1437        |
| 8413.30-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 276               | 3769        |
| 8413.50-100                     | NO                | KG                | 1                  | 70                | 516         | 1                            | 70                | 516         |
| 8413.50-900                     | NO                | KG                | -                  | -                 | -           | 10                           | 68                | 254         |
| 8413.60-900                     | NO                | KG                | -                  | -                 | -           | 3                            | 174               | 1772        |
| 8413.70-100                     | NO                | KG                | -                  | -                 | -           | 8                            | 172               | 236         |
| 8413.91-000                     |                   | KG                |                    | 17                | 3022        |                              | 89                | 10338       |
| 8413 4-ST                       |                   | KG                |                    | 87                | 3538        |                              | 849               | 16885       |
| 8414.59-000                     | NO                | KG                | -                  | -                 | -           | 7                            | 248               | 2502        |
| 8414.80-100                     | NO                | KG                | -                  | -                 | -           | 20                           | 22                | 2894        |
| 8414.80-210                     | NO                | KG                | -                  | -                 | -           | 1                            | 55                | 443         |
| 8414.90-100                     |                   | KG                |                    | 129               | 1507        |                              | 625               | 9746        |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 60                | 3316        |
| 8414 4-ST                       |                   | KG                |                    | 129               | 1507        |                              | 1010              | 18901       |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 138 KUWAIT                      |                   |                   |                    |                   |             |                              |                   |             |
| 8415.90-000                     |                   | KG                |                    | -                 | -           |                              | 76                | 742         |
| 8415.4-ST                       | **                | KG                |                    | -                 | -           |                              | 76                | 742         |
| 8418.61-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 110               | 493         |
| 8418.4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 110               | 493         |
| 8419.89-000                     |                   | KG                |                    | -                 | -           |                              | 55                | 452         |
| 8419.90-000                     |                   | KG                |                    | -                 | -           |                              | 67                | 590         |
| 8419.4-ST                       | **                | KG                |                    | -                 | -           |                              | 122               | 1042        |
| 8421.23-000                     | NO                | KG                | -                  | -                 | -           | 34                           | 46                | 1017        |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 168               | 1496        |
| 8421.4-ST                       |                   | KG                |                    | -                 | -           |                              | 214               | 2513        |
| 8423.81-100                     | NO                | KG                | -                  | -                 | -           | 12                           | 145               | 821         |
| 8423.4-ST                       | NO                | KG                | -                  | -                 | -           | 12                           | 145               | 821         |
| 8428.90-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 110               | 574         |
| 8428.4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 110               | 574         |
| 8431.10-000                     |                   | KG                |                    | -                 | -           |                              | 11                | 293         |
| 8431.20-000                     |                   | KG                |                    | -                 | -           |                              | 39                | 511         |
| 8431.4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 804         |
| 8452.30-900                     | TH                | KG                | 105                | 59                | 1667        | 105                          | 59                | 1667        |
| 8452.4-ST                       | TH                | KG                | 105                | 59                | 1667        | 105                          | 59                | 1667        |
| 8464.20-200                     | NO                | KG                | -                  | -                 | -           | 8                            | 110               | 1355        |
| 8464.4-ST                       | NO                | KG                | -                  | -                 | -           | 8                            | 110               | 1355        |
| 8465.99-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 42                | 480         |
| 8465.4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 42                | 480         |
| 8466.91-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 211         |
| 8466.4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 211         |
| 8470.50-100                     |                   | NO                |                    | -                 | -           |                              | 3                 | 375         |
| 8470.4-ST                       | **                | NO                |                    | -                 | -           |                              | 3                 | 375         |
| 8471.20-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 14                | 921         |
| 8471.92-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 14                | 489         |
| 8471.92-120                     | NO                | KG                | -                  | -                 | -           | 3                            | 58                | 266         |
| 8471.99-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 7                 | 1077        |
| 8471.4-ST                       | NO                | KG                | -                  | -                 | -           | 13                           | 93                | 2753        |
| 8472.90-000                     | NO                | KG                | 10                 | 300               | 855         | 40                           | 464               | 3405        |
| 8472.4-ST                       | NO                | KG                | 10                 | 300               | 855         | 40                           | 464               | 3405        |
| 8473.29-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 319         |
| 8473.30-000                     |                   | KG                |                    | 32                | 319         |                              | 32                | 319         |
| 8473.4-ST                       | **                | KG                |                    | 32                | 319         |                              | 41                | 638         |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 19                | 289         |
| 8479.90-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 338         |
| 8479.4-ST                       |                   | KG                |                    | -                 | -           |                              | 23                | 627         |
| 8481.20-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 907         |
| 8481.30-900                     |                   | KG                |                    | -                 | -           |                              | 18                | 1480        |
| 8481.40-000                     |                   | KG                |                    | -                 | -           |                              | 17                | 783         |
| 8481.80-110                     |                   | KG                |                    | -                 | -           |                              | 310               | 1510        |
| 8481.80-190                     |                   | KG                |                    | 59                | 307         |                              | 774               | 4329        |
| 8481.90-000                     |                   | KG                |                    | -                 | -           |                              | 180               | 8045        |
| 8481.4-ST                       | **                | KG                |                    | 59                | 307         |                              | 1327              | 17054       |
| 8482.10-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 345         |
| 8482.4-ST                       | **                | KG                |                    | -                 | -           |                              | 7                 | 345         |
| 8483.10-000                     |                   | KG                |                    | -                 | -           |                              | 139               | 5733        |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 319               | 8247        |
| 8483.40-200                     |                   | KG                |                    | -                 | -           |                              | 44                | 532         |
| 8483.90-100                     |                   | KG                |                    | -                 | -           |                              | 100               | 450         |
| 8483.90-900                     |                   | KG                |                    | -                 | -           |                              | 32                | 1886        |
| 8483.4-ST                       | **                | KG                |                    | -                 | -           |                              | 634               | 16848       |
| 8484.10-000                     |                   | KG                |                    | -                 | -           |                              | 95                | 505         |
| 8484.4-ST                       | **                | KG                |                    | -                 | -           |                              | 95                | 505         |
| 8485.90-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 227         |
| 8485.4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 227         |
| 84 2-ST                         |                   |                   |                    |                   | 9630        |                              |                   | 93600       |
| 8501.10-191                     | NO                | KG                | -                  | -                 | -           | 532                          | 35                | 751         |
| 8501.4-ST                       | NO                | KG                | -                  | -                 | -           | 532                          | 35                | 751         |
| 8504.31-910                     | NO                | KG                | -                  | -                 | -           | 2                            | 6                 | 258         |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 237                          | 418               | 2779        |
| 8504.4-ST                       | NO                | KG                | -                  | -                 | -           | 239                          | 424               | 3037        |
| 8506.13-000                     | TH                | KG                | -                  | -                 | -           | 37                           | 28                | 1193        |
| 8506.19-000                     | TH                | KG                | -                  | -                 | -           | 0                            | 14                | 280         |
| 8506.4-ST                       | TH                | KG                | -                  | -                 | -           | 37                           | 42                | 1473        |
| 8507.20-000                     |                   | KG                |                    | -                 | -           |                              | 600               | 2589        |
| 8507.30-000                     |                   | KG                |                    | -                 | -           |                              | 386               | 3737        |
| 8507.4-ST                       | **                | KG                |                    | -                 | -           |                              | 986               | 6326        |
| 8510.90-000                     |                   | KG                |                    | -                 | -           |                              | 112               | 2478        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 138 KUWAIT                      |                   |                   |                    |                   |             |                              |                   |             |
| 8510 4-ST                       | **                | KG                |                    | -                 | -           |                              | 112               | 2478        |
| 8511.40-900                     |                   | KG                |                    | -                 | -           |                              | 40                | 300         |
| 8511 4-ST                       | **                | KG                |                    | -                 | -           |                              | 40                | 300         |
| 8516.32-000                     | NO                | KG                | -                  | -                 | -           | 360                          | 221               | 1344        |
| 8516.80-000                     |                   | KG                |                    | -                 | -           |                              | 118               | 2669        |
| 8516.90-000                     |                   | KG                |                    | -                 | -           |                              | 26                | 561         |
| 8516 4-ST                       |                   | KG                |                    | -                 | -           |                              | 365               | 4574        |
| 8517.30-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 47                | 588         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 15                           | 276               | 2935        |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 120               | 4257        |
| 8517 4-ST                       |                   | KG                |                    | -                 | -           |                              | 443               | 7780        |
| 8519.99-900                     | NO                | KG                |                    | -                 | -           |                              | 40                | 1503        |
| 8519 4-ST                       | **                | NO                |                    | -                 | -           |                              | 40                | 1503        |
| 8520.90-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 36                | 1218        |
| 8520 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 36                | 1218        |
| 8523.13-200                     |                   | KG                |                    | -                 | -           |                              | 191               | 925         |
| 8523 4-ST                       | **                | KG                |                    | -                 | -           |                              | 191               | 925         |
| 8525.20-920                     | NO                | KG                | -                  | -                 | -           | 37                           | 94                | 1635        |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 1352                         | 2613              | 144290      |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 1389                         | 2707              | 145925      |
| 8526.92-000                     | NO                | KG                | -                  | -                 | -           | 545                          | 313               | 4094        |
| 8526 4-ST                       | NO                | KG                | -                  | -                 | -           | 545                          | 313               | 4094        |
| 8527.90-000                     |                   | NO                |                    | -                 | -           |                              | 92                | 2639        |
| 8527 4-ST                       | **                | NO                |                    | -                 | -           |                              | 92                | 2639        |
| 8528.10-119                     |                   | NO                |                    | -                 | -           |                              | 9                 | 1015        |
| 8528.10-190                     |                   | NO                |                    | -                 | -           |                              | 2                 | 383         |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 11                | 1398        |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 47                | 2612        |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 47                | 2612        |
| 8530.80-000                     |                   | KG                |                    | -                 | -           |                              | 39                | 907         |
| 8530 4-ST                       | **                | KG                |                    | -                 | -           |                              | 39                | 907         |
| 8531.80-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 206         |
| 8531 4-ST                       | **                | KG                |                    | -                 | -           |                              | 9                 | 206         |
| 8532.10-000                     |                   | NO                |                    | -                 | -           |                              | 100               | 227         |
| 8532 4-ST                       | **                | NO                |                    | -                 | -           |                              | 100               | 227         |
| 8536.10-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 284         |
| 8536.20-000                     | NO                | KG                | 45                 | 22                | 330         | 130                          | 151               | 2012        |
| 8536.50-900                     | NO                | KG                | -                  | -                 | -           | 119                          | 117               | 2952        |
| 8536.69-000                     |                   | KG                |                    | 77                | 450         |                              | 86                | 869         |
| 8536.90-100                     |                   | KG                |                    | -                 | -           |                              | 52                | 4063        |
| 8536.90-200                     |                   | KG                |                    | -                 | -           |                              | 20                | 439         |
| 8536 4-ST                       |                   | KG                |                    | 99                | 780         |                              | 427               | 10619       |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 13                           | 60                | 1599        |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 13                           | 60                | 1599        |
| 8538.90-900                     |                   | KG                |                    | -                 | -           |                              | 3                 | 2044        |
| 8538 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 2044        |
| 8539.21-000                     | NO                | KG                | -                  | -                 | -           | 5500                         | 175               | 1976        |
| 8539.29-900                     | NO                | KG                | -                  | -                 | -           | 370                          | 8                 | 396         |
| 8539.31-000                     | NO                | KG                | -                  | -                 | -           | 1000                         | 30                | 335         |
| 8539.90-000                     |                   | KG                |                    | -                 | -           |                              | 191               | 640         |
| 8539 4-ST                       |                   | KG                |                    | -                 | -           |                              | 404               | 3347        |
| 8541.10-920                     |                   | NO                |                    | -                 | -           |                              | 2410              | 218         |
| 8541 4-ST                       | **                | NO                |                    | -                 | -           |                              | 2410              | 218         |
| 8542.11-911                     |                   | NO                |                    | -                 | -           |                              | 775               | 420         |
| 8542.11-912                     |                   | NO                |                    | -                 | -           |                              | 975               | 1387        |
| 8542.19-900                     |                   | NO                |                    | -                 | -           |                              | 400               | 292         |
| 8542.20-000                     |                   | NO                |                    | -                 | -           |                              | 165               | 228         |
| 8542 4-ST                       | **                | NO                |                    | -                 | -           |                              | 2315              | 2327        |
| 8543.80-000                     | NO                | KG                | 4                  | 20                | 807         | 4                            | 20                | 807         |
| 8543.90-000                     |                   | KG                |                    | 10                | 1262        |                              | 96                | 1866        |
| 8543 4-ST                       |                   | KG                |                    | 30                | 2069        |                              | 116               | 2673        |
| 8544.41-110                     |                   | KG                |                    | -                 | -           |                              | 159               | 769         |
| 8544.49-990                     |                   | KG                |                    | -                 | -           |                              | 190               | 502         |
| 8544.51-910                     |                   | KG                |                    | -                 | -           |                              | 119               | 1843        |
| 8544 4-ST                       | **                | KG                |                    | -                 | -           |                              | 468               | 3114        |
| 85 2-ST                         |                   |                   |                    |                   | 2849        |                              |                   | 214314      |
| 9001.50-000                     |                   | DZ                |                    | -                 | -           |                              | 61                | 1104        |
| 9001 4-ST                       | **                | DZ                |                    | -                 | -           |                              | 61                | 1104        |
| 9002.11-100                     |                   | NO                |                    | -                 | -           |                              | 110               | 2879        |
| 9002.11-900                     |                   | KG                |                    | -                 | -           |                              | 14                | 1336        |
| 9002.19-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 247         |
| 9002 4-ST                       | **                |                   |                    | -                 | -           |                              |                   | 4462        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 138 KUWAIT                      |                   |                   |                    |                   |             |                              |                   |             |
| 9005.10-100                     | DZ                | KG                | -                  | -                 | -           | 4                            | 40                | 445         |
| 9005.4-ST                       | DZ                | KG                | -                  | -                 | -           | 4                            | 40                | 445         |
| 9006.51-000                     |                   | NO                | -                  | -                 | -           |                              | 463               | 23415       |
| 9006.53-000                     |                   | NO                | -                  | -                 | -           |                              | 3744              | 40723       |
| 9006.61-000                     |                   | NO                | -                  | -                 | -           |                              | 81                | 1107        |
| 9006.91-900                     |                   | KG                | -                  | -                 | -           |                              | 11                | 425         |
| 9006.4-ST                       | **                |                   | -                  | -                 | -           |                              |                   | 65670       |
| 9008.30-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 39                | 1079        |
| 9008.4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 39                | 1079        |
| 9009.12-000                     | NO                | KG                | -                  | -                 | -           | 82                           | 4368              | 10683       |
| 9009.21-000                     | NO                | KG                | -                  | -                 | -           | 21                           | 525               | 9929        |
| 9009.90-000                     |                   | KG                |                    | 113               | 1124        |                              | 811               | 4762        |
| 9009.4-ST                       |                   | KG                |                    | 113               | 1124        |                              | 5704              | 25374       |
| 9010.10-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 522               | 4528        |
| 9010.20-000                     | NO                | KG                | -                  | -                 | -           | 13                           | 1125              | 3061        |
| 9010.90-000                     |                   | KG                | -                  | -                 | -           |                              | 306               | 3272        |
| 9010.4-ST                       |                   | KG                | -                  | -                 | -           |                              | 1953              | 10861       |
| 9016.00-100                     |                   | KG                | -                  | -                 | -           |                              | 160               | 1475        |
| 9016.4-ST                       | **                | KG                | -                  | -                 | -           |                              | 160               | 1475        |
| 9017.80-990                     |                   | KG                | -                  | -                 | -           |                              | 2                 | 226         |
| 9017.4-ST                       | **                | KG                | -                  | -                 | -           |                              | 2                 | 226         |
| 9018.90-311                     |                   | KG                | -                  | -                 | -           |                              | 30                | 1440        |
| 9018.90-900                     |                   | KG                | -                  | -                 | -           |                              | 32                | 349         |
| 9018.4-ST                       | **                | KG                | -                  | -                 | -           |                              | 62                | 1789        |
| 9019.10-000                     |                   | KG                | -                  | -                 | -           |                              | 197               | 1073        |
| 9019.4-ST                       | **                | KG                | -                  | -                 | -           |                              | 197               | 1073        |
| 9021.40-000                     | NO                | KG                | -                  | -                 | -           | 440                          | 34                | 4982        |
| 9021.4-ST                       | NO                | KG                | -                  | -                 | -           | 440                          | 34                | 4982        |
| 9022.29-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 538               | 14472       |
| 9022.90-100                     |                   | KG                | -                  | -                 | -           |                              | 26                | 964         |
| 9022.4-ST                       |                   | KG                | -                  | -                 | -           |                              | 564               | 15436       |
| 9025.19-100                     | NO                | KG                | -                  | -                 | -           | 23                           | 12                | 963         |
| 9025.19-900                     | NO                | KG                | -                  | -                 | -           | 38                           | 37                | 2030        |
| 9025.4-ST                       | NO                | KG                | -                  | -                 | -           | 61                           | 49                | 2993        |
| 9026.10-190                     | NO                | KG                | 3                  | 1                 | 236         | 3                            | 1                 | 236         |
| 9026.10-900                     | NO                | KG                | 10                 | 11                | 283         | 61                           | 48                | 1053        |
| 9026.20-190                     | NO                | KG                | -                  | -                 | -           | 3                            | 4                 | 499         |
| 9026.20-900                     | NO                | KG                | -                  | -                 | -           | 250                          | 336               | 2301        |
| 9026.90-000                     |                   | KG                | -                  | 4                 | 225         |                              | 22                | 1964        |
| 9026.4-ST                       |                   | KG                | -                  | 16                | 744         |                              | 411               | 6053        |
| 9027.10-000                     | NO                | KG                | -                  | -                 | -           | 27                           | 260               | 18917       |
| 9027.20-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 313               | 5788        |
| 9027.30-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 17                | 617         |
| 9027.40-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 2                 | 212         |
| 9027.80-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 10                | 2773        |
| 9027.90-100                     |                   | KG                | -                  | -                 | -           |                              | 14                | 434         |
| 9027.4-ST                       |                   | KG                | -                  | -                 | -           |                              | 616               | 28741       |
| 9029.20-100                     | NO                | KG                | -                  | -                 | -           | 55                           | 14                | 886         |
| 9029.4-ST                       | NO                | KG                | -                  | -                 | -           | 55                           | 14                | 886         |
| 9030.31-000                     | NO                | KG                | -                  | -                 | -           | 367                          | 225               | 2394        |
| 9030.39-100                     | NO                | KG                | -                  | -                 | -           | 90                           | 41                | 1995        |
| 9030.90-000                     |                   | KG                | -                  | -                 | -           |                              | 51                | 1603        |
| 9030.4-ST                       |                   | KG                | -                  | -                 | -           |                              | 317               | 5992        |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 12                           | 53                | 2934        |
| 9031.80-900                     | NO                | KG                | -                  | -                 | -           | 27                           | 22                | 1897        |
| 9031.90-100                     |                   | KG                | -                  | -                 | -           |                              | 25                | 686         |
| 9031.4-ST                       |                   | KG                | -                  | -                 | -           |                              | 100               | 5517        |
| 9032.10-100                     | NO                | KG                | 1000               | 17                | 230         | 1016                         | 29                | 668         |
| 9032.89-112                     | NO                | KG                | -                  | -                 | -           | 3                            | 30                | 557         |
| 9032.90-000                     |                   | KG                | -                  | 0                 | 453         |                              | 31                | 657         |
| 9032.4-ST                       |                   | KG                | -                  | 17                | 683         |                              | 90                | 1882        |
| 90.2-ST                         |                   |                   | -                  | -                 | 2551        |                              |                   | 186040      |
| 9207.10-900                     | NO                | KG                | -                  | -                 | -           | 5                            | 75                | 801         |
| 9207.90-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 14                | 416         |
| 9207.4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 89                | 1217        |
| 92.2-ST                         | NO                | KG                | -                  | -                 | -           | 6                            | 89                | 1217        |
| 9402.90-000                     |                   | KG                | -                  | -                 | -           |                              | 27                | 842         |
| 9402.4-ST                       | **                | KG                | -                  | -                 | -           |                              | 27                | 842         |
| 9403.70-000                     |                   | KG                | -                  | -                 | -           |                              | 116               | 207         |
| 9403.4-ST                       | **                | KG                | -                  | -                 | -           |                              | 116               | 207         |
| 9405.40-210                     | NO                | KG                | -                  | -                 | -           | 22                           | 110               | 798         |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 138 KUWAIT                      |                   |                   |                    |                   |             |                              |                   |             |
| 9405 4-ST                       | NO                | KG                | -                  | -                 | -           | 22                           | 110               | 798         |
| 94 2-ST                         |                   | KG                |                    |                   |             |                              | 253               | 1847        |
| 9503.90-900                     |                   | KG                |                    |                   |             |                              | 82                | 1318        |
| 9503 4-ST                       | **                | KG                |                    |                   |             |                              | 82                | 1318        |
| 9504.10-000                     |                   | KG                |                    |                   |             |                              | 320               | 3200        |
| 9504.90-900                     |                   | KG                |                    |                   |             |                              | 413               | 2512        |
| 9504 4-ST                       | **                | KG                |                    |                   |             |                              | 733               | 5712        |
| 95 2-ST                         | **                | KG                |                    |                   |             |                              | 815               | 7030        |
| 9608.10-000                     |                   | DZ                |                    |                   |             |                              | 79                | 299         |
| 9608.20-900                     |                   | DZ                |                    |                   |             |                              | 1656              | 3006        |
| 9608 4-ST                       | **                | DZ                |                    |                   |             |                              | 1735              | 3305        |
| 9612.10-000                     |                   | DZ                |                    |                   |             |                              | 8                 | 527         |
| 9612 4-ST                       | **                | DZ                |                    |                   |             |                              | 8                 | 527         |
| 9613.20-200                     |                   | DZ                |                    |                   |             |                              | 685               | 9310        |
| 9613 4-ST                       | **                | DZ                |                    |                   |             |                              | 685               | 9310        |
| 96 2-ST                         | **                | DZ                |                    |                   |             |                              | 2428              | 13142       |
| TOTAL                           |                   |                   |                    |                   | 20201       |                              |                   | 583098      |
| 140 QATAR                       |                   |                   |                    |                   |             |                              |                   |             |
| 1209.91-000                     |                   | KG                |                    |                   |             |                              | 52                | 776         |
| 1209 4-ST                       | **                | KG                |                    |                   |             |                              | 52                | 776         |
| 12 2-ST                         | **                | KG                |                    |                   |             |                              | 52                | 776         |
| 3506.91-000                     |                   | KG                |                    |                   |             |                              | 48                | 487         |
| 3506 4-ST                       | **                | KG                |                    |                   |             |                              | 48                | 487         |
| 35 2-ST                         | **                | KG                |                    |                   |             |                              | 48                | 487         |
| 3707.90-000                     |                   | KG                |                    | 101               | 268         |                              | 101               | 268         |
| 3707 4-ST                       | **                | KG                |                    | 101               | 268         |                              | 101               | 268         |
| 37 2-ST                         | **                | KG                |                    | 101               | 268         |                              | 101               | 268         |
| 3917.29-000                     |                   | KG                |                    |                   |             |                              | 97                | 312         |
| 3917.32-100                     |                   | KG                |                    |                   |             |                              | 20                | 427         |
| 3917 4-ST                       | **                | KG                |                    |                   |             |                              | 117               | 739         |
| 3926.90-000                     |                   | KG                |                    |                   |             |                              | 79                | 338         |
| 3926 4-ST                       | **                | KG                |                    |                   |             |                              | 79                | 338         |
| 39 2-ST                         | **                | KG                |                    |                   |             |                              | 196               | 1077        |
| 4016.93-000                     |                   | KG                |                    | 5                 | 363         |                              | 6                 | 873         |
| 4016.99-000                     |                   | KG                |                    |                   |             |                              | 590               | 1511        |
| 4016 4-ST                       | **                | KG                |                    | 5                 | 363         |                              | 596               | 2384        |
| 4017.00-000                     |                   | KG                |                    |                   |             |                              | 9                 | 471         |
| 4017 4-ST                       | **                | KG                |                    |                   |             |                              | 9                 | 471         |
| 40 2-ST                         | **                | KG                |                    | 5                 | 363         |                              | 605               | 2855        |
| 4823.40-000                     |                   | KG                |                    |                   |             |                              | 5                 | 216         |
| 4823 4-ST                       | **                | KG                |                    |                   |             |                              | 5                 | 216         |
| 48 2-ST                         | **                | KG                |                    |                   |             |                              | 5                 | 216         |
| 4911.10-000                     |                   | KG                |                    |                   |             |                              | 43                | 286         |
| 4911 4-ST                       | **                | KG                |                    |                   |             |                              | 43                | 286         |
| 49 2-ST                         | **                | KG                |                    |                   |             |                              | 43                | 286         |
| 6804.22-200                     |                   | KG                |                    |                   |             |                              | 240               | 782         |
| 6804 4-ST                       | **                | KG                |                    |                   |             |                              | 240               | 782         |
| 68 2-ST                         | **                | KG                |                    |                   |             |                              | 240               | 782         |
| 6906.00-000                     |                   | MT                |                    | 0                 | 1123        |                              | 0                 | 1123        |
| 6906 4-ST                       | **                | MT                |                    | 0                 | 1123        |                              | 0                 | 1123        |
| 69 2-ST                         | **                | MT                |                    | 0                 | 1123        |                              | 0                 | 1123        |
| 7019.10-900                     |                   | KG                |                    |                   |             |                              | 910               | 1001        |
| 7019.39-000                     |                   | KG                |                    |                   |             |                              | 20                | 268         |
| 7019 4-ST                       | **                | KG                |                    |                   |             |                              | 930               | 1269        |
| 70 2-ST                         | **                | KG                |                    |                   |             |                              | 930               | 1269        |
| 7306.30-900                     |                   | MT                |                    |                   |             |                              | 0                 | 283         |
| 7306 4-ST                       | **                | MT                |                    |                   |             |                              | 0                 | 283         |
| 7307.91-900                     |                   | MT                |                    |                   |             |                              | 0                 | 914         |
| 7307.92-100                     |                   | MT                |                    |                   |             |                              | 0                 | 1217        |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 140 QATAR                       |                   |                   |                    |                   |             |                              |                   |             |
| 7307.99-100                     |                   | MT                |                    | -                 | -           |                              | 0                 | 240         |
| 7307 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 2371        |
| 73 2-ST                         | **                | MT                |                    | -                 | -           |                              | 0                 | 2654        |
| 7607.20-000                     |                   | KG                |                    | -                 | -           |                              | 54                | 402         |
| 7607 4-ST                       | **                | KG                |                    | -                 | -           |                              | 54                | 402         |
| 76 2-ST                         | **                | KG                |                    | -                 | -           |                              | 54                | 402         |
| 8307.10-000                     |                   | KG                |                    | -                 | -           |                              | 84                | 777         |
| 8307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 84                | 777         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 84                | 777         |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 426               | 2747        |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 426               | 2747        |
| 8413.50-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 260               | 880         |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 51                | 2463        |
| 8413 4-ST                       |                   | KG                |                    | -                 | -           |                              | 311               | 3343        |
| 8415.81-900                     |                   | NO                |                    | -                 | -           |                              | 1                 | 594         |
| 8415 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 594         |
| 8419.90-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 352         |
| 8419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 352         |
| 8421.21-000                     |                   | NO                | -                  | -                 | -           | 2                            | 15                | 340         |
| 8421 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 15                | 340         |
| 8431.20-000                     |                   | KG                |                    | -                 | -           |                              | 155               | 870         |
| 8431.49-110                     |                   | KG                |                    | -                 | -           |                              | 106               | 708         |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 261               | 1578        |
| 8470.10-000                     |                   | NO                | 150                | -                 | 300         |                              | 150               | 300         |
| 8470 4-ST                       | **                | NO                | 150                | -                 | 300         |                              | 150               | 300         |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 15                | 555         |
| 8479 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 15                | 555         |
| 8481.20-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 765         |
| 8481.30-900                     |                   | KG                |                    | -                 | -           |                              | 90                | 548         |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 20                | 218         |
| 8481.90-000                     |                   | KG                |                    | -                 | -           |                              | 74                | 1187        |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 214               | 2718        |
| 8482.10-000                     |                   | KG                |                    | 90                | 262         |                              | 90                | 262         |
| 8482.30-000                     |                   | KG                |                    | -                 | -           |                              | 27                | 636         |
| 8482 4-ST                       | **                | KG                |                    | 90                | 262         |                              | 117               | 898         |
| 8483.10-000                     |                   | KG                |                    | -                 | -           |                              | 90                | 310         |
| 8483.90-400                     |                   | KG                |                    | -                 | -           |                              | 390               | 949         |
| 8483 4-ST                       | **                | KG                |                    | -                 | -           |                              | 480               | 1259        |
| 8484.90-000                     |                   | KG                |                    | -                 | -           |                              | 5                 | 312         |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 5                 | 312         |
| 84 2-ST                         |                   |                   |                    | -                 | 562         |                              |                   | 14996       |
| 8503.00-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 428         |
| 8503 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 428         |
| 8508.80-100                     |                   | NO                |                    | -                 | -           |                              | 12                | 365         |
| 8508 4-ST                       | **                | NO                |                    | -                 | -           |                              | 12                | 365         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 91                           | 573               | 5103        |
| 8517 4-ST                       | NO                | KG                | -                  | -                 | -           | 91                           | 573               | 5103        |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 25                           | 52                | 2551        |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 25                           | 52                | 2551        |
| 8528.10-900                     |                   | NO                |                    | -                 | -           |                              | 2                 | 690         |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 2                 | 690         |
| 8547.90-100                     |                   | KG                |                    | -                 | -           |                              | 39                | 223         |
| 8547 4-ST                       | **                | KG                |                    | -                 | -           |                              | 39                | 223         |
| 85 2-ST                         |                   |                   |                    | -                 | -           |                              |                   | 9360        |
| 9008.30-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 39                | 1222        |
| 9008 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 39                | 1222        |
| 9009.90-000                     |                   | KG                |                    | -                 | -           |                              | 428               | 3574        |
| 9009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 428               | 3574        |
| 9018.49-900                     |                   | KG                |                    | -                 | -           |                              | 2                 | 402         |
| 9018.90-319                     |                   | KG                |                    | -                 | -           |                              | 12                | 240         |
| 9018 4-ST                       | **                | KG                |                    | -                 | -           |                              | 14                | 642         |
| 9020.00-000                     |                   | KG                |                    | -                 | -           |                              | 51                | 574         |
| 9020 4-ST                       | **                | KG                |                    | -                 | -           |                              | 51                | 574         |
| 9025.19-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 12                | 322         |
| 9025.90-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 810         |
| 9025 4-ST                       |                   | KG                |                    | -                 | -           |                              | 27                | 1132        |
| 9026.10-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 60                | 355         |
| 9026.20-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 49                | 313         |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 140 QATAR                       |                   |                   |                    |                   |             |                              |                   |             |
| 9026.90-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 1367        |
| 9026 4-ST                       |                   | KG                |                    | -                 | -           |                              | 129               | 2035        |
| 9030.39-100                     | NO                | KG                | -                  | -                 | -           | 40                           | 18                | 600         |
| 9030 4-ST                       | NO                | KG                | -                  | -                 | -           | 40                           | 18                | 600         |
| 9032.81-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 30                | 1946        |
| 9032.89-119                     | NO                | KG                | -                  | -                 | -           | 17                           | 25                | 449         |
| 9032.89-190                     | NO                | KG                | -                  | -                 | -           | 4                            | 10                | 274         |
| 9032 4-ST                       | NO                | KG                | -                  | -                 | -           | 27                           | 65                | 2669        |
| 90 2-ST                         |                   | KG                |                    | -                 | -           |                              | 771               | 12448       |
| 9107.00-000                     | NO                | KG                | 150                | 40                | 636         | 150                          | 40                | 636         |
| 9107 4-ST                       | NO                | KG                | 150                | 40                | 636         | 150                          | 40                | 636         |
| 91 2-ST                         | NO                | KG                | 150                | 40                | 636         | 150                          | 40                | 636         |
| 9507.20-100                     |                   | GS                |                    | -                 | -           |                              | 104               | 478         |
| 9507 4-ST                       | **                | GS                |                    | -                 | -           |                              | 104               | 478         |
| 95 2-ST                         | **                | GS                |                    | -                 | -           |                              | 104               | 478         |
| TOTAL                           |                   |                   |                    |                   | 2952        |                              |                   | 50890       |
| 141 OMAN                        |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | -                 | -           |                              | 464               | 9719        |
| 0000 4-ST                       | **                | KG                |                    | -                 | -           |                              | 464               | 9719        |
| 00 2-ST                         | **                | KG                |                    | -                 | -           |                              | 464               | 9719        |
| 1209.91-000                     |                   | KG                |                    | -                 | -           |                              | 205               | 5865        |
| 1209 4-ST                       | **                | KG                |                    | -                 | -           |                              | 205               | 5865        |
| 12 2-ST                         | **                | KG                |                    | -                 | -           |                              | 205               | 5865        |
| 3004.20-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 211         |
| 3004 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 211         |
| 30 2-ST                         | **                | KG                |                    | -                 | -           |                              | 4                 | 211         |
| 3701.99-000                     |                   | SM                |                    | -                 | -           |                              | 60                | 240         |
| 3701 4-ST                       | **                | SM                |                    | -                 | -           |                              | 60                | 240         |
| 37 2-ST                         | **                | SM                |                    | -                 | -           |                              | 60                | 240         |
| 4016.99-000                     |                   | KG                |                    | 30                | 280         |                              | 30                | 280         |
| 4016 4-ST                       | **                | KG                |                    | 30                | 280         |                              | 30                | 280         |
| 40 2-ST                         | **                | KG                |                    | 30                | 280         |                              | 30                | 280         |
| 7326.90-000                     |                   | MT                |                    | -                 | -           |                              | 1                 | 3226        |
| 7326 4-ST                       | **                | MT                |                    | -                 | -           |                              | 1                 | 3226        |
| 73 2-ST                         | **                | MT                |                    | -                 | -           |                              | 1                 | 3226        |
| 8301.40-000                     |                   | KG                |                    | 26                | 243         |                              | 78                | 742         |
| 8301 4-ST                       | **                | KG                |                    | 26                | 243         |                              | 78                | 742         |
| 83 2-ST                         | **                | KG                |                    | 26                | 243         |                              | 78                | 742         |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 50                | 285         |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 45                | 463         |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 95                | 748         |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 51                | 619         |
| 8413 4-ST                       | **                | KG                |                    | -                 | -           |                              | 51                | 619         |
| 8414.30-900                     | NO                | KG                | 1                  | 380               | 1612        | 1                            | 380               | 1612        |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 9                 | 304         |
| 8414.90-900                     |                   | KG                |                    | 50                | 635         |                              | 51                | 1302        |
| 8414 4-ST                       |                   | KG                |                    | 430               | 2247        |                              | 440               | 3218        |
| 8416.90-100                     |                   | KG                |                    | -                 | -           |                              | 149               | 554         |
| 8416 4-ST                       | **                | KG                |                    | -                 | -           |                              | 149               | 554         |
| 8419.90-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 314         |
| 8419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 314         |
| 8421.21-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 14                | 737         |
| 8421 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 14                | 737         |
| 8424.81-200                     | NO                | KG                | -                  | -                 | -           | 3                            | 60                | 226         |
| 8424 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 60                | 226         |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 119               | 649         |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 119               | 649         |
| 8471.92-120                     | NO                | KG                | -                  | -                 | -           | 12                           | 185               | 2340        |
| 8471 4-ST                       | NO                | KG                | -                  | -                 | -           | 12                           | 185               | 2340        |
| 8472.90-000                     | NO                | KG                | -                  | -                 | -           | 30                           | 560               | 6115        |
| 8472 4-ST                       | NO                | KG                | -                  | -                 | -           | 30                           | 560               | 6115        |
| 8473.30-000                     |                   | KG                |                    | -                 | -           |                              | 48                | 360         |



Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 141 OMAN                        |                   |                   |                    |                   |             |                              |                   |             |
| 8473 4-ST                       | **                | KG                |                    | -                 | -           |                              | 48                | 360         |
| 8481.10-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 327         |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 539               | 817         |
| 8481.90-000                     |                   | KG                |                    | 3                 | 235         |                              | 24                | 1248        |
| 8481 4-ST                       | **                | KG                |                    | 3                 | 235         |                              | 573               | 2392        |
| 8483.10-000                     |                   | KG                |                    | 18                | 389         |                              | 18                | 389         |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 28                | 295         |
| 8483.40-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 29                | 254         |
| 8483 4-ST                       |                   | KG                |                    | 18                | 389         |                              | 75                | 938         |
| 8484.90-000                     |                   | KG                |                    | 12                | 463         |                              | 12                | 463         |
| 8484 4-ST                       | **                | KG                |                    | 12                | 463         |                              | 12                | 463         |
| 84 2-ST                         |                   | KG                |                    | 463               | 3334        |                              | 2391              | 19673       |
| 8511.90-900                     |                   | KG                |                    | -                 | -           |                              | 11                | 434         |
| 8511 4-ST                       | **                | KG                |                    | -                 | -           |                              | 11                | 434         |
| 8517.30-000                     | NO                | KG                | -                  | -                 | -           | 15                           | 80                | 593         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 108                          | 593               | 7894        |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 48                | 1050        |
| 8517 4-ST                       |                   | KG                |                    | -                 | -           |                              | 721               | 9537        |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 5                            | 13                | 437         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 13                | 437         |
| 8527.90-000                     |                   | NO                | -                  | -                 | -           |                              | 30                | 394         |
| 8527 4-ST                       | **                | NO                | -                  | -                 | -           |                              | 30                | 394         |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 2                 | 282         |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 282         |
| 8531.90-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 553         |
| 8531 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 553         |
| 8536.41-000                     |                   | KG                |                    | -                 | -           |                              | 12                | 240         |
| 8536 4-ST                       | **                | KG                |                    | -                 | -           |                              | 12                | 240         |
| 85 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 11877       |
| 9002.11-100                     |                   | NO                |                    | -                 | -           |                              | 77                | 1686        |
| 9002 4-ST                       | **                | NO                |                    | -                 | -           |                              | 77                | 1686        |
| 9005.10-100                     | DZ                | KG                | -                  | -                 | -           | 14                           | 70                | 1112        |
| 9005 4-ST                       | DZ                | KG                | -                  | -                 | -           | 14                           | 70                | 1112        |
| 9006.51-000                     |                   | NO                |                    | -                 | -           |                              | 88                | 4257        |
| 9006.53-000                     |                   | NO                |                    | -                 | -           |                              | 320               | 4504        |
| 9006 4-ST                       | **                | NO                |                    | -                 | -           |                              | 408               | 8761        |
| 9009.12-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 24                | 574         |
| 9009.90-000                     |                   | KG                |                    | -                 | -           |                              | 469               | 4141        |
| 9009 4-ST                       |                   | KG                |                    | -                 | -           |                              | 493               | 4715        |
| 9018.39-000                     |                   | KG                |                    | -                 | -           |                              | 63                | 336         |
| 9018 4-ST                       | **                | KG                |                    | -                 | -           |                              | 63                | 336         |
| 9026.20-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 40                | 438         |
| 9026 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 40                | 438         |
| 9027.50-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 10                | 351         |
| 9027 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 10                | 351         |
| 9030.39-900                     | NO                | KG                | -                  | -                 | -           | 23                           | 48                | 672         |
| 9030 4-ST                       | NO                | KG                | -                  | -                 | -           | 23                           | 48                | 672         |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 50                           | 50                | 1100        |
| 9031.90-100                     |                   | KG                |                    | -                 | -           |                              | 2                 | 290         |
| 9031 4-ST                       |                   | KG                |                    | -                 | -           |                              | 52                | 1390        |
| 90 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 19461       |
| TOTAL                           |                   |                   |                    |                   | 3857        |                              |                   | 71294       |
| 143 ISRAEL                      |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                | 6                  |                   | 85396       |                              | 844               | 1192047     |
| 0000 4-ST                       | **                | KG                | 6                  |                   | 85396       |                              | 844               | 1192047     |
| 00 2-ST                         | **                | KG                | 6                  |                   | 85396       |                              | 844               | 1192047     |
| 1209.91-000                     |                   | KG                |                    | -                 | -           |                              | 222               | 6476        |
| 1209 4-ST                       | **                | KG                |                    | -                 | -           |                              | 222               | 6476        |
| 12 2-ST                         | **                | KG                |                    | -                 | -           |                              | 222               | 6476        |
| 2933.59-000                     |                   | KG                |                    | -                 | -           |                              | 340               | 7720        |
| 2933 4-ST                       | **                | KG                |                    | -                 | -           |                              | 340               | 7720        |
| 2934.90-000                     |                   | KG                | 300                |                   | 8492        |                              | 1300              | 36395       |
| 2934 4-ST                       | **                | KG                | 300                |                   | 8492        |                              | 1300              | 36395       |
| 2941.90-000                     |                   | KG                |                    | 112               | 7322        |                              | 943               | 129789      |
| 2941 4-ST                       | **                | KG                |                    | 112               | 7322        |                              | 943               | 129789      |
| 29 2-ST                         | **                | KG                |                    | 412               | 15814       |                              | 2583              | 173904      |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 143 ISRAEL                      |                   |                   |                    |                   |             |                              |                   |             |
| 3204.15-000                     |                   | KG                |                    | -                 | -           |                              | 200               | 900         |
| 3204.17-100                     |                   | KG                |                    | -                 | -           |                              | 1300              | 4322        |
| 3204 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1500              | 5222        |
| 3207.10-100                     |                   | KG                |                    | -                 | -           |                              | 120               | 226         |
| 3207.40-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 408         |
| 3207 4-ST                       | **                | KG                |                    | -                 | -           |                              | 130               | 634         |
| 32 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1630              | 5856        |
| 3506.99-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 819         |
| 3506 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 819         |
| 35 2-ST                         | **                | KG                |                    | -                 | -           |                              | 20                | 819         |
| 3707.90-000                     |                   | KG                |                    | 110               | 256         |                              | 424               | 8665        |
| 3707 4-ST                       | **                | KG                |                    | 110               | 256         |                              | 424               | 8665        |
| 37 2-ST                         | **                | KG                |                    | 110               | 256         |                              | 424               | 8665        |
| 3917.32-100                     |                   | KG                |                    | -                 | -           |                              | 448               | 979         |
| 3917 4-ST                       | **                | KG                |                    | -                 | -           |                              | 448               | 979         |
| 3923.50-000                     |                   | KG                |                    | -                 | -           |                              | 692               | 1699        |
| 3923 4-ST                       | **                | KG                |                    | -                 | -           |                              | 692               | 1699        |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 371               | 2225        |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 371               | 2225        |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1511              | 4903        |
| 4008.21-000                     |                   | KG                |                    | -                 | -           |                              | 336               | 695         |
| 4008 4-ST                       | **                | KG                |                    | -                 | -           |                              | 336               | 695         |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 12                | 891         |
| 4016.99-000                     |                   | KG                |                    | -                 | -           |                              | 159               | 2539        |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 171               | 3430        |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 507               | 4125        |
| 4107.10-110                     | SM                | KG                | -                  | -                 | -           | 1677                         | 502               | 2284        |
| 4107.10-190                     | SM                | KG                | -                  | -                 | -           | 4183                         | 1289              | 5996        |
| 4107 4-ST                       | SM                | KG                | -                  | -                 | -           | 5860                         | 1791              | 8280        |
| 41 2-ST                         | SM                | KG                | -                  | -                 | -           | 5860                         | 1791              | 8280        |
| 4901.10-000                     |                   | KG                |                    | -                 | -           |                              | 210               | 800         |
| 4901 4-ST                       | **                | KG                |                    | -                 | -           |                              | 210               | 800         |
| 4911.10-000                     |                   | KG                |                    | -                 | -           |                              | 460               | 592         |
| 4911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 460               | 592         |
| 49 2-ST                         | **                | KG                |                    | -                 | -           |                              | 670               | 1392        |
| 5208.22-000                     | SM                | KG                | -                  | -                 | -           | 8968                         | 1164              | 1940        |
| 5208.29-000                     | SM                | KG                | -                  | -                 | -           | 3486                         | 402               | 1675        |
| 5208.32-300                     | SM                | KG                | 1880               | 233               | 453         | 4046                         | 541               | 957         |
| 5208.32-900                     | SM                | KG                | -                  | -                 | -           | 2110                         | 263               | 703         |
| 5208.39-200                     | SM                | KG                | -                  | -                 | -           | 13172                        | 1525              | 6273        |
| 5208.39-300                     | SM                | KG                | -                  | -                 | -           | 1252                         | 159               | 409         |
| 5208 4-ST                       | SM                | KG                | 1880               | 233               | 453         | 33034                        | 4054              | 11957       |
| 52 2-ST                         | SM                | KG                | 1880               | 233               | 453         | 33034                        | 4054              | 11957       |
| 5407.60-120                     | SM                | KG                | -                  | -                 | -           | 1251                         | 254               | 805         |
| 5407.60-190                     | SM                | KG                | -                  | -                 | -           | 4232                         | 317               | 1463        |
| 5407.60-220                     | SM                | KG                | -                  | -                 | -           | 30688                        | 4281              | 16591       |
| 5407.60-290                     | SM                | KG                | -                  | -                 | -           | 47253                        | 3621              | 13809       |
| 5407.60-490                     | SM                | KG                | -                  | -                 | -           | 18575                        | 1332              | 7942        |
| 5407.72-000                     | SM                | KG                | -                  | -                 | -           | 2160                         | 270               | 965         |
| 5407 4-ST                       | SM                | KG                | -                  | -                 | -           | 104159                       | 10075             | 41575       |
| 54 2-ST                         | SM                | KG                | -                  | -                 | -           | 104159                       | 10075             | 41575       |
| 5603.00-900                     | SM                | KG                | -                  | -                 | -           | 52                           | 77                | 360         |
| 5603 4-ST                       | SM                | KG                | -                  | -                 | -           | 52                           | 77                | 360         |
| 5604.20-000                     |                   | KG                |                    | -                 | -           |                              | 103               | 559         |
| 5604 4-ST                       | **                | KG                |                    | -                 | -           |                              | 103               | 559         |
| 5607.50-100                     |                   | KG                |                    | -                 | -           |                              | 93                | 486         |
| 5607 4-ST                       | **                | KG                |                    | -                 | -           |                              | 93                | 486         |
| 56 2-ST                         | **                | KG                |                    | -                 | -           |                              | 273               | 1405        |
| 5804.10-110                     |                   | KG                |                    | -                 | -           |                              | 20                | 273         |
| 5804.21-000                     |                   | KG                |                    | -                 | -           |                              | 46                | 393         |
| 5804 4-ST                       | **                | KG                |                    | -                 | -           |                              | 66                | 666         |
| 58 2-ST                         | **                | KG                |                    | -                 | -           |                              | 66                | 666         |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 143 ISRAEL                      |                   |                   |                    |                   |             |                              |                   |             |
| 5910.00-000                     |                   | KG                |                    | -                 | -           |                              | 50                | 487         |
| 5910.4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 487         |
| 5911.90-000                     |                   | KG                |                    | -                 | -           |                              | 217               | 2536        |
| 5911.4-ST                       | **                | KG                |                    | -                 | -           |                              | 217               | 2536        |
| 59.2-ST                         | **                | KG                |                    | -                 | -           |                              | 267               | 3023        |
| 6001.92-129                     |                   | KG                |                    | -                 | -           |                              | 272               | 1204        |
| 6001.4-ST                       | **                | KG                |                    | -                 | -           |                              | 272               | 1204        |
| 6002.30-210                     |                   | KG                |                    | -                 | -           |                              | 428               | 764         |
| 6002.43-110                     |                   | KG                |                    | -                 | -           |                              | 45                | 663         |
| 6002.43-120                     |                   | KG                | 266                |                   | 1113        |                              | 3126              | 10350       |
| 6002.93-120                     |                   | KG                |                    | -                 | -           |                              | 2785              | 12255       |
| 6002.4-ST                       | **                | KG                | 266                |                   | 1113        |                              | 6384              | 24032       |
| 60.2-ST                         | **                | KG                | 266                |                   | 1113        |                              | 6656              | 25236       |
| 6804.21-100                     |                   | KG                |                    | -                 | -           |                              | 452               | 6231        |
| 6804.21-200                     |                   | KG                |                    | -                 | -           |                              | 349               | 8128        |
| 6804.22-200                     |                   | KG                |                    | -                 | -           |                              | 189               | 1765        |
| 6804.22-900                     |                   | KG                |                    | -                 | -           |                              | 230               | 923         |
| 6804.4-ST                       | **                | KG                |                    | -                 | -           |                              | 1220              | 17047       |
| 68.2-ST                         | **                | KG                |                    | -                 | -           |                              | 1220              | 17047       |
| 6909.19-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 206         |
| 6909.4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 206         |
| 69.2-ST                         | **                | KG                |                    | -                 | -           |                              | 2                 | 206         |
| 7104.20-000                     |                   | GR                | 300                |                   | 1015        |                              | 1200              | 4132        |
| 7104.4-ST                       | **                | GR                | 300                |                   | 1015        |                              | 1200              | 4132        |
| 71.2-ST                         | **                | GR                | 300                |                   | 1015        |                              | 1200              | 4132        |
| 7304.41-900                     |                   | MT                |                    | -                 | -           |                              | 0                 | 338         |
| 7304.4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 338         |
| 7318.15-190                     |                   | KG                |                    | -                 | -           |                              | 28                | 225         |
| 7318.15-900                     |                   | KG                |                    | -                 | -           |                              | 686               | 1533        |
| 7318.4-ST                       | **                | KG                |                    | -                 | -           |                              | 714               | 1758        |
| 7326.90-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 1047        |
| 7326.4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 1047        |
| 73.2-ST                         | **                |                   |                    | -                 | -           |                              |                   | 3143        |
| 7412.10-000                     |                   | KG                |                    | -                 | -           |                              | 18                | 572         |
| 7412.4-ST                       | **                | KG                |                    | -                 | -           |                              | 18                | 572         |
| 7419.99-000                     |                   | KG                |                    | -                 | -           |                              | 34                | 376         |
| 7419.4-ST                       | **                | KG                |                    | -                 | -           |                              | 34                | 376         |
| 74.2-ST                         | **                | KG                |                    | -                 | -           |                              | 52                | 948         |
| 8202.99-100                     |                   | NO                |                    | -                 | -           |                              | 330               | 2110        |
| 8202.4-ST                       | **                | NO                |                    | -                 | -           |                              | 330               | 2110        |
| 8203.20-900                     |                   | KG                |                    | -                 | -           |                              | 51                | 494         |
| 8203.30-000                     |                   | NO                |                    | -                 | -           |                              | 480               | 280         |
| 8203.4-ST                       | **                |                   |                    | -                 | -           |                              |                   | 774         |
| 8207.20-100                     | NO                | KG                | -                  |                   |             | 210                          | 141               | 876         |
| 8207.50-100                     | NO                | KG                | -                  |                   |             | 1114                         | 236               | 4441        |
| 8207.50-900                     |                   | KG                |                    | -                 | -           |                              | 252               | 1127        |
| 8207.60-900                     |                   | KG                |                    | -                 | -           |                              | 32                | 1455        |
| 8207.70-900                     |                   | KG                |                    | -                 | -           |                              | 33                | 1790        |
| 8207.4-ST                       |                   | KG                |                    | -                 | -           |                              | 694               | 9689        |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 190               | 1256        |
| 8208.4-ST                       | **                | KG                |                    | -                 | -           |                              | 190               | 1256        |
| 8209.00-100                     | NO                | KG                | -                  |                   |             | 6066                         | 88                | 5019        |
| 8209.00-900                     |                   | KG                |                    | -                 | -           |                              | 14                | 2013        |
| 8209.4-ST                       |                   | KG                |                    | -                 | -           |                              | 102               | 7032        |
| 82.2-ST                         |                   |                   |                    | -                 | -           |                              |                   | 20861       |
| 8307.10-000                     |                   | KG                |                    | -                 | -           |                              | 120               | 249         |
| 8307.4-ST                       | **                | KG                |                    | -                 | -           |                              | 120               | 249         |
| 83.2-ST                         | **                | KG                |                    | -                 | -           |                              | 120               | 249         |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 356               | 1040        |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 84                | 1729        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 7                 | 450         |
| 8409.4-ST                       | **                | KG                |                    | -                 | -           |                              | 447               | 3219        |
| 8412.31-000                     | NO                | KG                | -                  |                   |             | 25                           | 7                 | 340         |
| 8412.39-000                     | NO                | KG                | -                  |                   |             | 25                           | 6                 | 307         |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 143 ISRAEL                      |                   |                   |                    |                   |             |                              |                   |             |
| 8412.90-000                     |                   | KG                |                    | -                 | -           |                              | 112               | 560         |
| 8412.4-ST                       |                   | KG                |                    | -                 | -           |                              | 125               | 1207        |
| 8413.60-900                     | NO                | KG                | 20                 | 340               | 1180        | 20                           | 340               | 1180        |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 503         |
| 8413.4-ST                       |                   | KG                |                    | 340               | 1180        |                              | 356               | 1683        |
| 8414.10-000                     | NO                | KG                | -                  | -                 | -           | 15                           | 225               | 731         |
| 8414.30-100                     | NO                | KG                | -                  | -                 | -           | 240                          | 1416              | 2786        |
| 8414.30-900                     | NO                | KG                | -                  | -                 | -           | 435                          | 6571              | 5432        |
| 8414.80-100                     | NO                | KG                | -                  | -                 | -           | 14                           | 95                | 312         |
| 8414.80-220                     | NO                | KG                | -                  | -                 | -           | 1400                         | 17254             | 15975       |
| 8414.4-ST                       | NO                | KG                | -                  | -                 | -           | 2104                         | 25561             | 25236       |
| 8419.39-000                     |                   | KG                |                    | 75                | 231         |                              | 75                | 231         |
| 8419.4-ST                       | **                | KG                |                    | 75                | 231         |                              | 75                | 231         |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 397         |
| 8421.4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 397         |
| 8423.81-900                     | NO                | KG                | -                  | -                 | -           | 14                           | 45                | 812         |
| 8423.4-ST                       | NO                | KG                | -                  | -                 | -           | 14                           | 45                | 812         |
| 8433.11-900                     | NO                | KG                | 10                 | 57                | 249         | 10                           | 57                | 249         |
| 8433.4-ST                       | NO                | KG                | 10                 | 57                | 249         | 10                           | 57                | 249         |
| 8440.10-000                     | NO                | KG                | -                  | -                 | -           | 13                           | 75                | 558         |
| 8440.4-ST                       | NO                | KG                | -                  | -                 | -           | 13                           | 75                | 558         |
| 8443.90-100                     |                   | KG                |                    | -                 | -           |                              | 921               | 7977        |
| 8443.4-ST                       | **                | KG                |                    | -                 | -           |                              | 921               | 7977        |
| 8448.59-100                     |                   | KG                |                    | -                 | -           |                              | 426               | 3194        |
| 8448.4-ST                       | **                | KG                |                    | -                 | -           |                              | 426               | 3194        |
| 8451.50-000                     | NO                | KG                | 1                  | 43                | 290         | 12                           | 135               | 1795        |
| 8451.4-ST                       | NO                | KG                | 1                  | 43                | 290         | 12                           | 135               | 1795        |
| 8452.29-110                     | NO                | KG                | -                  | -                 | -           | 18                           | 792               | 9180        |
| 8452.29-200                     | NO                | KG                | -                  | -                 | -           | 67                           | 4818              | 26337       |
| 8452.29-900                     | NO                | KG                | 18                 | 1556              | 8412        | 237                          | 16943             | 110868      |
| 8452.40-000                     |                   | KG                |                    | -                 | -           |                              | 270               | 233         |
| 8452.90-990                     |                   | KG                |                    | -                 | -           |                              | 305               | 8125        |
| 8452.4-ST                       |                   | KG                |                    | 1556              | 8412        |                              | 23128             | 154743      |
| 8464.20-200                     | NO                | KG                | 3                  | 54                | 646         | 26                           | 510               | 6808        |
| 8464.4-ST                       | NO                | KG                | 3                  | 54                | 646         | 26                           | 510               | 6808        |
| 8466.10-100                     |                   | KG                |                    | -                 | -           |                              | 111               | 1862        |
| 8466.20-000                     |                   | KG                |                    | -                 | -           |                              | 268               | 1615        |
| 8466.30-100                     |                   | KG                |                    | 7                 | 889         |                              | 7                 | 889         |
| 8466.91-000                     |                   | KG                |                    | -                 | -           |                              | 37                | 208         |
| 8466.93-000                     |                   | KG                |                    | 2                 | 286         |                              | 251               | 5195        |
| 8466.4-ST                       | **                | KG                |                    | 9                 | 1175        |                              | 674               | 9769        |
| 8467.11-000                     | NO                | KG                | 41                 | 135               | 1140        | 248                          | 642               | 8100        |
| 8467.19-900                     | NO                | KG                | -                  | -                 | -           | 91                           | 148               | 1730        |
| 8467.92-000                     |                   | KG                |                    | 35                | 234         |                              | 58                | 498         |
| 8467.4-ST                       |                   | KG                |                    | 170               | 1374        |                              | 848               | 10328       |
| 8470.10-000                     |                   | NO                |                    | -                 | -           |                              | 500               | 952         |
| 8470.4-ST                       | **                | NO                |                    | -                 | -           |                              | 500               | 952         |
| 8471.92-120                     | NO                | KG                | -                  | -                 | -           | 26                           | 394               | 3015        |
| 8471.99-000                     | NO                | KG                | -                  | -                 | -           | 156                          | 81                | 2857        |
| 8471.4-ST                       | NO                | KG                | -                  | -                 | -           | 182                          | 475               | 5872        |
| 8472.90-000                     | NO                | KG                | -                  | -                 | -           | 20                           | 240               | 1900        |
| 8472.4-ST                       | NO                | KG                | -                  | -                 | -           | 20                           | 240               | 1900        |
| 8473.29-000                     |                   | KG                |                    | -                 | -           |                              | 246               | 6590        |
| 8473.30-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 917         |
| 8473.4-ST                       | **                | KG                |                    | -                 | -           |                              | 253               | 7507        |
| 8477.80-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 18                | 340         |
| 8477.90-100                     |                   | KG                |                    | -                 | -           |                              | 356               | 3414        |
| 8477.4-ST                       |                   | KG                |                    | -                 | -           |                              | 374               | 3754        |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 30                           | 2425              | 24338       |
| 8479.90-000                     |                   | KG                |                    | -                 | -           |                              | 90                | 246         |
| 8479.4-ST                       |                   | KG                |                    | -                 | -           |                              | 2515              | 24584       |
| 8481.80-110                     |                   | KG                |                    | -                 | -           |                              | 24                | 794         |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 248               | 1039        |
| 8481.80-900                     |                   | KG                |                    | -                 | -           |                              | 6                 | 357         |
| 8481.90-000                     |                   | KG                |                    | -                 | -           |                              | 75                | 1104        |
| 8481.4-ST                       | **                | KG                |                    | -                 | -           |                              | 353               | 3294        |
| 8482.10-000                     |                   | KG                |                    | -                 | -           |                              | 259               | 2688        |
| 8482.30-000                     |                   | KG                |                    | -                 | -           |                              | 44                | 748         |
| 8482.4-ST                       | **                | KG                |                    | -                 | -           |                              | 303               | 3436        |
| 8483.10-000                     |                   | KG                |                    | -                 | -           |                              | 66                | 482         |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 14                | 281         |
| 8483.40-200                     |                   | KG                |                    | -                 | -           |                              | 48                | 620         |
| 8483.40-900                     |                   | KG                |                    | -                 | -           |                              | 7                 | 654         |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 143 ISRAEL                      |                   |                   |                    |                   |             |                              |                   |             |
| 8483 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 135               | 2037        |
| 8485.90-000                     |                   | KG                | -                  | -                 | -           |                              | 99                | 405         |
| 8485 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 99                | 405         |
| 84 2-ST                         |                   |                   |                    |                   | 13557       |                              |                   | 281947      |
| 8501.10-191                     | NO                | KG                | -                  | -                 | -           | 2500                         | 617               | 4582        |
| 8501.32-190                     | NO                | KG                | -                  | -                 | -           | 1                            | 320               | 235         |
| 8501.40-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 108               | 630         |
| 8501.40-920                     | NO                | KG                | -                  | -                 | -           | 6                            | 108               | 613         |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 2513                         | 1153              | 6060        |
| 8503.00-000                     |                   | KG                | -                  | -                 | -           |                              | 32                | 286         |
| 8503 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 32                | 286         |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 502                          | 255               | 2925        |
| 8504.40-190                     | NO                | KG                | -                  | -                 | -           | 10                           | 17                | 446         |
| 8504 4-ST                       | NO                | KG                | -                  | -                 | -           | 512                          | 272               | 3371        |
| 8505.11-000                     |                   | KG                | -                  | -                 | -           |                              | 12                | 1106        |
| 8505.20-000                     |                   | KG                | -                  | -                 | -           |                              | 31                | 225         |
| 8505.90-900                     |                   | KG                | -                  | -                 | -           |                              | 64                | 359         |
| 8505 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 107               | 1690        |
| 8507.20-000                     |                   | KG                | -                  | -                 | -           |                              | 114               | 993         |
| 8507 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 114               | 993         |
| 8508.10-000                     |                   | NO                | -                  | -                 | -           |                              | 480               | 2541        |
| 8508.80-900                     |                   | NO                | -                  | -                 | -           |                              | 8                 | 286         |
| 8508.90-000                     |                   | KG                | -                  | -                 | -           |                              | 256               | 2192        |
| 8508 4-ST                       | **                |                   |                    |                   | -           |                              |                   | 5019        |
| 8515.19-000                     |                   | KG                |                    | 23                | 1313        |                              | 377               | 4673        |
| 8515.90-000                     |                   | KG                |                    | -                 | -           |                              | 204               | 4090        |
| 8515 4-ST                       | **                | KG                |                    | 23                | 1313        |                              | 581               | 8763        |
| 8516.40-000                     |                   | NO                |                    | 6                 | 238         |                              | 6                 | 238         |
| 8516 4-ST                       | **                | NO                |                    | 6                 | 238         |                              | 6                 | 238         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 575                          | 2501              | 27351       |
| 8517.90-000                     |                   | KG                | -                  | -                 | -           |                              | 70                | 1722        |
| 8517 4-ST                       |                   | KG                | -                  | -                 | -           |                              | 2571              | 29073       |
| 8522.90-900                     |                   | KG                | -                  | -                 | -           |                              | 18                | 285         |
| 8522 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 18                | 285         |
| 8525.20-920                     | NO                | KG                | -                  | -                 | -           | 20                           | 17                | 480         |
| 8525.20-990                     | NO                | KG                | -                  | -                 | -           | 6                            | 14                | 297         |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 55                           | 107               | 5193        |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 81                           | 138               | 5970        |
| 8528.10-900                     |                   | NO                | -                  | -                 | -           |                              | 39                | 14536       |
| 8528 4-ST                       | **                | NO                | -                  | -                 | -           |                              | 39                | 14536       |
| 8529.90-900                     |                   | KG                | -                  | -                 | -           |                              | 15                | 239         |
| 8529 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 15                | 239         |
| 8531.20-000                     |                   | KG                | -                  | -                 | -           |                              | 82                | 1376        |
| 8531.80-000                     |                   | KG                |                    | 73                | 740         |                              | 517               | 5089        |
| 8531 4-ST                       | **                | KG                |                    | 73                | 740         |                              | 599               | 6465        |
| 8536.10-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 963         |
| 8536.30-000                     |                   | KG                |                    | -                 | -           |                              | 13                | 720         |
| 8536.41-000                     |                   | KG                |                    | 325               | 3994        |                              | 2738              | 33769       |
| 8536.49-000                     |                   | KG                |                    | -                 | -           |                              | 656               | 6657        |
| 8536.50-900                     | NO                | KG                | 360                | 18                | 220         | 2032                         | 104               | 1474        |
| 8536.69-000                     |                   | KG                |                    | -                 | -           |                              | 508               | 4375        |
| 8536.90-200                     |                   | KG                |                    | -                 | -           |                              | 10                | 229         |
| 8536 4-ST                       |                   | KG                |                    | 343               | 4214        |                              | 4057              | 48187       |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 576                          | 651               | 10378       |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 576                          | 651               | 10378       |
| 8538.90-900                     |                   | KG                |                    | 17                | 205         |                              | 610               | 9956        |
| 8538 4-ST                       | **                | KG                |                    | 17                | 205         |                              | 610               | 9956        |
| 8539.21-000                     | NO                | KG                | -                  | -                 | -           | 60                           | 2                 | 241         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 60                           | 2                 | 241         |
| 8540.11-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 105               | 427         |
| 8540.41-100                     | NO                | KG                | -                  | -                 | -           | 70                           | 49                | 425         |
| 8540 4-ST                       | NO                | KG                | -                  | -                 | -           | 75                           | 154               | 852         |
| 8541.10-910                     |                   | NO                |                    | 200000            | 235         |                              | 915000            | 1179        |
| 8541.10-920                     |                   | NO                |                    | -                 | -           |                              | 200               | 505         |
| 8541.29-910                     |                   | NO                |                    | -                 | -           |                              | 2592              | 12791       |
| 8541.30-900                     |                   | NO                |                    | 2235              | 2560        |                              | 20086             | 34557       |
| 8541.40-990                     |                   | NO                |                    | 185000            | 26246       |                              | 1183020           | 169264      |
| 8541.60-900                     |                   | NO                |                    | -                 | -           |                              | 200               | 210         |
| 8541 4-ST                       | **                | NO                |                    | 387235            | 29041       |                              | 2121098           | 218506      |
| 8542.11-911                     |                   | NO                |                    | -                 | -           |                              | 185               | 877         |
| 8542.19-900                     |                   | NO                |                    | -                 | -           |                              | 39831             | 810         |
| 8542.90-000                     |                   | KG                |                    | -                 | -           |                              | 112               | 12108       |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 143 ISRAEL                      |                   |                   |                    |                   |             |                              |                   |             |
| 8542 4-ST                       | **                |                   |                    |                   | -           |                              |                   | 13795       |
| 8543.80-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 19                | 972         |
| 8543 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 19                | 972         |
| 8544.41-910                     |                   | KG                |                    |                   | -           |                              | 5                 | 276         |
| 8544.59-110                     |                   | KG                |                    |                   | -           |                              | 125               | 647         |
| 8544.59-910                     |                   | KG                |                    |                   | -           |                              | 34                | 210         |
| 8544 4-ST                       | **                | KG                |                    |                   | -           |                              | 164               | 1133        |
| 8547.10-000                     |                   | KG                |                    |                   | -           |                              | 55                | 2572        |
| 8547 4-ST                       | **                | KG                |                    |                   | -           |                              | 55                | 2572        |
| 8548.00-000                     |                   | KG                |                    |                   | -           |                              | 584               | 71884       |
| 8548 4-ST                       | **                | KG                |                    |                   | -           |                              | 584               | 71884       |
| 85 2-ST                         |                   |                   |                    |                   | 35751       |                              |                   | 461464      |
| 9001.10-900                     |                   | KG                |                    |                   | -           |                              | 2                 | 235         |
| 9001.40-000                     |                   | DZ                |                    |                   | -           |                              | 112               | 1229        |
| 9001.50-000                     |                   | DZ                |                    | 329               | 1683        |                              | 9960              | 26517       |
| 9001 4-ST                       | **                |                   |                    |                   | 1683        |                              |                   | 27981       |
| 9002.11-200                     |                   | NO                |                    | 10                | 338         |                              | 10                | 338         |
| 9002.11-900                     |                   | KG                |                    |                   | -           |                              | 8                 | 390         |
| 9002.19-000                     |                   | KG                |                    |                   | -           |                              | 0                 | 400         |
| 9002 4-ST                       | **                |                   |                    |                   | 338         |                              |                   | 1128        |
| 9003.11-000                     |                   | DZ                |                    |                   | -           |                              | 224               | 4194        |
| 9003 4-ST                       | **                | DZ                |                    |                   | -           |                              | 224               | 4194        |
| 9004.90-000                     |                   | DZ                |                    |                   | -           |                              | 5                 | 624         |
| 9004 4-ST                       | **                | DZ                |                    |                   | -           |                              | 5                 | 624         |
| 9006.53-000                     |                   | NO                |                    |                   | -           |                              | 66                | 307         |
| 9006 4-ST                       | **                | NO                |                    |                   | -           |                              | 66                | 307         |
| 9007.29-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 20                | 300         |
| 9007 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 20                | 300         |
| 9008.20-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 212               | 1030        |
| 9008.90-000                     |                   | KG                |                    |                   | -           |                              | 13                | 231         |
| 9008 4-ST                       |                   | KG                |                    |                   | -           |                              | 225               | 1261        |
| 9009.90-000                     |                   | KG                |                    | 44                | 510         |                              | 278               | 2408        |
| 9009 4-ST                       | **                | KG                |                    | 44                | 510         |                              | 278               | 2408        |
| 9010.10-000                     | NO                | KG                | 1                  | 39                | 377         | 1                            | 39                | 377         |
| 9010.20-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 100               | 2833        |
| 9010.90-000                     |                   | KG                |                    | 34                | 246         |                              | 296               | 3115        |
| 9010 4-ST                       |                   | KG                |                    | 73                | 623         |                              | 435               | 6325        |
| 9016.00-100                     |                   | KG                |                    |                   | -           |                              | 134               | 2090        |
| 9016 4-ST                       | **                | KG                |                    |                   | -           |                              | 134               | 2090        |
| 9017.30-920                     | NO                | KG                | -                  | -                 | -           | 39                           | 25                | 218         |
| 9017.30-930                     | NO                | KG                | -                  | -                 | -           | 80                           | 24                | 485         |
| 9017 4-ST                       | NO                | KG                | -                  | -                 | -           | 119                          | 49                | 703         |
| 9018.19-900                     |                   | KG                |                    |                   | -           |                              | 5                 | 250         |
| 9018.49-900                     |                   | KG                |                    | 5                 | 288         |                              | 55                | 2981        |
| 9018.90-200                     |                   | KG                |                    | 6                 | 610         |                              | 9                 | 1087        |
| 9018.90-390                     |                   | KG                |                    |                   | -           |                              | 630               | 2543        |
| 9018 4-ST                       | **                | KG                |                    | 11                | 898         |                              | 699               | 6861        |
| 9025.80-100                     | NO                | KG                | -                  | -                 | -           | 40                           | 100               | 1740        |
| 9025.90-000                     |                   | KG                |                    | 11                | 298         |                              | 11                | 298         |
| 9025 4-ST                       |                   | KG                |                    | 11                | 298         |                              | 111               | 2038        |
| 9026.10-900                     | NO                | KG                | 7                  | 311               | 1938        | 8                            | 341               | 2163        |
| 9026 4-ST                       | NO                | KG                | 7                  | 311               | 1938        | 8                            | 341               | 2163        |
| 9027.50-000                     | NO                | KG                | -                  | -                 | -           | 14                           | 140               | 5428        |
| 9027.90-100                     |                   | KG                |                    | 7                 | 2100        |                              | 36                | 10290       |
| 9027 4-ST                       |                   | KG                |                    | 7                 | 2100        |                              | 176               | 15718       |
| 9029.20-910                     | NO                | KG                | -                  | -                 | -           | 180                          | 38                | 305         |
| 9029 4-ST                       | NO                | KG                | -                  | -                 | -           | 180                          | 38                | 305         |
| 9031.40-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 120               | 4665        |
| 9031.80-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 5                 | 763         |
| 9031.80-190                     | NO                | KG                | 3                  | 24                | 304         | 157                          | 366               | 8901        |
| 9031 4-ST                       | NO                | KG                | 3                  | 24                | 304         | 168                          | 491               | 14329       |
| 9032.89-112                     | NO                | KG                | 50                 | 22                | 665         | 892                          | 366               | 10629       |
| 9032.89-119                     | NO                | KG                | 95                 | 18                | 203         | 3134                         | 547               | 7130        |
| 9032.89-190                     | NO                | KG                | 40                 | 33                | 446         | 720                          | 87                | 1298        |
| 9032.89-900                     | NO                | KG                | -                  | -                 | -           | 2134                         | 76                | 1606        |
| 9032 4-ST                       | NO                | KG                | 185                | 73                | 1314        | 6880                         | 1076              | 20663       |
| 9033.00-000                     |                   | KG                |                    |                   | -           |                              | 72                | 1403        |
| 9033 4-ST                       | **                | KG                |                    |                   | -           |                              | 72                | 1403        |
| 90 2-ST                         |                   |                   |                    |                   | 10006       |                              |                   | 110801      |
| 9102.11-000                     |                   | NO                |                    | 420               | 767         |                              | 6400              | 11960       |
| 9102.12-000                     |                   | NO                |                    | 1890              | 3614        |                              | 22270             | 34265       |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 143 ISRAEL                      |                   |                   |                    |                   |             |                              |                   |             |
| 9102.19-000                     |                   | NO                |                    | 560               | 1516        |                              | 9850              | 25560       |
| 9102.4-ST                       | **                | NO                |                    | 2870              | 5897        |                              | 38520             | 71785       |
| 9105.11-000                     |                   | NO KG             | -                  | -                 | -           | 260                          | 50                | 269         |
| 9105.4-ST                       | NO                | KG                | -                  | -                 | -           | 260                          | 50                | 269         |
| 9107.00-000                     |                   | NO KG             | -                  | -                 | -           | 90                           | 28                | 267         |
| 9107.4-ST                       | NO                | KG                | -                  | -                 | -           | 90                           | 28                | 267         |
| 9113.90-000                     |                   | KG                |                    | 70                | 753         |                              | 576               | 6665        |
| 9113.4-ST                       | **                | KG                |                    | 70                | 753         |                              | 576               | 6665        |
| 9114.90-000                     |                   | KG                |                    | -                 | -           |                              | 11                | 491         |
| 9114.4-ST                       | **                | KG                |                    | -                 | -           |                              | 11                | 491         |
| 91.2-ST                         |                   |                   |                    |                   | 6650        |                              |                   | 79477       |
| 9402.90-000                     |                   | KG                |                    | -                 | -           |                              | 191               | 484         |
| 9402.4-ST                       | **                | KG                |                    | -                 | -           |                              | 191               | 484         |
| 94.2-ST                         | **                | KG                |                    | -                 | -           |                              | 191               | 484         |
| 9503.90-900                     |                   | KG                |                    | -                 | -           |                              | 80                | 1606        |
| 9503.4-ST                       | **                | KG                |                    | -                 | -           |                              | 80                | 1606        |
| 9504.90-900                     |                   | KG                |                    | -                 | -           |                              | 17                | 1160        |
| 9504.4-ST                       | **                | KG                |                    | -                 | -           |                              | 17                | 1160        |
| 95.2-ST                         | **                | KG                |                    | -                 | -           |                              | 97                | 2766        |
| 9601.90-000                     |                   | KG                |                    | -                 | -           |                              | 12                | 267         |
| 9601.4-ST                       | **                | KG                |                    | -                 | -           |                              | 12                | 267         |
| 9606.21-000                     | GS                | KG                | -                  | -                 | -           | 350                          | 25                | 305         |
| 9606.4-ST                       | GS                | KG                | -                  | -                 | -           | 350                          | 25                | 305         |
| 9608.10-000                     |                   | DZ                |                    | -                 | -           |                              | 1750              | 6250        |
| 9608.20-900                     |                   | DZ                |                    | -                 | -           |                              | 360               | 295         |
| 9608.91-100                     | TH                | KG                | 300                | 78                | 939         | 750                          | 188               | 2305        |
| 9608.4-ST                       |                   |                   |                    |                   | 939         |                              |                   | 8850        |
| 96.2-ST                         |                   |                   |                    |                   | 939         |                              |                   | 9422        |
| TOTAL                           |                   |                   |                    |                   | 170950      |                              |                   | 2483276     |