

Country by Customs by Commodity

EXPORT

101 東京航空貨物 (原木)

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 401 COLMBIA                     |                   |                   |                     |                     |             |                              |                     |             |
| 0000.00-190                     |                   | KG                |                     | -                   | -           |                              | 804                 | 13926       |
| 0000 4-ST                       | **                | KG                |                     | -                   | -           |                              | 804                 | 13926       |
| 00 2-ST                         | **                | KG                |                     | -                   | -           |                              | 804                 | 13926       |
| 2812.10-000                     |                   | KG                |                     | -                   | -           |                              | 1100                | 236         |
| 2812 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1100                | 236         |
| 28 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1100                | 236         |
| 2904.20-000                     |                   | KG                |                     | -                   | -           |                              | 25                  | 1087        |
| 2904 4-ST                       | **                | KG                |                     | -                   | -           |                              | 25                  | 1087        |
| 2914.69-000                     |                   | KG                |                     | -                   | -           |                              | 49                  | 11091       |
| 2914 4-ST                       | **                | KG                |                     | -                   | -           |                              | 49                  | 11091       |
| 2921.19-000                     |                   | KG                |                     | -                   | -           |                              | 350                 | 339         |
| 2921 4-ST                       | **                | KG                |                     | -                   | -           |                              | 350                 | 339         |
| 2922.49-000                     |                   | KG                |                     | -                   | -           |                              | 50                  | 203         |
| 2922 4-ST                       | **                | KG                |                     | -                   | -           |                              | 50                  | 203         |
| 2923.20-000                     |                   | KG                |                     | -                   | -           |                              | 50                  | 354         |
| 2923.90-000                     |                   | KG                |                     | -                   | -           |                              | 60                  | 2116        |
| 2923 4-ST                       | **                | KG                |                     | -                   | -           |                              | 110                 | 2470        |
| 2924.29-000                     |                   | KG                |                     | -                   | -           |                              | 500                 | 2050        |
| 2924 4-ST                       | **                | KG                |                     | -                   | -           |                              | 500                 | 2050        |
| 2930.90-000                     |                   | KG                |                     | -                   | -           |                              | 2000                | 1982        |
| 2930 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2000                | 1982        |
| 2932.90-900                     |                   | KG                |                     | -                   | -           |                              | 25                  | 1002        |
| 2932 4-ST                       | **                | KG                |                     | -                   | -           |                              | 25                  | 1002        |
| 2933.39-000                     |                   | KG                |                     | -                   | -           |                              | 2040                | 23913       |
| 2933.59-000                     |                   | KG                |                     | 200                 | 9559        |                              | 1920                | 96699       |
| 2933 4-ST                       | **                | KG                |                     | 200                 | 9559        |                              | 3960                | 120612      |
| 2934.90-000                     |                   | KG                |                     | -                   | -           |                              | 145                 | 4559        |
| 2934 4-ST                       | **                | KG                |                     | -                   | -           |                              | 145                 | 4559        |
| 2935.00-000                     |                   | KG                |                     | -                   | -           |                              | 600                 | 30865       |
| 2935 4-ST                       | **                | KG                |                     | -                   | -           |                              | 600                 | 30865       |
| 2941.90-000                     |                   | KG                |                     | 148                 | 4069        |                              | 1058                | 32300       |
| 2941 4-ST                       | **                | KG                |                     | 148                 | 4069        |                              | 1058                | 32300       |
| 29 2-ST                         | **                | KG                |                     | 348                 | 13628       |                              | 8872                | 208560      |
| 3002.10-000                     |                   | KG                |                     | 45                  | 532         |                              | 639                 | 16440       |
| 3002 4-ST                       | **                | KG                |                     | 45                  | 532         |                              | 639                 | 16440       |
| 3003.39-000                     |                   | KG                |                     | -                   | -           |                              | 100                 | 623         |
| 3003 4-ST                       | **                | KG                |                     | -                   | -           |                              | 100                 | 623         |
| 3004.39-000                     |                   | KG                |                     | 24                  | 556         |                              | 74                  | 1677        |
| 3004 4-ST                       | **                | KG                |                     | 24                  | 556         |                              | 74                  | 1677        |
| 3005.10-100                     |                   | KG                |                     | -                   | -           |                              | 365                 | 433         |
| 3005 4-ST                       | **                | KG                |                     | -                   | -           |                              | 365                 | 433         |
| 30 2-ST                         | **                | KG                |                     | 69                  | 1088        |                              | 1178                | 19173       |
| 3204.17-100                     |                   | KG                |                     | -                   | -           |                              | 200                 | 388         |
| 3204 4-ST                       | **                | KG                |                     | -                   | -           |                              | 200                 | 388         |
| 3207.10-100                     |                   | KG                |                     | -                   | -           |                              | 50                  | 214         |
| 3207 4-ST                       | **                | KG                |                     | -                   | -           |                              | 50                  | 214         |
| 3210.00-300                     |                   | KG                |                     | -                   | -           |                              | 23                  | 303         |
| 3210 4-ST                       | **                | KG                |                     | -                   | -           |                              | 23                  | 303         |
| 3215.19-000                     |                   | KG                |                     | -                   | -           |                              | 50                  | 249         |
| 3215.90-000                     |                   | KG                |                     | -                   | -           |                              | 192                 | 1630        |
| 3215 4-ST                       | **                | KG                |                     | -                   | -           |                              | 242                 | 1879        |
| 32 2-ST                         | **                | KG                |                     | -                   | -           |                              | 515                 | 2784        |
| 3506.99-000                     |                   | KG                |                     | -                   | -           |                              | 5910                | 6840        |
| 3506 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5910                | 6840        |
| 3507.10-000                     |                   | KG                |                     | -                   | -           |                              | 1000                | 9977        |
| 3507.90-000                     |                   | KG                |                     | -                   | -           |                              | 735                 | 6445        |
| 3507 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1735                | 16422       |
| 35 2-ST                         | **                | KG                |                     | -                   | -           |                              | 7645                | 23262       |
| 3701.10-000                     |                   | SM                |                     | -                   | -           |                              | 5372                | 2670        |
| 3701 4-ST                       | **                | SM                |                     | -                   | -           |                              | 5372                | 2670        |
| 3705.20-000                     |                   | SM                |                     | -                   | -           |                              | 50                  | 480         |
| 3705 4-ST                       | **                | SM                |                     | -                   | -           |                              | 50                  | 480         |
| 37 2-ST                         | **                | SM                |                     | -                   | -           |                              | 5422                | 3150        |
| 3822.00-000                     |                   | KG                |                     | -                   | -           |                              | 137                 | 1472        |
| 3822 4-ST                       | **                | KG                |                     | -                   | -           |                              | 137                 | 1472        |
| 38 2-ST                         | **                | KG                |                     | -                   | -           |                              | 137                 | 1472        |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 401 COLMBIA                     |                   |                   |                     |                     |             |                              |                     |             |
| 3910.00-900                     |                   | KG                |                     | -                   | -           |                              | 47                  | 1504        |
| 3910 4-ST                       | **                | KG                |                     | -                   | -           |                              | 47                  | 1504        |
| 3917.32-100                     |                   | KG                |                     | -                   | -           |                              | 23                  | 248         |
| 3917 4-ST                       | **                | KG                |                     | -                   | -           |                              | 23                  | 248         |
| 3919.90-300                     |                   | KG                |                     | -                   | -           |                              | 762                 | 569         |
| 3919 4-ST                       | **                | KG                |                     | -                   | -           |                              | 762                 | 569         |
| 3920.99-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 2295        |
| 3920 4-ST                       | **                | KG                |                     | -                   | -           |                              | 20                  | 2295        |
| 3921.90-300                     |                   | KG                |                     | -                   | -           |                              | 291                 | 2199        |
| 3921 4-ST                       | **                | KG                |                     | -                   | -           |                              | 291                 | 2199        |
| 3923.10-000                     |                   | KG                |                     | -                   | -           |                              | 8                   | 245         |
| 3923.90-000                     |                   | KG                |                     | -                   | -           |                              | 18                  | 405         |
| 3923 4-ST                       | **                | KG                |                     | -                   | -           |                              | 26                  | 650         |
| 3926.90-000                     |                   | KG                |                     | -                   | -           |                              | 363                 | 4209        |
| 3926 4-ST                       | **                | KG                |                     | -                   | -           |                              | 363                 | 4209        |
| 39 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1532                | 11674       |
| 4009.10-000                     |                   | KG                |                     | 60                  | 576         |                              | 181                 | 779         |
| 4009.30-000                     |                   | KG                |                     | -                   | -           |                              | 294                 | 769         |
| 4009 4-ST                       | **                | KG                |                     | 60                  | 576         |                              | 475                 | 1548        |
| 4011.20-000                     | NO                | KG                | -                   | -                   | -           | 15                           | 228                 | 224         |
| 4011 4-ST                       | NO                | KG                | -                   | -                   | -           | 15                           | 228                 | 224         |
| 4016.92-000                     |                   | KG                |                     | -                   | -           |                              | 65                  | 698         |
| 4016.93-000                     |                   | KG                |                     | 112                 | 638         |                              | 600                 | 5030        |
| 4016.94-000                     |                   | KG                |                     | -                   | -           |                              | 384                 | 1385        |
| 4016.99-000                     |                   | KG                |                     | 242                 | 323         |                              | 397                 | 1253        |
| 4016 4-ST                       | **                | KG                |                     | 354                 | 961         |                              | 1446                | 8366        |
| 40 2-ST                         |                   | KG                |                     | 414                 | 1537        |                              | 2149                | 10138       |
| 4809.90-900                     |                   | KG                |                     | -                   | -           |                              | 810                 | 625         |
| 4809 4-ST                       | **                | KG                |                     | -                   | -           |                              | 810                 | 625         |
| 4811.90-100                     |                   | KG                |                     | -                   | -           |                              | 202                 | 255         |
| 4811.90-900                     |                   | KG                |                     | -                   | -           |                              | 182                 | 300         |
| 4811 4-ST                       | **                | KG                |                     | -                   | -           |                              | 384                 | 555         |
| 4820.10-900                     |                   | KG                |                     | -                   | -           |                              | 67                  | 325         |
| 4820 4-ST                       | **                | KG                |                     | -                   | -           |                              | 67                  | 325         |
| 4823.40-000                     |                   | KG                |                     | -                   | -           |                              | 93                  | 571         |
| 4823.51-000                     |                   | KG                |                     | -                   | -           |                              | 42                  | 330         |
| 4823 4-ST                       | **                | KG                |                     | -                   | -           |                              | 135                 | 901         |
| 48 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1396                | 2406        |
| 4901.99-000                     |                   | NO                |                     | 367                 | 3537        |                              | 1206                | 8719        |
| 4901 4-ST                       | **                | NO                |                     | 367                 | 3537        |                              | 1206                | 8719        |
| 4910.00-000                     |                   | KG                |                     | -                   | -           |                              | 158                 | 536         |
| 4910 4-ST                       | **                | KG                |                     | -                   | -           |                              | 158                 | 536         |
| 4911.10-000                     |                   | KG                |                     | -                   | -           |                              | 62                  | 230         |
| 4911.99-000                     |                   | KG                |                     | -                   | -           |                              | 39                  | 216         |
| 4911 4-ST                       | **                | KG                |                     | -                   | -           |                              | 101                 | 446         |
| 49 2-ST                         | **                |                   |                     |                     | 3537        |                              |                     | 9701        |
| 5806.32-100                     |                   | KG                |                     | -                   | -           |                              | 214                 | 658         |
| 5806 4-ST                       | **                | KG                |                     | -                   | -           |                              | 214                 | 658         |
| 58 2-ST                         | **                | KG                |                     | -                   | -           |                              | 214                 | 658         |
| 5911.31-900                     |                   | KG                |                     | -                   | -           |                              | 13                  | 385         |
| 5911 4-ST                       | **                | KG                |                     | -                   | -           |                              | 13                  | 385         |
| 59 2-ST                         | **                | KG                |                     | -                   | -           |                              | 13                  | 385         |
| 6307.90-000                     |                   | KG                |                     | -                   | -           |                              | 51                  | 327         |
| 6307 4-ST                       | **                | KG                |                     | -                   | -           |                              | 51                  | 327         |
| 63 2-ST                         | **                | KG                |                     | -                   | -           |                              | 51                  | 327         |
| 6812.90-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 583         |
| 6812 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 583         |
| 6813.10-100                     |                   | KG                |                     | -                   | -           |                              | 670                 | 1305        |
| 6813 4-ST                       | **                | KG                |                     | -                   | -           |                              | 670                 | 1305        |
| 68 2-ST                         | **                | KG                |                     | -                   | -           |                              | 672                 | 1888        |
| 6909.19-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 960         |
| 6909 4-ST                       | **                | KG                |                     | -                   | -           |                              | 20                  | 960         |
| 69 2-ST                         | **                | KG                |                     | -                   | -           |                              | 20                  | 960         |
| 7007.11-000                     |                   | KG                |                     | -                   | -           |                              | 342                 | 714         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 401 COLMBIA                     |                   |                   |                    |                   |             |                              |                   |             |
| 7007 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 342               | 714         |
| 7019.10-900                     |                   | KG                |                    | 30                | 342         |                              | 30                | 342         |
| 7019 4-ST                       | ***               | KG                |                    | 30                | 342         |                              | 30                | 342         |
| 70 2-ST                         | ***               | KG                |                    | 30                | 342         |                              | 372               | 1056        |
| 7117.11-000                     | DZ                | KG                | -                  | -                 | -           | 1                            | 3                 | 240         |
| 7117.19-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 380         |
| 7117 4-ST                       |                   | KG                |                    | -                 | -           |                              | 7                 | 620         |
| 71 2-ST                         |                   | KG                |                    | -                 | -           |                              | 7                 | 620         |
| 7303.00-100                     |                   | MT                |                    | -                 | -           |                              | 0                 | 325         |
| 7303 4-ST                       | ***               | MT                |                    | -                 | -           |                              | 0                 | 325         |
| 7307.29-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 1076        |
| 7307 4-ST                       | ***               | MT                |                    | -                 | -           |                              | 0                 | 1076        |
| 7312.10-199                     |                   | MT                |                    | -                 | -           |                              | 0                 | 482         |
| 7312 4-ST                       | ***               | MT                |                    | -                 | -           |                              | 0                 | 482         |
| 7318.15-110                     |                   | KG                |                    | -                 | -           |                              | 3035              | 2388        |
| 7318.15-190                     |                   | KG                |                    | -                 | -           |                              | 2458              | 2203        |
| 7318.19-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 221         |
| 7318.21-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 612         |
| 7318.29-000                     |                   | KG                |                    | 181               | 577         |                              | 181               | 577         |
| 7318 4-ST                       | ***               | KG                |                    | 181               | 577         |                              | 5698              | 6001        |
| 7326.90-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 1194        |
| 7326 4-ST                       | ***               | MT                |                    | -                 | -           |                              | 0                 | 1194        |
| 73 2-ST                         | ***               |                   |                    |                   | 577         |                              |                   | 9078        |
| 7419.99-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 1111        |
| 7419 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 100               | 1111        |
| 74 2-ST                         | ***               | KG                |                    | -                 | -           |                              | 100               | 1111        |
| 7608.20-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 368         |
| 7608 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 6                 | 368         |
| 76 2-ST                         | ***               | KG                |                    | -                 | -           |                              | 6                 | 368         |
| 8204.12-900                     | NO                | KG                | -                  | -                 | -           | 220                          | 440               | 362         |
| 8204 4-ST                       | NO                | KG                | -                  | -                 | -           | 220                          | 440               | 362         |
| 8205.59-000                     |                   | KG                |                    | -                 | -           |                              | 92                | 295         |
| 8205 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 92                | 295         |
| 8208.20-000                     |                   | KG                |                    | 34                | 304         |                              | 34                | 304         |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 13                | 1040        |
| 8208 4-ST                       | ***               | KG                |                    | 34                | 304         |                              | 47                | 1344        |
| 82 2-ST                         |                   | KG                |                    | 34                | 304         |                              | 579               | 2001        |
| 8310.00-000                     |                   | KG                |                    | -                 | -           |                              | 24                | 283         |
| 8310 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 24                | 283         |
| 8311.90-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 300         |
| 8311 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 30                | 300         |
| 83 2-ST                         | ***               | KG                |                    | -                 | -           |                              | 54                | 583         |
| 8406.90-000                     |                   | KG                |                    | -                 | -           |                              | 88                | 4563        |
| 8406 4-ST                       | ***               | KG                |                    | -                 | -           |                              | 88                | 4563        |
| 8407.34-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 320               | 572         |
| 8407 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 320               | 572         |
| 8408.20-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 1795              | 2619        |
| 8408 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 1795              | 2619        |
| 8409.91-100                     |                   | KG                |                    | 423               | 845         |                              | 4326              | 15879       |
| 8409.91-900                     |                   | KG                |                    | -                 | -           |                              | 8                 | 227         |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 13                | 420         |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 262               | 4015        |
| 8409 4-ST                       | ***               | KG                |                    | 423               | 845         |                              | 4609              | 20541       |
| 8412.29-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 235               | 511         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 235               | 511         |
| 8413.30-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 305         |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 9                            | 97                | 1430        |
| 8413.91-000                     |                   | KG                |                    | 33                | 1702        |                              | 154               | 8169        |
| 8413 4-ST                       |                   | KG                |                    | 33                | 1702        |                              | 259               | 9904        |
| 8414.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 110               | 508         |
| 8414.30-100                     | NO                | KG                | -                  | -                 | -           | 12                           | 78                | 480         |
| 8414.59-000                     | NO                | KG                | -                  | -                 | -           | 57                           | 95                | 1194        |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 21                | 3126        |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 16                | 393         |
| 8414 4-ST                       |                   | KG                |                    | -                 | -           |                              | 320               | 5701        |
| 8415.82-100                     |                   | NO                |                    | -                 | -           |                              | 30                | 897         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 401 COLMBIA                     |                   |                   |                     |                     |             |                              |                     |             |
| 8415 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 30                  | 897         |
| 8418.99-900                     |                   | KG                |                     | -                   | -           |                              | 126                 | 594         |
| 8418 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 126                 | 594         |
| 8419.89-000                     |                   | KG                |                     | -                   | -           |                              | 66                  | 2890        |
| 8419 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 66                  | 2890        |
| 8421.19-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 49                  | 267         |
| 8421.23-000                     | NO                | KG                | -                   | -                   | -           | 120                          | 41                  | 306         |
| 8421.91-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 828         |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 822                 | 2413        |
| 8421 4-ST                       |                   | KG                |                     | -                   | -           |                              | 922                 | 3814        |
| 8422.90-000                     |                   | KG                |                     | 19                  | 430         |                              | 26                  | 1163        |
| 8422 4-ST                       | ***               | KG                |                     | 19                  | 430         |                              | 26                  | 1163        |
| 8431.20-000                     |                   | KG                |                     | -                   | -           |                              | 45                  | 289         |
| 8431.31-000                     |                   | KG                |                     | -                   | -           |                              | 32                  | 1502        |
| 8431.39-900                     |                   | KG                |                     | 2                   | 331         |                              | 45                  | 763         |
| 8431 4-ST                       | ***               | KG                |                     | 2                   | 331         |                              | 122                 | 2554        |
| 8438.90-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 320         |
| 8438 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 10                  | 320         |
| 8439.99-000                     |                   | KG                |                     | 30                  | 231         |                              | 30                  | 231         |
| 8439 4-ST                       | ***               | KG                |                     | 30                  | 231         |                              | 30                  | 231         |
| 8443.90-100                     |                   | KG                |                     | -                   | -           |                              | 42                  | 2262        |
| 8443 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 42                  | 2262        |
| 8448.49-000                     |                   | KG                |                     | -                   | -           |                              | 35                  | 1690        |
| 8448.51-100                     | TH                | KG                | -                   | -                   | -           | 342                          | 333                 | 6326        |
| 8448.51-900                     |                   | KG                |                     | -                   | -           |                              | 136                 | 4157        |
| 8448 4-ST                       |                   | KG                |                     | -                   | -           |                              | 504                 | 12173       |
| 8452.21-110                     | NO                | KG                | -                   | -                   | -           | 10                           | 185                 | 1161        |
| 8452.29-110                     | NO                | KG                | -                   | -                   | -           | 3                            | 18                  | 278         |
| 8452.29-200                     | NO                | KG                | -                   | -                   | -           | 1                            | 80                  | 439         |
| 8452.90-190                     |                   | KG                |                     | -                   | -           |                              | 88                  | 1316        |
| 8452.90-990                     |                   | KG                |                     | 12                  | 288         |                              | 452                 | 7436        |
| 8452 4-ST                       |                   | KG                |                     | 12                  | 288         |                              | 823                 | 10630       |
| 8466.91-000                     |                   | KG                |                     | -                   | -           |                              | 30                  | 803         |
| 8466.92-000                     |                   | KG                |                     | 22                  | 247         |                              | 22                  | 247         |
| 8466 4-ST                       | ***               | KG                |                     | 22                  | 247         |                              | 52                  | 1050        |
| 8467.92-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 356         |
| 8467.99-000                     |                   | KG                |                     | -                   | -           |                              | 238                 | 2117        |
| 8467 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 240                 | 2473        |
| 8469.10-100                     | NO                | NO                |                     | -                   | -           |                              | 1                   | 1887        |
| 8469.10-200                     | NO                | KG                | -                   | -                   | -           | 1                            | 2                   | 228         |
| 8469 4-ST                       |                   |                   |                     | -                   | -           |                              |                     | 2115        |
| 8470.50-900                     |                   | NO                |                     | -                   | -           |                              | 125                 | 8639        |
| 8470 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 125                 | 8639        |
| 8471.20-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 26                  | 448         |
| 8471.20-900                     | NO                | KG                | -                   | -                   | -           | 3                            | 1                   | 339         |
| 8471.92-130                     | NO                | KG                | -                   | -                   | -           | 2                            | 320                 | 2018        |
| 8471.92-200                     | NO                | KG                | 1                   | 10                  | 250         | 1                            | 10                  | 250         |
| 8471.93-300                     | NO                | KG                | -                   | -                   | -           | 10                           | 100                 | 11132       |
| 8471.93-900                     | NO                | KG                | -                   | -                   | -           | 3                            | 93                  | 4260        |
| 8471.99-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 4                   | 292         |
| 8471 4-ST                       | NO                | KG                | 1                   | 10                  | 250         | 22                           | 554                 | 18739       |
| 8472.90-000                     | NO                | KG                | 5                   | 17                  | 750         | 55                           | 401                 | 4820        |
| 8472 4-ST                       | NO                | KG                | 5                   | 17                  | 750         | 55                           | 401                 | 4820        |
| 8473.29-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 514         |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 71                  | 3090        |
| 8473 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 81                  | 3604        |
| 8477.90-100                     |                   | KG                |                     | 18                  | 388         |                              | 568                 | 19459       |
| 8477 4-ST                       | ***               | KG                |                     | 18                  | 388         |                              | 568                 | 19459       |
| 8479.89-900                     | NO                | KG                | -                   | -                   | -           | 2                            | 522                 | 10529       |
| 8479 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 522                 | 10529       |
| 8480.71-000                     |                   | KG                |                     | -                   | -           |                              | 1591                | 18497       |
| 8480 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 1591                | 18497       |
| 8481.20-000                     |                   | KG                |                     | 30                  | 456         |                              | 288                 | 899         |
| 8481.80-110                     |                   | KG                |                     | -                   | -           |                              | 8                   | 235         |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 417                 | 3385        |
| 8481.80-900                     |                   | KG                |                     | -                   | -           |                              | 40                  | 833         |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 149                 | 1802        |
| 8481 4-ST                       | ***               | KG                |                     | 30                  | 456         |                              | 902                 | 7154        |
| 8482.10-000                     |                   | KG                |                     | -                   | -           |                              | 18                  | 665         |
| 8482.20-000                     |                   | KG                |                     | -                   | -           |                              | 694                 | 2578        |
| 8482.50-000                     |                   | KG                |                     | -                   | -           |                              | 211                 | 375         |
| 8482.80-000                     |                   | KG                |                     | -                   | -           |                              | 33                  | 790         |
| 8482.91-900                     |                   | KG                |                     | -                   | -           |                              | 243                 | 853         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 401 COLMBIA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8482 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1199              | 5261        |
| 8483.10-000                     |                   | KG                |                    | -                 | -           |                              | 4162              | 11312       |
| 8483.20-000                     |                   | KG                |                    | -                 | -           |                              | 58                | 620         |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 103               | 4761        |
| 8483.40-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 6                 | 288         |
| 8483.40-200                     |                   | KG                |                    | 88                | 343         |                              | 2705              | 10970       |
| 8483.40-900                     |                   | KG                |                    | -                 | -           |                              | 9                 | 239         |
| 8483.60-000                     |                   | KG                |                    | -                 | -           |                              | 109               | 341         |
| 8483.90-100                     |                   | KG                |                    | -                 | -           |                              | 483               | 1274        |
| 8483.90-200                     |                   | KG                |                    | -                 | -           |                              | 172               | 2092        |
| 8483 4-ST                       |                   | KG                |                    | 88                | 343         |                              | 7807              | 31897       |
| 8484.10-000                     |                   | KG                |                    | -                 | -           |                              | 172               | 1356        |
| 8484.90-000                     |                   | KG                |                    | -                 | -           |                              | 38                | 3080        |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 210               | 4436        |
| 8485.90-000                     |                   | KG                |                    | -                 | -           |                              | 107               | 3345        |
| 8485 4-ST                       | **                | KG                |                    | -                 | -           |                              | 107               | 3345        |
| 84 2-ST                         |                   |                   |                    |                   | 6261        |                              |                   | 223957      |
| 8501.10-192                     | NO                | KG                | -                  | -                 | -           | 10                           | 36                | 875         |
| 8501.40-100                     | NO                | KG                | -                  | -                 | -           | 14                           | 70                | 221         |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 24                           | 106               | 1096        |
| 8504.21-910                     | NO                | KG                | 6                  | 210               | 3482        | 6                            | 210               | 3482        |
| 8504.31-910                     | NO                | KG                | -                  | -                 | -           | 130                          | 6                 | 211         |
| 8504.40-110                     | NO                | KG                | 85                 | 185               | 2471        | 107                          | 282               | 3450        |
| 8504.40-900                     | NO                | KG                | -                  | -                 | -           | 11                           | 489               | 2155        |
| 8504.50-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 407         |
| 8504.90-000                     |                   | KG                |                    | 57                | 1163        |                              | 64                | 2896        |
| 8504 4-ST                       |                   | KG                |                    | 452               | 7116        |                              | 1071              | 12601       |
| 8505.11-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 794         |
| 8505.20-000                     |                   | KG                |                    | -                 | -           |                              | 128               | 3702        |
| 8505 4-ST                       | **                | KG                |                    | -                 | -           |                              | 137               | 4496        |
| 8508.80-100                     | NO                | NO                | -                  | -                 | -           |                              | 7                 | 286         |
| 8508 4-ST                       | **                | NO                | -                  | -                 | -           |                              | 7                 | 286         |
| 8511.30-900                     |                   | KG                |                    | -                 | -           |                              | 3915              | 45554       |
| 8511.40-100                     |                   | KG                |                    | -                 | -           |                              | 76                | 470         |
| 8511.50-000                     |                   | KG                |                    | -                 | -           |                              | 797               | 5475        |
| 8511 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4788              | 51499       |
| 8512.20-000                     |                   | KG                |                    | -                 | -           |                              | 289               | 929         |
| 8512 4-ST                       | **                | KG                |                    | -                 | -           |                              | 289               | 929         |
| 8515.21-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 550         |
| 8515.80-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 26                | 500         |
| 8515.90-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 466         |
| 8515 4-ST                       |                   | KG                |                    | -                 | -           |                              | 59                | 1516        |
| 8516.80-000                     |                   | KG                |                    | -                 | -           |                              | 78                | 528         |
| 8516 4-ST                       | **                | KG                |                    | -                 | -           |                              | 78                | 528         |
| 8517.10-100                     | NO                | KG                | -                  | -                 | -           | 290                          | 500               | 2379        |
| 8517.10-900                     | NO                | KG                | -                  | -                 | -           | 453                          | 539               | 4679        |
| 8517.30-000                     | NO                | KG                | -                  | -                 | -           | 7                            | 1189              | 13110       |
| 8517.40-000                     | NO                | KG                | 15                 | 5                 | 328         | 19                           | 858               | 21297       |
| 8517.81-100                     | NO                | KG                | -                  | -                 | -           | 55                           | 505               | 2823        |
| 8517.81-900                     | NO                | KG                | -                  | -                 | -           | 20                           | 14                | 328         |
| 8517.90-000                     |                   | KG                |                    | 230               | 5878        |                              | 3708              | 61261       |
| 8517 4-ST                       |                   | KG                |                    | 235               | 6206        |                              | 7313              | 105877      |
| 8518.29-900                     | NO                | KG                | -                  | -                 | -           | 1000                         | 150               | 375         |
| 8518.90-000                     |                   | KG                |                    | 44                | 1334        |                              | 80                | 2480        |
| 8518 4-ST                       |                   | KG                |                    | 44                | 1334        |                              | 230               | 2855        |
| 8521.10-000                     | NO                | KG                | 2                  | 49                | 819         | 19                           | 146               | 4325        |
| 8521 4-ST                       | NO                | KG                | 2                  | 49                | 819         | 19                           | 146               | 4325        |
| 8522.10-000                     |                   | KG                |                    | -                 | -           |                              | 91                | 2327        |
| 8522.90-900                     |                   | KG                |                    | -                 | -           |                              | 58                | 1272        |
| 8522 4-ST                       | **                | KG                |                    | -                 | -           |                              | 149               | 3599        |
| 8524.10-900                     | NO                | NO                |                    | 550               | 1588        |                              | 1550              | 4528        |
| 8524.23-000                     |                   | KG                |                    | -                 | -           |                              | 37                | 250         |
| 8524.90-900                     |                   | KG                |                    | 10                | 1808        |                              | 1377              | 44005       |
| 8524 4-ST                       | **                |                   |                    |                   | 3396        |                              |                   | 48783       |
| 8525.10-910                     | NO                | KG                | -                  | -                 | -           | 2                            | 50                | 678         |
| 8525.20-910                     | NO                | KG                | -                  | -                 | -           | 2                            | 80                | 786         |
| 8525.20-920                     | NO                | KG                | 130                | 189               | 3176        | 138                          | 251               | 6354        |
| 8525.20-990                     | NO                | KG                | 50                 | 30                | 1717        | 1289                         | 1110              | 36984       |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 11                           | 35                | 528         |
| 8525.30-190                     | NO                | KG                | -                  | -                 | -           | 10                           | 33                | 1359        |
| 8525 4-ST                       | NO                | KG                | 180                | 219               | 4893        | 1452                         | 1559              | 46689       |
| 8526.91-900                     | NO                | KG                | -                  | -                 | -           | 12                           | 36                | 1264        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 401 COLMBIA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8526 4-ST                       | NO                | KG                | -                  | -                 | -           | 12                           | 36                | 1264        |
| 8527.90-000                     |                   | NO                |                    | 103               | 1412        |                              | 206               | 2778        |
| 8527 4-ST                       | **                | NO                |                    | 103               | 1412        |                              | 206               | 2778        |
| 8528.10-190                     |                   | NO                |                    | 150               | 1516        |                              | 150               | 1516        |
| 8528.10-900                     |                   | NO                |                    | -                 | -           |                              | 1                 | 284         |
| 8528 4-ST                       | **                | NO                |                    | 150               | 1516        |                              | 151               | 1800        |
| 8529.10-900                     |                   | KG                |                    | -                 | -           |                              | 39                | 1648        |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 473               | 29077       |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 512               | 30725       |
| 8531.10-000                     |                   | KG                |                    | -                 | -           |                              | 18                | 1096        |
| 8531 4-ST                       | **                | KG                |                    | -                 | -           |                              | 18                | 1096        |
| 8532.22-000                     |                   | TH                |                    | -                 | -           |                              | 43                | 909         |
| 8532.23-000                     |                   | TH                |                    | 0                 | 300         |                              | 0                 | 300         |
| 8532.25-000                     |                   | TH                |                    | -                 | -           |                              | 63                | 527         |
| 8532 4-ST                       | **                | TH                |                    | 0                 | 300         |                              | 106               | 1736        |
| 8533.21-000                     | TH                | KG                | 77                 | 192               | 566         | 193                          | 297               | 1880        |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 35000                        | 106               | 1819        |
| 8533 4-ST                       |                   | KG                |                    | 192               | 566         |                              | 403               | 3699        |
| 8536.10-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 208         |
| 8536.20-000                     | NO                | KG                | 26                 | 27                | 210         | 509                          | 893               | 4462        |
| 8536.30-000                     |                   | KG                |                    | 41                | 1625        |                              | 241               | 10698       |
| 8536.41-000                     |                   | KG                |                    | -                 | -           |                              | 73                | 2115        |
| 8536.49-000                     |                   | KG                |                    | 13                | 880         |                              | 15                | 1222        |
| 8536.50-900                     | NO                | KG                | 573                | 90                | 2523        | 56448                        | 607               | 15493       |
| 8536.69-000                     |                   | KG                |                    | -                 | -           |                              | 208               | 1213        |
| 8536.90-200                     |                   | KG                |                    | -                 | -           |                              | 5060              | 21176       |
| 8536 4-ST                       |                   | KG                |                    | 171               | 5238        |                              | 7119              | 56587       |
| 8537.10-000                     | NO                | KG                | 4                  | 67                | 3329        | 8                            | 80                | 4187        |
| 8537 4-ST                       | NO                | KG                | 4                  | 67                | 3329        | 8                            | 80                | 4187        |
| 8538.10-000                     |                   | KG                |                    | 0                 | 620         |                              | 0                 | 620         |
| 8538.90-900                     |                   | KG                |                    | 26                | 1451        |                              | 10068             | 19687       |
| 8538 4-ST                       | **                | KG                |                    | 26                | 2071        |                              | 10068             | 20307       |
| 8539.10-900                     | NO                | KG                | -                  | -                 | -           | 60                           | 6                 | 211         |
| 8539.21-000                     | NO                | KG                | -                  | -                 | -           | 250                          | 6                 | 1000        |
| 8539.29-900                     | NO                | KG                | -                  | -                 | -           | 100                          | 2                 | 592         |
| 8539.40-100                     | NO                | KG                | -                  | -                 | -           | 8                            | 4                 | 940         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 418                          | 18                | 2743        |
| 8541.10-910                     |                   | NO                |                    | -                 | -           |                              | 21526             | 2923        |
| 8541.21-910                     |                   | NO                |                    | -                 | -           |                              | 50200             | 894         |
| 8541.60-900                     |                   | NO                |                    | -                 | -           |                              | 72040             | 2440        |
| 8541 4-ST                       | **                | NO                |                    | -                 | -           |                              | 143766            | 6257        |
| 8542.11-911                     |                   | NO                |                    | -                 | -           |                              | 842               | 1278        |
| 8542.11-912                     |                   | NO                |                    | -                 | -           |                              | 21                | 489         |
| 8542.11-919                     |                   | NO                |                    | -                 | -           |                              | 45                | 1128        |
| 8542.19-900                     |                   | NO                |                    | -                 | -           |                              | 7200              | 708         |
| 8542.20-000                     |                   | NO                |                    | -                 | -           |                              | 3030              | 2620        |
| 8542.80-000                     |                   | NO                |                    | -                 | -           |                              | 13                | 380         |
| 8542 4-ST                       | **                | NO                |                    | -                 | -           |                              | 11151             | 6603        |
| 8543.20-000                     | NO                | KG                | 9                  | 28                | 660         | 14                           | 84                | 4089        |
| 8543.80-000                     | NO                | KG                | 10                 | 32                | 3321        | 74                           | 344               | 18623       |
| 8543 4-ST                       | NO                | KG                | 19                 | 60                | 3981        | 88                           | 428               | 22712       |
| 8544.30-000                     |                   | KG                |                    | -                 | -           |                              | 7659              | 36814       |
| 8544.41-110                     |                   | KG                |                    | -                 | -           |                              | 64                | 1176        |
| 8544.41-910                     |                   | KG                |                    | 6                 | 365         |                              | 43                | 1634        |
| 8544 4-ST                       | **                | KG                |                    | 6                 | 365         |                              | 7766              | 39624       |
| 8547.20-000                     |                   | KG                |                    | -                 | -           |                              | 169               | 433         |
| 8547 4-ST                       | **                | KG                |                    | -                 | -           |                              | 169               | 433         |
| 8548.00-000                     |                   | KG                |                    | -                 | -           |                              | 219               | 1770        |
| 8548 4-ST                       | **                | KG                |                    | -                 | -           |                              | 219               | 1770        |
| 85 2-ST                         |                   |                   |                    |                   | 42542       |                              |                   | 489400      |
| 8708.10-000                     |                   | KG                |                    | 364               | 462         |                              | 866               | 2185        |
| 8708.29-000                     |                   | KG                |                    | 2678              | 6788        |                              | 19038             | 41928       |
| 8708.39-000                     |                   | KG                |                    | -                 | -           |                              | 5532              | 8853        |
| 8708.40-000                     |                   | KG                |                    | -                 | -           |                              | 276               | 821         |
| 8708.50-000                     |                   | KG                |                    | 675               | 765         |                              | 2582              | 3355        |
| 8708.60-000                     |                   | KG                |                    | -                 | -           |                              | 230               | 244         |
| 8708.70-000                     |                   | KG                |                    | -                 | -           |                              | 128               | 779         |
| 8708.91-000                     |                   | NO                |                    | -                 | -           |                              | 2758              | 2390        |
| 8708.93-000                     |                   | KG                |                    | -                 | -           |                              | 102               | 286         |
| 8708.94-000                     |                   | KG                |                    | 221               | 569         |                              | 444               | 1133        |
| 8708.99-900                     |                   | KG                |                    | 515               | 1392        |                              | 16950             | 40153       |
| 8708 4-ST                       | **                |                   |                    |                   | 9976        |                              |                   | 102127      |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 401 COLMBIA                     |                   |                   |                     |                     |             |                              |                     |             |
| 8714.19-000                     |                   | KG                |                     | -                   | -           |                              | 140                 | 221         |
| 8714.94-000                     |                   | KG                |                     | -                   | -           |                              | 1280                | 1413        |
| 8714 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1420                | 1634        |
| 87 2-ST                         | **                |                   |                     |                     | 9976        |                              |                     | 103761      |
| 9002.11-100                     |                   | NO                |                     | -                   | -           |                              | 48                  | 788         |
| 9002.19-000                     |                   | KG                |                     | 2                   | 256         |                              | 46                  | 1867        |
| 9002.90-000                     |                   | KG                |                     | -                   | -           |                              | 22                  | 1308        |
| 9002 4-ST                       | **                |                   |                     |                     | 256         |                              |                     | 3963        |
| 9006.51-000                     |                   | NO                |                     | 3                   | 661         |                              | 3                   | 661         |
| 9006.53-000                     |                   | NO                |                     | -                   | -           |                              | 230                 | 3603        |
| 9006.59-100                     | NO                | KG                | -                   | -                   | -           | 10                           | 57                  | 2252        |
| 9006 4-ST                       |                   |                   |                     |                     | 661         |                              |                     | 6516        |
| 9009.90-000                     |                   | KG                |                     | -                   | -           |                              | 484                 | 5742        |
| 9009 4-ST                       | **                | KG                |                     | -                   | -           |                              | 484                 | 5742        |
| 9010.90-000                     |                   | KG                |                     | 7                   | 350         |                              | 7                   | 350         |
| 9010 4-ST                       | **                | KG                |                     | 7                   | 350         |                              | 7                   | 350         |
| 9011.10-000                     | NO                | KG                | 7                   | 30                  | 958         | 60                           | 219                 | 6256        |
| 9011.80-100                     | NO                | KG                | 1                   | 7                   | 363         | 1                            | 7                   | 363         |
| 9011.80-900                     | NO                | KG                | 8                   | 40                  | 502         | 48                           | 253                 | 7213        |
| 9011.90-000                     |                   | KG                |                     | 255                 | 4113        |                              | 1416                | 19866       |
| 9011 4-ST                       |                   | KG                |                     | 332                 | 5936        |                              | 1895                | 33698       |
| 9013.80-000                     | NO                | KG                | -                   | -                   | -           | 12                           | 9                   | 312         |
| 9013 4-ST                       | NO                | KG                | -                   | -                   | -           | 12                           | 9                   | 312         |
| 9014.10-000                     | NO                | KG                | -                   | -                   | -           | 30                           | 12                  | 413         |
| 9014.80-100                     | NO                | KG                | -                   | -                   | -           | 11                           | 511                 | 2525        |
| 9014 4-ST                       | NO                | KG                | -                   | -                   | -           | 41                           | 523                 | 2938        |
| 9015.30-000                     | NO                | KG                | -                   | -                   | -           | 220                          | 30                  | 668         |
| 9015 4-ST                       | NO                | KG                | -                   | -                   | -           | 220                          | 30                  | 668         |
| 9017.30-100                     | NO                | KG                | -                   | -                   | -           | 20                           | 4                   | 234         |
| 9017.30-910                     | NO                | KG                | -                   | -                   | -           | 28                           | 16                  | 234         |
| 9017.30-930                     | NO                | KG                | -                   | -                   | -           | 35                           | 6                   | 202         |
| 9017.90-900                     |                   | KG                |                     | -                   | -           |                              | 3                   | 205         |
| 9017 4-ST                       |                   | KG                |                     | -                   | -           |                              | 29                  | 875         |
| 9018.11-100                     | NO                | KG                | 9                   | 72                  | 1114        | 71                           | 522                 | 8805        |
| 9018.11-900                     |                   | KG                |                     | -                   | -           |                              | 56                  | 1315        |
| 9018.19-100                     | NO                | KG                | 3                   | 50                  | 2558        | 45                           | 648                 | 25778       |
| 9018.19-210                     | NO                | KG                | 4                   | 377                 | 15760       | 57                           | 3309                | 109323      |
| 9018.19-900                     |                   | KG                |                     | 198                 | 11674       |                              | 1846                | 76205       |
| 9018.32-100                     | DZ                | KG                | -                   | -                   | -           | 333332                       | 307                 | 2483        |
| 9018.39-000                     |                   | KG                |                     | -                   | -           |                              | 259                 | 2901        |
| 9018.49-900                     |                   | KG                |                     | -                   | -           |                              | 220                 | 14561       |
| 9018.50-100                     |                   | KG                |                     | 30                  | 490         |                              | 59                  | 1263        |
| 9018.50-900                     |                   | KG                |                     | 120                 | 1812        |                              | 401                 | 5895        |
| 9018.90-110                     | NO                | KG                | 7                   | 115                 | 2428        | 42                           | 439                 | 9837        |
| 9018.90-190                     |                   | KG                |                     | 25                  | 552         |                              | 243                 | 2834        |
| 9018.90-390                     |                   | KG                |                     | -                   | -           |                              | 281                 | 16359       |
| 9018.90-900                     |                   | KG                |                     | -                   | -           |                              | 23                  | 1486        |
| 9018 4-ST                       |                   | KG                |                     | 987                 | 36388       |                              | 8613                | 279045      |
| 9019.10-000                     |                   | KG                |                     | -                   | -           |                              | 31                  | 598         |
| 9019.20-000                     |                   | KG                |                     | 24                  | 577         |                              | 97                  | 1371        |
| 9019 4-ST                       | **                | KG                |                     | 24                  | 577         |                              | 128                 | 1969        |
| 9022.11-910                     | NO                | KG                | -                   | -                   | -           | 1                            | 367                 | 3050        |
| 9022 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 367                 | 3050        |
| 9024.80-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 21                  | 510         |
| 9024 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 21                  | 510         |
| 9025.19-100                     | NO                | KG                | 10                  | 1                   | 280         | 10                           | 1                   | 280         |
| 9025 4-ST                       | NO                | KG                | 10                  | 1                   | 280         | 10                           | 1                   | 280         |
| 9026.20-190                     | NO                | KG                | -                   | -                   | -           | 21                           | 13                  | 299         |
| 9026.90-000                     |                   | KG                |                     | -                   | -           |                              | 66                  | 1836        |
| 9026 4-ST                       |                   | KG                |                     | -                   | -           |                              | 79                  | 2135        |
| 9027.80-110                     | NO                | KG                | -                   | -                   | -           | 6                            | 260                 | 11852       |
| 9027.80-910                     | NO                | KG                | -                   | -                   | -           | 2                            | 100                 | 3500        |
| 9027 4-ST                       | NO                | KG                | -                   | -                   | -           | 8                            | 360                 | 15352       |
| 9029.10-100                     | NO                | KG                | -                   | -                   | -           | 200                          | 9                   | 249         |
| 9029.20-990                     | NO                | KG                | -                   | -                   | -           | 20                           | 23                  | 370         |
| 9029 4-ST                       | NO                | KG                | -                   | -                   | -           | 220                          | 32                  | 619         |
| 9030.20-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 130                 | 5805        |
| 9030.31-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 14                  | 600         |
| 9030.39-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 0                   | 340         |
| 9030.39-900                     | NO                | KG                | -                   | -                   | -           | 4                            | 56                  | 1679        |
| 9030.40-000                     | NO                | KG                | 1                   | 15                  | 1110        | 3                            | 65                  | 2610        |
| 9030.89-910                     | NO                | KG                | -                   | -                   | -           | 1                            | 62                  | 2582        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |             |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE |
| 401 COLMBIA                     |                   |                   |                      |                      |             |                              |                      |             |
| 9030.89-990                     | NO                | KG                | -                    | -                    | -           | 15                           | 389                  | 16682       |
| 9030.90-000                     |                   | KG                | -                    | -                    | -           |                              | 15                   | 212         |
| 9030 4-ST                       |                   | KG                |                      | 15                   | 1110        |                              | 731                  | 30510       |
| 9031.80-190                     | NO                | KG                | -                    | -                    | -           | 33                           | 136                  | 5228        |
| 9031.90-100                     |                   | KG                |                      | -                    | -           |                              | 57                   | 3151        |
| 9031.90-900                     |                   | KG                |                      | -                    | -           |                              | 2                    | 207         |
| 9031 4-ST                       |                   | KG                |                      | -                    | -           |                              | 195                  | 8586        |
| 9032.10-100                     | NO                | KG                | -                    | -                    | -           | 26                           | 1                    | 241         |
| 9032.20-000                     | NO                | KG                | -                    | -                    | -           | 2                            | 3                    | 250         |
| 9032.89-112                     | NO                | KG                | 175                  | 66                   | 1742        | 975                          | 152                  | 4632        |
| 9032.90-000                     |                   | KG                |                      | 78                   | 922         |                              | 122                  | 2081        |
| 9032 4-ST                       |                   | KG                |                      | 144                  | 2664        |                              | 278                  | 7204        |
| 9033.00-000                     |                   | KG                |                      | -                    | -           |                              | 38                   | 1675        |
| 9033 4-ST                       | **                | KG                |                      | -                    | -           |                              | 38                   | 1675        |
| 90 2-ST                         |                   |                   |                      |                      | 48222       |                              |                      | 405997      |
| 9102.19-000                     |                   | NO                |                      | -                    | -           |                              | 100                  | 301         |
| 9102.91-000                     |                   | NO                |                      | -                    | -           |                              | 200                  | 383         |
| 9102 4-ST                       | **                | NO                |                      | -                    | -           |                              | 300                  | 684         |
| 9106.10-000                     | NO                | KG                | -                    | -                    | -           | 20                           | 30                   | 640         |
| 9106.90-100                     | NO                | KG                | -                    | -                    | -           | 8                            | 7                    | 521         |
| 9106 4-ST                       | NO                | KG                | -                    | -                    | -           | 28                           | 37                   | 1161        |
| 91 2-ST                         |                   |                   |                      |                      | -           |                              |                      | 1845        |
| 9401.90-000                     |                   | KG                |                      | -                    | -           |                              | 1934                 | 1897        |
| 9401 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1934                 | 1897        |
| 9405.40-210                     | NO                | KG                | -                    | -                    | -           | 4                            | 25                   | 213         |
| 9405 4-ST                       | NO                | KG                | -                    | -                    | -           | 4                            | 25                   | 213         |
| 94 2-ST                         |                   | KG                |                      | -                    | -           |                              | 1959                 | 2110        |
| 9504.90-100                     |                   | KG                |                      | -                    | -           |                              | 320                  | 4215        |
| 9504.90-900                     |                   | KG                |                      | -                    | -           |                              | 120                  | 2031        |
| 9504 4-ST                       | **                | KG                |                      | -                    | -           |                              | 440                  | 6246        |
| 9507.20-100                     |                   | GS                |                      | -                    | -           |                              | 5                    | 312         |
| 9507 4-ST                       | **                | GS                |                      | -                    | -           |                              | 5                    | 312         |
| 95 2-ST                         | **                |                   |                      | -                    | -           |                              |                      | 6558        |
| 9608.10-000                     |                   | DZ                |                      | -                    | -           |                              | 7126                 | 2543        |
| 9608.20-100                     |                   | DZ                |                      | -                    | -           |                              | 625                  | 388         |
| 9608.40-000                     |                   | DZ                |                      | -                    | -           |                              | 1623                 | 1146        |
| 9608.50-000                     |                   | DZ                |                      | -                    | -           |                              | 205                  | 371         |
| 9608.91-100                     | TH                | KG                | -                    | -                    | -           | 7200                         | 2069                 | 27080       |
| 9608.91-900                     |                   | KG                |                      | -                    | -           |                              | 53                   | 1541        |
| 9608.99-100                     |                   | KG                |                      | -                    | -           |                              | 777                  | 5744        |
| 9608 4-ST                       |                   |                   |                      |                      | -           |                              |                      | 38813       |
| 96 2-ST                         |                   |                   |                      |                      | -           |                              |                      | 38813       |
| TOTAL                           |                   |                   |                      |                      | 128014      |                              |                      | 1597958     |
| 402 VENEZLA                     |                   |                   |                      |                      |             |                              |                      |             |
| 0000.00-190                     |                   | KG                |                      | -                    | -           |                              | 232                  | 19314       |
| 0000 4-ST                       | **                | KG                |                      | -                    | -           |                              | 232                  | 19314       |
| 00 2-ST                         | **                | KG                |                      | -                    | -           |                              | 232                  | 19314       |
| 2905.14-000                     |                   | KG                |                      | -                    | -           |                              | 1000                 | 2427        |
| 2905 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1000                 | 2427        |
| 2922.49-000                     |                   | KG                |                      | 150                  | 342         |                              | 380                  | 1594        |
| 2922 4-ST                       | **                | KG                |                      | 150                  | 342         |                              | 380                  | 1594        |
| 2933.59-000                     |                   | KG                |                      | -                    | -           |                              | 140                  | 2997        |
| 2933.90-000                     |                   | KG                |                      | -                    | -           |                              | 160                  | 1839        |
| 2933 4-ST                       | **                | KG                |                      | -                    | -           |                              | 300                  | 4836        |
| 2934.90-000                     |                   | KG                |                      | -                    | -           |                              | 26                   | 253         |
| 2934 4-ST                       | **                | KG                |                      | -                    | -           |                              | 26                   | 253         |
| 2935.00-000                     |                   | KG                |                      | -                    | -           |                              | 100                  | 290         |
| 2935 4-ST                       | **                | KG                |                      | -                    | -           |                              | 100                  | 290         |
| 2936.22-000                     |                   | KG                |                      | -                    | -           |                              | 115                  | 1689        |
| 2936 4-ST                       | **                | KG                |                      | -                    | -           |                              | 115                  | 1689        |
| 2941.90-000                     |                   | KG                |                      | -                    | -           |                              | 292                  | 8100        |
| 2941 4-ST                       | **                | KG                |                      | -                    | -           |                              | 292                  | 8100        |
| 29 2-ST                         | **                | KG                |                      | 150                  | 342         |                              | 2213                 | 19189       |
| 3002.10-000                     |                   | KG                |                      | -                    | -           |                              | 140                  | 4587        |
| 3002 4-ST                       | **                | KG                |                      | -                    | -           |                              | 140                  | 4587        |



## 税関別国別品別表

## 輸出

1993 年 12 月 確定 (Fixed Annual)

PAGE 9

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 402 VENEZLA                     |                   |                   |                    |                   |             |                              |                   |             |
| 3004.90-900                     |                   | KG                |                    | -                 | -           |                              | 6                 | 1023        |
| 3004 4-ST                       | **                | KG                |                    | -                 | -           |                              | 6                 | 1023        |
| 30 2-ST                         | **                | KG                |                    | -                 | -           |                              | 146               | 5610        |
| 3207.40-000                     |                   | KG                |                    | 600               | 738         |                              | 600               | 738         |
| 3207 4-ST                       | **                | KG                |                    | 600               | 738         |                              | 600               | 738         |
| 3209.90-000                     |                   | KG                |                    | -                 | -           |                              | 48                | 276         |
| 3209 4-ST                       | **                | KG                |                    | -                 | -           |                              | 48                | 276         |
| 32 2-ST                         | **                | KG                |                    | 600               | 738         |                              | 648               | 1014        |
| 3304.10-000                     |                   | KG                |                    | -                 | -           |                              | 23                | 244         |
| 3304.20-000                     |                   | KG                |                    | -                 | -           |                              | 39                | 905         |
| 3304.99-900                     |                   | KG                |                    | -                 | -           |                              | 197               | 1088        |
| 3304 4-ST                       | **                | KG                |                    | -                 | -           |                              | 259               | 2237        |
| 33 2-ST                         | **                | KG                |                    | -                 | -           |                              | 259               | 2237        |
| 3402.13-000                     |                   | KG                |                    | 6280              | 13384       |                              | 6595              | 14244       |
| 3402 4-ST                       | **                | KG                |                    | 6280              | 13384       |                              | 6595              | 14244       |
| 3405.90-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 225         |
| 3405 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 225         |
| 34 2-ST                         | **                | KG                |                    | 6280              | 13384       |                              | 6695              | 14469       |
| 3506.99-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 290         |
| 3506 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 290         |
| 35 2-ST                         | **                | KG                |                    | -                 | -           |                              | 20                | 290         |
| 3701.99-000                     |                   | SM                |                    | -                 | -           |                              | 51                | 430         |
| 3701 4-ST                       | **                | SM                |                    | -                 | -           |                              | 51                | 430         |
| 3707.90-000                     |                   | KG                |                    | -                 | -           |                              | 366               | 1234        |
| 3707 4-ST                       | **                | KG                |                    | -                 | -           |                              | 366               | 1234        |
| 37 2-ST                         | **                |                   |                    | -                 | -           |                              |                   | 1664        |
| 3823.90-900                     |                   | KG                |                    | -                 | -           |                              | 1300              | 2409        |
| 3823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1300              | 2409        |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1300              | 2409        |
| 3907.30-000                     |                   | KG                |                    | -                 | -           |                              | 700               | 849         |
| 3907 4-ST                       | **                | KG                |                    | -                 | -           |                              | 700               | 849         |
| 3910.00-900                     |                   | KG                |                    | 16                | 522         |                              | 33                | 1059        |
| 3910 4-ST                       | **                | KG                |                    | 16                | 522         |                              | 33                | 1059        |
| 3917.23-000                     |                   | KG                |                    | -                 | -           |                              | 656               | 1174        |
| 3917 4-ST                       | **                | KG                |                    | -                 | -           |                              | 656               | 1174        |
| 3921.90-300                     |                   | KG                |                    | -                 | -           |                              | 49                | 336         |
| 3921 4-ST                       | **                | KG                |                    | -                 | -           |                              | 49                | 336         |
| 3923.29-000                     |                   | KG                |                    | -                 | -           |                              | 171               | 345         |
| 3923 4-ST                       | **                | KG                |                    | -                 | -           |                              | 171               | 345         |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 53                | 1589        |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 53                | 1589        |
| 39 2-ST                         | **                | KG                |                    | 16                | 522         |                              | 1662              | 5352        |
| 4008.21-000                     |                   | KG                |                    | -                 | -           |                              | 32                | 1080        |
| 4008 4-ST                       | **                | KG                |                    | -                 | -           |                              | 32                | 1080        |
| 4009.10-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 243         |
| 4009.20-000                     |                   | KG                |                    | -                 | -           |                              | 436               | 3238        |
| 4009.50-900                     |                   | KG                |                    | -                 | -           |                              | 120               | 482         |
| 4009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 566               | 3963        |
| 4010.99-100                     |                   | KG                |                    | -                 | -           |                              | 40                | 634         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 40                | 634         |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 50                | 736         |
| 4016.99-000                     |                   | KG                |                    | 515               | 981         |                              | 568               | 2996        |
| 4016 4-ST                       | **                | KG                |                    | 515               | 981         |                              | 618               | 3732        |
| 40 2-ST                         | **                | KG                |                    | 515               | 981         |                              | 1256              | 9409        |
| 4821.10-000                     |                   | KG                |                    | -                 | -           |                              | 0                 | 321         |
| 4821 4-ST                       | **                | KG                |                    | -                 | -           |                              | 0                 | 321         |
| 4823.19-000                     |                   | KG                |                    | -                 | -           |                              | 248               | 973         |
| 4823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 248               | 973         |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 248               | 1294        |
| 4901.99-000                     |                   | NO                |                    | 168               | 504         |                              | 4994              | 2114        |
| 4901 4-ST                       | **                | NO                |                    | 168               | 504         |                              | 4994              | 2114        |
| 4911.10-000                     |                   | KG                |                    | 176               | 463         |                              | 383               | 1764        |
| 4911.99-000                     |                   | KG                |                    | -                 | -           |                              | 145               | 798         |

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 402 VENEZLA                     |                   |                   |                    |                   |             |                              |                   |             |
| 4911 4-ST                       | **                | KG                |                    | 176               | 463         |                              | 528               | 2562        |
| 49 2-ST                         | **                |                   |                    |                   | 967         |                              |                   | 4676        |
| 6215.10-000                     | DZ                | KG                | -                  | -                 | -           | 14                           | 33                | 437         |
| 6215 4-ST                       | DZ                | KG                | -                  | -                 | -           | 14                           | 33                | 437         |
| 62 2-ST                         | DZ                | KG                | -                  | -                 | -           | 14                           | 33                | 437         |
| 6804.21-100                     |                   | KG                |                    | -                 | -           |                              | 148               | 1621        |
| 6804 4-ST                       | **                | KG                |                    | -                 | -           |                              | 148               | 1621        |
| 6806.90-000                     |                   | KG                |                    | -                 | -           |                              | 260               | 1700        |
| 6806 4-ST                       | **                | KG                |                    | -                 | -           |                              | 260               | 1700        |
| 68 2-ST                         | **                | KG                |                    | -                 | -           |                              | 408               | 3321        |
| 7013.39-000                     |                   | KG                |                    | -                 | -           |                              | 202               | 531         |
| 7013.99-100                     |                   | KG                |                    | -                 | -           |                              | 129               | 339         |
| 7013 4-ST                       | **                | KG                |                    | -                 | -           |                              | 331               | 870         |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 331               | 870         |
| 7304.41-900                     |                   | MT                |                    | -                 | -           |                              | 2                 | 1479        |
| 7304.49-900                     |                   | MT                |                    | -                 | -           |                              | 1                 | 4463        |
| 7304 4-ST                       | **                | MT                |                    | -                 | -           |                              | 3                 | 5942        |
| 7307.22-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 1304        |
| 7307.92-900                     |                   | MT                |                    | -                 | -           |                              | 0                 | 1548        |
| 7307.93-900                     |                   | MT                |                    | -                 | -           |                              | 0                 | 1620        |
| 7307 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 4472        |
| 7314.11-000                     |                   | KG                |                    | -                 | -           |                              | 243               | 2233        |
| 7314 4-ST                       | **                | KG                |                    | -                 | -           |                              | 243               | 2233        |
| 7316.00-000                     |                   | KG                |                    | -                 | -           |                              | 48                | 250         |
| 7316 4-ST                       | **                | KG                |                    | -                 | -           |                              | 48                | 250         |
| 7318.15-110                     |                   | KG                |                    | -                 | -           |                              | 42                | 260         |
| 7318.15-190                     |                   | KG                |                    | -                 | -           |                              | 100               | 2006        |
| 7318.15-900                     |                   | KG                |                    | -                 | -           |                              | 19                | 216         |
| 7318.16-900                     |                   | KG                |                    | -                 | -           |                              | 19                | 533         |
| 7318.22-000                     |                   | KG                |                    | -                 | -           |                              | 34                | 390         |
| 7318.24-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 993         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 228               | 4398        |
| 7320.90-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 945         |
| 7320 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 945         |
| 7321.11-000                     | NO                | KG                | 19                 | 133               | 350         | 19                           | 133               | 350         |
| 7321 4-ST                       | NO                | KG                | 19                 | 133               | 350         | 19                           | 133               | 350         |
| 7326.90-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 1633        |
| 7326 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 1633        |
| 73 2-ST                         |                   |                   |                    |                   | 350         |                              |                   | 20223       |
| 7419.99-000                     |                   | KG                |                    | -                 | -           |                              | 74                | 6670        |
| 7419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 74                | 6670        |
| 74 2-ST                         | **                | KG                |                    | -                 | -           |                              | 74                | 6670        |
| 7606.12-000                     |                   | KG                |                    | -                 | -           |                              | 90                | 312         |
| 7606 4-ST                       | **                | KG                |                    | -                 | -           |                              | 90                | 312         |
| 76 2-ST                         | **                | KG                |                    | -                 | -           |                              | 90                | 312         |
| 8207.50-200                     | NO                | KG                | -                  | -                 | -           | 210                          | 219               | 484         |
| 8207 4-ST                       | NO                | KG                | -                  | -                 | -           | 210                          | 219               | 484         |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 314               | 1424        |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 314               | 1424        |
| 8211.92-100                     | DZ                | KG                | 4                  | 10                | 456         | 4                            | 10                | 456         |
| 8211 4-ST                       | DZ                | KG                | 4                  | 10                | 456         | 4                            | 10                | 456         |
| 82 2-ST                         |                   | KG                |                    | 10                | 456         |                              | 543               | 2364        |
| 8310.00-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 301         |
| 8310 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 301         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 15                | 301         |
| 8406.90-000                     |                   | KG                |                    | -                 | -           |                              | 948               | 58441       |
| 8406 4-ST                       | **                | KG                |                    | -                 | -           |                              | 948               | 58441       |
| 8408.90-300                     | NO                | KG                | -                  | -                 | -           | 1                            | 155               | 337         |
| 8408 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 155               | 337         |
| 8409.91-100                     |                   | KG                |                    | -                 | -           |                              | 526               | 1837        |
| 8409.91-900                     |                   | KG                |                    | -                 | -           |                              | 50                | 295         |
| 8409.99-200                     |                   | KG                |                    | 60                | 210         |                              | 674               | 9633        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 245               | 4289        |
| 8409 4-ST                       | **                | KG                |                    | 60                | 210         |                              | 1495              | 16054       |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 402 VENEZLA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8410.90-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 700         |
| 8410 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 700         |
| 8411.99-000                     |                   | KG                |                    | 24                | 211         |                              | 235               | 4883        |
| 8411 4-ST                       | **                | KG                |                    | 24                | 211         |                              | 235               | 4883        |
| 8412.21-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 36                | 366         |
| 8412.31-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 18                | 228         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 8                            | 54                | 594         |
| 8413.30-000                     | NO                | KG                | -                  | -                 | -           | 102                          | 183               | 1221        |
| 8413.50-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 63                | 469         |
| 8413.60-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 9                 | 308         |
| 8413.60-900                     | NO                | KG                | 2                  | 58                | 1237        | 2                            | 58                | 1237        |
| 8413.81-000                     | NO                | KG                | -                  | -                 | -           | 45                           | 234               | 5439        |
| 8413.91-000                     |                   | KG                |                    | 54                | 3700        |                              | 245               | 6720        |
| 8413 4-ST                       |                   | KG                |                    | 112               | 4937        |                              | 792               | 15394       |
| 8414.59-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 26                | 447         |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 95                | 1242        |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 127               | 4197        |
| 8414 4-ST                       |                   | KG                |                    | -                 | -           |                              | 248               | 5886        |
| 8419.89-000                     |                   | KG                |                    | -                 | -           |                              | 301               | 999         |
| 8419.90-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 400         |
| 8419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 309               | 1399        |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 752               | 5321        |
| 8421 4-ST                       | **                | KG                |                    | -                 | -           |                              | 752               | 5321        |
| 8424.89-000                     | NO                | KG                | -                  | -                 | -           | 24                           | 73                | 389         |
| 8424 4-ST                       | NO                | KG                | -                  | -                 | -           | 24                           | 73                | 389         |
| 8431.10-000                     |                   | KG                |                    | 120               | 364         |                              | 130               | 671         |
| 8431.39-200                     |                   | KG                |                    | -                 | -           |                              | 45                | 962         |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 60                | 501         |
| 8431 4-ST                       | **                | KG                |                    | 120               | 364         |                              | 235               | 2134        |
| 8443.90-100                     |                   | KG                |                    | 22                | 258         |                              | 664               | 4656        |
| 8443 4-ST                       | **                | KG                |                    | 22                | 258         |                              | 664               | 4656        |
| 8448.51-100                     | TH                | KG                | -                  | -                 | -           | 205                          | 185               | 5569        |
| 8448 4-ST                       | TH                | KG                | -                  | -                 | -           | 205                          | 185               | 5569        |
| 8452.30-900                     | TH                | KG                | -                  | -                 | -           | 10                           | 16                | 350         |
| 8452.90-990                     |                   | KG                |                    | 60                | 969         |                              | 109               | 2006        |
| 8452 4-ST                       |                   | KG                |                    | 60                | 969         |                              | 125               | 2356        |
| 8456.90-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 35                | 400         |
| 8456 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 35                | 400         |
| 8466.93-000                     |                   | KG                |                    | -                 | -           |                              | 54                | 2814        |
| 8466 4-ST                       | **                | KG                |                    | -                 | -           |                              | 54                | 2814        |
| 8467.11-000                     | NO                | KG                | -                  | -                 | -           | 60                           | 83                | 407         |
| 8467 4-ST                       | NO                | KG                | -                  | -                 | -           | 60                           | 83                | 407         |
| 8470.50-900                     |                   | NO                |                    | -                 | -           |                              | 10                | 1458        |
| 8470 4-ST                       | **                | NO                |                    | -                 | -           |                              | 10                | 1458        |
| 8471.20-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 15                | 792         |
| 8471.92-110                     | NO                | KG                | -                  | -                 | -           | 2                            | 8                 | 236         |
| 8471.92-130                     | NO                | KG                | -                  | -                 | -           | 6                            | 28                | 202         |
| 8471.92-900                     | NO                | KG                | -                  | -                 | -           | 8                            | 18                | 1954        |
| 8471.93-300                     | NO                | KG                | -                  | -                 | -           | 1                            | 10                | 945         |
| 8471.93-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 26                | 1363        |
| 8471.99-000                     | NO                | KG                | 7                  | 239               | 18169       | 11                           | 247               | 18429       |
| 8471 4-ST                       | NO                | KG                | 7                  | 239               | 18169       | 36                           | 352               | 23921       |
| 8472.90-000                     | NO                | KG                | 4                  | 140               | 1860        | 380                          | 473               | 3681        |
| 8472 4-ST                       | NO                | KG                | 4                  | 140               | 1860        | 380                          | 473               | 3681        |
| 8473.10-000                     |                   | KG                |                    | -                 | -           |                              | 76                | 331         |
| 8473.29-000                     |                   | KG                |                    | -                 | -           |                              | 1214              | 3584        |
| 8473.30-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 4065        |
| 8473 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1304              | 7980        |
| 8475.20-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 42                | 4800        |
| 8475 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 42                | 4800        |
| 8477.90-100                     |                   | KG                |                    | -                 | -           |                              | 127               | 1817        |
| 8477 4-ST                       | **                | KG                |                    | -                 | -           |                              | 127               | 1817        |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 70                           | 55                | 1211        |
| 8479.90-000                     |                   | KG                |                    | -                 | -           |                              | 68                | 1759        |
| 8479 4-ST                       |                   | KG                |                    | -                 | -           |                              | 123               | 2970        |
| 8481.10-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 277         |
| 8481.20-000                     |                   | KG                |                    | 102               | 342         |                              | 345               | 2714        |
| 8481.30-100                     | TH                | KG                | -                  | -                 | -           | 0                            | 6                 | 245         |
| 8481.30-900                     |                   | KG                |                    | -                 | -           |                              | 1660              | 1913        |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 161               | 1933        |
| 8481.80-900                     |                   | KG                |                    | -                 | -           |                              | 54                | 4617        |
| 8481.90-000                     |                   | KG                |                    | -                 | -           |                              | 727               | 9298        |
| 8481 4-ST                       |                   | KG                |                    | 102               | 342         |                              | 2961              | 20997       |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 402 VENEZLA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8482.40-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 3979        |
| 8482.99-000                     |                   | KG                |                    | 45                | 2320        |                              | 45                | 2320        |
| 8482 4-ST                       | **                | KG                |                    | 45                | 2320        |                              | 47                | 6299        |
| 8483.10-000                     |                   | KG                |                    | -                 | -           |                              | 465               | 6201        |
| 8483.30-100                     |                   | KG                |                    | -                 | -           |                              | 59                | 269         |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 386               | 13552       |
| 8483.40-200                     |                   | KG                |                    | -                 | -           |                              | 28                | 1317        |
| 8483.40-300                     |                   | KG                |                    | -                 | -           |                              | 110               | 330         |
| 8483.50-000                     |                   | KG                |                    | -                 | -           |                              | 373               | 2799        |
| 8483.60-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 456         |
| 8483.90-200                     |                   | KG                |                    | -                 | -           |                              | 42                | 613         |
| 8483.90-900                     |                   | KG                |                    | -                 | -           |                              | 158               | 2547        |
| 8483 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1643              | 28084       |
| 8484.10-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 273         |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 6                 | 273         |
| 8485.90-000                     |                   | KG                |                    | -                 | -           |                              | 11                | 1154        |
| 8485 4-ST                       | **                | KG                |                    | -                 | -           |                              | 11                | 1154        |
| 84 2-ST                         |                   |                   |                    |                   | 29640       |                              |                   | 231168      |
| 8501.31-192                     | NO                | KG                | -                  | -                 | -           | 2                            | 51                | 2345        |
| 8501.51-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 24                | 229         |
| 8501.52-100                     | NO                | KG                | 1                  | 50                | 330         | 2                            | 130               | 640         |
| 8501 4-ST                       | NO                | KG                | 1                  | 50                | 330         | 6                            | 205               | 3214        |
| 8503.00-000                     |                   | KG                |                    | -                 | -           |                              | 40                | 4349        |
| 8503 4-ST                       | **                | KG                |                    | -                 | -           |                              | 40                | 4349        |
| 8504.31-910                     | NO                | KG                | -                  | -                 | -           | 200                          | 8                 | 831         |
| 8504.40-110                     | NO                | KG                | 3                  | 410               | 2714        | 797                          | 623               | 6149        |
| 8504.40-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 420               | 2403        |
| 8504.50-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 318         |
| 8504 4-ST                       |                   | KG                |                    | 410               | 2714        |                              | 1065              | 9701        |
| 8505.20-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 712         |
| 8505 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 712         |
| 8507.30-000                     |                   | KG                |                    | -                 | -           |                              | 101               | 2434        |
| 8507 4-ST                       | **                | KG                |                    | -                 | -           |                              | 101               | 2434        |
| 8512.90-000                     |                   | KG                |                    | -                 | -           |                              | 136               | 413         |
| 8512 4-ST                       | **                | KG                |                    | -                 | -           |                              | 136               | 413         |
| 8515.11-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 590         |
| 8515.80-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 3299        |
| 8515.90-000                     |                   | KG                |                    | -                 | -           |                              | 47                | 1592        |
| 8515 4-ST                       |                   | KG                |                    | -                 | -           |                              | 108               | 5481        |
| 8516.29-900                     |                   | NO                |                    | -                 | -           |                              | 200               | 1996        |
| 8516.79-900                     | NO                | KG                | 26                 | 108               | 524         | 26                           | 108               | 524         |
| 8516 4-ST                       |                   |                   |                    |                   | 524         |                              |                   | 2520        |
| 8517.30-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 2                 | 350         |
| 8517.40-000                     | NO                | KG                | 4                  | 6                 | 531         | 16                           | 650               | 43830       |
| 8517.81-100                     | NO                | KG                | -                  | -                 | -           | 3                            | 60                | 332         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 24                | 2060        |
| 8517.90-000                     |                   | KG                |                    | 26                | 1613        |                              | 4232              | 110462      |
| 8517 4-ST                       |                   | KG                |                    | 32                | 2144        |                              | 4968              | 157034      |
| 8518.10-100                     | NO                | KG                | -                  | -                 | -           | 120                          | 56                | 766         |
| 8518.22-900                     | NO                | KG                | -                  | -                 | -           | 13                           | 75                | 349         |
| 8518.29-900                     | NO                | KG                | -                  | -                 | -           | 4000                         | 65                | 224         |
| 8518.30-100                     |                   | NO                |                    | -                 | -           |                              | 2050              | 500         |
| 8518.90-000                     |                   | KG                |                    | -                 | -           |                              | 266               | 4307        |
| 8518 4-ST                       |                   |                   |                    |                   | -           |                              |                   | 6146        |
| 8519.99-100                     |                   | NO                |                    | -                 | -           |                              | 6                 | 330         |
| 8519 4-ST                       | **                | NO                |                    | -                 | -           |                              | 6                 | 330         |
| 8520.31-100                     |                   | NO                |                    | -                 | -           |                              | 166               | 8048        |
| 8520.90-000                     | NO                | KG                | -                  | -                 | -           | 49                           | 73                | 2177        |
| 8520 4-ST                       |                   |                   |                    |                   | -           |                              |                   | 10225       |
| 8521.10-000                     | NO                | KG                | -                  | -                 | -           | 13                           | 615               | 39680       |
| 8521.90-000                     | NO                | KG                | -                  | -                 | -           | 21                           | 191               | 3484        |
| 8521 4-ST                       | NO                | KG                | -                  | -                 | -           | 34                           | 806               | 43164       |
| 8522.90-900                     |                   | KG                |                    | -                 | -           |                              | 1039              | 11773       |
| 8522 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1039              | 11773       |
| 8523.90-000                     |                   | KG                |                    | -                 | -           |                              | 508               | 30225       |
| 8523 4-ST                       | **                | KG                |                    | -                 | -           |                              | 508               | 30225       |
| 8524.90-900                     |                   | KG                |                    | -                 | -           |                              | 121               | 21897       |
| 8524 4-ST                       | **                | KG                |                    | -                 | -           |                              | 121               | 21897       |
| 8525.20-910                     | NO                | KG                | -                  | -                 | -           | 40                           | 116               | 3188        |
| 8525.20-920                     | NO                | KG                | 100                | 70                | 2074        | 149                          | 82                | 3220        |
| 8525.20-990                     | NO                | KG                | 500                | 518               | 12099       | 1461                         | 1237              | 40596       |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 651                          | 965               | 44709       |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 402 VENEZLA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8525.30-190                     | NO                | KG                | -                  | -                 | -           | 67                           | 34                | 3086        |
| 8525.30-900                     | NO                | KG                | -                  | -                 | -           | 60                           | 21                | 780         |
| 8525 4-ST                       | NO                | KG                | 600                | 588               | 14173       | 2428                         | 2455              | 95579       |
| 8527.21-000                     |                   | NO                |                    | 100               | 1948        |                              | 4965              | 112369      |
| 8527.90-000                     |                   | NO                |                    | 1120              | 19311       |                              | 5360              | 94588       |
| 8527 4-ST                       | **                | NO                |                    | 1220              | 21259       |                              | 10325             | 206957      |
| 8528.10-119                     |                   | NO                |                    | -                 | -           |                              | 1                 | 264         |
| 8528.10-190                     |                   | NO                |                    | -                 | -           |                              | 30                | 1845        |
| 8528.10-900                     |                   | NO                |                    | -                 | -           |                              | 2                 | 485         |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 33                | 2594        |
| 8529.10-900                     |                   | KG                |                    | -                 | -           |                              | 2                 | 317         |
| 8529.90-900                     |                   | KG                |                    | 19                | 800         |                              | 73                | 6060        |
| 8529 4-ST                       | **                | KG                |                    | 19                | 800         |                              | 75                | 6377        |
| 8532.22-000                     |                   | TH                |                    | -                 | -           |                              | 56                | 1723        |
| 8532 4-ST                       | **                | TH                |                    | -                 | -           |                              | 56                | 1723        |
| 8533.21-000                     | TH                | KG                | -                  | -                 | -           | 80                           | 281               | 1226        |
| 8533.29-000                     | TH                | KG                | -                  | -                 | -           | 0                            | 28                | 202         |
| 8533.31-000                     | NO                | KG                | -                  | -                 | -           | 25000                        | 88                | 387         |
| 8533 4-ST                       |                   | KG                |                    | -                 | -           |                              | 397               | 1815        |
| 8536.20-000                     | NO                | KG                | -                  | -                 | -           | 92                           | 63                | 991         |
| 8536.41-000                     |                   | KG                |                    | -                 | -           |                              | 107               | 1753        |
| 8536.49-000                     |                   | KG                |                    | -                 | -           |                              | 158               | 4095        |
| 8536.50-900                     | NO                | KG                | -                  | -                 | -           | 102462                       | 243               | 6282        |
| 8536.69-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 300         |
| 8536.90-200                     |                   | KG                |                    | -                 | -           |                              | 145               | 1173        |
| 8536 4-ST                       |                   | KG                |                    | -                 | -           |                              | 723               | 14594       |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 147                          | 511               | 8995        |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 147                          | 511               | 8995        |
| 8538.90-900                     |                   | KG                |                    | 8                 | 424         |                              | 9                 | 2928        |
| 8538 4-ST                       | **                | KG                |                    | 8                 | 424         |                              | 9                 | 2928        |
| 8539.10-900                     | NO                | KG                | -                  | -                 | -           | 200                          | 72                | 684         |
| 8539.21-000                     | NO                | KG                | -                  | -                 | -           | 2105                         | 43                | 3962        |
| 8539.39-000                     | NO                | KG                | -                  | -                 | -           | 150                          | 60                | 840         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 2455                         | 175               | 5486        |
| 8541.29-910                     |                   | NO                |                    | -                 | -           |                              | 8310              | 1283        |
| 8541.30-900                     |                   | NO                |                    | -                 | -           |                              | 19003             | 1443        |
| 8541.60-900                     |                   | NO                |                    | -                 | -           |                              | 210               | 213         |
| 8541 4-ST                       | **                | NO                |                    | -                 | -           |                              | 27523             | 2939        |
| 8542.11-911                     |                   | NO                |                    | -                 | -           |                              | 250               | 221         |
| 8542.11-990                     |                   | NO                |                    | -                 | -           |                              | 398               | 261         |
| 8542.19-900                     |                   | NO                |                    | -                 | -           |                              | 26325             | 3652        |
| 8542.20-000                     |                   | NO                |                    | 550               | 2438        |                              | 5270              | 8520        |
| 8542.80-000                     |                   | NO                |                    | -                 | -           |                              | 20                | 396         |
| 8542.90-000                     |                   | KG                |                    | -                 | -           |                              | 220               | 1377        |
| 8542 4-ST                       | **                |                   |                    |                   | 2438        |                              |                   | 14427       |
| 8543.80-000                     | NO                | KG                | -                  | -                 | -           | 126                          | 1353              | 41340       |
| 8543 4-ST                       | NO                | KG                | -                  | -                 | -           | 126                          | 1353              | 41340       |
| 8544.41-110                     |                   | KG                |                    | -                 | -           |                              | 72                | 2463        |
| 8544.41-910                     |                   | KG                |                    | 3                 | 274         |                              | 7                 | 534         |
| 8544.49-910                     |                   | KG                |                    | -                 | -           |                              | 449               | 923         |
| 8544.51-910                     |                   | KG                |                    | -                 | -           |                              | 50                | 215         |
| 8544.51-990                     |                   | KG                |                    | -                 | -           |                              | 1185              | 540         |
| 8544 4-ST                       | **                | KG                |                    | 3                 | 274         |                              | 1763              | 4675        |
| 85 2-ST                         |                   |                   |                    |                   | 45080       |                              |                   | 720047      |
| 8708.29-000                     |                   | KG                |                    | -                 | -           |                              | 1065              | 5681        |
| 8708.39-000                     |                   | KG                |                    | -                 | -           |                              | 102               | 484         |
| 8708.40-000                     |                   | KG                |                    | -                 | -           |                              | 446               | 1463        |
| 8708.50-000                     |                   | KG                |                    | -                 | -           |                              | 68                | 341         |
| 8708.94-000                     |                   | KG                |                    | -                 | -           |                              | 21                | 221         |
| 8708.99-900                     |                   | KG                |                    | -                 | -           |                              | 181               | 831         |
| 8708 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1883              | 9021        |
| 8716.80-000                     | NO                | KG                | -                  | -                 | -           | 24                           | 240               | 376         |
| 8716 4-ST                       | NO                | KG                | -                  | -                 | -           | 24                           | 240               | 376         |
| 87 2-ST                         |                   | KG                |                    | -                 | -           |                              | 2123              | 9397        |
| 8801.90-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 15                | 451         |
| 8801 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 15                | 451         |
| 88 2-ST                         | NO                | KG                | -                  | -                 | -           | 2                            | 15                | 451         |
| 9002.11-900                     |                   | KG                |                    | -                 | -           |                              | 13                | 1427        |
| 9002.19-000                     |                   | KG                |                    | -                 | -           |                              | 37                | 3557        |
| 9002.20-000                     |                   | DZ                |                    | -                 | -           |                              | 0                 | 274         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 402 VENEZLA                     |                   |                   |                    |                   |             |                              |                   |             |
| 9002.90-000                     |                   | KG                |                    | -                 | -           |                              | 24                | 1669        |
| 9002 4-ST                       | **                |                   |                    |                   | -           |                              |                   | 6927        |
| 9006.51-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 446         |
| 9006.53-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 386         |
| 9006.59-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 4                 | 567         |
| 9006.61-000                     |                   | NO                |                    | -                 | -           |                              | 199               | 838         |
| 9006.91-900                     |                   | KG                |                    | -                 | -           |                              | 8                 | 317         |
| 9006 4-ST                       |                   |                   |                    |                   | -           |                              |                   | 2554        |
| 9008.30-000                     | NO                | KG                | -                  | -                 | -           | 30                           | 384               | 3703        |
| 9008.90-000                     |                   | KG                |                    | -                 | -           |                              | 102               | 987         |
| 9008 4-ST                       |                   | KG                |                    | -                 | -           |                              | 486               | 4690        |
| 9009.11-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 404               | 1559        |
| 9009.90-000                     |                   | KG                |                    | -                 | -           |                              | 136               | 822         |
| 9009 4-ST                       |                   | KG                |                    | -                 | -           |                              | 540               | 2381        |
| 9010.10-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 1158              | 7750        |
| 9010.90-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 407         |
| 9010 4-ST                       |                   | KG                |                    | -                 | -           |                              | 1180              | 8157        |
| 9011.10-000                     | NO                | KG                | -                  | -                 | -           | 18                           | 64                | 3016        |
| 9011.20-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 54                | 2686        |
| 9011.80-100                     | NO                | KG                | -                  | -                 | -           | 3                            | 20                | 1001        |
| 9011.80-900                     | NO                | KG                | -                  | -                 | -           | 16                           | 93                | 4021        |
| 9011.90-000                     |                   | KG                |                    | -                 | -           |                              | 215               | 12607       |
| 9011 4-ST                       |                   | KG                |                    | -                 | -           |                              | 446               | 23331       |
| 9013.80-000                     | NO                | KG                | 30                 | 1                 | 240         | 158                          | 75                | 1430        |
| 9013 4-ST                       | NO                | KG                | 30                 | 1                 | 240         | 158                          | 75                | 1430        |
| 9018.11-100                     | NO                | KG                | -                  | -                 | -           | 12                           | 116               | 1883        |
| 9018.11-900                     |                   | KG                |                    | -                 | -           |                              | 50                | 477         |
| 9018.19-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 16                | 422         |
| 9018.19-210                     | NO                | KG                | -                  | -                 | -           | 28                           | 1523              | 44202       |
| 9018.19-900                     |                   | KG                |                    | -                 | -           |                              | 1582              | 38439       |
| 9018.31-000                     |                   | KG                |                    | -                 | -           |                              | 170               | 892         |
| 9018.32-100                     | DZ                | KG                | -                  | -                 | -           | 2833                         | 162               | 1800        |
| 9018.39-000                     |                   | KG                |                    | -                 | -           |                              | 1346              | 5134        |
| 9018.49-900                     |                   | KG                |                    | -                 | -           |                              | 61                | 3503        |
| 9018.50-100                     |                   | KG                |                    | -                 | -           |                              | 38                | 543         |
| 9018.50-900                     |                   | KG                |                    | 30                | 283         |                              | 797               | 9649        |
| 9018.90-110                     | NO                | KG                | -                  | -                 | -           | 8                            | 160               | 2961        |
| 9018.90-311                     |                   | KG                |                    | -                 | -           |                              | 32                | 2150        |
| 9018.90-319                     |                   | KG                |                    | -                 | -           |                              | 67                | 2975        |
| 9018.90-390                     |                   | KG                |                    | 12                | 2095        |                              | 647               | 40911       |
| 9018.90-900                     |                   | KG                |                    | -                 | -           |                              | 130               | 478         |
| 9018 4-ST                       |                   | KG                |                    | 42                | 2378        |                              | 6897              | 156419      |
| 9022.29-000                     | NO                | KG                | -                  | -                 | -           | 4000                         | 48                | 1098        |
| 9022.90-910                     |                   | KG                |                    | -                 | -           |                              | 70                | 2040        |
| 9022.90-990                     |                   | KG                |                    | 24                | 666         |                              | 24                | 666         |
| 9022 4-ST                       |                   | KG                |                    | 24                | 666         |                              | 142               | 3804        |
| 9025.19-100                     | NO                | KG                | -                  | -                 | -           | 117                          | 54                | 1112        |
| 9025.90-000                     |                   | KG                |                    | 9                 | 356         |                              | 50                | 2176        |
| 9025 4-ST                       |                   | KG                |                    | 9                 | 356         |                              | 104               | 3288        |
| 9026.10-190                     | NO                | KG                | 1                  | 47                | 2208        | 4                            | 77                | 2772        |
| 9026.20-190                     | NO                | KG                | -                  | -                 | -           | 16                           | 18                | 953         |
| 9026.90-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 595         |
| 9026 4-ST                       |                   | KG                |                    | 47                | 2208        |                              | 96                | 4320        |
| 9027.10-000                     | NO                | KG                | 1                  | 62                | 4801        | 2                            | 97                | 6581        |
| 9027.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 29                | 1450        |
| 9027.30-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 20                | 305         |
| 9027.50-000                     | NO                | KG                | -                  | -                 | -           | 25                           | 41                | 917         |
| 9027.80-110                     | NO                | KG                | -                  | -                 | -           | 3                            | 27                | 1230        |
| 9027.90-100                     |                   | KG                |                    | -                 | -           |                              | 53                | 531         |
| 9027 4-ST                       |                   | KG                |                    | 62                | 4801        |                              | 267               | 11014       |
| 9029.10-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 12                | 220         |
| 9029.20-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 2                 | 239         |
| 9029 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 14                | 459         |
| 9030.20-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 10                | 400         |
| 9030.39-100                     | NO                | KG                | -                  | -                 | -           | 10                           | 218               | 1778        |
| 9030.39-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 25                | 693         |
| 9030.40-000                     | NO                | KG                | -                  | -                 | -           | 41                           | 1153              | 17915       |
| 9030.89-910                     | NO                | KG                | -                  | -                 | -           | 2                            | 53                | 6200        |
| 9030.89-990                     | NO                | KG                | -                  | -                 | -           | 19                           | 638               | 4028        |
| 9030.90-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 2741        |
| 9030 4-ST                       |                   | KG                |                    | -                 | -           |                              | 2104              | 33755       |
| 9031.40-000                     | NO                | KG                | -                  | -                 | -           | 8                            | 27                | 605         |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 12                           | 403               | 15392       |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |             |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE |
| 402 VENEZLA                     |                   |                   |                      |                      |             |                              |                      |             |
| 9031.90-100                     |                   | KG                |                      | -                    | -           |                              | 44                   | 1603        |
| 9031 4-ST                       |                   | KG                |                      | -                    | -           |                              | 474                  | 17600       |
| 9032.10-100                     | NO                | KG                | -                    | -                    | -           | 36                           | 13                   | 498         |
| 9032.20-000                     | NO                | KG                | -                    | -                    | -           | 15                           | 8                    | 690         |
| 9032.81-000                     | NO                | KG                | -                    | -                    | -           | 3                            | 24                   | 417         |
| 9032.89-111                     | NO                | KG                | -                    | -                    | -           | 45                           | 16                   | 331         |
| 9032.89-112                     | NO                | KG                | -                    | -                    | -           | 386                          | 220                  | 6251        |
| 9032.90-000                     |                   | KG                |                      | 2                    | 2527        |                              | 2                    | 2527        |
| 9032 4-ST                       |                   | KG                |                      | 2                    | 2527        |                              | 283                  | 10714       |
| 9033.00-000                     |                   | KG                |                      | 20                   | 395         |                              | 75                   | 1248        |
| 9033 4-ST                       | **                | KG                |                      | 20                   | 395         |                              | 75                   | 1248        |
| 90 2-ST                         |                   |                   |                      |                      | 13571       |                              |                      | 292091      |
| 9102.11-000                     |                   | NO                |                      | -                    | -           |                              | 7019                 | 20713       |
| 9102.21-000                     |                   | NO                |                      | -                    | -           |                              | 736                  | 1746        |
| 9102 4-ST                       | **                | NO                |                      | -                    | -           |                              | 7755                 | 22459       |
| 91 2-ST                         | **                | NO                |                      | -                    | -           |                              | 7755                 | 22459       |
| 9402.10-900                     |                   | KG                |                      | -                    | -           |                              | 220                  | 432         |
| 9402.90-000                     |                   | KG                |                      | -                    | -           |                              | 318                  | 777         |
| 9402 4-ST                       | **                | KG                |                      | -                    | -           |                              | 538                  | 1209        |
| 9405.10-100                     |                   | KG                |                      | 105                  | 360         |                              | 105                  | 360         |
| 9405.40-290                     |                   | KG                |                      | 1                    | 385         |                              | 1                    | 385         |
| 9405.40-900                     |                   | KG                |                      | -                    | -           |                              | 7                    | 210         |
| 9405.60-000                     |                   | KG                |                      | -                    | -           |                              | 18                   | 300         |
| 9405 4-ST                       | **                | KG                |                      | 106                  | 745         |                              | 131                  | 1255        |
| 94 2-ST                         | **                | KG                |                      | 106                  | 745         |                              | 669                  | 2464        |
| 9503.90-200                     | DZ                | KG                | -                    | -                    | -           | 16                           | 44                   | 274         |
| 9503 4-ST                       | DZ                | KG                | -                    | -                    | -           | 16                           | 44                   | 274         |
| 9504.10-000                     |                   | KG                |                      | -                    | -           |                              | 91                   | 280         |
| 9504 4-ST                       | **                | KG                |                      | -                    | -           |                              | 91                   | 280         |
| 95 2-ST                         |                   | KG                |                      | -                    | -           |                              | 135                  | 554         |
| 9603.50-000                     | DZ                | KG                | -                    | -                    | -           | 0                            | 1                    | 750         |
| 9603 4-ST                       | DZ                | KG                | -                    | -                    | -           | 0                            | 1                    | 750         |
| 9605.00-000                     |                   | KG                |                      | -                    | -           |                              | 42                   | 440         |
| 9605 4-ST                       | **                | KG                |                      | -                    | -           |                              | 42                   | 440         |
| 9608.10-000                     | DZ                |                   |                      | 62                   | 552         |                              | 528                  | 1109        |
| 9608.20-100                     |                   | DZ                |                      | -                    | -           |                              | 4898                 | 2866        |
| 9608.39-000                     |                   | DZ                |                      | 8                    | 212         |                              | 8                    | 212         |
| 9608.40-000                     |                   | DZ                |                      | -                    | -           |                              | 933                  | 2592        |
| 9608.60-000                     |                   | KG                |                      | -                    | -           |                              | 18                   | 249         |
| 9608.91-100                     | TH                | KG                | -                    | -                    | -           | 3136                         | 400                  | 12968       |
| 9608 4-ST                       |                   |                   |                      |                      | 764         |                              |                      | 19996       |
| 9611.00-000                     |                   | KG                |                      | -                    | -           |                              | 1010                 | 10686       |
| 9611 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1010                 | 10686       |
| 9613.20-200                     |                   | DZ                |                      | -                    | -           |                              | 78                   | 1322        |
| 9613.20-900                     |                   | DZ                |                      | -                    | -           |                              | 8                    | 215         |
| 9613 4-ST                       | **                | DZ                |                      | -                    | -           |                              | 86                   | 1537        |
| 96 2-ST                         |                   |                   |                      |                      | 764         |                              |                      | 33409       |
| TOTAL                           |                   |                   |                      |                      | 107540      |                              |                      | 1433465     |
| 403 GUYANA                      |                   |                   |                      |                      |             |                              |                      |             |
| 8541.10-910                     |                   | NO                |                      | -                    | -           |                              | 90                   | 1890        |
| 8541 4-ST                       | **                | NO                |                      | -                    | -           |                              | 90                   | 1890        |
| 85 2-ST                         | **                | NO                |                      | -                    | -           |                              | 90                   | 1890        |
| 9031.80-190                     | NO                | KG                | -                    | -                    | -           | 1                            | 6                    | 244         |
| 9031.80-900                     | NO                | KG                | -                    | -                    | -           | 12                           | 22                   | 1038        |
| 9031 4-ST                       | NO                | KG                | -                    | -                    | -           | 13                           | 28                   | 1282        |
| 9032.89-112                     | NO                | KG                | -                    | -                    | -           | 1                            | 4                    | 1164        |
| 9032 4-ST                       | NO                | KG                | -                    | -                    | -           | 1                            | 4                    | 1164        |
| 90 2-ST                         | NO                | KG                | -                    | -                    | -           | 14                           | 32                   | 2446        |
| TOTAL                           |                   |                   |                      |                      | -           |                              |                      | 4336        |
| 404 SURINAM                     |                   |                   |                      |                      |             |                              |                      |             |
| 8409.99-900                     |                   | KG                |                      | -                    | -           |                              | 42                   | 618         |
| 8409 4-ST                       | **                | KG                |                      | -                    | -           |                              | 42                   | 618         |
| 8422.40-900                     | NO                | KG                | -                    | -                    | -           | 2                            | 23                   | 320         |
| 8422 4-ST                       | NO                | KG                | -                    | -                    | -           | 2                            | 23                   | 320         |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 404 SURINAM<br>84 2-ST          |                   | KG                |                     | -                   | -           |                              | 65                  | 938         |
| 8525.10-990                     | NO                | KG                | -                   | -                   | -           | 1                            | 7                   | 900         |
| 8525.20-910                     | NO                | KG                | -                   | -                   | -           | 7                            | 27                  | 642         |
| 8525.20-920                     | NO                | KG                | -                   | -                   | -           | 38                           | 84                  | 1204        |
| 8525.20-990                     | NO                | KG                | -                   | -                   | -           | 45                           | 168                 | 1994        |
| 8525 4-ST                       | NO                | KG                | -                   | -                   | -           | 91                           | 286                 | 4740        |
| 85 2-ST                         | NO                | KG                | -                   | -                   | -           | 91                           | 286                 | 4740        |
| 9102.11-000                     |                   | NO                |                     | -                   | -           |                              | 820                 | 1503        |
| 9102.12-000                     |                   | NO                |                     | -                   | -           |                              | 1970                | 2225        |
| 9102.19-000                     |                   | NO                |                     | -                   | -           |                              | 540                 | 1132        |
| 9102 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 3330                | 4860        |
| 91 2-ST                         | ***               | NO                |                     | -                   | -           |                              | 3330                | 4860        |
| TOTAL                           |                   |                   |                     |                     | -           |                              |                     | 10538       |
| 405 F GIANA<br>8409.99-200      |                   | KG                |                     | -                   | -           |                              | 328                 | 1391        |
| 8409 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 328                 | 1391        |
| 8483.10-000                     |                   | KG                |                     | -                   | -           |                              | 133                 | 441         |
| 8483 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 133                 | 441         |
| 8485.10-000                     | NO                | KG                | -                   | -                   | -           | 280                          | 365                 | 1405        |
| 8485 4-ST                       | NO                | KG                | -                   | -                   | -           | 280                          | 365                 | 1405        |
| 84 2-ST                         |                   | KG                |                     | -                   | -           |                              | 826                 | 3237        |
| 9207.10-900                     | NO                | KG                | -                   | -                   | -           | 8                            | 107                 | 834         |
| 9207 4-ST                       | NO                | KG                | -                   | -                   | -           | 8                            | 107                 | 834         |
| 92 2-ST                         | NO                | KG                | -                   | -                   | -           | 8                            | 107                 | 834         |
| TOTAL                           |                   | KG                |                     | -                   | -           |                              | 933                 | 4071        |
| 406 ECUADOR<br>0000.00-190      |                   | KG                |                     | -                   | -           |                              | 139                 | 3537        |
| 0000 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 139                 | 3537        |
| 00 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 139                 | 3537        |
| 2941.30-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 389         |
| 2941.90-000                     |                   | KG                |                     | -                   | -           |                              | 100                 | 4401        |
| 2941 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 110                 | 4790        |
| 29 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 110                 | 4790        |
| 3006.60-000                     |                   | KG                |                     | -                   | -           |                              | 150                 | 1000        |
| 3006 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 150                 | 1000        |
| 30 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 150                 | 1000        |
| 3214.90-000                     |                   | KG                |                     | -                   | -           |                              | 80                  | 560         |
| 3214 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 80                  | 560         |
| 32 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 80                  | 560         |
| 3706.90-000                     |                   | M                 |                     | -                   | -           |                              | 6512                | 716         |
| 3706 4-ST                       | ***               | M                 |                     | -                   | -           |                              | 6512                | 716         |
| 37 2-ST                         | ***               | M                 |                     | -                   | -           |                              | 6512                | 716         |
| 3919.90-300                     |                   | KG                |                     | -                   | -           |                              | 5                   | 204         |
| 3919 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 5                   | 204         |
| 39 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 5                   | 204         |
| 4016.93-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 3342        |
| 4016 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 10                  | 3342        |
| 40 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 10                  | 3342        |
| 4202.19-000                     | DZ                | KG                | -                   | -                   | -           | 0                            | 10                  | 265         |
| 4202 4-ST                       | DZ                | KG                | -                   | -                   | -           | 0                            | 10                  | 265         |
| 42 2-ST                         | DZ                | KG                | -                   | -                   | -           | 0                            | 10                  | 265         |
| 4823.40-000                     |                   | KG                |                     | -                   | -           |                              | 72                  | 352         |
| 4823 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 72                  | 352         |
| 48 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 72                  | 352         |
| 4901.10-000                     |                   | KG                |                     | -                   | -           |                              | 26                  | 267         |
| 4901.99-000                     |                   | NO                |                     | -                   | -           |                              | 313                 | 939         |
| 4901 4-ST                       | ***               |                   |                     | -                   | -           |                              |                     | 1206        |



Country by Customs by Commodity

EXPORTTOKYO KOUKUU (BARAKI)

101 東京航空貨物 (原木)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 406 ECUADOR<br>49 2-ST          | ***               |                   |                     |                     | -           |                              |                     | 1206        |
| 7007.11-000                     |                   | KG                |                     | -                   | -           |                              | 505                 | 732         |
| 7007 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 505                 | 732         |
| 70 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 505                 | 732         |
| 7320.90-000                     |                   | KG                |                     | -                   | -           |                              | 6                   | 277         |
| 7320 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 6                   | 277         |
| 7324.90-000                     |                   | KG                |                     | -                   | -           |                              | 107                 | 502         |
| 7324 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 107                 | 502         |
| 73 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 113                 | 779         |
| 8202.31-000                     |                   | NO                |                     | -                   | -           |                              | 25                  | 232         |
| 8202 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 25                  | 232         |
| 82 2-ST                         | ***               | NO                |                     | -                   | -           |                              | 25                  | 232         |
| 8409.91-100                     |                   | KG                |                     | -                   | -           |                              | 9                   | 223         |
| 8409.91-200                     |                   | KG                |                     | -                   | -           |                              | 30                  | 226         |
| 8409.99-200                     |                   | KG                |                     | 12                  | 235         |                              | 36                  | 670         |
| 8409.99-900                     |                   | KG                |                     | -                   | -           |                              | 2                   | 421         |
| 8409 4-ST                       | ***               | KG                |                     | 12                  | 235         |                              | 77                  | 1540        |
| 8412.29-000                     |                   | NO                | -                   | -                   | -           | 1                            | 25                  | 230         |
| 8412 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 25                  | 230         |
| 8413.30-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 9                   | 326         |
| 8413.60-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 45                  | 330         |
| 8413.60-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 32                  | 220         |
| 8413.81-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 49                  | 1425        |
| 8413.91-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 454         |
| 8413 4-ST                       |                   | KG                |                     | -                   | -           |                              | 137                 | 2755        |
| 8414.90-900                     |                   | KG                |                     | 30                  | 375         |                              | 30                  | 375         |
| 8414 4-ST                       | ***               | KG                |                     | 30                  | 375         |                              | 30                  | 375         |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 315                 | 1163        |
| 8421 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 315                 | 1163        |
| 8448.49-000                     |                   | KG                |                     | -                   | -           |                              | 7                   | 528         |
| 8448 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 7                   | 528         |
| 8451.29-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 37                  | 278         |
| 8451 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 37                  | 278         |
| 8452.10-110                     | NO                | KG                | -                   | -                   | -           | 2                            | 35                  | 250         |
| 8452.30-900                     | TH                | KG                | -                   | -                   | -           | 3                            | 2                   | 382         |
| 8452.90-990                     |                   | KG                |                     | -                   | -           |                              | 46                  | 1455        |
| 8452 4-ST                       |                   | KG                |                     | -                   | -           |                              | 83                  | 2087        |
| 8466.10-100                     |                   | KG                |                     | -                   | -           |                              | 37                  | 637         |
| 8466.94-000                     |                   | KG                |                     | -                   | -           |                              | 39                  | 661         |
| 8466 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 76                  | 1298        |
| 8467.11-000                     | NO                | KG                | -                   | -                   | -           | 20                           | 110                 | 809         |
| 8467 4-ST                       | NO                | KG                | -                   | -                   | -           | 20                           | 110                 | 809         |
| 8471.93-300                     | NO                | KG                | -                   | -                   | -           | 2                            | 34                  | 320         |
| 8471 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 34                  | 320         |
| 8472.90-000                     | NO                | KG                | -                   | -                   | -           | 3                            | 126                 | 1372        |
| 8472 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 126                 | 1372        |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 53                  | 2722        |
| 8473 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 53                  | 2722        |
| 8479.89-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 72                  | 518         |
| 8479 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 72                  | 518         |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 595                 | 4202        |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 25                  | 1149        |
| 8481 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 620                 | 5351        |
| 8483.10-000                     |                   | KG                |                     | -                   | -           |                              | 105                 | 463         |
| 8483.30-200                     |                   | KG                |                     | -                   | -           |                              | 11                  | 605         |
| 8483.40-200                     |                   | KG                |                     | -                   | -           |                              | 54                  | 332         |
| 8483.40-900                     |                   | KG                |                     | -                   | -           |                              | 8                   | 467         |
| 8483.90-900                     |                   | KG                |                     | -                   | -           |                              | 11                  | 322         |
| 8483 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 189                 | 2189        |
| 8485.90-000                     |                   | KG                |                     | -                   | -           |                              | 1                   | 222         |
| 8485 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 1                   | 222         |
| 84 2-ST                         |                   | KG                |                     | 42                  | 610         |                              | 1992                | 23757       |
| 8501.10-192                     | NO                | KG                | -                   | -                   | -           | 4                            | 60                  | 316         |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 60                  | 316         |
| 8504.40-110                     | NO                | KG                | -                   | -                   | -           | 1                            | 120                 | 708         |
| 8504 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 120                 | 708         |
| 8515.90-000                     |                   | KG                |                     | -                   | -           |                              | 303                 | 1944        |
| 8515 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 303                 | 1944        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 406 ECUADOR                     |                   |                   |                    |                   |             |                              |                   |             |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 4114        |
| 8517 4-ST                       | **                | KG                |                    | -                 | -           |                              | 28                | 4114        |
| 8536.49-000                     |                   | KG                |                    | -                 | -           |                              | 13                | 361         |
| 8536.69-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 1209        |
| 8536 4-ST                       | **                | KG                |                    | -                 | -           |                              | 22                | 1570        |
| 8538.90-200                     |                   | KG                |                    | -                 | -           |                              | 10                | 1493        |
| 8538 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 1493        |
| 8542.11-911                     |                   | NO                |                    | 200               | 415         |                              | 200               | 415         |
| 8542.11-919                     |                   | NO                |                    | -                 | -           |                              | 500               | 499         |
| 8542.20-000                     |                   | NO                |                    | -                 | -           |                              | 920               | 1867        |
| 8542 4-ST                       | **                | NO                |                    | 200               | 415         |                              | 1620              | 2781        |
| 8543.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 28                | 1087        |
| 8543.80-000                     | NO                | KG                | 1                  | 9                 | 298         | 13                           | 175               | 6692        |
| 8543 4-ST                       | NO                | KG                | 1                  | 9                 | 298         | 14                           | 203               | 7779        |
| 8544.51-910                     |                   | KG                |                    | -                 | -           |                              | 75                | 517         |
| 8544 4-ST                       | **                | KG                |                    | -                 | -           |                              | 75                | 517         |
| 85 2-ST                         |                   |                   |                    |                   | 713         |                              |                   | 21222       |
| 8708.29-000                     |                   | KG                |                    | -                 | -           |                              | 180               | 868         |
| 8708.40-000                     |                   | KG                |                    | -                 | -           |                              | 184               | 305         |
| 8708.70-000                     |                   | KG                |                    | -                 | -           |                              | 510               | 2040        |
| 8708.91-000                     |                   | NO                |                    | -                 | -           |                              | 4                 | 373         |
| 8708.92-000                     |                   | KG                |                    | -                 | -           |                              | 818               | 1421        |
| 8708.99-900                     |                   | KG                |                    | -                 | -           |                              | 656               | 575         |
| 8708 4-ST                       | **                |                   |                    |                   | -           |                              |                   | 5582        |
| 87 2-ST                         | **                |                   |                    |                   | -           |                              |                   | 5582        |
| 9011.10-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 68                | 1418        |
| 9011.90-000                     |                   | KG                |                    | -                 | -           |                              | 11                | 734         |
| 9011 4-ST                       |                   | KG                |                    | -                 | -           |                              | 79                | 2152        |
| 9017.20-000                     |                   | KG                |                    | -                 | -           |                              | 86                | 988         |
| 9017 4-ST                       | **                | KG                |                    | -                 | -           |                              | 86                | 988         |
| 9018.11-100                     | NO                | KG                | -                  | -                 | -           | 16                           | 292               | 3248        |
| 9018.19-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 83                | 2849        |
| 9018.19-210                     | NO                | KG                | 1                  | 12                | 580         | 1                            | 12                | 580         |
| 9018.19-900                     |                   | KG                |                    | -                 | -           |                              | 442               | 8330        |
| 9018.32-100                     | DZ                | KG                | -                  | -                 | -           | 666                          | 56                | 471         |
| 9018.49-900                     |                   | KG                |                    | -                 | -           |                              | 334               | 10709       |
| 9018.50-900                     |                   | KG                |                    | -                 | -           |                              | 25                | 566         |
| 9018.90-200                     |                   | KG                |                    | -                 | -           |                              | 10                | 224         |
| 9018.90-319                     |                   | KG                |                    | -                 | -           |                              | 20                | 231         |
| 9018.90-390                     |                   | KG                |                    | -                 | -           |                              | 274               | 732         |
| 9018 4-ST                       |                   | KG                |                    | 12                | 580         |                              | 1548              | 27940       |
| 9030.39-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 7                 | 321         |
| 9030.40-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 22                | 1433        |
| 9030.89-910                     | NO                | KG                | 1                  | 48                | 2296        | 2                            | 81                | 4760        |
| 9030.89-990                     | NO                | KG                | 4                  | 49                | 2449        | 10                           | 203               | 8413        |
| 9030.90-000                     |                   | KG                |                    | -                 | -           |                              | 12                | 333         |
| 9030 4-ST                       |                   | KG                |                    | 97                | 4745        |                              | 325               | 15260       |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 3                            | 13                | 706         |
| 9031 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 13                | 706         |
| 9032.89-112                     | NO                | KG                | -                  | -                 | -           | 2                            | 100               | 1074        |
| 9032 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 100               | 1074        |
| 90 2-ST                         |                   | KG                |                    | 109               | 5325        |                              | 2151              | 48120       |
| 9106.10-000                     | NO                | KG                | -                  | -                 | -           | 60                           | 86                | 1512        |
| 9106 4-ST                       | NO                | KG                | -                  | -                 | -           | 60                           | 86                | 1512        |
| 91 2-ST                         | NO                | KG                | -                  | -                 | -           | 60                           | 86                | 1512        |
| 9613.80-000                     |                   | DZ                |                    | -                 | -           |                              | 45                | 482         |
| 9613 4-ST                       | **                | DZ                |                    | -                 | -           |                              | 45                | 482         |
| 96 2-ST                         | **                | DZ                |                    | -                 | -           |                              | 45                | 482         |
| TOTAL                           |                   |                   |                    |                   | 6648        |                              |                   | 118390      |
| 407 PERU                        |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 316               | 4056        |                              | 629               | 12342       |
| 0000 4-ST                       | **                | KG                |                    | 316               | 4056        |                              | 629               | 12342       |
| 00 2-ST                         | **                | KG                |                    | 316               | 4056        |                              | 629               | 12342       |
| 2402.20-000                     |                   | TH                |                    | -                 | -           |                              | 135               | 667         |
| 2402 4-ST                       | **                | TH                |                    | -                 | -           |                              | 135               | 667         |
| 24 2-ST                         | **                | TH                |                    | -                 | -           |                              | 135               | 667         |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 407 PERU                        |                   |                   |                     |                     |             |                              |                     |             |
| 2922.49-000                     |                   | KG                |                     | 30                  | 344         |                              | 60                  | 714         |
| 2922 4-ST                       | **                | KG                |                     | 30                  | 344         |                              | 60                  | 714         |
| 2930.90-000                     |                   | KG                |                     | -                   | -           |                              | 100                 | 510         |
| 2930 4-ST                       | **                | KG                |                     | -                   | -           |                              | 100                 | 510         |
| 2932.90-900                     |                   | KG                |                     | -                   | -           |                              | 13                  | 447         |
| 2932 4-ST                       | **                | KG                |                     | -                   | -           |                              | 13                  | 447         |
| 2936.24-000                     |                   | KG                |                     | 100                 | 607         |                              | 100                 | 607         |
| 2936.29-900                     |                   | KG                |                     | -                   | -           |                              | 0                   | 254         |
| 2936 4-ST                       | **                | KG                |                     | 100                 | 607         |                              | 100                 | 861         |
| 2941.90-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 2432        |
| 2941 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 2432        |
| 29 2-ST                         | **                | KG                |                     | 130                 | 951         |                              | 275                 | 4964        |
| 3004.20-000                     |                   | KG                |                     | 21                  | 608         |                              | 186                 | 5870        |
| 3004.90-900                     |                   | KG                |                     | 3                   | 608         |                              | 996                 | 6827        |
| 3004 4-ST                       | **                | KG                |                     | 24                  | 1216        |                              | 1182                | 12697       |
| 3006.40-100                     |                   | KG                |                     | -                   | -           |                              | 129                 | 1776        |
| 3006 4-ST                       | **                | KG                |                     | -                   | -           |                              | 129                 | 1776        |
| 30 2-ST                         | **                | KG                |                     | 24                  | 1216        |                              | 1311                | 14473       |
| 3204.17-100                     |                   | KG                |                     | 50                  | 555         |                              | 50                  | 555         |
| 3204 4-ST                       | **                | KG                |                     | 50                  | 555         |                              | 50                  | 555         |
| 3206.49-000                     |                   | KG                |                     | -                   | -           |                              | 125                 | 230         |
| 3206 4-ST                       | **                | KG                |                     | -                   | -           |                              | 125                 | 230         |
| 32 2-ST                         | **                | KG                |                     | 50                  | 555         |                              | 175                 | 785         |
| 3701.30-000                     |                   | SM                |                     | -                   | -           |                              | 24                  | 324         |
| 3701 4-ST                       | **                | SM                |                     | -                   | -           |                              | 24                  | 324         |
| 37 2-ST                         | **                | SM                |                     | -                   | -           |                              | 24                  | 324         |
| 3916.90-000                     |                   | KG                |                     | -                   | -           |                              | 1675                | 3504        |
| 3916 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1675                | 3504        |
| 3917.29-000                     |                   | KG                |                     | -                   | -           |                              | 85                  | 1210        |
| 3917 4-ST                       | **                | KG                |                     | -                   | -           |                              | 85                  | 1210        |
| 3926.90-000                     |                   | KG                |                     | 80                  | 364         |                              | 118                 | 892         |
| 3926 4-ST                       | **                | KG                |                     | 80                  | 364         |                              | 118                 | 892         |
| 39 2-ST                         | **                | KG                |                     | 80                  | 364         |                              | 1878                | 5606        |
| 4008.21-000                     |                   | KG                |                     | -                   | -           |                              | 25                  | 278         |
| 4008 4-ST                       | **                | KG                |                     | -                   | -           |                              | 25                  | 278         |
| 4016.99-000                     |                   | KG                |                     | -                   | -           |                              | 740                 | 2058        |
| 4016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 740                 | 2058        |
| 40 2-ST                         | **                | KG                |                     | -                   | -           |                              | 765                 | 2336        |
| 4811.90-100                     |                   | KG                |                     | -                   | -           |                              | 243                 | 360         |
| 4811 4-ST                       | **                | KG                |                     | -                   | -           |                              | 243                 | 360         |
| 4821.10-000                     |                   | KG                |                     | -                   | -           |                              | 41                  | 272         |
| 4821 4-ST                       | **                | KG                |                     | -                   | -           |                              | 41                  | 272         |
| 48 2-ST                         | **                | KG                |                     | -                   | -           |                              | 284                 | 632         |
| 4901.99-000                     |                   | NO                |                     | 30                  | 256         |                              | 130                 | 470         |
| 4901 4-ST                       | **                | NO                |                     | 30                  | 256         |                              | 130                 | 470         |
| 49 2-ST                         | **                | NO                |                     | 30                  | 256         |                              | 130                 | 470         |
| 5402.61-000                     |                   | KG                |                     | -                   | -           |                              | 1504                | 7800        |
| 5402 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1504                | 7800        |
| 54 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1504                | 7800        |
| 5603.00-100                     | SM                | KG                | -                   | -                   | -           | 54                           | 45                  | 340         |
| 5603.00-200                     | SM                | KG                | -                   | -                   | -           | 81                           | 20                  | 419         |
| 5603.00-900                     | SM                | KG                | 66                  | 82                  | 377         | 66                           | 82                  | 377         |
| 5603 4-ST                       | SM                | KG                | 66                  | 82                  | 377         | 201                          | 147                 | 1136        |
| 56 2-ST                         | SM                | KG                | 66                  | 82                  | 377         | 201                          | 147                 | 1136        |
| 5703.10-000                     | SM                | KG                | -                   | -                   | -           | 21                           | 70                  | 294         |
| 5703 4-ST                       | SM                | KG                | -                   | -                   | -           | 21                           | 70                  | 294         |
| 57 2-ST                         | SM                | KG                | -                   | -                   | -           | 21                           | 70                  | 294         |
| 5807.10-000                     |                   | KG                |                     | -                   | -           |                              | 8                   | 293         |
| 5807 4-ST                       | **                | KG                |                     | -                   | -           |                              | 8                   | 293         |
| 58 2-ST                         | **                | KG                |                     | -                   | -           |                              | 8                   | 293         |
| 7002.31-000                     |                   | KG                |                     | 7                   | 508         |                              | 7                   | 508         |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 407 PERU                        |                   |                   |                    |                   |             |                              |                   |             |
| 7002 4-ST                       | **                | KG                |                    | 7                 | 508         |                              | 7                 | 508         |
| 70 2-ST                         | **                | KG                |                    | 7                 | 508         |                              | 7                 | 508         |
| 7307.22-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 405         |
| 7307 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 405         |
| 7318.15-190                     |                   | KG                |                    | -                 | -           |                              | 53                | 752         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 53                | 752         |
| 73 2-ST                         | **                |                   |                    | -                 | -           |                              |                   | 1157        |
| 8205.59-000                     |                   | KG                |                    | -                 | -           |                              | 21                | 306         |
| 8205 4-ST                       | **                | KG                |                    | -                 | -           |                              | 21                | 306         |
| 8207.80-320                     |                   | NO                | -                  | -                 | -           | 2                            | 13                | 242         |
| 8207 4-ST                       |                   | NO                | -                  | -                 | -           | 2                            | 13                | 242         |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 10                | 808         |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 10                | 808         |
| 82 2-ST                         |                   | KG                |                    | -                 | -           |                              | 44                | 1356        |
| 8302.20-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 220         |
| 8302 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 220         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 15                | 220         |
| 8409.91-200                     |                   | KG                |                    | -                 | -           |                              | 125               | 1425        |
| 8409.99-100                     |                   | KG                |                    | -                 | -           |                              | 43                | 923         |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 522               | 7199        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 183               | 1590        |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 873               | 11137       |
| 8412.21-000                     |                   | NO                | -                  | -                 | -           | 2                            | 80                | 300         |
| 8412.29-000                     |                   | NO                | -                  | -                 | -           | 1                            | 35                | 264         |
| 8412 4-ST                       |                   | NO                | -                  | -                 | -           | 3                            | 115               | 564         |
| 8413.30-000                     |                   | NO                | -                  | -                 | -           | 1                            | 28                | 336         |
| 8413.60-100                     |                   | NO                | -                  | -                 | -           | 2                            | 50                | 473         |
| 8413.81-000                     |                   | NO                | -                  | -                 | -           | 3                            | 153               | 722         |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 25                | 630         |
| 8413 4-ST                       |                   | KG                |                    | -                 | -           |                              | 256               | 2161        |
| 8414.30-900                     |                   | NO                | -                  | -                 | -           | 1                            | 120               | 464         |
| 8414.59-000                     |                   | NO                | -                  | -                 | -           | 12                           | 67                | 838         |
| 8414.80-290                     |                   | NO                | -                  | -                 | -           | 1                            | 128               | 360         |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 18                | 1006        |
| 8414.90-900                     |                   | KG                |                    | -                 | -           |                              | 54                | 493         |
| 8414 4-ST                       |                   | KG                |                    | -                 | -           |                              | 387               | 3161        |
| 8421.91-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 469         |
| 8421.99-000                     |                   | KG                |                    | 44                | 380         |                              | 259               | 1205        |
| 8421 4-ST                       | **                | KG                |                    | 44                | 380         |                              | 261               | 1674        |
| 8422.90-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 513         |
| 8422 4-ST                       | **                | KG                |                    | -                 | -           |                              | 16                | 513         |
| 8423.90-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 282         |
| 8423 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 282         |
| 8428.90-000                     |                   | NO                | -                  | -                 | -           | 68                           | 34                | 480         |
| 8428 4-ST                       |                   | NO                | -                  | -                 | -           | 68                           | 34                | 480         |
| 8431.10-000                     |                   | KG                |                    | -                 | -           |                              | 76                | 1607        |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 76                | 1607        |
| 8438.90-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 213         |
| 8438 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 213         |
| 8448.32-000                     |                   | KG                |                    | -                 | -           |                              | 80                | 5724        |
| 8448.39-100                     |                   | KG                |                    | -                 | -           |                              | 32                | 984         |
| 8448.49-000                     |                   | KG                |                    | -                 | -           |                              | 77                | 1806        |
| 8448.51-100                     | TH                | KG                | -                  | -                 | -           | 56                           | 44                | 1423        |
| 8448 4-ST                       |                   | KG                |                    | -                 | -           |                              | 233               | 9937        |
| 8467.19-900                     | NO                | KG                | -                  | -                 | -           | 4                            | 96                | 476         |
| 8467.99-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 308         |
| 8467 4-ST                       |                   | KG                |                    | -                 | -           |                              | 110               | 784         |
| 8469.10-100                     |                   | NO                |                    | -                 | -           |                              | 1                 | 1857        |
| 8469 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 1857        |
| 8470.50-900                     |                   | NO                |                    | 86                | 6228        |                              | 232               | 29755       |
| 8470 4-ST                       | **                | NO                |                    | 86                | 6228        |                              | 232               | 29755       |
| 8471.91-000                     |                   | NO                | -                  | -                 | -           | 1                            | 60                | 967         |
| 8471.92-110                     |                   | NO                | -                  | -                 | -           | 10                           | 65                | 1165        |
| 8471.93-300                     |                   | NO                | -                  | -                 | -           | 3                            | 48                | 1445        |
| 8471.93-900                     |                   | NO                | -                  | -                 | -           | 40                           | 150               | 2960        |
| 8471.99-000                     |                   | NO                | -                  | -                 | -           | 1                            | 4                 | 352         |
| 8471 4-ST                       |                   | NO                | -                  | -                 | -           | 55                           | 327               | 6889        |
| 8473.29-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 799         |
| 8473 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7                 | 799         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 407 PERU                        |                   |                   |                    |                   |             |                              |                   |             |
| 8479.90-000                     |                   | KG                |                    | 2                 | 246         |                              | 34                | 862         |
| 8479 4-ST                       | **                | KG                |                    | 2                 | 246         |                              | 34                | 862         |
| 8481.10-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 540         |
| 8481.20-000                     |                   | KG                |                    | -                 | -           |                              | 92                | 708         |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 156               | 1342        |
| 8481.80-900                     |                   | KG                |                    | -                 | -           |                              | 44                | 1196        |
| 8481.90-000                     |                   | KG                |                    | -                 | -           |                              | 160               | 1728        |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 472               | 5514        |
| 8482.10-000                     |                   | KG                |                    | 2                 | 1276        |                              | 2                 | 1276        |
| 8482.99-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 265         |
| 8482 4-ST                       | **                | KG                |                    | 2                 | 1276        |                              | 11                | 1541        |
| 8483.10-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 1601        |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 41                | 675         |
| 8483.40-200                     |                   | KG                |                    | -                 | -           |                              | 6                 | 214         |
| 8483 4-ST                       | **                | KG                |                    | -                 | -           |                              | 69                | 2490        |
| 8484.10-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 228         |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 228         |
| 8485.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 550               | 1150        |
| 8485.90-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 270         |
| 8485 4-ST                       |                   | KG                |                    | -                 | -           |                              | 553               | 1420        |
| 84 2-ST                         |                   |                   |                    |                   | 8130        |                              |                   | 83868       |
| 8501.51-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 14                | 300         |
| 8501.52-200                     | NO                | KG                | -                  | -                 | -           | 1                            | 180               | 285         |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 194               | 585         |
| 8503.00-000                     |                   | KG                |                    | -                 | -           |                              | 340               | 530         |
| 8503 4-ST                       | **                | KG                |                    | -                 | -           |                              | 340               | 530         |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 12                           | 90                | 747         |
| 8504.40-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 37                | 210         |
| 8504.50-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 240         |
| 8504 4-ST                       |                   | KG                |                    | -                 | -           |                              | 130               | 1197        |
| 8505.20-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 435         |
| 8505 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 435         |
| 8511.40-900                     |                   | KG                |                    | -                 | -           |                              | 12                | 775         |
| 8511 4-ST                       | **                | KG                |                    | -                 | -           |                              | 12                | 775         |
| 8515.90-000                     |                   | KG                |                    | -                 | -           |                              | 56                | 1634        |
| 8515 4-ST                       | **                | KG                |                    | -                 | -           |                              | 56                | 1634        |
| 8517.10-100                     | NO                | KG                | -                  | -                 | -           | 150                          | 75                | 479         |
| 8517.10-900                     | NO                | KG                | 40                 | 759               | 12000       | 86                           | 793               | 12539       |
| 8517.30-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 359               | 4450        |
| 8517.40-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 106               | 943         |
| 8517.81-100                     | NO                | KG                | -                  | -                 | -           | 9                            | 96                | 601         |
| 8517.81-900                     | NO                | KG                | -                  | -                 | -           | 5                            | 21                | 404         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 4                            | 70                | 4590        |
| 8517.90-000                     |                   | KG                |                    | 135               | 4698        |                              | 2799              | 74478       |
| 8517 4-ST                       |                   | KG                |                    | 894               | 16698       |                              | 4319              | 98484       |
| 8520.31-100                     | NO                |                   |                    | -                 | -           |                              | 4                 | 201         |
| 8520 4-ST                       | **                | NO                |                    | -                 | -           |                              | 4                 | 201         |
| 8521.10-000                     | NO                | KG                | 1                  | 75                | 319         | 4                            | 107               | 1396        |
| 8521 4-ST                       | NO                | KG                | 1                  | 75                | 319         | 4                            | 107               | 1396        |
| 8522.90-900                     |                   | KG                |                    | -                 | -           |                              | 20                | 850         |
| 8522 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 850         |
| 8523.90-000                     |                   | KG                |                    | -                 | -           |                              | 125               | 4550        |
| 8523 4-ST                       | **                | KG                |                    | -                 | -           |                              | 125               | 4550        |
| 8525.20-910                     | NO                | KG                | -                  | -                 | -           | 29                           | 294               | 4260        |
| 8525.20-920                     | NO                | KG                | -                  | -                 | -           | 35                           | 28                | 2466        |
| 8525.20-990                     | NO                | KG                | -                  | -                 | -           | 148                          | 941               | 36109       |
| 8525.30-110                     | NO                | KG                | -                  | -                 | -           | 7                            | 10                | 776         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 219                          | 1273              | 43611       |
| 8526.10-000                     | NO                | KG                | -                  | -                 | -           | 34                           | 914               | 10873       |
| 8526.91-200                     | NO                | KG                | -                  | -                 | -           | 5                            | 23                | 580         |
| 8526.91-900                     | NO                | KG                | 8                  | 24                | 852         | 36                           | 135               | 5568        |
| 8526 4-ST                       | NO                | KG                | 8                  | 24                | 852         | 75                           | 1072              | 17021       |
| 8528.10-900                     |                   | NO                |                    | -                 | -           |                              | 6                 | 1399        |
| 8528 4-ST                       | **                | NO                |                    | -                 | -           |                              | 6                 | 1399        |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 37                | 2714        |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 37                | 2714        |
| 8536.10-000                     |                   | KG                |                    | -                 | -           |                              | 12                | 456         |
| 8536.49-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 764         |
| 8536.50-900                     | NO                | KG                | -                  | -                 | -           | 11                           | 1                 | 655         |
| 8536.90-200                     |                   | KG                |                    | -                 | -           |                              | 46                | 661         |
| 8536 4-ST                       |                   | KG                |                    | -                 | -           |                              | 89                | 2536        |
| 8537.10-000                     | NO                | KG                | 1                  | 7                 | 309         | 1                            | 7                 | 309         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 407 PERU                        |                   |                   |                    |                   |             |                              |                   |             |
| 8537 4-ST                       | NO                | KG                | 1                  | 7                 | 309         | 1                            | 7                 | 309         |
| 8539.21-000                     | NO                | KG                | -                  | -                 | -           | 1014                         | 34                | 752         |
| 8539.29-900                     | NO                | KG                | -                  | -                 | -           | 40                           | 6                 | 282         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 1054                         | 40                | 1034        |
| 8540.89-900                     | NO                | KG                | -                  | -                 | -           | 5                            | 10                | 718         |
| 8540 4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 10                | 718         |
| 8541.29-910                     |                   | NO                | -                  | -                 | -           |                              | 10                | 230         |
| 8541.30-900                     |                   | NO                | -                  | -                 | -           |                              | 100               | 920         |
| 8541 4-ST                       | **                | NO                | -                  | -                 | -           |                              | 110               | 1150        |
| 8543.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 26                | 550         |
| 8543.80-000                     | NO                | KG                | 2                  | 60                | 2134        | 10                           | 176               | 9542        |
| 8543 4-ST                       | NO                | KG                | 2                  | 60                | 2134        | 11                           | 202               | 10092       |
| 8544.41-110                     |                   | KG                | -                  | -                 | -           |                              | 315               | 4484        |
| 8544.41-910                     |                   | KG                | -                  | -                 | -           |                              | 8                 | 253         |
| 8544.51-910                     |                   | KG                | -                  | -                 | -           |                              | 92                | 850         |
| 8544 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 415               | 5587        |
| 8545.20-000                     |                   | KG                | -                  | -                 | -           |                              | 18                | 3069        |
| 8545 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 18                | 3069        |
| 85 2-ST                         |                   |                   |                    |                   | 20312       |                              |                   | 199877      |
| 8708.99-900                     |                   | KG                |                    | 71                | 213         |                              | 71                | 213         |
| 8708 4-ST                       | **                | KG                |                    | 71                | 213         |                              | 71                | 213         |
| 87 2-ST                         | **                | KG                |                    | 71                | 213         |                              | 71                | 213         |
| 9002.19-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 1195        |
| 9002 4-ST                       | **                | KG                |                    | -                 | -           |                              | 4                 | 1195        |
| 9006.59-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 914         |
| 9006 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 914         |
| 9008.10-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 9                 | 220         |
| 9008 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 9                 | 220         |
| 9009.12-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 279               | 668         |
| 9009.90-000                     |                   | KG                | -                  | -                 | -           |                              | 10                | 206         |
| 9009 4-ST                       |                   | KG                | -                  | -                 | -           |                              | 289               | 874         |
| 9010.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 40                | 307         |
| 9010 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 40                | 307         |
| 9011.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 7                 | 214         |
| 9011.80-100                     | NO                | KG                | -                  | -                 | -           | 8                            | 35                | 704         |
| 9011.80-900                     | NO                | KG                | -                  | -                 | -           | 3                            | 36                | 1353        |
| 9011.90-000                     |                   | KG                | -                  | -                 | -           |                              | 14                | 1972        |
| 9011 4-ST                       |                   | KG                | -                  | -                 | -           |                              | 92                | 4243        |
| 9012.90-000                     |                   | KG                | -                  | -                 | -           |                              | 60                | 539         |
| 9012 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 60                | 539         |
| 9014.80-100                     | NO                | KG                | -                  | -                 | -           | 28                           | 215               | 3592        |
| 9014.80-910                     | NO                | KG                | 1                  | 271               | 6957        | 3                            | 290               | 8275        |
| 9014.80-990                     | NO                | KG                | 1                  | 10                | 272         | 1                            | 10                | 272         |
| 9014.90-100                     |                   | KG                |                    | -                 | -           |                              | 73                | 1165        |
| 9014 4-ST                       |                   | KG                |                    | 281               | 7229        |                              | 588               | 13304       |
| 9015.20-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 24                | 2144        |
| 9015.30-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 8                 | 312         |
| 9015 4-ST                       | NO                | KG                | -                  | -                 | -           | 9                            | 32                | 2456        |
| 9017.20-000                     |                   | KG                | -                  | -                 | -           |                              | 68                | 704         |
| 9017 4-ST                       | **                | KG                | -                  | -                 | -           |                              | 68                | 704         |
| 9018.11-100                     | NO                | KG                | -                  | -                 | -           | 43                           | 219               | 3906        |
| 9018.11-900                     |                   | KG                | -                  | -                 | -           |                              | 17                | 315         |
| 9018.19-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 23                | 674         |
| 9018.19-900                     |                   | KG                |                    | -                 | -           |                              | 239               | 4601        |
| 9018.32-100                     | DZ                | KG                | 44                 | 3                 | 211         | 44                           | 3                 | 211         |
| 9018.39-000                     |                   | KG                |                    | -                 | -           |                              | 45                | 770         |
| 9018.49-900                     |                   | KG                |                    | -                 | -           |                              | 55                | 1375        |
| 9018.50-900                     |                   | KG                |                    | -                 | -           |                              | 56                | 351         |
| 9018.90-110                     | NO                | KG                | -                  | -                 | -           | 3                            | 42                | 1380        |
| 9018.90-190                     |                   | KG                |                    | -                 | -           |                              | 50                | 756         |
| 9018.90-390                     |                   | KG                |                    | 30                | 2543        |                              | 117               | 5955        |
| 9018 4-ST                       |                   | KG                |                    | 33                | 2754        |                              | 866               | 20294       |
| 9019.20-000                     |                   | KG                |                    | -                 | -           |                              | 23                | 222         |
| 9019 4-ST                       | **                | KG                |                    | -                 | -           |                              | 23                | 222         |
| 9022.90-910                     |                   | KG                |                    | -                 | -           |                              | 94                | 1614        |
| 9022 4-ST                       | **                | KG                |                    | -                 | -           |                              | 94                | 1614        |
| 9026.10-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 6                 | 1424        |
| 9026 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 6                 | 1424        |
| 9027.80-910                     | NO                | KG                | -                  | -                 | -           | 2                            | 18                | 2600        |
| 9027.90-100                     |                   | KG                |                    | -                 | -           |                              | 23                | 1674        |
| 9027 4-ST                       |                   | KG                |                    | -                 | -           |                              | 41                | 4274        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 407 PERU                        |                   |                   |                    |                   |             |                              |                   |             |
| 9028.20-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 20                | 545         |
| 9028 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 20                | 545         |
| 9029.20-910                     | NO                | KG                | -                  | -                 | -           | 1                            | 86                | 828         |
| 9029 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 86                | 828         |
| 9030.31-000                     | NO                | KG                | -                  | -                 | -           | 95                           | 5                 | 285         |
| 9030.39-900                     | NO                | KG                | -                  | -                 | -           | 16                           | 96                | 2675        |
| 9030.40-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 65                | 5214        |
| 9030.89-990                     | NO                | KG                | 2                  | 1                 | 660         | 22                           | 107               | 2159        |
| 9030 4-ST                       | NO                | KG                | 2                  | 1                 | 660         | 135                          | 273               | 10333       |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 3                            | 15                | 746         |
| 9031 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 15                | 746         |
| 9032.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 300         |
| 9032.89-112                     | NO                | KG                | -                  | -                 | -           | 364                          | 172               | 5192        |
| 9032.89-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 40                | 421         |
| 9032 4-ST                       | NO                | KG                | -                  | -                 | -           | 367                          | 223               | 5913        |
| 90 2-ST                         |                   | KG                |                    | 315               | 10643       |                              | 2835              | 70949       |
| 9102.11-000                     |                   | NO                |                    | 320               | 1920        |                              | 320               | 1920        |
| 9102 4-ST                       | **                | NO                |                    | 320               | 1920        |                              | 320               | 1920        |
| 9106.10-000                     | NO                | KG                | -                  | -                 | -           | 50                           | 150               | 2371        |
| 9106 4-ST                       | NO                | KG                | -                  | -                 | -           | 50                           | 150               | 2371        |
| 91 2-ST                         |                   |                   |                    |                   | 1920        |                              |                   | 4291        |
| 9504.10-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 220         |
| 9504.90-900                     |                   | KG                |                    | 112               | 306         |                              | 112               | 306         |
| 9504 4-ST                       | **                | KG                |                    | 112               | 306         |                              | 115               | 526         |
| 95 2-ST                         | **                | KG                |                    | 112               | 306         |                              | 115               | 526         |
| 9606.21-000                     | GS                | KG                | -                  | -                 | -           | 79                           | 20                | 432         |
| 9606.29-900                     | GS                | KG                | -                  | -                 | -           | 119                          | 84                | 818         |
| 9606 4-ST                       | GS                | KG                | -                  | -                 | -           | 198                          | 104               | 1250        |
| 9608.10-000                     |                   | DZ                |                    | -                 | -           |                              | 3750              | 4257        |
| 9608.60-000                     |                   | KG                |                    | -                 | -           |                              | 38                | 407         |
| 9608 4-ST                       | **                |                   |                    | -                 | -           |                              |                   | 4664        |
| 9612.10-000                     |                   | DZ                |                    | -                 | -           |                              | 64                | 1332        |
| 9612 4-ST                       | **                | DZ                |                    | -                 | -           |                              | 64                | 1332        |
| 96 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 7246        |
| TOTAL                           |                   |                   |                    |                   | 49807       |                              |                   | 422333      |
| 408 BOLIVIA                     |                   |                   |                    |                   |             |                              |                   |             |
| 3004.90-900                     |                   | KG                |                    | -                 | -           |                              | 54                | 490         |
| 3004 4-ST                       | **                | KG                |                    | -                 | -           |                              | 54                | 490         |
| 30 2-ST                         | **                | KG                |                    | -                 | -           |                              | 54                | 490         |
| 3701.10-000                     |                   | SM                |                    | -                 | -           |                              | 399               | 2047        |
| 3701 4-ST                       | **                | SM                |                    | -                 | -           |                              | 399               | 2047        |
| 37 2-ST                         | **                | SM                |                    | -                 | -           |                              | 399               | 2047        |
| 4901.99-000                     |                   | NO                |                    | -                 | -           |                              | 224               | 672         |
| 4901 4-ST                       | **                | NO                |                    | -                 | -           |                              | 224               | 672         |
| 49 2-ST                         | **                | NO                |                    | -                 | -           |                              | 224               | 672         |
| 6813.10-900                     |                   | KG                |                    | -                 | -           |                              | 15                | 224         |
| 6813 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 224         |
| 68 2-ST                         | **                | KG                |                    | -                 | -           |                              | 15                | 224         |
| 7419.99-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 390         |
| 7419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 390         |
| 74 2-ST                         | **                | KG                |                    | -                 | -           |                              | 20                | 390         |
| 8409.91-900                     |                   | KG                |                    | -                 | -           |                              | 55                | 700         |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 55                | 700         |
| 8419.20-000                     |                   | KG                |                    | -                 | -           |                              | 76                | 677         |
| 8419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 76                | 677         |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 180               | 242         |
| 8421 4-ST                       | **                | KG                |                    | -                 | -           |                              | 180               | 242         |
| 8469.10-200                     | NO                | KG                | -                  | -                 | -           | 3                            | 142               | 2567        |
| 8469 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 142               | 2567        |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 24                | 2741        |
| 8479 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 24                | 2741        |
| 84 2-ST                         |                   | KG                |                    | -                 | -           |                              | 477               | 6927        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 408 BOLIVIA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8508.80-900                     |                   | NO                |                    | -                 | -           |                              | 12                | 886         |
| 8508 4-ST                       | **                | NO                |                    | -                 | -           |                              | 12                | 886         |
| 8517.10-900                     | NO                | KG                | -                  | -                 | -           | 24                           | 29                | 256         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 24                | 2060        |
| 8517.90-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 2456        |
| 8517 4-ST                       |                   | KG                |                    | -                 | -           |                              | 68                | 4772        |
| 8521.10-000                     | NO                | KG                | 4                  | 36                | 1252        | 7                            | 48                | 1548        |
| 8521 4-ST                       | NO                | KG                | 4                  | 36                | 1252        | 7                            | 48                | 1548        |
| 8525.20-400                     | NO                | KG                | -                  | -                 | -           | 9                            | 73                | 777         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 9                            | 73                | 777         |
| 8528.10-900                     |                   | NO                |                    | 2                 | 207         |                              | 2                 | 207         |
| 8528 4-ST                       | **                | NO                |                    | 2                 | 207         |                              | 2                 | 207         |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 7                 | 660         |
| 8529 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7                 | 660         |
| 8536.30-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 433         |
| 8536.90-200                     |                   | KG                |                    | -                 | -           |                              | 140               | 1135        |
| 8536 4-ST                       | **                | KG                |                    | -                 | -           |                              | 144               | 1568        |
| 8538.90-200                     |                   | KG                |                    | -                 | -           |                              | 2                 | 222         |
| 8538 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 222         |
| 8543.80-000                     | NO                | KG                | 1                  | 3                 | 218         | 2                            | 15                | 618         |
| 8543 4-ST                       | NO                | KG                | 1                  | 3                 | 218         | 2                            | 15                | 618         |
| 85 2-ST                         |                   |                   |                    |                   | 1677        |                              |                   | 11258       |
| 8708.93-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 249         |
| 8708.99-900                     |                   | KG                |                    | -                 | -           |                              | 60                | 323         |
| 8708 4-ST                       | **                | KG                |                    | -                 | -           |                              | 75                | 572         |
| 87 2-ST                         | **                | KG                |                    | -                 | -           |                              | 75                | 572         |
| 9009.90-000                     |                   | KG                |                    | -                 | -           |                              | 52                | 718         |
| 9009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 52                | 718         |
| 9014.10-000                     | NO                | KG                | -                  | -                 | -           | 30                           | 9                 | 315         |
| 9014 4-ST                       | NO                | KG                | -                  | -                 | -           | 30                           | 9                 | 315         |
| 9017.30-930                     | NO                | KG                | -                  | -                 | -           | 92                           | 16                | 233         |
| 9017 4-ST                       | NO                | KG                | -                  | -                 | -           | 92                           | 16                | 233         |
| 9018.11-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 163               | 2896        |
| 9018.19-210                     | NO                | KG                | -                  | -                 | -           | 3                            | 167               | 5713        |
| 9018.19-900                     |                   | KG                |                    | -                 | -           |                              | 10                | 740         |
| 9018.50-100                     |                   | KG                |                    | -                 | -           |                              | 70                | 450         |
| 9018.90-190                     |                   | KG                |                    | -                 | -           |                              | 38                | 531         |
| 9018 4-ST                       |                   | KG                |                    | -                 | -           |                              | 448               | 10330       |
| 9022.90-910                     |                   | KG                |                    | -                 | -           |                              | 20                | 796         |
| 9022 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 796         |
| 9027.30-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 145               | 1537        |
| 9027 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 145               | 1537        |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 6                 | 532         |
| 9031.90-100                     |                   | KG                |                    | -                 | -           |                              | 99                | 6612        |
| 9031 4-ST                       |                   | KG                |                    | -                 | -           |                              | 105               | 7144        |
| 90 2-ST                         |                   | KG                |                    | -                 | -           |                              | 795               | 21073       |
| 9102.11-000                     |                   | NO                |                    | 180               | 270         |                              | 180               | 270         |
| 9102 4-ST                       | **                | NO                |                    | 180               | 270         |                              | 180               | 270         |
| 9106.10-000                     | NO                | KG                | -                  | -                 | -           | 71                           | 383               | 3144        |
| 9106 4-ST                       | NO                | KG                | -                  | -                 | -           | 71                           | 383               | 3144        |
| 91 2-ST                         |                   |                   |                    |                   | 270         |                              |                   | 3414        |
| 9405.40-290                     |                   | KG                |                    | -                 | -           |                              | 144               | 869         |
| 9405 4-ST                       | **                | KG                |                    | -                 | -           |                              | 144               | 869         |
| 94 2-ST                         | **                | KG                |                    | -                 | -           |                              | 144               | 869         |
| TOTAL                           |                   |                   |                    |                   | 1947        |                              |                   | 47936       |
| 409 CHILE                       |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 190               | 3775        |                              | 2565              | 102323      |
| 0000 4-ST                       | **                | KG                |                    | 190               | 3775        |                              | 2565              | 102323      |
| 00 2-ST                         | **                | KG                |                    | 190               | 3775        |                              | 2565              | 102323      |
| 1209.30-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 690         |
| 1209.91-000                     |                   | KG                |                    | 86                | 2350        |                              | 311               | 7739        |
| 1209 4-ST                       | **                | KG                |                    | 86                | 2350        |                              | 315               | 8429        |
| 12 2-ST                         | **                | KG                |                    | 86                | 2350        |                              | 315               | 8429        |
| 2936.90-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 1897        |
| 2936 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 1897        |



Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1単位<br>UNIT1 | 第2単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|---------------|---------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |               |               | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 409 CHILE                       |               |               |                    |                   |             |                              |                   |             |
| 2941.90-000                     |               | KG            |                    | -                 | -           |                              | 411               | 11872       |
| 2941 4-ST                       | **            | KG            |                    | -                 | -           |                              | 411               | 11872       |
| 29 2-ST                         | **            | KG            |                    | -                 | -           |                              | 431               | 13769       |
| 3002.10-000                     |               | KG            |                    | -                 | -           |                              | 96                | 4523        |
| 3002 4-ST                       | **            | KG            |                    | -                 | -           |                              | 96                | 4523        |
| 3004.20-000                     |               | KG            |                    | 27                | 2852        |                              | 54                | 5704        |
| 3004.39-000                     |               | KG            |                    | -                 | -           |                              | 17                | 346         |
| 3004.90-900                     |               | KG            |                    | -                 | -           |                              | 28                | 269         |
| 3004 4-ST                       | **            | KG            |                    | 27                | 2852        |                              | 99                | 6319        |
| 3006.10-000                     |               | KG            |                    | -                 | -           |                              | 5                 | 329         |
| 3006.30-000                     |               | KG            |                    | -                 | -           |                              | 69                | 555         |
| 3006.40-100                     |               | KG            |                    | -                 | -           |                              | 116               | 1437        |
| 3006 4-ST                       | **            | KG            |                    | -                 | -           |                              | 190               | 2321        |
| 30 2-ST                         | **            | KG            |                    | 27                | 2852        |                              | 385               | 13163       |
| 3302.10-000                     |               | KG            |                    | -                 | -           |                              | 170               | 341         |
| 3302 4-ST                       | **            | KG            |                    | -                 | -           |                              | 170               | 341         |
| 3304.99-900                     |               | KG            |                    | -                 | -           |                              | 108               | 215         |
| 3304 4-ST                       | **            | KG            |                    | -                 | -           |                              | 108               | 215         |
| 33 2-ST                         | **            | KG            |                    | -                 | -           |                              | 278               | 556         |
| 3407.00-000                     |               | KG            |                    | -                 | -           |                              | 62                | 340         |
| 3407 4-ST                       | **            | KG            |                    | -                 | -           |                              | 62                | 340         |
| 34 2-ST                         | **            | KG            |                    | -                 | -           |                              | 62                | 340         |
| 3701.30-000                     |               | SM            |                    | 27                | 300         |                              | 108               | 1238        |
| 3701 4-ST                       | **            | SM            |                    | 27                | 300         |                              | 108               | 1238        |
| 3705.90-000                     |               | SM            |                    | -                 | -           |                              | 2                 | 665         |
| 3705 4-ST                       | **            | SM            |                    | -                 | -           |                              | 2                 | 665         |
| 3707.90-000                     |               | KG            |                    | -                 | -           |                              | 1397              | 4558        |
| 3707 4-ST                       | **            | KG            |                    | -                 | -           |                              | 1397              | 4558        |
| 37 2-ST                         | **            |               |                    |                   | 300         |                              |                   | 6461        |
| 3808.10-900                     |               | KG            |                    | -                 | -           |                              | 800               | 1881        |
| 3808.30-900                     |               | KG            |                    | -                 | -           |                              | 50                | 4483        |
| 3808 4-ST                       | **            | KG            |                    | -                 | -           |                              | 850               | 6364        |
| 3811.90-000                     |               | KG            |                    | -                 | -           |                              | 45                | 202         |
| 3811 4-ST                       | **            | KG            |                    | -                 | -           |                              | 45                | 202         |
| 3823.90-900                     |               | KG            |                    | -                 | -           |                              | 32                | 462         |
| 3823 4-ST                       | **            | KG            |                    | -                 | -           |                              | 32                | 462         |
| 38 2-ST                         | **            | KG            |                    | -                 | -           |                              | 927               | 7028        |
| 3907.30-000                     |               | KG            |                    | -                 | -           |                              | 563               | 424         |
| 3907 4-ST                       | **            | KG            |                    | -                 | -           |                              | 563               | 424         |
| 3917.32-100                     |               | KG            |                    | -                 | -           |                              | 30                | 234         |
| 3917 4-ST                       | **            | KG            |                    | -                 | -           |                              | 30                | 234         |
| 3920.69-000                     |               | KG            |                    | -                 | -           |                              | 205               | 1038        |
| 3920.99-000                     |               | KG            |                    | -                 | -           |                              | 42                | 322         |
| 3920 4-ST                       | **            | KG            |                    | -                 | -           |                              | 247               | 1360        |
| 3923.21-000                     |               | KG            |                    | -                 | -           |                              | 10                | 210         |
| 3923.30-000                     |               | KG            |                    | -                 | -           |                              | 24                | 224         |
| 3923 4-ST                       | **            | KG            |                    | -                 | -           |                              | 34                | 434         |
| 3926.20-000                     | DZ            | KG            | -                  | -                 | -           | 96                           | 164               | 455         |
| 3926.90-000                     |               | KG            |                    | -                 | -           |                              | 24                | 1207        |
| 3926 4-ST                       |               | KG            |                    | -                 | -           |                              | 188               | 1662        |
| 39 2-ST                         |               | KG            |                    | -                 | -           |                              | 1062              | 4114        |
| 4009.10-000                     |               | KG            |                    | -                 | -           |                              | 110               | 425         |
| 4009.50-100                     |               | KG            |                    | -                 | -           |                              | 11                | 216         |
| 4009 4-ST                       | **            | KG            |                    | -                 | -           |                              | 121               | 641         |
| 4010.99-900                     |               | KG            |                    | -                 | -           |                              | 63                | 552         |
| 4010 4-ST                       | **            | KG            |                    | -                 | -           |                              | 63                | 552         |
| 4011.99-000                     | NO            | KG            | -                  | -                 | -           | 26                           | 248               | 722         |
| 4011 4-ST                       | NO            | KG            | -                  | -                 | -           | 26                           | 248               | 722         |
| 4016.93-000                     |               | KG            |                    | -                 | -           |                              | 18                | 1569        |
| 4016.99-000                     |               | KG            |                    | 7                 | 514         |                              | 57                | 1257        |
| 4016 4-ST                       | **            | KG            |                    | 7                 | 514         |                              | 75                | 2826        |
| 40 2-ST                         |               | KG            |                    | 7                 | 514         |                              | 507               | 4741        |
| 4107.10-190                     | SM            | KG            | -                  | -                 | -           | 612                          | 181               | 760         |
| 4107 4-ST                       |               | SM            | -                  | -                 | -           | 612                          | 181               | 760         |
| 41 2-ST                         | SM            | KG            | -                  | -                 | -           | 612                          | 181               | 760         |

Country by Customs by Commodity

EXPORT

101 東京航空貨物 (原木)

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |             |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE |
| 409 CHILE                       |                   |                   |                      |                      |             |                              |                      |             |
| 4202.19-000                     | DZ                | KG                | -                    | -                    | -           | 0                            | 36                   | 646         |
| 4202 4-ST                       | DZ                | KG                | -                    | -                    | -           | 0                            | 36                   | 646         |
| 42 2-ST                         | DZ                | KG                | -                    | -                    | -           | 0                            | 36                   | 646         |
| 4821.10-000                     |                   | KG                |                      | -                    | -           |                              | 476                  | 2095        |
| 4821 4-ST                       | **                | KG                |                      | -                    | -           |                              | 476                  | 2095        |
| 4823.40-000                     |                   | KG                |                      | -                    | -           |                              | 167                  | 835         |
| 4823.59-900                     |                   | KG                |                      | -                    | -           |                              | 20                   | 224         |
| 4823 4-ST                       | **                | KG                |                      | -                    | -           |                              | 187                  | 1059        |
| 48 2-ST                         | **                | KG                |                      | -                    | -           |                              | 663                  | 3154        |
| 4901.99-000                     |                   | NO                |                      | 85                   | 439         |                              | 737                  | 4716        |
| 4901 4-ST                       | **                | NO                |                      | 85                   | 439         |                              | 737                  | 4716        |
| 4905.99-000                     |                   | KG                |                      | -                    | -           |                              | 10                   | 273         |
| 4905 4-ST                       | **                | KG                |                      | -                    | -           |                              | 10                   | 273         |
| 4906.00-000                     |                   | KG                |                      | -                    | -           |                              | 71                   | 5216        |
| 4906 4-ST                       | **                | KG                |                      | -                    | -           |                              | 71                   | 5216        |
| 4910.00-000                     |                   | KG                |                      | 87                   | 422         |                              | 87                   | 422         |
| 4910 4-ST                       | **                | KG                |                      | 87                   | 422         |                              | 87                   | 422         |
| 4911.10-000                     |                   | KG                |                      | -                    | -           |                              | 115                  | 1300        |
| 4911.99-000                     |                   | KG                |                      | 10                   | 740         |                              | 399                  | 1946        |
| 4911 4-ST                       | **                | KG                |                      | 10                   | 740         |                              | 514                  | 3246        |
| 49 2-ST                         | **                |                   |                      |                      | 1601        |                              |                      | 13873       |
| 6307.90-000                     |                   | KG                |                      | -                    | -           |                              | 40                   | 361         |
| 6307 4-ST                       | **                | KG                |                      | -                    | -           |                              | 40                   | 361         |
| 63 2-ST                         | **                | KG                |                      | -                    | -           |                              | 40                   | 361         |
| 6601.10-000                     |                   | KG                |                      | -                    | -           |                              | 38                   | 262         |
| 6601 4-ST                       | **                | KG                |                      | -                    | -           |                              | 38                   | 262         |
| 66 2-ST                         | **                | KG                |                      | -                    | -           |                              | 38                   | 262         |
| 6804.21-100                     |                   | KG                |                      | -                    | -           |                              | 40                   | 667         |
| 6804 4-ST                       | **                | KG                |                      | -                    | -           |                              | 40                   | 667         |
| 6813.10-900                     |                   | KG                |                      | -                    | -           |                              | 12                   | 736         |
| 6813 4-ST                       | **                | KG                |                      | -                    | -           |                              | 12                   | 736         |
| 68 2-ST                         | **                | KG                |                      | -                    | -           |                              | 52                   | 1403        |
| 7008.00-000                     |                   | KG                |                      | -                    | -           |                              | 1                    | 225         |
| 7008 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1                    | 225         |
| 7009.10-000                     |                   | KG                |                      | -                    | -           |                              | 163                  | 1025        |
| 7009 4-ST                       | **                | KG                |                      | -                    | -           |                              | 163                  | 1025        |
| 70 2-ST                         | **                | KG                |                      | -                    | -           |                              | 164                  | 1250        |
| 7114.20-000                     |                   | KG                |                      | -                    | -           |                              | 10                   | 528         |
| 7114 4-ST                       | **                | KG                |                      | -                    | -           |                              | 10                   | 528         |
| 71 2-ST                         | **                | KG                |                      | -                    | -           |                              | 10                   | 528         |
| 7307.92-900                     |                   | MT                |                      | -                    | -           |                              | 0                    | 228         |
| 7307.99-100                     |                   | MT                |                      | -                    | -           |                              | 0                    | 506         |
| 7307 4-ST                       | **                | MT                |                      | -                    | -           |                              | 0                    | 734         |
| 7312.10-119                     |                   | MT                |                      | -                    | -           |                              | 0                    | 350         |
| 7312 4-ST                       | **                | MT                |                      | -                    | -           |                              | 0                    | 350         |
| 7314.30-000                     |                   | KG                |                      | -                    | -           |                              | 62                   | 227         |
| 7314 4-ST                       | **                | KG                |                      | -                    | -           |                              | 62                   | 227         |
| 7318.15-110                     |                   | KG                |                      | -                    | -           |                              | 53                   | 940         |
| 7318.15-190                     |                   | KG                |                      | -                    | -           |                              | 43                   | 754         |
| 7318 4-ST                       | **                | KG                |                      | -                    | -           |                              | 96                   | 1694        |
| 7320.10-900                     |                   | KG                |                      | 150                  | 1553        |                              | 150                  | 1553        |
| 7320.20-000                     |                   | KG                |                      | -                    | -           |                              | 8                    | 464         |
| 7320 4-ST                       | **                | KG                |                      | 150                  | 1553        |                              | 158                  | 2017        |
| 7321.90-000                     |                   | KG                |                      | -                    | -           |                              | 59                   | 254         |
| 7321 4-ST                       | **                | KG                |                      | -                    | -           |                              | 59                   | 254         |
| 7326.90-000                     |                   | MT                |                      | -                    | -           |                              | 0                    | 3463        |
| 7326 4-ST                       | **                | MT                |                      | -                    | -           |                              | 0                    | 3463        |
| 73 2-ST                         | **                |                   |                      |                      | 1553        |                              |                      | 8739        |
| 7607.11-000                     |                   | KG                |                      | -                    | -           |                              | 95                   | 264         |
| 7607 4-ST                       | **                | KG                |                      | -                    | -           |                              | 95                   | 264         |
| 7608.20-000                     |                   | KG                |                      | -                    | -           |                              | 1                    | 592         |
| 7608 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1                    | 592         |
| 76 2-ST                         | **                | KG                |                      | -                    | -           |                              | 96                   | 856         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 409 CHILE                       |                   |                   |                     |                     |             |                              |                     |             |
| 8205.59-000                     |                   | KG                |                     | -                   | -           |                              | 89                  | 1362        |
| 8205 4-ST                       | **                | KG                |                     | -                   | -           |                              | 89                  | 1362        |
| 8208.90-000                     |                   | KG                |                     | -                   | -           |                              | 576                 | 915         |
| 8208 4-ST                       | **                | KG                |                     | -                   | -           |                              | 576                 | 915         |
| 8213.00-000                     |                   | KG                |                     | -                   | -           |                              | 1                   | 440         |
| 8213 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1                   | 440         |
| 82 2-ST                         | **                | KG                |                     | -                   | -           |                              | 666                 | 2717        |
| 8302.30-000                     |                   | KG                |                     | -                   | -           |                              | 197                 | 241         |
| 8302 4-ST                       | **                | KG                |                     | -                   | -           |                              | 197                 | 241         |
| 83 2-ST                         | **                | KG                |                     | -                   | -           |                              | 197                 | 241         |
| 8409.91-100                     |                   | KG                |                     | -                   | -           |                              | 57                  | 439         |
| 8409.91-200                     |                   | KG                |                     | -                   | -           |                              | 39                  | 1148        |
| 8409.91-900                     |                   | KG                |                     | -                   | -           |                              | 42                  | 1338        |
| 8409.99-200                     |                   | KG                |                     | 16                  | 1247        |                              | 950                 | 14871       |
| 8409.99-900                     |                   | KG                |                     | 497                 | 2808        |                              | 676                 | 9011        |
| 8409 4-ST                       | **                | KG                |                     | 513                 | 4055        |                              | 1764                | 26807       |
| 8411.99-000                     |                   | KG                |                     | -                   | -           |                              | 26                  | 921         |
| 8411 4-ST                       | **                | KG                |                     | -                   | -           |                              | 26                  | 921         |
| 8412.21-000                     | NO                | KG                | -                   | -                   | -           | 35                           | 160                 | 1747        |
| 8412.31-000                     | NO                | KG                | 88                  | 44                  | 284         | 548                          | 266                 | 2234        |
| 8412.39-000                     | NO                | KG                | -                   | -                   | -           | 8                            | 6                   | 221         |
| 8412 4-ST                       | NO                | KG                | 88                  | 44                  | 284         | 591                          | 432                 | 4202        |
| 8413.30-000                     | NO                | KG                | -                   | -                   | -           | 52                           | 715                 | 4890        |
| 8413.50-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 18                  | 252         |
| 8413.60-100                     | NO                | KG                | 4                   | 15                  | 231         | 13                           | 81                  | 1910        |
| 8413.81-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 240                 | 563         |
| 8413.91-000                     |                   | KG                |                     | -                   | -           |                              | 42                  | 843         |
| 8413 4-ST                       |                   | KG                |                     | 15                  | 231         |                              | 1096                | 8458        |
| 8414.80-220                     | NO                | KG                | -                   | -                   | -           | 1                            | 18                  | 292         |
| 8414.90-100                     |                   | KG                |                     | -                   | -           |                              | 18                  | 1453        |
| 8414.90-900                     |                   | KG                |                     | -                   | -           |                              | 50                  | 458         |
| 8414 4-ST                       |                   | KG                |                     | -                   | -           |                              | 86                  | 2203        |
| 8415.82-100                     | NO                | KG                |                     | -                   | -           |                              | 6                   | 405         |
| 8415 4-ST                       | **                | NO                |                     | -                   | -           |                              | 6                   | 405         |
| 8416.90-100                     |                   | KG                |                     | -                   | -           |                              | 122                 | 1332        |
| 8416 4-ST                       | **                | KG                |                     | -                   | -           |                              | 122                 | 1332        |
| 8418.99-900                     |                   | KG                |                     | -                   | -           |                              | 52                  | 616         |
| 8418 4-ST                       | **                | KG                |                     | -                   | -           |                              | 52                  | 616         |
| 8419.89-000                     |                   | KG                |                     | -                   | -           |                              | 71                  | 1201        |
| 8419 4-ST                       | **                | KG                |                     | -                   | -           |                              | 71                  | 1201        |
| 8421.23-000                     | NO                | KG                | -                   | -                   | -           | 175                          | 143                 | 224         |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 578                 | 3599        |
| 8421 4-ST                       |                   | KG                |                     | -                   | -           |                              | 721                 | 3823        |
| 8422.40-200                     | NO                | KG                | -                   | -                   | -           | 1                            | 300                 | 736         |
| 8422.90-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 220         |
| 8422 4-ST                       |                   | KG                |                     | -                   | -           |                              | 305                 | 956         |
| 8423.81-100                     | NO                | KG                | -                   | -                   | -           | 20                           | 240                 | 2106        |
| 8423.90-000                     |                   | KG                |                     | -                   | -           |                              | 28                  | 390         |
| 8423 4-ST                       |                   | KG                |                     | -                   | -           |                              | 268                 | 2496        |
| 8425.31-000                     | NO                | KG                | -                   | -                   | -           | 3                            | 351                 | 2227        |
| 8425 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 351                 | 2227        |
| 8431.10-000                     |                   | KG                |                     | -                   | -           |                              | 226                 | 1907        |
| 8431.20-000                     |                   | KG                |                     | -                   | -           |                              | 30                  | 268         |
| 8431.39-900                     |                   | KG                |                     | -                   | -           |                              | 45                  | 850         |
| 8431.49-900                     |                   | KG                |                     | -                   | -           |                              | 191                 | 531         |
| 8431 4-ST                       | **                | KG                |                     | -                   | -           |                              | 492                 | 3556        |
| 8433.60-000                     | NO                | KG                | -                   | -                   | -           | 48                           | 62                  | 1223        |
| 8433 4-ST                       | NO                | KG                | -                   | -                   | -           | 48                           | 62                  | 1223        |
| 8438.60-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 70                  | 397         |
| 8438.80-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 25                  | 250         |
| 8438.90-000                     |                   | KG                |                     | -                   | -           |                              | 152                 | 2240        |
| 8438 4-ST                       |                   | KG                |                     | -                   | -           |                              | 247                 | 2887        |
| 8443.50-900                     | NO                | KG                | -                   | -                   | -           | 6                            | 39                  | 1082        |
| 8443.90-100                     |                   | KG                |                     | 7                   | 881         |                              | 35                  | 1299        |
| 8443 4-ST                       |                   | KG                |                     | 7                   | 881         |                              | 74                  | 2381        |
| 8448.51-100                     | TH                | KG                | 58                  | 117                 | 1039        | 315                          | 479                 | 9225        |
| 8448.59-100                     |                   | KG                |                     | 553                 | 2583        |                              | 562                 | 3026        |
| 8448 4-ST                       |                   | KG                |                     | 670                 | 3622        |                              | 1041                | 12251       |
| 8452.29-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 35                  | 274         |
| 8452.90-990                     |                   | KG                |                     | -                   | -           |                              | 79                  | 2094        |
| 8452 4-ST                       |                   | KG                |                     | -                   | -           |                              | 114                 | 2368        |

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

101 東京航空貨物 (原木)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 409 CHILE                       |                   |                   |                     |                     |             |                              |                     |             |
| 8467.11-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 4                   | 235         |
| 8467.19-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 37                  | 385         |
| 8467 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 41                  | 620         |
| 8470.50-900                     |                   | NO                |                     | 4                   | 900         |                              | 273                 | 31486       |
| 8470 4-ST                       | **                | NO                |                     | 4                   | 900         |                              | 273                 | 31486       |
| 8471.20-100                     | NO                | KG                | 1                   | 14                  | 368         | 27                           | 86                  | 3960        |
| 8471.91-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 73                  | 600         |
| 8471.92-120                     | NO                | KG                | -                   | -                   | -           | 2                            | 25                  | 422         |
| 8471.92-190                     | NO                | KG                | -                   | -                   | -           | 10                           | 3                   | 329         |
| 8471.92-900                     | NO                | KG                | 6                   | 4                   | 254         | 14                           | 42                  | 1056        |
| 8471.93-300                     | NO                | KG                | 4                   | 32                  | 826         | 4                            | 32                  | 826         |
| 8471.99-000                     | NO                | KG                | -                   | -                   | -           | 9                            | 94                  | 2199        |
| 8471 4-ST                       | NO                | KG                | 11                  | 50                  | 1448        | 67                           | 355                 | 9392        |
| 8472.90-000                     | NO                | KG                | -                   | -                   | -           | 11                           | 108                 | 1575        |
| 8472 4-ST                       | NO                | KG                | -                   | -                   | -           | 11                           | 108                 | 1575        |
| 8473.10-000                     |                   | KG                |                     | -                   | -           |                              | 44                  | 1003        |
| 8473.21-000                     |                   | KG                |                     | -                   | -           |                              | 8                   | 209         |
| 8473.29-000                     |                   | KG                |                     | -                   | -           |                              | 47                  | 1192        |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 150                 | 2948        |
| 8473.40-000                     |                   | KG                |                     | -                   | -           |                              | 22                  | 1462        |
| 8473 4-ST                       | **                | KG                |                     | -                   | -           |                              | 271                 | 6814        |
| 8479.89-900                     | NO                | KG                | -                   | -                   | -           | 15                           | 213                 | 33390       |
| 8479.90-000                     |                   | KG                |                     | -                   | -           |                              | 71                  | 6965        |
| 8479 4-ST                       |                   | KG                |                     | -                   | -           |                              | 284                 | 40355       |
| 8481.10-000                     |                   | KG                |                     | 35                  | 365         |                              | 159                 | 974         |
| 8481.20-000                     |                   | KG                |                     | 91                  | 887         |                              | 1575                | 8745        |
| 8481.30-900                     |                   | KG                |                     | -                   | -           |                              | 1125                | 2857        |
| 8481.80-110                     |                   | KG                |                     | 11                  | 423         |                              | 27                  | 740         |
| 8481.80-190                     |                   | KG                |                     | 3                   | 500         |                              | 176                 | 3951        |
| 8481.80-900                     |                   | KG                |                     | -                   | -           |                              | 26                  | 275         |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 230                 | 7482        |
| 8481 4-ST                       | **                | KG                |                     | 140                 | 2175        |                              | 3318                | 25024       |
| 8482.10-000                     |                   | KG                |                     | -                   | -           |                              | 32                  | 624         |
| 8482.50-000                     |                   | KG                |                     | 60                  | 233         |                              | 60                  | 233         |
| 8482 4-ST                       | **                | KG                |                     | 60                  | 233         |                              | 92                  | 857         |
| 8483.10-000                     |                   | KG                |                     | -                   | -           |                              | 1145                | 4428        |
| 8483.30-200                     |                   | KG                |                     | 15                  | 1167        |                              | 76                  | 4100        |
| 8483.40-200                     |                   | KG                |                     | -                   | -           |                              | 130                 | 2563        |
| 8483.40-900                     |                   | KG                |                     | -                   | -           |                              | 81                  | 339         |
| 8483.50-000                     |                   | KG                |                     | -                   | -           |                              | 588                 | 1484        |
| 8483.60-000                     |                   | KG                |                     | -                   | -           |                              | 40                  | 674         |
| 8483.90-200                     |                   | KG                |                     | -                   | -           |                              | 82                  | 542         |
| 8483 4-ST                       | **                | KG                |                     | 15                  | 1167        |                              | 2142                | 14130       |
| 8484.10-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 215         |
| 8484 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5                   | 215         |
| 8485.90-000                     |                   | KG                |                     | -                   | -           |                              | 24                  | 1608        |
| 8485 4-ST                       | **                | KG                |                     | -                   | -           |                              | 24                  | 1608        |
| 84 2-ST                         |                   |                   |                     |                     | 14996       |                              |                     | 212389      |
| 8501.10-191                     | NO                | KG                | -                   | -                   | -           | 25                           | 65                  | 251         |
| 8501.31-191                     | NO                | KG                | -                   | -                   | -           | 6                            | 6                   | 456         |
| 8501.31-192                     | NO                | KG                | -                   | -                   | -           | 121                          | 285                 | 975         |
| 8501.51-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 12                  | 244         |
| 8501.52-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 193                 | 500         |
| 8501.52-200                     | NO                | KG                | -                   | -                   | -           | 1                            | 190                 | 380         |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 156                          | 751                 | 2806        |
| 8503.00-000                     |                   | KG                |                     | -                   | -           |                              | 122                 | 936         |
| 8503 4-ST                       | **                | KG                |                     | -                   | -           |                              | 122                 | 936         |
| 8504.31-200                     | NO                | KG                | -                   | -                   | -           | 8                            | 16                  | 380         |
| 8504.31-920                     | NO                | KG                | -                   | -                   | -           | 5                            | 89                  | 805         |
| 8504.40-110                     | NO                | KG                | 6                   | 79                  | 1080        | 171                          | 248                 | 3828        |
| 8504.40-900                     | NO                | KG                | -                   | -                   | -           | 113                          | 2483                | 5276        |
| 8504 4-ST                       | NO                | KG                | 6                   | 79                  | 1080        | 297                          | 2836                | 10289       |
| 8506.11-100                     | TH                | KG                | 8                   | 97                  | 920         | 41                           | 596                 | 5369        |
| 8506.11-900                     | TH                | KG                | 3                   | 50                  | 651         | 29                           | 632                 | 6375        |
| 8506.12-000                     | TH                | KG                | -                   | -                   | -           | 23                           | 254                 | 3678        |
| 8506.13-000                     | TH                | KG                | 42                  | 402                 | 5698        | 200                          | 1557                | 27697       |
| 8506 4-ST                       | TH                | KG                | 53                  | 549                 | 7269        | 293                          | 3039                | 43119       |
| 8507.30-000                     |                   | KG                |                     | 233                 | 3867        |                              | 545                 | 9321        |
| 8507 4-ST                       | **                | KG                |                     | 233                 | 3867        |                              | 545                 | 9321        |
| 8508.90-000                     |                   | KG                |                     | 50                  | 555         |                              | 1090                | 2631        |
| 8508 4-ST                       | **                | KG                |                     | 50                  | 555         |                              | 1090                | 2631        |
| 8511.40-100                     |                   | KG                |                     | -                   | -           |                              | 768                 | 3363        |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 409 CHILE                       |                   |                   |                    |                   |             |                              |                   |             |
| 8511 4-ST                       | **                | KG                |                    | -                 | -           |                              | 768               | 3363        |
| 8512.90-000                     |                   | KG                |                    | -                 | -           |                              | 99                | 361         |
| 8512 4-ST                       | **                | KG                |                    | -                 | -           |                              | 99                | 361         |
| 8515.80-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 35                | 5805        |
| 8515 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 35                | 5805        |
| 8517.10-900                     | NO                | KG                | -                  | -                 | -           | 25                           | 57                | 690         |
| 8517.30-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 114               | 1102        |
| 8517.40-000                     | NO                | KG                | -                  | -                 | -           | 54                           | 2875              | 56656       |
| 8517.81-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 19                | 1147        |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 21                           | 131               | 2596        |
| 8517.82-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 124               | 1873        |
| 8517.90-000                     |                   | KG                |                    | 2524              | 66414       |                              | 8028              | 181228      |
| 8517 4-ST                       |                   | KG                |                    | 2524              | 66414       |                              | 11348             | 245292      |
| 8518.10-100                     | NO                | KG                | 10                 | 10                | 250         | 106                          | 118               | 1613        |
| 8518.29-900                     | NO                | KG                | -                  | -                 | -           | 200                          | 140               | 251         |
| 8518.50-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 64                | 237         |
| 8518 4-ST                       | NO                | KG                | 10                 | 10                | 250         | 312                          | 322               | 2101        |
| 8519.99-100                     |                   | NO                |                    | -                 | -           |                              | 13                | 514         |
| 8519 4-ST                       | **                | NO                |                    | -                 | -           |                              | 13                | 514         |
| 8520.31-100                     |                   | NO                |                    | -                 | -           |                              | 50                | 1498        |
| 8520 4-ST                       | **                | NO                |                    | -                 | -           |                              | 50                | 1498        |
| 8521.10-000                     | NO                | KG                | 5                  | 46                | 1924        | 7                            | 72                | 2774        |
| 8521.90-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 45                | 428         |
| 8521 4-ST                       | NO                | KG                | 5                  | 46                | 1924        | 12                           | 117               | 3202        |
| 8522.90-900                     |                   | KG                |                    | 88                | 1415        |                              | 913               | 13850       |
| 8522 4-ST                       | **                | KG                |                    | 88                | 1415        |                              | 913               | 13850       |
| 8523.90-000                     |                   | KG                |                    | -                 | -           |                              | 19                | 1550        |
| 8523 4-ST                       | **                | KG                |                    | -                 | -           |                              | 19                | 1550        |
| 8524.23-000                     |                   | KG                |                    | 12                | 69797       |                              | 12                | 70097       |
| 8524.90-900                     |                   | KG                |                    | -                 | -           |                              | 86                | 5155        |
| 8524 4-ST                       | **                | KG                |                    | 12                | 69797       |                              | 98                | 75252       |
| 8525.10-990                     | NO                | KG                | -                  | -                 | -           | 2                            | 20                | 579         |
| 8525.20-400                     | NO                | KG                | 5                  | 36                | 272         | 5                            | 36                | 272         |
| 8525.20-910                     | NO                | KG                | -                  | -                 | -           | 26                           | 132               | 2090        |
| 8525.20-920                     | NO                | KG                | 100                | 70                | 2061        | 275                          | 237               | 6384        |
| 8525.20-990                     | NO                | KG                | 300                | 357               | 7114        | 2766                         | 5213              | 208321      |
| 8525.30-110                     | NO                | KG                | 2                  | 3                 | 634         | 42                           | 48                | 3333        |
| 8525.30-190                     | NO                | KG                | 7                  | 5                 | 403         | 9                            | 26                | 1442        |
| 8525.30-900                     | NO                | KG                | 61                 | 49                | 1381        | 62                           | 51                | 1652        |
| 8525 4-ST                       | NO                | KG                | 475                | 520               | 11865       | 3187                         | 5763              | 224073      |
| 8526.10-000                     | NO                | KG                | -                  | -                 | -           | 13                           | 503               | 8096        |
| 8526.91-200                     | NO                | KG                | -                  | -                 | -           | 6                            | 190               | 2420        |
| 8526.91-900                     | NO                | KG                | -                  | -                 | -           | 31                           | 558               | 13308       |
| 8526 4-ST                       | NO                | KG                | -                  | -                 | -           | 50                           | 1251              | 23824       |
| 8527.90-000                     |                   | NO                |                    | 300               | 3621        |                              | 860               | 17259       |
| 8527 4-ST                       | **                | NO                |                    | 300               | 3621        |                              | 860               | 17259       |
| 8528.10-900                     |                   | NO                |                    | 2                 | 207         |                              | 83                | 10148       |
| 8528 4-ST                       | **                | NO                |                    | 2                 | 207         |                              | 83                | 10148       |
| 8529.10-900                     |                   | KG                |                    | -                 | -           |                              | 37                | 3123        |
| 8529.90-900                     |                   | KG                |                    | 13                | 1816        |                              | 1508              | 30556       |
| 8529 4-ST                       | **                | KG                |                    | 13                | 1816        |                              | 1545              | 33679       |
| 8531.20-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 266         |
| 8531.80-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 266         |
| 8531.90-000                     |                   | KG                |                    | -                 | -           |                              | 120               | 696         |
| 8531 4-ST                       | **                | KG                |                    | -                 | -           |                              | 136               | 1228        |
| 8532.22-000                     |                   | TH                |                    | -                 | -           |                              | 7                 | 375         |
| 8532.23-000                     |                   | TH                |                    | -                 | -           |                              | 6                 | 591         |
| 8532 4-ST                       | **                | TH                |                    | -                 | -           |                              | 13                | 966         |
| 8536.10-000                     |                   | KG                |                    | 20                | 206         |                              | 20                | 206         |
| 8536.30-000                     |                   | KG                |                    | -                 | -           |                              | 13                | 387         |
| 8536.41-000                     |                   | KG                |                    | -                 | -           |                              | 19                | 512         |
| 8536.50-900                     | NO                | KG                | -                  | -                 | -           | 2890                         | 129               | 3987        |
| 8536.69-000                     |                   | KG                |                    | 50                | 463         |                              | 59                | 1258        |
| 8536.90-200                     |                   | KG                |                    | 50                | 478         |                              | 406               | 3784        |
| 8536 4-ST                       |                   | KG                |                    | 120               | 1147        |                              | 646               | 10134       |
| 8537.10-000                     | NO                | KG                | 4                  | 38                | 1246        | 10                           | 342               | 5578        |
| 8537 4-ST                       | NO                | KG                | 4                  | 38                | 1246        | 10                           | 342               | 5578        |
| 8538.90-100                     |                   | KG                |                    | -                 | -           |                              | 2                 | 292         |
| 8538.90-900                     |                   | KG                |                    | 74                | 546         |                              | 296               | 2029        |
| 8538 4-ST                       | **                | KG                |                    | 74                | 546         |                              | 298               | 2321        |
| 8539.21-000                     | NO                | KG                | -                  | -                 | -           | 60                           | 1                 | 270         |
| 8539.29-100                     | NO                | KG                | -                  | -                 | -           | 67                           | 42                | 364         |
| 8539.29-900                     | NO                | KG                | -                  | -                 | -           | 200                          | 3                 | 658         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 409 CHILE                       |                   |                   |                    |                   |             |                              |                   |             |
| 8539.39-000                     | NO                | KG                | -                  | -                 | -           | 700                          | 20                | 347         |
| 8539.40-100                     | NO                | KG                | -                  | -                 | -           | 10                           | 25                | 800         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 1037                         | 91                | 2439        |
| 8540.89-900                     | NO                | KG                | -                  | -                 | -           | 4                            | 37                | 6177        |
| 8540 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 37                | 6177        |
| 8541.30-900                     |                   | NO                |                    | -                 | -           |                              | 10500             | 714         |
| 8541.40-990                     |                   | NO                |                    | -                 | -           |                              | 2                 | 644         |
| 8541.60-100                     |                   | NO                |                    | -                 | -           |                              | 1500              | 504         |
| 8541 4-ST                       | **                | NO                |                    | -                 | -           |                              | 12002             | 1862        |
| 8542.11-911                     |                   | NO                |                    | 2396              | 12830       |                              | 2966              | 13887       |
| 8542.11-912                     |                   | NO                |                    | 35                | 275         |                              | 435               | 642         |
| 8542.11-919                     |                   | NO                |                    | 660               | 406         |                              | 660               | 406         |
| 8542.20-000                     |                   | NO                |                    | -                 | -           |                              | 406               | 1803        |
| 8542.80-000                     |                   | NO                |                    | -                 | -           |                              | 3                 | 202         |
| 8542 4-ST                       | **                | NO                |                    | 3091              | 13511       |                              | 4470              | 16940       |
| 8543.20-000                     | NO                | KG                | 4                  | 31                | 1692        | 23                           | 96                | 4620        |
| 8543.80-000                     | NO                | KG                | 95                 | 188               | 1849        | 529                          | 973               | 32156       |
| 8543 4-ST                       | NO                | KG                | 99                 | 219               | 3541        | 552                          | 1069              | 36776       |
| 8544.20-000                     |                   | KG                |                    | -                 | -           |                              | 170               | 1592        |
| 8544.41-110                     |                   | KG                |                    | 150               | 1150        |                              | 184               | 1804        |
| 8544.41-910                     |                   | KG                |                    | -                 | -           |                              | 47                | 500         |
| 8544.49-910                     |                   | KG                |                    | -                 | -           |                              | 52                | 324         |
| 8544.51-910                     |                   | KG                |                    | -                 | -           |                              | 20                | 385         |
| 8544.59-910                     |                   | KG                |                    | -                 | -           |                              | 1535              | 6217        |
| 8544.70-100                     |                   | KG                |                    | -                 | -           |                              | 175               | 628         |
| 8544 4-ST                       | **                | KG                |                    | 150               | 1150        |                              | 2183              | 11450       |
| 8545.20-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 260         |
| 8545 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 260         |
| 8547.20-000                     |                   | KG                |                    | -                 | -           |                              | 138               | 999         |
| 8547 4-ST                       | **                | KG                |                    | -                 | -           |                              | 138               | 999         |
| 8548.00-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 242         |
| 8548 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 242         |
| 85 2-ST                         |                   |                   |                    |                   | 191221      |                              |                   | 828245      |
| 8708.10-000                     |                   | KG                |                    | -                 | -           |                              | 164               | 219         |
| 8708.21-000                     |                   | KG                |                    | -                 | -           |                              | 141               | 292         |
| 8708.29-000                     |                   | KG                |                    | -                 | -           |                              | 720               | 2043        |
| 8708.31-000                     |                   | KG                |                    | -                 | -           |                              | 300               | 630         |
| 8708.40-000                     |                   | KG                |                    | -                 | -           |                              | 93                | 334         |
| 8708.50-000                     |                   | KG                |                    | -                 | -           |                              | 248               | 346         |
| 8708.92-000                     |                   | KG                |                    | -                 | -           |                              | 339               | 388         |
| 8708.94-000                     |                   | KG                |                    | -                 | -           |                              | 990               | 2225        |
| 8708.99-900                     |                   | KG                |                    | 23                | 356         |                              | 1204              | 3759        |
| 8708 4-ST                       | **                | KG                |                    | 23                | 356         |                              | 4199              | 10236       |
| 8713.10-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 37                | 253         |
| 8713 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 37                | 253         |
| 87 2-ST                         |                   | KG                |                    | 23                | 356         |                              | 4236              | 10489       |
| 9001.90-000                     |                   | KG                |                    | -                 | -           |                              | 65                | 990         |
| 9001 4-ST                       | **                | KG                |                    | -                 | -           |                              | 65                | 990         |
| 9002.11-100                     |                   | NO                |                    | 5                 | 289         |                              | 287               | 8617        |
| 9002.19-000                     |                   | KG                |                    | -                 | -           |                              | 49                | 5290        |
| 9002.20-000                     |                   | DZ                |                    | -                 | -           |                              | 299               | 2263        |
| 9002.90-000                     |                   | KG                |                    | -                 | -           |                              | 61                | 564         |
| 9002 4-ST                       | **                |                   |                    |                   | 289         |                              |                   | 16734       |
| 9005.10-100                     | DZ                | KG                | -                  | -                 | -           | 9                            | 85                | 556         |
| 9005.80-900                     | NO                | KG                | -                  | -                 | -           | 22                           | 73                | 274         |
| 9005 4-ST                       |                   | KG                |                    | -                 | -           |                              | 158               | 830         |
| 9006.51-000                     |                   | NO                |                    | 2                 | 362         |                              | 89                | 5248        |
| 9006.53-000                     |                   | NO                |                    | -                 | -           |                              | 261               | 3363        |
| 9006.59-100                     | NO                | KG                | -                  | -                 | -           | 3                            | 8                 | 1043        |
| 9006.59-900                     | NO                | KG                | -                  | -                 | -           | 16                           | 24                | 1142        |
| 9006.61-000                     |                   | NO                |                    | -                 | -           |                              | 52                | 1438        |
| 9006.91-900                     |                   | KG                |                    | 7                 | 232         |                              | 125               | 1746        |
| 9006.99-000                     |                   | KG                |                    | -                 | -           |                              | 33                | 355         |
| 9006 4-ST                       |                   |                   |                    |                   | 594         |                              |                   | 14335       |
| 9008.20-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 37                | 1022        |
| 9008 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 37                | 1022        |
| 9009.12-000                     | NO                | KG                | 1                  | 1210              | 3584        | 1                            | 1210              | 3584        |
| 9009.90-000                     |                   | KG                |                    | 35                | 421         |                              | 107               | 1381        |
| 9009 4-ST                       |                   | KG                |                    | 1245              | 4005        |                              | 1317              | 4965        |
| 9010.90-000                     |                   | KG                |                    | -                 | -           |                              | 26                | 946         |
| 9010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 26                | 946         |

101 東京航空貨物 (原木)

Country by Customs by Commodity

EXPORT

TOKYO KOUKUU (BARAKI)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 409 CHILE                       |                   |                   |                    |                   |             |                              |                   |             |
| 9011.10-000                     | NO                | KG                | -                  | -                 | -           | 46                           | 194               | 3160        |
| 9011.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 742         |
| 9011.80-900                     | NO                | KG                | -                  | -                 | -           | 79                           | 134               | 4110        |
| 9011.90-000                     |                   | KG                |                    | 4                 | 366         |                              | 66                | 4082        |
| 9011 4-ST                       |                   | KG                |                    | 4                 | 366         |                              | 405               | 12094       |
| 9013.80-000                     | NO                | KG                | -                  | -                 | -           | 72                           | 72                | 2928        |
| 9013.90-000                     |                   | KG                |                    | -                 | -           |                              | 80                | 1338        |
| 9013 4-ST                       |                   | KG                |                    | -                 | -           |                              | 152               | 4266        |
| 9014.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 38                | 948         |
| 9014.80-100                     | NO                | KG                | 4                  | 801               | 13814       | 28                           | 7880              | 120992      |
| 9014.80-910                     | NO                | KG                | -                  | -                 | -           | 9                            | 1828              | 29792       |
| 9014.90-100                     |                   | KG                |                    | -                 | -           |                              | 1223              | 13707       |
| 9014 4-ST                       |                   | KG                |                    | 801               | 13814       |                              | 10969             | 165439      |
| 9015.10-000                     | NO                | KG                | -                  | -                 | -           | 9                            | 19                | 3197        |
| 9015.20-000                     | NO                | KG                | -                  | -                 | -           | 102                          | 480               | 30493       |
| 9015.30-000                     | NO                | KG                | -                  | -                 | -           | 101                          | 184               | 5057        |
| 9015.90-100                     |                   | KG                |                    | -                 | -           |                              | 14                | 399         |
| 9015 4-ST                       |                   | KG                |                    | -                 | -           |                              | 697               | 39146       |
| 9017.30-100                     | NO                | KG                | -                  | -                 | -           | 73                           | 27                | 1891        |
| 9017.30-910                     | NO                | KG                | -                  | -                 | -           | 226                          | 118               | 3353        |
| 9017.30-930                     | NO                | KG                | 1                  | 12                | 295         | 11                           | 26                | 522         |
| 9017 4-ST                       | NO                | KG                | 1                  | 12                | 295         | 310                          | 171               | 5766        |
| 9018.11-100                     | NO                | KG                | 1                  | 13                | 397         | 20                           | 153               | 2855        |
| 9018.19-100                     | NO                | KG                | 4                  | 52                | 2430        | 29                           | 641               | 23780       |
| 9018.19-210                     | NO                | KG                | 2                  | 165               | 5485        | 87                           | 5305              | 167930      |
| 9018.19-290                     | NO                | KG                | 2                  | 40                | 4286        | 2                            | 40                | 4286        |
| 9018.19-900                     |                   | KG                |                    | 266               | 8499        |                              | 2218              | 92108       |
| 9018.31-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 393         |
| 9018.32-100                     | DZ                | KG                | 166                | 16                | 650         | 1378                         | 108               | 3432        |
| 9018.39-000                     |                   | KG                |                    | -                 | -           |                              | 53                | 1049        |
| 9018.49-900                     |                   | KG                |                    | 48                | 3060        |                              | 639               | 34325       |
| 9018.50-900                     |                   | KG                |                    | -                 | -           |                              | 517               | 6399        |
| 9018.90-110                     | NO                | KG                | -                  | -                 | -           | 44                           | 416               | 12181       |
| 9018.90-190                     |                   | KG                |                    | -                 | -           |                              | 53                | 2764        |
| 9018.90-311                     |                   | KG                |                    | -                 | -           |                              | 3                 | 537         |
| 9018.90-319                     |                   | KG                |                    | -                 | -           |                              | 83                | 2369        |
| 9018.90-390                     |                   | KG                |                    | 29                | 1950        |                              | 384               | 29245       |
| 9018 4-ST                       |                   | KG                |                    | 629               | 26757       |                              | 10620             | 383653      |
| 9019.10-000                     |                   | KG                |                    | -                 | -           |                              | 19                | 578         |
| 9019.20-000                     |                   | KG                |                    | 22                | 285         |                              | 213               | 1703        |
| 9019 4-ST                       | **                | KG                |                    | 22                | 285         |                              | 232               | 2281        |
| 9022.30-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 166               | 6862        |
| 9022.90-910                     |                   | KG                |                    | -                 | -           |                              | 8                 | 274         |
| 9022 4-ST                       |                   | KG                |                    | -                 | -           |                              | 174               | 7136        |
| 9025.19-100                     | NO                | KG                | -                  | -                 | -           | 63                           | 43                | 904         |
| 9025.19-900                     | NO                | KG                | -                  | -                 | -           | 4                            | 30                | 1030        |
| 9025.90-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 522         |
| 9025 4-ST                       |                   | KG                |                    | -                 | -           |                              | 95                | 2456        |
| 9026.10-110                     | NO                | KG                | -                  | -                 | -           | 2                            | 157               | 1868        |
| 9026.10-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 32                | 842         |
| 9026.20-110                     | NO                | KG                | -                  | -                 | -           | 6                            | 14                | 608         |
| 9026.20-190                     | NO                | KG                | 1                  | 12                | 258         | 1                            | 12                | 258         |
| 9026.20-900                     | NO                | KG                | -                  | -                 | -           | 61                           | 39                | 655         |
| 9026.80-190                     | NO                | KG                | -                  | -                 | -           | 1                            | 5                 | 238         |
| 9026.90-000                     |                   | KG                |                    | -                 | -           |                              | 261               | 6024        |
| 9026 4-ST                       |                   | KG                |                    | 12                | 258         |                              | 520               | 10493       |
| 9027.10-000                     | NO                | KG                | -                  | -                 | -           | 16                           | 65                | 2076        |
| 9027.30-100                     | NO                | KG                | -                  | -                 | -           | 4                            | 2                 | 396         |
| 9027.40-000                     | NO                | KG                | -                  | -                 | -           | 60                           | 6                 | 291         |
| 9027.50-000                     | NO                | KG                | 118                | 53                | 1544        | 496                          | 285               | 10263       |
| 9027.80-110                     | NO                | KG                | -                  | -                 | -           | 5                            | 89                | 2004        |
| 9027.80-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 20                | 740         |
| 9027.90-100                     |                   | KG                |                    | -                 | -           |                              | 10                | 414         |
| 9027 4-ST                       |                   | KG                |                    | 53                | 1544        |                              | 477               | 16184       |
| 9028.20-200                     | NO                | KG                | -                  | -                 | -           | 1                            | 28                | 330         |
| 9028 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 28                | 330         |
| 9030.20-000                     | NO                | KG                | 1                  | 9                 | 321         | 1                            | 9                 | 321         |
| 9030.31-000                     | NO                | KG                | -                  | -                 | -           | 86                           | 79                | 1065        |
| 9030.39-100                     | NO                | KG                | -                  | -                 | -           | 22                           | 110               | 422         |
| 9030.39-900                     | NO                | KG                | 14                 | 30                | 711         | 15                           | 35                | 1005        |
| 9030.40-000                     | NO                | KG                | -                  | -                 | -           | 17                           | 389               | 21612       |
| 9030.89-910                     | NO                | KG                | -                  | -                 | -           | 7                            | 94                | 10345       |
| 9030.89-990                     | NO                | KG                | -                  | -                 | -           | 52                           | 628               | 31382       |

Country by Customs by Commodity

EXPORTTOKYO KOUKUU (BARAKI)

101 東京航空貨物 (原木)

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 409 CHILE                       |                   |                   |                     |                     |             |                              |                     |             |
| 9030.90-000                     |                   | KG                |                     | -                   | -           |                              | 33                  | 6109        |
| 9030 4-ST                       |                   | KG                |                     | 39                  | 1032        |                              | 1377                | 72261       |
| 9031.40-000                     | NO                | KG                | -                   | -                   | -           | 27                           | 178                 | 6381        |
| 9031.80-190                     | NO                | KG                | 5                   | 9                   | 1297        | 80                           | 441                 | 22973       |
| 9031.80-900                     | NO                | KG                | -                   | -                   | -           | 254                          | 59                  | 3557        |
| 9031.90-100                     |                   | KG                |                     | -                   | -           |                              | 48                  | 3079        |
| 9031.90-900                     |                   | KG                |                     | -                   | -           |                              | 16                  | 290         |
| 9031 4-ST                       |                   | KG                |                     | 9                   | 1297        |                              | 742                 | 36280       |
| 9032.10-100                     | NO                | KG                | -                   | -                   | -           | 20                           | 11                  | 241         |
| 9032.89-112                     | NO                | KG                | -                   | -                   | -           | 1361                         | 439                 | 13662       |
| 9032 4-ST                       | NO                | KG                | -                   | -                   | -           | 1381                         | 450                 | 13903       |
| 9033.00-000                     |                   | KG                |                     | -                   | -           |                              | 316                 | 8717        |
| 9033 4-ST                       | **                | KG                |                     | -                   | -           |                              | 316                 | 8717        |
| 90 2-ST                         |                   |                   |                     |                     | 50536       |                              |                     | 820227      |
| 9102.11-000                     |                   | NO                |                     | 100                 | 553         |                              | 16040               | 24968       |
| 9102.12-000                     |                   | NO                |                     | -                   | -           |                              | 5590                | 8089        |
| 9102.19-000                     |                   | NO                |                     | -                   | -           |                              | 5200                | 10152       |
| 9102 4-ST                       | **                | NO                |                     | 100                 | 553         |                              | 26830               | 43209       |
| 9105.11-000                     | NO                | KG                | -                   | -                   | -           | 510                          | 22                  | 450         |
| 9105.91-000                     | NO                | KG                | -                   | -                   | -           | 100                          | 36                  | 221         |
| 9105 4-ST                       | NO                | KG                | -                   | -                   | -           | 610                          | 58                  | 671         |
| 9106.10-000                     | NO                | KG                | 6                   | 18                  | 453         | 6                            | 18                  | 453         |
| 9106 4-ST                       | NO                | KG                | 6                   | 18                  | 453         | 6                            | 18                  | 453         |
| 9107.00-000                     | NO                | KG                | -                   | -                   | -           | 4000                         | 440                 | 2320        |
| 9107 4-ST                       | NO                | KG                | -                   | -                   | -           | 4000                         | 440                 | 2320        |
| 9113.90-000                     |                   | KG                |                     | -                   | -           |                              | 26                  | 472         |
| 9113 4-ST                       | **                | KG                |                     | -                   | -           |                              | 26                  | 472         |
| 9114.90-000                     |                   | KG                |                     | -                   | -           |                              | 26                  | 429         |
| 9114 4-ST                       | **                | KG                |                     | -                   | -           |                              | 26                  | 429         |
| 91 2-ST                         |                   |                   |                     |                     | 1006        |                              |                     | 47554       |
| 9401.80-000                     | NO                | KG                | -                   | -                   | -           | 3                            | 36                  | 246         |
| 9401 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 36                  | 246         |
| 9405.40-210                     | NO                | KG                | -                   | -                   | -           | 13                           | 830                 | 5620        |
| 9405 4-ST                       | NO                | KG                | -                   | -                   | -           | 13                           | 830                 | 5620        |
| 94 2-ST                         | NO                | KG                | -                   | -                   | -           | 16                           | 866                 | 5866        |
| 9503.90-200                     | DZ                | KG                | -                   | -                   | -           | 8                            | 48                  | 270         |
| 9503 4-ST                       | DZ                | KG                | -                   | -                   | -           | 8                            | 48                  | 270         |
| 9504.10-000                     |                   | KG                |                     | 180                 | 2806        |                              | 999                 | 17110       |
| 9504.30-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 253         |
| 9504.90-900                     |                   | KG                |                     | -                   | -           |                              | 42                  | 917         |
| 9504 4-ST                       | **                | KG                |                     | 180                 | 2806        |                              | 1061                | 18280       |
| 9507.20-900                     |                   | GS                |                     | -                   | -           |                              | 48                  | 530         |
| 9507 4-ST                       | **                | GS                |                     | -                   | -           |                              | 48                  | 530         |
| 95 2-ST                         |                   |                   |                     |                     | 2806        |                              |                     | 19080       |
| 9603.90-100                     | DZ                | KG                | 210                 | 84                  | 395         | 210                          | 84                  | 395         |
| 9603.90-900                     |                   | KG                |                     | -                   | -           |                              | 13                  | 281         |
| 9603 4-ST                       |                   | KG                |                     | 84                  | 395         |                              | 97                  | 676         |
| 9607.19-000                     |                   | KG                |                     | -                   | -           |                              | 484                 | 3341        |
| 9607 4-ST                       | **                | KG                |                     | -                   | -           |                              | 484                 | 3341        |
| 9608.39-000                     |                   | DZ                |                     | 273                 | 615         |                              | 481                 | 1069        |
| 9608.60-000                     |                   | KG                |                     | -                   | -           |                              | 27                  | 244         |
| 9608 4-ST                       | **                |                   |                     |                     | 615         |                              |                     | 1313        |
| 9611.00-000                     |                   | KG                |                     | -                   | -           |                              | 214                 | 2073        |
| 9611 4-ST                       | **                | KG                |                     | -                   | -           |                              | 214                 | 2073        |
| 9612.10-000                     |                   | DZ                |                     | 45                  | 473         |                              | 2006                | 1632        |
| 9612 4-ST                       | **                | DZ                |                     | 45                  | 473         |                              | 2006                | 1632        |
| 96 2-ST                         |                   |                   |                     |                     | 1483        |                              |                     | 9035        |
| TOTAL                           |                   |                   |                     |                     | 275349      |                              |                     | 2148599     |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |