

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 305 MEXICO                      |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | -                 | -           |                              | 6646              | 132866      |
| 0000 4-ST                       | **                | KG                |                    | -                 | -           |                              | 6646              | 132866      |
| 00 2-ST                         | **                | KG                |                    | -                 | -           |                              | 6646              | 132866      |
| 1704.90-100                     |                   | KG                |                    | -                 | -           |                              | 125               | 2300        |
| 1704 4-ST                       | **                | KG                |                    | -                 | -           |                              | 125               | 2300        |
| 17 2-ST                         | **                | KG                |                    | -                 | -           |                              | 125               | 2300        |
| 2517.10-000                     |                   | MT                |                    | -                 | -           |                              | 0                 | 940         |
| 2517 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 940         |
| 25 2-ST                         | **                | MT                |                    | -                 | -           |                              | 0                 | 940         |
| 2823.00-000                     |                   | KG                |                    | 200               | 787         |                              | 200               | 787         |
| 2823 4-ST                       | **                | KG                |                    | 200               | 787         |                              | 200               | 787         |
| 28 2-ST                         | **                | KG                |                    | 200               | 787         |                              | 200               | 787         |
| 2916.20-000                     |                   | KG                |                    | -                 | -           |                              | 400               | 872         |
| 2916 4-ST                       | **                | KG                |                    | -                 | -           |                              | 400               | 872         |
| 2918.30-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 1470        |
| 2918 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 1470        |
| 2922.22-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 247         |
| 2922 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 247         |
| 2925.20-000                     |                   | KG                |                    | -                 | -           |                              | 72                | 376         |
| 2925 4-ST                       | **                | KG                |                    | -                 | -           |                              | 72                | 376         |
| 2932.29-000                     |                   | KG                |                    | -                 | -           |                              | 25                | 4232        |
| 2932.90-900                     |                   | KG                |                    | -                 | -           |                              | 410               | 4709        |
| 2932 4-ST                       | **                | KG                |                    | -                 | -           |                              | 435               | 8941        |
| 2933.90-000                     |                   | KG                |                    | 1                 | 466         |                              | 195               | 17448       |
| 2933 4-ST                       | **                | KG                |                    | 1                 | 466         |                              | 195               | 17448       |
| 2934.90-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 10473       |
| 2934 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 10473       |
| 2936.22-000                     |                   | KG                |                    | -                 | -           |                              | 75                | 656         |
| 2936.29-900                     |                   | KG                |                    | -                 | -           |                              | 5                 | 2464        |
| 2936 4-ST                       | **                | KG                |                    | -                 | -           |                              | 80                | 3120        |
| 2941.10-000                     |                   | KG                |                    | -                 | -           |                              | 88                | 4238        |
| 2941.90-000                     |                   | KG                |                    | 2                 | 571         |                              | 531               | 121826      |
| 2941 4-ST                       | **                | KG                |                    | 2                 | 571         |                              | 619               | 126064      |
| 29 2-ST                         | **                | KG                |                    | 3                 | 1037        |                              | 2003              | 169011      |
| 3204.17-100                     |                   | KG                |                    | -                 | -           |                              | 1500              | 4366        |
| 3204 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1500              | 4366        |
| 3206.50-000                     |                   | KG                |                    | 105               | 3437        |                              | 320               | 11884       |
| 3206 4-ST                       | **                | KG                |                    | 105               | 3437        |                              | 320               | 11884       |
| 3208.20-900                     |                   | KG                |                    | -                 | -           |                              | 900               | 718         |
| 3208.90-900                     |                   | KG                |                    | -                 | -           |                              | 360               | 223         |
| 3208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1260              | 941         |
| 32 2-ST                         | **                | KG                |                    | 105               | 3437        |                              | 3080              | 17191       |
| 3302.10-000                     |                   | KG                |                    | 125               | 2300        |                              | 250               | 4600        |
| 3302 4-ST                       | **                | KG                |                    | 125               | 2300        |                              | 250               | 4600        |
| 33 2-ST                         | **                | KG                |                    | 125               | 2300        |                              | 250               | 4600        |
| 3402.11-000                     |                   | KG                |                    | -                 | -           |                              | 600               | 1363        |
| 3402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 600               | 1363        |
| 3403.99-000                     |                   | KG                |                    | 100               | 658         |                              | 172               | 1273        |
| 3403 4-ST                       | **                | KG                |                    | 100               | 658         |                              | 172               | 1273        |
| 34 2-ST                         | **                | KG                |                    | 100               | 658         |                              | 772               | 2636        |
| 3507.90-000                     |                   | KG                |                    | -                 | -           |                              | 45                | 13560       |
| 3507 4-ST                       | **                | KG                |                    | -                 | -           |                              | 45                | 13560       |
| 35 2-ST                         | **                | KG                |                    | -                 | -           |                              | 45                | 13560       |
| 3701.30-000                     |                   | SM                |                    | -                 | -           |                              | 221               | 1216        |
| 3701 4-ST                       | **                | SM                |                    | -                 | -           |                              | 221               | 1216        |
| 37 2-ST                         | **                | SM                |                    | -                 | -           |                              | 221               | 1216        |
| 3801.10-000                     |                   | KG                |                    | -                 | -           |                              | 216               | 1282        |
| 3801 4-ST                       | **                | KG                |                    | -                 | -           |                              | 216               | 1282        |
| 3808.10-900                     |                   | KG                |                    | -                 | -           |                              | 50                | 225         |
| 3808 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 225         |
| 3823.90-900                     |                   | KG                |                    | 1842              | 1512        |                              | 9493              | 6464        |
| 3823 4-ST                       | **                | KG                |                    | 1842              | 1512        |                              | 9493              | 6464        |
| 38 2-ST                         | **                | KG                |                    | 1842              | 1512        |                              | 9759              | 7971        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 305 MEXICO                      |                   |                   |                    |                   |             |                              |                   |             |
| 3906.90-100                     |                   | KG                |                    | -                 | -           |                              | 55                | 390         |
| 3906.90-900                     |                   | KG                |                    | -                 | -           |                              | 267               | 652         |
| 3906 4-ST                       | **                | KG                |                    | -                 | -           |                              | 322               | 1042        |
| 3910.00-100                     |                   | KG                |                    | -                 | -           |                              | 120               | 1373        |
| 3910.00-900                     |                   | KG                |                    | 40                | 457         |                              | 80                | 860         |
| 3910 4-ST                       | **                | KG                |                    | 40                | 457         |                              | 200               | 2233        |
| 3917.32-100                     |                   | KG                |                    | -                 | -           |                              | 3101              | 13311       |
| 3917.32-900                     |                   | KG                |                    | -                 | -           |                              | 255               | 804         |
| 3917.39-100                     |                   | KG                |                    | -                 | -           |                              | 81                | 337         |
| 3917 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3437              | 14452       |
| 3919.10-100                     |                   | KG                |                    | -                 | -           |                              | 86                | 252         |
| 3919.90-900                     |                   | KG                |                    | -                 | -           |                              | 911               | 2218        |
| 3919 4-ST                       | **                | KG                |                    | -                 | -           |                              | 997               | 2470        |
| 3921.90-490                     |                   | KG                |                    | -                 | -           |                              | 582               | 1564        |
| 3921.90-900                     |                   | KG                |                    | -                 | -           |                              | 3285              | 19320       |
| 3921 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3867              | 20884       |
| 3923.10-000                     |                   | KG                |                    | -                 | -           |                              | 7510              | 8269        |
| 3923 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7510              | 8269        |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 332               | 3037        |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 332               | 3037        |
| 39 2-ST                         | **                | KG                |                    | 40                | 457         |                              | 16665             | 52387       |
| 4010.10-000                     |                   | KG                |                    | -                 | -           |                              | 46                | 538         |
| 4010.91-900                     |                   | KG                |                    | -                 | -           |                              | 430               | 1625        |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 476               | 2163        |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 325               | 4894        |
| 4016.99-000                     |                   | KG                |                    | -                 | -           |                              | 263               | 1030        |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 588               | 5924        |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1064              | 8087        |
| 4202.12-000                     | DZ                | KG                | -                  | -                 | -           | 4                            | 115               | 292         |
| 4202.99-000                     | DZ                | KG                | -                  | -                 | -           | 35                           | 75                | 772         |
| 4202 4-ST                       | DZ                | KG                | -                  | -                 | -           | 39                           | 190               | 1064        |
| 42 2-ST                         | DZ                | KG                | -                  | -                 | -           | 39                           | 190               | 1064        |
| 4821.10-000                     |                   | KG                |                    | -                 | -           |                              | 579               | 4211        |
| 4821 4-ST                       | **                | KG                |                    | -                 | -           |                              | 579               | 4211        |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 579               | 4211        |
| 4901.10-000                     |                   | KG                |                    | -                 | -           |                              | 148               | 299         |
| 4901 4-ST                       | **                | KG                |                    | -                 | -           |                              | 148               | 299         |
| 4906.00-000                     |                   | KG                |                    | -                 | -           |                              | 43                | 239         |
| 4906 4-ST                       | **                | KG                |                    | -                 | -           |                              | 43                | 239         |
| 4910.00-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 386         |
| 4910 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 386         |
| 4911.10-000                     |                   | KG                |                    | 310               | 213         |                              | 482               | 1154        |
| 4911.99-000                     |                   | KG                |                    | -                 | -           |                              | 1145              | 9477        |
| 4911 4-ST                       | **                | KG                |                    | 310               | 213         |                              | 1627              | 10631       |
| 49 2-ST                         | **                | KG                |                    | 310               | 213         |                              | 1878              | 11555       |
| 5004.00-900                     |                   | KG                |                    | -                 | -           |                              | 2                 | 210         |
| 5004 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 210         |
| 50 2-ST                         | **                | KG                |                    | -                 | -           |                              | 2                 | 210         |
| 5402.49-100                     |                   | KG                |                    | -                 | -           |                              | 510               | 301         |
| 5402.49-900                     |                   | KG                |                    | 200               | 779         |                              | 368               | 1360        |
| 5402 4-ST                       | **                | KG                |                    | 200               | 779         |                              | 878               | 1661        |
| 5403.32-000                     |                   | KG                |                    | -                 | -           |                              | 1012              | 706         |
| 5403 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1012              | 706         |
| 5407.60-120                     | SM                | KG                | -                  | -                 | -           | 60700                        | 5212              | 12438       |
| 5407.60-190                     | SM                | KG                | -                  | -                 | -           | 5986                         | 225               | 1543        |
| 5407.60-220                     | SM                | KG                | -                  | -                 | -           | 61796                        | 5561              | 13577       |
| 5407.60-290                     | SM                | KG                | -                  | -                 | -           | 6018                         | 748               | 1958        |
| 5407.60-420                     | SM                | KG                | 4144               | 424               | 1107        | 88794                        | 6933              | 27089       |
| 5407.60-490                     | SM                | KG                | -                  | -                 | -           | 18854                        | 1520              | 3688        |
| 5407.71-000                     | SM                | KG                | -                  | -                 | -           | 11342                        | 307               | 2992        |
| 5407.72-000                     | SM                | KG                | 1620               | 38                | 360         | 3240                         | 76                | 740         |
| 5407 4-ST                       | SM                | KG                | 5764               | 462               | 1467        | 256730                       | 20582             | 64025       |
| 5408.22-100                     | SM                | KG                | -                  | -                 | -           | 4539                         | 373               | 948         |
| 5408.22-300                     | SM                | KG                | 1106               | 176               | 622         | 2158                         | 455               | 1610        |
| 5408.34-200                     | SM                | KG                | -                  | -                 | -           | 8357                         | 397               | 2641        |
| 5408 4-ST                       | SM                | KG                | 1106               | 176               | 622         | 15054                        | 1225              | 5199        |
| 54 2-ST                         |                   | KG                |                    | 838               | 2868        |                              | 23697             | 71591       |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |             |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE |
| 305 MEXICO                      |                   |                   |                      |                      |             |                              |                      |             |
| 5602.90-100                     | SM                | KG                | 2237                 | 484                  | 4008        | 2601                         | 562                  | 4808        |
| 5602 4-ST                       | SM                | KG                | 2237                 | 484                  | 4008        | 2601                         | 562                  | 4808        |
| 5603.00-100                     | SM                | KG                | -                    | -                    | -           | 2302                         | 424                  | 3374        |
| 5603.00-200                     | SM                | KG                | -                    | -                    | -           | 255                          | 47                   | 425         |
| 5603 4-ST                       | SM                | KG                | -                    | -                    | -           | 2557                         | 471                  | 3799        |
| 5605.00-000                     |                   | KG                |                      | -                    | -           |                              | 225                  | 611         |
| 5605 4-ST                       | **                | KG                |                      | -                    | -           |                              | 225                  | 611         |
| 56 2-ST                         |                   | KG                |                      | 484                  | 4008        |                              | 1258                 | 9218        |
| 5810.10-100                     |                   | KG                |                      | -                    | -           |                              | 96                   | 913         |
| 5810.91-000                     |                   | KG                |                      | -                    | -           |                              | 454                  | 4857        |
| 5810 4-ST                       | **                | KG                |                      | -                    | -           |                              | 550                  | 5770        |
| 58 2-ST                         | **                | KG                |                      | -                    | -           |                              | 550                  | 5770        |
| 5903.20-000                     |                   | KG                |                      | -                    | -           |                              | 241                  | 2084        |
| 5903 4-ST                       | **                | KG                |                      | -                    | -           |                              | 241                  | 2084        |
| 5906.91-000                     |                   | KG                |                      | -                    | -           |                              | 544                  | 602         |
| 5906 4-ST                       | **                | KG                |                      | -                    | -           |                              | 544                  | 602         |
| 59 2-ST                         | **                | KG                |                      | -                    | -           |                              | 785                  | 2686        |
| 6211.43-000                     | DZ                | KG                | 2                    | 20                   | 752         | 5                            | 55                   | 2666        |
| 6211.49-000                     | DZ                | KG                | -                    | -                    | -           | 0                            | 3                    | 321         |
| 6211 4-ST                       | DZ                | KG                | 2                    | 20                   | 752         | 5                            | 58                   | 2987        |
| 6217.10-000                     |                   | KG                |                      | -                    | -           |                              | 49                   | 979         |
| 6217 4-ST                       | **                | KG                |                      | -                    | -           |                              | 49                   | 979         |
| 62 2-ST                         |                   | KG                |                      | 20                   | 752         |                              | 107                  | 3966        |
| 6402.99-000                     |                   | DZ                |                      | -                    | -           |                              | 4                    | 210         |
| 6402 4-ST                       | **                | DZ                |                      | -                    | -           |                              | 4                    | 210         |
| 64 2-ST                         | **                | DZ                |                      | -                    | -           |                              | 4                    | 210         |
| 6815.10-900                     |                   | KG                |                      | -                    | -           |                              | 642                  | 3773        |
| 6815.99-000                     |                   | KG                |                      | -                    | -           |                              | 20                   | 467         |
| 6815 4-ST                       | **                | KG                |                      | -                    | -           |                              | 662                  | 4240        |
| 68 2-ST                         | **                | KG                |                      | -                    | -           |                              | 662                  | 4240        |
| 6903.90-000                     |                   | KG                |                      | -                    | -           |                              | 0                    | 207         |
| 6903 4-ST                       | **                | KG                |                      | -                    | -           |                              | 0                    | 207         |
| 6909.11-000                     |                   | KG                |                      | -                    | -           |                              | 2                    | 338         |
| 6909.19-000                     |                   | KG                |                      | 5                    | 1370        |                              | 93                   | 30023       |
| 6909 4-ST                       | **                | KG                |                      | 5                    | 1370        |                              | 95                   | 30361       |
| 69 2-ST                         | **                | KG                |                      | 5                    | 1370        |                              | 95                   | 30568       |
| 7018.10-000                     |                   | KG                |                      | -                    | -           |                              | 119                  | 620         |
| 7018 4-ST                       | **                | KG                |                      | -                    | -           |                              | 119                  | 620         |
| 70 2-ST                         | **                | KG                |                      | -                    | -           |                              | 119                  | 620         |
| 7117.90-200                     | DZ                | KG                | -                    | -                    | -           | 41                           | 7                    | 217         |
| 7117 4-ST                       | DZ                | KG                | -                    | -                    | -           | 41                           | 7                    | 217         |
| 71 2-ST                         | DZ                | KG                | -                    | -                    | -           | 41                           | 7                    | 217         |
| 7304.41-900                     |                   | MT                |                      | -                    | -           |                              | 0                    | 629         |
| 7304.49-900                     |                   | MT                |                      | -                    | -           |                              | 0                    | 927         |
| 7304 4-ST                       | **                | MT                |                      | -                    | -           |                              | 0                    | 1556        |
| 7315.11-900                     |                   | KG                |                      | -                    | -           |                              | 1114                 | 5319        |
| 7315 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1114                 | 5319        |
| 7318.14-000                     |                   | KG                |                      | -                    | -           |                              | 3169                 | 1852        |
| 7318.15-190                     |                   | KG                |                      | -                    | -           |                              | 768                  | 516         |
| 7318.15-900                     |                   | KG                |                      | -                    | -           |                              | 459                  | 807         |
| 7318.16-900                     |                   | KG                |                      | -                    | -           |                              | 2545                 | 2839        |
| 7318 4-ST                       | **                | KG                |                      | -                    | -           |                              | 6941                 | 6014        |
| 7320.20-000                     |                   | KG                |                      | -                    | -           |                              | 279                  | 291         |
| 7320 4-ST                       | **                | KG                |                      | -                    | -           |                              | 279                  | 291         |
| 7326.90-000                     |                   | MT                |                      | -                    | -           |                              | 0                    | 1950        |
| 7326 4-ST                       | **                | MT                |                      | -                    | -           |                              | 0                    | 1950        |
| 73 2-ST                         | **                |                   |                      | -                    | -           |                              |                      | 15130       |
| 7415.29-000                     |                   | KG                |                      | -                    | -           |                              | 137                  | 395         |
| 7415 4-ST                       | **                | KG                |                      | -                    | -           |                              | 137                  | 395         |
| 74 2-ST                         | **                | KG                |                      | -                    | -           |                              | 137                  | 395         |
| 7616.90-000                     |                   | KG                |                      | -                    | -           |                              | 161                  | 276         |
| 7616 4-ST                       | **                | KG                |                      | -                    | -           |                              | 161                  | 276         |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 305 MEXICO<br>76 2-ST           | **                | KG                |                    | -                 | -           |                              | 161               | 276         |
| 8205.51-000                     |                   | KG                |                    | -                 | -           |                              | 132               | 989         |
| 8205 4-ST                       | **                | KG                |                    | -                 | -           |                              | 132               | 989         |
| 8207.60-190                     | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 290         |
| 8207.70-100                     | NO                | KG                | 11                 | 84                | 2213        | 187                          | 883               | 31369       |
| 8207.70-900                     |                   | KG                |                    | -                 | -           |                              | 10                | 236         |
| 8207.80-320                     | NO                | KG                | 6                  | 21                | 1006        | 27                           | 89                | 5573        |
| 8207 4-ST                       |                   | KG                |                    | 105               | 3219        |                              | 1012              | 37468       |
| 8208.10-000                     |                   | KG                |                    | 43                | 537         |                              | 200               | 3619        |
| 8208.90-000                     |                   | KG                |                    | 8                 | 277         |                              | 136               | 8904        |
| 8208 4-ST                       | **                | KG                |                    | 51                | 814         |                              | 336               | 12523       |
| 8211.93-000                     | DZ                | KG                | -                  | -                 | -           | 83                           | 430               | 1200        |
| 8211 4-ST                       | DZ                | KG                | -                  | -                 | -           | 83                           | 430               | 1200        |
| 82 2-ST                         |                   | KG                |                    | 156               | 4033        |                              | 1910              | 52180       |
| 8301.20-000                     |                   | KG                |                    | 60                | 394         |                              | 60                | 394         |
| 8301 4-ST                       | **                | KG                |                    | 60                | 394         |                              | 60                | 394         |
| 8302.30-000                     |                   | KG                |                    | -                 | -           |                              | 2322              | 1258        |
| 8302 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2322              | 1258        |
| 8307.10-000                     |                   | KG                |                    | -                 | -           |                              | 19                | 970         |
| 8307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 19                | 970         |
| 83 2-ST                         | **                | KG                |                    | 60                | 394         |                              | 2401              | 2622        |
| 8409.99-200                     |                   | KG                |                    | 18                | 225         |                              | 272               | 1997        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 26                | 344         |
| 8409 4-ST                       | **                | KG                |                    | 18                | 225         |                              | 298               | 2341        |
| 8412.29-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 210               | 735         |
| 8412.39-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 45                | 3216        |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 255               | 3951        |
| 8413.50-100                     | NO                | KG                | -                  | -                 | -           | 3                            | 27                | 348         |
| 8413.91-000                     |                   | KG                |                    | -                 | -           |                              | 64                | 2662        |
| 8413 4-ST                       |                   | KG                |                    | -                 | -           |                              | 91                | 3010        |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 22                | 206         |
| 8414 4-ST                       | **                | KG                |                    | -                 | -           |                              | 22                | 206         |
| 8418.99-900                     |                   | KG                |                    | -                 | -           |                              | 50                | 342         |
| 8418 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 342         |
| 8419.90-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 1491        |
| 8419 4-ST                       | **                | KG                |                    | -                 | -           |                              | 22                | 1491        |
| 8421.21-000                     | NO                | KG                | -                  | -                 | -           | 830                          | 480               | 9823        |
| 8421.29-000                     | NO                | KG                | 432                | 222               | 4772        | 432                          | 222               | 4772        |
| 8421.39-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 15                | 412         |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 150               | 3663        |
| 8421 4-ST                       |                   | KG                |                    | 222               | 4772        |                              | 867               | 18670       |
| 8422.40-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 488         |
| 8422 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 488         |
| 8424.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 50                | 650         |
| 8424.89-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 780               | 11424       |
| 8424.90-000                     |                   | KG                |                    | -                 | -           |                              | 62                | 970         |
| 8424 4-ST                       |                   | KG                |                    | -                 | -           |                              | 892               | 13044       |
| 8431.39-900                     |                   | KG                |                    | -                 | -           |                              | 18                | 288         |
| 8431.49-190                     |                   | KG                |                    | -                 | -           |                              | 172               | 1347        |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 190               | 1635        |
| 8443.90-100                     |                   | KG                |                    | -                 | -           |                              | 134               | 1478        |
| 8443 4-ST                       | **                | KG                |                    | -                 | -           |                              | 134               | 1478        |
| 8448.20-000                     |                   | KG                |                    | 0                 | 290         |                              | 143               | 10820       |
| 8448.32-000                     |                   | KG                |                    | 43                | 1126        |                              | 68                | 2342        |
| 8448.33-300                     | TH                | KG                | -                  | -                 | -           | 420                          | 21                | 255         |
| 8448.39-900                     |                   | KG                |                    | 56                | 2470        |                              | 56                | 2470        |
| 8448.41-000                     | NO                | KG                | -                  | -                 | -           | 1500                         | 65                | 876         |
| 8448.49-000                     |                   | KG                |                    | -                 | -           |                              | 322               | 4737        |
| 8448 4-ST                       |                   | KG                |                    | 99                | 3886        |                              | 675               | 21500       |
| 8452.21-200                     | NO                | KG                | 2                  | 122               | 492         | 2                            | 122               | 492         |
| 8452.21-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 208               | 2184        |
| 8452.29-900                     | NO                | KG                | -                  | -                 | -           | 6                            | 370               | 2133        |
| 8452.30-900                     | TH                | KG                | -                  | -                 | -           | 9                            | 20                | 672         |
| 8452.90-920                     | NO                | KG                | 252                | 17                | 1113        | 3377                         | 201               | 12105       |
| 8452.90-990                     |                   | KG                |                    | 88                | 2323        |                              | 747               | 26555       |
| 8452 4-ST                       |                   | KG                |                    | 227               | 3928        |                              | 1668              | 44141       |
| 8454.90-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 792         |
| 8454 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 792         |
| 8458.91-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 2650              | 7935        |
| 8458 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 2650              | 7935        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 305 MEXICO                      |                   |                   |                    |                   |             |                              |                   |             |
| 8459.21-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 3500              | 10146       |
| 8459 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 3500              | 10146       |
| 8463.90-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 14                | 338         |
| 8463 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 14                | 338         |
| 8466.93-000                     |                   | KG                |                    | -                 | -           |                              | 33                | 1140        |
| 8466.94-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 468         |
| 8466 4-ST                       | **                | KG                |                    | -                 | -           |                              | 47                | 1608        |
| 8467.11-000                     | NO                | KG                | -                  | -                 | -           | 312                          | 551               | 6040        |
| 8467.19-900                     | NO                | KG                | -                  | -                 | -           | 60                           | 104               | 1389        |
| 8467.89-000                     | NO                | KG                | -                  | -                 | -           | 13                           | 80                | 1964        |
| 8467.92-000                     |                   | KG                |                    | -                 | -           |                              | 294               | 4218        |
| 8467.99-000                     |                   | KG                |                    | -                 | -           |                              | 63                | 555         |
| 8467 4-ST                       |                   | KG                |                    | -                 | -           |                              | 1092              | 14166       |
| 8469.21-000                     |                   | NO                |                    | -                 | -           |                              | 700               | 6419        |
| 8469 4-ST                       | **                | NO                |                    | -                 | -           |                              | 700               | 6419        |
| 8471.20-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 276         |
| 8471.91-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 708         |
| 8471.92-110                     | NO                | KG                | -                  | -                 | -           | 13                           | 135               | 276         |
| 8471.92-120                     | NO                | KG                | -                  | -                 | -           | 6                            | 83                | 334         |
| 8471.92-190                     | NO                | KG                | 4                  | 26                | 206         | 4                            | 26                | 206         |
| 8471.93-200                     | NO                | KG                | -                  | -                 | -           | 30                           | 30                | 934         |
| 8471.99-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 7                 | 501         |
| 8471 4-ST                       | NO                | KG                | 4                  | 26                | 206         | 58                           | 297               | 3235        |
| 8472.90-000                     | NO                | KG                | -                  | -                 | -           | 202                          | 2071              | 16372       |
| 8472 4-ST                       | NO                | KG                | -                  | -                 | -           | 202                          | 2071              | 16372       |
| 8473.30-000                     |                   | KG                |                    | -                 | -           |                              | 3643              | 696338      |
| 8473 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3643              | 696338      |
| 8475.90-000                     |                   | KG                |                    | -                 | -           |                              | 105               | 4791        |
| 8475 4-ST                       | **                | KG                |                    | -                 | -           |                              | 105               | 4791        |
| 8477.90-100                     |                   | KG                |                    | -                 | -           |                              | 18                | 2958        |
| 8477 4-ST                       | **                | KG                |                    | -                 | -           |                              | 18                | 2958        |
| 8479.81-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 43                | 1507        |
| 8479.89-900                     | NO                | KG                | 6                  | 3222              | 41708       | 37                           | 7742              | 89497       |
| 8479.90-000                     |                   | KG                |                    | 1215              | 19111       |                              | 1838              | 49433       |
| 8479 4-ST                       |                   | KG                |                    | 4437              | 60819       |                              | 9623              | 140437      |
| 8480.41-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 4868        |
| 8480 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 4868        |
| 8481.10-000                     |                   | KG                |                    | -                 | -           |                              | 43                | 257         |
| 8481.30-900                     |                   | KG                |                    | -                 | -           |                              | 177               | 1634        |
| 8481.40-000                     |                   | KG                |                    | -                 | -           |                              | 272               | 2477        |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 250               | 2344        |
| 8481.90-000                     |                   | KG                |                    | -                 | -           |                              | 785               | 2831        |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1527              | 9543        |
| 8482.10-000                     |                   | KG                |                    | -                 | -           |                              | 4                 | 262         |
| 8482.99-000                     |                   | KG                |                    | -                 | -           |                              | 180               | 248         |
| 8482 4-ST                       | **                | KG                |                    | -                 | -           |                              | 184               | 510         |
| 8483.10-000                     |                   | KG                |                    | 85                | 902         |                              | 593               | 6537        |
| 8483.30-200                     |                   | KG                |                    | -                 | -           |                              | 20                | 2683        |
| 8483.40-200                     |                   | KG                |                    | 214               | 1955        |                              | 368               | 3955        |
| 8483.60-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 350         |
| 8483 4-ST                       | **                | KG                |                    | 299               | 2857        |                              | 995               | 13525       |
| 8485.90-000                     |                   | KG                |                    | -                 | -           |                              | 96                | 617         |
| 8485 4-ST                       | **                | KG                |                    | -                 | -           |                              | 96                | 617         |
| 84 2-ST                         |                   |                   |                    |                   | 76693       |                              |                   | 1046895     |
| 8501.31-192                     | NO                | KG                | -                  | -                 | -           | 2                            | 28                | 537         |
| 8501.32-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 68                | 442         |
| 8501.51-000                     | NO                | KG                | -                  | -                 | -           | 7                            | 38                | 938         |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 11                           | 134               | 1917        |
| 8504.31-910                     | NO                | KG                | -                  | -                 | -           | 106104                       | 7276              | 14852       |
| 8504.40-110                     | NO                | KG                | 22                 | 79                | 987         | 77                           | 160               | 3364        |
| 8504.40-190                     | NO                | KG                | -                  | -                 | -           | 1500                         | 150               | 1636        |
| 8504.50-000                     |                   | KG                |                    | 11                | 357         |                              | 419               | 6230        |
| 8504.90-000                     |                   | KG                |                    | -                 | -           |                              | 61                | 1844        |
| 8504 4-ST                       |                   | KG                |                    | 90                | 1344        |                              | 8066              | 27926       |
| 8505.20-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 545         |
| 8505 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 545         |
| 8506.11-900                     | TH                | KG                | 20                 | 553               | 5024        | 981                          | 23928             | 220167      |
| 8506 4-ST                       | TH                | KG                | 20                 | 553               | 5024        | 981                          | 23928             | 220167      |
| 8507.20-000                     |                   | KG                |                    | -                 | -           |                              | 283               | 1168        |
| 8507.30-000                     |                   | KG                |                    | -                 | -           |                              | 366               | 3959        |
| 8507.90-000                     |                   | KG                |                    | -                 | -           |                              | 7837              | 18043       |
| 8507 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8486              | 23170       |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 305 MEXICO                      |                   |                   |                    |                   |             |                              |                   |             |
| 8508.80-900                     |                   | NO                |                    | -                 | -           |                              | 28                | 616         |
| 8508 4-ST                       | **                | NO                |                    | -                 | -           |                              | 28                | 616         |
| 8511.40-900                     |                   | KG                |                    | -                 | -           |                              | 27                | 227         |
| 8511.80-900                     |                   | KG                |                    | -                 | -           |                              | 24                | 385         |
| 8511 4-ST                       | **                | KG                |                    | -                 | -           |                              | 51                | 612         |
| 8512.20-000                     |                   | KG                |                    | -                 | -           |                              | 100               | 560         |
| 8512.90-000                     |                   | KG                |                    | -                 | -           |                              | 540               | 478         |
| 8512 4-ST                       | **                | KG                |                    | -                 | -           |                              | 640               | 1038        |
| 8515.90-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 915         |
| 8515 4-ST                       | **                | KG                |                    | -                 | -           |                              | 16                | 915         |
| 8516.80-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 227         |
| 8516 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7                 | 227         |
| 8517.10-100                     | NO                | KG                | -                  | -                 | -           | 520                          | 444               | 2819        |
| 8517.30-000                     | NO                | KG                | 9                  | 70                | 1044        | 286                          | 1640              | 14201       |
| 8517.81-100                     | NO                | KG                | -                  | -                 | -           | 50                           | 300               | 3105        |
| 8517.81-200                     | NO                | KG                | -                  | -                 | -           | 150                          | 32                | 296         |
| 8517.82-100                     | NO                | KG                | -                  | -                 | -           | 1000                         | 5260              | 31187       |
| 8517.90-000                     |                   | KG                |                    | 20                | 742         |                              | 134               | 8037        |
| 8517 4-ST                       |                   | KG                |                    | 90                | 1786        |                              | 7810              | 59645       |
| 8518.10-100                     | NO                | KG                | -                  | -                 | -           | 36                           | 27                | 212         |
| 8518.21-900                     | NO                | KG                | 128                | 162               | 378         | 128                          | 162               | 378         |
| 8518.40-100                     | NO                | KG                | -                  | -                 | -           | 24                           | 336               | 910         |
| 8518.90-000                     |                   | KG                |                    | -                 | -           |                              | 27                | 6083        |
| 8518 4-ST                       |                   | KG                |                    | 162               | 378         |                              | 552               | 7583        |
| 8520.20-000                     |                   | NO                |                    | 1                 | 207         |                              | 1                 | 207         |
| 8520 4-ST                       | **                | NO                |                    | 1                 | 207         |                              | 1                 | 207         |
| 8521.10-000                     | NO                | KG                | 1024               | 5200              | 92257       | 1924                         | 14328             | 510212      |
| 8521 4-ST                       | NO                | KG                | 1024               | 5200              | 92257       | 1924                         | 14328             | 510212      |
| 8522.90-900                     |                   | KG                |                    | 85                | 1633        |                              | 401               | 16346       |
| 8522 4-ST                       | **                | KG                |                    | 85                | 1633        |                              | 401               | 16346       |
| 8523.11-900                     |                   | KG                |                    | -                 | -           |                              | 6                 | 543         |
| 8523.13-200                     |                   | KG                |                    | -                 | -           |                              | 4883              | 71336       |
| 8523.20-100                     |                   | KG                |                    | -                 | -           |                              | 2503              | 33797       |
| 8523.20-900                     |                   | KG                |                    | -                 | -           |                              | 77                | 526         |
| 8523 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7469              | 106202      |
| 8524.90-900                     |                   | KG                |                    | 3                 | 9096        |                              | 11                | 18024       |
| 8524 4-ST                       | **                | KG                |                    | 3                 | 9096        |                              | 11                | 18024       |
| 8525.30-110                     | NO                | KG                | 20                 | 90                | 2344        | 3462                         | 10936             | 364503      |
| 8525 4-ST                       | NO                | KG                | 20                 | 90                | 2344        | 3462                         | 10936             | 364503      |
| 8526.92-000                     | NO                | KG                | -                  | -                 | -           | 39959                        | 3122              | 17557       |
| 8526 4-ST                       | NO                | KG                | -                  | -                 | -           | 39959                        | 3122              | 17557       |
| 8528.10-119                     |                   | NO                |                    | -                 | -           |                              | 2                 | 279         |
| 8528.10-900                     |                   | NO                |                    | -                 | -           |                              | 137               | 5113        |
| 8528.20-900                     |                   | NO                |                    | 6                 | 356         |                              | 16                | 1596        |
| 8528 4-ST                       | **                | NO                |                    | 6                 | 356         |                              | 155               | 6988        |
| 8529.90-100                     | NO                | KG                | -                  | -                 | -           | 799                          | 37                | 871         |
| 8529.90-200                     | NO                | KG                | -                  | -                 | -           | 65                           | 16                | 1127        |
| 8529.90-900                     |                   | KG                |                    | -                 | -           |                              | 16313             | 89668       |
| 8529 4-ST                       |                   | KG                |                    | -                 | -           |                              | 16366             | 91666       |
| 8531.90-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 371         |
| 8531 4-ST                       | **                | KG                |                    | -                 | -           |                              | 6                 | 371         |
| 8532.21-000                     |                   | TH                |                    | 28                | 261         |                              | 54                | 477         |
| 8532.22-000                     |                   | TH                |                    | -                 | -           |                              | 764               | 6660        |
| 8532.23-000                     |                   | TH                |                    | -                 | -           |                              | 1477              | 2271        |
| 8532.24-000                     |                   | TH                |                    | -                 | -           |                              | 12876             | 11261       |
| 8532.25-000                     |                   | TH                |                    | 8                 | 453         |                              | 968               | 11670       |
| 8532 4-ST                       | **                | TH                |                    | 36                | 714         |                              | 16139             | 32339       |
| 8533.10-000                     | TH                | KG                | -                  | -                 | -           | 1295                         | 160               | 791         |
| 8533.21-000                     | TH                | KG                | -                  | -                 | -           | 11159                        | 350               | 5689        |
| 8533.29-000                     | TH                | KG                | -                  | -                 | -           | 10                           | 72                | 595         |
| 8533.31-000                     | NO                | KG                | -                  | -                 | -           | 66000                        | 30                | 292         |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 38000                        | 15                | 471         |
| 8533 4-ST                       |                   | KG                |                    | -                 | -           |                              | 627               | 7838        |
| 8536.20-000                     | NO                | KG                | 170                | 125               | 456         | 457                          | 741               | 2524        |
| 8536.30-000                     |                   | KG                |                    | -                 | -           |                              | 67                | 1601        |
| 8536.41-000                     |                   | KG                |                    | 238               | 2117        |                              | 1222              | 12811       |
| 8536.50-900                     | NO                | KG                | -                  | -                 | -           | 149280                       | 697               | 6805        |
| 8536.69-000                     |                   | KG                |                    | 38                | 518         |                              | 485               | 2485        |
| 8536.90-200                     |                   | KG                |                    | 359               | 3666        |                              | 6648              | 58668       |
| 8536 4-ST                       |                   | KG                |                    | 760               | 6757        |                              | 9860              | 84894       |
| 8537.10-000                     | NO                | KG                | 10                 | 586               | 19824       | 39                           | 745               | 42187       |
| 8537 4-ST                       | NO                | KG                | 10                 | 586               | 19824       | 39                           | 745               | 42187       |
| 8538.10-000                     |                   | KG                |                    | -                 | -           |                              | 32                | 377         |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 305 MEXICO                      |                   |                   |                     |                     |             |                              |                     |             |
| 8538.90-100                     |                   | KG                |                     | -                   | -           |                              | 2                   | 352         |
| 8538.90-900                     |                   | KG                |                     | 6                   | 653         |                              | 51                  | 3651        |
| 8538 4-ST                       | **                | KG                |                     | 6                   | 653         |                              | 85                  | 4380        |
| 8539.21-000                     | NO                | KG                | -                   | -                   | -           | 8000                         | 104                 | 2380        |
| 8539.90-000                     |                   | KG                |                     | -                   | -           |                              | 181                 | 1288        |
| 8539 4-ST                       |                   | KG                |                     | -                   | -           |                              | 285                 | 3668        |
| 8540.12-000                     | NO                | KG                | -                   | -                   | -           | 4340                         | 5618                | 29517       |
| 8540.91-000                     |                   | KG                |                     | -                   | -           |                              | 1                   | 1266        |
| 8540 4-ST                       |                   | KG                |                     | -                   | -           |                              | 5619                | 30783       |
| 8541.10-910                     |                   | NO                |                     | 913932              | 4280        |                              | 7920772             | 39493       |
| 8541.10-920                     |                   | NO                |                     | 459000              | 1662        |                              | 8022484             | 18962       |
| 8541.21-910                     |                   | NO                |                     | 60000               | 638         |                              | 3832500             | 19623       |
| 8541.21-990                     |                   | NO                |                     | -                   | -           |                              | 348000              | 7775        |
| 8541.29-910                     |                   | NO                |                     | 91880               | 1810        |                              | 525780              | 12296       |
| 8541.40-910                     |                   | NO                |                     | -                   | -           |                              | 1953500             | 18176       |
| 8541.40-990                     |                   | NO                |                     | 15500               | 217         |                              | 15500               | 217         |
| 8541.60-900                     |                   | NO                |                     | 139208              | 1696        |                              | 3885008             | 47215       |
| 8541 4-ST                       | **                | NO                |                     | 1679520             | 10303       |                              | 26503544            | 163757      |
| 8542.11-911                     |                   | NO                |                     | -                   | -           |                              | 37041               | 7895        |
| 8542.11-912                     |                   | NO                |                     | 93785               | 38914       |                              | 981573              | 509536      |
| 8542.11-919                     |                   | NO                |                     | 23932               | 4052        |                              | 193532              | 76072       |
| 8542.11-990                     |                   | NO                |                     | -                   | -           |                              | 20000               | 2781        |
| 8542.19-900                     |                   | NO                |                     | -                   | -           |                              | 319836              | 35129       |
| 8542.20-000                     |                   | NO                |                     | -                   | -           |                              | 590                 | 741         |
| 8542 4-ST                       | **                | NO                |                     | 117717              | 42966       |                              | 1552572             | 632154      |
| 8543.20-000                     | NO                | KG                | -                   | -                   | -           | 9                            | 107                 | 7373        |
| 8543.80-000                     | NO                | KG                | 3                   | 18                  | 2449        | 7028                         | 156                 | 7040        |
| 8543.90-000                     |                   | KG                |                     | -                   | -           |                              | 122                 | 942         |
| 8543 4-ST                       |                   | KG                |                     | 18                  | 2449        |                              | 385                 | 15355       |
| 8544.11-000                     |                   | KG                |                     | -                   | -           |                              | 48                  | 295         |
| 8544.41-910                     |                   | KG                |                     | -                   | -           |                              | 599                 | 726         |
| 8544.49-910                     |                   | KG                |                     | -                   | -           |                              | 900                 | 673         |
| 8544.51-910                     |                   | KG                |                     | -                   | -           |                              | 560                 | 404         |
| 8544.59-910                     |                   | KG                |                     | -                   | -           |                              | 54                  | 386         |
| 8544.60-910                     |                   | KG                |                     | -                   | -           |                              | 86                  | 714         |
| 8544.70-910                     |                   | KG                |                     | -                   | -           |                              | 7                   | 250         |
| 8544 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2254                | 3448        |
| 8545.20-000                     |                   | KG                |                     | -                   | -           |                              | 209                 | 1019        |
| 8545 4-ST                       | **                | KG                |                     | -                   | -           |                              | 209                 | 1019        |
| 8546.90-000                     |                   | KG                |                     | -                   | -           |                              | 600                 | 2144        |
| 8546 4-ST                       | **                | KG                |                     | -                   | -           |                              | 600                 | 2144        |
| 8547.20-000                     |                   | KG                |                     | -                   | -           |                              | 1356                | 10223       |
| 8547 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1356                | 10223       |
| 8548.00-000                     |                   | KG                |                     | -                   | -           |                              | 364                 | 6419        |
| 8548 4-ST                       | **                | KG                |                     | -                   | -           |                              | 364                 | 6419        |
| 85 2-ST                         |                   |                   |                     |                     | 198091      |                              |                     | 2517045     |
| 8708.29-000                     |                   | KG                |                     | 7248                | 19912       |                              | 13837               | 43239       |
| 8708.39-000                     |                   | KG                |                     | -                   | -           |                              | 766                 | 1549        |
| 8708.94-000                     |                   | KG                |                     | 60                  | 224         |                              | 60                  | 224         |
| 8708.99-900                     |                   | KG                |                     | 8                   | 308         |                              | 4041                | 6644        |
| 8708 4-ST                       | **                | KG                |                     | 7316                | 20444       |                              | 18704               | 51656       |
| 8709.11-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 720                 | 5940        |
| 8709 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 720                 | 5940        |
| 87 2-ST                         |                   | KG                |                     | 7316                | 20444       |                              | 19424               | 57596       |
| 9001.10-900                     |                   | KG                |                     | 63                  | 4954        |                              | 151                 | 12976       |
| 9001 4-ST                       | **                | KG                |                     | 63                  | 4954        |                              | 151                 | 12976       |
| 9002.11-100                     |                   | NO                |                     | -                   | -           |                              | 1549                | 12330       |
| 9002 4-ST                       | **                | NO                |                     | -                   | -           |                              | 1549                | 12330       |
| 9003.19-100                     |                   | DZ                |                     | 122                 | 2490        |                              | 761                 | 15737       |
| 9003.90-000                     |                   | KG                |                     | -                   | -           |                              | 131                 | 5513        |
| 9003 4-ST                       | **                |                   |                     |                     | 2490        |                              |                     | 21250       |
| 9006.51-000                     |                   | NO                |                     | -                   | -           |                              | 370                 | 16468       |
| 9006.53-000                     |                   | NO                |                     | -                   | -           |                              | 2580                | 12565       |
| 9006.61-000                     |                   | NO                |                     | -                   | -           |                              | 343                 | 4818        |
| 9006.91-900                     |                   | KG                |                     | -                   | -           |                              | 101                 | 4579        |
| 9006 4-ST                       | **                |                   |                     |                     | -           |                              |                     | 38430       |
| 9009.90-000                     |                   | KG                |                     | -                   | -           |                              | 327                 | 1633        |
| 9009 4-ST                       | **                | KG                |                     | -                   | -           |                              | 327                 | 1633        |
| 9010.20-000                     | NO                | KG                | -                   | -                   | -           | 6                            | 533                 | 11812       |
| 9010 4-ST                       | NO                | KG                | -                   | -                   | -           | 6                            | 533                 | 11812       |
| 9016.00-100                     |                   | KG                |                     | -                   | -           |                              | 129                 | 1580        |

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 305 MEXICO                      |                   |                   |                     |                     |             |                              |                     |             |
| 9016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 129                 | 1580        |
| 9017.80-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 13                  | 281         |
| 9017.80-920                     | NO                | KG                | -                   | -                   | -           | 2500                         | 77                  | 595         |
| 9017 4-ST                       | NO                | KG                | -                   | -                   | -           | 2501                         | 90                  | 876         |
| 9018.32-100                     | DZ                | KG                | -                   | -                   | -           | 60000                        | 1035                | 2835        |
| 9018.49-900                     |                   | KG                |                     | -                   | -           |                              | 30                  | 928         |
| 9018.90-311                     |                   | KG                |                     | -                   | -           |                              | 1195                | 5913        |
| 9018.90-319                     |                   | KG                |                     | -                   | -           |                              | 819                 | 2668        |
| 9018 4-ST                       |                   | KG                |                     | -                   | -           |                              | 3079                | 12344       |
| 9025.80-100                     | NO                | KG                | -                   | -                   | -           | 6                            | 9                   | 242         |
| 9025 4-ST                       | NO                | KG                | -                   | -                   | -           | 6                            | 9                   | 242         |
| 9026.10-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 41                  | 1234        |
| 9026.20-900                     | NO                | KG                | -                   | -                   | -           | 64                           | 33                  | 223         |
| 9026 4-ST                       | NO                | KG                | -                   | -                   | -           | 65                           | 74                  | 1457        |
| 9027.10-000                     | NO                | KG                | 24                  | 32                  | 2335        | 38                           | 44                  | 3120        |
| 9027.40-000                     | NO                | KG                | -                   | -                   | -           | 78                           | 19                  | 2540        |
| 9027 4-ST                       | NO                | KG                | 24                  | 32                  | 2335        | 116                          | 63                  | 5660        |
| 9029.20-100                     | NO                | KG                | -                   | -                   | -           | 4                            | 14                  | 840         |
| 9029 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 14                  | 840         |
| 9030.20-000                     | NO                | KG                | -                   | -                   | -           | 3                            | 28                  | 964         |
| 9030.31-000                     | NO                | KG                | -                   | -                   | -           | 296                          | 164                 | 1790        |
| 9030.39-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 5                   | 222         |
| 9030.39-900                     | NO                | KG                | -                   | -                   | -           | 25                           | 41                  | 413         |
| 9030.89-910                     | NO                | KG                | -                   | -                   | -           | 1                            | 20                  | 1375        |
| 9030.89-990                     | NO                | KG                | -                   | -                   | -           | 3                            | 47                  | 2995        |
| 9030.90-000                     |                   | KG                |                     | -                   | -           |                              | 16                  | 2186        |
| 9030 4-ST                       |                   | KG                |                     | -                   | -           |                              | 321                 | 9945        |
| 9031.80-190                     | NO                | KG                | -                   | -                   | -           | 5                            | 379                 | 9494        |
| 9031.90-100                     |                   | KG                |                     | -                   | -           |                              | 74                  | 867         |
| 9031 4-ST                       |                   | KG                |                     | -                   | -           |                              | 453                 | 10361       |
| 9032.10-100                     | NO                | KG                | 65                  | 3                   | 410         | 65                           | 3                   | 410         |
| 9032.89-112                     | NO                | KG                | -                   | -                   | -           | 12                           | 18                  | 852         |
| 9032.89-119                     | NO                | KG                | -                   | -                   | -           | 36                           | 48                  | 1224        |
| 9032.89-190                     | NO                | KG                | -                   | -                   | -           | 11                           | 94                  | 3565        |
| 9032 4-ST                       | NO                | KG                | 65                  | 3                   | 410         | 124                          | 163                 | 6051        |
| 90 2-ST                         |                   |                   |                     |                     | 10189       |                              |                     | 147787      |
| 9207.10-100                     | NO                | KG                | 30                  | 1990                | 4580        | 30                           | 1990                | 4580        |
| 9207.10-900                     | NO                | KG                | 30                  | 219                 | 1897        | 33                           | 258                 | 2111        |
| 9207.90-900                     | NO                | KG                | -                   | -                   | -           | 122                          | 479                 | 4252        |
| 9207 4-ST                       | NO                | KG                | 60                  | 2209                | 6477        | 185                          | 2727                | 10943       |
| 9208.10-000                     | NO                | KG                | -                   | -                   | -           | 244                          | 74                  | 263         |
| 9208 4-ST                       | NO                | KG                | -                   | -                   | -           | 244                          | 74                  | 263         |
| 9209.20-000                     | NO                |                   |                     | -                   | -           |                              | 13000               | 3414        |
| 9209.94-000                     |                   | KG                |                     | -                   | -           |                              | 128                 | 1806        |
| 9209 4-ST                       | **                |                   |                     |                     | -           |                              |                     | 5220        |
| 92 2-ST                         |                   |                   |                     |                     | 6477        |                              |                     | 16426       |
| 9405.10-900                     |                   | KG                |                     | -                   | -           |                              | 28                  | 573         |
| 9405 4-ST                       | **                | KG                |                     | -                   | -           |                              | 28                  | 573         |
| 94 2-ST                         | **                | KG                |                     | -                   | -           |                              | 28                  | 573         |
| 9503.20-000                     | DZ                | KG                | -                   | -                   | -           | 3                            | 111                 | 740         |
| 9503.90-900                     |                   | KG                |                     | -                   | -           |                              | 631                 | 8103        |
| 9503 4-ST                       |                   | KG                |                     | -                   | -           |                              | 742                 | 8843        |
| 95 2-ST                         |                   | KG                |                     | -                   | -           |                              | 742                 | 8843        |
| 9603.30-000                     | DZ                | KG                | -                   | -                   | -           | 964                          | 175                 | 1490        |
| 9603 4-ST                       | DZ                | KG                | -                   | -                   | -           | 964                          | 175                 | 1490        |
| 9606.10-900                     |                   | KG                |                     | -                   | -           |                              | 287                 | 623         |
| 9606.21-000                     | GS                | KG                | 2201                | 363                 | 4941        | 4698                         | 793                 | 8473        |
| 9606.29-100                     | GS                | KG                | -                   | -                   | -           | 630                          | 40                  | 1514        |
| 9606 4-ST                       |                   | KG                |                     | 363                 | 4941        |                              | 1120                | 10610       |
| 9608.20-100                     |                   | DZ                |                     | -                   | -           |                              | 2357                | 1660        |
| 9608 4-ST                       | **                | DZ                |                     | -                   | -           |                              | 2357                | 1660        |
| 9612.10-000                     |                   | DZ                |                     | -                   | -           |                              | 3967                | 5601        |
| 9612 4-ST                       | **                | DZ                |                     | -                   | -           |                              | 3967                | 5601        |
| 96 2-ST                         |                   |                   |                     |                     | 4941        |                              |                     | 19361       |
| TOTAL                           |                   |                   |                     |                     | 340661      |                              |                     | 4444807     |
| 306 GUATMAL                     |                   |                   |                     |                     |             |                              |                     |             |
| 2934.90-000                     |                   | KG                |                     | -                   | -           |                              | 1500                | 1646        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 306 GUATMAL                     |                   |                   |                     |                     |             |                              |                     |             |
| 2934 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1500                | 1646        |
| 29 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1500                | 1646        |
| 3204.11-100                     |                   | KG                |                     | 500                 | 756         |                              | 700                 | 986         |
| 3204 4-ST                       | **                | KG                |                     | 500                 | 756         |                              | 700                 | 986         |
| 32 2-ST                         | **                | KG                |                     | 500                 | 756         |                              | 700                 | 986         |
| 3926.90-000                     |                   | KG                |                     | -                   | -           |                              | 36                  | 1038        |
| 3926 4-ST                       | **                | KG                |                     | -                   | -           |                              | 36                  | 1038        |
| 39 2-ST                         | **                | KG                |                     | -                   | -           |                              | 36                  | 1038        |
| 4016.99-000                     |                   | KG                |                     | -                   | -           |                              | 17                  | 309         |
| 4016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 17                  | 309         |
| 40 2-ST                         | **                | KG                |                     | -                   | -           |                              | 17                  | 309         |
| 5007.10-000                     | SM                | KG                | -                   | -                   | -           | 788                          | 131                 | 793         |
| 5007 4-ST                       | SM                | KG                | -                   | -                   | -           | 788                          | 131                 | 793         |
| 50 2-ST                         | SM                | KG                | -                   | -                   | -           | 788                          | 131                 | 793         |
| 5407.60-190                     | SM                | KG                | -                   | -                   | -           | 1916                         | 67                  | 530         |
| 5407.60-290                     | SM                | KG                | -                   | -                   | -           | 31500                        | 2448                | 2986        |
| 5407 4-ST                       | SM                | KG                | -                   | -                   | -           | 33416                        | 2515                | 3516        |
| 54 2-ST                         | SM                | KG                | -                   | -                   | -           | 33416                        | 2515                | 3516        |
| 8205.59-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 296         |
| 8205 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5                   | 296         |
| 82 2-ST                         | **                | KG                |                     | -                   | -           |                              | 5                   | 296         |
| 8301.30-000                     |                   | KG                |                     | -                   | -           |                              | 132                 | 415         |
| 8301 4-ST                       | **                | KG                |                     | -                   | -           |                              | 132                 | 415         |
| 83 2-ST                         | **                | KG                |                     | -                   | -           |                              | 132                 | 415         |
| 8448.32-000                     |                   | KG                |                     | -                   | -           |                              | 254                 | 4900        |
| 8448.33-300                     | TH                | KG                | -                   | -                   | -           | 100                          | 20                  | 206         |
| 8448.39-100                     |                   | KG                |                     | -                   | -           |                              | 17                  | 300         |
| 8448.39-900                     |                   | KG                |                     | -                   | -           |                              | 6                   | 341         |
| 8448.59-100                     |                   | KG                |                     | -                   | -           |                              | 48                  | 882         |
| 8448 4-ST                       |                   | KG                |                     | -                   | -           |                              | 345                 | 6629        |
| 8452.90-990                     |                   | KG                |                     | -                   | -           |                              | 55                  | 640         |
| 8452 4-ST                       | **                | KG                |                     | -                   | -           |                              | 55                  | 640         |
| 8482.40-000                     |                   | KG                |                     | -                   | -           |                              | 32                  | 364         |
| 8482 4-ST                       | **                | KG                |                     | -                   | -           |                              | 32                  | 364         |
| 84 2-ST                         |                   | KG                |                     | -                   | -           |                              | 432                 | 7633        |
| 8538.90-900                     |                   | KG                |                     | -                   | -           |                              | 4                   | 572         |
| 8538 4-ST                       | **                | KG                |                     | -                   | -           |                              | 4                   | 572         |
| 85 2-ST                         | **                | KG                |                     | -                   | -           |                              | 4                   | 572         |
| 9017.30-930                     | NO                | KG                | -                   | -                   | -           | 70                           | 18                  | 737         |
| 9017.80-990                     |                   | KG                |                     | -                   | -           |                              | 12                  | 334         |
| 9017 4-ST                       |                   | KG                |                     | -                   | -           |                              | 30                  | 1071        |
| 9025.19-900                     | NO                | KG                | -                   | -                   | -           | 6                            | 4                   | 408         |
| 9025 4-ST                       | NO                | KG                | -                   | -                   | -           | 6                            | 4                   | 408         |
| 90 2-ST                         |                   | KG                |                     | -                   | -           |                              | 34                  | 1479        |
| 9507.30-000                     |                   | DZ                |                     | -                   | -           |                              | 6                   | 533         |
| 9507 4-ST                       | **                | DZ                |                     | -                   | -           |                              | 6                   | 533         |
| 95 2-ST                         | **                | DZ                |                     | -                   | -           |                              | 6                   | 533         |
| TOTAL                           |                   |                   |                     |                     | 756         |                              |                     | 19216       |
| 307 HONDURS                     |                   |                   |                     |                     |             |                              |                     |             |
| 0000.00-190                     |                   | KG                |                     | -                   | -           |                              | 531                 | 1881        |
| 0000 4-ST                       | **                | KG                |                     | -                   | -           |                              | 531                 | 1881        |
| 00 2-ST                         | **                | KG                |                     | -                   | -           |                              | 531                 | 1881        |
| 5208.59-900                     | SM                | KG                | -                   | -                   | -           | 10985                        | 2086                | 3656        |
| 5208 4-ST                       | SM                | KG                | -                   | -                   | -           | 10985                        | 2086                | 3656        |
| 52 2-ST                         | SM                | KG                | -                   | -                   | -           | 10985                        | 2086                | 3656        |
| 5407.60-290                     | SM                | KG                | -                   | -                   | -           | 62985                        | 5052                | 5405        |
| 5407 4-ST                       | SM                | KG                | -                   | -                   | -           | 62985                        | 5052                | 5405        |
| 54 2-ST                         | SM                | KG                | -                   | -                   | -           | 62985                        | 5052                | 5405        |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 307 HONDURS                     |                   |                   |                    |                   |             |                              |                   |             |
| 5605.00-000                     |                   | KG                |                    | -                 | -           |                              | 1083              | 2607        |
| 5605 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1083              | 2607        |
| 56 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1083              | 2607        |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 20                | 1360        |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 1360        |
| 8448.49-000                     |                   | KG                |                    | -                 | -           |                              | 19                | 417         |
| 8448.51-100                     | TH                | KG                | -                  |                   |             | 4                            | 76                | 808         |
| 8448.59-100                     |                   | KG                |                    | -                 | -           |                              | 457               | 13754       |
| 8448 4-ST                       |                   | KG                |                    | -                 | -           |                              | 552               | 14979       |
| 8452.29-900                     | NO                | KG                | -                  | -                 | -           | 20                           | 960               | 5101        |
| 8452 4-ST                       | NO                | KG                | -                  | -                 | -           | 20                           | 960               | 5101        |
| 8471.91-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 148               | 3400        |
| 8471 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 148               | 3400        |
| 84 2-ST                         |                   | KG                |                    | -                 | -           |                              | 1680              | 24840       |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 17                           | 95                | 1353        |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 17                           | 95                | 1353        |
| 85 2-ST                         | NO                | KG                | -                  | -                 | -           | 17                           | 95                | 1353        |
| TOTAL                           |                   | KG                |                    | -                 | -           |                              | 10527             | 39742       |
| 309 SALVADR                     |                   |                   |                    |                   |             |                              |                   |             |
| 2933.90-000                     |                   | KG                |                    | -                 | -           |                              | 200               | 729         |
| 2933 4-ST                       | **                | KG                |                    | -                 | -           |                              | 200               | 729         |
| 2934.90-000                     |                   | KG                |                    | -                 | -           |                              | 200               | 688         |
| 2934 4-ST                       | **                | KG                |                    | -                 | -           |                              | 200               | 688         |
| 29 2-ST                         | **                | KG                |                    | -                 | -           |                              | 400               | 1417        |
| 3212.10-000                     |                   | KG                |                    | -                 | -           |                              | 52                | 294         |
| 3212 4-ST                       | **                | KG                |                    | -                 | -           |                              | 52                | 294         |
| 32 2-ST                         | **                | KG                |                    | -                 | -           |                              | 52                | 294         |
| 5407.60-290                     | SM                | KG                | -                  | -                 | -           | 2752                         | 161               | 340         |
| 5407 4-ST                       | SM                | KG                | -                  | -                 | -           | 2752                         | 161               | 340         |
| 54 2-ST                         | SM                | KG                | -                  | -                 | -           | 2752                         | 161               | 340         |
| 7312.10-290                     |                   | MT                |                    | -                 | -           |                              | 0                 | 240         |
| 7312 4-ST                       | **                | MT                |                    | -                 | -           |                              | 0                 | 240         |
| 73 2-ST                         | **                | MT                |                    | -                 | -           |                              | 0                 | 240         |
| 8409.99-100                     |                   | KG                |                    | 205               | 415         |                              | 205               | 415         |
| 8409 4-ST                       | **                | KG                |                    | 205               | 415         |                              | 205               | 415         |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 25                | 371         |
| 8414 4-ST                       | **                | KG                |                    | -                 | -           |                              | 25                | 371         |
| 8447.11-100                     | NO                | KG                | -                  | -                 | -           | 5                            | 1860              | 4864        |
| 8447 4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 1860              | 4864        |
| 8448.31-000                     |                   | KG                |                    | -                 | -           |                              | 174               | 284         |
| 8448.49-000                     |                   | KG                |                    | -                 | -           |                              | 51                | 929         |
| 8448.59-100                     |                   | KG                |                    | -                 | -           |                              | 67                | 792         |
| 8448 4-ST                       | **                | KG                |                    | -                 | -           |                              | 292               | 2005        |
| 84 2-ST                         |                   | KG                |                    | 205               | 415         |                              | 2382              | 7655        |
| TOTAL                           |                   |                   |                    |                   | 415         |                              |                   | 9946        |
| 311 CST RCA                     |                   |                   |                    |                   |             |                              |                   |             |
| 3917.33-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 707         |
| 3917 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 707         |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 12                | 281         |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 12                | 281         |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 43                | 988         |
| 4010.91-100                     |                   | KG                |                    | -                 | -           |                              | 8                 | 446         |
| 4010.91-900                     |                   | KG                |                    | -                 | -           |                              | 17                | 519         |
| 4010.99-100                     |                   | KG                |                    | -                 | -           |                              | 6                 | 353         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 1318        |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 31                | 1318        |
| 5911.90-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 554         |
| 5911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 22                | 554         |
| 59 2-ST                         | **                | KG                |                    | -                 | -           |                              | 22                | 554         |
| 7315.11-900                     |                   | KG                |                    | 14                | 422         |                              | 14                | 422         |

404 伊丹空港

Country by Customs by Commodity

EXPORT

ITAMI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 311 CST RCA                     |                   |                   |                     |                     |             |                              |                     |             |
| 7315 4-ST                       | **                | KG                |                     | 14                  | 422         |                              | 14                  | 422         |
| 7320.20-000                     |                   | KG                |                     | -                   | -           |                              | 34                  | 858         |
| 7320 4-ST                       | **                | KG                |                     | -                   | -           |                              | 34                  | 858         |
| 73 2-ST                         | **                | KG                |                     | 14                  | 422         |                              | 48                  | 1280        |
| 8203.20-900                     |                   | KG                |                     | -                   | -           |                              | 15                  | 456         |
| 8203 4-ST                       | **                | KG                |                     | -                   | -           |                              | 15                  | 456         |
| 8208.90-000                     |                   | KG                |                     | -                   | -           |                              | 57                  | 261         |
| 8208 4-ST                       | **                | KG                |                     | -                   | -           |                              | 57                  | 261         |
| 82 2-ST                         | **                | KG                |                     | -                   | -           |                              | 72                  | 717         |
| 8408.20-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 181                 | 312         |
| 8408 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 181                 | 312         |
| 8409.99-100                     |                   | KG                |                     | 242                 | 317         |                              | 242                 | 317         |
| 8409.99-200                     |                   | KG                |                     | -                   | -           |                              | 60                  | 1132        |
| 8409 4-ST                       | **                | KG                |                     | 242                 | 317         |                              | 302                 | 1449        |
| 8413.91-000                     |                   | KG                |                     | -                   | -           |                              | 12                  | 300         |
| 8413 4-ST                       | **                | KG                |                     | -                   | -           |                              | 12                  | 300         |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 55                  | 545         |
| 8421 4-ST                       | **                | KG                |                     | -                   | -           |                              | 55                  | 545         |
| 8431.39-900                     |                   | KG                |                     | -                   | -           |                              | 140                 | 297         |
| 8431 4-ST                       | **                | KG                |                     | -                   | -           |                              | 140                 | 297         |
| 8441.90-000                     |                   | KG                |                     | -                   | -           |                              | 139                 | 3380        |
| 8441 4-ST                       | **                | KG                |                     | -                   | -           |                              | 139                 | 3380        |
| 8452.29-200                     | NO                | KG                | -                   | -                   | -           | 56                           | 2566                | 14472       |
| 8452 4-ST                       | NO                | KG                | -                   | -                   | -           | 56                           | 2566                | 14472       |
| 8471.20-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 11                  | 256         |
| 8471.92-120                     | NO                | KG                | -                   | -                   | -           | 5                            | 75                  | 710         |
| 8471 4-ST                       | NO                | KG                | -                   | -                   | -           | 6                            | 86                  | 966         |
| 8479.90-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 720         |
| 8479 4-ST                       | **                | KG                |                     | -                   | -           |                              | 3                   | 720         |
| 8482.10-000                     |                   | KG                |                     | -                   | -           |                              | 47                  | 1178        |
| 8482 4-ST                       | **                | KG                |                     | -                   | -           |                              | 47                  | 1178        |
| 8483.40-300                     |                   | KG                |                     | -                   | -           |                              | 387                 | 2083        |
| 8483 4-ST                       | **                | KG                |                     | -                   | -           |                              | 387                 | 2083        |
| 84 2-ST                         |                   | KG                |                     | 242                 | 317         |                              | 3918                | 25702       |
| 8501.31-192                     | NO                | KG                | -                   | -                   | -           | 4                            | 13                  | 355         |
| 8501.51-000                     | NO                | KG                | -                   | -                   | -           | 9                            | 25                  | 236         |
| 8501.52-100                     | NO                | KG                | -                   | -                   | -           | 6                            | 35                  | 781         |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 19                           | 73                  | 1372        |
| 8508.80-900                     | NO                | KG                | -                   | -                   | -           |                              | 50                  | 725         |
| 8508 4-ST                       | **                | NO                | -                   | -                   | -           |                              | 50                  | 725         |
| 8511.90-100                     |                   | KG                |                     | -                   | -           |                              | 0                   | 253         |
| 8511 4-ST                       | **                | KG                |                     | -                   | -           |                              | 0                   | 253         |
| 8516.80-000                     |                   | KG                |                     | -                   | -           |                              | 13                  | 649         |
| 8516 4-ST                       | **                | KG                |                     | -                   | -           |                              | 13                  | 649         |
| 8517.10-100                     | NO                | KG                | -                   | -                   | -           | 132                          | 116                 | 1171        |
| 8517 4-ST                       | NO                | KG                | -                   | -                   | -           | 132                          | 116                 | 1171        |
| 8533.10-000                     | TH                | KG                | 500                 | 129                 | 1400        | 1000                         | 259                 | 2800        |
| 8533 4-ST                       | TH                | KG                | 500                 | 129                 | 1400        | 1000                         | 259                 | 2800        |
| 8536.90-100                     |                   | KG                |                     | -                   | -           |                              | 9                   | 356         |
| 8536 4-ST                       | **                | KG                |                     | -                   | -           |                              | 9                   | 356         |
| 8537.10-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 90                  | 2246        |
| 8537 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 90                  | 2246        |
| 85 2-ST                         |                   |                   |                     |                     | 1400        |                              |                     | 9572        |
| 8714.19-000                     |                   | KG                |                     | -                   | -           |                              | 24                  | 257         |
| 8714 4-ST                       | **                | KG                |                     | -                   | -           |                              | 24                  | 257         |
| 87 2-ST                         | **                | KG                |                     | -                   | -           |                              | 24                  | 257         |
| 9001.10-900                     |                   | KG                |                     | -                   | -           |                              | 55                  | 579         |
| 9001 4-ST                       | **                | KG                |                     | -                   | -           |                              | 55                  | 579         |
| 90 2-ST                         | **                | KG                |                     | -                   | -           |                              | 55                  | 579         |
| TOTAL                           |                   |                   |                     |                     | 2139        |                              |                     | 40967       |
|                                 |                   |                   |                     |                     |             |                              |                     |             |