

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 120 CAMBOD                      |                   |                   |                    |                   |             |                              |                   |             |
| 8466.92-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 401         |
| 8466 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 401         |
| 84 2-ST                         | **                | KG                |                    | -                 | -           |                              | 31                | 401         |
| 9018.19-210                     | NO                | KG                | 1                  | 131               | 450         | 1                            | 131               | 450         |
| 9018 4-ST                       | NO                | KG                | 1                  | 131               | 450         | 1                            | 131               | 450         |
| 90 2-ST                         | NO                | KG                | 1                  | 131               | 450         | 1                            | 131               | 450         |
| TOTAL                           |                   | KG                |                    | 131               | 450         |                              | 162               | 851         |
| 121 LAOS                        |                   |                   |                    |                   |             |                              |                   |             |
| 8207.19-000                     |                   | KG                |                    | -                 | -           |                              | 300               | 350         |
| 8207 4-ST                       | **                | KG                |                    | -                 | -           |                              | 300               | 350         |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 300               | 350         |
| 8431.49-900                     |                   | KG                |                    | -                 | -           |                              | 787               | 2209        |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 787               | 2209        |
| 84 2-ST                         | **                | KG                |                    | -                 | -           |                              | 787               | 2209        |
| 9015.10-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 180               | 2775        |
| 9015 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 180               | 2775        |
| 90 2-ST                         | NO                | KG                | -                  | -                 | -           | 6                            | 180               | 2775        |
| TOTAL                           |                   | KG                |                    | -                 | -           |                              | 1267              | 5334        |
| 122 MYANMAR                     |                   |                   |                    |                   |             |                              |                   |             |
| 7320.20-000                     |                   | KG                |                    | -                 | -           |                              | 17                | 243         |
| 7320 4-ST                       | **                | KG                |                    | -                 | -           |                              | 17                | 243         |
| 7326.20-000                     |                   | KG                |                    | -                 | -           |                              | 361               | 538         |
| 7326 4-ST                       | **                | KG                |                    | -                 | -           |                              | 361               | 538         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 378               | 781         |
| 8409.91-100                     |                   | KG                |                    | -                 | -           |                              | 664               | 5195        |
| 8409.99-200                     |                   | KG                |                    | -                 | -           |                              | 600               | 3600        |
| 8409.99-900                     |                   | KG                |                    | -                 | -           |                              | 122               | 935         |
| 8409 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1386              | 9730        |
| 8412.39-000                     | NO                | KG                | -                  | -                 | -           | 24                           | 10                | 241         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 24                           | 10                | 241         |
| 8419.20-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 80                | 504         |
| 8419 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 80                | 504         |
| 8466.93-000                     |                   | KG                |                    | -                 | -           |                              | 49                | 3671        |
| 8466 4-ST                       | **                | KG                |                    | -                 | -           |                              | 49                | 3671        |
| 8471.60-120                     |                   | NO                |                    | -                 | -           |                              | 1                 | 240         |
| 8471 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 240         |
| 8483.30-200                     | NO                | KG                | -                  | -                 | -           | 2                            | 670               | 4964        |
| 8483.40-200                     | NO                | KG                | 2                  | 9                 | 1420        | 4                            | 91                | 2000        |
| 8483 4-ST                       | NO                | KG                | 2                  | 9                 | 1420        | 6                            | 761               | 6964        |
| 8484.20-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 217         |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 9                 | 217         |
| 84 2-ST                         |                   |                   |                    |                   | 1420        |                              |                   | 21567       |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 0                 | 483         |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 0                 | 483         |
| 85 2-ST                         | NO                | KG                | -                  | -                 | -           | 4                            | 0                 | 483         |
| 8701.90-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 7500              | 270         |
| 8701 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 7500              | 270         |
| 87 2-ST                         | NO                | KG                | -                  | -                 | -           | 2                            | 7500              | 270         |
| TOTAL                           |                   |                   |                    |                   | 1420        |                              |                   | 23101       |
| 123 INDIA                       |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | 240               | 3278        |                              | 3962              | 19855       |
| 0000 4-ST                       | **                | KG                |                    | 240               | 3278        |                              | 3962              | 19855       |
| 00 2-ST                         | **                | KG                |                    | 240               | 3278        |                              | 3962              | 19855       |
| 1209.91-000                     |                   | KG                |                    | 59                | 1845        |                              | 4278              | 46958       |
| 1209.99-000                     |                   | KG                |                    | 28                | 276         |                              | 188               | 1853        |
| 1209 4-ST                       | **                | KG                |                    | 87                | 2121        |                              | 4466              | 48811       |
| 12 2-ST                         | **                | KG                |                    | 87                | 2121        |                              | 4466              | 48811       |
| 2207.20-000                     |                   | L                 |                    | -                 | -           |                              | 30                | 221         |
| 2207 4-ST                       | **                | L                 |                    | -                 | -           |                              | 30                | 221         |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 22 2-ST                         | **                | L                 |                     | -                   | -           |                              | 30                  | 221         |
| 2309.90-000                     |                   | MT                |                     | -                   | -           |                              | 0                   | 486         |
| 2309 4-ST                       | **                | MT                |                     | -                   | -           |                              | 0                   | 486         |
| 23 2-ST                         | **                | MT                |                     | -                   | -           |                              | 0                   | 486         |
| 2504.90-000                     |                   | MT                |                     | -                   | -           |                              | 0                   | 212         |
| 2504 4-ST                       | **                | MT                |                     | -                   | -           |                              | 0                   | 212         |
| 2505.10-000                     |                   | MT                |                     | -                   | -           |                              | 0                   | 295         |
| 2505 4-ST                       | **                | MT                |                     | -                   | -           |                              | 0                   | 295         |
| 25 2-ST                         | **                | MT                |                     | -                   | -           |                              | 0                   | 507         |
| 2811.22-000                     |                   | KG                |                     | -                   | -           |                              | 810                 | 838         |
| 2811 4-ST                       | **                | KG                |                     | -                   | -           |                              | 810                 | 838         |
| 2812.90-000                     |                   | KG                |                     | -                   | -           |                              | 500                 | 2338        |
| 2812 4-ST                       | **                | KG                |                     | -                   | -           |                              | 500                 | 2338        |
| 2821.10-000                     |                   | KG                |                     | -                   | -           |                              | 1200                | 471         |
| 2821 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1200                | 471         |
| 2825.90-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 390         |
| 2825 4-ST                       | **                | KG                |                     | -                   | -           |                              | 20                  | 390         |
| 2827.39-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 2552        |
| 2827 4-ST                       | **                | KG                |                     | -                   | -           |                              | 20                  | 2552        |
| 2829.90-000                     |                   | KG                |                     | 20                  | 429         |                              | 40                  | 857         |
| 2829 4-ST                       | **                | KG                |                     | 20                  | 429         |                              | 40                  | 857         |
| 2835.26-000                     |                   | KG                |                     | 120                 | 565         |                              | 780                 | 3685        |
| 2835 4-ST                       | **                | KG                |                     | 120                 | 565         |                              | 780                 | 3685        |
| 28 2-ST                         | **                | KG                |                     | 140                 | 994         |                              | 3370                | 11131       |
| 2903.11-000                     |                   | KG                |                     | -                   | -           |                              | 10000               | 4860        |
| 2903 4-ST                       | **                | KG                |                     | -                   | -           |                              | 10000               | 4860        |
| 2904.10-000                     |                   | KG                |                     | -                   | -           |                              | 750                 | 3614        |
| 2904 4-ST                       | **                | KG                |                     | -                   | -           |                              | 750                 | 3614        |
| 2905.11-000                     |                   | KG                |                     | -                   | -           |                              | 120                 | 612         |
| 2905.45-000                     |                   | KG                |                     | -                   | -           |                              | 176                 | 965         |
| 2905 4-ST                       | **                | KG                |                     | -                   | -           |                              | 296                 | 1577        |
| 2906.19-000                     |                   | KG                |                     | 200                 | 1004        |                              | 3555                | 15374       |
| 2906 4-ST                       | **                | KG                |                     | 200                 | 1004        |                              | 3555                | 15374       |
| 2907.19-000                     |                   | KG                |                     | -                   | -           |                              | 75                  | 560         |
| 2907 4-ST                       | **                | KG                |                     | -                   | -           |                              | 75                  | 560         |
| 2909.49-000                     |                   | KG                |                     | 300                 | 654         |                              | 300                 | 654         |
| 2909 4-ST                       | **                | KG                |                     | 300                 | 654         |                              | 300                 | 654         |
| 2912.19-000                     |                   | KG                |                     | -                   | -           |                              | 264                 | 545         |
| 2912 4-ST                       | **                | KG                |                     | -                   | -           |                              | 264                 | 545         |
| 2914.69-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 584         |
| 2914 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 584         |
| 2915.39-000                     |                   | KG                |                     | -                   | -           |                              | 400                 | 304         |
| 2915 4-ST                       | **                | KG                |                     | -                   | -           |                              | 400                 | 304         |
| 2916.12-000                     |                   | KG                |                     | -                   | -           |                              | 200                 | 427         |
| 2916.20-000                     |                   | KG                |                     | -                   | -           |                              | 1700                | 9592        |
| 2916.31-000                     |                   | KG                |                     | 550                 | 13470       |                              | 12800               | 305092      |
| 2916 4-ST                       | **                | KG                |                     | 550                 | 13470       |                              | 14700               | 315111      |
| 2921.42-000                     |                   | KG                |                     | 647                 | 463         |                              | 647                 | 463         |
| 2921 4-ST                       | **                | KG                |                     | 647                 | 463         |                              | 647                 | 463         |
| 2922.49-000                     |                   | KG                |                     | -                   | -           |                              | 1900                | 17390       |
| 2922 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1900                | 17390       |
| 2924.29-000                     |                   | KG                |                     | 3800                | 20117       |                              | 18277               | 94520       |
| 2924 4-ST                       | **                | KG                |                     | 3800                | 20117       |                              | 18277               | 94520       |
| 2925.20-000                     |                   | KG                |                     | -                   | -           |                              | 1500                | 3935        |
| 2925 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1500                | 3935        |
| 2926.90-000                     |                   | KG                |                     | 500                 | 11461       |                              | 3345                | 74409       |
| 2926 4-ST                       | **                | KG                |                     | 500                 | 11461       |                              | 3345                | 74409       |
| 2930.90-000                     |                   | KG                |                     | 1200                | 4403        |                              | 1200                | 4403        |
| 2930 4-ST                       | **                | KG                |                     | 1200                | 4403        |                              | 1200                | 4403        |
| 2932.29-000                     |                   | KG                |                     | -                   | -           |                              | 500                 | 2766        |
| 2932 4-ST                       | **                | KG                |                     | -                   | -           |                              | 500                 | 2766        |
| 2933.39-000                     |                   | KG                |                     | 10                  | 772         |                              | 10                  | 772         |
| 2933.59-000                     |                   | KG                |                     | -                   | -           |                              | 950                 | 15263       |
| 2933.90-000                     |                   | KG                |                     | -                   | -           |                              | 15100               | 66484       |
| 2933 4-ST                       | **                | KG                |                     | 10                  | 772         |                              | 16060               | 82519       |
| 2934.90-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 6734        |
| 2934 4-ST                       | **                | KG                |                     | -                   | -           |                              | 10                  | 6734        |
| 2941.90-000                     |                   | KG                |                     | 73                  | 17411       |                              | 378                 | 86038       |
| 2941 4-ST                       | **                | KG                |                     | 73                  | 17411       |                              | 378                 | 86038       |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 2942.00-000                     |                   | KG                |                     | -                   | -           |                              | 100                 | 619         |
| 2942 4-ST                       | **                | KG                |                     | -                   | -           |                              | 100                 | 619         |
| 29 2-ST                         | **                | KG                |                     | 7280                | 69755       |                              | 74259               | 716979      |
| 3006.40-100                     |                   | KG                |                     | -                   | -           |                              | 30                  | 881         |
| 3006 4-ST                       | **                | KG                |                     | -                   | -           |                              | 30                  | 881         |
| 30 2-ST                         | **                | KG                |                     | -                   | -           |                              | 30                  | 881         |
| 3204.17-100                     |                   | KG                |                     | 400                 | 840         |                              | 2886                | 8922        |
| 3204.19-100                     |                   | KG                |                     | 50                  | 257         |                              | 454                 | 2080        |
| 3204.19-900                     |                   | KG                |                     | -                   | -           |                              | 1000                | 1731        |
| 3204 4-ST                       | **                | KG                |                     | 450                 | 1097        |                              | 4340                | 12733       |
| 3206.19-000                     |                   | KG                |                     | -                   | -           |                              | 400                 | 840         |
| 3206.50-000                     |                   | KG                |                     | 960                 | 10707       |                              | 5715                | 47082       |
| 3206 4-ST                       | **                | KG                |                     | 960                 | 10707       |                              | 6115                | 47922       |
| 3207.20-000                     |                   | KG                |                     | -                   | -           |                              | 124                 | 485         |
| 3207 4-ST                       | **                | KG                |                     | -                   | -           |                              | 124                 | 485         |
| 3208.10-300                     |                   | KG                |                     | -                   | -           |                              | 1520                | 1062        |
| 3208.10-900                     |                   | KG                |                     | -                   | -           |                              | 656                 | 577         |
| 3208.20-900                     |                   | KG                |                     | -                   | -           |                              | 2064                | 1937        |
| 3208.90-900                     |                   | KG                |                     | 3339                | 2119        |                              | 3501                | 2426        |
| 3208 4-ST                       | **                | KG                |                     | 3339                | 2119        |                              | 7741                | 6002        |
| 3209.10-000                     |                   | KG                |                     | -                   | -           |                              | 182                 | 206         |
| 3209 4-ST                       | **                | KG                |                     | -                   | -           |                              | 182                 | 206         |
| 3212.90-100                     |                   | KG                |                     | -                   | -           |                              | 700                 | 3527        |
| 3212.90-900                     |                   | KG                |                     | -                   | -           |                              | 140                 | 313         |
| 3212 4-ST                       | **                | KG                |                     | -                   | -           |                              | 840                 | 3840        |
| 3214.10-000                     |                   | KG                |                     | 3125                | 1486        |                              | 39615               | 18945       |
| 3214 4-ST                       | **                | KG                |                     | 3125                | 1486        |                              | 39615               | 18945       |
| 3215.11-000                     |                   | KG                |                     | -                   | -           |                              | 1080                | 940         |
| 3215.19-000                     |                   | KG                |                     | -                   | -           |                              | 161                 | 469         |
| 3215 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1241                | 1409        |
| 32 2-ST                         | **                | KG                |                     | 7874                | 15409       |                              | 60198               | 91542       |
| 3405.90-000                     |                   | KG                |                     | -                   | -           |                              | 130                 | 349         |
| 3405 4-ST                       | **                | KG                |                     | -                   | -           |                              | 130                 | 349         |
| 34 2-ST                         | **                | KG                |                     | -                   | -           |                              | 130                 | 349         |
| 3506.91-000                     |                   | KG                |                     | -                   | -           |                              | 1542                | 3287        |
| 3506 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1542                | 3287        |
| 3507.90-000                     |                   | KG                |                     | 21                  | 5901        |                              | 861                 | 63568       |
| 3507 4-ST                       | **                | KG                |                     | 21                  | 5901        |                              | 861                 | 63568       |
| 35 2-ST                         | **                | KG                |                     | 21                  | 5901        |                              | 2403                | 66855       |
| 3701.30-000                     |                   | SM                |                     | -                   | -           |                              | 274                 | 2178        |
| 3701 4-ST                       | **                | SM                |                     | -                   | -           |                              | 274                 | 2178        |
| 3707.10-000                     |                   | KG                |                     | -                   | -           |                              | 612                 | 502         |
| 3707.90-000                     |                   | KG                |                     | -                   | -           |                              | 559                 | 1646        |
| 3707 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1171                | 2148        |
| 37 2-ST                         | **                |                   |                     |                     | -           |                              |                     | 4326        |
| 3801.10-000                     |                   | KG                |                     | -                   | -           |                              | 420                 | 634         |
| 3801.20-000                     |                   | KG                |                     | -                   | -           |                              | 600                 | 906         |
| 3801 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1020                | 1540        |
| 3809.91-000                     |                   | KG                |                     | 1800                | 1476        |                              | 2650                | 1956        |
| 3809 4-ST                       | **                | KG                |                     | 1800                | 1476        |                              | 2650                | 1956        |
| 3811.90-000                     |                   | KG                |                     | 102                 | 222         |                              | 102                 | 222         |
| 3811 4-ST                       | **                | KG                |                     | 102                 | 222         |                              | 102                 | 222         |
| 3824.90-000                     |                   | KG                |                     | -                   | -           |                              | 2780                | 3028        |
| 3824 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2780                | 3028        |
| 38 2-ST                         | **                | KG                |                     | 1902                | 1698        |                              | 6552                | 6746        |
| 3902.20-000                     |                   | KG                |                     | -                   | -           |                              | 315                 | 342         |
| 3902 4-ST                       | **                | KG                |                     | -                   | -           |                              | 315                 | 342         |
| 3904.10-100                     |                   | KG                |                     | -                   | -           |                              | 5000                | 1504        |
| 3904.69-100                     |                   | KG                |                     | -                   | -           |                              | 950                 | 5001        |
| 3904 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5950                | 6505        |
| 3906.10-900                     |                   | KG                |                     | -                   | -           |                              | 1616                | 677         |
| 3906.90-900                     |                   | KG                |                     | -                   | -           |                              | 964                 | 1231        |
| 3906 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2580                | 1908        |
| 3907.30-000                     |                   | KG                |                     | -                   | -           |                              | 600                 | 2261        |
| 3907 4-ST                       | **                | KG                |                     | -                   | -           |                              | 600                 | 2261        |
| 3910.00-900                     |                   | KG                |                     | -                   | -           |                              | 150                 | 519         |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 3910 4-ST                       | **                | KG                |                     | -                   | -           |                              | 150                 | 519         |
| 3912.31-100                     |                   | KG                |                     | -                   | -           |                              | 150                 | 492         |
| 3912 4-ST                       | **                | KG                |                     | -                   | -           |                              | 150                 | 492         |
| 3917.32-900                     |                   | KG                |                     | -                   | -           |                              | 217                 | 390         |
| 3917.40-000                     |                   | KG                |                     | 238                 | 521         |                              | 238                 | 521         |
| 3917 4-ST                       | **                | KG                |                     | 238                 | 521         |                              | 455                 | 911         |
| 3919.10-200                     |                   | KG                |                     | -                   | -           |                              | 20                  | 273         |
| 3919.10-900                     |                   | KG                |                     | -                   | -           |                              | 284                 | 613         |
| 3919.90-500                     |                   | KG                |                     | -                   | -           |                              | 170                 | 222         |
| 3919 4-ST                       | **                | KG                |                     | -                   | -           |                              | 474                 | 1108        |
| 3920.69-000                     |                   | KG                |                     | -                   | -           |                              | 4196                | 14818       |
| 3920.91-000                     |                   | KG                |                     | -                   | -           |                              | 1104                | 874         |
| 3920 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5300                | 15692       |
| 3921.13-000                     |                   | KG                |                     | 703                 | 1270        |                              | 703                 | 1270        |
| 3921.90-900                     |                   | KG                |                     | -                   | -           |                              | 275                 | 1034        |
| 3921 4-ST                       | **                | KG                |                     | 703                 | 1270        |                              | 978                 | 2304        |
| 3923.90-000                     |                   | KG                |                     | -                   | -           |                              | 380                 | 1932        |
| 3923 4-ST                       | **                | KG                |                     | -                   | -           |                              | 380                 | 1932        |
| 3926.90-000                     |                   | KG                |                     | -                   | -           |                              | 2181                | 10644       |
| 3926 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2181                | 10644       |
| 39 2-ST                         | **                | KG                |                     | 941                 | 1791        |                              | 19513               | 44618       |
| 4009.50-100                     |                   | KG                |                     | -                   | -           |                              | 10                  | 233         |
| 4009.50-900                     |                   | KG                |                     | -                   | -           |                              | 81                  | 759         |
| 4009 4-ST                       | **                | KG                |                     | -                   | -           |                              | 91                  | 992         |
| 4010.13-000                     |                   | KG                |                     | -                   | -           |                              | 61                  | 1257        |
| 4010.29-000                     |                   | KG                |                     | -                   | -           |                              | 408                 | 1359        |
| 4010 4-ST                       | **                | KG                |                     | -                   | -           |                              | 469                 | 2616        |
| 4016.93-000                     |                   | KG                |                     | 78                  | 1049        |                              | 1419                | 25446       |
| 4016.99-000                     |                   | KG                |                     | 78                  | 927         |                              | 2630                | 10152       |
| 4016 4-ST                       | **                | KG                |                     | 156                 | 1976        |                              | 4049                | 35598       |
| 40 2-ST                         | **                | KG                |                     | 156                 | 1976        |                              | 4609                | 39206       |
| 4104.31-100                     | SM                | KG                | -                   | -                   | -           | 85                           | 50                  | 255         |
| 4104.39-100                     | SM                | KG                | -                   | -                   | -           | 608                          | 284                 | 1613        |
| 4104 4-ST                       | SM                | KG                | -                   | -                   | -           | 693                          | 334                 | 1868        |
| 41 2-ST                         | SM                | KG                | -                   | -                   | -           | 693                          | 334                 | 1868        |
| 4803.00-100                     |                   | KG                |                     | -                   | -           |                              | 576                 | 400         |
| 4803 4-ST                       | **                | KG                |                     | -                   | -           |                              | 576                 | 400         |
| 4811.39-000                     |                   | KG                |                     | -                   | -           |                              | 590                 | 1628        |
| 4811.40-000                     |                   | KG                |                     | -                   | -           |                              | 1350                | 756         |
| 4811 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1940                | 2384        |
| 4816.30-000                     |                   | KG                |                     | -                   | -           |                              | 423                 | 1888        |
| 4816 4-ST                       | **                | KG                |                     | -                   | -           |                              | 423                 | 1888        |
| 4821.90-000                     |                   | KG                |                     | -                   | -           |                              | 16                  | 1008        |
| 4821 4-ST                       | **                | KG                |                     | -                   | -           |                              | 16                  | 1008        |
| 4823.90-900                     |                   | KG                |                     | -                   | -           |                              | 506                 | 577         |
| 4823 4-ST                       | **                | KG                |                     | -                   | -           |                              | 506                 | 577         |
| 48 2-ST                         | **                | KG                |                     | -                   | -           |                              | 3461                | 6257        |
| 4901.10-000                     |                   | KG                |                     | -                   | -           |                              | 438                 | 432         |
| 4901 4-ST                       | **                | KG                |                     | -                   | -           |                              | 438                 | 432         |
| 4902.90-200                     | NO                | KG                | -                   | -                   | -           | 270                          | 320                 | 850         |
| 4902 4-ST                       | NO                | KG                | -                   | -                   | -           | 270                          | 320                 | 850         |
| 4908.90-000                     |                   | KG                |                     | -                   | -           |                              | 156                 | 792         |
| 4908 4-ST                       | **                | KG                |                     | -                   | -           |                              | 156                 | 792         |
| 4911.99-000                     |                   | KG                |                     | -                   | -           |                              | 153                 | 763         |
| 4911 4-ST                       | **                | KG                |                     | -                   | -           |                              | 153                 | 763         |
| 49 2-ST                         |                   | KG                |                     | -                   | -           |                              | 1067                | 2837        |
| 5402.59-900                     |                   | KG                |                     | -                   | -           |                              | 2040                | 2199        |
| 5402.62-000                     |                   | KG                |                     | 116                 | 358         |                              | 116                 | 358         |
| 5402 4-ST                       | **                | KG                |                     | 116                 | 358         |                              | 2156                | 2557        |
| 5407.61-210                     | SM                | KG                | -                   | -                   | -           | 18383                        | 940                 | 2961        |
| 5407.61-290                     | SM                | KG                | -                   | -                   | -           | 2797                         | 390                 | 685         |
| 5407 4-ST                       | SM                | KG                | -                   | -                   | -           | 21180                        | 1330                | 3646        |
| 5408.32-300                     | SM                | KG                | -                   | -                   | -           | 757                          | 160                 | 667         |
| 5408 4-ST                       | SM                | KG                | -                   | -                   | -           | 757                          | 160                 | 667         |
| 54 2-ST                         |                   | KG                |                     | 116                 | 358         |                              | 3646                | 6870        |
| 5503.10-000                     |                   | KG                |                     | -                   | -           |                              | 150                 | 317         |
| 5503.30-000                     |                   | KG                |                     | -                   | -           |                              | 1500                | 1017        |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |             |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                      |                      |             |                              |                      |             |
| 5503 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1650                 | 1334        |
| 5504.10-000                     |                   | KG                |                      | -                    | -           |                              | 400                  | 302         |
| 5504 4-ST                       | **                | KG                |                      | -                    | -           |                              | 400                  | 302         |
| 5516.12-000                     | SM                | KG                | 16692                | 2703                 | 12175       | 16692                        | 2703                 | 12175       |
| 5516 4-ST                       | SM                | KG                | 16692                | 2703                 | 12175       | 16692                        | 2703                 | 12175       |
| 55 2-ST                         |                   | KG                |                      | 2703                 | 12175       |                              | 4753                 | 13811       |
| 5603.13-200                     | SM                | KG                | -                    | -                    | -           | 950                          | 93                   | 320         |
| 5603.14-200                     | SM                | KG                | 2742                 | 1470                 | 559         | 2742                         | 1470                 | 559         |
| 5603.92-100                     | SM                | KG                | 5172                 | 204                  | 599         | 108075                       | 4888                 | 13871       |
| 5603.93-100                     | SM                | KG                | -                    | -                    | -           | 6931                         | 669                  | 1665        |
| 5603.94-100                     | SM                | KG                | 1755                 | 433                  | 1048        | 9693                         | 2580                 | 5781        |
| 5603.94-200                     | SM                | KG                | -                    | -                    | -           | 869                          | 682                  | 1511        |
| 5603 4-ST                       | SM                | KG                | 9669                 | 2107                 | 2206        | 129260                       | 10382                | 23707       |
| 5604.20-000                     |                   | KG                |                      | -                    | -           |                              | 16                   | 270         |
| 5604 4-ST                       | **                | KG                |                      | -                    | -           |                              | 16                   | 270         |
| 5605.00-000                     |                   | KG                |                      | 393                  | 3112        |                              | 2843                 | 22603       |
| 5605 4-ST                       | **                | KG                |                      | 393                  | 3112        |                              | 2843                 | 22603       |
| 56 2-ST                         |                   | KG                |                      | 2500                 | 5318        |                              | 13241                | 46580       |
| 5804.21-000                     |                   | KG                |                      | -                    | -           |                              | 352                  | 2297        |
| 5804 4-ST                       | **                | KG                |                      | -                    | -           |                              | 352                  | 2297        |
| 5807.10-000                     |                   | KG                |                      | 65                   | 562         |                              | 73                   | 886         |
| 5807 4-ST                       | **                | KG                |                      | 65                   | 562         |                              | 73                   | 886         |
| 58 2-ST                         | **                | KG                |                      | 65                   | 562         |                              | 425                  | 3183        |
| 5903.20-000                     |                   | KG                |                      | -                    | -           |                              | 909                  | 6146        |
| 5903.90-000                     |                   | KG                |                      | -                    | -           |                              | 72                   | 502         |
| 5903 4-ST                       | **                | KG                |                      | -                    | -           |                              | 981                  | 6648        |
| 5911.10-000                     |                   | KG                |                      | -                    | -           |                              | 108                  | 1037        |
| 5911.90-000                     |                   | KG                |                      | -                    | -           |                              | 64                   | 2350        |
| 5911 4-ST                       | **                | KG                |                      | -                    | -           |                              | 172                  | 3387        |
| 59 2-ST                         | **                | KG                |                      | -                    | -           |                              | 1153                 | 10035       |
| 6002.43-110                     |                   | KG                |                      | 382                  | 667         |                              | 382                  | 667         |
| 6002.93-110                     |                   | KG                |                      | -                    | -           |                              | 455                  | 3726        |
| 6002 4-ST                       | **                | KG                |                      | 382                  | 667         |                              | 837                  | 4393        |
| 60 2-ST                         | **                | KG                |                      | 382                  | 667         |                              | 837                  | 4393        |
| 6115.92-000                     | DZ                | KG                | -                    | -                    | -           | 166                          | 50                   | 530         |
| 6115 4-ST                       | DZ                | KG                | -                    | -                    | -           | 166                          | 50                   | 530         |
| 61 2-ST                         | DZ                | KG                | -                    | -                    | -           | 166                          | 50                   | 530         |
| 6804.21-200                     |                   | KG                |                      | 21                   | 660         |                              | 24                   | 2030        |
| 6804.22-200                     |                   | KG                |                      | -                    | -           |                              | 314                  | 7863        |
| 6804 4-ST                       | **                | KG                |                      | 21                   | 660         |                              | 338                  | 9893        |
| 6805.20-000                     |                   | KG                |                      | -                    | -           |                              | 595                  | 1367        |
| 6805 4-ST                       | **                | KG                |                      | -                    | -           |                              | 595                  | 1367        |
| 68 2-ST                         | **                | KG                |                      | 21                   | 660         |                              | 933                  | 11260       |
| 6903.20-000                     |                   | KG                |                      | -                    | -           |                              | 4080                 | 1759        |
| 6903 4-ST                       | **                | KG                |                      | -                    | -           |                              | 4080                 | 1759        |
| 6909.12-000                     |                   | KG                |                      | 126                  | 467         |                              | 1024                 | 5317        |
| 6909.19-000                     |                   | KG                |                      | -                    | -           |                              | 1310                 | 8211        |
| 6909 4-ST                       | **                | KG                |                      | 126                  | 467         |                              | 2334                 | 13528       |
| 69 2-ST                         | **                | KG                |                      | 126                  | 467         |                              | 6414                 | 15287       |
| 7003.20-000                     | SM                | KG                | -                    | -                    | -           | 0                            | 80                   | 268         |
| 7003 4-ST                       | SM                | KG                | -                    | -                    | -           | 0                            | 80                   | 268         |
| 7007.19-000                     | SM                | KG                | 97                   | 30                   | 264         | 97                           | 30                   | 264         |
| 7007 4-ST                       | SM                | KG                | 97                   | 30                   | 264         | 97                           | 30                   | 264         |
| 7011.20-000                     |                   | KG                |                      | -                    | -           |                              | 116                  | 237         |
| 7011 4-ST                       | **                | KG                |                      | -                    | -           |                              | 116                  | 237         |
| 7018.10-000                     |                   | KG                |                      | -                    | -           |                              | 16                   | 480         |
| 7018 4-ST                       | **                | KG                |                      | -                    | -           |                              | 16                   | 480         |
| 7019.32-000                     |                   | KG                |                      | -                    | -           |                              | 1063                 | 1699        |
| 7019 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1063                 | 1699        |
| 70 2-ST                         |                   | KG                |                      | 30                   | 264         |                              | 1305                 | 2948        |
| 7105.10-000                     |                   | CT                |                      | -                    | -           |                              | 41000                | 6620        |
| 7105 4-ST                       | **                | CT                |                      | -                    | -           |                              | 41000                | 6620        |
| 7106.92-100                     |                   | GR                |                      | -                    | -           |                              | 710                  | 245         |
| 7106 4-ST                       | **                | GR                |                      | -                    | -           |                              | 710                  | 245         |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 71 2-ST                         | **                |                   |                     |                     | -           |                              |                     | 6865        |
| 7210.30-000                     |                   | KG                |                     | -                   | -           |                              | 15767               | 1670        |
| 7210 4-ST                       | **                | KG                |                     | -                   | -           |                              | 15767               | 1670        |
| 7212.40-900                     |                   | KG                |                     | -                   | -           |                              | 1050                | 417         |
| 7212.50-900                     |                   | KG                |                     | -                   | -           |                              | 3168                | 10004       |
| 7212 4-ST                       | **                | KG                |                     | -                   | -           |                              | 4218                | 10421       |
| 7227.90-900                     |                   | KG                |                     | -                   | -           |                              | 80                  | 384         |
| 7227 4-ST                       | **                | KG                |                     | -                   | -           |                              | 80                  | 384         |
| 72 2-ST                         | **                | KG                |                     | -                   | -           |                              | 20065               | 12475       |
| 7304.29-190                     |                   | KG                |                     | 6357                | 1671        |                              | 6357                | 1671        |
| 7304.31-900                     |                   | KG                |                     | 3788                | 907         |                              | 3788                | 907         |
| 7304 4-ST                       | **                | KG                |                     | 10145               | 2578        |                              | 10145               | 2578        |
| 7306.10-110                     |                   | KG                |                     | -                   | -           |                              | 255                 | 427         |
| 7306 4-ST                       | **                | KG                |                     | -                   | -           |                              | 255                 | 427         |
| 7307.23-000                     |                   | KG                |                     | -                   | -           |                              | 900                 | 4680        |
| 7307.29-000                     |                   | KG                |                     | -                   | -           |                              | 1188                | 6685        |
| 7307.92-000                     |                   | KG                |                     | -                   | -           |                              | 45                  | 206         |
| 7307.99-900                     |                   | KG                |                     | -                   | -           |                              | 1072                | 3942        |
| 7307 4-ST                       | **                | KG                |                     | -                   | -           |                              | 3205                | 15513       |
| 7311.00-000                     |                   | NO                | -                   | -                   | -           | 2                            | 140                 | 353         |
| 7311 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 140                 | 353         |
| 7315.12-000                     |                   | KG                |                     | -                   | -           |                              | 592                 | 553         |
| 7315 4-ST                       | **                | KG                |                     | -                   | -           |                              | 592                 | 553         |
| 7318.13-000                     |                   | KG                |                     | -                   | -           |                              | 98                  | 1710        |
| 7318.15-110                     |                   | KG                |                     | -                   | -           |                              | 180                 | 996         |
| 7318.15-190                     |                   | KG                |                     | 763                 | 1381        |                              | 1432                | 4253        |
| 7318.15-900                     |                   | KG                |                     | -                   | -           |                              | 50                  | 504         |
| 7318.16-900                     |                   | KG                |                     | 8                   | 258         |                              | 8                   | 258         |
| 7318.29-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 375         |
| 7318 4-ST                       | **                | KG                |                     | 771                 | 1639        |                              | 1788                | 8096        |
| 7319.30-000                     |                   | KG                |                     | -                   | -           |                              | 12                  | 518         |
| 7319 4-ST                       | **                | KG                |                     | -                   | -           |                              | 12                  | 518         |
| 7320.20-000                     |                   | KG                |                     | 52                  | 480         |                              | 52                  | 480         |
| 7320 4-ST                       | **                | KG                |                     | 52                  | 480         |                              | 52                  | 480         |
| 7326.90-000                     |                   | KG                |                     | -                   | -           |                              | 4493                | 3649        |
| 7326 4-ST                       | **                | KG                |                     | -                   | -           |                              | 4493                | 3649        |
| 73 2-ST                         |                   | KG                |                     | 10968               | 4697        |                              | 20682               | 32167       |
| 7408.19-900                     |                   | KG                |                     | -                   | -           |                              | 1                   | 614         |
| 7408 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1                   | 614         |
| 7411.10-000                     |                   | KG                |                     | -                   | -           |                              | 614                 | 1199        |
| 7411 4-ST                       | **                | KG                |                     | -                   | -           |                              | 614                 | 1199        |
| 7419.99-000                     |                   | KG                |                     | 3038                | 1968        |                              | 3438                | 2832        |
| 7419 4-ST                       | **                | KG                |                     | 3038                | 1968        |                              | 3438                | 2832        |
| 74 2-ST                         | **                | KG                |                     | 3038                | 1968        |                              | 4053                | 4645        |
| 7502.20-000                     |                   | KG                |                     | -                   | -           |                              | 62                  | 221         |
| 7502 4-ST                       | **                | KG                |                     | -                   | -           |                              | 62                  | 221         |
| 7508.90-000                     |                   | KG                |                     | 54                  | 221         |                              | 54                  | 221         |
| 7508 4-ST                       | **                | KG                |                     | 54                  | 221         |                              | 54                  | 221         |
| 75 2-ST                         | **                | KG                |                     | 54                  | 221         |                              | 116                 | 442         |
| 7605.29-000                     |                   | KG                |                     | -                   | -           |                              | 200                 | 365         |
| 7605 4-ST                       | **                | KG                |                     | -                   | -           |                              | 200                 | 365         |
| 7607.19-000                     |                   | KG                |                     | -                   | -           |                              | 56                  | 373         |
| 7607 4-ST                       | **                | KG                |                     | -                   | -           |                              | 56                  | 373         |
| 76 2-ST                         | **                | KG                |                     | -                   | -           |                              | 256                 | 738         |
| 7907.00-900                     |                   | KG                |                     | -                   | -           |                              | 495                 | 650         |
| 7907 4-ST                       | **                | KG                |                     | -                   | -           |                              | 495                 | 650         |
| 79 2-ST                         | **                | KG                |                     | -                   | -           |                              | 495                 | 650         |
| 8203.20-900                     |                   | KG                |                     | -                   | -           |                              | 20                  | 210         |
| 8203 4-ST                       | **                | KG                |                     | -                   | -           |                              | 20                  | 210         |
| 8205.59-000                     |                   | KG                |                     | -                   | -           |                              | 12                  | 225         |
| 8205.70-000                     | NO                | KG                | -                   | -                   | -           | 12                           | 58                  | 220         |
| 8205 4-ST                       |                   | KG                |                     | -                   | -           |                              | 70                  | 445         |
| 8207.30-900                     |                   | KG                |                     | -                   | -           |                              | 147                 | 1968        |
| 8207.40-110                     | NO                | KG                | -                   | -                   | -           | 589                          | 21                  | 521         |
| 8207.40-190                     | NO                | KG                | 24                  | 337                 | 2848        | 24                           | 337                 | 2848        |
| 8207.50-100                     | NO                | KG                | 399                 | 127                 | 2707        | 546                          | 152                 | 3622        |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 8207.60-190                     | NO                | KG                | -                   | -                   | -           | 165                          | 19                  | 737         |
| 8207.60-900                     |                   | KG                | -                   | -                   | -           |                              | 110                 | 2544        |
| 8207.90-100                     | NO                | KG                | -                   | -                   | -           | 249                          | 3                   | 692         |
| 8207.90-900                     |                   | KG                |                     | 341                 | 1374        |                              | 1379                | 5379        |
| 8207 4-ST                       |                   | KG                |                     | 805                 | 6929        |                              | 2168                | 18311       |
| 8208.90-000                     |                   | KG                |                     | -                   | -           |                              | 18                  | 1087        |
| 8208 4-ST                       | **                | KG                |                     | -                   | -           |                              | 18                  | 1087        |
| 8209.00-100                     | NO                | KG                | -                   | -                   | -           | 200                          | 2                   | 263         |
| 8209.00-900                     |                   | KG                |                     | -                   | -           |                              | 7                   | 1893        |
| 8209 4-ST                       |                   | KG                |                     | -                   | -           |                              | 9                   | 2156        |
| 82 2-ST                         |                   | KG                |                     | 805                 | 6929        |                              | 2285                | 22209       |
| 8302.20-000                     |                   | KG                |                     | -                   | -           |                              | 1200                | 2319        |
| 8302.30-000                     |                   | KG                |                     | -                   | -           |                              | 2148                | 2735        |
| 8302 4-ST                       | **                | KG                |                     | -                   | -           |                              | 3348                | 5054        |
| 8308.20-000                     |                   | KG                |                     | -                   | -           |                              | 114                 | 359         |
| 8308.90-900                     |                   | KG                |                     | -                   | -           |                              | 336                 | 972         |
| 8308 4-ST                       | **                | KG                |                     | -                   | -           |                              | 450                 | 1331        |
| 8311.10-110                     |                   | KG                |                     | 2000                | 2867        |                              | 2000                | 2867        |
| 8311 4-ST                       | **                | KG                |                     | 2000                | 2867        |                              | 2000                | 2867        |
| 83 2-ST                         | **                | KG                |                     | 2000                | 2867        |                              | 5798                | 9252        |
| 8404.90-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 1358        |
| 8404 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5                   | 1358        |
| 8406.90-000                     |                   | KG                |                     | -                   | -           |                              | 14                  | 280         |
| 8406 4-ST                       | **                | KG                |                     | -                   | -           |                              | 14                  | 280         |
| 8409.91-100                     |                   | KG                |                     | -                   | -           |                              | 1224                | 7524        |
| 8409.99-100                     |                   | KG                |                     | 66                  | 1123        |                              | 5363                | 27865       |
| 8409.99-200                     |                   | KG                |                     | 312                 | 3899        |                              | 12353               | 48841       |
| 8409.99-900                     |                   | KG                |                     | 1477                | 11745       |                              | 4003                | 46960       |
| 8409 4-ST                       | **                | KG                |                     | 1855                | 16767       |                              | 22943               | 131190      |
| 8410.90-000                     |                   | KG                |                     | -                   | -           |                              | 995                 | 7896        |
| 8410 4-ST                       | **                | KG                |                     | -                   | -           |                              | 995                 | 7896        |
| 8411.99-000                     |                   | KG                |                     | 1450                | 189521      |                              | 1450                | 189521      |
| 8411 4-ST                       | **                | KG                |                     | 1450                | 189521      |                              | 1450                | 189521      |
| 8412.21-000                     | NO                | KG                | 10                  | 2                   | 229         | 19                           | 130                 | 799         |
| 8412.29-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 270                 | 805         |
| 8412.31-000                     | NO                | KG                | -                   | -                   | -           | 9                            | 32                  | 867         |
| 8412.39-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 25                  | 1422        |
| 8412 4-ST                       | NO                | KG                | 10                  | 2                   | 229         | 31                           | 457                 | 3893        |
| 8413.30-000                     | NO                | KG                | -                   | -                   | -           | 107                          | 246                 | 3366        |
| 8413.60-100                     | NO                | KG                | 1                   | 70                  | 1740        | 15                           | 271                 | 3519        |
| 8413.60-900                     | NO                | KG                | 10                  | 46                  | 230         | 13                           | 69                  | 915         |
| 8413.70-100                     | NO                | KG                | -                   | -                   | -           | 5                            | 217                 | 2729        |
| 8413.81-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 235                 | 1980        |
| 8413.91-000                     |                   | KG                |                     | 89                  | 1463        |                              | 1132                | 20854       |
| 8413 4-ST                       |                   | KG                |                     | 205                 | 3433        |                              | 2170                | 33363       |
| 8414.10-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 124                 | 579         |
| 8414.59-000                     | NO                | KG                | -                   | -                   | -           | 3                            | 150                 | 2188        |
| 8414.80-220                     | NO                | KG                | 1                   | 35                  | 251         | 1                            | 35                  | 251         |
| 8414.90-100                     |                   | KG                |                     | 125                 | 964         |                              | 413                 | 4529        |
| 8414.90-900                     |                   | KG                |                     | 3                   | 227         |                              | 136                 | 1806        |
| 8414 4-ST                       |                   | KG                |                     | 163                 | 1442        |                              | 858                 | 9353        |
| 8415.90-000                     |                   | KG                |                     | -                   | -           |                              | 51                  | 772         |
| 8415 4-ST                       | **                | KG                |                     | -                   | -           |                              | 51                  | 772         |
| 8416.20-000                     |                   | KG                |                     | -                   | -           |                              | 592                 | 2020        |
| 8416.90-100                     |                   | KG                |                     | 16                  | 1076        |                              | 16                  | 1076        |
| 8416 4-ST                       | **                | KG                |                     | 16                  | 1076        |                              | 608                 | 3096        |
| 8419.50-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 177                 | 1400        |
| 8419.90-000                     |                   | KG                |                     | -                   | -           |                              | 467                 | 2047        |
| 8419 4-ST                       |                   | KG                |                     | -                   | -           |                              | 644                 | 3447        |
| 8421.23-000                     | NO                | KG                | 150                 | 6                   | 712         | 470                          | 31                  | 2471        |
| 8421.29-000                     | NO                | KG                | -                   | -                   | -           | 100                          | 84                  | 6328        |
| 8421.39-000                     | NO                | KG                | -                   | -                   | -           | 5500                         | 97                  | 1485        |
| 8421.99-000                     |                   | KG                |                     | 120                 | 6021        |                              | 1211                | 54934       |
| 8421 4-ST                       |                   | KG                |                     | 126                 | 6733        |                              | 1423                | 65218       |
| 8423.82-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 7                   | 232         |
| 8423 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 7                   | 232         |
| 8424.89-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 11                  | 275         |
| 8424 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 11                  | 275         |
| 8425.42-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 400                 | 2938        |
| 8425 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 400                 | 2938        |
| 8431.10-000                     |                   | KG                |                     | -                   | -           |                              | 440                 | 11750       |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 8431.39-900                     |                   | KG                |                     | -                   | -           |                              | 180                 | 3035        |
| 8431.49-110                     |                   | KG                |                     | -                   | -           |                              | 613                 | 771         |
| 8431.49-900                     |                   | KG                |                     | -                   | -           |                              | 405                 | 533         |
| 8431 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1638                | 16089       |
| 8433.59-000                     | NO                | KG                | -                   | -                   | -           | 15                           | 93                  | 365         |
| 8433 4-ST                       | NO                | KG                | -                   | -                   | -           | 15                           | 93                  | 365         |
| 8437.10-000                     | NO                | KG                | 2                   | 240                 | 1872        | 14                           | 1309                | 6862        |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 698                 | 2280        |
| 8437 4-ST                       |                   | KG                |                     | 240                 | 1872        |                              | 2007                | 9142        |
| 8441.90-000                     |                   | KG                |                     | -                   | -           |                              | 456                 | 3842        |
| 8441 4-ST                       | **                | KG                |                     | -                   | -           |                              | 456                 | 3842        |
| 8443.59-900                     | NO                | KG                | -                   | -                   | -           | 2                            | 170                 | 3812        |
| 8443.90-100                     |                   | KG                |                     | -                   | -           |                              | 26                  | 457         |
| 8443 4-ST                       |                   | KG                |                     | -                   | -           |                              | 196                 | 4269        |
| 8445.20-100                     | NO                | KG                | -                   | -                   | -           | 64                           | 9                   | 332         |
| 8445 4-ST                       | NO                | KG                | -                   | -                   | -           | 64                           | 9                   | 332         |
| 8446.21-000                     | NO                | KG                | 8                   | 370                 | 7320        | 8                            | 370                 | 7320        |
| 8446 4-ST                       | NO                | KG                | 8                   | 370                 | 7320        | 8                            | 370                 | 7320        |
| 8448.20-000                     |                   | KG                |                     | -                   | -           |                              | 12                  | 210         |
| 8448.31-000                     |                   | KG                |                     | 160                 | 2085        |                              | 706                 | 8830        |
| 8448.32-000                     |                   | KG                |                     | 18                  | 254         |                              | 1341                | 18912       |
| 8448.33-100                     | NO                | KG                | -                   | -                   | -           | 1040                         | 874                 | 709         |
| 8448.39-100                     |                   | KG                |                     | 909                 | 2370        |                              | 22228               | 17242       |
| 8448.39-900                     |                   | KG                |                     | -                   | -           |                              | 1549                | 12538       |
| 8448.42-000                     |                   | KG                |                     | -                   | -           |                              | 123                 | 833         |
| 8448.49-000                     |                   | KG                |                     | -                   | -           |                              | 147                 | 3756        |
| 8448.51-100                     | TH                | KG                | -                   | -                   | -           | 10                           | 8                   | 361         |
| 8448.59-100                     |                   | KG                |                     | -                   | -           |                              | 1                   | 290         |
| 8448 4-ST                       |                   | KG                |                     | 1087                | 4709        |                              | 26989               | 63681       |
| 8449.00-000                     |                   | KG                |                     | -                   | -           |                              | 809                 | 23100       |
| 8449 4-ST                       | **                | KG                |                     | -                   | -           |                              | 809                 | 23100       |
| 8450.90-000                     |                   | KG                |                     | 131                 | 239         |                              | 131                 | 239         |
| 8450 4-ST                       | **                | KG                |                     | 131                 | 239         |                              | 131                 | 239         |
| 8451.30-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 125                 | 369         |
| 8451.90-000                     |                   | KG                |                     | -                   | -           |                              | 94                  | 842         |
| 8451 4-ST                       |                   | KG                |                     | -                   | -           |                              | 219                 | 1211        |
| 8452.21-900                     | NO                | KG                | -                   | -                   | -           | 9                            | 856                 | 3556        |
| 8452.29-900                     | NO                | KG                | -                   | -                   | -           | 2                            | 323                 | 1226        |
| 8452.30-900                     | TH                | KG                | -                   | -                   | -           | 411                          | 268                 | 3998        |
| 8452.90-920                     | NO                | KG                | 212                 | 10                  | 638         | 212                          | 10                  | 638         |
| 8452.90-990                     |                   | KG                |                     | 7                   | 207         |                              | 150                 | 3590        |
| 8452 4-ST                       |                   | KG                |                     | 17                  | 845         |                              | 1607                | 13008       |
| 8455.30-000                     | NO                | KG                | 2                   | 6804                | 2670        | 2                            | 6804                | 2670        |
| 8455 4-ST                       | NO                | KG                | 2                   | 6804                | 2670        | 2                            | 6804                | 2670        |
| 8456.30-110                     | NO                | KG                | -                   | -                   | -           | 2                            | 5600                | 29972       |
| 8456 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 5600                | 29972       |
| 8461.40-910                     | NO                | KG                | -                   | -                   | -           | 5                            | 12                  | 2625        |
| 8461.50-000                     | NO                | KG                | -                   | -                   | -           | 100                          | 1900                | 1132        |
| 8461.90-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 5                   | 250         |
| 8461 4-ST                       | NO                | KG                | -                   | -                   | -           | 106                          | 1917                | 4007        |
| 8463.10-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 1150                | 5550        |
| 8463.90-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 800                 | 8923        |
| 8463 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 1950                | 14473       |
| 8465.91-100                     | NO                | KG                | -                   | -                   | -           | 75                           | 1425                | 849         |
| 8465 4-ST                       | NO                | KG                | -                   | -                   | -           | 75                           | 1425                | 849         |
| 8466.10-100                     |                   | KG                |                     | 73                  | 1094        |                              | 423                 | 8134        |
| 8466.30-100                     |                   | KG                |                     | -                   | -           |                              | 2                   | 300         |
| 8466.93-000                     |                   | KG                |                     | 840                 | 7376        |                              | 2048                | 19212       |
| 8466.94-000                     |                   | KG                |                     | -                   | -           |                              | 463                 | 4134        |
| 8466 4-ST                       | **                | KG                |                     | 913                 | 8470        |                              | 2936                | 31780       |
| 8467.11-000                     | NO                | KG                | -                   | -                   | -           | 106                          | 236                 | 4369        |
| 8467.19-100                     | NO                | KG                | 1                   | 31                  | 235         | 1                            | 31                  | 235         |
| 8467.19-900                     | NO                | KG                | -                   | -                   | -           | 19                           | 121                 | 1632        |
| 8467.92-000                     |                   | KG                |                     | -                   | -           |                              | 52                  | 1344        |
| 8467 4-ST                       |                   | KG                |                     | 31                  | 235         |                              | 440                 | 7580        |
| 8468.20-000                     | NO                | KG                | -                   | -                   | -           | 35                           | 385                 | 912         |
| 8468.90-000                     |                   | KG                |                     | -                   | -           |                              | 29                  | 662         |
| 8468 4-ST                       |                   | KG                |                     | -                   | -           |                              | 414                 | 1574        |
| 8471.41-900                     | NO                |                   |                     | -                   | -           |                              | 1                   | 500         |
| 8471.60-210                     |                   | NO                |                     | -                   | -           |                              | 1                   | 211         |
| 8471.60-220                     |                   | NO                |                     | -                   | -           |                              | 47                  | 2783        |
| 8471.80-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 520         |
| 8471 4-ST                       | **                | NO                |                     | -                   | -           |                              | 50                  | 4014        |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 30                  | 730         |
| 8473.4-ST                       | **                | KG                |                     | -                   | -           |                              | 30                  | 730         |
| 8475.90-000                     |                   | KG                |                     | -                   | -           |                              | 1098                | 7488        |
| 8475.4-ST                       | **                | KG                |                     | -                   | -           |                              | 1098                | 7488        |
| 8479.50-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 68900       |
| 8479.89-900                     | NO                | KG                | 13                  | 58                  | 4980        | 136                          | 896                 | 15831       |
| 8479.90-000                     |                   | KG                |                     | 4                   | 376         |                              | 550                 | 8622        |
| 8479.4-ST                       |                   |                   |                     |                     | 5356        |                              |                     | 93353       |
| 8480.41-000                     |                   | KG                |                     | -                   | -           |                              | 2450                | 5208        |
| 8480.71-000                     |                   | KG                |                     | -                   | -           |                              | 7                   | 856         |
| 8480.4-ST                       | **                | KG                |                     | -                   | -           |                              | 2457                | 6064        |
| 8481.10-000                     |                   | KG                |                     | -                   | -           |                              | 58                  | 401         |
| 8481.20-000                     |                   | KG                |                     | -                   | -           |                              | 51                  | 936         |
| 8481.40-000                     |                   | KG                |                     | -                   | -           |                              | 79                  | 1367        |
| 8481.80-110                     |                   | KG                |                     | 57                  | 693         |                              | 128                 | 2315        |
| 8481.80-190                     |                   | KG                |                     | 458                 | 2643        |                              | 1049                | 9406        |
| 8481.80-900                     |                   | KG                |                     | -                   | -           |                              | 426                 | 8593        |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 608                 | 8111        |
| 8481.4-ST                       | **                | KG                |                     | 515                 | 3336        |                              | 2399                | 31129       |
| 8482.10-000                     | NO                | KG                | 150                 | 17                  | 210         | 154755                       | 2584                | 15159       |
| 8482.20-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 1340                | 2950        |
| 8482.40-000                     | NO                | KG                | 25200               | 420                 | 3865        | 88988                        | 934                 | 7598        |
| 8482.50-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 972                 | 2789        |
| 8482.91-100                     |                   | KG                |                     | -                   | -           |                              | 418                 | 449         |
| 8482.99-000                     |                   | KG                |                     | 1862                | 2276        |                              | 21155               | 25902       |
| 8482.4-ST                       |                   | KG                |                     | 2299                | 6351        |                              | 27403               | 54847       |
| 8483.10-000                     | NO                | KG                | 20                  | 102                 | 1231        | 82                           | 448                 | 5902        |
| 8483.20-000                     | NO                | KG                | -                   | -                   | -           | 22                           | 157                 | 320         |
| 8483.30-200                     | NO                | KG                | 85                  | 110                 | 3463        | 729                          | 917                 | 24801       |
| 8483.40-100                     | NO                | KG                | -                   | -                   | -           | 40                           | 212                 | 1608        |
| 8483.40-200                     | NO                | KG                | -                   | -                   | -           | 14                           | 102                 | 1205        |
| 8483.40-300                     | NO                | KG                | -                   | -                   | -           | 4                            | 58                  | 221         |
| 8483.40-900                     | NO                | KG                | -                   | -                   | -           | 9                            | 229                 | 1131        |
| 8483.60-000                     | NO                | KG                | -                   | -                   | -           | 206                          | 116                 | 1209        |
| 8483.90-300                     |                   | KG                |                     | -                   | -           |                              | 184                 | 330         |
| 8483.90-900                     |                   | KG                |                     | -                   | -           |                              | 1586                | 6241        |
| 8483.4-ST                       |                   | KG                |                     | 212                 | 4694        |                              | 4009                | 42968       |
| 8484.10-000                     |                   | KG                |                     | 207                 | 3359        |                              | 365                 | 6032        |
| 8484.20-000                     |                   | KG                |                     | 12                  | 694         |                              | 156                 | 9237        |
| 8484.90-000                     |                   | KG                |                     | -                   | -           |                              | 24                  | 391         |
| 8484.4-ST                       | **                | KG                |                     | 219                 | 4053        |                              | 545                 | 15660       |
| 8485.90-000                     |                   | KG                |                     | 15                  | 360         |                              | 225                 | 2029        |
| 8485.4-ST                       | **                | KG                |                     | 15                  | 360         |                              | 225                 | 2029        |
| 84.2-ST                         |                   |                   |                     |                     | 269711      |                              |                     | 946617      |
| 8501.10-191                     | NO                | KG                | -                   | -                   | -           | 973113                       | 34851               | 918342      |
| 8501.31-191                     | NO                | KG                | -                   | -                   | -           | 35                           | 105                 | 700         |
| 8501.34-200                     | NO                | KG                | -                   | -                   | -           | 1                            | 500                 | 866         |
| 8501.40-910                     | NO                | KG                | -                   | -                   | -           | 37                           | 75                  | 316         |
| 8501.51-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 60                  | 299         |
| 8501.52-100                     | NO                | KG                | -                   | -                   | -           | 7                            | 128                 | 2184        |
| 8501.52-200                     | NO                | KG                | -                   | -                   | -           | 1                            | 20                  | 432         |
| 8501.4-ST                       | NO                | KG                | -                   | -                   | -           | 973199                       | 35739               | 923139      |
| 8503.00-000                     |                   | KG                |                     | 180                 | 516         |                              | 951                 | 6888        |
| 8503.4-ST                       | **                | KG                |                     | 180                 | 516         |                              | 951                 | 6888        |
| 8504.31-910                     | NO                | KG                | -                   | -                   | -           | 160                          | 720                 | 672         |
| 8504.40-110                     | NO                | KG                | -                   | -                   | -           | 3                            | 13                  | 812         |
| 8504.40-900                     | NO                | KG                | 150                 | 833                 | 7102        | 561                          | 3095                | 27980       |
| 8504.50-000                     | NO                | KG                | -                   | -                   | -           | 9000                         | 10                  | 244         |
| 8504.90-000                     |                   | KG                |                     | 34                  | 279         |                              | 131                 | 1059        |
| 8504.4-ST                       |                   | KG                |                     | 867                 | 7381        |                              | 3969                | 30767       |
| 8505.11-000                     |                   | KG                |                     | -                   | -           |                              | 541                 | 3117        |
| 8505.20-000                     |                   | KG                |                     | -                   | -           |                              | 160                 | 4121        |
| 8505.90-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 6                   | 280         |
| 8505.4-ST                       |                   | KG                |                     | -                   | -           |                              | 707                 | 7518        |
| 8507.30-000                     | NO                | KG                | -                   | -                   | -           | 45000                        | 930                 | 4503        |
| 8507.90-000                     |                   | KG                |                     | -                   | -           |                              | 297                 | 2567        |
| 8507.4-ST                       |                   | KG                |                     | -                   | -           |                              | 1227                | 7070        |
| 8508.20-000                     | NO                |                   |                     | -                   | -           |                              | 50                  | 666         |
| 8508.80-100                     |                   | NO                |                     | -                   | -           |                              | 900                 | 4169        |
| 8508.80-900                     |                   | NO                |                     | -                   | -           |                              | 228                 | 2903        |
| 8508.90-000                     |                   | KG                |                     | 22                  | 306         |                              | 64                  | 680         |
| 8508.4-ST                       | **                |                   |                     |                     | 306         |                              |                     | 8418        |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 8510.90-000                     |                   | KG                |                     | -                   | -           |                              | 45                  | 1185        |
| 8510 4-ST                       | **                | KG                |                     | -                   | -           |                              | 45                  | 1185        |
| 8514.40-000                     | NO                | KG                | 13                  | 43                  | 285         | 90                           | 563                 | 3884        |
| 8514 4-ST                       | NO                | KG                | 13                  | 43                  | 285         | 90                           | 563                 | 3884        |
| 8515.11-000                     | NO                | KG                | -                   | -                   | -           | 75                           | 9                   | 312         |
| 8515.19-000                     | NO                | KG                | -                   | -                   | -           | 529                          | 1227                | 5501        |
| 8515.31-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 155                 | 1307        |
| 8515.39-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 45                  | 1375        |
| 8515.80-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 233                 | 2566        |
| 8515.90-000                     |                   | KG                |                     | 9                   | 323         |                              | 537                 | 18383       |
| 8515 4-ST                       |                   | KG                |                     | 9                   | 323         |                              | 2206                | 29444       |
| 8516.71-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 275         |
| 8516.80-000                     | NO                | KG                | -                   | -                   | -           | 18152                        | 225                 | 3778        |
| 8516 4-ST                       |                   |                   |                     |                     | -           |                              |                     | 4053        |
| 8518.10-100                     | NO                | KG                | -                   | -                   | -           | 15                           | 12                  | 316         |
| 8518.50-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 105                 | 597         |
| 8518.90-000                     |                   | KG                |                     | 135                 | 813         |                              | 542                 | 8133        |
| 8518 4-ST                       |                   | KG                |                     | 135                 | 813         |                              | 659                 | 9046        |
| 8519.99-190                     |                   | NO                |                     | 5                   | 1161        |                              | 10                  | 1381        |
| 8519 4-ST                       | **                | NO                |                     | 5                   | 1161        |                              | 10                  | 1381        |
| 8521.90-000                     | NO                | KG                | -                   | -                   | -           | 41                           | 278                 | 2136        |
| 8521 4-ST                       | NO                | KG                | -                   | -                   | -           | 41                           | 278                 | 2136        |
| 8522.90-900                     |                   | KG                |                     | 248                 | 2353        |                              | 1108                | 7995        |
| 8522 4-ST                       | **                | KG                |                     | 248                 | 2353        |                              | 1108                | 7995        |
| 8523.13-900                     | NO                | KG                | -                   | -                   | -           | 3450                         | 1304                | 3192        |
| 8523 4-ST                       | NO                | KG                | -                   | -                   | -           | 3450                         | 1304                | 3192        |
| 8524.53-000                     |                   | NO                |                     | -                   | -           |                              | 3                   | 348         |
| 8524.91-900                     |                   | NO                |                     | -                   | -           |                              | 4                   | 1170        |
| 8524 4-ST                       | **                | NO                |                     | -                   | -           |                              | 7                   | 1518        |
| 8525.30-190                     | NO                | KG                | 12                  | 4                   | 384         | 35                           | 171                 | 11339       |
| 8525.30-900                     | NO                | KG                | 30                  | 8                   | 504         | 30                           | 8                   | 504         |
| 8525 4-ST                       | NO                | KG                | 42                  | 12                  | 888         | 65                           | 179                 | 11843       |
| 8526.92-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 14                  | 317         |
| 8526 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 14                  | 317         |
| 8527.31-990                     |                   | NO                |                     | -                   | -           |                              | 10                  | 2229        |
| 8527 4-ST                       | **                | NO                |                     | -                   | -           |                              | 10                  | 2229        |
| 8529.90-900                     |                   | KG                |                     | -                   | -           |                              | 889                 | 6424        |
| 8529 4-ST                       | **                | KG                |                     | -                   | -           |                              | 889                 | 6424        |
| 8531.10-000                     | NO                | KG                | 6                   | 1                   | 274         | 8                            | 6                   | 622         |
| 8531.80-000                     | NO                | KG                | -                   | -                   | -           | 28                           | 224                 | 4997        |
| 8531.90-000                     |                   | KG                |                     | 7                   | 275         |                              | 24                  | 2179        |
| 8531 4-ST                       |                   | KG                |                     | 8                   | 549         |                              | 254                 | 7798        |
| 8532.22-000                     | TH                | KG                | -                   | -                   | -           | 108                          | 95                  | 875         |
| 8532.25-000                     | TH                | KG                | -                   | -                   | -           | 129                          | 183                 | 1595        |
| 8532 4-ST                       | TH                | KG                | -                   | -                   | -           | 237                          | 278                 | 2470        |
| 8533.10-000                     | TH                | KG                | 100                 | 55                  | 354         | 564                          | 329                 | 2059        |
| 8533.21-000                     | TH                | KG                | 50                  | 235                 | 2375        | 435                          | 1934                | 21337       |
| 8533.40-000                     | NO                | KG                | -                   | -                   | -           | 46000                        | 23                  | 1231        |
| 8533 4-ST                       |                   | KG                |                     | 290                 | 2729        |                              | 2286                | 24627       |
| 8535.10-000                     |                   | KG                |                     | -                   | -           |                              | 6                   | 546         |
| 8535.30-000                     |                   | KG                |                     | -                   | -           |                              | 146                 | 2192        |
| 8535 4-ST                       | **                | KG                |                     | -                   | -           |                              | 152                 | 2738        |
| 8536.10-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 516         |
| 8536.20-000                     | NO                | KG                | -                   | -                   | -           | 33100                        | 45                  | 1881        |
| 8536.41-000                     |                   | KG                |                     | 11                  | 987         |                              | 261                 | 5516        |
| 8536.49-000                     |                   | KG                |                     | 0                   | 260         |                              | 236                 | 6066        |
| 8536.50-900                     | NO                | KG                | -                   | -                   | -           | 20372                        | 76                  | 1043        |
| 8536.69-000                     |                   | KG                |                     | -                   | -           |                              | 4                   | 300         |
| 8536.90-210                     |                   | KG                |                     | -                   | -           |                              | 59                  | 961         |
| 8536.90-290                     |                   | KG                |                     | -                   | -           |                              | 23                  | 348         |
| 8536 4-ST                       |                   | KG                |                     | 11                  | 1247        |                              | 714                 | 16631       |
| 8537.10-000                     | NO                | KG                | 12                  | 12                  | 726         | 15                           | 79                  | 1724        |
| 8537 4-ST                       | NO                | KG                | 12                  | 12                  | 726         | 15                           | 79                  | 1724        |
| 8538.90-100                     |                   | KG                |                     | -                   | -           |                              | 4309                | 15157       |
| 8538.90-200                     |                   | KG                |                     | 202                 | 889         |                              | 576                 | 5704        |
| 8538.90-900                     |                   | KG                |                     | 25                  | 1166        |                              | 594                 | 4841        |
| 8538 4-ST                       | **                | KG                |                     | 227                 | 2055        |                              | 5479                | 25702       |
| 8540.89-100                     | NO                | KG                | -                   | -                   | -           | 650                          | 25                  | 448         |
| 8540.91-000                     |                   | KG                |                     | 495                 | 5148        |                              | 912                 | 8219        |
| 8540 4-ST                       |                   | KG                |                     | 495                 | 5148        |                              | 937                 | 8667        |
| 8541.10-100                     | TH                |                   |                     | 300                 | 2884        |                              | 2200                | 21447       |
| 8541.10-910                     | NO                |                   |                     | 57500               | 207         |                              | 72500               | 655         |
| 8541.10-920                     | NO                |                   |                     | -                   | -           |                              | 131000              | 1203        |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 8541.21-910                     |                   | NO                |                     | -                   | -           |                              | 200000              | 1917        |
| 8541.29-910                     |                   | NO                |                     | -                   | -           |                              | 4650                | 1409        |
| 8541.30-900                     |                   | NO                |                     | 75000               | 1919        |                              | 415012              | 12297       |
| 8541.40-990                     |                   | NO                |                     | 10000               | 389         |                              | 52509               | 2413        |
| 8541.60-100                     |                   | NO                |                     | 121800              | 1237        |                              | 1513400             | 17440       |
| 8541.60-900                     |                   | NO                |                     | 94000               | 992         |                              | 396000              | 3807        |
| 8541.4-ST                       | **                |                   |                     |                     | 7628        |                              |                     | 62588       |
| 8542.13-900                     |                   | NO                |                     | -                   | -           |                              | 10000               | 1178        |
| 8542.30-900                     |                   | NO                |                     | -                   | -           |                              | 6480                | 2143        |
| 8542.40-000                     |                   | NO                |                     | -                   | -           |                              | 500                 | 225         |
| 8542.4-ST                       | **                | NO                |                     | -                   | -           |                              | 16980               | 3546        |
| 8543.89-000                     |                   | NO                |                     | -                   | -           |                              | 13                  | 2973        |
| 8543.90-000                     |                   | KG                |                     | -                   | -           |                              | 24                  | 805         |
| 8543.4-ST                       | **                |                   |                     |                     | -           |                              |                     | 3778        |
| 8544.11-000                     |                   | KG                |                     | 160                 | 573         |                              | 227                 | 31075       |
| 8544.20-000                     |                   | KG                |                     | -                   | -           |                              | 170                 | 221         |
| 8544.41-910                     |                   | KG                |                     | -                   | -           |                              | 12                  | 548         |
| 8544.4-ST                       | **                | KG                |                     | 160                 | 573         |                              | 409                 | 31844       |
| 8545.90-000                     |                   | KG                |                     | -                   | -           |                              | 80                  | 212         |
| 8545.4-ST                       | **                | KG                |                     | -                   | -           |                              | 80                  | 212         |
| 8547.10-000                     |                   | KG                |                     | -                   | -           |                              | 373                 | 1777        |
| 8547.20-000                     |                   | KG                |                     | -                   | -           |                              | 1000                | 374         |
| 8547.4-ST                       | **                | KG                |                     | -                   | -           |                              | 1373                | 2151        |
| 8548.90-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 201         |
| 8548.4-ST                       | **                | KG                |                     | -                   | -           |                              | 3                   | 201         |
| 85.2-ST                         |                   |                   |                     |                     | 34681       |                              |                     | 1263124     |
| 8708.21-000                     |                   | KG                |                     | -                   | -           |                              | 1126                | 1113        |
| 8708.29-000                     |                   | KG                |                     | -                   | -           |                              | 2559                | 4234        |
| 8708.39-000                     |                   | KG                |                     | -                   | -           |                              | 240                 | 706         |
| 8708.50-000                     |                   | KG                |                     | -                   | -           |                              | 123                 | 332         |
| 8708.93-000                     |                   | KG                |                     | 123                 | 297         |                              | 308                 | 681         |
| 8708.99-900                     |                   | KG                |                     | 780                 | 4255        |                              | 16867               | 63885       |
| 8708.4-ST                       | **                | KG                |                     | 903                 | 4552        |                              | 21223               | 70951       |
| 8714.19-000                     |                   | KG                |                     | -                   | -           |                              | 1143                | 2380        |
| 8714.96-900                     |                   | KG                |                     | -                   | -           |                              | 2568                | 1996        |
| 8714.99-900                     |                   | KG                |                     | -                   | -           |                              | 944                 | 726         |
| 8714.4-ST                       | **                | KG                |                     | -                   | -           |                              | 4655                | 5102        |
| 87.2-ST                         | **                | KG                |                     | 903                 | 4552        |                              | 25878               | 76053       |
| 9002.19-000                     |                   | KG                |                     | -                   | -           |                              | 4                   | 381         |
| 9002.4-ST                       | **                | KG                |                     | -                   | -           |                              | 4                   | 381         |
| 9007.11-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 130                 | 8009        |
| 9007.91-000                     |                   | KG                |                     | -                   | -           |                              | 15                  | 578         |
| 9007.4-ST                       |                   | KG                |                     | -                   | -           |                              | 145                 | 8587        |
| 9009.90-000                     |                   | KG                |                     | -                   | -           |                              | 235                 | 4576        |
| 9009.4-ST                       | **                | KG                |                     | -                   | -           |                              | 235                 | 4576        |
| 9010.10-000                     |                   | NO                |                     | -                   | -           |                              | 3                   | 10183       |
| 9010.90-000                     |                   | KG                |                     | -                   | -           |                              | 98                  | 656         |
| 9010.4-ST                       | **                |                   |                     |                     | -           |                              |                     | 10839       |
| 9014.10-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 10                  | 699         |
| 9014.90-100                     |                   | KG                |                     | -                   | -           |                              | 70                  | 5599        |
| 9014.4-ST                       |                   | KG                |                     | -                   | -           |                              | 80                  | 6298        |
| 9015.80-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 15                  | 218         |
| 9015.90-990                     |                   | KG                |                     | -                   | -           |                              | 8                   | 298         |
| 9015.4-ST                       |                   | KG                |                     | -                   | -           |                              | 23                  | 516         |
| 9016.00-100                     |                   | KG                |                     | 51                  | 1179        |                              | 259                 | 4811        |
| 9016.4-ST                       | **                | KG                |                     | 51                  | 1179        |                              | 259                 | 4811        |
| 9017.80-990                     | NO                | KG                | -                   | -                   | -           | 3                            | 88                  | 450         |
| 9017.90-100                     |                   | KG                |                     | -                   | -           |                              | 2                   | 207         |
| 9017.90-900                     |                   | KG                |                     | -                   | -           |                              | 2                   | 246         |
| 9017.4-ST                       |                   | KG                |                     | -                   | -           |                              | 92                  | 903         |
| 9018.12-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 925         |
| 9018.19-210                     | NO                | KG                | -                   | -                   | -           | 4                            | 63                  | 2223        |
| 9018.19-290                     | NO                | KG                | -                   | -                   | -           | 1                            | 163                 | 4327        |
| 9018.49-900                     | NO                | KG                | 24                  | 71                  | 733         | 1127                         | 325                 | 4587        |
| 9018.50-100                     |                   | KG                |                     | 56                  | 3506        |                              | 1468                | 44610       |
| 9018.90-110                     | NO                | KG                | -                   | -                   | -           | 15                           | 65                  | 2164        |
| 9018.90-200                     | NO                | KG                | -                   | -                   | -           | 12                           | 136                 | 4741        |
| 9018.4-ST                       |                   |                   |                     |                     | 4239        |                              |                     | 63577       |
| 9019.10-000                     |                   | KG                |                     | -                   | -           |                              | 58                  | 471         |
| 9019.4-ST                       | **                | KG                |                     | -                   | -           |                              | 58                  | 471         |
| 9021.21-000                     |                   | KG                |                     | 51                  | 544         |                              | 216                 | 2390        |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 123 INDIA                       |                   |                   |                     |                     |             |                              |                     |             |
| 9021 4-ST                       | **                | KG                |                     | 51                  | 544         |                              | 216                 | 2390        |
| 9024.80-900                     | NO                | KG                | -                   | -                   | -           | 100                          | 19                  | 740         |
| 9024 4-ST                       | NO                | KG                | -                   | -                   | -           | 100                          | 19                  | 740         |
| 9025.19-100                     | NO                | KG                | 4                   | 2                   | 824         | 4                            | 2                   | 824         |
| 9025 4-ST                       | NO                | KG                | 4                   | 2                   | 824         | 4                            | 2                   | 824         |
| 9026.10-110                     | NO                | KG                | 1                   | 1110                | 32171       | 1                            | 1110                | 32171       |
| 9026.20-900                     | NO                | KG                | -                   | -                   | -           | 6                            | 8                   | 254         |
| 9026.80-900                     | NO                | KG                | 2                   | 21                  | 800         | 5                            | 34                  | 1790        |
| 9026.90-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 299         |
| 9026 4-ST                       |                   | KG                |                     | 1131                | 32971       |                              | 1157                | 34514       |
| 9027.50-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 64                  | 4000        |
| 9027.80-110                     | NO                | KG                | -                   | -                   | -           | 4                            | 54                  | 1880        |
| 9027.80-190                     | NO                | KG                | 5                   | 34                  | 2237        | 9                            | 110                 | 4157        |
| 9027 4-ST                       | NO                | KG                | 5                   | 34                  | 2237        | 14                           | 228                 | 10037       |
| 9028.10-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 13                  | 980         |
| 9028 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 13                  | 980         |
| 9029.10-900                     | NO                | KG                | -                   | -                   | -           | 204                          | 23                  | 469         |
| 9029.20-920                     | NO                | KG                | -                   | -                   | -           | 850                          | 311                 | 6161        |
| 9029 4-ST                       | NO                | KG                | -                   | -                   | -           | 1054                         | 334                 | 6630        |
| 9030.10-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 59                  | 3420        |
| 9030.31-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 35                  | 975         |
| 9030.39-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 34                  | 409         |
| 9030.89-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 190                 | 7977        |
| 9030.90-000                     |                   | KG                |                     | -                   | -           |                              | 1                   | 268         |
| 9030 4-ST                       |                   | KG                |                     | -                   | -           |                              | 319                 | 13049       |
| 9031.49-000                     | NO                |                   |                     | 4                   | 614         |                              | 10                  | 2634        |
| 9031.80-190                     | NO                | KG                | 8                   | 4                   | 1113        | 77                           | 486                 | 21538       |
| 9031.80-900                     | NO                | KG                | -                   | -                   | -           | 86                           | 23                  | 3634        |
| 9031.90-100                     |                   | KG                |                     | 49                  | 760         |                              | 60                  | 1182        |
| 9031 4-ST                       |                   |                   |                     |                     | 2487        |                              |                     | 28988       |
| 9032.81-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 35                  | 592         |
| 9032.89-112                     | NO                | KG                | -                   | -                   | -           | 47                           | 17                  | 1339        |
| 9032.89-119                     | NO                | KG                | -                   | -                   | -           | 37                           | 51                  | 928         |
| 9032.89-190                     | NO                | KG                | -                   | -                   | -           | 3                            | 71                  | 510         |
| 9032.90-000                     |                   | KG                |                     | -                   | -           |                              | 85                  | 1128        |
| 9032 4-ST                       |                   | KG                |                     | -                   | -           |                              | 259                 | 4497        |
| 90 2-ST                         |                   |                   |                     |                     | 44481       |                              |                     | 203608      |
| 9402.10-900                     |                   | KG                |                     | -                   | -           |                              | 825                 | 1745        |
| 9402.90-000                     |                   | KG                |                     | -                   | -           |                              | 571                 | 3895        |
| 9402 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1396                | 5640        |
| 9405.40-210                     | NO                | KG                | -                   | -                   | -           | 10                           | 89                  | 354         |
| 9405.40-220                     | NO                | KG                | -                   | -                   | -           | 42                           | 672                 | 1501        |
| 9405 4-ST                       | NO                | KG                | -                   | -                   | -           | 52                           | 761                 | 1855        |
| 94 2-ST                         |                   | KG                |                     | -                   | -           |                              | 2157                | 7495        |
| 9503.80-900                     | NO                | KG                | -                   | -                   | -           | 35                           | 18                  | 204         |
| 9503 4-ST                       | NO                | KG                | -                   | -                   | -           | 35                           | 18                  | 204         |
| 95 2-ST                         | NO                | KG                | -                   | -                   | -           | 35                           | 18                  | 204         |
| 9606.22-000                     | GS                | KG                | -                   | -                   | -           | 1480                         | 196                 | 939         |
| 9606 4-ST                       | GS                | KG                | -                   | -                   | -           | 1480                         | 196                 | 939         |
| 9608.99-100                     |                   | KG                |                     | -                   | -           |                              | 2                   | 396         |
| 9608 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 396         |
| 96 2-ST                         |                   | KG                |                     | -                   | -           |                              | 198                 | 1335        |
| TOTAL                           |                   |                   |                     |                     | 493501      |                              |                     | 3766251     |
| 124 PAKISTN                     |                   |                   |                     |                     |             |                              |                     |             |
| 0000.00-190                     |                   | KG                |                     | -                   | -           |                              | 93                  | 753         |
| 0000 4-ST                       | **                | KG                |                     | -                   | -           |                              | 93                  | 753         |
| 00 2-ST                         | **                | KG                |                     | -                   | -           |                              | 93                  | 753         |
| 2309.90-000                     |                   | MT                |                     | -                   | -           |                              | 0                   | 1701        |
| 2309 4-ST                       | **                | MT                |                     | -                   | -           |                              | 0                   | 1701        |
| 23 2-ST                         | **                | MT                |                     | -                   | -           |                              | 0                   | 1701        |
| 2934.20-000                     |                   | KG                |                     | -                   | -           |                              | 300                 | 44643       |
| 2934.90-000                     |                   | KG                |                     | 100                 | 14934       |                              | 100                 | 14934       |
| 2934 4-ST                       | **                | KG                |                     | 100                 | 14934       |                              | 400                 | 59577       |
| 2936.22-000                     |                   | KG                |                     | 100                 | 2082        |                              | 200                 | 3916        |
| 2936.29-900                     |                   | KG                |                     | -                   | -           |                              | 100                 | 630         |
| 2936 4-ST                       | **                | KG                |                     | 100                 | 2082        |                              | 300                 | 4546        |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 124 PAKISTN                     |                   |                   |                     |                     |             |                              |                     |             |
| 2941.90-000                     |                   | KG                |                     | -                   | -           |                              | 1139                | 180453      |
| 2941 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1139                | 180453      |
| 29 2-ST                         | **                | KG                |                     | 200                 | 17016       |                              | 1839                | 244576      |
| 3004.90-900                     |                   | KG                |                     | -                   | -           |                              | 55                  | 3271        |
| 3004 4-ST                       | **                | KG                |                     | -                   | -           |                              | 55                  | 3271        |
| 30 2-ST                         | **                | KG                |                     | -                   | -           |                              | 55                  | 3271        |
| 3204.19-100                     |                   | KG                |                     | -                   | -           |                              | 200                 | 770         |
| 3204 4-ST                       | **                | KG                |                     | -                   | -           |                              | 200                 | 770         |
| 3208.20-900                     |                   | KG                |                     | -                   | -           |                              | 4122                | 3297        |
| 3208 4-ST                       | **                | KG                |                     | -                   | -           |                              | 4122                | 3297        |
| 32 2-ST                         | **                | KG                |                     | -                   | -           |                              | 4322                | 4067        |
| 3403.11-000                     |                   | KG                |                     | -                   | -           |                              | 5040                | 1349        |
| 3403 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5040                | 1349        |
| 34 2-ST                         | **                | KG                |                     | -                   | -           |                              | 5040                | 1349        |
| 3507.90-000                     |                   | KG                |                     | 11                  | 2503        |                              | 41                  | 9964        |
| 3507 4-ST                       | **                | KG                |                     | 11                  | 2503        |                              | 41                  | 9964        |
| 35 2-ST                         | **                | KG                |                     | 11                  | 2503        |                              | 41                  | 9964        |
| 3926.90-000                     |                   | KG                |                     | -                   | -           |                              | 129                 | 1627        |
| 3926 4-ST                       | **                | KG                |                     | -                   | -           |                              | 129                 | 1627        |
| 39 2-ST                         | **                | KG                |                     | -                   | -           |                              | 129                 | 1627        |
| 4010.29-000                     |                   | KG                |                     | 93                  | 1267        |                              | 93                  | 1267        |
| 4010 4-ST                       | **                | KG                |                     | 93                  | 1267        |                              | 93                  | 1267        |
| 4011.10-000                     | NO                | KG                | -                   | -                   | -           | 200                          | 2120                | 889         |
| 4011 4-ST                       | NO                | KG                | -                   | -                   | -           | 200                          | 2120                | 889         |
| 4016.93-000                     |                   | KG                |                     | -                   | -           |                              | 45                  | 2216        |
| 4016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 45                  | 2216        |
| 40 2-ST                         |                   | KG                |                     | 93                  | 1267        |                              | 2258                | 4372        |
| 5402.49-900                     |                   | KG                |                     | -                   | -           |                              | 108                 | 265         |
| 5402 4-ST                       | **                | KG                |                     | -                   | -           |                              | 108                 | 265         |
| 54 2-ST                         | **                | KG                |                     | -                   | -           |                              | 108                 | 265         |
| 5603.94-200                     | SM                | KG                | -                   | -                   | -           | 4666                         | 3145                | 7845        |
| 5603 4-ST                       | SM                | KG                | -                   | -                   | -           | 4666                         | 3145                | 7845        |
| 56 2-ST                         | SM                | KG                | -                   | -                   | -           | 4666                         | 3145                | 7845        |
| 5810.10-000                     |                   | KG                |                     | -                   | -           |                              | 576                 | 3421        |
| 5810 4-ST                       | **                | KG                |                     | -                   | -           |                              | 576                 | 3421        |
| 58 2-ST                         | **                | KG                |                     | -                   | -           |                              | 576                 | 3421        |
| 5903.20-000                     |                   | KG                |                     | -                   | -           |                              | 112                 | 1083        |
| 5903 4-ST                       | **                | KG                |                     | -                   | -           |                              | 112                 | 1083        |
| 59 2-ST                         | **                | KG                |                     | -                   | -           |                              | 112                 | 1083        |
| 7010.92-900                     |                   | KG                |                     | -                   | -           |                              | 14                  | 429         |
| 7010 4-ST                       | **                | KG                |                     | -                   | -           |                              | 14                  | 429         |
| 70 2-ST                         | **                | KG                |                     | -                   | -           |                              | 14                  | 429         |
| 7202.60-000                     |                   | KG                |                     | -                   | -           |                              | 116                 | 626         |
| 7202 4-ST                       | **                | KG                |                     | -                   | -           |                              | 116                 | 626         |
| 72 2-ST                         | **                | KG                |                     | -                   | -           |                              | 116                 | 626         |
| 7318.15-190                     |                   | KG                |                     | 29                  | 222         |                              | 4130                | 1097        |
| 7318 4-ST                       | **                | KG                |                     | 29                  | 222         |                              | 4130                | 1097        |
| 73 2-ST                         | **                | KG                |                     | 29                  | 222         |                              | 4130                | 1097        |
| 8207.30-900                     |                   | KG                |                     | -                   | -           |                              | 37                  | 311         |
| 8207.40-190                     | NO                | KG                | -                   | -                   | -           | 208                          | 74                  | 787         |
| 8207 4-ST                       |                   | KG                |                     | -                   | -           |                              | 111                 | 1098        |
| 8208.90-000                     |                   | KG                |                     | -                   | -           |                              | 151                 | 16330       |
| 8208 4-ST                       | **                | KG                |                     | -                   | -           |                              | 151                 | 16330       |
| 82 2-ST                         |                   | KG                |                     | -                   | -           |                              | 262                 | 17428       |
| 8407.29-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 280                 | 426         |
| 8407 4-ST                       | NO                | KG                | -                   | -                   | -           | 10                           | 280                 | 426         |
| 8408.90-100                     | NO                | KG                | 1                   | 90                  | 221         | 1                            | 90                  | 221         |
| 8408.90-400                     | NO                | KG                | -                   | -                   | -           | 1                            | 80                  | 230         |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 124 PAKISTN                     |                   |                   |                     |                     |             |                              |                     |             |
| 8408 4-ST                       | NO                | KG                | 1                   | 90                  | 221         | 2                            | 170                 | 451         |
| 8409.91-100                     |                   | KG                |                     | -                   | -           |                              | 29                  | 328         |
| 8409.99-900                     |                   | KG                |                     | -                   | -           |                              | 513                 | 5105        |
| 8409 4-ST                       | **                | KG                |                     | -                   | -           |                              | 542                 | 5433        |
| 8413.70-100                     | NO                | KG                | -                   | -                   | -           | 10                           | 220                 | 487         |
| 8413.91-000                     |                   | KG                |                     | -                   | -           |                              | 110                 | 239         |
| 8413 4-ST                       |                   | KG                |                     | -                   | -           |                              | 330                 | 726         |
| 8414.90-100                     |                   | KG                |                     | 202                 | 1155        |                              | 215                 | 1394        |
| 8414.90-900                     |                   | KG                |                     | -                   | -           |                              | 52                  | 1176        |
| 8414 4-ST                       | **                | KG                |                     | 202                 | 1155        |                              | 267                 | 2570        |
| 8421.29-000                     | NO                | KG                | -                   | -                   | -           | 12                           | 4                   | 346         |
| 8421.39-000                     | NO                | KG                | 24                  | 58                  | 291         | 24                           | 58                  | 291         |
| 8421.91-000                     |                   | KG                |                     | 1                   | 340         |                              | 1                   | 340         |
| 8421 4-ST                       |                   | KG                |                     | 59                  | 631         |                              | 63                  | 977         |
| 8431.20-000                     |                   | KG                |                     | -                   | -           |                              | 32                  | 393         |
| 8431.49-900                     |                   | KG                |                     | -                   | -           |                              | 35                  | 403         |
| 8431 4-ST                       | **                | KG                |                     | -                   | -           |                              | 67                  | 796         |
| 8448.20-000                     |                   | KG                |                     | -                   | -           |                              | 33                  | 503         |
| 8448.42-000                     |                   | KG                |                     | -                   | -           |                              | 75                  | 899         |
| 8448.51-100                     | TH                | KG                | -                   | -                   | -           | 60                           | 46                  | 1064        |
| 8448 4-ST                       |                   | KG                |                     | -                   | -           |                              | 154                 | 2466        |
| 8451.30-000                     | NO                | KG                | -                   | -                   | -           | 12                           | 50                  | 528         |
| 8451 4-ST                       | NO                | KG                | -                   | -                   | -           | 12                           | 50                  | 528         |
| 8452.21-900                     | NO                | KG                | -                   | -                   | -           | 7                            | 500                 | 3864        |
| 8452.29-900                     | NO                | KG                | -                   | -                   | -           | 10                           | 60                  | 450         |
| 8452.90-100                     | NO                | KG                | 20000               | 310                 | 1607        | 20000                        | 310                 | 1607        |
| 8452.90-910                     | NO                | KG                | 1000                | 9                   | 345         | 3840                         | 38                  | 1481        |
| 8452.90-920                     | NO                | KG                | 2180                | 139                 | 3859        | 11778                        | 776                 | 22020       |
| 8452.90-990                     |                   | KG                |                     | -                   | -           |                              | 57                  | 1828        |
| 8452 4-ST                       |                   | KG                |                     | 458                 | 5811        |                              | 1741                | 31250       |
| 8456.99-000                     | NO                | KG                | -                   | -                   | -           | 3                            | 80                  | 510         |
| 8456 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 80                  | 510         |
| 8475.90-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 225         |
| 8475 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 225         |
| 8481.30-900                     |                   | KG                |                     | -                   | -           |                              | 907                 | 1456        |
| 8481 4-ST                       | **                | KG                |                     | -                   | -           |                              | 907                 | 1456        |
| 8482.10-000                     | NO                | KG                | -                   | -                   | -           | 18                           | 14                  | 265         |
| 8482 4-ST                       | NO                | KG                | -                   | -                   | -           | 18                           | 14                  | 265         |
| 8483.10-000                     | NO                | KG                | 4                   | 40                  | 409         | 7                            | 509                 | 638         |
| 8483.30-200                     | NO                | KG                | 16                  | 20                  | 214         | 16                           | 20                  | 214         |
| 8483.40-200                     | NO                | KG                | -                   | -                   | -           | 19                           | 17                  | 207         |
| 8483 4-ST                       | NO                | KG                | 20                  | 60                  | 623         | 42                           | 546                 | 1059        |
| 8484.10-000                     |                   | KG                |                     | -                   | -           |                              | 103                 | 729         |
| 8484.20-000                     |                   | KG                |                     | -                   | -           |                              | 1                   | 292         |
| 8484 4-ST                       | **                | KG                |                     | -                   | -           |                              | 104                 | 1021        |
| 84 2-ST                         |                   | KG                |                     | 869                 | 8441        |                              | 5317                | 50159       |
| 8501.61-000                     | NO                | KG                | 2                   | 1150                | 1741        | 2                            | 1150                | 1741        |
| 8501 4-ST                       | NO                | KG                | 2                   | 1150                | 1741        | 2                            | 1150                | 1741        |
| 8504.33-910                     | NO                | KG                | -                   | -                   | -           | 1                            | 22                  | 432         |
| 8504.40-900                     | NO                | KG                | -                   | -                   | -           | 5                            | 20                  | 842         |
| 8504 4-ST                       | NO                | KG                | -                   | -                   | -           | 6                            | 42                  | 1274        |
| 8511.50-000                     | NO                | KG                | -                   | -                   | -           | 24                           | 124                 | 544         |
| 8511 4-ST                       | NO                | KG                | -                   | -                   | -           | 24                           | 124                 | 544         |
| 8515.90-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 515         |
| 8515 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5                   | 515         |
| 8531.10-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 1                   | 222         |
| 8531 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 1                   | 222         |
| 8536.10-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 275         |
| 8536.20-000                     | NO                | KG                | -                   | -                   | -           | 194                          | 12                  | 247         |
| 8536.30-000                     |                   | KG                |                     | -                   | -           |                              | 48                  | 1040        |
| 8536.50-900                     | NO                | KG                | -                   | -                   | -           | 40                           | 9                   | 259         |
| 8536.90-100                     |                   | KG                |                     | -                   | -           |                              | 160                 | 592         |
| 8536 4-ST                       |                   | KG                |                     | -                   | -           |                              | 249                 | 2413        |
| 8537.10-000                     | NO                | KG                | 8                   | 59                  | 314         | 8                            | 59                  | 314         |
| 8537 4-ST                       | NO                | KG                | 8                   | 59                  | 314         | 8                            | 59                  | 314         |
| 8540.60-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 638         |
| 8540.79-000                     |                   | NO                |                     | 1                   | 640         |                              | 1                   | 640         |
| 8540 4-ST                       | **                | NO                |                     | 1                   | 640         |                              | 2                   | 1278        |
| 8541.30-900                     |                   | NO                |                     | -                   | -           |                              | 15                  | 526         |
| 8541 4-ST                       | **                | NO                |                     | -                   | -           |                              | 15                  | 526         |
| 85 2-ST                         |                   |                   |                     |                     | 2695        |                              |                     | 8827        |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 124 PAKISTAN                    |                   |                   |                    |                   |             |                              |                   |             |
| 8708.29-000                     |                   | KG                |                    | -                 | -           |                              | 195               | 301         |
| 8708.70-000                     |                   | KG                |                    | -                 | -           |                              | 62                | 568         |
| 8708 4-ST                       | **                | KG                |                    | -                 | -           |                              | 257               | 869         |
| 87 2-ST                         | **                | KG                |                    | -                 | -           |                              | 257               | 869         |
| 9016.00-100                     |                   | KG                |                    | -                 | -           |                              | 54                | 890         |
| 9016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 54                | 890         |
| 9018.49-900                     | NO                | KG                | -                  | -                 | -           | 200                          | 23                | 1082        |
| 9018.90-390                     | NO                | KG                | -                  | -                 | -           | 7000                         | 28                | 203         |
| 9018 4-ST                       | NO                | KG                | -                  | -                 | -           | 7200                         | 51                | 1285        |
| 9022.13-000                     |                   | NO                |                    | -                 | -           |                              | 21                | 3598        |
| 9022.90-910                     |                   | KG                |                    | 21                | 667         |                              | 21                | 667         |
| 9022 4-ST                       | **                |                   |                    |                   | 667         |                              |                   | 4265        |
| 9030.39-100                     | NO                | KG                | -                  | -                 | -           | 20                           | 16                | 245         |
| 9030 4-ST                       | NO                | KG                | -                  | -                 | -           | 20                           | 16                | 245         |
| 9031.80-190                     | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 283         |
| 9031 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 283         |
| 9032.89-112                     | NO                | KG                | -                  | -                 | -           | 6                            | 3                 | 233         |
| 9032 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 3                 | 233         |
| 90 2-ST                         |                   |                   |                    |                   | 667         |                              |                   | 7201        |
| 9507.20-900                     | GS                | KG                | -                  | -                 | -           | 1736                         | 19                | 391         |
| 9507 4-ST                       | GS                | KG                | -                  | -                 | -           | 1736                         | 19                | 391         |
| 95 2-ST                         | GS                | KG                | -                  | -                 | -           | 1736                         | 19                | 391         |
| TOTAL                           |                   |                   |                    |                   | 32811       |                              |                   | 371321      |
| 125 SRILANKA                    |                   |                   |                    |                   |             |                              |                   |             |
| 3204.17-100                     |                   | KG                |                    | -                 | -           |                              | 160               | 243         |
| 3204 4-ST                       | **                | KG                |                    | -                 | -           |                              | 160               | 243         |
| 3212.90-900                     |                   | KG                |                    | -                 | -           |                              | 100               | 255         |
| 3212 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 255         |
| 32 2-ST                         | **                | KG                |                    | -                 | -           |                              | 260               | 498         |
| 3506.91-000                     |                   | KG                |                    | -                 | -           |                              | 382               | 220         |
| 3506 4-ST                       | **                | KG                |                    | -                 | -           |                              | 382               | 220         |
| 35 2-ST                         | **                | KG                |                    | -                 | -           |                              | 382               | 220         |
| 3824.90-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 284         |
| 3824 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 284         |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 60                | 284         |
| 3912.39-200                     |                   | KG                |                    | -                 | -           |                              | 60                | 474         |
| 3912 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 474         |
| 3923.90-000                     |                   | KG                |                    | -                 | -           |                              | 1259              | 3642        |
| 3923 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1259              | 3642        |
| 3926.20-000                     | DZ                | KG                | -                  | -                 | -           | 1823                         | 379               | 4767        |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 55                | 1941        |
| 3926 4-ST                       |                   | KG                |                    | -                 | -           |                              | 434               | 6708        |
| 39 2-ST                         |                   | KG                |                    | -                 | -           |                              | 1753              | 10824       |
| 4010.24-000                     |                   | KG                |                    | -                 | -           |                              | 5                 | 223         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 5                 | 223         |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 570         |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 570         |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 13                | 793         |
| 4104.31-100                     | SM                | KG                | -                  | -                 | -           | 21444                        | 4676              | 19615       |
| 4104.31-900                     | SM                | KG                | -                  | -                 | -           | 220                          | 159               | 533         |
| 4104.39-100                     | SM                | KG                | 329                | 215               | 1051        | 623                          | 431               | 1874        |
| 4104 4-ST                       | SM                | KG                | 329                | 215               | 1051        | 22287                        | 5266              | 22022       |
| 41 2-ST                         | SM                | KG                | 329                | 215               | 1051        | 22287                        | 5266              | 22022       |
| 4821.10-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 414         |
| 4821 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 414         |
| 4823.70-000                     |                   | KG                |                    | -                 | -           |                              | 25                | 300         |
| 4823.90-900                     |                   | KG                |                    | -                 | -           |                              | 99                | 1167        |
| 4823 4-ST                       | **                | KG                |                    | -                 | -           |                              | 124               | 1467        |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 139               | 1881        |
| 5208.22-100                     | SM                | KG                | -                  | -                 | -           | 4340                         | 490               | 945         |
| 5208.42-200                     | SM                | KG                | -                  | -                 | -           | 2129                         | 222               | 466         |
| 5208.49-900                     | SM                | KG                | -                  | -                 | -           | 4794                         | 640               | 1675        |

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 125 SRILANK                     |                   |                   |                     |                     |             |                              |                     |             |
| 5208.52-300                     | SM                | KG                | -                   | -                   | -           | 15554                        | 2113                | 3710        |
| 5208.53-000                     | SM                | KG                | -                   | -                   | -           | 4902                         | 638                 | 1630        |
| 5208 4-ST                       | SM                | KG                | -                   | -                   | -           | 31719                        | 4103                | 8426        |
| 52 2-ST                         | SM                | KG                | -                   | -                   | -           | 31719                        | 4103                | 8426        |
| 5401.20-000                     |                   | KG                |                     | -                   | -           |                              | 124                 | 654         |
| 5401 4-ST                       | **                | KG                |                     | -                   | -           |                              | 124                 | 654         |
| 5407.42-900                     | SM                | KG                | -                   |                     | -           | 12987                        | 1450                | 5366        |
| 5407.61-190                     | SM                | KG                | -                   | -                   | -           | 8845                         | 713                 | 2342        |
| 5407.61-220                     | SM                | KG                | -                   | -                   | -           | 208566                       | 23219               | 57387       |
| 5407.61-290                     | SM                | KG                | -                   | -                   | -           | 72064                        | 7403                | 17996       |
| 5407.61-420                     | SM                | KG                | 8760                | 917                 | 2726        | 53704                        | 5060                | 16242       |
| 5407.61-490                     | SM                | KG                | -                   | -                   | -           | 4559                         | 508                 | 1726        |
| 5407 4-ST                       | SM                | KG                | 8760                | 917                 | 2726        | 360725                       | 38353               | 101059      |
| 5408.22-100                     | SM                | KG                | -                   | -                   | -           | 15841                        | 1550                | 3895        |
| 5408.22-200                     | SM                | KG                | -                   | -                   | -           | 7312                         | 883                 | 6343        |
| 5408.22-300                     | SM                | KG                | -                   | -                   | -           | 2741                         | 645                 | 3068        |
| 5408.24-200                     | SM                | KG                | -                   | -                   | -           | 19395                        | 2822                | 10592       |
| 5408.32-300                     | SM                | KG                | -                   | -                   | -           | 7422                         | 1023                | 2667        |
| 5408 4-ST                       | SM                | KG                | -                   | -                   | -           | 52711                        | 6923                | 26565       |
| 54 2-ST                         |                   | KG                |                     | 917                 | 2726        |                              | 45400               | 128278      |
| 5512.19-000                     | SM                | KG                | 8554                | 869                 | 1999        | 31231                        | 3382                | 7159        |
| 5512.99-000                     | SM                | KG                | -                   | -                   | -           | 31869                        | 5268                | 11627       |
| 5512 4-ST                       | SM                | KG                | 8554                | 869                 | 1999        | 63100                        | 8650                | 18786       |
| 5516.22-000                     | SM                | KG                | -                   | -                   | -           | 780                          | 122                 | 213         |
| 5516.24-000                     | SM                | KG                | -                   | -                   | -           | 32584                        | 3825                | 13029       |
| 5516 4-ST                       | SM                | KG                | -                   | -                   | -           | 33364                        | 3947                | 13242       |
| 55 2-ST                         | SM                | KG                | 8554                | 869                 | 1999        | 96464                        | 12597               | 32028       |
| 5603.14-200                     | SM                | KG                | -                   | -                   | -           | 455                          | 104                 | 524         |
| 5603.94-900                     | SM                | KG                | -                   | -                   | -           | 273                          | 75                  | 473         |
| 5603 4-ST                       | SM                | KG                | -                   | -                   | -           | 728                          | 179                 | 997         |
| 5606.00-000                     |                   | KG                |                     | -                   | -           |                              | 398                 | 1693        |
| 5606 4-ST                       | **                | KG                |                     | -                   | -           |                              | 398                 | 1693        |
| 56 2-ST                         |                   | KG                |                     | -                   | -           |                              | 577                 | 2690        |
| 5804.29-000                     |                   | KG                |                     | -                   | -           |                              | 881                 | 3570        |
| 5804 4-ST                       | **                | KG                |                     | -                   | -           |                              | 881                 | 3570        |
| 5807.10-000                     |                   | KG                |                     | -                   | -           |                              | 137                 | 4388        |
| 5807 4-ST                       | **                | KG                |                     | -                   | -           |                              | 137                 | 4388        |
| 5810.10-000                     |                   | KG                |                     | -                   | -           |                              | 184                 | 1501        |
| 5810 4-ST                       | **                | KG                |                     | -                   | -           |                              | 184                 | 1501        |
| 58 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1202                | 9459        |
| 5903.10-000                     |                   | KG                |                     | -                   | -           |                              | 282                 | 434         |
| 5903.20-000                     |                   | KG                |                     | -                   | -           |                              | 11393               | 32922       |
| 5903.90-000                     |                   | KG                |                     | -                   | -           |                              | 1116                | 2505        |
| 5903 4-ST                       | **                | KG                |                     | -                   | -           |                              | 12791               | 35861       |
| 5910.00-000                     |                   | KG                |                     | -                   | -           |                              | 11                  | 702         |
| 5910 4-ST                       | **                | KG                |                     | -                   | -           |                              | 11                  | 702         |
| 59 2-ST                         | **                | KG                |                     | -                   | -           |                              | 12802               | 36563       |
| 6002.43-110                     |                   | KG                |                     | -                   | -           |                              | 288                 | 969         |
| 6002.43-120                     |                   | KG                |                     | -                   | -           |                              | 76                  | 304         |
| 6002.43-200                     |                   | KG                |                     | -                   | -           |                              | 98                  | 238         |
| 6002.91-000                     |                   | KG                |                     | -                   | -           |                              | 112                 | 245         |
| 6002.93-110                     |                   | KG                |                     | -                   | -           |                              | 633                 | 1373        |
| 6002.93-120                     |                   | KG                |                     | -                   | -           |                              | 1057                | 2002        |
| 6002 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2264                | 5131        |
| 60 2-ST                         | **                | KG                |                     | -                   | -           |                              | 2264                | 5131        |
| 6116.10-000                     | DZ                | KG                | -                   | -                   | -           | 1895                         | 348                 | 5991        |
| 6116 4-ST                       | DZ                | KG                | -                   | -                   | -           | 1895                         | 348                 | 5991        |
| 6117.80-000                     | DZ                | KG                | 150                 | 42                  | 796         | 150                          | 42                  | 796         |
| 6117 4-ST                       | DZ                | KG                | 150                 | 42                  | 796         | 150                          | 42                  | 796         |
| 61 2-ST                         | DZ                | KG                | 150                 | 42                  | 796         | 2045                         | 390                 | 6787        |
| 6217.10-000                     |                   | KG                |                     | -                   | -           |                              | 17                  | 353         |
| 6217.90-000                     |                   | KG                |                     | -                   | -           |                              | 116                 | 1577        |
| 6217 4-ST                       | **                | KG                |                     | -                   | -           |                              | 133                 | 1930        |
| 62 2-ST                         | **                | KG                |                     | -                   | -           |                              | 133                 | 1930        |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 125 SRILANK                     |                   |                   |                    |                   |             |                              |                   |             |
| 6813.10-900                     |                   | KG                |                    | 31                | 326         |                              | 31                | 326         |
| 6813 4-ST                       | **                | KG                |                    | 31                | 326         |                              | 31                | 326         |
| 68 2-ST                         | **                | KG                |                    | 31                | 326         |                              | 31                | 326         |
| 7104.10-000                     |                   | GR                |                    | -                 | -           |                              | 400               | 615         |
| 7104 4-ST                       | **                | GR                |                    | -                 | -           |                              | 400               | 615         |
| 71 2-ST                         | **                | GR                |                    | -                 | -           |                              | 400               | 615         |
| 7318.15-190                     |                   | KG                |                    | 6                 | 331         |                              | 57                | 1298        |
| 7318 4-ST                       | **                | KG                |                    | 6                 | 331         |                              | 57                | 1298        |
| 73 2-ST                         | **                | KG                |                    | 6                 | 331         |                              | 57                | 1298        |
| 8207.20-900                     |                   | KG                |                    | -                 | -           |                              | 256               | 2518        |
| 8207.30-900                     |                   | KG                |                    | 19                | 223         |                              | 156               | 1541        |
| 8207.80-900                     |                   | KG                |                    | -                 | -           |                              | 47                | 429         |
| 8207 4-ST                       | **                | KG                |                    | 19                | 223         |                              | 459               | 4488        |
| 82 2-ST                         | **                | KG                |                    | 19                | 223         |                              | 459               | 4488        |
| 8305.90-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 350         |
| 8305 4-ST                       | **                | KG                |                    | -                 | -           |                              | 28                | 350         |
| 8310.00-000                     |                   | KG                |                    | -                 | -           |                              | 18                | 339         |
| 8310 4-ST                       | **                | KG                |                    | -                 | -           |                              | 18                | 339         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 46                | 689         |
| 8409.91-200                     |                   | KG                |                    | -                 | -           |                              | 90                | 2348        |
| 8409.99-200                     |                   | KG                |                    | 30                | 376         |                              | 689               | 9837        |
| 8409.99-900                     |                   | KG                |                    | 28                | 867         |                              | 795               | 10674       |
| 8409 4-ST                       | **                | KG                |                    | 58                | 1243        |                              | 1574              | 22859       |
| 8413.60-900                     | NO                | KG                | -                  | -                 | -           | 8                            | 40                | 1440        |
| 8413.91-000                     |                   | KG                |                    | 10                | 454         |                              | 56                | 1938        |
| 8413 4-ST                       |                   | KG                |                    | 10                | 454         |                              | 96                | 3378        |
| 8414.90-100                     |                   | KG                |                    | -                 | -           |                              | 10                | 249         |
| 8414.90-900                     |                   | KG                |                    | 65                | 605         |                              | 65                | 605         |
| 8414 4-ST                       | **                | KG                |                    | 65                | 605         |                              | 75                | 854         |
| 8419.89-000                     | NO                | KG                | -                  | -                 | -           | 12                           | 29                | 1226        |
| 8419.90-000                     |                   | KG                |                    | -                 | -           |                              | 14                | 227         |
| 8419 4-ST                       |                   | KG                |                    | -                 | -           |                              | 43                | 1453        |
| 8421.21-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 15                | 211         |
| 8421.23-000                     | NO                | KG                | -                  | -                 | -           | 15                           | 60                | 255         |
| 8421.39-000                     | NO                | KG                | -                  | -                 | -           | 30                           | 8                 | 309         |
| 8421.99-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 576         |
| 8421 4-ST                       |                   | KG                |                    | -                 | -           |                              | 143               | 1351        |
| 8443.90-100                     |                   | KG                |                    | -                 | -           |                              | 66                | 295         |
| 8443 4-ST                       | **                | KG                |                    | -                 | -           |                              | 66                | 295         |
| 8448.32-000                     |                   | KG                |                    | -                 | -           |                              | 7                 | 355         |
| 8448.39-900                     |                   | KG                |                    | -                 | -           |                              | 2                 | 481         |
| 8448.49-000                     |                   | KG                |                    | -                 | -           |                              | 94                | 1442        |
| 8448 4-ST                       | **                | KG                |                    | -                 | -           |                              | 103               | 2278        |
| 8451.50-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 6                 | 282         |
| 8451.90-000                     |                   | KG                |                    | -                 | -           |                              | 25                | 276         |
| 8451 4-ST                       |                   | KG                |                    | -                 | -           |                              | 31                | 558         |
| 8452.90-910                     | NO                | KG                | -                  | -                 | -           | 1550                         | 8                 | 201         |
| 8452.90-920                     | NO                | KG                | 288                | 12                | 594         | 974                          | 68                | 2878        |
| 8452.90-990                     |                   | KG                |                    | 29                | 899         |                              | 145               | 5984        |
| 8452 4-ST                       |                   | KG                |                    | 41                | 1493        |                              | 221               | 9063        |
| 8453.10-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 167               | 274         |
| 8453 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 167               | 274         |
| 8465.99-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 14                | 570         |
| 8465 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 14                | 570         |
| 8471.30-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 220         |
| 8471 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 220         |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 4                            | 143               | 14305       |
| 8479 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 143               | 14305       |
| 8481.20-000                     |                   | KG                |                    | 51                | 2655        |                              | 88                | 5025        |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 260               | 1420        |
| 8481.90-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 916         |
| 8481 4-ST                       | **                | KG                |                    | 51                | 2655        |                              | 368               | 7361        |
| 8483.30-200                     | NO                | KG                | 20                 | 20                | 1021        | 53                           | 110               | 3369        |
| 8483.40-200                     | NO                | KG                | -                  | -                 | -           | 35                           | 21                | 1007        |
| 8483.60-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 38                | 551         |
| 8483 4-ST                       | NO                | KG                | 20                 | 20                | 1021        | 94                           | 169               | 4927        |
| 84 2-ST                         |                   |                   |                    |                   | 7471        |                              |                   | 69746       |

404 関西空港

Country by Customs by Commodity

EXPORT

KANSAI A.P.

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 125 SRILANK                     |                   |                   |                     |                     |             |                              |                     |             |
| 8504.31-910                     | NO                | KG                | -                   | -                   | -           | 5                            | 15                  | 314         |
| 8504.32-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 3                   | 319         |
| 8504.40-900                     | NO                | KG                | -                   | -                   | -           | 5                            | 8                   | 381         |
| 8504 4-ST                       | NO                | KG                | -                   | -                   | -           | 15                           | 26                  | 1014        |
| 8505.20-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 305         |
| 8505 4-ST                       | **                | KG                |                     | -                   | -           |                              | 3                   | 305         |
| 8515.21-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 115                 | 2804        |
| 8515 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 115                 | 2804        |
| 8531.90-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 398         |
| 8531 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5                   | 398         |
| 8536.10-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 370         |
| 8536 4-ST                       | **                | KG                |                     | -                   | -           |                              | 10                  | 370         |
| 8538.90-100                     |                   | KG                |                     | -                   | -           |                              | 5                   | 206         |
| 8538.90-900                     |                   | KG                |                     | -                   | -           |                              | 175                 | 2313        |
| 8538 4-ST                       | **                | KG                |                     | -                   | -           |                              | 180                 | 2519        |
| 8544.49-910                     |                   | KG                |                     | -                   | -           |                              | 0                   | 429         |
| 8544 4-ST                       | **                | KG                |                     | -                   | -           |                              | 0                   | 429         |
| 85 2-ST                         |                   | KG                |                     | -                   | -           |                              | 339                 | 7839        |
| 9010.10-000                     |                   | NO                |                     | 1                   | 280         |                              | 3                   | 750         |
| 9010.50-000                     |                   | NO                |                     | -                   | -           |                              | 2                   | 695         |
| 9010 4-ST                       | **                | NO                |                     | 1                   | 280         |                              | 5                   | 1445        |
| 9016.00-100                     |                   | KG                |                     | -                   | -           |                              | 10                  | 657         |
| 9016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 10                  | 657         |
| 9018.49-900                     | NO                | KG                | -                   | -                   | -           | 439                          | 49                  | 653         |
| 9018 4-ST                       | NO                | KG                | -                   | -                   | -           | 439                          | 49                  | 653         |
| 9021.21-000                     |                   | KG                |                     | 80                  | 668         |                              | 261                 | 2384        |
| 9021 4-ST                       | **                | KG                |                     | 80                  | 668         |                              | 261                 | 2384        |
| 9027.90-100                     |                   | KG                |                     | -                   | -           |                              | 8                   | 223         |
| 9027 4-ST                       | **                | KG                |                     | -                   | -           |                              | 8                   | 223         |
| 9031.80-190                     | NO                | KG                | -                   | -                   | -           | 95                           | 41                  | 3506        |
| 9031 4-ST                       | NO                | KG                | -                   | -                   | -           | 95                           | 41                  | 3506        |
| 9032.81-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 38                  | 483         |
| 9032 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 38                  | 483         |
| 90 2-ST                         |                   |                   |                     |                     | 948         |                              |                     | 9351        |
| 9507.20-900                     | GS                | KG                | -                   | -                   | -           | 3194                         | 53                  | 1113        |
| 9507 4-ST                       | GS                | KG                | -                   | -                   | -           | 3194                         | 53                  | 1113        |
| 95 2-ST                         | GS                | KG                | -                   | -                   | -           | 3194                         | 53                  | 1113        |
| 9606.10-900                     |                   | KG                |                     | -                   | -           |                              | 29                  | 222         |
| 9606 4-ST                       | **                | KG                |                     | -                   | -           |                              | 29                  | 222         |
| 9607.11-000                     |                   | KG                |                     | -                   | -           |                              | 676                 | 2965        |
| 9607.19-000                     |                   | KG                |                     | -                   | -           |                              | 45                  | 401         |
| 9607 4-ST                       | **                | KG                |                     | -                   | -           |                              | 721                 | 3366        |
| 96 2-ST                         | **                | KG                |                     | -                   | -           |                              | 750                 | 3588        |
| TOTAL                           |                   |                   |                     |                     | 15871       |                              |                     | 366867      |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |