

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 103 R KOREA                     |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | -                 | -           |                              | 510               | 7041        |
| 0000 4-ST                       | **                | KG                |                    | -                 | -           |                              | 510               | 7041        |
| 00 2-ST                         | **                | KG                |                    | -                 | -           |                              | 510               | 7041        |
| 2106.10-000                     |                   | KG                |                    | -                 | -           |                              | 1100              | 5980        |
| 2106 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1100              | 5980        |
| 21 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1100              | 5980        |
| 3003.20-000                     |                   | KG                |                    | -                 | -           |                              | 40                | 584         |
| 3003 4-ST                       | **                | KG                |                    | -                 | -           |                              | 40                | 584         |
| 3004.90-900                     |                   | KG                |                    | -                 | -           |                              | 14                | 249         |
| 3004 4-ST                       | **                | KG                |                    | -                 | -           |                              | 14                | 249         |
| 30 2-ST                         | **                | KG                |                    | -                 | -           |                              | 54                | 833         |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 18                | 262         |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 18                | 262         |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 18                | 262         |
| 4009.11-000                     |                   | KG                |                    | 51                | 881         |                              | 51                | 881         |
| 4009 4-ST                       | **                | KG                |                    | 51                | 881         |                              | 51                | 881         |
| 4010.12-000                     |                   | KG                |                    | -                 | -           |                              | 397               | 20315       |
| 4010.32-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 236         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 405               | 20551       |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 74                | 597         |
| 4016.99-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 335         |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 89                | 932         |
| 40 2-ST                         | **                | KG                |                    | 51                | 881         |                              | 545               | 22364       |
| 5401.10-200                     |                   | KG                |                    | -                 | -           |                              | 223               | 368         |
| 5401 4-ST                       | **                | KG                |                    | -                 | -           |                              | 223               | 368         |
| 54 2-ST                         | **                | KG                |                    | -                 | -           |                              | 223               | 368         |
| 5911.40-000                     |                   | KG                |                    | -                 | -           |                              | 5                 | 242         |
| 5911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 5                 | 242         |
| 59 2-ST                         | **                | KG                |                    | -                 | -           |                              | 5                 | 242         |
| 6502.00-000                     |                   | KG                |                    | -                 | -           |                              | 146               | 340         |
| 6502 4-ST                       | **                | KG                |                    | -                 | -           |                              | 146               | 340         |
| 65 2-ST                         | **                | KG                |                    | -                 | -           |                              | 146               | 340         |
| 6804.21-100                     |                   | KG                |                    | 475               | 36335       |                              | 2435              | 245353      |
| 6804.21-200                     |                   | KG                |                    | 49                | 7654        |                              | 339               | 65368       |
| 6804.22-200                     |                   | KG                |                    | -                 | -           |                              | 120               | 2602        |
| 6804.22-900                     |                   | KG                |                    | 351               | 10896       |                              | 2609              | 90973       |
| 6804 4-ST                       | **                | KG                |                    | 875               | 54885       |                              | 5503              | 404296      |
| 68 2-ST                         | **                | KG                |                    | 875               | 54885       |                              | 5503              | 404296      |
| 6914.10-000                     |                   | KG                |                    | -                 | -           |                              | 54                | 2190        |
| 6914.90-000                     |                   | KG                |                    | -                 | -           |                              | 101               | 4256        |
| 6914 4-ST                       | **                | KG                |                    | -                 | -           |                              | 155               | 6446        |
| 69 2-ST                         | **                | KG                |                    | -                 | -           |                              | 155               | 6446        |
| 7018.10-000                     |                   | KG                |                    | -                 | -           |                              | 500               | 1134        |
| 7018 4-ST                       | **                | KG                |                    | -                 | -           |                              | 500               | 1134        |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 500               | 1134        |
| 7217.10-320                     |                   | KG                |                    | -                 | -           |                              | 910               | 5733        |
| 7217 4-ST                       | **                | KG                |                    | -                 | -           |                              | 910               | 5733        |
| 72 2-ST                         | **                | KG                |                    | -                 | -           |                              | 910               | 5733        |
| 7312.10-290                     |                   | KG                |                    | -                 | -           |                              | 77                | 370         |
| 7312 4-ST                       | **                | KG                |                    | -                 | -           |                              | 77                | 370         |
| 7318.29-000                     |                   | KG                |                    | -                 | -           |                              | 6                 | 213         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 6                 | 213         |
| 7319.30-000                     |                   | KG                |                    | -                 | -           |                              | 0                 | 325         |
| 7319.90-000                     |                   | KG                |                    | 0                 | 269         |                              | 4                 | 1449        |
| 7319 4-ST                       | **                | KG                |                    | 0                 | 269         |                              | 4                 | 1774        |
| 7320.20-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 546         |
| 7320 4-ST                       | **                | KG                |                    | -                 | -           |                              | 9                 | 546         |
| 7326.90-000                     |                   | KG                |                    | -                 | -           |                              | 101               | 4898        |
| 7326 4-ST                       | **                | KG                |                    | -                 | -           |                              | 101               | 4898        |
| 73 2-ST                         | **                | KG                |                    | 0                 | 269         |                              | 197               | 7801        |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 103 R KOREA                     |                   |                   |                     |                     |             |                              |                     |             |
| 8207.90-200                     | NO                | KG                | -                   | -                   | -           | 96                           | 310                 | 3601        |
| 8207 4-ST                       | NO                | KG                | -                   | -                   | -           | 96                           | 310                 | 3601        |
| 8208.90-000                     |                   | KG                | -                   | -                   | -           |                              | 1842                | 127716      |
| 8208 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 1842                | 127716      |
| 82 2-ST                         |                   | KG                |                     | -                   | -           |                              | 2152                | 131317      |
| 8409.91-100                     |                   | KG                |                     | -                   | -           |                              | 59                  | 453         |
| 8409 4-ST                       | **                | KG                |                     | -                   | -           |                              | 59                  | 453         |
| 8412.31-000                     | NO                | KG                | -                   | -                   | -           | 105                          | 132                 | 1328        |
| 8412 4-ST                       | NO                | KG                | -                   | -                   | -           | 105                          | 132                 | 1328        |
| 8413.20-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 28                  | 2350        |
| 8413.50-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 54                  | 2410        |
| 8413 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 82                  | 4760        |
| 8414.80-210                     | NO                | KG                | -                   | -                   | -           | 30                           | 75                  | 584         |
| 8414.90-100                     |                   | KG                |                     | -                   | -           |                              | 19                  | 1156        |
| 8414 4-ST                       |                   | KG                |                     | -                   | -           |                              | 94                  | 1740        |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 12                  | 340         |
| 8421 4-ST                       | **                | KG                |                     | -                   | -           |                              | 12                  | 340         |
| 8431.39-900                     |                   | KG                |                     | -                   | -           |                              | 471                 | 5869        |
| 8431 4-ST                       | **                | KG                |                     | -                   | -           |                              | 471                 | 5869        |
| 8437.10-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 70                  | 564         |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 30                  | 226         |
| 8437 4-ST                       |                   | KG                |                     | -                   | -           |                              | 100                 | 790         |
| 8439.99-000                     |                   | KG                |                     | 489                 | 7639        |                              | 711                 | 12871       |
| 8439 4-ST                       | **                | KG                |                     | 489                 | 7639        |                              | 711                 | 12871       |
| 8441.90-000                     |                   | KG                |                     | -                   | -           |                              | 36                  | 1087        |
| 8441 4-ST                       | **                | KG                |                     | -                   | -           |                              | 36                  | 1087        |
| 8443.90-100                     |                   | KG                |                     | 515                 | 6532        |                              | 5537                | 27769       |
| 8443 4-ST                       | **                | KG                |                     | 515                 | 6532        |                              | 5537                | 27769       |
| 8464.10-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 3160                | 44259       |
| 8464.20-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 3547                | 54780       |
| 8464 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 6707                | 99039       |
| 8466.30-100                     |                   | KG                |                     | -                   | -           |                              | 1                   | 381         |
| 8466.30-200                     |                   | KG                |                     | -                   | -           |                              | 8                   | 395         |
| 8466.91-000                     |                   | KG                |                     | 190                 | 1576        |                              | 449                 | 6001        |
| 8466.93-000                     |                   | KG                |                     | -                   | -           |                              | 82                  | 2123        |
| 8466.94-000                     |                   | KG                |                     | 52                  | 610         |                              | 484                 | 10146       |
| 8466 4-ST                       | **                | KG                |                     | 242                 | 2186        |                              | 1024                | 19046       |
| 8467.29-100                     | NO                |                   |                     | 7                   | 280         |                              | 27                  | 1080        |
| 8467 4-ST                       | **                | NO                |                     | 7                   | 280         |                              | 27                  | 1080        |
| 8471.49-000                     |                   | NO                |                     | -                   | -           |                              | 6                   | 360         |
| 8471.60-220                     |                   | NO                |                     | -                   | -           |                              | 1                   | 250         |
| 8471 4-ST                       | **                | NO                |                     | -                   | -           |                              | 7                   | 610         |
| 8479.90-000                     |                   | KG                |                     | -                   | -           |                              | 276                 | 643         |
| 8479 4-ST                       | **                | KG                |                     | -                   | -           |                              | 276                 | 643         |
| 8480.71-000                     |                   | KG                |                     | 290                 | 3200        |                              | 1653                | 10131       |
| 8480 4-ST                       | **                | KG                |                     | 290                 | 3200        |                              | 1653                | 10131       |
| 8481.30-100                     | TH                | KG                | 1                   | 612                 | 3102        | 25                           | 9663                | 56562       |
| 8481.80-110                     |                   | KG                |                     | -                   | -           |                              | 45                  | 1672        |
| 8481.80-190                     |                   | KG                |                     | 28                  | 276         |                              | 42                  | 1124        |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 127                 | 703         |
| 8481 4-ST                       |                   | KG                |                     | 640                 | 3378        |                              | 9877                | 60061       |
| 8482.40-000                     | NO                | KG                | -                   | -                   | -           | 25                           | 695                 | 5041        |
| 8482.50-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 32                  | 458         |
| 8482 4-ST                       | NO                | KG                | -                   | -                   | -           | 30                           | 727                 | 5499        |
| 8483.30-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 35                  | 360         |
| 8483.30-200                     | NO                | KG                | -                   | -                   | -           | 16                           | 50                  | 812         |
| 8483.40-200                     | NO                | KG                | 180648              | 453                 | 2027        | 180790                       | 1238                | 10005       |
| 8483.40-300                     | NO                | KG                | -                   | -                   | -           | 23                           | 233                 | 3435        |
| 8483.40-900                     | NO                | KG                | -                   | -                   | -           | 20                           | 195                 | 2539        |
| 8483.60-000                     | NO                | KG                | -                   | -                   | -           | 41                           | 317                 | 4543        |
| 8483 4-ST                       | NO                | KG                | 180648              | 453                 | 2027        | 180892                       | 2068                | 21694       |
| 8484.20-000                     |                   | KG                |                     | -                   | -           |                              | 16                  | 954         |
| 8484 4-ST                       | **                | KG                |                     | -                   | -           |                              | 16                  | 954         |
| 8485.90-000                     |                   | KG                |                     | -                   | -           |                              | 85                  | 1098        |
| 8485 4-ST                       | **                | KG                |                     | -                   | -           |                              | 85                  | 1098        |
| 84 2-ST                         |                   |                   |                     |                     | 25242       |                              |                     | 276862      |
| 8501.10-192                     | NO                | KG                | -                   | -                   | -           | 20                           | 3                   | 216         |
| 8501.31-192                     | NO                | KG                | -                   | -                   | -           | 223                          | 70                  | 1062        |
| 8501.32-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 14                  | 399         |
| 8501.51-000                     | NO                | KG                | 40                  | 123                 | 730         | 162                          | 569                 | 4004        |
| 8501.52-100                     | NO                | KG                | 1                   | 33                  | 229         | 3                            | 51                  | 626         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |               | 累計 (CUMULATIVE YEAR TO DATE) |                     |                |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|---------------|------------------------------|---------------------|----------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE   | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE    |
| <b>103 R KOREA</b>              |                   |                   |                     |                     |               |                              |                     |                |
| <b>8501 4-ST</b>                | NO                | KG                | <b>41</b>           | <b>156</b>          | <b>959</b>    | <b>409</b>                   | <b>707</b>          | <b>6307</b>    |
| <b>8503.00-000</b>              |                   | KG                | -                   | -                   | -             |                              | <b>35</b>           | <b>302</b>     |
| <b>8503 4-ST</b>                | **                | KG                | -                   | -                   | -             |                              | <b>35</b>           | <b>302</b>     |
| <b>8504.40-900</b>              | NO                | KG                | -                   | -                   | -             | <b>1</b>                     | <b>12</b>           | <b>297</b>     |
| <b>8504 4-ST</b>                | NO                | KG                | -                   | -                   | -             | <b>1</b>                     | <b>12</b>           | <b>297</b>     |
| <b>8526.10-000</b>              | NO                | KG                | -                   | -                   | -             | <b>1</b>                     | <b>200</b>          | <b>3000</b>    |
| <b>8526 4-ST</b>                | NO                | KG                | -                   | -                   | -             | <b>1</b>                     | <b>200</b>          | <b>3000</b>    |
| <b>8528.21-000</b>              |                   | NO                | -                   | -                   | -             |                              | <b>1</b>            | <b>236</b>     |
| <b>8528 4-ST</b>                | **                | NO                | -                   | -                   | -             |                              | <b>1</b>            | <b>236</b>     |
| <b>8529.90-900</b>              |                   | KG                | -                   | -                   | -             |                              | <b>7</b>            | <b>318</b>     |
| <b>8529 4-ST</b>                | **                | KG                | -                   | -                   | -             |                              | <b>7</b>            | <b>318</b>     |
| <b>8531.80-000</b>              | NO                | KG                | <b>985</b>          | <b>13</b>           | <b>659</b>    | <b>1585</b>                  | <b>54</b>           | <b>1061</b>    |
| <b>8531 4-ST</b>                | NO                | KG                | <b>985</b>          | <b>13</b>           | <b>659</b>    | <b>1585</b>                  | <b>54</b>           | <b>1061</b>    |
| <b>8532.10-000</b>              | NO                | KG                | -                   | -                   | -             | <b>3</b>                     | <b>5</b>            | <b>289</b>     |
| <b>8532.30-100</b>              | TH                | KG                | -                   | -                   | -             | <b>0</b>                     | <b>57</b>           | <b>3458</b>    |
| <b>8532 4-ST</b>                |                   | KG                | -                   | -                   | -             |                              | <b>62</b>           | <b>3747</b>    |
| <b>8533.40-000</b>              | NO                | KG                | -                   | -                   | -             | <b>32</b>                    | <b>6</b>            | <b>544</b>     |
| <b>8533 4-ST</b>                | NO                | KG                | -                   | -                   | -             | <b>32</b>                    | <b>6</b>            | <b>544</b>     |
| <b>8536.50-900</b>              | NO                | KG                | -                   | -                   | -             | <b>8</b>                     | <b>75</b>           | <b>453</b>     |
| <b>8536 4-ST</b>                | NO                | KG                | -                   | -                   | -             | <b>8</b>                     | <b>75</b>           | <b>453</b>     |
| <b>8537.10-000</b>              | NO                | KG                | <b>2</b>            | <b>24</b>           | <b>527</b>    | <b>20</b>                    | <b>104</b>          | <b>7295</b>    |
| <b>8537 4-ST</b>                | NO                | KG                | <b>2</b>            | <b>24</b>           | <b>527</b>    | <b>20</b>                    | <b>104</b>          | <b>7295</b>    |
| <b>8538.90-900</b>              |                   | KG                | -                   | <b>45</b>           | <b>702</b>    |                              | <b>439</b>          | <b>25963</b>   |
| <b>8538 4-ST</b>                | **                | KG                | -                   | <b>45</b>           | <b>702</b>    |                              | <b>439</b>          | <b>25963</b>   |
| <b>8539.39-000</b>              | NO                | KG                | <b>132290</b>       | <b>203</b>          | <b>20577</b>  | <b>5063359</b>               | <b>7253</b>         | <b>745081</b>  |
| <b>8539 4-ST</b>                | NO                | KG                | <b>132290</b>       | <b>203</b>          | <b>20577</b>  | <b>5063359</b>               | <b>7253</b>         | <b>745081</b>  |
| <b>8543.20-000</b>              |                   | NO                | -                   | <b>10</b>           | <b>16124</b>  |                              | <b>51</b>           | <b>86884</b>   |
| <b>8543.89-000</b>              |                   | NO                | -                   | <b>10</b>           | <b>8905</b>   |                              | <b>36</b>           | <b>19307</b>   |
| <b>8543.90-000</b>              |                   | KG                | -                   | <b>101</b>          | <b>2533</b>   |                              | <b>181</b>          | <b>4507</b>    |
| <b>8543 4-ST</b>                | **                |                   | -                   | -                   | <b>27562</b>  |                              |                     | <b>110698</b>  |
| <b>8545.20-000</b>              |                   | KG                | -                   | -                   | -             |                              | <b>0</b>            | <b>259</b>     |
| <b>8545 4-ST</b>                | **                | KG                | -                   | -                   | -             |                              | <b>0</b>            | <b>259</b>     |
| <b>85 2-ST</b>                  |                   |                   | -                   | -                   | <b>50986</b>  |                              |                     | <b>905561</b>  |
| <b>8708.29-000</b>              |                   | KG                | -                   | -                   | -             |                              | <b>210</b>          | <b>831</b>     |
| <b>8708 4-ST</b>                | **                | KG                | -                   | -                   | -             |                              | <b>210</b>          | <b>831</b>     |
| <b>87 2-ST</b>                  | **                | KG                | -                   | -                   | -             |                              | <b>210</b>          | <b>831</b>     |
| <b>9001.20-000</b>              |                   | KG                | -                   | <b>7007</b>         | <b>136872</b> |                              | <b>109439</b>       | <b>2079611</b> |
| <b>9001 4-ST</b>                | **                | KG                | -                   | <b>7007</b>         | <b>136872</b> |                              | <b>109439</b>       | <b>2079611</b> |
| <b>9010.60-000</b>              |                   | NO                | -                   | -                   | -             |                              | <b>4</b>            | <b>1366</b>    |
| <b>9010 4-ST</b>                | **                | NO                | -                   | -                   | -             |                              | <b>4</b>            | <b>1366</b>    |
| <b>9013.80-000</b>              | NO                | KG                | -                   | -                   | -             | <b>1110</b>                  | <b>805</b>          | <b>4919</b>    |
| <b>9013 4-ST</b>                | NO                | KG                | -                   | -                   | -             | <b>1110</b>                  | <b>805</b>          | <b>4919</b>    |
| <b>9027.80-990</b>              | NO                | KG                | <b>1</b>            | <b>24</b>           | <b>1012</b>   | <b>1</b>                     | <b>24</b>           | <b>1012</b>    |
| <b>9027.90-100</b>              |                   | KG                | -                   | -                   | -             |                              | <b>5</b>            | <b>271</b>     |
| <b>9027 4-ST</b>                |                   | KG                | -                   | <b>24</b>           | <b>1012</b>   |                              | <b>29</b>           | <b>1283</b>    |
| <b>9029.20-920</b>              | NO                | KG                | -                   | -                   | -             | <b>3</b>                     | <b>1</b>            | <b>270</b>     |
| <b>9029 4-ST</b>                | NO                | KG                | -                   | -                   | -             | <b>3</b>                     | <b>1</b>            | <b>270</b>     |
| <b>9030.39-900</b>              | NO                | KG                | -                   | -                   | -             | <b>2</b>                     | <b>15</b>           | <b>1500</b>    |
| <b>9030.89-100</b>              | NO                | KG                | -                   | -                   | -             | <b>2</b>                     | <b>20</b>           | <b>1180</b>    |
| <b>9030.89-990</b>              | NO                | KG                | -                   | -                   | -             | <b>21</b>                    | <b>195</b>          | <b>25074</b>   |
| <b>9030.90-000</b>              |                   | KG                | -                   | -                   | -             |                              | <b>44</b>           | <b>3621</b>    |
| <b>9030 4-ST</b>                |                   | KG                | -                   | -                   | -             |                              | <b>274</b>          | <b>31375</b>   |
| <b>9031.80-190</b>              | NO                | KG                | -                   | -                   | -             | <b>6</b>                     | <b>55</b>           | <b>3602</b>    |
| <b>9031.90-100</b>              |                   | KG                | -                   | -                   | -             |                              | <b>24</b>           | <b>623</b>     |
| <b>9031 4-ST</b>                |                   | KG                | -                   | -                   | -             |                              | <b>79</b>           | <b>4225</b>    |
| <b>9032.90-000</b>              |                   | KG                | -                   | -                   | -             |                              | <b>2</b>            | <b>2750</b>    |
| <b>9032 4-ST</b>                | **                | KG                | -                   | -                   | -             |                              | <b>2</b>            | <b>2750</b>    |
| <b>9033.00-000</b>              |                   | KG                | -                   | -                   | -             |                              | <b>4</b>            | <b>810</b>     |
| <b>9033 4-ST</b>                | **                | KG                | -                   | -                   | -             |                              | <b>4</b>            | <b>810</b>     |
| <b>90 2-ST</b>                  |                   |                   | -                   | -                   | <b>137884</b> |                              |                     | <b>2126609</b> |
| <b>9506.31-000</b>              |                   | NO                | -                   | -                   | -             |                              | <b>100</b>          | <b>275</b>     |
| <b>9506 4-ST</b>                | **                | NO                | -                   | -                   | -             |                              | <b>100</b>          | <b>275</b>     |
| <b>95 2-ST</b>                  | **                | NO                | -                   | -                   | -             |                              | <b>100</b>          | <b>275</b>     |
| <b>TOTAL</b>                    |                   |                   |                     |                     | <b>270147</b> |                              |                     | <b>3904295</b> |
| <b>105 CHINA</b>                |                   |                   |                     |                     |               |                              |                     |                |
| <b>0000.00-190</b>              |                   | KG                | -                   | -                   | -             |                              | <b>85</b>           | <b>1873</b>    |
| <b>0000 4-ST</b>                | **                | KG                | -                   | -                   | -             |                              | <b>85</b>           | <b>1873</b>    |
| <b>00 2-ST</b>                  | **                | KG                | -                   | -                   | -             |                              | <b>85</b>           | <b>1873</b>    |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 105 CHINA                       |                   |                   |                    |                   |             |                              |                   |             |
| 3203.00-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 227         |
| 3203 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 227         |
| 3204.14-100                     |                   | KG                |                    | 270               | 526         |                              | 828               | 1736        |
| 3204 4-ST                       | **                | KG                |                    | 270               | 526         |                              | 828               | 1736        |
| 32 2-ST                         | **                | KG                |                    | 270               | 526         |                              | 858               | 1963        |
| 3506.10-000                     |                   | KG                |                    | -                 | -           |                              | 27                | 494         |
| 3506.91-000                     |                   | KG                |                    | -                 | -           |                              | 102               | 1873        |
| 3506 4-ST                       | **                | KG                |                    | -                 | -           |                              | 129               | 2367        |
| 35 2-ST                         | **                | KG                |                    | -                 | -           |                              | 129               | 2367        |
| 3818.00-100                     |                   | KG                |                    | -                 | -           |                              | 372               | 53663       |
| 3818 4-ST                       | **                | KG                |                    | -                 | -           |                              | 372               | 53663       |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 372               | 53663       |
| 3919.10-300                     |                   | KG                |                    | -                 | -           |                              | 946               | 958         |
| 3919.90-300                     |                   | KG                |                    | -                 | -           |                              | 88                | 203         |
| 3919.90-500                     |                   | KG                |                    | -                 | -           |                              | 9                 | 203         |
| 3919.90-900                     |                   | KG                |                    | 110               | 288         |                              | 110               | 288         |
| 3919 4-ST                       | **                | KG                |                    | 110               | 288         |                              | 1153              | 1652        |
| 3920.20-000                     |                   | KG                |                    | -                 | -           |                              | 670               | 1150        |
| 3920.30-000                     |                   | KG                |                    | -                 | -           |                              | 2121              | 1787        |
| 3920.49-200                     |                   | KG                |                    | -                 | -           |                              | 128               | 230         |
| 3920.62-000                     |                   | KG                |                    | 3718              | 5077        |                              | 11912             | 16669       |
| 3920.69-000                     |                   | KG                |                    | -                 | -           |                              | 884               | 1627        |
| 3920.99-000                     |                   | KG                |                    | -                 | -           |                              | 90                | 368         |
| 3920 4-ST                       | **                | KG                |                    | 3718              | 5077        |                              | 15805             | 21831       |
| 3921.13-000                     |                   | KG                |                    | -                 | -           |                              | 42                | 594         |
| 3921.19-300                     |                   | KG                |                    | -                 | -           |                              | 3954              | 6764        |
| 3921.90-200                     |                   | KG                |                    | -                 | -           |                              | 330               | 575         |
| 3921.90-300                     |                   | KG                |                    | -                 | -           |                              | 6781              | 8383        |
| 3921 4-ST                       | **                | KG                |                    | -                 | -           |                              | 11107             | 16316       |
| 3923.10-000                     |                   | KG                |                    | -                 | -           |                              | 1113              | 770         |
| 3923.21-000                     |                   | KG                |                    | 612               | 781         |                              | 1583              | 2345        |
| 3923.29-000                     |                   | KG                |                    | -                 | -           |                              | 136               | 270         |
| 3923.40-000                     |                   | KG                |                    | -                 | -           |                              | 4115              | 3160        |
| 3923 4-ST                       | **                | KG                |                    | 612               | 781         |                              | 6947              | 6545        |
| 3926.20-000                     | DZ                | KG                | -                  | -                 | -           | 5315                         | 137               | 1187        |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 4038              | 5972        |
| 3926 4-ST                       |                   | KG                |                    | -                 | -           |                              | 4175              | 7159        |
| 39 2-ST                         |                   | KG                |                    | 4440              | 6146        |                              | 39187             | 53503       |
| 4010.12-000                     |                   | KG                |                    | 100               | 283         |                              | 100               | 283         |
| 4010 4-ST                       | **                | KG                |                    | 100               | 283         |                              | 100               | 283         |
| 4016.91-000                     |                   | KG                |                    | -                 | -           |                              | 133               | 965         |
| 4016.93-000                     |                   | KG                |                    | 175               | 1364        |                              | 180               | 1586        |
| 4016.99-000                     |                   | KG                |                    | -                 | -           |                              | 31                | 236         |
| 4016 4-ST                       | **                | KG                |                    | 175               | 1364        |                              | 344               | 2787        |
| 40 2-ST                         | **                | KG                |                    | 275               | 1647        |                              | 444               | 3070        |
| 4821.10-000                     |                   | KG                |                    | -                 | -           |                              | 193               | 1143        |
| 4821 4-ST                       | **                | KG                |                    | -                 | -           |                              | 193               | 1143        |
| 48 2-ST                         | **                | KG                |                    | -                 | -           |                              | 193               | 1143        |
| 4911.99-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 870         |
| 4911 4-ST                       | **                | KG                |                    | -                 | -           |                              | 28                | 870         |
| 49 2-ST                         | **                | KG                |                    | -                 | -           |                              | 28                | 870         |
| 5112.11-000                     | SM                | KG                | -                  | -                 | -           | 328                          | 65                | 297         |
| 5112 4-ST                       | SM                | KG                | -                  | -                 | -           | 328                          | 65                | 297         |
| 51 2-ST                         | SM                | KG                | -                  | -                 | -           | 328                          | 65                | 297         |
| 5204.20-000                     |                   | KG                |                    | -                 | -           |                              | 32                | 257         |
| 5204 4-ST                       | **                | KG                |                    | -                 | -           |                              | 32                | 257         |
| 5208.23-000                     | SM                | KG                | -                  | -                 | -           | 670                          | 127               | 554         |
| 5208.32-100                     | SM                | KG                | -                  | -                 | -           | 439                          | 81                | 287         |
| 5208.32-900                     | SM                | KG                | -                  | -                 | -           | 8528                         | 1224              | 3506        |
| 5208.33-000                     | SM                | KG                | -                  | -                 | -           | 6054                         | 1029              | 1790        |
| 5208.39-900                     | SM                | KG                | -                  | -                 | -           | 1304                         | 225               | 516         |
| 5208.42-100                     | SM                | KG                | -                  | -                 | -           | 225                          | 26                | 234         |
| 5208.42-900                     | SM                | KG                | -                  | -                 | -           | 666                          | 130               | 511         |
| 5208.43-000                     | SM                | KG                | -                  | -                 | -           | 1395                         | 217               | 423         |
| 5208.49-100                     | SM                | KG                | -                  | -                 | -           | 761                          | 119               | 300         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>105 CHINA</b>                |                   |                   |                     |                     |             |                              |                     |             |
| 5208.51-900                     | SM                | KG                | -                   | -                   | -           | 887                          | 72                  | 307         |
| 5208.52-200                     | SM                | KG                | -                   | -                   | -           | 935                          | 114                 | 328         |
| 5208.52-900                     | SM                | KG                | -                   | -                   | -           | 817                          | 88                  | 212         |
| 5208 4-ST                       | SM                | KG                | -                   | -                   | -           | 22681                        | 3452                | 8968        |
| 5209.31-900                     | SM                | KG                | 244                 | 49                  | 242         | 46052                        | 14369               | 20214       |
| 5209.32-000                     | SM                | KG                | -                   | -                   | -           | 40587                        | 12429               | 15286       |
| 5209.39-300                     | SM                | KG                | -                   | -                   | -           | 2639                         | 919                 | 1659        |
| 5209.39-900                     | SM                | KG                | 259                 | 125                 | 250         | 17631                        | 5456                | 6294        |
| 5209.41-900                     | SM                | KG                | -                   | -                   | -           | 491                          | 204                 | 443         |
| 5209.42-000                     | SM                | KG                | -                   | -                   | -           | 9305                         | 3654                | 5565        |
| 5209.52-000                     | SM                | KG                | -                   | -                   | -           | 490                          | 99                  | 348         |
| 5209 4-ST                       | SM                | KG                | 503                 | 174                 | 492         | 117195                       | 37130               | 49809       |
| 5210.31-000                     | SM                | KG                | -                   | -                   | -           | 2467                         | 365                 | 763         |
| 5210.32-000                     | SM                | KG                | -                   | -                   | -           | 394                          | 42                  | 391         |
| 5210 4-ST                       | SM                | KG                | -                   | -                   | -           | 2861                         | 407                 | 1154        |
| 5211.32-000                     | SM                | KG                | -                   | -                   | -           | 6009                         | 1633                | 3070        |
| 5211.39-000                     | SM                | KG                | -                   | -                   | -           | 4271                         | 1113                | 1625        |
| 5211 4-ST                       | SM                | KG                | -                   | -                   | -           | 10280                        | 2746                | 4695        |
| 52 2-ST                         |                   | KG                |                     | 174                 | 492         |                              | 43767               | 64883       |
| 5401.10-200                     |                   | KG                |                     | -                   | -           |                              | 249                 | 999         |
| 5401 4-ST                       | **                | KG                |                     | -                   | -           |                              | 249                 | 999         |
| 5407.42-100                     | SM                | KG                | -                   | -                   | -           | 4505                         | 348                 | 728         |
| 5407.61-210                     | SM                | KG                | -                   | -                   | -           | 15892                        | 1611                | 4731        |
| 5407.61-290                     | SM                | KG                | -                   | -                   | -           | 52328                        | 7902                | 13018       |
| 5407.61-410                     | SM                | KG                | -                   | -                   | -           | 1889                         | 226                 | 583         |
| 5407.61-490                     | SM                | KG                | -                   | -                   | -           | 2720                         | 427                 | 1057        |
| 5407.69-290                     | SM                | KG                | -                   | -                   | -           | 3050                         | 412                 | 770         |
| 5407.72-000                     | SM                | KG                | -                   | -                   | -           | 544                          | 98                  | 363         |
| 5407.82-000                     | SM                | KG                | -                   | -                   | -           | 4487                         | 811                 | 1890        |
| 5407.92-000                     | SM                | KG                | -                   | -                   | -           | 3462                         | 458                 | 1781        |
| 5407 4-ST                       | SM                | KG                | -                   | -                   | -           | 88877                        | 12293               | 24921       |
| 5408.22-200                     | SM                | KG                | -                   | -                   | -           | 970                          | 294                 | 873         |
| 5408.22-900                     | SM                | KG                | -                   | -                   | -           | 830                          | 258                 | 278         |
| 5408.23-900                     | SM                | KG                | -                   | -                   | -           | 1435                         | 335                 | 497         |
| 5408.32-200                     | SM                | KG                | -                   | -                   | -           | 2903                         | 185                 | 552         |
| 5408.32-900                     | SM                | KG                | -                   | -                   | -           | 2837                         | 769                 | 1088        |
| 5408 4-ST                       | SM                | KG                | -                   | -                   | -           | 8975                         | 1841                | 3288        |
| 54 2-ST                         |                   | KG                |                     | -                   | -           |                              | 14383               | 29208       |
| 5512.29-000                     | SM                | KG                | -                   | -                   | -           | 241                          | 92                  | 303         |
| 5512 4-ST                       | SM                | KG                | -                   | -                   | -           | 241                          | 92                  | 303         |
| 5513.23-000                     | SM                | KG                | -                   | -                   | -           | 7512                         | 1172                | 2382        |
| 5513.32-000                     | SM                | KG                | -                   | -                   | -           | 1168                         | 135                 | 245         |
| 5513 4-ST                       | SM                | KG                | -                   | -                   | -           | 8680                         | 1307                | 2627        |
| 5514.22-000                     | SM                | KG                | -                   | -                   | -           | 1325                         | 353                 | 687         |
| 5514 4-ST                       | SM                | KG                | -                   | -                   | -           | 1325                         | 353                 | 687         |
| 5515.12-000                     | SM                | KG                | -                   | -                   | -           | 786                          | 207                 | 429         |
| 5515.19-000                     | SM                | KG                | -                   | -                   | -           | 342                          | 30                  | 219         |
| 5515 4-ST                       | SM                | KG                | -                   | -                   | -           | 1128                         | 237                 | 648         |
| 55 2-ST                         | SM                | KG                | -                   | -                   | -           | 11374                        | 1989                | 4265        |
| 5603.11-900                     | SM                | KG                | -                   | -                   | -           | 8359                         | 141                 | 218         |
| 5603.92-200                     | SM                | KG                | -                   | -                   | -           | 3944                         | 113                 | 335         |
| 5603.92-900                     | SM                | KG                | -                   | -                   | -           | 4993                         | 215                 | 1505        |
| 5603 4-ST                       | SM                | KG                | -                   | -                   | -           | 17296                        | 469                 | 2058        |
| 56 2-ST                         | SM                | KG                | -                   | -                   | -           | 17296                        | 469                 | 2058        |
| 5801.22-100                     | SM                | KG                | -                   | -                   | -           | 1390                         | 350                 | 387         |
| 5801 4-ST                       | SM                | KG                | -                   | -                   | -           | 1390                         | 350                 | 387         |
| 5804.10-000                     |                   | KG                |                     | -                   | -           |                              | 104                 | 268         |
| 5804 4-ST                       | **                | KG                |                     | -                   | -           |                              | 104                 | 268         |
| 5806.20-100                     |                   | KG                |                     | 82                  | 325         |                              | 112                 | 745         |
| 5806.32-190                     |                   | KG                |                     | -                   | -           |                              | 1134                | 7932        |
| 5806 4-ST                       | **                | KG                |                     | 82                  | 325         |                              | 1246                | 8677        |
| 5807.10-000                     |                   | KG                |                     | 62                  | 588         |                              | 991                 | 9453        |
| 5807.90-000                     |                   | KG                |                     | -                   | -           |                              | 12                  | 333         |
| 5807 4-ST                       | **                | KG                |                     | 62                  | 588         |                              | 1003                | 9786        |
| 5810.91-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 693         |
| 5810 4-ST                       | **                | KG                |                     | -                   | -           |                              | 10                  | 693         |
| 5811.00-000                     | SM                | KG                | -                   | -                   | -           | 107                          | 42                  | 242         |
| 5811 4-ST                       | SM                | KG                | -                   | -                   | -           | 107                          | 42                  | 242         |
| 58 2-ST                         |                   | KG                |                     | 144                 | 913         |                              | 2755                | 20053       |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>105 CHINA</b>                |                   |                   |                     |                     |             |                              |                     |             |
| 5903.20-000                     |                   | KG                |                     | -                   | -           |                              | 812                 | 2904        |
| 5903 4-ST                       | **                | KG                |                     | -                   | -           |                              | 812                 | 2904        |
| 5910.00-000                     |                   | KG                |                     | -                   | -           |                              | 67                  | 238         |
| 5910 4-ST                       | **                | KG                |                     | -                   | -           |                              | 67                  | 238         |
| 59 2-ST                         | **                | KG                |                     | -                   | -           |                              | 879                 | 3142        |
| 6001.92-129                     |                   | KG                |                     | 103                 | 267         |                              | 103                 | 267         |
| 6001 4-ST                       | **                | KG                |                     | 103                 | 267         |                              | 103                 | 267         |
| 6003.30-110                     |                   | KG                |                     | -                   | -           |                              | 161                 | 1518        |
| 6003.30-190                     |                   | KG                |                     | -                   | -           |                              | 122                 | 1207        |
| 6003 4-ST                       | **                | KG                |                     | -                   | -           |                              | 283                 | 2725        |
| 6005.32-120                     |                   | KG                |                     | -                   | -           |                              | 306                 | 838         |
| 6005.34-120                     |                   | KG                |                     | -                   | -           |                              | 96                  | 213         |
| 6005 4-ST                       | **                | KG                |                     | -                   | -           |                              | 402                 | 1051        |
| 6006.22-000                     |                   | KG                |                     | -                   | -           |                              | 162                 | 245         |
| 6006.32-120                     |                   | KG                |                     | -                   | -           |                              | 715                 | 1523        |
| 6006 4-ST                       | **                | KG                |                     | -                   | -           |                              | 877                 | 1768        |
| 60 2-ST                         | **                | KG                |                     | 103                 | 267         |                              | 1665                | 5811        |
| 6203.11-000                     | NO                | KG                | -                   | -                   | -           | 220                          | 220                 | 218         |
| 6203 4-ST                       | NO                | KG                | -                   | -                   | -           | 220                          | 220                 | 218         |
| 6205.20-000                     | NO                | KG                | -                   | -                   | -           | 317                          | 84                  | 310         |
| 6205 4-ST                       | NO                | KG                | -                   | -                   | -           | 317                          | 84                  | 310         |
| 6217.90-000                     |                   | KG                |                     | -                   | -           |                              | 121                 | 231         |
| 6217 4-ST                       | **                | KG                |                     | -                   | -           |                              | 121                 | 231         |
| 62 2-ST                         |                   | KG                |                     | -                   | -           |                              | 425                 | 759         |
| 6307.10-000                     |                   | KG                |                     | -                   | -           |                              | 502                 | 10412       |
| 6307.90-000                     |                   | KG                |                     | -                   | -           |                              | 9                   | 254         |
| 6307 4-ST                       | **                | KG                |                     | -                   | -           |                              | 511                 | 10666       |
| 63 2-ST                         | **                | KG                |                     | -                   | -           |                              | 511                 | 10666       |
| 6804.21-100                     |                   | KG                |                     | 74                  | 8112        |                              | 284                 | 26932       |
| 6804.21-200                     |                   | KG                |                     | 48                  | 4141        |                              | 98                  | 9895        |
| 6804 4-ST                       | **                | KG                |                     | 122                 | 12253       |                              | 382                 | 36827       |
| 68 2-ST                         | **                | KG                |                     | 122                 | 12253       |                              | 382                 | 36827       |
| 7005.29-100                     | SM                | KG                | -                   | -                   | -           | 5                            | 15                  | 212         |
| 7005 4-ST                       | SM                | KG                | -                   | -                   | -           | 5                            | 15                  | 212         |
| 7006.00-000                     |                   | KG                |                     | -                   | -           |                              | 955                 | 10610       |
| 7006 4-ST                       | **                | KG                |                     | -                   | -           |                              | 955                 | 10610       |
| 70 2-ST                         |                   | KG                |                     | -                   | -           |                              | 970                 | 10822       |
| 7307.91-900                     |                   | KG                |                     | -                   | -           |                              | 126                 | 1747        |
| 7307.99-900                     |                   | KG                |                     | -                   | -           |                              | 729                 | 1305        |
| 7307 4-ST                       | **                | KG                |                     | -                   | -           |                              | 855                 | 3052        |
| 7318.29-000                     |                   | KG                |                     | -                   | -           |                              | 182                 | 633         |
| 7318 4-ST                       | **                | KG                |                     | -                   | -           |                              | 182                 | 633         |
| 7326.90-000                     |                   | KG                |                     | 7122                | 3660        |                              | 127306              | 59780       |
| 7326 4-ST                       | **                | KG                |                     | 7122                | 3660        |                              | 127306              | 59780       |
| 73 2-ST                         | **                | KG                |                     | 7122                | 3660        |                              | 128343              | 63465       |
| 7408.19-100                     |                   | KG                |                     | -                   | -           |                              | 1713                | 683         |
| 7408.19-900                     |                   | KG                |                     | -                   | -           |                              | 200                 | 689         |
| 7408 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1913                | 1372        |
| 7413.00-000                     |                   | KG                |                     | -                   | -           |                              | 1440                | 964         |
| 7413 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1440                | 964         |
| 74 2-ST                         | **                | KG                |                     | -                   | -           |                              | 3353                | 2336        |
| 7612.90-000                     |                   | KG                |                     | 820                 | 1131        |                              | 1200                | 1685        |
| 7612 4-ST                       | **                | KG                |                     | 820                 | 1131        |                              | 1200                | 1685        |
| 76 2-ST                         | **                | KG                |                     | 820                 | 1131        |                              | 1200                | 1685        |
| 8202.39-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 20                  | 765         |
| 8202 4-ST                       | NO                | KG                | -                   | -                   | -           | 10                           | 20                  | 765         |
| 8207.20-900                     |                   | KG                |                     | -                   | -           |                              | 46                  | 1167        |
| 8207.30-100                     | NO                | KG                | -                   | -                   | -           | 3                            | 7                   | 470         |
| 8207.30-900                     |                   | KG                |                     | -                   | -           |                              | 48                  | 9048        |
| 8207.40-110                     | NO                | KG                | -                   | -                   | -           | 1790                         | 15                  | 1005        |
| 8207.40-190                     | NO                | KG                | 970                 | 6                   | 438         | 2290                         | 17                  | 1019        |
| 8207.50-100                     | NO                | KG                | -                   | -                   | -           | 110                          | 1                   | 314         |
| 8207.50-200                     | NO                | KG                | -                   | -                   | -           | 440                          | 5                   | 284         |
| 8207.70-100                     | NO                | KG                | 1100                | 10                  | 674         | 1100                         | 10                  | 674         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 105 CHINA                       |                   |                   |                     |                     |             |                              |                     |             |
| 8207.90-100                     | NO                | KG                | -                   | -                   | -           | 604                          | 18                  | 1675        |
| 8207.90-200                     | NO                | KG                | -                   | -                   | -           | 95                           | 0                   | 4431        |
| 8207 4-ST                       |                   | KG                |                     | 16                  | 1112        |                              | 167                 | 20087       |
| 8208.90-000                     |                   | KG                |                     | 43                  | 2580        |                              | 862                 | 153617      |
| 8208 4-ST                       | **                | KG                |                     | 43                  | 2580        |                              | 862                 | 153617      |
| 8209.00-900                     |                   | KG                |                     | -                   | -           |                              | 8                   | 243         |
| 8209 4-ST                       | **                | KG                |                     | -                   | -           |                              | 8                   | 243         |
| 82 2-ST                         |                   | KG                |                     | 59                  | 3692        |                              | 1057                | 174712      |
| 8308.10-000                     |                   | KG                |                     | -                   | -           |                              | 374                 | 1354        |
| 8308.20-000                     |                   | KG                |                     | -                   | -           |                              | 60                  | 312         |
| 8308.90-100                     | DZ                | KG                | -                   | -                   | -           | 166                          | 20                  | 364         |
| 8308 4-ST                       |                   | KG                |                     | -                   | -           |                              | 454                 | 2030        |
| 8310.00-000                     |                   | KG                |                     | -                   | -           |                              | 34                  | 961         |
| 8310 4-ST                       | **                | KG                |                     | -                   | -           |                              | 34                  | 961         |
| 83 2-ST                         |                   | KG                |                     | -                   | -           |                              | 488                 | 2991        |
| 8412.29-000                     | NO                | KG                | 1                   | 12                  | 426         | 1                            | 12                  | 426         |
| 8412 4-ST                       | NO                | KG                | 1                   | 12                  | 426         | 1                            | 12                  | 426         |
| 8413.60-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 23                  | 295         |
| 8413.91-000                     |                   | KG                |                     | -                   | -           |                              | 6                   | 210         |
| 8413 4-ST                       |                   | KG                |                     | -                   | -           |                              | 29                  | 505         |
| 8414.59-000                     | NO                | KG                | 20                  | 21                  | 224         | 23                           | 22                  | 445         |
| 8414.90-900                     |                   | KG                |                     | -                   | -           |                              | 1162                | 4631        |
| 8414 4-ST                       |                   | KG                |                     | 21                  | 224         |                              | 1184                | 5076        |
| 8419.89-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 178                 | 2804        |
| 8419.90-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 217         |
| 8419 4-ST                       |                   | KG                |                     | -                   | -           |                              | 183                 | 3021        |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 201         |
| 8421 4-ST                       | **                | KG                |                     | -                   | -           |                              | 3                   | 201         |
| 8422.90-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 244         |
| 8422 4-ST                       | **                | KG                |                     | -                   | -           |                              | 3                   | 244         |
| 8424.10-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 8                   | 264         |
| 8424 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 8                   | 264         |
| 8428.20-000                     | NO                | KG                | 1                   | 25                  | 657         | 1                            | 25                  | 657         |
| 8428 4-ST                       | NO                | KG                | 1                   | 25                  | 657         | 1                            | 25                  | 657         |
| 8432.30-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 40                  | 463         |
| 8432 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 40                  | 463         |
| 8433.20-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 220                 | 385         |
| 8433 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 220                 | 385         |
| 8437.10-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 240                 | 4678        |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 239                 | 2379        |
| 8437 4-ST                       |                   | KG                |                     | -                   | -           |                              | 479                 | 7057        |
| 8439.99-000                     |                   | KG                |                     | -                   | -           |                              | 21                  | 514         |
| 8439 4-ST                       | **                | KG                |                     | -                   | -           |                              | 21                  | 514         |
| 8443.90-100                     |                   | KG                |                     | 12                  | 1748        |                              | 3400                | 31161       |
| 8443 4-ST                       | **                | KG                |                     | 12                  | 1748        |                              | 3400                | 31161       |
| 8452.90-990                     |                   | KG                |                     | -                   | -           |                              | 518                 | 5874        |
| 8452 4-ST                       | **                | KG                |                     | -                   | -           |                              | 518                 | 5874        |
| 8454.90-000                     |                   | KG                |                     | 16                  | 332         |                              | 745                 | 4296        |
| 8454 4-ST                       | **                | KG                |                     | 16                  | 332         |                              | 745                 | 4296        |
| 8464.10-100                     | NO                | KG                | 1                   | 676                 | 6100        | 5                            | 3915                | 36928       |
| 8464 4-ST                       | NO                | KG                | 1                   | 676                 | 6100        | 5                            | 3915                | 36928       |
| 8466.30-100                     |                   | KG                |                     | -                   | -           |                              | 94                  | 437         |
| 8466.91-000                     |                   | KG                |                     | -                   | -           |                              | 0                   | 416         |
| 8466.93-000                     |                   | KG                |                     | -                   | -           |                              | 95                  | 2149        |
| 8466 4-ST                       | **                | KG                |                     | -                   | -           |                              | 189                 | 3002        |
| 8467.29-100                     |                   | NO                |                     | -                   | -           |                              | 7                   | 318         |
| 8467.29-900                     |                   | NO                |                     | 6                   | 234         |                              | 6                   | 234         |
| 8467 4-ST                       | **                | NO                |                     | 6                   | 234         |                              | 13                  | 552         |
| 8468.80-000                     | NO                | KG                | -                   | -                   | -           | 20                           | 150                 | 4823        |
| 8468 4-ST                       | NO                | KG                | -                   | -                   | -           | 20                           | 150                 | 4823        |
| 8471.49-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 883         |
| 8471.60-140                     |                   | NO                |                     | -                   | -           |                              | 1                   | 315         |
| 8471.60-900                     |                   | NO                |                     | -                   | -           |                              | 1                   | 315         |
| 8471 4-ST                       | **                | NO                |                     | -                   | -           |                              | 3                   | 1513        |
| 8477.90-100                     |                   | KG                |                     | -                   | -           |                              | 20                  | 785         |
| 8477 4-ST                       | **                | KG                |                     | -                   | -           |                              | 20                  | 785         |
| 8479.89-900                     | NO                | KG                | -                   | -                   | -           | 533                          | 11540               | 613949      |
| 8479.90-000                     |                   | KG                |                     | 159                 | 3577        |                              | 2443                | 171610      |
| 8479 4-ST                       |                   | KG                |                     | 159                 | 3577        |                              | 13983               | 785559      |
| 8480.41-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 1181        |
| 8480.60-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 513         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 105 CHINA                       |                   |                   |                    |                   |             |                              |                   |             |
| 8480.71-000                     |                   | KG                |                    | -                 | -           |                              | 2488              | 875         |
| 8480.79-000                     |                   | KG                |                    | -                 | -           |                              | 119               | 443         |
| 8480 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2627              | 3012        |
| 8481.80-190                     |                   | KG                |                    | 33                | 263         |                              | 83                | 1323        |
| 8481 4-ST                       | **                | KG                |                    | 33                | 263         |                              | 83                | 1323        |
| 8482.10-000                     | NO                | KG                | 20000              | 3                 | 1234        | 268200                       | 48                | 17583       |
| 8482.40-000                     | NO                | KG                | -                  | -                 | -           | 8                            | 180               | 1050        |
| 8482 4-ST                       | NO                | KG                | 20000              | 3                 | 1234        | 268208                       | 228               | 18633       |
| 8483.10-000                     | NO                | KG                | 183520             | 54                | 1475        | 865493                       | 246               | 6966        |
| 8483.30-200                     | NO                | KG                | 70000              | 13                | 4325        | 80106                        | 26                | 5430        |
| 8483.40-200                     | NO                | KG                | -                  | -                 | -           | 14                           | 85                | 316         |
| 8483.60-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 40                | 522         |
| 8483.90-900                     |                   | KG                |                    | 46                | 739         |                              | 46                | 739         |
| 8483 4-ST                       |                   | KG                |                    | 113               | 6539        |                              | 443               | 13973       |
| 8484.10-000                     |                   | KG                |                    | -                 | -           |                              | 45                | 946         |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 45                | 946         |
| 84 2-ST                         |                   |                   |                    |                   | 21334       |                              |                   | 931193      |
| 8501.10-191                     | NO                | KG                | -                  | -                 | -           | 10                           | 135               | 554         |
| 8501.31-192                     | NO                | KG                | 4                  | 14                | 208         | 4                            | 14                | 208         |
| 8501.32-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 42                | 246         |
| 8501.52-100                     | NO                | KG                | -                  | -                 | -           | 4                            | 224               | 366         |
| 8501 4-ST                       | NO                | KG                | 4                  | 14                | 208         | 19                           | 415               | 1374        |
| 8503.00-000                     |                   | KG                |                    | 299               | 21422       |                              | 5283              | 203334      |
| 8503 4-ST                       | **                | KG                |                    | 299               | 21422       |                              | 5283              | 203334      |
| 8504.31-910                     | NO                | KG                | -                  | -                 | -           | 419675                       | 554               | 2497        |
| 8504.31-920                     | NO                | KG                | -                  | -                 | -           | 1                            | 121               | 347         |
| 8504.40-110                     | NO                | KG                | -                  | -                 | -           | 1                            | 400               | 360         |
| 8504.90-000                     |                   | KG                |                    | 225               | 1307        |                              | 7295              | 28730       |
| 8504 4-ST                       |                   | KG                |                    | 225               | 1307        |                              | 8370              | 31934       |
| 8505.11-000                     |                   | KG                |                    | -                 | -           |                              | 2131              | 27591       |
| 8505.19-000                     |                   | KG                |                    | 38                | 380         |                              | 6177              | 13551       |
| 8505.90-100                     | NO                | KG                | -                  | -                 | -           | 182615                       | 269               | 4206        |
| 8505 4-ST                       |                   | KG                |                    | 38                | 380         |                              | 8577              | 45348       |
| 8515.31-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 468               | 12228       |
| 8515.90-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 694         |
| 8515 4-ST                       |                   | KG                |                    | -                 | -           |                              | 498               | 12922       |
| 8524.99-900                     | NO                | NO                |                    | -                 | -           |                              | 1                 | 250         |
| 8524 4-ST                       | **                | NO                |                    | -                 | -           |                              | 1                 | 250         |
| 8532.25-000                     | TH                | KG                | 21435              | 293               | 76896       | 124581                       | 2636              | 457213      |
| 8532.29-000                     | TH                | KG                | -                  | -                 | -           | 90                           | 7                 | 231         |
| 8532.90-000                     |                   | KG                |                    | -                 | -           |                              | 8215              | 14660       |
| 8532 4-ST                       |                   | KG                |                    | 293               | 76896       |                              | 10858             | 472104      |
| 8534.00-000                     |                   | KG                |                    | 260               | 2642        |                              | 1797              | 13305       |
| 8534 4-ST                       | **                | KG                |                    | 260               | 2642        |                              | 1797              | 13305       |
| 8536.50-900                     | NO                | KG                | 265000             | 22                | 2785        | 2892000                      | 223               | 36217       |
| 8536.90-210                     |                   | KG                |                    | 5                 | 345         |                              | 78                | 10432       |
| 8536 4-ST                       |                   | KG                |                    | 27                | 3130        |                              | 301               | 46649       |
| 8537.10-000                     | NO                | KG                | 2                  | 15                | 223         | 19                           | 79                | 3137        |
| 8537 4-ST                       | NO                | KG                | 2                  | 15                | 223         | 19                           | 79                | 3137        |
| 8538.90-900                     |                   | KG                |                    | 2                 | 279         |                              | 6                 | 4270        |
| 8538 4-ST                       | **                | KG                |                    | 2                 | 279         |                              | 6                 | 4270        |
| 8539.31-000                     | NO                | KG                | -                  | -                 | -           | 11                           | 22                | 246         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 11                           | 22                | 246         |
| 8541.40-990                     |                   | NO                |                    | -                 | -           |                              | 30                | 354         |
| 8541.50-000                     |                   | NO                |                    | 513000            | 3808        |                              | 3069000           | 22810       |
| 8541 4-ST                       | **                | NO                |                    | 513000            | 3808        |                              | 3069030           | 23164       |
| 8542.21-390                     |                   | NO                |                    | 100000            | 20926       |                              | 1090216           | 229247      |
| 8542 4-ST                       | **                | NO                |                    | 100000            | 20926       |                              | 1090216           | 229247      |
| 8543.89-000                     |                   | NO                |                    | 4                 | 257         |                              | 1209881           | 48656       |
| 8543.90-000                     |                   | KG                |                    | -                 | -           |                              | 11                | 1451        |
| 8543 4-ST                       | **                |                   |                    |                   | 257         |                              |                   | 50107       |
| 8544.11-000                     |                   | KG                |                    | -                 | -           |                              | 18                | 588         |
| 8544.49-990                     |                   | KG                |                    | -                 | -           |                              | 174               | 881         |
| 8544.51-110                     |                   | KG                |                    | 41                | 292         |                              | 120               | 1363        |
| 8544 4-ST                       | **                | KG                |                    | 41                | 292         |                              | 312               | 2832        |
| 8547.10-000                     |                   | KG                |                    | -                 | -           |                              | 56                | 540         |
| 8547 4-ST                       | **                | KG                |                    | -                 | -           |                              | 56                | 540         |
| 85 2-ST                         |                   |                   |                    |                   | 131770      |                              |                   | 1140763     |
| 9001.20-000                     |                   | KG                |                    | 53574             | 517629      |                              | 867627            | 7794628     |
| 9001 4-ST                       | **                | KG                |                    | 53574             | 517629      |                              | 867627            | 7794628     |
| 9016.00-100                     |                   | KG                |                    | -                 | -           |                              | 4                 | 500         |



## 税関別国別品別表

## 輸出

2002 年 12 月 確定 (Fixed Annual)

PAGE 9

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |               | 累計 (CUMULATIVE YEAR TO DATE) |                     |                 |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|---------------|------------------------------|---------------------|-----------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE   | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE     |
| <b>105 CHINA</b>                |                   |                   |                     |                     |               |                              |                     |                 |
| 9016 4-ST                       | **                | KG                |                     | -                   | -             |                              | 4                   | 500             |
| 9017.30-920                     | NO                | KG                | -                   | -                   | -             | 1                            | 8                   | 216             |
| 9017.30-990                     | NO                | KG                | -                   | -                   | -             | 3                            | 1                   | 632             |
| 9017 4-ST                       | NO                | KG                | -                   | -                   | -             | 4                            | 9                   | 848             |
| 9027.20-000                     | NO                | KG                | -                   | -                   | -             | 1                            | 129                 | 346             |
| 9027.50-000                     | NO                | KG                | -                   | -                   | -             | 1                            | 51                  | 1825            |
| 9027.80-110                     | NO                | KG                | -                   | -                   | -             | 1                            | 16                  | 741             |
| 9027 4-ST                       | NO                | KG                | -                   | -                   | -             | 3                            | 196                 | 2912            |
| 9030.39-100                     | NO                | KG                | -                   | -                   | -             | 3                            | 11                  | 231             |
| 9030.82-000                     |                   | NO                |                     | 6                   | 25732         |                              | 6                   | 25732           |
| 9030.89-990                     | NO                | KG                | -                   | -                   | -             | 4                            | 46                  | 1949            |
| 9030.90-000                     |                   | KG                |                     | -                   | -             |                              | 43                  | 4751            |
| 9030 4-ST                       |                   |                   |                     |                     | 25732         |                              |                     | 32663           |
| 9031.41-000                     |                   | NO                |                     | -                   | -             |                              | 1                   | 229             |
| 9031.49-000                     |                   | NO                |                     | 2                   | 5967          |                              | 16                  | 67341           |
| 9031.80-190                     | NO                | KG                | -                   | -                   | -             | 47                           | 3526                | 115086          |
| 9031.90-100                     |                   | KG                |                     | -                   | -             |                              | 0                   | 392             |
| 9031.90-900                     |                   | KG                |                     | 7                   | 305           |                              | 7                   | 305             |
| 9031 4-ST                       |                   |                   |                     |                     | 6272          |                              |                     | 183353          |
| 9032.89-111                     | NO                | KG                | -                   | -                   | -             | 2                            | 22                  | 532             |
| 9032.89-119                     | NO                | KG                | -                   | -                   | -             | 2                            | 100                 | 2959            |
| 9032 4-ST                       | NO                | KG                | -                   | -                   | -             | 4                            | 122                 | 3491            |
| 90 2-ST                         |                   |                   |                     |                     | 549633        |                              |                     | 8018395         |
| 9405.40-210                     | NO                | KG                | -                   | -                   | -             | 1                            | 6                   | 408             |
| 9405 4-ST                       | NO                | KG                | -                   | -                   | -             | 1                            | 6                   | 408             |
| 94 2-ST                         | NO                | KG                | -                   | -                   | -             | 1                            | 6                   | 408             |
| 9606.10-100                     | GS                | KG                | -                   | -                   | -             | 1729                         | 477                 | 3707            |
| 9606.21-000                     | GS                | KG                | -                   | -                   | -             | 2413                         | 352                 | 3227            |
| 9606.22-000                     | GS                | KG                | -                   | -                   | -             | 4831                         | 283                 | 5544            |
| 9606.29-900                     | GS                | KG                | -                   | -                   | -             | 201                          | 19                  | 254             |
| 9606 4-ST                       | GS                | KG                | -                   | -                   | -             | 9174                         | 1131                | 12732           |
| 9607.11-000                     |                   | KG                |                     | 36                  | 205           |                              | 338                 | 1542            |
| 9607.19-000                     |                   | KG                |                     | 75                  | 714           |                              | 569                 | 3757            |
| 9607 4-ST                       | **                | KG                |                     | 111                 | 919           |                              | 907                 | 5299            |
| 9608.10-100                     |                   | NO                |                     | -                   | -             |                              | 300                 | 305             |
| 9608.39-000                     |                   | NO                |                     | -                   | -             |                              | 340                 | 744             |
| 9608 4-ST                       | **                | NO                |                     | -                   | -             |                              | 640                 | 1049            |
| 9611.00-000                     |                   | KG                |                     | -                   | -             |                              | 1                   | 216             |
| 9611 4-ST                       | **                | KG                |                     | -                   | -             |                              | 1                   | 216             |
| 96 2-ST                         |                   |                   |                     |                     | 919           |                              |                     | 19296           |
| 9701.10-000                     | NO                | KG                | -                   | -                   | -             | 15                           | 190                 | 1500            |
| 9701 4-ST                       | NO                | KG                | -                   | -                   | -             | 15                           | 190                 | 1500            |
| 97 2-ST                         | NO                | KG                | -                   | -                   | -             | 15                           | 190                 | 1500            |
| <b>TOTAL</b>                    |                   |                   |                     |                     | <b>734383</b> |                              |                     | <b>10663987</b> |
| <b>106 TAIWAN</b>               |                   |                   |                     |                     |               |                              |                     |                 |
| 0301.10-100                     |                   | KG                |                     | -                   | -             |                              | 1956                | 12764           |
| 0301.10-900                     |                   | KG                |                     | -                   | -             |                              | 630                 | 5076            |
| 0301.99-900                     |                   | KG                |                     | -                   | -             |                              | 138                 | 1104            |
| 0301 4-ST                       | **                | KG                |                     | -                   | -             |                              | 2724                | 18944           |
| 03 2-ST                         | **                | KG                |                     | -                   | -             |                              | 2724                | 18944           |
| 1212.20-190                     |                   | KG                |                     | 450                 | 787           |                              | 450                 | 787             |
| 1212 4-ST                       | **                | KG                |                     | 450                 | 787           |                              | 450                 | 787             |
| 12 2-ST                         | **                | KG                |                     | 450                 | 787           |                              | 450                 | 787             |
| 2804.69-000                     |                   | KG                |                     | -                   | -             |                              | 200                 | 1520            |
| 2804 4-ST                       | **                | KG                |                     | -                   | -             |                              | 200                 | 1520            |
| 28 2-ST                         | **                | KG                |                     | -                   | -             |                              | 200                 | 1520            |
| 3824.90-000                     |                   | KG                |                     | -                   | -             |                              | 72                  | 544             |
| 3824 4-ST                       | **                | KG                |                     | -                   | -             |                              | 72                  | 544             |
| 38 2-ST                         | **                | KG                |                     | -                   | -             |                              | 72                  | 544             |
| 3907.30-000                     |                   | KG                |                     | -                   | -             |                              | 111                 | 333             |
| 3907 4-ST                       | **                | KG                |                     | -                   | -             |                              | 111                 | 333             |
| 3923.21-000                     |                   | KG                |                     | -                   | -             |                              | 108                 | 218             |
| 3923 4-ST                       | **                | KG                |                     | -                   | -             |                              | 108                 | 218             |
| 3926.90-000                     |                   | KG                |                     | -                   | -             |                              | 66                  | 670             |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 106 TAIWAN                      |                   |                   |                    |                   |             |                              |                   |             |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 66                | 670         |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 285               | 1221        |
| 4009.41-000                     |                   | KG                |                    | -                 | -           |                              | 70                | 210         |
| 4009 4-ST                       | **                | KG                |                    | -                 | -           |                              | 70                | 210         |
| 4010.12-000                     |                   | KG                |                    | -                 | -           |                              | 50                | 1336        |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 50                | 1336        |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 16                | 400         |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 16                | 400         |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 136               | 1946        |
| 4203.30-000                     | DZ                | KG                | -                  | -                 | -           | 50                           | 86                | 865         |
| 4203 4-ST                       | DZ                | KG                | -                  | -                 | -           | 50                           | 86                | 865         |
| 42 2-ST                         | DZ                | KG                | -                  | -                 | -           | 50                           | 86                | 865         |
| 6106.10-100                     | NO                | KG                | -                  | -                 | -           | 96                           | 33                | 202         |
| 6106 4-ST                       | NO                | KG                | -                  | -                 | -           | 96                           | 33                | 202         |
| 6115.92-500                     | PR                | KG                | -                  | -                 | -           | 6500                         | 189               | 788         |
| 6115 4-ST                       | PR                | KG                | -                  | -                 | -           | 6500                         | 189               | 788         |
| 61 2-ST                         |                   | KG                |                    | -                 | -           |                              | 222               | 990         |
| 6201.11-000                     | NO                | KG                | -                  | -                 | -           | 176                          | 237               | 1436        |
| 6201.13-000                     | NO                | KG                | -                  | -                 | -           | 89                           | 119               | 581         |
| 6201 4-ST                       | NO                | KG                | -                  | -                 | -           | 265                          | 356               | 2017        |
| 6203.11-000                     | NO                | KG                | -                  | -                 | -           | 1064                         | 1040              | 7454        |
| 6203.31-000                     | NO                | KG                | -                  | -                 | -           | 1245                         | 837               | 5769        |
| 6203.33-000                     | NO                | KG                | -                  | -                 | -           | 89                           | 49                | 412         |
| 6203.41-000                     | NO                | KG                | -                  | -                 | -           | 4063                         | 1529              | 9158        |
| 6203.43-000                     | NO                | KG                | -                  | -                 | -           | 1945                         | 507               | 3589        |
| 6203 4-ST                       | NO                | KG                | -                  | -                 | -           | 8406                         | 3962              | 26382       |
| 6204.61-000                     | NO                | KG                | -                  | -                 | -           | 2021                         | 606               | 4448        |
| 6204.62-000                     | NO                | KG                | -                  | -                 | -           | 402                          | 223               | 1593        |
| 6204.63-000                     | NO                | KG                | -                  | -                 | -           | 633                          | 189               | 1191        |
| 6204 4-ST                       | NO                | KG                | -                  | -                 | -           | 3056                         | 1018              | 7232        |
| 6205.20-000                     | NO                | KG                | -                  | -                 | -           | 2449                         | 195               | 813         |
| 6205.30-000                     | NO                | KG                | -                  | -                 | -           | 3794                         | 768               | 3501        |
| 6205 4-ST                       | NO                | KG                | -                  | -                 | -           | 6243                         | 963               | 4314        |
| 6215.10-000                     | NO                | KG                | -                  | -                 | -           | 8455                         | 1208              | 5025        |
| 6215 4-ST                       | NO                | KG                | -                  | -                 | -           | 8455                         | 1208              | 5025        |
| 62 2-ST                         | NO                | KG                | -                  | -                 | -           | 26425                        | 7507              | 44970       |
| 6804.21-100                     |                   | KG                |                    | 495               | 54283       |                              | 6036              | 641724      |
| 6804.21-200                     |                   | KG                |                    | 158               | 20214       |                              | 1549              | 223981      |
| 6804 4-ST                       | **                | KG                |                    | 653               | 74497       |                              | 7585              | 865705      |
| 68 2-ST                         | **                | KG                |                    | 653               | 74497       |                              | 7585              | 865705      |
| 6914.10-000                     |                   | KG                |                    | -                 | -           |                              | 22                | 278         |
| 6914.90-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 521         |
| 6914 4-ST                       | **                | KG                |                    | -                 | -           |                              | 37                | 799         |
| 69 2-ST                         | **                | KG                |                    | -                 | -           |                              | 37                | 799         |
| 7318.16-900                     |                   | KG                |                    | -                 | -           |                              | 12                | 243         |
| 7318.29-000                     |                   | KG                |                    | -                 | -           |                              | 24                | 472         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 36                | 715         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 36                | 715         |
| 8108.90-000                     |                   | KG                |                    | -                 | -           |                              | 470               | 3826        |
| 8108 4-ST                       | **                | KG                |                    | -                 | -           |                              | 470               | 3826        |
| 81 2-ST                         | **                | KG                |                    | -                 | -           |                              | 470               | 3826        |
| 8207.30-900                     |                   | KG                |                    | -                 | -           |                              | 16                | 500         |
| 8207 4-ST                       | **                | KG                |                    | -                 | -           |                              | 16                | 500         |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 974               | 99483       |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 974               | 99483       |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 990               | 99983       |
| 8412.21-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 111               | 725         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 111               | 725         |
| 8413.60-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 4                 | 330         |
| 8413 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 4                 | 330         |
| 8414.51-000                     | NO                | KG                | -                  | -                 | -           | 20                           | 34                | 272         |
| 8414 4-ST                       | NO                | KG                | -                  | -                 | -           | 20                           | 34                | 272         |
| 8419.89-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 596               | 9362        |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 106 TAIWAN                      |                   |                   |                     |                     |             |                              |                     |             |
| 8419.90-000                     |                   | KG                |                     | 22                  | 700         |                              | 22                  | 700         |
| 8419 4-ST                       |                   | KG                |                     | 22                  | 700         |                              | 618                 | 10062       |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 103                 | 1450        |
| 8421 4-ST                       | **                | KG                |                     | -                   | -           |                              | 103                 | 1450        |
| 8425.49-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 7                   | 384         |
| 8425 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 7                   | 384         |
| 8428.20-000                     | NO                | KG                | -                   | -                   | -           | 7                            | 106                 | 3700        |
| 8428.39-900                     | NO                | KG                | -                   | -                   | -           | 4                            | 30                  | 2226        |
| 8428 4-ST                       | NO                | KG                | -                   | -                   | -           | 11                           | 136                 | 5926        |
| 8439.99-000                     |                   | KG                |                     | -                   | -           |                              | 574                 | 8237        |
| 8439 4-ST                       | **                | KG                |                     | -                   | -           |                              | 574                 | 8237        |
| 8441.90-000                     |                   | KG                |                     | 7                   | 684         |                              | 231                 | 1752        |
| 8441 4-ST                       | **                | KG                |                     | 7                   | 684         |                              | 231                 | 1752        |
| 8443.51-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 3                   | 238         |
| 8443.90-100                     |                   | KG                |                     | 4                   | 370         |                              | 710                 | 12208       |
| 8443 4-ST                       |                   | KG                |                     | 4                   | 370         |                              | 713                 | 12446       |
| 8460.90-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 78                  | 1800        |
| 8460 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 78                  | 1800        |
| 8464.10-100                     | NO                | KG                | 6                   | 9134                | 97200       | 104                          | 104987              | 1206362     |
| 8464.20-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 8006                | 92500       |
| 8464 4-ST                       | NO                | KG                | 6                   | 9134                | 97200       | 106                          | 112993              | 1298862     |
| 8466.30-200                     |                   | KG                |                     | -                   | -           |                              | 2                   | 267         |
| 8466.30-300                     |                   | KG                |                     | -                   | -           |                              | 90                  | 1160        |
| 8466.91-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 221         |
| 8466 4-ST                       | **                | KG                |                     | -                   | -           |                              | 94                  | 1648        |
| 8467.21-000                     |                   | NO                |                     | 10                  | 400         |                              | 10                  | 400         |
| 8467.29-100                     |                   | NO                |                     | -                   | -           |                              | 5                   | 205         |
| 8467 4-ST                       | **                | NO                |                     | 10                  | 400         |                              | 15                  | 605         |
| 8477.80-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 15                  | 864         |
| 8477 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 15                  | 864         |
| 8479.50-000                     |                   | NO                |                     | 1                   | 1350        |                              | 19                  | 44661       |
| 8479.89-900                     | NO                | KG                | 2                   | 200                 | 552         | 5                            | 754                 | 1624        |
| 8479.90-000                     |                   | KG                |                     | 170                 | 3132        |                              | 396                 | 5878        |
| 8479 4-ST                       |                   |                   |                     |                     | 5034        |                              |                     | 52163       |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 4                   | 292         |
| 8481 4-ST                       | **                | KG                |                     | -                   | -           |                              | 4                   | 292         |
| 8482.40-000                     | NO                | KG                | 5                   | 115                 | 554         | 17                           | 379                 | 1729        |
| 8482.80-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 229                 | 1177        |
| 8482 4-ST                       | NO                | KG                | 5                   | 115                 | 554         | 27                           | 608                 | 2906        |
| 8483.10-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 29                  | 465         |
| 8483.40-200                     | NO                | KG                | -                   | -                   | -           | 29                           | 341                 | 4467        |
| 8483.40-900                     | NO                | KG                | 38                  | 274                 | 1297        | 213                          | 1516                | 5741        |
| 8483.50-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 27                  | 268         |
| 8483.60-000                     | NO                | KG                | -                   | -                   | -           | 9                            | 114                 | 1004        |
| 8483.90-900                     |                   | KG                |                     | -                   | -           |                              | 449                 | 1005        |
| 8483 4-ST                       |                   | KG                |                     | 274                 | 1297        |                              | 2476                | 12950       |
| 84 2-ST                         |                   |                   |                     |                     | 106239      |                              |                     | 1413674     |
| 8501.31-191                     | NO                | KG                | -                   | -                   | -           | 700                          | 27                  | 860         |
| 8501.31-192                     | NO                | KG                | -                   | -                   | -           | 30                           | 781                 | 1584        |
| 8501.51-000                     | NO                | KG                | -                   | -                   | -           | 17                           | 116                 | 1419        |
| 8501.52-100                     | NO                | KG                | 1                   | 39                  | 294         | 308                          | 166                 | 1591        |
| 8501 4-ST                       | NO                | KG                | 1                   | 39                  | 294         | 1055                         | 1090                | 5454        |
| 8504.33-910                     | NO                | KG                | -                   | -                   | -           | 1                            | 220                 | 889         |
| 8504.40-110                     | NO                | KG                | -                   | -                   | -           | 6                            | 81                  | 1550        |
| 8504 4-ST                       | NO                | KG                | -                   | -                   | -           | 7                            | 301                 | 2439        |
| 8505.20-000                     |                   | KG                |                     | -                   | -           |                              | 76                  | 945         |
| 8505 4-ST                       | **                | KG                |                     | -                   | -           |                              | 76                  | 945         |
| 8515.29-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 24                  | 2000        |
| 8515.90-000                     |                   | KG                |                     | -                   | -           |                              | 21                  | 491         |
| 8515 4-ST                       |                   | KG                |                     | -                   | -           |                              | 45                  | 2491        |
| 8523.90-000                     | NO                | KG                | -                   | -                   | -           | 6750600                      | 13817               | 63214       |
| 8523 4-ST                       | NO                | KG                | -                   | -                   | -           | 6750600                      | 13817               | 63214       |
| 8524.40-000                     | NO                |                   |                     | -                   | -           |                              | 40                  | 483         |
| 8524 4-ST                       | **                | NO                |                     | -                   | -           |                              | 40                  | 483         |
| 8529.10-900                     |                   | KG                |                     | -                   | -           |                              | 2                   | 300         |
| 8529 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 300         |
| 8536.50-900                     | NO                | KG                | -                   | -                   | -           | 1083                         | 130                 | 715         |
| 8536 4-ST                       | NO                | KG                | -                   | -                   | -           | 1083                         | 130                 | 715         |
| 8537.10-000                     | NO                | KG                | 7                   | 7                   | 690         | 43                           | 344                 | 4354        |
| 8537 4-ST                       | NO                | KG                | 7                   | 7                   | 690         | 43                           | 344                 | 4354        |
| 8538.90-900                     |                   | KG                |                     | -                   | -           |                              | 128                 | 6965        |
| 8538 4-ST                       | **                | KG                |                     | -                   | -           |                              | 128                 | 6965        |

## 税関別国別品別表

## 輸出

2002 年 12 月 確定 (Fixed Annual)

PAGE 12

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |               | 累計 (CUMULATIVE YEAR TO DATE) |                      |                |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|---------------|------------------------------|----------------------|----------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE   | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE    |
| <b>106 TAIWAN</b>               |                   |                   |                      |                      |               |                              |                      |                |
| <b>8543.20-000</b>              |                   | NO                |                      | -                    | -             |                              | <b>6</b>             | <b>5882</b>    |
| <b>8543.89-000</b>              |                   | NO                |                      | -                    | -             |                              | <b>18</b>            | <b>5657</b>    |
| <b>8543 4-ST</b>                | <b>**</b>         | NO                |                      | -                    | -             |                              | <b>24</b>            | <b>11539</b>   |
| <b>8544.51-110</b>              |                   | KG                |                      | -                    | -             |                              | <b>19</b>            | <b>293</b>     |
| <b>8544 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>19</b>            | <b>293</b>     |
| <b>85 2-ST</b>                  |                   |                   |                      |                      | <b>984</b>    |                              |                      | <b>99192</b>   |
| <b>9013.80-000</b>              | NO                | KG                | -                    | -                    | -             | <b>3405</b>                  | <b>1035</b>          | <b>3834</b>    |
| <b>9013 4-ST</b>                | NO                | KG                | -                    | -                    | -             | <b>3405</b>                  | <b>1035</b>          | <b>3834</b>    |
| <b>9026.90-000</b>              |                   | KG                |                      | -                    | -             |                              | <b>2</b>             | <b>376</b>     |
| <b>9026 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>2</b>             | <b>376</b>     |
| <b>9027.80-110</b>              | NO                | KG                | -                    | -                    | -             | <b>1</b>                     | <b>20</b>            | <b>1100</b>    |
| <b>9027 4-ST</b>                | NO                | KG                | -                    | -                    | -             | <b>1</b>                     | <b>20</b>            | <b>1100</b>    |
| <b>9029.10-100</b>              | NO                | KG                | -                    | -                    | -             | <b>7</b>                     | <b>9</b>             | <b>1044</b>    |
| <b>9029.20-920</b>              | NO                | KG                | -                    | -                    | -             | <b>11</b>                    | <b>30</b>            | <b>833</b>     |
| <b>9029.90-000</b>              |                   | KG                |                      | -                    | -             |                              | <b>2</b>             | <b>222</b>     |
| <b>9029 4-ST</b>                |                   | KG                |                      | -                    | -             |                              | <b>41</b>            | <b>2099</b>    |
| <b>9030.89-990</b>              | NO                | KG                | -                    | -                    | -             | <b>1</b>                     | <b>3</b>             | <b>270</b>     |
| <b>9030 4-ST</b>                | NO                | KG                | -                    | -                    | -             | <b>1</b>                     | <b>3</b>             | <b>270</b>     |
| <b>90 2-ST</b>                  |                   | KG                |                      | -                    | -             |                              | <b>1101</b>          | <b>7679</b>    |
| <b>9505.90-000</b>              |                   | KG                |                      | -                    | -             |                              | <b>55</b>            | <b>2950</b>    |
| <b>9505 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>55</b>            | <b>2950</b>    |
| <b>95 2-ST</b>                  | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>55</b>            | <b>2950</b>    |
| <b>TOTAL</b>                    |                   |                   |                      |                      | <b>182507</b> |                              |                      | <b>2566310</b> |
| <b>108 HG KONG</b>              |                   |                   |                      |                      |               |                              |                      |                |
| <b>0301.10-900</b>              |                   | KG                |                      | <b>495</b>           | <b>2996</b>   |                              | <b>5808</b>          | <b>12726</b>   |
| <b>0301 4-ST</b>                | <b>**</b>         | KG                |                      | <b>495</b>           | <b>2996</b>   |                              | <b>5808</b>          | <b>12726</b>   |
| <b>03 2-ST</b>                  | <b>**</b>         | KG                |                      | <b>495</b>           | <b>2996</b>   |                              | <b>5808</b>          | <b>12726</b>   |
| <b>3906.10-100</b>              |                   | KG                |                      | <b>1350</b>          | <b>286</b>    |                              | <b>1350</b>          | <b>286</b>     |
| <b>3906 4-ST</b>                | <b>**</b>         | KG                |                      | <b>1350</b>          | <b>286</b>    |                              | <b>1350</b>          | <b>286</b>     |
| <b>3919.10-200</b>              |                   | KG                |                      | -                    | -             |                              | <b>147</b>           | <b>506</b>     |
| <b>3919 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>147</b>           | <b>506</b>     |
| <b>3926.90-000</b>              |                   | KG                |                      | -                    | -             |                              | <b>2</b>             | <b>227</b>     |
| <b>3926 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>2</b>             | <b>227</b>     |
| <b>39 2-ST</b>                  | <b>**</b>         | KG                |                      | <b>1350</b>          | <b>286</b>    |                              | <b>1499</b>          | <b>1019</b>    |
| <b>4011.63-000</b>              | NO                | KG                | -                    | -                    | -             | <b>2</b>                     | <b>24</b>            | <b>240</b>     |
| <b>4011 4-ST</b>                | NO                | KG                | -                    | -                    | -             | <b>2</b>                     | <b>24</b>            | <b>240</b>     |
| <b>40 2-ST</b>                  | NO                | KG                | -                    | -                    | -             | <b>2</b>                     | <b>24</b>            | <b>240</b>     |
| <b>6804.21-100</b>              |                   | KG                |                      | <b>233</b>           | <b>26946</b>  |                              | <b>839</b>           | <b>97221</b>   |
| <b>6804.21-200</b>              |                   | KG                |                      | <b>4</b>             | <b>661</b>    |                              | <b>8</b>             | <b>1124</b>    |
| <b>6804 4-ST</b>                | <b>**</b>         | KG                |                      | <b>237</b>           | <b>27607</b>  |                              | <b>847</b>           | <b>98345</b>   |
| <b>68 2-ST</b>                  | <b>**</b>         | KG                |                      | <b>237</b>           | <b>27607</b>  |                              | <b>847</b>           | <b>98345</b>   |
| <b>7013.29-000</b>              |                   | KG                |                      | -                    | -             |                              | <b>8370</b>          | <b>5184</b>    |
| <b>7013 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>8370</b>          | <b>5184</b>    |
| <b>70 2-ST</b>                  | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>8370</b>          | <b>5184</b>    |
| <b>7220.11-000</b>              |                   | KG                |                      | -                    | -             |                              | <b>323</b>           | <b>212</b>     |
| <b>7220 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>323</b>           | <b>212</b>     |
| <b>72 2-ST</b>                  | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>323</b>           | <b>212</b>     |
| <b>7307.99-900</b>              |                   | KG                |                      | -                    | -             |                              | <b>16</b>            | <b>232</b>     |
| <b>7307 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>16</b>            | <b>232</b>     |
| <b>7318.15-900</b>              |                   | KG                |                      | -                    | -             |                              | <b>2</b>             | <b>257</b>     |
| <b>7318 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>2</b>             | <b>257</b>     |
| <b>7320.20-000</b>              |                   | KG                |                      | -                    | -             |                              | <b>9</b>             | <b>318</b>     |
| <b>7320 4-ST</b>                | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>9</b>             | <b>318</b>     |
| <b>73 2-ST</b>                  | <b>**</b>         | KG                |                      | -                    | -             |                              | <b>27</b>            | <b>807</b>     |
| <b>8208.90-000</b>              |                   | KG                |                      | <b>75</b>            | <b>1942</b>   |                              | <b>1950</b>          | <b>168107</b>  |
| <b>8208 4-ST</b>                | <b>**</b>         | KG                |                      | <b>75</b>            | <b>1942</b>   |                              | <b>1950</b>          | <b>168107</b>  |
| <b>82 2-ST</b>                  | <b>**</b>         | KG                |                      | <b>75</b>            | <b>1942</b>   |                              | <b>1950</b>          | <b>168107</b>  |
| <b>8412.31-000</b>              | NO                | KG                | -                    | -                    | -             | <b>27</b>                    | <b>22</b>            | <b>329</b>     |
| <b>8412 4-ST</b>                | NO                | KG                | -                    | -                    | -             | <b>27</b>                    | <b>22</b>            | <b>329</b>     |
| <b>8413.81-000</b>              | NO                | KG                | <b>1</b>             | <b>16</b>            | <b>641</b>    | <b>1</b>                     | <b>16</b>            | <b>641</b>     |
| <b>8413.91-000</b>              |                   | KG                |                      | -                    | -             |                              | <b>148</b>           | <b>1123</b>    |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位：(1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 108 HG KONG                     |                   |                   |                     |                     |             |                              |                     |             |
| 8413 4-ST                       |                   | KG                |                     | 16                  | 641         |                              | 164                 | 1764        |
| 8414.59-000                     | NO                | KG                | -                   | -                   | -           | 30                           | 58                  | 339         |
| 8414 4-ST                       | NO                | KG                | -                   | -                   | -           | 30                           | 58                  | 339         |
| 8424.20-000                     | NO                | KG                | 6                   | 3                   | 332         | 6                            | 3                   | 332         |
| 8424 4-ST                       | NO                | KG                | 6                   | 3                   | 332         | 6                            | 3                   | 332         |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 40                  | 215         |
| 8437 4-ST                       | **                | KG                |                     | -                   | -           |                              | 40                  | 215         |
| 8443.90-100                     |                   | KG                |                     | 177                 | 3682        |                              | 1811                | 26257       |
| 8443 4-ST                       | **                | KG                |                     | 177                 | 3682        |                              | 1811                | 26257       |
| 8464.10-100                     | NO                | KG                | -                   | -                   | -           | 4                            | 4296                | 53519       |
| 8464 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 4296                | 53519       |
| 8466.91-000                     |                   | KG                |                     | -                   | -           |                              | 129                 | 725         |
| 8466.93-000                     |                   | KG                |                     | -                   | -           |                              | 62                  | 520         |
| 8466 4-ST                       | **                | KG                |                     | -                   | -           |                              | 191                 | 1245        |
| 8471.60-210                     |                   | NO                |                     | -                   | -           |                              | 3                   | 670         |
| 8471 4-ST                       | **                | NO                |                     | -                   | -           |                              | 3                   | 670         |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 18401               | 1339763     |
| 8473 4-ST                       | **                | KG                |                     | -                   | -           |                              | 18401               | 1339763     |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 30                  | 233         |
| 8481 4-ST                       | **                | KG                |                     | -                   | -           |                              | 30                  | 233         |
| 8482.40-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 151                 | 1059        |
| 8482 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 151                 | 1059        |
| 8483.10-000                     | NO                | KG                | 77706               | 48                  | 1283        | 77706                        | 48                  | 1283        |
| 8483.30-100                     | NO                | KG                | -                   | -                   | -           | 22                           | 17                  | 486         |
| 8483.30-200                     | NO                | KG                | 42                  | 26                  | 696         | 42                           | 26                  | 696         |
| 8483.40-200                     | NO                | KG                | 22                  | 367                 | 2193        | 29                           | 374                 | 2527        |
| 8483.60-000                     | NO                | KG                | -                   | -                   | -           | 7                            | 47                  | 711         |
| 8483 4-ST                       | NO                | KG                | 77770               | 441                 | 4172        | 77806                        | 512                 | 5703        |
| 84 2-ST                         |                   |                   |                     |                     | 8827        |                              |                     | 1431428     |
| 8501.31-191                     | NO                | KG                | 600                 | 32                  | 923         | 1100                         | 68                  | 1726        |
| 8501.31-192                     | NO                | KG                | -                   | -                   | -           | 365                          | 134                 | 1586        |
| 8501.40-910                     | NO                | KG                | -                   | -                   | -           | 160                          | 12                  | 246         |
| 8501.51-000                     | NO                | KG                | 3                   | 9                   | 284         | 9                            | 41                  | 811         |
| 8501.52-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 21                  | 252         |
| 8501 4-ST                       | NO                | KG                | 603                 | 41                  | 1207        | 1636                         | 276                 | 4621        |
| 8503.00-000                     |                   | KG                |                     | 21                  | 2269        |                              | 104                 | 9922        |
| 8503 4-ST                       | **                | KG                |                     | 21                  | 2269        |                              | 104                 | 9922        |
| 8504.31-910                     | NO                | KG                | 12000               | 2                   | 273         | 32400                        | 5                   | 731         |
| 8504.40-110                     | NO                | KG                | -                   | -                   | -           | 25000                        | 31                  | 2199        |
| 8504.50-000                     | NO                | KG                | 198000              | 10                  | 1386        | 2367057                      | 370                 | 11715       |
| 8504 4-ST                       | NO                | KG                | 210000              | 12                  | 1659        | 2424457                      | 406                 | 14645       |
| 8505.19-000                     |                   | KG                |                     | -                   | -           |                              | 195                 | 12552       |
| 8505 4-ST                       | **                | KG                |                     | -                   | -           |                              | 195                 | 12552       |
| 8523.90-000                     | NO                | KG                | -                   | -                   | -           | 500000                       | 950                 | 3600        |
| 8523 4-ST                       | NO                | KG                | -                   | -                   | -           | 500000                       | 950                 | 3600        |
| 8532.29-000                     | TH                | KG                | 2470                | 31                  | 3873        | 156093                       | 1753                | 134412      |
| 8532 4-ST                       | TH                | KG                | 2470                | 31                  | 3873        | 156093                       | 1753                | 134412      |
| 8533.21-000                     | TH                | KG                | 3061                | 3                   | 482         | 94649                        | 356                 | 16774       |
| 8533.29-000                     | TH                | KG                | -                   | -                   | -           | 7830                         | 21                  | 1864        |
| 8533 4-ST                       | TH                | KG                | 3061                | 3                   | 482         | 102479                       | 377                 | 18638       |
| 8534.00-000                     |                   | KG                |                     | 217                 | 3023        |                              | 321                 | 10390       |
| 8534 4-ST                       | **                | KG                |                     | 217                 | 3023        |                              | 321                 | 10390       |
| 8536.10-000                     |                   | KG                |                     | 25                  | 253         |                              | 29                  | 749         |
| 8536.50-900                     | NO                | KG                | 150000              | 5                   | 726         | 1117700                      | 842                 | 8561        |
| 8536.90-210                     |                   | KG                |                     | 40                  | 4684        |                              | 1319                | 69620       |
| 8536 4-ST                       |                   | KG                |                     | 70                  | 5663        |                              | 2190                | 78930       |
| 8537.10-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 20                  | 1173        |
| 8537 4-ST                       | NO                | KG                | -                   | -                   | -           | 5                            | 20                  | 1173        |
| 8538.90-900                     |                   | KG                |                     | 14                  | 777         |                              | 3982                | 265108      |
| 8538 4-ST                       | **                | KG                |                     | 14                  | 777         |                              | 3982                | 265108      |
| 8540.89-100                     | NO                | KG                | -                   | -                   | -           | 1000                         | 10                  | 433         |
| 8540 4-ST                       | NO                | KG                | -                   | -                   | -           | 1000                         | 10                  | 433         |
| 8541.10-910                     |                   | NO                |                     | 213000              | 960         |                              | 2704007             | 13298       |
| 8541.10-920                     |                   | NO                |                     | -                   | -           |                              | 117000              | 743         |
| 8541.21-990                     |                   | NO                |                     | 128036              | 1192        |                              | 1046925             | 9039        |
| 8541.29-910                     |                   | NO                |                     | 371691              | 1521        |                              | 4302845             | 14077       |
| 8541.40-990                     |                   | NO                |                     | 24072               | 8437        |                              | 540685              | 116623      |
| 8541.50-000                     |                   | NO                |                     | 180000              | 1280        |                              | 180000              | 1280        |
| 8541.60-100                     |                   | NO                |                     | 35982               | 1680        |                              | 236276              | 9206        |
| 8541.90-000                     |                   | KG                |                     | -                   | -           |                              | 305                 | 4627        |
| 8541 4-ST                       | **                |                   |                     |                     | 15070       |                              |                     | 168893      |
| 8542.21-120                     |                   | TH                |                     | -                   | -           |                              | 8                   | 1288        |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>108</b> HG KONG              |                   |                   |                     |                     |             |                              |                     |             |
| 8542.21-190                     |                   | TH                |                     | 8                   | 8020        |                              | 417                 | 195372      |
| 8542.21-210                     |                   | NO                |                     | 19576               | 6007        |                              | 835948              | 130304      |
| 8542.21-220                     |                   | NO                |                     | -                   | -           |                              | 4360                | 840         |
| 8542.21-230                     |                   | NO                |                     | 4510                | 1204        |                              | 324939              | 13144       |
| 8542.21-310                     |                   | NO                |                     | -                   | -           |                              | 62573               | 10463       |
| 8542.21-320                     |                   | NO                |                     | 13561               | 18222       |                              | 56762               | 69421       |
| 8542.21-390                     |                   | NO                |                     | 152741              | 12222       |                              | 5555864             | 1233706     |
| 8542.21-490                     |                   | NO                |                     | -                   | -           |                              | 1600                | 994         |
| 8542.29-100                     |                   | TH                |                     | 2                   | 1621        |                              | 4                   | 3277        |
| 8542.29-900                     |                   | NO                |                     | 4000                | 3882        |                              | 43984               | 26296       |
| 8542.60-000                     |                   | NO                |                     | -                   | -           |                              | 4360                | 756         |
| 8542 4-ST                       | **                |                   |                     |                     | 51178       |                              |                     | 1685861     |
| 8543.20-000                     |                   | NO                |                     | 2014                | 3470        |                              | 17486               | 10444       |
| 8543.89-000                     |                   | NO                |                     | 51977               | 2429        |                              | 2240157             | 102036      |
| 8543 4-ST                       | **                | NO                |                     | 53991               | 5899        |                              | 2257643             | 112480      |
| 8545.19-000                     |                   | KG                |                     | -                   | -           |                              | 69                  | 570         |
| 8545.20-000                     |                   | KG                |                     | -                   | -           |                              | 1                   | 250         |
| 8545 4-ST                       | **                | KG                |                     | -                   | -           |                              | 70                  | 820         |
| 8547.90-000                     |                   | KG                |                     | -                   | -           |                              | 22                  | 224         |
| 8547 4-ST                       | **                | KG                |                     | -                   | -           |                              | 22                  | 224         |
| 8548.90-000                     |                   | KG                |                     | -                   | -           |                              | 297                 | 15216       |
| 8548 4-ST                       | **                | KG                |                     | -                   | -           |                              | 297                 | 15216       |
| 85 2-ST                         |                   |                   |                     |                     | 91100       |                              |                     | 2537918     |
| 9001.20-000                     |                   | KG                |                     | -                   | -           |                              | 7106                | 21503       |
| 9001 4-ST                       | **                | KG                |                     | -                   | -           |                              | 7106                | 21503       |
| 9030.90-000                     |                   | KG                |                     | -                   | -           |                              | 106                 | 4760        |
| 9030 4-ST                       | **                | KG                |                     | -                   | -           |                              | 106                 | 4760        |
| 9031.80-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 4                   | 648         |
| 9031.90-100                     |                   | KG                |                     | -                   | -           |                              | 5                   | 472         |
| 9031 4-ST                       |                   | KG                |                     | -                   | -           |                              | 9                   | 1120        |
| 9032.89-111                     | NO                | KG                | 66500               | 10                  | 1252        | 724718                       | 493                 | 14334       |
| 9032 4-ST                       | NO                | KG                | 66500               | 10                  | 1252        | 724718                       | 493                 | 14334       |
| 90 2-ST                         |                   | KG                |                     | 10                  | 1252        |                              | 7714                | 41717       |
| TOTAL                           |                   |                   |                     |                     | 134010      |                              |                     | 4297703     |
| <b>110</b> VIETNAM              |                   |                   |                     |                     |             |                              |                     |             |
| 4911.99-000                     |                   | KG                |                     | -                   | -           |                              | 30                  | 229         |
| 4911 4-ST                       | **                | KG                |                     | -                   | -           |                              | 30                  | 229         |
| 49 2-ST                         | **                | KG                |                     | -                   | -           |                              | 30                  | 229         |
| 8414.90-900                     |                   | KG                |                     | -                   | -           |                              | 2                   | 291         |
| 8414 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 291         |
| 8437.10-000                     | NO                | KG                | -                   | -                   | -           | 6                            | 212                 | 1958        |
| 8437.80-200                     | NO                | KG                | -                   | -                   | -           | 3                            | 176                 | 1638        |
| 8437.80-900                     | NO                | KG                | -                   | -                   | -           | 3                            | 217                 | 1926        |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 30                  | 601         |
| 8437 4-ST                       |                   | KG                |                     | -                   | -           |                              | 635                 | 6123        |
| 8454.90-000                     |                   | KG                |                     | -                   | -           |                              | 41                  | 258         |
| 8454 4-ST                       | **                | KG                |                     | -                   | -           |                              | 41                  | 258         |
| 8479.89-900                     | NO                | KG                | -                   | -                   | -           | 2                            | 25                  | 578         |
| 8479.90-000                     |                   | KG                |                     | -                   | -           |                              | 7                   | 840         |
| 8479 4-ST                       |                   | KG                |                     | -                   | -           |                              | 32                  | 1418        |
| 84 2-ST                         |                   | KG                |                     | -                   | -           |                              | 710                 | 8090        |
| 8541.21-910                     |                   | NO                |                     | -                   | -           |                              | 192000              | 2095        |
| 8541.29-910                     |                   | NO                |                     | -                   | -           |                              | 198000              | 2163        |
| 8541 4-ST                       | **                | NO                |                     | -                   | -           |                              | 390000              | 4258        |
| 8542.21-390                     |                   | NO                |                     | -                   | -           |                              | 218000              | 4589        |
| 8542 4-ST                       | **                | NO                |                     | -                   | -           |                              | 218000              | 4589        |
| 8543.90-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 435         |
| 8543 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5                   | 435         |
| 85 2-ST                         | **                |                   |                     | -                   | -           |                              |                     | 9282        |
| 9018.50-900                     |                   | KG                |                     | -                   | -           |                              | 30                  | 1304        |
| 9018 4-ST                       | **                | KG                |                     | -                   | -           |                              | 30                  | 1304        |
| 9030.90-000                     |                   | KG                |                     | -                   | -           |                              | 12                  | 383         |
| 9030 4-ST                       | **                | KG                |                     | -                   | -           |                              | 12                  | 383         |
| 9031.10-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 22                  | 236         |
| 9031.80-110                     | NO                | KG                | -                   | -                   | -           | 3                            | 67                  | 1525        |
| 9031.80-190                     | NO                | KG                | -                   | -                   | -           | 2                            | 14                  | 425         |
| 9031 4-ST                       | NO                | KG                | -                   | -                   | -           | 6                            | 103                 | 2186        |

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |              |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|--------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE  |
| <b>110 VIETNAM</b>              |                   |                   |                    |                   |             |                              |                   |              |
| <b>90 2-ST</b>                  |                   | KG                |                    | -                 | -           |                              | <b>145</b>        | <b>3873</b>  |
| <b>TOTAL</b>                    |                   |                   |                    |                   | -           |                              |                   | <b>21474</b> |
| <b>111 THAILND</b>              |                   |                   |                    |                   |             |                              |                   |              |
| <b>0301.10-900</b>              |                   | KG                |                    | -                 | -           |                              | <b>1926</b>       | <b>2921</b>  |
| <b>0301 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>1926</b>       | <b>2921</b>  |
| <b>03 2-ST</b>                  | **                | KG                |                    | -                 | -           |                              | <b>1926</b>       | <b>2921</b>  |
| <b>3209.90-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>476</b>        | <b>900</b>   |
| <b>3209 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>476</b>        | <b>900</b>   |
| <b>3210.00-300</b>              |                   | KG                |                    | -                 | -           |                              | <b>1000</b>       | <b>1406</b>  |
| <b>3210 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>1000</b>       | <b>1406</b>  |
| <b>32 2-ST</b>                  | **                | KG                |                    | -                 | -           |                              | <b>1476</b>       | <b>2306</b>  |
| <b>3926.90-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>46</b>         | <b>237</b>   |
| <b>3926 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>46</b>         | <b>237</b>   |
| <b>39 2-ST</b>                  | **                | KG                |                    | -                 | -           |                              | <b>46</b>         | <b>237</b>   |
| <b>4002.70-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>1050</b>       | <b>446</b>   |
| <b>4002 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>1050</b>       | <b>446</b>   |
| <b>4009.31-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>31</b>         | <b>203</b>   |
| <b>4009 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>31</b>         | <b>203</b>   |
| <b>4010.12-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>100</b>        | <b>4636</b>  |
| <b>4010.31-000</b>              |                   | KG                |                    | <b>65</b>         | <b>269</b>  |                              | <b>241</b>        | <b>1105</b>  |
| <b>4010.39-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>9</b>          | <b>395</b>   |
| <b>4010 4-ST</b>                | **                | KG                |                    | <b>65</b>         | <b>269</b>  |                              | <b>350</b>        | <b>6136</b>  |
| <b>4016.93-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>5</b>          | <b>335</b>   |
| <b>4016.99-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>9</b>          | <b>842</b>   |
| <b>4016 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>14</b>         | <b>1177</b>  |
| <b>40 2-ST</b>                  | **                | KG                |                    | <b>65</b>         | <b>269</b>  |                              | <b>1445</b>       | <b>7962</b>  |
| <b>4901.99-000</b>              | NO                | KG                | -                  | -                 | -           | <b>90</b>                    | <b>80</b>         | <b>421</b>   |
| <b>4901 4-ST</b>                | NO                | KG                | -                  | -                 | -           | <b>90</b>                    | <b>80</b>         | <b>421</b>   |
| <b>49 2-ST</b>                  | NO                | KG                | -                  | -                 | -           | <b>90</b>                    | <b>80</b>         | <b>421</b>   |
| <b>7219.11-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>912</b>        | <b>915</b>   |
| <b>7219 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>912</b>        | <b>915</b>   |
| <b>72 2-ST</b>                  | **                | KG                |                    | -                 | -           |                              | <b>912</b>        | <b>915</b>   |
| <b>7307.92-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>18</b>         | <b>373</b>   |
| <b>7307 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>18</b>         | <b>373</b>   |
| <b>7318.16-900</b>              |                   | KG                |                    | -                 | -           |                              | <b>5572</b>       | <b>6305</b>  |
| <b>7318 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>5572</b>       | <b>6305</b>  |
| <b>7320.20-000</b>              |                   | KG                |                    | <b>1</b>          | <b>293</b>  |                              | <b>8</b>          | <b>752</b>   |
| <b>7320 4-ST</b>                | **                | KG                |                    | <b>1</b>          | <b>293</b>  |                              | <b>8</b>          | <b>752</b>   |
| <b>7326.90-000</b>              |                   | KG                |                    | -                 | -           |                              | <b>4000</b>       | <b>704</b>   |
| <b>7326 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | <b>4000</b>       | <b>704</b>   |
| <b>73 2-ST</b>                  | **                | KG                |                    | <b>1</b>          | <b>293</b>  |                              | <b>9598</b>       | <b>8134</b>  |
| <b>8207.30-900</b>              |                   | KG                |                    | -                 | -           |                              | <b>120</b>        | <b>215</b>   |
| <b>8207.80-390</b>              |                   | KG                |                    | -                 | -           |                              | <b>21</b>         | <b>314</b>   |
| <b>8207.90-100</b>              | NO                | KG                | -                  | -                 | -           | <b>4</b>                     | <b>7</b>          | <b>351</b>   |
| <b>8207.90-900</b>              |                   | KG                |                    | -                 | -           |                              | <b>3</b>          | <b>250</b>   |
| <b>8207 4-ST</b>                |                   | KG                |                    | -                 | -           |                              | <b>151</b>        | <b>1130</b>  |
| <b>8208.90-000</b>              |                   | KG                |                    | <b>8</b>          | <b>882</b>  |                              | <b>197</b>        | <b>4255</b>  |
| <b>8208 4-ST</b>                | **                | KG                |                    | <b>8</b>          | <b>882</b>  |                              | <b>197</b>        | <b>4255</b>  |
| <b>82 2-ST</b>                  |                   | KG                |                    | <b>8</b>          | <b>882</b>  |                              | <b>348</b>        | <b>5385</b>  |
| <b>8309.90-000</b>              |                   | KG                |                    | <b>19</b>         | <b>400</b>  |                              | <b>19</b>         | <b>400</b>   |
| <b>8309 4-ST</b>                | **                | KG                |                    | <b>19</b>         | <b>400</b>  |                              | <b>19</b>         | <b>400</b>   |
| <b>83 2-ST</b>                  | **                | KG                |                    | <b>19</b>         | <b>400</b>  |                              | <b>19</b>         | <b>400</b>   |
| <b>8412.21-000</b>              | NO                | KG                | -                  | -                 | -           | <b>1</b>                     | <b>17</b>         | <b>255</b>   |
| <b>8412.31-000</b>              | NO                | KG                | -                  | -                 | -           | <b>10</b>                    | <b>5</b>          | <b>225</b>   |
| <b>8412.39-000</b>              | NO                | KG                | -                  | -                 | -           | <b>2</b>                     | <b>16</b>         | <b>590</b>   |
| <b>8412 4-ST</b>                | NO                | KG                | -                  | -                 | -           | <b>13</b>                    | <b>38</b>         | <b>1070</b>  |
| <b>8413.50-900</b>              | NO                | KG                | -                  | -                 | -           | <b>1</b>                     | <b>130</b>        | <b>500</b>   |
| <b>8413 4-ST</b>                | NO                | KG                | -                  | -                 | -           | <b>1</b>                     | <b>130</b>        | <b>500</b>   |
| <b>8414.59-000</b>              | NO                | KG                | <b>1</b>           | <b>60</b>         | <b>497</b>  | <b>1</b>                     | <b>60</b>         | <b>497</b>   |
| <b>8414 4-ST</b>                | NO                | KG                | <b>1</b>           | <b>60</b>         | <b>497</b>  | <b>1</b>                     | <b>60</b>         | <b>497</b>   |
| <b>8422.40-900</b>              | NO                | KG                | -                  | -                 | -           | <b>1</b>                     | <b>230</b>        | <b>2450</b>  |
| <b>8422 4-ST</b>                | NO                | KG                | -                  | -                 | -           | <b>1</b>                     | <b>230</b>        | <b>2450</b>  |

## 税関別国別品別表

## 輸出

2002 年 12 月 確定 (Fixed Annual)

PAGE 16

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>111 THAILND</b>              |                   |                   |                     |                     |             |                              |                     |             |
| 8424.90-000                     |                   | KG                |                     | -                   | -           |                              | 94                  | 320         |
| 8424 4-ST                       | **                | KG                |                     | -                   | -           |                              | 94                  | 320         |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 5193                | 20473       |
| 8437 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5193                | 20473       |
| 8438.90-000                     |                   | KG                |                     | -                   | -           |                              | 170                 | 1600        |
| 8438 4-ST                       | **                | KG                |                     | -                   | -           |                              | 170                 | 1600        |
| 8439.99-000                     |                   | KG                |                     | 11                  | 511         |                              | 162                 | 5027        |
| 8439 4-ST                       | **                | KG                |                     | 11                  | 511         |                              | 162                 | 5027        |
| 8441.90-000                     |                   | KG                |                     | -                   | -           |                              | 67                  | 1347        |
| 8441 4-ST                       | **                | KG                |                     | -                   | -           |                              | 67                  | 1347        |
| 8443.90-100                     |                   | KG                |                     | 91                  | 1363        |                              | 169                 | 4104        |
| 8443 4-ST                       | **                | KG                |                     | 91                  | 1363        |                              | 169                 | 4104        |
| 8448.39-900                     |                   | KG                |                     | -                   | -           |                              | 2                   | 400         |
| 8448 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 400         |
| 8464.10-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 3869                | 42258       |
| 8464 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 3869                | 42258       |
| 8466.93-000                     |                   | KG                |                     | 81                  | 923         |                              | 141                 | 2216        |
| 8466.94-000                     |                   | KG                |                     | -                   | -           |                              | 786                 | 4969        |
| 8466 4-ST                       | **                | KG                |                     | 81                  | 923         |                              | 927                 | 7185        |
| 8467.99-000                     |                   | KG                |                     | 435                 | 1142        |                              | 477                 | 1359        |
| 8467 4-ST                       | **                | KG                |                     | 435                 | 1142        |                              | 477                 | 1359        |
| 8471.60-220                     |                   | NO                |                     | -                   | -           |                              | 1                   | 689         |
| 8471.60-900                     |                   | NO                |                     | -                   | -           |                              | 2                   | 202         |
| 8471 4-ST                       | **                | NO                |                     | -                   | -           |                              | 3                   | 891         |
| 8480.41-000                     |                   | KG                |                     | -                   | -           |                              | 440                 | 12294       |
| 8480.49-000                     |                   | KG                |                     | -                   | -           |                              | 84                  | 256         |
| 8480.71-000                     |                   | KG                |                     | -                   | -           |                              | 119                 | 3141        |
| 8480 4-ST                       | **                | KG                |                     | -                   | -           |                              | 643                 | 15691       |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 10                  | 519         |
| 8481 4-ST                       | **                | KG                |                     | -                   | -           |                              | 10                  | 519         |
| 8483.10-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 210                 | 2425        |
| 8483.30-200                     | NO                | KG                | -                   | -                   | -           | 8                            | 16                  | 386         |
| 8483.40-200                     | NO                | KG                | -                   | -                   | -           | 16                           | 62                  | 1208        |
| 8483.40-300                     | NO                | KG                | 1                   | 32                  | 334         | 1                            | 32                  | 334         |
| 8483.60-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 12                  | 243         |
| 8483 4-ST                       | NO                | KG                | 1                   | 32                  | 334         | 36                           | 332                 | 4596        |
| 84 2-ST                         |                   |                   |                     |                     | 4770        |                              |                     | 110287      |
| 8501.51-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 53                  | 322         |
| 8501.52-100                     | NO                | KG                | -                   | -                   | -           | 4                            | 117                 | 1141        |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 6                            | 170                 | 1463        |
| 8503.00-000                     |                   | KG                |                     | -                   | -           |                              | 321                 | 1144        |
| 8503 4-ST                       | **                | KG                |                     | -                   | -           |                              | 321                 | 1144        |
| 8505.20-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 270         |
| 8505 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5                   | 270         |
| 8509.80-900                     |                   | NO                |                     | -                   | -           |                              | 10                  | 262         |
| 8509 4-ST                       | **                | NO                |                     | -                   | -           |                              | 10                  | 262         |
| 8516.80-000                     | NO                | KG                | -                   | -                   | -           | 80                           | 76                  | 933         |
| 8516 4-ST                       | NO                | KG                | -                   | -                   | -           | 80                           | 76                  | 933         |
| 8524.99-900                     |                   | NO                |                     | -                   | -           |                              | 6                   | 1125        |
| 8524 4-ST                       | **                | NO                |                     | -                   | -           |                              | 6                   | 1125        |
| 8537.10-000                     | NO                | KG                | -                   | -                   | -           | 9                            | 32                  | 2377        |
| 8537 4-ST                       | NO                | KG                | -                   | -                   | -           | 9                            | 32                  | 2377        |
| 8538.90-900                     |                   | KG                |                     | 13                  | 276         |                              | 201                 | 5149        |
| 8538 4-ST                       | **                | KG                |                     | 13                  | 276         |                              | 201                 | 5149        |
| 8539.29-900                     | NO                | KG                | -                   | -                   | -           | 390                          | 100                 | 1268        |
| 8539 4-ST                       | NO                | KG                | -                   | -                   | -           | 390                          | 100                 | 1268        |
| 8543.89-000                     |                   | NO                |                     | 1                   | 1197        |                              | 18                  | 3784        |
| 8543 4-ST                       | **                | NO                |                     | 1                   | 1197        |                              | 18                  | 3784        |
| 85 2-ST                         |                   |                   |                     |                     | 1473        |                              |                     | 17775       |
| 9016.00-100                     |                   | KG                |                     | -                   | -           |                              | 61                  | 552         |
| 9016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 61                  | 552         |
| 9027.80-990                     | NO                | KG                | -                   | -                   | -           | 5                            | 171                 | 1392        |
| 9027 4-ST                       | NO                | KG                | -                   | -                   | -           | 5                            | 171                 | 1392        |
| 9031.80-900                     | NO                | KG                | -                   | -                   | -           | 3                            | 168                 | 4248        |
| 9031 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 168                 | 4248        |
| 9032.89-190                     | NO                | KG                | -                   | -                   | -           | 3                            | 26                  | 333         |
| 9032 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 26                  | 333         |
| 90 2-ST                         |                   | KG                |                     | -                   | -           |                              | 426                 | 6525        |
| TOTAL                           |                   |                   |                     |                     | 8087        |                              |                     | 163268      |



347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 112 SNGAPOR                     |                   |                   |                     |                     |             |                              |                     |             |
| 0000.00-190                     |                   | KG                |                     | -                   | -           |                              | 551                 | 125166      |
| 0000 4-ST                       | **                | KG                |                     | -                   | -           |                              | 551                 | 125166      |
| 00 2-ST                         | **                | KG                |                     | -                   | -           |                              | 551                 | 125166      |
| 0301.10-900                     |                   | KG                |                     | 340                 | 793         |                              | 1160                | 3631        |
| 0301 4-ST                       | **                | KG                |                     | 340                 | 793         |                              | 1160                | 3631        |
| 03 2-ST                         | **                | KG                |                     | 340                 | 793         |                              | 1160                | 3631        |
| 3818.00-100                     |                   | KG                |                     | 20                  | 2463        |                              | 44                  | 5236        |
| 3818 4-ST                       | **                | KG                |                     | 20                  | 2463        |                              | 44                  | 5236        |
| 38 2-ST                         | **                | KG                |                     | 20                  | 2463        |                              | 44                  | 5236        |
| 4016.93-000                     |                   | KG                |                     | -                   | -           |                              | 25                  | 309         |
| 4016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 25                  | 309         |
| 40 2-ST                         | **                | KG                |                     | -                   | -           |                              | 25                  | 309         |
| 4911.99-000                     |                   | KG                |                     | -                   | -           |                              | 63                  | 1281        |
| 4911 4-ST                       | **                | KG                |                     | -                   | -           |                              | 63                  | 1281        |
| 49 2-ST                         | **                | KG                |                     | -                   | -           |                              | 63                  | 1281        |
| 6804.21-100                     |                   | KG                |                     | -                   | -           |                              | 3787                | 390738      |
| 6804.21-200                     |                   | KG                |                     | -                   | -           |                              | 905                 | 106246      |
| 6804 4-ST                       | **                | KG                |                     | -                   | -           |                              | 4692                | 496984      |
| 68 2-ST                         | **                | KG                |                     | -                   | -           |                              | 4692                | 496984      |
| 7326.90-000                     |                   | KG                |                     | -                   | -           |                              | 4                   | 286         |
| 7326 4-ST                       | **                | KG                |                     | -                   | -           |                              | 4                   | 286         |
| 73 2-ST                         | **                | KG                |                     | -                   | -           |                              | 4                   | 286         |
| 8207.30-900                     |                   | KG                |                     | -                   | -           |                              | 19                  | 1617        |
| 8207.90-900                     |                   | KG                |                     | -                   | -           |                              | 34                  | 550         |
| 8207 4-ST                       | **                | KG                |                     | -                   | -           |                              | 53                  | 2167        |
| 82 2-ST                         | **                | KG                |                     | -                   | -           |                              | 53                  | 2167        |
| 8411.21-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 120                 | 2689        |
| 8411 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 120                 | 2689        |
| 8412.29-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 800                 | 1000        |
| 8412.31-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 76                  | 243         |
| 8412.90-000                     |                   | KG                |                     | -                   | -           |                              | 25                  | 274         |
| 8412 4-ST                       |                   | KG                |                     | -                   | -           |                              | 901                 | 1517        |
| 8413.60-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 49                  | 650         |
| 8413.91-000                     |                   | KG                |                     | -                   | -           |                              | 30                  | 1661        |
| 8413 4-ST                       |                   | KG                |                     | -                   | -           |                              | 79                  | 2311        |
| 8419.89-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 551                 | 3390        |
| 8419 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 551                 | 3390        |
| 8441.90-000                     |                   | KG                |                     | -                   | -           |                              | 142                 | 1439        |
| 8441 4-ST                       | **                | KG                |                     | -                   | -           |                              | 142                 | 1439        |
| 8443.90-100                     |                   | KG                |                     | -                   | -           |                              | 107                 | 7284        |
| 8443 4-ST                       | **                | KG                |                     | -                   | -           |                              | 107                 | 7284        |
| 8454.90-000                     |                   | KG                |                     | -                   | -           |                              | 121                 | 896         |
| 8454 4-ST                       | **                | KG                |                     | -                   | -           |                              | 121                 | 896         |
| 8464.10-100                     | NO                | KG                | 2                   | 3060                | 42331       | 11                           | 16464               | 197698      |
| 8464.20-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 6462                | 79288       |
| 8464.90-100                     | NO                | KG                | -                   | -                   | -           | 5                            | 125                 | 649         |
| 8464 4-ST                       | NO                | KG                | 2                   | 3060                | 42331       | 17                           | 23051               | 277635      |
| 8466.30-200                     |                   | KG                |                     | -                   | -           |                              | 78                  | 3694        |
| 8466.91-000                     |                   | KG                |                     | -                   | -           |                              | 116                 | 3860        |
| 8466.94-000                     |                   | KG                |                     | -                   | -           |                              | 18                  | 250         |
| 8466 4-ST                       | **                | KG                |                     | -                   | -           |                              | 212                 | 7804        |
| 8479.50-000                     |                   | NO                |                     | -                   | -           |                              | 3                   | 5175        |
| 8479 4-ST                       | **                | NO                |                     | -                   | -           |                              | 3                   | 5175        |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 74                  | 2266        |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 428         |
| 8481 4-ST                       | **                | KG                |                     | -                   | -           |                              | 76                  | 2694        |
| 8482.50-000                     | NO                | KG                | -                   | -                   | -           | 8                            | 29                  | 365         |
| 8482 4-ST                       | NO                | KG                | -                   | -                   | -           | 8                            | 29                  | 365         |
| 8483.10-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 140                 | 1500        |
| 8483.30-100                     | NO                | KG                | -                   | -                   | -           | 9                            | 3                   | 358         |
| 8483.40-200                     | NO                | KG                | -                   | -                   | -           | 2                            | 48                  | 1440        |
| 8483 4-ST                       | NO                | KG                | -                   | -                   | -           | 13                           | 191                 | 3298        |
| 84 2-ST                         |                   |                   |                     |                     | 42331       |                              |                     | 316497      |
| 8501.31-192                     | NO                | KG                | -                   | -                   | -           | 5                            | 59                  | 508         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |             |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE |
| <b>112 SNGAPOR</b>              |                   |                   |                      |                      |             |                              |                      |             |
| <b>8501 4-ST</b>                | NO                | KG                | -                    | -                    | -           | 5                            | 59                   | 508         |
| <b>8503.00-000</b>              |                   | KG                |                      | -                    | -           |                              | 85                   | 504         |
| <b>8503 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 85                   | 504         |
| <b>8504.33-910</b>              | NO                | KG                | -                    | -                    | -           | 1                            | 340                  | 718         |
| <b>8504 4-ST</b>                | NO                | KG                | -                    | -                    | -           | 1                            | 340                  | 718         |
| <b>8524.99-900</b>              |                   | NO                |                      | -                    | -           |                              | 4                    | 2870        |
| <b>8524 4-ST</b>                | **                | NO                |                      | -                    | -           |                              | 4                    | 2870        |
| <b>8526.91-900</b>              | NO                | KG                | -                    | -                    | -           | 1                            | 139                  | 3000        |
| <b>8526 4-ST</b>                | NO                | KG                | -                    | -                    | -           | 1                            | 139                  | 3000        |
| <b>8537.10-000</b>              | NO                | KG                | -                    | -                    | -           | 22                           | 36                   | 2111        |
| <b>8537 4-ST</b>                | NO                | KG                | -                    | -                    | -           | 22                           | 36                   | 2111        |
| <b>8538.90-900</b>              |                   | KG                |                      | -                    | -           |                              | 31                   | 1307        |
| <b>8538 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 31                   | 1307        |
| <b>8543.20-000</b>              |                   | NO                |                      | -                    | -           |                              | 1                    | 400         |
| <b>8543.89-000</b>              |                   | NO                |                      | -                    | -           |                              | 1                    | 270         |
| <b>8543.90-000</b>              |                   | KG                |                      | -                    | -           |                              | 49                   | 3379        |
| <b>8543 4-ST</b>                | **                |                   |                      | -                    | -           |                              |                      | 4049        |
| <b>85 2-ST</b>                  |                   |                   |                      | -                    | -           |                              |                      | 15067       |
| <b>8803.10-900</b>              |                   | KG                |                      | -                    | -           |                              | 280                  | 6074        |
| <b>8803 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 280                  | 6074        |
| <b>88 2-ST</b>                  | **                | KG                |                      | -                    | -           |                              | 280                  | 6074        |
| <b>9026.90-000</b>              |                   | KG                |                      | -                    | -           |                              | 20                   | 261         |
| <b>9026 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 20                   | 261         |
| <b>9029.20-910</b>              | NO                | KG                | -                    | -                    | -           | 20                           | 10                   | 447         |
| <b>9029 4-ST</b>                | NO                | KG                | -                    | -                    | -           | 20                           | 10                   | 447         |
| <b>9031.80-190</b>              | NO                | KG                | -                    | -                    | -           | 1                            | 4                    | 566         |
| <b>9031.90-100</b>              |                   | KG                |                      | -                    | -           |                              | 40                   | 920         |
| <b>9031 4-ST</b>                |                   | KG                |                      | -                    | -           |                              | 44                   | 1486        |
| <b>9032.89-112</b>              | NO                | KG                | -                    | -                    | -           | 1                            | 320                  | 3657        |
| <b>9032 4-ST</b>                | NO                | KG                | -                    | -                    | -           | 1                            | 320                  | 3657        |
| <b>90 2-ST</b>                  |                   | KG                |                      | -                    | -           |                              | 394                  | 5851        |
| <b>TOTAL</b>                    |                   |                   |                      |                      | 45587       |                              |                      | 978549      |
| <b>113 MALYSIA</b>              |                   |                   |                      |                      |             |                              |                      |             |
| <b>0000.00-190</b>              |                   | KG                |                      | 9                    | 849         |                              | 133                  | 22061       |
| <b>0000 4-ST</b>                | **                | KG                |                      | 9                    | 849         |                              | 133                  | 22061       |
| <b>00 2-ST</b>                  | **                | KG                |                      | 9                    | 849         |                              | 133                  | 22061       |
| <b>0301.10-900</b>              |                   | KG                |                      | -                    | -           |                              | 74                   | 275         |
| <b>0301 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 74                   | 275         |
| <b>03 2-ST</b>                  | **                | KG                |                      | -                    | -           |                              | 74                   | 275         |
| <b>3818.00-100</b>              |                   | KG                |                      | 2                    | 336         |                              | 30                   | 12781       |
| <b>3818 4-ST</b>                | **                | KG                |                      | 2                    | 336         |                              | 30                   | 12781       |
| <b>38 2-ST</b>                  | **                | KG                |                      | 2                    | 336         |                              | 30                   | 12781       |
| <b>3926.90-000</b>              |                   | KG                |                      | 119                  | 771         |                              | 315                  | 1284        |
| <b>3926 4-ST</b>                | **                | KG                |                      | 119                  | 771         |                              | 315                  | 1284        |
| <b>39 2-ST</b>                  | **                | KG                |                      | 119                  | 771         |                              | 315                  | 1284        |
| <b>4010.12-000</b>              |                   | KG                |                      | -                    | -           |                              | 686                  | 14638       |
| <b>4010 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 686                  | 14638       |
| <b>4016.93-000</b>              |                   | KG                |                      | -                    | -           |                              | 14                   | 355         |
| <b>4016 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 14                   | 355         |
| <b>40 2-ST</b>                  | **                | KG                |                      | -                    | -           |                              | 700                  | 14993       |
| <b>5910.00-000</b>              |                   | KG                |                      | -                    | -           |                              | 68                   | 774         |
| <b>5910 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 68                   | 774         |
| <b>59 2-ST</b>                  | **                | KG                |                      | -                    | -           |                              | 68                   | 774         |
| <b>6804.21-100</b>              |                   | KG                |                      | -                    | -           |                              | 3                    | 240         |
| <b>6804 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 3                    | 240         |
| <b>68 2-ST</b>                  | **                | KG                |                      | -                    | -           |                              | 3                    | 240         |
| <b>7307.99-900</b>              |                   | KG                |                      | -                    | -           |                              | 22                   | 233         |
| <b>7307 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 22                   | 233         |
| <b>7318.29-000</b>              |                   | KG                |                      | -                    | -           |                              | 90                   | 695         |
| <b>7318 4-ST</b>                | **                | KG                |                      | -                    | -           |                              | 90                   | 695         |
| <b>73 2-ST</b>                  | **                | KG                |                      | -                    | -           |                              | 112                  | 928         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>113 MALYSIA</b>              |                   |                   |                    |                   |             |                              |                   |             |
| <b>8208.90-000</b>              |                   | KG                |                    | -                 | -           |                              | 85                | 5509        |
| <b>8208 4-ST</b>                | **                | KG                |                    | -                 | -           |                              | 85                | 5509        |
| <b>82 2-ST</b>                  | **                | KG                |                    | -                 | -           |                              | 85                | 5509        |
| <b>8412.21-000</b>              | NO                | KG                | 3                  | 41                | 515         | 5                            | 145               | 1021        |
| <b>8412.39-000</b>              | NO                | KG                | -                  | -                 | -           | 1                            | 8                 | 438         |
| <b>8412 4-ST</b>                | NO                | KG                | 3                  | 41                | 515         | 6                            | 153               | 1459        |
| <b>8413.50-100</b>              | NO                | KG                | -                  | -                 | -           | 2                            | 36                | 496         |
| <b>8413 4-ST</b>                | NO                | KG                | -                  | -                 | -           | 2                            | 36                | 496         |
| <b>8421.19-000</b>              | NO                | KG                | -                  | -                 | -           | 1                            | 168               | 3000        |
| <b>8421.29-000</b>              | NO                | KG                | -                  | -                 | -           | 2                            | 29                | 280         |
| <b>8421.99-000</b>              |                   | KG                | -                  | -                 | -           |                              | 36                | 344         |
| <b>8421 4-ST</b>                |                   | KG                | -                  | -                 | -           |                              | 233               | 3624        |
| <b>8439.99-000</b>              |                   | KG                | -                  | -                 | -           |                              | 12746             | 27973       |
| <b>8439 4-ST</b>                | **                | KG                | -                  | -                 | -           |                              | 12746             | 27973       |
| <b>8443.60-000</b>              | NO                | KG                | -                  | -                 | -           | 4                            | 360               | 1000        |
| <b>8443.90-100</b>              |                   | KG                | -                  | -                 | -           |                              | 750               | 1578        |
| <b>8443.90-900</b>              |                   | KG                | -                  | -                 | -           |                              | 312               | 865         |
| <b>8443 4-ST</b>                |                   | KG                | -                  | -                 | -           |                              | 1422              | 3443        |
| <b>8454.90-000</b>              |                   | KG                | -                  | -                 | -           |                              | 36                | 337         |
| <b>8454 4-ST</b>                | **                | KG                | -                  | -                 | -           |                              | 36                | 337         |
| <b>8464.10-100</b>              | NO                | KG                | 3                  | 4244              | 55620       | 14                           | 20944             | 266625      |
| <b>8464.20-100</b>              | NO                | KG                | -                  | -                 | -           | 1                            | 4125              | 49103       |
| <b>8464 4-ST</b>                | NO                | KG                | 3                  | 4244              | 55620       | 15                           | 25069             | 315728      |
| <b>8466.30-200</b>              |                   | KG                | -                  | -                 | -           |                              | 1                 | 375         |
| <b>8466 4-ST</b>                | **                | KG                | -                  | -                 | -           |                              | 1                 | 375         |
| <b>8471.49-000</b>              | NO                |                   | 1                  |                   | 939         |                              | 2                 | 1407        |
| <b>8471 4-ST</b>                | **                | NO                | 1                  |                   | 939         |                              | 2                 | 1407        |
| <b>8473.30-000</b>              |                   | KG                | -                  | -                 | -           |                              | 20                | 394         |
| <b>8473 4-ST</b>                | **                | KG                | -                  | -                 | -           |                              | 20                | 394         |
| <b>8479.89-900</b>              | NO                | KG                | 3                  | 280               | 1726        | 3                            | 280               | 1726        |
| <b>8479.90-000</b>              |                   | KG                | -                  | -                 | -           |                              | 51                | 1175        |
| <b>8479 4-ST</b>                |                   | KG                | 280                |                   | 1726        |                              | 331               | 2901        |
| <b>8481.90-000</b>              |                   | KG                | -                  | -                 | -           |                              | 8                 | 298         |
| <b>8481 4-ST</b>                | **                | KG                | -                  | -                 | -           |                              | 8                 | 298         |
| <b>8482.10-000</b>              | NO                | KG                | -                  | -                 | -           | 38                           | 180               | 885         |
| <b>8482.40-000</b>              | NO                | KG                | -                  | -                 | -           | 64                           | 445               | 2354        |
| <b>8482.50-000</b>              | NO                | KG                | -                  | -                 | -           | 2                            | 25                | 262         |
| <b>8482 4-ST</b>                | NO                | KG                | -                  | -                 | -           | 104                          | 650               | 3501        |
| <b>8483.10-000</b>              | NO                | KG                | -                  | -                 | -           | 2                            | 41                | 279         |
| <b>8483.30-100</b>              | NO                | KG                | -                  | -                 | -           | 9                            | 46                | 302         |
| <b>8483.30-200</b>              | NO                | KG                | -                  | -                 | -           | 36                           | 345               | 2732        |
| <b>8483.40-200</b>              | NO                | KG                | -                  | -                 | -           | 2                            | 10                | 246         |
| <b>8483.40-300</b>              | NO                | KG                | -                  | -                 | -           | 1                            | 28                | 353         |
| <b>8483.60-000</b>              | NO                | KG                | -                  | -                 | -           | 11                           | 131               | 1136        |
| <b>8483.90-400</b>              |                   | KG                | -                  | -                 | -           |                              | 46                | 317         |
| <b>8483 4-ST</b>                |                   | KG                | -                  | -                 | -           |                              | 647               | 5365        |
| <b>8484.10-000</b>              |                   | KG                | -                  | -                 | -           |                              | 1                 | 274         |
| <b>8484 4-ST</b>                | **                | KG                | -                  | -                 | -           |                              | 1                 | 274         |
| <b>84 2-ST</b>                  |                   |                   |                    |                   | 58800       |                              |                   | 367575      |
| <b>8501.51-000</b>              | NO                | KG                | -                  | -                 | -           | 3                            | 86                | 946         |
| <b>8501.52-200</b>              | NO                | KG                | -                  | -                 | -           | 1                            | 160               | 497         |
| <b>8501 4-ST</b>                | NO                | KG                | -                  | -                 | -           | 4                            | 246               | 1443        |
| <b>8504.31-920</b>              | NO                | KG                | -                  | -                 | -           | 4                            | 69                | 209         |
| <b>8504.33-910</b>              | NO                | KG                | -                  | -                 | -           | 1                            | 190               | 477         |
| <b>8504.40-900</b>              | NO                | KG                | -                  | -                 | -           | 1                            | 13                | 591         |
| <b>8504 4-ST</b>                | NO                | KG                | -                  | -                 | -           | 6                            | 272               | 1277        |
| <b>8505.20-000</b>              |                   | KG                | -                  | -                 | -           |                              | 19                | 310         |
| <b>8505 4-ST</b>                | **                | KG                | -                  | -                 | -           |                              | 19                | 310         |
| <b>8519.93-100</b>              | NO                |                   | -                  | -                 | -           |                              | 600               | 3266        |
| <b>8519 4-ST</b>                | **                | NO                | -                  | -                 | -           |                              | 600               | 3266        |
| <b>8522.90-900</b>              |                   | KG                | 77                 |                   | 24514       |                              | 335               | 96388       |
| <b>8522 4-ST</b>                | **                | KG                | 77                 |                   | 24514       |                              | 335               | 96388       |
| <b>8536.90-290</b>              |                   | KG                | -                  | -                 | -           |                              | 1                 | 314         |
| <b>8536 4-ST</b>                | **                | KG                | -                  | -                 | -           |                              | 1                 | 314         |
| <b>8537.10-000</b>              | NO                | KG                | -                  | -                 | -           | 4                            | 459               | 7034        |
| <b>8537 4-ST</b>                | NO                | KG                | -                  | -                 | -           | 4                            | 459               | 7034        |
| <b>8538.90-900</b>              |                   | KG                | -                  | -                 | -           |                              | 172               | 3234        |
| <b>8538 4-ST</b>                | **                | KG                | -                  | -                 | -           |                              | 172               | 3234        |
| <b>8541.10-910</b>              | NO                |                   | 104500             |                   | 423         |                              | 299500            | 1228        |
| <b>8541.40-910</b>              | NO                |                   | -                  | -                 | -           |                              | 3143              | 686         |
| <b>8541 4-ST</b>                | **                | NO                | 104500             |                   | 423         |                              | 302643            | 1914        |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>113 MALYSIA</b>              |                   |                   |                    |                   |             |                              |                   |             |
| 8542.21-320                     |                   | NO                |                    | -                 | -           |                              | 5393              | 1018        |
| 8542.21-390                     |                   | NO                |                    | 34590             | 27327       |                              | 124872            | 70466       |
| 8542.29-900                     |                   | NO                |                    | -                 | -           |                              | 144592            | 12513       |
| 8542 4-ST                       | **                | NO                |                    | 34590             | 27327       |                              | 274857            | 83997       |
| 8543.89-000                     |                   | NO                |                    | -                 | -           |                              | 5                 | 826         |
| 8543 4-ST                       | **                | NO                |                    | -                 | -           |                              | 5                 | 826         |
| 8544.70-910                     |                   | KG                |                    | -                 | -           |                              | 29                | 2216        |
| 8544 4-ST                       | **                | KG                |                    | -                 | -           |                              | 29                | 2216        |
| 85 2-ST                         |                   |                   |                    |                   | 52264       |                              |                   | 202219      |
| 9019.20-000                     |                   | KG                |                    | -                 | -           |                              | 21                | 290         |
| 9019 4-ST                       | **                | KG                |                    | -                 | -           |                              | 21                | 290         |
| 9027.80-910                     | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 332         |
| 9027 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 11                | 332         |
| 9030.89-990                     | NO                | KG                | -                  | -                 | -           | 2                            | 300               | 3149        |
| 9030 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 300               | 3149        |
| 9031.80-190                     | NO                | KG                | 2                  | 12                | 228         | 3                            | 17                | 612         |
| 9031.80-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 30                | 740         |
| 9031 4-ST                       | NO                | KG                | 2                  | 12                | 228         | 4                            | 47                | 1352        |
| 9032.89-190                     | NO                | KG                | -                  | -                 | -           | 2                            | 40                | 620         |
| 9032 4-ST                       | NO                | KG                | -                  | -                 | -           | 2                            | 40                | 620         |
| 90 2-ST                         |                   | KG                |                    | 12                | 228         |                              | 419               | 5743        |
| TOTAL                           |                   |                   |                    |                   | 113248      |                              |                   | 634382      |
| <b>117 PHILPIN</b>              |                   |                   |                    |                   |             |                              |                   |             |
| 2903.30-100                     |                   | KG                |                    | -                 | -           |                              | 246               | 240         |
| 2903 4-ST                       | **                | KG                |                    | -                 | -           |                              | 246               | 240         |
| 29 2-ST                         | **                | KG                |                    | -                 | -           |                              | 246               | 240         |
| 3212.90-900                     |                   | KG                |                    | 94                | 2369        |                              | 1468              | 38320       |
| 3212 4-ST                       | **                | KG                |                    | 94                | 2369        |                              | 1468              | 38320       |
| 32 2-ST                         | **                | KG                |                    | 94                | 2369        |                              | 1468              | 38320       |
| 3808.40-000                     |                   | KG                |                    | -                 | -           |                              | 466               | 480         |
| 3808 4-ST                       | **                | KG                |                    | -                 | -           |                              | 466               | 480         |
| 38 2-ST                         | **                | KG                |                    | -                 | -           |                              | 466               | 480         |
| 4010.19-000                     |                   | KG                |                    | -                 | -           |                              | 86                | 324         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 86                | 324         |
| 4016.99-000                     |                   | KG                |                    | -                 | -           |                              | 52                | 1656        |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 52                | 1656        |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 138               | 1980        |
| 6804.21-100                     |                   | KG                |                    | 230               | 16991       |                              | 1667              | 144803      |
| 6804.21-200                     |                   | KG                |                    | 13                | 2818        |                              | 71                | 14303       |
| 6804 4-ST                       | **                | KG                |                    | 243               | 19809       |                              | 1738              | 159106      |
| 68 2-ST                         | **                | KG                |                    | 243               | 19809       |                              | 1738              | 159106      |
| 7312.10-112                     |                   | KG                |                    | -                 | -           |                              | 226               | 304         |
| 7312 4-ST                       | **                | KG                |                    | -                 | -           |                              | 226               | 304         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 226               | 304         |
| 7508.90-000                     |                   | KG                |                    | -                 | -           |                              | 207               | 1851        |
| 7508 4-ST                       | **                | KG                |                    | -                 | -           |                              | 207               | 1851        |
| 75 2-ST                         | **                | KG                |                    | -                 | -           |                              | 207               | 1851        |
| 8206.00-000                     |                   | KG                |                    | -                 | -           |                              | 3                 | 297         |
| 8206 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 297         |
| 8207.90-200                     | NO                | KG                | -                  | -                 | -           | 1400                         | 9                 | 424         |
| 8207 4-ST                       | NO                | KG                | -                  | -                 | -           | 1400                         | 9                 | 424         |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 986               | 105383      |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 986               | 105383      |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 998               | 106104      |
| 8309.90-000                     |                   | KG                |                    | -                 | -           |                              | 316               | 2448        |
| 8309 4-ST                       | **                | KG                |                    | -                 | -           |                              | 316               | 2448        |
| 8311.10-100                     |                   | KG                |                    | -                 | -           |                              | 68                | 380         |
| 8311.20-100                     |                   | KG                |                    | -                 | -           |                              | 50                | 225         |
| 8311 4-ST                       | **                | KG                |                    | -                 | -           |                              | 118               | 605         |
| 83 2-ST                         | **                | KG                |                    | -                 | -           |                              | 434               | 3053        |
| 8419.39-000                     | NO                | KG                | 3                  | 33                | 450         | 3                            | 33                | 450         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |              | 累計 (CUMULATIVE YEAR TO DATE) |                     |               |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|--------------|------------------------------|---------------------|---------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE  | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE   |
| <b>117 PHILPIN</b>              |                   |                   |                     |                     |              |                              |                     |               |
| <b>8419 4-ST</b>                | NO                | KG                | <b>3</b>            | <b>33</b>           | <b>450</b>   | <b>3</b>                     | <b>33</b>           | <b>450</b>    |
| <b>8424.20-000</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>3</b>            | <b>720</b>    |
| <b>8424.90-000</b>              |                   | KG                | -                   | -                   | -            |                              | <b>2</b>            | <b>739</b>    |
| <b>8424 4-ST</b>                |                   | KG                | -                   | -                   | -            |                              | <b>5</b>            | <b>1459</b>   |
| <b>8439.99-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>105</b>          | <b>2983</b>   |
| <b>8439 4-ST</b>                | ***               | KG                |                     | -                   | -            |                              | <b>105</b>          | <b>2983</b>   |
| <b>8441.90-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>57</b>           | <b>830</b>    |
| <b>8441 4-ST</b>                | ***               | KG                |                     | -                   | -            |                              | <b>57</b>           | <b>830</b>    |
| <b>8443.19-000</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>115</b>          | <b>360</b>    |
| <b>8443.51-000</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>11</b>           | <b>763</b>    |
| <b>8443.90-100</b>              |                   | KG                |                     | <b>710</b>          | <b>1549</b>  |                              | <b>1573</b>         | <b>12035</b>  |
| <b>8443 4-ST</b>                |                   | KG                |                     | <b>710</b>          | <b>1549</b>  |                              | <b>1699</b>         | <b>13158</b>  |
| <b>8464.10-100</b>              | NO                | KG                | <b>1</b>            | <b>1768</b>         | <b>31769</b> | <b>6</b>                     | <b>9986</b>         | <b>186261</b> |
| <b>8464 4-ST</b>                | NO                | KG                | <b>1</b>            | <b>1768</b>         | <b>31769</b> | <b>6</b>                     | <b>9986</b>         | <b>186261</b> |
| <b>8466.30-200</b>              |                   | KG                |                     | <b>23</b>           | <b>1051</b>  |                              | <b>23</b>           | <b>1051</b>   |
| <b>8466 4-ST</b>                | ***               | KG                |                     | <b>23</b>           | <b>1051</b>  |                              | <b>23</b>           | <b>1051</b>   |
| <b>8467.29-100</b>              |                   | NO                |                     | -                   | -            |                              | <b>36</b>           | <b>1682</b>   |
| <b>8467.99-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>13</b>           | <b>445</b>    |
| <b>8467 4-ST</b>                | ***               |                   |                     | -                   | -            |                              |                     | <b>2127</b>   |
| <b>8471.30-000</b>              |                   | NO                |                     | -                   | -            |                              | <b>1</b>            | <b>247</b>    |
| <b>8471.41-900</b>              |                   | NO                |                     | -                   | -            |                              | <b>1</b>            | <b>304</b>    |
| <b>8471 4-ST</b>                | ***               | NO                |                     | -                   | -            |                              | <b>2</b>            | <b>551</b>    |
| <b>8477.90-100</b>              |                   | KG                |                     | -                   | -            |                              | <b>24</b>           | <b>235</b>    |
| <b>8477 4-ST</b>                | ***               | KG                |                     | -                   | -            |                              | <b>24</b>           | <b>235</b>    |
| <b>8479.89-900</b>              | NO                | KG                | <b>1</b>            | <b>190</b>          | <b>2765</b>  | <b>1</b>                     | <b>190</b>          | <b>2765</b>   |
| <b>8479.90-000</b>              |                   | KG                |                     | <b>29</b>           | <b>235</b>   |                              | <b>29</b>           | <b>235</b>    |
| <b>8479 4-ST</b>                |                   | KG                |                     | <b>219</b>          | <b>3000</b>  |                              | <b>219</b>          | <b>3000</b>   |
| <b>8483.40-200</b>              | NO                | KG                | <b>1</b>            | <b>80</b>           | <b>540</b>   | <b>1</b>                     | <b>80</b>           | <b>540</b>    |
| <b>8483.40-300</b>              | NO                | KG                | -                   | -                   | -            | <b>4</b>                     | <b>8</b>            | <b>314</b>    |
| <b>8483.60-000</b>              | NO                | KG                | -                   | -                   | -            | <b>7</b>                     | <b>96</b>           | <b>1629</b>   |
| <b>8483 4-ST</b>                | NO                | KG                | <b>1</b>            | <b>80</b>           | <b>540</b>   | <b>12</b>                    | <b>184</b>          | <b>2483</b>   |
| <b>84 2-ST</b>                  |                   |                   |                     |                     | <b>38359</b> |                              |                     | <b>214588</b> |
| <b>8504.32-000</b>              | NO                | KG                | <b>1</b>            | <b>91</b>           | <b>530</b>   | <b>1</b>                     | <b>91</b>           | <b>530</b>    |
| <b>8504.40-900</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>18</b>           | <b>340</b>    |
| <b>8504 4-ST</b>                | NO                | KG                | <b>1</b>            | <b>91</b>           | <b>530</b>   | <b>2</b>                     | <b>109</b>          | <b>870</b>    |
| <b>8505.20-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>19</b>           | <b>334</b>    |
| <b>8505 4-ST</b>                | ***               | KG                |                     | -                   | -            |                              | <b>19</b>           | <b>334</b>    |
| <b>8515.29-000</b>              | NO                | KG                | -                   | -                   | -            | <b>3</b>                     | <b>25</b>           | <b>728</b>    |
| <b>8515.90-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>6</b>            | <b>259</b>    |
| <b>8515 4-ST</b>                |                   | KG                |                     | -                   | -            |                              | <b>31</b>           | <b>987</b>    |
| <b>8537.10-000</b>              | NO                | KG                | <b>2</b>            | <b>448</b>          | <b>2770</b>  | <b>2</b>                     | <b>448</b>          | <b>2770</b>   |
| <b>8537 4-ST</b>                | NO                | KG                | <b>2</b>            | <b>448</b>          | <b>2770</b>  | <b>2</b>                     | <b>448</b>          | <b>2770</b>   |
| <b>8538.90-900</b>              |                   | KG                |                     | <b>5</b>            | <b>273</b>   |                              | <b>10</b>           | <b>1025</b>   |
| <b>8538 4-ST</b>                | ***               | KG                |                     | <b>5</b>            | <b>273</b>   |                              | <b>10</b>           | <b>1025</b>   |
| <b>8543.20-000</b>              |                   | NO                |                     | -                   | -            |                              | <b>6</b>            | <b>854</b>    |
| <b>8543.89-000</b>              |                   | NO                |                     | -                   | -            |                              | <b>1</b>            | <b>379</b>    |
| <b>8543 4-ST</b>                | ***               | NO                |                     | -                   | -            |                              | <b>7</b>            | <b>1233</b>   |
| <b>8544.20-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>17</b>           | <b>1102</b>   |
| <b>8544.51-110</b>              |                   | KG                |                     | -                   | -            |                              | <b>5</b>            | <b>237</b>    |
| <b>8544.51-190</b>              |                   | KG                |                     | -                   | -            |                              | <b>0</b>            | <b>474</b>    |
| <b>8544 4-ST</b>                | ***               | KG                |                     | -                   | -            |                              | <b>22</b>           | <b>1813</b>   |
| <b>8548.90-000</b>              |                   | KG                |                     | <b>474</b>          | <b>5615</b>  |                              | <b>7419</b>         | <b>67324</b>  |
| <b>8548 4-ST</b>                | ***               | KG                |                     | <b>474</b>          | <b>5615</b>  |                              | <b>7419</b>         | <b>67324</b>  |
| <b>85 2-ST</b>                  |                   |                   |                     |                     | <b>9188</b>  |                              |                     | <b>76356</b>  |
| <b>8708.29-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>584</b>          | <b>620</b>    |
| <b>8708 4-ST</b>                | ***               | KG                |                     | -                   | -            |                              | <b>584</b>          | <b>620</b>    |
| <b>87 2-ST</b>                  | ***               | KG                |                     | -                   | -            |                              | <b>584</b>          | <b>620</b>    |
| <b>9011.80-900</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>20</b>           | <b>300</b>    |
| <b>9011 4-ST</b>                | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>20</b>           | <b>300</b>    |
| <b>9012.10-000</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>4</b>            | <b>204</b>    |
| <b>9012 4-ST</b>                | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>4</b>            | <b>204</b>    |
| <b>9029.90-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>5</b>            | <b>283</b>    |
| <b>9029 4-ST</b>                | ***               | KG                |                     | -                   | -            |                              | <b>5</b>            | <b>283</b>    |
| <b>9030.39-900</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>22</b>           | <b>270</b>    |
| <b>9030.89-990</b>              | NO                | KG                | <b>12</b>           | <b>242</b>          | <b>20909</b> | <b>107</b>                   | <b>2000</b>         | <b>100758</b> |
| <b>9030 4-ST</b>                | NO                | KG                | <b>12</b>           | <b>242</b>          | <b>20909</b> | <b>108</b>                   | <b>2022</b>         | <b>101028</b> |
| <b>9031.80-190</b>              | NO                | KG                | -                   | -                   | -            | <b>13</b>                    | <b>59</b>           | <b>3598</b>   |
| <b>9031.80-900</b>              | NO                | KG                | -                   | -                   | -            | <b>16</b>                    | <b>23</b>           | <b>426</b>    |
| <b>9031.90-100</b>              |                   | KG                |                     | -                   | -            |                              | <b>6</b>            | <b>265</b>    |
| <b>9031 4-ST</b>                |                   | KG                |                     | -                   | -            |                              | <b>88</b>           | <b>4289</b>   |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |              | 累計 (CUMULATIVE YEAR TO DATE) |                     |               |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|--------------|------------------------------|---------------------|---------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE  | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE   |
| <b>117 PHILPIN</b>              |                   |                   |                     |                     |              |                              |                     |               |
| <b>9032.89-112</b>              | NO                | KG                | -                   | -                   | -            | <b>6</b>                     | <b>58</b>           | <b>283</b>    |
| <b>9032 4-ST</b>                | NO                | KG                | -                   | -                   | -            | <b>6</b>                     | <b>58</b>           | <b>283</b>    |
| <b>90 2-ST</b>                  |                   | KG                |                     | <b>242</b>          | <b>20909</b> |                              | <b>2197</b>         | <b>106387</b> |
| <b>TOTAL</b>                    |                   |                   |                     |                     | <b>90634</b> |                              |                     | <b>709389</b> |
| <b>118 INDNSIA</b>              |                   |                   |                     |                     |              |                              |                     |               |
| <b>0301.10-900</b>              |                   | KG                |                     | <b>514</b>          | <b>1360</b>  |                              | <b>514</b>          | <b>1360</b>   |
| <b>0301 4-ST</b>                | **                | KG                |                     | <b>514</b>          | <b>1360</b>  |                              | <b>514</b>          | <b>1360</b>   |
| <b>03 2-ST</b>                  | **                | KG                |                     | <b>514</b>          | <b>1360</b>  |                              | <b>514</b>          | <b>1360</b>   |
| <b>3926.90-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>0</b>            | <b>224</b>    |
| <b>3926 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>0</b>            | <b>224</b>    |
| <b>39 2-ST</b>                  | **                | KG                |                     | -                   | -            |                              | <b>0</b>            | <b>224</b>    |
| <b>4010.12-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>155</b>          | <b>1652</b>   |
| <b>4010 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>155</b>          | <b>1652</b>   |
| <b>4016.93-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>78</b>           | <b>2427</b>   |
| <b>4016 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>78</b>           | <b>2427</b>   |
| <b>40 2-ST</b>                  | **                | KG                |                     | -                   | -            |                              | <b>233</b>          | <b>4079</b>   |
| <b>8208.90-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>215</b>          | <b>2557</b>   |
| <b>8208 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>215</b>          | <b>2557</b>   |
| <b>82 2-ST</b>                  | **                | KG                |                     | -                   | -            |                              | <b>215</b>          | <b>2557</b>   |
| <b>8412.21-000</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>39</b>           | <b>371</b>    |
| <b>8412 4-ST</b>                | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>39</b>           | <b>371</b>    |
| <b>8414.59-000</b>              | NO                | KG                | -                   | -                   | -            | <b>10</b>                    | <b>11</b>           | <b>437</b>    |
| <b>8414 4-ST</b>                | NO                | KG                | -                   | -                   | -            | <b>10</b>                    | <b>11</b>           | <b>437</b>    |
| <b>8421.23-000</b>              | NO                | KG                | -                   | -                   | -            | <b>200</b>                   | <b>93</b>           | <b>419</b>    |
| <b>8421 4-ST</b>                | NO                | KG                | -                   | -                   | -            | <b>200</b>                   | <b>93</b>           | <b>419</b>    |
| <b>8439.99-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>236</b>          | <b>3469</b>   |
| <b>8439 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>236</b>          | <b>3469</b>   |
| <b>8441.90-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>50</b>           | <b>803</b>    |
| <b>8441 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>50</b>           | <b>803</b>    |
| <b>8443.90-100</b>              |                   | KG                |                     | -                   | -            |                              | <b>534</b>          | <b>9384</b>   |
| <b>8443 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>534</b>          | <b>9384</b>   |
| <b>8454.90-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>30</b>           | <b>231</b>    |
| <b>8454 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>30</b>           | <b>231</b>    |
| <b>8466.10-100</b>              |                   | KG                |                     | -                   | -            |                              | <b>442</b>          | <b>5024</b>   |
| <b>8466.20-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>358</b>          | <b>1818</b>   |
| <b>8466.30-200</b>              |                   | KG                |                     | -                   | -            |                              | <b>157</b>          | <b>241</b>    |
| <b>8466 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>957</b>          | <b>7083</b>   |
| <b>8471.60-220</b>              |                   | NO                |                     | -                   | -            |                              | <b>1</b>            | <b>326</b>    |
| <b>8471 4-ST</b>                | **                | NO                |                     | -                   | -            |                              | <b>1</b>            | <b>326</b>    |
| <b>8483.10-000</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>25</b>           | <b>646</b>    |
| <b>8483.30-200</b>              | NO                | KG                | -                   | -                   | -            | <b>96</b>                    | <b>7</b>            | <b>241</b>    |
| <b>8483.40-200</b>              | NO                | KG                | <b>13</b>           | <b>11</b>           | <b>255</b>   | <b>13</b>                    | <b>11</b>           | <b>255</b>    |
| <b>8483.40-900</b>              | NO                | KG                | -                   | -                   | -            | <b>1</b>                     | <b>19</b>           | <b>258</b>    |
| <b>8483.60-000</b>              | NO                | KG                | -                   | -                   | -            | <b>13</b>                    | <b>357</b>          | <b>2660</b>   |
| <b>8483 4-ST</b>                | NO                | KG                | <b>13</b>           | <b>11</b>           | <b>255</b>   | <b>124</b>                   | <b>419</b>          | <b>4060</b>   |
| <b>8484.10-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>5</b>            | <b>252</b>    |
| <b>8484 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>5</b>            | <b>252</b>    |
| <b>84 2-ST</b>                  |                   |                   |                     |                     | <b>255</b>   |                              |                     | <b>26835</b>  |
| <b>8505.20-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>38</b>           | <b>539</b>    |
| <b>8505 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>38</b>           | <b>539</b>    |
| <b>8537.10-000</b>              | NO                | KG                | -                   | -                   | -            | <b>3</b>                     | <b>15</b>           | <b>607</b>    |
| <b>8537 4-ST</b>                | NO                | KG                | -                   | -                   | -            | <b>3</b>                     | <b>15</b>           | <b>607</b>    |
| <b>8538.90-900</b>              |                   | KG                |                     | <b>4</b>            | <b>637</b>   |                              | <b>9</b>            | <b>4349</b>   |
| <b>8538 4-ST</b>                | **                | KG                |                     | <b>4</b>            | <b>637</b>   |                              | <b>9</b>            | <b>4349</b>   |
| <b>8541.29-910</b>              |                   | NO                |                     | -                   | -            |                              | <b>10</b>           | <b>301</b>    |
| <b>8541 4-ST</b>                | **                | NO                |                     | -                   | -            |                              | <b>10</b>           | <b>301</b>    |
| <b>8543.89-000</b>              |                   | NO                |                     | -                   | -            |                              | <b>1</b>            | <b>293</b>    |
| <b>8543 4-ST</b>                | **                | NO                |                     | -                   | -            |                              | <b>1</b>            | <b>293</b>    |
| <b>85 2-ST</b>                  |                   |                   |                     |                     | <b>637</b>   |                              |                     | <b>6089</b>   |
| <b>TOTAL</b>                    |                   |                   |                     |                     | <b>2252</b>  |                              |                     | <b>41144</b>  |
| <b>123 INDIA</b>                |                   |                   |                     |                     |              |                              |                     |               |
| <b>4009.12-000</b>              |                   | KG                |                     | -                   | -            |                              | <b>46</b>           | <b>207</b>    |
| <b>4009 4-ST</b>                | **                | KG                |                     | -                   | -            |                              | <b>46</b>           | <b>207</b>    |
| <b>40 2-ST</b>                  | **                | KG                |                     | -                   | -            |                              | <b>46</b>           | <b>207</b>    |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>123 INDIA</b>                |                   |                   |                     |                     |             |                              |                     |             |
| 7312.10-210                     |                   | KG                |                     | 107                 | 422         |                              | 107                 | 422         |
| 7312 4-ST                       | **                | KG                |                     | 107                 | 422         |                              | 107                 | 422         |
| 7320.20-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 632         |
| 7320 4-ST                       | **                | KG                |                     | -                   | -           |                              | 5                   | 632         |
| 73 2-ST                         | **                | KG                |                     | 107                 | 422         |                              | 112                 | 1054        |
| 8208.90-000                     |                   | KG                |                     | -                   | -           |                              | 84                  | 1338        |
| 8208 4-ST                       | **                | KG                |                     | -                   | -           |                              | 84                  | 1338        |
| 82 2-ST                         | **                | KG                |                     | -                   | -           |                              | 84                  | 1338        |
| 8413.60-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 21                  | 268         |
| 8413.91-000                     |                   | KG                | -                   | -                   | -           |                              | 18                  | 226         |
| 8413 4-ST                       |                   | KG                | -                   | -                   | -           |                              | 39                  | 494         |
| 8437.10-000                     | NO                | KG                | 3                   | 2187                | 35945       | 27                           | 18500               | 277770      |
| 8437.80-900                     | NO                | KG                | -                   | -                   | -           | 4                            | 831                 | 1775        |
| 8437.90-000                     |                   | KG                | -                   | -                   | -           |                              | 69                  | 965         |
| 8437 4-ST                       |                   | KG                |                     | 2187                | 35945       |                              | 19400               | 280510      |
| 8443.90-100                     |                   | KG                | -                   | -                   | -           |                              | 1107                | 8115        |
| 8443 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 1107                | 8115        |
| 8471.41-900                     |                   | NO                | -                   | -                   | -           |                              | 1                   | 13300       |
| 8471.60-220                     |                   | NO                | -                   | -                   | -           |                              | 1                   | 354         |
| 8471 4-ST                       | **                | NO                | -                   | -                   | -           |                              | 2                   | 13654       |
| 8479.89-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 450                 | 1170        |
| 8479 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 450                 | 1170        |
| 8481.80-190                     |                   | KG                |                     | 13                  | 248         |                              | 27                  | 892         |
| 8481 4-ST                       | **                | KG                |                     | 13                  | 248         |                              | 27                  | 892         |
| 8483.40-300                     |                   | NO                | -                   | -                   | -           | 1                            | 17                  | 390         |
| 8483 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 17                  | 390         |
| 84 2-ST                         |                   |                   |                     |                     | 36193       |                              |                     | 305225      |
| 8501.31-192                     | NO                | KG                | -                   | -                   | -           | 7                            | 65                  | 521         |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 7                            | 65                  | 521         |
| 8515.11-000                     | NO                | KG                | -                   | -                   | -           | 300                          | 50                  | 289         |
| 8515 4-ST                       | NO                | KG                | -                   | -                   | -           | 300                          | 50                  | 289         |
| 8524.99-900                     |                   | NO                | -                   | -                   | -           |                              | 1                   | 3950        |
| 8524 4-ST                       | **                | NO                | -                   | -                   | -           |                              | 1                   | 3950        |
| 8533.39-000                     | NO                | KG                | -                   | -                   | -           | 7                            | 17                  | 241         |
| 8533 4-ST                       | NO                | KG                | -                   | -                   | -           | 7                            | 17                  | 241         |
| 8537.10-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 56                  | 1956        |
| 8537 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 56                  | 1956        |
| 8538.90-900                     |                   | KG                |                     | 28                  | 262         |                              | 82                  | 2130        |
| 8538 4-ST                       | **                | KG                |                     | 28                  | 262         |                              | 82                  | 2130        |
| 8539.31-000                     | NO                | KG                | 144                 | 28                  | 583         | 475                          | 129                 | 2002        |
| 8539.39-000                     | NO                | KG                | -                   | -                   | -           | 150                          | 56                  | 635         |
| 8539 4-ST                       | NO                | KG                | 144                 | 28                  | 583         | 625                          | 185                 | 2637        |
| 8543.89-000                     |                   | NO                | -                   | -                   | -           |                              | 2                   | 203         |
| 8543.90-000                     |                   | KG                | -                   | -                   | -           |                              | 2                   | 266         |
| 8543 4-ST                       | **                |                   | -                   | -                   | -           |                              |                     | 469         |
| 8545.20-000                     |                   | KG                | -                   | -                   | -           |                              | 1                   | 321         |
| 8545 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 1                   | 321         |
| 85 2-ST                         |                   |                   |                     |                     | 845         |                              |                     | 12514       |
| 9024.90-000                     |                   | KG                |                     | -                   | -           |                              | 58                  | 828         |
| 9024 4-ST                       | **                | KG                |                     | -                   | -           |                              | 58                  | 828         |
| 9026.10-190                     | NO                | KG                | -                   | -                   | -           | 1                            | 307                 | 980         |
| 9026 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 307                 | 980         |
| 9027.80-990                     | NO                | KG                | -                   | -                   | -           | 1                            | 5                   | 737         |
| 9027 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 5                   | 737         |
| 9031.80-190                     | NO                | KG                | -                   | -                   | -           | 3                            | 31                  | 1534        |
| 9031.90-100                     |                   | KG                | -                   | -                   | -           |                              | 13                  | 246         |
| 9031 4-ST                       |                   | KG                | -                   | -                   | -           |                              | 44                  | 1780        |
| 90 2-ST                         |                   | KG                | -                   | -                   | -           |                              | 414                 | 4325        |
| 9405.10-100                     |                   | KG                | -                   | -                   | -           |                              | 50                  | 419         |
| 9405 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 50                  | 419         |
| 94 2-ST                         | **                | KG                | -                   | -                   | -           |                              | 50                  | 419         |
| TOTAL                           |                   |                   |                     |                     | 37460       |                              |                     | 325082      |
| <b>124 PAKISTN</b>              |                   |                   |                     |                     |             |                              |                     |             |
| 8504.40-110                     | NO                | KG                | -                   | -                   | -           | 1                            | 10                  | 258         |
| 8504 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 10                  | 258         |
| 8538.90-900                     |                   | KG                | -                   | -                   | -           |                              | 17                  | 614         |

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>124 PAKISTN</b>              |                   |                   |                     |                     |             |                              |                     |             |
| 8538 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 17                  | 614         |
| 85 2-ST                         |                   | KG                |                     | -                   | -           |                              | 27                  | 872         |
| <b>9018.50-900</b>              |                   | KG                |                     | -                   | -           |                              | 30                  | 836         |
| 9018 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 30                  | 836         |
| 90 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 30                  | 836         |
| TOTAL                           |                   | KG                |                     | -                   | -           |                              | 57                  | 1708        |
| <b>127 BANGLA</b>               |                   |                   |                     |                     |             |                              |                     |             |
| 8437.80-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 54                  | 753         |
| 8437 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 54                  | 753         |
| 84 2-ST                         | NO                | KG                | -                   | -                   | -           | 1                            | 54                  | 753         |
| <b>8536.90-100</b>              |                   | KG                |                     | -                   | -           |                              | 21                  | 233         |
| 8536 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 21                  | 233         |
| 85 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 21                  | 233         |
| <b>9018.50-900</b>              |                   | KG                |                     | -                   | -           |                              | 240                 | 3881        |
| 9018 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 240                 | 3881        |
| 90 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 240                 | 3881        |
| TOTAL                           |                   | KG                |                     | -                   | -           |                              | 315                 | 4867        |
| <b>133 IRAN</b>                 |                   |                   |                     |                     |             |                              |                     |             |
| 8208.90-000                     |                   | KG                |                     | -                   | -           |                              | 9                   | 768         |
| 8208 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 9                   | 768         |
| 82 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 9                   | 768         |
| <b>8477.90-100</b>              |                   | KG                |                     | -                   | -           |                              | 100                 | 8000        |
| 8477 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 100                 | 8000        |
| 84 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 100                 | 8000        |
| TOTAL                           | ***               | KG                |                     | -                   | -           |                              | 109                 | 8768        |
| <b>137 SU ARAB</b>              |                   |                   |                     |                     |             |                              |                     |             |
| 4010.39-000                     |                   | KG                |                     | -                   | -           |                              | 13                  | 409         |
| 4010 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 13                  | 409         |
| 40 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 13                  | 409         |
| <b>8454.90-000</b>              |                   | KG                |                     | -                   | -           |                              | 18                  | 1029        |
| 8454 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 18                  | 1029        |
| 8482.10-000                     | NO                | KG                | -                   | -                   | -           | 16                           | 21                  | 233         |
| 8482.50-000                     | NO                | KG                | -                   | -                   | -           | 12                           | 75                  | 812         |
| 8482 4-ST                       | NO                | KG                | -                   | -                   | -           | 28                           | 96                  | 1045        |
| 84 2-ST                         |                   | KG                |                     | -                   | -           |                              | 114                 | 2074        |
| TOTAL                           |                   | KG                |                     | -                   | -           |                              | 127                 | 2483        |
| <b>143 ISRAEL</b>               |                   |                   |                     |                     |             |                              |                     |             |
| 6804.21-100                     |                   | KG                |                     | 5                   | 424         |                              | 14                  | 1610        |
| 6804 4-ST                       | ***               | KG                |                     | 5                   | 424         |                              | 14                  | 1610        |
| 68 2-ST                         | ***               | KG                |                     | 5                   | 424         |                              | 14                  | 1610        |
| <b>8439.99-000</b>              |                   | KG                |                     | -                   | -           |                              | 150                 | 1313        |
| 8439 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 150                 | 1313        |
| 8443.90-100                     |                   | KG                |                     | -                   | -           |                              | 9                   | 417         |
| 8443 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 9                   | 417         |
| 8464.20-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 2858                | 41029       |
| 8464 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 2858                | 41029       |
| 84 2-ST                         |                   | KG                |                     | -                   | -           |                              | 3017                | 42759       |
| TOTAL                           |                   | KG                |                     | 5                   | 424         |                              | 3031                | 44369       |
| <b>145 SYRIA</b>                |                   |                   |                     |                     |             |                              |                     |             |
| 9018.50-900                     |                   | KG                |                     | -                   | -           |                              | 14                  | 436         |
| 9018 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 14                  | 436         |
| 90 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 14                  | 436         |
| TOTAL                           | ***               | KG                |                     | -                   | -           |                              | 14                  | 436         |
| <b>147 U ARB E</b>              |                   |                   |                     |                     |             |                              |                     |             |
| 8505.90-100                     | NO                | KG                | -                   | -                   | -           | 60                           | 4                   | 697         |



347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>147 U ARB E</b>              |                   |                   |                     |                     |             |                              |                     |             |
| <b>8505 4-ST</b>                | NO                | KG                | -                   | -                   | -           | <b>60</b>                    | <b>4</b>            | <b>697</b>  |
| <b>8538.90-900</b>              |                   | KG                | -                   | -                   | -           |                              | <b>1</b>            | <b>315</b>  |
| <b>8538 4-ST</b>                | **                | KG                | -                   | -                   | -           |                              | <b>1</b>            | <b>315</b>  |
| <b>8539.31-000</b>              | NO                | KG                | <b>300</b>          | <b>83</b>           | <b>1423</b> | <b>444</b>                   | <b>126</b>          | <b>2111</b> |
| <b>8539 4-ST</b>                | NO                | KG                | <b>300</b>          | <b>83</b>           | <b>1423</b> | <b>444</b>                   | <b>126</b>          | <b>2111</b> |
| <b>85 2-ST</b>                  |                   | KG                |                     | <b>83</b>           | <b>1423</b> |                              | <b>131</b>          | <b>3123</b> |
| <b>9027.80-190</b>              | NO                | KG                | -                   | -                   | -           | <b>1</b>                     | <b>6</b>            | <b>880</b>  |
| <b>9027 4-ST</b>                | NO                | KG                | -                   | -                   | -           | <b>1</b>                     | <b>6</b>            | <b>880</b>  |
| <b>90 2-ST</b>                  | NO                | KG                | -                   | -                   | -           | <b>1</b>                     | <b>6</b>            | <b>880</b>  |
| <b>TOTAL</b>                    |                   | KG                |                     | <b>83</b>           | <b>1423</b> |                              | <b>137</b>          | <b>4003</b> |
| <b>202 NORWAY</b>               |                   |                   |                     |                     |             |                              |                     |             |
| <b>4010.33-000</b>              |                   | KG                |                     | -                   | -           |                              | <b>26</b>           | <b>664</b>  |
| <b>4010 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>26</b>           | <b>664</b>  |
| <b>40 2-ST</b>                  | **                | KG                |                     | -                   | -           |                              | <b>26</b>           | <b>664</b>  |
| <b>8208.90-000</b>              |                   | KG                |                     | -                   | -           |                              | <b>3</b>            | <b>407</b>  |
| <b>8208 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>3</b>            | <b>407</b>  |
| <b>82 2-ST</b>                  | **                | KG                |                     | -                   | -           |                              | <b>3</b>            | <b>407</b>  |
| <b>8439.99-000</b>              |                   | KG                |                     | -                   | -           |                              | <b>213</b>          | <b>3171</b> |
| <b>8439 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>213</b>          | <b>3171</b> |
| <b>8443.90-100</b>              |                   | KG                |                     | -                   | -           |                              | <b>26</b>           | <b>224</b>  |
| <b>8443 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>26</b>           | <b>224</b>  |
| <b>8471.60-900</b>              |                   | NO                |                     | -                   | -           |                              | <b>1</b>            | <b>522</b>  |
| <b>8471 4-ST</b>                | **                | NO                |                     | -                   | -           |                              | <b>1</b>            | <b>522</b>  |
| <b>8483.10-000</b>              | NO                | KG                | -                   | -                   | -           | <b>1</b>                     | <b>44</b>           | <b>728</b>  |
| <b>8483 4-ST</b>                | NO                | KG                | -                   | -                   | -           | <b>1</b>                     | <b>44</b>           | <b>728</b>  |
| <b>84 2-ST</b>                  |                   |                   |                     |                     | -           |                              |                     | <b>4645</b> |
| <b>9106.90-000</b>              | NO                | KG                | -                   | -                   | -           | <b>1</b>                     | <b>0</b>            | <b>240</b>  |
| <b>9106 4-ST</b>                | NO                | KG                | -                   | -                   | -           | <b>1</b>                     | <b>0</b>            | <b>240</b>  |
| <b>91 2-ST</b>                  | NO                | KG                | -                   | -                   | -           | <b>1</b>                     | <b>0</b>            | <b>240</b>  |
| <b>TOTAL</b>                    |                   |                   |                     |                     | -           |                              |                     | <b>5956</b> |
| <b>203 SWEDEN</b>               |                   |                   |                     |                     |             |                              |                     |             |
| <b>8443.90-100</b>              |                   | KG                |                     | -                   | -           |                              | <b>30</b>           | <b>1500</b> |
| <b>8443 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>30</b>           | <b>1500</b> |
| <b>8483.30-200</b>              | NO                | KG                | -                   | -                   | -           | <b>4</b>                     | <b>156</b>          | <b>1430</b> |
| <b>8483 4-ST</b>                | NO                | KG                | -                   | -                   | -           | <b>4</b>                     | <b>156</b>          | <b>1430</b> |
| <b>84 2-ST</b>                  |                   | KG                |                     | -                   | -           |                              | <b>186</b>          | <b>2930</b> |
| <b>TOTAL</b>                    |                   | KG                |                     | -                   | -           |                              | <b>186</b>          | <b>2930</b> |
| <b>204 DENMARK</b>              |                   |                   |                     |                     |             |                              |                     |             |
| <b>4010.12-000</b>              |                   | KG                |                     | -                   | -           |                              | <b>100</b>          | <b>3427</b> |
| <b>4010 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>100</b>          | <b>3427</b> |
| <b>40 2-ST</b>                  | **                | KG                |                     | -                   | -           |                              | <b>100</b>          | <b>3427</b> |
| <b>8479.50-000</b>              |                   | NO                |                     | -                   | -           |                              | <b>1</b>            | <b>4600</b> |
| <b>8479 4-ST</b>                | **                | NO                |                     | -                   | -           |                              | <b>1</b>            | <b>4600</b> |
| <b>84 2-ST</b>                  | **                | NO                |                     | -                   | -           |                              | <b>1</b>            | <b>4600</b> |
| <b>TOTAL</b>                    | **                |                   |                     |                     | -           |                              |                     | <b>8027</b> |
| <b>205 U KING</b>               |                   |                   |                     |                     |             |                              |                     |             |
| <b>0301.10-900</b>              |                   | KG                |                     | -                   | -           |                              | <b>1215</b>         | <b>6268</b> |
| <b>0301 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>1215</b>         | <b>6268</b> |
| <b>03 2-ST</b>                  | **                | KG                |                     | -                   | -           |                              | <b>1215</b>         | <b>6268</b> |
| <b>4010.12-000</b>              |                   | KG                |                     | -                   | -           |                              | <b>76</b>           | <b>2102</b> |
| <b>4010.31-000</b>              |                   | KG                |                     | -                   | -           |                              | <b>40</b>           | <b>489</b>  |
| <b>4010 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>116</b>          | <b>2591</b> |
| <b>4016.93-000</b>              |                   | KG                |                     | -                   | -           |                              | <b>1345</b>         | <b>3552</b> |
| <b>4016.99-000</b>              |                   | KG                |                     | -                   | -           |                              | <b>840</b>          | <b>1984</b> |
| <b>4016 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>2185</b>         | <b>5536</b> |
| <b>40 2-ST</b>                  | **                | KG                |                     | -                   | -           |                              | <b>2301</b>         | <b>8127</b> |
| <b>7315.12-000</b>              |                   | KG                |                     | -                   | -           |                              | <b>29</b>           | <b>311</b>  |
| <b>7315 4-ST</b>                | **                | KG                |                     | -                   | -           |                              | <b>29</b>           | <b>311</b>  |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 205 U KING<br>73 2-ST           | **                | KG                |                    | -                 | -           |                              | 29                | 311         |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 118               | 3239        |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 118               | 3239        |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 118               | 3239        |
| 8412.31-000                     | NO                | KG                | -                  | -                 | -           | 13                           | 6                 | 221         |
| 8412 4-ST                       | NO                | KG                | -                  | -                 | -           | 13                           | 6                 | 221         |
| 8413.60-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 32                | 249         |
| 8413.60-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 17                | 317         |
| 8413 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 49                | 566         |
| 8414.59-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 61                | 515         |
| 8414.80-100                     | NO                | KG                | 1                  | 52                | 225         | 1                            | 52                | 225         |
| 8414 4-ST                       | NO                | KG                | 1                  | 52                | 225         | 6                            | 113               | 740         |
| 8419.89-000                     | NO                | KG                | -                  | -                 | -           | 7                            | 199               | 5257        |
| 8419 4-ST                       | NO                | KG                | -                  | -                 | -           | 7                            | 199               | 5257        |
| 8421.29-000                     | NO                | KG                | 12                 | 4                 | 224         | 12                           | 4                 | 224         |
| 8421 4-ST                       | NO                | KG                | 12                 | 4                 | 224         | 12                           | 4                 | 224         |
| 8422.90-000                     |                   | KG                |                    | 56                | 298         |                              | 867               | 4385        |
| 8422 4-ST                       | **                | KG                |                    | 56                | 298         |                              | 867               | 4385        |
| 8437.80-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 47                | 514         |
| 8437.90-000                     |                   | KG                |                    | -                 | -           |                              | 162               | 981         |
| 8437 4-ST                       |                   | KG                |                    | -                 | -           |                              | 209               | 1495        |
| 8439.99-000                     |                   | KG                |                    | 5                 | 218         |                              | 687               | 10182       |
| 8439 4-ST                       | **                | KG                |                    | 5                 | 218         |                              | 687               | 10182       |
| 8443.90-100                     |                   | KG                |                    | 78                | 3095        |                              | 5370              | 94397       |
| 8443 4-ST                       | **                | KG                |                    | 78                | 3095        |                              | 5370              | 94397       |
| 8471.30-000                     |                   | NO                |                    | -                 | -           |                              | 1                 | 1125        |
| 8471.41-100                     |                   | NO                |                    | -                 | -           |                              | 1                 | 6797        |
| 8471.49-000                     |                   | NO                |                    | 1                 | 204         |                              | 1                 | 204         |
| 8471.60-210                     |                   | NO                |                    | -                 | -           |                              | 1                 | 565         |
| 8471.60-220                     |                   | NO                |                    | 1                 | 522         |                              | 5                 | 3206        |
| 8471.60-900                     |                   | NO                |                    | -                 | -           |                              | 1                 | 522         |
| 8471.70-300                     |                   | NO                |                    | -                 | -           |                              | 21                | 691         |
| 8471 4-ST                       | **                | NO                |                    | 2                 | 726         |                              | 31                | 13110       |
| 8481.80-110                     |                   | KG                |                    | -                 | -           |                              | 63                | 336         |
| 8481.80-190                     |                   | KG                |                    | -                 | -           |                              | 151               | 4401        |
| 8481.90-000                     |                   | KG                |                    | 48                | 257         |                              | 48                | 257         |
| 8481 4-ST                       | **                | KG                |                    | 48                | 257         |                              | 262               | 4994        |
| 8482.40-000                     | NO                | KG                | 3                  | 47                | 237         | 3                            | 47                | 237         |
| 8482.80-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 98                | 353         |
| 8482 4-ST                       | NO                | KG                | 3                  | 47                | 237         | 5                            | 145               | 590         |
| 8483.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 28                | 331         |
| 8483.30-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 27                | 409         |
| 8483.40-200                     | NO                | KG                | -                  | -                 | -           | 71                           | 473               | 6391        |
| 8483.40-300                     | NO                | KG                | -                  | -                 | -           | 3                            | 406               | 3416        |
| 8483.40-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 10                | 203         |
| 8483.60-000                     | NO                | KG                | -                  | -                 | -           | 38                           | 113               | 2633        |
| 8483 4-ST                       | NO                | KG                | -                  | -                 | -           | 116                          | 1057              | 13383       |
| 84 2-ST                         |                   |                   |                    |                   | 5280        |                              |                   | 149544      |
| 8501.31-191                     | NO                | KG                | 200                | 7                 | 414         | 315                          | 11                | 652         |
| 8501.31-192                     | NO                | KG                | -                  | -                 | -           | 49                           | 246               | 2311        |
| 8501.51-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 37                | 718         |
| 8501.52-100                     | NO                | KG                | -                  | -                 | -           | 10                           | 725               | 5108        |
| 8501.61-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 52                | 401         |
| 8501 4-ST                       | NO                | KG                | 200                | 7                 | 414         | 380                          | 1071              | 9190        |
| 8504.40-190                     | NO                | KG                | -                  | -                 | -           | 3                            | 7                 | 321         |
| 8504.40-900                     | NO                | KG                | -                  | -                 | -           | 2                            | 8                 | 209         |
| 8504 4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 15                | 530         |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 5                            | 15                | 370         |
| 8533 4-ST                       | NO                | KG                | -                  | -                 | -           | 5                            | 15                | 370         |
| 8536.50-900                     | NO                | KG                | -                  | -                 | -           | 60                           | 41                | 225         |
| 8536 4-ST                       | NO                | KG                | -                  | -                 | -           | 60                           | 41                | 225         |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 43                           | 342               | 10039       |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 43                           | 342               | 10039       |
| 8538.90-900                     |                   | KG                |                    | 4                 | 261         |                              | 49                | 2167        |
| 8538 4-ST                       | **                | KG                |                    | 4                 | 261         |                              | 49                | 2167        |
| 8539.31-000                     | NO                | KG                | -                  | -                 | -           | 135                          | 19                | 449         |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 135                          | 19                | 449         |
| 8543.89-000                     |                   | NO                |                    | 6                 | 1325        |                              | 26                | 7748        |
| 8543 4-ST                       | **                | NO                |                    | 6                 | 1325        |                              | 26                | 7748        |
| 8544.51-210                     |                   | KG                |                    | -                 | -           |                              | 25                | 216         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 205 U KING                      |                   |                   |                     |                     |             |                              |                     |             |
| 8544 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 25                  | 216         |
| 8545.20-000                     |                   | KG                |                     | -                   | -           |                              | 0                   | 237         |
| 8545 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 0                   | 237         |
| 85 2-ST                         |                   |                   |                     |                     | 2000        |                              |                     | 31171       |
| 8708.99-900                     |                   | KG                |                     | 2037                | 4676        |                              | 2430                | 5514        |
| 8708 4-ST                       | **                | KG                |                     | 2037                | 4676        |                              | 2430                | 5514        |
| 87 2-ST                         | ***               | KG                |                     | 2037                | 4676        |                              | 2430                | 5514        |
| 9018.50-900                     |                   | KG                |                     | -                   | -           |                              | 15                  | 459         |
| 9018 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 15                  | 459         |
| 9024.90-000                     |                   | KG                |                     | -                   | -           |                              | 13                  | 299         |
| 9024 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 13                  | 299         |
| 9029.90-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 315         |
| 9029 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 2                   | 315         |
| 9031.90-100                     |                   | KG                |                     | -                   | -           |                              | 14                  | 409         |
| 9031 4-ST                       | **                | KG                |                     | -                   | -           |                              | 14                  | 409         |
| 90 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 44                  | 1482        |
| TOTAL                           |                   |                   |                     |                     | 11956       |                              |                     | 205656      |
| 206 IRELAND                     |                   |                   |                     |                     |             |                              |                     |             |
| 8464.10-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 1457                | 21812       |
| 8464 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 1457                | 21812       |
| 8483.90-900                     |                   | KG                |                     | -                   | -           |                              | 8                   | 858         |
| 8483 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 8                   | 858         |
| 84 2-ST                         |                   | KG                |                     | -                   | -           |                              | 1465                | 22670       |
| TOTAL                           |                   | KG                |                     | -                   | -           |                              | 1465                | 22670       |
| 207 NETHLDS                     |                   |                   |                     |                     |             |                              |                     |             |
| 4010.12-000                     |                   | KG                |                     | -                   | -           |                              | 562                 | 20322       |
| 4010 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 562                 | 20322       |
| 4016.99-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 338         |
| 4016 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 3                   | 338         |
| 40 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 565                 | 20660       |
| 5602.90-100                     | SM                | KG                | -                   | -                   | -           | 4                            | 1                   | 264         |
| 5602 4-ST                       | SM                | KG                | -                   | -                   | -           | 4                            | 1                   | 264         |
| 56 2-ST                         | SM                | KG                | -                   | -                   | -           | 4                            | 1                   | 264         |
| 6804.22-900                     |                   | KG                |                     | 69                  | 685         |                              | 69                  | 685         |
| 6804 4-ST                       | ***               | KG                |                     | 69                  | 685         |                              | 69                  | 685         |
| 68 2-ST                         | ***               | KG                |                     | 69                  | 685         |                              | 69                  | 685         |
| 7307.99-900                     |                   | KG                |                     | -                   | -           |                              | 69                  | 1508        |
| 7307 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 69                  | 1508        |
| 7318.16-900                     |                   | KG                |                     | -                   | -           |                              | 17                  | 307         |
| 7318.21-000                     |                   | KG                |                     | -                   | -           |                              | 75                  | 316         |
| 7318 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 92                  | 623         |
| 73 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 161                 | 2131        |
| 8208.90-000                     |                   | KG                |                     | -                   | -           |                              | 98                  | 4606        |
| 8208 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 98                  | 4606        |
| 82 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 98                  | 4606        |
| 8412.39-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 17                  | 523         |
| 8412 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 17                  | 523         |
| 8414.59-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 443                 | 2074        |
| 8414 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 443                 | 2074        |
| 8439.99-000                     |                   | KG                |                     | 154                 | 1249        |                              | 1124                | 12012       |
| 8439 4-ST                       | ***               | KG                |                     | 154                 | 1249        |                              | 1124                | 12012       |
| 8443.90-100                     |                   | KG                |                     | -                   | -           |                              | 40                  | 1866        |
| 8443 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 40                  | 1866        |
| 8471.60-220                     |                   | NO                |                     | -                   | -           |                              | 2                   | 631         |
| 8471.80-000                     |                   | NO                |                     | -                   | -           |                              | 8                   | 482         |
| 8471 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 10                  | 1113        |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 74                  | 797         |
| 8481 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 74                  | 797         |
| 8482.30-000                     | NO                | KG                | -                   | -                   | -           | 12                           | 270                 | 943         |
| 8482.40-000                     | NO                | KG                | -                   | -                   | -           | 28                           | 357                 | 1410        |
| 8482.50-000                     | NO                | KG                | -                   | -                   | -           | 8                            | 146                 | 611         |
| 8482.80-000                     | NO                | KG                | -                   | -                   | -           | 21                           | 770                 | 2746        |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 207 NETHLDS                     |                   |                   |                     |                     |             |                              |                     |             |
| 8482 4-ST                       | NO                | KG                | -                   | -                   | -           | 69                           | 1543                | 5710        |
| 8483.10-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 64                  | 253         |
| 8483.30-200                     | NO                | KG                | -                   | -                   | -           | 64                           | 60                  | 889         |
| 8483.40-200                     | NO                | KG                | -                   | -                   | -           | 1                            | 67                  | 359         |
| 8483.60-000                     | NO                | KG                | -                   | -                   | -           | 8                            | 79                  | 940         |
| 8483 4-ST                       | NO                | KG                | -                   | -                   | -           | 74                           | 270                 | 2441        |
| 8484.90-000                     |                   | KG                | -                   | -                   | -           |                              | 5                   | 233         |
| 8484 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 5                   | 233         |
| 84 2-ST                         |                   |                   |                     |                     | 1249        |                              |                     | 26769       |
| 8501.52-100                     | NO                | KG                | -                   | -                   | -           | 3                            | 226                 | 1080        |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 226                 | 1080        |
| 8537.10-000                     | NO                | KG                | -                   | -                   | -           | 10                           | 26                  | 656         |
| 8537 4-ST                       | NO                | KG                | -                   | -                   | -           | 10                           | 26                  | 656         |
| 8538.90-900                     |                   | KG                |                     | 0                   | 732         |                              | 21                  | 3762        |
| 8538 4-ST                       | **                | KG                |                     | 0                   | 732         |                              | 21                  | 3762        |
| 8543.89-000                     |                   | NO                |                     | -                   | -           |                              | 5                   | 862         |
| 8543 4-ST                       | **                | NO                |                     | -                   | -           |                              | 5                   | 862         |
| 8544.51-290                     |                   | KG                |                     | -                   | -           |                              | 9                   | 451         |
| 8544 4-ST                       | **                | KG                |                     | -                   | -           |                              | 9                   | 451         |
| 85 2-ST                         |                   |                   |                     |                     | 732         |                              |                     | 6811        |
| 9031.90-100                     |                   | KG                |                     | -                   | -           |                              | 23                  | 279         |
| 9031 4-ST                       | **                | KG                |                     | -                   | -           |                              | 23                  | 279         |
| 90 2-ST                         | **                | KG                |                     | -                   | -           |                              | 23                  | 279         |
| TOTAL                           |                   |                   |                     |                     | 2666        |                              |                     | 62205       |
| 208 BELGIUM                     |                   |                   |                     |                     |             |                              |                     |             |
| 0301.10-900                     |                   | KG                |                     | 465                 | 1503        |                              | 735                 | 3407        |
| 0301 4-ST                       | **                | KG                |                     | 465                 | 1503        |                              | 735                 | 3407        |
| 03 2-ST                         | **                | KG                |                     | 465                 | 1503        |                              | 735                 | 3407        |
| 8443.90-100                     |                   | KG                |                     | -                   | -           |                              | 13                  | 739         |
| 8443 4-ST                       | **                | KG                |                     | -                   | -           |                              | 13                  | 739         |
| 8483.40-200                     | NO                | KG                | -                   | -                   | -           | 1                            | 15                  | 245         |
| 8483 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 15                  | 245         |
| 84 2-ST                         |                   | KG                |                     | -                   | -           |                              | 28                  | 984         |
| 8501.31-191                     | NO                | KG                | -                   | -                   | -           | 200                          | 5                   | 275         |
| 8501.51-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 10                  | 484         |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 201                          | 15                  | 759         |
| 8533.40-000                     | NO                | KG                | -                   | -                   | -           | 200                          | 5                   | 290         |
| 8533 4-ST                       | NO                | KG                | -                   | -                   | -           | 200                          | 5                   | 290         |
| 8538.90-900                     |                   | KG                |                     | -                   | -           |                              | 2                   | 4868        |
| 8538 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 4868        |
| 85 2-ST                         |                   | KG                |                     | -                   | -           |                              | 22                  | 5917        |
| TOTAL                           |                   | KG                |                     | 465                 | 1503        |                              | 785                 | 10308       |
| 210 FRANCE                      |                   |                   |                     |                     |             |                              |                     |             |
| 4016.93-000                     |                   | KG                |                     | -                   | -           |                              | 20                  | 569         |
| 4016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 20                  | 569         |
| 40 2-ST                         | **                | KG                |                     | -                   | -           |                              | 20                  | 569         |
| 7307.92-000                     |                   | KG                |                     | -                   | -           |                              | 10                  | 587         |
| 7307 4-ST                       | **                | KG                |                     | -                   | -           |                              | 10                  | 587         |
| 7315.12-000                     |                   | KG                |                     | -                   | -           |                              | 103                 | 600         |
| 7315 4-ST                       | **                | KG                |                     | -                   | -           |                              | 103                 | 600         |
| 7318.15-900                     |                   | KG                |                     | -                   | -           |                              | 3                   | 202         |
| 7318.29-000                     |                   | KG                |                     | -                   | -           |                              | 17                  | 1038        |
| 7318 4-ST                       | **                | KG                |                     | -                   | -           |                              | 20                  | 1240        |
| 7320.20-000                     |                   | KG                |                     | -                   | -           |                              | 17                  | 490         |
| 7320 4-ST                       | **                | KG                |                     | -                   | -           |                              | 17                  | 490         |
| 73 2-ST                         | **                | KG                |                     | -                   | -           |                              | 150                 | 2917        |
| 8412.21-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 99                  | 385         |
| 8412.31-000                     | NO                | KG                | -                   | -                   | -           | 64                           | 26                  | 288         |
| 8412 4-ST                       | NO                | KG                | -                   | -                   | -           | 66                           | 125                 | 673         |
| 8422.40-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 3042                | 11004       |
| 8422 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 3042                | 11004       |
| 8439.99-000                     |                   | KG                |                     | -                   | -           |                              | 37                  | 1750        |
| 8439 4-ST                       | **                | KG                |                     | -                   | -           |                              | 37                  | 1750        |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 210 FRANCE                      |                   |                   |                    |                   |             |                              |                   |             |
| 8443.90-100                     |                   | KG                |                    | 2331              | 3547        |                              | 3524              | 21481       |
| 8443.90-900                     |                   | KG                |                    | -                 | -           |                              | 28                | 293         |
| 8443 4-ST                       | **                | KG                |                    | 2331              | 3547        |                              | 3552              | 21774       |
| 8471.60-220                     |                   | NO                |                    | -                 | -           |                              | 2                 | 967         |
| 8471.60-900                     |                   | NO                |                    | -                 | -           |                              | 1                 | 522         |
| 8471 4-ST                       | **                | NO                |                    | -                 | -           |                              | 3                 | 1489        |
| 8482.50-000                     | NO                | KG                | -                  | -                 | -           | 24                           | 139               | 261         |
| 8482 4-ST                       | NO                | KG                | -                  | -                 | -           | 24                           | 139               | 261         |
| 8483.30-100                     | NO                | KG                | -                  | -                 | -           | 16                           | 10                | 280         |
| 8483.30-200                     | NO                | KG                | -                  | -                 | -           | 24                           | 8                 | 521         |
| 8483.40-200                     | NO                | KG                | -                  | -                 | -           | 12                           | 123               | 1341        |
| 8483.40-300                     | NO                | KG                | -                  | -                 | -           | 5                            | 1149              | 3464        |
| 8483.40-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 483               | 533         |
| 8483.50-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 32                | 467         |
| 8483.60-000                     | NO                | KG                | -                  | -                 | -           | 18                           | 22                | 927         |
| 8483 4-ST                       | NO                | KG                | -                  | -                 | -           | 80                           | 1827              | 7533        |
| 84 2-ST                         |                   |                   |                    |                   | 3547        |                              |                   | 44484       |
| 8501.31-192                     | NO                | KG                | -                  | -                 | -           | 14                           | 70                | 345         |
| 8501.52-100                     | NO                | KG                | -                  | -                 | -           | 2                            | 107               | 1261        |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 16                           | 177               | 1606        |
| 8504.31-920                     | NO                | KG                | -                  | -                 | -           | 3                            | 13                | 277         |
| 8504.32-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 3                 | 205         |
| 8504 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 16                | 482         |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 14                | 259         |
| 8533 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 14                | 259         |
| 8536.20-000                     | NO                | KG                | -                  | -                 | -           | 4                            | 9                 | 204         |
| 8536.90-210                     |                   | KG                |                    | -                 | -           |                              | 47                | 242         |
| 8536.90-290                     |                   | KG                |                    | -                 | -           |                              | 54                | 216         |
| 8536 4-ST                       |                   | KG                |                    | -                 | -           |                              | 110               | 662         |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 7                            | 12                | 1113        |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 7                            | 12                | 1113        |
| 8538.90-900                     |                   | KG                |                    | 2                 | 261         |                              | 2                 | 261         |
| 8538 4-ST                       | **                | KG                |                    | 2                 | 261         |                              | 2                 | 261         |
| 8542.21-230                     |                   | NO                |                    | 4                 | 361         |                              | 4                 | 361         |
| 8542 4-ST                       | **                | NO                |                    | 4                 | 361         |                              | 4                 | 361         |
| 8543.89-000                     |                   | NO                |                    | -                 | -           |                              | 2                 | 1136        |
| 8543 4-ST                       | **                | NO                |                    | -                 | -           |                              | 2                 | 1136        |
| 8545.20-000                     |                   | KG                |                    | -                 | -           |                              | 2                 | 302         |
| 8545 4-ST                       | **                | KG                |                    | -                 | -           |                              | 2                 | 302         |
| 85 2-ST                         |                   |                   |                    |                   | 622         |                              |                   | 6182        |
| 9023.00-000                     |                   | KG                |                    | -                 | -           |                              | 90                | 500         |
| 9023 4-ST                       | **                | KG                |                    | -                 | -           |                              | 90                | 500         |
| 90 2-ST                         | **                | KG                |                    | -                 | -           |                              | 90                | 500         |
| TOTAL                           |                   |                   |                    |                   | 4169        |                              |                   | 54652       |
| 213 GERMANY                     |                   |                   |                    |                   |             |                              |                   |             |
| 0000.00-190                     |                   | KG                |                    | -                 | -           |                              | 21                | 1070        |
| 0000 4-ST                       | **                | KG                |                    | -                 | -           |                              | 21                | 1070        |
| 00 2-ST                         | **                | KG                |                    | -                 | -           |                              | 21                | 1070        |
| 0301.10-900                     |                   | KG                |                    | 2197              | 8587        |                              | 2272              | 8857        |
| 0301 4-ST                       | **                | KG                |                    | 2197              | 8587        |                              | 2272              | 8857        |
| 03 2-ST                         | **                | KG                |                    | 2197              | 8587        |                              | 2272              | 8857        |
| 2808.00-000                     |                   | KG                |                    | -                 | -           |                              | 404               | 960         |
| 2808 4-ST                       | **                | KG                |                    | -                 | -           |                              | 404               | 960         |
| 2849.20-000                     |                   | KG                |                    | -                 | -           |                              | 60                | 1149        |
| 2849 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 1149        |
| 28 2-ST                         | **                | KG                |                    | -                 | -           |                              | 464               | 2109        |
| 3002.90-000                     |                   | KG                |                    | -                 | -           |                              | 30                | 214         |
| 3002 4-ST                       | **                | KG                |                    | -                 | -           |                              | 30                | 214         |
| 30 2-ST                         | **                | KG                |                    | -                 | -           |                              | 30                | 214         |
| 3402.13-000                     |                   | KG                |                    | -                 | -           |                              | 200               | 420         |
| 3402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 200               | 420         |
| 34 2-ST                         | **                | KG                |                    | -                 | -           |                              | 200               | 420         |
| 3818.00-100                     |                   | KG                |                    | 164               | 20006       |                              | 702               | 102726      |
| 3818 4-ST                       | **                | KG                |                    | 164               | 20006       |                              | 702               | 102726      |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 213 GERMANY                     |                   |                   |                     |                     |             |                              |                     |             |
| 38 2-ST                         | ***               | KG                |                     | 164                 | 20006       |                              | 702                 | 102726      |
| 4016.93-000                     |                   | KG                |                     | -                   | -           |                              | 77                  | 3137        |
| 4016 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 77                  | 3137        |
| 40 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 77                  | 3137        |
| 4911.99-000                     |                   | KG                |                     | -                   | -           |                              | 9                   | 887         |
| 4911 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 9                   | 887         |
| 49 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 9                   | 887         |
| 6804.21-100                     |                   | KG                |                     | 254                 | 30009       |                              | 922                 | 115093      |
| 6804.21-200                     |                   | KG                |                     | 187                 | 23599       |                              | 720                 | 94794       |
| 6804 4-ST                       | ***               | KG                |                     | 441                 | 53608       |                              | 1642                | 209887      |
| 68 2-ST                         | ***               | KG                |                     | 441                 | 53608       |                              | 1642                | 209887      |
| 7208.26-100                     |                   | KG                |                     | -                   | -           |                              | 2159                | 261         |
| 7208.27-110                     |                   | KG                |                     | -                   | -           |                              | 317                 | 213         |
| 7208.53-100                     |                   | KG                |                     | -                   | -           |                              | 670                 | 625         |
| 7208 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 3146                | 1099        |
| 72 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 3146                | 1099        |
| 7308.30-000                     |                   | KG                |                     | -                   | -           |                              | 65                  | 358         |
| 7308 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 65                  | 358         |
| 73 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 65                  | 358         |
| 8208.90-000                     |                   | KG                |                     | -                   | -           |                              | 3182                | 393180      |
| 8208 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 3182                | 393180      |
| 82 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 3182                | 393180      |
| 8413.81-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 20                  | 607         |
| 8413 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 20                  | 607         |
| 8419.50-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 2800                | 3200        |
| 8419.89-000                     | NO                | KG                | 1                   | 154                 | 2375        | 4                            | 814                 | 10489       |
| 8419 4-ST                       | NO                | KG                | 1                   | 154                 | 2375        | 6                            | 3614                | 13689       |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 39                  | 716         |
| 8421 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 39                  | 716         |
| 8439.99-000                     |                   | KG                |                     | 16                  | 273         |                              | 24                  | 584         |
| 8439 4-ST                       | ***               | KG                |                     | 16                  | 273         |                              | 24                  | 584         |
| 8454.90-000                     |                   | KG                |                     | -                   | -           |                              | 8                   | 239         |
| 8454 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 8                   | 239         |
| 8464.10-100                     | NO                | KG                | 2                   | 3492                | 60545       | 18                           | 18785               | 307470      |
| 8464.20-100                     | NO                | KG                | -                   | -                   | -           | 5                            | 26651               | 273891      |
| 8464 4-ST                       | NO                | KG                | 2                   | 3492                | 60545       | 23                           | 45436               | 581361      |
| 8466.30-200                     |                   | KG                |                     | -                   | -           |                              | 86                  | 1555        |
| 8466.91-000                     |                   | KG                |                     | -                   | -           |                              | 12                  | 738         |
| 8466.93-000                     |                   | KG                |                     | -                   | -           |                              | 9                   | 896         |
| 8466 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 107                 | 3189        |
| 8479.90-000                     |                   | KG                |                     | -                   | -           |                              | 11                  | 269         |
| 8479 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 11                  | 269         |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 85                  | 1066        |
| 8481 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 85                  | 1066        |
| 8482.40-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 93                  | 319         |
| 8482 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 93                  | 319         |
| 8483.30-200                     | NO                | KG                | -                   | -                   | -           | 6                            | 138                 | 211         |
| 8483.40-200                     | NO                | KG                | -                   | -                   | -           | 6                            | 25                  | 390         |
| 8483 4-ST                       | NO                | KG                | -                   | -                   | -           | 12                           | 163                 | 601         |
| 84 2-ST                         |                   | KG                |                     | 3662                | 63193       |                              | 49600               | 602640      |
| 8501.32-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 19                  | 396         |
| 8501.52-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 16                  | 458         |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 35                  | 854         |
| 8505.20-000                     |                   | KG                |                     | -                   | -           |                              | 38                  | 266         |
| 8505 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 38                  | 266         |
| 8537.10-000                     | NO                | KG                | 2                   | 649                 | 5956        | 2                            | 649                 | 5956        |
| 8537 4-ST                       | NO                | KG                | 2                   | 649                 | 5956        | 2                            | 649                 | 5956        |
| 8538.90-900                     |                   | KG                |                     | -                   | -           |                              | 3                   | 370         |
| 8538 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 3                   | 370         |
| 8543.89-000                     |                   | NO                |                     | -                   | -           |                              | 8                   | 2438        |
| 8543 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 8                   | 2438        |
| 85 2-ST                         |                   |                   |                     |                     | 5956        |                              |                     | 9884        |
| 8703.23-919                     |                   | NO                |                     | -                   | -           |                              | 14                  | 28000       |
| 8703.23-929                     |                   | NO                |                     | -                   | -           |                              | 22                  | 44000       |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 213 GERMANY                     |                   |                   |                     |                     |             |                              |                     |             |
| 8703 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 36                  | 72000       |
| 8708.29-000                     |                   | KG                |                     | -                   | -           |                              | 59                  | 840         |
| 8708 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 59                  | 840         |
| 87 2-ST                         | ***               |                   |                     |                     | -           |                              |                     | 72840       |
| 9001.20-000                     |                   | KG                |                     | -                   | -           |                              | 90                  | 1759        |
| 9001 4-ST                       | **                | KG                |                     | -                   | -           |                              | 90                  | 1759        |
| 9017.30-100                     | NO                | KG                | -                   | -                   | -           | 6                            | 57                  | 228         |
| 9017.30-990                     | NO                | KG                | -                   | -                   | -           | 2                            | 12                  | 280         |
| 9017 4-ST                       | NO                | KG                | -                   | -                   | -           | 8                            | 69                  | 508         |
| 9025.19-100                     | NO                | KG                | -                   | -                   | -           | 8                            | 4                   | 1080        |
| 9025 4-ST                       | NO                | KG                | -                   | -                   | -           | 8                            | 4                   | 1080        |
| 9031.49-000                     |                   | NO                |                     | -                   | -           |                              | 2                   | 220         |
| 9031.90-100                     |                   | KG                |                     | -                   | -           |                              | 26                  | 755         |
| 9031 4-ST                       | ***               |                   |                     |                     | -           |                              |                     | 975         |
| 9032.89-112                     | NO                | KG                | -                   | -                   | -           | 2                            | 669                 | 6227        |
| 9032 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 669                 | 6227        |
| 90 2-ST                         |                   |                   |                     |                     | -           |                              |                     | 10549       |
| TOTAL                           |                   |                   |                     |                     | 151350      |                              |                     | 1419857     |
| 215 SWITZLD                     |                   |                   |                     |                     |             |                              |                     |             |
| 0301.10-900                     |                   | KG                |                     | 1561                | 7301        |                              | 1801                | 8514        |
| 0301 4-ST                       | ***               | KG                |                     | 1561                | 7301        |                              | 1801                | 8514        |
| 03 2-ST                         | ***               | KG                |                     | 1561                | 7301        |                              | 1801                | 8514        |
| 3506.10-000                     |                   | KG                |                     | -                   | -           |                              | 8                   | 383         |
| 3506 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 8                   | 383         |
| 35 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 8                   | 383         |
| 4010.12-000                     |                   | KG                |                     | -                   | -           |                              | 50                  | 1656        |
| 4010 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 50                  | 1656        |
| 40 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 50                  | 1656        |
| 7307.99-900                     |                   | KG                |                     | -                   | -           |                              | 11                  | 220         |
| 7307 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 11                  | 220         |
| 73 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 11                  | 220         |
| 8307.90-000                     |                   | KG                |                     | -                   | -           |                              | 23                  | 324         |
| 8307 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 23                  | 324         |
| 83 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 23                  | 324         |
| 8412.21-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 47                  | 337         |
| 8412 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 47                  | 337         |
| 8439.99-000                     |                   | KG                |                     | -                   | -           |                              | 32                  | 538         |
| 8439 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 32                  | 538         |
| 8471.60-220                     |                   | NO                |                     | -                   | -           |                              | 1                   | 710         |
| 8471 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 1                   | 710         |
| 8482.10-000                     | NO                | KG                | -                   | -                   | -           | 28200                        | 5                   | 1869        |
| 8482.40-000                     | NO                | KG                | -                   | -                   | -           | 8                            | 27                  | 255         |
| 8482 4-ST                       | NO                | KG                | -                   | -                   | -           | 28208                        | 32                  | 2124        |
| 8483.10-000                     | NO                | KG                | -                   | -                   | -           | 29500                        | 8                   | 252         |
| 8483 4-ST                       | NO                | KG                | -                   | -                   | -           | 29500                        | 8                   | 252         |
| 84 2-ST                         |                   |                   |                     |                     | -           |                              |                     | 3961        |
| 8503.00-000                     |                   | KG                |                     | -                   | -           |                              | 3                   | 437         |
| 8503 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 3                   | 437         |
| 8505.11-000                     |                   | KG                |                     | -                   | -           |                              | 40                  | 789         |
| 8505 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 40                  | 789         |
| 8534.00-000                     |                   | KG                |                     | -                   | -           |                              | 93                  | 628         |
| 8534 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 93                  | 628         |
| 8541.50-000                     |                   | NO                |                     | -                   | -           |                              | 265500              | 2102        |
| 8541 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 265500              | 2102        |
| 8542.21-490                     |                   | NO                |                     | -                   | -           |                              | 68000               | 15276       |
| 8542 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 68000               | 15276       |
| 85 2-ST                         | ***               |                   |                     |                     | -           |                              |                     | 19232       |
| TOTAL                           |                   |                   |                     |                     | 7301        |                              |                     | 34290       |
| 217 PORTUGL                     |                   |                   |                     |                     |             |                              |                     |             |
| 8464.10-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 3035                | 54286       |
| 8464.20-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 6527                | 84359       |
| 8464 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 9562                | 138645      |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)   |                      |             | 累計 (CUMULATIVE YEAR TO DATE) |                      |             |
|---------------------------------|-------------------|-------------------|----------------------|----------------------|-------------|------------------------------|----------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY 1 | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY 1         | 第 2 数量<br>QUANTITY 2 | 価額<br>VALUE |
| 217 PORTUGL<br>84 2-ST          | NO                | KG                | -                    | -                    | -           | 2                            | 9562                 | 138645      |
| TOTAL                           | NO                | KG                | -                    | -                    | -           | 2                            | 9562                 | 138645      |
| 218 SPAIN                       |                   |                   |                      |                      |             |                              |                      |             |
| 8439.99-000                     |                   | KG                | -                    | -                    | -           |                              | 51                   | 420         |
| 8439 4-ST                       | **                | KG                | -                    | -                    | -           |                              | 51                   | 420         |
| 8443.90-100                     |                   | KG                | -                    | -                    | -           |                              | 2538                 | 11137       |
| 8443 4-ST                       | **                | KG                | -                    | -                    | -           |                              | 2538                 | 11137       |
| 8464.10-100                     | NO                | KG                | -                    | -                    | -           | 1                            | 1343                 | 18985       |
| 8464 4-ST                       | NO                | KG                | -                    | -                    | -           | 1                            | 1343                 | 18985       |
| 8482.10-000                     | NO                | KG                | -                    | -                    | -           | 36                           | 199                  | 568         |
| 8482 4-ST                       | NO                | KG                | -                    | -                    | -           | 36                           | 199                  | 568         |
| 8483.40-100                     | NO                | KG                | -                    | -                    | -           | 4                            | 2390                 | 2200        |
| 8483.40-200                     | NO                | KG                | -                    | -                    | -           | 4                            | 56                   | 239         |
| 8483.60-000                     | NO                | KG                | -                    | -                    | -           | 2                            | 14                   | 308         |
| 8483 4-ST                       | NO                | KG                | -                    | -                    | -           | 10                           | 2460                 | 2747        |
| 84 2-ST                         |                   | KG                | -                    | -                    | -           |                              | 6591                 | 33857       |
| 8501.31-192                     | NO                | KG                | -                    | -                    | -           | 10                           | 50                   | 247         |
| 8501.52-100                     | NO                | KG                | -                    | -                    | -           | 2                            | 71                   | 627         |
| 8501 4-ST                       | NO                | KG                | -                    | -                    | -           | 12                           | 121                  | 874         |
| 8543.89-000                     |                   | NO                | -                    | -                    | -           |                              | 2                    | 821         |
| 8543 4-ST                       | **                | NO                | -                    | -                    | -           |                              | 2                    | 821         |
| 85 2-ST                         |                   |                   |                      |                      | -           |                              |                      | 1695        |
| 8708.29-000                     |                   | KG                |                      | 7985                 | 3862        |                              | 10438                | 4576        |
| 8708 4-ST                       | **                | KG                |                      | 7985                 | 3862        |                              | 10438                | 4576        |
| 87 2-ST                         | **                | KG                |                      | 7985                 | 3862        |                              | 10438                | 4576        |
| 9031.90-100                     |                   | KG                |                      | -                    | -           |                              | 26                   | 294         |
| 9031 4-ST                       | **                | KG                |                      | -                    | -           |                              | 26                   | 294         |
| 90 2-ST                         | **                | KG                |                      | -                    | -           |                              | 26                   | 294         |
| 9503.20-000                     | DZ                | KG                | 52                   | 356                  | 3067        | 52                           | 356                  | 3067        |
| 9503.80-900                     | NO                | KG                | -                    | -                    | -           | 1530                         | 324                  | 3292        |
| 9503 4-ST                       |                   | KG                |                      | 356                  | 3067        |                              | 680                  | 6359        |
| 95 2-ST                         |                   | KG                |                      | 356                  | 3067        |                              | 680                  | 6359        |
| TOTAL                           |                   |                   |                      |                      | 6929        |                              |                      | 46781       |
| 220 ITALY                       |                   |                   |                      |                      |             |                              |                      |             |
| 6804.21-100                     |                   | KG                |                      | -                    | -           |                              | 2                    | 258         |
| 6804 4-ST                       | **                | KG                |                      | -                    | -           |                              | 2                    | 258         |
| 68 2-ST                         | **                | KG                |                      | -                    | -           |                              | 2                    | 258         |
| 8208.90-000                     |                   | KG                |                      | 38                   | 240         |                              | 38                   | 240         |
| 8208 4-ST                       | **                | KG                |                      | 38                   | 240         |                              | 38                   | 240         |
| 82 2-ST                         | **                | KG                |                      | 38                   | 240         |                              | 38                   | 240         |
| 8439.99-000                     |                   | KG                |                      | -                    | -           |                              | 994                  | 1885        |
| 8439 4-ST                       | **                | KG                |                      | -                    | -           |                              | 994                  | 1885        |
| 8443.90-100                     |                   | KG                |                      | -                    | -           |                              | 545                  | 1561        |
| 8443 4-ST                       | **                | KG                |                      | -                    | -           |                              | 545                  | 1561        |
| 8454.90-000                     |                   | KG                |                      | -                    | -           |                              | 115                  | 1949        |
| 8454 4-ST                       | **                | KG                |                      | -                    | -           |                              | 115                  | 1949        |
| 8464.10-100                     | NO                | KG                | -                    | -                    | -           | 2                            | 3547                 | 59694       |
| 8464 4-ST                       | NO                | KG                | -                    | -                    | -           | 2                            | 3547                 | 59694       |
| 8471.60-900                     |                   | NO                |                      | -                    | -           |                              | 1                    | 434         |
| 8471 4-ST                       | **                | NO                |                      | -                    | -           |                              | 1                    | 434         |
| 84 2-ST                         |                   |                   |                      | -                    | -           |                              |                      | 65523       |
| 8501.31-192                     | NO                | KG                | -                    | -                    | -           | 22                           | 110                  | 543         |
| 8501 4-ST                       | NO                | KG                | -                    | -                    | -           | 22                           | 110                  | 543         |
| 8538.90-900                     |                   | KG                |                      | -                    | -           |                              | 1                    | 591         |
| 8538 4-ST                       | **                | KG                |                      | -                    | -           |                              | 1                    | 591         |
| 85 2-ST                         |                   | KG                |                      | -                    | -           |                              | 111                  | 1134        |
| TOTAL                           |                   |                   |                      |                      | 240         |                              |                      | 67155       |
| 222 FINLAND                     |                   |                   |                      |                      |             |                              |                      |             |
| 8479.89-900                     | NO                | KG                | -                    | -                    | -           | 1                            | 941                  | 3800        |
| 8479 4-ST                       | NO                | KG                | -                    | -                    | -           | 1                            | 941                  | 3800        |



347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 222 FINLAND<br>84 2-ST          | NO                | KG                | -                  | -                 | -           | 1                            | 941               | 3800        |
| TOTAL                           | NO                | KG                | -                  | -                 | -           | 1                            | 941               | 3800        |
| 223 POLAND<br>8439.99-000       |                   | KG                |                    | -                 | -           |                              | 3                 | 201         |
| 8439 4-ST                       | **                | KG                |                    | -                 | -           |                              | 3                 | 201         |
| 8483.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 114               | 546         |
| 8483 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 114               | 546         |
| 84 2-ST                         |                   | KG                |                    | -                 | -           |                              | 117               | 747         |
| TOTAL                           |                   | KG                |                    | -                 | -           |                              | 117               | 747         |
| 224 RUSSIAN                     |                   |                   |                    |                   |             |                              |                   |             |
| 8464.20-200                     | NO                | KG                | -                  | -                 | -           | 4                            | 247               | 2009        |
| 8464 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 247               | 2009        |
| 84 2-ST                         | NO                | KG                | -                  | -                 | -           | 4                            | 247               | 2009        |
| 9018.50-900                     |                   | KG                |                    | -                 | -           |                              | 15                | 768         |
| 9018 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 768         |
| 90 2-ST                         | **                | KG                |                    | -                 | -           |                              | 15                | 768         |
| TOTAL                           |                   | KG                |                    | -                 | -           |                              | 262               | 2777        |
| 225 AUSTRIA                     |                   |                   |                    |                   |             |                              |                   |             |
| 8466.30-200                     |                   | KG                |                    | -                 | -           |                              | 14                | 477         |
| 8466 4-ST                       | **                | KG                |                    | -                 | -           |                              | 14                | 477         |
| 8482.50-000                     | NO                | KG                | -                  | -                 | -           | 6                            | 131               | 540         |
| 8482.80-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 99                | 354         |
| 8482 4-ST                       | NO                | KG                | -                  | -                 | -           | 8                            | 230               | 894         |
| 84 2-ST                         |                   | KG                |                    | -                 | -           |                              | 244               | 1371        |
| 8708.99-900                     |                   | KG                |                    | -                 | -           |                              | 549               | 360         |
| 8708 4-ST                       | **                | KG                |                    | -                 | -           |                              | 549               | 360         |
| 87 2-ST                         | **                | KG                |                    | -                 | -           |                              | 549               | 360         |
| 9018.50-900                     |                   | KG                |                    | -                 | -           |                              | 60                | 1953        |
| 9018 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 1953        |
| 90 2-ST                         | **                | KG                |                    | -                 | -           |                              | 60                | 1953        |
| TOTAL                           |                   | KG                |                    | -                 | -           |                              | 853               | 3684        |
| 227 HUNGARY<br>2710.19-600      |                   | KG                |                    | -                 | -           |                              | 60                | 250         |
| 2710 4-ST                       | **                | KG                |                    | -                 | -           |                              | 60                | 250         |
| 27 2-ST                         | **                | KG                |                    | -                 | -           |                              | 60                | 250         |
| 3209.10-000                     |                   | KG                |                    | 242               | 546         |                              | 1297              | 3289        |
| 3209 4-ST                       | **                | KG                |                    | 242               | 546         |                              | 1297              | 3289        |
| 32 2-ST                         | **                | KG                |                    | 242               | 546         |                              | 1297              | 3289        |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 9                 | 305         |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 9                 | 305         |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 9                 | 305         |
| 7318.15-900                     |                   | KG                |                    | -                 | -           |                              | 355               | 942         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 355               | 942         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 355               | 942         |
| 8101.99-000                     |                   | KG                |                    | -                 | -           |                              | 36                | 606         |
| 8101 4-ST                       | **                | KG                |                    | -                 | -           |                              | 36                | 606         |
| 81 2-ST                         | **                | KG                |                    | -                 | -           |                              | 36                | 606         |
| 8439.99-000                     |                   | KG                |                    | -                 | -           |                              | 95                | 1639        |
| 8439 4-ST                       | **                | KG                |                    | -                 | -           |                              | 95                | 1639        |
| 8483.30-200                     | NO                | KG                | 2                  | 85                | 770         | 2                            | 85                | 770         |
| 8483.40-200                     | NO                | KG                | -                  | -                 | -           | 8000                         | 69                | 204         |
| 8483.60-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 70                | 269         |
| 8483 4-ST                       | NO                | KG                | 2                  | 85                | 770         | 8003                         | 224               | 1243        |
| 84 2-ST                         |                   | KG                |                    | 85                | 770         |                              | 319               | 2882        |
| 8512.90-000                     |                   | KG                |                    | 53                | 1000        |                              | 686               | 3911        |
| 8512 4-ST                       | **                | KG                |                    | 53                | 1000        |                              | 686               | 3911        |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 227 HUNGARY                     |                   |                   |                    |                   |             |                              |                   |             |
| 8536.69-000                     |                   | KG                |                    | -                 | -           |                              | 165               | 706         |
| 8536 4-ST                       | **                | KG                |                    | -                 | -           |                              | 165               | 706         |
| 8541.10-920                     |                   | NO                |                    | -                 | -           |                              | 60000             | 598         |
| 8541 4-ST                       | **                | NO                |                    | -                 | -           |                              | 60000             | 598         |
| 85 2-ST                         | **                |                   |                    |                   | 1000        |                              |                   | 5215        |
| 8708.99-900                     |                   | KG                |                    | 4890              | 7940        |                              | 50075             | 86355       |
| 8708 4-ST                       | **                | KG                |                    | 4890              | 7940        |                              | 50075             | 86355       |
| 87 2-ST                         | **                | KG                |                    | 4890              | 7940        |                              | 50075             | 86355       |
| TOTAL                           |                   |                   |                    |                   | 10256       |                              |                   | 99844       |
| 230 GREECE                      |                   |                   |                    |                   |             |                              |                   |             |
| 9503.20-000                     | DZ                | KG                | -                  | -                 | -           | 0                            | 20                | 650         |
| 9503 4-ST                       | DZ                | KG                | -                  | -                 | -           | 0                            | 20                | 650         |
| 95 2-ST                         | DZ                | KG                | -                  | -                 | -           | 0                            | 20                | 650         |
| TOTAL                           | DZ                | KG                | -                  | -                 | -           | 0                            | 20                | 650         |
| 234 TURKEY                      |                   |                   |                    |                   |             |                              |                   |             |
| 4010.39-000                     |                   | KG                |                    | -                 | -           |                              | 73                | 287         |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 73                | 287         |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 73                | 287         |
| 8443.90-100                     |                   | KG                |                    | -                 | -           |                              | 31                | 1376        |
| 8443 4-ST                       | **                | KG                |                    | -                 | -           |                              | 31                | 1376        |
| 84 2-ST                         | **                | KG                |                    | -                 | -           |                              | 31                | 1376        |
| TOTAL                           | **                | KG                |                    | -                 | -           |                              | 104               | 1663        |
| 302 CANADA                      |                   |                   |                    |                   |             |                              |                   |             |
| 3926.90-000                     |                   | KG                |                    | -                 | -           |                              | 1                 | 8806        |
| 3926 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1                 | 8806        |
| 39 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1                 | 8806        |
| 4016.93-000                     |                   | KG                |                    | -                 | -           |                              | 28                | 809         |
| 4016 4-ST                       | **                | KG                |                    | -                 | -           |                              | 28                | 809         |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 28                | 809         |
| 7307.99-900                     |                   | KG                |                    | -                 | -           |                              | 75                | 1224        |
| 7307 4-ST                       | **                | KG                |                    | -                 | -           |                              | 75                | 1224        |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 75                | 1224        |
| 8424.20-000                     | NO                | KG                | -                  | -                 | -           | 123                          | 27                | 1458        |
| 8424.90-000                     |                   | KG                |                    | -                 | -           |                              | 210               | 400         |
| 8424 4-ST                       |                   | KG                |                    | -                 | -           |                              | 237               | 1858        |
| 8431.10-000                     |                   | KG                |                    | -                 | -           |                              | 1492              | 230         |
| 8431 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1492              | 230         |
| 8437.90-000                     |                   | KG                |                    | -                 | -           |                              | 426               | 2638        |
| 8437 4-ST                       | **                | KG                |                    | -                 | -           |                              | 426               | 2638        |
| 8439.99-000                     |                   | KG                |                    | -                 | -           |                              | 20                | 415         |
| 8439 4-ST                       | **                | KG                |                    | -                 | -           |                              | 20                | 415         |
| 8443.90-100                     |                   | KG                |                    | 77                | 1999        |                              | 6177              | 30280       |
| 8443 4-ST                       | **                | KG                |                    | 77                | 1999        |                              | 6177              | 30280       |
| 8454.20-000                     | NO                | KG                | 40                 | 1000              | 3248        | 130                          | 3520              | 10556       |
| 8454.90-000                     |                   | KG                |                    | 126               | 603         |                              | 1753              | 2671        |
| 8454 4-ST                       |                   | KG                |                    | 1126              | 3851        |                              | 5273              | 13227       |
| 8464.10-100                     | NO                | KG                | -                  | -                 | -           | 1                            | 680               | 6073        |
| 8464 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 680               | 6073        |
| 8477.90-100                     |                   | KG                |                    | -                 | -           |                              | 1605              | 6726        |
| 8477 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1605              | 6726        |
| 8479.89-900                     | NO                | KG                | -                  | -                 | -           | 5                            | 142               | 320         |
| 8479.90-000                     |                   | KG                |                    | -                 | -           |                              | 46                | 934         |
| 8479 4-ST                       |                   | KG                |                    | -                 | -           |                              | 188               | 1254        |
| 8480.41-000                     |                   | KG                |                    | 2452              | 18541       |                              | 40615             | 209064      |
| 8480 4-ST                       | **                | KG                |                    | 2452              | 18541       |                              | 40615             | 209064      |
| 8481.40-000                     |                   | KG                |                    | -                 | -           |                              | 15                | 402         |
| 8481.80-190                     |                   | KG                |                    | 0                 | 343         |                              | 0                 | 343         |
| 8481 4-ST                       | **                | KG                |                    | 0                 | 343         |                              | 15                | 745         |
| 8483.10-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 17                | 359         |
| 8483.40-200                     | NO                | KG                | -                  | -                 | -           | 27                           | 880               | 2700        |
| 8483.40-300                     | NO                | KG                | -                  | -                 | -           | 1                            | 140               | 834         |
| 8483.40-900                     | NO                | KG                | -                  | -                 | -           | 302                          | 4362              | 20666       |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 302 CANADA                      |                   |                   |                     |                     |             |                              |                     |             |
| 8483.60-000                     | NO                | KG                | -                   | -                   | -           | 8                            | 46                  | 1085        |
| 8483.90-900                     |                   | KG                | -                   | -                   | -           |                              | 90                  | 396         |
| 8483 4-ST                       |                   | KG                | -                   | -                   | -           |                              | 5535                | 26040       |
| 84 2-ST                         |                   | KG                |                     | 3655                | 24734       |                              | 62263               | 298550      |
| 8501.31-192                     | NO                | KG                | -                   | -                   | -           | 11                           | 89                  | 669         |
| 8501.52-100                     | NO                | KG                | -                   | -                   | -           | 1                            | 29                  | 229         |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 12                           | 118                 | 898         |
| 8524.99-900                     |                   | NO                | -                   | -                   | -           |                              | 9                   | 5408        |
| 8524 4-ST                       | **                | NO                | -                   | -                   | -           |                              | 9                   | 5408        |
| 8536.50-900                     | NO                | KG                | -                   | -                   | -           | 46                           | 13                  | 280         |
| 8536.90-290                     |                   | KG                | -                   | -                   | -           |                              | 64                  | 1473        |
| 8536 4-ST                       |                   | KG                | -                   | -                   | -           |                              | 77                  | 1753        |
| 8537.10-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 128                 | 790         |
| 8537 4-ST                       | NO                | KG                | -                   | -                   | -           | 5                            | 128                 | 790         |
| 8538.90-900                     |                   | KG                | -                   | -                   | -           |                              | 11                  | 370         |
| 8538 4-ST                       | **                | KG                | -                   | -                   | -           |                              | 11                  | 370         |
| 8543.89-000                     |                   | NO                | -                   | -                   | -           |                              | 7                   | 647         |
| 8543 4-ST                       | **                | NO                | -                   | -                   | -           |                              | 7                   | 647         |
| 85 2-ST                         |                   |                   |                     |                     | -           |                              |                     | 9866        |
| 8708.39-000                     |                   | KG                |                     | -                   | -           |                              | 1635                | 9137        |
| 8708 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1635                | 9137        |
| 87 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1635                | 9137        |
| 9001.20-000                     |                   | KG                |                     | 186                 | 5630        |                              | 896                 | 26909       |
| 9001 4-ST                       | **                | KG                |                     | 186                 | 5630        |                              | 896                 | 26909       |
| 9029.10-900                     | NO                | KG                | 10                  | 1                   | 251         | 10                           | 1                   | 251         |
| 9029 4-ST                       | NO                | KG                | 10                  | 1                   | 251         | 10                           | 1                   | 251         |
| 9031.90-100                     |                   | KG                |                     | -                   | -           |                              | 45                  | 1097        |
| 9031 4-ST                       | **                | KG                |                     | -                   | -           |                              | 45                  | 1097        |
| 9032.89-112                     | NO                | KG                | -                   | -                   | -           | 3                            | 11                  | 602         |
| 9032 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 11                  | 602         |
| 90 2-ST                         |                   | KG                |                     | 187                 | 5881        |                              | 953                 | 28859       |
| TOTAL                           |                   |                   |                     |                     | 30615       |                              |                     | 357251      |
| 304 USA                         |                   |                   |                     |                     |             |                              |                     |             |
| 0000.00-190                     |                   | KG                |                     | -                   | -           |                              | 188                 | 53663       |
| 0000 4-ST                       | **                | KG                |                     | -                   | -           |                              | 188                 | 53663       |
| 00 2-ST                         | **                | KG                |                     | -                   | -           |                              | 188                 | 53663       |
| 0301.10-900                     |                   | KG                |                     | 175                 | 1380        |                              | 2824                | 10589       |
| 0301 4-ST                       | **                | KG                |                     | 175                 | 1380        |                              | 2824                | 10589       |
| 03 2-ST                         | **                | KG                |                     | 175                 | 1380        |                              | 2824                | 10589       |
| 2818.20-000                     |                   | KG                |                     | -                   | -           |                              | 10800               | 700         |
| 2818 4-ST                       | **                | KG                |                     | -                   | -           |                              | 10800               | 700         |
| 28 2-ST                         | **                | KG                |                     | -                   | -           |                              | 10800               | 700         |
| 3210.00-900                     |                   | KG                |                     | -                   | -           |                              | 300                 | 503         |
| 3210 4-ST                       | **                | KG                |                     | -                   | -           |                              | 300                 | 503         |
| 32 2-ST                         | **                | KG                |                     | -                   | -           |                              | 300                 | 503         |
| 3402.13-000                     |                   | KG                |                     | -                   | -           |                              | 540                 | 300         |
| 3402 4-ST                       | **                | KG                |                     | -                   | -           |                              | 540                 | 300         |
| 34 2-ST                         | **                | KG                |                     | -                   | -           |                              | 540                 | 300         |
| 3818.00-100                     |                   | KG                |                     | -                   | -           |                              | 1073                | 310567      |
| 3818 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1073                | 310567      |
| 38 2-ST                         | **                | KG                |                     | -                   | -           |                              | 1073                | 310567      |
| 3908.10-000                     |                   | KG                |                     | -                   | -           |                              | 1950                | 2101        |
| 3908.90-000                     |                   | KG                |                     | -                   | -           |                              | 4550                | 4960        |
| 3908 4-ST                       | **                | KG                |                     | -                   | -           |                              | 6500                | 7061        |
| 3919.90-200                     |                   | KG                |                     | -                   | -           |                              | 15                  | 224         |
| 3919 4-ST                       | **                | KG                |                     | -                   | -           |                              | 15                  | 224         |
| 3920.30-000                     |                   | KG                |                     | -                   | -           |                              | 152                 | 331         |
| 3920.43-900                     |                   | KG                |                     | -                   | -           |                              | 60                  | 300         |
| 3920.51-000                     |                   | KG                |                     | 42957               | 27546       |                              | 531305              | 379694      |
| 3920 4-ST                       | **                | KG                |                     | 42957               | 27546       |                              | 531517              | 380325      |
| 3923.10-000                     |                   | KG                |                     | -                   | -           |                              | 1799                | 2222        |
| 3923.30-000                     |                   | KG                |                     | -                   | -           |                              | 5                   | 500         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 304 USA                         |                   |                   |                     |                     |             |                              |                     |             |
| 3923 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 1804                | 2722        |
| 3926.20-000                     | DZ                | KG                | -                   | -                   | -           | 166                          | 45                  | 373         |
| 3926.30-000                     |                   | KG                |                     | -                   | -           |                              | 755                 | 3884        |
| 3926.90-000                     |                   | KG                |                     | -                   | -           |                              | 25                  | 290         |
| 3926 4-ST                       |                   | KG                |                     | -                   | -           |                              | 825                 | 4547        |
| 39 2-ST                         |                   | KG                |                     | 42957               | 27546       |                              | 540661              | 394879      |
| 4009.11-000                     |                   | KG                |                     | -                   | -           |                              | 39                  | 223         |
| 4009.32-000                     |                   | KG                |                     | -                   | -           |                              | 35                  | 211         |
| 4009.42-000                     |                   | KG                |                     | -                   | -           |                              | 26                  | 242         |
| 4009 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 100                 | 676         |
| 4010.31-000                     |                   | KG                |                     | -                   | -           |                              | 36                  | 620         |
| 4010.32-000                     |                   | KG                |                     | 31                  | 233         |                              | 93                  | 699         |
| 4010.33-000                     |                   | KG                |                     | -                   | -           |                              | 69                  | 469         |
| 4010 4-ST                       | ***               | KG                |                     | 31                  | 233         |                              | 198                 | 1788        |
| 4016.93-000                     |                   | KG                |                     | 286                 | 2068        |                              | 2328                | 18686       |
| 4016.99-000                     |                   | KG                |                     | 129                 | 1087        |                              | 1554                | 9802        |
| 4016 4-ST                       | ***               | KG                |                     | 415                 | 3155        |                              | 3882                | 28488       |
| 40 2-ST                         | ***               | KG                |                     | 446                 | 3388        |                              | 4180                | 30952       |
| 4203.21-900                     | DZ                | KG                | -                   | -                   | -           | 333                          | 112                 | 1650        |
| 4203 4-ST                       | DZ                | KG                | -                   | -                   | -           | 333                          | 112                 | 1650        |
| 42 2-ST                         | DZ                | KG                | -                   | -                   | -           | 333                          | 112                 | 1650        |
| 4802.55-190                     |                   | KG                |                     | -                   | -           |                              | 115                 | 897         |
| 4802.56-190                     |                   | KG                |                     | -                   | -           |                              | 24                  | 224         |
| 4802.57-190                     |                   | KG                |                     | -                   | -           |                              | 110                 | 1509        |
| 4802 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 249                 | 2630        |
| 4809.90-900                     |                   | KG                |                     | -                   | -           |                              | 151                 | 1380        |
| 4809 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 151                 | 1380        |
| 48 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 400                 | 4010        |
| 4911.10-000                     |                   | KG                |                     | 31                  | 290         |                              | 31                  | 290         |
| 4911 4-ST                       | ***               | KG                |                     | 31                  | 290         |                              | 31                  | 290         |
| 49 2-ST                         | ***               | KG                |                     | 31                  | 290         |                              | 31                  | 290         |
| 5911.90-000                     |                   | KG                |                     | 29                  | 339         |                              | 29                  | 339         |
| 5911 4-ST                       | ***               | KG                |                     | 29                  | 339         |                              | 29                  | 339         |
| 59 2-ST                         | ***               | KG                |                     | 29                  | 339         |                              | 29                  | 339         |
| 6804.21-100                     |                   | KG                |                     | 300                 | 44967       |                              | 2257                | 281604      |
| 6804.21-200                     |                   | KG                |                     | 94                  | 14839       |                              | 1378                | 189752      |
| 6804.22-200                     |                   | KG                |                     | -                   | -           |                              | 15                  | 734         |
| 6804 4-ST                       | ***               | KG                |                     | 394                 | 59806       |                              | 3650                | 472090      |
| 68 2-ST                         | ***               | KG                |                     | 394                 | 59806       |                              | 3650                | 472090      |
| 6910.10-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 27                  | 300         |
| 6910 4-ST                       | NO                | KG                | -                   | -                   | -           | 4                            | 27                  | 300         |
| 69 2-ST                         | NO                | KG                | -                   | -                   | -           | 4                            | 27                  | 300         |
| 7007.11-000                     |                   | KG                |                     | -                   | -           |                              | 452                 | 864         |
| 7007 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 452                 | 864         |
| 70 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 452                 | 864         |
| 7207.12-900                     |                   | KG                |                     | -                   | -           |                              | 1310                | 240         |
| 7207 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 1310                | 240         |
| 72 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 1310                | 240         |
| 7307.22-000                     |                   | KG                |                     | 26                  | 253         |                              | 26                  | 253         |
| 7307.99-900                     |                   | KG                |                     | 123                 | 918         |                              | 1054                | 7084        |
| 7307 4-ST                       | ***               | KG                |                     | 149                 | 1171        |                              | 1080                | 7337        |
| 7315.11-900                     |                   | KG                |                     | 354                 | 2847        |                              | 5758                | 33439       |
| 7315.12-000                     |                   | KG                |                     | 23                  | 306         |                              | 223                 | 2559        |
| 7315 4-ST                       | ***               | KG                |                     | 377                 | 3153        |                              | 5981                | 35998       |
| 7318.15-190                     |                   | KG                |                     | 159                 | 1731        |                              | 1577                | 10820       |
| 7318.15-900                     |                   | KG                |                     | -                   | -           |                              | 58                  | 878         |
| 7318.16-100                     |                   | KG                |                     | 453                 | 1302        |                              | 1763                | 5064        |
| 7318.16-900                     |                   | KG                |                     | 125                 | 1392        |                              | 1804                | 10422       |
| 7318.22-000                     |                   | KG                |                     | -                   | -           |                              | 17                  | 555         |
| 7318.29-000                     |                   | KG                |                     | 228                 | 1782        |                              | 2378                | 17084       |
| 7318 4-ST                       | ***               | KG                |                     | 965                 | 6207        |                              | 7597                | 44823       |
| 7320.20-000                     |                   | KG                |                     | -                   | -           |                              | 34                  | 251         |
| 7320 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 34                  | 251         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 304 USA                         |                   |                   |                     |                     |             |                              |                     |             |
| 7326.90-000                     |                   | KG                |                     | -                   | -           |                              | 768                 | 3173        |
| 7326 4-ST                       | **                | KG                |                     | -                   | -           |                              | 768                 | 3173        |
| 73 2-ST                         | **                | KG                |                     | 1491                | 10531       |                              | 15460               | 91582       |
| 8205.59-000                     |                   | KG                |                     | -                   | -           |                              | 30                  | 417         |
| 8205 4-ST                       | **                | KG                |                     | -                   | -           |                              | 30                  | 417         |
| 8206.00-000                     |                   | KG                |                     | -                   | -           |                              | 38                  | 450         |
| 8206 4-ST                       | **                | KG                |                     | -                   | -           |                              | 38                  | 450         |
| 8207.90-200                     | NO                | KG                | -                   | -                   | -           | 25                           | 5                   | 368         |
| 8207 4-ST                       | NO                | KG                | -                   | -                   | -           | 25                           | 5                   | 368         |
| 8208.90-000                     |                   | KG                |                     | 515                 | 4596        |                              | 3405                | 31277       |
| 8208 4-ST                       | **                | KG                |                     | 515                 | 4596        |                              | 3405                | 31277       |
| 82 2-ST                         | **                | KG                |                     | 515                 | 4596        |                              | 3478                | 32512       |
| 8301.70-000                     |                   | KG                |                     | 36                  | 247         |                              | 790                 | 10479       |
| 8301 4-ST                       | **                | KG                |                     | 36                  | 247         |                              | 790                 | 10479       |
| 8302.20-000                     |                   | KG                |                     | 49                  | 322         |                              | 159                 | 1149        |
| 8302 4-ST                       | **                | KG                |                     | 49                  | 322         |                              | 159                 | 1149        |
| 8310.00-000                     |                   | KG                |                     | -                   | -           |                              | 6                   | 234         |
| 8310 4-ST                       | **                | KG                |                     | -                   | -           |                              | 6                   | 234         |
| 8311.90-000                     |                   | KG                |                     | 55                  | 488         |                              | 55                  | 488         |
| 8311 4-ST                       | **                | KG                |                     | 55                  | 488         |                              | 55                  | 488         |
| 83 2-ST                         | **                | KG                |                     | 140                 | 1057        |                              | 1010                | 12350       |
| 8409.91-100                     |                   | KG                |                     | 43                  | 288         |                              | 9429                | 24173       |
| 8409.99-100                     |                   | KG                |                     | 172                 | 249         |                              | 447                 | 2132        |
| 8409 4-ST                       | **                | KG                |                     | 215                 | 537         |                              | 9876                | 26305       |
| 8412.21-000                     | NO                | KG                | 12                  | 42                  | 674         | 48                           | 1946                | 12105       |
| 8412.29-000                     | NO                | KG                | -                   | -                   | -           | 16                           | 1857                | 5894        |
| 8412.31-000                     | NO                | KG                | 15                  | 54                  | 802         | 772                          | 975                 | 8470        |
| 8412.39-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 97                  | 535         |
| 8412 4-ST                       | NO                | KG                | 27                  | 96                  | 1476        | 838                          | 4875                | 27004       |
| 8413.30-000                     | NO                | KG                | -                   | -                   | -           | 315                          | 522                 | 1043        |
| 8413.50-100                     | NO                | KG                | 2                   | 200                 | 822         | 3                            | 260                 | 1254        |
| 8413.50-900                     | NO                | KG                | -                   | -                   | -           | 13                           | 343                 | 2281        |
| 8413.60-900                     | NO                | KG                | -                   | -                   | -           | 22                           | 398                 | 6252        |
| 8413.81-000                     | NO                | KG                | -                   | -                   | -           | 32                           | 101                 | 216         |
| 8413.91-000                     |                   | KG                |                     | -                   | -           |                              | 13709               | 15084       |
| 8413 4-ST                       |                   | KG                |                     | 200                 | 822         |                              | 15333               | 26130       |
| 8414.10-000                     | NO                | KG                | 4                   | 20                  | 261         | 5                            | 150                 | 562         |
| 8414.59-000                     | NO                | KG                | 32                  | 42                  | 636         | 403                          | 698                 | 3870        |
| 8414.90-100                     |                   | KG                |                     | -                   | -           |                              | 1010                | 19467       |
| 8414 4-ST                       |                   | KG                |                     | 62                  | 897         |                              | 1858                | 23899       |
| 8415.90-000                     |                   | KG                |                     | 3                   | 595         |                              | 477                 | 2338        |
| 8415 4-ST                       | **                | KG                |                     | 3                   | 595         |                              | 477                 | 2338        |
| 8419.50-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 16                  | 216         |
| 8419 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 16                  | 216         |
| 8421.31-000                     | NO                | KG                | -                   | -                   | -           | 13820                        | 5267                | 15327       |
| 8421.39-000                     | NO                | KG                | -                   | -                   | -           | 32                           | 338                 | 1214        |
| 8421.99-000                     |                   | KG                |                     | -                   | -           |                              | 111                 | 1269        |
| 8421 4-ST                       |                   | KG                |                     | -                   | -           |                              | 5716                | 17810       |
| 8422.90-000                     |                   | KG                |                     | 5300                | 40463       |                              | 46146               | 321764      |
| 8422 4-ST                       | **                | KG                |                     | 5300                | 40463       |                              | 46146               | 321764      |
| 8425.42-000                     | NO                | KG                | -                   | -                   | -           | 14                           | 70                  | 352         |
| 8425 4-ST                       | NO                | KG                | -                   | -                   | -           | 14                           | 70                  | 352         |
| 8428.39-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 318                 | 1475        |
| 8428 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 318                 | 1475        |
| 8431.39-900                     |                   | KG                |                     | -                   | -           |                              | 80                  | 263         |
| 8431 4-ST                       | **                | KG                |                     | -                   | -           |                              | 80                  | 263         |
| 8437.10-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 2587                | 22047       |
| 8437.80-900                     | NO                | KG                | -                   | -                   | -           | 5                            | 897                 | 2470        |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 2935                | 15034       |
| 8437 4-ST                       |                   | KG                |                     | -                   | -           |                              | 6419                | 39551       |
| 8439.99-000                     |                   | KG                |                     | 106                 | 1838        |                              | 1486                | 13091       |
| 8439 4-ST                       | **                | KG                |                     | 106                 | 1838        |                              | 1486                | 13091       |
| 8443.60-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 548                 | 12943       |
| 8443.90-100                     |                   | KG                |                     | 1416                | 14448       |                              | 10482               | 175618      |
| 8443 4-ST                       |                   | KG                |                     | 1416                | 14448       |                              | 11030               | 188561      |
| 8454.20-000                     | NO                | KG                | -                   | -                   | -           | 255                          | 1474                | 5060        |
| 8454.90-000                     |                   | KG                |                     | 1889                | 9517        |                              | 17719               | 80661       |
| 8454 4-ST                       |                   | KG                |                     | 1889                | 9517        |                              | 19193               | 85721       |
| 8464.10-100                     | NO                | KG                | 10                  | 6070                | 77979       | 38                           | 30269               | 392135      |
| 8464 4-ST                       | NO                | KG                | 10                  | 6070                | 77979       | 38                           | 30269               | 392135      |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 304 USA                         |                   |                   |                     |                     |             |                              |                     |             |
| 8466.10-100                     |                   | KG                |                     | -                   | -           |                              | 104                 | 10637       |
| 8466.30-200                     |                   | KG                |                     | -                   | -           |                              | 15                  | 1110        |
| 8466.91-000                     |                   | KG                |                     | 124                 | 2837        |                              | 636                 | 11530       |
| 8466.94-000                     |                   | KG                |                     | -                   | -           |                              | 426                 | 1076        |
| 8466 4-ST                       | **                | KG                |                     | 124                 | 2837        |                              | 1181                | 24353       |
| 8471.41-900                     |                   | NO                |                     | -                   | -           |                              | 1                   | 679         |
| 8471.49-000                     |                   | NO                |                     | 3                   | 877         |                              | 4                   | 1200        |
| 8471.50-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 1040        |
| 8471.60-210                     |                   | NO                |                     | -                   | -           |                              | 7                   | 3529        |
| 8471.60-220                     |                   | NO                |                     | -                   | -           |                              | 5                   | 1873        |
| 8471.70-300                     |                   | NO                |                     | -                   | -           |                              | 7                   | 275         |
| 8471.80-000                     |                   | NO                |                     | 4                   | 365         |                              | 4                   | 365         |
| 8471 4-ST                       | **                | NO                |                     | 7                   | 1242        |                              | 29                  | 8961        |
| 8473.30-000                     |                   | KG                |                     | -                   | -           |                              | 2                   | 401         |
| 8473 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 401         |
| 8477.90-100                     |                   | KG                |                     | 548                 | 2244        |                              | 1273                | 5142        |
| 8477 4-ST                       | **                | KG                |                     | 548                 | 2244        |                              | 1273                | 5142        |
| 8479.50-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 1305        |
| 8479.89-900                     | NO                | KG                | -                   | -                   | -           | 44                           | 2000                | 20341       |
| 8479.90-000                     |                   | KG                |                     | 240                 | 240         |                              | 665                 | 63706       |
| 8479 4-ST                       |                   |                   |                     |                     | 240         |                              |                     | 85352       |
| 8480.41-000                     |                   | KG                |                     | -                   | -           |                              | 11989               | 105247      |
| 8480.71-000                     |                   | KG                |                     | -                   | -           |                              | 2828                | 46252       |
| 8480.79-000                     |                   | KG                |                     | -                   | -           |                              | 2348                | 3172        |
| 8480 4-ST                       | **                | KG                |                     | -                   | -           |                              | 17165               | 154671      |
| 8481.10-000                     |                   | KG                |                     | -                   | -           |                              | 198                 | 1508        |
| 8481.20-000                     |                   | KG                |                     | -                   | -           |                              | 81                  | 684         |
| 8481.30-100                     | TH                | KG                | -                   | -                   | -           | 0                            | 66                  | 592         |
| 8481.30-900                     |                   | KG                |                     | -                   | -           |                              | 62                  | 398         |
| 8481.40-000                     |                   | KG                |                     | -                   | -           |                              | 268                 | 1867        |
| 8481.80-110                     |                   | KG                |                     | -                   | -           |                              | 1303                | 9288        |
| 8481.80-190                     |                   | KG                |                     | 673                 | 5643        |                              | 6417                | 51939       |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 57                  | 545         |
| 8481 4-ST                       |                   | KG                |                     | 673                 | 5643        |                              | 8452                | 66821       |
| 8482.10-000                     | NO                | KG                | -                   | -                   | -           | 353                          | 379                 | 2896        |
| 8482.20-000                     | NO                | KG                | -                   | -                   | -           | 150                          | 222                 | 1183        |
| 8482.30-000                     | NO                | KG                | 12                  | 57                  | 378         | 36                           | 205                 | 1134        |
| 8482.40-000                     | NO                | KG                | 2                   | 28                  | 227         | 269                          | 478                 | 7066        |
| 8482.50-000                     | NO                | KG                | 1                   | 26                  | 289         | 30                           | 187                 | 1717        |
| 8482.80-000                     | NO                | KG                | -                   | -                   | -           | 41                           | 194                 | 1295        |
| 8482 4-ST                       | NO                | KG                | 15                  | 111                 | 894         | 879                          | 1665                | 15291       |
| 8483.10-000                     | NO                | KG                | 17                  | 123                 | 1041        | 3509                         | 15387               | 16038       |
| 8483.30-100                     | NO                | KG                | 24                  | 38                  | 540         | 162                          | 126                 | 1715        |
| 8483.30-200                     | NO                | KG                | 1200                | 218                 | 2689        | 13938                        | 2171                | 16957       |
| 8483.40-200                     | NO                | KG                | 27                  | 119                 | 1338        | 864                          | 3438                | 23330       |
| 8483.40-300                     | NO                | KG                | 3                   | 81                  | 661         | 22                           | 710                 | 4312        |
| 8483.40-900                     | NO                | KG                | -                   | -                   | -           | 151                          | 3021                | 10419       |
| 8483.50-000                     | NO                | KG                | 149                 | 776                 | 1699        | 1751                         | 7237                | 15750       |
| 8483.60-000                     | NO                | KG                | 48                  | 189                 | 1323        | 278                          | 1922                | 17409       |
| 8483.90-100                     |                   | KG                |                     | -                   | -           |                              | 1294                | 1375        |
| 8483.90-400                     |                   | KG                |                     | -                   | -           |                              | 26                  | 210         |
| 8483.90-900                     |                   | KG                |                     | -                   | -           |                              | 1725                | 8701        |
| 8483 4-ST                       |                   | KG                |                     | 1544                | 9291        |                              | 37057               | 116216      |
| 8484.10-000                     |                   | KG                |                     | -                   | -           |                              | 182                 | 1188        |
| 8484.20-000                     |                   | KG                |                     | 72                  | 479         |                              | 72                  | 479         |
| 8484.90-000                     |                   | KG                |                     | -                   | -           |                              | 15                  | 790         |
| 8484 4-ST                       | **                | KG                |                     | 72                  | 479         |                              | 269                 | 2457        |
| 84 2-ST                         |                   |                   |                     |                     | 171442      |                              |                     | 1646280     |
| 8501.10-191                     | NO                | KG                | 20                  | 3                   | 290         | 136                          | 21                  | 2289        |
| 8501.10-990                     | NO                | KG                | -                   | -                   | -           | 8                            | 8                   | 209         |
| 8501.31-191                     | NO                | KG                | -                   | -                   | -           | 1106                         | 99                  | 1927        |
| 8501.31-192                     | NO                | KG                | 22                  | 30                  | 593         | 661                          | 736                 | 9495        |
| 8501.32-100                     | NO                | KG                | -                   | -                   | -           | 6                            | 253                 | 2348        |
| 8501.40-910                     | NO                | KG                | -                   | -                   | -           | 7                            | 19                  | 340         |
| 8501.51-000                     | NO                | KG                | 1                   | 16                  | 216         | 64                           | 262                 | 3597        |
| 8501.52-100                     | NO                | KG                | 6                   | 61                  | 883         | 24                           | 633                 | 5372        |
| 8501.53-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 580                 | 700         |
| 8501 4-ST                       | NO                | KG                | 49                  | 110                 | 1982        | 2013                         | 2611                | 26277       |
| 8502.40-000                     | NO                | KG                | -                   | -                   | -           | 16                           | 9                   | 475         |
| 8502 4-ST                       | NO                | KG                | -                   | -                   | -           | 16                           | 9                   | 475         |
| 8504.31-910                     | NO                | KG                | -                   | -                   | -           | 14                           | 47                  | 483         |
| 8504.32-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 36                  | 245         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 304 USA                         |                   |                   |                     |                     |             |                              |                     |             |
| 8504.40-110                     | NO                | KG                | -                   | -                   | -           | 7                            | 140                 | 673         |
| 8504.40-900                     | NO                | KG                | -                   | -                   | -           | 47                           | 302                 | 1712        |
| 8504 4-ST                       | NO                | KG                | -                   | -                   | -           | 70                           | 525                 | 3113        |
| 8505.11-000                     |                   | KG                |                     | -                   | -           |                              | 78                  | 850         |
| 8505.20-000                     |                   | KG                |                     | -                   | -           |                              | 115                 | 985         |
| 8505 4-ST                       | **                | KG                |                     | -                   | -           |                              | 193                 | 1835        |
| 8511.30-100                     | NO                | KG                | 845                 | 981                 | 2489        | 3713                         | 3131                | 9066        |
| 8511.90-100                     |                   | KG                |                     | -                   | -           |                              | 32                  | 242         |
| 8511 4-ST                       |                   | KG                |                     | 981                 | 2489        |                              | 3163                | 9308        |
| 8512.10-000                     |                   | NO                |                     | -                   | -           |                              | 64                  | 371         |
| 8512.20-000                     | NO                | KG                | 236                 | 633                 | 3080        | 8836                         | 1048                | 5186        |
| 8512.90-000                     |                   | KG                |                     | -                   | -           |                              | 1759                | 6393        |
| 8512 4-ST                       |                   |                   |                     |                     | 3080        |                              |                     | 11950       |
| 8515.21-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 48                  | 1186        |
| 8515.31-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 1026                | 10675       |
| 8515 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 1074                | 11861       |
| 8516.80-000                     | NO                | KG                | 22                  | 160                 | 651         | 50                           | 218                 | 1340        |
| 8516 4-ST                       | NO                | KG                | 22                  | 160                 | 651         | 50                           | 218                 | 1340        |
| 8519.99-110                     |                   | NO                |                     | 58                  | 1440        |                              | 74                  | 1837        |
| 8519 4-ST                       | **                | NO                |                     | 58                  | 1440        |                              | 74                  | 1837        |
| 8524.99-900                     |                   | NO                |                     | 1                   | 227         |                              | 12                  | 2724        |
| 8524 4-ST                       | **                | NO                |                     | 1                   | 227         |                              | 12                  | 2724        |
| 8529.10-100                     | NO                | KG                | 300                 | 240                 | 2356        | 300                          | 240                 | 2356        |
| 8529.90-900                     |                   | KG                |                     | -                   | -           |                              | 228                 | 640         |
| 8529 4-ST                       |                   | KG                |                     | 240                 | 2356        |                              | 468                 | 2996        |
| 8531.20-000                     | NO                | KG                | 3                   | 49                  | 438         | 3                            | 49                  | 438         |
| 8531 4-ST                       | NO                | KG                | 3                   | 49                  | 438         | 3                            | 49                  | 438         |
| 8533.39-000                     | NO                | KG                | -                   | -                   | -           | 304                          | 34                  | 1207        |
| 8533.40-000                     | NO                | KG                | -                   | -                   | -           | 422                          | 196                 | 1246        |
| 8533 4-ST                       | NO                | KG                | -                   | -                   | -           | 726                          | 230                 | 2453        |
| 8536.30-000                     |                   | KG                |                     | -                   | -           |                              | 29                  | 210         |
| 8536.50-900                     | NO                | KG                | -                   | -                   | -           | 638                          | 390                 | 2354        |
| 8536.90-210                     |                   | KG                |                     | -                   | -           |                              | 687                 | 632         |
| 8536 4-ST                       |                   | KG                |                     | -                   | -           |                              | 1106                | 3196        |
| 8537.10-000                     | NO                | KG                | 8                   | 174                 | 2033        | 154                          | 3089                | 43511       |
| 8537 4-ST                       | NO                | KG                | 8                   | 174                 | 2033        | 154                          | 3089                | 43511       |
| 8538.10-000                     |                   | KG                |                     | -                   | -           |                              | 78                  | 617         |
| 8538.90-900                     |                   | KG                |                     | 534                 | 3050        |                              | 2590                | 37862       |
| 8538 4-ST                       | **                | KG                |                     | 534                 | 3050        |                              | 2668                | 38479       |
| 8539.29-900                     | NO                | KG                | -                   | -                   | -           | 139                          | 11                  | 209         |
| 8539.32-000                     |                   | NO                |                     | -                   | -           |                              | 16                  | 480         |
| 8539 4-ST                       |                   |                   |                     |                     | -           |                              |                     | 689         |
| 8542.21-230                     |                   | NO                |                     | -                   | -           |                              | 1                   | 421         |
| 8542 4-ST                       | **                | NO                |                     | -                   | -           |                              | 1                   | 421         |
| 8543.20-000                     |                   | NO                |                     | -                   | -           |                              | 11                  | 1801        |
| 8543.89-000                     |                   | NO                |                     | 9                   | 1122        |                              | 165                 | 19565       |
| 8543.90-000                     |                   | KG                |                     | -                   | -           |                              | 448                 | 4049        |
| 8543 4-ST                       | **                |                   |                     |                     | 1122        |                              |                     | 25415       |
| 8544.30-000                     |                   | KG                |                     | 23                  | 2201        |                              | 398                 | 4049        |
| 8544.51-110                     |                   | KG                |                     | 184                 | 1449        |                              | 946                 | 5339        |
| 8544.51-190                     |                   | KG                |                     | -                   | -           |                              | 1039                | 8551        |
| 8544 4-ST                       | **                | KG                |                     | 207                 | 3650        |                              | 2383                | 17939       |
| 8545.19-000                     |                   | KG                |                     | 116                 | 896         |                              | 1115                | 9060        |
| 8545.90-000                     |                   | KG                |                     | -                   | -           |                              | 74                  | 363         |
| 8545 4-ST                       | **                | KG                |                     | 116                 | 896         |                              | 1189                | 9423        |
| 85 2-ST                         |                   |                   |                     |                     | 23414       |                              |                     | 215680      |
| 8703.23-919                     |                   | NO                |                     | -                   | -           |                              | 1                   | 1500        |
| 8703.90-900                     |                   | NO                |                     | 7                   | 35000       |                              | 7                   | 35000       |
| 8703 4-ST                       | **                | NO                |                     | 7                   | 35000       |                              | 8                   | 36500       |
| 8708.10-000                     |                   | KG                |                     | -                   | -           |                              | 999                 | 1806        |
| 8708.29-000                     |                   | KG                |                     | 2707                | 23939       |                              | 21269               | 110679      |
| 8708.31-000                     |                   | KG                |                     | -                   | -           |                              | 1105                | 4606        |
| 8708.39-000                     |                   | KG                |                     | -                   | -           |                              | 12041               | 24638       |
| 8708.40-000                     |                   | KG                |                     | -                   | -           |                              | 2014                | 7569        |
| 8708.60-000                     |                   | KG                |                     | -                   | -           |                              | 42469               | 22611       |
| 8708.70-000                     |                   | KG                |                     | -                   | -           |                              | 6294                | 9032        |
| 8708.80-000                     | NO                | KG                | -                   | -                   | -           | 58                           | 177                 | 454         |
| 8708.91-000                     | NO                | KG                | -                   | -                   | -           | 45                           | 268                 | 819         |
| 8708.92-000                     |                   | KG                |                     | -                   | -           |                              | 1126                | 1253        |
| 8708.93-000                     |                   | KG                |                     | 393                 | 649         |                              | 393                 | 649         |
| 8708.94-000                     |                   | KG                |                     | 80                  | 219         |                              | 565                 | 2492        |
| 8708.99-900                     |                   | KG                |                     | 437                 | 3336        |                              | 8803                | 22931       |

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位：(1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 304 USA                         |                   |                   |                     |                     |             |                              |                     |             |
| 8708 4-ST                       |                   | KG                |                     | 3617                | 28143       |                              | 97523               | 209539      |
| 87 2-ST                         |                   |                   |                     |                     | 63143       |                              |                     | 246039      |
| 9001.20-000                     |                   | KG                |                     | 308                 | 8559        |                              | 8266                | 183967      |
| 9001 4-ST                       | **                | KG                |                     | 308                 | 8559        |                              | 8266                | 183967      |
| 9002.11-200                     | NO                | KG                | -                   | -                   | -           | 108                          | 76                  | 607         |
| 9002 4-ST                       | NO                | KG                | -                   | -                   | -           | 108                          | 76                  | 607         |
| 9010.60-000                     |                   | NO                |                     | -                   | -           |                              | 2                   | 757         |
| 9010 4-ST                       | **                | NO                |                     | -                   | -           |                              | 2                   | 757         |
| 9013.80-000                     | NO                | KG                | -                   | -                   | -           | 3                            | 30                  | 1152        |
| 9013 4-ST                       | NO                | KG                | -                   | -                   | -           | 3                            | 30                  | 1152        |
| 9015.30-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 11                  | 361         |
| 9015 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 11                  | 361         |
| 9016.00-100                     |                   | KG                |                     | -                   | -           |                              | 29                  | 227         |
| 9016 4-ST                       | **                | KG                |                     | -                   | -           |                              | 29                  | 227         |
| 9017.30-990                     | NO                | KG                | -                   | -                   | -           | 1                            | 11                  | 700         |
| 9017 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 11                  | 700         |
| 9023.00-000                     |                   | KG                |                     | -                   | -           |                              | 6706                | 20203       |
| 9023 4-ST                       | **                | KG                |                     | -                   | -           |                              | 6706                | 20203       |
| 9025.90-000                     |                   | KG                |                     | -                   | -           |                              | 6                   | 310         |
| 9025 4-ST                       | **                | KG                |                     | -                   | -           |                              | 6                   | 310         |
| 9026.10-110                     | NO                | KG                | 1                   | 22                  | 213         | 11                           | 42                  | 498         |
| 9026.10-190                     | NO                | KG                | -                   | -                   | -           | 16                           | 27                  | 514         |
| 9026.10-900                     | NO                | KG                | 20                  | 79                  | 766         | 81                           | 324                 | 2992        |
| 9026.20-190                     | NO                | KG                | -                   | -                   | -           | 7                            | 3                   | 219         |
| 9026.90-000                     |                   | KG                |                     |                     |             |                              | 179                 | 1712        |
| 9026 4-ST                       |                   | KG                |                     | 101                 | 979         |                              | 575                 | 5935        |
| 9027.10-000                     | NO                | KG                | -                   | -                   | -           | 4                            | 63                  | 9638        |
| 9027.80-910                     | NO                | KG                | -                   | -                   | -           | 1                            | 4                   | 456         |
| 9027 4-ST                       | NO                | KG                | -                   | -                   | -           | 5                            | 67                  | 10094       |
| 9029.10-900                     | NO                | KG                | -                   | -                   | -           | 4                            | 3                   | 207         |
| 9029.90-000                     |                   | KG                |                     | -                   | -           |                              | 1                   | 211         |
| 9029 4-ST                       |                   | KG                |                     | -                   | -           |                              | 4                   | 418         |
| 9030.31-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 48                  | 378         |
| 9030.39-100                     | NO                | KG                | -                   | -                   | -           | 20                           | 372                 | 2411        |
| 9030 4-ST                       | NO                | KG                | -                   | -                   | -           | 21                           | 420                 | 2789        |
| 9031.49-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 456         |
| 9031.80-110                     | NO                | KG                | -                   | -                   | -           | 1                            | 750                 | 2750        |
| 9031.80-190                     | NO                | KG                | -                   | -                   | -           | 7                            | 1068                | 10431       |
| 9031.80-900                     | NO                | KG                | -                   | -                   | -           | 61                           | 1732                | 24475       |
| 9031.90-100                     |                   | KG                |                     | 1                   | 222         |                              | 52                  | 3161        |
| 9031 4-ST                       |                   |                   |                     |                     | 222         |                              |                     | 41273       |
| 9032.10-100                     | NO                | KG                | -                   | -                   | -           | 27                           | 24                  | 378         |
| 9032.81-000                     | NO                | KG                | -                   | -                   | -           | 13                           | 66                  | 525         |
| 9032.89-111                     | NO                | KG                | -                   | -                   | -           | 4                            | 40                  | 1160        |
| 9032.89-112                     | NO                | KG                | -                   | -                   | -           | 129                          | 455                 | 25468       |
| 9032.89-119                     | NO                | KG                | -                   | -                   | -           | 1725                         | 2148                | 19156       |
| 9032.90-000                     |                   | KG                |                     | -                   | -           |                              | 182                 | 3393        |
| 9032 4-ST                       |                   | KG                |                     | -                   | -           |                              | 2915                | 50080       |
| 9033.00-000                     |                   | KG                |                     | -                   | -           |                              | 321                 | 2262        |
| 9033 4-ST                       | **                | KG                |                     | -                   | -           |                              | 321                 | 2262        |
| 90 2-ST                         |                   |                   |                     |                     | 9760        |                              |                     | 321135      |
| 9103.10-000                     | NO                | KG                | -                   | -                   | -           | 415                          | 186                 | 4504        |
| 9103 4-ST                       | NO                | KG                | -                   | -                   | -           | 415                          | 186                 | 4504        |
| 91 2-ST                         | NO                | KG                | -                   | -                   | -           | 415                          | 186                 | 4504        |
| 9401.90-000                     |                   | KG                |                     | -                   | -           |                              | 4956                | 6068        |
| 9401 4-ST                       | **                | KG                |                     | -                   | -           |                              | 4956                | 6068        |
| 9403.20-100                     |                   | KG                |                     | -                   | -           |                              | 1491                | 4800        |
| 9403 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1491                | 4800        |
| 94 2-ST                         | **                | KG                |                     | -                   | -           |                              | 6447                | 10868       |
| 9603.30-000                     | NO                | KG                | -                   | -                   | -           | 8400                         | 113                 | 1622        |
| 9603 4-ST                       | NO                | KG                | -                   | -                   | -           | 8400                         | 113                 | 1622        |
| 96 2-ST                         | NO                | KG                | -                   | -                   | -           | 8400                         | 113                 | 1622        |
| TOTAL                           |                   |                   |                     |                     | 376692      |                              |                     | 3864508     |
| 305 MEXICO                      |                   |                   |                     |                     |             |                              |                     |             |
| 2106.10-000                     |                   | KG                |                     | -                   | -           |                              | 250                 | 1392        |
| 2106 4-ST                       | **                | KG                |                     | -                   | -           |                              | 250                 | 1392        |
| 21 2-ST                         | **                | KG                |                     | -                   | -           |                              | 250                 | 1392        |



347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 305 MEXICO                      |                   |                   |                     |                     |             |                              |                     |             |
| 8477.90-100                     |                   | KG                |                     | -                   | -           |                              | 790                 | 16888       |
| 8477 4-ST                       | **                | KG                |                     | -                   | -           |                              | 790                 | 16888       |
| 84 2-ST                         | **                | KG                |                     | -                   | -           |                              | 790                 | 16888       |
| TOTAL                           | **                | KG                |                     | -                   | -           |                              | 1040                | 18280       |
| 324 PRTRICO                     |                   |                   |                     |                     |             |                              |                     |             |
| 8419.89-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 325                 | 5231        |
| 8419 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 325                 | 5231        |
| 8464.10-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 2886                | 41788       |
| 8464 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 2886                | 41788       |
| 84 2-ST                         | NO                | KG                | -                   | -                   | -           | 4                            | 3211                | 47019       |
| 9032.89-112                     | NO                | KG                | -                   | -                   | -           | 1                            | 321                 | 3657        |
| 9032 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 321                 | 3657        |
| 90 2-ST                         | NO                | KG                | -                   | -                   | -           | 1                            | 321                 | 3657        |
| TOTAL                           | NO                | KG                | -                   | -                   | -           | 5                            | 3532                | 50676       |
| 402 VENEZLA                     |                   |                   |                     |                     |             |                              |                     |             |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 289                 | 1667        |
| 8437 4-ST                       | **                | KG                |                     | -                   | -           |                              | 289                 | 1667        |
| 84 2-ST                         | **                | KG                |                     | -                   | -           |                              | 289                 | 1667        |
| TOTAL                           | **                | KG                |                     | -                   | -           |                              | 289                 | 1667        |
| 409 CHILE                       |                   |                   |                     |                     |             |                              |                     |             |
| 8484.20-000                     |                   | KG                |                     | -                   | -           |                              | 9                   | 218         |
| 8484 4-ST                       | **                | KG                |                     | -                   | -           |                              | 9                   | 218         |
| 84 2-ST                         | **                | KG                |                     | -                   | -           |                              | 9                   | 218         |
| 8517.30-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 712         |
| 8517 4-ST                       | **                | NO                |                     | -                   | -           |                              | 1                   | 712         |
| 85 2-ST                         | **                | NO                |                     | -                   | -           |                              | 1                   | 712         |
| TOTAL                           | **                |                   |                     |                     | -           |                              |                     | 930         |
| 410 BRAZIL                      |                   |                   |                     |                     |             |                              |                     |             |
| 0000.00-190                     |                   | KG                |                     | -                   | -           |                              | 87                  | 205         |
| 0000 4-ST                       | **                | KG                |                     | -                   | -           |                              | 87                  | 205         |
| 00 2-ST                         | **                | KG                |                     | -                   | -           |                              | 87                  | 205         |
| 7307.91-900                     |                   | KG                |                     | -                   | -           |                              | 122                 | 248         |
| 7307 4-ST                       | **                | KG                |                     | -                   | -           |                              | 122                 | 248         |
| 73 2-ST                         | **                | KG                |                     | -                   | -           |                              | 122                 | 248         |
| 8412.31-000                     | NO                | KG                | 20                  | 15                  | 269         | 20                           | 15                  | 269         |
| 8412 4-ST                       | NO                | KG                | 20                  | 15                  | 269         | 20                           | 15                  | 269         |
| 8414.90-100                     |                   | KG                |                     | -                   | -           |                              | 77                  | 1247        |
| 8414 4-ST                       | **                | KG                |                     | -                   | -           |                              | 77                  | 1247        |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 1465                | 5178        |
| 8437 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1465                | 5178        |
| 8443.90-100                     |                   | KG                |                     | -                   | -           |                              | 2                   | 278         |
| 8443 4-ST                       | **                | KG                |                     | -                   | -           |                              | 2                   | 278         |
| 8466.94-000                     |                   | KG                |                     | -                   | -           |                              | 1000                | 1152        |
| 8466 4-ST                       | **                | KG                |                     | -                   | -           |                              | 1000                | 1152        |
| 8481.80-190                     |                   | KG                |                     | 13                  | 238         |                              | 13                  | 238         |
| 8481 4-ST                       | **                | KG                |                     | 13                  | 238         |                              | 13                  | 238         |
| 8484.10-000                     |                   | KG                |                     | -                   | -           |                              | 50                  | 1131        |
| 8484 4-ST                       | **                | KG                |                     | -                   | -           |                              | 50                  | 1131        |
| 84 2-ST                         |                   | KG                |                     | 28                  | 507         |                              | 2622                | 9493        |
| 8538.90-900                     |                   | KG                |                     | 29                  | 526         |                              | 35                  | 1158        |
| 8538 4-ST                       | **                | KG                |                     | 29                  | 526         |                              | 35                  | 1158        |
| 85 2-ST                         | **                | KG                |                     | 29                  | 526         |                              | 35                  | 1158        |
| 9025.19-100                     | NO                | KG                | -                   | -                   | -           | 20                           | 35                  | 342         |
| 9025 4-ST                       | NO                | KG                | -                   | -                   | -           | 20                           | 35                  | 342         |
| 9026.10-900                     | NO                | KG                | -                   | -                   | -           | 44                           | 21                  | 642         |
| 9026 4-ST                       | NO                | KG                | -                   | -                   | -           | 44                           | 21                  | 642         |
| 9032.89-112                     | NO                | KG                | -                   | -                   | -           | 32                           | 19                  | 229         |
| 9032 4-ST                       | NO                | KG                | -                   | -                   | -           | 32                           | 19                  | 229         |
| 90 2-ST                         | NO                | KG                | -                   | -                   | -           | 96                           | 75                  | 1213        |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| 410 BRAZIL<br>TOTAL             |                   | KG                |                    | 57                | 1033        |                              | 2941              | 12317       |
| 412 URUGUAY<br>8421.99-000      |                   | KG                |                    | -                 | -           |                              | 300               | 600         |
| 8421 4-ST                       | **                | KG                |                    | -                 | -           |                              | 300               | 600         |
| 84 2-ST                         | **                | KG                |                    | -                 | -           |                              | 300               | 600         |
| TOTAL                           | **                | KG                |                    | -                 | -           |                              | 300               | 600         |
| 413 ARGENT<br>4010.12-000       |                   | KG                |                    | -                 | -           |                              | 100               | 3461        |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 100               | 3461        |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 100               | 3461        |
| 7019.59-000                     |                   | KG                |                    | -                 | -           |                              | 103               | 291         |
| 7019 4-ST                       | **                | KG                |                    | -                 | -           |                              | 103               | 291         |
| 70 2-ST                         | **                | KG                |                    | -                 | -           |                              | 103               | 291         |
| 7318.15-110                     |                   | KG                |                    | -                 | -           |                              | 186               | 286         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 186               | 286         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 186               | 286         |
| 8402.90-000                     |                   | KG                |                    | -                 | -           |                              | 7044              | 3669        |
| 8402 4-ST                       | **                | KG                |                    | -                 | -           |                              | 7044              | 3669        |
| 8422.90-000                     |                   | KG                |                    | -                 | -           |                              | 94                | 1088        |
| 8422 4-ST                       | **                | KG                |                    | -                 | -           |                              | 94                | 1088        |
| 84 2-ST                         | **                | KG                |                    | -                 | -           |                              | 7138              | 4757        |
| TOTAL                           | **                | KG                |                    | -                 | -           |                              | 7527              | 8795        |
| 501 MOROCCO<br>9018.50-900      |                   | KG                |                    | -                 | -           |                              | 15                | 650         |
| 9018 4-ST                       | **                | KG                |                    | -                 | -           |                              | 15                | 650         |
| 90 2-ST                         | **                | KG                |                    | -                 | -           |                              | 15                | 650         |
| TOTAL                           | **                | KG                |                    | -                 | -           |                              | 15                | 650         |
| 506 EGYPT<br>8208.90-000        |                   | KG                |                    | -                 | -           |                              | 14                | 270         |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 14                | 270         |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 14                | 270         |
| 8437.90-000                     |                   | KG                |                    | -                 | -           |                              | 438               | 218         |
| 8437 4-ST                       | **                | KG                |                    | -                 | -           |                              | 438               | 218         |
| 8443.90-100                     |                   | KG                |                    | -                 | -           |                              | 1454              | 1534        |
| 8443 4-ST                       | **                | KG                |                    | -                 | -           |                              | 1454              | 1534        |
| 84 2-ST                         | **                | KG                |                    | -                 | -           |                              | 1892              | 1752        |
| TOTAL                           | **                | KG                |                    | -                 | -           |                              | 1906              | 2022        |
| 523 CANARY<br>8443.90-100       |                   | KG                |                    | -                 | -           |                              | 210               | 430         |
| 8443 4-ST                       | **                | KG                |                    | -                 | -           |                              | 210               | 430         |
| 84 2-ST                         | **                | KG                |                    | -                 | -           |                              | 210               | 430         |
| TOTAL                           | **                | KG                |                    | -                 | -           |                              | 210               | 430         |
| 551 S AFRCA<br>8437.90-000      |                   | KG                |                    | -                 | -           |                              | 315               | 2028        |
| 8437 4-ST                       | **                | KG                |                    | -                 | -           |                              | 315               | 2028        |
| 8439.99-000                     |                   | KG                | 43                 |                   | 938         |                              | 43                | 938         |
| 8439 4-ST                       | **                | KG                | 43                 |                   | 938         |                              | 43                | 938         |
| 8467.99-000                     |                   | KG                |                    | -                 | -           |                              | 71                | 256         |
| 8467 4-ST                       | **                | KG                |                    | -                 | -           |                              | 71                | 256         |
| 8484.90-000                     |                   | KG                |                    | -                 | -           |                              | 0                 | 206         |
| 8484 4-ST                       | **                | KG                |                    | -                 | -           |                              | 0                 | 206         |
| 84 2-ST                         | **                | KG                | 43                 |                   | 938         |                              | 429               | 3428        |
| 8503.00-000                     |                   | KG                |                    | -                 | -           |                              | 551               | 1794        |
| 8503 4-ST                       | **                | KG                |                    | -                 | -           |                              | 551               | 1794        |
| 8545.20-000                     |                   | KG                |                    | -                 | -           |                              | 256               | 877         |
| 8545 4-ST                       | **                | KG                |                    | -                 | -           |                              | 256               | 877         |
| 85 2-ST                         | **                | KG                |                    | -                 | -           |                              | 807               | 2671        |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 551 S AFRCA                     |                   |                   |                     |                     |             |                              |                     |             |
| 9401.20-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 161                 | 202         |
| 9401.90-000                     |                   | KG                |                     | -                   | -           |                              | 143                 | 318         |
| 9401 4-ST                       |                   | KG                |                     | -                   | -           |                              | 304                 | 520         |
| 94 2-ST                         |                   | KG                |                     | -                   | -           |                              | 304                 | 520         |
| TOTAL                           |                   | KG                |                     | 43                  | 938         |                              | 1540                | 6619        |
| 601 AUSTRAL                     |                   |                   |                     |                     |             |                              |                     |             |
| 4010.12-000                     |                   | KG                |                     | 50                  | 3025        |                              | 91                  | 5648        |
| 4010.31-000                     |                   | KG                |                     | -                   | -           |                              | 8                   | 361         |
| 4010 4-ST                       | ***               | KG                |                     | 50                  | 3025        |                              | 99                  | 6009        |
| 40 2-ST                         | ***               | KG                |                     | 50                  | 3025        |                              | 99                  | 6009        |
| 5910.00-000                     |                   | KG                |                     | -                   | -           |                              | 78                  | 655         |
| 5910 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 78                  | 655         |
| 59 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 78                  | 655         |
| 7007.11-000                     |                   | KG                |                     | -                   | -           |                              | 84                  | 435         |
| 7007 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 84                  | 435         |
| 7009.10-000                     |                   | KG                |                     | -                   | -           |                              | 790                 | 3801        |
| 7009.92-000                     |                   | KG                |                     | -                   | -           |                              | 59                  | 272         |
| 7009 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 849                 | 4073        |
| 70 2-ST                         | ***               | KG                |                     | -                   | -           |                              | 933                 | 4508        |
| 7312.90-000                     |                   | KG                |                     | 34                  | 415         |                              | 34                  | 415         |
| 7312 4-ST                       | ***               | KG                |                     | 34                  | 415         |                              | 34                  | 415         |
| 7315.11-900                     |                   | KG                |                     | -                   | -           |                              | 438                 | 1483        |
| 7315 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 438                 | 1483        |
| 7318.16-900                     |                   | KG                |                     | -                   | -           |                              | 78                  | 942         |
| 7318.29-000                     |                   | KG                |                     | -                   | -           |                              | 14                  | 211         |
| 7318 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 92                  | 1153        |
| 73 2-ST                         | ***               | KG                |                     | 34                  | 415         |                              | 564                 | 3051        |
| 8208.90-000                     |                   | KG                |                     | 63                  | 868         |                              | 312                 | 7279        |
| 8208 4-ST                       | ***               | KG                |                     | 63                  | 868         |                              | 312                 | 7279        |
| 82 2-ST                         | ***               | KG                |                     | 63                  | 868         |                              | 312                 | 7279        |
| 8412.29-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 220                 | 791         |
| 8412.31-000                     | NO                | KG                | 36                  | 52                  | 269         | 69                           | 107                 | 530         |
| 8412 4-ST                       | NO                | KG                | 36                  | 52                  | 269         | 71                           | 327                 | 1321        |
| 8413.60-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 4                   | 335         |
| 8413 4-ST                       | NO                | KG                | -                   | -                   | -           | 1                            | 4                   | 335         |
| 8422.90-000                     |                   | KG                |                     | 624                 | 4464        |                              | 3720                | 19019       |
| 8422 4-ST                       | ***               | KG                |                     | 624                 | 4464        |                              | 3720                | 19019       |
| 8437.10-000                     | NO                | KG                | -                   | -                   | -           | 1                            | 630                 | 11504       |
| 8437.90-000                     |                   | KG                |                     | -                   | -           |                              | 2323                | 11290       |
| 8437 4-ST                       |                   | KG                |                     | -                   | -           |                              | 2953                | 22794       |
| 8439.99-000                     |                   | KG                |                     | 140                 | 1579        |                              | 612                 | 10967       |
| 8439 4-ST                       | ***               | KG                |                     | 140                 | 1579        |                              | 612                 | 10967       |
| 8454.90-000                     |                   | KG                |                     | -                   | -           |                              | 55                  | 257         |
| 8454 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 55                  | 257         |
| 8467.99-000                     |                   | KG                |                     | -                   | -           |                              | 262                 | 1929        |
| 8467 4-ST                       | ***               | KG                |                     | -                   | -           |                              | 262                 | 1929        |
| 8471.41-900                     | NO                |                   |                     | -                   | -           |                              | 1                   | 338         |
| 8471.60-900                     | NO                |                   |                     | -                   | -           |                              | 1                   | 322         |
| 8471 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 2                   | 660         |
| 8479.50-000                     |                   | NO                |                     | -                   | -           |                              | 1                   | 5750        |
| 8479 4-ST                       | ***               | NO                |                     | -                   | -           |                              | 1                   | 5750        |
| 8481.80-110                     |                   | KG                |                     | 39                  | 475         |                              | 327                 | 3329        |
| 8481.80-190                     |                   | KG                |                     | -                   | -           |                              | 148                 | 1429        |
| 8481.90-000                     |                   | KG                |                     | -                   | -           |                              | 80                  | 260         |
| 8481 4-ST                       | ***               | KG                |                     | 39                  | 475         |                              | 555                 | 5018        |
| 8483.30-200                     | NO                | KG                | -                   | -                   | -           | 28                           | 258                 | 2791        |
| 8483.40-200                     | NO                | KG                | -                   | -                   | -           | 25                           | 950                 | 6029        |
| 8483.40-900                     | NO                | KG                | -                   | -                   | -           | 1                            | 44                  | 417         |
| 8483.50-000                     | NO                | KG                | -                   | -                   | -           | 2                            | 41                  | 264         |
| 8483.60-000                     | NO                | KG                | -                   | -                   | -           | 5                            | 60                  | 551         |
| 8483 4-ST                       | NO                | KG                | -                   | -                   | -           | 61                           | 1353                | 10052       |
| 84 2-ST                         |                   |                   |                     |                     | 6787        |                              |                     | 78102       |
| 8501.32-100                     | NO                | KG                | -                   | -                   | -           | 2                            | 159                 | 1341        |
| 8501 4-ST                       | NO                | KG                | -                   | -                   | -           | 2                            | 159                 | 1341        |
| 8505.20-000                     |                   | KG                |                     | -                   | -           |                              | 26                  | 366         |

347 広島空港

Country by Customs by Commodity

EXPORT

HIROSHIMA A.P

単位: (1000YEN)

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH) |                   |             | 累計 (CUMULATIVE YEAR TO DATE) |                   |             |
|---------------------------------|-------------------|-------------------|--------------------|-------------------|-------------|------------------------------|-------------------|-------------|
|                                 |                   |                   | 第1数量<br>QUANTITY1  | 第2数量<br>QUANTITY2 | 価額<br>VALUE | 第1数量<br>QUANTITY1            | 第2数量<br>QUANTITY2 | 価額<br>VALUE |
| <b>601 AUSTRAL</b>              |                   |                   |                    |                   |             |                              |                   |             |
| 8505 4-ST                       | **                | KG                |                    | -                 | -           |                              | 26                | 366         |
| 8525.10-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 4                 | 300         |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 4                 | 300         |
| 8536.50-900                     | NO                | KG                | -                  | -                 | -           | 957                          | 8                 | 654         |
| 8536 4-ST                       | NO                | KG                | -                  | -                 | -           | 957                          | 8                 | 654         |
| 8537.10-000                     | NO                | KG                | -                  | -                 | -           | 3                            | 9                 | 924         |
| 8537 4-ST                       | NO                | KG                | -                  | -                 | -           | 3                            | 9                 | 924         |
| 8538.90-900                     |                   | KG                |                    | -                 | -           |                              | 40                | 481         |
| 8538 4-ST                       | **                | KG                |                    | -                 | -           |                              | 40                | 481         |
| 8539.31-000                     | NO                | KG                | -                  | -                 | -           | 914                          | 346               | 3166        |
| 8539 4-ST                       | NO                | KG                | -                  | -                 | -           | 914                          | 346               | 3166        |
| 8543.89-000                     |                   | NO                |                    | -                 | -           |                              | 5                 | 1586        |
| 8543 4-ST                       | **                | NO                |                    | -                 | -           |                              | 5                 | 1586        |
| 85 2-ST                         |                   |                   |                    |                   | -           |                              |                   | 8818        |
| 9006.59-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 15                | 461         |
| 9006.91-900                     |                   | KG                |                    | -                 | -           |                              | 43                | 524         |
| 9006 4-ST                       |                   | KG                |                    | -                 | -           |                              | 58                | 985         |
| 9026.90-000                     |                   | KG                |                    | -                 | -           |                              | 8                 | 230         |
| 9026 4-ST                       | **                | KG                |                    | -                 | -           |                              | 8                 | 230         |
| 9029.10-100                     | NO                | KG                | 3                  | 4                 | 296         | 3                            | 4                 | 296         |
| 9029 4-ST                       | NO                | KG                | 3                  | 4                 | 296         | 3                            | 4                 | 296         |
| 90 2-ST                         |                   | KG                |                    | 4                 | 296         |                              | 70                | 1511        |
| 9405.10-100                     |                   | KG                |                    | -                 | -           |                              | 19                | 229         |
| 9405 4-ST                       | **                | KG                |                    | -                 | -           |                              | 19                | 229         |
| 94 2-ST                         | **                | KG                |                    | -                 | -           |                              | 19                | 229         |
| TOTAL                           |                   |                   |                    |                   | 11391       |                              |                   | 110162      |
| <b>606 NEWZELD</b>              |                   |                   |                    |                   |             |                              |                   |             |
| 4010.12-000                     |                   | KG                |                    | -                 | -           |                              | 166               | 5062        |
| 4010 4-ST                       | **                | KG                |                    | -                 | -           |                              | 166               | 5062        |
| 40 2-ST                         | **                | KG                |                    | -                 | -           |                              | 166               | 5062        |
| 7315.11-900                     |                   | KG                |                    | -                 | -           |                              | 239               | 829         |
| 7315 4-ST                       | **                | KG                |                    | -                 | -           |                              | 239               | 829         |
| 7318.29-000                     |                   | KG                |                    | -                 | -           |                              | 17                | 671         |
| 7318 4-ST                       | **                | KG                |                    | -                 | -           |                              | 17                | 671         |
| 73 2-ST                         | **                | KG                |                    | -                 | -           |                              | 256               | 1500        |
| 8208.90-000                     |                   | KG                |                    | -                 | -           |                              | 82                | 955         |
| 8208 4-ST                       | **                | KG                |                    | -                 | -           |                              | 82                | 955         |
| 82 2-ST                         | **                | KG                |                    | -                 | -           |                              | 82                | 955         |
| 8422.30-900                     | NO                | KG                | -                  | -                 | -           | 1                            | 5                 | 420         |
| 8422.90-000                     |                   | KG                |                    | 28                | 615         |                              | 1243              | 8021        |
| 8422 4-ST                       |                   | KG                |                    | 28                | 615         |                              | 1248              | 8441        |
| 8439.99-000                     |                   | KG                |                    | -                 | -           |                              | 222               | 4050        |
| 8439 4-ST                       | **                | KG                |                    | -                 | -           |                              | 222               | 4050        |
| 8481.80-110                     |                   | KG                |                    | -                 | -           |                              | 94                | 744         |
| 8481 4-ST                       | **                | KG                |                    | -                 | -           |                              | 94                | 744         |
| 8483.40-200                     | NO                | KG                | 1                  | 17                | 393         | 3                            | 29                | 609         |
| 8483.60-000                     | NO                | KG                | -                  | -                 | -           | 2                            | 21                | 542         |
| 8483 4-ST                       | NO                | KG                | 1                  | 17                | 393         | 5                            | 50                | 1151        |
| 84 2-ST                         |                   | KG                |                    | 45                | 1008        |                              | 1614              | 14386       |
| 8501.61-000                     | NO                | KG                | -                  | -                 | -           | 1                            | 19                | 308         |
| 8501 4-ST                       | NO                | KG                | -                  | -                 | -           | 1                            | 19                | 308         |
| 8516.80-000                     | NO                | KG                | 13                 | 33                | 497         | 13                           | 33                | 497         |
| 8516 4-ST                       | NO                | KG                | 13                 | 33                | 497         | 13                           | 33                | 497         |
| 8525.20-990                     | NO                | KG                | -                  | -                 | -           | 4                            | 80                | 2600        |
| 8525 4-ST                       | NO                | KG                | -                  | -                 | -           | 4                            | 80                | 2600        |
| 8533.40-000                     | NO                | KG                | -                  | -                 | -           | 10                           | 0                 | 243         |
| 8533 4-ST                       | NO                | KG                | -                  | -                 | -           | 10                           | 0                 | 243         |
| 85 2-ST                         | NO                | KG                | 13                 | 33                | 497         | 28                           | 132               | 3648        |
| 9029.10-100                     | NO                | KG                | -                  | -                 | -           | 6                            | 8                 | 549         |
| 9029 4-ST                       | NO                | KG                | -                  | -                 | -           | 6                            | 8                 | 549         |
| 90 2-ST                         | NO                | KG                | -                  | -                 | -           | 6                            | 8                 | 549         |
| TOTAL                           |                   | KG                |                    | 78                | 1505        |                              | 2258              | 26100       |

| 品名・国名<br>COMMODITY &<br>COUNTRY | 第1<br>単位<br>UNIT1 | 第2<br>単位<br>UNIT2 | 当月 (CURRENT MONTH)  |                     |             | 累計 (CUMULATIVE YEAR TO DATE) |                     |             |
|---------------------------------|-------------------|-------------------|---------------------|---------------------|-------------|------------------------------|---------------------|-------------|
|                                 |                   |                   | 第 1 数量<br>QUANTITY1 | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE | 第 1 数量<br>QUANTITY1          | 第 2 数量<br>QUANTITY2 | 価額<br>VALUE |
| 610 SAMOA                       |                   |                   |                     |                     |             |                              |                     |             |
| 8422.90-000                     |                   | KG                |                     | -                   | -           |                              | 86                  | 429         |
| 8422 4-ST                       | **                | KG                |                     | -                   | -           |                              | 86                  | 429         |
| 84 2-ST                         | **                | KG                |                     | -                   | -           |                              | 86                  | 429         |
| TOTAL                           | **                | KG                |                     | -                   | -           |                              | 86                  | 429         |
| 618 NEWCALD                     |                   |                   |                     |                     |             |                              |                     |             |
| 8431.49-110                     |                   | KG                |                     | -                   | -           |                              | 48                  | 240         |
| 8431 4-ST                       | **                | KG                |                     | -                   | -           |                              | 48                  | 240         |
| 84 2-ST                         | **                | KG                |                     | -                   | -           |                              | 48                  | 240         |
| TOTAL                           | **                | KG                |                     | -                   | -           |                              | 48                  | 240         |
| 621 A SAMOA                     |                   |                   |                     |                     |             |                              |                     |             |
| 8422.90-000                     |                   | KG                |                     | -                   | -           |                              | 18                  | 237         |
| 8422 4-ST                       | **                | KG                |                     | -                   | -           |                              | 18                  | 237         |
| 84 2-ST                         | **                | KG                |                     | -                   | -           |                              | 18                  | 237         |
| TOTAL                           | **                | KG                |                     | -                   | -           |                              | 18                  | 237         |
| 628 PALAU                       |                   |                   |                     |                     |             |                              |                     |             |
| 9018.90-319                     | NO                | KG                | -                   | -                   | -           | 10                           | 57                  | 458         |
| 9018.90-390                     | NO                | KG                | 34                  | 205                 | 1489        | 34                           | 205                 | 1489        |
| 9018 4-ST                       | NO                | KG                | 34                  | 205                 | 1489        | 44                           | 262                 | 1947        |
| 90 2-ST                         | NO                | KG                | 34                  | 205                 | 1489        | 44                           | 262                 | 1947        |
| TOTAL                           | NO                | KG                | 34                  | 205                 | 1489        | 44                           | 262                 | 1947        |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |
|                                 |                   |                   |                     |                     |             |                              |                     |             |