

第5表 周産期死亡数, 出産時の体重; 出産時

単産・複産・妊娠期間 (4 週区分・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS DISTRIBUTED ACCORDING TO BIRTH WEIGHT, AND (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産・複産 妊娠期間 Plurality of birth and period of gestation	総数 Total				0.5 kg 未満 Under 0.5kg				0.5kg 以上		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	6 134	3 278	2 764	92	268	103	117	48	972	526	434
妊娠28週未満 Under 28 completed weeks	588	334	254	-	96	40	56	-	431	257	174
満28週～満31週 28-31 completed weeks	1 324	689	607	28	90	37	43	10	427	214	204
満32週～満35週 32-35 completed weeks	1 425	762	639	24	35	12	13	10	98	49	46
満36週～満39週 36-39 completed weeks	1 947	1 038	877	32	38	13	5	20	14	4	10
満40週～満43週 40-43 completed weeks	806	432	366	8	9	1	-	8	2	2	-
満44週～ 44 completed weeks and over	3	1	2	-	-	-	-	-	-	-	-
不詳 (再掲) (Regrouped)	41	22	19	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	3 767	2 022	1 686	59	230	92	113	25	961	523	426
満28週未満 Under 28 completed weeks	588	334	254	-	96	40	56	-	431	257	174
満28週～満31週 28-31 completed weeks	1 324	689	607	28	90	37	43	10	427	214	204
満32週～満36週 32-36 completed weeks	1 855	999	825	31	44	15	14	15	103	52	48
正期(満37週～満41週) Term (37-41)	2 257	1 203	1 021	33	38	11	4	23	11	3	8
過期(満42週～) Post-term (42 completed weeks and over)	69	31	38	-	-	-	-	-	-	-	-
単産 Single delivery	5 530	2 975	2 507	48	150	66	74	10	793	432	351
妊娠28週未満 Under 28 completed weeks	447	259	188	-	66	30	36	-	326	196	130
満28週～満31週 28-31 completed weeks	1 180	610	549	21	66	31	30	5	378	190	180
満32週～満35週 32-35 completed weeks	1 295	703	578	14	15	5	8	2	80	41	37
満36週～満39週 36-39 completed weeks	1 771	953	807	11	1	-	-	1	7	3	4
満40週～満43週 40-43 completed weeks	793	427	364	2	2	-	-	2	2	2	-
満44週～ 44 completed weeks and over	3	1	2	-	-	-	-	-	-	-	-
不詳 (再掲)	41	22	19	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	3 295	1 778	1 481	36	147	66	74	7	788	429	349
満28週未満 Under 28 completed weeks	447	259	188	-	66	30	36	-	326	196	130
満28週～満31週 28-31 completed weeks	1 180	610	549	21	66	31	30	5	378	190	180
満32週～満36週 32-36 completed weeks	1 668	909	744	15	15	5	8	2	84	43	39
正期(満37週～満41週) Term (37-41)	2 125	1 144	969	12	3	-	-	3	5	3	2
過期(満42週～) Post-term (42 completed weeks and over)	69	31	38	-	-	-	-	-	-	-	-
複産 Plural delivery	604	303	257	44	118	37	43	38	179	94	83
妊娠28週未満 Under 28 completed weeks	141	75	66	-	30	10	20	-	105	61	44
満28週～満31週 28-31 completed weeks	144	79	58	7	24	6	13	5	49	24	24
満32週～満35週 32-35 completed weeks	130	59	61	10	20	7	5	8	18	8	9
満36週～満39週 36-39 completed weeks	176	85	70	21	37	13	5	19	7	1	6
満40週～満43週 40-43 completed weeks	13	5	2	6	7	1	-	6	-	-	-
満44週～ 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	472	244	205	23	83	26	39	18	173	94	77
満28週未満 Under 28 completed weeks	141	75	66	-	30	10	20	-	105	61	44
満28週～満31週 28-31 completed weeks	144	79	58	7	24	6	13	5	49	24	24
満32週～満36週 32-36 completed weeks	187	90	81	16	29	10	6	13	19	9	9
正期(満37週～満41週) Term (37-41)	132	59	52	21	35	11	4	20	6	-	6
過期(満42週～) Post-term (42 completed weeks and over)	-	-	-	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・
早期—正期—過期再掲) 別AT 28 COMPLETED WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS)
MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1994

平成 6 年

1.0kg 未満 Not stated	1.0 ~ 1.5kg				1.5 ~ 2.0kg				2.0 ~ 2.5kg			
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
12	1 005	547	446	-	12	946	502	437	7	922	453	463
-	56	35	21	-	4	2	2	-	-	-	-	-
9	541	302	233	6	203	107	94	2	44	22	22	-
3	326	168	154	4	474	252	218	4	351	189	161	1
-	77	40	35	2	238	125	112	1	451	208	238	5
-	4	2	2	-	27	16	11	-	72	33	39	-
-	-	-	-	-	-	-	-	-	2	-	2	-
-	1	-	1	-	-	-	-	-	2	1	1	-
12	957	520	426	11	783	422	355	6	533	283	249	1
-	56	35	21	-	4	2	2	-	-	-	-	-
9	541	302	233	6	203	107	94	2	44	22	22	-
3	360	183	172	5	576	313	259	4	489	261	227	1
-	47	27	19	1	161	79	81	1	382	169	208	5
-	-	-	-	-	2	1	1	-	5	-	5	-
10	903	490	403	10	860	457	397	6	854	417	431	6
-	51	31	20	-	3	2	1	-	-	-	-	-
8	487	266	216	5	190	96	92	2	42	21	21	-
2	296	158	135	3	441	237	200	4	328	174	153	1
-	64	33	29	2	200	107	93	-	411	190	216	5
-	4	2	2	-	26	15	11	-	69	31	38	-
-	-	-	-	-	-	-	-	-	2	-	2	-
-	1	-	1	-	-	-	-	-	2	1	1	-
10	864	468	387	9	719	387	326	6	492	259	232	1
-	51	31	20	-	3	2	1	-	-	-	-	-
8	487	266	216	5	190	96	92	2	42	21	21	-
2	326	171	151	4	526	289	233	4	450	238	211	1
-	38	22	15	1	139	69	70	-	355	157	193	5
-	-	-	-	-	2	1	1	-	5	-	5	-
2	102	57	43	2	86	45	40	1	68	36	32	-
-	5	4	1	-	1	-	1	-	-	-	-	-
1	54	36	17	1	13	11	2	-	2	1	1	-
1	30	10	19	1	33	15	18	-	23	15	8	-
-	13	7	6	-	38	18	19	1	40	18	22	-
-	-	-	-	-	1	1	-	-	3	2	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	93	52	39	2	64	35	29	-	41	24	17	-
-	5	4	1	-	1	-	1	-	-	-	-	-
1	54	36	17	1	13	11	2	-	2	1	1	-
1	34	12	21	1	50	24	26	-	39	23	16	-
-	9	5	4	-	22	10	11	1	27	12	15	-
-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS DISTRIBUTED ACCORDING TO BIRTH WEIGHT, AND (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

総 数 Total	2.5 ~ 3.0kg				(再 掲) (Regrouped) 2500g ちょうど Just 2500g				3.0 ~ 3.5kg				3.5
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total
単 産—複 産 妊 娠 期 間 Plurality of birth and period of gestation													
総 数 Total	1 041	566	472	3	14	7	7	-	666	384	282	-	208
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	15	5	10	-	-	-	-	-	2	1	1	-	1
満32週—満35週 32-35	102	67	34	1	6	4	2	-	19	12	7	-	13
満36週—満39週 36-39	686	373	311	2	5	1	4	-	343	213	130	-	66
満40週—満43週 40-43	235	119	116	-	3	2	1	-	301	157	144	-	127
満44週— 44 completed weeks and over	1	1	-	-	-	-	-	-	-	-	-	-	-
不 詳 Not stated	2	1	1	-	-	-	-	-	1	1	-	-	1
(再 掲) (Regrouped)													
早期(満37週未満) Pre-term	230	136	93	1	8	5	3	-	47	31	16	-	14
満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	15	5	10	-	-	-	-	-	2	1	1	-	1
満32週—満36週 32-36	215	131	83	1	8	5	3	-	45	30	15	-	13
正期(満37週—満41週) Term (37-41)	790	420	368	2	6	2	4	-	593	341	252	-	178
過期(満42週—) Post-term (42 completed weeks and over)	19	9	10	-	-	-	-	-	25	11	14	-	15
単 産 Single delivery	1 001	539	459	3	14	7	7	-	658	378	280	-	207
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週	13	4	9	-	-	-	-	-	2	1	1	-	1
満32週—満35週	97	63	33	1	6	4	2	-	19	12	7	-	13
満36週—満39週	654	351	301	2	5	1	4	-	335	207	128	-	66
満40週—満43週	234	119	115	-	3	2	1	-	301	157	144	-	126
満44週—	1	1	-	-	-	-	-	-	-	-	-	-	-
不 詳 (再 掲)	2	1	1	-	-	-	-	-	1	1	-	-	1
早期(満37週未満) 満28週未満	216	125	90	1	8	5	3	-	45	29	16	-	14
満28週—満31週	13	4	9	-	-	-	-	-	2	1	1	-	1
満32週—満36週	203	121	81	1	8	5	3	-	43	28	15	-	13
正期(満37週—満41週)	764	404	358	2	6	2	4	-	587	337	250	-	177
過期(満42週—)	19	9	10	-	-	-	-	-	25	11	14	-	15
複 産 Plural delivery	40	27	13	-	-	-	-	-	8	6	2	-	1
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週	2	1	1	-	-	-	-	-	-	-	-	-	-
満32週—満35週	5	4	1	-	-	-	-	-	-	-	-	-	-
満36週—満39週	32	22	10	-	-	-	-	-	8	6	2	-	1
満40週—満43週	1	-	1	-	-	-	-	-	-	-	-	-	-
満44週—	-	-	-	-	-	-	-	-	-	-	-	-	-
不 詳 (再 掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) 満28週未満	14	11	3	-	-	-	-	-	2	2	-	-	-
満28週—満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週—満36週	2	1	1	-	-	-	-	-	-	-	-	-	-
満36週—満39週	12	10	2	-	-	-	-	-	2	2	-	-	-
正期(満37週—満41週)	26	16	10	-	-	-	-	-	6	4	2	-	1
過期(満42週—)	-	-	-	-	-	-	-	-	-	-	-	-	-

AT 28 COMPLETED WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1994—CON. 平成 6 年

4.0kg			4.0kg ~ 4.0kg and over				不 詳 Not stated				出産時の平均体重 (kg) Mean birth weight			
男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
140	68	-	52	27	24	1	54	30	21	3	1.94	1.98	1.92	0.77
-	-	-	-	-	-	-	1	-	1	-	0.70	0.73	0.68	-
1	-	-	-	-	-	-	1	-	-	1	1.14	1.16	1.14	0.73
9	4	-	4	3	1	-	3	1	1	1	1.76	1.82	1.73	0.88
42	24	-	21	10	10	1	13	10	2	1	2.52	2.58	2.51	0.89
87	40	-	26	14	12	-	3	1	2	-	3.02	3.08	3.01	0.07
-	-	-	-	-	-	-	-	-	-	-	2.52	2.95	2.30	-
1	-	-	1	-	1	-	33	18	15	-	2.77	2.96	2.59	-
10	4	-	5	3	2	-	7	2	2	3	1.43	1.46	1.41	0.75
-	-	-	-	-	-	-	1	-	1	-	0.70	0.73	0.68	-
1	-	-	-	-	-	-	1	-	-	1	1.14	1.16	1.14	0.73
9	4	-	5	3	2	-	5	2	1	2	1.86	1.91	1.84	0.77
120	58	-	43	23	19	1	14	10	4	-	2.75	2.82	2.72	0.79
9	6	-	3	1	2	-	-	-	-	-	3.15	3.25	3.06	-
139	68	-	51	27	23	1	53	30	21	2	2.02	2.04	2.00	1.28
-	-	-	-	-	-	-	1	-	1	-	0.72	0.74	0.69	-
1	-	-	-	-	-	-	1	-	-	1	1.16	1.16	1.17	0.86
9	4	-	3	3	-	-	3	1	1	1	1.80	1.85	1.76	1.33
42	24	-	21	10	10	1	12	10	2	-	2.60	2.64	2.57	2.22
86	40	-	26	14	12	-	3	1	2	-	3.05	3.10	3.01	0.04
-	-	-	-	-	-	-	-	-	-	-	2.52	2.95	2.30	-
1	-	-	1	-	1	-	33	18	15	-	2.77	2.96	2.59	-
10	4	-	4	3	1	-	6	2	2	2	1.48	1.50	1.46	1.06
-	-	-	-	-	-	-	1	-	1	-	0.72	0.74	0.69	-
1	-	-	-	-	-	-	1	-	-	1	1.16	1.16	1.17	0.86
9	4	-	4	3	1	-	4	2	1	1	1.90	1.94	1.87	1.34
119	58	-	43	23	19	1	14	10	4	-	2.82	2.87	2.77	1.92
9	6	-	3	1	2	-	-	-	-	-	3.15	3.25	3.06	-
1	-	-	1	-	1	-	1	-	-	1	1.21	1.33	1.23	0.21
-	-	-	-	-	-	-	-	-	-	-	0.66	0.68	0.63	-
-	-	-	-	-	-	-	-	-	-	-	0.99	1.14	0.87	0.35
-	-	-	1	-	1	-	-	-	-	-	1.39	1.50	1.46	0.31
1	-	-	-	-	-	-	1	-	-	1	1.70	1.93	1.86	0.15
-	-	-	-	-	-	-	-	-	-	-	1.22	2.07	2.52	0.09
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	1	-	-	1	1.09	1.19	1.06	0.27
-	-	-	-	-	-	-	-	-	-	-	0.66	0.68	0.63	-
-	-	-	-	-	-	-	-	-	-	-	0.99	1.14	0.87	0.35
-	-	-	1	-	1	-	1	-	-	1	1.50	1.65	1.56	0.23
1	-	-	-	-	-	-	-	-	-	-	1.63	1.94	1.87	0.15

妊娠満28週以後の死産数

Foetal deaths at 28 completed weeks
and over of gestationTABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
DISTRIBUTED ACCORDING TO BIRTH WEIGHT, AND
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 妊娠期間 Plurality of birth and period of gestation	総数 Total				0.5 kg 未満 Under 0.5kg				0.5kg 以上		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	4 048	2 074	1 882	92	171	62	61	48	485	239	234
妊娠満28週未満 Under 28 completed weeks	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31 completed weeks	1 091	543	520	28	89	36	43	10	387	191	187
満32週—満35週 32-35 completed weeks	1 151	607	520	24	35	12	13	10	85	44	38
満36週—満39週 36-39 completed weeks	1 322	670	620	32	38	13	5	20	13	4	9
満40週—満43週 40-43 completed weeks	482	253	221	8	9	1	-	8	-	-	-
満44週— 44 completed weeks and over	2	1	1	-	-	-	-	-	-	-	-
不詳 (再掲) (Regrouped)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	2 551	1 313	1 179	59	133	51	57	25	476	238	226
満28週未満 Under 28 completed weeks	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31 completed weeks	1 091	543	520	28	89	36	43	10	387	191	187
満32週—満36週 32-36 completed weeks	1 460	770	659	31	44	15	14	15	89	47	39
正期 (満37週—満41週) Term (37-41)	1 460	744	683	33	38	11	4	23	9	1	8
過期 (満42週—) Post-term (42 completed weeks and over)	37	17	20	-	-	-	-	-	-	-	-
単産 Single delivery	3 690	1 906	1 736	48	84	36	38	10	422	212	200
妊娠満28週未満 Under 28 completed weeks	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31 completed weeks	988	488	479	21	66	31	30	5	346	170	168
満32週—満35週 32-35 completed weeks	1 044	557	473	14	15	5	8	2	70	39	29
満36週—満39週 36-39 completed weeks	1 185	611	563	11	1	-	-	1	6	3	3
満40週—満43週 40-43 completed weeks	471	249	220	2	2	-	-	2	-	-	-
満44週— 44 completed weeks and over	2	1	1	-	-	-	-	-	-	-	-
不詳 (再掲) (Regrouped)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	2 299	1 188	1 075	36	81	36	38	7	419	211	198
満28週未満 Under 28 completed weeks	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31 completed weeks	988	488	479	21	66	31	30	5	346	170	168
満32週—満36週 32-36 completed weeks	1 311	700	596	15	15	5	8	2	73	41	30
正期 (満37週—満41週) Term (37-41)	1 354	701	641	12	3	-	-	3	3	1	2
過期 (満42週—) Post-term (42 completed weeks and over)	37	17	20	-	-	-	-	-	-	-	-
複産 Plural delivery	358	168	146	44	87	26	23	38	63	27	34
妊娠満28週未満 Under 28 completed weeks	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31 completed weeks	103	55	41	7	23	5	13	5	41	21	19
満32週—満35週 32-35 completed weeks	107	50	47	10	20	7	5	8	15	5	9
満36週—満39週 36-39 completed weeks	137	59	57	21	37	13	5	19	7	1	6
満40週—満43週 40-43 completed weeks	11	4	1	6	7	1	-	6	-	-	-
満44週— 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) (Regrouped)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	252	125	104	23	52	15	19	18	57	27	28
満28週未満 Under 28 completed weeks	.	.	.	.	.	.	.	.	.	.	.
満28週—満31週 28-31 completed weeks	103	55	41	7	23	5	13	5	41	21	19
満32週—満36週 32-36 completed weeks	149	70	63	16	29	10	6	13	16	6	9
正期 (満37週—満41週) Term (37-41)	106	43	42	21	35	11	4	20	6	-	6
過期 (満42週—) Post-term (42 completed weeks and over)	-	-	-	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・
早期—正期—過期再掲) 別AT 28 COMPLETED WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS)
MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD: JAPAN, 1994-CON.

平成 6 年

1.0kg 未満 Not stated	1.0 ~ 1.5kg				1.5 ~ 2.0kg				2.0 ~ 2.5kg			
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
12	739	382	345	12	710	372	331	7	702	336	360	6
.	.	.	.	.	.	.	.	.	.	.	.	.
9	417	218	193	6	151	76	73	2	35	16	19	-
3	265	135	126	4	379	198	177	4	289	155	133	1
-	54	28	24	2	162	89	72	1	332	145	182	5
-	3	1	2	-	18	9	9	-	45	20	25	-
-	-	-	-	-	-	-	-	-	1	-	1	-
.	.	.	.	.	.	.	.	.	.	.	.	.
12	705	362	332	11	602	318	278	6	433	228	204	1
.	.	.	.	.	.	.	.	.	.	.	.	.
9	417	218	193	6	151	76	73	2	35	13	19	-
3	288	144	139	5	451	242	205	4	398	212	185	1
-	34	20	13	1	106	53	52	1	267	108	154	5
-	-	-	-	-	2	1	1	-	2	-	2	-
10	673	344	319	10	653	342	305	6	651	308	337	6
8	387	196	186	5	145	71	72	2	33	15	18	-
2	240	125	112	3	357	187	166	4	270	142	127	1
-	43	22	19	2	134	76	58	-	304	133	166	5
-	3	1	2	-	17	8	9	-	43	18	25	-
-	-	-	-	-	-	-	-	-	1	-	1	-
.	.	.	.	.	.	.	.	.	.	.	.	.
10	647	328	310	9	563	297	260	6	399	208	190	1
8	387	196	186	5	145	71	72	2	33	15	18	-
2	260	132	124	4	418	226	188	4	366	193	172	1
-	26	16	9	1	88	44	44	-	250	100	145	5
-	-	-	-	-	2	1	1	-	2	-	2	-
2	66	38	26	2	57	30	26	1	51	28	23	-
1	30	22	7	1	6	5	1	-	2	1	1	-
1	25	10	14	1	22	11	11	-	19	13	6	-
-	11	6	5	-	28	13	14	1	28	12	16	-
-	-	-	-	-	1	1	-	-	2	2	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
2	58	34	22	2	39	21	18	-	34	20	14	-
1	30	22	7	1	6	5	1	-	2	1	1	-
1	28	12	15	1	33	16	17	-	32	19	13	-
-	8	4	4	-	18	9	8	1	17	8	9	-
-	-	-	-	-	-	-	-	-	-	-	-	-

5 表 (6-4)

第5表 周産期死亡数, 出産時の体重; 出産時

単産—複産・妊娠期間（4週区分）

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
DISTRIBUTED ACCORDING TO BIRTH WEIGHT, AND
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数

Foetal deaths at 28 completed weeks
 and over of gestation

[illegible]

PERINATAL MORTALITY

の平均体重, 妊娠満28週以後の死産・早期新生児死亡・性・

早期—正期—過期再揭) 別

AT 28 COMPLETED WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1994-CON. 平成 (

平成 6 年

～ 4.0kg			4.0kg ～ 4.0kg and over				不 詳 Not stated				出産時の平均体重 (kg) Mean birth weight			
男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
67	44	-	29	18	10	1	6	2	1	3	1.95	2.00	1.95	0.77
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	-	-	-	-	-	-	1	-	-	1	1.10	1.12	1.10	0.73
3	3	-	2	1	1	-	3	1	1	1	1.73	1.77	1.71	0.88
18	16	-	12	8	3	1	2	1	-	1	2.47	2.52	2.48	0.89
45	25	-	15	9	6	-	-	-	-	-	2.99	3.09	2.98	0.07
-	-	-	-	-	-	-	-	-	-	-	2.65	2.95	2.35	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	3	-	2	1	1	-	6	2	1	3	1.51	1.55	1.50	0.75
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	-	-	-	-	-	-	1	-	-	1	1.10	1.12	1.10	0.73
3	3	-	2	1	1	-	5	2	1	2	1.81	1.85	1.82	0.77
61	38	-	24	16	7	1	-	-	-	-	2.69	2.78	2.68	0.79
2	3	-	3	1	2	-	-	-	-	-	3.14	3.12	3.15	-
67	44	-	28	18	9	1	5	2	1	2	2.02	2.05	1.99	1.28
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	-	-	-	-	-	-	1	-	-	1	1.12	1.12	1.13	0.86
3	3	-	1	1	-	-	3	1	1	1	1.77	1.80	1.74	1.33
18	16	-	12	8	3	1	1	1	-	-	2.57	2.60	2.55	2.22
45	25	-	15	9	6	-	-	-	-	-	3.04	3.11	2.99	0.04
-	-	-	-	-	-	-	-	-	-	-	2.65	2.95	2.35	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	3	-	1	1	-	-	5	2	1	2	1.54	1.57	1.53	1.06
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	-	-	-	-	-	-	1	-	-	1	1.12	1.12	1.13	0.86
3	3	-	1	1	-	-	4	2	1	1	1.86	1.88	1.85	1.34
61	38	-	24	16	7	1	-	-	-	-	2.79	2.85	2.74	1.92
2	3	-	3	1	2	-	-	-	-	-	3.14	3.12	3.15	-
-	-	-	1	-	1	-	1	-	-	1	1.28	1.45	1.39	0.21
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	1	-	1	-	-	-	-	-	0.91	1.09	0.75	0.35
-	-	-	-	-	-	-	-	-	-	-	1.34	1.50	1.39	0.31
-	-	-	-	-	-	-	1	-	-	1	1.53	1.73	1.82	0.15
-	-	-	-	-	-	-	-	-	-	-	0.90	1.71	2.60	0.09
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	1	-	1	-	1	-	-	1	1.20	1.36	1.21	0.27
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	1	-	1	-	1	-	-	1	0.91	1.09	0.75	0.35
-	-	-	-	-	-	-	-	-	-	-	1.41	1.56	1.52	0.23
-	-	-	-	-	-	-	-	-	-	-	1.45	1.73	1.81	0.15

第5表 周産期死亡数, 出産時の体重; 出産時

単産—複産・妊娠期間(4週区分・

早期新生児(生後1週未満)死亡数
Early neonatal deaths
(Under 1 week)TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
DISTRIBUTED ACCORDING TO BIRTH WEIGHT, AND
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 妊娠期間 Plurality of birth and period of gestation	総数 Total				0.5 kg 未満 Under 0.5kg				0.5kg 以上		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	2 086	1 204	882	.	97	41	56	.	487	287	200
妊娠満28週未満 Under 28 completed weeks	588	334	254	.	96	40	56	.	431	257	174
満28週～満31週 28-31 completed weeks	233	146	87	.	1	1	-	.	40	23	17
満32週～満35週 32-35	274	155	119	.	-	-	-	.	13	5	8
満36週～満39週 36-39	625	368	257	.	-	-	-	.	1	-	1
満40週～満43週 40-43	324	179	145	.	-	-	-	.	2	2	-
満44週～ 44 completed weeks and over	1	-	1	.	-	-	-	.	-	-	-
不詳 (再掲) (Regrouped)	41	22	19	.	-	-	-	.	-	-	-
早期(満37週未満) Pre-term	1 216	709	507	.	97	41	56	.	485	285	200
満28週未満 Under 28 completed weeks	588	334	254	.	96	40	56	.	431	257	174
満28週～満31週 28-31 completed weeks	233	146	87	.	1	1	-	.	40	23	17
満32週～満36週 32-36	395	229	166	.	-	-	-	.	14	5	9
正期(満37週～満41週) Term (37-41)	797	459	338	.	-	-	-	.	2	2	-
過期(満42週～) Post-term (42 completed weeks and over)	32	14	18	.	-	-	-	.	-	-	-
単産 Single delivery	1 840	1 069	771	.	66	30	36	.	371	220	151
妊娠満28週未満 満28週～満31週 満32週～満35週 満36週～満39週 満40週～満43週 満44週～	447 192 251 586 322 1	259 122 146 342 178 -	188 70 105 244 144 1	.	66 - - - - -	30 - - - - -	36 - - - - -	.	326 32 10 1 2 -	196 20 2 - 2 -	130 12 8 1 - -
不詳 (再掲)	41	22	19	.	-	-	-	.	-	-	-
早期(満37週未満) 満28週未満 満28週～満31週 満32週～満36週 正期(満37週～満41週) 過期(満42週～)	996 447 192 357 771 32	590 259 122 209 443 14	406 188 70 148 328 18	.	66 66 - - - -	30 30 - - - -	36 36 - - - -	.	369 326 32 11 2 -	218 196 20 9 2 -	151 130 12 9 - -
複産 Plural delivery	246	135	111	.	31	11	20	.	116	67	49
妊娠満28週未満 満28週～満31週 満32週～満35週 満36週～満39週 満40週～満43週 満44週～	141 41 23 39 2 -	75 24 9 26 1 -	66 17 14 13 1 -	.	30 1 - - - -	10 1 - - - -	20 - - - - -	.	105 8 3 - - -	61 3 3 - - -	44 5 - - - -
不詳 (再掲)	-	-	-	.	-	-	-	.	-	-	-
早期(満37週未満) 満28週未満 満28週～満31週 満32週～満36週 正期(満37週～満41週) 過期(満42週～)	220 141 41 38 26 -	119 75 24 20 16 -	101 66 17 18 10 -	.	31 30 1 - - -	11 10 1 - - -	20 20 - - - -	.	116 105 8 3 - -	67 61 3 - - -	49 44 5 - - -

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・

早期—正期—過期再掲) 別

AT 28 COMPLETED WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS)
MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1994—CON.

平成6年

1.0kg 未満 Not stated	1.0 ~ 1.5kg				1.5 ~ 2.0kg				2.0 ~ 2.5kg			
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
.	266	165	101	.	236	130	106	.	220	117	103	.
.	56	35	21	.	4	2	2	.	-	-	-	.
.	124	84	40	.	52	31	21	.	9	6	3	.
.	61	33	28	.	95	54	41	.	62	34	28	.
.	23	12	11	.	76	36	40	.	119	63	56	.
.	1	1	-	.	9	7	2	.	27	13	14	.
.	-	-	-	.	-	-	-	.	1	-	1	.
.	1	-	1	.	-	-	-	.	2	1	1	.
.	252	158	94	.	181	104	77	.	100	55	45	.
.	56	35	21	.	4	2	2	.	-	-	-	.
.	124	84	40	.	52	31	21	.	9	6	3	.
.	72	39	33	.	125	71	54	.	91	49	42	.
.	13	7	6	.	55	26	29	.	115	61	54	.
.	-	-	-	.	-	-	-	.	3	-	3	.
.	230	146	84	.	207	115	92	.	203	109	94	.
.	51	31	20	.	3	2	1	.	-	-	-	.
.	100	70	30	.	45	25	20	.	9	6	3	.
.	56	33	23	.	84	50	34	.	58	32	26	.
.	21	11	10	.	66	31	35	.	107	57	50	.
.	1	1	-	.	9	7	2	.	26	13	13	.
.	-	-	-	.	-	-	-	.	1	-	1	.
.	1	-	1	.	-	-	-	.	2	1	1	.
.	217	140	77	.	156	90	66	.	93	51	42	.
.	51	31	20	.	3	2	1	.	-	-	-	.
.	100	70	30	.	45	25	20	.	9	6	3	.
.	66	39	27	.	108	63	45	.	84	45	39	.
.	12	6	6	.	51	25	26	.	105	57	48	.
.	-	-	-	.	-	-	-	.	3	-	3	.
.	36	19	17	.	29	15	14	.	17	8	9	.
.	5	4	1	.	1	-	1	.	-	-	-	.
.	24	14	10	.	7	6	1	.	-	-	-	.
.	5	-	5	.	11	4	7	.	4	2	2	.
.	2	1	1	.	10	5	5	.	12	6	6	.
.	-	-	-	.	-	-	-	.	1	-	1	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	35	18	17	.	25	14	11	.	7	4	3	.
.	5	4	1	.	1	-	1	.	-	-	-	.
.	24	14	10	.	7	6	1	.	-	-	-	.
.	6	-	6	.	17	8	9	.	7	4	3	.
.	1	1	-	.	4	1	3	.	10	4	6	.
.	-	-	-	.	-	-	-	.	-	-	-	.

第5表 周産期死亡数, 出産時の体重; 出産時
単産—複産・妊娠期間 (4 週区分・早期新生児(生後1週未満)死亡数
Early neonatal deaths
(Under 1 week)TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
DISTRIBUTED ACCORDING TO BIRTH WEIGHT, AND
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 妊娠期間 Plurality of birth and period of gestation	2.5 ~ 3.0kg				(再掲) (Regrouped) 2500g ちょうど Just 2500g				3.0 ~ 3.5kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	354	206	148	.	7	3	4	.	258	148	110	.	97
妊娠満28週未満 Under 28 completed weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31 completed weeks	6	1	5	.	-	-	-	.	1	-	1	.	-
満32週—満35週 32-35 completed weeks	27	17	10	.	3	2	1	.	7	4	3	.	7
満36週—満39週 36-39 completed weeks	230	142	88	.	2	-	2	.	124	80	44	.	32
満40週—満43週 40-43 completed weeks	89	45	44	.	2	1	1	.	125	63	62	.	57
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-	.	-
不詳 (Not stated)	2	1	1	.	-	-	-	.	1	1	-	.	1
(再掲) (Regrouped)													
早期(満37週未満) Pre-term	69	45	24	.	3	2	1	.	21	13	8	.	7
満28週未満 Under 28 completed weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31 completed weeks	6	1	5	.	-	-	-	.	1	-	1	.	-
満32週—満36週 32-36 completed weeks	63	44	19	.	3	2	1	.	20	13	7	.	7
正期(満37週—満41週) Term(37-41)	276	159	117	.	4	1	3	.	224	128	96	.	79
過期(満42週—) Post-term (42 completed weeks and over)	7	1	6	.	-	-	-	.	12	6	6	.	10
単産 Single delivery	340	194	146	.	7	3	4	.	256	146	110	.	96
妊娠満28週未満 Under 28 completed weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31 completed weeks	5	1	4	.	-	-	-	.	1	-	1	.	-
満32週—満35週 32-35 completed weeks	27	17	10	.	3	2	1	.	7	4	3	.	7
満36週—満39週 36-39 completed weeks	217	130	87	.	2	-	2	.	122	78	44	.	32
満40週—満43週 40-43 completed weeks	89	45	44	.	2	1	1	.	125	63	62	.	56
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-	.	-
不詳 (Not stated)	2	1	1	.	-	-	-	.	1	1	-	.	1
(再掲) (Regrouped)													
早期(満37週未満) Pre-term	65	42	23	.	3	2	1	.	19	11	8	.	7
満28週未満 Under 28 completed weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31 completed weeks	5	1	4	.	-	-	-	.	1	-	1	.	-
満32週—満36週 32-36 completed weeks	60	41	19	.	3	2	1	.	18	11	7	.	7
正期(満37週—満41週) Term(37-41)	266	150	116	.	4	1	3	.	224	128	96	.	78
過期(満42週—) Post-term (42 completed weeks and over)	7	1	6	.	-	-	-	.	12	6	6	.	10
複産 Plural delivery	14	12	2	.	-	-	-	.	2	2	-	.	1
妊娠満28週未満 Under 28 completed weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31 completed weeks	1	-	1	.	-	-	-	.	-	-	-	.	-
満32週—満35週 32-35 completed weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満36週—満39週 36-39 completed weeks	13	12	1	.	-	-	-	.	2	2	-	.	-
満40週—満43週 40-43 completed weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-	.	-
不詳 (Not stated)	-	-	-	.	-	-	-	.	-	-	-	.	-
(再掲) (Regrouped)													
早期(満37週未満) Pre-term	4	3	1	.	-	-	-	.	2	2	-	.	-
満28週未満 Under 28 completed weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31 completed weeks	1	-	1	.	-	-	-	.	-	-	-	.	-
満32週—満36週 32-36 completed weeks	3	3	-	.	-	-	-	.	2	2	-	.	-
正期(満37週—満41週) Term(37-41)	10	9	1	.	-	-	-	.	-	-	-	.	-
過期(満42週—) Post-term (42 completed weeks and over)	-	-	-	.	-	-	-	.	-	-	-	.	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・
早期—正期—過期再掲)別AT 28 COMPLETED WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS)
MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1994—CON. 平成 6 年

~ 4.0kg			4.0kg ~ 4.0kg and over				不詳 Not stated				出産時の平均体重 (kg) Mean birth weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
73	24	.	23	9	14	.	48	28	20	.	1.91	1.93	1.87	.
-	-	.	-	-	-	.	1	-	1	.	0.70	0.73	0.68	.
-	-	.	-	-	-	.	-	-	-	.	1.33	1.32	1.37	.
6	1	.	2	2	-	.	-	-	-	.	1.92	1.99	1.83	.
24	8	.	9	2	7	.	11	9	2	.	2.64	2.69	2.58	.
42	15	.	11	5	6	.	3	1	2	.	3.07	3.08	3.05	.
-	-	.	-	-	-	.	-	-	-	.	2.25	-	2.25	.
1	-	.	1	-	1	.	33	18	15	.	2.77	2.96	2.59	.
6	1	.	3	2	1	.	1	-	1	.	1.26	1.29	1.21	.
-	-	.	-	-	-	.	1	-	1	.	0.70	0.73	0.68	.
-	-	.	-	-	-	.	-	-	-	.	1.33	1.32	1.37	.
6	1	.	3	2	1	.	-	-	-	.	2.04	2.10	1.94	.
59	20	.	19	7	12	.	14	10	4	.	2.85	2.88	2.81	.
7	3	.	-	-	-	.	-	-	-	.	3.15	3.41	2.95	.
72	24	.	23	9	14	.	48	28	20	.	2.02	2.03	2.00	.
-	-	.	-	-	-	.	1	-	1	.	0.72	0.74	0.69	.
-	-	.	-	-	-	.	-	-	-	.	1.36	1.33	1.42	.
6	1	.	2	2	-	.	-	-	-	.	1.95	2.03	1.85	.
24	8	.	9	2	7	.	11	9	2	.	2.67	2.71	2.61	.
41	15	.	11	5	6	.	3	1	2	.	3.07	3.08	3.06	.
-	-	.	-	-	-	.	-	-	-	.	2.25	-	2.25	.
1	-	.	1	-	1	.	33	18	15	.	2.77	2.96	2.59	.
6	1	.	3	2	1	.	1	-	1	.	1.32	1.35	1.28	.
-	-	.	-	-	-	.	1	-	1	.	0.72	0.74	0.69	.
-	-	.	-	-	-	.	-	-	-	.	1.36	1.33	1.42	.
6	1	.	3	2	1	.	-	-	-	.	2.06	2.12	1.97	.
58	20	.	19	7	12	.	14	10	4	.	2.87	2.90	2.83	.
7	3	.	-	-	-	.	-	-	-	.	3.15	3.41	2.95	.
1	-	.	-	-	-	.	-	-	-	.	1.11	1.19	1.02	.
-	-	.	-	-	-	.	-	-	-	.	0.66	0.68	0.63	.
-	-	.	-	-	-	.	-	-	-	.	1.20	1.23	1.16	.
-	-	.	-	-	-	.	-	-	-	.	1.60	1.48	1.68	.
-	-	.	-	-	-	.	-	-	-	.	2.27	2.40	2.02	.
1	-	.	-	-	-	.	-	-	-	.	2.98	3.51	2.44	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
-	-	.	-	-	-	.	-	-	-	.	0.96	1.01	0.91	.
-	-	.	-	-	-	.	-	-	-	.	0.66	0.68	0.63	.
-	-	.	-	-	-	.	-	-	-	.	1.20	1.23	1.16	.
-	-	.	-	-	-	.	-	-	-	.	1.85	1.96	1.72	.
1	-	.	-	-	-	.	-	-	-	.	2.35	2.50	2.11	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.