

周産期死亡

[月別にみた周産期死亡]
[Perinatal deaths by months]

表 8.3 月別にみた妊娠満28週以後の死産—早期新生児死亡・年次別周産期死亡数及び率¹⁾ (出生千対)
Table 8.3 Trends in perinatal deaths and perinatal death rates (per 1,000 live births) by months: Japan

年次	総数	1月	2月	3月	4月	5月	6月	7月	8月	9月	10月	11月	12月
Year	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
周産期死亡数 Perinatal deaths													
1970	41 917	3 864	3 545	3 856	3 522	3 468	3 428	3 699	3 341	3 220	3 256	3 116	3 602
75	30 513	2 733	2 523	2 705	2 538	2 656	2 545	2 760	2 628	2 330	2 366	2 217	2 512
80	18 385	1 544	1 472	1 546	1 560	1 620	1 514	1 633	1 604	1 517	1 449	1 431	1 495
85	11 470	961	952	983	916	1 043	969	1 000	1 007	906	953	861	919
90	7 001	636	532	625	617	582	577	558	613	569	581	551	560
91	6 544	504	504	569	519	607	566	576	568	539	524	532	536
92	6 321	532	479	521	515	536	524	628	538	585	522	456	485
93	5 989	505	479	516	492	521	497	517	510	475	496	463	518
妊娠満28週以後の死産数 Foetal deaths at 28 completed weeks and over of gestation													
1970	29 107	2 766	2 522	2 746	2 497	2 437	2 385	2 514	2 261	2 209	2 207	2 105	2 458
75	20 268	1 860	1 711	1 858	1 706	1 769	1 659	1 748	1 764	1 528	1 549	1 442	1 674
80	12 231	1 054	991	1 027	1 069	1 080	988	1 105	1 073	985	986	921	952
85	7 733	659	654	656	630	671	644	690	682	609	626	607	605
90	4 664	447	385	430	407	381	378	376	399	361	377	365	358
91	4 376	315	340	381	366	408	381	392	390	358	337	360	348
92	4 191	371	315	347	335	362	362	426	358	392	315	293	315
93	3 954	341	342	343	347	344	327	343	329	294	322	294	328
早期新生児死亡数 Early neonatal deaths													
1970	12 810	1 098	1 023	1 110	1 025	1 031	1 043	1 185	1 080	1 011	1 049	1 011	1 144
75	10 245	873	812	847	832	887	886	1 012	864	802	817	775	838
80	6 154	490	481	519	491	540	526	528	531	532	463	510	543
85	3 737	302	298	327	286	372	325	310	325	297	327	254	314
90	2 337	189	147	195	210	201	199	182	214	208	204	186	202
91	2 168	189	164	188	153	199	185	184	178	181	187	172	188
92	2 130	161	164	174	180	174	162	202	180	193	207	163	170
93	2 035	164	137	173	145	177	170	174	181	181	174	169	190
周産期死亡率 Perinatal death rates													
1970	21.7	22.1	22.9	23.5	21.2	21.6	22.4	21.8	20.4	20.5	21.3	20.9	21.5
75	16.0	16.3	16.5	16.9	15.9	16.5	16.7	16.4	16.0	14.6	15.3	15.5	16.0
80	11.7	11.4	11.8	11.9	12.2	12.1	11.8	11.8	11.6	11.1	10.9	11.9	11.7
85	8.0	8.0	8.6	8.5	8.0	8.6	8.3	7.7	8.0	7.4	7.7	7.7	7.7
90	5.7	6.1	5.7	6.2	6.2	5.5	5.8	5.2	5.7	5.6	5.6	5.7	5.5
91	5.3	5.0	5.5	5.7	5.3	5.8	5.6	5.3	5.3	5.2	4.9	5.4	5.2
92	5.2	5.3	5.2	5.4	5.3	5.2	5.2	5.8	5.1	5.5	5.1	4.8	4.8
93	5.0	5.1	5.4	5.3	5.1	5.1	5.0	4.9	4.9	4.7	5.1	4.9	5.2
妊娠満28週以後の死産比 Foetal death ratio at 28 completed weeks and over of gestation													
1970	15.0	15.8	16.3	16.7	15.0	15.1	15.6	14.8	13.8	14.1	14.4	14.1	14.7
75	10.7	11.1	11.2	11.6	10.7	11.0	10.9	10.4	10.7	9.6	10.0	10.1	10.7
80	7.8	7.8	7.9	7.9	8.3	8.0	7.7	8.0	7.8	7.2	7.4	7.6	7.5
85	5.4	5.5	5.9	5.7	5.5	5.5	5.5	5.3	5.4	5.0	5.1	5.4	5.1
90	3.8	4.3	4.2	4.3	4.1	3.6	3.8	3.5	3.7	3.5	3.7	3.8	3.5
91	3.6	3.1	3.7	3.8	3.7	3.9	3.8	3.6	3.7	3.4	3.2	3.6	3.3
92	3.5	3.7	3.4	3.6	3.4	3.5	3.6	3.9	3.4	3.7	3.1	3.1	3.1
93	3.3	3.4	3.8	3.5	3.6	3.4	3.3	3.3	3.2	2.9	3.3	3.1	3.3
早期新生児死亡率 Early neonatal death rates													
1970	6.6	6.3	6.6	6.8	6.2	6.4	6.8	7.0	6.6	6.4	6.9	6.8	6.8
75	5.4	5.2	5.3	5.3	5.2	5.5	5.8	6.0	5.3	5.0	5.3	5.4	5.3
80	3.9	3.6	3.8	4.0	3.8	4.0	4.1	3.8	3.8	3.9	3.5	4.2	4.3
85	2.6	2.5	2.7	2.8	2.5	3.1	2.8	2.4	2.6	2.4	2.7	2.3	2.6
90	1.9	1.8	1.6	1.9	2.1	1.9	2.0	1.7	2.0	2.0	2.0	1.9	2.0
91	1.8	1.9	1.8	1.9	1.6	1.9	1.8	1.7	1.7	1.7	1.8	1.7	1.8
92	1.8	1.6	1.8	1.8	1.8	1.7	1.6	1.9	1.7	1.8	2.0	1.7	1.7
93	1.7	1.6	1.5	1.8	1.5	1.7	1.7	1.7	1.7	1.8	1.8	1.8	1.9

注: 1) 計算方法は53ページの「月間周産期死亡率」を参照されたい。

Perinatal mortality

[出産時の体重別にみた周産期死亡]
[Perinatal deaths by birth weight]

表 8.4 性・体重別にみた妊娠満28週以後の死産—早期新生児死亡別周産期死亡数・率 (性・体重別出生千対) 及び百分率

Table 8.4 Perinatal deaths, perinatal death rates (per 1,000 live births) and percent distribution by sex and birth weight: Japan, 1993

年次	性別	総数	周産期死亡数 Perinatal deaths								(再掲) 2.5kg 以下 2.5kg and under (Regrouped)
			~0.9kg	1.0~1.4	1.5~1.9	2.0~2.4	2.5~2.9	3.0~3.4	3.5~3.9	4.0~	
平成5年	総数 Total	5 989	1 179	952	988	935	932	678	191	67	4 066
	男 M.	3 152	617	516	487	480	490	375	107	44	2 107
	女 F.	2 754	501	426	495	452	441	301	84	23	1 879
妊娠満28週以後の死産 Foetal deaths at 28 completed weeks and over of gestation	男 M.	2 020	312	391	343	333	318	223	63	30	1 384
	女 F.	1 851	283	333	370	322	294	180	55	11	1 311
早期新生児死亡 Early neonatal deaths	男 M.	1 132	305	125	144	147	172	152	44	14	723
	女 F.	903	218	93	125	130	147	121	29	12	568
総数 Total	男 M.	5.0	484.4	220.4	89.4	14.7	2.4	1.3	1.1	3.4	48.8
	女 F.	4.8	418.2	207.0	90.2	13.0	2.1	1.2	1.2	3.3	42.1
妊娠満28週以後の死産比 Foetal death ratio at 28 completed weeks and over of gestation	男 M.	3.3	269.5	169.9	65.1	10.4	1.6	0.8	0.7	2.1	33.3
	女 F.	3.2	236.2	161.8	67.4	9.3	1.4	0.7	0.8	1.6	29.4
早期新生児死亡率 Early neonatal death rates	男 M.	1.9	246.8	55.3	25.9	5.1	1.0	0.5	0.4	1.1	18.7
	女 F.	1.6	182.0	45.2	22.8	3.7	0.7	0.5	0.4	1.7	12.7
総数 Total	男 M.	100.0	19.9	16.1	16.7	15.8	15.7	11.4	3.2	1.1	68.7
	女 F.	100.0	19.8	16.6	15.6	15.4	15.7	12.0	3.4	1.4	67.6
妊娠満28週以後の死産 Foetal death at 28 completed weeks and over of gestation	男 M.	100.0	15.5	19.4	17.0	16.5	15.8	11.1	3.1	1.5	68.8
	女 F.	100.0	15.3	18.0	20.0	17.4	15.9	9.7	3.0	0.6	70.9
早期新生児死亡 Early neonatal death	男 M.	100.0	27.7	11.3	13.1	13.3	15.6	13.8	4.0	1.3	65.5
	女 F.	100.0	24.9	10.6	14.3	14.9	16.8	13.8	3.3	1.4	64.9

注: 1) 性・体重ともに不詳を含む。
2) 周産期死亡率 = $\frac{\text{年間の性・体重階級別周産期死亡数}}{\text{年間の性・体重階級別出生数}} \times 1,000$
3) 体重不詳を除き算出した。