

表 5.12 年次別にみた主要死因の

Table 5.12 Trends in deaths and death rates (per 100,000)

総 数
Total

年 次 ³⁾ Year		死 亡 総 数 ⁴⁾		結 核		悪 性 新 生 物		糖 尿 病		心 疾 患	
		5 ~ 6 ²⁾		28 ~ 37		39		46, 51 ~ 52, 54 ~ 56			
		死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates
1899	明治32年	932 087	2 147. 5	67 599	155. 7	19 382	44. 7	---	---	21 113	48. 6
1900	33	910 744	2 077. 1	71 771	163. 7	20 334	46. 4	---	---	21 107	48. 1
01	34	925 810	2 087. 1	76 614	172. 7	22 149	49. 9	---	---	21 869	49. 3
02	35	959 126	2 133. 1	82 559	183. 6	24 598	54. 7	---	---	23 837	53. 0
03	36	931 008	2 044. 1	85 132	186. 9	25 550	56. 1	---	---	23 665	52. 0
04	37	955 400	2 070. 9	87 260	189. 1	25 993	56. 3	---	---	25 435	55. 1
05	38	1 004 661	2 155. 0	96 030	206. 0	26 668	57. 2	---	---	25 888	55. 5
06	39	955 256	2 030. 8	96 069	204. 2	27 863	59. 2	---	---	25 792	54. 8
07	40	1 016 798	2 144. 4	96 584	203. 7	28 451	60. 0	---	---	28 645	60. 4
08	41	1 029 447	2 146. 2	98 871	206. 1	30 440	63. 5	---	---	28 575	59. 6
09	42	1 091 264	2 247. 5	113 622	234. 0	32 797	67. 5	1 057	2. 2	32 580	67. 1
1910	43	1 064 234	2 163. 8	113 203	230. 2	32 998	67. 1	1 089	2. 2	31 976	65. 0
11	44	1 043 906	2 094. 0	110 722	222. 1	34 219	68. 6	1 212	2. 4	31 555	63. 3
12	大正元年	1 037 016	2 050. 4	114 197	225. 8	34 444	68. 1	1 331	2. 6	31 223	61. 7
13	2	1 027 257	2 002. 3	110 753	215. 9	35 712	69. 6	1 373	2. 7	31 092	60. 6
14	3	1 011 815	2 117. 3	113 341	217. 8	36 931	71. 0	1 467	2. 8	32 476	62. 4
15	4	1 093 793	2 073. 5	115 913	219. 7	37 789	71. 6	1 609	3. 1	33 586	63. 7
16	5	1 187 832	2 220. 4	121 810	227. 7	39 410	73. 7	1 737	3. 2	37 022	69. 2
17	6	1 199 669	2 216. 1	124 787	230. 5	39 365	72. 7	1 801	3. 3	37 862	69. 9
18	7	1 493 162	2 727. 8	140 747	257. 1	40 281	73. 6	1 995	3. 6	44 760	81. 8
19	8	1 281 965	2 329. 4	132 565	240. 9	39 438	71. 7	1 625	3. 0	34 426	62. 6
1920	9	1 422 096	2 541. 1	125 165	223. 7	40 648	72. 6	1 725	3. 1	35 540	63. 5
21	10	1 288 570	2 274. 0	120 719	213. 0	40 877	72. 1	1 890	3. 3	37 420	66. 0
22	11	1 286 941	2 242. 4	125 506	218. 7	41 116	71. 6	1 904	3. 3	37 312	65. 0
23	12	1 332 485	2 292. 7	118 216	203. 4	42 231	72. 7	1 873	3. 2	42 184	72. 6
24	13	1 254 946	2 131. 5	114 229	194. 0	41 671	70. 8	1 963	3. 3	40 676	69. 1
25	14	1 210 706	2 026. 7	115 956	194. 1	42 177	70. 6	1 979	3. 3	39 895	66. 8
26	昭和元年	1 160 734	1 911. 0	113 045	186. 1	43 119	71. 0	2 045	3. 4	37 949	62. 5
27	2	1 214 323	1 969. 4	119 439	193. 7	43 351	70. 3	2 173	3. 5	38 971	63. 2
28	3	1 236 711	1 975. 7	119 632	191. 1	45 086	72. 0	2 171	3. 5	39 908	63. 8
29	4	1 261 228	1 987. 4	123 490	194. 6	44 299	69. 8	2 300	3. 6	41 532	65. 4
1930	5	1 170 867	1 816. 7	119 635	185. 6	45 488	70. 6	2 247	3. 5	41 138	63. 8
31	6	1 240 891	1 895. 7	121 875	186. 2	45 164	69. 0	2 209	3. 4	41 867	64. 0
32	7	1 175 344	1 769. 2	119 196	179. 4	45 883	69. 1	2 331	3. 5	38 973	58. 7
33	8	1 193 987	1 770. 7	126 703	187. 9	47 705	70. 7	2 589	3. 8	40 111	59. 5
34	9	1 234 684	1 807. 5	131 525	192. 5	48 822	71. 5	2 718	4. 0	42 519	62. 2
35	10	1 161 936	1 677. 8	132 151	190. 8	50 080	72. 3	2 527	3. 6	39 902	57. 6
36	11	1 230 278	1 754. 7	145 160	207. 0	50 203	71. 6	2 629	3. 7	42 910	61. 2
37	12	1 207 899	1 710. 2	144 620	204. 8	51 578	73. 0	2 812	4. 0	42 822	60. 6
38	13	1 259 805	1 774. 1	148 827	209. 6	51 358	72. 3	3 043	4. 3	47 461	66. 8
39	14	1 268 760	1 777. 5	154 371	216. 3	52 059	72. 9	2 795	3. 9	47 442	66. 5
1940	15	1 186 595	1 649. 6	153 154	212. 9	51 879	72. 1	2 762	3. 8	45 542	63. 3
41	16	1 149 559	1 603. 7	154 344	215. 3	52 949	73. 9	2 657	3. 7	42 543	59. 2
42	17	1 166 630	1 611. 7	161 484	223. 1	53 897	74. 5	2 619	3. 6	43 487	60. 1
43	18	1 219 073	1 672. 6	171 473	235. 3	53 580	73. 5	2 477	3. 4	45 428	62. 3
47	22	1 138 238	1 457. 4	146 241	187. 2	53 886	69. 0	1 827	2. 3	48 575	62. 2
48	23	950 610	1 188. 2	143 909	179. 9	56 633	70. 8	1 789	2. 2	49 046	61. 3
49	24	945 444	1 156. 2	138 113	168. 9	59 889	73. 2	1 876	2. 3	52 763	64. 5
1950	25	904 876	1 087. 6	121 769	146. 4	64 428	77. 4	2 034	2. 4	53 377	64. 2
51	26	838 998	992. 0	93 307	110. 3	66 354	78. 5	2 058	2. 4	53 750	63. 6
52	27	765 068	891. 1	70 558	82. 2	69 488	80. 9	1 993	2. 3	52 603	61. 3
53	28	772 547	887. 6	57 849	66. 5	71 578	82. 2	2 119	2. 4	56 477	64. 9
54	29	721 491	817. 2	55 124	62. 4	75 309	85. 3	2 040	2. 3	53 128	60. 2

注：1) 死因分類の改正により、年次別比較には完全な内容の一致をみることはできない。本表は、昭和53年までは第8回分類に合致するように小分類によってまとめているが、54年以降は、第9回分類によるため、内容が異なるものが多いので注意を要する。死因内容の変遷は58ページの表2.1を参照されたい。

2) 表頭の死因名等は第9回分類による。

3) 昭和18年以前及び昭和48年以降はすべて沖縄県を含む。また、昭和18年のみは樺太を含む数値である。

昭和19～21年は資料がないため省略した。

4) 総数には男女不詳を含む。

性別死亡数及び率（人口10万対）
population) by sex and leading causes of death : Japan

総 数
Total

48~49		58~60		62, 63, 66		(再 掲)				年 次 ³⁾ Year	
高血圧性疾患		脳血管疾患		肺炎及び気管支炎		63 肺 炎		62, 66 気 管 支 炎			
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
---	---	73 989	170. 5	89 440	206. 1	43 313	99. 8	46 127	106. 3	1899	明治32年
---	---	69 799	159. 2	99 130	226. 1	44 853	102. 3	54 277	123. 8	1900	33
---	---	75 250	169. 6	101 606	229. 1	49 614	111. 8	51 992	117. 2	01	34
---	---	74 935	166. 7	105 129	233. 8	53 502	119. 0	51 627	114. 8	02	35
---	---	73 939	162. 3	98 255	215. 7	48 578	106. 7	49 677	109. 1	03	36
---	---	77 588	168. 2	105 213	228. 2	52 152	113. 0	53 061	115. 0	04	37
---	---	76 169	163. 4	115 326	247. 4	59 877	128. 4	55 449	118. 9	05	38
---	---	73 449	156. 1	105 689	224. 7	53 778	114. 3	51 911	110. 4	06	39
---	---	78 580	165. 7	120 455	254. 0	62 575	132. 0	57 880	122. 1	07	40
---	---	73 760	153. 8	123 129	256. 7	66 260	138. 1	56 869	118. 6	08	41
---	---	67 788	139. 6	130 233	268. 2	70 676	145. 6	59 557	122. 7	09	42
---	---	64 888	131. 9	128 877	262. 0	69 888	142. 1	58 989	119. 9	1910	43
---	---	65 731	131. 9	124 345	249. 4	69 621	139. 7	54 724	109. 8	11	44
---	---	67 489	133. 4	128 056	253. 2	73 902	146. 1	54 154	107. 1	12	大正元年
---	---	66 771	130. 1	132 430	258. 0	80 548	157. 0	51 882	101. 0	13	2
---	---	68 571	131. 8	136 365	262. 0	83 646	160. 7	52 719	101. 3	14	3
---	---	67 921	128. 8	137 730	261. 1	86 014	163. 1	51 716	98. 0	15	4
---	---	73 912	138. 2	158 549	296. 4	99 489	186. 0	59 060	110. 4	16	5
---	---	77 999	144. 1	156 298	288. 7	99 236	183. 3	57 062	105. 4	17	6
---	---	86 262	157. 6	270 620	494. 4	205 533	375. 5	65 087	118. 9	18	7
---	---	84 382	153. 3	203 113	369. 1	151 063	274. 5	52 050	94. 6	19	8
---	---	88 186	157. 6	228 330	408. 0	175 674	313. 9	52 656	94. 1	1920	9
---	---	90 523	159. 7	165 758	292. 5	113 709	200. 7	52 049	91. 9	21	10
---	---	91 433	159. 3	164 401	286. 5	112 642	196. 3	51 759	90. 2	22	11
---	---	94 615	162. 8	155 451	267. 5	119 263	205. 2	36 188	62. 3	23	12
---	---	102 810	174. 6	159 200	270. 4	123 403	209. 6	35 797	60. 8	24	13
---	---	96 293	161. 2	164 649	275. 6	129 129	216. 2	35 520	59. 5	25	14
---	---	98 688	162. 5	139 447	229. 6	108 106	178. 0	31 341	51. 6	26	昭和元年
---	---	101 705	164. 9	153 268	248. 6	119 960	194. 6	33 308	54. 0	27	2
---	---	102 985	164. 5	158 459	253. 1	125 787	201. 0	32 672	52. 2	28	3
---	---	108 439	170. 9	153 056	241. 2	121 181	191. 0	31 875	50. 2	29	4
---	---	104 942	162. 8	128 976	200. 1	101 046	156. 8	27 930	43. 3	1930	5
---	---	107 352	164. 0	159 744	244. 0	129 380	197. 7	30 364	46. 4	31	6
---	---	107 378	161. 6	140 309	211. 2	112 681	169. 6	27 628	41. 6	32	7
---	---	110 719	164. 2	131 644	195. 2	106 247	157. 6	25 397	37. 7	33	8
---	---	114 447	167. 5	151 141	221. 3	124 117	181. 7	27 024	39. 6	34	9
---	---	114 554	165. 4	129 318	186. 7	105 078	151. 7	24 240	35. 0	35	10
---	---	118 152	168. 5	138 324	197. 3	112 204	160. 0	26 120	37. 3	36	11
---	---	118 761	168. 1	132 286	187. 3	108 256	153. 3	24 030	34. 0	37	12
---	---	126 861	178. 6	144 331	203. 2	118 153	166. 4	26 178	36. 9	38	13
---	---	130 826	183. 3	156 657	219. 5	131 542	184. 3	25 115	35. 2	39	14
---	---	127 847	177. 7	133 649	185. 8	111 077	154. 4	22 572	31. 4	1940	15
---	---	125 124	174. 6	126 120	175. 9	104 073	145. 2	22 047	30. 8	41	16
---	---	125 349	173. 2	128 438	177. 4	106 022	146. 5	22 416	31. 0	42	17
---	---	120 985	166. 0	139 762	191. 8	116 494	159. 8	23 268	31. 9	43	18
---	---	101 095	129. 4	136 524	174. 8	101 601	130. 1	34 923	44. 7	47	22
---	---	94 329	117. 9	78 911	98. 6	52 979	66. 2	25 932	32. 4	48	23
---	---	100 278	122. 6	81 812	100. 0	56 213	68. 7	25 599	31. 3	49	24
9 935	11. 9	105 728	127. 1	77 565	93. 2	54 169	65. 1	23 396	28. 1	1950	25
8 865	10. 5	105 858	125. 2	69 555	82. 2	50 612	59. 8	18 943	22. 4	51	26
8 950	10. 4	110 359	128. 5	57 586	67. 1	42 880	49. 9	14 706	17. 1	52	27
9 343	10. 7	116 351	133. 7	62 091	71. 3	46 703	53. 7	15 388	17. 7	53	28
9 100	10. 3	116 925	132. 4	48 256	54. 7	37 719	42. 7	10 537	11. 9	54	29

Note : a) 117 rubrics list see page 456

死 亡

表 5.12 年次別にみた主要死因¹⁾ の
Table 5.12 Trends in deaths and death rates (per 100,000

総 数
Total

年 次 ³⁾ Year		死亡総数 ⁴⁾		5~6 ²⁾		28~37		39		46,51~52,54~56	
		結 核		悪 性 新 生 物		糖 尿 病		心 疾 患			
		死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates
1955	昭和30年	693 523	776.8	46 735	52.3	77 721	87.1	2 191	2.5	54 351	60.9
56	31	724 460	802.6	43 874	48.6	81 879	90.7	2 556	2.8	59 543	66.0
57	32	752 445	826.1	42 718	46.9	83 155	91.3	2 712	3.0	66 571	73.1
58	33	684 189	743.6	36 274	39.4	87 895	95.5	2 664	2.9	59 603	64.8
59	34	689 959	742.1	32 992	35.5	91 286	98.2	2 794	3.0	62 954	67.7
1960	35	706 599	756.4	31 959	34.2	93 773	100.4	3 195	3.4	68 400	73.2
61	36	695 644	737.8	27 916	29.6	96 442	102.3	3 453	3.7	68 017	72.1
62	37	710 265	746.2	27 852	29.3	98 224	103.2	3 823	4.0	72 493	76.2
63	38	670 770	697.6	23 302	24.2	101 426	105.5	3 980	4.1	67 672	70.4
64	39	673 067	692.6	22 929	23.6	104 324	107.3	4 610	4.7	68 328	70.3
65	40	700 438	712.7	22 366	22.8	106 536	108.4	5 115	5.2	75 672	77.0
66	41	670 342	676.7	20 064	20.3	109 805	110.9	5 750	5.8	71 188	71.9
67	42	675 006	677.5	17 708	17.8	112 593	113.0	6 132	6.2	75 424	75.7
68	43	686 555	681.1	16 922	16.8	115 462	114.6	6 403	6.4	80 866	80.2
69	44	693 787	680.0	16 392	16.1	118 559	116.2	7 079	6.9	83 357	81.7
1970	45	712 962	691.4	15 899	15.4	119 977	116.3	7 642	7.4	89 411	86.7
71	46	684 521	656.0	13 608	13.0	122 850	117.7	7 647	7.3	85 529	82.0
72	47	683 751	646.6	12 565	11.9	127 299	120.4	7 875	7.4	85 885	81.2
73	48	709 416	656.4	11 965	11.1	130 964	121.2	8 344	7.7	94 324	87.3
74	49	710 510	649.4	11 418	10.4	133 751	122.2	8 954	8.2	98 251	89.8
75	50	702 275	631.2	10 567	9.5	136 383	122.6	9 032	8.1	99 226	89.2
76	51	703 270	625.6	9 578	8.5	140 893	125.3	9 183	8.2	103 638	92.2
77	52	690 074	608.0	8 803	7.8	145 772	128.4	9 509	8.4	103 564	91.2
78	53	695 821	607.6	8 261	7.2	150 336	131.3	9 685	8.5	106 786	93.3
79	54	689 664	597.3	6 738	5.8	156 661	135.7	8 044	7.0	111 938	96.9
1980	55	722 801	621.4	6 439	5.5	161 764	139.1	8 504	7.3	123 505	106.2
81	56	720 262	614.5	5 698	4.9	166 399	142.0	8 418	7.2	126 012	107.5
82	57	711 883	603.2	5 343	4.5	170 130	144.2	8 687	7.4	125 905	106.7
83	58	740 038	623.0	5 329	4.5	176 206	148.3	8 892	7.5	132 244	111.3
84	59	740 247	619.3	4 950	4.1	182 280	152.5	9 470	7.9	136 162	113.9
85	60	752 283	625.5	4 692	3.9	187 714	156.1	9 244	7.7	141 097	117.3
86	61	750 620	620.6	4 170	3.4	191 654	158.5	9 144	7.6	142 581	117.9
87	62	751 172	618.1	4 022	3.3	199 563	164.2	9 134	7.5	143 909	118.4
88	63	793 014	649.9	3 872	3.2	205 470	168.4	9 647	7.9	157 920	129.4
89	平成元年	788 594	644.0	3 527	2.9	212 625	173.6	9 211	7.5	156 831	128.1
1990	2	820 305	668.4	3 664	3.0	217 413	177.2	9 470	7.7	165 478	134.8
91	3	829 797	674.1	3 325	2.7	223 727	181.7	9 634	7.8	168 878	137.2
92	4	856 643	693.8	3 347	2.7	231 917	187.8	9 823	8.0	175 546	142.2
93	5	878 532	709.7	3 249	2.6	235 707	190.4	10 239	8.3	180 297	145.6

General mortality

性別死亡数及び率（人口10万対）（つづき）
population) by sex and leading causes of death : Japan—con.

総 数
Total

48～49		58～60		62, 63, 66		(再 掲)				年 次 ³⁾ Year	
高血圧性疾患		脳血管疾患		肺炎及び気管支炎		63 肺 炎		62, 66 気 管 支 炎			
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
9 073	10. 2	121 504	136. 1	43 154	48. 3	34 309	38. 4	8 845	9. 9	1955	昭和30年
10 371	11. 5	133 931	148. 4	43 683	48. 4	34 870	38. 6	8 813	9. 8	56	31
11 158	12. 3	138 181	151. 7	53 923	59. 2	43 754	48. 0	10 169	11. 2	57	32
12 565	13. 7	136 767	148. 6	43 832	47. 6	35 252	38. 3	8 580	9. 3	58	33
13 503	14. 5	142 858	153. 7	42 018	45. 2	34 229	36. 8	7 789	8. 4	59	34
15 115	16. 2	150 109	160. 7	46 045	49. 3	37 534	40. 2	8 511	9. 1	1960	35
16 083	17. 1	155 966	165. 4	39 245	41. 6	31 839	33. 8	7 406	7. 9	61	36
17 547	18. 4	161 228	169. 4	42 861	45. 0	34 839	36. 6	8 022	8. 4	62	37
17 469	18. 2	164 818	171. 4	31 899	33. 2	26 109	27. 2	5 790	6. 0	63	38
18 207	18. 7	166 901	171. 7	31 212	32. 1	25 547	26. 3	5 665	5. 8	64	39
18 987	19. 3	172 773	175. 8	36 663	37. 3	29 868	30. 4	6 795	6. 9	65	40
18 405	18. 6	172 186	173. 8	27 942	28. 2	22 654	22. 9	5 288	5. 3	66	41
18 211	18. 3	172 464	173. 1	28 640	28. 7	23 451	23. 5	5 189	5. 2	67	42
18 046	17. 9	174 905	173. 5	32 049	31. 8	25 188	25. 0	6 861	6. 8	68	43
17 374	17. 0	177 894	174. 4	32 283	31. 6	25 408	24. 9	6 875	6. 7	69	44
18 303	17. 7	181 315	175. 8	35 142	34. 1	27 929	27. 1	7 213	7. 0	1970	45
17 386	16. 7	176 952	169. 6	29 649	28. 4	23 102	22. 1	6 547	6. 3	71	46
17 421	16. 5	176 228	166. 7	29 670	28. 1	23 204	21. 9	6 466	6. 1	72	47
18 891	17. 5	180 332	166. 9	33 779	31. 3	26 996	25. 0	6 783	6. 3	73	48
20 117	18. 4	178 365	163. 0	35 692	32. 6	28 557	26. 1	7 135	6. 5	74	49
19 831	17. 8	174 367	156. 7	37 462	33. 7	30 441	27. 4	7 021	6. 3	75	50
19 829	17. 6	173 745	154. 5	36 616	32. 6	29 913	26. 6	6 703	6. 0	76	51
19 333	17. 0	170 029	149. 8	32 430	28. 6	26 440	23. 3	5 990	5. 3	77	52
18 779	16. 4	167 452	146. 2	34 682	30. 3	28 241	24. 7	6 441	5. 6	78	53
16 143	14. 0	158 974	137. 7	32 859	28. 5	27 330	23. 7	5 529	4. 8	79	54
15 911	13. 7	162 317	139. 5	39 241	33. 7	33 051	28. 4	6 190	5. 3	1980	55
15 289	13. 0	157 351	134. 3	39 448	33. 7	33 590	28. 7	5 858	5. 0	81	56
13 771	11. 7	147 537	125. 0	41 335	35. 0	35 338	29. 9	5 997	5. 1	82	57
13 482	11. 3	145 880	122. 8	46 687	39. 3	40 237	33. 9	6 450	5. 4	83	58
13 073	10. 9	140 093	117. 2	44 982	37. 6	38 895	32. 5	6 087	5. 1	84	59
12 700	10. 6	134 994	112. 2	51 366	42. 7	45 075	37. 5	6 291	5. 2	85	60
11 689	9. 7	129 289	106. 9	53 065	43. 9	47 256	39. 1	5 809	4. 8	86	61
10 734	8. 8	123 626	101. 7	54 523	44. 9	49 013	40. 3	5 510	4. 5	87	62
10 258	8. 4	128 695	105. 5	62 914	51. 6	57 055	46. 8	5 859	4. 8	88	63
9 271	7. 6	120 652	98. 5	64 534	52. 7	58 963	48. 1	5 571	4. 5	89	平成元年
9 246	7. 5	121 944	99. 4	74 535	60. 7	68 194	55. 6	6 341	5. 2	1990	2
9 083	7. 4	118 448	96. 2	76 351	62. 0	70 057	56. 9	6 294	5. 1	91	3
8 688	7. 0	118 058	95. 6	80 306	65. 0	74 274	60. 2	6 032	4. 9	92	4
8 360	6. 8	118 794	96. 0	87 409	70. 6	81 138	65. 5	6 271	5. 1	93	5

死 亡

表 5.12 年次別にみた主要死因¹⁾
Table 5.12 Trends in deaths and death rates (per 100,000)

総 数
Total

年 次 ³⁾ Year		68		69		73		76~77 腎炎、ネフローゼ症 候群及びネフローゼ		88	
		喘 息		胃及び十二指腸潰瘍		慢性肝疾患及び肝硬変				精神病の記載のない老衰	
		死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates
1899	明治32年	...	...	...	...	1 743	4.0	13 259	30.5	55 189	127.2
1900	33	...	...	...	...	1 674	3.8	13 134	30.0	57 442	131.0
01	34	...	...	...	...	2 048	4.6	13 971	31.5	49 412	111.4
02	35	...	...	...	...	2 191	4.9	15 705	34.9	52 786	117.4
03	36	...	...	...	...	2 191	4.8	17 795	39.1	56 490	124.0
04	37	...	...	...	...	2 411	5.2	18 690	40.5	63 123	136.8
05	38	...	...	...	...	2 416	5.2	20 129	43.2	65 233	139.9
06	39	...	...	...	...	2 644	5.6	20 537	43.7	60 199	128.0
07	40	...	...	...	...	2 854	6.0	22 582	47.6	62 991	132.8
08	41	...	...	...	...	2 895	6.0	24 047	50.1	59 197	123.4
09	42	6 786	14.0	4 960	10.2	3 171	6.5	26 981	55.6	62 487	128.7
1910	43	6 880	14.0	5 079	10.3	3 265	6.6	26 603	54.1	59 117	120.2
11	44	6 115	12.3	4 884	9.8	3 347	6.7	28 918	58.0	56 792	113.9
12	大正元年	6 427	12.7	5 117	10.1	3 343	6.6	30 897	61.1	57 765	114.2
13	2	6 704	13.1	5 131	10.0	3 208	6.3	32 654	63.6	56 791	110.7
14	3	6 501	12.5	5 410	10.4	3 378	6.5	38 288	73.6	61 574	118.3
15	4	6 329	12.0	5 218	9.9	3 370	6.4	39 064	74.1	59 346	112.5
16	5	7 624	14.3	5 721	10.7	3 676	6.9	44 485	83.2	68 370	127.8
17	6	7 370	13.6	6 121	11.3	3 727	6.9	47 997	88.7	71 628	132.3
18	7	9 515	17.4	6 126	11.2	3 866	7.1	57 473	105.0	82 073	149.9
19	8	6 623	12.0	5 783	10.5	3 443	6.3	52 077	94.6	69 431	126.2
1920	9	7 933	14.2	6 245	11.2	3 876	6.9	55 546	99.3	73 468	131.3
21	10	7 137	12.6	6 704	11.8	3 835	6.8	59 788	105.5	75 654	133.5
22	11	8 068	14.1	6 386	11.1	3 671	6.4	60 870	106.1	75 957	132.4
23	12	6 452	11.1	7 142	12.3	3 936	6.8	62 574	107.7	76 579	131.8
24	13	6 714	11.4	7 391	12.6	4 002	6.8	62 227	105.7	74 003	125.7
25	14	7 421	12.4	7 769	13.0	3 912	6.5	59 873	100.2	70 065	117.3
26	昭和元年	6 160	10.1	7 837	12.9	3 965	6.5	59 581	98.1	67 576	111.3
27	2	6 701	10.9	8 030	13.0	4 291	7.0	60 034	97.4	74 664	121.1
28	3	6 884	11.0	8 610	13.8	4 296	6.9	62 884	100.5	77 251	123.4
29	4	7 043	11.1	8 689	13.7	4 491	7.1	65 391	103.0	79 181	124.8
1930	5	6 651	10.3	9 190	14.3	4 652	7.2	63 435	98.4	76 591	118.8
31	6	7 994	12.2	9 701	14.8	4 295	6.6	64 241	98.1	85 650	130.8
32	7	6 849	10.3	10 056	15.1	4 437	6.7	61 360	92.4	77 529	116.7
33	8	7 422	11.0	10 524	15.6	4 694	7.0	59 986	89.0	82 932	123.0
34	9	8 647	12.7	11 329	16.6	4 696	6.9	59 553	87.2	87 045	127.4
35	10	7 679	11.1	11 276	16.3	4 501	6.5	56 026	80.9	78 972	114.0
36	11	9 485	13.5	11 977	17.1	4 887	7.0	57 771	82.4	91 672	130.7
37	12	8 000	11.3	12 322	17.4	4 912	7.0	56 285	79.7	84 478	119.6
38	13	9 648	13.6	13 279	18.7	4 942	7.0	61 996	87.3	98 451	138.6
39	14	10 321	14.5	13 222	18.5	4 791	6.7	58 799	82.4	95 173	133.3
1940	15	9 172	12.8	12 923	18.0	4 850	6.7	54 703	76.0	89 540	124.5
41	16	9 123	12.7	12 900	18.0	4 758	6.6	49 900	69.6	89 673	125.1
42	17	9 660	13.3	14 911	20.6	4 868	6.7	51 108	70.6	95 998	132.6
43	18	10 960	15.0	17 106	23.5	4 750	6.5	49 708	68.2	99 162	136.1
47	22	14 234	18.2	25 908	33.2	4 671	6.0	45 017	57.6	78 342	100.3
48	23	11 525	14.4	20 705	25.9	5 068	6.3	36 561	45.7	63 639	79.5
49	24	12 002	14.7	19 409	23.7	5 639	6.9	33 707	41.2	65 574	80.2
1950	25	16 233	19.5	19 323	23.2	5 678	6.8	26 978	32.4	58 412	70.2
51	26	14 867	17.6	18 297	21.6	5 767	6.8	24 701	29.2	59 796	70.7
52	27	12 837	15.0	16 991	19.8	6 261	7.3	22 108	25.8	59 514	69.3
53	28	15 776	18.1	16 230	18.6	6 778	7.8	20 160	23.2	67 514	77.6
54	29	11 321	12.8	14 320	16.2	7 454	8.4	19 511	22.1	61 334	69.5

General mortality

性別死亡数及び率（人口10万対）（つづき）
population) by sex and leading causes of death : Japan—con.

総 数
Total

4, 72		E104～E114		(再掲)		E115		年次 ³⁾	
胃腸炎		不慮の事故及び有害作用		E104 自動車事故		自殺		Year	
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
64 960	149.7	21 767	50.1	---	---	5 932	13.7	1899	明治32年
58 664	133.8	19 874	45.3	---	---	5 863	13.4	1900	33
56 129	126.5	17 993	40.6	---	---	7 847	17.7	01	34
55 070	122.5	20 035	44.6	---	---	8 059	17.9	02	35
50 407	110.7	20 472	44.9	---	---	8 814	19.4	03	36
55 057	119.3	21 327	46.2	---	---	8 966	19.4	04	37
63 979	137.2	20 469	43.9	---	---	8 089	17.4	05	38
60 164	127.9	21 720	46.2	---	---	7 657	16.3	06	39
70 149	147.9	22 713	47.9	---	---	7 999	16.9	07	40
68 828	143.5	22 084	46.0	---	---	8 324	17.4	08	41
104 227	214.7	21 328	43.5	---	---	9 141	18.8	09	42
104 950	213.4	22 009	44.3	---	---	9 372	19.1	1910	43
104 964	210.6	22 781	45.7	---	---	9 373	18.8	11	44
101 323	200.3	23 877	47.2	---	---	9 475	18.7	12	大正元年
99 657	194.2	22 333	43.5	---	---	10 367	20.2	13	2
118 308	227.3	25 524	49.0	---	---	10 902	20.9	14	3
117 988	223.7	24 321	46.1	---	---	10 153	19.2	15	4
126 078	235.7	23 914	44.7	---	---	9 599	17.9	16	5
129 869	239.9	26 892	49.7	---	---	9 254	17.1	17	6
145 667	266.1	27 160	49.6	---	---	10 101	18.5	18	7
136 829	248.6	25 165	45.7	---	---	9 924	18.0	19	8
142 278	254.2	26 198	46.8	---	---	10 630	19.0	1920	9
154 912	273.4	24 558	43.3	---	---	11 358	20.0	21	10
153 528	267.5	25 500	44.4	---	---	11 546	20.1	22	11
165 199	284.2	71 322	122.7	---	---	11 488	19.8	23	12
151 874	258.0	25 739	43.7	---	---	11 261	19.1	24	13
142 288	238.2	24 982	41.8	---	---	12 249	20.5	25	14
141 327	232.7	25 627	42.2	---	---	12 484	20.6	26	昭和元年
149 920	243.1	29 327	47.6	---	---	12 845	20.8	27	2
146 517	234.1	26 040	41.6	---	---	13 032	20.8	28	3
156 903	247.2	26 634	42.0	---	---	12 740	20.1	29	4
142 673	221.4	26 295	40.8	---	---	13 942	21.6	1930	5
140 152	214.1	25 270	38.6	---	---	14 353	21.9	31	6
137 426	206.9	26 734	40.2	---	---	14 746	22.2	32	7
139 974	207.6	30 220	44.8	---	---	14 805	22.0	33	8
136 771	200.2	32 029	46.9	---	---	14 554	21.3	34	9
119 931	173.2	29 023	41.9	---	---	14 172	20.5	35	10
129 028	184.0	30 193	43.1	---	---	15 423	22.0	36	11
127 325	180.3	30 205	42.8	---	---	14 295	20.2	37	12
124 744	175.7	31 700	44.6	---	---	12 223	17.2	38	13
119 835	167.9	29 328	41.1	---	---	10 785	15.1	39	14
114 538	159.2	28 408	39.5	---	---	9 877	13.7	1940	15
102 387	142.8	28 808	40.2	---	---	9 713	13.6	41	16
102 784	142.0	31 134	43.1	---	---	9 393	13.0	42	17
111 688	153.2	33 519	46.0	---	---	8 784	12.1	43	18
106 838	136.8	38 533	49.3	1 654	2.1	12 262	15.7	47	22
87 890	109.9	38 975	48.7	1 745	2.2	12 753	15.9	48	23
75 748	92.6	34 277	41.9	1 755	2.1	14 201	17.4	49	24
68 540	82.4	32 850	39.5	3 046	3.7	16 311	19.6	1950	25
57 214	67.7	31 968	37.8	3 388	4.0	15 415	18.2	51	26
45 552	53.1	31 215	36.4	3 901	4.5	15 776	18.4	52	27
40 139	46.1	34 236	39.3	4 923	5.7	17 731	20.4	53	28
34 436	39.0	34 812	39.4	5 873	6.7	20 635	23.4	54	29

死 亡

表 5.12 年次別にみた主要死因の
Table 5.12 Trends in deaths and death rates (per 100,000)

総 数
Total

年 次 ³⁾ Year		68 喘 息		69 胃及び十二指腸潰瘍		73 慢性肝疾患及び肝硬変		76~77 腎炎、ネフローゼ症 候群及びネフローゼ		88 精神病の記載のない老衰	
		死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates
1955	昭和30年	11 309	12.7	13 387	15.0	7 644	8.6	19 122	21.4	59 932	67.1
56	31	12 047	13.3	13 241	14.7	8 313	9.2	19 459	21.6	68 414	75.8
57	32	14 248	15.6	12 888	14.1	8 437	9.3	19 509	21.4	73 283	80.5
58	33	10 164	11.0	11 889	12.9	8 500	9.2	17 440	19.0	51 046	55.5
59	34	9 777	10.5	11 325	12.2	8 794	9.5	16 426	17.7	52 687	56.7
1960	35	11 221	12.0	11 057	11.8	9 078	9.7	15 429	16.5	54 139	58.0
61	36	9 627	10.2	10 336	11.0	9 299	9.9	14 478	15.4	54 880	58.2
62	37	11 513	12.1	10 097	10.6	9 465	9.9	13 863	14.6	54 738	57.5
63	38	8 889	9.2	9 600	10.0	9 734	10.1	12 561	13.1	48 466	50.4
64	39	9 096	9.4	9 332	9.6	9 817	10.1	11 400	11.7	46 995	48.4
65	40	10 812	11.0	9 165	9.3	9 791	10.0	11 515	11.7	49 092	50.0
66	41	9 113	9.2	8 816	8.9	10 059	10.2	10 360	10.5	44 209	44.6
67	42	9 224	9.3	8 739	8.8	10 419	10.5	9 840	9.9	43 129	43.3
68	43	9 395	9.3	8 759	8.7	11 314	11.2	10 080	10.0	39 750	39.4
69	44	8 662	8.5	8 439	8.3	12 013	11.8	10 054	9.9	37 817	37.1
1970	45	9 113	8.8	7 997	7.8	12 898	12.5	9 188	8.9	39 277	38.1
71	46	7 925	7.6	7 388	7.1	12 994	12.5	8 567	8.2	35 457	34.0
72	47	7 353	7.0	7 377	7.0	13 587	12.8	7 737	7.3	32 520	30.8
73	48	7 198	6.7	7 207	6.7	14 242	13.2	7 717	7.1	33 415	30.9
74	49	7 347	6.7	7 138	6.5	14 658	13.4	7 388	6.8	32 486	29.7
75	50	6 928	6.2	6 865	6.2	15 129	13.6	7 038	6.3	29 916	26.9
76	51	6 948	6.2	6 311	5.6	15 462	13.8	6 816	6.1	29 659	26.4
77	52	6 161	5.4	5 924	5.2	15 453	13.6	6 274	5.5	28 381	25.0
78	53	5 768	5.0	5 810	5.1	16 077	14.0	6 632	5.8	27 976	24.4
79	54	5 999	5.2	5 502	4.8	16 382	14.2	9 264	8.0	29 419	25.5
1980	55	6 370	5.5	5 530	4.8	16 490	14.2	10 180	8.8	32 154	27.6
81	56	6 291	5.4	5 446	4.6	16 641	14.2	10 685	9.1	29 873	25.5
82	57	6 050	5.1	4 778	4.0	16 562	14.0	11 389	9.7	27 501	23.3
83	58	6 593	5.6	4 859	4.1	16 795	14.1	12 269	10.3	29 391	24.7
84	59	6 117	5.1	4 606	3.9	16 991	14.2	12 688	10.6	28 805	24.1
85	60	6 340	5.3	4 493	3.7	17 174	14.3	13 521	11.2	27 804	23.1
86	61	6 358	5.3	4 227	3.5	16 943	14.0	13 984	11.6	26 810	22.2
87	62	6 037	5.0	3 874	3.2	16 672	13.7	14 329	11.8	25 274	20.8
88	63	6 157	5.0	3 688	3.0	16 992	13.9	15 891	13.0	26 400	21.6
89	平成元年	5 808	4.7	3 665	3.0	16 713	13.6	16 420	13.4	23 781	19.4
1990	2	5 947	4.8	3 615	2.9	16 804	13.7	17 140	14.0	24 187	19.7
91	3	5 941	4.8	3 687	3.0	16 914	13.7	17 007	13.8	23 200	18.8
92	4	5 929	4.8	3 581	2.9	17 083	13.8	18 299	14.8	23 361	18.9
93	5	6 210	5.0	3 680	3.0	16 880	13.6	18 505	14.9	23 115	18.7

General mortality

性別死亡数及び率（人口10万対）（つづき）
population) by sex and leading causes of death : Japan—con.

総 数
Total

4, 72		E104～E114		(再 掲)		E115		年 次 ³⁾	
胃 腸 炎		不慮の事故及び有害作用		E104		自 殺		Year	
死亡数	死亡率	死亡数	死亡率	死亡数	死亡率	死亡数	死亡率		
Deaths	Death rates	Deaths	Death rates	Deaths	Death rates	Deaths	Death rates		
28 289	31. 7	33 265	37. 3	5 973	6. 7	22 477	25. 2	1955	昭和30年
27 077	30. 0	33 258	36. 8	6 668	7. 4	22 107	24. 5	56	31
23 425	25. 7	34 528	37. 9	7 798	8. 6	22 136	24. 3	57	32
23 128	25. 1	35 785	38. 9	8 883	9. 7	23 641	25. 7	58	33
21 674	23. 3	41 662	44. 8	11 040	11. 9	21 090	22. 7	59	34
19 791	21. 2	38 964	41. 7	13 429	14. 4	20 143	21. 6	1960	35
18 383	19. 5	41 614	44. 1	14 808	15. 7	18 446	19. 6	61	36
17 143	18. 0	38 393	40. 3	13 756	14. 5	16 724	17. 6	62	37
15 449	16. 1	39 698	41. 3	15 132	15. 7	15 490	16. 1	63	38
14 180	14. 6	40 437	41. 6	16 764	17. 2	14 707	15. 1	64	39
12 705	12. 9	40 188	40. 9	16 257	16. 5	14 444	14. 7	65	40
11 161	11. 3	42 547	43. 0	17 979	18. 2	15 050	15. 2	66	41
10 592	10. 6	41 769	41. 9	17 492	17. 6	14 121	14. 2	67	42
10 248	10. 2	40 564	40. 2	18 454	18. 3	14 601	14. 5	68	43
9 589	9. 4	43 011	42. 2	20 624	20. 2	14 844	14. 5	69	44
8 587	8. 3	43 802	42. 5	21 535	20. 9	15 728	15. 3	1970	45
8 046	7. 7	42 433	40. 7	21 101	20. 2	16 239	15. 6	71	46
7 502	7. 1	42 431	40. 1	20 494	19. 4	18 015	17. 0	72	47
7 561	7. 0	40 244	37. 2	19 068	17. 6	18 859	17. 4	73	48
6 930	6. 3	36 085	33. 0	15 448	14. 1	19 105	17. 5	74	49
6 244	5. 6	33 710	30. 3	14 206	12. 8	19 975	18. 0	75	50
5 512	4. 9	31 489	28. 0	13 006	11. 6	19 786	17. 6	76	51
5 015	4. 4	30 352	26. 7	12 095	10. 7	20 269	17. 9	77	52
4 867	4. 3	30 017	26. 2	12 030	10. 5	20 199	17. 6	78	53
4 037	3. 5	29 227	25. 3	11 778	10. 2	20 823	18. 0	79	54
3 802	3. 3	29 217	25. 1	11 752	10. 1	20 542	17. 7	1980	55
3 343	2. 9	29 089	24. 8	11 874	10. 1	20 096	17. 1	81	56
2 903	2. 5	29 197	24. 7	12 377	10. 5	20 668	17. 5	82	57
2 848	2. 4	29 668	25. 0	12 919	10. 9	24 985	21. 0	83	58
2 495	2. 1	29 344	24. 6	12 432	10. 4	24 344	20. 4	84	59
2 312	1. 9	29 597	24. 6	12 660	10. 5	23 383	19. 4	85	60
1 968	1. 6	28 610	23. 7	12 458	10. 3	25 667	21. 2	86	61
1 758	1. 4	28 255	23. 2	12 544	10. 3	23 831	19. 6	87	62
1 606	1. 3	30 212	24. 8	13 617	11. 2	22 795	18. 7	88	63
1 384	1. 1	31 049	25. 4	14 512	11. 9	21 125	17. 3	89	平成元年
1 535	1. 3	32 122	26. 2	14 631	11. 9	20 088	16. 4	1990	2
1 473	1. 2	33 155	26. 9	14 558	11. 8	19 875	16. 1	91	3
1 461	1. 2	34 677	28. 1	14 735	11. 9	20 893	16. 9	92	4
1 414	1. 1	34 717	28. 0	14 168	11. 4	20 516	16. 6	93	5

死 亡

表 5.12 年次別にみた主要死因の
Table 5.12 Trends in deaths and death rates (per 100,000)

男
Male

年 次 ³⁾ Year		死亡総数		結 核		28~37 悪性新生物		39 糖 尿 病		46,51~52,54~56 心 疾 患	
		死亡数		死亡数		死亡数		死亡数		死亡数	
		Deaths	Death rates	Deaths	Death rates	Deaths	Death rates	Deaths	Death rates	Deaths	Death rates
1899	明治32年	476 249	2 181.0	33 816	154.9	9 780	44.8	---	---	10 533	48.2
1900	33	464 072	2 104.5	35 713	162.0	10 250	46.5	---	---	10 351	46.9
01	34	468 524	2 101.2	37 577	168.5	11 050	49.6	---	---	10 597	47.5
02	35	486 410	2 151.7	39 300	173.8	12 304	54.4	---	---	11 733	51.9
03	36	472 249	2 062.1	40 354	176.2	12 972	56.6	---	---	11 576	50.5
04	37	481 445	2 075.6	41 643	179.5	13 177	56.8	---	---	12 051	52.0
05	38	505 290	2 157.4	45 167	192.8	13 564	57.9	---	---	12 460	53.2
06	39	480 077	2 034.3	44 737	189.6	14 261	60.4	---	---	12 004	50.9
07	40	512 110	2 153.0	45 152	189.8	14 411	60.6	---	---	13 456	56.6
08	41	517 755	2 153.6	46 116	191.8	15 352	63.9	---	---	13 476	56.1
09	42	550 267	2 262.1	53 098	218.3	16 726	68.8	598	2.5	15 747	64.7
1910	43	535 076	2 170.7	52 774	214.1	16 754	68.0	631	2.6	15 100	61.3
11	44	526 141	2 105.2	51 663	206.7	17 356	69.4	653	2.6	14 926	59.7
12	大正元年	523 604	2 064.3	53 663	211.6	17 540	69.2	757	3.0	14 776	58.3
13	2	521 210	2 025.1	52 329	203.3	18 414	71.5	744	2.9	14 682	57.0
14	3	559 337	2 142.6	53 233	203.9	18 895	72.4	781	3.0	15 558	59.6
15	4	556 179	2 101.6	54 740	206.8	19 384	73.2	912	3.4	15 991	60.4
16	5	604 156	2 250.9	56 791	211.6	20 152	75.1	976	3.6	17 867	66.6
17	6	609 310	2 243.6	57 592	212.1	20 144	74.2	974	3.6	18 405	67.8
18	7	753 392	2 744.3	64 239	234.0	20 184	73.5	1 080	3.9	21 104	76.9
19	8	648 984	2 351.2	61 246	221.9	19 935	72.2	890	3.2	16 396	59.4
1920	9	720 655	2 569.7	58 557	208.8	20 779	74.1	908	3.2	16 775	59.8
21	10	659 328	2 320.6	57 176	201.2	20 732	73.0	1 056	3.7	18 299	64.4
22	11	655 740	2 276.9	59 096	205.2	21 019	73.0	1 013	3.5	17 777	61.7
23	12	679 072	2 327.4	55 497	190.2	21 506	73.7	986	3.4	20 807	71.3
24	13	642 969	2 174.5	54 429	184.1	21 071	71.3	1 048	3.5	19 524	66.0
25	14	621 357	2 070.3	55 546	185.1	21 405	71.3	1 055	3.5	19 485	64.9
26	昭和元年	597 292	1 942.6	54 503	178.6	21 947	71.9	1 060	3.5	18 267	59.8
27	2	624 311	2 015.1	58 316	188.2	21 775	70.3	1 123	3.6	18 717	60.4
28	3	639 214	2 032.5	58 397	185.7	22 832	72.6	1 121	3.6	19 751	62.8
29	4	645 994	2 025.7	60 168	188.7	22 251	69.8	1 168	3.7	20 508	64.3
1930	5	603 995	1 864.7	59 148	182.6	22 908	70.7	1 143	3.5	20 190	62.3
31	6	642 146	1 951.9	61 197	186.0	22 920	69.7	1 165	3.5	20 666	62.8
32	7	607 267	1 820.6	60 751	182.1	23 067	69.2	1 200	3.6	18 932	56.8
33	8	618 496	1 827.5	64 603	190.9	24 150	71.4	1 392	4.1	19 662	58.1
34	9	639 098	1 863.6	66 823	194.9	24 378	71.1	1 350	3.9	21 067	61.4
35	10	603 566	1 737.7	67 238	193.6	25 328	72.9	1 288	3.7	19 936	57.4
36	11	637 854	1 817.1	73 495	209.4	25 443	72.5	1 379	3.9	21 468	61.2
37	12	625 625	1 781.0	73 040	207.9	26 340	75.0	1 460	4.2	21 480	61.1
38	13	652 936	1 858.9	75 361	214.6	26 029	74.1	1 541	4.4	23 998	68.3
39	14	658 589	1 869.6	79 336	225.2	26 340	74.8	1 427	4.1	23 783	67.5
1940	15	615 311	1 738.8	80 599	227.8	26 617	75.2	1 426	4.0	22 507	63.6
41	16	597 373	1 721.2	83 395	240.3	27 074	78.0	1 325	3.8	20 974	60.4
42	17	609 038	1 746.4	88 131	252.7	27 670	79.3	1 318	3.8	21 265	61.0
43	18	638 135	1 835.5	94 623	272.2	27 468	79.0	1 342	3.9	21 894	63.0
47	22	595 670	1 562.2	79 640	208.9	26 645	69.9	1 010	2.6	23 618	61.9
48	23	493 573	1 261.4	77 705	198.6	28 023	71.6	964	2.5	23 927	61.1
49	24	489 817	1 222.6	74 267	185.4	30 256	75.5	977	2.4	25 624	64.0
1950	25	467 073	1 144.5	65 089	159.5	32 670	80.1	1 005	2.5	26 108	64.0
51	26	432 540	1 042.4	50 224	121.0	33 872	81.6	1 003	2.4	26 116	62.9
52	27	395 205	937.7	38 433	91.2	35 845	85.0	939	2.2	25 825	61.3
53	28	399 859	935.4	31 901	74.6	37 386	87.5	1 006	2.4	28 339	66.3
54	29	379 658	875.2	31 239	72.0	39 703	91.5	952	2.2	26 729	61.6

注：1)～3)、142ページの同番号の注を参照されたい。

General mortality

性別死亡数及び率（人口10万対）（つづき）
population) by sex and leading causes of death : Japan-con.

男
Male

48~49		58~60		62, 63, 66		(再 掲)				年 次 ³⁾ Year	
高血圧性疾患		脳血管疾患		肺炎及び気管支炎		63 肺 炎		62, 66 気 管 支 炎			
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
...	...	39 959	183.0	47 495	217.5	23 379	107.1	24 116	110.4	1899	明治32年
...	...	37 857	171.7	52 914	240.0	24 292	110.2	28 622	129.8	1900	33
...	...	40 470	181.5	53 563	240.2	26 593	119.3	26 970	121.0	01	34
...	...	40 444	178.9	55 302	244.6	28 434	125.8	26 868	118.9	02	35
...	...	39 957	174.5	51 819	226.3	25 938	113.3	25 881	113.0	03	36
...	...	41 844	180.4	54 860	236.5	27 578	118.9	27 282	117.6	04	37
...	...	41 131	175.6	59 999	256.2	31 323	133.7	28 676	122.4	05	38
...	...	39 979	169.4	54 631	231.5	28 072	119.0	26 559	112.5	06	39
...	...	42 610	179.1	62 887	264.4	33 149	139.4	29 738	125.0	07	40
...	...	40 168	167.1	64 283	267.4	35 010	145.6	29 273	121.8	08	41
...	...	36 713	150.9	68 031	279.7	37 166	152.8	30 865	126.9	09	42
...	...	35 578	144.3	67 081	272.1	36 643	148.7	30 438	123.5	1910	43
...	...	35 859	143.5	64 774	259.2	36 379	145.6	28 395	113.6	11	44
...	...	36 787	145.0	66 717	263.0	38 694	152.5	28 023	110.5	12	大正元年
...	...	36 644	142.4	69 099	268.5	42 456	165.0	26 643	103.5	13	2
...	...	37 202	142.5	71 396	273.5	44 320	169.8	27 076	103.7	14	3
...	...	37 357	141.2	71 989	272.0	45 127	170.5	26 862	101.5	15	4
...	...	40 458	150.7	83 245	310.1	52 429	195.3	30 816	114.8	16	5
...	...	42 809	157.6	82 549	304.0	52 727	194.1	29 822	109.8	17	6
...	...	47 370	172.5	138 914	506.0	105 507	384.3	33 407	121.7	18	7
...	...	46 415	168.2	103 898	376.4	76 970	278.9	26 928	97.6	19	8
...	...	49 181	175.4	115 867	413.2	88 551	315.8	27 316	97.4	1920	9
...	...	51 024	179.6	85 929	302.4	58 694	206.6	27 235	95.9	21	10
...	...	51 183	177.7	86 080	298.9	59 137	205.3	26 943	93.6	22	11
...	...	53 372	182.9	81 428	279.1	62 488	214.2	18 940	64.9	23	12
...	...	57 851	195.6	83 872	283.7	65 224	220.6	18 648	63.1	24	13
...	...	54 767	182.5	86 237	287.3	67 662	225.4	18 575	61.9	25	14
...	...	55 732	182.6	73 502	240.8	57 045	186.9	16 457	53.9	26	昭和元年
...	...	57 186	184.6	80 849	261.0	63 366	204.5	17 483	56.4	27	2
...	...	58 087	184.7	83 748	266.3	66 558	211.6	17 190	54.7	28	3
...	...	60 242	188.9	80 733	253.2	64 241	201.4	16 492	51.7	29	4
...	...	58 276	179.9	68 703	212.1	53 976	166.6	14 727	45.5	1930	5
...	...	59 760	181.7	85 417	259.6	69 464	211.1	15 953	48.5	31	6
...	...	59 299	177.8	74 584	223.6	60 071	180.1	14 513	43.5	32	7
...	...	61 114	180.6	70 245	207.6	56 907	168.1	13 338	39.4	33	8
...	...	63 333	184.7	81 153	236.6	67 045	195.5	14 108	41.1	34	9
...	...	62 983	181.3	69 563	200.3	56 677	163.2	12 886	37.1	35	10
...	...	65 323	186.1	73 789	210.2	60 030	171.0	13 759	39.2	36	11
...	...	65 097	185.3	70 730	201.3	58 066	165.3	12 664	36.1	37	12
...	...	69 991	199.3	78 155	222.5	64 435	183.4	13 720	39.1	38	13
...	...	71 912	204.1	85 555	242.9	72 245	205.1	13 310	37.8	39	14
...	...	70 075	198.0	73 309	207.2	61 393	173.5	11 916	33.7	1940	15
...	...	67 357	194.1	67 624	194.8	55 891	161.0	11 733	33.8	41	16
...	...	67 144	192.5	69 759	200.0	57 871	165.9	11 888	34.1	42	17
...	...	64 538	185.6	76 366	219.7	64 047	184.2	12 319	35.4	43	18
...	...	51 841	136.0	74 233	194.7	55 703	146.1	18 530	48.6	47	22
...	...	46 779	119.5	42 232	107.9	28 499	72.7	13 733	35.1	48	23
...	...	49 172	122.7	43 101	107.6	29 682	74.1	13 419	33.5	49	24
4 639	11.4	52 188	127.9	40 260	98.6	28 090	68.8	12 170	29.8	1950	25
4 091	9.9	52 388	126.3	36 501	88.0	26 705	64.4	9 796	23.6	51	26
4 223	10.0	55 011	130.5	30 271	71.8	22 628	53.7	7 643	18.1	52	27
4 433	10.4	58 421	136.7	32 198	75.3	24 450	57.2	7 748	18.1	53	28
4 381	10.1	59 940	138.2	25 329	58.4	19 740	45.5	5 589	12.9	54	29

表 5.12 年次別にみた主要死因の

Table 5.12 Trends in deaths and death rates (per 100,000)

男
Male

年 次 ³⁾ Year		死亡総数		5～6 ²⁾ 結 核		28～37 悪性新生物		39 糖 尿 病		46,51～52,54～56 心 疾 患	
		死亡数		死亡数		死亡数		死亡数		死亡数	
		Deaths	Death rates	Deaths	Death rates	Deaths	Death rates	Deaths	Death rates	Deaths	Death rates
1955	昭和30年	365 246	832.7	26 601	60.6	41 223	94.0	1 020	2.3	27 282	62.2
56	31	381 395	859.9	25 513	57.5	43 628	98.4	1 173	2.6	29 993	67.6
57	32	397 502	887.9	25 175	56.2	44 777	100.0	1 293	2.9	34 030	76.0
58	33	363 647	804.0	21 744	48.1	47 237	104.4	1 222	2.7	30 358	67.1
59	34	367 562	804.2	20 042	43.8	49 215	107.7	1 293	2.8	32 135	70.3
1960	35	377 526	822.9	19 769	43.1	50 898	110.9	1 482	3.2	34 755	75.8
61	36	371 858	803.1	17 512	37.8	52 254	112.8	1 549	3.3	34 324	74.1
62	37	380 826	814.7	17 705	37.9	53 499	114.5	1 757	3.8	37 230	79.6
63	38	361 469	765.3	14 957	31.7	55 567	117.7	1 814	3.8	34 605	73.3
64	39	363 531	761.4	14 842	31.1	57 705	120.9	2 133	4.5	34 986	73.3
65	40	378 716	785.0	14 781	30.6	58 899	122.1	2 463	5.1	38 827	80.5
66	41	363 356	747.2	13 204	27.2	60 803	125.0	2 735	5.6	36 607	75.3
67	42	366 076	748.6	11 773	24.1	62 308	127.4	2 970	6.1	38 900	79.6
68	43	372 931	753.7	11 374	23.0	64 244	129.8	3 100	6.3	41 766	84.4
69	44	379 506	757.5	11 086	22.1	66 270	132.3	3 432	6.8	43 305	86.4
1970	45	387 880	766.6	10 914	21.6	67 074	132.6	3 753	7.4	45 988	90.9
71	46	372 942	728.0	9 470	18.5	68 399	133.5	3 704	7.2	44 380	86.6
72	47	372 833	719.1	8 702	16.8	71 298	137.5	3 821	7.4	44 192	85.2
73	48	383 592	723.7	8 448	15.9	73 401	138.5	4 074	7.7	48 300	91.1
74	49	381 869	711.4	7 998	14.9	75 456	140.6	4 415	8.2	49 655	92.5
75	50	377 827	690.4	7 406	13.5	76 922	140.6	4 377	8.0	50 395	92.1
76	51	378 630	684.3	6 835	12.4	79 995	144.6	4 347	7.9	52 673	95.2
77	52	372 175	666.3	6 309	11.3	83 088	148.7	4 550	8.1	53 079	95.0
78	53	375 625	666.5	5 949	10.6	85 630	151.9	4 632	8.2	54 643	97.0
79	54	373 183	656.6	4 896	8.6	90 136	158.6	3 839	6.8	58 065	102.2
1980	55	390 644	682.9	4 715	8.2	93 501	163.5	4 055	7.1	64 103	112.1
81	56	388 575	674.0	4 245	7.4	96 524	167.4	3 879	6.7	64 281	111.5
82	57	385 494	664.0	3 930	6.8	99 114	170.7	4 121	7.1	64 578	111.2
83	58	401 232	686.6	3 866	6.6	103 330	176.8	4 194	7.2	67 412	115.4
84	59	402 220	684.1	3 685	6.3	107 175	182.3	4 443	7.6	69 582	118.4
85	60	407 769	690.6	3 442	5.8	110 660	187.4	4 322	7.3	71 766	121.5
86	61	406 918	684.6	3 112	5.2	113 589	191.1	4 335	7.3	72 072	121.3
87	62	408 094	683.3	2 959	5.0	119 161	199.5	4 261	7.1	72 566	121.5
88	63	428 094	713.9	2 954	4.9	122 015	203.5	4 569	7.6	78 640	131.1
89	平成元年	427 114	709.8	2 676	4.4	127 211	211.4	4 399	7.3	77 901	129.5
1990	2	443 718	736.5	2 745	4.6	130 395	216.4	4 491	7.5	81 774	135.7
91	3	450 344	745.3	2 449	4.1	134 475	222.5	4 633	7.7	83 646	138.4
92	4	465 544	768.3	2 514	4.1	139 674	230.5	4 758	7.9	86 384	142.6
93	5	476 462	784.6	2 424	4.0	142 222	234.2	4 972	8.2	88 309	145.4

性別死亡数及び率（人口10万対）（つづき）
population) by sex and leading causes of death : Japan-con.男
Male

48～49		58～60		62, 63, 66		(再 掲)				年 次 ³⁾	
高血圧性疾患		脳血管疾患		肺炎及び気管支炎		63 肺 炎		62, 66 気 管 支 炎			
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	Year	
4 385	10. 0	62 737	143. 0	22 597	51. 5	17 965	41. 0	4 632	10. 6	1955	昭和30年
4 935	11. 1	69 427	156. 5	23 125	52. 1	18 524	41. 8	4 601	10. 4	56	31
5 376	12. 0	72 802	162. 6	28 486	63. 6	23 318	52. 1	5 168	11. 5	57	32
6 143	13. 6	71 642	158. 4	23 019	50. 9	18 661	41. 3	4 358	9. 6	58	33
6 692	14. 6	75 169	164. 5	22 380	49. 0	18 304	40. 0	4 076	8. 9	59	34
7 360	16. 0	78 965	172. 1	24 390	53. 2	20 152	43. 9	4 238	9. 2	1960	35
7 774	16. 8	82 817	178. 9	20 545	44. 4	16 791	36. 3	3 754	8. 1	61	36
8 561	18. 3	85 877	183. 7	22 526	48. 2	18 547	39. 7	3 979	8. 5	62	37
8 500	18. 0	87 943	186. 2	16 906	35. 8	14 010	29. 7	2 896	6. 1	63	38
8 711	18. 2	89 040	186. 5	16 475	34. 5	13 556	28. 4	2 919	6. 1	64	39
9 176	19. 0	92 723	192. 2	19 334	40. 1	15 962	33. 1	3 372	7. 0	65	40
8 812	18. 1	92 066	189. 3	14 914	30. 7	12 186	25. 1	2 728	5. 6	66	41
8 691	17. 8	92 024	188. 2	15 159	31. 0	12 507	25. 6	2 652	5. 4	67	42
8 578	17. 3	93 773	189. 5	16 769	33. 9	13 309	26. 9	3 460	7. 0	68	43
8 134	16. 2	95 622	190. 9	17 343	34. 6	13 647	27. 2	3 696	7. 4	69	44
8 423	16. 6	96 910	191. 5	18 885	37. 3	15 030	29. 7	3 855	7. 6	1970	45
7 866	15. 4	94 404	184. 3	15 997	31. 2	12 442	24. 3	3 555	6. 9	71	46
7 877	15. 2	93 290	179. 9	16 001	30. 9	12 462	24. 0	3 539	6. 8	72	47
8 352	15. 8	94 323	178. 0	17 951	33. 9	14 287	27. 0	3 664	6. 9	73	48
8 716	16. 2	92 620	172. 5	19 201	35. 8	15 404	28. 7	3 797	7. 1	74	49
8 683	15. 9	89 924	164. 3	20 186	36. 9	16 371	29. 9	3 815	7. 0	75	50
8 620	15. 6	89 189	161. 2	19 916	36. 0	16 234	29. 3	3 682	6. 7	76	51
8 255	14. 8	86 807	155. 4	17 654	31. 6	14 341	25. 7	3 313	5. 9	77	52
8 062	14. 3	85 308	151. 4	19 254	34. 2	15 653	27. 8	3 601	6. 4	78	53
6 861	12. 1	80 134	141. 0	18 371	32. 3	15 233	26. 8	3 138	5. 5	79	54
6 654	11. 6	81 650	142. 7	22 005	38. 5	18 633	32. 6	3 372	5. 9	1980	55
6 288	10. 9	78 510	136. 2	22 200	38. 5	18 853	32. 7	3 347	5. 8	81	56
5 556	9. 6	73 192	126. 1	23 370	40. 3	19 988	34. 4	3 382	5. 8	82	57
5 400	9. 2	71 631	122. 6	26 396	45. 2	22 795	39. 0	3 601	6. 2	83	58
5 163	8. 8	68 262	116. 1	25 833	43. 9	22 327	38. 0	3 506	6. 0	84	59
4 991	8. 5	65 287	110. 6	29 134	49. 3	25 520	43. 2	3 614	6. 1	85	60
4 555	7. 7	61 832	104. 0	30 064	50. 6	26 739	45. 0	3 325	5. 6	86	61
4 090	6. 8	58 744	98. 4	31 122	52. 1	27 930	46. 8	3 192	5. 3	87	62
3 892	6. 5	60 832	101. 4	35 816	59. 7	32 485	54. 2	3 331	5. 6	88	63
3 486	5. 8	56 938	94. 6	36 691	61. 0	33 470	55. 6	3 221	5. 4	89	平成元年
3 399	5. 6	57 627	95. 6	42 168	70. 0	38 596	64. 1	3 572	5. 9	1990	2
3 410	5. 6	55 740	92. 2	43 372	71. 8	39 843	65. 9	3 529	5. 8	91	3
3 174	5. 2	55 431	91. 5	45 741	75. 5	42 328	69. 9	3 413	5. 6	92	4
3 117	5. 1	55 279	91. 0	49 199	81. 0	45 797	75. 4	3 402	5. 6	93	5

表 5.12 年次別にみた主要死因¹⁾ の

Table 5.12 Trends in deaths and death rates (per 100,000

男
Male

年 次 ³⁾ Year		68 喘 息		69 胃及び十二指腸潰瘍		73 慢性肝疾患及び肝硬変		76~77 腎炎、ネフローゼ症 候群及びネフローゼ		88 精神病の記載のない老衰	
		死亡数 Deaths		死亡数 Deaths		死亡数 Deaths		死亡数 Deaths		死亡数 Deaths	
		死亡率 Death rates	死亡率 Death rates	死亡率 Death rates	死亡率 Death rates	死亡率 Death rates	死亡率 Death rates	死亡率 Death rates	死亡率 Death rates	死亡率 Death rates	死亡率 Death rates
1899	明治32年	...	...	...	...	1 156	5.3	6 555	30.0	22 759	104.2
1900	33	...	...	...	...	1 083	4.9	6 595	29.9	23 971	108.7
01	34	...	...	...	...	1 337	6.0	6 784	30.4	20 098	90.1
02	35	...	...	...	...	1 428	6.3	7 610	33.7	21 727	96.1
03	36	...	...	...	...	1 405	6.1	8 767	38.3	23 400	102.2
04	37	...	...	...	...	1 573	6.8	8 918	38.4	25 610	110.4
05	38	...	...	...	...	1 558	6.7	9 993	42.7	26 449	112.9
06	39	...	...	...	...	1 733	7.3	9 887	41.9	24 923	105.6
07	40	...	...	...	...	1 861	7.8	11 025	46.4	25 821	108.6
08	41	...	...	...	...	1 861	7.7	11 637	48.4	23 998	99.8
09	42	3 577	14.7	3 037	12.5	2 070	8.5	13 101	53.9	25 514	104.9
1910	43	3 654	14.8	3 107	12.6	2 139	8.7	12 725	51.6	24 134	97.9
11	44	3 301	13.2	2 949	11.8	2 244	9.0	14 201	56.8	23 489	94.0
12	大正元年	3 537	13.9	3 140	12.4	2 151	8.5	14 937	58.9	23 779	93.7
13	2	3 727	14.5	3 171	12.3	2 040	7.9	16 168	62.8	23 816	92.5
14	3	3 569	13.7	3 310	12.7	2 182	8.4	18 806	72.0	25 375	97.2
15	4	3 534	13.4	3 202	12.1	2 120	8.0	19 576	74.0	24 616	93.0
16	5	4 274	15.9	3 531	13.2	2 448	9.1	22 077	82.3	28 254	105.3
17	6	4 147	15.3	3 883	14.3	2 411	8.9	23 662	87.1	29 322	108.0
18	7	5 329	19.4	3 789	13.8	2 531	9.2	28 506	103.8	33 256	121.1
19	8	3 744	13.6	3 704	13.4	2 303	8.3	25 661	93.0	28 276	102.4
1920	9	4 559	16.3	4 068	14.5	2 537	9.0	27 324	97.4	30 668	109.4
21	10	4 008	14.1	4 177	14.7	2 518	8.9	30 219	106.4	31 324	110.3
22	11	4 588	15.9	4 022	14.0	2 446	8.5	30 668	106.5	31 368	108.9
23	12	3 640	12.5	4 487	15.4	2 556	8.8	31 950	109.5	31 679	108.6
24	13	3 841	13.0	4 689	15.9	2 608	8.8	31 441	106.3	30 486	103.1
25	14	4 265	14.2	5 038	16.8	2 538	8.5	30 001	100.0	29 149	97.1
26	昭和元年	3 563	11.7	5 209	17.1	2 545	8.3	29 786	97.6	27 806	91.1
27	2	3 856	12.4	5 282	17.0	2 808	9.1	29 807	96.2	30 681	99.0
28	3	4 082	13.0	5 659	18.0	2 810	8.9	31 785	101.1	32 388	103.0
29	4	4 063	12.7	5 687	17.8	2 890	9.1	32 596	102.2	32 189	100.9
1930	5	3 927	12.1	6 171	19.1	2 944	9.1	31 659	97.7	31 535	97.4
31	6	4 621	14.0	6 410	19.5	2 764	8.4	31 944	97.1	35 237	107.1
32	7	4 044	12.1	6 817	20.4	2 856	8.6	29 872	89.6	31 607	94.3
33	8	4 430	13.1	7 140	21.1	2 971	8.8	29 347	86.7	33 797	99.9
34	9	5 046	14.7	7 714	22.5	2 968	8.7	29 071	84.8	34 922	101.8
35	10	4 557	13.1	7 710	22.2	2 870	8.3	27 514	79.2	31 918	91.9
36	11	5 618	16.0	8 258	23.5	3 126	8.9	28 110	80.1	37 074	105.6
37	12	4 713	13.4	8 591	24.5	3 124	8.9	27 403	78.0	34 142	97.2
38	13	5 744	16.4	9 218	26.2	3 161	9.0	30 679	87.3	39 995	113.9
39	14	6 063	17.2	9 198	26.1	2 994	8.5	28 803	81.8	38 419	109.1
1940	15	5 466	15.4	9 129	25.8	3 042	8.6	26 231	74.1	35 575	100.5
41	16	5 410	15.6	9 152	26.4	2 958	8.5	23 754	68.4	36 251	104.5
42	17	5 739	16.5	10 784	30.9	3 037	8.7	24 129	69.2	38 846	111.4
43	18	6 556	18.9	12 505	36.0	2 939	8.5	23 550	67.7	39 694	114.2
47	22	8 506	22.3	18 950	49.7	2 823	7.4	20 713	54.3	32 164	84.4
48	23	6 756	17.3	14 886	38.0	2 995	7.7	16 614	42.5	25 796	65.9
49	24	7 167	17.9	13 906	34.7	3 266	8.2	15 316	38.2	26 656	66.5
1950	25	9 461	23.2	13 656	33.5	3 299	8.1	12 224	30.0	23 474	57.5
51	26	8 888	21.4	12 998	31.3	3 383	8.2	11 341	27.3	23 618	56.9
52	27	7 706	18.3	11 997	28.5	3 720	8.8	10 222	24.3	23 468	55.7
53	28	9 446	22.1	11 444	26.8	4 051	9.5	9 397	22.0	26 725	62.5
54	29	6 960	16.0	10 028	23.1	4 449	10.3	9 192	21.2	24 358	56.2

性別死亡数及び率 (人口10万対) (つづき)
population) by sex and leading causes of death : Japan-con.男
Male

4, 72		E104～E114		(再 掲)		E115		年 次 ³⁾	
胃 腸 炎		不慮の事故及び有害作用		E104 自 動 車 事 故		自 殺		Year	
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
32 309	148. 0	13 947	63. 9	---	---	3 699	16. 9	1899	明治32年
28 884	131. 0	12 919	58. 6	---	---	3 716	16. 9	1900	33
27 278	122. 3	11 734	52. 6	---	---	4 872	21. 8	01	34
26 659	117. 9	13 109	58. 0	---	---	4 986	22. 1	02	35
24 100	105. 2	13 339	58. 2	---	---	5 547	22. 2	03	36
26 111	112. 6	13 985	60. 3	---	---	5 585	24. 1	04	37
30 280	129. 3	13 424	57. 3	---	---	5 020	21. 4	05	38
28 942	122. 6	14 606	61. 9	---	---	4 665	19. 8	06	39
33 762	141. 9	14 819	62. 3	---	---	4 836	20. 3	07	40
32 727	136. 1	14 571	60. 6	---	---	5 100	21. 2	08	41
50 433	207. 3	13 642	56. 1	---	---	5 735	23. 6	09	42
51 063	207. 2	14 018	56. 9	---	---	5 928	24. 0	1910	43
50 927	203. 8	14 947	59. 8	---	---	5 847	23. 4	11	44
49 140	193. 7	15 757	62. 1	---	---	5 955	23. 5	12	大正元年
49 169	191. 0	14 519	56. 4	---	---	6 474	25. 2	13	2
58 228	223. 1	17 001	65. 1	---	---	6 894	26. 4	14	3
57 874	218. 7	15 850	59. 9	---	---	6 503	24. 6	15	4
61 626	229. 6	15 740	58. 5	---	---	6 065	22. 6	16	5
63 743	234. 7	17 688	65. 1	---	---	5 724	21. 1	17	6
70 889	258. 2	18 214	66. 3	---	---	6 147	22. 4	18	7
66 612	241. 3	17 106	62. 0	---	---	6 158	22. 3	19	8
70 293	250. 7	17 605	62. 8	---	---	6 521	23. 3	1920	9
76 405	268. 9	16 339	57. 5	---	---	6 923	24. 4	21	10
75 016	260. 5	17 210	59. 8	---	---	6 984	24. 3	22	11
80 817	277. 0	38 353	131. 4	---	---	7 065	24. 2	23	12
74 919	253. 4	17 417	58. 9	---	---	6 958	23. 5	24	13
70 357	234. 4	16 638	55. 4	---	---	7 521	25. 1	25	14
70 137	229. 8	17 349	56. 8	---	---	7 675	25. 1	26	昭和元年
74 686	241. 1	19 038	61. 4	---	---	7 912	25. 5	27	2
72 428	230. 3	17 826	56. 7	---	---	7 984	25. 4	28	3
77 360	242. 6	18 249	57. 2	---	---	7 915	24. 8	29	4
70 738	218. 4	17 969	55. 5	---	---	8 810	27. 2	1930	5
69 560	211. 4	17 091	52. 0	---	---	9 102	27. 7	31	6
68 463	205. 3	18 144	54. 4	---	---	9 272	27. 8	32	7
69 085	204. 1	20 618	60. 9	---	---	9 110	26. 9	33	8
67 381	196. 5	21 755	63. 4	---	---	9 065	26. 4	34	9
59 265	170. 6	20 641	59. 4	---	---	8 733	25. 1	35	10
63 626	181. 3	21 506	61. 3	---	---	9 766	27. 8	36	11
62 431	177. 7	21 640	61. 6	---	---	8 923	25. 4	37	12
60 015	170. 9	22 659	64. 5	---	---	7 585	21. 6	38	13
57 960	164. 5	21 393	60. 7	---	---	6 502	18. 5	39	14
54 646	154. 4	20 429	57. 7	---	---	5 841	16. 5	1940	15
49 870	143. 7	20 666	59. 5	---	---	5 667	16. 3	41	16
50 704	145. 4	21 936	62. 9	---	---	5 498	15. 8	42	17
55 373	159. 3	23 079	66. 4	---	---	5 115	14. 7	43	18
54 187	142. 1	26 538	69. 6	1 222	3. 2	7 108	18. 6	47	22
44 076	112. 6	26 272	67. 1	1 267	3. 2	7 331	18. 7	48	23
37 793	94. 3	24 500	61. 2	1 271	3. 2	8 391	20. 9	49	24
33 240	81. 4	23 783	58. 3	2 247	5. 5	9 820	24. 1	1950	25
27 345	65. 9	23 199	55. 9	2 555	6. 2	9 035	21. 8	51	26
21 173	50. 2	22 902	54. 3	2 987	7. 1	9 171	21. 8	52	27
18 505	43. 3	24 862	58. 2	3 795	8. 9	10 450	24. 4	53	28
15 816	36. 5	26 144	60. 3	4 534	10. 5	12 641	29. 1	54	29

死 亡

表 5.12 年次別にみた主要死因の
Table 5.12 Trends in deaths and death rates (per 100,000)

男
Male

年 次 ³⁾ Year		68 喘 息		69 胃及び十二指腸潰瘍		73 慢性肝疾患及び肝硬変		76~77 腎炎、ネフローゼ症 候群及びネフローゼ		88 精神病の記載のない老衰	
		死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates
1955	昭和30年	6 737	15.4	9 422	21.5	4 522	10.3	9 085	20.7	23 581	53.8
56	31	7 201	16.2	9 369	21.1	5 019	11.3	9 421	21.2	27 069	61.0
57	32	8 553	19.1	8 906	19.9	5 208	11.6	9 501	21.2	28 427	63.5
58	33	6 094	13.5	8 218	18.2	5 214	11.5	8 433	18.6	19 479	43.1
59	34	5 850	12.8	7 729	16.9	5 339	11.7	8 012	17.5	19 991	43.7
1960	35	6 756	14.7	7 640	16.7	5 666	12.4	7 599	16.6	20 547	44.8
61	36	5 721	12.4	7 142	15.4	5 777	12.5	7 184	15.5	20 294	43.8
62	37	6 963	14.9	6 967	14.9	6 042	12.9	7 080	15.1	20 335	43.5
63	38	5 327	11.3	6 678	14.1	6 226	13.2	6 351	13.4	17 533	37.1
64	39	5 467	11.5	6 487	13.6	6 387	13.4	5 768	12.1	16 738	35.1
65	40	6 591	13.7	6 367	13.2	6 473	13.4	5 859	12.1	17 504	36.3
66	41	5 512	11.3	6 151	12.6	6 739	13.9	5 362	11.0	15 531	31.9
67	42	5 597	11.4	5 985	12.2	7 191	14.7	5 090	10.4	15 345	31.4
68	43	5 612	11.3	5 937	12.0	7 644	15.4	5 183	10.5	14 035	28.4
69	44	5 273	10.5	5 757	11.5	8 160	16.3	5 326	10.6	13 396	26.7
1970	45	5 528	10.9	5 419	10.7	8 873	17.5	4 741	9.4	13 580	26.8
71	46	4 788	9.3	4 864	9.5	9 095	17.8	4 416	8.6	12 370	24.1
72	47	4 400	8.5	4 900	9.5	9 696	18.7	3 959	7.6	11 367	21.9
73	48	4 366	8.2	4 697	8.9	10 114	19.1	3 873	7.3	11 776	22.2
74	49	4 423	8.2	4 598	8.6	10 591	19.7	3 720	6.9	11 012	20.5
75	50	4 107	7.5	4 472	8.2	10 898	19.9	3 513	6.4	10 287	18.8
76	51	4 171	7.5	3 969	7.2	11 332	20.5	3 393	6.1	10 301	18.6
77	52	3 740	6.7	3 777	6.8	11 191	20.0	3 170	5.7	9 831	17.6
78	53	3 448	6.1	3 641	6.5	11 678	20.7	3 338	5.9	9 907	17.6
79	54	3 661	6.4	3 382	6.0	11 987	21.1	4 671	8.2	10 271	18.1
1980	55	3 870	6.8	3 349	5.9	11 941	20.9	5 066	8.9	11 244	19.7
81	56	3 745	6.5	3 261	5.7	11 913	20.7	5 396	9.4	10 552	18.3
82	57	3 624	6.2	2 758	4.8	11 838	20.4	5 662	9.8	9 567	16.5
83	58	3 938	6.7	2 686	4.6	11 949	20.4	6 146	10.5	10 225	17.5
84	59	3 608	6.1	2 520	4.3	12 044	20.5	6 325	10.8	10 149	17.3
85	60	3 776	6.4	2 428	4.1	12 054	20.4	6 753	11.4	9 669	16.4
86	61	3 658	6.2	2 297	3.9	11 737	19.7	7 002	11.8	9 129	15.4
87	62	3 485	5.8	2 067	3.5	11 514	19.3	7 034	11.8	8 658	14.5
88	63	3 596	6.0	1 992	3.3	11 689	19.5	7 732	12.9	8 910	14.9
89	平成元年	3 302	5.5	1 995	3.3	11 360	18.9	8 022	13.3	7 877	13.1
1990	2	3 412	5.7	1 933	3.2	11 516	19.1	8 319	13.8	8 054	13.4
91	3	3 382	5.6	1 970	3.3	11 438	18.9	8 282	13.7	7 676	12.7
92	4	3 308	5.5	1 917	3.2	11 545	19.1	8 739	14.4	7 613	12.6
93	5	3 463	5.7	1 965	3.2	11 505	18.9	9 022	14.9	7 324	12.1

General mortality

性別死亡数及び率（人口10万対）（つづき）
population) by sex and leading causes of death : Japan - con.

男
Male

4, 72 胃 腸 炎		E104~E114 不慮の事故及び有害作用		(再 掲) E104 自 動 車 事 故		E115 自 殺		年 次 ³⁾ Year	
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
12 982	29.6	24 908	56.8	4 649	10.6	13 836	31.5	1955	昭和30年
12 323	27.8	25 107	56.6	5 237	11.8	13 222	29.8	56	31
10 561	23.6	25 988	58.0	6 119	13.7	13 276	29.7	57	32
10 186	22.5	26 751	59.1	6 996	15.5	13 895	30.7	58	33
9 691	21.2	30 203	66.1	8 770	19.2	12 179	26.6	59	34
8 706	19.0	29 787	64.9	10 681	23.3	11 506	25.1	1960	35
8 036	17.4	32 089	69.3	11 815	25.5	10 333	22.3	61	36
7 488	16.0	29 520	63.2	11 084	23.7	9 541	20.4	62	37
6 681	14.1	30 700	65.0	12 130	25.7	8 923	18.9	63	38
6 219	13.0	31 286	65.5	13 441	28.2	8 336	17.5	64	39
5 505	11.4	30 674	63.6	12 904	26.7	8 330	17.3	65	40
4 693	9.7	32 530	66.9	14 352	29.5	8 450	17.4	66	41
4 535	9.3	31 742	64.9	13 781	28.2	7 940	16.2	67	42
4 544	9.2	30 795	62.2	14 226	28.8	8 174	16.5	68	43
4 112	8.2	32 620	65.1	15 994	31.9	8 241	16.4	69	44
3 636	7.2	33 112	65.4	16 540	32.7	8 761	17.3	1970	45
3 474	6.8	31 757	62.0	16 209	31.6	9 157	17.9	71	46
3 183	6.1	31 689	61.1	15 709	30.3	10 231	19.7	72	47
3 179	6.0	29 998	56.6	14 568	27.5	10 730	20.2	73	48
2 758	5.1	26 824	50.0	11 884	22.1	10 723	20.0	74	49
2 518	4.6	24 865	45.4	10 875	19.9	11 744	21.5	75	50
2 227	4.0	23 236	42.0	9 916	17.9	11 744	21.2	76	51
2 007	3.6	22 407	40.1	9 226	16.5	12 299	22.0	77	52
1 964	3.5	22 049	39.1	9 118	16.2	12 409	22.0	78	53
1 628	2.9	21 337	37.5	8 813	15.5	12 851	22.6	79	54
1 539	2.7	21 153	37.0	8 833	15.4	12 769	22.3	1980	55
1 319	2.3	21 147	36.7	8 852	15.4	12 708	22.0	81	56
1 140	2.0	21 046	36.3	9 307	16.0	13 203	22.7	82	57
1 112	1.9	21 261	36.4	9 597	16.4	16 876	28.9	83	58
1 030	1.8	21 223	36.1	9 347	15.9	16 251	27.6	84	59
908	1.5	21 318	36.1	9 458	16.0	15 356	26.0	85	60
774	1.3	20 480	34.5	9 275	15.6	16 499	27.8	86	61
706	1.2	20 124	33.7	9 208	15.4	15 281	25.6	87	62
602	1.0	21 358	35.6	10 006	16.7	14 290	23.8	88	63
551	0.9	21 848	36.3	10 566	17.6	12 939	21.5	89	平成元年
633	1.1	22 199	36.8	10 518	17.5	12 316	20.4	1990	2
596	1.0	22 879	37.9	10 457	17.3	12 477	20.6	91	3
607	1.0	23 606	39.0	10 557	17.4	13 516	22.3	92	4
617	1.0	23 397	38.5	10 103	16.6	13 540	22.3	93	5

表 5.12 年次別にみた主要死因¹⁾の

Table 5.12 Trends in deaths and death rates (per 100,000

女
Female

年 次 ³⁾ Year		死亡総数		結 核		悪性新生物		糖 尿 病		心 疾 患	
		5~6 ²⁾		28~37		39		46,51~52,54~56			
		死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates
1899	明治32年	455 828	2 113.4	33 783	156.6	9 602	44.5	...	...	10 580	49.1
1900	33	446 664	2 049.3	36 058	165.4	10 084	46.3	...	...	10 756	49.3
01	34	457 278	2 072.8	39 037	177.0	11 099	50.3	...	...	11 272	51.1
02	35	472 710	2 114.3	43 259	193.5	12 294	55.0	...	...	12 104	54.1
03	36	458 755	2 025.9	44 778	197.7	12 578	55.5	...	...	12 089	53.4
04	37	473 950	2 066.0	45 617	198.9	12 816	55.9	...	...	13 384	58.3
05	38	499 365	2 152.5	50 863	219.2	13 104	56.5	...	...	13 428	57.9
06	39	475 176	2 027.3	51 332	219.0	13 602	58.0	...	...	13 788	58.8
07	40	504 681	2 135.8	51 432	217.7	14 040	59.4	...	...	15 189	64.3
08	41	511 687	2 138.8	52 755	220.5	15 088	63.1	...	...	15 099	63.1
09	42	540 992	2 232.9	60 524	249.8	16 071	66.3	459	1.9	16 833	69.5
1910	43	529 156	2 156.8	60 429	246.3	16 244	66.2	458	1.9	16 876	68.8
11	44	517 762	2 082.8	59 059	237.6	16 863	67.8	559	2.2	16 629	66.9
12	大正元年	513 410	2 036.4	60 534	240.1	16 904	67.0	574	2.3	16 447	65.2
13	2	506 042	1 979.2	58 424	228.5	17 298	67.7	629	2.5	16 410	64.2
14	3	542 473	2 091.7	60 108	231.8	18 036	69.5	686	2.6	16 918	65.2
15	4	537 610	2 045.2	61 173	232.7	18 405	70.0	697	2.7	17 595	66.9
16	5	583 674	2 189.7	65 019	243.9	19 258	72.2	761	2.9	19 155	71.9
17	6	590 359	2 188.5	67 195	249.1	19 221	71.3	827	3.1	19 457	72.1
18	7	739 770	2 711.2	76 508	280.4	20 097	73.7	915	3.4	23 656	86.7
19	8	632 981	2 307.5	71 319	260.0	19 503	71.1	735	2.7	18 030	65.7
1920	9	701 441	2 512.4	66 608	238.6	19 869	71.2	817	2.9	18 765	67.2
21	10	629 242	2 227.1	63 543	224.9	20 145	71.3	834	3.0	19 121	67.7
22	11	631 201	2 207.7	66 410	232.8	20 097	70.3	891	3.1	19 535	68.3
23	12	653 405	2 257.6	62 719	216.7	20 725	71.6	887	3.1	21 377	73.9
24	13	611 977	2 088.2	59 800	204.0	20 600	70.3	915	3.1	21 152	72.2
25	14	589 349	1 982.8	60 410	203.2	20 772	69.9	924	3.1	20 410	68.7
26	昭和元年	563 435	1 864.5	58 542	193.7	21 172	70.1	985	3.3	19 682	65.1
27	2	590 012	1 923.3	61 123	199.2	21 576	70.3	1 050	3.4	20 254	66.0
28	3	597 497	1 918.4	61 235	196.6	22 254	71.5	1 050	3.4	20 157	64.7
29	4	615 234	1 948.8	63 322	200.6	22 048	69.8	1 132	3.6	21 024	66.6
1930	5	566 871	1 768.2	60 487	188.7	22 580	70.4	1 104	3.4	20 948	65.3
31	6	598 745	1 839.0	60 678	186.4	22 244	68.3	1 044	3.2	21 201	65.1
32	7	568 077	1 717.3	58 445	176.7	22 816	69.0	1 131	3.4	20 041	60.6
33	8	575 491	1 713.4	62 100	184.9	23 555	70.1	1 197	3.6	20 449	60.9
34	9	595 507	1 750.7	64 701	190.2	24 444	71.9	1 368	4.0	21 452	63.1
35	10	558 367	1 617.5	64 913	188.0	24 752	71.7	1 239	3.6	19 966	57.8
36	11	592 421	1 692.1	71 665	204.7	24 760	70.7	1 250	3.6	21 442	61.2
37	12	582 274	1 640.1	71 580	201.6	25 238	71.1	1 352	3.8	21 342	60.1
38	13	606 869	1 691.0	73 466	204.7	25 329	70.6	1 502	4.2	23 463	65.4
39	14	610 171	1 687.7	75 035	207.5	25 719	71.1	1 368	3.8	23 659	65.4
1940	15	571 284	1 563.2	72 555	198.5	25 262	69.1	1 336	3.7	23 035	63.0
41	16	552 186	1 493.4	70 949	191.9	25 875	70.0	1 332	3.6	21 569	58.3
42	17	557 592	1 486.5	73 353	195.6	26 227	69.9	1 301	3.5	22 222	59.2
43	18	580 938	1 524.1	76 850	201.6	26 112	68.5	1 135	3.0	23 534	61.7
47	22	542 568	1 357.4	66 601	166.6	27 241	68.2	817	2.0	24 957	62.4
48	23	457 037	1 118.2	66 204	162.0	28 610	70.0	825	2.0	25 119	61.5
49	24	455 627	1 092.4	63 846	153.1	29 633	71.0	899	2.2	27 139	65.1
1950	25	437 803	1 032.8	56 680	133.7	31 758	74.9	1 029	2.4	27 269	64.3
51	26	406 458	943.5	43 083	100.0	32 482	75.4	1 055	2.4	27 634	64.1
52	27	369 863	846.3	32 125	73.5	33 643	77.0	1 054	2.4	26 778	61.3
53	28	372 688	841.6	25 948	58.6	34 192	77.2	1 113	2.5	28 138	63.5
54	29	341 833	761.1	23 885	53.2	35 606	79.3	1 088	2.4	26 399	58.8

注：1)～3)、142ページの同番号の注を参照されたい。

性別死亡数及び率（人口10万対）（つづき）
population) by sex and leading causes of death : Japan-con.女
Female

48～49		58～60		62, 63, 66		(再 掲)				年 次 ³⁾ Year	
高血圧性疾患		脳血管疾患		肺炎及び気管支炎		63 肺 炎		62, 66 気 管 支 炎			
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
...	...	34 030	157. 8	41 945	194. 5	19 934	92. 4	22 011	102. 1	1899	明治32年
...	...	31 942	146. 5	46 216	212. 0	20 561	94. 3	25 655	117. 7	1900	33
...	...	34 780	157. 7	48 043	217. 8	23 021	104. 4	25 022	113. 4	01	34
...	...	34 491	154. 3	49 827	222. 9	25 068	112. 1	24 759	110. 7	02	35
...	...	33 982	150. 1	46 436	205. 1	22 640	100. 0	23 796	105. 1	03	36
...	...	35 744	155. 8	50 353	219. 5	24 574	107. 1	25 779	112. 4	04	37
...	...	35 038	151. 0	55 327	238. 5	28 554	123. 1	26 773	115. 4	05	38
...	...	35 470	142. 8	51 058	217. 8	25 706	109. 7	25 352	108. 2	06	39
...	...	35 970	152. 2	57 568	243. 6	29 426	124. 5	28 142	119. 1	07	40
...	...	33 592	140. 4	58 846	246. 0	31 250	130. 6	27 596	115. 3	08	41
...	...	31 075	128. 3	62 202	256. 7	33 510	138. 3	28 692	118. 4	09	42
...	...	29 310	119. 5	61 796	251. 9	33 245	135. 5	28 551	116. 4	1910	43
...	...	29 872	120. 2	59 571	239. 6	33 242	133. 7	26 329	105. 9	11	44
...	...	30 702	121. 8	61 339	239. 3	35 208	139. 6	26 131	99. 7	12	大正元年
...	...	30 127	117. 8	63 331	247. 7	38 092	149. 0	25 298	98. 7	13	2
...	...	31 369	121. 0	64 969	250. 5	39 326	151. 6	25 643	98. 9	14	3
...	...	30 564	116. 3	65 741	250. 1	40 887	155. 5	24 854	94. 5	15	4
...	...	33 454	125. 5	75 304	282. 5	47 060	176. 6	28 244	106. 0	16	5
...	...	35 190	130. 4	73 749	273. 4	46 509	172. 4	27 240	101. 0	17	6
...	...	38 892	142. 5	131 706	482. 7	100 026	366. 6	31 680	116. 1	18	7
...	...	37 967	138. 4	99 215	361. 7	74 093	270. 1	25 122	91. 6	19	8
...	...	39 005	139. 7	112 463	402. 8	87 123	312. 1	25 340	90. 8	1920	9
...	...	39 499	139. 8	79 829	282. 5	55 015	194. 7	24 814	87. 8	21	10
...	...	40 250	140. 8	78 321	273. 9	53 505	187. 1	24 816	86. 8	22	11
...	...	41 243	142. 5	74 023	255. 8	56 775	196. 2	17 248	59. 6	23	12
...	...	44 959	153. 4	75 328	257. 0	58 179	198. 5	17 149	58. 5	24	13
...	...	41 526	139. 7	78 412	263. 8	61 467	206. 8	16 945	57. 0	25	14
...	...	42 955	142. 1	65 945	218. 2	51 061	169. 0	14 884	49. 3	26	昭和元年
...	...	44 519	145. 1	72 419	236. 1	56 594	184. 5	15 825	51. 6	27	2
...	...	44 898	144. 2	74 711	239. 9	59 229	190. 2	15 482	49. 7	28	3
...	...	48 197	152. 7	72 323	229. 1	56 940	180. 4	15 383	48. 7	29	4
...	...	46 666	145. 6	60 273	188. 0	47 070	146. 8	13 203	41. 2	1930	5
...	...	47 592	146. 2	74 327	228. 3	59 916	184. 0	14 411	44. 3	31	6
...	...	48 079	145. 4	65 725	198. 7	52 610	159. 0	13 115	39. 6	32	7
...	...	49 605	147. 7	61 399	182. 8	49 340	146. 9	12 059	35. 9	33	8
...	...	51 114	150. 3	69 988	205. 8	57 072	167. 8	12 916	38. 0	34	9
...	...	51 571	149. 4	59 755	173. 1	48 401	140. 2	11 354	32. 9	35	10
...	...	52 829	150. 9	64 535	184. 3	52 174	149. 0	12 361	35. 3	36	11
...	...	53 664	151. 2	61 556	173. 4	50 190	141. 4	11 366	32. 0	37	12
...	...	56 870	158. 5	66 176	184. 4	53 718	149. 7	12 458	34. 7	38	13
...	...	58 914	163. 0	71 102	196. 7	59 297	164. 0	11 805	32. 7	39	14
...	...	57 772	158. 1	60 340	165. 1	49 684	136. 0	10 656	29. 2	1940	15
...	...	57 767	156. 2	58 496	158. 2	48 182	130. 3	10 314	27. 9	41	16
...	...	58 205	155. 2	58 679	156. 4	48 151	128. 4	10 528	28. 1	42	17
...	...	56 447	148. 1	63 396	166. 3	52 447	137. 6	10 949	28. 7	43	18
...	...	49 254	123. 2	62 291	155. 8	45 898	114. 8	16 393	41. 0	47	22
...	...	47 550	116. 3	36 679	89. 7	24 480	59. 9	12 199	29. 8	48	23
...	...	51 106	122. 5	38 711	92. 8	26 531	63. 6	12 180	29. 2	49	24
5 296	12. 5	53 540	126. 3	37 305	88. 0	26 079	61. 5	11 226	26. 5	1950	25
4 774	11. 1	53 470	124. 1	33 054	76. 7	23 907	55. 5	9 147	21. 2	51	26
4 727	10. 8	55 348	126. 6	27 315	62. 5	20 252	46. 3	7 063	16. 2	52	27
4 910	11. 1	57 930	130. 8	29 893	67. 5	22 253	50. 3	7 640	17. 3	53	28
4 719	10. 5	56 985	126. 9	22 927	51. 0	17 979	40. 0	4 948	11. 0	54	29

表 5.12 年次別にみた主要死因の
Table 5.12 Trends in deaths and death rates (per 100,000)

女
Female

年 次 ³⁾ Year		死 亡 総 数		5～6 ²⁾		28～37		39		46,51～52,54～56	
				結 核		悪 性 新 生 物		糖 尿 病		心 疾 患	
		死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates
1955	昭和30年	328 277	722.8	20 134	44.3	36 498	80.4	1 171	2.6	27 069	59.6
56	31	343 065	747.4	18 361	40.0	38 251	83.3	1 383	3.0	29 550	64.4
57	32	354 943	766.3	17 543	37.9	38 378	82.9	1 419	3.1	32 541	70.3
58	33	320 542	685.2	14 530	31.1	40 658	86.9	1 442	3.1	29 245	62.5
59	34	322 370	682.1	12 950	27.4	42 071	89.0	1 501	3.2	30 819	65.2
1960	35	329 073	692.2	12 190	25.6	42 875	90.2	1 713	3.6	33 645	70.8
61	36	323 786	674.8	10 404	21.7	44 188	92.1	1 904	4.0	33 693	70.2
62	37	329 439	680.2	10 147	21.0	44 725	92.3	2 066	4.3	35 263	72.8
63	38	309 301	632.2	8 345	17.1	45 859	93.7	2 166	4.4	33 067	67.6
64	39	309 536	626.0	8 087	16.4	46 619	94.3	2 477	5.0	33 342	67.4
65	40	321 722	643.1	7 585	15.2	47 637	95.2	2 652	5.3	36 845	73.6
66	41	306 986	608.7	6 860	13.6	49 002	97.2	3 015	6.0	34 581	68.6
67	42	308 930	608.9	5 935	11.7	50 285	99.1	3 162	6.2	36 524	72.0
68	43	313 624	611.2	5 548	10.8	51 218	99.8	3 303	6.4	39 100	76.2
69	44	314 281	605.3	5 306	10.2	52 289	100.7	3 647	7.0	40 052	77.1
1970	45	325 082	619.0	4 985	9.5	52 903	100.7	3 889	7.4	43 423	82.7
71	46	311 579	586.6	4 138	7.8	54 451	102.5	3 943	7.4	41 149	77.5
72	47	310 918	576.9	3 863	7.2	56 001	103.9	4 054	7.5	41 693	77.4
73	48	325 824	591.6	3 517	6.4	57 563	104.5	4 270	7.8	46 024	83.6
74	49	328 641	589.7	3 420	6.1	58 295	104.6	4 539	8.1	48 596	87.2
75	50	324 448	574.0	3 161	5.6	59 461	105.2	4 655	8.2	48 831	86.4
76	51	324 640	568.7	2 743	4.8	60 898	106.7	4 836	8.5	50 965	89.3
77	52	317 899	551.5	2 494	4.3	62 684	108.8	4 959	8.6	50 485	87.6
78	53	320 196	550.6	2 312	4.0	64 706	111.3	5 053	8.7	52 143	89.7
79	54	316 481	539.8	1 842	3.1	66 525	113.5	4 205	7.2	53 873	91.9
1980	55	332 157	561.8	1 724	2.9	68 263	115.5	4 449	7.5	59 402	100.5
81	56	331 687	557.0	1 453	2.4	69 875	117.3	4 539	7.6	61 731	103.7
82	57	326 389	544.4	1 413	2.4	71 016	118.4	4 566	7.6	61 327	102.3
83	58	338 806	561.4	1 463	2.4	72 876	120.8	4 698	7.8	64 832	107.4
84	59	338 027	556.6	1 265	2.1	75 105	123.7	5 027	8.3	66 580	109.6
85	60	344 514	562.7	1 250	2.0	77 054	125.9	4 922	8.0	69 331	113.2
86	61	343 702	558.8	1 058	1.7	78 065	126.9	4 809	7.8	70 509	114.6
87	62	343 078	555.0	1 063	1.7	80 402	130.1	4 873	7.9	71 343	115.4
88	63	364 920	588.0	918	1.5	83 455	134.5	5 078	8.2	79 280	127.7
89	平成元年	361 480	580.3	851	1.4	85 414	137.1	4 812	7.7	78 930	126.7
1990	2	376 587	602.8	919	1.5	87 018	139.3	4 979	8.0	83 704	134.0
91	3	379 453	605.4	876	1.4	89 252	142.4	5 001	8.0	85 232	136.0
92	4	391 099	622.0	833	1.3	92 243	146.7	5 065	8.1	89 162	141.8
93	5	402 070	637.6	825	1.3	93 485	148.3	5 267	8.4	91 988	145.9

性別死亡数及び率（人口10万対）（つづき）
population) by sex and leading causes of death : Japan—con.

女
Female

48～49		58～60		62, 63, 66		(再 掲)				年 次 ³⁾ Year	
高血圧性疾患		脳血管疾患		肺炎及び気管支炎		63 肺 炎		62, 66 気 管 支 炎			
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
4 688	10. 3	58 767	129. 4	20 557	45. 3	16 344	36. 0	4 213	9. 3	1955	昭和30年
5 436	11. 8	64 504	140. 5	20 558	44. 8	16 346	35. 6	4 212	9. 2	56	31
5 782	12. 5	65 379	141. 2	25 437	54. 9	20 436	44. 1	5 001	10. 8	57	32
6 422	13. 7	65 125	139. 2	20 813	44. 5	16 591	35. 5	4 222	9. 0	58	33
6 811	14. 4	67 689	143. 2	19 638	41. 5	15 925	33. 7	3 713	7. 9	59	34
7 755	16. 3	71 144	149. 6	21 655	45. 6	17 382	36. 6	4 273	9. 0	1960	35
8 309	17. 3	73 149	152. 5	18 700	39. 0	15 048	31. 4	3 652	7. 6	61	36
8 986	18. 6	75 351	155. 6	20 335	42. 0	16 292	33. 6	4 043	8. 3	62	37
8 969	18. 3	76 875	157. 1	14 993	30. 6	12 099	24. 7	2 894	5. 9	63	38
9 496	19. 2	77 861	157. 5	14 737	29. 8	11 991	24. 3	2 746	5. 6	64	39
9 811	19. 6	80 050	160. 0	17 329	34. 6	13 906	27. 8	3 423	6. 8	65	40
9 593	19. 0	80 120	158. 9	13 028	25. 8	10 468	20. 8	2 560	5. 1	66	41
9 520	18. 8	80 440	158. 5	13 481	26. 6	10 944	21. 6	2 537	5. 0	67	42
9 468	18. 5	81 132	158. 1	15 280	29. 8	11 879	23. 1	3 401	6. 6	68	43
9 240	17. 8	82 272	158. 5	14 940	28. 8	11 761	22. 7	3 179	6. 1	69	44
9 880	18. 8	84 405	160. 7	16 257	31. 0	12 899	24. 6	3 358	6. 4	1970	45
9 520	17. 9	82 548	155. 4	13 652	25. 7	10 660	20. 1	2 992	5. 6	71	46
9 544	17. 7	82 938	153. 9	13 669	25. 4	10 742	19. 9	2 927	5. 4	72	47
10 539	19. 1	86 009	156. 2	15 828	28. 7	12 709	23. 1	3 119	5. 7	73	48
11 401	20. 5	85 745	153. 9	16 491	29. 6	13 153	23. 6	3 338	6. 0	74	49
11 148	19. 7	84 443	149. 4	17 276	30. 6	14 070	24. 9	3 206	5. 7	75	50
11 209	19. 6	84 556	148. 1	16 700	29. 3	13 679	24. 0	3 021	5. 3	76	51
11 078	19. 2	83 222	144. 4	14 776	25. 6	12 099	21. 0	2 677	4. 6	77	52
10 717	18. 4	82 144	141. 3	15 428	26. 5	12 588	21. 6	2 840	4. 9	78	53
9 282	15. 8	78 840	134. 5	14 488	24. 7	12 097	20. 6	2 391	4. 1	79	54
9 257	15. 7	80 667	136. 4	17 236	29. 2	14 418	24. 4	2 818	4. 8	1980	55
9 001	15. 1	78 841	132. 4	17 248	29. 0	14 737	24. 7	2 511	4. 2	81	56
8 215	13. 7	74 345	124. 0	17 965	30. 0	15 350	25. 6	2 615	4. 4	82	57
8 082	13. 4	74 249	123. 0	20 291	33. 6	17 442	28. 9	2 849	4. 7	83	58
7 910	13. 0	71 831	118. 3	19 149	31. 5	16 568	27. 3	2 581	4. 2	84	59
7 709	12. 6	69 707	113. 9	22 232	36. 3	19 555	31. 9	2 677	4. 4	85	60
7 134	11. 6	67 457	109. 7	23 001	37. 4	20 517	33. 4	2 484	4. 0	86	61
6 644	10. 7	64 882	105. 0	23 401	37. 9	21 083	34. 1	2 318	3. 8	87	62
6 366	10. 3	67 863	109. 3	27 098	43. 7	24 570	39. 6	2 528	4. 1	88	63
5 785	9. 3	63 714	102. 3	27 843	44. 7	25 493	40. 9	2 350	3. 8	89	平成元年
5 847	9. 4	64 317	103. 0	32 367	51. 8	29 598	47. 4	2 769	4. 4	1990	2
5 673	9. 1	62 708	100. 0	32 979	52. 6	30 214	48. 2	2 765	4. 4	91	3
5 514	8. 8	62 627	99. 6	34 565	55. 0	31 946	50. 8	2 619	4. 2	92	4
5 243	8. 3	63 515	100. 7	38 210	60. 6	35 341	56. 0	2 869	4. 5	93	5

死 亡

表 5.12 年次別にみた主要死因¹⁾ の
Table 5.12 Trends in deaths and death rates (per 100,000)

女
Female

年 次 ³⁾ Year	68 喘 息		69 胃及び十二指腸潰瘍		73 慢性肝疾患及び肝硬変		76~77 腎炎、ネフローゼ症 候群及びネフローゼ		88 精神病の記載のない老衰	
	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates
1899 明治32年	---	---	---	---	587	2.7	6 704	31.1	32 430	150.4
1900 33	---	---	---	---	591	2.7	6 539	30.0	33 471	153.6
01 34	---	---	---	---	711	3.2	7 187	32.6	29 314	132.9
02 35	---	---	---	---	763	3.4	8 095	36.2	31 059	138.9
03 36	---	---	---	---	786	3.5	9 028	39.9	33 090	146.1
04 37	---	---	---	---	838	3.7	9 772	42.6	37 513	163.5
05 38	---	---	---	---	858	3.7	10 136	43.7	38 784	167.2
06 39	---	---	---	---	911	3.9	10 650	45.4	35 276	150.5
07 40	---	---	---	---	993	4.2	11 557	48.9	37 170	157.3
08 41	---	---	---	---	1 034	4.3	12 410	51.9	35 199	147.1
09 42	3 209	13.2	1 923	7.9	1 101	4.5	13 880	57.3	36 973	152.6
1910 43	3 226	13.1	1 972	8.0	1 126	4.6	13 878	56.6	34 983	142.6
11 44	2 814	11.3	1 935	7.8	1 103	4.4	14 717	59.2	33 303	134.0
12 大正元年	2 890	11.5	1 977	7.8	1 192	4.7	15 960	63.3	33 986	134.8
13 2	2 977	11.6	1 960	7.7	1 168	4.6	16 486	64.5	32 975	129.0
14 3	2 932	11.3	2 100	8.1	1 196	4.6	19 482	75.1	36 199	139.6
15 4	2 795	10.6	2 016	7.7	1 250	4.8	19 488	74.1	34 730	132.1
16 5	3 350	12.6	2 190	8.2	1 228	4.6	22 408	84.1	40 116	150.5
17 6	3 223	11.9	2 238	8.3	1 316	4.9	24 335	90.2	42 306	156.8
18 7	4 186	15.3	2 337	8.6	1 335	4.9	28 967	106.2	48 817	178.9
19 8	2 879	10.5	2 079	7.6	1 140	4.2	26 416	96.3	41 155	150.0
1920 9	3 374	12.1	2 177	7.8	1 339	4.8	28 222	101.1	42 800	153.3
21 10	3 129	11.1	2 527	8.9	1 317	4.7	29 569	104.7	44 330	156.9
22 11	3 480	12.2	2 364	8.3	1 225	4.3	30 202	105.6	44 589	156.0
23 12	2 812	9.7	2 655	9.2	1 380	4.8	30 624	105.8	44 900	155.1
24 13	2 873	9.8	2 702	9.2	1 394	4.8	30 786	105.0	43 517	148.5
25 14	3 156	10.6	2 731	9.2	1 374	4.6	29 872	100.5	40 916	137.7
26 昭和元年	2 597	8.6	2 628	8.7	1 420	4.7	29 795	98.6	39 770	131.6
27 2	2 845	9.3	2 748	9.0	1 483	4.8	30 227	98.5	43 983	143.4
28 3	2 802	9.0	2 951	9.5	1 486	4.8	31 099	99.8	44 863	144.0
29 4	2 980	9.4	3 002	9.5	1 601	5.1	32 795	103.9	46 992	148.9
1930 5	2 724	8.5	3 019	9.4	1 708	5.3	31 776	99.1	45 056	140.5
31 6	3 373	10.4	3 291	10.1	1 531	4.7	32 297	99.2	50 413	154.8
32 7	2 805	8.5	3 239	9.8	1 581	4.8	31 488	95.2	45 922	138.8
33 8	2 992	8.9	3 384	10.1	1 723	5.1	30 639	91.2	49 135	146.3
34 9	3 601	10.6	3 615	10.6	1 728	5.1	30 482	89.6	52 123	153.2
35 10	3 122	9.0	3 566	10.3	1 631	4.7	28 512	82.6	47 054	136.3
36 11	3 867	11.0	3 719	10.6	1 761	5.0	29 661	84.7	54 598	155.9
37 12	3 287	9.3	3 731	10.5	1 788	5.0	28 882	81.4	50 336	141.8
38 13	3 904	10.9	4 061	11.3	1 781	5.0	31 317	87.3	58 456	162.9
39 14	4 258	11.8	4 024	11.1	1 797	5.0	29 996	83.0	56 754	157.0
1940 15	3 706	10.1	3 794	10.4	1 808	4.9	28 472	77.9	53 965	147.7
41 16	3 713	10.0	3 748	10.1	1 800	4.9	26 146	70.7	53 422	144.5
42 17	3 921	10.5	4 127	11.0	1 831	4.9	26 979	71.9	57 152	152.4
43 18	4 404	11.6	4 601	12.1	1 811	4.8	26 158	68.6	59 468	156.0
47 22	5 728	14.3	6 958	17.4	1 848	4.6	24 304	60.8	46 178	115.5
48 23	4 769	11.7	5 819	14.2	2 073	5.1	19 947	48.8	37 843	92.6
49 24	4 835	11.6	5 503	13.2	2 373	5.7	18 391	44.1	38 918	93.3
1950 25	6 772	16.0	5 667	13.4	2 379	5.6	14 754	34.8	34 938	82.4
51 26	5 979	13.9	5 299	12.3	2 384	5.5	13 360	31.0	36 178	84.0
52 27	5 131	11.7	4 994	11.4	2 541	5.8	11 886	27.2	36 046	82.5
53 28	6 330	14.3	4 786	10.8	2 727	6.2	10 763	24.3	40 789	92.1
54 29	4 361	9.7	4 292	9.6	3 005	6.7	10 319	23.0	36 976	82.3

General mortality

性別死亡数及び率 (人口10万対) (つづき)
population) by sex and leading causes of death : Japan—con.

女
Female

4, 72 胃 腸 炎		E104~E114 不慮の事故及び有害作用		(再 掲) E104 自 動 車 事 故		E115 自 殺		年 次 ³⁾ Year	
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
32 651	151.4	7 815	36.2	---	---	2 233	10.4	1899 明治32年	33
29 780	136.6	6 952	31.9	---	---	2 147	9.9	1900 34	35
28 851	130.8	6 257	28.4	---	---	2 974	13.5	01 36	37
28 411	127.1	6 922	31.0	---	---	3 073	13.7	02 38	39
26 307	116.2	7 130	31.5	---	---	3 267	14.4	03 41	42
28 946	126.2	7 340	32.0	---	---	3 381	14.7	04 37	
33 699	145.3	7 042	30.4	---	---	3 069	13.2	05 38	
31 222	133.2	7 114	30.4	---	---	2 992	12.8	06 39	
36 387	154.0	7 890	33.4	---	---	3 163	13.4	07 40	
36 101	150.9	7 509	31.4	---	---	3 224	13.5	08 41	
53 794	222.0	7 685	31.7	---	---	3 405	14.1	09 42	
53 887	219.6	7 991	32.6	---	---	3 444	14.0	1910 43	
54 037	217.4	7 834	31.5	---	---	3 526	14.2	11 44	
52 183	207.0	8 120	32.2	---	---	3 520	14.0	12 大正元年	2
50 488	197.5	7 812	30.6	---	---	3 893	15.2	13 3	
60 080	231.7	8 520	32.9	---	---	4 008	15.5	14 4	
60 114	228.7	8 467	32.2	---	---	3 650	13.9	15 5	
64 452	241.8	8 173	30.8	---	---	3 534	13.3	16 6	
66 126	245.1	9 204	34.1	---	---	3 530	13.1	17 7	
74 778	274.1	8 946	32.8	---	---	3 954	14.5	18 8	
70 217	256.0	8 059	29.4	---	---	3 766	13.7	19 9	
71 985	257.8	8 593	30.8	---	---	4 109	14.7	1920 9	
78 507	277.9	8 219	29.1	---	---	4 435	15.7	21 10	
78 512	274.6	8 290	29.0	---	---	4 562	16.0	22 11	
84 382	291.6	32 969	113.9	---	---	4 423	15.3	23 12	
76 955	262.6	8 322	28.4	---	---	4 303	14.7	24 13	
71 931	242.0	8 344	28.1	---	---	4 728	15.9	25 14	
71 190	235.6	8 277	27.4	---	---	4 805	15.9	26 昭和元年	2
75 234	245.2	10 289	33.5	---	---	4 933	16.1	27 3	
74 089	237.9	8 214	28.2	---	---	5 048	16.2	28 4	
79 543	252.0	8 385	26.6	---	---	4 825	15.3	29 5	
71 935	224.4	8 326	26.0	---	---	5 132	16.0	1930 6	
70 592	216.8	8 179	25.1	---	---	5 251	16.1	31 7	
68 963	208.5	8 590	26.0	---	---	5 474	16.6	32 8	
70 889	211.1	9 602	28.6	---	---	5 695	17.0	33 9	
69 390	204.0	10 197	30.0	---	---	5 489	16.1	34 10	
60 666	175.7	8 381	24.3	---	---	5 438	15.8	35 11	
65 402	186.8	8 685	24.8	---	---	5 657	16.2	36 12	
64 894	182.6	8 565	24.1	---	---	5 372	15.1	37 13	
64 729	180.4	9 041	25.2	---	---	4 638	12.9	38 14	
61 875	171.1	7 935	21.9	---	---	4 283	11.8	39 15	
59 892	163.9	7 979	21.8	---	---	4 036	11.0	1940 16	
52 517	142.0	8 142	22.0	---	---	4 046	10.9	41 17	
52 080	138.8	9 198	24.5	---	---	3 895	10.4	42 18	
56 315	147.7	10 440	27.4	---	---	3 669	9.6	43 22	
52 651	131.7	11 995	30.0	432	1.1	5 154	12.9	47 23	
43 814	107.2	12 703	31.1	478	1.2	5 422	13.3	48 24	
37 955	91.0	9 777	23.4	484	1.2	5 810	13.9	49 25	
35 300	83.3	9 067	21.4	799	1.9	6 491	15.3	1950 26	
29 869	69.3	8 769	20.4	833	1.9	6 380	14.8	51 27	
24 379	55.8	8 313	19.0	914	2.1	6 605	15.1	52 28	
21 634	48.9	9 374	21.2	1 128	2.5	7 281	16.4	53 29	
18 620	41.5	8 668	19.3	1 339	3.0	7 994	17.8	54 29	

表 5.12 年次別にみた主要死因¹⁾ の
Table 5.12 Trends in deaths and death rates (per 100,000)

女
Female

年 次 ³⁾ Year		68		69		73		76~77 腎炎、ネフローゼ症 候群及びネフローゼ		88	
		喘 息		胃及び十二指腸潰瘍		慢性肝疾患及び肝硬変				精神病の記載のない老衰	
		死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates
1955	昭和30年	4 572	10.1	3 965	8.7	3 122	6.9	10 037	22.1	36 351	80.0
56	31	4 846	10.6	3 872	8.4	3 294	7.2	10 038	21.9	41 345	90.1
57	32	5 695	12.3	3 982	8.6	3 229	7.0	10 008	21.6	44 856	96.8
58	33	4 070	8.7	3 671	7.8	3 286	7.0	9 007	19.3	31 567	67.5
59	34	3 927	8.3	3 596	7.6	3 455	7.3	8 414	17.8	32 696	69.2
1960	35	4 465	9.4	3 417	7.2	3 412	7.2	7 830	16.5	33 592	70.7
61	36	3 906	8.1	3 194	6.7	3 522	7.3	7 294	15.2	34 586	72.1
62	37	4 550	9.4	3 130	6.5	3 423	7.1	6 783	14.0	34 403	71.0
63	38	3 562	7.3	2 922	6.0	3 508	7.2	6 210	12.7	30 933	63.2
64	39	3 629	7.3	2 845	5.8	3 430	6.9	5 632	11.4	30 257	61.2
65	40	4 221	8.4	2 798	5.6	3 318	6.6	5 656	11.3	31 588	63.1
66	41	3 601	7.1	2 665	5.3	3 320	6.6	4 998	9.9	28 678	56.9
67	42	3 627	7.1	2 754	5.4	3 228	6.4	4 750	9.4	27 784	54.8
68	43	3 783	7.4	2 822	5.5	3 670	7.2	4 897	9.5	25 715	50.1
69	44	3 389	6.5	2 682	5.2	3 853	7.4	4 728	9.1	24 421	47.0
1970	45	3 585	6.8	2 578	4.9	4 025	7.7	4 447	8.5	25 697	48.9
71	46	3 137	5.9	2 524	4.8	3 899	7.3	4 151	7.8	23 087	43.5
72	47	2 953	5.5	2 477	4.6	3 891	7.2	3 778	7.0	21 153	39.2
73	48	2 832	5.1	2 510	4.6	4 128	7.5	3 844	7.0	21 639	39.3
74	49	2 924	5.2	2 540	4.6	4 067	7.3	3 668	6.6	21 474	38.5
75	50	2 821	5.0	2 393	4.2	4 231	7.5	3 525	6.2	19 629	34.7
76	51	2 777	4.9	2 342	4.1	4 130	7.2	3 423	6.0	19 358	33.9
77	52	2 421	4.2	2 147	3.7	4 262	7.4	3 104	5.4	18 550	32.2
78	53	2 320	4.0	2 169	3.7	4 399	7.6	3 294	5.7	18 069	31.1
79	54	2 338	4.0	2 120	3.6	4 395	7.5	4 593	7.8	19 148	32.7
1980	55	2 500	4.2	2 181	3.7	4 549	7.7	5 114	8.7	20 910	35.4
81	56	2 546	4.3	2 185	3.7	4 728	7.9	5 289	8.9	19 321	32.4
82	57	2 426	4.0	2 020	3.4	4 724	7.9	5 727	9.6	17 934	29.9
83	58	2 655	4.4	2 173	3.6	4 846	8.0	6 123	10.1	19 166	31.8
84	59	2 509	4.1	2 086	3.4	4 947	8.1	6 363	10.5	18 656	30.7
85	60	2 564	4.2	2 065	3.4	5 120	8.4	6 768	11.1	18 135	29.6
86	61	2 700	4.4	1 930	3.1	5 206	8.5	6 982	11.4	17 681	28.7
87	62	2 552	4.1	1 807	2.9	5 158	8.3	7 295	11.8	16 616	26.9
88	63	2 561	4.1	1 696	2.7	5 303	8.5	8 159	13.1	17 490	28.2
89	平成元年	2 506	4.0	1 670	2.7	5 353	8.6	8 398	13.5	15 904	25.5
1990	2	2 535	4.1	1 682	2.7	5 288	8.5	8 821	14.1	16 133	25.8
91	3	2 559	4.1	1 717	2.7	5 476	8.7	8 725	13.9	15 524	24.8
92	4	2 621	4.2	1 664	2.6	5 538	8.8	9 560	15.2	15 748	25.0
93	5	2 747	4.4	1 715	2.7	5 375	8.5	9 483	15.0	15 791	25.0

性別死亡数及び率（人口10万対）（つづき）
population) by sex and leading causes of death : Japan—con.

女
Female

4, 72		E104~E114		(再 掲)		E115		年 次 ³⁾	
胃 腸 炎		不慮の事故及び有害作用		E104 自 動 車 事 故		自 殺		Year	
死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates	死亡数 Deaths	死亡率 Death rates		
15 307	33.7	8 357	18.4	1 324	2.9	8 641	19.0	1955	昭和30年
14 754	32.1	8 151	17.8	1 431	3.1	8 885	19.4	56	31
12 864	27.8	8 540	18.4	1 679	3.6	8 860	19.1	57	32
12 942	27.7	9 034	19.3	1 887	4.0	9 746	20.8	58	33
11 983	25.4	11 432	24.2	2 270	4.8	8 911	18.9	59	34
11 085	23.3	9 177	19.3	2 748	5.8	8 637	18.2	1960	35
10 347	21.6	9 525	19.9	2 993	6.2	8 113	16.9	61	36
9 655	19.9	8 873	18.3	2 672	5.5	7 183	14.8	62	37
8 768	17.9	8 998	18.4	3 002	6.1	6 567	13.4	63	38
7 961	16.1	9 151	18.5	3 323	6.7	6 371	12.9	64	39
7 200	14.4	9 514	19.0	3 353	6.7	6 114	12.2	65	40
6 468	12.8	10 017	19.9	3 627	7.2	6 600	13.1	66	41
6 057	11.9	10 027	19.8	3 711	7.3	6 181	12.2	67	42
5 704	11.1	9 769	19.0	4 228	8.2	6 427	12.5	68	43
5 477	10.5	10 391	20.0	4 630	8.9	6 603	12.7	69	44
4 951	9.4	10 690	20.4	4 995	9.5	6 967	13.3	1970	45
4 572	8.6	10 676	20.1	4 892	9.2	7 082	13.3	71	46
4 319	8.0	10 742	19.9	4 785	8.9	7 784	14.4	72	47
4 382	8.0	10 246	18.6	4 500	8.2	8 129	14.8	73	48
4 172	7.5	9 261	16.6	3 564	6.4	8 382	15.0	74	49
3 726	6.6	8 845	15.6	3 331	5.9	8 231	14.6	75	50
3 285	5.8	8 253	14.5	3 090	5.4	8 042	14.1	76	51
3 008	5.2	7 945	13.8	2 869	5.0	7 970	13.8	77	52
2 903	5.0	7 968	13.7	2 912	5.0	7 790	13.4	78	53
2 409	4.1	7 890	13.5	2 965	5.1	7 972	13.6	79	54
2 263	3.8	8 064	13.6	2 919	4.9	7 773	13.1	1980	55
2 024	3.4	7 942	13.3	3 022	5.1	7 388	12.4	81	56
1 763	2.9	8 151	13.6	3 070	5.1	7 465	12.5	82	57
1 736	2.9	8 407	13.9	3 322	5.5	8 109	13.4	83	58
1 465	2.4	8 121	13.4	3 085	5.1	8 093	13.3	84	59
1 404	2.3	8 279	13.5	3 202	5.2	8 027	13.1	85	60
1 194	1.9	8 130	13.2	3 183	5.2	9 168	14.9	86	61
1 052	1.7	8 131	13.2	3 336	5.4	8 550	13.8	87	62
1 004	1.6	8 854	14.3	3 611	5.8	8 505	13.7	88	63
833	1.3	9 201	14.8	3 946	6.3	8 186	13.1	89	平成元年
902	1.4	9 923	15.9	4 113	6.6	7 772	12.4	1990	2
877	1.4	10 276	16.4	4 101	6.5	7 398	11.8	91	3
854	1.4	11 071	17.6	4 178	6.6	7 377	11.7	92	4
797	1.3	11 320	18.0	4 065	6.4	6 976	11.1	93	5