

表 5.16 性・年齢別にみた死因

Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号 117 rubrics ^a list code	死 因 ・ 性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
	総 数 Total	709.7 784.6 637.6	435.0 466.5 401.7	72.6 77.8 67.1	41.6 43.4 39.7	32.9 37.4 28.2	25.7 26.7 24.8	43.1 46.2 39.8	120.0 128.8 110.8	18.2 20.7 15.5	14.7 17.1 12.2	38.9 55.9 21.0	49.9 71.6 27.1	49.9 68.7 30.5
1	コ レ ラ M. F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
2	腸 チ フ ス M. F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
3	細菌性赤痢及び アメーバ症 M. F.	0.0 0.0 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
4	腸炎及びその他の 下痢性疾患 M. F.	0.6 0.6 0.7	1.1 1.1 1.0	0.8 1.1 0.5	0.2 0.3 0.2	0.1 0.2 -	0.2 0.4 0.2	0.3 0.4 0.2	0.5 0.6 0.4	0.1 0.1 0.0	0.0 0.1 0.0	0.0 0.0 -	0.0 0.0 0.0	0.0 0.0 -
5	呼吸系の結核 M. F.	2.5 3.8 1.1	- - -	0.1 0.2 -	- - -	- - -	- - -	0.0 0.0 -	0.0 0.0 -	- - -	- - -	0.0 0.0 0.0	0.0 0.0 0.1	0.1 0.2 0.1
6	その他の結核 (後遺症を含まない) M. F.	0.2 0.2 0.2	0.1 0.2 -	- - -	- - -	- - -	- - -	- - -	0.0 0.0 -	- - -	- - -	- - -	0.0 0.0 0.1	0.0 0.0 -
7	ら い M. F.	0.0 0.0 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
8	ジ フ テ リ ア M. F.	0.0 0.0 -	- - -	- - -	0.1 0.2 -	- - -	- - -	0.0 0.0 -	0.0 0.0 -	- - -	- - -	- - -	- - -	- - -
9	百 日 咳 M. F.	0.0 0.0 0.0	0.1 - 0.2	- - -	0.1 0.2 -	- - -	- - -	0.0 0.0 0.0	0.0 0.0 0.0	- - -	- - -	- - -	- - -	- - -
10	猩 紅 熱 M. F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
11	髄膜炎菌感染 M. F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
12	破 傷 風 (新生児破傷風を除く) M. F.	0.0 0.0 0.0	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
13	敗 血 症 (新生児敗血症を除く) M. F.	3.2 3.2 3.2	10.0 11.0 9.0	0.7 0.3 1.0	0.8 0.6 1.0	0.1 0.2 -	0.2 - 0.5	0.5 0.3 0.6	2.3 2.4 2.3	0.1 0.1 0.2	0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.2 0.1	0.2 0.2 0.1
14	急性灰白髄炎 M. F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
15	痘 瘡 M. F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
16	麻 疹 M. F.	0.0 0.0 0.0	0.3 0.3 0.2	0.2 0.2 0.2	0.3 0.3 0.3	- - -	- - -	0.1 0.1 0.1	0.1 0.2 0.1	0.0 0.1 0.1	0.0 0.0 -	- - -	- - -	- - -
17	日 本 脳 炎 M. F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
18	ウイルス肝炎 B M. F.	0.4 0.5 0.2	0.1 - 0.2	- - -	- - -	- - -	- - -	- - -	0.0 - 0.0	- - -	- - -	- - -	- - -	0.0 0.0 0.0

注：1) 0歳は出生10万対の死亡率である。

(簡単分類) 別死亡率 (人口10万対)
causes of death (the 117 rubrics list) : Japan, 1993

平成5年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~	簡 単 分類番号 117 rubrics ^a list code
61.6 78.9 43.8	90.8 116.8 64.4	148.9 189.7 107.8	233.4 305.6 161.2	360.4 487.1 236.0	590.8 827.9 363.2	943.7 1 355.8 559.7	1 397.6 1 990.6 890.1	2 223.6 3 203.9 1 571.4	4 032.9 5 611.4 3 017.6	7 137.2 9 605.9 5 740.7	12 343.6 15 845.7 10 653.9	21 411.1 25 738.1 19 881.3	3 924.0 4 801.5 3 320.2	10 168.5 12 673.5 8 870.4	14 942.4 18 307.1 13 431.9	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	0.0 0.0	-	-	-	-	0.0 0.0	-	0.0 0.1	-	-	-	-	0.0 0.0	-	-	4
0.0 0.1 -	0.0 0.0 -	0.1 0.1 0.1	0.1 0.1 0.1	0.2 0.2 0.1	0.2 0.3 0.2	0.5 0.5 0.5	1.0 1.3 0.7	1.4 2.1 1.0	3.0 3.6 2.6	6.0 7.0 5.5	15.3 16.4 14.8	33.9 40.0 31.8	3.7 3.8 3.6	11.7 12.4 11.3	20.6 22.3 19.9	5
0.1 0.1 0.1	0.2 0.3 0.1	0.5 0.9 0.1	1.2 2.1 0.3	1.3 2.3 0.3	2.5 4.0 0.9	4.0 6.8 1.4	6.7 11.4 2.7	10.0 19.3 3.8	16.5 30.7 7.4	22.8 47.1 9.0	30.0 61.8 14.6	28.5 68.6 13.8	13.3 24.1 5.8	25.4 52.9 11.2	29.6 63.5 14.4	6
0.0 0.1 0.0	0.0 0.0 -	0.1 0.1 0.0	0.0 0.1 -	0.1 0.1 0.0	0.2 0.2 0.1	0.3 0.3 0.3	0.5 0.5 0.4	0.7 0.8 0.6	1.3 1.8 1.0	1.6 1.5 1.6	1.3 2.5 0.8	0.5 1.0 0.4	0.9 1.0 0.8	1.4 1.8 1.2	1.1 2.1 0.6	7
-	-	-	-	-	-	-	0.0 0.0	-	-	-	-	-	0.0 0.0	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	0.0 0.0	0.0 0.1	0.0 0.0	0.0 0.0	-	0.1 0.2	0.1 0.1	-	-	0.0 0.0	0.1 0.1	-	12
0.2 0.2 0.2	0.3 0.3 0.3	0.5 0.6 0.3	0.8 1.1 0.5	1.1 1.3 1.0	2.4 3.3 1.5	4.3 5.7 3.1	6.1 8.3 4.2	11.0 13.7 9.2	20.7 24.2 18.5	34.8 42.1 30.7	53.0 57.1 51.0	65.3 65.7 65.4	17.8 19.4 16.7	43.3 48.1 40.7	56.5 59.2 55.3	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	0.0 0.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
0.0 0.1 0.0	0.2 0.4 0.0	0.3 0.4 0.1	0.6 0.8 0.3	0.8 1.2 0.3	0.9 1.4 0.5	0.9 1.3 0.5	0.9 1.2 0.6	0.9 1.1 0.8	1.0 1.4 0.7	0.8 1.3 0.5	0.9 0.9 0.9	0.8 1.0 0.7	0.9 1.2 0.7	0.8 1.2 0.6	0.9 0.9 0.9	18

Note : a) 117 rubrics list code see page 456

表 5.16 性・年齢別にみた死因

Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号 117 rubrics ^a list code	死 因 ・ 性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
19	その他のウイルス肝 炎 総数T. 男 M. 女 F.	1.7 2.0 1.4	1.1 1.1 1.0	0.4 — 0.7	— — —	0.2 0.3 0.2	0.2 — 0.3	0.2 0.1 0.3	0.4 0.3 0.4	0.1 0.1 0.1	0.1 0.1 0.1	0.2 0.1 0.3	0.1 0.1 0.2	0.2 0.2 0.2
20	発疹チフス及びその 他のリケッチア症 総数T. 男 M. 女 F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
21	マ ラ リ ア 総数T. 男 M. 女 F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
22	梅 毒 総数T. 男 M. 女 F.	0.0 0.0 0.0	0.1 — 0.2	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	— — —	— — —	— — —	— — —	— — —
23	カ ン ジ ダ 症 (新生児カンジダ症 を除く) 総数T. 男 M. 女 F.	0.1 0.1 0.1	0.2 0.3 —	— — —	— — —	0.1 0.2 —	— — —	0.0 0.0 —	0.0 0.1 —	— — —	— — —	— — —	— — —	— — —
24	日本住血吸虫症 総数T. 男 M. 女 F.	0.0 0.0 —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
25	フィラリア症 総数T. 男 M. 女 F.	0.0 — 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
26	その他の感染症及び 寄生虫症 総数T. 男 M. 女 F.	2.7 3.3 2.1	2.1 2.3 1.9	0.5 0.5 0.5	0.7 0.6 0.7	0.3 0.7 —	0.6 0.5 0.8	0.5 0.6 0.5	0.8 0.9 0.8	0.2 0.2 0.2	0.2 0.1 0.2	0.2 0.2 0.2	0.2 0.2 0.3	0.2 0.2 0.2
28~37	悪 性 新 生 物 総数T. 男 M. 女 F.	190.4 234.2 148.3	1.9 1.8 1.9	2.8 2.6 3.1	2.8 2.6 3.1	3.3 4.4 2.2	2.9 2.7 3.1	3.0 3.0 2.9	2.7 2.8 2.7	3.1 3.2 3.0	3.1 3.4 2.8	4.0 5.1 2.8	4.4 5.0 3.7	6.8 7.2 6.3
28	食 道 総数T. 男 M. 女 F.	6.5 11.1 2.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 —
29	胃 総数T. 男 M. 女 F.	38.2 49.4 27.5	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	0.1 0.1 0.0	0.3 0.2 0.4	1.2 1.0 1.4
30	直腸、直腸S状結 腸移行部及び肛門 総数T. 男 M. 女 F.	8.0 10.1 6.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	0.1 0.1 0.0	0.1 0.2 0.1	0.1 0.2 0.1
31	肝 総数T. 男 M. 女 F.	22.4 33.0 12.2	0.2 0.3 —	— 0.3 0.3	0.3 — 0.3	— — —	— — —	0.1 0.1 0.1	0.1 0.1 0.1	0.0 0.0 0.0	0.1 0.1 0.1	0.1 0.1 0.0	0.1 0.3 0.2	0.3 0.3 0.2
32	膵 総数T. 男 M. 女 F.	11.9 13.4 10.4	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.1	0.0 0.0 —	0.0 0.1 0.0	0.1 0.1 0.1
33	気管、気管支及び 肺 総数T. 男 M. 女 F.	33.5 50.1 17.6	— — —	— — —	0.1 — 0.2	0.1 — 0.2	— — —	0.0 — 0.1	0.0 — 0.1	— — —	— — —	0.0 0.0 —	0.1 0.1 0.0	0.3 0.2 0.4
34	乳 房 総数T. 男 M. 女 F.	5.5 0.1 10.7	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.1 — 0.1	0.2 — 0.4
35	子 宮 女 F.	7.0	—	—	—	—	—	—	—	—	—	0.0	0.0	0.5
36	白 血 病 総数T. 男 M. 女 F.	4.7 5.5 3.9	0.8 0.8 0.7	1.2 1.1 1.4	1.3 1.1 1.5	1.4 2.3 0.5	1.4 1.2 1.6	1.4 1.4 1.3	1.2 1.3 1.2	1.4 1.4 1.4	1.7 1.9 1.5	1.6 1.8 1.5	1.4 1.5 1.3	1.5 2.0 1.0

注：1) 0歳は出生10万対の死亡率である。

(簡単分類) 別死亡率 (人口10万対) (つづき)
causes of death (the 117 rubrics list) : Japan, 1993—con.

平成5年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~	簡単 分類番号 117 rubrics ^a list code
0.3 0.3 0.2	0.3 0.4 0.2	0.6 0.9 0.4	0.8 1.1 0.4	1.5 2.1 0.8	3.6 5.2 2.1	5.0 6.8 3.2	4.9 6.8 3.3	5.8 6.6 5.2	6.9 7.4 6.5	6.8 8.9 5.5	7.6 7.6 7.6	8.2 15.2 5.7	6.0 7.3 5.1	7.2 9.1 6.1	7.8 9.5 7.0	19
— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	— — —	0.0 0.1 —	— — —	0.0 — 0.1	0.1 — —	— — —	0.0 0.0 0.0	0.1 0.1 0.0	0.1 0.2 —	20
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	21
— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	0.0 — —	— — —	0.1 0.1 0.1	0.2 0.3 0.2	0.2 0.4 0.1	0.2 0.3 0.2	0.3 — 0.4	0.1 0.1 0.1	0.2 0.3 0.1	0.2 0.2 0.2	22
— — —	— — —	0.0 — 0.0	— — —	0.0 — —	0.1 0.1 0.0	0.1 0.1 0.0	0.1 0.1 0.0	0.3 0.5 0.3	0.5 0.9 0.3	1.2 1.5 1.0	2.6 3.2 2.3	1.3 1.9 1.1	0.5 0.7 0.4	1.6 2.0 1.4	2.2 2.8 1.9	23
— — —	— — —	— — —	— — —	0.0 — —	— — —	— — —	— — —	— — —	0.1 0.2 —	— — —	— — —	— — —	0.0 0.0 —	— — —	— — —	24
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — —	— — —	— — —	0.0 — —	0.0 — —	— — —	25
0.2 0.2 0.2	0.2 0.2 0.2	0.4 0.6 0.2	0.6 0.6 0.5	0.9 1.2 0.7	1.8 2.2 1.3	4.4 5.6 3.2	8.4 11.7 5.6	11.9 18.9 7.3	18.6 30.4 11.0	25.1 43.2 14.9	28.4 51.1 17.5	31.6 45.7 26.5	15.0 22.7 9.7	26.8 45.5 17.1	29.4 49.8 20.2	26
12.7 11.1 14.3	25.3 23.1 27.5	51.3 49.6 53.0	86.2 92.4 80.1	141.9 167.9 116.3	254.1 336.5 175.1	419.7 605.6 246.5	585.9 862.5 349.1	777.9 1 194.5 500.7	1 095.8 1 669.0 727.1	1 416.5 2 157.2 997.4	1 646.5 2 499.1 1 235.2	1 567.4 2 385.7 1 269.3	919.1 1 333.8 633.8	1 497.5 2 267.8 1 098.4	1 625.1 2 470.9 1 245.4	28~37
— — —	0.2 0.3 0.1	0.8 1.5 0.2	2.6 4.6 0.6	5.0 11.0 1.2	11.2 20.5 2.2	19.9 37.8 3.1	24.3 47.4 4.5	24.9 51.9 6.9	32.2 64.5 11.5	36.6 72.1 16.6	42.6 77.3 25.9	35.5 66.7 24.0	28.8 56.1 10.1	38.2 73.0 20.1	40.6 74.6 25.3	28
2.9 2.1 3.6	6.3 5.2 7.5	11.7 11.7 11.7	17.7 20.2 15.1	27.8 35.9 19.8	48.9 70.6 28.0	78.1 118.2 40.8	113.1 179.7 56.2	149.6 246.8 85.0	222.0 353.3 137.6	311.0 496.8 205.9	367.7 555.2 266.7	359.1 577.0 287.6	188.2 287.2 120.1	332.2 523.1 233.2	365.5 571.6 273.0	29
0.3 0.3 0.4	0.7 0.9 0.6	2.3 2.6 2.0	4.7 5.3 4.0	7.4 9.7 5.2	14.0 18.9 9.4	19.0 28.3 10.4	24.7 36.5 14.7	29.5 44.7 19.4	39.6 60.6 26.1	54.5 80.8 39.6	68.2 95.6 54.9	66.1 106.7 51.2	36.0 51.6 25.2	59.6 87.0 45.4	67.6 98.3 53.8	30
0.6 0.9 0.3	1.4 2.4 0.3	4.1 6.6 1.5	8.7 15.5 1.8	16.2 28.2 4.5	42.2 73.9 11.8	78.5 135.7 25.1	83.1 134.3 39.4	87.9 140.0 53.2	101.5 154.0 67.7	116.3 174.3 83.4	117.7 176.3 89.3	108.2 169.5 85.9	94.6 146.2 59.0	115.8 174.4 85.4	115.1 174.6 88.3	31
0.3 0.3 0.2	0.8 1.0 0.6	2.2 2.9 1.5	4.6 6.7 2.4	7.9 10.6 5.3	14.2 18.9 9.8	24.8 33.8 16.4	37.1 49.2 26.8	52.7 70.5 40.9	78.3 100.6 64.1	93.1 118.8 78.6	106.4 128.4 95.7	108.7 140.0 97.5	61.5 76.5 51.2	98.6 123.2 85.8	107.1 131.3 96.3	32
1.0 1.2 0.8	2.5 3.5 1.5	5.7 7.3 4.2	9.8 13.1 6.4	17.7 25.2 10.3	33.4 50.8 16.7	67.8 111.3 27.2	113.4 196.9 42.0	163.0 307.1 67.2	237.9 445.2 104.5	277.8 526.2 137.3	278.0 534.1 154.5	221.1 425.7 145.9	182.1 324.7 83.9	271.7 519.5 143.2	262.0 507.1 151.9	33
1.3 — 2.7	3.0 — 6.0	5.9 0.1 11.7	8.7 0.1 17.2	10.9 0.2 21.5	12.9 0.2 25.2	11.4 0.1 21.9	11.9 0.3 21.9	12.8 0.4 21.1	12.6 0.8 20.2	15.2 0.8 23.3	17.9 0.6 26.2	25.4 — 35.0	13.4 0.5 22.2	17.1 0.7 25.5	20.0 0.5 28.8	34
0.9	1.8	3.4	5.3	8.2	10.4	13.2	17.7	21.5	28.4	38.5	47.0	45.6	26.3	41.8	46.6	35
1.6 1.8 1.4	2.1 2.5 1.7	3.1 3.5 2.7	3.6 3.7 3.4	5.0 6.0 4.1	6.9 8.5 5.4	8.6 11.2 6.2	10.9 14.5 7.8	14.9 21.8 10.3	18.4 25.7 13.7	19.9 31.5 14.6	20.1 31.4 14.6	19.8 25.7 15.5	15.2 21.0 11.2	19.9 30.0 14.7	20.0 31.5 14.9	36

表 5.16 性・年齢別にみた死因

Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号 117 rubrics ^a list code	死 因 ・ 性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
37	そ の 他 男 M. 女 F.	56.0 61.5 50.7	0.9 0.7 1.2	1.6 1.4 1.7	1.1 1.1 1.0	1.8 2.1 1.5	1.4 1.4 1.5	1.5 1.5 1.4	1.4 1.4 1.4	1.7 1.8 1.5	1.3 1.5 1.1	2.2 3.1 1.2	2.3 3.0 1.7	2.8 3.4 2.2
38	良性及び性質不詳の 新生物 男 M. 女 F.	5.9 6.6 5.2	2.5 2.9 2.1	0.5 0.5 0.5	0.7 0.3 1.0	1.0 0.3 1.7	0.6 0.6 0.7	0.7 0.4 1.0	1.1 0.9 1.2	0.9 0.8 1.1	0.6 0.7 0.5	0.7 0.8 0.5	0.8 1.0 0.5	0.8 1.1 0.4
39	糖 尿 病 男 M. 女 F.	8.3 8.2 8.4	— — —	0.1 0.2 —	0.1 — 0.2	— — —	— — —	0.0 0.0 0.0	0.0 0.0 0.0	— — —	0.0 0.1 0.1	0.1 0.1 0.1	0.2 0.1 0.2	0.2 0.3 0.2
40	栄 養 欠 乏 症 男 M. 女 F.	0.6 0.6 0.5	0.3 0.3 0.2	0.2 0.3 —	— 0.3 —	0.2 — —	— — —	0.1 0.2 —	0.1 0.2 0.0	— — —	0.0 0.0 0.0	0.0 — 0.0	0.1 0.0 0.1	0.1 0.1 0.1
41	貧 血 男 M. 女 F.	1.2 0.9 1.4	0.3 0.3 0.3	0.1 — 0.2	0.2 0.5 —	0.2 0.2 0.2	0.1 — 0.2	0.1 0.2 0.1	0.2 0.2 0.2	0.1 0.2 0.1	0.1 0.2 0.1	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.1
42	精 神 障 害 男 M. 女 F.	2.5 2.1 2.9	— — —	0.2 0.3 —	— — —	— — —	— — —	0.0 0.1 —	0.0 0.1 —	0.0 0.1 —	0.1 — 0.1	0.1 0.0 0.2	0.2 0.1 0.2	0.2 0.3 0.1
43	髄 膜 炎 男 M. 女 F.	0.4 0.4 0.3	2.0 2.3 1.7	1.6 2.1 1.0	0.4 0.6 0.2	0.3 0.3 0.3	0.1 — 0.2	0.6 0.8 0.4	0.9 1.1 0.7	0.1 0.1 0.1	0.0 0.1 0.0	0.0 — 0.0	0.1 0.1 0.0	0.0 0.0 0.0
44	中枢神経系の非炎症 性疾患 男 M. 女 F.	4.7 5.0 4.4	6.0 7.4 4.5	3.8 4.7 2.9	3.2 3.4 3.1	2.5 2.9 2.0	2.5 2.8 2.1	3.0 3.4 2.5	3.6 4.2 2.9	1.0 1.1 0.8	0.8 1.0 0.7	0.8 0.9 0.7	0.8 0.9 0.7	0.8 1.1 0.5
45	急性リウマチ熱 男 M. 女 F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
46	慢性リウマチ性心疾 患 男 M. 女 F.	1.0 0.7 1.4	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
48~49	高 血 圧 性 疾 患 男 M. 女 F.	6.8 5.1 8.3	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.0 — 0.0
48	高 血 圧 性 心 疾 患 男 M. 女 F.	5.1 3.9 6.3	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.0 — 0.0
49	その他の高血圧性 疾患 男 M. 女 F.	1.6 1.2 2.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
51~52	虚 血 性 心 疾 患 男 M. 女 F.	41.9 45.1 38.9	— — —	— — —	0.1 0.2 —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	0.0 0.0 —	0.0 0.1 0.1	0.1 0.1 0.1	0.2 0.2 0.2	0.6 0.9 0.2
51	急 性 心 筋 梗 塞 男 M. 女 F.	26.3 29.7 23.0	— — —	— — —	0.1 0.2 —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	0.0 0.0 —	0.0 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.2	0.4 0.6 0.2
52	その他の虚血性心 疾患 男 M. 女 F.	15.6 15.4 15.8	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.0 0.1 0.1	0.1 0.1 0.1	0.2 0.3 0.0
54~56	肺循環疾患及びその 他の型の心疾患 男 M. 女 F.	102.7 99.6 105.6	18.4 20.2 16.6	6.7 6.3 7.2	3.7 3.9 3.6	1.8 2.0 1.7	2.2 2.0 2.3	3.6 3.5 3.7	6.5 6.8 6.2	1.0 1.1 0.9	1.4 1.6 1.1	2.6 3.5 1.7	3.4 5.2 1.6	5.0 7.0 2.8

注：1) 0歳は出生10万対の死亡率である。

(簡単分類) 別死亡率 (人口10万対) (つづき)
causes of death (the 117 rubrics list) : Japan, 1993—con.

平成5年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~	単 分類番号 117 rubrics ^a list code
4.2 4.5 4.0	7.3 7.4 7.2	13.7 13.4 14.0	23.5 23.0 23.9	38.7 41.3 36.2	65.0 74.2 56.2	104.8 129.2 82.2	157.7 203.9 118.1	229.5 311.2 175.2	336.0 464.4 253.4	467.5 658.2 359.6	596.3 878.2 460.3	590.2 890.5 480.9	283.8 369.9 224.6	517.0 736.8 403.1	595.0 881.3 466.5	37
1.1 1.4 0.7	1.1 1.3 0.8	1.8 2.0 1.6	2.1 2.4 1.9	3.6 4.6 2.6	5.5 7.0 4.0	9.7 12.8 6.8	13.5 18.4 9.4	19.6 27.8 14.2	33.1 47.0 24.2	53.8 71.1 43.9	76.0 109.8 59.7	89.5 125.7 76.3	29.2 37.6 23.4	63.9 86.1 52.4	79.9 113.7 64.7	38
0.4 0.6 0.2	0.8 1.1 0.4	1.5 1.8 1.2	2.8 3.8 1.7	4.4 6.1 2.7	8.0 11.6 4.6	13.4 18.6 8.5	19.5 24.2 15.6	32.7 37.0 29.8	55.7 59.3 53.4	83.0 87.6 80.4	123.3 131.5 119.3	111.1 128.6 104.9	45.8 47.3 44.7	97.3 102.8 94.5	119.9 130.8 115.0	39
0.1 0.1 —	0.1 0.1 0.0	0.2 0.3 0.1	0.2 0.4 0.1	0.4 0.6 0.2	0.7 1.2 0.2	0.6 0.9 0.4	0.8 1.2 0.5	1.3 2.0 0.9	2.6 3.2 2.2	4.5 5.2 4.1	11.5 14.5 10.0	22.1 14.3 25.1	2.9 3.0 2.7	8.4 8.4 8.4	14.5 14.5 14.6	40
0.2 0.1 0.3	0.2 0.2 0.2	0.3 0.3 0.3	0.3 0.4 0.2	0.4 0.4 0.5	0.6 0.6 0.6	1.1 1.1 1.2	2.0 2.1 1.8	3.6 3.9 3.3	6.2 6.7 5.8	12.4 12.3 12.6	23.6 22.4 24.2	45.0 35.2 48.8	6.7 6.0 7.2	19.2 17.0 20.3	29.7 25.6 31.6	41
0.3 0.4 0.3	0.5 0.7 0.3	0.6 0.9 0.3	1.1 1.7 0.4	1.6 2.6 0.6	1.5 2.2 0.8	1.9 2.8 1.1	2.1 2.7 1.5	4.3 5.2 3.6	11.3 10.3 11.9	29.7 28.0 30.7	66.6 63.1 68.3	127.8 100.0 138.5	14.5 11.8 16.3	50.8 43.6 54.6	84.1 72.3 89.5	42
0.0 0.1 —	0.1 0.1 0.1	0.2 0.2 0.1	0.1 0.2 0.1	0.2 0.2 0.2	0.4 0.6 0.2	0.8 1.1 0.5	1.1 1.3 0.9	1.3 1.6 1.1	1.2 1.3 1.2	1.6 1.7 1.5	2.4 3.5 1.8	2.1 1.9 2.1	1.3 1.5 1.2	1.9 2.2 1.7	2.3 3.1 1.9	43
0.7 0.8 0.5	0.8 0.9 0.8	1.2 1.4 1.0	1.5 2.0 1.1	2.1 2.2 2.0	4.4 5.2 3.5	8.0 9.7 6.5	12.7 15.4 10.4	19.3 23.2 16.7	28.3 36.0 23.4	35.2 46.7 28.6	38.6 53.9 31.2	41.1 52.4 37.1	22.3 26.9 19.1	36.8 49.1 30.4	39.4 53.6 33.0	44
— — —	— — —	— — —	0.0 0.0 0.0	— — —	— — —	0.1 0.1 0.1	0.0 — 0.1	0.1 0.1 0.2	0.2 0.1 0.2	0.2 0.3 0.1	0.5 0.3 0.6	0.5 — 0.7	0.1 0.1 0.2	0.3 0.3 0.3	0.5 0.2 0.6	45
0.0 0.1 —	0.0 — 0.1	0.1 0.2 0.1	0.3 0.2 0.3	0.6 0.6 0.6	0.9 0.9 1.0	2.0 1.5 2.4	2.9 2.5 3.2	4.4 3.3 5.1	6.6 4.9 7.8	8.9 5.5 10.7	13.8 7.9 16.6	24.7 12.4 29.3	5.9 3.9 7.2	12.0 6.8 14.7	16.9 9.0 20.4	46
0.1 0.2 0.0	0.2 0.3 0.1	0.2 0.3 0.1	0.6 0.9 0.3	1.0 1.3 0.7	1.7 2.4 1.1	3.0 4.3 1.7	6.0 7.3 5.0	13.3 14.4 12.6	33.2 35.8 31.5	86.7 93.2 83.1	218.6 213.6 221.0	480.5 440.0 497.2	46.5 40.0 50.9	167.0 155.5 173.0	293.5 269.9 304.1	48~49
0.1 0.1 0.0	0.2 0.2 0.1	0.1 0.2 0.1	0.4 0.7 0.1	0.8 1.0 0.5	1.4 2.0 0.8	2.4 3.5 1.4	5.1 6.1 4.3	10.8 11.4 10.4	26.3 27.8 25.4	68.7 70.7 67.6	160.9 157.4 162.6	327.8 301.0 338.9	35.1 30.1 38.5	123.1 113.9 127.8	208.7 193.1 215.6	48
0.0 0.1 —	0.0 0.0 —	0.1 0.1 0.1	0.2 0.2 0.1	0.3 0.4 0.1	0.5 0.9 0.2	0.9 1.2 0.7	2.5 3.0 2.2	6.9 8.0 6.1	18.0 22.5 15.5	57.7 56.2 58.4	152.7 139.0 158.3	11.4 9.9 12.4	44.0 41.6 45.2	84.9 76.8 88.5	— — —	49
1.1 1.7 0.5	1.9 3.1 0.7	4.3 6.7 1.8	8.2 13.2 3.2	14.1 22.9 5.4	26.5 43.6 10.2	47.2 74.2 22.1	80.6 119.4 47.3	149.9 214.3 107.0	283.6 374.9 224.9	494.2 611.7 427.7	826.3 978.5 752.8	1 277.1 1 518.1 1 192.2	259.4 305.2 227.8	673.4 788.4 613.8	955.7 1 112.8 885.1	51~52
0.7 1.2 0.3	1.3 2.2 0.4	3.3 5.2 1.4	6.2 10.0 2.5	10.5 17.0 4.1	19.8 32.5 7.6	34.5 54.6 15.8	58.0 85.3 34.6	101.8 146.6 72.0	187.0 247.9 147.8	298.1 375.4 254.4	435.2 538.8 385.2	558.6 721.0 500.4	157.0 192.9 132.3	365.2 449.0 321.7	470.8 584.1 419.9	51
0.4 0.5 0.2	0.6 0.9 0.3	1.0 1.5 0.4	1.9 3.2 0.7	3.5 5.9 1.3	6.7 11.1 2.6	12.7 19.6 6.2	22.6 34.2 12.7	48.1 67.7 35.0	96.6 126.9 77.2	196.1 236.4 173.3	391.1 439.7 367.6	718.5 797.1 691.9	102.3 112.3 95.4	308.2 339.4 292.1	484.9 528.7 465.2	52
7.3 10.2 4.3	10.6 15.5 5.7	15.2 22.3 8.1	23.1 33.6 12.6	34.4 51.8 17.3	54.3 79.3 30.2	90.8 128.0 56.1	147.4 200.8 101.6	272.4 352.7 219.0	592.9 726.6 506.9	1 224.8 1 451.2 1 096.7	2 403.1 2 783.6 2 219.5	4 610.5 5 207.6 4 405.3	632.9 669.6 607.6	1 927.9 2 133.6 1 821.4	3 035.3 3 386.7 2 877.6	54~56

死 亡

表 5.16 性・年齢別にみた死因

Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号 117 rubrics ^a list code	死 因 ・ 性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
54	心内膜の慢性疾患 男 M. 女 F.	総数 T. 3.9	—	—	—	—	—	—	—	0.0	0.0	0.0	0.1	0.1
		3.1	—	—	—	—	—	—	—	0.1	0.1	0.1	0.2	0.1
		4.6	—	—	—	—	—	—	—	—	—	0.0	0.0	0.0
55	心 不 全 男 M. 女 F.	総数 T. 87.6	13.0	4.5	2.7	1.4	1.0	2.4	4.5	0.7	0.7	1.8	2.6	3.9
		84.6	16.1	4.7	2.9	1.3	0.9	2.4	5.1	0.7	0.9	2.4	4.0	5.6
		90.6	9.7	4.3	2.4	1.5	1.1	2.3	3.8	0.6	0.6	1.2	1.1	2.1
56	その他の心疾患 男 M. 女 F.	総数 T. 11.2	5.5	2.2	1.1	0.4	1.1	1.2	2.0	0.3	0.6	0.8	0.8	1.0
		11.9	4.1	1.6	1.0	0.7	1.1	1.1	1.7	0.3	0.7	1.0	1.0	1.3
		10.5	6.9	2.9	1.2	0.2	1.1	1.4	2.4	0.3	0.5	0.5	0.5	0.7
58~60	脳 血 管 疾 患 男 M. 女 F.	総数 T. 96.0	2.2	0.3	0.2	0.2	0.2	0.3	0.6	0.2	0.3	0.5	0.7	1.4
		91.0	2.5	0.3	0.3	0.2	0.3	0.3	0.7	0.2	0.3	0.4	1.0	1.7
		100.7	1.9	0.3	0.2	0.3	0.2	0.3	0.6	0.2	0.4	0.5	0.4	1.2
58	脳 出 血 男 M. 女 F.	総数 T. 24.2	1.9	0.2	0.2	0.2	0.2	0.2	0.5	0.2	0.2	0.3	0.3	0.5
		26.2	2.1	0.3	0.3	0.2	0.2	0.2	0.6	0.2	0.2	0.2	0.4	0.6
		22.2	1.7	0.2	—	0.2	0.2	0.1	0.4	0.1	0.3	0.3	0.2	0.3
59	脳 梗 塞 男 M. 女 F.	総数 T. 52.4	0.1	—	—	—	—	—	0.0	—	0.0	0.1	0.0	0.1
		49.6	—	—	—	—	—	—	—	—	—	0.1	0.0	0.2
		55.1	0.2	—	—	—	—	—	0.0	—	0.0	0.0	0.0	0.1
60	その他の脳血管疾 患 男 M. 女 F.	総数 T. 19.4	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.4	0.8
		15.2	0.3	—	—	—	0.2	0.0	0.1	0.1	0.0	0.1	0.5	0.9
		23.4	—	0.2	0.2	0.2	—	0.1	0.1	0.0	0.1	0.1	0.2	0.7
61	循環系のその他の疾 患 男 M. 女 F.	総数 T. 6.9	0.7	—	—	0.1	0.2	0.1	0.2	0.1	0.0	0.1	0.1	0.2
		8.2	0.7	—	—	0.2	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.2
		5.6	0.7	—	—	—	—	—	0.1	0.1	0.1	0.1	0.1	0.1
62	急性気管支炎 男 M. 女 F.	総数 T. 1.1	—	0.2	0.2	—	0.1	0.1	0.1	0.0	0.0	—	—	0.0
		1.0	—	0.3	—	—	0.2	0.1	0.1	0.0	—	0.0	—	0.0
		1.2	—	0.2	0.3	—	—	0.1	0.1	0.0	0.1	—	—	—
63	肺 炎 男 M. 女 F.	総数 T. 65.5	9.3	5.1	1.7	1.2	1.0	2.3	3.7	0.8	0.5	0.7	0.8	0.9
		75.4	10.0	5.3	1.8	1.8	0.9	2.4	3.9	0.6	0.6	0.8	1.0	1.2
		56.0	8.6	4.9	1.7	0.7	1.1	2.1	3.4	0.9	0.3	0.6	0.7	0.6
64	インフルエンザ 男 M. 女 F.	総数 T. 0.4	0.1	—	—	0.1	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		0.4	0.2	—	—	—	—	—	0.0	0.0	0.0	0.0	0.0	—
		0.5	—	—	—	0.2	—	0.0	0.0	0.0	0.0	—	—	0.0
66~68	気管支炎、肺気腫及 び喘息 男 M. 女 F.	総数 T. 12.8	1.1	1.5	0.8	0.1	0.2	0.6	0.7	0.4	0.6	0.9	1.0	0.9
		16.8	1.6	1.6	0.5	—	—	0.5	0.7	0.4	0.8	1.1	1.4	1.3
		9.0	0.5	1.4	1.2	0.2	0.3	0.8	0.7	0.4	0.3	0.6	0.6	0.6
66	気 管 支 炎 男 M. 女 F.	総数 T. 4.0	0.4	0.2	0.2	—	0.1	0.1	0.2	0.1	0.1	0.0	0.0	0.0
		4.6	0.3	0.2	—	—	—	0.0	0.1	0.1	0.1	0.1	0.0	0.0
		3.4	0.5	0.2	0.3	—	0.2	0.2	0.2	0.1	0.1	—	0.0	—
67	肺 気 腫 男 M. 女 F.	総数 T. 3.9	—	—	—	—	—	—	—	—	—	—	—	—
		6.5	—	—	—	—	—	—	—	—	—	—	—	—
		1.3	—	—	—	—	—	—	—	—	—	—	—	—
68	喘 息 男 M. 女 F.	総数 T. 5.0	0.7	1.3	0.7	0.1	0.1	0.5	0.6	0.3	0.5	0.8	1.0	0.9
		5.7	1.3	1.4	0.5	—	—	0.5	0.6	0.3	0.7	1.1	1.3	1.3
		4.4	—	1.2	0.9	0.2	0.2	0.6	0.5	0.2	0.3	0.6	0.6	0.6
69	胃及び十二指腸潰瘍 男 M. 女 F.	総数 T. 3.0	0.1	0.1	—	—	0.1	0.0	0.0	—	—	0.0	0.0	0.0
		3.2	—	0.2	—	—	0.2	0.1	0.1	—	—	0.0	0.0	0.0
		2.7	0.2	—	—	—	—	—	0.0	—	—	0.0	0.0	—
70	虫 垂 炎 男 M. 女 F.	総数 T. 0.1	—	—	—	—	—	—	—	—	0.0	0.0	0.0	—
		0.1	—	—	—	—	—	—	—	—	—	0.0	0.0	—
		0.1	—	—	—	—	—	—	—	—	0.0	—	—	—
71	腹腔ヘルニア及び腸 閉塞 男 M. 女 F.	総数 T. 2.9	1.1	0.5	0.2	0.1	0.2	0.2	0.4	0.1	0.0	0.0	0.1	0.1
		2.7	1.1	0.5	0.2	0.2	0.3	0.3	0.5	0.1	0.0	0.0	0.1	0.1
		3.1	1.0	0.5	0.2	—	—	0.2	0.3	0.1	0.0	0.0	0.0	0.0

注：1) 0歳は出生10万対の死亡率である。

General mortality

(簡単分類) 別死亡率 (人口10万対) (つづき)
causes of death (the 117 rubrics list) : Japan, 1993—con.

平成5年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~	単 分類番号 117 rubrics ^o list code
0.1 0.2 0.0	0.2 0.2 0.1	0.3 0.5 0.2	0.6 0.6 0.5	1.1 1.4 0.9	1.9 2.4 1.5	3.2 3.8 2.7	6.5 6.9 6.2	12.6 13.7 11.8	26.4 27.2 25.9	50.6 51.0 50.4	85.9 82.0 87.8	131.1 115.2 137.5	24.8 22.3 26.6	69.3 64.8 71.7	98.9 90.3 102.8	54
5.9 8.4 3.3	8.8 12.7 4.7	12.4 18.5 6.3	19.3 28.6 9.9	28.3 43.3 13.6	44.2 65.7 23.6	74.1 105.6 44.8	121.0 165.9 82.6	225.3 292.2 180.8	501.4 617.1 427.0	1 056.6 1 250.2 1 945.4	2 107.1 2 423.3 3 959.4	4 140.1 4 666.7 3 959.4	545.2 573.5 525.7	1 690.6 1 860.6 1 602.6	2 689.3 2 981.5 2 558.1	55
1.3 1.6 1.0	1.7 2.5 0.8	2.5 3.4 1.6	3.2 4.4 2.1	5.0 7.1 2.8	8.1 11.2 5.1	13.4 18.6 8.6	19.9 28.0 12.9	34.5 46.8 26.4	65.1 82.3 54.0	117.7 150.1 99.3	210.1 278.2 177.2	339.3 425.7 308.5	62.8 73.8 55.3	167.9 208.2 147.1	247.1 314.9 216.7	56
3.0 3.6 2.3	5.8 7.6 4.0	13.6 17.3 10.0	24.9 32.1 17.8	39.6 51.9 27.6	59.9 80.6 40.1	95.5 128.5 64.8	148.3 191.2 111.6	277.6 354.8 226.2	597.0 734.4 508.7	1 179.6 1 388.6 1 061.3	2 134.8 2 387.1 2 013.1	3 478.1 3 627.6 3 435.0	587.8 618.1 567.0	1 700.2 1 849.5 1 622.8	2 520.0 2 695.7 2 441.2	58~60
1.4 1.9 0.8	2.5 3.5 1.4	6.5 9.1 3.9	11.6 17.1 6.1	19.3 27.2 11.5	28.9 42.9 15.4	41.3 59.0 24.7	53.0 71.5 37.2	83.0 107.0 67.1	139.6 168.4 121.1	225.6 254.6 209.2	332.8 367.8 315.8	424.4 449.5 416.6	123.5 137.8 113.6	277.5 301.7 264.9	359.2 388.2 346.2	58
0.2 0.1 0.3	0.4 0.4 0.4	1.0 1.2 0.8	2.3 2.9 1.7	5.6 7.8 3.4	12.1 18.2 6.2	28.3 43.3 14.4	61.4 88.1 38.5	142.8 205.4 101.1	361.4 482.1 283.7	776.2 1 691.8 1 339.3	1 454.0 2 191.8 2 339.3	2 340.4 2 550.5 2 270.7	362.1 398.2 337.3	1 138.2 1 295.4 1 056.7	1 708.2 1 905.5 1 619.7	59
1.4 1.6 1.2	2.9 3.7 2.1	6.2 7.1 5.2	11.0 12.0 10.0	14.8 16.9 12.6	19.0 19.5 18.5	25.9 26.2 25.7	33.9 31.5 35.9	51.8 42.4 58.1	96.1 83.9 103.9	177.8 170.8 181.8	348.0 327.4 358.0	713.4 627.6 747.7	102.2 82.1 116.0	284.5 252.4 301.2	452.6 402.1 475.3	60
0.3 0.3 0.3	0.4 0.5 0.3	0.8 1.3 0.4	1.8 2.8 0.8	2.4 3.6 1.3	4.5 6.4 2.6	8.1 12.9 3.6	14.9 22.7 8.2	26.2 43.0 15.0	45.9 73.1 28.5	74.4 109.3 54.7	118.2 161.5 97.3	205.7 230.5 197.2	41.5 56.1 31.4	101.1 133.8 84.2	143.2 178.7 127.3	61
0.0 — 0.1	0.0 — 0.1	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.1 0.1	0.3 0.3 0.2	0.8 0.9 0.7	1.9 2.9 1.1	5.2 7.2 3.9	12.5 19.0 8.9	36.0 44.8 31.8	100.0 118.1 93.6	7.7 8.4 7.2	28.8 34.5 25.8	54.3 63.0 50.4	62
1.3 1.4 1.2	1.6 2.1 1.1	2.7 3.6 1.9	4.4 6.3 2.4	7.6 11.1 4.1	15.9 23.5 8.6	35.2 53.3 18.3	76.7 118.9 40.6	176.0 286.0 102.8	422.9 679.6 257.9	939.8 1 479.7 634.4	1 782.9 2 765.9 1 308.5	3 182.5 4 684.8 2 636.4	446.7 606.3 336.9	1 423.0 2 101.5 1 071.4	2 183.9 3 243.4 1 708.3	63
— — —	0.1 0.1 0.1	0.0 — 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.1 0.1	0.1 0.1 0.1	0.4 0.4 0.3	1.2 2.0 0.8	2.5 3.5 1.9	5.4 6.3 4.9	11.2 12.0 10.8	27.8 29.5 27.2	2.9 3.0 2.8	9.5 9.9 9.3	15.9 16.4 15.7	64
0.8 1.1 0.5	0.7 0.9 0.5	1.2 1.4 1.0	1.6 1.9 1.2	2.5 2.9 2.1	4.5 5.9 3.1	9.7 14.6 5.1	20.1 30.3 11.4	45.1 79.5 22.2	96.5 173.6 46.9	169.1 303.5 93.1	258.4 471.6 155.6	405.4 687.6 302.1	82.3 129.4 49.9	220.2 381.7 136.5	300.6 525.4 199.7	66~68
0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.0	0.2 0.2 0.2	0.5 0.7 0.3	1.3 1.9 0.8	3.3 4.7 2.0	9.7 16.0 5.5	26.3 43.9 15.0	60.0 100.5 37.0	116.8 184.5 84.2	218.3 340.0 173.9	27.9 38.8 20.5	93.3 143.8 67.2	145.9 223.2 111.2	66
0.0 0.0 —	— — —	0.0 0.0 0.0	0.0 0.1 —	0.2 0.4 0.1	0.9 1.4 0.4	2.7 5.1 0.5	7.6 14.1 2.0	18.3 39.6 4.2	36.8 79.1 9.6	56.5 125.5 17.4	65.4 169.1 15.4	63.5 172.4 23.3	26.6 54.2 7.6	59.7 141.2 17.5	64.9 169.9 17.8	67
0.8 1.0 0.5	0.7 0.8 0.5	1.1 1.3 0.9	1.4 1.7 1.2	2.1 2.3 1.8	3.1 3.8 2.4	5.7 7.7 3.8	9.3 11.5 7.3	17.1 23.9 12.6	33.4 50.6 22.4	52.7 77.4 38.8	76.2 118.0 56.0	123.7 175.2 104.9	27.8 36.4 21.9	67.1 96.7 51.8	89.8 132.2 70.7	68
0.1 0.1 0.1	0.3 0.6 0.1	0.5 0.9 0.2	0.8 1.3 0.3	1.4 2.4 0.5	2.1 3.5 0.7	3.5 5.7 1.4	5.0 7.7 2.7	8.7 12.9 5.9	17.6 24.6 13.1	31.0 38.1 27.1	66.1 75.4 61.6	113.4 112.4 114.1	17.6 20.2 15.9	49.9 54.5 47.6	79.7 84.6 77.4	69
— — —	0.0 0.0 0.0	0.0 0.1 —	0.1 0.0 0.1	0.0 0.1 0.0	0.1 0.2 0.0	0.1 0.2 0.1	0.2 0.3 0.1	0.1 0.2 0.1	0.3 0.2 0.3	0.7 1.0 0.6	1.3 2.2 0.9	0.8 1.9 0.4	0.3 0.4 0.3	0.9 1.4 0.6	1.2 2.1 0.7	70
0.1 0.2 0.1	0.1 0.1 0.1	0.3 0.4 0.2	0.4 0.4 0.3	0.7 1.0 0.4	1.6 2.1 1.0	2.4 2.8 1.9	5.0 7.2 3.2	9.4 12.0 7.7	20.2 25.1 17.1	36.7 40.5 34.5	61.8 61.2 62.1	95.9 97.1 95.8	18.4 19.2 17.8	50.2 51.0 49.9	71.6 70.1 72.2	71

表 5.16 性・年齢別にみた死因

Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号 117 rubrics ^a list code	死 因 ・ 性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
72	胃炎, 十二指腸炎及 び慢性胃腸炎 総数 T. 男 M. 女 F.	0.5 0.5 0.6	0.1 0.2 —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	— — —	— — —	0.0 — 0.0	0.0 0.0 0.1	0.1 0.1 0.1
73	慢性肝疾患及び肝硬 変 総数 T. 男 M. 女 F.	13.6 18.9 8.5	— — —	— — —	0.1 — 0.2	— — —	— — —	0.0 — 0.0	0.0 — 0.0	0.0 — 0.1	— — —	0.0 0.0 0.0	0.0 0.0 0.2	0.3 0.4 0.2
74	肝疾患 (肝硬変を除 く) 総数 T. 男 M. 女 F.	2.5 2.9 2.0	0.4 0.7 0.2	0.3 0.2 0.5	— — —	— — —	0.1 — 0.2	0.1 0.0 0.2	0.2 0.2 0.2	0.1 0.0 0.1	0.0 0.0 —	0.0 0.0 0.1	0.1 0.1 0.1	0.1 0.1 0.1
76~77	腎炎, ネフローゼ症 候群及びネフローゼ 総数 T. 男 M. 女 F.	14.9 14.9 15.0	8.0 9.8 6.1	0.4 0.8 —	0.5 0.6 0.3	0.4 0.5 0.3	0.2 0.5 0.3	0.4 0.5 0.3	1.9 2.4 1.4	0.2 0.1 0.2	0.1 0.1 0.1	0.1 0.2 0.0	0.2 0.2 0.1	0.2 0.2 0.2
76	急性糸球体腎炎及 びネフローゼ症候 群 総数 T. 男 M. 女 F.	3.4 3.4 3.4	2.4 2.9 1.7	0.3 0.6 —	0.2 0.2 0.2	0.3 0.3 0.3	0.2 0.2 0.3	0.3 0.3 0.2	0.7 0.8 0.5	0.1 0.0 0.1	0.0 0.1 —	0.1 0.1 0.0	0.0 0.1 —	0.0 0.0 —
77	そ の 他 総数 T. 男 M. 女 F.	11.6 11.4 11.7	5.6 6.9 4.3	0.1 0.2 —	0.3 0.5 0.2	0.1 0.2 —	— — —	0.1 0.2 0.0	1.2 1.5 0.9	0.1 0.1 0.1	0.0 — 0.1	0.0 0.1 —	0.1 0.1 0.0	0.2 0.1 0.2
78	前立腺肥大症 男 M.	0.3	—	—	—	—	—	—	—	—	—	—	—	—
79	直接産科的死亡 女 F.	0.1	—	—	—	—	—	—	—	—	0.0	0.2	0.5	—
80	間接産科的死亡 女 F.	0.0	—	—	—	—	—	—	—	—	—	0.0	0.1	—
81	先 天 異 常 総数 T. 男 M. 女 F.	2.8 3.0 2.6	153.8 158.5 149.0	15.3 14.7 16.0	8.2 7.8 8.5	5.2 4.7 5.8	2.5 2.5 2.5	7.8 7.4 8.2	36.4 37.1 35.8	1.7 1.9 1.5	1.0 1.0 0.9	0.8 1.1 0.6	0.6 1.1 0.4	0.6 0.6 0.7
82	出産時外傷, 低酸素 症, 分娩死及びそ の他の呼吸器病態 総数 T. 男 M. 女 F.	0.8 0.9 0.6	78.6 87.2 69.5	1.2 1.9 0.3	0.3 0.5 0.2	0.2 0.3 —	— — —	0.4 0.7 0.1	15.8 17.7 13.8	0.0 0.1 0.0	— — —	— — —	— — —	— — —
84~87	その他の周産期の死 因 総数 T. 男 M. 女 F.	0.4 0.5 0.4	44.6 46.9 42.2	0.4 0.2 0.7	0.1 0.2 —	— — —	— — —	0.1 0.1 0.2	8.9 9.3 8.4	— — —	— — 0.0	— — 0.0	— — 0.0	— — 0.0
84	新生児破傷風 総数 T. 男 M. 女 F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
85	新生児カンジダ感 染 総数 T. 男 M. 女 F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
86	新生児敗血症 総数 T. 男 M. 女 F.	0.1 0.1 0.1	6.2 5.9 6.6	— — —	— — —	— — —	— — —	— — —	1.2 1.2 1.3	— — —	— — —	— — —	— — —	— — —
87	そ の 他 総数 T. 男 M. 女 F.	0.4 0.4 0.3	38.4 41.0 35.6	0.4 0.2 0.7	0.1 0.2 —	— — —	— — —	0.1 0.1 0.2	7.6 8.1 7.1	— — —	— — 0.0	— — 0.0	— — 0.0	— — 0.0
88	精神病の記載のない 老衰 総数 T. 男 M. 女 F.	18.7 12.1 25.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
89	その他のすべての疾 患 総数 T. 男 M. 女 F.	41.4 44.5 38.3	59.0 63.3 54.5	8.0 9.0 7.0	3.7 4.5 2.7	4.2 5.4 3.1	2.5 2.3 2.6	4.6 5.3 3.8	15.3 16.7 13.8	1.1 1.2 0.9	1.3 1.4 1.1	1.8 2.4 1.7	2.1 2.6 1.9	2.4 2.8 1.9

注: 1) 0歳は出生10万対の死亡率である。

(簡単分類) 別死亡率 (人口10万対) (つづき)

causes of death (the 117 rubrics list): Japan, 1993—con.

平成5年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~	単 分類番号 117 rubrics ^a list code	
0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.0	0.1 0.1 0.1	0.1 0.1 0.1	0.4 0.4 0.3	0.4 0.5 0.3	0.6 0.7 0.4	0.9 1.0 0.8	2.0 2.8 1.5	5.1 7.0 4.0	16.1 18.6 14.9	40.1 27.6 44.9	3.3 3.1 3.4	12.0 11.9 12.1	23.0 20.9 23.9	72	
1.0 1.7 0.3	2.9 4.5 1.3	6.6 11.3 1.8	11.2 19.3 3.2	19.3 33.0 5.8	31.9 52.7 11.9	39.4 61.8 18.5	39.5 56.7 24.8	40.7 54.1 31.8	50.1 60.4 43.5	56.4 71.5 47.8	67.7 88.0 57.8	64.0 84.8 56.5	46.1 60.3 36.4	60.4 77.0 51.7	66.7 87.2 57.4	73	
0.2 0.3 0.2	0.4 0.8 0.1	0.7 1.1 0.3	1.3 2.1 0.5	1.9 3.1 0.8	3.2 5.1 1.4	4.6 7.2 2.3	5.5 7.8 3.5	7.9 11.7 5.5	12.3 15.9 10.0	20.3 24.4 18.0	31.7 38.5 28.5	51.9 51.4 52.3	11.9 14.2 10.3	27.0 30.5 25.2	37.5 41.7 35.6	74	
0.5 0.6 0.4	0.7 0.9 0.5	1.5 1.9 1.0	2.3 3.1 1.6	4.0 5.2 2.8	7.4 10.0 4.9	13.5 17.2 10.2	25.0 32.5 18.6	45.4 59.1 36.3	101.7 131.5 82.5	194.7 245.2 166.1	333.0 424.9 288.6	495.9 611.4 454.8	94.8 107.8 85.8	266.6 324.9 236.3	379.7 471.3 338.6	76~77	
0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.3 0.2	0.6 0.8 0.3	0.9 1.1 0.6	1.4 1.9 0.9	2.8 3.5 2.3	5.7 7.8 3.9	10.3 13.9 7.9	23.8 31.6 18.8	43.0 55.0 36.3	77.0 98.1 66.8	113.4 139.0 104.2	21.6 25.1 19.2	60.3 73.8 53.3	87.4 108.3 78.1	76	
0.3 0.4 0.3	0.5 0.7 0.3	1.2 1.6 0.8	1.8 2.3 1.3	3.1 4.1 2.2	6.0 8.1 4.0	10.7 13.7 7.9	19.3 24.7 14.7	35.1 45.2 28.4	77.9 99.9 63.7	151.7 190.2 129.9	256.0 326.8 221.8	382.5 472.4 350.5	73.2 82.7 66.6	206.3 251.1 183.0	292.3 363.0 260.5	77	
—	—	—	—	—	—	0.1	0.1	0.4	1.0	5.5	17.7	54.3	2.6	13.0	26.8	78	
0.6	0.4	0.2	0.0	—	—	—	—	—	—	—	—	—	—	—	—	79	
0.1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	80	
0.5 0.5 0.5	0.6 0.8 0.5	0.5 0.5 0.5	0.6 0.7 0.4	0.6 0.8 0.5	0.9 0.9 0.9	1.0 1.1 1.0	1.6 1.8 1.4	2.1 2.3 2.0	2.7 2.8 2.7	4.0 6.2 2.8	5.0 5.0 5.0	4.4 7.6 3.2	2.5 2.8 2.3	4.3 6.0 3.5	4.8 5.7 4.5	81	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	82
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84~87
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	84
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	85
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	86
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	87
—	—	—	—	—	—	0.1	1.1	5.9	34.2	182.0	712.6	2 794.6	137.2	619.2	1 307.8	—	88
—	—	—	—	—	—	0.1	1.2	7.3	39.1	192.0	711.7	2 799.0	106.6	558.3	1 231.0	—	88
—	—	—	—	—	—	—	1.0	5.1	31.0	176.4	713.1	2 802.8	158.3	650.8	1 342.2	—	88
3.1 3.7 2.5	4.7 5.1 4.2	6.5 8.1 4.8	10.2 12.5 8.0	14.6 18.9 10.4	25.7 34.6 17.3	44.3 60.0 29.8	73.8 101.2 50.4	133.5 192.9 94.0	253.9 362.5 184.0	457.7 636.0 356.8	792.0 1 036.0 674.3	1 328.0 1 629.5 1 220.8	241.9 297.6 203.5	647.2 829.1 552.9	945.7 1 183.6 838.8	89	

表 5.16 性・年齢別にみた死因

Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号 117 rubrics ^{a)} list code	死 因 ・ 性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years	1	2	3	4	1～4	0～4	5～9	10～14	15～19	20～24	25～29
91～101	損 傷 及 び 中 毒 総数T. 男 M. 女 F.	47.7 64.9 31.0	29.5 32.4 26.3	20.6 23.5 17.5	12.1 13.5 10.6	10.8 12.4 9.2	9.0 10.8 7.2	13.1 15.0 11.1	16.3 18.4 14.1	6.7 8.8 4.5	4.4 5.5 3.1	24.8 38.4 10.4	33.1 50.8 14.6	26.9 40.9 12.5
91	頭 蓋 骨 折 総数T. 男 M. 女 F.	4.3 6.5 2.3	1.4 2.0 0.9	1.7 2.7 0.7	1.5 1.5 1.5	2.2 2.4 1.9	1.6 2.0 1.1	1.7 2.2 1.3	1.7 2.1 1.2	1.0 1.4 0.7	0.7 1.0 0.5	4.4 6.8 1.9	5.7 9.0 2.3	4.2 6.3 2.0
92	その他の骨の骨折 総数T. 男 M. 女 F.	2.7 3.0 2.5	0.2 0.2 0.2	— — —	— — —	0.2 — 0.5	0.1 0.2 —	0.1 0.0 0.1	0.1 0.1 0.1	0.2 0.3 0.1	0.1 0.1 0.2	1.7 2.7 0.7	2.1 3.1 1.0	1.6 2.3 0.8
93	頭 蓋 内 損 傷 (頭蓋骨折を伴う ものを除く) 総数T. 男 M. 女 F.	7.6 10.7 4.6	2.9 3.4 2.2	3.5 3.7 3.2	2.7 3.1 2.2	1.7 2.1 1.4	1.8 1.9 1.8	2.4 2.7 2.2	2.5 2.8 2.2	1.4 2.1 0.8	0.8 1.0 0.7	7.0 11.0 2.8	6.6 10.3 2.8	3.7 5.9 1.5
94	胸、腹及び骨盤の 内部損傷 総数T. 男 M. 女 F.	4.0 6.1 1.9	0.3 0.2 0.3	1.0 1.1 0.9	0.8 0.8 0.9	0.7 1.0 0.5	0.9 0.9 0.8	0.9 1.0 0.8	0.7 0.8 0.7	0.6 0.9 0.4	0.5 0.5 0.5	4.3 7.1 1.3	4.9 7.7 2.0	3.2 5.2 1.2
95	開 放 創 総数T. 男 M. 女 F.	0.8 1.1 0.4	0.1 0.2 —	0.3 0.3 0.3	— — —	0.1 — 0.2	0.1 0.2 —	0.1 0.1 0.1	0.1 0.1 0.1	0.0 0.0 0.0	0.0 — 0.0	0.4 0.6 0.2	0.5 0.8 0.1	0.5 0.8 0.3
96	熱 傷 総数T. 男 M. 女 F.	1.8 2.3 1.2	0.7 0.3 1.0	0.9 0.8 1.0	0.4 0.5 0.3	0.6 0.7 0.5	0.7 0.8 0.7	0.7 0.7 0.6	0.7 0.6 0.7	0.3 0.4 0.2	0.3 0.4 0.2	0.4 0.6 0.2	0.9 1.1 0.6	0.9 1.2 0.6
97	神経及び脊髄の損 傷 総数T. 男 M. 女 F.	0.4 0.6 0.1	— — —	0.2 0.3 —	— — —	— — —	0.1 0.2 —	0.1 0.1 —	0.0 0.1 —	0.1 0.1 0.1	0.1 0.1 0.2	0.5 0.7 0.2	0.4 0.5 0.2	0.1 0.1 0.2
98	中毒及び毒作用 総数T. 男 M. 女 F.	3.0 4.1 1.9	0.4 0.3 0.5	0.2 0.2 0.3	0.2 0.2 0.3	0.7 0.3 1.2	0.4 0.5 0.3	0.4 0.3 0.5	0.4 0.3 0.5	0.3 0.2 0.4	0.1 0.2 0.1	0.6 0.6 0.6	1.9 2.7 1.0	2.2 3.1 1.3
99	溺 死 総数T. 男 M. 女 F.	5.7 6.9 4.6	2.4 2.6 2.1	8.9 9.7 8.0	3.7 4.4 2.9	2.8 4.2 1.4	2.4 3.1 1.6	4.4 5.3 3.5	4.0 4.8 3.2	1.8 2.6 1.0	0.8 1.1 0.5	1.4 2.0 0.7	2.4 3.8 1.0	2.0 2.8 1.1
100	窒息及び絞首 総数T. 男 M. 女 F.	10.2 14.2 6.3	10.5 11.6 9.3	1.2 1.3 1.0	0.7 0.5 0.9	0.3 — 0.7	0.3 0.3 0.3	0.6 0.5 0.7	2.6 2.7 2.4	0.3 0.3 0.3	0.6 0.9 0.3	1.8 2.8 0.8	4.5 6.9 2.1	5.6 9.0 2.2
101	その他の損傷 総数T. 男 M. 女 F.	7.2 9.5 5.1	10.7 11.6 9.7	2.7 3.4 2.0	2.1 2.6 1.5	1.3 1.6 1.0	0.6 0.8 0.5	1.7 2.1 1.3	3.5 4.0 2.9	0.5 0.5 0.6	0.3 0.4 0.3	2.4 3.6 1.1	3.2 4.8 1.5	2.8 4.2 1.4
E104～E117	損傷及び中毒の外因 総数T. 男 M. 女 F.	47.7 64.9 31.0	29.5 32.4 26.3	20.6 23.5 17.5	12.1 13.5 10.6	10.8 12.4 9.2	9.0 10.8 7.2	13.1 15.0 11.1	16.3 18.4 14.1	6.7 8.8 4.5	4.4 5.5 3.1	24.8 38.4 10.4	33.1 50.8 14.6	26.9 40.9 12.5
E104～E114	不慮の事故及び有害 作用 総数T. 男 M. 女 F.	28.0 38.5 18.0	23.7 25.4 22.0	18.5 21.3 15.7	10.6 11.8 9.2	9.4 10.9 7.8	7.3 8.6 5.9	11.4 13.1 9.6	13.8 15.5 12.1	6.0 8.0 3.8	3.1 3.9 2.1	19.7 31.8 7.1	20.5 33.2 7.2	12.8 21.5 3.9
E104	自動車事故 総数T. 男 M. 女 F.	11.4 16.6 6.4	2.0 2.1 1.9	3.3 3.7 2.9	3.9 4.4 3.4	4.2 4.6 3.9	3.3 4.1 2.5	3.7 4.2 3.2	3.4 3.8 2.9	3.0 4.1 1.8	1.4 1.6 1.3	17.4 28.0 6.2	16.5 26.5 6.0	9.1 15.2 2.8
E105	自動車事故以外の 交通事故 総数T. 男 M. 女 F.	0.8 1.3 0.3	— — —	0.2 0.3 0.2	0.1 0.2 —	0.3 0.7 —	0.1 — 0.2	0.2 0.3 0.1	0.1 0.2 0.1	0.3 0.6 0.1	0.3 0.5 0.1	0.3 0.6 0.1	0.4 0.8 0.0	0.3 0.5 0.1
E106	不慮の中毒 総数T. 男 M. 女 F.	0.4 0.5 0.3	0.1 0.2 —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	0.0 — 0.1	0.0 0.1 —	0.1 0.1 0.2	0.3 0.4 0.2	0.4 0.7 0.1

注：1) 0歳は出生10万対の死亡率である。

(簡単分類) 別死亡率 (人口10万対) (つづき)
causes of death (the 117 rubrics list) : Japan, 1993—con.

平成5年

30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～	65～	80～	85～	簡 単 分類番号 117 rubrics ^{a)} list code
25.2 37.7 12.5	29.5 44.9 13.8	34.2 52.1 16.2	42.9 65.7 20.2	54.8 83.2 26.9	62.4 93.9 32.1	67.7 101.6 36.2	76.1 109.8 47.3	98.6 138.7 71.9	147.7 198.0 115.4	214.9 307.4 162.6	318.9 440.7 260.1	438.3 621.9 371.7	135.2 178.1 105.7	268.6 370.3 215.9	353.2 485.8 293.7	91～101
2.9 4.2 1.6	3.1 4.8 1.3	3.4 5.5 1.3	3.8 5.9 1.6	5.1 7.9 2.3	5.6 8.8 2.5	6.0 9.5 2.7	6.5 9.8 3.8	6.5 9.4 4.6	8.7 12.0 6.5	10.9 16.3 7.9	10.2 17.4 6.7	7.5 19.0 3.2	7.7 11.3 5.3	10.3 16.8 7.0	9.4 17.8 5.6	91
1.1 1.6 0.5	1.2 1.8 0.7	1.1 1.6 0.6	1.5 2.1 0.8	1.8 2.8 0.8	2.3 3.5 1.2	2.3 3.6 1.2	3.3 4.8 1.9	4.6 5.9 3.8	8.8 10.9 7.4	18.2 18.5 18.1	46.0 40.4 48.7	102.8 76.2 113.1	11.3 10.5 11.9	35.3 29.3 38.4	62.3 49.3 68.1	92
2.7 4.0 1.3	3.2 5.0 1.3	3.8 6.0 1.6	5.0 7.6 2.4	6.8 10.5 3.2	9.0 14.0 4.1	11.1 16.7 5.8	13.9 20.5 8.3	18.4 28.3 11.8	26.0 38.0 18.3	39.7 65.2 25.3	53.3 86.4 37.3	63.2 104.8 48.1	24.0 35.0 16.5	46.1 74.3 31.5	56.2 91.0 40.5	93
2.4 3.6 1.2	2.7 4.4 1.1	3.2 5.1 1.3	4.1 6.4 1.9	4.9 7.5 2.4	5.4 8.5 2.4	6.4 10.5 2.6	6.3 10.0 3.1	6.7 10.9 4.0	8.0 13.2 4.6	9.1 14.2 6.2	10.2 16.4 7.2	6.2 11.4 4.2	7.3 11.6 4.3	9.1 14.5 6.2	9.0 15.2 6.3	94
0.8 1.1 0.4	0.5 0.9 0.2	1.0 1.5 0.5	1.3 2.0 0.5	1.1 1.5 0.6	1.6 2.0 1.2	1.2 1.6 0.9	1.0 1.6 0.5	1.0 1.4 0.7	1.1 1.8 0.8	1.2 2.2 0.6	1.4 2.2 0.6	2.6 3.2 2.1	1.1 1.8 0.7	1.4 2.6 0.8	1.8 3.3 1.1	95
1.1 1.6 0.7	1.3 1.8 0.9	1.6 2.3 1.0	1.8 2.6 1.0	2.4 3.3 1.5	2.2 3.2 1.3	2.0 3.1 1.1	2.3 3.1 1.6	3.9 5.8 2.7	5.9 7.9 4.6	9.0 13.7 6.3	11.4 18.9 7.8	13.9 28.6 8.5	5.0 6.9 3.7	10.2 16.4 7.0	12.1 21.3 8.0	96
0.1 0.2 0.1	0.2 0.3 0.1	0.2 0.2 0.1	0.2 0.4 0.0	0.3 0.5 0.2	0.5 0.9 0.2	0.6 1.0 0.1	0.8 1.6 0.7	0.9 1.7 0.8	1.4 3.0 0.3	2.3 4.3 0.3	2.3 4.4 1.2	1.5 3.8 0.7	1.1 2.4 0.3	1.9 4.3 0.6	2.1 4.3 1.1	97
2.7 4.2 1.0	3.4 5.5 1.3	3.5 5.4 1.5	4.4 6.7 2.0	4.9 7.8 2.1	4.6 6.5 2.7	3.9 5.8 2.1	3.9 5.0 3.0	4.8 5.7 5.0	5.6 7.9 5.5	7.2 10.4 6.9	7.1 10.4 5.5	8.7 19.0 4.9	5.2 5.8 4.7	7.4 9.5 6.2	7.6 12.6 5.3	98
2.3 2.9 1.6	3.0 4.4 1.6	3.7 5.1 2.4	4.9 6.9 2.9	6.1 8.6 3.7	6.4 9.1 3.9	7.6 10.5 4.8	10.2 13.5 7.3	14.3 17.6 12.1	24.4 25.5 23.8	32.1 35.4 30.3	39.5 47.3 35.8	44.2 57.1 39.6	19.1 21.3 17.6	35.5 40.4 33.0	40.9 49.8 36.9	99
6.6 10.5 2.6	8.0 12.2 3.9	9.3 14.4 4.2	12.1 18.8 5.5	16.0 24.7 7.5	17.6 26.8 8.8	17.7 25.7 10.2	15.9 22.0 10.8	19.3 24.8 15.6	25.7 30.1 23.0	32.9 43.6 26.9	47.3 67.2 37.7	44.5 81.9 30.7	23.3 29.6 18.9	38.2 53.2 30.4	46.5 70.9 35.6	100
2.6 3.7 1.6	2.8 4.0 1.5	3.4 5.1 1.7	3.9 6.1 1.7	5.3 8.0 2.7	7.2 10.8 3.8	9.0 13.6 4.6	12.0 17.9 6.9	18.0 28.2 11.3	32.1 49.8 20.8	52.8 86.3 33.9	90.2 128.7 71.7	143.2 216.2 116.6	30.0 42.0 21.8	73.3 108.9 54.8	105.4 150.5 85.2	101
25.2 37.7 12.5	29.5 44.9 13.8	34.2 52.1 16.2	42.9 65.7 20.2	54.8 83.2 26.9	62.4 93.9 32.1	67.7 101.6 36.2	76.1 109.8 47.3	98.6 138.7 71.9	147.7 198.0 115.4	214.9 307.4 162.6	318.9 440.7 260.1	438.3 621.9 371.7	135.2 178.1 105.7	268.6 370.3 215.9	353.2 485.8 293.7	E104～E117
9.7 15.6 3.7	11.8 18.8 4.7	13.9 22.1 5.6	17.1 27.0 7.2	23.2 36.6 10.0	30.4 47.3 14.2	38.6 60.5 18.2	48.3 74.1 26.3	66.0 100.4 43.2	106.0 151.1 77.0	162.8 242.8 117.6	252.0 347.9 205.6	372.5 507.6 323.7	97.4 132.7 73.1	210.9 293.9 167.9	286.6 387.7 241.2	E104～E114
6.0 9.6 2.4	6.4 10.0 2.6	7.0 10.9 3.0	8.2 12.1 4.3	10.2 14.7 5.8	12.8 18.8 7.0	15.3 22.3 8.8	18.1 25.3 12.0	23.0 34.0 15.7	29.8 41.8 22.2	36.3 55.5 25.4	36.3 56.2 26.8	27.8 57.1 17.0	25.1 35.7 17.8	35.4 55.8 24.8	33.9 56.4 23.8	E104
0.4 0.7 0.1	0.4 0.7 0.1	0.6 1.1 0.2	0.7 1.3 0.2	1.0 1.7 0.4	1.4 2.4 0.5	1.4 2.4 0.5	1.5 2.6 0.5	2.0 3.1 1.3	3.0 5.4 1.5	3.2 6.1 1.5	3.1 5.7 1.8	2.8 6.7 1.4	2.2 3.8 1.2	3.1 6.0 1.6	3.0 5.9 1.7	E105
0.3 0.5 0.1	0.4 0.6 0.2	0.4 0.5 0.3	0.4 0.6 0.2	0.5 0.8 0.3	0.6 0.9 0.3	0.6 0.9 0.3	0.6 0.7 0.5	0.7 0.8 0.5	1.2 1.1 1.5	1.7 1.9 1.5	1.8 2.5 1.5	2.1 3.8 1.4	1.0 1.0 0.9	1.8 2.3 1.5	1.9 2.8 1.5	E106

表 5.16 性・年齢別にみた死因

Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号 117 rubrics ^a list code	死 因 ・ 性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
E107	不慮の墜落 総数T. 男 M. 女 F.	3.7 4.9 2.7	1.0 1.6 0.3	1.7 2.7 0.7	0.8 0.6 1.0	0.3 0.3 0.3	0.7 0.8 0.7	0.9 1.1 0.7	0.9 1.2 0.6	0.2 0.2 0.1	0.1 0.2 0.1	0.2 0.4 —	0.7 1.3 0.2	0.6 1.2 0.1
E108	火災及び火傷による不慮の事故 総数T. 男 M. 女 F.	1.0 1.3 0.7	0.8 0.2 1.4	0.6 0.6 0.5	0.4 0.3 0.5	1.2 0.8 1.5	0.5 0.5 0.5	0.7 0.6 0.8	0.7 0.5 0.9	0.4 0.5 0.3	0.2 0.3 0.2	0.2 0.3 0.1	0.3 0.5 0.1	0.4 0.5 0.3
E109	天 災 総数T. 男 M. 女 F.	0.3 0.3 0.3	0.1 — 0.2	0.1 — 0.2	0.2 — 0.3	0.1 — —	— — —	0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.2	0.2 0.2 0.1	0.1 0.0 0.1	0.0 — 0.1	0.0 — 0.0
E110	不慮の溺死 総数T. 男 M. 女 F.	3.0 3.6 2.3	1.6 1.8 1.4	8.1 8.9 7.3	2.7 3.4 2.1	2.2 3.3 1.2	1.8 2.3 1.3	3.7 4.4 3.0	3.3 3.9 2.6	1.4 2.0 0.7	0.5 0.8 0.2	0.7 1.1 0.2	0.8 1.3 0.3	0.7 1.2 0.2
E111	不慮の機械的窒息 総数T. 男 M. 女 F.	3.6 4.4 2.7	17.1 18.4 15.7	2.9 3.5 2.2	1.7 1.8 1.7	0.3 0.5 0.2	0.1 0.2 —	1.3 1.5 1.0	4.4 4.8 3.9	0.2 0.2 0.2	0.2 0.3 0.1	0.1 0.1 0.1	0.3 0.4 0.2	0.2 0.3 0.0
E112	不慮の打撲 総数T. 男 M. 女 F.	0.4 0.7 0.1	0.1 0.2 —	— — —	0.1 0.2 —	0.1 — 0.2	— — —	0.0 0.0 0.0	0.0 0.1 0.0	0.1 0.1 —	0.1 0.1 —	0.2 0.3 —	0.2 0.4 —	0.1 0.2 0.0
E113	工業性を主とする 不慮の事故 総数T. 男 M. 女 F.	0.9 1.5 0.2	0.2 0.2 0.2	0.8 0.6 1.0	0.2 0.3 —	0.2 0.3 —	0.2 0.3 0.2	0.3 0.4 0.3	0.3 0.4 0.3	0.1 0.1 0.1	— — —	0.2 0.3 —	0.4 0.8 0.0	0.5 1.0 0.0
E114	その他の不慮の事 故及び有害作用 総数T. 男 M. 女 F.	2.6 3.4 1.9	0.8 0.8 0.9	0.7 0.8 0.7	0.3 0.5 0.2	0.4 0.3 0.5	0.6 0.5 0.7	0.5 0.5 0.5	0.6 0.6 0.6	0.1 0.1 0.2	0.1 0.1 0.1	0.3 0.4 0.1	0.4 0.7 0.1	0.4 0.6 0.2
E115	自 殺 総数T. 男 M. 女 F.	16.6 22.3 11.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.6 0.8 0.5	3.9 5.3 2.5	10.5 14.6 6.1	12.3 17.1 7.4
E116	他 殺 総数T. 男 M. 女 F.	0.7 0.8 0.5	4.1 4.6 3.6	0.9 0.6 1.2	0.8 0.8 0.9	0.8 0.5 1.2	1.4 1.7 1.1	1.0 0.9 1.1	1.6 1.6 1.6	0.5 0.4 0.5	0.3 0.4 0.2	0.3 0.3 0.3	0.4 0.5 0.3	0.6 0.6 0.6
E117	そ の 他 の 外 因 総数T. 男 M. 女 F.	2.4 3.3 1.5	1.6 2.5 0.7	1.2 1.6 0.7	0.7 0.8 0.5	0.6 1.0 0.2	0.3 0.5 0.4	0.7 1.0 0.4	0.9 1.3 0.4	0.3 0.4 0.1	0.3 0.4 0.3	0.9 1.1 0.7	1.7 2.5 0.9	1.2 1.7 0.7
(再掲) 1~26	感染症及び寄生虫症 総数T. 男 M. 女 F.	11.3 13.7 8.9	15.1 16.4 13.7	2.6 2.4 2.9	2.2 2.1 2.4	0.8 1.5 0.2	1.2 0.6 1.8	1.7 1.6 1.8	4.3 4.5 4.1	0.5 0.5 0.6	0.4 0.4 0.4	0.4 0.4 0.4	0.6 0.4 0.7	0.8 0.8 0.7
5~6	結 核 総数T. 男 M. 女 F.	2.6 4.0 1.3	0.1 0.2 —	0.1 0.2 —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.1 —	— — —	— — —	0.0 0.0 0.0	0.1 0.1 0.1	0.2 0.2 0.1
46, 51~52, 54~56	心 疾 患 総数T. 男 M. 女 F.	145.6 145.4 145.9	18.4 20.2 16.6	6.7 6.3 7.2	3.8 4.1 3.6	1.8 2.0 1.7	2.2 2.0 2.3	3.6 3.6 3.7	6.5 6.8 6.2	1.0 1.1 0.9	1.4 1.7 1.1	2.7 3.6 1.8	3.6 5.4 1.7	5.5 7.9 3.1
62, 63, 66	肺炎及び気管支炎 総数T. 男 M. 女 F.	70.6 81.0 60.6	9.8 10.3 9.2	5.5 5.8 5.3	2.1 1.8 2.4	1.2 1.8 0.7	1.2 1.1 1.3	2.5 2.6 2.4	3.9 4.1 3.7	0.9 0.7 1.1	0.6 0.7 0.4	0.8 0.9 0.6	0.9 1.0 0.8	0.9 1.3 0.6
4, 72	胃 腸 炎 総数T. 男 M. 女 F.	1.1 1.0 1.3	1.2 1.3 1.0	0.8 1.1 0.5	0.2 0.3 0.2	0.1 0.2 —	0.2 0.2 0.2	0.3 0.4 0.2	0.5 0.6 0.4	0.1 0.1 0.0	0.0 0.1 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.1 0.1
79~80	妊 産 婦 死 亡 女 F.	0.1	—	—	—	—	—	—	—	—	—	0.0	0.2	0.6

注：1) 0歳は出生10万対の死亡率である。

(簡単分類) 別死亡率 (人口10万対) (つづき)

causes of death (the 117 rubrics list) : Japan, 1993—con.

平成5年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~	簡 単 分類番号 117 rubrics ^a list code
0.5 0.9 0.1	1.0 1.8 0.3	1.4 2.5 0.3	2.1 3.7 0.5	3.0 5.7 0.4	4.1 7.1 1.3	5.7 10.2 1.6	7.2 12.4 2.8	8.1 13.4 4.7	14.0 21.1 9.5	29.3 39.1 23.7	63.1 72.9 58.4	129.0 117.1 133.9	17.6 21.6 14.8	49.8 54.9 47.1	82.0 83.9 81.2	E107
0.4 0.5 0.3	0.5 0.8 0.3	0.6 0.8 0.4	0.7 1.0 0.3	0.7 1.2 0.3	1.0 1.3 0.6	1.3 2.1 0.5	1.5 2.4 0.8	2.8 4.0 1.9	4.4 5.8 3.5	7.2 11.2 5.0	9.9 15.8 7.0	10.0 27.6 3.5	3.8 5.4 2.6	8.3 13.9 5.4	9.9 18.7 6.0	E108
0.1 0.1 0.2	0.2 0.3 0.1	0.1 0.1 0.2	0.2 0.2 0.2	0.3 0.3 0.3	0.5 0.4 0.6	0.7 0.6 0.7	0.7 0.9 0.6	0.8 1.0 0.9	1.0 1.1 0.9	1.0 0.9 1.1	0.8 0.6 0.6	0.5 1.0 0.4	0.8 0.9 0.8	0.9 0.8 1.0	0.7 0.7 0.7	E109
0.6 0.9 0.2	0.8 1.4 0.3	0.9 1.6 0.3	1.4 2.3 0.5	1.8 3.0 0.6	2.2 3.6 0.8	3.2 4.9 1.6	5.7 8.6 3.3	9.3 12.6 7.1	16.8 18.5 15.6	23.9 28.0 21.6	31.7 41.3 27.1	34.4 46.7 30.0	13.2 15.6 11.5	27.3 33.2 24.2	32.5 42.7 28.0	E110
0.3 0.4 0.2	0.5 0.7 0.2	0.8 1.0 0.5	0.8 1.1 0.4	1.5 2.3 0.8	2.5 3.6 1.4	3.9 5.6 2.3	5.8 8.9 3.2	10.4 16.2 6.5	20.6 33.0 12.6	37.2 64.5 21.8	64.3 99.4 47.3	97.2 165.7 72.1	19.2 27.9 13.2	51.4 82.6 35.2	73.7 115.9 54.8	E111
0.2 0.3 —	0.2 0.5 0.0	0.3 0.7 0.0	0.4 0.8 0.1	0.6 1.3 0.0	0.8 1.3 0.2	0.8 1.5 0.2	0.9 1.7 0.1	0.6 1.3 0.2	0.4 0.8 0.1	0.3 0.4 0.3	0.4 0.9 0.2	0.5 — 0.7	0.6 1.3 0.2	0.4 0.5 0.3	0.4 0.7 0.3	E112
0.5 1.0 0.1	0.6 1.1 0.2	0.8 1.6 0.1	0.8 1.6 0.1	1.4 2.5 0.3	1.7 3.0 0.4	1.8 3.4 0.3	1.4 2.8 0.2	1.5 2.9 0.6	2.3 4.5 0.9	1.9 3.4 1.1	2.0 3.8 1.1	5.9 8.6 4.9	1.8 3.3 0.8	2.4 3.9 1.6	3.1 5.0 2.2	E113
0.5 0.8 0.2	0.7 1.0 0.3	0.9 1.4 0.3	1.5 2.4 0.6	2.0 3.1 0.8	2.9 4.7 1.1	3.9 6.6 1.4	4.9 7.9 2.3	6.8 11.4 3.8	12.6 18.1 9.0	20.8 31.9 14.6	38.5 48.9 33.5	62.2 73.3 58.3	12.1 16.2 9.3	30.3 40.0 25.3	45.3 55.0 41.0	E114
13.6 19.3 7.7	15.5 22.7 8.1	17.6 25.8 9.3	22.1 33.0 11.2	27.0 39.6 14.7	27.6 39.8 15.9	25.3 35.5 15.9	23.6 30.7 17.4	28.2 33.4 24.7	34.6 38.3 32.3	43.9 54.2 38.1	58.5 82.3 47.0	56.8 100.0 41.0	32.2 38.8 27.6	49.4 65.7 41.0	58.1 86.7 45.2	E115
0.4 0.5 0.4	0.5 0.8 0.2	0.7 0.9 0.4	0.8 1.1 0.4	0.9 1.3 0.5	0.9 1.3 0.5	0.6 0.6 0.8	0.8 0.7 0.8	0.7 0.7 0.7	0.8 1.0 0.5	0.7 1.0 0.6	0.6 0.6 0.6	0.5 1.0 0.4	0.7 0.7 0.7	0.9 0.9 0.5	0.6 0.7 0.5	E116
1.5 2.3 0.7	1.7 2.6 0.8	2.1 3.2 0.9	3.0 4.5 1.4	3.7 5.8 1.8	3.5 5.6 1.6	3.2 5.0 1.6	3.5 4.3 2.7	3.6 4.2 3.3	6.3 7.9 5.3	7.4 9.3 6.4	7.8 9.8 6.8	8.5 13.3 6.7	4.9 5.9 4.2	7.6 9.8 6.5	8.0 10.7 6.8	E117
0.9 0.9 0.8	1.2 1.7 0.7	2.5 3.5 1.4	4.0 5.8 2.2	5.9 8.4 3.5	11.7 16.8 6.7	19.5 27.1 12.4	28.5 41.5 17.5	42.2 63.3 28.2	68.9 101.1 48.1	99.5 153.2 69.1	139.4 201.3 109.6	170.4 239.0 145.6	58.2 80.5 42.9	118.5 173.4 90.0	148.4 210.7 120.4	(再掲) 1~26
0.1 0.1 0.1	0.2 0.4 0.1	0.6 1.0 0.2	1.2 2.1 0.3	1.4 2.4 0.4	2.6 4.3 1.1	4.3 7.1 1.7	7.2 12.0 3.1	10.7 20.2 4.4	17.9 32.5 8.5	24.3 48.6 15.4	31.3 64.4 15.4	29.0 69.5 14.1	14.1 25.1 6.6	26.8 54.6 12.4	30.7 65.6 15.0	5~6
8.4 11.9 4.8	12.6 18.6 6.5	19.6 29.2 10.0	31.5 47.0 16.1	49.1 75.3 23.4	81.7 123.7 41.3	139.9 203.7 80.5	230.8 322.7 152.2	426.7 570.3 331.1	883.2 106.3 739.6	1 727.8 2 068.5 1 535.1	3 243.1 3 770.0 2 988.9	5 912.3 6 738.1 5 626.9	898.1 978.7 842.6	2 613.3 2 928.7 2 449.9	4 007.9 4 508.5 3 783.1	46, 51~52, 54~56
1.4 1.5 1.3	1.7 2.2 1.3	2.8 3.7 2.0	4.5 6.5 2.5	7.8 11.3 4.4	16.6 24.3 9.1	36.8 55.5 19.3	80.8 124.5 43.3	187.5 304.9 109.4	454.4 730.7 276.7	1 012.3 1 599.2 680.3	1 935.7 2 995.3 1 424.5	3 500.8 5 142.9 2 903.9	482.3 653.5 364.6	1 545.1 2 279.8 1 164.4	2 384.1 3 529.6 1 869.9	62, 63, 66
0.1 0.2 0.1	0.1 0.1 0.1	0.1 0.2 0.1	0.2 0.2 0.2	0.3 0.4 0.2	0.6 0.7 0.5	0.9 1.1 0.8	1.5 2.0 1.1	2.3 3.1 1.8	5.0 6.3 4.1	11.1 13.9 9.5	31.4 35.0 29.7	74.0 67.6 76.7	7.0 6.9 7.0	23.7 24.2 23.5	43.6 43.1 43.8	4, 72
0.7	0.4	0.2	0.0	—	—	—	—	—	—	—	—	—	—	—	—	79~80