

死 亡

[地域別にみた死因]

[Causes of death in prefecture]

表 5.19 都道府県別にみた死因

Table 5. 19 Death rates (per 100, 000 population) by causes of death (the 117

都 道 府 県 Prefecture	総 数 Total	1 ^{b)} コ レ ラ	2 腸 チ フ ス	3 細菌性赤痢及び アメーバ症	4 の下痢性疾患 腸炎及びその他	5 呼吸系の結核	6 その他の結核 (後遺症を含まない)	7 ら い	8 ジフテリア	9 百 日 咳
全 国 Total	674.1	—	0.0	0.0	0.6	2.5	0.2	0.0	—	0.0
01 ^{a)} 北海道	653.9	—	—	—	0.5	1.8	0.1	—	—	—
02 青森	762.6	—	—	—	0.9	3.9	—	—	—	—
03 岩手	795.8	—	—	—	1.1	1.5	—	—	—	—
04 宮城	631.4	—	—	—	0.4	1.2	0.1	—	—	—
05 秋田	839.7	—	—	—	1.1	3.4	0.1	—	—	—
06 山形	851.7	—	—	—	1.0	2.2	0.2	—	—	—
07 福島	757.7	—	—	—	0.6	1.8	0.0	—	—	—
08 茨城	665.9	—	—	—	0.8	1.7	0.1	—	—	—
09 栃木	700.7	—	—	—	0.7	1.3	0.2	—	—	—
10 群馬	706.2	—	—	—	0.8	1.6	0.1	—	—	—
11 埼玉県	489.7	—	—	—	0.3	1.8	0.2	—	—	0.0
12 千葉県	530.8	—	—	—	0.6	1.5	0.1	—	—	—
13 東京都	604.9	—	—	—	0.5	3.1	0.2	—	—	—
14 神奈川県	506.2	—	—	—	0.3	2.1	0.2	—	—	—
15 新潟	774.5	—	—	—	0.8	1.5	0.1	—	—	—
16 富山	779.5	—	—	—	0.9	1.1	0.1	—	—	—
17 石川	732.2	—	—	—	0.9	2.6	0.2	—	—	—
18 福井	767.8	—	—	—	1.7	2.8	0.5	—	—	—
19 山梨	757.5	—	—	—	0.6	1.4	—	—	—	—
20 長野	782.1	—	—	—	0.9	1.7	0.2	—	—	—
21 岐阜	694.2	—	—	—	0.8	3.7	0.2	—	—	—
22 静岡	650.8	—	—	—	0.5	2.1	0.1	—	—	—
23 愛知	575.6	—	—	—	0.6	3.1	0.2	—	—	—
24 三重	754.4	—	—	—	0.7	2.8	0.4	—	—	—
25 滋賀	682.0	—	—	—	0.9	1.4	—	0.1	—	—
26 京都	716.6	—	—	—	0.4	2.8	0.4	—	—	—
27 大阪	620.5	—	—	0.0	0.5	3.0	0.2	—	—	—
28 兵庫県	704.9	—	0.0	—	0.9	3.5	0.1	—	—	—
29 奈良	668.5	—	—	—	0.7	2.4	—	—	—	—
30 和歌山	876.5	—	—	—	0.9	2.6	0.2	—	—	—
31 鳥取	878.5	—	—	—	0.3	1.8	0.2	—	—	—
32 島根	907.9	—	—	—	0.9	1.5	0.1	—	—	—
33 岡山	784.7	—	—	—	0.4	1.7	0.2	—	—	—
34 広島	724.4	—	—	—	0.5	2.3	0.2	—	—	—
35 山口	850.4	—	—	—	0.6	4.4	0.2	—	—	0.1
36 徳島	840.5	—	—	—	1.6	2.9	—	—	—	—
37 香川	835.8	—	—	—	0.4	3.4	0.2	—	—	—
38 愛媛	844.8	—	—	—	0.8	2.8	0.3	—	—	—
39 高知	922.1	—	—	—	0.6	3.9	0.2	—	—	—
40 福岡	707.3	—	—	0.0	0.4	2.8	0.1	—	—	—
41 佐賀	843.3	—	—	—	1.1	4.1	—	—	—	—
42 長門	812.2	—	—	—	0.7	2.7	0.3	—	—	—
43 熊本	795.2	—	—	—	0.8	3.8	0.4	—	—	—
44 大分	830.9	—	—	—	1.7	3.2	0.5	—	—	—
45 宮崎	759.9	—	—	—	0.6	3.0	0.1	—	—	—
46 鹿児島	883.5	—	—	—	1.0	3.1	0.2	—	—	—
47 沖縄	511.7	—	—	—	0.2	2.0	0.2	—	—	—

Death

(簡単分類) 別死亡率 (人口10万対)

rubrics list of mortality for Japan) in each prefecture : Japan, 1991

平成3年

10 猩 紅 熱	11 髄 膜 炎 菌 感 染	12 破 傷 風 (新 生 児 破 傷 を 除 く)	13 敗 血 症 (新 生 児 敗 血 症 を 除 く)	14 急 性 灰 白 髄 炎	15 痘 瘡	16 麻 疹	17 日 本 脳 炎	18 ウ イ ル ス 肝 炎 B	19 肝 の 他 の ウ イ ル ス 炎	20 他 の リ ケ ッ チ ア 症 発 疹 チ フ ス 及 び そ の	21 マ ラ リ ア
—	0.0	0.0	3.1	—	—	0.0	0.0	0.3	0.9	0.0	0.0
—	—	0.0	2.5	—	—	0.0	—	0.5	1.1	—	—
—	—	0.1	2.4	—	—	—	—	0.3	0.9	—	—
—	—	—	4.1	—	—	0.1	—	0.1	1.1	—	—
—	—	0.0	1.5	—	—	—	—	0.1	0.4	—	—
—	—	—	3.5	—	—	—	—	—	0.9	—	—
—	—	—	3.2	—	—	—	—	0.3	0.5	—	—
—	—	—	2.3	—	—	0.0	—	0.3	1.3	—	—
—	—	0.0	3.2	—	—	0.1	—	0.2	1.4	—	—
—	—	—	3.9	—	—	0.1	—	0.2	1.1	—	—
—	—	—	4.6	—	—	0.1	—	0.2	0.5	—	—
—	—	—	2.0	—	—	0.0	—	0.2	0.9	—	—
—	—	—	1.9	—	—	—	—	0.1	0.5	—	—
—	—	—	2.7	—	—	0.0	—	0.3	0.8	—	—
—	—	—	2.2	—	—	0.0	—	0.2	0.7	—	—
—	—	—	3.1	—	—	0.0	—	0.3	0.6	—	—
—	—	—	4.8	—	—	—	—	0.4	1.0	—	—
—	—	—	4.2	—	—	—	—	0.2	0.6	—	—
—	—	—	3.4	—	—	—	—	—	0.9	—	—
—	—	—	2.9	—	—	0.1	—	0.4	0.5	—	—
—	—	0.0	2.8	—	—	—	—	0.5	1.0	0.0	—
—	—	0.0	3.3	—	—	—	—	0.3	0.8	—	—
—	0.0	0.1	2.8	—	—	—	—	0.1	1.0	—	—
—	—	0.0	3.0	—	—	0.0	—	0.2	0.7	—	—
—	—	—	3.2	—	—	—	—	0.2	0.7	—	—
—	—	—	2.6	—	—	—	—	0.2	1.4	—	—
—	—	0.0	3.7	—	—	0.0	—	0.4	0.7	—	0.0
—	—	0.0	3.9	—	—	0.0	—	0.2	1.0	—	—
—	—	—	2.9	—	—	0.0	0.0	0.2	0.8	—	—
—	—	—	4.3	—	—	—	—	0.4	0.9	—	—
—	—	0.1	3.5	—	—	—	—	—	0.7	—	—
—	—	—	2.8	—	—	—	—	—	1.0	—	—
—	—	—	6.7	—	—	—	—	0.4	1.0	—	—
—	—	—	2.9	—	—	—	—	0.3	0.9	—	—
—	—	—	2.6	—	—	0.0	0.0	0.3	1.2	—	—
—	—	—	4.4	—	—	0.1	—	0.5	1.2	—	—
—	—	—	4.5	—	—	0.1	—	0.6	1.3	—	—
—	—	—	3.8	—	—	—	—	0.5	0.8	—	—
—	—	—	3.0	—	—	—	—	0.3	0.7	—	—
—	—	—	2.8	—	—	—	—	0.1	1.8	—	—
—	—	—	3.1	—	—	0.2	—	0.6	0.9	—	—
—	—	—	3.3	—	—	—	—	0.3	1.4	—	—
—	—	0.1	5.3	—	—	0.1	—	0.5	1.0	—	—
—	—	0.1	4.5	—	—	0.1	0.1	0.2	0.8	—	—
—	—	0.1	3.7	—	—	—	—	0.5	0.6	—	—
—	—	0.1	3.0	—	—	0.1	—	0.6	0.9	—	—
—	—	0.1	4.0	—	—	—	—	0.3	1.3	—	—
—	—	0.1	6.4	—	—	0.1	—	0.6	1.1	—	—

Note : a) See page 34

b) 117 rubrics list code see page 442

表 5. 19 都道府県別にみた死因

Table 5. 19 Death rates (per 100, 000 population) by causes of death (the 117

都道府県 Prefecture	22 梅毒	23 カンジダ症 (新生児を除く)	24 日本住血吸虫症	25 フィラリア症	26 及びその他の感染症	28~37 悪性新生物	28 食道	29 胃	30 直腸・直腸S状結腸移行部及び肛門	31 肝
全 国 Total	0.0	0.1	0.0	—	2.4	181.7	6.1	38.9	7.7	20.9
01 ^{a)} 北海道	—	0.3	—	—	2.3	192.1	7.7	37.2	8.7	17.0
02 青森県	—	—	—	—	2.8	189.9	7.2	38.7	8.4	16.2
03 岩手県	0.1	0.1	—	—	2.8	197.5	8.4	38.6	10.1	14.7
04 宮城県	—	0.0	—	—	1.4	176.6	9.1	37.2	9.0	14.7
05 秋田県	—	0.1	—	—	1.6	231.1	14.4	55.9	11.2	12.4
06 山形県	—	—	—	—	1.7	227.3	8.4	57.9	11.5	17.2
07 福島県	—	0.3	—	—	2.6	199.6	9.1	46.7	9.0	16.3
08 茨城県	—	0.1	—	—	1.2	169.0	7.3	41.6	7.0	15.5
09 栃木県	—	0.1	—	—	2.3	174.0	6.4	45.5	6.8	16.8
10 群馬県	0.1	—	—	—	1.4	170.3	6.0	43.4	7.6	16.9
11 埼玉県	—	0.0	—	—	1.7	135.0	5.3	30.2	6.3	13.7
12 千葉県	0.0	0.0	0.0	—	1.6	145.6	5.4	34.8	6.4	15.4
13 東京都	0.0	0.1	—	—	2.8	175.1	7.3	36.0	7.9	19.1
14 神奈川県	0.0	0.1	0.0	—	2.1	146.8	5.5	31.1	6.7	16.5
15 新潟県	0.1	0.0	—	—	2.3	215.7	9.1	53.9	10.7	12.5
16 富山県	—	0.2	—	—	2.3	210.4	5.5	55.1	8.8	16.4
17 石川県	—	—	—	—	2.7	196.3	4.8	44.5	7.7	16.5
18 福井県	—	0.1	—	—	1.2	191.3	3.3	43.2	7.2	18.1
19 山梨県	—	0.1	0.5	—	2.3	192.5	6.3	42.6	6.7	27.7
20 長野県	0.0	—	—	—	2.4	192.0	6.5	43.1	8.6	16.6
21 岐阜県	—	0.1	—	—	2.5	177.4	3.3	40.9	8.7	18.5
22 静岡県	0.1	0.1	—	—	2.8	164.0	4.4	34.7	7.3	20.1
23 愛知県	0.0	0.1	—	—	2.7	154.3	3.6	34.9	6.4	16.6
24 三重県	—	0.1	—	—	3.1	186.0	4.6	41.7	7.6	19.5
25 滋賀県	—	0.1	—	—	1.8	174.9	3.3	39.8	7.0	16.6
26 京都府	—	0.1	—	—	2.5	192.6	4.9	42.0	7.4	21.3
27 大阪府	0.0	0.1	—	—	2.4	182.1	5.8	36.6	6.9	30.6
28 兵庫県	0.0	0.1	—	—	2.7	198.9	6.0	42.2	7.4	29.4
29 奈良県	—	—	—	—	1.4	184.4	4.4	44.4	6.4	26.2
30 和歌山県	—	—	—	—	2.1	231.7	9.2	55.0	9.6	29.3
31 鳥取県	—	0.2	—	—	1.8	219.2	4.4	46.3	9.0	29.2
32 島根県	0.1	0.3	—	—	2.3	233.8	7.1	52.3	8.9	24.9
33 岡山県	—	—	—	—	2.4	197.7	4.0	40.7	8.0	23.9
34 広島県	0.0	0.1	—	—	2.7	189.3	5.6	37.5	7.5	29.4
35 山口県	0.1	0.4	—	—	2.7	222.3	7.0	46.8	10.0	29.7
36 徳島県	0.1	0.1	—	—	3.4	209.9	3.7	44.8	10.5	27.3
37 香川県	—	—	—	—	2.8	217.0	5.4	50.5	9.7	24.7
38 愛媛県	0.1	0.3	—	—	2.6	207.3	4.6	45.6	8.9	27.7
39 高知県	—	0.1	—	—	3.0	216.5	7.1	49.9	7.8	25.1
40 福岡県	0.0	0.1	—	—	2.7	201.6	5.3	38.7	7.7	34.2
41 佐賀県	0.2	0.5	—	—	2.9	233.9	5.1	51.3	8.1	37.4
42 長門県	—	0.1	—	—	3.7	223.7	6.6	38.0	8.1	28.8
43 熊本県	—	0.2	—	—	3.3	202.7	6.0	33.8	7.3	26.0
44 大分県	0.2	0.5	—	—	3.2	212.4	6.1	40.6	9.1	28.3
45 宮崎県	0.2	0.3	—	—	2.6	193.0	7.0	33.3	6.4	22.4
46 鹿児島県	—	0.1	—	—	2.9	213.1	10.2	33.8	9.7	25.6
47 沖縄県	—	—	—	—	1.9	127.2	5.3	14.8	6.0	9.0

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1991-con.

平成3年

32 肺	33 気管・気管支 及び肺	34 乳 房	34 乳 房 (女子人口10万対)	35 子 宮 (女子人口10万対)	36 白 血 病	37 そ の 他	38 良 性 及 び 不 詳 の 新 生 物 質	39 糖 尿 病	40 栄 養 欠 乏 症	41 貧 血	42 精 神 障 害
11.1	31.0	5.2	10.1	7.4	4.5	52.5	5.5	7.8	0.4	1.3	2.5
13.6	34.9	5.5	10.5	7.2	4.7	59.1	3.7	9.6	0.2	1.6	1.4
14.4	33.6	4.7	8.9	5.5	4.9	58.8	7.8	10.2	0.3	1.0	3.5
14.2	33.6	5.0	9.7	7.3	5.2	63.8	5.7	9.4	0.6	1.3	2.5
12.0	29.1	4.9	9.5	6.4	4.7	52.7	4.1	8.2	0.6	0.8	2.2
14.4	35.7	5.2	9.7	7.0	4.3	73.9	5.0	7.9	0.5	1.1	2.5
14.2	39.3	5.0	9.7	4.8	4.3	66.9	6.4	9.2	0.4	1.4	3.6
14.0	32.7	4.6	8.8	5.6	4.6	59.7	2.6	8.4	0.3	1.0	3.6
11.2	26.8	4.9	9.6	7.7	3.5	47.4	5.8	8.8	0.4	1.3	3.0
10.0	27.8	4.6	9.0	6.6	3.7	49.1	4.4	8.6	0.2	1.0	2.7
10.0	27.1	4.6	9.0	6.5	2.8	48.7	7.9	7.1	0.3	1.3	3.9
7.7	22.0	5.0	10.0	5.7	3.5	38.5	4.5	5.4	0.3	1.1	1.4
8.1	22.4	4.5	9.1	6.1	3.7	41.9	4.5	6.4	0.4	0.7	1.9
9.9	29.0	6.7	13.4	7.3	4.1	51.5	5.2	7.7	0.6	1.1	1.9
9.0	23.1	5.3	10.9	6.5	3.8	42.6	4.2	6.2	0.2	0.9	1.6
14.6	35.4	5.3	10.2	5.3	4.6	66.8	4.7	8.8	0.5	1.5	6.0
13.7	34.6	4.1	7.9	7.8	4.8	63.3	1.7	9.6	0.4	2.3	2.4
12.4	37.6	4.5	8.7	7.3	5.0	59.7	0.8	8.3	0.1	1.2	3.3
13.0	35.8	4.0	7.8	10.2	4.3	57.2	7.8	10.0	0.5	2.3	3.8
13.1	27.3	5.1	9.9	6.2	4.1	56.5	7.0	8.4	0.2	0.9	3.0
15.1	28.1	5.5	10.7	7.7	3.8	60.8	6.5	8.0	0.4	1.4	3.1
13.1	29.7	5.0	9.7	8.2	4.4	49.6	6.8	7.9	0.9	1.6	2.9
10.5	26.7	5.3	10.5	5.9	4.1	47.7	5.5	8.1	0.4	1.1	2.8
9.5	26.8	4.9	9.9	6.6	3.2	45.0	4.5	6.0	0.4	1.0	1.6
10.6	34.6	5.6	10.6	7.5	4.2	53.8	7.1	9.9	0.3	2.1	2.5
10.5	33.7	4.6	8.8	4.0	4.1	53.3	6.2	6.3	0.4	1.6	1.8
12.0	36.9	5.3	10.1	7.5	3.7	55.2	7.7	8.1	0.3	1.6	2.9
9.6	32.0	5.2	10.2	8.2	4.4	46.9	5.0	7.7	0.6	1.3	2.0
11.0	34.8	5.4	10.4	8.6	3.6	54.7	6.6	8.4	0.5	1.6	3.6
9.8	32.3	4.7	9.0	9.4	4.3	46.9	6.3	7.1	0.4	1.3	2.3
15.7	43.0	4.7	8.9	10.9	4.3	55.4	6.7	8.4	0.4	2.1	4.9
13.8	39.6	5.9	10.9	10.9	4.1	61.4	5.2	9.9	0.2	1.8	2.4
19.1	37.0	4.3	8.1	7.7	6.6	69.7	7.0	9.8	0.9	1.2	3.6
12.4	35.4	6.2	11.9	6.9	4.3	59.2	5.5	7.1	0.3	1.9	2.4
10.7	32.0	4.9	9.5	6.9	5.2	52.7	10.6	8.7	0.6	1.3	2.7
10.4	42.2	5.2	9.3	9.6	4.4	61.5	6.4	8.0	0.9	1.5	3.0
12.2	39.0	4.1	7.6	10.3	4.2	58.6	8.0	11.4	0.6	1.7	2.2
12.1	39.6	4.9	9.4	10.4	4.8	60.0	4.9	9.2	0.4	2.1	1.9
13.2	37.1	4.3	8.2	8.0	6.4	55.3	5.4	9.2	0.3	1.7	3.2
14.4	36.2	3.9	7.4	9.0	5.2	62.1	7.3	10.5	0.5	2.0	2.8
12.2	35.3	5.4	10.2	8.4	5.9	52.6	7.0	8.1	0.3	1.1	2.8
11.5	35.0	4.3	8.0	8.4	6.6	70.0	5.3	8.0	0.3	1.4	3.5
12.6	42.9	5.0	9.5	8.6	10.4	66.7	2.8	8.3	0.3	1.9	2.5
13.3	33.9	5.3	10.0	9.1	8.0	64.3	7.9	7.8	0.4	1.0	3.0
11.9	35.2	4.4	8.3	9.4	6.7	65.3	6.4	7.5	0.7	1.7	5.0
10.4	32.5	4.4	8.3	10.2	9.1	62.1	8.8	7.0	0.9	1.3	4.5
11.2	39.8	4.3	8.0	9.0	10.0	63.7	9.9	9.8	0.8	1.7	3.2
4.8	29.8	3.4	6.7	7.2	6.8	43.5	5.4	5.5	0.7	1.2	1.6

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都 道 府 県 Prefecture	43 髄 膜 炎	44 中 非 炎 症 性 疾 患 の 中 枢 神 経 系 の	45 急 性 リ ウ マ チ 熱	46 慢 性 リ ウ マ チ 性 患	48~49 高 血 圧 性 疾 患	48 高 血 圧 性 心 疾 患	49 高 血 圧 性 疾 患 の 他 の	51~52 虚 血 性 心 疾 患	51 急 性 心 筋 梗 塞	52 虚 血 性 心 疾 患 の 他 の
全 国 Total	0.4	4.2	0.0	1.1	7.4	5.6	1.7	41.8	25.9	15.9
01 ^{a)} 北海道	0.2	3.7	0.0	1.3	4.9	3.3	1.6	42.3	27.0	15.3
02 青森県	0.5	2.8	0.1	1.0	5.9	4.2	1.7	40.9	25.8	15.1
03 岩手県	0.9	3.7	0.1	1.0	5.2	4.2	1.0	47.6	31.5	16.1
04 宮城県	0.4	4.1	0.1	1.0	6.6	5.2	1.3	39.1	25.5	13.6
05 秋田県	0.5	4.8	—	1.3	7.1	5.2	1.9	45.5	25.0	20.6
06 山形県	0.8	5.5	—	1.1	9.8	7.0	2.8	47.5	27.5	20.0
07 福島県	0.3	4.8	—	1.6	7.0	4.8	2.2	41.3	27.2	14.1
08 茨城県	0.4	4.4	0.0	1.1	8.2	6.2	2.0	38.3	25.2	13.1
09 栃木県	0.3	3.3	—	1.3	8.1	6.7	1.4	42.2	28.7	13.5
10 群馬県	0.5	4.2	—	1.0	5.9	4.8	1.1	37.0	25.5	11.5
11 埼玉県	0.3	2.8	0.0	0.6	4.7	3.5	1.2	28.2	19.9	8.3
12 千葉県	0.4	3.8	0.0	0.8	7.8	5.9	1.9	30.9	19.6	11.3
13 東京都	0.3	3.9	0.0	1.0	6.4	4.9	1.6	54.2	30.4	23.8
14 神奈川県	0.3	3.3	0.0	0.7	4.2	3.3	0.9	41.7	29.0	12.8
15 新潟県	0.2	5.0	0.0	1.1	11.5	8.7	2.7	39.0	28.9	10.0
16 富山県	0.3	4.5	—	1.1	6.4	4.7	1.6	40.5	26.6	14.0
17 石川県	0.2	5.2	—	0.9	7.4	5.6	1.8	42.5	25.8	16.7
18 福井県	0.7	4.4	—	1.5	7.7	6.4	1.3	43.9	27.9	16.0
19 山梨県	0.5	3.5	—	1.3	5.3	3.6	1.6	34.9	22.3	12.5
20 長野県	0.3	6.2	0.0	1.5	9.5	7.2	2.3	41.7	28.5	13.2
21 岐阜県	0.3	3.9	—	1.4	6.4	4.6	1.7	34.5	21.6	12.9
22 静岡県	0.4	4.5	0.1	0.8	7.7	5.7	2.0	37.8	22.9	14.8
23 愛知県	0.5	4.2	0.0	1.2	5.9	4.3	1.6	32.3	20.4	11.9
24 三重県	0.6	4.7	0.1	1.0	10.1	6.7	3.4	41.7	26.1	15.6
25 滋賀県	0.2	4.8	0.2	0.9	9.4	7.3	2.1	34.1	20.2	14.0
26 京都府	0.4	4.3	—	1.1	6.8	5.0	1.8	43.8	27.6	16.2
27 大阪府	0.4	3.3	—	1.0	7.7	6.3	1.4	43.7	25.4	18.3
28 兵庫県	0.5	4.3	0.0	1.1	8.1	5.7	2.4	39.4	25.3	14.1
29 奈良県	0.5	5.0	—	0.8	6.4	4.6	1.7	34.5	22.2	12.3
30 和歌山県	0.6	5.7	0.1	1.2	8.1	6.4	1.7	47.6	31.6	16.1
31 鳥取県	0.2	6.4	—	1.5	7.8	5.4	2.4	45.9	28.7	17.3
32 島根県	0.3	7.0	—	1.0	8.2	6.6	1.7	47.3	30.2	17.1
33 岡山県	0.4	5.1	—	1.1	6.5	4.5	2.0	35.9	23.1	12.8
34 広島県	0.4	5.2	0.0	0.8	8.4	6.9	1.5	40.3	24.8	15.5
35 山口県	0.4	4.6	0.1	1.2	8.7	7.4	1.4	56.2	31.7	24.5
36 徳島県	0.2	4.3	—	1.6	6.0	4.0	2.0	53.0	31.6	21.4
37 香川県	—	3.9	0.1	2.3	6.7	4.1	2.5	50.2	29.5	20.6
38 愛媛県	0.4	4.6	—	2.1	7.2	5.4	1.9	43.9	27.9	16.1
39 高知県	0.4	5.1	0.1	2.2	6.1	4.5	1.6	50.6	29.8	20.9
40 福岡県	0.4	4.1	0.1	1.2	10.0	8.4	1.5	44.0	23.4	20.5
41 佐賀県	0.6	5.6	—	0.9	16.4	14.2	2.3	58.7	29.6	29.1
42 長門県	0.1	5.4	—	1.7	17.1	13.8	3.3	51.4	31.3	20.1
43 熊本県	0.5	5.2	0.1	1.1	10.4	8.1	2.3	48.2	26.4	21.8
44 大分県	0.8	5.4	0.1	1.5	13.0	10.3	2.7	59.4	30.2	29.2
45 宮崎県	0.3	4.7	0.1	1.7	10.7	9.0	1.7	48.8	27.6	21.3
46 鹿児島県	0.5	5.7	—	2.0	11.2	8.8	2.3	44.6	28.2	16.4
47 沖縄県	0.7	2.9	—	0.9	4.8	2.6	2.2	28.9	19.9	9.1

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1991—con.

平成3年

54~56 肺 の 他 の 疾 患 及 び 心 内 膜 の 慢 性 患	54 心 内 膜 の 慢 性 患	55 心 不 全	56 そ の 他 の 心 疾 患	58~60 脳 血 管 疾 患	58 脳 出 血	59 脳 梗 塞	60 そ の 他 の 脳 血 管 疾 患	61 循 環 系 の 他 の 疾 患	62 急 性 気 管 支 炎	63 肺 炎	64 イン フル エン ザ
94.3	3.6	80.4	10.3	96.2	24.5	50.9	20.7	6.6	1.1	56.9	0.1
91.2	3.3	77.6	10.3	83.1	19.9	44.5	18.7	6.5	1.1	60.2	0.1
118.9	3.3	104.3	11.3	119.9	30.7	59.2	29.9	5.6	2.0	60.5	0.5
118.0	5.2	101.4	11.3	127.2	33.0	70.6	23.6	7.2	2.9	76.6	—
86.5	4.0	72.1	10.4	108.4	23.5	64.0	20.9	6.6	0.9	44.6	0.1
124.0	4.8	101.4	17.8	145.1	30.6	81.2	33.3	8.5	1.7	63.2	—
120.3	5.2	101.7	13.5	156.0	32.4	90.0	33.6	7.2	2.0	65.4	—
112.1	4.0	95.8	12.3	130.8	31.7	77.5	21.6	7.6	1.4	52.6	0.1
91.7	3.2	79.3	9.1	105.7	25.0	61.1	19.6	5.5	1.2	52.3	—
95.0	3.6	76.5	14.9	124.5	31.4	67.4	25.6	5.0	2.0	56.2	—
105.3	3.6	92.0	9.7	112.2	26.1	63.6	22.5	5.5	0.9	69.4	0.2
75.3	2.6	65.9	6.8	69.3	19.5	34.3	15.5	4.3	0.6	38.9	0.0
81.8	2.7	72.3	6.9	74.8	21.7	37.7	15.4	3.6	0.6	40.6	0.0
63.8	3.4	50.9	9.5	84.4	24.2	41.9	18.3	7.1	0.6	54.9	0.1
56.0	2.9	45.4	7.7	69.3	20.2	33.6	15.5	5.3	0.4	43.5	0.1
94.4	3.7	79.5	11.2	137.2	29.3	79.3	28.7	8.7	2.1	66.4	0.1
113.7	3.8	97.0	12.8	111.3	21.1	67.7	22.5	9.3	1.6	85.8	—
106.4	4.2	88.4	13.8	105.2	21.6	62.7	20.9	6.9	1.2	69.8	0.2
105.7	4.0	89.6	12.1	126.5	26.0	75.1	25.4	8.4	2.7	56.5	—
119.2	5.5	102.5	11.2	111.3	28.2	62.3	20.8	7.3	1.8	63.5	0.1
115.5	5.2	99.1	11.2	147.6	36.4	81.4	29.9	8.8	1.3	64.7	0.0
106.6	4.1	92.3	10.2	111.2	25.7	59.5	26.0	4.4	1.5	49.6	0.1
98.0	4.0	85.2	8.9	99.5	25.9	53.2	20.5	6.2	0.7	53.2	0.2
96.7	3.2	85.9	7.6	81.2	22.2	41.6	17.4	6.1	0.6	38.9	0.1
118.2	4.2	103.7	10.3	121.2	27.3	66.2	27.7	9.0	0.6	47.9	0.2
107.5	3.8	92.7	11.1	97.5	22.4	53.5	21.6	6.5	1.4	54.5	0.1
98.7	3.9	83.3	11.5	95.0	28.3	47.5	19.2	8.4	0.7	63.2	0.1
80.5	3.1	67.9	9.5	64.3	17.4	30.9	16.0	6.4	0.6	57.2	0.0
103.7	3.1	90.7	9.8	87.9	22.9	44.7	20.2	8.1	0.8	53.0	0.2
109.6	2.5	97.0	10.0	84.8	19.2	45.9	19.8	6.9	0.4	55.2	—
142.6	3.4	126.4	12.8	129.3	26.2	73.3	29.8	6.5	0.5	62.1	0.2
132.2	4.7	116.1	11.4	144.0	35.3	81.4	27.2	6.8	1.5	68.9	—
130.5	6.1	112.6	11.9	131.8	29.6	74.9	27.3	8.6	2.4	88.0	0.1
119.8	3.5	105.2	11.1	117.2	26.3	69.4	21.6	6.7	1.3	71.3	0.2
103.9	3.9	89.6	10.5	99.4	25.9	51.7	21.8	6.9	1.5	60.2	0.1
121.7	5.0	103.9	12.9	109.5	29.0	55.9	24.6	8.3	2.7	83.7	0.1
126.1	4.7	108.3	13.1	112.7	25.5	63.4	23.7	7.2	1.6	73.9	—
122.7	4.9	107.3	10.5	116.5	28.5	63.5	24.6	6.7	1.6	66.8	—
135.7	4.3	118.1	13.3	114.0	25.0	62.5	26.6	7.7	2.0	74.1	0.1
152.7	6.2	120.7	25.7	130.2	31.8	70.2	28.2	5.7	1.0	88.3	0.1
92.5	2.6	79.7	10.2	91.9	23.6	46.4	21.9	6.3	1.0	62.6	0.0
104.0	5.3	84.8	13.9	113.7	31.6	62.6	19.5	7.1	1.8	80.7	—
105.7	5.8	85.6	14.2	108.7	26.9	56.1	25.8	8.6	1.2	78.2	0.2
110.4	3.8	92.8	13.9	101.8	28.1	52.0	21.7	8.8	1.2	71.9	0.3
108.5	3.3	93.8	11.4	126.5	31.0	69.3	26.1	7.8	1.1	67.9	0.2
104.0	5.1	86.9	12.1	116.9	27.3	61.3	28.3	7.6	1.6	65.2	0.1
130.7	5.6	109.9	15.1	134.3	36.6	69.6	28.1	7.8	3.1	86.2	0.2
60.4	2.4	48.1	9.9	51.1	19.2	18.5	13.5	3.8	0.3	49.7	—

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	66~68 気管支炎・肺炎 及 気腫及び喘息	66 気管支炎	67 肺気腫	68 喘息	69 胃十二指腸潰瘍 及 十二指腸炎	70 虫垂炎	71 腸腸ヘルニア及び 腸閉塞	72 胃及び慢性胃腸炎 胃炎・十二指腸炎	73 慢性肝硬変 及 肝疾患	74 肝硬変を除く 肝疾患
全 国 Total	12.3	4.1	3.4	4.8	3.0	0.1	2.6	0.6	13.7	2.4
01 ^{a)} 北海道	10.3	3.4	2.9	4.1	3.0	0.1	3.1	0.4	11.1	2.0
02 青森県	10.3	3.7	2.3	4.3	3.5	—	3.1	0.3	12.8	2.8
03 岩手県	11.9	3.5	3.8	4.6	2.8	—	3.5	0.3	10.6	2.8
04 宮城県	10.1	2.7	3.0	4.4	2.6	—	2.2	0.5	10.2	1.6
05 秋田県	10.2	3.2	3.4	3.5	3.3	0.1	3.8	0.2	10.1	1.9
06 山形県	13.5	5.2	3.6	4.7	3.5	0.1	2.6	0.5	8.4	1.7
07 福島県	15.0	4.7	3.8	6.5	2.8	0.1	3.1	0.5	11.5	2.4
08 茨城県	11.4	2.7	3.3	5.4	2.2	0.0	2.4	0.5	12.2	2.2
09 栃木県	14.4	3.7	3.9	6.8	2.7	0.2	2.8	0.9	14.9	2.2
10 群馬県	14.2	5.2	4.0	5.0	3.6	0.2	3.6	0.7	13.1	2.5
11 埼玉県	8.2	2.2	1.9	4.1	2.0	0.1	1.4	0.3	10.5	1.7
12 千葉県	8.3	3.0	2.1	3.2	2.4	0.0	1.8	0.5	10.5	1.9
13 東京都	11.2	3.4	3.4	4.5	3.1	0.1	2.6	0.3	14.8	1.8
14 神奈川県	8.8	2.6	2.7	3.4	2.1	0.1	1.9	0.4	13.1	1.6
15 新潟県	12.8	5.1	3.4	4.3	2.5	0.1	4.0	0.8	7.8	2.2
16 富山県	13.6	5.6	3.7	4.3	3.2	—	3.0	1.3	10.8	2.4
17 石川県	10.2	3.5	2.2	4.5	2.6	—	3.1	0.3	9.5	1.6
18 福井県	16.9	6.2	6.1	4.5	2.3	0.2	2.3	1.0	13.4	2.2
19 山梨県	13.6	2.7	4.7	6.2	2.6	—	2.8	1.2	18.8	3.4
20 長野県	13.2	3.9	4.6	4.7	3.7	0.0	3.1	1.1	9.4	1.9
21 岐阜県	14.0	4.6	3.8	5.5	2.6	0.1	2.2	0.8	11.7	2.1
22 静岡県	11.7	3.5	4.7	3.4	2.6	0.1	1.9	0.5	12.9	2.8
23 愛知県	9.8	3.0	2.5	4.3	1.7	0.0	1.9	0.5	11.0	2.3
24 三重県	13.8	4.2	3.9	5.7	3.1	0.1	2.5	1.2	11.0	2.0
25 滋賀県	15.7	5.8	5.4	4.5	2.9	0.2	2.3	0.7	8.9	3.2
26 京都府	11.5	3.9	3.2	4.4	3.7	0.1	2.2	0.8	13.4	3.3
27 大阪府	11.7	3.8	3.2	4.8	2.6	0.1	2.5	0.5	18.3	2.5
28 兵庫県	12.5	3.5	3.4	5.6	3.8	0.2	3.0	0.6	17.7	2.3
29 奈良県	13.7	3.9	4.9	4.9	3.3	0.1	2.2	0.7	12.6	2.0
30 和歌山県	14.0	4.9	4.8	4.3	3.5	—	3.2	0.4	18.2	2.5
31 鳥取県	14.3	5.2	5.7	3.4	2.9	0.3	4.2	0.8	15.5	3.1
32 島根県	21.0	8.4	5.3	7.3	5.7	0.4	4.8	1.2	16.8	3.0
33 岡山県	16.0	5.4	4.3	6.3	3.9	0.1	3.1	0.3	14.1	3.4
34 広島県	13.5	4.4	4.4	4.7	3.6	0.1	3.1	0.6	16.8	2.4
35 山口県	18.8	6.8	4.7	7.3	3.7	0.1	2.6	0.6	17.6	3.2
36 徳島県	22.3	7.1	5.4	9.8	4.0	0.2	2.7	0.2	22.2	3.3
37 香川県	18.3	5.6	4.8	7.9	4.0	0.1	2.6	0.6	14.5	2.4
38 愛媛県	16.1	6.2	3.4	6.5	3.0	0.1	3.3	0.3	16.7	4.2
39 高知県	17.6	7.7	3.9	6.0	4.6	—	3.8	1.0	21.2	3.5
40 福岡県	14.3	5.6	3.7	5.0	3.2	0.1	2.9	0.8	16.6	2.8
41 佐賀県	15.9	5.9	4.1	5.8	3.3	0.2	2.4	1.0	21.0	2.7
42 長門県	17.5	8.6	4.3	4.6	3.8	—	3.3	0.8	15.0	3.5
43 熊本県	18.3	7.4	4.2	6.6	4.5	0.1	3.8	1.4	20.2	3.3
44 大分県	15.7	5.8	4.6	5.2	4.7	0.2	4.2	1.1	14.7	3.3
45 宮崎県	14.2	5.2	3.0	6.0	4.8	—	2.9	0.3	16.0	2.8
46 鹿児島県	19.3	7.0	4.1	8.2	5.3	—	3.4	1.5	15.4	3.8
47 沖縄県	13.2	3.8	3.4	6.0	2.7	—	1.6	0.6	9.3	2.6

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1991-con.

平成3年

76~77 腎炎・ネフローゼ症 候群及びネフローゼ 急性糸球体腎炎及 びネフローゼ症候群	76 急性糸球体腎炎及 びネフローゼ症候群	77 その他	78 (男子人口10万対) 前立腺肥大症	79 死 直接産科的 死亡			80 死 間接産科的 死亡			81 先天異常	82 他の呼吸器病 症・分娩時外傷・低 酸素血症
女子人口 10万対	出生 10万対	出生 10万対	女子人口 10万対	出生 10万対	出生 10万対	女子人口 10万対	出生 10万対	出生 10万対	女子人口 10万対	出生 10万対	出生 10万対
13.8	3.1	10.7	0.3	0.2	8.0	7.7	0.0	1.0	0.9	2.9	0.9
18.0	4.9	13.2	0.3	0.2	9.3	8.8	—	—	—	2.7	0.9
18.9	4.5	14.4	0.4	0.3	13.3	12.8	—	—	—	3.3	1.2
17.4	5.4	12.0	0.7	0.3	14.0	13.4	—	—	—	2.4	0.6
10.1	2.5	7.6	0.7	0.4	21.6	20.5	—	—	—	2.7	0.6
18.2	4.8	13.3	0.7	0.6	37.2	35.6	—	—	—	3.3	0.8
14.9	4.1	10.8	0.3	—	—	—	—	—	—	2.7	1.0
12.6	4.0	8.6	0.1	0.2	8.7	8.4	0.1	4.4	4.2	3.9	0.6
11.2	2.2	9.0	0.6	0.1	6.9	6.6	—	—	—	2.8	0.7
11.2	2.0	9.3	0.2	0.1	5.0	4.8	—	—	—	3.0	1.0
12.1	3.0	9.2	0.2	—	—	—	—	—	—	2.9	1.1
8.5	2.0	6.5	0.2	0.2	10.6	10.3	—	—	—	3.3	1.1
9.3	2.1	7.3	0.2	0.2	11.1	10.7	—	—	—	2.7	0.8
12.6	2.6	10.0	0.3	0.2	8.7	8.4	—	—	—	3.0	0.6
9.9	2.1	7.8	0.4	0.2	11.1	10.7	0.0	1.2	1.2	3.0	0.8
10.3	2.8	7.5	0.3	—	—	—	0.1	4.2	4.0	2.6	0.7
15.2	2.6	12.6	0.4	0.2	10.0	9.6	—	—	—	2.9	0.5
16.6	5.4	11.2	0.2	—	—	—	—	—	—	2.8	1.5
13.8	3.3	10.5	0.8	—	—	—	—	—	—	2.2	1.3
12.2	3.6	8.5	—	—	—	—	—	—	—	1.8	1.2
10.3	2.8	7.5	0.8	0.1	4.7	4.6	0.1	4.7	4.6	2.6	1.0
12.8	3.3	9.5	0.4	—	—	—	—	—	—	2.8	0.8
12.3	2.2	10.1	0.6	0.2	10.7	10.3	0.1	2.7	2.6	3.5	1.1
10.6	2.7	7.9	0.1	0.2	11.3	10.9	—	—	—	3.1	0.9
15.1	3.2	11.9	0.6	0.1	5.7	5.5	—	—	—	2.7	1.3
17.4	3.7	13.7	0.2	0.2	7.5	7.3	0.2	7.5	7.3	3.0	0.9
19.6	3.6	16.0	0.2	0.2	8.5	8.2	0.1	4.3	4.1	2.9	1.1
15.5	3.3	12.2	0.1	0.2	10.4	9.9	—	—	—	2.8	0.7
15.1	3.3	11.9	0.2	0.2	9.4	9.0	—	—	—	2.4	0.9
14.8	2.7	12.1	0.1	0.1	7.6	7.4	—	—	—	2.0	1.1
17.7	4.4	13.4	0.4	—	—	—	—	—	—	2.6	0.5
15.6	3.9	11.7	0.3	—	—	—	—	—	—	2.6	1.5
17.5	3.5	14.0	1.1	—	—	—	—	—	—	1.8	0.5
19.0	3.3	15.6	0.1	—	—	—	—	—	—	2.8	0.9
14.8	3.2	11.6	0.1	—	—	—	—	—	—	2.9	0.8
19.0	3.7	15.3	—	0.1	7.2	6.9	—	—	—	3.1	0.8
18.9	4.0	14.9	—	0.2	12.9	12.4	0.2	12.9	12.4	3.0	0.7
18.4	3.4	15.0	0.6	—	—	—	—	—	—	4.1	0.8
19.3	4.6	14.7	0.4	0.1	6.9	6.6	—	—	—	2.6	1.1
23.4	5.9	17.6	1.8	0.2	13.6	12.9	—	—	—	3.9	0.7
14.6	3.3	11.3	0.2	0.1	4.1	3.9	0.2	8.2	7.8	3.0	1.1
15.8	4.5	11.3	1.2	—	—	—	—	—	—	3.2	1.0
18.4	3.9	14.4	0.4	0.1	6.0	5.7	—	—	—	3.3	1.2
19.1	3.8	15.3	0.3	0.2	10.5	10.0	—	—	—	2.9	0.7
16.0	3.4	12.6	0.7	—	—	—	—	—	—	2.6	1.1
16.6	3.4	13.1	0.4	—	—	—	—	—	—	3.3	1.1
17.2	3.7	13.5	0.4	0.2	10.9	10.3	—	—	—	3.4	1.1
11.4	2.9	8.4	0.5	—	—	—	—	—	—	2.9	2.4

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	84~87 その 他の死 因	84 新生児 破傷風	85 新 生 カン ジタ 感 染	86 新生児 敗血症	87 そ の 他	88 の ない 精神 病の 記載	89 の 疾 患 の す べ て	91~101 損傷 及び 中毒	91 頭 蓋 骨 折	92 骨 の 折
全 国 Total	0.4	—	—	0.1	0.4	18.8	37.0	45.8	4.7	2.7
01 ^{a)} 北海道	0.4	—	—	—	0.4	7.7	37.3	44.3	3.9	2.9
02 青森	0.3	—	—	—	0.3	27.7	37.9	57.5	3.9	3.1
03 岩手	0.4	—	—	—	0.4	20.0	41.5	62.6	5.7	2.8
04 宮城	0.7	—	—	—	0.7	19.8	31.4	42.2	4.3	1.8
05 秋田	0.5	—	—	0.2	0.3	21.5	40.9	63.6	5.6	2.5
06 山形	0.7	—	—	0.1	0.6	39.2	38.2	51.8	3.2	2.5
07 福島	0.5	—	—	0.1	0.4	29.9	39.6	50.3	3.9	2.4
08 茨城	0.4	—	—	0.0	0.4	27.2	35.7	50.6	5.6	3.2
09 栃木	0.5	—	—	—	0.5	19.5	33.4	55.3	6.9	3.3
10 群馬	0.6	—	—	0.1	0.5	25.7	34.7	49.2	4.6	2.8
11 埼玉県	0.4	—	—	0.1	0.3	11.0	24.8	36.5	4.7	2.3
12 千葉県	0.4	—	—	0.1	0.4	14.4	27.7	39.0	3.7	2.2
13 東京都	0.2	—	—	—	0.2	9.0	31.5	35.1	4.5	1.9
14 神奈川県	0.5	—	—	0.1	0.4	9.0	26.6	35.7	4.8	2.5
15 新潟	0.3	—	—	0.0	0.2	23.8	36.2	58.5	3.9	2.9
16 富山	0.5	—	—	0.1	0.4	18.2	38.3	57.4	5.5	2.3
17 石川	0.3	—	—	0.1	0.2	22.7	43.0	51.0	5.0	3.1
18 福井	0.1	—	—	—	0.1	31.2	42.2	53.8	5.0	3.5
19 山梨	0.1	—	—	—	0.1	34.9	40.8	54.9	6.4	3.7
20 長野	0.3	—	—	0.1	0.2	32.8	39.0	44.7	2.9	3.3
21 岐阜	0.5	—	—	0.0	0.5	27.9	36.3	50.3	4.7	3.6
22 静岡	0.1	—	—	—	0.1	23.3	33.2	43.8	4.2	2.6
23 愛知	0.5	—	—	0.1	0.4	15.6	31.5	39.8	4.0	2.2
24 三重	0.9	—	—	0.3	0.6	35.7	41.2	49.1	4.7	2.6
25 滋賀	0.7	—	—	—	0.7	22.6	38.0	48.5	3.6	3.2
26 京都	0.5	—	—	—	0.5	20.7	46.8	43.0	5.2	2.7
27 大阪	0.5	—	—	0.0	0.4	11.3	35.4	40.5	5.4	2.5
28 兵庫県	0.4	—	—	0.1	0.3	24.4	37.9	45.3	5.3	3.0
29 奈良	0.2	—	—	—	0.2	23.3	35.7	40.7	4.1	2.5
30 和歌山	0.6	—	—	—	0.6	46.3	42.2	55.8	6.4	3.9
31 鳥取	0.7	—	—	—	0.7	46.3	50.3	58.3	4.9	3.9
32 島根	0.4	—	—	0.1	0.3	30.8	45.6	63.0	4.0	3.2
33 岡山	0.3	—	—	—	0.3	33.2	45.3	53.4	4.3	2.7
34 広島	0.3	—	—	—	0.3	24.8	40.9	49.6	4.5	3.2
35 山口	0.6	—	—	0.1	0.5	21.5	49.6	55.4	5.1	3.2
36 徳島	0.7	—	—	—	0.7	26.6	52.7	47.8	4.1	3.0
37 香川	0.8	—	—	—	0.8	30.1	51.6	62.4	5.8	4.1
38 愛媛	0.8	—	—	0.1	0.7	38.2	48.2	60.6	5.9	3.4
39 高知	0.2	—	—	—	0.2	21.7	57.3	67.3	6.0	4.0
40 福岡	0.7	—	—	0.1	0.6	12.6	41.2	47.2	5.3	2.4
41 佐賀	0.5	—	—	0.2	0.2	23.6	45.5	50.8	5.3	3.3
42 長門	0.1	—	—	—	0.1	10.8	49.4	52.4	4.3	2.6
43 熊本	0.5	—	—	0.2	0.3	21.5	53.6	48.3	3.7	3.5
44 大分	—	—	—	—	—	21.1	50.6	55.4	5.3	3.9
45 宮崎	0.8	—	—	0.1	0.7	13.9	41.5	52.6	4.6	2.6
46 鹿児島	0.6	—	—	0.2	0.4	25.6	56.4	52.6	4.0	3.0
47 沖縄	1.1	—	—	0.5	0.6	19.0	47.4	40.0	4.1	1.7

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1991-con.

平成3年

93 頭蓋内損傷 (うものを除く)	94 胸・腹及び骨 盤の内部損傷	95 開 放 創	96 熱 傷	97 神 経 の 損 傷 及 び	98 中 毒 及 び 毒 作 用	99 溺 死	100 窒息 及び 絞 首	101 そ の 他 の 損 傷	E104~E117 損 傷 の 外 因	E104~E114 不 慮 の 事 故 及 び 有 害 作 用	E104 自 動 車 事 故
7.0	3.9	0.8	1.8	0.3	2.9	5.2	9.7	6.8	45.8	26.9	11.8
5.1	4.1	0.8	1.6	0.3	2.6	5.0	11.0	6.9	44.3	25.9	12.4
7.8	3.3	1.3	2.8	0.5	5.3	7.1	15.2	7.3	57.5	31.3	12.3
7.5	4.5	1.3	2.5	0.6	4.0	8.6	16.5	8.8	62.6	34.7	13.8
5.7	2.8	0.9	1.5	0.5	3.3	5.8	8.6	7.0	42.2	24.4	9.5
7.4	4.3	1.0	2.0	0.3	3.4	7.5	19.8	9.7	63.6	35.2	13.4
7.7	2.9	0.2	2.6	0.5	3.7	5.5	14.4	8.6	51.8	29.3	11.3
8.6	4.1	0.7	1.9	0.6	4.6	5.6	9.2	8.8	50.3	31.7	13.0
8.6	5.3	0.6	2.1	0.5	4.3	4.9	7.4	8.1	50.6	33.9	19.6
8.5	5.5	0.7	2.9	0.2	7.0	3.8	10.0	6.6	55.3	32.2	17.8
8.0	4.4	0.6	2.3	0.7	5.2	4.5	9.5	6.7	49.2	29.3	14.4
6.4	2.9	0.7	1.8	0.3	2.4	2.9	7.3	4.8	36.5	21.1	11.2
6.8	3.7	0.8	1.4	0.4	2.4	4.0	7.7	5.8	39.0	23.7	12.2
5.1	3.7	0.8	1.2	0.2	1.7	3.3	7.6	5.2	35.1	18.1	6.5
4.2	4.3	0.7	1.5	0.1	1.9	4.1	6.9	4.4	35.7	19.7	8.6
8.1	3.3	0.9	2.4	0.4	4.2	8.9	15.8	7.8	58.5	32.3	13.0
9.7	3.1	1.0	1.7	0.6	3.1	8.4	12.9	9.0	57.4	35.1	13.7
6.9	3.9	0.6	1.5	0.3	2.6	7.0	10.4	9.7	51.0	31.6	13.8
8.9	5.4	1.0	2.3	0.7	2.0	6.6	10.6	7.7	53.8	36.2	15.6
7.7	4.9	0.1	2.0	0.1	5.7	3.5	11.5	9.1	54.9	32.7	15.4
5.9	3.5	0.7	2.5	0.7	3.0	5.2	10.1	7.0	44.7	26.9	10.7
7.7	4.5	0.4	3.0	0.3	2.7	4.9	10.1	8.4	50.3	33.3	15.0
8.4	3.8	0.7	1.6	0.4	3.4	4.3	7.3	7.1	43.8	28.6	13.6
7.0	3.3	0.5	1.8	0.4	2.0	3.7	8.4	6.5	39.8	24.2	11.9
8.3	4.9	0.8	1.8	0.4	2.7	6.0	8.4	8.3	49.1	34.4	15.9
8.3	4.9	0.3	2.4	0.3	2.3	7.0	10.3	5.8	48.5	30.2	15.5
7.7	3.1	0.7	1.2	0.1	1.9	4.2	9.7	6.5	43.0	24.8	11.5
6.2	4.2	0.9	1.5	0.2	2.1	4.1	8.0	5.4	40.5	21.9	9.7
8.0	3.8	0.7	1.4	0.4	2.1	5.0	8.6	7.0	45.3	28.3	12.4
7.3	4.0	0.5	1.9	0.2	3.8	3.5	7.7	5.1	40.7	23.5	12.7
7.8	4.2	0.9	2.8	0.3	3.5	6.3	13.4	6.3	55.8	32.4	13.8
6.7	5.0	0.8	2.6	0.3	3.1	8.3	13.0	9.6	58.3	34.2	14.8
7.3	4.6	0.5	2.3	0.1	1.9	10.3	18.8	9.8	63.0	33.8	10.7
10.3	3.9	1.1	2.6	0.7	3.6	7.4	8.0	8.8	53.4	36.5	14.7
8.7	3.7	1.0	1.5	0.4	2.9	5.8	10.3	7.5	49.6	30.6	13.2
7.7	4.1	0.8	2.6	0.7	2.4	8.2	12.3	8.2	55.4	33.7	14.0
7.2	3.5	0.4	1.1	0.2	3.4	8.0	9.0	8.0	47.8	31.0	13.0
9.4	5.0	1.2	2.3	0.7	3.0	9.3	10.9	10.8	62.4	41.0	16.7
7.3	4.4	1.4	2.8	0.4	4.4	9.3	11.7	9.4	60.6	35.1	12.8
11.0	4.9	1.2	3.5	0.5	3.4	9.9	13.5	9.4	67.3	42.7	14.8
7.3	3.5	0.8	1.9	0.3	3.1	5.4	10.8	6.4	47.2	26.8	11.4
8.7	3.7	1.1	1.8	0.2	3.3	7.4	8.8	7.2	50.8	34.6	14.4
7.4	3.4	0.9	2.6	0.3	2.9	7.5	13.2	7.3	52.4	31.7	10.2
7.4	3.0	0.9	1.7	0.2	3.2	6.4	10.1	8.2	48.3	30.0	10.8
8.9	4.9	0.6	1.6	0.6	3.7	7.6	11.6	6.7	55.4	34.5	14.8
8.0	2.4	0.7	1.2	0.3	5.6	6.2	13.6	7.6	52.6	29.9	11.8
7.9	3.4	0.6	3.2	0.4	4.5	6.3	12.8	6.5	52.6	29.9	11.0
3.8	5.0	0.8	1.3	—	2.3	5.6	11.5	3.9	40.0	20.1	9.2

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	E105 自動車 交通事故 以外	E106 不慮の 中毒	E107 不慮の 墜落	E108 火災 による 不慮の 事故 及び 火災	E109 天 災	E110 不慮の 溺死	E111 機械 的 窒息 の 息	E112 不慮の 打撲	E113 工業 性 を 主 と する 不慮の 事故	E114 その有 害 な 事 故 の 不 慮 な 死
全 国 Total	1.0	0.4	3.7	1.0	0.1	2.7	3.2	0.4	0.9	1.8
01 ^{a)} 北海道	0.9	0.5	2.5	1.1	0.0	1.9	2.7	0.6	1.3	1.8
02 青森県	1.4	0.5	3.5	1.5	0.5	3.7	3.5	0.9	1.2	2.3
03 岩手県	1.3	0.6	3.9	1.5	—	4.4	4.9	0.6	1.7	2.1
04 宮城県	1.3	0.6	2.9	0.7	—	2.5	3.3	0.5	0.9	2.2
05 秋田県	1.5	0.8	3.6	1.2	0.2	4.5	5.7	1.1	1.0	2.0
06 山形県	0.9	0.3	3.8	1.8	0.2	3.2	3.7	0.8	0.9	2.5
07 福島県	0.7	0.6	4.4	1.3	0.0	3.4	4.1	0.5	1.0	2.6
08 茨城県	1.1	0.4	2.9	1.4	—	2.1	3.5	0.3	0.9	1.7
09 栃木県	0.6	0.3	3.3	0.9	—	2.5	3.0	0.5	1.5	2.0
10 群馬県	0.7	0.9	3.5	1.0	—	2.6	3.1	0.4	1.0	1.7
11 埼玉県	0.7	0.4	2.9	0.7	0.0	1.4	2.0	0.1	0.6	1.1
12 千葉県	0.8	0.6	2.7	0.7	0.1	1.8	2.5	0.3	0.9	1.3
13 東京都	0.5	0.3	3.4	0.6	0.1	2.0	2.7	0.2	0.4	1.5
14 神奈川県	0.4	0.2	2.6	0.8	0.1	2.7	2.5	0.2	0.5	1.4
15 新潟県	0.8	0.6	4.0	1.5	0.0	5.1	3.5	0.5	0.9	2.3
16 富山県	1.3	0.2	6.0	0.6	—	5.4	4.3	0.5	1.0	2.1
17 石川県	1.0	0.3	4.6	0.8	0.1	3.4	5.2	—	1.0	1.6
18 福井県	1.2	0.2	5.9	1.0	—	4.2	3.7	0.4	1.3	2.7
19 山梨県	0.5	0.6	5.1	1.2	0.6	1.9	3.6	0.4	1.1	2.5
20 長野県	0.5	0.5	3.9	1.1	0.0	2.9	3.2	0.5	1.3	2.3
21 岐阜県	0.8	0.5	4.9	1.6	—	3.2	3.7	0.4	1.1	2.0
22 静岡県	1.0	0.4	3.6	0.7	0.1	2.4	3.9	0.5	0.8	1.7
23 愛知県	0.7	0.3	3.4	1.1	0.0	1.8	2.8	0.4	0.7	1.1
24 三重県	1.7	0.5	4.2	1.0	0.2	3.5	3.3	0.7	1.3	2.0
25 滋賀県	1.4	0.2	3.2	1.2	—	3.7	2.3	0.5	0.9	1.3
26 京都府	1.3	0.3	3.2	0.8	0.0	2.1	3.1	0.3	0.3	1.9
27 大阪府	0.9	0.2	3.0	0.8	0.0	2.0	2.9	0.2	0.9	1.3
28 兵庫県	1.1	0.4	4.1	0.8	—	2.9	3.5	0.4	1.0	1.7
29 奈良県	0.7	0.7	2.7	0.8	—	1.4	2.9	0.5	0.5	0.7
30 和歌山県	0.6	0.6	6.8	1.7	—	3.4	2.1	0.5	1.1	2.0
31 鳥取県	1.1	0.8	3.6	1.3	0.5	4.1	3.9	0.7	1.1	2.3
32 島根県	1.7	0.4	5.5	1.0	0.3	4.3	4.9	0.8	1.3	3.0
33 岡山県	1.1	0.8	4.9	1.7	0.1	3.1	3.8	0.8	1.6	4.0
34 広島県	1.6	0.4	4.1	1.0	0.2	2.6	3.4	0.4	1.3	2.4
35 山口県	1.6	0.3	4.6	1.2	0.3	4.2	3.4	0.4	1.6	2.1
36 徳島県	1.3	0.5	4.8	0.7	—	3.5	3.6	0.5	1.2	1.8
37 香川県	2.8	0.4	4.8	1.0	—	4.9	5.4	0.1	1.6	3.3
38 愛媛県	2.5	0.4	5.2	1.4	—	3.9	4.6	0.4	1.5	2.4
39 高知県	1.3	0.2	8.2	1.5	0.2	5.5	5.1	1.1	1.5	3.3
40 福岡県	1.0	0.4	4.1	1.0	0.3	2.6	3.1	0.4	0.9	1.7
41 佐賀県	2.2	0.5	4.6	1.0	0.3	4.3	3.4	0.7	1.3	1.9
42 長門県	1.9	0.3	5.3	0.8	2.0	3.5	3.7	0.6	1.0	2.2
43 熊本県	1.8	0.3	4.7	0.7	0.3	4.0	3.3	0.5	1.2	2.4
44 大分県	1.0	0.5	5.4	1.1	0.2	3.7	3.2	1.1	1.7	2.0
45 宮崎県	1.4	0.6	4.3	0.9	0.3	3.1	3.3	0.9	1.1	2.4
46 鹿児島県	1.4	0.5	5.0	1.8	0.1	3.4	3.1	0.2	1.3	2.2
47 沖縄県	0.7	0.2	2.0	0.7	0.2	2.8	2.8	0.2	0.8	0.7

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1991-con.

平成3年

E115 自殺	E116 他 殺	E117 その他の 外因	1~26 感染症 及び 虫 寄症	5~6 結 核	46,51~52, 54~56 心 疾 患	62,63,66 肺気 管 炎 及 支 気 管 炎	4, 72 胃 腸 炎	79~80 妊産 婦 死 亡		
殺	殺	殺	殺	核	患	炎	炎	女子人口 10万対 Per 100,000 females	出生 10万対 Per 100,000 live births	出生 10万対 Per 100,000 total births
16.1	0.6	2.2	10.1	2.7	137.2	62.0	1.2	0.2	9.0	8.6
15.3	0.6	2.6	9.2	1.9	134.7	64.7	0.9	0.2	9.3	8.8
23.2	0.4	2.5	11.2	3.9	160.8	66.3	1.3	0.3	13.3	12.8
24.8	0.3	2.8	11.0	1.5	166.6	83.1	1.3	0.3	14.0	13.4
14.3	0.2	3.4	5.2	1.3	126.6	48.2	0.9	0.4	21.6	20.5
26.1	0.5	1.7	10.8	3.5	170.8	68.1	1.4	0.6	37.2	35.6
19.7	0.5	2.3	8.9	2.3	168.9	72.6	1.4	—	—	—
16.9	0.5	1.2	9.4	1.9	155.1	58.7	1.0	0.3	13.1	12.6
14.7	0.7	1.4	8.8	1.8	131.1	56.1	1.3	0.1	6.9	6.6
21.3	0.6	1.1	9.9	1.5	138.5	61.9	1.5	0.1	5.0	4.8
17.8	0.6	1.5	9.2	1.7	143.3	75.5	1.4	—	—	—
14.0	0.5	0.8	7.1	1.9	104.1	41.7	0.6	0.2	10.6	10.3
13.1	0.6	1.6	6.3	1.6	113.5	44.1	1.1	0.2	11.1	10.7
15.2	0.4	1.4	10.4	3.3	119.1	58.9	0.8	0.2	8.7	8.4
13.2	0.6	2.1	7.8	2.2	98.4	46.5	0.7	0.3	12.4	11.9
24.2	0.2	1.7	8.9	1.5	134.5	73.6	1.6	0.1	4.2	4.0
20.8	0.5	1.1	10.8	1.2	155.3	93.0	2.2	0.2	10.0	9.6
16.5	0.6	2.2	11.3	2.8	149.7	74.5	1.1	—	—	—
15.2	0.1	2.3	10.6	3.3	151.1	65.4	2.7	—	—	—
19.2	0.6	2.3	8.8	1.4	155.3	68.0	1.8	—	—	—
16.4	0.3	1.1	9.7	1.9	158.7	69.9	2.0	0.2	9.4	9.1
15.0	0.4	1.6	11.8	3.9	142.4	55.7	1.6	—	—	—
13.1	0.7	1.5	9.6	2.2	136.6	57.5	1.0	0.3	13.4	12.9
13.3	0.5	1.9	10.6	3.3	130.2	42.5	1.1	0.2	11.3	10.9
13.6	0.2	0.8	11.2	3.2	160.9	52.7	1.8	0.1	5.7	5.5
15.8	0.7	1.8	8.5	1.4	142.5	61.7	1.6	0.3	15.1	14.6
15.9	0.6	1.6	11.1	3.2	143.6	67.8	1.2	0.2	12.8	12.3
15.0	0.7	2.9	11.5	3.2	125.2	61.6	1.0	0.2	10.4	9.9
14.6	0.5	1.9	11.3	3.7	144.2	57.3	1.5	0.2	9.4	9.0
13.6	0.7	2.8	10.1	2.4	144.9	59.6	1.4	0.1	7.6	7.4
19.0	0.8	3.5	10.1	2.8	191.4	67.5	1.3	—	—	—
19.9	0.2	4.1	8.0	2.0	179.6	75.6	1.1	—	—	—
24.2	0.6	4.4	13.4	1.7	178.9	98.8	2.1	—	—	—
13.8	0.4	2.7	8.9	1.9	156.9	77.9	0.7	—	—	—
15.7	0.4	2.9	10.0	2.6	145.1	66.1	1.0	—	—	—
18.5	0.4	2.8	14.5	4.6	179.1	93.2	1.2	0.1	7.2	6.9
14.2	0.4	2.3	14.6	2.9	180.7	82.5	1.8	0.5	25.9	24.9
17.2	0.6	3.6	11.9	3.6	175.1	74.0	1.0	—	—	—
21.0	1.2	3.3	10.9	3.1	181.7	82.3	1.1	0.1	6.9	6.6
21.0	1.2	2.4	12.7	4.1	205.5	97.0	1.6	0.2	13.6	12.9
17.0	0.9	2.6	11.0	2.9	137.7	69.1	1.2	0.2	12.3	11.7
13.5	0.5	2.3	13.8	4.1	163.6	88.5	2.2	—	—	—
17.7	0.5	2.5	14.6	3.0	158.8	88.1	1.5	0.1	6.0	5.7
16.2	0.5	1.7	14.1	4.2	159.8	80.5	2.1	0.2	10.5	10.0
17.9	0.3	2.7	14.1	3.7	169.4	74.8	2.8	—	—	—
20.7	0.6	1.5	11.3	3.1	154.6	72.1	0.9	—	—	—
20.6	0.3	1.7	12.9	3.3	177.2	96.3	2.5	0.2	10.9	10.3
17.7	0.3	1.8	12.4	2.2	90.2	53.8	0.7	—	—	—