

死 因

1表-1 (77-1)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	Total	0 歳 1 2 3 4 0~4 5~9 10~14 15~19 20~24												
			Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24			
International Detailed List Code	Causes of Death and Sex														
	総 数	829 797	5 418	876	514	392	327	7 527	1 337	1 087	4 106	4 806			
	Total	450 344	2 915	480	292	236	198	4 121	803	669	3 067	3 315			
	男 M.	379 453	2 503	396	222	156	129	3 406	534	418	1 039	1 291			
	女 F.														
I	感染症及び寄生虫症	12 483	148	34	29	21	9	241	33	36	52	57			
	男 M.	7 356	91	16	14	14	6	141	14	20	29	31			
	女 F.	5 127	57	18	15	7	3	100	19	16	23	26			
(001-009)	腸管感染症	776	17	8	6	3	1	35	4	2	3	2			
	男 M.	333	11	3	1	3	1	19	2	1	1	2			
	女 F.	443	6	5	5	-	-	16	2	1	2	-			
001	コ レ ラ	-	-	-	-	-	-	-	-	-	-	-			
	男 M.	-	-	-	-	-	-	-	-	-	-	-			
	女 F.	-	-	-	-	-	-	-	-	-	-	-			
002	腸チフス及びパラチフス	1	-	-	-	-	-	-	-	-	1	-			
	男 M.	1	-	-	-	-	-	-	-	-	1	-			
	女 F.	1	-	-	-	-	-	-	-	-	1	-			
003	その他のサルモネラ感染	1	-	-	-	-	-	-	-	-	1	-			
	男 M.	1	-	-	-	-	-	-	-	-	1	-			
	女 F.	1	-	-	-	-	-	-	-	-	1	-			
004	細菌性赤痢	-	-	-	-	-	-	-	-	-	-	-			
	男 M.	-	-	-	-	-	-	-	-	-	-	-			
	女 F.	-	-	-	-	-	-	-	-	-	-	-			
005	その他の食中毒(細菌性)	3	-	-	-	-	-	-	-	-	-	-			
	男 M.	1	-	-	-	-	-	-	-	-	-	-			
	女 F.	2	-	-	-	-	-	-	-	-	-	-			
006	アメーバ症	3	-	-	-	-	-	-	-	-	-	-			
	男 M.	3	-	-	-	-	-	-	-	-	-	-			
	女 F.	-	-	-	-	-	-	-	-	-	-	-			
007	その他の原虫性腸疾患	-	-	-	-	-	-	-	-	-	-	-			
	男 M.	-	-	-	-	-	-	-	-	-	-	-			
	女 F.	-	-	-	-	-	-	-	-	-	-	-			
008	その他の病原体による腸感染	47	-	2	-	-	-	2	-	-	-	-			
	男 M.	29	-	1	-	-	-	1	-	-	-	-			
	女 F.	18	-	1	-	-	-	1	-	-	-	-			
009	診断名不明確な腸感染	721	17	6	6	3	1	33	4	1	2	2			
	男 M.	300	11	2	1	3	1	18	2	1	1	2			
	女 F.	421	6	4	5	-	-	15	2	-	1	-			
(010-018)	結 核	3 325	1	4	-	1	-	6	-	1	1	3			
	男 M.	2 449	1	1	-	1	-	3	-	1	-	-			
	女 F.	876	-	3	-	-	-	3	-	-	1	3			
010	結核初感染	-	-	-	-	-	-	-	-	-	-	-			
	男 M.	-	-	-	-	-	-	-	-	-	-	-			
	女 F.	-	-	-	-	-	-	-	-	-	-	-			
011	肺 結 核	3 034	-	-	-	-	-	-	-	-	-	3			
	男 M.	2 266	-	-	-	-	-	-	-	-	-	-			
	女 F.	768	-	-	-	-	-	-	-	-	-	3			
012	その他の呼吸器結核	97	-	-	-	-	-	-	-	-	-	-			
	男 M.	77	-	-	-	-	-	-	-	-	-	-			
	女 F.	20	-	-	-	-	-	-	-	-	-	-			
013	髄膜及び中枢神経系の結核	36	1	3	-	1	-	5	-	-	-	-			
	男 M.	24	1	1	-	1	-	3	-	-	-	-			
	女 F.	12	-	2	-	-	-	2	-	-	-	-			

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991

															不 詳	国際基本 分類番号	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100~	Not Stated	International Detailed List Code
4 214	4 861	7 866	16 398	20 883	30 486	47 516	63 730	73 462	89 052	126 536	144 306	110 713	55 482	13 428	1 585	416	
2 878	3 151	5 041	10 550	13 713	20 107	32 703	43 820	46 155	51 342	68 903	70 548	45 996	18 719	3 822	377	344	
1 336	1 710	2 825	5 848	7 170	10 379	14 813	19 910	27 307	37 710	57 633	73 758	64 717	36 763	9 606	1 208	72	
60	66	120	231	335	502	780	1 145	1 407	1 600	2 091	1 975	1 194	449	87	15	7	001
39	46	79	163	228	356	557	732	904	975	1 222	1 056	550	182	23	2	7	
21	20	41	68	107	146	223	413	503	625	869	919	644	267	64	13	-	
3	1	1	3	6	12	22	33	43	59	87	161	160	97	35	7	-	(001-009)
2	1	1	3	4	10	16	19	24	29	40	68	52	28	10	1	-	
1	-	-	-	2	2	6	14	19	30	47	93	108	69	25	6	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	002
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	003
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	004
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	005
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	006
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	007
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	008
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	009
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(010-018)
9	13	27	60	95	153	237	356	410	435	584	542	285	92	9	-	7	
9	8	23	56	74	126	194	262	309	328	434	377	185	50	3	-	7	
-	5	4	4	21	27	43	94	101	107	150	165	100	42	6	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	010
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	10	25	56	83	143	223	337	379	394	535	496	252	78	8	-	6	011
6	6	21	53	65	117	184	253	287	302	408	349	163	43	3	-	6	
-	4	4	3	18	26	39	84	92	92	127	147	89	35	3			

死 因

1表-1 (77-2)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数 Total	0 歳 Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24
				1	2	3	4	0~4	5~9	10~14	15~19	20~24
014	肺、腹膜及び腸間膜リンパ節の結核	23	-	-	-	-	-	-	-	-	-	-
015	骨及び関節の結核	15	-	-	-	-	-	-	-	-	-	-
016	泌尿生殖系の結核	15	-	-	-	-	-	-	-	-	-	-
017	その他の臓器の結核	8	-	-	-	-	-	-	-	-	-	-
018	粟 粒 結 核	97	-	1	-	-	-	1	-	1	1	-
(020~027)	動物媒介の細菌性疾患	-	-	-	-	-	-	-	-	-	-	-
020	ベ ス ト	-	-	-	-	-	-	-	-	-	-	-
021	野 兎 病	-	-	-	-	-	-	-	-	-	-	-
022	炭 疽	-	-	-	-	-	-	-	-	-	-	-
023	ブルセラ症	-	-	-	-	-	-	-	-	-	-	-
024	鼻 疽	-	-	-	-	-	-	-	-	-	-	-
025	類 鼻 疽	-	-	-	-	-	-	-	-	-	-	-
026	鼠 咬 症	-	-	-	-	-	-	-	-	-	-	-
027	その他の動物媒介の細菌性疾患	-	-	-	-	-	-	-	-	-	-	-
(030~041)	その他の細菌性疾患	4 122	94	10	8	3	3	118	5	8	13	12
030	ら い	1	-	-	-	-	-	-	-	-	-	-
031	その他のマイコバクテリアによる疾患	217	-	-	-	-	-	-	-	-	-	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
-	1	1	-	-	3	2	1	2	4	3	4	1	1	-	-	-	014
-	-	-	-	-	3	1	1	1	3	1	4	1	1	-	-	-	-
-	1	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-
-	-	-	1	4	1	1	1	1	1	3	1	-	1	-	-	-	015
-	-	-	1	2	-	1	1	1	1	2	1	-	1	-	-	-	-
-	-	-	-	-	-	1	3	4	3	3	1	-	-	-	-	-	016
-	-	-	-	-	-	1	1	2	2	2	1	-	-	-	-	-	-
-	-	-	1	-	-	-	1	-	1	1	4	-	-	-	-	-	017
-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-	-
1	2	1	1	5	4	5	4	9	16	20	14	9	2	-	-	1	018
1	2	1	1	4	3	4	2	5	9	10	4	4	2	-	-	1	-
-	-	-	-	1	1	1	2	4	7	10	10	5	2	-	-	-	(020~027)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	020
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	021
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	022
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	023
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	024
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	025
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	026
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	027
13	9	21	40	77	118	200	307	393	513	763	797	505	174	30	6	-	(030~041)
9	7	9	24	47	78	136	164	220	257	349	325	178	60	3	1	-	-
4	2	12	16	30	40	64	143	173	256	414	472	327	114	27	5	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	030
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
2	-	-	2	2	6	10	21	25	38	52	36	19	3	1	-	-	031
2	-	-	-	1	5	7	9	7	17	27	20	12	2	-	-	-	-
-	-	-	2	1	1	3	12	18	21	25	16	7	1	1	-	-	-

死 因
1表-1 (77-4)

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数 Total	0 歳																	
			Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24								
050	痘 疹..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
051	牛痘及びバラワクチニア..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
052	水 痘..... 男 M. 女 F.	15 12 3	2 1 1	2 2 -	2 2 1	1 - 1	- - -	7 5 2	1 1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -
053	帯 状 疱 疹..... 男 M. 女 F.	35 16 19	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
054	単 純 疱 疹..... 男 M. 女 F.	82 41 41	3 2 1	- -	1 1 -	- -	- -	4 3 1	- -	1 1 -	5 2 3	3 -	- -	- -	- -	- -	- -	- -	- -	- -
055	麻 疹..... 男 M. 女 F.	39 17 22	4 3 1	6 1 5	3 1 2	7 4 3	3 2 1	23 11 12	8 2 6	4 2 2	3 1 2	- -	- -	- -	- -	- -	- -	- -	- -	- -
056	風 疹..... 男 M. 女 F.	1 1	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
057	その他のウイルス性発疹..... 男 M. 女 F.	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(060-066)	節足動物媒介のウイルス疾患..... 男 M. 女 F.	3 2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
060	黄 熱..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
061	デ ン グ 熱..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
062	蚊媒介ウイルス脳炎..... 男 M. 女 F.	3 2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
063	ダニ媒介ウイルス脳炎..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
064	その他及び詳細不明の節足動物媒介によるウイルス脳炎..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
065	節足動物媒介の出血熱..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
066	その他の節足動物媒介のウイルス疾患..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(070-079)	ウイルス及びクラミジアによるその他の疾患..... 男 M. 女 F.	1 479 873 606	14 6 8	2 2 -	3 1 2	3 2 1	- -	22 11 11	6 2 4	7 5 2	16 10 6	24 13 11	-	-	-	-	-	-	-	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年
DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1991-CON.

														不 詳 Not Stated	国際基本 分類番号 International Detailed List Code		
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100~		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	050
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	051
2	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	052
2	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	053
-	-	-	-	-	-	1	1	2	2	3	10	9	6	1	-	-	054
-	-	-	-	-	-	1	1	2	2	3	4	3	6	1	-	-	055
5	1	2	4	5	5	6	4	7	7	11	6	4	2	-	-	-	056
2	1	1	1	1	3	3	3	5	1	8	1	2	1	-	-	-	057
3	-	1	3	4	2	3	1	2	6	3	5	2	1	-	-	-	(060-066)
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	060
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	061
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	062
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	063
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	064
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	065
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	066
16	31	44	92	107	144	179	195	175	142	141	84	39	12	3	-	-	(070-079)
9	21	31	60	80	95	124	123	94	70	69	31	18	5	2	-	-	
7	10	13	32	27	49	55	72	81	72	72	53	21	7	1	-	-	

死 因
1表-1 (77-5)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数 Total	0 歳 Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24
				男 M.	女 F.	男 M.	女 F.	男 M.	女 F.	男 M.	女 F.	男 M.
070	ウイルス肝炎	1 416	6	1	-	1	-	8	4	3	13	21
	男 M.	838	4	1	-	1	-	6	2	2	8	10
	女 F.	578	2	-	-	-	-	2	2	1	5	11
071	狂 犬 病	-	-	-	-	-	-	-	-	-	-	-
072	おたふくかぜ	2	-	-	-	-	-	-	-	1	-	-
	男 M.	1	-	-	-	-	-	-	-	1	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
073	オルニトシス	-	-	-	-	-	-	-	-	-	-	-
074	コクサッキーウイルスによる特定の疾患	2	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
075	伝染性単核細胞症	24	2	1	1	1	-	5	-	3	3	2
	男 M.	12	1	1	1	-	-	3	-	2	2	2
	女 F.	12	1	-	-	1	-	2	-	1	1	-
076	トラコーマ	-	-	-	-	-	-	-	-	-	-	-
077	ウイルス及びクラミジアによるその他の結膜の疾患	-	-	-	-	-	-	-	-	-	-	-
078	ウイルス及びクラミジアによるその他の疾患	10	1	-	-	-	-	1	-	-	-	-
	男 M.	9	1	-	-	-	-	1	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
079	他に分類される病態におけるウイルス感染及び部位不明のウイルス感染	25	5	-	2	1	-	8	2	-	-	1
	男 M.	12	-	-	-	-	-	1	-	-	-	-
	女 F.	13	5	-	2	1	-	7	2	-	-	1
(080~088)	リケッチア症及びその他の節足動物媒介疾患	2	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
080	発 疹 チ フ ス	-	-	-	-	-	-	-	-	-	-	-
081	その他のチフス	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
082	だに媒介リケッチア症	-	-	-	-	-	-	-	-	-	-	-
083	その他のリケッチア症	-	-	-	-	-	-	-	-	-	-	-
084	マ ラ リ ア	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
085	リーシュマニア症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
15	28	40	91	103	141	174	193	171	141	139	81	37	10	3	-	-	070
8	19	28	60	76	94	120	121	93	69	68	30	17	5	2	-	-	
7	9	12	31	27	47	54	72	78	72	71	51	20	5	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	071
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	072
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	073
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	074
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	
1	-	-	1	1	2	1	-	2	-	1	-	1	1	-	-	-	075
1	-	-	1	1	1	1	-	2	-	1	-	1	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	076
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	077
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	2	-	1	-	2	1	1	1	-	-	-	-	-	-	-	078
-	1	2	-	1	-	1	1	1	1	-	-	-	-	-	-	-	
-	2	2	-	2	1	2	-	1	-	1	2	1	-	-	-	-	079
-	1	1	-	2	1	2	-	1	-	1	1	1	-	-	-	-	
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	(080~088)
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	080
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	081
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	082
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	083
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	084
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	085
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

死 因
1表-1 (77-6)

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳									
			Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24
International Detailed List Code	Causes of Death and Sex	Total	Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24
086	トリパノソーマ症..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
087	回 帰 熱..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
088	その他の節足動物媒介疾患..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
(090-099)	梅毒及びその他の性病..... 男女 M. F.	35 24	1 1	-	-	-	-	1 1	-	-	-	-
090	先 天 梅毒..... 男女 M. F.	3 1	1 1	-	-	-	-	1 1	-	-	-	-
091	早期顕性梅毒..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
092	早期潜伏梅毒..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
093	心 血 管 梅毒..... 男女 M. F.	4 3	-	-	-	-	-	-	-	-	-	-
094	神 経 梅毒..... 男女 M. F.	24 16	-	-	-	-	-	-	-	-	-	-
095	症候を伴うその他の晩期梅毒..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
096	晩期潜伏梅毒..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
097	その他及び詳細不明の梅毒..... 男女 M. F.	4 4	-	-	-	-	-	-	-	-	-	-
098	淋 菌 感 染..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
099	その他の性病..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
(100-104)	その他のスピロヘータ疾患..... 男女 M. F.	6 5	-	-	-	-	-	-	-	-	-	-
100	レプトスピラ症..... 男女 M. F.	6 5	-	-	-	-	-	-	-	-	-	-
101	ワンサン口膜炎..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-

性・年齢 (5 歳階級)・死因 (三桁基本分類) 別 平成 3 年
DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1991-CON.

													不 詳	国際基本 分類番号			
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	Not Stated	International Detailed List Code
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	086
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	087
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	088
-	-	-	1	-	-	2	2	6	2	5	8	3	4	1	-	-	(090-099)
-	-	1	-	-	2	2	5	1	5	4	2	3	3	1	-	-	090
-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	091
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	092
-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	093
-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	094
-	-	-	-	-	2	1	3	2	4	6	2	3	1	-	-	-	095
-	-	-	-	-	2	1	2	1	4	3	1	2	1	-	-	-	096
-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	097
-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	098
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	099
-	-	-	1	-	1	1	-	-	2	-	1	-	-	-	-	-	(100-104)
-	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101

死 因
1表-1 (77-7)

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Causes of Death and Sex	総 数 Total	0 歳 Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24
102	フランベシア 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-
103	ビ ン タ 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-
104	その他のスピロヘータ感染 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-
(110-118)	真 菌 症 男 M. 女 F.	426 263 163	2 - 1	1 - 1	- - -	- - -	- - -	3 - 1	1 1 -	1 1 1	1 1 -	1 1 -
110	皮膚糸状菌症 男 M. 女 F.	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
111	皮膚真菌症, その他及び詳細不明のもの 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
112	カンジダ症 男 M. 女 F.	121 66 55	1 1 -	- -	- -	- -	- -	1 1 -	- -	1 1 -	- -	- -
114	コクシジオイデス症 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
115	ヒストプラズマ症 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
116	プラストミセス感染 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
117	その他の真菌症 男 M. 女 F.	304 196 108	1 1 -	1 1 1	- -	- -	- -	2 1 1	1 1 -	- 1 -	1 1 -	1 1 -
118	好機性真菌症 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(120-129)	蟻 虫 症 男 M. 女 F.	9 5 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
120	住血吸虫症 男 M. 女 F.	6 3 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
121	その他の吸虫感染 男 M. 女 F.	1 1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
122	包 虫 症 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
123	その他の条虫感染 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

性・年齢 (5歳階級)・死因 (三桁基本分類) 別 平成3年
DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1991-CON.

25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100~	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	104
-	-	3	5	5	9	22	44	50	59	78	73	46	22	2	1	(110-118)	
-	-	2	2	3	5	17	35	31	36	49	43	25	10	-	-		
-	-	1	3	2	4	5	9	19	23	29	30	21	12	2	1		
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	110	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111	
-	-	-	-	1	2	2	7	15	12	23	20	24	12	-	1	112	
-	-	-	-	1	1	2	5	7	5	15	11	13	5	-	1		
-	-	-	-	-	1	-	2	8	7	8	9	11	7	-	-	114	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	116	
-	-	3	5	4	7	20	37	35	47	55	53	21	10	2	-	117	
-	-	2	2	2	4	15	30	24	31	34	32	11	5	-	-		
-	-	1	3	2	3	5	7	11	16	21	21	10	5	2	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	118	
-	-	-	-	-	-	2	1	-	3	1	1	1	-	-	-	(120-129)	
-	-	-	-	-	-	2	1	-	2	1	1	1	-	-	-		
-	-	-	-	-	-	2	1	-	2	1	1	1	-	-	-	120	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	121	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	122	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	123	

死 因
1表-1 (77-8)

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数 Total	0 歳 Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24	
124	旋毛虫症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
125	糸状虫感染及びメジナ虫症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
126	鉤虫症及びアメリカ鉤虫症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
127	その他の腸蠕虫症..... 男 M. 女 F.	2 1	-	-	-	-	-	-	-	-	-	-	-
128	その他及び詳細不明の蠕虫症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
129	詳細不明の腸寄生虫症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
(130-136)	その他の感染症及び寄生虫症..... 男 M. 女 F.	378 196 182	6 3 3	1 1 -	1 1 -	1 1 -	- - -	9 6 3	1 - 1	- - -	4 2 2	4 1 3	-
130	トキソプラズマ症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
131	トリコモナス症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
132	しらみ寄生症又はしらみ寄生..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
133	だ に 症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
134	その他の寄生..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-
135	サルコイドーシス..... 男 M. 女 F.	47 14 33	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-
136	その他及び詳細不明の感染症及び寄生虫 症..... 男 M. 女 F.	331 182 149	6 3 3	1 1 -	1 1 -	1 1 -	- - -	9 6 3	1 - 1	- - -	4 2 2	4 1 3	-
(137-139)	感染症及び寄生虫症の後遺症..... 男 M. 女 F.	1 559 1 064 495	- - -	- - -	- - -	- - -	1 1 -	1 1 2	2 - -	- - -	2 2 -	2 1 1	-
137	結核の後遺症..... 男 M. 女 F.	1 520 1 042 478	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-
138	急性灰白髄炎の後遺症..... 男 M. 女 F.	15 10 5	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年
DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1991-CON.

	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	124
125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	125
126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	126
127	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	127
128	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	128
129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	129
(130-136)	2 1 1	5 5 3	9 6 3	13 8 5	15 6 9	20 12 8	15 6 9	22 15 7	38 23 15	47 26 21	69 31 38	56 31 25	34 11 23	11 4 7	3 2 1	1 1 1	(130-136)	
130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	130
131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	131
132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	132
133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	133
134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134
135	-	-	2	-	6	6	1	4	9	10	6	3	-	-	-	-	-	135
136	2 1 1	5 5 2	7 5 2	13 8 5	9 5 4	14 8 6	14 6 8	18 13 5	29 20 9	37 23 14	63 31 32	53 31 22	34 11 23	11 4 7	3 2 1	1 1 1	136	
(137-139)	3 2 1	1 1 -	3 2 1	7 5 2	15 8 7	27 18 9	80 50 30	155 92 63	266 183 83	300 207 93	324 224 100	233 170 63	103 73 30	32 23 9	3 2 1	- - -	(137-139)	
137	-	-	1	7	13	26	77	150	261	296	322	231	101	32	3	-	137	
138	1 1 -	1 1 -	2 1 1	- 1 2	1 5 6	1 7 9	2 48 29	2 90 60	1 178 83	3 205 91	3 224 98	- 170 61	1 72 29	- 23 9	- 2 1	- - -	138	

死 因

1表-1 (77-9)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳 Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24	International Detailed List Code
139	その他の感染症及び寄生虫症の後遺症	24	-	-	-	-	1	1	2	-	-	2	2
	男 M.	12	-	-	-	-	1	1	2	-	-	2	2
	女 F.	12	-	-	-	-	-	-	-	-	-	-	1
II	新 生 物	230 551	42	35	53	49	38	217	265	293	458	484	
	男 M.	138 282	20	18	28	27	23	116	142	166	270	298	
	女 F.	92 269	22	17	25	22	15	101	123	127	188	186	
(140~149)	口唇、口腔及び咽頭の悪性新生物	2 869	-	-	-	-	-	-	-	-	7	8	
	男 M.	2 119	-	-	-	-	-	-	-	-	6	7	
	女 F.	750	-	-	-	-	-	-	-	-	1	1	
140	口唇の悪性新生物	20	-	-	-	-	-	-	-	-	-	-	
	男 M.	12	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	-	
141	舌の悪性新生物	701	-	-	-	-	-	-	-	-	2	2	
	男 M.	464	-	-	-	-	-	-	-	-	1	2	
	女 F.	237	-	-	-	-	-	-	-	-	1	-	
142	大唾液腺の悪性新生物	296	-	-	-	-	-	-	-	-	-	1	
	男 M.	186	-	-	-	-	-	-	-	-	-	-	
	女 F.	110	-	-	-	-	-	-	-	-	-	1	
143	歯肉の悪性新生物	158	-	-	-	-	-	-	-	-	-	-	
	男 M.	89	-	-	-	-	-	-	-	-	-	-	
	女 F.	69	-	-	-	-	-	-	-	-	-	-	
144	口腔床の悪性新生物	145	-	-	-	-	-	-	-	-	-	-	
	男 M.	117	-	-	-	-	-	-	-	-	-	-	
	女 F.	28	-	-	-	-	-	-	-	-	-	-	
145	その他の部位及び部位不明の口腔の悪性新生物	254	-	-	-	-	-	-	-	-	-	-	
	男 M.	168	-	-	-	-	-	-	-	-	-	-	
	女 F.	86	-	-	-	-	-	-	-	-	-	-	
146	中咽頭の悪性新生物	272	-	-	-	-	-	-	-	-	-	-	
	男 M.	242	-	-	-	-	-	-	-	-	-	-	
	女 F.	30	-	-	-	-	-	-	-	-	-	-	
147	鼻咽頭の悪性新生物	286	-	-	-	-	-	-	-	-	5	4	
	男 M.	225	-	-	-	-	-	-	-	-	5	4	
	女 F.	61	-	-	-	-	-	-	-	-	-	-	
148	下咽頭の悪性新生物	573	-	-	-	-	-	-	-	-	-	-	
	男 M.	479	-	-	-	-	-	-	-	-	-	-	
	女 F.	94	-	-	-	-	-	-	-	-	-	-	
149	その他及び部位不明の口腔、口腔及び咽頭の悪性新生物	164	-	-	-	-	-	-	-	-	-	1	
	男 M.	137	-	-	-	-	-	-	-	-	-	1	
	女 F.	27	-	-	-	-	-	-	-	-	-	-	
(150~159)	消化器及び腹膜の悪性新生物	133 086	2	1	1	-	-	4	9	8	20	79	
	男 M.	82 222	1	-	-	-	-	1	7	5	13	44	
	女 F.	50 864	1	1	1	-	-	3	2	3	7	35	
150	食道の悪性新生物	7 557	-	-	-	-	-	-	-	-	-	1	
	男 M.	6 263	-	-	-	-	-	-	-	-	-	1	
	女 F.	1 294	-	-	-	-	-	-	-	-	-	-	
151	胃の悪性新生物	47 896	-	-	-	-	-	-	-	-	7	36	
	男 M.	30 296	-	-	-	-	-	-	-	-	2	18	
	女 F.	17 600	-	-	-	-	-	-	-	-	5	18	
152	小腸の悪性新生物、十二指腸を含む	513	-	-	-	-	-	-	-	1	-	3	
	男 M.	301	-	-	-	-	-	-	-	-	-	3	
	女 F.	212	-	-	-	-	-	-	-	1	-	-	

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

国際基本 分類番号	International Detailed List Code	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~	不 詳 Not Stated	国際基本 分類番号
139		2	-	-	-	1	-	1	3	4	1	2	2	1	-	-	-	-	139
	男 M.	1	-	-	-	-	-	1	3	4	1	2	2	1	-	-	-	-	
	女 F.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
II		639	1 116	2 465	6 052	7 926	12 549	21 298	29 216	31 422	31 977	34 919	29 016	14 941	4 584	665	43	6	II
	男 M.	334	498	1 132	3 003	4 314	7 376	14 134	20 117	20 385	19 620	20 697	15 991	7 498	1 924	249	14	4	
	女 F.	305	618	1 333	3 049	3 612	5 173	7 164	9 099	11 037	12 357	14 222	13 025	7 443	2 660	416	29	2	
(140~149)		18	22	44	101	125	212	380	462	393	307	340	253	130	56	11	-	-	(140~149)
	男 M.	12	14	29	78	104	174	304	403	293	215	233	160	62	21	4	-	-	
	女 F.	6	8	15	23	21	38	76	59	100	92	107	93	68	35	7	-	-	
140		-	-	-	-	-	-	1	-	5	4	1	4	2	3	-	-	-	140
	男 M.	-	-	-	-	-	-	-	-	4	3	1	3	1	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	1	1	1	1	1	3	-	-	-	
141		6	13	14	20	30	54	93	92	93	61	79	76	47	14	5	-	-	141
	男 M.	4	9	7	12	27	46	67	77	60	36	45	47	18	4	2	-	-	
	女 F.	2	4	7	8	3	8	26	15	33	25	34	29	29	10	3	-	-	
142		3	4	9	15	15	28	28	47	28	24	37	22	18	14	3	-	-	142
	男 M.	2	2	6	11	9	19	19	36	19	14	22	15	7	5	-	-	-	
	女 F.	1	2	3	4	6	9	9	11	9	10	15	7	11	9	3	-	-	
143		2	-	3	5	5	6	19	19	20	19	24	18	14	3	1	-	-	143
	男 M.	2	-	2	4	4	4	15	14	11	7	12	7	5	1	1	-	-	
	女 F.	-	-	1	1	1	2	4	5	9	12	12	11	9	2	-	-	-	
144		-	-	-	4	6	10	20	27	26	22	18	10	-	2	-	-	-	144
	男 M.	-	-	-	3	6	10	17	24	20	18	12	7	-	-	-	-	-	
	女 F.	-	-	-	1	-	-	3	3	6	4	6	3	-	2	-	-	-	
145		-	1	3	6	6	15	27	36	26	20	35	45	22	11	1	-	-	145
	男 M.	-	-	2	5	3	12	23	28	20	15	22	19	13	5	1	-	-	
	女 F.	-	1	1	1	3	3	4	8	6	5	13	26	9	6	-	-	-	
146		-	1	4	7	11	23	41	54	42	30	34	16	6	3	-	-	-	146
	男 M.	-	-	4	6	11	23	35	52	34	25	32	14	4	3	-	-	-	
	女 F.	-	1	-	1	-	1	6	2	8	5	2	2	2	-	-	-	-	
147		6	3	9	19	23	26	45	47	30	35	17	13	1	2	1	-	-	147
	男 M.	3	3	7	17	21	19	36	42	23	23	11	9	1	1	-	-	-	
	女 F.	3	-	2	2	2	7	9	5	7	12	6	4	-	1	1	-	-	
148		-	-	2	19	22	42	89	115	96	69	68	39	11	1	-	-	-	148
	男 M.	-	-	1	16	17	34	75	106	79	55	55	32	8	1	-	-	-	
	女 F.	-	-	1	3	5	8	14	9	17	14	13	7	3	-	-	-	-	
149		1	-	-	6	7	8	17	25	27	23	27	10	9	3	-	-	-	149
	男 M.	1	-	-	4	6	8	16	24	23	19	22	7	5	1	-	-	-	
	女 F.	-	-	-	2	1	-	1	1	4	4	5	3	4	2	-	-	-	
(150~159)		187	427	1 160	3 051	4 391	7 407	13 348	17 988	18 830	18 320	19 612	16 539	8 654	2 669	360	19	4	(150~159)
	男 M.	81	198	595	1 787	2 834	5 038	9 778	13 103	12 495	11								

死 因

1表-1 (77-11)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳										20~24	国際基本 分類番号
			Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24		
International Detailed List Code	Causes of Death and Sex	Total	Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24	International Detailed List Code	
172	皮膚の悪性黒色腫	333	-	-	-	-	-	-	-	-	-	3	172	
	男 M. 女 F.	170 163	-	-	-	-	-	-	-	-	-	2 1		
173	皮膚のその他の悪性新生物	325	-	-	-	-	-	-	-	-	2	1	173	
	男 M. 女 F.	158 167	-	-	-	-	-	-	-	-	1 1	1		
174	女性乳房の悪性新生物	6 309	-	-	-	-	-	-	-	-	1	2	174	
	男 M. 女 F.	. 6 309	-	-	-	-	-	-	-	-	. 1	. 2		
175	男性乳房の悪性新生物	43	-	-	-	-	-	-	-	-	-	-	175	
	男 M. 女 F.	43 .	-	-	-	-	-	-	-	-	-	-		
(179~189)	泌尿生殖器の悪性新生物	18 561	2	2	1	2	-	7	11	9	21	45	(179~189)	
	男 M. 女 F.	8 322 10 239	2 1	2 1	1 1	2 1	- -	7 5	11 7	9 1	21 9	45 22		
179	子宮の悪性新生物, 部位不明	2 079	-	-	-	-	-	-	-	-	-	2	179	
	男 M. 女 F.	. 2 079	-	-	-	-	-	-	-	-	-	. 2		
180	子宮頸の悪性新生物	1 873	-	-	-	-	-	-	-	-	-	3	180	
	男 M. 女 F.	. 1 873	-	-	-	-	-	-	-	-	-	. 3		
181	胎盤の悪性新生物	13	-	-	-	-	-	-	-	-	1	-	181	
	男 M. 女 F.	. 13	-	-	-	-	-	-	-	-	. 1	-		
182	子宮体の悪性新生物	645	-	-	-	-	-	-	-	-	-	-	182	
	男 M. 女 F.	. 645	-	-	-	-	-	-	-	-	-	-		
183	卵巣及びその他の子宮付属器の悪性新生物	3 417	-	-	-	-	-	-	2	5	9	14	183	
	男 M. 女 F.	. 3 417	-	-	-	-	-	-	. 2	. 5	. 9	. 14		
184	その他及び部位不明の女性生殖器の悪性新生物	217	-	-	-	-	-	-	-	-	-	-	184	
	男 M. 女 F.	. 217	-	-	-	-	-	-	-	-	-	-		
185	前立腺の悪性新生物	3 836	-	-	-	-	-	-	-	-	2	1	185	
	男 M. 女 F.	3 836 .	-	-	-	-	-	-	-	-	. 2	. 1		
186	睾丸の悪性新生物	131	-	-	-	1	-	1	1	-	5	15	186	
	男 M. 女 F.	131 .	-	-	-	1 .	- .	1 .	1 .	- .	5 .	15 .		
187	陰茎及びその他の男性生殖器の悪性新生物	84	-	-	-	-	-	-	-	-	1	2	187	
	男 M. 女 F.	84 .	-	-	-	-	-	-	-	-	1 .	2 .		
188	膀胱の悪性新生物	3 173	-	-	-	-	-	-	1	1	-	2	188	
	男 M. 女 F.	2 165 1 008	-	-	-	-	-	-	1 .	1 .	- .	1 .		
189	腎並びにその他及び部位不明の泌尿器の悪性新生物	3 093	2	2	1	1	-	6	7	3	3	6	189	
	男 M. 女 F.	2 106 987	2 1	2 1	1 .	1 .	- .	6 2	7 2	3 2	3 2	6 3		
(190~199)	その他及び部位不明の悪性新生物	7 551	4	11	16	19	11	61	60	48	40	52	(190~199)	
	男 M. 女 F.	3 693 3 858	4 4	11 5	16 7	19 9	11 5	61 30	60 30	48 21	40 18	52 19		

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~	不 詳	国際基本 分類番号
International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	International Detailed List Code	
5	6	11	22	12	29	34	36	39	32	45	40	10	8	1	-	-	172
4	2	6	12	6	14	21	15	23	15	20	24	3	3	-	-	-	
1	4	5	10	6	15	13	21	16	17	25	16	7	5	1	-	-	
1	-	1	9	6	8	19	31	26	27	41	48	54	39	11	1	-	173
-	-	1	2	4	3	14	17	19	12	26	25	23	11	-	-	-	
1	-	-	7	2	5	5	14	7	15	15	23	31	28	11	1	-	
26	109	273	640	690	843	882	852	672	481	352	266	155	57	8	-	-	174
26	109	273	640	690	843	882	852	672	481	352	266	155	57	8	-	-	
-	-	-	-	-	-	2	12	4	3	8	9	1	2	2	-	-	175
-	-	-	-	-	-	2	12	4	3	8	9	1	2	2	-	-	
80	108	192	513	689	1 013	1 442	1 951	2 141	2 463	3 033	2 700	1 531	527	78	7	-	(179~189)
41	34	25	65	96	212	454	792	914	1 214	1 668	1 560	892	273	34	4	-	
39	74	167	448	593	801	988	1 159	1 227	1 249	1 365	1 140	639	254	44	3	-	
8	7	20	65	85	90	163	197	234	282	327	303	188	91	15	2	-	179
8	7	20	65	85	90	163	197	234	282	327	303	188	91	15	2	-	
10	23	47	135	143	168	197	237	232	220	204	156	76	21	1	-	-	180
10	23	47	135	143	168	197	237	232	220	204	156	76	21	1	-	-	
2	3	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-	181
2	3	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-	
4	4	5	17	25	51	106	113	106	80	78	32	19	4	1	-	-	182
4	4	5	17	25	51	106	113	106	80	78	32	19	4	1	-	-	
12	35	87	205	296	425	408	441	415	350	336	231	97	40	8	1	-	183
12	35	87	205	296	425	408	441	415	350	336	231	97	40	8	1	-	
-	1	-	2	6	9	15	16	28	31	43	34	26	5	1	-	-	184
-	1	-	2	6	9	15	16	28	31	43	34	26	5	1	-	-	
-	3	2	1	12	27	113	230	328	593	908	895	530	170	18	3	-	185
-	3	2	1	12	27	113	230	328	593	908	895	530	170	18	3	-	
34	23	10	6	3	4	5	5	3	1	4	7	3	-	1	-	-	186
34	23	10	6	3	4	5	5	3	1	4	7	3	-	1	-	-	
1	1	1	1	2	5	8	13	3	8	12	17	6	1	2	-	-	187
1	1	1	1	2	5	8	13	3	8	12	17	6	1	2	-	-	
3	2	8	27	46	68	119	243	346	424	625	658	413	156	30	1	-	188
3	2	5	21	31	49	89	196	264	309	428	418	259	76	12	1	-	
-	-	3	6	15	19	30	47	82	115	197	240	154	80	18	-	-	
6	6	12	53	68	164	307	456	446	474	496	367	173	39	1	-	-	189
3	5	7	36	48	127	239	348	316	303	316	223	94	26	1	-	-	
3	1	5	17	20	37	68	108	130	171	180	144	79	13	-	-	-	
32	59	95	206	238	335	641	747	903	983	1 203	1 063	564	196	23	2	-	(190~199)
18	35	49	105	128	171	358	419	490	484	521	469	225	70	7	1	-	
14	24	46	101	110	164	283	328	413	499	682	594	339	126	16	1	-	

死 因

1表-1 (77-12)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳									
			Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24
International Detailed List Code	Causes of Death and Sex	Total	Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24
190	眼の悪性新生物	31	-	-	1	1	-	2	3	2	-	-
	男 M. 女 F.	14 17	-	-	1 1	1 1	-	1 1	1 2	2 -	-	-
191	脳の悪性新生物	1 125	1	3	5	7	6	22	34	33	27	27
	男 M. 女 F.	645 480	1 1	3 1	5 3	7 4	6 2	22 11	34 19	33 16	27 15	27 18
192	その他の部位及び部位不明の神経系の悪性新生物	57	-	1	-	-	-	1	-	2	3	1
	男 M. 女 F.	32 25	-	1 1	-	-	-	1 1	-	2 1	3 3	1 -
193	甲状腺の悪性新生物	954	-	-	-	-	-	-	-	-	-	1
	男 M. 女 F.	293 661	-	-	-	-	-	-	-	-	-	1 -
194	その他の内分泌腺及び関連組織の悪性新生物	195	2	6	10	11	5	34	20	9	6	6
	男 M. 女 F.	116 79	2 2	6 2	10 4	11 4	5 3	34 15	20 10	9 6	6 3	6 3
195	その他の部位及び不明確な部位の悪性新生物	532	-	1	-	-	-	1	2	-	2	2
	男 M. 女 F.	240 292	-	1 1	-	-	-	1 1	2 2	-	2 1	2 1
196	リンパ節の続発性及び詳細不明の悪性新生物	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-
197	呼吸系及び消化系の続発性悪性新生物	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-
198	その他の明示された部位の続発性悪性新生物	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-
199	部位の明示されない悪性新生物	4 657	1	-	-	-	-	1	1	2	2	15
	男 M. 女 F.	2 353 2 304	1 1	-	-	-	-	1 1	1 1	2 1	2 1	15 10
(200-208)	リンパ組織及び造血組織の悪性新生物	13 203	17	18	24	21	16	96	106	153	215	178
	男 M. 女 F.	7 538 5 665	17 11	18 8	24 12	21 7	16 4	96 42	106 44	153 59	215 84	178 62
200	リンパ肉腫及び細網肉腫	36	-	-	-	1	1	2	-	-	1	1
	男 M. 女 F.	20 16	-	-	-	1 1	1 1	2 -	-	-	1 1	1 -
201	ホジキン病	97	-	-	-	-	-	-	-	3	2	-
	男 M. 女 F.	72 25	-	-	-	-	-	-	-	3 1	2 1	-
202	リンパ様及び組織球組織のその他の悪性新生物	5 332	6	4	6	5	3	24	24	29	51	43
	男 M. 女 F.	3 155 2 177	6 4	4 3	6 4	5 1	3 -	24 12	24 8	29 10	51 13	43 10
203	多発性骨髄腫及び免疫増殖性新生物	2 153	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	1 101 1 052	-	-	-	-	-	-	-	-	-	-
204	リンパ性白血病	1 570	2	8	6	4	5	25	33	70	75	51
	男 M. 女 F.	867 703	2 2	8 2	6 3	4 -	5 2	25 9	33 16	70 28	75 32	51 19
205	骨髄性白血病	2 777	1	1	3	5	5	15	19	24	56	59
	男 M. 女 F.	1 600 1 177	1 -	1 -	3 1	5 3	5 2	15 6	19 10	24 10	56 25	59 21

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

国際基本 分類番号	性・年齢(5歳階級)														不 詳 Not Stated	国際基本 分類番号 International Detailed List Code	
	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94			95-99
190	1	1	-	1	1	2	4	3	4	2	1	1	3	-	-	-	190
	男 M. 女 F.	14 17	- -	1 1	1 1	2 1	4 3	3 1	4 2	2 1	1 1	1 1	3 3	- -	- -	- -	- -
191	19	28	47	73	80	91	108	134	124	110	94	50	17	6	1	-	191
	男 M. 女 F.	11 8	18 10	31 16	42 31	49 31	57 34	68 40	82 52	67 57	62 48	45 49	24 26	7 10	3 1	- -	- -
192	1	2	2	2	5	2	5	8	10	4	2	4	3	-	-	-	192
	男 M. 女 F.	32 25	- 1	- 1	- -	- -	- 1	- 1	- 2	- 4	- 1	- 3	- 5	- 6	- 4	- 1	- 3
193	-	1	4	13	19	32	61	96	132	135	204	159	66	28	3	-	193
	男 M. 女 F.	293 661	- 1	- 4	- 13	- 19	- 32	- 61	- 96	- 132	- 135	- 204	- 159	- 66	- 28	- 3	- -
194	1	2	2	8	8	7	18	12	19	18	14	7	3	1	-	-	194
	男 M. 女 F.	116 79	2 2	6 2	10 4	11 4	5 3	34 15	20 10	9 6	6 3	6 3	6 3	6 3	6 3	6 3	6 3
195	4	5	6	11	16	27	42	51	47	56	69	92	71	24	3	1	195
	男 M. 女 F.	240 292	- 1	1 -	- -	- -	- -	1 2	2 -	- -	2 1	- -	2 1	- -	2 1	2 1	2 1
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199	6	20	34	98	109	174	403	443	567	658	819	750	401	137	16	1	199
	男 M. 女 F.	2 353 2 304	1 1	- -	- -	- -	- -	1 1	1 1	2 1	2 1	15 10	15 10	15 10	15 10	15 10	15 10
(200-208)	158	202	299	558	555	774	1 162	1 493	1 594	1 653	1 830	1 370	626	145	32	4	(200-208)
	男 M. 女 F.	7 538 5 665	17 11	18 8	24 12	21 7	16 4	96 42	106 44	153 59	215 84	178 62	178 62	178 62	178 62	178 62	178 62
200	-	-	1	1	2	3	2	3	3	5	3	4	5	1	-	-	200
	男 M. 女 F.	36 20 16	- -	- -	- -	1 1	1 1	2 -	3 -	3 2	5 3	3 3	4 1	5 1	1 1	- -	- -
201	7	3	3	6	1	11	6	7	8	13	10	12	5	-	-	-	201
	男 M. 女 F.	72 25	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
202	46	60	81	175	186	263	470	635	674	716	860	637	283	59	16	-	202
	男 M. 女 F.	3 155 2 177	6 4	4 3	6 4	5 1	3 -	24 12	24 8	29 10	51 13	43 10	43 10	43 10	43 10	43 10	43 10
203	-	2	8	28	47	93	177	254	339	338	399	282	143	37	5	1	203
	男 M. 女 F.	1 101 1 052	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
204	38	35	51	90	106	128	151	185	153	141	118	77	36	6	1	-	204
	男 M. 女 F.	867 703	2 2	8 2	6 3	4 -	5 2	25 9	33 16	70 28	75 32	51 19	51 19	51 19	51 19	51 19	51 19
205	56	74	132	202	167	214	268	309	289	292	282	218	79	18	3	1	205
	男 M. 女 F.	1 600 1 177	1 -	1 -	3 1	5 3	5 2	15 6	19 10	24 10	56 25	59 21	59 21	59 21	59 21	59 21	59 21

死 因

1表-1 (77-13)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳										
			0 歳	1	2	3	4	0-4	5-9	10-14	15-19	20-24	
International Detailed List Code	Causes of Death and Sex	Total	Year	1	2	3	4	0-4	5-9	10-14	15-19	20-24	
206	単球性白血病.....	108	1	-	1	1	-	3	3	3	4	1	
	男 M.	63	1	-	1	1	-	3	2	2	1	1	
	女 F.	45	-	-	-	-	-	-	1	1	3	-	
207	その他の明示された白血病.....	77	-	-	2	1	-	3	1	1	1	-	
	男 M.	44	-	-	1	-	-	1	1	1	-	-	
	女 F.	33	-	-	1	1	-	2	-	-	1	-	
208	細胞形態不明の白血病.....	1 053	7	5	6	4	2	24	26	26	24	21	
	男 M.	616	2	2	3	3	2	12	17	16	15	11	
	女 F.	437	5	3	3	1	-	12	9	10	9	10	
(210-229)	良 性 新 生 物.....	324	1	-	-	1	1	3	-	-	4	4	
	男 M.	137	-	-	-	-	-	-	-	-	2	3	
	女 F.	187	1	-	-	1	1	3	-	-	2	1	
210	口唇、口腔及び咽頭の良性新生物.....	3	-	-	-	-	-	-	-	-	-	-	
	男 M.	3	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	
211	その他の部位の消化系の良性新生物.....	50	-	-	-	-	-	-	-	-	-	-	
	男 M.	30	-	-	-	-	-	-	-	-	-	-	
	女 F.	20	-	-	-	-	-	-	-	-	-	-	
212	呼吸器及び胸腔内臓器の良性新生物.....	47	-	-	-	-	-	-	-	-	-	-	
	男 M.	22	-	-	-	-	-	-	-	-	-	-	
	女 F.	25	-	-	-	-	-	-	-	-	-	-	
213	骨及び関節軟骨の良性新生物.....	-	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	
214	脂 肪 腫.....	1	-	-	-	-	-	-	-	-	-	-	
	男 M.	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	
215	結合組織及びその他の軟部組織のその他の 良性新生物.....	4	-	-	-	-	-	-	-	-	-	-	
	男 M.	3	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	
216	皮膚の良性新生物.....	-	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	
217	乳房の良性新生物.....	1	-	-	-	-	-	-	-	-	-	-	
	男 M.	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	
218	子宮平滑筋腫.....	8	-	-	-	-	-	-	-	-	-	-	
	男 M.	8	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	-	
219	子宮のその他の良性新生物.....	1	-	-	-	-	-	-	-	-	-	-	
	男 M.	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	
220	卵巣の良性新生物.....	16	-	-	-	-	-	-	-	-	-	-	
	男 M.	16	-	-	-	-	-	-	-	-	-	-	
	女 F.	16	-	-	-	-	-	-	-	-	-	-	
221	その他の女性生殖器の良性新生物.....	-	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	
222	男性生殖器の良性新生物.....	-	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

国際基本 分類番号	性・年齢(5歳階級)・死因(三桁基本分類)別																	不 詳 Not Stated	国際基本 分類番号
	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100~			
International Detailed List Code	International Detailed List Code																		
206	2	4	3	8	3	6	10	12	7	11	15	9	3	1	-	-	-	206	
	1	3	2	4	1	4	5	8	2	5	9	7	3	-	-	-	-		
	1	1	1	4	2	2	5	4	5	6	6	2	-	1	-	-	-		
207	1	-	1	6	1	8	10	7	8	13	9	4	3	-	-	-	207		
	-	-	1	3	-	7	8	6	5	4	4	1	2	-	-	-	-		
	1	-	-	3	1	1	2	1	3	9	5	3	1	-	-	-	-		
208	8	24	19	42	42	49	67	82	113	124	134	127	69	23	7	2	208		
	3	14	9	27	27	31	46	62	76	64	73	66	32	12	3	-	-		
	5	10	10	15	15	18	21	20	37	60	61	61	37	11	4	2	-		
(210-229)	5	6	3	20	13	22	28	29	24	33	50	39	30	10	-	1	(210-229)		
	3	1	1	9	7	8	20	12	9	19	15	16	11	1	-	-	-		
	2	5	2	11	6	14	8	17	15	14	35	23	19	9	-	1	-		
210	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	210		
	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-		
211	-	1	-	2	-	1	3	2	2	3	12	9	13	2	-	-	211		
	-	1	-	1	-	1	3	1	1	3	6	5	7	1	-	-	-		
	-	-	-	1	-	-	-	1	1	-	6	4	6	1	-	-	-		
212	1	2	1	3	1	3	5	6	4	4	7	5	3	2	-	-	212		
	1	-	-	2	1	1	2	5	2	2	2	2	2	-	-	-	-		
	-	2	1	1	-	2	3	1	2	2	5	3	1	2	-	-	-		
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	213		
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
214	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	214		
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
215	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	215		
	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-		
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-		
216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	216		
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
217	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	217		
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
218	-	1	1	2	1	2	-	-	-	-	-	-	-	1	-	-	218		
	-	1	1	2	1	2	-	-	-	-	-	-	-	1	-	-	-		
219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	219		
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
220	-	1	-	-	1	-	-	1	1	-	-	3	6	3	-	-	220		
	-	1	-	-	1	-	-	1	1	-	-	3	6	3	-	-	-		
221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	221		
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	222		
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

死 因

1表-1 (77-14)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳											
			Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24		
International Detailed List Code	Causes of Death and Sex	Total												
223	腎及びその他の泌尿器の良性新生物	6	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	4 2	-	-	-	-	-	-	-	-	-	-	-	-
224	眼の良性新生物	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-	-	-
225	脳及びその他の神経系の良性新生物	121	-	-	1	-	1	-	-	4	1	-	-	-
	男 M. 女 F.	37 84	-	-	1	-	1	-	-	2 2	1 -	-	-	-
226	甲状腺の良性新生物	1	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- 1	-	-	-	-	-	-	-	-	-	-	-	-
227	その他の内分泌腺及び関連組織の良性新生物	32	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	19 13	-	-	-	-	-	-	-	-	-	-	-	-
228	血管腫及びリンパ管腫, 部位にかかわらない	27	1	-	-	-	1	2	-	-	-	3	-	-
	男 M. 女 F.	16 11	1 1	-	-	-	1 1	2 2	-	-	-	2 1	-	-
229	その他及び部位不明の良性新生物	6	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	5 1	-	-	-	-	-	-	-	-	-	-	-	-
(230-234)	上 皮 内 癌	5	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	2 3	-	-	-	-	-	-	-	-	-	-	-	-
230	消化器の上皮内癌	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-	-	-
231	呼吸系の上皮内癌	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-	-	-
232	皮膚の上皮内癌	4	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	1 3	-	-	-	-	-	-	-	-	-	-	-	-
233	乳房及び泌尿生殖器の上皮内癌	1	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	1 -	-	-	-	-	-	-	-	-	-	-	-	-
234	その他及び部位不明の上皮内癌	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-	-	-
(235-238)	性状不詳の新生物	146	1	-	1	-	-	2	1	3	2	2	-	-
	男 M. 女 F.	80 66	1 1	-	1 1	-	-	2 2	1 -	3 2	2 2	2 2	-	-
235	消化系及び呼吸系の性状不詳の新生物	28	1	-	-	-	-	1	-	-	1	-	-	-
	男 M. 女 F.	12 16	1 1	-	-	-	-	1 1	-	-	1 1	-	-	-
236	泌尿生殖器の性状不詳の新生物	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	-	-	-	-	-	-	-	-	-	-	-	-
237	内分泌腺及び神経系の性状不詳の新生物	54	-	-	1	-	-	1	1	3	-	2	-	-
	男 M. 女 F.	35 19	-	-	1 1	-	-	1 1	1 2	3 -	-	2 2	-	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

														不 詳	国際基本 分類番号		
25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~	Not Stated	International Detailed List Code
-	-	-	-	-	1	1	-	1	-	1	2	-	-	-	-	-	223
-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	224
2	1	1	4	4	7	12	14	11	19	22	13	4	1	-	-	-	225
-	-	1	1	3	1	8	2	3	8	3	4	-	-	-	-	-	-
2	1	-	3	1	6	4	12	8	11	19	9	4	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	226
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1	-	-	5	5	3	2	3	2	3	5	1	2	-	-	-	-	227
1	-	-	3	2	2	2	2	1	3	2	1	1	-	-	-	-	-
-	-	-	2	3	1	2	1	1	-	3	1	1	-	-	-	-	-
1	-	-	2	1	3	4	2	1	2	2	3	1	-	-	-	-	228
1	-	-	1	1	1	3	2	1	1	1	1	1	-	-	-	-	-
-	-	-	1	-	2	1	-	-	1	1	2	-	-	-	-	-	-
-	-	-	2	-	-	-	-	-	-	-	3	-	-	-	-	-	229
-	-	-	1	-	-	-	-	-	1	-	3	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	(230-234)
-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	230
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	231
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	232
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	233
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	234
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	2	8	11	9	14	10	13	17	20	12	12	3	-	-	-	-	(235-238)
4	1	4	7	5	7	8	8	10	13	3	5	3	-	-	-	-	-
1	1	4	4	4	7	2	5	7	7	9	7	-	-	-	-	-	-
-	-	3	3	3	6	1	3	2	1	-	4	-	-	-	-	-	235
-	-	3	2	2	2	1	2	1	1	-	1	-	-	-	-	-	-
-	-	3	1	1	4	-	1	1	-	-	3	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	236
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	2	3	6	5	4	5	4	4	5	3	2	-	-	-	-	-	237
3	1	3	5	2	4	5	2	3	3	1	1	-	-	-	-	-	-
1	1	-	1	3	-	-	2	1	2	2	1	-	-	-	-	-	-

死 因

1表-1 (77-15)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳										不 詳	国際基本 分類番号			
			Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24			Not Stated	International Detailed List Code	
238	その他の部位・組織及び部位・組織不明の性状不詳の新生物	64	-	-	-	-	-	-	-	-	-	-	-	-	1	-	238
	男 M.	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
(239)	性質の明示されない新生物	6 349	13	1	9	3	5	31	51	43	51	51	51	51	3	1	(239)
	男 M.	3 588	9	1	6	1	3	20	25	19	28	33	33	33	-	-	
	女 F.	2 761	4	-	3	2	2	11	26	24	23	18	18	18	3	1	
239	性質の明示されない新生物	6 349	13	1	9	3	5	31	51	43	51	51	51	51	3	1	239
	男 M.	3 588	9	1	6	1	3	20	25	19	28	33	33	33	-	-	
	女 F.	2 761	4	-	3	2	2	11	26	24	23	18	18	18	3	1	
III	内分泌、栄養及び代謝疾患並びに免疫障害	12 443	69	22	8	6	2	107	22	17	25	32	21	21	3	III	
	男 M.	5 986	37	12	6	3	1	59	10	14	16	21	16	16	4	3	
	女 F.	6 457	32	10	2	3	1	48	12	3	9	11	11	11	3	3	
(240-246)	甲状腺の障害	210	-	-	-	-	-	-	-	-	-	-	-	-	3	-	(240-246)
	男 M.	64	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
	女 F.	146	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
240	単純性及び詳細不明の甲状腺腫	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	240
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
241	非中毒性結節性甲状腺腫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	241
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
242	甲状腺腫を伴う又は伴わない甲状腺中毒症	74	-	-	-	-	-	-	-	-	-	-	-	-	3	-	242
	男 M.	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
	女 F.	49	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
243	先天性甲状腺機能低下	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	243
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
244	後天性甲状腺機能低下	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	244
	男 M.	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
245	甲状腺炎	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	245
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
246	甲状腺のその他の障害	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	246
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(250-259)	その他の内分泌腺の疾患	9 850	8	4	1	-	-	13	1	4	13	16	16	16	1	1	(250-259)
	男 M.	4 755	5	2	-	-	-	7	-	4	9	10	10	10	-	-	
	女 F.	5 095	3	2	1	-	-	6	1	-	4	6	6	6	-	-	
250	糖 尿 病	9 634	1	2	-	-	-	3	1	3	12	16	16	16	-	-	250
	男 M.	4 633	1	1	-	-	-	2	-	3	8	10	10	10	-	-	
	女 F.	5 001	-	1	-	-	-	1	1	-	4	6	6	6	-	-	
.0	成 人 型	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
.1	若 年 型	5	1	2	-	-	-	3	1	-	-	-	-	-	-	-	.1
	男 M.	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	
	女 F.	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	
.9	成人型か若年型か不明	9 628	-	-	-	-	-	-	-	3	12	16	16	16	-	-	.9
	男 M.	4 631	-	-	-	-	-	-	-	3	8	10	10	10	-	-	
	女 F.	4 997	-	-	-	-	-	-	-	-	4	6	6	6	-	-	

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100~	不 詳	国際基本 分類番号
																International Detailed List Code	
1	-	2	2	1	4	4	6	11	14	9	6	3	-	-	-	-	238
1	-	1	-	1	1	2	4	6	9	2	3	3	-	-	-	-	
-	-	1	2	-	3	2	2	5	5	7	3	-	-	-	-	-	
57	52	97	163	188	296	435	613	667	743	925	973	628	235	46	3	1	(239)
37	32	54	97	104	185	279	415	436	444	495	499	288	80	18	-	-	
20	20	43	66	84	111	156	198	231	299	430	474	340	155	28	3	1	
57	52	97	163	188	296	435	613	667	743	925	973	628	235	46	3	1	239
37	32	54	97	104	185	279	415	436	444	495	499	288	80	18	-	-	
20	20	43	66	84	111	156	198	231	299	430	474	340	155	28	3	1	
51	52	91	218	306	502	806	1 099	1 246	1 574	2 126	2 182	1 381	490	102	11	3	III
25	35	59	152	212	338	532	717	618	698	968	814	497	165	29	4	3	
26	17	32	66	94	164	274	382	628	876	1 158	1 368	884	325	73	7	-	
1	5	6	6	10	13	13	16	19	19	34	34	22	9	-	-	-	(240-246)
-	1	2	3	3	4	9	4	5	6	8	10	6	2	-	-	-	
1	4	4	3	7	9	4	12	14	13	26	24	16	7	-	-	-	
-	-	-	-	-	1	-	-	1	1	1	2	2	1	-	-	-	240
-	-	-	-	-	1	-	-	1	1	1	2	1	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	241
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	5	6	3	10	9	6	7	7	5	2	2	3	-	-	-	-	242
-	1	2	1	3	4	4	2	2	1	3	-	-	-	1	-	-	
1	4	4	2	7	5	2	5	5	4	2	2	2	2	-	-	-	
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	243
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	2	6	9	9	13	24	29	17	5	-	-	-	244
-	-	-	-	-	4	2	2	2	5	4	10	4	1	-	-	-	
-	-	-	-	-	2	2	7	7	8	20	19	13	4	-	-	-	
-	-	-	-	-	-	1	-	1	-	4	1	-	-	-	-	-	245
-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	246
-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
28	30	57	148	238	417	674	931	1 073	1 394	1 789	1 760	968	269	26	-	1	(250-259)
14	24	36	107	169	292	454	610	527	611	797	639	345	89	10	-	1	
14	6	21	41	69	125	220	321	546	783	992	1 121	623	180	16	-	-	
26	29	57	139	227	399	660	904	1 049	1 367	1 764							

死 因

1表-1 (77-16)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳	1	2	3	4	0~4	5~9	10~14	15~19	20~24	International Detailed List Code	Causes of Death and Sex	Total	Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24	International Detailed List Code		
																											1	2
251	その他の内分泌性障害	96	-	-	-	-	-	-	-	-	-	1		男 M.	68	-	-	-	-	-	-	-	-	1		251		
														女 F.	28	-	-	-	-	-	-	-	-	-	-	1		
252	副甲状腺障害	6	-	-	-	-	-	-	-	-	-	-		男 M.	3	-	-	-	-	-	-	-	-	-	-		252	
														女 F.	3	-	-	-	-	-	-	-	-	-	-	-		
253	下垂体及び視床下部制御障害	36	-	-	-	-	-	-	-	-	-	-		男 M.	15	-	-	-	-	-	-	-	-	-	-	-		253
														女 F.	21	-	-	-	-	-	-	-	-	-	-	-		
254	胸腺の疾患	6	5	-	-	-	-	5	-	1	-	-		男 M.	4	3	-	-	-	-	3	-	1	-	-	-		254
														女 F.	2	2	-	-	-	2	-	1	-	-	-	-		
255	副腎の障害	63	1	2	-	-	-	3	-	-	-	-		男 M.	27	1	1	-	-	1	-	-	-	-	-	-		255
														女 F.	36	1	1	-	-	2	-	-	-	-	-	-		
256	卵巣機能障害	-	-	-	-	-	-	-	-	-	-	-		男 M.	-	-	-	-	-	-	-	-	-	-	-	-		256
														女 F.	-	-	-	-	-	-	-	-	-	-	-	-		
257	睾丸機能障害	-	-	-	-	-	-	-	-	-	-	-		男 M.	-	-	-	-	-	-	-	-	-	-	-	-		257
														女 F.	-	-	-	-	-	-	-	-	-	-	-	-		
258	多腺性機能障害	2	-	-	-	-	-	-	-	-	-	-		男 M.	-	-	-	-	-	-	-	-	-	-	-	-		258
														女 F.	2	-	-	-	-	-	-	-	-	-	-	-		
259	その他の内分泌障害	7	1	-	1	-	-	2	-	-	-	-		男 M.	5	1	-	-	-	1	-	-	-	-	-	-		259
														女 F.	2	-	1	-	-	1	-	-	-	-	-	-		
(260-269)	栄養欠乏症	534	3	-	-	1	-	4	-	-	-	2		男 M.	289	2	-	-	1	-	3	-	-	-	2		2 (260-269)	
														女 F.	245	1	-	-	-	1	-	-	-	1	-	2		
260	クワシオルコル	-	-	-	-	-	-	-	-	-	-	-		男 M.	-	-	-	-	-	-	-	-	-	-	-	-		260
														女 F.	-	-	-	-	-	-	-	-	-	-	-	-		
261	栄養性消耗症	-	-	-	-	-	-	-	-	-	-	-		男 M.	-	-	-	-	-	-	-	-	-	-	-	-		261
														女 F.	-	-	-	-	-	-	-	-	-	-	-	-		
262	その他の重度たんぱくカロリー性栄養失調症	-	-	-	-	-	-	-	-	-	-	-		男 M.	-	-	-	-	-	-	-	-	-	-	-	-		262
														女 F.	-	-	-	-	-	-	-	-	-	-	-	-		
263	その他及び詳細不明のたんぱくカロリー性栄養失調症	221	2	-	-	1	-	3	-	-	-	2		男 M.	138	1	-	-	1	-	2	-	-	-	1		2 263	
														女 F.	83	1	-	-	-	1	-	-	-	1	-	2		
264	ビタミンA欠乏症	-	-	-	-	-	-	-	-	-	-	-		男 M.	-	-	-	-	-	-	-	-	-	-	-	-		264
														女 F.	-	-	-	-	-	-	-	-	-	-	-	-		
265	サイアミン及びナイアシン欠乏状態	5	-	-	-	-	-	-	-	-	-	-		男 M.	4	-	-	-	-	-	-	-	-	-	-	-		265
														女 F.	1	-	-	-	-	-	-	-	-	-	-	-		
266	ビタミンB群欠乏症	-	-	-	-	-	-	-	-	-	-	-		男 M.	-	-	-	-	-	-	-	-	-	-	-	-		266
														女 F.	-	-	-	-	-	-	-	-	-	-	-	-		

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	不詳	国際基本 分類番号
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	Not Stated	International Detailed List Code
1	-	-	3	6	7	5	13	11	11	14	11	6	6	-	-	1	251
1	-	-	3	5	7	5	10	9	7	9	6	2	2	-	-	1	1
-	-	-	-	1	-	-	3	2	4	5	5	4	4	-	-	-	-
-	1	-	1	1	-	-	-	1	-	2	-	-	-	-	-	-	252
-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-
1	-	-	2	2	3	3	4	5	2	2	7	4	1	-	-	-	253
1	-	-	1	1	1	2	1	2	1	1	3	1	-	-	-	-	-
-	-	-	1	1	2	1	3	3	1	1	4	3	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	254
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	1	5	5	10	7	13	7	4	5	1	-	-	-	255
-	-	-	1	1	3	1	6	1	7	1	3	2	1	-	-	-	-
-	-	-	1	1	2	4	4	6	6	6	1	3	3	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	256
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	257
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	258
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	259
-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
5	1	8	20	21	22	33	45	42	33	62	79	88	49	17	1	2	(260-269)
2	1	4	16	18	17	27	31	28	18	34	35	34	15	3	-	2	-
3	-	4	4	3	5	6	14	14	15	28	44	54	34	14	1	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	260
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	261
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	262
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	4	14	15	11	23	28	22	13	19	27	17	10	6	1	2	263
2	1	1	12	14	8	19	21	15	7	9	12	9	2	1	-	2	-
1	-	3	2	1	3	4	7	7	6	10	15	8	8	5	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	264
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	265
-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	266
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

死 因
1表-1 (77-17)

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Causes of Death and Sex	総 数 Total	0 歳																			
			Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24										
267	アスコルビン酸欠乏症 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
268	ビタミンD欠乏症 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
269	その他の栄養欠乏症 男女 M. F.	308 147 161	1 1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(270-279)	その他の代謝障害及び免疫障害 男女 M. F.	1 849 878 971	58 30 28	18 10 8	7 6 1	5 2 3	2 1 1	90 49 41	21 10 11	13 10 3	12 7 5	11 9 2	-	-	-	-	-	-	-	-	-	-
270	アミノ酸輸送及び代謝障害 男女 M. F.	45 21 24	19 10 9	4 3 1	3 2 1	1	-	27 15 12	6 1 5	2 1 1	2 1 1	2 2 -	-	-	-	-	-	-	-	-	-	-
271	糖質輸送及び代謝障害 男女 M. F.	14 5 9	3 1 2	2 1 2	1 1 -	-	-	6 2 4	-	1 1 -	1 1 -	-	-	-	-	-	-	-	-	-	-	-
272	脂質代謝障害 男女 M. F.	59 23 36	1 1 -	1 1 -	1 1 -	1 -	1	5 4 1	5 1 4	2 2 -	1 -	2 2 -	-	-	-	-	-	-	-	-	-	-
273	血漿たんぱく代謝障害 男女 M. F.	337 144 193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
274	痛 風 男女 M. F.	33 25 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
275	無機質代謝障害 男女 M. F.	54 23 31	-	3 3	1 1	-	-	4 4	2 1	4 2	2 2	2 2	-	-	-	-	-	-	-	-	-	-
276	体液、電解質及び酸塩基平衡障害 男女 M. F.	926 428 498	16 6 10	1 1	-	1	-	18 7 11	1 1	-	1 1	1 -	1 1	-	-	-	-	-	-	-	-	-
277	その他及び詳細不明の代謝障害 男女 M. F.	264 149 115	14 7 7	3 1 2	1 1 1	2 1 1	1	21 11 10	2 2	3 3	3 2	-	-	-	-	-	-	-	-	-	-	-
278	肥満及びその他の摂食過剰 男女 M. F.	25 14 11	-	-	-	-	-	-	-	-	-	2 1 1	-	-	-	-	-	-	-	-	-	-
279	免疫機構の障害 男女 M. F.	92 46 46	5 5	4 1 3	-	-	-	9 6 3	5 4 1	1 1	2 2	2 2	-	-	-	-	-	-	-	-	-	-
IV	血液及び造血器の疾患 男女 M. F.	3 986 1 973 2 013	14 10 4	12 8 4	2 2	8 8	3 2	39 30 9	18 11 7	16 9 7	23 10 13	23 18 5	-	-	-	-	-	-	-	-	-	-
280	鉄欠乏性貧血 男女 M. F.	121 50 71	-	-	-	-	-	-	-	-	-	1 1	-	-	-	-	-	-	-	-	-	-
281	その他の欠乏性貧血 男女 M. F.	28 12 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年
DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1991-CON.

																国際基本 分類番号 International Detailed List Code
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	不 詳 Not Stated
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	267
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	268
2	-	4	6	6	11	8	15	19	20	43	52	71	39	11	-	269
-	-	3	4	4	9	6	9	12	11	25	23	25	13	2	-	(270-279)
2	-	1	2	2	2	2	6	7	9	18	29	46	26	9	-	(270-279)
17	16	20	44	37	50	86	107	112	128	241	309	303	163	59	10	(270-279)
9	9	17	26	22	25	42	72	58	63	129	130	112	59	16	4	(270-279)
8	7	3	18	15	25	44	35	54	65	112	179	191	104	43	6	(270-279)
-	1	-	1	-	-	-	-	1	1	1	-	1	-	-	-	270
-	1	-	1	-	-	-	-	1	1	1	-	1	-	-	-	270
-	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	271
-	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	271
-	1	2	-	1	2	2	4	5	3	6	5	8	5	-	-	272
-	1	1	-	1	1	2	1	1	3	2	-	2	-	-	-	272
-	1	1	-	-	1	-	3	4	-	4	5	6	5	-	-	272
-	-	-	1	-	2	10	12	8	22	65	79	75	32	24	3	273
-	-	-	1	-	6	10	9	8	11	36	35	21	12	2	2	273
-	-	-	1	-	4	4	3	-	11	29	44	54	20	22	1	273
-	-	-	1	1	-	2	-	3	1	7	8	6	3	-	1	274
-	-	-	1	1	-	2	-	3	1	6	4	4	2	1	1	274
-	-	-	-	-	-	-	-	-	-	1	4	2	1	-	-	274
2	2	2	4	2	3	2	4	1	9	5	1	2	1	-	-	275
1	-	1	1	-	1	-	3	-	5	-	-	1	1	-	-	275
1	2	1	3	2	2	2	1	1	4	5	1	1	-	-	-	275
6	5	5	17	13	17	25	34	46	59	123	198	197	120	35	5	276
2	4	5	11	7	11	15	28	25	29	63	84	78	43	14	-	276
4	1	-	6	6	6	10	6	21	30	60	114	119	77	21	5	276
4	3	6	13	15	15	34	44	33	25	27	9	6	1	-	-	277
2	2	6	7	11	6	15	26	16	12	19	5	3	1	-	-	277
2	1	-	6	4	9	19	18	17	13	8	4	3	-	-	-	277
2	2	2	2	1	1	4	-	2	1	2	3	1	-	-	-	278
2	1	2	2	-	1	-	-	1	-	2	1	-	-	-	-	278
-	1	-	-	1	-	4	-	1	1	-	-	-	-	-	-	278
3	2	3	5	4	6	7	8	12	7	3	6	5	1	-	1	279
2	2	2	3	2	3	2	4	4	2	1	1	2	-	-	1	279
1	-	1	2	2	3	5	4	8	5	2	5	3	1	-	-	279
35	32	52	77	78	124	210	305	402	461	654	695	477	216	42	7	IV
21	13	29	51	44	80	108	177	234	248	322	290	180	80	15	3	IV
14	19	23	26	34	44	102	128	168	213	332	405	297	136	27	4	IV
-	1	-	1	1	-	1	9	7	8	11	31	29	15	6	-	280
-	-	-	-	-	-	-	1	3	4	5	14	7	4	1	-	280
-	1	-	1	-	-	-	3	4	1	6	17	22	11	5	-	280
-	-	1	1	-	-	-	-	1	1	7	7	8	2	-	-	281
-	-	1	1	-	-	-	-	1	1	3	2	3	1	-	-	281
-	-	-	-	-	-	-	-	-	-	1	5	5	1	-	-	281

死 因

1表-1 (77-19)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数 Total	0 歳 Year	1	2	3	4	0-4	5-9	10-14	15-19	20-24
295	精神分裂病	174	-	-	-	-	-	-	-	-	1	1
296	躁うつ病	51	-	-	-	-	-	-	-	-	-	-
297	妄想状態	-	-	-	-	-	-	-	-	-	-	-
298	その他の非器質性精神病	109	-	-	-	-	-	-	-	-	-	-
299	特に小児期におこる精神病	1	-	-	-	-	-	-	-	-	-	-
(300-316)	神経症、人格異常及びその他の非精神病性精神障害	563	-	-	-	1	2	3	1	2	6	19
300	神経症	25	-	-	-	-	-	-	-	-	-	1
301	人格異常	-	-	-	-	-	-	-	-	-	-	-
302	性的偏倚と性的障害	-	-	-	-	-	-	-	-	-	-	-
303	アルコール依存	284	-	-	-	-	-	-	-	-	-	3
304	薬物依存	2	-	-	-	-	-	-	-	-	-	-
305	依存のない薬物乱用	158	-	-	-	-	-	-	-	-	1	7
306	精神的諸要因による身体的病態	14	-	-	-	1	2	3	1	1	1	1
307	他に分類されない特殊症状又は症候群	69	-	-	-	-	-	-	-	1	4	7
308	急性ストレス反応	1	-	-	-	-	-	-	-	-	-	-
309	不適応反応	-	-	-	-	-	-	-	-	-	-	-
310	器質脳障害に伴う特殊な非精神病性精神障害	-	-	-	-	-	-	-	-	-	-	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	不詳 Not Stated	国際基本 分類番号 International Detailed List Code
3	2	10	16	16	24	19	25	19	15	13	8	2	-	-	-	-	295
2	-	5	7	12	12	9	17	9	4	8	1	1	-	-	-	-	
1	2	5	9	4	12	10	8	10	11	5	7	1	-	-	-	-	
-	-	-	-	2	4	2	7	8	6	9	9	4	-	-	-	-	296
-	-	-	-	2	3	1	4	3	4	5	7	2	-	-	-	-	
-	-	-	-	-	1	1	3	5	2	4	2	2	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	297
2	1	1	1	2	2	2	4	7	4	14	29	23	14	3	-	-	298
2	1	1	-	1	1	-	4	4	1	8	12	11	6	1	-	-	
-	-	-	1	1	1	2	-	3	3	6	17	12	8	2	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	299
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	12	35	64	56	67	87	77	44	24	20	13	11	8	2	-	-	(300-316)
9	10	30	52	44	57	73	67	36	21	13	8	5	1	1	-	-	
3	2	5	12	12	10	14	10	8	3	7	5	6	7	1	-	-	
1	-	-	-	1	1	3	1	1	3	3	2	4	3	1	-	-	300
1	-	-	-	1	1	2	1	-	2	2	2	2	3	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	301
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	302
3	5	17	26	33	46	58	50	23	11	4	3	1	-	1	-	-	303
3	4	17	25	30	40	55	47	23	11	4	2	1	-	1	-	-	
-	1	-	1	3	6	3	3	-	-	-	1	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	304
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	4	14	28	17	20	20	20	9	8	3	2	1	-	-	-	-	305
4	4	13	24	13	17	15	18	9	7	3	2	1	-	-	-	-	
-	-	1	4	4	3	5	2	-	1	-	-	-	-	-	-	-	
-	2	-	2	-	-	-	1	1	-	-	-	-	1	-	-	-	306
-	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	
2	1	4	7	5	-	5	3	9	1	7	4	5	4	-	-	-	307
-	-	-	2	1	-	2	1	2	1	3	3	1	1	-	-	-	
2	1	4	5	4	-	3	2	7	-	4	1	4	3	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	308
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	309
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	310

死 因

1表-1 (77-20)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数 Total	0 歳 Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24
International Detailed List Code	Causes of Death and Sex											
311	他に分類されない抑うつ状態	10	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	5 5	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
312	他に分類されない行為障害	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
313	児童期と青年期に特殊な感情障害	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
314	児童期の過動症候群	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
315	特殊な発達遅延	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
316	他に分類される疾患に伴う精神的要因	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(317-319)	精 神 薄 弱	13	-	-	-	-	-	-	-	1	1	-
	男 M. 女 F.	5 8	- -	- -	- -	- -	- -	- -	- -	1 1	1 -	- -
317	軽度精神薄弱	-	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
318	中等度以上の精神薄弱	2	-	-	-	-	-	-	-	-	1	-
	男 M. 女 F.	1 1	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -
319	詳細不明の精神薄弱	11	-	-	-	-	-	-	-	1	-	-
	男 M. 女 F.	4 7	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -
VI	神経系及び感覚器の疾患	6 494	91	59	46	40	23	259	94	83	151	125
	男 M. 女 F.	3 544 2 950	46 45	37 22	26 20	25 15	10 13	144 115	51 43	54 29	107 44	86 39
(320-326)	中枢神経系の炎症性疾患	876	32	14	9	5	3	63	18	9	9	21
	男 M. 女 F.	469 407	15 17	7 7	3 6	2 3	1 2	28 35	7 11	7 2	4 5	9 12
320	細菌性髄膜炎	176	22	9	5	4	3	43	6	2	-	3
	男 M. 女 F.	107 69	12 10	5 4	1 4	1 3	1 2	20 23	3 3	1 1	- 1	2 1
322	詳細不明の原因による髄膜炎	289	3	-	-	-	-	3	2	1	3	5
	男 M. 女 F.	149 140	1 2	- -	- -	- -	- -	1 2	- 2	1 -	2 1	1 4
323	脳炎、脊髄炎及び脳脊髄炎	255	6	3	2	1	-	12	6	2	5	10
	男 M. 女 F.	122 133	2 4	1 2	1 1	1 -	- -	5 7	2 4	2 -	2 3	3 7
324	頭蓋内及び脊髄管内膿瘍	66	1	-	-	-	-	1	-	-	-	1
	男 M. 女 F.	44 22	- 1	- -	- -	- -	- -	- 1	- -	- -	- -	1 -
325	頭蓋内静脈洞の静脈炎及び血栓静脈炎	20	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	7 13	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

性・年齢(5歳階級)・死因(三桁基本分類)別 平成3年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1991-CON.

25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
-	-	-	1	-	-	1	2	1	1	3	1	-	-	-	-	-	311
-	-	-	1	-	-	1	2	1	1	2	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	312
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	313
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	314
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	315
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	316
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	1	-	2	2	-	2	-	-	-	-	1	-	-	-	(317-319)
1	-	1	1	-	2	2	-	2	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	317
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	318
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	1	1	-	2	1	-	2	-	-	-	-	1	-	-	-	319
1	-	1	1	-	2	1	-	2	-	-	-	-	-	1	-	-	-
-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
89	92	112	181	205	278	428	629	732	815	937	782	371	106	23	2	-	VI
56	54	68	101	138	167	252	388	427	433	468	355	153	38	4	-	-	-
33	38	44	80	67	111	176	241	305	382	469	427	218	68	19	2	-	-
16	26	29	45	37	51	69	107	86	74	103	74	29	9	1	-	-	(320-326)
7	19	17	30	24	31	42	68	50	34	46	31	13	1	1	-	-	-
9	7	12	15	13	20	27	39	36	40	57	43	16	8	-	-	-	-
1	1	4	6	8	10	9	28	22	10	11	9	3	-	-	-	-	320
-	1	3	4	7	8	8	20	16	5	6	2	1	-	-	-	-	-
1	-	1	2	1	2	1	8	6	5	5	7	2	-	-	-	-	-
2	8	9	8	11	14	21	36	28	34	47	35	14	7	1	-	-	322
2	8	7	7	6	7	12	26	12	14	21	14	6	1	1	-	-	-
-	-	2	1	5	7	9	10	16	20	26	21	8	6	-	-	-	-
7	12	12	20	8	15	26	30	24	18	22	18	7	1	-	-	-	323
3	6	5	12	5	10	15	15	11	8	6	8	4	-	-	-	-	-
4	6	7	8	3	5	11	15	13	10	16	10	3	1	-	-	-	-
2	3	3	4	3	8	4	8	6	4	10	7	1	1	-	-	-	324
1	3	2	3	3	4	2	4	5	3	8	4	1	-	-	-	-	-
1	-	1	1	-	4	2	4	1	1	2	3	-	1	-	-	-	-
-	1	1	2	1	2	3	-	1	3	5	1	-	-	-	-	-	325
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	1	2	1	2	3	-	1	3	5	1	-	-	-	-	-	-
-	1	1	2	1	1	2	-	-	2	4	-	-	-	-	-	-	-