

死 亡

[地域別にみた死因]

[Causes of death in prefecture]

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都 道 府 県 Prefecture	総 数 Total	1 ^{b)} コ レ ラ	2 腸 チ フ ス	3 細菌性赤痢及び アメーバ症	4 の下痢性疾患 腸炎及びその他	5 呼吸系の結核	6 その他の結核 (後遺症を含まない)	7 ら い	8 ジ フ テ リ ア	9 百 日 咳
全 国 Total	668.4	—	0.0	0.0	0.6	2.8	0.2	—	—	0.0
01 ^{a)} 北海道	651.6	—	—	0.0	0.4	2.0	0.2	—	—	—
02 青森県	730.1	—	—	—	0.6	3.6	0.2	—	—	—
03 岩手県	769.0	—	—	—	0.6	2.0	—	—	—	—
04 宮城県	623.3	—	—	—	0.6	1.6	0.2	—	—	—
05 秋田県	816.0	—	—	—	1.3	3.8	0.2	—	—	—
06 山形県	829.2	—	—	—	0.4	2.1	0.3	—	—	—
07 福島県	749.7	—	0.0	0.0	0.7	3.0	—	—	—	—
08 茨城県	669.0	—	—	—	0.6	2.1	0.1	—	—	0.0
09 栃木県	706.6	—	—	—	0.5	2.8	0.1	—	—	—
10 群馬県	695.7	—	—	—	1.0	2.3	0.1	—	—	—
11 埼玉県	489.8	—	—	—	0.3	1.7	0.1	—	—	—
12 千葉県	522.0	—	—	0.0	0.5	2.2	0.0	—	—	—
13 東京都	601.7	—	—	—	0.4	3.0	0.2	—	—	—
14 神奈川県	499.4	—	—	—	0.3	1.9	0.1	—	—	—
15 新潟県	758.4	—	—	—	1.3	1.8	0.2	—	—	—
16 富山県	773.2	—	—	—	1.1	3.0	0.2	—	—	—
17 石川県	709.1	—	—	—	0.5	3.5	0.2	—	—	—
18 福井県	760.1	—	—	—	1.3	2.4	0.2	—	—	—
19 山梨県	777.1	—	—	—	0.6	1.8	0.1	—	—	—
20 長野県	774.9	—	—	—	0.8	1.5	0.1	—	—	—
21 岐阜県	683.9	—	—	—	1.1	3.6	0.2	—	—	—
22 静岡県	644.9	—	—	—	0.7	2.7	0.4	—	—	—
23 愛知県	565.0	—	—	—	0.5	3.6	0.2	—	—	—
24 三重県	764.7	—	—	—	0.8	2.8	0.2	—	—	—
25 滋賀県	656.1	—	—	—	1.0	2.8	0.1	—	—	—
26 京都府	705.3	—	—	0.0	0.8	3.4	0.5	—	—	—
27 大阪府	617.5	—	—	—	0.5	3.3	0.2	—	—	—
28 兵庫県	690.7	—	—	—	0.6	3.5	0.1	—	—	0.0
29 奈良県	654.6	—	—	—	0.4	2.3	0.1	—	—	—
30 和歌山県	867.4	—	—	—	1.0	3.4	0.1	—	—	—
31 鳥取県	851.1	—	—	—	1.3	1.8	0.3	—	—	—
32 島根県	908.2	—	—	—	1.3	1.7	0.1	—	—	—
33 岡山県	800.3	—	—	—	0.8	2.5	0.2	—	—	—
34 広島県	722.5	—	—	—	0.5	2.1	0.1	—	—	—
35 山口県	850.8	—	0.1	—	0.6	4.1	0.1	—	—	—
36 徳島県	874.9	—	—	—	0.4	4.6	—	—	—	—
37 香川県	816.3	—	—	—	1.5	3.7	0.1	—	—	—
38 愛媛県	823.6	—	—	—	0.7	2.7	0.1	—	—	0.1
39 高知県	932.7	—	—	—	0.6	3.3	0.1	—	—	—
40 福岡県	702.2	—	—	—	0.3	3.3	0.2	—	—	—
41 佐賀県	828.5	—	—	—	0.6	4.6	0.1	—	—	—
42 長崎県	800.4	—	—	—	0.4	3.6	0.6	—	—	—
43 熊本県	791.0	—	—	0.1	0.7	4.5	0.1	—	—	—
44 大分県	828.8	—	—	—	1.0	2.8	0.2	—	—	—
45 宮崎県	759.6	—	—	—	0.3	3.0	0.1	—	—	—
46 鹿児島県	882.6	—	—	—	1.2	3.3	0.1	—	—	—
47 沖縄県	531.3	—	—	—	0.5	2.4	0.2	—	—	—

Death

(簡単分類) 別死亡率 (人口10万対)

rubrics list of mortality for Japan) in each prefecture : Japan, 1990

平成2年

10 猩 紅 熱	11 髄 膜 炎 菌 感 染	12 破 傷 風 (新 生 児 破 傷 を 除 く)	13 敗 血 症 (新 生 児 敗 血 を 除 く)	14 急 性 灰 白 髄 炎	15 痘 瘡	16 麻 疹	17 日 本 脳 炎	18 ウ ィ ル ス 肝 炎 B	19 肝 の 他 の ウ ィ ル ス 炎	20 他 の リ ケ ッ チ ア 症 発 疹 チ フ ス 及 び そ の 他	21 マ ラ リ ア
—	0.0	0.0	2.8	—	—	0.0	0.0	0.2	0.7	0.0	0.0
—	—	—	2.3	—	—	0.0	—	0.4	0.9	—	—
—	—	0.1	2.1	—	—	0.1	—	0.1	0.7	—	—
—	—	—	3.6	—	—	—	—	0.3	1.0	—	—
—	—	—	2.0	—	—	—	—	0.1	0.7	—	—
—	—	—	2.9	—	—	—	—	0.2	1.0	—	—
—	—	—	4.0	—	—	—	—	0.2	0.4	—	—
—	0.0	0.0	2.7	—	—	0.1	—	0.3	0.8	—	—
—	—	0.1	2.8	—	—	—	—	0.4	0.5	—	—
—	—	0.1	3.7	—	—	0.1	—	0.3	0.8	—	—
—	0.1	—	4.7	—	—	—	—	0.3	0.6	—	—
—	—	0.0	1.9	—	—	—	—	0.1	0.6	0.0	—
—	—	—	1.9	—	—	—	—	0.1	0.4	—	—
—	0.0	—	2.7	—	—	0.0	—	0.2	0.6	—	0.0
—	0.0	0.0	2.2	—	—	—	—	0.2	0.6	—	—
—	—	—	2.7	—	—	—	—	0.3	0.7	—	—
—	—	—	4.7	—	—	0.1	—	0.5	0.9	—	—
—	0.1	—	3.4	—	—	—	—	0.2	0.6	—	—
—	—	—	3.3	—	—	0.2	—	0.5	1.5	—	—
—	—	0.1	3.4	—	—	0.1	—	0.4	0.5	—	—
—	—	—	2.0	—	—	—	—	0.3	0.4	—	—
—	—	0.0	2.2	—	—	0.0	—	0.1	1.1	—	—
—	—	—	2.7	—	—	0.0	—	0.3	0.7	—	—
—	—	0.0	2.3	—	—	0.0	—	0.2	0.6	—	—
—	—	0.1	3.0	—	—	0.1	—	0.1	0.5	—	—
—	—	—	2.6	—	—	0.2	—	0.2	1.0	—	—
—	—	—	3.4	—	—	—	—	0.2	1.1	0.0	—
—	—	—	3.5	—	—	0.1	0.0	0.2	0.9	—	—
—	0.0	—	2.7	—	—	0.0	—	0.3	0.9	—	—
—	—	—	2.3	—	—	—	—	—	0.7	—	—
—	—	0.1	4.0	—	—	—	—	0.1	1.0	—	—
—	—	—	1.6	—	—	—	—	0.5	1.1	—	—
—	—	—	5.9	—	—	0.1	—	0.4	0.8	—	—
—	—	—	3.1	—	—	0.1	—	0.3	0.8	—	—
—	—	0.1	1.9	—	—	0.1	—	0.5	0.6	—	—
—	—	—	3.7	—	—	0.1	0.1	0.4	1.0	—	—
—	—	—	4.5	—	—	—	—	0.6	1.4	—	—
—	—	—	3.8	—	—	—	—	0.3	0.6	—	—
—	—	0.1	3.0	—	—	0.1	—	0.3	0.9	—	—
—	—	0.2	3.2	—	—	0.1	0.6	0.6	1.0	—	—
—	—	—	2.8	—	—	0.0	0.0	0.2	0.7	—	—
—	—	—	4.8	—	—	0.1	—	0.3	0.8	—	—
—	—	—	3.7	—	—	0.1	—	0.4	1.0	—	—
—	—	0.1	3.2	—	—	0.1	0.1	0.3	0.8	—	—
—	—	—	3.3	—	—	0.2	—	0.3	0.8	—	—
—	—	0.3	2.1	—	—	0.3	—	0.3	1.3	—	—
—	—	0.2	3.8	—	—	0.2	—	0.2	0.8	0.1	—
—	—	—	5.7	—	—	0.5	—	0.1	0.8	—	—

Note : a) See page 34

b) 117 rubrics list code see page 430

表 5. 19 都道府県別にみた死因

Table 5. 19 Death rates (per 100, 000 population) by causes of death (the 117

都道府県 Prefecture	22 梅 毒	23 (ジ ン タ 症 を 除 く) 新 生 児 ダ カ ン 症	24 日本住血吸虫 症	25 フィラリア 症	26 及 び 寄 生 虫 症 そ の 他 の 感 染 症	28-37 悪 性 新 生 物	28 食 道	29 胃	30 直 腸 ・ 直 腸 S 状 結 腸 癌	31 肝
全 国 Total	0.0	0.1	0.0	0.0	2.2	177.2	5.9	38.7	7.6	20.7
01*) 北海道	0.0	0.2	—	—	2.0	185.2	7.8	36.7	8.3	16.1
02 青森	0.1	0.1	—	—	1.2	192.4	7.0	41.3	7.8	17.2
03 岩手	—	—	—	—	2.6	191.0	7.6	38.7	9.5	14.2
04 宮城	0.1	0.1	—	—	1.2	174.3	9.2	37.0	8.3	13.4
05 秋田	0.1	—	—	—	2.5	229.3	10.9	58.3	9.5	14.3
06 山形	—	0.1	—	—	1.4	220.9	9.8	59.7	9.1	16.8
07 福島	0.0	—	—	—	2.3	199.2	7.7	48.0	10.8	14.9
08 茨城	0.0	0.0	—	—	1.7	165.1	6.2	42.9	7.2	14.7
09 栃木	—	—	—	—	1.7	171.5	6.0	48.0	8.0	16.1
10 群馬	0.1	0.1	—	—	1.5	158.8	6.4	36.3	7.4	14.8
11 埼玉県	0.0	0.0	—	—	1.7	133.6	5.0	31.9	5.8	14.3
12 千葉県	0.0	0.0	—	—	1.3	140.9	5.4	33.2	5.9	15.3
13 東京都	0.0	0.1	0.0	—	2.6	169.5	7.0	36.4	7.6	18.6
14 神奈川県	0.0	0.0	—	—	1.8	143.1	5.7	30.4	6.1	16.5
15 新潟	—	0.0	—	—	1.9	208.8	8.9	57.2	8.7	11.5
16 富山	—	—	—	—	2.7	214.0	6.8	55.1	7.6	18.5
17 石川	—	0.1	—	—	2.5	187.9	4.8	41.5	9.7	15.9
18 福井	—	—	—	—	1.5	192.6	4.3	40.9	6.8	22.0
19 山梨	—	—	0.5	—	2.4	190.2	5.3	40.1	8.4	28.8
20 長野	0.0	0.1	—	—	2.7	186.7	5.9	43.4	9.5	15.7
21 岐阜	0.0	—	—	—	2.1	173.5	4.4	42.8	8.4	18.3
22 静岡県	0.1	0.2	—	—	2.9	161.7	4.1	33.7	7.2	19.5
23 愛知県	0.0	0.1	—	—	2.7	149.2	3.7	34.1	6.0	15.6
24 三重	0.1	—	—	—	2.6	176.0	4.2	43.1	7.2	15.9
25 滋賀	—	0.1	—	—	1.6	168.2	3.9	39.5	6.7	13.6
26 京都	—	—	—	—	2.7	185.9	3.9	40.9	7.3	19.2
27 大阪府	0.0	0.1	—	—	2.1	180.0	5.5	37.1	6.9	31.4
28 兵庫県	0.0	0.1	—	—	2.1	187.4	5.9	38.2	7.7	28.0
29 奈良	—	0.1	—	—	1.7	178.0	5.3	44.4	7.4	21.8
30 和歌山	—	0.1	—	—	2.2	223.6	7.3	52.5	7.2	30.9
31 鳥取	0.2	—	—	—	2.3	221.1	4.7	48.7	9.1	27.4
32 島根	—	—	—	—	2.2	227.6	5.9	49.4	9.1	24.1
33 岡山	—	—	—	—	1.7	191.9	4.1	40.5	8.4	25.1
34 広島	0.0	0.0	—	—	2.0	188.2	5.5	37.4	7.5	30.4
35 山口	—	0.1	—	0.1	2.9	211.5	7.1	47.9	8.0	30.5
36 徳島	—	—	—	—	2.9	208.7	3.3	43.7	9.5	30.3
37 香川県	0.1	—	—	—	1.5	200.4	4.4	43.2	9.8	22.8
38 愛媛	—	0.1	—	—	2.6	200.4	3.4	46.6	8.0	25.5
39 高松	—	0.1	—	—	3.6	206.6	5.7	48.2	8.9	23.4
40 福岡	0.0	0.1	—	—	2.5	198.0	5.4	36.6	8.0	35.3
41 佐賀	—	0.1	0.3	—	3.8	227.3	4.0	44.6	9.1	37.7
42 長崎	—	0.1	—	0.1	2.8	225.1	5.8	41.2	8.0	28.9
43 熊本	0.1	0.2	—	—	2.5	205.0	6.1	37.1	8.7	28.5
44 大分	—	—	—	—	4.8	201.7	5.8	43.0	9.3	25.8
45 宮崎	0.1	0.1	—	—	2.2	186.5	6.2	34.4	8.3	23.0
46 鹿児島	0.1	0.2	—	—	2.7	205.7	9.1	33.4	9.6	25.2
47 沖縄	—	0.2	—	—	2.1	127.4	6.1	15.8	4.1	9.7

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1990—con.

平成2年

32 肺 癌	33 気 管 支 炎 及 び 気 管 支 腫 瘍	34 乳 房 癌	34 乳 癌 (女 子 人 口 10 万 対)	35 子 宮 癌 (女 子 人 口 10 万 対)	36 白 血 病	37 そ の 他	38 不 詳 の 新 生 物 良 性 及 び 性 質	39 糖 尿 病	40 栄 養 欠 乏 症	41 貧 血	42 精 神 障 害
10.9	29.7	4.8	9.4	7.4	4.6	50.6	5.8	7.7	0.5	1.3	2.5
14.0	33.0	5.5	10.6	5.9	4.4	56.2	2.9	9.6	0.1	1.4	1.1
15.3	32.4	4.5	8.6	8.4	4.5	57.9	5.3	11.3	0.2	0.9	3.2
12.4	33.1	5.2	10.1	6.4	5.9	60.9	6.6	7.5	0.6	1.1	2.3
11.9	28.1	4.9	9.3	6.3	4.9	53.4	5.6	6.8	0.4	1.4	2.1
13.5	40.9	4.9	9.2	7.8	4.5	68.4	6.4	6.4	0.2	0.9	2.0
14.0	37.7	3.9	7.4	5.2	5.0	62.1	6.2	9.3	0.5	1.8	4.1
14.8	31.8	3.9	7.5	7.1	4.9	58.8	3.2	9.4	0.4	1.5	3.6
10.2	24.3	4.7	9.3	8.0	4.2	46.6	6.5	7.4	0.4	0.9	2.6
10.3	26.9	4.3	8.5	7.7	4.1	43.8	5.6	8.3	0.5	1.1	3.3
10.8	23.6	4.8	9.5	7.1	4.1	47.0	8.8	7.4	0.3	1.2	2.9
8.3	20.3	4.0	7.9	5.6	3.6	37.6	5.1	5.6	0.3	1.0	1.4
8.0	21.3	4.4	8.9	6.9	3.5	40.6	4.5	6.8	0.5	1.0	1.8
9.8	28.2	6.3	12.6	6.7	4.1	48.2	5.8	7.4	0.7	1.2	1.8
7.9	22.7	5.5	11.2	6.1	3.8	41.4	4.2	5.2	0.3	0.8	1.5
12.7	37.2	4.9	9.6	4.9	4.8	60.4	4.8	8.7	0.2	1.0	5.4
13.6	33.6	4.1	7.9	6.6	5.0	66.1	2.9	8.9	0.6	1.3	1.7
11.7	29.3	4.9	9.5	8.2	5.1	60.6	2.2	7.9	0.3	1.2	3.1
11.5	36.0	4.4	8.3	5.9	4.2	59.4	6.6	8.7	0.2	1.5	5.3
10.9	28.1	3.9	7.6	6.2	4.2	57.3	7.8	7.1	0.5	1.3	4.4
13.9	27.6	4.6	8.9	6.5	4.9	57.8	7.2	9.2	—	1.0	2.8
11.0	27.6	4.2	8.1	7.8	2.9	49.9	7.6	8.2	1.1	1.8	2.6
10.2	25.2	4.4	8.6	8.3	4.6	48.3	5.7	8.1	0.6	1.3	3.0
8.7	25.9	4.5	9.1	6.7	3.0	44.3	4.3	6.1	0.3	0.9	1.7
12.7	30.7	4.1	8.0	7.6	3.9	50.2	8.4	10.4	0.1	1.9	2.5
11.6	31.6	4.3	8.4	5.2	5.1	49.3	7.2	8.7	0.6	1.6	2.0
12.8	34.5	5.0	9.8	6.7	4.5	54.3	7.8	8.8	0.3	2.0	2.9
9.3	30.7	5.2	10.3	8.2	4.4	45.4	4.8	7.2	0.6	1.1	2.1
10.4	33.9	4.3	8.2	9.5	4.2	49.9	6.7	7.3	0.8	1.7	3.8
10.4	31.1	4.5	8.6	6.6	5.0	44.7	6.9	7.8	0.2	1.6	2.1
14.7	40.9	4.0	7.7	7.5	4.6	57.5	6.7	9.2	0.7	1.2	3.9
15.3	36.0	3.3	6.3	8.4	5.7	66.5	6.4	9.3	0.5	1.1	3.7
16.2	40.2	4.2	8.1	9.1	5.1	68.6	6.2	8.3	0.9	2.6	3.6
12.2	32.8	4.4	8.3	6.7	4.6	56.4	5.3	8.8	0.4	1.8	2.8
11.0	30.9	4.5	8.8	8.6	4.4	52.1	8.8	8.7	0.5	1.8	2.3
11.1	37.5	4.0	7.6	9.1	4.7	55.9	8.3	8.2	0.6	2.0	2.7
12.3	38.2	3.7	7.1	11.7	4.1	57.5	6.6	12.2	0.5	2.0	1.7
11.6	35.3	3.9	7.5	7.3	5.9	59.7	7.9	9.2	0.6	1.6	2.0
12.6	34.8	4.6	8.7	9.7	5.0	54.8	7.1	9.3	0.5	1.1	3.2
12.3	34.0	5.5	10.1	11.0	5.6	57.3	9.0	10.4	0.4	2.2	5.0
11.2	33.7	5.1	9.8	8.2	5.1	53.3	7.1	7.8	0.4	1.7	2.3
14.5	35.9	5.7	10.8	9.9	7.5	63.0	6.8	7.5	0.7	1.7	2.7
14.1	40.0	5.8	10.9	8.6	8.7	68.1	2.7	6.9	0.1	1.5	2.8
12.8	34.5	5.1	9.6	7.7	7.7	60.6	7.5	7.9	0.6	1.8	3.8
11.7	33.2	3.9	7.4	9.7	6.2	57.8	5.4	9.8	0.4	1.9	6.7
11.4	30.5	3.8	7.1	11.0	8.1	55.0	9.5	7.5	1.1	1.3	4.5
12.5	35.9	3.6	6.7	9.9	11.0	60.2	10.9	10.1	0.7	1.8	3.7
5.3	30.8	2.5	4.7	6.1	7.6	42.5	6.4	4.9	0.7	0.4	2.1

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	43 髄 膜 炎	44 中 非 枢 炎 神 症 経 性 系 の 疾 患	45 急 性 リ ウ マ チ 熱	46 慢 性 リ ウ マ チ 性 疾 患	48-49 高 血 圧 性 疾 患	48 高 血 圧 性 心 疾 患	49 高 血 圧 性 心 疾 患 の 他 の	51-52 虚 血 性 心 疾 患	51 急 性 心 筋 梗 塞	52 虚 血 性 心 疾 患 の 他 の
全 国 Total	0.4	4.1	0.0	1.1	7.5	5.7	1.8	41.9	26.0	15.9
01 ^{a)} 北海道	0.3	3.1	—	1.2	5.3	3.8	1.5	45.8	28.8	16.9
02 青森	0.5	3.6	0.1	1.1	4.3	2.8	1.6	39.8	27.4	12.4
03 岩手	0.5	4.4	—	1.4	7.3	5.8	1.5	44.4	28.6	15.8
04 宮城	0.4	3.6	0.0	0.6	6.1	4.5	1.6	37.0	24.3	12.8
05 秋田	0.3	4.6	—	1.1	7.4	5.5	2.0	43.8	23.7	20.1
06 山形	0.2	4.9	0.2	1.7	9.7	6.4	3.3	41.8	24.8	16.9
07 福島	0.4	4.3	—	1.4	6.8	5.0	1.8	41.3	26.1	15.2
08 茨城	0.5	4.1	0.1	1.2	9.6	6.6	3.0	37.8	25.9	11.9
09 栃木	0.5	4.1	0.1	1.2	8.5	6.9	1.7	39.9	26.2	13.7
10 群馬	0.6	4.6	—	1.0	5.6	4.4	1.2	42.3	29.3	13.0
11 埼玉県	0.2	3.4	0.0	0.9	5.7	4.1	1.6	29.5	20.6	8.9
12 千葉県	0.2	3.2	—	0.7	7.9	6.3	1.6	31.4	20.1	11.3
13 東京都	0.3	4.1	0.0	1.1	6.6	5.1	1.5	54.1	29.4	24.7
14 神奈川県	0.3	3.5	—	0.8	4.7	3.4	1.3	39.1	27.6	11.5
15 新潟	0.4	4.7	0.1	0.9	10.8	7.8	3.1	40.8	29.1	11.7
16 富山	0.4	3.3	—	0.6	5.1	4.0	1.1	35.6	21.7	13.9
17 石川	0.3	4.0	—	1.6	6.0	4.7	1.4	36.7	23.9	12.7
18 福井	0.5	5.6	—	0.9	9.2	5.9	3.3	37.1	21.8	15.4
19 山梨	0.9	3.9	0.1	1.5	5.8	4.5	1.3	39.4	28.5	10.9
20 長野	0.5	5.7	—	1.3	8.1	5.5	2.6	40.4	27.2	13.1
21 岐阜	0.1	4.7	—	0.9	6.9	5.0	1.9	38.4	23.5	14.9
22 静岡県	0.6	4.6	—	1.2	8.1	5.7	2.4	38.2	23.3	14.9
23 愛知県	0.4	3.8	—	0.9	6.2	4.6	1.6	31.3	19.7	11.6
24 三重	0.4	5.4	0.1	1.1	10.5	7.9	2.6	45.1	30.9	14.3
25 滋賀	0.2	4.7	—	0.7	8.5	6.3	2.2	35.3	21.8	13.5
26 京都	0.5	4.4	—	0.8	6.5	4.4	2.1	41.5	27.6	13.9
27 大阪	0.4	3.4	0.0	0.9	7.0	5.5	1.5	43.3	25.1	18.3
28 兵庫県	0.4	4.8	0.0	1.2	7.8	6.0	1.9	38.2	24.1	14.1
29 奈良	0.2	4.0	0.1	0.9	8.8	6.5	2.3	34.3	22.5	11.8
30 和歌山	0.6	6.2	—	1.2	7.6	5.9	1.7	50.4	33.6	16.7
31 鳥取	0.5	4.6	—	1.1	9.8	8.0	1.8	43.3	26.4	16.9
32 島根	0.5	6.7	0.1	1.7	10.0	7.4	2.6	45.0	29.6	15.4
33 岡山	0.3	4.9	0.1	1.5	7.0	5.2	1.8	40.2	27.2	13.0
34 広島	0.3	4.8	—	1.2	7.6	6.6	1.0	42.8	25.9	16.8
35 山口	0.3	4.0	0.1	2.0	9.2	7.0	2.2	52.6	29.2	23.4
36 徳島	0.4	4.7	—	0.8	8.4	6.5	1.9	57.3	38.5	18.8
37 香川県	0.6	4.7	0.1	1.7	6.1	4.4	1.7	48.3	28.8	19.5
38 愛媛	0.5	5.1	—	2.0	8.1	6.9	1.2	41.8	27.0	14.9
39 高松	0.7	4.4	—	1.5	5.3	4.2	1.1	52.2	29.9	22.3
40 福岡	0.5	4.0	0.1	1.1	10.1	8.4	1.7	45.1	24.0	21.1
41 佐賀	0.3	5.9	—	1.0	18.3	15.7	2.5	54.1	27.7	26.4
42 長門	0.5	3.7	—	2.0	16.1	13.2	2.9	54.4	34.1	20.3
43 熊本	0.4	4.6	—	1.8	10.9	8.8	2.1	51.8	27.3	24.4
44 大分	0.4	5.3	0.1	1.5	13.9	11.8	2.1	63.9	35.7	28.1
45 宮崎	0.4	5.1	—	1.2	9.9	7.9	2.0	50.5	31.3	19.2
46 鹿児島	0.4	5.3	—	1.6	11.1	8.5	2.6	45.6	28.8	16.8
47 沖縄	0.2	3.3	—	0.5	4.9	3.6	1.3	31.0	22.8	8.3

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1990—con.

平成2年

54-56 肺 循 環 疾 患 及 び そ の 他 の 心 疾 患	54 心 内 膜 の 慢 性 患	55 心 不 全	56 そ の 他 の 心 疾 患	58-60 脳 血 管 疾 患	58 脳 出 血	59 脳 梗 塞	60 そ の 他 の 脳 血 管 疾 患	61 循 環 系 の 他 の 疾 患	62 急 性 気 管 支 炎	63 肺 炎	64 インフル エンザ
91.8	3.4	78.3	10.1	99.4	25.1	52.6	21.6	6.3	1.1	55.6	0.4
92.3	3.4	78.9	9.9	81.3	19.4	44.2	17.7	6.0	1.1	62.6	0.3
110.9	4.1	94.7	12.2	111.8	29.7	53.6	28.4	4.8	1.8	59.8	0.4
116.2	4.6	101.1	10.5	125.2	33.5	66.0	25.7	7.8	2.0	69.9	0.8
79.7	2.8	67.4	9.5	112.5	23.7	67.5	21.3	6.2	1.2	43.9	0.5
118.0	5.3	91.6	21.1	148.4	32.4	84.9	31.2	6.6	2.3	60.8	0.6
119.0	4.5	101.4	13.0	151.3	29.0	89.1	33.3	6.3	2.3	64.8	1.0
109.7	3.8	94.5	11.4	133.0	32.2	78.7	22.0	5.1	1.2	54.3	0.3
88.0	2.6	75.6	9.8	114.4	27.8	66.2	20.4	5.0	1.1	49.7	0.6
94.8	4.9	76.3	13.6	128.9	31.9	70.4	26.6	5.3	1.6	59.6	0.7
101.6	3.7	87.0	10.9	118.1	28.7	65.7	23.6	4.8	1.1	64.0	0.3
73.0	2.4	63.4	7.3	71.3	19.9	36.1	15.2	4.0	0.7	38.9	0.1
76.9	2.3	67.7	6.9	78.0	21.3	40.3	16.4	4.4	0.7	38.9	0.1
62.2	3.0	49.9	9.3	89.7	25.0	44.8	19.8	6.6	0.7	55.6	0.2
55.8	2.8	45.5	7.5	70.7	21.5	34.1	15.1	5.3	0.4	43.4	0.2
91.1	3.8	75.9	11.5	133.9	27.5	78.4	28.1	7.2	1.6	65.3	0.7
103.0	3.3	87.3	12.3	119.7	22.6	72.9	24.2	8.5	1.3	84.0	0.3
104.3	4.3	86.3	13.7	104.9	23.8	59.6	21.5	5.9	1.0	71.9	0.4
110.5	2.6	93.1	14.8	118.5	23.6	65.4	29.6	8.1	2.7	61.0	0.9
114.3	4.1	98.8	11.4	124.2	29.3	75.1	19.9	7.3	1.9	62.8	0.1
108.7	4.7	92.9	11.2	158.9	34.0	93.4	31.4	8.2	1.4	60.8	0.4
94.3	3.7	82.1	8.4	113.4	28.2	58.4	26.8	5.8	1.9	47.2	0.2
91.2	3.7	79.0	8.5	102.2	25.4	55.0	21.8	6.1	1.2	51.2	0.3
94.0	3.0	82.9	8.0	84.2	21.3	43.4	19.5	5.9	0.7	35.9	0.1
117.0	3.8	101.6	11.7	126.1	30.7	68.2	27.2	8.6	1.3	49.5	0.6
100.9	3.5	86.9	10.5	98.7	22.8	55.1	20.8	6.8	1.0	47.6	0.2
95.6	4.0	81.4	10.2	96.9	27.2	49.9	19.8	7.5	1.3	62.1	0.2
82.9	2.8	70.2	9.9	66.0	18.3	31.3	16.5	6.3	0.5	53.3	0.2
100.5	3.2	87.0	10.4	90.3	24.5	45.2	20.6	7.5	0.7	50.9	0.2
105.8	1.5	96.2	8.1	92.3	19.4	49.4	23.5	7.7	1.0	46.5	0.2
136.4	2.8	122.0	11.6	132.5	27.5	75.1	30.0	7.6	0.7	53.4	0.7
125.4	6.2	107.5	11.7	145.5	37.1	80.2	28.2	6.8	2.3	58.8	0.7
125.2	5.3	106.9	13.1	145.1	33.6	81.1	30.4	8.7	1.4	85.8	0.3
115.6	3.1	102.4	10.1	122.8	29.1	69.3	24.4	6.5	1.0	74.8	1.0
97.4	3.5	86.1	7.7	102.6	25.5	54.1	23.0	7.3	1.6	59.4	0.7
119.1	5.5	101.4	12.2	118.2	29.4	62.8	26.0	7.3	2.2	87.9	0.8
125.4	4.8	108.3	12.3	128.1	29.1	68.9	30.1	6.1	1.7	80.2	1.4
122.6	6.1	103.6	12.9	111.2	24.0	61.8	25.5	7.1	2.0	75.8	0.7
132.0	3.8	116.5	11.6	120.6	28.2	67.9	24.5	5.9	2.0	70.3	0.6
142.9	5.7	114.9	22.2	148.4	36.8	83.3	28.4	8.5	1.5	97.8	1.6
92.3	3.2	78.8	10.4	95.5	23.9	48.0	23.5	6.4	0.9	58.0	0.3
102.7	2.6	87.9	12.2	118.2	33.6	58.5	26.1	7.9	1.3	65.6	0.2
96.1	5.0	77.2	13.9	110.4	26.5	59.3	24.6	10.8	2.1	69.9	0.6
113.2	4.7	94.9	13.6	110.4	31.3	52.4	26.8	7.6	1.3	65.6	0.7
108.5	3.8	94.7	10.0	129.2	31.0	70.4	27.8	6.9	1.7	62.3	0.6
103.9	4.2	88.9	10.8	116.2	28.4	57.0	30.8	5.9	1.5	62.1	0.3
133.2	5.4	113.5	14.4	137.8	35.2	69.9	32.6	6.8	2.7	86.9	0.4
65.0	2.9	52.9	9.2	51.1	19.8	18.2	13.1	4.6	0.2	54.0	0.4

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	66-68 気腫及び喘息 支気管炎・肺	66 気管支炎	67 肺気腫	68 喘息	69 胃十二指腸潰瘍 及び十二指腸炎	70 虫垂炎	71 腸腸閉塞 腸腔ヘルニア及び	72 胃及び慢性胃腸炎 胃炎・十二指腸炎	73 慢性肝疾患 及び肝硬変	74 肝疾患 (肝硬変を除く)
全 国 Total	12.2	4.1	3.2	4.8	2.9	0.1	2.5	0.7	13.7	2.4
01 ^{a)} 北海道	10.9	3.3	2.9	4.7	2.7	0.1	2.4	0.5	11.3	2.6
02 青森県	9.1	3.1	2.1	3.9	3.8	0.1	2.6	0.3	12.6	2.9
03 岩手県	10.7	2.9	2.8	4.9	4.0	0.1	2.6	0.1	9.5	2.8
04 宮城県	10.3	3.2	2.8	4.3	1.8	—	2.6	0.6	9.0	1.9
05 秋田県	9.9	4.1	3.0	2.8	2.1	—	2.6	1.1	8.6	1.8
06 山形県	13.8	6.4	3.7	3.7	2.9	0.2	2.0	1.0	10.9	1.8
07 福島県	13.6	4.8	3.6	5.3	2.3	0.1	3.3	0.4	10.2	1.9
08 茨城県	12.8	3.4	3.0	6.4	2.5	0.1	2.2	0.6	12.7	2.2
09 栃木県	14.0	5.1	3.7	5.2	3.0	0.1	2.5	1.5	13.2	2.1
10 群馬県	13.5	4.5	3.9	5.2	2.6	0.2	2.3	0.7	13.0	2.5
11 埼玉県	7.6	2.2	2.0	3.4	1.9	0.1	1.9	0.5	9.7	1.7
12 千葉県	7.8	2.7	1.9	3.2	2.2	0.0	1.5	0.7	10.4	1.7
13 東京都	10.8	3.1	3.4	4.3	3.1	0.1	2.5	0.5	14.5	2.1
14 神奈川県	8.7	2.5	2.4	3.8	2.2	0.0	1.8	0.4	13.4	1.6
15 新潟県	14.1	5.9	4.1	4.1	3.0	—	3.5	1.0	9.1	1.3
16 富山県	11.6	5.0	2.4	4.2	3.9	—	4.0	1.3	11.0	2.2
17 石川県	10.8	3.8	1.7	5.3	2.5	0.1	3.1	0.9	11.2	2.2
18 福井県	14.8	5.4	4.0	5.4	3.4	0.2	2.8	2.2	11.9	2.2
19 山梨県	13.9	4.6	4.2	5.1	2.9	0.1	3.9	0.7	14.8	3.1
20 長野県	13.0	4.5	4.0	4.5	3.3	0.0	2.3	0.9	10.8	2.0
21 岐阜県	12.5	4.5	2.5	5.5	2.9	0.0	2.8	1.3	11.9	1.7
22 静岡県	11.0	3.8	3.5	3.8	3.0	—	1.8	0.6	12.8	2.5
23 愛知県	9.4	3.1	2.5	3.7	2.2	0.0	1.7	0.6	11.2	2.2
24 三重県	13.3	4.9	2.9	5.6	2.4	0.1	2.3	1.1	11.9	2.4
25 滋賀県	14.7	5.0	4.3	5.4	3.5	—	2.3	1.2	9.6	2.1
26 京都府	12.8	4.3	4.3	4.2	3.2	—	2.8	0.7	12.9	2.9
27 大阪府	11.4	3.5	3.1	4.8	2.8	0.1	2.5	0.6	18.4	2.7
28 兵庫県	12.7	3.9	3.6	5.2	3.2	0.1	2.8	0.6	18.2	2.9
29 奈良県	13.4	4.1	4.1	5.2	2.8	0.1	2.8	0.8	13.7	1.8
30 和歌山県	15.5	4.9	4.1	6.5	3.4	0.3	3.2	0.6	19.6	3.0
31 鳥取県	12.9	3.4	5.7	3.7	3.3	0.2	3.9	0.7	15.0	2.4
32 島根県	19.2	7.6	4.5	7.2	4.5	0.3	2.8	1.2	14.8	3.3
33 岡山県	17.3	5.0	5.2	7.1	3.9	0.1	3.0	0.6	16.1	2.1
34 広島県	12.9	4.2	4.1	4.6	3.3	0.1	2.2	0.6	17.0	2.8
35 山口県	16.7	7.4	4.3	5.0	3.8	0.1	2.6	0.7	16.7	3.1
36 徳島県	20.1	8.4	4.2	7.5	4.7	—	3.3	0.8	22.8	3.3
37 香川県	18.1	7.2	3.6	7.2	3.7	0.1	3.4	0.9	16.5	2.8
38 愛媛県	17.3	6.3	3.3	7.6	2.8	0.1	3.0	0.3	14.0	4.0
39 高知県	17.5	6.1	4.2	7.2	4.4	0.2	3.5	0.7	16.4	3.2
40 福岡県	13.9	5.0	3.3	5.6	3.1	0.1	2.5	0.5	17.1	3.1
41 佐賀県	16.0	6.8	3.3	5.8	4.1	0.1	3.0	0.2	21.3	2.5
42 長門県	17.8	7.9	3.9	6.0	3.3	0.2	4.1	0.5	16.1	2.5
43 熊本県	18.6	7.2	4.6	6.8	4.4	0.1	3.4	1.1	16.5	3.0
44 大分県	18.6	7.6	4.9	6.0	4.4	0.1	2.4	1.1	16.3	2.4
45 宮崎県	16.7	5.5	3.6	7.6	2.7	0.1	4.1	1.0	15.7	2.8
46 鹿児島県	20.3	6.3	4.3	9.7	6.0	0.3	3.1	1.3	15.7	4.0
47 沖縄県	12.6	3.4	3.0	6.2	3.4	0.1	0.9	0.2	8.0	3.0

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1990-con.

平成2年

76-77 腎炎・ネフローゼ症 候群及びネフローゼ症	76 急性糸球体腎炎 及びネフローゼ症候群	77 その他	78 前立腺肥大症 (男子人口10万対)	79 直接死 産科的死亡			80 間接死 産科的死亡			81 先天異常	82 出生時の他の呼吸器病態 ・分枝気管炎・低酸素血症
女子人口 10万対	出生 10万対	出生 10万対	女子人口 10万対	出生 10万対	出生 10万対	女子人口 10万対	出生 10万対	出生 10万対	女子人口 10万対	出生 10万対	出生 10万対
14.0	3.2	10.8	0.3	0.1	7.4	7.1	0.0	1.1	1.1	2.9	1.0
17.8	5.0	12.8	0.1	0.1	7.3	6.9	—	—	—	3.0	0.9
18.7	5.0	13.7	0.9	0.3	13.7	13.1	—	—	—	3.5	1.2
18.2	5.6	12.6	0.6	0.1	7.0	6.7	—	—	—	2.3	0.6
9.9	2.5	7.4	0.5	0.4	17.1	16.3	0.1	4.3	4.1	3.3	1.1
16.1	3.8	12.3	0.5	0.3	18.2	17.4	—	—	—	1.8	1.9
14.0	3.0	11.0	0.3	0.2	8.0	7.6	—	—	—	2.8	0.9
11.2	2.8	8.4	0.2	—	—	—	0.1	4.4	4.2	3.2	0.6
13.2	3.6	9.6	0.4	0.1	3.5	3.3	—	—	—	3.3	0.7
10.7	2.7	8.0	0.2	0.4	20.0	19.1	—	—	—	3.6	1.2
10.2	2.7	7.5	0.1	0.1	5.1	5.0	—	—	—	3.2	0.7
8.6	2.0	6.6	0.2	0.4	19.0	18.3	0.1	3.2	3.0	2.6	0.9
10.0	1.9	8.1	0.4	0.1	5.6	5.4	—	—	—	2.6	0.6
12.2	2.6	9.6	0.1	0.2	9.6	9.2	0.0	1.0	0.9	2.8	0.8
9.4	1.9	7.5	0.2	0.2	7.6	7.3	0.1	2.5	2.4	2.9	1.0
11.0	3.0	8.0	0.8	0.2	8.3	8.0	—	—	—	2.8	0.8
13.8	3.0	10.8	0.4	—	—	—	—	—	—	2.5	1.8
12.7	2.7	10.0	0.7	0.2	8.7	8.3	—	—	—	2.5	1.1
12.3	2.7	9.7	0.8	—	—	—	—	—	—	3.3	1.2
13.9	3.5	10.4	0.2	—	—	—	—	—	—	3.4	1.2
10.1	2.8	7.3	0.3	0.2	9.4	9.0	—	—	—	2.9	0.9
13.1	3.0	10.1	0.4	0.1	4.9	4.7	—	—	—	2.7	1.0
13.0	2.5	10.5	0.3	0.2	10.8	10.4	—	—	—	2.3	0.8
12.0	2.6	9.4	0.5	0.1	2.8	2.7	0.0	1.4	1.4	2.8	1.0
15.8	3.5	12.2	0.5	0.1	5.6	5.4	—	—	—	2.6	1.4
15.7	3.3	12.4	0.2	0.3	14.7	14.2	—	—	—	3.0	1.2
19.5	4.4	15.1	0.3	0.1	4.1	4.0	0.1	4.1	4.0	3.4	1.3
15.6	3.8	11.7	0.1	0.2	9.2	8.8	0.0	1.2	1.1	3.2	1.0
16.5	3.1	13.4	0.4	0.0	1.9	1.8	—	—	—	2.5	1.1
12.7	2.2	10.5	—	0.1	7.5	7.2	0.1	7.5	7.2	2.1	0.9
15.7	3.4	12.3	0.2	—	—	—	—	—	—	3.0	1.2
14.3	3.6	10.8	1.0	—	—	—	—	—	—	2.9	0.8
18.2	3.7	14.5	1.1	—	—	—	—	—	—	3.2	1.5
17.8	3.7	14.1	0.2	0.1	5.2	5.0	—	—	—	3.3	1.5
16.1	3.7	12.5	0.1	0.1	3.5	3.3	0.1	3.5	3.3	3.4	0.8
21.2	5.5	15.6	0.4	0.2	14.6	13.9	—	—	—	2.9	1.1
20.3	4.9	15.4	0.3	—	—	—	—	—	—	2.4	0.8
17.4	4.0	13.4	0.2	—	—	—	—	—	—	3.0	1.0
18.1	4.1	14.0	0.7	0.1	6.8	6.5	—	—	—	2.1	1.3
26.9	5.2	21.7	0.5	—	—	—	—	—	—	3.8	1.3
14.9	3.1	11.7	0.5	0.1	6.2	5.9	0.0	2.1	2.0	2.8	1.3
15.9	3.2	12.7	0.7	—	—	—	—	—	—	3.5	0.9
19.8	4.7	15.1	0.4	0.4	18.2	17.2	0.1	6.1	5.7	3.0	0.8
20.2	3.9	16.3	1.0	0.2	10.5	10.0	—	—	—	3.0	0.7
17.2	3.7	13.5	1.2	—	—	—	—	—	—	4.1	0.4
16.7	3.4	13.3	0.4	0.2	8.3	7.8	—	—	—	3.3	1.2
18.9	4.1	14.8	0.5	—	—	—	—	—	—	3.0	0.9
13.1	3.6	9.4	0.2	—	—	—	—	—	—	4.2	3.4

死 亡

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	84-87 その他 の死因	84 新生児 破傷風	85 カンジダ 新生児 感染	86 新生児 敗血症	87 その他	88 精神 病の 記載 のない 老衰	89 その他 の疾 患 すべて	91-101 損傷 及び 中毒	91 頭蓋 骨折	92 その他 の骨 の折
全 国 Total	0.5	—	0.0	0.1	0.4	19.7	36.1	45.3	4.8	2.7
01 ^ハ 北海道	0.4	—	—	0.1	0.3	8.2	36.1	46.6	5.0	2.8
02 青森	0.9	—	—	—	0.9	26.7	33.2	52.6	4.4	2.8
03 岩手	0.7	—	—	0.1	0.6	19.2	40.4	58.4	4.0	3.3
04 宮城	0.4	—	—	0.0	0.4	19.9	30.7	42.4	3.3	2.5
05 秋田	0.3	—	—	—	0.3	19.3	37.5	61.3	4.1	2.6
06 山形	0.6	—	—	0.1	0.6	35.8	37.2	50.5	3.1	2.8
07 福島	0.7	—	—	0.1	0.6	28.2	39.0	49.7	4.3	2.3
08 茨城	0.5	—	—	0.1	0.4	30.2	34.9	49.8	6.6	3.5
09 栃木	0.5	—	—	0.1	0.4	22.6	35.8	50.3	5.1	3.4
10 群馬	0.5	—	—	0.1	0.4	28.3	35.8	48.3	4.7	2.9
11 埼玉	0.5	—	—	0.1	0.4	12.1	24.8	35.3	4.4	2.2
12 千葉	0.3	—	—	0.1	0.2	15.5	26.4	37.8	3.6	2.1
13 東京	0.4	—	—	0.0	0.4	9.7	31.0	33.5	4.8	2.1
14 神奈川	0.5	—	—	0.1	0.4	9.3	25.5	36.1	5.1	2.5
15 新潟	0.3	—	—	—	0.3	23.6	34.9	57.0	4.4	2.6
16 富山	0.4	—	—	—	0.4	19.3	38.4	58.2	5.5	2.7
17 石川	0.5	—	—	—	0.5	21.7	40.1	48.4	5.2	3.4
18 福井	0.6	—	—	0.2	0.4	26.0	40.3	57.7	5.0	4.0
19 山梨	0.2	—	—	—	0.2	35.8	43.8	56.1	4.2	3.8
20 長野	0.6	—	—	0.1	0.5	32.7	36.6	49.0	4.1	3.1
21 岐阜	0.1	—	—	—	0.1	25.5	37.8	51.1	5.2	2.9
22 静岡	0.6	—	—	0.1	0.5	26.2	31.7	42.5	4.3	2.6
23 愛知	0.3	—	—	0.1	0.2	16.5	29.6	38.9	3.4	2.2
24 三重	0.4	—	—	0.1	0.3	38.9	43.7	52.9	5.7	2.7
25 滋賀	0.4	—	—	0.1	0.3	19.7	38.2	42.3	3.9	2.8
26 京都	0.4	—	—	0.1	0.3	22.6	42.6	43.1	6.0	2.4
27 大阪	0.5	—	—	0.1	0.4	12.4	35.2	40.2	5.7	2.5
28 兵庫	0.6	—	—	0.1	0.5	26.5	36.4	45.9	5.4	3.1
29 奈良	0.7	—	—	0.1	0.6	25.1	32.2	39.7	6.1	1.8
30 和歌山	0.3	—	0.1	—	0.2	47.1	45.0	54.9	5.0	2.9
31 鳥取	0.2	—	—	—	0.2	37.8	47.6	58.7	4.9	4.1
32 島根	0.5	—	—	—	0.5	36.1	47.7	62.1	3.6	4.1
33 岡山	0.3	—	—	—	0.3	39.9	43.7	54.8	5.5	3.4
34 広島	0.6	—	—	0.1	0.5	28.7	39.4	50.8	4.4	3.0
35 山口	0.4	—	—	—	0.4	23.1	51.4	56.6	6.4	4.0
36 徳島	0.5	—	—	—	0.5	26.7	52.8	55.6	5.3	4.3
37 香川	0.7	—	—	0.1	0.6	27.7	46.6	60.3	6.0	4.4
38 愛媛	0.4	—	—	0.1	0.3	36.2	45.0	57.4	3.8	3.6
39 高知	0.2	—	—	—	0.2	24.3	56.9	61.3	5.9	3.3
40 福岡	0.6	—	—	0.1	0.6	13.2	40.2	46.9	5.4	2.5
41 佐賀	1.0	—	—	0.3	0.7	23.3	41.8	56.6	6.8	3.9
42 長門	0.3	—	—	—	0.3	14.1	52.0	47.0	3.4	2.0
43 熊本	0.5	—	—	0.1	0.4	19.8	47.5	44.1	3.0	1.9
44 大分	0.2	—	—	—	0.2	19.9	55.9	51.7	6.7	2.4
45 宮崎	0.3	—	—	—	0.3	15.8	48.2	53.5	3.9	3.1
46 鹿児島	0.8	—	—	0.1	0.7	27.5	51.6	51.5	3.4	3.0
47 沖縄	1.0	—	—	0.6	0.4	22.4	45.6	43.8	2.7	2.5

Death

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1990-con.

平成2年

93 頭蓋内損傷 (うものを除く)	94 胸・腹及び骨 盤の内部損傷	95 開放 創	96 熱 傷	97 脊髄の損傷 及び神経	98 中毒及び毒作用	99 溺 死	100 窒息及び絞首	101 その他の損傷	E104-E117 損傷及び中毒の 外因	E104-E114 不慮の事故及び 有害作用	E104 自動車事故
6.9	3.8	0.8	1.9	0.4	2.8	5.2	9.9	6.3	45.3	26.2	11.9
6.4	4.2	0.9	1.5	0.4	3.1	5.1	10.8	6.4	46.6	27.7	15.1
6.3	4.1	0.9	2.3	0.6	5.1	6.7	13.0	6.3	52.6	30.0	13.5
7.0	3.8	1.1	2.8	0.7	3.3	6.5	17.9	8.1	58.4	31.4	13.3
5.2	3.5	0.7	2.4	0.4	3.2	6.6	9.0	5.8	42.4	23.0	9.5
7.0	3.0	0.5	2.6	0.2	3.7	7.7	21.1	8.7	61.3	31.4	11.3
6.1	2.3	0.6	1.7	0.5	3.5	7.5	13.9	8.5	50.5	29.8	10.4
7.8	3.3	0.6	2.8	1.0	4.0	5.6	9.5	8.6	49.7	30.8	13.5
8.8	5.4	1.2	2.0	0.5	4.4	4.1	7.6	5.8	49.8	32.3	19.4
8.9	4.2	1.0	2.2	0.9	5.8	2.4	9.5	6.6	50.3	30.0	17.0
7.0	4.7	0.6	1.9	0.4	5.5	3.4	9.6	7.7	48.3	28.4	13.8
6.0	3.2	0.9	1.7	0.3	2.7	2.5	7.2	4.2	35.3	19.8	11.0
6.7	3.5	0.6	1.9	0.5	2.0	3.5	7.9	5.5	37.8	22.3	11.7
5.0	3.3	0.9	1.2	0.3	1.8	2.9	6.9	4.3	33.5	16.9	6.8
4.3	4.1	0.6	1.4	0.1	1.8	4.4	7.5	4.3	36.1	19.8	8.9
7.7	3.8	0.9	1.9	0.5	4.4	9.6	14.0	7.2	57.0	32.1	13.1
8.2	4.2	0.6	2.1	0.4	3.3	8.1	13.2	9.8	58.2	37.0	14.4
7.3	4.6	0.7	1.6	0.3	2.3	6.7	9.6	6.6	48.4	31.4	14.2
9.9	4.4	0.5	2.7	0.5	2.9	6.6	11.6	9.5	57.7	39.0	16.9
11.2	4.6	0.8	1.9	0.1	5.4	4.9	10.4	8.8	56.1	34.9	16.5
7.6	2.7	1.3	2.7	0.7	3.5	5.1	11.5	6.7	49.0	28.3	12.2
7.2	4.0	0.7	2.7	0.3	2.3	5.6	12.3	7.9	51.1	31.0	13.5
7.4	3.2	0.7	1.7	0.5	3.4	4.7	8.5	5.7	42.5	26.4	12.4
7.1	2.9	0.7	1.3	0.3	1.7	4.0	8.8	6.4	38.9	23.3	11.5
10.8	4.4	0.9	1.7	0.6	1.6	6.1	9.8	8.6	52.9	36.1	18.6
6.8	2.8	0.9	1.8	0.5	2.0	4.9	9.3	6.6	42.3	26.3	11.5
6.3	3.5	0.6	1.7	0.2	1.9	4.1	10.5	5.7	43.1	24.4	12.4
5.7	4.0	0.6	1.2	0.2	1.9	3.9	9.3	5.2	40.2	20.7	9.6
7.2	3.9	0.8	1.7	0.4	2.0	5.4	9.6	6.3	45.9	26.8	11.5
7.4	3.0	0.5	1.9	0.3	3.0	3.4	7.1	5.2	39.7	23.8	12.6
8.7	3.6	1.2	2.5	0.3	3.4	8.0	12.3	6.9	54.9	31.4	12.8
6.5	5.5	0.8	4.1	0.5	3.3	6.8	14.3	7.8	58.7	34.5	14.7
7.2	3.7	0.8	3.3	0.1	4.1	9.1	16.9	9.1	62.1	34.3	12.2
9.0	4.7	1.0	2.1	0.9	3.3	7.6	8.8	8.6	54.8	36.5	15.4
7.6	4.4	1.0	3.0	0.5	2.6	6.2	11.5	6.5	50.8	29.1	13.2
7.7	3.2	0.9	2.6	0.2	2.6	9.0	11.9	8.0	56.6	36.6	15.5
9.1	4.2	1.4	1.8	0.2	4.0	7.8	9.1	8.2	55.6	35.6	13.7
11.5	4.3	0.4	1.5	0.7	3.8	10.4	9.1	8.3	60.3	40.7	19.4
9.9	4.0	1.1	2.9	0.3	3.6	9.5	9.9	8.8	57.4	37.0	13.7
9.1	4.1	1.1	3.2	0.6	4.4	8.5	12.9	8.3	61.3	37.6	14.6
7.3	3.7	1.1	2.0	0.3	2.9	5.2	10.7	5.9	46.9	25.9	12.3
8.4	3.4	0.8	2.4	0.5	4.6	8.4	9.7	7.6	56.6	38.1	16.4
6.9	2.7	0.7	2.0	0.1	3.0	7.2	11.9	7.3	47.0	27.7	8.7
6.6	3.7	0.8	2.2	0.5	3.3	5.2	10.2	6.6	44.1	26.2	10.6
7.1	4.4	0.9	2.8	0.2	3.6	6.1	10.7	6.6	51.7	31.0	12.9
8.5	2.9	0.8	2.1	0.4	5.6	5.1	14.0	7.1	53.5	29.0	11.4
7.1	2.7	1.2	1.7	0.3	4.5	6.3	14.8	6.5	51.5	27.9	9.4
4.7	5.3	0.8	1.1	0.3	2.9	5.9	12.4	5.1	43.8	21.8	10.3

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	E105 外の交通事故 以外	E106 不慮の中毒	E107 不慮の墜落	E108 火災及び 不慮の事故	E109 天災	E110 不慮の溺死	E111 機械的窒息	E112 不慮の打撲	E113 工業性を主とする不慮の事故	E114 その他の有害事故及び不慮の用
全 国 Total	1.0	0.5	3.5	1.0	0.1	2.6	2.8	0.4	1.0	1.5
01 ^{a)} 北海道	1.0	0.6	2.1	1.0	—	2.1	2.2	0.8	1.3	1.6
02 青森	1.4	0.5	2.6	2.5	0.1	2.6	3.1	0.5	1.3	2.0
03 岩手	1.5	0.8	3.0	0.9	0.3	2.8	4.8	0.5	1.6	1.9
04 宮城	1.0	0.5	2.5	0.7	—	3.1	2.7	0.5	1.2	1.3
05 秋田	1.7	0.2	2.9	1.6	—	4.3	5.4	0.2	1.5	2.3
06 山形	0.7	0.5	3.3	1.4	—	4.6	5.1	0.3	1.0	2.5
07 福島	0.9	0.8	2.9	1.2	—	3.1	3.9	0.8	1.4	2.4
08 茨城	1.0	0.7	2.9	1.0	—	1.7	2.4	0.7	1.0	1.5
09 栃木	0.8	0.6	3.4	0.9	—	1.4	3.1	0.3	1.0	1.6
10 群馬	0.9	0.5	3.5	0.8	—	1.6	3.5	0.4	1.5	1.9
11 埼玉県	0.5	0.3	2.5	0.7	—	1.1	1.8	0.2	0.7	0.9
12 千葉県	0.8	0.4	2.4	0.7	0.0	1.7	2.1	0.4	0.8	1.3
13 東京都	0.6	0.3	3.2	0.8	0.0	1.5	2.0	0.2	0.3	1.1
14 神奈川県	0.5	0.3	2.6	0.7	—	2.7	2.4	0.2	0.4	1.1
15 新潟	1.0	0.8	3.9	1.0	—	5.0	3.3	0.4	1.3	2.4
16 富山	1.3	1.1	5.0	1.2	0.1	5.1	4.4	0.7	1.8	2.0
17 石川	0.6	0.2	4.6	0.7	—	3.5	3.6	0.7	1.5	1.9
18 福井	1.7	0.2	5.4	1.6	—	4.4	5.4	0.6	0.6	2.2
19 山梨	0.2	1.1	4.5	1.2	0.2	3.3	3.2	0.7	1.2	2.9
20 長野	0.7	0.9	3.3	1.1	—	2.9	3.2	0.6	1.3	2.2
21 岐阜	0.8	0.3	3.8	1.3	—	3.7	3.8	0.5	1.6	1.6
22 静岡県	0.9	0.5	3.4	0.8	—	2.9	3.1	0.5	0.6	1.3
23 愛知県	0.8	0.3	2.8	0.8	—	1.8	2.6	0.3	1.0	1.2
24 三重	1.2	0.1	4.2	1.1	0.1	3.2	3.3	0.6	1.8	2.0
25 滋賀	1.2	0.9	3.7	0.4	0.1	2.2	3.0	0.6	1.0	1.7
26 京都	0.4	0.2	3.4	0.9	—	1.9	2.7	0.2	0.9	1.4
27 大阪	0.7	0.3	2.9	0.8	—	1.7	2.7	0.3	0.7	1.1
28 兵庫県	1.2	0.4	4.3	1.0	0.0	3.0	2.6	0.5	1.1	1.4
29 奈良	0.7	0.7	3.0	0.7	—	0.8	2.2	0.6	0.9	1.8
30 和歌山	1.4	0.3	5.9	1.5	—	3.9	2.7	0.5	0.9	1.5
31 鳥取	0.8	0.2	6.2	2.1	—	3.9	3.1	0.5	1.8	1.3
32 島根	1.7	0.9	4.9	2.4	—	4.0	3.3	0.8	2.3	1.8
33 岡山	1.7	0.6	5.2	1.4	0.4	3.9	3.5	1.0	0.9	2.5
34 広島	1.3	0.4	4.4	1.8	0.0	2.4	2.9	0.4	1.3	1.0
35 山口	2.2	0.6	4.6	1.4	—	5.3	3.2	0.4	1.5	2.1
36 徳島	1.9	0.6	6.4	1.1	0.1	3.1	5.1	0.8	1.1	1.7
37 香川県	2.6	0.5	5.6	0.9	0.2	5.0	3.4	0.2	0.9	2.1
38 愛媛	1.9	0.6	6.4	2.2	0.3	4.5	3.8	0.5	1.5	1.7
39 高知	2.3	0.4	6.7	1.5	—	4.5	3.6	0.5	2.1	1.6
40 福岡	1.1	0.5	3.7	0.8	0.1	2.4	2.6	0.2	0.8	1.3
41 佐賀	1.9	0.8	4.8	1.0	0.1	4.5	3.4	0.9	1.9	2.3
42 長門	1.9	0.5	4.3	1.2	—	3.9	3.7	0.6	0.8	2.2
43 熊本	1.1	0.5	3.3	0.9	0.9	2.5	2.4	0.4	1.4	2.2
44 大分	0.7	0.2	4.9	1.5	0.4	3.2	2.3	0.5	1.9	2.4
45 宮崎	2.3	0.7	3.9	1.1	0.3	2.4	3.4	0.6	1.2	1.7
46 鹿児島	0.9	0.6	5.3	1.1	0.8	3.1	3.1	0.5	1.2	1.9
47 沖縄	1.1	0.4	2.1	0.7	—	2.9	3.0	0.1	0.6	0.7

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1990—con.

平成2年

E115 自殺	E116 他殺	E117 その他の外因	1~26 感染症及び 寄生虫症	5, 6 結核	46, 51-52, 54-56 心疾患	62, 63, 66 肺炎 気管支炎 及び肺炎	4, 72 胃腸炎	79, 80 妊産婦の死亡		
殺	殺	殺	殺	殺	殺	殺	殺	女子人口 10万対 Per 100,000 females	出生 10万対 Per 100,000 live births	出生 10万対 Per 100,000 total births
16.4	0.6	2.2	9.8	3.0	134.8	60.7	1.3	0.2	8.6	8.2
16.1	0.7	2.1	8.5	2.2	139.2	67.0	0.9	0.1	7.3	6.9
19.4	0.5	2.7	8.9	3.8	151.8	64.7	0.9	0.3	13.7	13.1
25.4	0.4	1.2	10.1	2.0	162.0	74.8	0.7	0.1	7.0	6.7
16.7	0.3	2.5	6.6	1.8	117.3	48.3	1.2	0.4	21.4	20.3
27.6	0.7	1.6	12.1	4.0	162.9	67.2	2.4	0.3	18.2	17.4
18.7	0.3	1.7	8.9	2.5	162.5	73.5	1.4	0.2	8.0	7.6
17.0	0.1	1.7	10.0	3.0	152.4	60.3	1.0	0.1	4.4	4.2
14.9	1.0	1.7	8.4	2.2	127.0	54.1	1.1	0.1	3.5	3.3
18.5	1.1	0.7	9.8	2.9	135.9	66.3	1.9	0.4	20.0	19.1
17.8	0.5	1.6	10.5	2.4	144.9	69.5	1.7	0.1	5.1	5.0
13.9	0.5	1.1	6.5	1.8	103.4	41.8	0.8	0.4	22.1	21.3
13.4	0.6	1.5	6.5	2.2	109.0	42.3	1.2	0.1	5.6	5.4
14.5	0.5	1.7	9.8	3.1	117.5	59.5	0.8	0.2	10.6	10.1
13.2	0.7	2.4	7.2	2.0	95.7	46.2	0.6	0.2	10.1	9.7
22.7	0.5	1.7	8.9	2.0	132.8	72.8	2.2	0.2	8.3	8.0
19.6	0.4	1.2	13.2	3.2	139.2	90.3	2.3	—	—	—
14.6	0.1	2.3	11.1	3.7	142.6	76.8	1.4	0.2	8.7	8.3
16.1	0.5	2.1	11.0	2.7	148.5	69.0	3.5	—	—	—
18.9	0.6	1.6	9.8	1.9	155.3	69.3	1.3	—	—	—
18.9	0.3	1.5	8.1	1.6	150.4	66.8	1.7	0.2	9.4	9.0
18.0	0.5	1.6	10.6	3.8	133.6	53.6	2.3	0.1	4.9	4.7
14.2	0.7	1.3	10.5	3.1	130.7	56.1	1.3	0.2	10.8	10.4
13.4	0.5	1.7	10.2	3.8	126.2	39.7	1.1	0.1	4.2	4.1
15.0	0.3	1.5	10.2	3.0	163.3	55.8	1.9	0.1	5.6	5.4
14.0	0.3	1.6	9.4	2.9	136.9	53.6	2.1	0.3	14.7	14.2
16.5	0.5	1.6	12.2	3.9	137.9	67.6	1.6	0.2	8.3	7.9
15.5	0.8	3.2	10.9	3.5	127.1	57.3	1.1	0.2	10.4	9.9
16.1	0.5	2.4	10.4	3.6	139.9	55.4	1.2	0.0	1.9	1.8
13.2	0.5	2.1	7.6	2.5	141.0	51.6	1.2	0.3	15.0	14.4
19.9	0.6	3.0	12.1	3.5	188.0	59.0	1.6	—	—	—
19.9	0.7	3.6	9.1	2.1	169.9	64.5	2.0	—	—	—
23.4	—	4.5	12.4	1.8	171.9	94.8	2.4	—	—	—
15.8	0.4	2.2	9.4	2.7	157.3	80.7	1.4	0.1	5.2	5.0
17.6	0.5	3.5	7.8	2.3	141.3	65.2	1.1	0.1	6.9	6.7
16.7	0.3	3.0	13.1	4.2	173.7	97.6	1.3	0.2	14.6	13.9
16.5	1.2	2.3	14.3	4.6	183.6	90.3	1.2	—	—	—
16.1	1.0	2.5	11.6	3.8	172.5	85.0	2.3	—	—	—
16.9	0.4	3.0	10.6	2.8	175.8	78.7	1.0	0.1	6.8	6.5
20.3	1.3	2.1	13.5	3.4	196.5	105.4	1.3	—	—	—
17.8	0.8	2.4	10.0	3.4	138.6	63.9	0.9	0.2	8.3	7.9
16.0	0.9	1.6	15.5	4.7	157.8	73.7	0.8	—	—	—
17.1	0.6	1.5	12.8	4.2	152.5	79.9	0.9	0.5	24.2	23.0
15.4	0.8	1.7	12.5	4.6	166.8	74.0	1.9	0.2	10.5	10.0
17.7	0.7	2.4	13.5	2.9	173.8	71.7	2.0	—	—	—
21.5	0.9	2.0	9.9	3.1	155.6	69.1	1.3	0.2	8.3	7.8
21.5	0.6	1.5	12.8	3.4	180.4	95.9	2.5	—	—	—
17.6	1.5	2.9	12.5	2.6	96.5	57.7	0.7	—	—	—