

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

简单 分類番号 117 rubrics ^{a)} list code	死因・性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years												
			1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29		
37	その他	総数T. 48.7	1.0	1.5	2.1	1.5	2.0	1.8	1.6	1.6	1.6	2.3	2.4	3.3	
	男M.	52.5	0.9	1.3	1.7	1.4	2.1	1.6	1.5	1.9	1.6	2.7	2.9	3.8	
	女F.	44.9	1.0	1.6	2.4	1.6	1.9	1.9	1.7	1.2	1.6	1.9	1.8	2.7	
38	良性及び性質不詳の 新生物	総数T. 5.9	1.4	0.8	0.7	0.6	0.9	0.8	0.9	0.7	0.6	0.7	0.7	0.9	
	男M.	6.7	1.6	0.7	0.9	0.7	1.0	0.8	1.0	0.7	0.6	0.8	0.9	1.1	
	女F.	5.2	1.3	0.8	0.6	0.4	0.9	0.7	0.8	0.7	0.6	0.5	0.6	0.8	
39	糖尿病	総数T. 7.5	-	-	-	0.1	-	0.0	0.0	0.0	0.0	0.2	0.2	0.2	
	男M.	7.3	-	-	-	0.1	-	0.0	0.0	-	0.0	0.2	0.3	0.3	
	女F.	7.7	-	-	-	-	-	-	-	0.0	-	0.1	0.1	0.1	
40	栄養欠乏症	総数T. 0.4	-	0.1	-	-	-	0.0	0.0	0.0	0.0	-	0.0	-	
	男M.	0.4	-	-	-	-	-	-	0.0	-	-	-	-	-	
	女F.	0.4	-	0.2	-	-	-	0.0	0.0	0.0	0.0	-	-	-	
41	貧血	総数T. 1.3	0.2	0.1	0.5	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.3	
	男M.	1.2	0.5	0.1	0.3	0.3	-	0.2	0.2	0.1	0.3	0.4	0.4	0.4	
	女F.	1.4	-	-	0.8	0.1	0.1	0.3	0.2	0.4	0.2	0.3	0.3	0.2	
42	精神障害	総数T. 2.4	-	-	0.1	-	-	0.0	0.0	0.0	0.1	0.2	0.1	0.2	
	男M.	2.2	-	-	0.1	-	-	0.0	0.0	0.1	0.0	0.2	0.1	0.2	
	女F.	2.6	-	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.3	
43	髄膜炎	総数T. 0.4	2.4	1.1	0.3	0.5	0.1	0.5	0.9	0.1	0.0	0.1	0.1	0.1	
	男M.	0.4	1.4	1.3	0.4	0.4	0.3	0.6	0.8	0.1	-	0.1	0.1	0.1	
	女F.	0.4	3.5	0.8	0.2	0.6	-	0.4	1.0	0.1	0.1	0.0	0.0	0.1	
44	中枢神経系の非炎症 性疾患	総数T. 4.1	4.0	4.8	2.4	2.1	1.9	2.8	3.0	1.0	0.7	0.6	0.7	0.8	
	男M.	4.4	3.9	5.5	2.7	2.5	2.2	3.2	3.3	1.0	0.8	0.7	0.8	0.8	
	女F.	3.8	4.1	3.9	2.0	1.6	1.6	2.3	2.6	0.9	0.5	0.5	0.6	0.7	
45	急性リウマチ熱	総数T. 0.0	-	-	-	-	-	-	-	-	-	-	-	-	
	男M.	0.0	-	-	-	-	-	-	-	-	-	-	-	-	
	女F.	0.0	-	-	-	-	-	-	-	-	-	-	-	-	
46	慢性リウマチ性心疾 患	総数T. 1.1	-	-	-	-	-	-	-	0.0	-	0.0	-	0.0	
	男M.	0.7	-	-	-	-	-	-	-	-	-	-	-	0.1	
	女F.	1.5	-	-	-	-	-	-	-	0.0	-	0.0	-	-	
48-49	高血圧性疾患	総数T. 7.6	-	-	-	-	-	-	-	-	-	-	-	0.1	
	男M.	5.8	-	-	-	-	-	-	-	-	-	-	-	0.1	
	女F.	9.3	-	-	-	-	-	-	-	-	-	-	-	0.0	
48	高血圧性心疾患	総数T. 5.8	-	-	-	-	-	-	-	-	-	-	-	0.0	
	男M.	4.5	-	-	-	-	-	-	-	-	-	-	-	0.1	
	女F.	7.1	-	-	-	-	-	-	-	-	-	-	-	-	
49	その他の高血圧性 疾患	総数T. 1.7	-	-	-	-	-	-	-	-	-	-	-	0.0	
	男M.	1.3	-	-	-	-	-	-	-	-	-	-	-	-	
	女F.	2.2	-	-	-	-	-	-	-	-	-	-	-	0.0	
51-52	虚血性心疾患	総数T. 39.9	-	0.2	-	-	-	0.0	0.0	-	0.1	0.1	0.2	0.6	
	男M.	42.9	-	-	-	-	-	-	-	-	0.1	0.1	0.4	0.8	
	女F.	36.9	-	0.3	-	-	-	0.1	0.1	-	0.0	0.0	0.0	0.3	
51	急性心筋梗塞	総数T. 24.9	-	0.1	-	-	-	0.0	0.0	-	0.0	0.1	0.1	0.4	
	男M.	28.2	-	-	-	-	-	-	-	-	0.1	0.1	0.3	0.6	
	女F.	21.7	-	0.2	-	-	-	0.0	0.0	-	0.0	0.0	0.0	0.3	
52	その他の虚血性心 疾患	総数T. 15.0	-	0.1	-	-	-	0.0	0.0	-	0.0	0.0	0.1	0.1	
	男M.	14.8	-	-	-	-	-	-	-	-	0.0	0.0	0.2	0.2	
	女F.	15.2	-	0.2	-	-	-	0.0	0.0	-	-	-	-	0.1	
54-56	肺循環疾患及びその 他の型の心疾患	総数T. 87.1	16.5	5.0	2.7	1.7	1.3	2.7	5.2	0.8	1.1	2.3	3.7	5.6	
	男M.	85.8	18.9	6.0	2.4	2.0	1.7	3.0	5.9	0.8	1.3	2.9	5.1	7.8	
	女F.	88.4	14.0	3.9	3.0	1.5	1.0	2.3	4.5	0.9	0.8	1.7	2.2	3.3	

注: 1) 0歳は出生10万対の死亡率である。

(简单分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan) : Japan, 1989-con.

平成元年																
30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~	
4.6	7.7	13.1	22.5	40.0	66.7	102.4	150.5	230.3	328.2	460.5	540.5	550.6	274.5	492.2	543.6	
4.6	7.6	13.3	22.3	41.9	76.9	123.6	192.3	302.5	443.9	623.6	776.2	814.5	357.0	680.2	787.1	
4.6	7.8	12.9	22.7	38.1	56.8	83.0	120.2	179.4	251.6	363.6	423.1	446.6	219.3	390.0	429.4	
1.3	1.2	1.8	2.6	4.6	6.4	10.2	14.5	24.0	39.6	59.5	80.1	107.4	33.0	70.0	87.0	
1.5	1.5	2.0	3.3	5.2	8.5	14.0	20.1	35.6	53.3	81.5	100.4	127.6	43.1	90.2	106.8	
1.1	0.8	1.7	1.9	3.9	4.4	6.7	10.5	15.9	30.5	46.5	69.9	99.5	26.3	59.0	77.8	
0.3	0.9	1.4	2.6	5.1	8.7	12.1	20.9	38.0	58.6	91.1	105.9	99.6	47.8	96.2	104.4	
0.3	1.1	1.8	4.0	7.5	12.4	15.8	23.3	41.3	59.7	91.9	108.7	125.0	48.6	99.1	112.6	
0.4	0.6	1.1	1.3	2.8	5.1	8.8	19.1	35.6	57.9	90.7	104.5	89.6	47.2	94.6	100.6	
0.1	0.1	0.1	0.3	0.3	0.4	0.6	0.6	0.8	1.9	4.5	9.7	14.9	2.1	7.0	11.0	
0.2	0.1	0.2	0.4	0.5	0.6	0.8	0.5	1.0	2.3	5.9	9.1	14.5	2.2	7.4	10.3	
0.1	0.0	0.0	0.2	0.1	0.1	0.4	0.6	0.6	1.6	3.7	10.0	15.0	2.1	6.8	11.3	
0.3	0.2	0.3	0.3	0.6	0.9	1.6	2.6	4.4	8.7	12.6	27.5	50.9	7.9	20.6	33.4	
0.4	0.2	0.3	0.3	0.6	1.2	1.9	3.0	5.5	9.8	13.8	27.2	46.1	8.0	19.9	31.5	
0.2	0.2	0.3	0.4	0.6	0.6	1.4	2.4	3.7	8.0	11.9	27.6	52.8	7.8	20.9	34.3	
0.4	0.6	0.7	1.0	1.4	1.6	1.4	2.2	5.2	13.4	33.7	82.8	140.1	16.2	58.0	97.4	
0.5	0.9	1.3	1.6	2.5	2.5	2.0	3.0	6.4	13.9	31.3	75.1	123.7	14.3	50.3	86.2	
0.2	0.3	0.2	0.4	0.3	0.8	0.8	1.6	4.3	13.0	35.1	86.7	146.6	17.5	62.2	102.6	
0.1	0.2	0.2	0.3	0.3	0.6	0.8	1.0	1.4	1.9	2.5	3.1	1.1	1.6	2.5	2.6	
0.1	0.3	0.2	0.3	0.4	0.8	1.2	1.2	1.4	1.9	3.0	3.0	-	1.7	2.7	2.4	
0.1	0.0	0.1	0.2	0.2	0.3	0.4	0.8	0.8	2.0	2.2	3.2	1.6	1.6	2.4	2.8	
0.7	0.9	0.9	1.6	2.4	4.6	7.3	11.1	19.5	28.4	33.0	39.4	41.6	21.6	35.7	40.0	
0.9	1.1	1.1	2.0	2.7	5.5	9.4	14.1	25.5	35.2	39.0	50.6	55.3	26.5	43.4	51.8	
0.4	0.7	0.8	1.3	2.1	3.9	5.3	9.0	15.3	23.8	29.5	33.8	36.3	18.4	31.5	34.5	
-	-	0.0	0.0	-	0.0	0.1	0.1	0.2	0.4	0.1	0.3	0.4	0.2	0.1	0.3	
-	-	-	-	-	-	0.1	0.1	0.1	0.4	0.2	0.4	1.3	0.2	0.3	0.6	
-	-	0.0	0.0	-	-	0.1	0.1	0.2	0.3	-	0.2	-	0.2	0.1	0.1	
0.1	0.1	0.2	0.5	0.7	1.7	2.5	3.6	5.2	7.1	9.3	12.8	23.0	6.3	11.6	15.4	
0.0	0.1	0.2	0.6	0.5	1.6	2.0	2.7	3.2	4.4	7.9	17.1	17.1	4.2	8.5	9.7	
0.1	0.1	0.2	0.5	1.0	1.9	3.0	4.3	6.5	8.9	10.2	15.4	25.4	7.7	13.3	18.1	
0.0	0.2	0.3	0.8	1.4	2.4	3.9	7.1	18.7	44.9	128.9	298.0	613.8	60.3	224.0	378.0	
0.1	0.2	0.4	0.8	1.8	3.4	4.9	7.6	21.2	49.6	130.0	289.1	535.5	53.7	204.4	345.0	
-	0.1	0.2	0.8	1.0	1.4	3.0	6.8	17.0	41.8	128.3	302.4	644.6	64.8	234.7	393.5	
-	0.1	0.2	0.6	1.2	2.0	3.3	6.0	15.7	36.9	100.8	221.1	426.0	46.3	166.5	273.1	
-	0.1	0.3	0.7	1.6	2.9	4.2	6.1	17.2	40.4	99.1	218.9	384.2	41.4	153.5	256.5	
-	0.1	0.2	0.6	0.8	1.2	2.6	6.0	14.7	34.6	101.8	222.2	442.5	49.5	173.6	280.8	
0.0	0.1	0.0	0.2	0.2	0.4	0.6	1.1	3.0	8.0	28.2	76.9	187.7	14.0	57.5	105.0	
0.1	0.1	0.1	0.2	0.2	0.6	0.7	1.5	4.0	9.2	30.9	70.2	151.3	12.2	50.9	88.5	
-	0.0	-	0.1	0.2	0.2	0.5	0.8	2.3	7.1	26.5	80.3	202.1	15.2	61.1	112.7	
0.9	2.2	4.0	8.2	16.2	27.7	50.2	86.6	174.6	317.7	566.1	909.3	1 357.6	284.8	740.6	1 023.4	
1.4	3.7	6.5	13.2	26.3	44.3	75.5	129.7	241.9	415.1	679.5	1 085.7	1 507.9	342.5	853.7	1 183.2	
0.4	0.7	1.6	3.3	6.3	11.8	27.										

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

(简单分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan) : Japan, 1989 - con.

平成元年

简单分類番号 117 rubrics ^{a)} list code	死因・性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years												
			1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29		
54	心内膜の慢性疾患 M. F.	総数 T.	3.1	-	-	-	-	-	-	-	0.0	0.1	0.1	0.0	
		男 M.	2.5	-	-	-	-	-	-	-	-	0.0	0.0	0.0	
		女 F.	3.8	-	-	-	-	-	-	-	-	0.1	0.1	0.0	
55	心不全 M. F.	総数 T.	74.7	12.0	3.7	2.0	1.2	0.8	1.9	3.8	0.6	0.6	1.5	2.8	4.6
		男 M.	73.3	14.1	4.5	1.7	1.4	0.7	2.0	4.3	0.6	0.8	1.9	4.0	6.5
		女 F.	76.1	9.9	2.8	2.3	1.0	0.9	1.7	3.3	0.5	0.4	1.1	1.4	2.7
56	その他の心疾患 M. F.	総数 T.	9.3	4.5	1.3	0.7	0.5	0.6	0.8	1.5	0.3	0.4	0.7	0.8	0.9
		男 M.	10.0	4.8	1.5	0.7	0.6	1.0	0.9	1.7	0.2	0.5	0.9	1.0	1.3
		女 F.	8.5	4.1	1.1	0.8	0.4	0.1	0.6	1.3	0.4	0.4	0.5	0.7	0.5
58-60	脳血管疾患 M. F.	総数 T.	98.5	3.0	0.5	0.1	0.1	0.2	0.2	0.8	0.3	0.2	0.4	0.8	1.3
		男 M.	94.6	3.7	0.7	0.1	0.1	0.4	0.4	1.0	0.4	0.3	0.5	1.0	1.6
		女 F.	102.3	2.3	0.3	0.2	-	-	0.1	0.5	0.2	0.2	0.4	0.5	0.9
58	脳出血 M. F.	総数 T.	25.5	2.5	0.5	0.1	-	0.2	0.2	0.6	0.2	0.2	0.3	0.4	0.7
		男 M.	27.8	3.3	0.7	0.1	-	0.4	0.3	0.9	0.3	0.2	0.3	0.5	0.8
		女 F.	23.3	1.6	0.2	0.2	-	-	0.1	0.4	0.2	0.1	0.2	0.3	0.5
59	脳梗塞 M. F.	総数 T.	51.3	0.1	-	-	-	-	-	0.0	-	0.0	0.0	0.1	0.0
		男 M.	49.0	-	-	-	-	-	-	-	-	0.0	0.0	0.1	0.1
		女 F.	53.4	0.2	-	-	-	-	-	0.0	-	0.0	0.0	0.0	0.0
60	その他の脳血管疾患 M. F.	総数 T.	21.7	0.5	0.1	-	0.1	-	0.0	0.1	0.1	0.1	0.2	0.3	0.5
		男 M.	17.8	0.5	-	-	0.1	-	0.0	0.1	0.1	0.1	0.2	0.4	0.7
		女 F.	25.6	0.5	0.2	-	-	-	0.0	0.1	0.0	0.1	0.1	0.2	0.4
61	循環系のその他の疾患 M. F.	総数 T.	6.2	0.3	0.1	0.1	-	0.1	0.1	0.1	0.0	0.1	0.1	0.2	
		男 M.	7.1	0.6	-	0.1	-	-	0.0	0.1	0.1	0.1	0.1	0.2	
		女 F.	5.3	-	0.2	-	-	0.1	0.1	0.1	0.1	-	0.1	0.1	
62	急性気管支炎 M. F.	総数 T.	0.9	0.5	0.3	0.1	-	-	0.1	0.2	0.0	0.0	0.0	-	
		男 M.	0.9	0.8	0.4	-	-	-	0.1	0.2	0.0	0.1	0.0	-	
		女 F.	0.9	0.2	0.2	0.2	-	-	0.1	0.1	0.0	0.0	-	-	
63	肺炎 M. F.	総数 T.	48.1	11.6	4.2	2.5	1.1	1.1	2.2	4.0	0.6	0.5	0.6	0.8	1.2
		男 M.	55.6	12.3	3.9	2.9	1.4	1.2	2.3	4.2	0.7	0.6	0.7	0.7	1.5
		女 F.	40.9	10.9	4.6	2.1	0.7	1.0	2.1	3.7	0.5	0.5	0.4	1.0	1.0
64	インフルエンザ M. F.	総数 T.	0.1	0.1	0.1	-	-	0.1	0.0	0.0	-	-	0.0	0.0	0.1
		男 M.	0.1	0.2	-	-	-	0.1	0.0	0.1	-	-	0.0	0.0	-
		女 F.	0.1	-	0.2	-	-	-	0.0	0.0	-	-	0.0	-	-
66-68	気管支炎、肺炎腫及び喘息 M. F.	総数 T.	11.4	1.4	1.0	1.2	0.5	0.3	0.7	0.9	0.3	0.6	0.8	1.0	0.9
		男 M.	15.1	2.2	1.0	1.0	0.4	0.3	0.7	1.0	0.3	0.7	1.0	1.4	1.2
		女 F.	7.9	0.5	0.9	1.4	0.6	0.3	0.8	0.7	0.2	0.4	0.5	0.5	0.5
66	気管支炎 M. F.	総数 T.	3.6	0.8	0.2	0.1	-	0.1	0.2	0.1	0.0	0.1	0.0	0.0	
		男 M.	4.5	1.1	0.1	-	-	0.0	0.2	0.1	0.1	0.0	0.1	0.0	
		女 F.	2.8	0.5	0.3	0.3	-	0.1	0.2	0.2	0.1	0.0	0.1	0.1	
67	肺炎腫 M. F.	総数 T.	3.0	-	-	0.1	-	-	0.0	0.0	-	-	0.0	-	
		男 M.	5.1	-	-	0.1	-	-	0.0	0.0	-	-	0.0	-	
		女 F.	1.0	-	-	-	-	-	-	-	-	-	-	-	
68	喘息 M. F.	総数 T.	4.7	0.6	0.8	1.0	0.5	0.2	0.6	0.6	0.2	0.5	0.7	0.9	0.8
		男 M.	5.5	1.1	0.9	0.9	0.4	0.3	0.6	0.7	0.2	0.6	1.0	1.3	1.2
		女 F.	4.0	-	0.6	1.1	0.6	0.1	0.6	0.5	0.1	0.4	0.4	0.5	0.5
69	胃及び十二指腸潰瘍 M. F.	総数 T.	3.0	0.2	-	-	-	0.1	0.0	0.1	0.0	0.0	0.1	0.1	
		男 M.	3.3	0.3	-	-	-	-	0.1	0.0	0.1	0.1	0.1	0.2	
		女 F.	2.7	0.2	-	-	-	0.1	0.0	0.1	0.0	-	0.0	0.0	
70	虫垂炎 M. F.	総数 T.	0.1	-	-	-	-	-	-	-	-	0.0	0.0	-	0.0
		男 M.	0.1	-	-	-	-	-	-	-	-	0.0	0.0	-	0.1
		女 F.	0.1	-	-	-	-	-	-	-	-	-	-	-	-
71	腹腔ヘルニア及び腸閉塞 M. F.	総数 T.	2.4	1.4	0.1	0.1	-	0.1	0.3	0.1	0.0	0.0	0.1	0.2	
		男 M.	2.2	1.9	0.1	0.3	-	-	0.4	0.1	0.0	0.0	0.0	0.3	
		女 F.	2.6	0.8	-	-	-	0.1	0.0	0.2	0.0	-	0.1	0.1	

注: 1) 0歳は出生10万対の死亡率である。

		平成元年																
		30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~	
54	心内膜の慢性疾患 M. F.	0.1	0.2	0.3	0.8	1.1	2.5	3.9	7.3	12.6	25.6	41.3	70.9	109.7	22.1	56.4	80.8	
		0.1	0.4	0.4	1.0	1.1	2.5	3.7	6.9	13.7	25.6	38.9	66.8	89.5	20.0	50.4	72.1	
		0.1	0.1	0.3	0.7	1.1	2.5	4.1	7.6	11.8	25.6	42.8	72.9	117.6	23.4	59.7	84.8	
55	心不全 M. F.	5.7	7.9	11.8	18.2	29.4	43.3	68.2	115.2	244.4	512.2	1 105.8	2 112.7	3 997.0	535.1	1 672.6	2 590.6	
		8.0	11.5	17.5	27.0	43.4	63.0	95.5	155.8	315.4	630.6	1 290.2	2 431.7	4 317.1	584.2	1 833.3	2 860.3	
		3.3	4.3	6.0	9.5	15.7	24.4	43.3	85.8	194.5	433.7	996.2	1 953.8	3 871.0	502.3	1 585.2	2 464.1	
56	その他の心疾患 M. F.	0.9	1.4	2.1	3.2	4.8	7.6	11.3	18.7	33.9	62.2	117.3	211.9	319.0	60.0	163.8	239.2	
		1.2	1.9	2.7	4.3	6.7	10.2	16.1	26.2	47.1	81.7	148.8	268.3	426.3	73.5	202.6	304.4	
		0.6	0.9	1.5	2.2	2.9	5.1	6.9	13.3	24.6	49.3	98.6	183.8	276.7	51.0	142.7	208.6	
58-60	脳血管疾患 M. F.	2.7	6.8	14.9	26.4	44.5	70.2	102.2	174.9	351.4	730.8	1 469.4	2 650.3	3 978.1	701.6	2 049.1	2 988.2	
		3.5	8.4	19.3	34.3	57.9	95.4	135.0	226.5	446.4	892.2	1 702.6	2 923.8	4 085.5	764.0	2 217.8	3 192.1	
		1.8	5.2	10.5	18.7	31.4	45.9	72.3	137.5	284.5	623.8	1 330.8	2 514.1	3 935.8	660.0	1 957.4	2 892.6	
58	脳出血 M. F.	1.1	2.9	7.1	13.3	23.6	34.3	44.6	61.2	101.0	171.0	287.2	428.5	466.9	149.6	345.0	438.6	
		1.6	4.0	10.2	19.4	33.4	50.1	64.1	82.2	130.6	206.2	322.4	466.8	505.3	170.9	375.8	476.8	
		0.6	1.9	4.0	7.3	14.0	19.1	26.8	46.0	80.2	147.7	266.4	409.4	451.8	135.4	328.3	420.7	
59	脳梗塞 M. F.	0.2	0.4	1.0	2.4	5.5	14.3	30.7	74.2	183.9	426.6	918.5	1 674.5	2 531.6	413.0	1 290.3	1 892.6	
		0.3	0.5	1.3	3.2	7.5	21.0	43.8	108.2	254.0	554.0	1 118.5	2 685.5	4 469.6	696.6	2 152.7	3 084.7	
		0.2	0.3	0.8	1.6	3.6	7.9	18.7	49.6	134.5	342.2	799.6	1 560.0	2 471.0	375.2	1 202.0	1 802.5	
60	その他の脳血管疾患 M. F.	1.3	3.5	6.8	10.7	15.4	21.5	26.9	39.4	66.5	133.2	263.7	547.3	979.6	139.0	413.8	657.0	
		1.6	3.9	7.8	11.7	16.9	24.2	27.1	36.1	61.8	132.1	261.7	552.5	894.7	123.4	389.3	630.6	
		1.0	3.1	5.8	9.7	13.8	18.9	26.8	41.9	69.8	133.8	264.8	544.7	1 013.0	149.4	427.1	669.4	
61	循環系のその他の疾患 M. F.	0.3	0.5	0.8	1.2	2.5	4.3	7.8	13.4	25.1	44.7	79.6	150.1	284.8	43.6	119.5	184.2	
		0.2	0.7	1.3	2.0	3.7	6.5	11.9	21.3	37.4	68.7	114.0	192.5	309.2	57.5	150.4	219.1	
		0.3	0.2	0.4	0.5	1.2	2.2	4.1	7.6	16.4	28.8	59.1	128.9	275.1	34.3	102.8	167.9	
62	急性気管支炎 M. F.	0.1	0.0	0.1	0.1	0.1	0.2	0.3	0.7	1.6	5.3	14.1	38.0	86.6	7.2	28.0	50.3	
		0.1	0.0	0.1	0.1	0.1	0.2	0.4	0.8	2.1	7.8	19.9	48.7	106.6	8.4	34.4	61.8	
		0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.6	1.3	3.6	10.7	32.7	78.8	6.4	24.5	45.0	
63	肺炎 M. F.	0.9	1.5	2.0	3.2	6.8	13.3	27.1	60.9	161.5	377.9	831.7	1 584.1	2 750.6				

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

簡 単 分 類 番 号 117 rubrics ^{a)} list code	死 因 ・ 性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years												
			1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29		
72	胃炎, 十二指腸炎及 び慢性胃腸炎	総数T. 0.6	-	-	-	-	-	-	-	-	-	0.0	0.1	0.1	
	男 M.	0.5	-	-	-	-	-	-	-	-	-	0.0	-	0.2	
	女 F.	0.7	-	-	-	-	-	-	-	-	-	0.0	0.1	0.0	
73	慢性肝疾患及び肝硬 変	総数T. 13.6	0.1	-	-	-	-	-	0.0	-	-	0.0	0.1	0.2	
	男 M.	18.9	-	-	-	-	-	-	-	-	-	0.0	0.1	0.3	
	女 F.	8.6	0.2	-	-	-	-	-	0.0	-	-	0.0	0.1	0.2	
74	肝疾患(肝硬変を除 く)	総数T. 2.5	1.4	0.5	0.3	-	-	0.2	0.4	0.1	0.0	0.1	0.1	0.2	
	男 M.	3.0	1.6	0.4	0.3	-	-	0.2	0.4	0.2	0.0	0.1	0.1	0.2	
	女 F.	2.0	1.2	0.5	0.3	-	-	0.2	0.4	0.1	0.0	0.0	0.1	0.1	
76-77	腎炎, ネフローゼ症 候群及びネフローゼ	総数T. 13.4	7.2	0.3	0.1	0.1	0.2	0.2	1.5	0.1	0.1	0.1	0.3	0.3	
	男 M.	13.3	8.1	0.4	0.1	-	0.1	0.2	1.7	0.2	0.1	0.1	0.2	0.4	
	女 F.	13.5	6.3	0.2	0.2	0.3	0.3	0.2	1.3	0.1	0.1	0.1	0.3	0.2	
76	急性糸球体腎炎及 びネフローゼ症候 群	総数T. 3.0	2.8	0.2	-	0.1	0.1	0.1	0.6	0.1	0.1	0.0	0.1	0.1	
	男 M.	3.0	2.7	0.4	-	-	0.1	0.1	0.6	0.2	0.1	0.1	0.0	0.1	
	女 F.	3.0	3.0	-	-	0.1	-	0.0	0.6	0.1	0.1	0.0	0.1	0.1	
77	そ の 他	総数T. 10.4	4.4	0.1	0.1	0.1	0.1	0.1	0.9	0.0	0.0	0.1	0.2	0.2	
	男 M.	10.3	5.5	-	0.1	-	-	0.0	1.0	0.0	0.0	0.1	0.2	0.3	
	女 F.	10.5	3.3	0.2	0.2	0.1	0.3	0.2	0.8	0.0	0.0	0.1	0.2	0.2	
78	前立腺肥大症 ³⁾ M.	0.4	-	-	-	-	-	-	-	-	-	-	-	-	
79	直接産科的死亡 ²⁾ F.	0.2	-	-	-	-	-	-	-	-	0.1	0.3	0.9	-	
80	間接産科的死亡 ²⁾ F.	0.0	-	-	-	-	-	-	-	-	0.0	0.0	0.1	-	
81	先 天 異 常	総数T. 2.9	165.2	14.2	8.0	3.5	3.5	7.2	36.6	1.6	0.8	0.7	0.6	0.6	
	男 M.	3.0	165.2	14.3	8.5	2.8	3.9	7.3	36.7	1.5	0.9	0.9	0.8	0.7	
	女 F.	2.8	165.3	14.1	7.5	4.2	3.0	7.1	36.5	1.7	0.7	0.6	0.5	0.5	
82	出産時外傷, 低酸素 症, 分娩仮死及びそ の他の呼吸器病態	総数T. 1.1	101.3	1.7	0.7	0.4	0.1	0.7	19.4	0.0	0.0	-	-	-	
	男 M.	1.2	111.2	2.2	0.6	0.7	0.1	0.9	21.4	0.1	0.0	-	-	-	
	女 F.	0.9	90.9	1.1	0.8	-	-	0.5	17.3	-	-	-	-	-	
84-87	その他の周産期の死 因	総数T. 0.4	43.9	0.2	-	0.1	-	0.1	8.2	-	-	-	-	-	
	男 M.	0.5	44.8	-	-	-	-	-	8.3	-	-	-	-	-	
	女 F.	0.4	42.9	0.3	-	0.1	-	0.1	8.1	-	-	-	-	-	
84	新生児破傷風	総数T. -	-	-	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
85	新生児カンジダ感 染	総数T. 0.0	0.1	-	-	-	-	-	0.0	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	0.0	0.2	-	-	-	-	-	0.0	-	-	-	-	-	
86	新生児敗血症	総数T. 0.1	6.1	-	-	-	-	-	1.1	-	-	-	-	-	
	男 M.	0.1	6.7	-	-	-	-	-	1.3	-	-	-	-	-	
	女 F.	0.1	5.4	-	-	-	-	-	1.0	-	-	-	-	-	
87	そ の 他	総数T. 0.4	37.7	0.2	-	0.1	-	0.1	7.1	-	-	-	-	-	
	男 M.	0.4	38.1	-	-	-	-	-	7.1	-	-	-	-	-	
	女 F.	0.4	37.3	0.3	-	0.1	-	0.1	7.0	-	-	-	-	-	
88	精神病の記載のない 老衰	総数T. 19.4	-	-	-	-	-	-	-	-	-	-	-	-	
	男 M.	13.1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	25.5	-	-	-	-	-	-	-	-	-	-	-	-	
89	その他のすべての疾 患	総数T. 33.3	44.8	8.3	4.2	2.3	1.3	4.0	11.6	1.0	0.9	1.9	2.4	2.5	
	男 M.	35.4	48.9	10.1	3.6	2.8	1.2	4.4	12.7	1.2	1.2	2.7	3.3	2.7	
	女 F.	31.3	40.4	6.3	4.9	1.8	1.4	3.5	10.4	0.8	0.6	1.2	1.4	2.3	

注: 1) 0歳は出生10万対の死亡率である。
2) 女子人口10万対の死亡率である。
3) 男子人口10万対の死亡率である。

(简单分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan) : Japan, 1989-con.

平成元年

		30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
72	胃炎, 十二指腸炎及 び慢性胃腸炎	0.1	0.0	0.1	0.1	0.1	0.4	0.2	0.8	1.3	2.6	7.9	22.0	59.1	4.4	16.8	31.4
	男 M.	0.1	0.0	0.1	0.2	0.1	0.4	0.1	0.6	1.6	2.7	8.7	22.3	65.8	4.1	16.8	32.1
	女 F.	0.0	0.1	0.0	0.1	0.1	0.3	0.3	0.8	1.2	2.5	7.4	21.8	56.5	4.7	16.9	31.0
73	慢性肝疾患及び肝硬 変	0.9	2.6	6.3	13.4	24.0	38.0	37.0	38.9	47.1	56.2	65.3	81.8	83.6	51.0	71.8	82.3
	男 M.	1.5	4.3	10.8	23.4	40.0	62.5	55.2	53.9	60.5	72.5	83.7	124.2	126.3	67.0	98.0	125.0
	女 F.	0.2	0.9	1.9	3.6	8.2	14.3	20.4	28.1	37.8	45.4	54.3	60.7	66.8	40.3	57.6	62.3
74	肝疾患(肝硬変を除 く)	0.3	0.6	0.8	1.2	2.3	3.7	4.2	6.0	9.3	15.1	25.6	36.1	44.2	13.5	30.4	38.2
	男 M.	0.4	0.8	1.2	2.0	3.5	5.3	6.4	8.4	13.3	18.8	34.4	50.9	55.3	17.4	40.5	52.1
	女 F.	0.2	0.3	0.4	0.5	1.1	2.3	2.2	4.3	6.5	12.7	20.3	28.8	39.9	10.9	24.9	31.7
76-77	腎炎, ネフローゼ症 候群及びネフローゼ	0.6	1.0	1.3	2.7	5.1	8.2	13.9	25.2	51.2	106.5	206.0	338.8	485.1	96.7	270.9	376.1
	男 M.	0.7	1.2	1.6	3.5	6.7	10.4	17.9	32.4	65.3	131.8	251.6	411.3	646.1	111.9	325.4	465.0
	女 F.	0.5	0.8	0.9	1.9	3.6	6.1	10.2	19.9	41.2	89.8	178.9	302.6	421.8	86.6	241.3	334.3
76	急性糸球体腎炎及 びネフローゼ症候 群	0.2	0.2	0.3	0.6	1.0	1.8	3.2	5.4	10.7	24.0	46.2	76.7	116.7	21.6	61.7	86.9
	男 M.	0.2	0.2	0.4	0.8	1.2	2.5	4.2	6.6	13.3	29.5	54.9	100.8	160.5	24.9	75.5	114.4
	女 F.	0.1	0.2	0.2	0.3	0.9	1.1	2.2	4.5	8.8	20.3	41.0	64.7	99.5	19.4	54.2	73.9
77	そ の 他	0.4	0.8	1.0	2.1	4.1	6.4	10.7	19.8	40.5	82.5	159.8	262.1	368.4	75.1	209.2	289.2
	男 M.	0.5	1.0	1.3	2.7	5.4	7.9	13.6	25.8	52.0	102.3	196.7	310.6	485.5	87.0	249.9	350.6
	女 F.	0.4	0.6	0.7	1.6	2.8	5.0	8.0	15.5	32.4	69.4	137.9	238.0	322.3	67.2	187.1	260.4
78	前立腺肥大症 ³⁾ M.	-	-	-	-	-	-	-	0.3	0.9	2.5	9.2	24.5	61.8	3.9	17.4	32.9
79	直接産科的死亡 ²⁾ F.	0.6	0.7	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-
80	間接産科的死亡 ²⁾ F.	0.2	0.1	0.0	-	-	-	-	-	-	-	-	-	-	-	-	-
81	先 天 異 常	0.4	0.5	0.5	0.5	0.8	0.9	0.9	1.7	1.8	3.1	2.3	2.8	3.3	2.2	2.5	2.9
	男 M.	0.5	0.6	0.5	0.5	0.7	0.8	0.8	1.0	1.7	3.1	2.6	4.2	1.3	2.2	3.0	3.5
	女 F.	0.3	0.5	0.4	0.5	0.9	0.9	0.8	1.7	1.9	3.1	2.0	2.1	4.1	2.2	2.3	2.6
82	出産時外傷, 低酸素 症, 分娩仮死及びそ の他の呼吸器病態	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84-87	その他の周産期の死 因	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
84	新生児破傷風	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	新生児カンジダ感 染	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	新生児敗血症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87	そ の 他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
88	精神病の記載のない 老衰	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89	その他のすべての疾 患	3.1	4.1	5.6	8.4	14.5	24.1	39.4	66.7	131.7							

死亡

Death

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

(简单分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan) : Japan, 1989-con.

平成元年

简单分類番号 117 rubrics ^{a)} list code	死因・性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years	年齢別死亡率 (人口10万対)										
				1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
91-101	損傷及び中毒	総数T. 45.4	39.5	24.3	15.6	14.8	11.3	16.4	20.7	8.4	5.0	29.9	36.6	30.2
	男 M.	61.4	44.8	26.6	19.9	18.8	13.7	19.6	24.3	11.2	6.5	46.3	56.1	45.5
	女 F.	29.8	33.8	22.0	11.1	10.6	8.8	13.0	16.8	5.4	3.4	12.7	16.2	14.5
91	頭蓋骨折	総数T. 4.9	1.0	1.9	2.6	2.5	1.8	2.2	2.0	1.3	1.0	6.5	7.1	4.8
	男 M.	7.3	0.9	2.1	2.9	3.3	2.1	2.6	2.3	1.9	1.3	9.9	10.7	7.4
	女 F.	2.6	1.2	1.7	2.3	1.6	1.4	1.8	1.7	0.7	0.7	3.0	3.4	2.1
92	その他の骨の骨折	総数T. 2.6	0.2	0.1	0.5	0.4	0.1	0.3	0.3	0.2	0.1	2.5	2.6	1.6
	男 M.	3.0	0.3	0.2	0.9	0.6	0.4	0.4	0.3	0.2	0.2	3.9	4.0	2.4
	女 F.	2.2	0.3	0.2	0.2	0.1	0.3	0.2	0.2	0.2	0.1	1.1	1.2	0.7
93	頭蓋内損傷 (頭蓋骨折を伴うものを除く)	総数T. 6.6	3.3	2.4	2.7	3.0	2.0	2.5	2.6	1.9	1.1	7.6	6.9	4.0
	男 M.	9.6	3.7	3.3	3.9	4.1	1.9	3.3	3.4	2.6	1.4	11.9	10.7	6.1
	女 F.	3.7	2.8	1.4	1.4	1.8	2.0	1.7	1.9	1.2	0.7	3.0	2.9	1.8
94	胸、腹及び骨盤の 内部損傷	総数T. 3.7	0.2	0.7	0.5	1.2	1.1	0.9	0.8	0.7	0.2	5.1	5.3	3.3
	男 M.	5.8	0.3	0.9	0.9	1.4	1.1	1.1	0.9	1.0	0.3	8.6	8.4	5.0
	女 F.	1.6	0.2	0.5	0.2	1.0	1.2	0.7	0.6	0.5	0.2	1.5	2.0	1.4
95	開放創	総数T. 0.8	0.2	0.2	0.4	0.1	0.1	0.2	0.2	0.1	0.1	0.2	0.6	0.6
	男 M.	1.1	0.5	0.6	0.6	0.1	0.1	0.2	0.3	0.1	0.1	0.2	0.9	0.8
	女 F.	0.5	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4
96	熱傷	総数T. 1.8	0.6	1.1	0.8	0.7	0.6	0.8	0.8	0.5	0.2	0.4	1.1	1.1
	男 M.	2.2	0.6	0.7	0.7	0.7	0.7	0.7	0.7	0.4	0.2	0.5	1.5	1.5
	女 F.	1.4	0.7	1.4	0.9	0.6	0.6	0.9	0.8	0.6	0.3	0.2	0.6	0.7
97	神経及び脊髄の損傷	総数T. 0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.3	0.4	0.1
	男 M.	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.6	0.2
	女 F.	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.2	0.2	0.1
98	中毒及び毒作用	総数T. 3.1	0.2	0.3	0.2	0.5	0.1	0.3	0.3	0.3	0.2	0.8	1.9	3.1
	男 M.	4.2	0.2	0.6	0.3	0.4	0.1	0.3	0.3	0.3	0.3	0.9	2.7	4.6
	女 F.	2.1	0.3	0.2	0.2	0.6	0.3	0.3	0.3	0.3	0.1	0.7	1.1	1.6
99	溺死	総数T. 5.0	2.0	13.4	4.7	3.6	4.0	6.3	5.5	2.4	0.8	1.7	2.6	2.2
	男 M.	6.1	3.1	14.8	6.1	4.4	6.4	7.8	6.9	3.4	1.2	2.6	4.0	3.4
	女 F.	3.9	0.8	12.0	3.2	2.8	1.6	4.8	4.0	1.3	0.4	0.8	1.1	1.0
100	窒息及び絞首	総数T. 10.4	16.6	1.3	0.9	1.2	0.4	0.9	3.8	0.3	0.6	2.0	4.6	6.7
	男 M.	13.4	20.1	1.2	1.4	1.3	0.4	1.1	4.6	0.5	0.8	2.9	7.0	9.7
	女 F.	7.6	12.9	1.4	0.3	1.0	0.3	0.8	3.0	0.1	0.4	1.1	2.1	3.5
101	その他の損傷	総数T. 6.0	14.9	3.0	2.1	1.7	1.0	1.9	4.3	0.6	0.5	2.7	3.6	2.9
	男 M.	8.2	15.1	3.0	2.2	2.4	1.0	2.1	4.5	0.7	0.6	4.2	5.6	4.3
	女 F.	4.0	14.7	3.0	2.1	0.9	1.0	1.7	4.1	0.4	0.4	1.1	1.5	1.3
E104-E117	損傷及び中毒の外因	総数T. 45.4	39.5	24.3	15.6	14.8	11.3	16.4	20.7	8.4	5.0	29.9	36.6	30.2
	男 M.	61.4	44.8	26.6	19.9	18.8	13.7	19.6	24.3	11.2	6.5	46.3	56.1	45.5
	女 F.	29.8	33.8	22.0	11.1	10.6	8.8	13.0	16.8	5.4	3.4	12.7	16.2	14.5
E104-E114	不慮の事故及び有害作用	総数T. 25.4	31.8	22.1	14.0	13.0	10.1	14.7	17.8	7.5	3.6	24.3	23.5	13.2
	男 M.	36.3	36.5	24.5	17.6	16.5	12.0	17.5	21.1	10.1	4.8	39.5	38.8	22.2
	女 F.	14.8	26.7	19.6	10.2	9.3	8.0	11.6	14.4	4.9	2.4	8.3	7.5	3.9
E104	自動車事故	総数T. 11.9	2.4	3.1	4.7	6.3	4.0	4.6	4.2	3.8	1.8	21.6	19.7	9.2
	男 M.	17.6	2.3	3.1	5.8	8.2	3.7	5.2	4.7	4.9	2.2	35.0	32.2	15.5
	女 F.	6.3	2.5	3.2	3.7	4.3	4.2	3.9	3.6	2.5	1.3	7.4	6.5	2.7
E105	自動車事故以外の 交通事故	総数T. 0.9	0.1	0.6	1.0	0.5	0.7	0.7	0.6	0.3	0.3	0.5	0.3	0.4
	男 M.	1.5	0.2	1.0	1.6	0.7	1.2	1.1	1.0	0.4	0.4	0.7	0.5	0.8
	女 F.	0.4	0.2	0.2	0.5	0.3	0.1	0.3	0.2	0.1	0.1	0.2	0.1	0.1
E106	不慮の中毒	総数T. 0.5	0.1	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.4
	男 M.	0.6	0.1	0.1	0.3	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.5	0.6
	女 F.	0.3	0.1	0.1	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2

注: 1) 0歳は出生10万対の死亡率である。

																	平成元年		
30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~				
27.2	31.2	35.0	44.8	53.8	60.8	61.5	72.0	106.5	149.7	210.0	281.1	378.4	131.0	246.6	305.9				
40.8	46.3	51.6	66.8	80.6	90.0	87.9	100.7	146.3	202.0	284.3	366.8	467.1	171.4	321.0	390.3				
13.3	15.9	18.4	23.0	27.4	32.6	37.3	51.1	78.5	115.0	165.8	238.3	343.5	104.0	206.1	266.3				
3.3	3.3	3.8	5.0	5.7	6.7	6.1	6.9	8.4	10.2	12.2	12.3	11.9	9.0	12.2	12.2				
5.0	5.3	5.9	8.0	8.9	10.7	9.5	10.5	12.4	13.5	18.7	21.9	21.1	13.2	19.7	21.8				
1.5	1.3	1.7	2.0	2.5	3.0	3.0	4.2	5.6	8.0	8.3	7.5	8.3	6.2	8.1	7.7				
1.3	1.3	1.3	1.6	1.8	2.4	2.8	3.4	4.5	8.9	19.2	40.9	110.8	10.9	34.3	58.6				
2.0	1.7	1.7	2.3	2.9	3.6	3.8	5.0	5.9	9.8	19.9	33.6	76.3	10.2	28.0	43.2				
0.6	0.8	0.8	0.9	0.7	1.2	1.9	2.3	3.5	8.2	18.9	44.5	124.4	11.3	37.7	65.8				
3.0	3.5	3.9	5.1	7.0	8.4	9.4	11.5	17.8	24.7	27.6	32.5	28.6	19.3	29.1	31.5				
4.6	5.4	5.9	8.1	11.0	13.4	14.2	17.3	27.7	37.9	45.3	49.8	40.8	29.2	46.2	47.9				
1.3	1.5	2.0	2.2	3.1	3.5	5.1	7.3	10.8	15.9	17.1	23.9	23.8	12.6	19.8	23.9				
2.7	3.2	2.8	4.1	5.1	5.4	4.5	4.6	6.2	6.6	7.5	5.9	8.6	5.9	7.1	6.6				
4.6	5.0	4.6	6.5	8.5	8.9	7.1	7.8	9.6	10.4	11.8	7.9	18.4	9.4	11.3	10.3				
0.9	1.3	0.9	1.8	1.8	2.1	2.1	2.4	3.9	4.2	4.9	4.9	4.7	3.7	4.9	4.8				
0.6	0.8	1.1	1.4	1.4	1.3	1.3	1.2	0.8	1.6	1.7	0.9	1.5	1.2	1.5	1.0				
0.9	1.3	1.5	2.0	2.0	2.1	1.8	1.4	1.1	2.0	2.0	1.1	1.3	1.5	1.7	1.2				
0.4	0.4	0.6	0.7	0.8	0.6	0.8	1.1	0.7	1.3	1.6	0.8	1.6	1.1	1.3	1.0				
1.4	1.4	1.7	2.5	1.9	2.3	2.1	2.4	3.6	5.3	9.5	14.3	18.2	5.2	11.7	15.3				
1.6	1.6	2.3	3.1	2.5	2.9	3.1	3.5	5.5	7.4	14.0	20.4	31.6	7.1	17.1	22.9				
1.1	1.3	1.1	2.0	1.4	1.7	1.2	1.7	2.3	4.0	6.8	11.3	13.0	3.8	8.8	11.7				
0.2	0.2	0.1	0.3	0.4	0.4	0.7	0.7	0.9	1.4	1.4	1.5	0.7	1.0	1.4	1.3				
0.3	0.3	0.2	0.5	0.6	0.7	1.3	1.2	1.7	2.5	3.3	3.0	3.3	1.9	3.1	2.6				
0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.4	0.7	0.4	0.8	0.5	0.4	0.5	0.7				
3.5	3.2	3.7	4.5	4.6	5.2	4.3	4.6	5.8	6.5	7.7	7.9	7.4	5.9	7.7	7.8				
5.2	5.1	5.5	6.7	6.3	7.4	5.3	5.8	6.8	8.0	9.8	11.7	6.6	7.3	10.1	10.6				
1.8	1.3	2.0	2.3	2.9	3.2	3.4	3.8	5.1	5.5	6.4	6.0	7.8	5.0	6.4	6.5				
2.7	3.4	4.0	4.8	5.4	5.8	6.5	7.5	12.9	19.6	26.1	34.8	30.5	15.6	29.0	33.7				
4.0	4.5	5.4	6.6	7.7	7.7	8.5	10.1	14.3	19.4	29.4	39.6	39.5	17.0	33.0	39.7				
1.4	2.2	2.6	3.0	3.1	4.1	4.8	5.7	11.8	19.7	24.2	32.3	26.9	14.6						

死亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

簡 単 分類番号 117 rubrics ^{a)} list code	死 因 ・ 性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years												
			1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29		
E107	不慮の墜落	総数T. 3.4	1.1	1.2	1.0	0.5	0.5	0.8	0.9	0.3	0.2	0.3	0.5	0.7	
	男 M.	4.5	1.7	1.8	1.6	0.8	0.4	1.1	1.3	0.5	0.4	0.5	0.9	1.2	
	女 F.	2.3	0.5	0.6	0.5	0.1	0.6	0.5	0.5	0.1	0.1	0.1	0.0	0.2	
E108	火災及び火焔による不慮の事故	総数T. 0.9	0.4	0.6	0.7	0.6	0.4	0.6	0.6	0.4	0.2	0.2	0.2	0.3	
	男 M.	1.1	0.2	0.9	0.9	0.4	0.4	0.6	0.6	0.4	0.2	0.3	0.3	0.4	
	女 F.	0.7	0.7	0.3	0.6	0.7	0.4	0.5	0.6	0.5	0.3	0.1	0.1	0.1	
E109	天 災	総数T. 0.0	—	0.2	—	—	—	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	男 M.	0.0	—	0.3	—	—	—	0.1	0.1	—	0.0	—	0.1	0.1	
	女 F.	0.0	—	—	—	—	—	—	—	0.0	0.0	0.0	—	—	
E110	不慮の溺死	総数T. 2.5	1.6	12.4	4.1	3.1	3.2	5.6	4.9	2.0	0.6	0.8	1.1	0.8	
	男 M.	3.3	2.7	13.7	5.5	3.5	5.0	6.8	6.1	2.9	0.9	1.4	1.9	1.4	
	女 F.	1.6	0.5	11.1	2.7	2.5	1.3	4.3	3.6	1.1	0.3	0.1	0.2	0.3	
E111	不慮の機械的窒息	総数T. 2.7	25.0	2.6	1.3	0.9	0.6	1.3	5.7	0.3	0.1	0.1	0.2	0.2	
	男 M.	3.5	27.9	2.2	1.2	1.6	0.7	1.4	6.3	0.3	0.2	0.2	0.2	0.2	
	女 F.	2.0	21.9	3.0	1.4	0.3	0.6	1.3	5.1	0.2	0.1	0.0	0.1	0.1	
E112	不慮の打撲	総数T. 0.4	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.2	
	男 M.	0.6	0.3	0.1	0.1	—	0.3	0.1	0.2	0.1	0.1	0.3	0.4	0.4	
	女 F.	0.1	—	0.2	—	0.3	0.1	0.2	0.1	0.0	0.0	—	—	—	
E113	工業性を主とする不慮の事故	総数T. 1.0	0.2	0.7	0.6	0.3	0.1	0.4	0.4	0.3	0.1	0.2	0.6	0.7	
	男 M.	1.7	0.5	0.4	0.7	0.6	0.1	0.5	0.5	0.4	0.2	0.5	1.1	1.3	
	女 F.	0.2	—	0.9	0.5	—	—	0.3	0.3	0.2	0.0	—	0.0	0.1	
E114	その他の不慮の事故及び有害作用	総数T. 1.3	0.7	0.4	0.4	0.3	0.3	0.3	0.4	0.1	0.1	0.2	0.4	0.3	
	男 M.	1.8	0.8	0.6	0.3	0.4	0.1	0.4	0.4	0.1	0.1	0.2	0.7	0.5	
	女 F.	0.8	0.7	0.2	0.5	0.1	0.4	0.3	0.4	0.1	0.1	0.1	0.2	0.1	
E115	自 殺	総数T. 17.3	—	—	—	—	—	—	—	—	0.7	4.4	11.0	15.3	
	男 M.	21.5	—	—	—	—	—	—	—	—	0.8	5.4	14.6	20.7	
	女 F.	13.1	—	—	—	—	—	—	—	—	0.6	3.5	7.3	9.7	
E116	他 殺	総数T. 0.6	5.2	1.1	1.0	1.2	0.6	1.0	1.8	0.6	0.3	0.4	0.5	0.4	
	男 M.	0.8	5.9	0.9	1.6	1.3	0.7	1.1	2.0	0.6	0.4	0.4	0.6	0.6	
	女 F.	0.5	4.5	1.3	0.3	1.2	0.6	0.8	1.5	0.5	0.2	0.4	0.4	0.3	
E117	その他の外因	総数T. 2.1	2.5	1.2	0.7	0.6	0.6	0.8	1.1	0.3	0.4	0.8	1.5	1.3	
	男 M.	2.9	2.3	1.2	0.7	1.0	1.0	1.0	1.2	0.5	0.6	1.0	2.0	1.9	
	女 F.	1.4	2.6	1.1	0.6	0.1	0.3	0.5	0.9	0.1	0.2	0.6	1.0	0.6	
(再掲) 1-26	感染症及び寄生虫症	総数T. 9.1	10.3	3.2	1.3	1.0	0.8	1.5	3.2	0.4	0.4	0.4	0.6	0.8	
	男 M.	11.1	11.9	3.4	1.0	1.4	1.2	1.8	3.6	0.5	0.5	0.4	0.7	0.6	
	女 F.	7.2	8.7	3.0	1.5	0.6	0.3	1.3	2.7	0.4	0.3	0.3	0.5	1.0	
5, 6	結 核	総数T. 2.9	0.1	0.1	—	—	—	0.0	0.0	—	0.0	0.0	0.0	0.1	
	男 M.	4.4	—	0.1	—	—	—	0.0	0.0	—	0.0	—	0.0	0.1	
	女 F.	1.4	0.2	—	—	—	—	—	0.0	—	0.0	0.0	0.0	0.1	
46, 51-52 54-56	心 疾 患	総数T. 128.1	16.5	5.1	2.7	1.7	1.3	2.7	5.3	0.9	1.1	2.4	3.9	6.2	
	男 M.	129.5	18.9	6.0	2.4	2.0	1.7	3.0	5.9	0.8	1.4	3.0	5.5	8.7	
	女 F.	126.7	14.0	4.3	3.0	1.5	1.0	2.4	4.6	0.9	0.8	1.8	2.2	3.6	
62, 63, 66	肺炎及び気管支炎	総数T. 52.7	12.9	4.8	2.7	1.1	1.2	2.4	4.4	0.7	0.6	0.6	0.9	1.3	
	男 M.	61.0	14.2	4.5	2.9	1.4	1.2	2.5	4.7	0.8	0.6	0.8	0.8	1.5	
	女 F.	44.7	11.5	5.1	2.6	0.7	1.2	2.3	4.0	0.6	0.6	0.5	1.0	1.0	
4, 72	胃 腸 炎	総数T. 1.1	0.9	0.7	0.4	0.3	0.1	0.3	0.4	0.0	0.0	0.0	0.1	0.2	
	男 M.	0.9	1.6	0.7	0.3	0.6	0.1	0.4	0.6	0.1	0.0	0.0	—	0.3	
	女 F.	1.3	0.2	0.6	—	—	—	—	0.2	—	—	0.0	0.2	0.1	
79, 80	妊産婦死亡 ²⁾	0.2	—	—	—	—	—	—	—	—	—	0.1	0.3	0.9	

注: 1) 0歳は出生10万対の死亡率である。
2) 女子人口10万対の死亡率である。

Death

(簡単分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan) : Japan, 1989-con.

																	平成元年				
30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~						
0.9	1.3	1.6	2.7	3.2	5.2	5.0	5.5	8.0	15.1	28.8	57.0	141.3	16.4	47.7	78.3						
1.6	2.3	2.7	4.9	6.1	9.5	8.9	10.2	12.6	20.9	35.9	53.6	114.5	19.3	46.8	67.4						
0.2	0.2	0.4	0.5	0.4	1.0	1.5	2.1	4.8	11.2	24.5	58.6	151.8	14.4	48.1	83.4						
0.3	0.4	0.4	0.8	0.6	1.0	1.1	1.4	2.8	4.5	7.6	10.9	16.0	4.0	9.4	12.2						
0.4	0.5	0.6	1.2	0.9	1.4	1.8	2.0	4.2	6.4	12.3	15.5	25.0	5.6	14.1	17.6						
0.2	0.2	0.2	0.5	0.4	0.5	0.5	1.1	1.8	3.2	4.8	8.6	12.4	2.9	6.8	9.7						
0.0	0.1	—	0.0	0.1	0.0	0.1	0.0	0.1	0.1	—	—	—	0.0	—	—						
0.1	0.1	—	0.0	0.1	0.0	0.1	0.0	0.1	0.2	—	—	—	0.1	—	—						
—	0.0	—	0.0	0.1	0.1	0.0	—	—	0.1	—	—	—	0.0	—	—						
1.0	1.0	1.2	1.4	1.7	2.1	2.7	4.1	7.0	11.8	16.8	24.8	19.3	9.4	19.4	23.5						
1.7	1.7	2.2	2.5	2.9	3.5	4.4	6.1	9.4	13.6	21.2	31.7	27.6	11.7	24.5	30.9						
0.3	0.3	0.2	0.5	0.6	0.8	1.2	2.8	5.4	10.6	14.2	21.4	16.1	7.9	16.5	20.0						
0.3	0.4	0.7	0.8	1.4	1.9	2.9	4.9	9.7	18.1	31.7	46.0	68.4	15.6	39.4	51.7						
0.5	0.5	0.9	1.0	2.0	2.7	4.4	7.7	16.1	30.4	52.6	75.1	113.2	24.1	63.4	83.8						
0.2	0.3	0.4	0.5	0.8	1.1	1.5	2.8	5.2	10.1	19.3	31.6	50.8	9.9	26.3	36.7						
0.1	0.3	0.3	0.5	0.8	0.8	0.9	0.6	0.5	0.4	0.4	0.5	1.5	0.5	0.5	0.8						
0.3	0.5	0.5	1.0	1.5	1.5	1.6	1.3	1.1	0.9	0.9	1.1	1.3	1.1	1.0	1.2						
—	0.0	0.1	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.1	0.2	1.6	0.1	0.3	0.6						
0.7	0.8	0.9	1.3	1.9	2.1	1.5	1.7	1.3	1.5	2.6	2.8	3.7	1.7	2.8	3.0						
1.3	1.5	1.6	2.4	3.5	3.8	2.6	3.6	2.4	3.1	3.9	5.3	7.9	3.3	4.6	5.9						
0.1	0.1	0.1	0.2	0.3	0.5	0.5	0.3	0.5	0.4	1.8	1.5	2.1	0.7	1.8	1.7						
0.4	0.5	0.8	1.0	1.4	2.1	2.2	2.3	4.3	6.6	8.8	17.7	32.7	5.9	13.7	21.5						
0.7	0.7	1.4	1.8	2.5	3.8	3.5	3.5	7.4	10.5	12.1	16.6	32.9	7.9	15.0	20.3						
0.0	0.2	0.2	0.2	0.3	0.6	1.0	1.4	2.1	4.0	6.8	18.2	32.6	4.6	12.9	22.1						
14.1	16.1	18.2	22.2	25.9	26.4	24.8	28.4	39.8	48.8	64.5	75.0	60.2	43.1	67.1	71.4						
19.2	22.3	25.2	30.8	36.0	35.2	31.9	37.7	45.5	57.5	73.7	92.8	93.4	49.7	80.5	93.2						
9.0	9.9	11.2	13.7	16.0	18.0	18.4	24.6	35.8	43.1	59.1	66.2	47.2	38.7	59.9	61.1						
0.3	0.6	0.6	0.8	0.7	0.6	0.6	0.6	0.6	0.7	0.8	0.4	1.1	0.6	0.7	0.6						
0.5	0.8	0.8	1.1	0.8	0.8	0.8	0.5	0.6	0.3	0.6	0.4	—	0.5	0.5	0.3						
0.2	0.5	0.4	0.5	0.5	0.5	0.4	0.7	0.6	1.0	0.9	0.4	1.6	0.8	0.8	0.7						
1.5	2.0	2.4	2.5	2.8	3.1	3.0	3.1	3.8	5.2	7.2	6.9	8.6	4.5	7.2	7.3						
2.3	2.9	3.4	3.8	4.1	4.7	4.3	4.2	4.0	5.7	9.0	9.8	7.9	5.3	9.2	9.4						
0.8	1.2	1.4	1.3	1.5	1.6	1.8	2.2	3.6	4.8	6.1	5.5	8.8	4.0	6.2	6.3						
1.0	1.4	2.2	3.5	5.6	9.5	16.1	24.7	42.2	64.2	93.7	131.0	161.7	54.2	110.9	138.9						
1.0	1.7	3.0	4.9	7.4	13.5	22.7	37.4	63.3	97.9	137.3	189.4	209.2	77.3	157.1	194.4						
1.1	1.1	1.3	2.1	3.7	5.7	10.1	15.5	27.3	41.9	67.7	101.9	143.0	38.8	85.8	112.8						
0.3	0.4	0.6	1.4	2.1	3.3	6.1	8.5	14.5	21.1	29.4	36.0	31.6	17.1	31.5	34.9						
0.3	0.6	0.9	2.1	3.3	5.4	9.8	16.1	26.5	39.1	61.4	79.6	65.8	32.3	66.7	76.8						
0.3	0.2	0.3	0.8	0.9	1.2	2.8															