

死 亡

〔地域別にみた死因〕

〔Causes of death in prefecture〕

表 5. 19 都道府県別にみた死因

Table 5. 19 Death rates (per 100, 000 population) by causes of death (the 117

都 道 府 県	総 数	1 ^{b)} コ レ ラ	2 腸 チ フ ス	3 細菌性赤痢及び アメーバ症	4 の下痢性疾患 腸炎及びその他	5 呼吸系の結核	6 (後遺症を含まない) その他の結核	7 ら い	8 ジ フ テ リ ア	9 百 日 咳
全 国 Total	644.0	—	—	0.0	0.5	2.7	0.1	0.0	—	0.0
01 ^{a)} 北海道	637.5	—	—	—	0.5	2.1	0.2	—	—	—
02 青森県	727.7	—	—	—	0.8	3.4	—	—	—	—
03 岩手県	753.9	—	—	—	0.4	1.9	0.1	—	—	—
04 宮城県	600.5	—	—	—	0.6	1.7	0.1	—	—	—
05 秋田県	792.9	—	—	—	1.3	3.0	0.1	—	—	—
06 山形県	799.6	—	—	0.1	0.8	2.2	0.2	—	—	—
07 福島県	720.8	—	—	—	0.8	2.5	0.0	—	—	—
08 茨城県	632.9	—	—	—	0.7	2.1	0.1	—	—	—
09 栃木県	663.1	—	—	—	0.7	2.5	0.2	—	—	—
10 群馬県	670.4	—	—	—	0.7	2.6	0.1	—	—	—
11 埼玉県	471.1	—	—	0.0	0.4	1.7	0.1	—	—	—
12 千葉県	503.6	—	—	—	0.5	1.9	0.1	—	—	—
13 東京都	578.4	—	—	—	0.3	2.9	0.2	—	—	—
14 神奈川県	472.1	—	—	—	0.2	2.2	0.1	—	—	—
15 新潟県	746.7	—	—	—	0.9	1.9	0.0	—	—	—
16 富山県	750.3	—	—	—	0.7	3.3	0.2	—	—	—
17 石川県	698.7	—	—	—	0.6	3.4	0.3	—	—	—
18 福井県	753.1	—	—	—	1.6	4.0	0.4	—	—	—
19 山梨県	747.3	—	—	—	1.4	2.2	0.1	—	—	—
20 長野県	749.6	—	—	—	0.5	1.6	0.0	—	—	—
21 岐阜県	664.6	—	—	—	1.0	3.2	0.0	—	—	—
22 静岡県	625.0	—	—	—	0.4	2.3	0.2	—	—	—
23 愛知県	555.9	—	—	0.0	0.4	3.0	0.2	—	—	—
24 三重県	733.2	—	—	—	0.5	2.5	0.1	—	—	—
25 滋賀県	647.6	—	—	—	0.8	2.5	0.1	—	—	—
26 京都府	675.8	—	—	—	0.4	2.9	0.3	—	—	—
27 大阪府	592.4	—	—	0.0	0.4	3.3	0.2	—	—	—
28 兵庫県	679.6	—	—	—	0.9	3.2	0.2	—	—	—
29 奈良県	623.9	—	—	—	0.2	2.7	0.1	—	—	—
30 和歌山県	828.3	—	—	—	0.5	3.6	0.1	—	—	—
31 鳥取県	803.6	—	—	—	0.2	2.1	0.3	—	—	—
32 島根県	877.6	—	—	—	1.3	2.8	—	—	—	—
33 岡山県	758.5	—	—	—	0.6	2.8	0.3	—	—	—
34 広島県	681.3	—	—	—	0.6	2.7	0.1	—	—	—
35 山口県	802.5	—	—	—	0.4	3.1	0.3	—	—	—
36 徳島県	827.8	—	—	—	1.6	4.3	0.4	—	—	—
37 香川県	790.0	—	—	—	0.8	3.3	0.2	—	—	—
38 愛媛県	771.7	—	—	—	0.5	3.3	0.2	—	—	—
39 高知県	861.5	—	—	—	0.7	3.0	0.1	—	—	—
40 福岡県	677.0	—	—	—	0.3	3.1	0.2	—	—	—
41 佐賀県	782.1	—	—	—	0.7	3.4	0.1	—	—	—
42 長門県	771.4	—	—	—	0.9	3.0	0.1	—	—	—
43 熊本県	760.1	—	—	—	0.4	4.1	0.3	—	—	—
44 大分県	793.3	—	—	—	0.6	3.2	0.3	—	—	—
45 宮崎県	729.5	—	—	—	0.4	4.1	—	—	—	—
46 鹿児島県	841.9	—	—	—	0.7	2.8	0.1	—	—	0.1
47 沖縄県	478.5	—	—	—	0.5	2.6	0.1	0.1	—	—

Death

(簡単分類) 別死亡率 (人口10万対)

rubrics list of mortality for Japan) in each prefecture : Japan, 1989

平成元年

10 猩 紅 熱	11 髄 膜炎 菌 感 染	12 破 傷 風 (新市破傷風を除く)	13 敗 血 症 (新市敗血症を除く)	14 急性 灰 白 髄 炎	15 痘 瘡	16 麻 疹	17 日 本 脳 炎	18 ウ ィ ル ス 肝 炎 B	19 その 他 の ウ ィ ル ス 炎	20 発 疹 チ フ ス 及 び そ の 他 の リ ケ ッ チ ア 症	21 マ ラ リ ア
—	0.0	0.0	2.6	—	—	0.0	0.0	0.2	0.7	—	0.0
—	—	—	1.8	—	—	—	—	0.4	1.4	—	—
—	—	—	3.1	—	—	—	—	0.1	0.5	—	—
—	—	—	2.6	—	—	0.1	—	0.2	0.8	—	—
—	—	—	2.0	—	—	0.0	—	0.2	0.8	—	—
—	—	—	4.0	—	—	0.1	—	0.2	0.8	—	—
—	—	—	3.4	—	—	—	—	—	0.5	—	—
—	—	—	2.5	—	—	0.0	—	0.5	1.1	—	—
—	—	—	2.5	—	—	0.0	—	0.4	0.9	—	—
—	—	—	2.6	—	—	0.1	—	0.2	0.8	—	—
—	—	—	2.6	—	—	—	—	0.2	0.7	—	—
—	—	0.0	2.1	—	—	0.1	—	0.1	0.5	—	—
—	—	0.0	1.7	—	—	0.0	—	0.1	0.3	—	—
—	—	—	2.4	—	—	0.0	—	0.2	0.6	—	—
—	0.0	—	1.7	—	—	—	—	0.1	0.6	—	—
—	—	—	2.3	—	—	—	—	0.1	0.6	—	—
—	—	—	4.0	—	—	—	—	0.6	0.6	—	—
—	—	—	3.6	—	—	—	—	0.5	0.8	—	—
—	—	—	2.2	—	—	0.1	—	0.4	0.6	—	—
—	—	—	3.2	—	—	0.1	—	—	0.6	—	—
—	—	—	1.8	—	—	—	—	0.1	0.8	—	—
—	—	0.0	1.9	—	—	0.1	—	0.3	0.7	—	—
—	—	—	2.7	—	—	0.0	—	0.2	0.6	—	—
—	—	0.0	1.9	—	—	0.0	—	0.2	0.6	—	0.0
—	—	—	2.8	—	—	—	—	0.1	0.2	—	—
—	—	—	2.6	—	—	—	—	0.2	0.6	—	—
—	—	0.0	3.4	—	—	—	—	0.2	0.7	—	—
—	—	0.0	3.6	—	—	0.0	—	0.3	0.8	—	—
—	—	—	3.0	—	—	0.0	—	0.2	0.6	—	0.0
—	—	—	2.7	—	—	—	0.1	0.1	0.5	—	—
—	—	—	3.4	—	—	—	0.2	—	0.9	—	—
—	—	—	1.3	—	—	—	—	0.3	1.0	—	—
—	—	—	2.7	—	—	—	—	0.5	0.4	—	—
—	—	—	3.4	—	—	0.1	—	0.3	1.1	—	—
—	—	—	2.2	—	—	0.1	—	0.1	0.8	—	—
—	—	—	5.1	—	—	—	0.1	—	0.8	—	—
—	—	—	4.2	—	—	—	—	0.4	1.6	—	—
—	—	0.1	2.9	—	—	—	—	0.3	0.6	—	—
—	—	—	3.8	—	—	0.2	—	0.5	1.2	—	—
—	—	0.1	1.9	—	—	—	—	0.6	0.7	—	—
—	—	—	3.1	—	—	0.0	0.0	0.3	0.6	—	—
—	—	—	3.1	—	—	—	—	0.2	0.8	—	—
—	—	0.1	3.6	—	—	—	0.1	0.2	0.9	—	—
—	—	—	4.4	—	—	0.1	—	0.5	0.4	—	—
—	—	—	2.6	—	—	—	—	0.5	1.0	—	—
—	—	0.1	1.8	—	—	—	—	0.3	0.5	—	—
—	—	—	3.3	—	—	0.1	—	0.3	1.5	—	—
—	—	—	3.4	—	—	—	—	0.2	1.1	—	—

Note : a) See page 34

b) 117 rubrics list code see page 424

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100, 000 population) by causes of death (the 117

都道府県 Prefecture	22 梅 毒	23 カ ン サ (新 生 児 を 除 く) 症	24 日 本 住 血 吸 虫 症	25 フ ィ ラ リ ア 症	26 及 び 寄 生 虫 症 そ の 他 の 感 染 症	28-37 悪 性 新 生 物	28 食 道	29 胃	30 直 腸 ・ 直 腸 S 状 結 腸 癌 及 び 肛 門 癌	31 肝
全 国 Total	0.0	0.1	0.0	—	2.0	173.6	5.7	39.4	7.4	19.7
01 ^{a)} 北海道	—	0.1	—	—	2.0	184.9	7.2	37.7	7.9	15.5
02 青森県	—	0.1	—	—	2.3	180.0	5.5	38.3	8.1	15.2
03 岩手県	—	0.1	—	—	2.2	185.5	6.3	39.7	10.7	12.8
04 宮城県	—	0.1	—	—	1.2	167.0	8.3	37.9	6.9	12.2
05 秋田県	—	0.1	—	—	1.7	214.0	11.0	61.7	8.5	12.1
06 山形県	—	0.1	—	—	2.1	221.3	8.4	59.5	10.0	17.0
07 福島県	0.1	0.1	—	—	2.6	190.7	8.8	46.9	9.4	16.0
08 茨城県	—	0.1	—	—	1.9	162.4	6.4	42.0	7.1	15.2
09 栃木県	—	—	—	—	1.7	168.5	6.4	45.8	7.3	16.4
10 群馬県	—	—	—	—	1.7	160.1	6.4	41.4	7.6	14.7
11 埼玉県	0.0	0.0	—	—	1.3	126.6	4.8	32.8	5.4	12.7
12 千葉県	—	0.0	—	—	1.2	140.0	5.3	34.2	6.0	14.7
13 東京都	0.1	0.0	0.0	—	2.4	168.3	6.8	37.5	7.3	17.5
14 神奈川県	0.0	0.0	0.0	—	1.8	136.8	5.5	31.3	5.7	15.0
15 新潟県	0.0	—	—	—	1.5	208.6	9.3	56.5	10.5	12.3
16 富山県	—	—	—	—	1.9	202.6	6.3	54.4	7.3	16.5
17 石川県	—	0.1	—	—	1.5	191.0	2.4	48.0	8.0	15.2
18 福井県	—	0.1	—	—	1.6	193.3	2.8	44.9	9.0	17.9
19 山梨県	—	0.1	0.2	—	1.8	184.9	7.9	44.5	8.0	22.8
20 長野県	0.0	—	—	—	2.1	191.0	6.3	47.6	9.6	15.3
21 岐阜県	0.0	0.0	—	—	2.0	165.9	3.4	41.4	8.2	18.4
22 静岡県	0.0	0.1	—	—	2.4	158.5	4.0	34.7	6.3	19.5
23 愛知県	0.0	0.1	—	—	2.1	148.1	3.4	34.2	6.7	14.8
24 三重県	0.1	0.1	—	—	2.1	174.2	4.2	41.8	7.7	17.5
25 滋賀県	—	—	—	—	2.0	166.9	3.9	39.1	7.6	13.2
26 京都府	—	0.0	—	—	2.0	181.0	4.5	39.8	8.0	19.5
27 大阪府	0.1	0.0	0.0	—	1.7	174.3	5.2	37.0	6.4	29.2
28 兵庫県	0.0	—	—	—	1.9	186.5	5.7	40.1	7.5	27.1
29 奈良県	—	0.1	—	—	1.7	170.7	4.4	43.3	5.9	22.6
30 和歌山県	—	0.1	—	—	1.7	217.2	7.7	54.0	7.6	29.7
31 鳥取県	—	—	—	—	1.6	207.5	5.2	50.6	8.8	25.0
32 島根県	—	—	—	—	3.3	225.8	6.9	52.7	10.5	25.3
33 岡山県	—	—	—	—	2.0	188.3	3.8	40.1	7.5	25.6
34 広島県	0.1	0.1	—	—	1.9	183.2	4.7	38.4	7.1	29.2
35 山口県	0.1	0.4	—	—	2.5	208.4	6.4	47.2	8.3	26.2
36 徳島県	—	—	—	—	2.4	200.6	4.2	44.2	11.2	25.2
37 香川県	—	0.1	—	—	1.7	198.5	3.1	49.9	7.3	20.8
38 愛媛県	0.1	0.1	—	—	1.8	196.0	3.5	47.6	8.1	25.4
39 高知県	—	0.1	—	—	1.9	201.8	4.6	47.7	8.4	21.7
40 福岡県	0.0	0.1	—	—	2.3	194.9	4.9	37.9	7.0	34.3
41 佐賀県	—	0.1	0.1	—	2.4	222.6	5.6	48.3	7.6	34.7
42 長門県	0.1	0.3	—	—	3.6	218.3	5.7	44.0	9.2	26.3
43 熊本県	—	—	—	—	2.6	194.2	5.8	33.0	8.2	25.6
44 大分県	—	0.2	—	—	2.9	200.7	7.5	38.2	9.3	25.7
45 宮崎県	—	—	—	—	1.5	187.7	7.5	38.5	8.8	20.6
46 鹿児島県	—	0.1	—	—	1.9	205.4	10.8	32.8	8.6	25.0
47 沖縄県	—	—	—	—	1.6	117.0	5.8	16.0	4.1	8.2

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1989—con.

平成元年

32 肺	33 気 管 ・ 気 管 支 肺	34 乳 房	34 乳 房 (女 子 人 口 10 万 対)	35 子 宮 (女 子 人 口 10 万 対)	36 白 血 病	37 そ の 他	38 良 性 及 び 新 生 物 の 性 質	39 糖 尿 病	40 栄 養 欠 乏 症	41 貧 血	42 精 神 障 害
10.6	29.0	4.7	9.2	7.4	4.7	48.7	5.9	7.5	0.4	1.3	2.4
14.1	32.6	5.1	9.9	7.2	4.9	56.2	3.3	8.7	0.1	1.2	2.0
11.8	33.2	4.3	8.2	6.6	4.7	55.3	6.3	8.4	0.5	2.1	2.3
11.8	33.1	5.9	11.3	7.9	5.3	55.9	5.8	8.5	0.3	1.6	2.2
12.2	28.5	4.7	9.1	5.8	4.8	48.5	4.8	7.7	0.2	0.8	3.2
13.3	32.8	4.8	9.0	5.7	4.3	62.4	6.6	8.3	0.3	1.1	2.7
14.5	34.9	4.4	8.6	7.7	4.8	63.8	6.4	8.7	0.3	1.3	3.1
13.4	30.6	4.2	8.0	7.6	4.3	53.3	4.4	7.9	0.4	1.0	4.4
9.7	25.3	4.0	7.8	6.2	3.8	45.8	5.5	8.3	0.3	1.2	2.7
10.2	25.5	4.9	9.4	7.4	3.9	44.5	5.4	8.5	0.4	1.1	2.6
9.9	23.3	4.6	8.6	7.3	4.7	43.9	10.8	7.2	0.4	1.6	2.5
7.0	19.0	3.9	7.9	5.2	3.7	34.7	4.9	6.1	0.2	0.8	1.4
8.9	21.9	4.1	8.2	5.4	3.9	38.3	4.8	5.9	0.3	0.9	1.6
10.3	27.4	6.2	12.4	7.6	4.2	47.3	5.5	7.3	0.5	1.4	1.9
8.1	21.7	5.0	10.2	5.4	4.0	38.0	3.9	5.0	0.2	0.8	1.3
14.2	32.6	3.8	7.2	7.3	4.8	60.8	5.1	9.5	0.4	1.7	5.4
12.1	30.5	3.7	7.1	8.4	5.7	61.7	2.2	10.2	1.2	1.5	2.9
13.1	36.2	4.7	9.0	5.5	5.6	54.8	1.6	9.2	0.6	1.8	2.8
12.3	33.3	4.3	8.3	10.2	5.0	58.4	7.4	11.4	0.4	1.5	3.9
10.9	27.0	5.3	10.4	8.3	4.4	49.8	6.8	8.0	0.6	0.9	3.7
13.2	25.7	6.0	11.6	7.0	4.0	59.8	8.4	7.6	0.2	1.4	2.2
10.9	25.1	3.4	6.5	8.9	4.8	45.7	7.3	7.3	0.5	1.6	2.0
9.2	23.9	4.7	9.2	6.8	4.4	48.2	6.5	7.5	0.4	0.7	2.1
8.3	26.1	5.0	9.9	6.5	3.6	42.8	4.7	6.5	0.2	1.0	1.7
11.4	30.8	4.8	9.3	7.4	4.7	47.5	8.9	9.2	0.3	2.0	2.4
8.8	32.7	3.5	6.7	7.1	4.6	50.0	5.8	9.2	0.5	1.8	3.2
12.1	33.9	5.7	11.0	7.2	4.0	50.0	9.1	8.7	0.2	1.2	2.2
8.8	30.3	4.8	9.4	8.6	4.4	43.9	4.2	7.0	0.6	1.3	2.1
10.9	33.1	4.8	9.2	7.8	4.7	48.7	6.7	6.8	0.4	1.5	2.9
9.4	29.7	4.6	8.8	8.5	3.7	42.8	7.6	7.5	0.4	1.0	2.4
15.4	35.6	5.6	10.7	7.6	4.8	52.7	7.3	7.8	0.1	1.0	3.5
14.1	32.5	4.9	9.0	10.0	4.1	57.1	6.2	8.3	0.2	1.1	2.4
14.6	37.7	5.1	9.5	6.8	5.1	64.3	9.4	8.0	0.3	1.0	1.9
11.6	33.4	3.9	7.5	8.8	4.9	53.0	5.2	6.9	0.1	1.7	3.1
9.9	31.7	4.0	7.8	8.6	4.9	48.8	9.9	8.8	0.3	1.5	2.0
10.8	37.7	5.0	9.4	7.9	5.0	57.7	8.3	8.0	0.8	1.8	2.2
12.1	35.7	4.7	8.9	9.4	4.6	53.8	7.4	10.9	0.1	1.7	3.1
13.2	34.0	4.8	9.0	8.5	4.5	56.7	8.4	9.6	0.7	2.0	2.1
12.7	33.7	3.8	7.1	10.5	5.4	50.3	7.9	8.7	0.4	1.8	3.4
13.5	32.7	4.3	8.2	10.9	7.2	56.0	7.0	8.1	0.2	2.3	4.5
11.2	32.9	4.7	9.0	8.2	6.0	51.7	7.5	7.4	0.4	1.4	3.0
15.6	37.4	3.9	7.3	9.3	6.0	58.5	5.9	9.0	0.5	1.3	1.8
11.8	36.6	4.7	8.9	9.2	9.0	66.2	2.1	7.5	0.5	2.2	2.9
11.1	34.2	4.2	8.0	10.6	6.2	60.2	8.1	8.7	0.5	1.8	3.1
10.6	33.2	4.7	8.9	9.9	6.9	59.3	6.0	9.4	0.3	1.5	5.7
12.6	30.3	3.8	7.3	8.9	8.4	52.6	8.8	6.4	0.7	1.4	3.1
12.2	36.6	4.2	7.9	10.7	8.8	60.7	11.3	10.1	0.5	1.4	3.5
5.7	25.6	3.0	5.8	5.5	7.6	38.2	5.5	4.7	0.4	0.9	1.8

死 亡

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	43 髄 膜 炎	44 非 炎 症 性 疾 患 中 枢 神 経 系 の	45 急 性 リ ウ マ チ 熱	46 慢 性 リ ウ マ チ 性 患	48-49 高 血 圧 性 疾 患	48 高 血 圧 性 心 疾 患	49 高 血 圧 性 疾 患 の 他 の	51-52 虚 血 性 心 疾 患	51 急 性 心 筋 梗 塞	52 虚 血 性 心 疾 患 の 他 の
全 国 Total	0.4	4.1	0.0	1.1	7.6	5.8	1.7	39.9	24.9	15.0
01 ^{a)} 北海道	0.4	3.0	0.1	1.1	4.7	3.5	1.2	44.3	27.2	17.0
02 青森	0.7	3.4	—	0.7	5.3	4.0	1.3	42.6	27.1	15.5
03 岩手	0.9	4.0	0.1	1.1	7.1	5.9	1.1	44.9	29.5	15.4
04 宮城	0.3	3.7	0.0	1.2	6.0	4.7	1.3	37.4	23.4	14.0
05 秋田	0.2	5.5	0.1	0.9	6.7	4.8	1.9	42.0	22.7	19.3
06 山形	0.5	4.5	—	1.1	9.5	6.6	2.9	40.3	24.6	15.7
07 福島	0.5	4.8	—	1.1	5.6	3.9	1.7	37.9	25.5	12.4
08 茨城	0.3	3.9	0.0	1.3	9.5	7.0	2.6	35.0	22.1	12.9
09 栃木	0.5	3.9	0.1	1.5	8.6	7.0	1.6	37.7	24.6	13.1
10 群馬	0.4	4.3	—	1.1	8.4	6.7	1.7	36.8	26.0	10.9
11 埼玉県	0.4	3.1	0.0	0.8	5.1	4.0	1.1	27.8	19.4	8.4
12 千葉県	0.2	2.9	0.0	0.7	8.0	6.2	1.8	29.7	19.8	10.0
13 東京都	0.4	4.0	0.0	1.0	6.7	5.4	1.4	50.7	29.8	20.9
14 神奈川県	0.3	3.2	0.1	0.9	5.1	3.7	1.4	36.7	25.6	11.1
15 新潟	0.2	5.2	0.0	1.1	10.8	8.2	2.7	40.1	26.8	13.3
16 富山	0.3	4.0	—	1.1	4.1	3.6	0.5	37.5	23.5	14.0
17 石川	0.3	4.2	0.1	1.4	5.4	3.9	1.5	40.0	23.7	16.3
18 福山	0.2	5.4	—	0.9	9.8	7.0	2.8	40.7	26.4	14.3
19 山梨	0.7	4.4	0.1	1.3	5.7	4.4	1.3	41.3	28.9	12.4
20 長野	0.6	5.6	—	1.3	9.0	6.2	2.8	42.6	28.5	14.2
21 岐阜	0.5	4.4	—	1.1	8.6	6.6	2.0	36.7	23.6	13.2
22 静岡県	0.3	4.3	0.0	1.2	7.7	5.6	2.1	36.9	23.5	13.4
23 愛知県	0.4	3.8	0.0	1.0	6.4	4.9	1.5	29.5	19.5	10.1
24 三重	0.5	5.5	—	1.5	9.3	6.4	2.9	43.8	29.8	14.0
25 滋賀	0.2	4.8	0.2	1.2	10.3	8.3	2.0	31.8	18.7	13.2
26 京都	0.6	4.8	—	0.8	7.1	5.1	2.0	42.4	25.0	17.4
27 大阪	0.4	3.6	0.0	1.1	6.1	4.8	1.3	39.1	23.3	15.8
28 兵庫	0.7	4.4	0.0	0.9	7.8	5.8	2.0	38.6	24.1	14.4
29 奈良	0.6	4.1	—	0.8	8.7	6.5	2.1	33.6	21.5	12.1
30 和歌山	0.8	3.8	—	1.1	8.7	6.6	2.1	44.5	29.7	14.8
31 鳥取	0.2	6.0	—	0.3	8.4	5.7	2.8	42.7	28.2	14.4
32 島根	0.5	7.9	—	0.8	9.9	8.0	1.9	48.3	31.8	16.5
33 岡山	0.5	4.7	—	1.0	5.2	3.8	1.4	35.6	23.5	12.1
34 広島	0.4	4.6	0.1	1.1	7.7	6.5	1.2	38.4	23.8	14.6
35 山口	0.1	3.6	0.1	1.3	9.2	7.3	2.0	50.4	28.2	22.2
36 徳島	0.5	7.6	—	1.3	9.4	7.2	2.2	46.6	28.2	18.5
37 香川県	0.4	5.5	—	1.5	6.1	4.3	1.9	46.8	28.7	18.1
38 愛媛	0.7	4.8	0.1	1.7	7.7	6.0	1.7	36.0	22.6	13.4
39 高松	0.4	4.8	—	2.0	6.5	4.7	1.8	50.1	28.9	21.2
40 福岡	0.3	4.2	0.0	1.3	10.7	9.3	1.4	42.3	22.8	19.5
41 佐賀	0.6	6.3	0.1	1.5	17.9	16.5	1.4	50.9	24.8	26.1
42 長門	0.6	3.6	—	1.4	16.3	13.8	2.5	52.0	32.2	19.8
43 熊本	0.2	4.5	0.1	1.8	12.7	10.1	2.6	50.3	26.3	24.0
44 大分	0.3	4.4	0.1	2.3	14.7	11.7	3.0	56.9	32.0	24.9
45 宮崎	0.8	3.5	—	2.0	11.0	8.0	3.0	49.7	31.0	18.7
46 鹿児島	0.4	5.2	—	1.3	12.3	9.0	3.4	43.2	26.2	17.0
47 沖縄	0.2	2.5	—	0.8	3.6	2.5	1.1	24.3	17.1	7.2

Death

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1989—con.

平成元年

54-56 肺 腫 瘍 疾 患 及 び そ の 他 の 型 の 心 疾 患	54 心 内 膜 の 慢 性 患	55 心 不 全	56 そ の 他 の 心 疾 患	58-60 脳 血 管 疾 患	58 脳 出 血	59 脳 梗 塞	60 そ の 他 の 脳 血 管 疾 患	61 循 環 系 の そ の 他 の 疾 患	62 急 性 気 管 支 炎	63 肺 炎	64 インフルエ ンザ
87.1	3.1	74.7	9.3	98.5	25.5	51.3	21.7	6.2	0.9	48.1	0.1
87.1	3.0	74.5	9.6	83.8	20.3	45.4	18.2	6.3	1.2	53.8	0.1
112.1	3.1	96.6	12.5	118.8	30.5	59.4	28.8	5.3	1.7	51.5	0.1
111.6	4.9	97.7	9.0	133.2	35.1	74.2	23.9	6.4	2.3	61.0	0.2
72.9	2.7	61.5	8.7	115.2	24.8	69.8	20.6	5.0	0.6	37.1	0.0
112.0	4.8	91.1	16.1	146.1	32.4	82.2	31.5	6.2	2.2	55.3	0.2
110.5	5.6	93.6	11.3	151.5	31.5	85.6	34.3	6.5	1.5	55.9	0.1
97.7	3.3	83.7	10.7	134.0	32.2	79.5	22.3	4.8	1.0	45.9	—
83.5	3.4	71.5	8.6	107.3	26.1	63.0	18.1	4.7	0.9	41.4	0.1
87.1	4.0	71.0	12.0	128.2	30.7	69.7	27.8	4.3	2.0	45.4	0.2
96.4	2.7	84.3	9.4	117.0	27.4	65.9	23.7	4.8	0.6	51.7	0.2
96.7	2.4	61.1	6.2	71.8	20.4	36.4	15.0	3.6	0.5	33.9	—
71.1	2.4	62.3	6.4	77.5	22.5	37.7	17.2	4.3	0.5	33.3	0.1
59.2	2.9	47.4	8.8	86.8	25.0	42.5	19.3	7.1	0.5	48.0	0.1
50.9	2.5	41.8	6.6	68.9	21.8	31.8	15.3	4.8	0.4	35.9	0.1
93.4	3.1	80.1	10.2	137.2	26.7	82.0	28.5	8.0	0.9	52.8	0.0
102.2	3.4	86.9	12.0	118.9	24.8	68.0	26.1	8.6	1.2	71.8	0.1
93.7	3.9	77.3	12.5	110.4	26.3	57.6	26.6	6.0	1.2	66.2	0.1
97.7	2.2	84.4	11.1	123.4	24.5	70.1	28.8	10.1	2.1	57.0	—
106.5	3.8	91.6	11.1	125.6	31.1	69.7	24.9	6.5	1.1	55.5	0.2
100.3	3.3	87.5	9.5	152.2	36.0	86.0	30.2	8.1	0.9	53.3	0.1
100.1	4.2	86.8	9.0	116.5	28.7	60.3	27.5	5.2	2.1	40.3	0.1
89.0	3.3	76.7	8.9	104.6	27.2	53.9	23.5	5.8	1.0	45.1	0.1
88.8	2.7	79.0	7.0	86.2	22.5	43.0	20.6	6.0	0.5	35.1	0.0
110.9	3.3	98.1	9.4	128.6	32.6	67.0	29.0	9.5	1.1	41.1	0.2
98.9	3.3	86.1	9.5	98.3	22.2	53.5	22.5	7.3	0.7	43.6	—
97.7	3.2	85.1	9.3	93.4	27.1	45.3	21.0	7.7	0.5	52.2	—
80.1	2.5	67.8	9.8	64.0	18.5	29.5	16.0	6.0	0.4	47.2	0.0
98.0	2.7	86.6	8.7	91.2	24.2	46.4	20.5	7.2	0.5	46.1	0.1
96.6	2.0	87.4	7.2	89.0	20.1	48.2	20.7	6.7	1.0	40.2	—
135.2	3.5	120.7	11.0	132.4	28.3	73.4	30.8	7.2	0.6	47.4	0.4
122.1	5.0	108.0	9.1	137.0	31.7	75.8	29.5	6.2	1.5	53.4	—
121.3	3.8	108.0	9.5	143.8	34.3	78.9	30.6	7.5	1.1	73.4	0.1
109.3	2.8	97.6	8.8	121.4	29.1	68.1	24.2	6.0	1.0	63.0	0.3
90.4	3.1	80.4	7.0	95.4	25.0	48.1	22.4	6.4	1.4	50.8	0.2
110.8	4.5	94.1	12.2	110.6	28.1	57.4	25.1	8.3	1.2	72.8	0.3
109.8	3.7	95.2	10.9	124.1	33.0	63.5	27.6	5.8	1.2	68.1	—
115.4	3.7	97.9	13.9	108.3	24.1	58.1	26.0	8.7	0.8	62.1	—
125.0	3.7	110.3	11.0	111.2	25.9	60.6	24.7	6.0	1.1	56.9	0.3
130.8	5.4	107.5	17.9	133.1	32.7	74.5	25.9	5.9	0.7	79.4	0.4
85.5	3.0	73.9	8.7	95.5	25.5	47.2	22.8	5.5	0.9	51.4	0.2
94.5	3.2	79.4	12.0	108.7	33.9	52.8	21.9	7.5	1.4	58.4	0.1
97.8	4.7	79.3	13.9	107.8	28.8	54.5	24.6	9.2	1.2	64.2	0.3
106.8	3.7	90.1	13.0	112.0	29.4	55.7	26.9	8.2	0.8	54.8	0.2
97.5	4.3	82.4	10.8	120.1	28.0	65.8	26.3	8.8	2.1	61.1	0.4
94.5	4.0	79.8	10.6	112.7	29.7	53.8	29.2	6.6	1.8	58.1	0.1
118.3	4.9	99.8	13.7	141.7	39.1	66.5	36.1	6.5	3.3	72.6	0.2
63.6	2.5	52.9	8.2	49.5	17.9	18.8	12.8	3.9	0.4	45.6	0.1

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	66-68 気管支炎・肺 気腫及び喘息	66 気管支炎	67 肺気腫	68 喘息	69 胃十二指腸潰瘍 及び十二指腸炎	70 虫垂炎	71 腸腸閉塞 (ルニア及び腸炎)	72 胃及び慢性胃腸炎 胃炎・十二指腸炎	73 慢性肝疾患 及び肝硬変	74 肝疾患 (肝硬変を除く)
全 国 Total	11.4	3.6	3.0	4.7	3.0	0.1	2.4	0.6	13.6	2.5
01 ^{a)} 北海道	9.9	3.1	2.6	4.2	2.7	0.1	2.5	0.4	12.0	2.6
02 青森	10.3	2.2	2.1	5.9	2.5	0.1	2.1	0.8	12.7	2.4
03 岩手	11.7	2.6	3.6	5.5	4.0	0.1	3.6	0.4	10.4	1.7
04 宮城	9.7	2.7	2.8	4.2	2.8	—	2.1	0.4	8.6	1.9
05 秋田	10.5	3.6	3.5	3.4	2.8	—	3.8	1.0	9.5	2.3
06 山形	13.7	5.6	3.7	4.4	2.2	0.2	2.5	0.9	9.5	1.9
07 福島	11.6	3.7	2.8	5.1	2.7	0.1	2.4	0.6	10.3	1.9
08 茨城	11.8	3.2	2.6	6.0	3.1	0.0	2.1	0.5	11.0	2.5
09 栃木	13.6	4.0	3.6	6.1	2.2	0.1	2.1	1.1	13.8	2.1
10 群馬	13.3	3.3	4.9	5.2	2.4	0.1	2.7	1.1	12.2	2.3
11 埼玉	7.2	1.8	1.9	3.5	1.9	0.0	1.9	0.5	10.3	1.5
12 千葉	7.3	2.4	1.8	3.0	2.1	0.1	1.9	0.6	10.5	2.1
13 東京	10.2	2.7	2.9	4.6	3.3	0.1	2.5	0.3	14.6	1.9
14 神奈川	7.9	2.3	2.3	3.3	1.8	0.1	1.8	0.3	13.1	1.9
15 新潟	11.2	3.1	3.2	4.9	2.6	0.0	2.9	0.8	7.9	2.1
16 富山	11.0	4.6	2.8	3.6	2.6	0.2	1.9	0.6	10.3	3.1
17 石川	10.8	4.4	2.2	4.2	3.6	—	2.7	0.4	10.0	2.2
18 福井	14.7	5.1	4.2	5.4	2.8	—	2.9	0.9	14.0	1.3
19 山梨	13.9	4.4	5.0	4.6	3.5	—	3.3	0.7	19.4	3.3
20 長野	12.6	4.0	3.9	4.7	3.1	0.0	2.8	0.6	8.7	2.8
21 岐阜	12.2	4.1	2.8	5.2	2.1	—	1.3	1.3	10.6	2.2
22 静岡	10.1	2.8	3.4	3.9	3.0	0.0	2.2	0.5	12.6	2.2
23 愛知	9.5	3.6	2.1	3.9	2.1	0.0	1.8	0.5	11.0	2.2
24 三重	13.8	5.4	2.9	5.5	2.4	0.1	2.0	0.6	10.6	2.7
25 滋賀	12.3	4.7	3.4	4.2	3.4	—	2.2	0.9	8.9	1.6
26 京都	10.6	3.5	3.5	3.5	3.2	0.1	2.4	0.5	12.3	2.4
27 大阪	10.6	3.4	2.9	4.3	3.5	0.1	2.2	0.4	18.7	3.1
28 兵庫	13.1	3.7	3.3	6.2	3.0	0.1	2.9	0.6	18.3	3.0
29 奈良	10.0	3.2	3.2	3.7	3.2	0.1	1.9	0.7	10.9	1.9
30 和歌山	14.1	4.6	4.5	5.0	3.7	—	2.4	1.1	19.8	3.2
31 鳥取	15.3	5.0	5.2	5.0	2.6	—	2.3	0.8	14.3	2.3
32 島根	14.7	5.0	3.9	5.8	4.4	0.3	3.2	0.5	16.1	2.9
33 岡山	16.6	3.9	4.4	8.3	3.6	0.2	3.5	0.5	16.4	2.4
34 広島	12.5	3.6	4.4	4.4	3.2	0.0	2.4	0.5	17.7	2.6
35 山口	16.5	6.5	3.9	6.0	4.4	0.2	3.7	0.5	14.9	3.6
36 徳島	18.5	8.2	3.7	6.6	3.7	0.1	3.6	0.5	23.4	4.3
37 香川	17.6	5.0	3.6	9.0	4.3	0.2	3.3	1.5	16.3	2.6
38 愛媛	13.6	5.7	2.8	5.1	4.1	0.1	2.4	0.5	14.3	4.0
39 高松	16.2	5.4	5.1	5.8	4.9	—	3.1	0.7	19.9	4.8
40 福岡	13.1	4.9	3.0	5.2	3.3	0.0	2.7	0.7	17.1	3.0
41 佐賀	14.4	6.2	2.7	5.5	3.0	0.2	3.6	1.0	20.5	2.5
42 長門	16.2	6.9	4.1	5.2	4.6	—	3.3	0.9	16.5	2.8
43 熊本	16.4	6.5	3.8	6.1	4.2	—	2.9	1.2	17.1	3.5
44 大宮	15.2	5.2	4.7	5.3	4.7	0.1	3.2	0.9	17.3	3.0
45 本崎	14.8	5.4	3.7	5.7	4.2	0.1	2.6	0.6	15.3	3.0
46 鹿児島	19.6	7.0	3.6	9.0	5.5	0.2	3.0	1.4	16.2	3.7
47 沖縄	12.4	3.8	2.5	6.2	2.5	0.1	1.3	0.2	7.0	2.7

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1989-con.

平成元年

76-77 急性心臓病 及び肺動脈炎・肺動脈狭窄症	76 急性心臓病 及び肺動脈炎・肺動脈狭窄症	77 その他	78 前立腺肥大症 (男子人口10万対)	79 直接死 産科的死亡			80 間接死 産科的死亡			81 先天異常	82 山産時外傷・低酸素血症 その他呼吸器疾患・低酸素血症
女子人口 10万対	出生 10万対	出生 10万対	女子人口 10万対	出生 10万対	出生 10万対	女子人口 10万対	出生 10万対	出生 10万対	女子人口 10万対	出生 10万対	出生 10万対
13.4	3.0	10.4	0.4	0.2	9.4	9.0	0.0	1.4	1.4	2.9	1.1
17.3	4.7	12.6	0.5	0.2	9.0	8.5	0.0	1.8	1.7	2.5	1.1
17.8	4.5	13.2	1.3	0.5	25.7	24.6	—	—	—	3.7	2.1
18.5	5.9	12.6	0.4	0.1	6.9	6.5	—	—	—	2.9	0.8
9.3	2.4	6.9	0.3	0.4	16.6	15.7	0.1	4.1	3.9	3.6	1.0
17.0	3.5	13.5	0.5	—	—	—	—	—	—	3.2	1.2
14.5	3.1	11.4	1.0	0.3	15.3	14.7	—	—	—	2.3	1.0
12.3	3.4	8.8	0.1	0.3	12.9	12.3	0.1	4.3	4.1	3.8	1.4
10.2	2.7	7.5	0.5	0.3	13.7	13.2	—	—	—	3.1	1.1
8.1	2.2	5.9	0.6	0.2	9.9	9.4	—	—	—	3.6	0.8
11.2	2.0	9.1	0.4	0.2	9.9	9.6	0.1	5.0	4.8	3.0	0.9
8.9	2.0	6.9	0.2	0.4	17.3	16.7	0.0	1.6	1.5	2.7	1.0
9.9	2.0	7.9	0.4	0.1	3.7	3.6	0.0	1.8	1.8	2.4	0.9
12.2	2.4	9.9	0.3	0.1	3.8	3.6	0.0	0.9	0.9	2.8	0.9
9.4	2.1	7.3	0.1	0.2	10.1	9.7	—	—	—	2.9	1.1
10.4	3.1	7.3	0.3	0.1	4.0	3.8	—	—	—	3.0	0.8
15.0	3.1	11.9	0.2	0.2	9.7	9.4	0.2	9.7	9.4	3.6	1.3
11.3	3.4	7.9	0.4	0.2	8.6	8.2	—	—	—	2.3	0.6
14.0	3.3	10.7	0.3	0.2	11.1	10.7	—	—	—	2.7	1.6
13.6	3.3	10.3	0.7	—	—	—	—	—	—	2.8	0.8
11.6	3.6	8.0	0.5	0.1	4.6	4.4	—	—	—	2.7	1.2
11.7	2.8	8.9	0.4	0.5	24.3	23.4	—	—	—	2.4	0.7
12.5	2.6	9.9	1.0	0.2	7.9	7.6	—	—	—	2.7	0.6
11.0	2.1	8.8	0.2	0.1	5.6	5.4	0.0	1.4	1.3	3.2	1.2
15.0	3.3	11.7	0.7	—	—	—	—	—	—	3.4	1.1
15.6	3.2	12.3	0.2	—	—	—	0.2	7.4	7.2	2.8	1.9
20.1	4.5	15.6	0.1	0.1	4.0	3.9	0.1	4.0	3.9	2.5	0.9
15.2	3.3	11.9	0.2	0.2	7.9	7.5	0.0	1.1	1.1	2.9	1.0
15.8	3.2	12.6	0.4	0.2	11.2	10.7	0.1	5.6	5.4	2.9	1.1
14.1	2.6	11.4	—	—	—	—	—	—	—	1.8	1.0
15.0	2.1	12.8	0.4	—	—	—	—	—	—	3.0	1.3
12.5	2.9	9.6	0.7	—	—	—	—	—	—	3.2	1.5
15.6	3.2	12.5	0.8	0.2	12.9	12.4	—	—	—	3.0	0.8
16.0	3.4	12.6	0.4	0.5	25.8	24.7	—	—	—	2.8	1.2
13.8	2.9	10.9	0.1	—	—	—	—	—	—	2.4	1.2
16.5	3.4	13.1	0.5	0.4	20.7	19.8	—	—	—	2.7	1.4
17.0	4.4	12.6	0.3	—	—	—	—	—	—	3.2	0.6
15.9	3.1	12.8	0.4	0.4	20.4	19.6	—	—	—	2.6	1.0
13.5	2.6	10.9	0.6	0.4	19.8	18.9	0.1	6.6	6.3	2.5	1.2
24.2	6.3	17.9	0.3	0.9	52.5	49.9	—	—	—	2.4	1.4
14.4	3.4	11.0	0.4	0.1	6.0	5.7	—	—	—	2.8	0.9
15.5	3.9	11.6	—	0.4	21.2	20.3	0.2	10.6	10.1	3.2	1.6
18.6	4.4	14.2	0.3	0.2	11.6	10.9	—	—	—	2.5	0.8
15.6	2.7	13.0	0.3	—	—	—	—	—	—	3.5	1.1
19.0	3.5	15.5	0.7	0.3	16.4	15.5	—	—	—	2.4	0.8
16.3	3.2	13.1	0.2	—	—	—	0.2	7.7	7.3	3.2	2.0
20.1	5.1	15.0	0.9	0.6	30.5	28.8	—	—	—	2.8	1.2
11.6	2.2	9.4	—	0.2	5.5	5.3	—	—	—	3.0	2.1

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	84-87 その他 の死因	84 新生児 破傷風	85 カンジダ 生感染	86 新生児 敗血症	87 その他	88 の 精神 病の 記載 のない 老衰	89 の その他 の疾 患	91-101 損傷 及び 中毒	91 頭蓋 骨折	92 その他 の骨 の折
全 国 Total	0.4	—	0.0	0.1	0.4	19.4	33.3	45.4	4.9	2.6
01 ^{a)} 北海道	0.4	—	—	0.1	0.4	9.3	33.6	48.4	5.1	3.2
02 青森県	0.6	—	—	0.1	0.5	26.8	38.5	54.3	5.1	2.7
03 岩手県	0.6	—	—	0.1	0.5	18.0	34.2	61.8	4.4	2.9
04 宮城県	0.7	—	—	—	0.7	20.9	28.1	41.0	3.9	2.3
05 秋田県	0.5	—	—	0.1	0.4	18.5	40.1	60.7	4.1	2.9
06 山形県	0.2	—	—	—	0.2	35.3	33.2	49.6	3.3	3.0
07 福島県	0.9	—	—	0.0	0.9	31.6	35.0	53.4	4.0	2.5
08 茨城県	0.8	—	—	0.3	0.5	29.0	30.3	49.9	4.8	3.7
09 栃木県	0.4	—	—	0.1	0.3	19.4	29.9	50.8	6.2	3.9
10 群馬県	0.7	—	—	0.2	0.5	24.6	33.2	50.0	5.5	3.1
11 埼玉県	0.4	—	—	0.1	0.4	11.1	24.0	36.3	4.4	1.8
12 千葉県	0.4	—	—	0.1	0.3	15.2	24.1	38.2	3.5	2.1
13 東京都	0.4	—	—	0.1	0.4	8.7	29.1	33.0	5.0	2.0
14 神奈川県	0.3	—	—	0.0	0.3	9.5	23.7	36.4	5.5	2.5
15 新潟県	0.5	—	—	—	0.5	25.7	29.9	60.7	4.2	2.5
16 富山県	0.7	—	—	0.2	0.5	21.2	37.7	59.3	5.6	2.2
17 石川県	0.1	—	—	—	0.1	24.0	34.8	48.7	5.3	2.8
18 福井県	—	—	—	—	—	29.8	38.2	53.8	4.6	3.8
19 山梨県	0.2	—	—	—	0.2	33.2	41.0	47.6	3.3	3.1
20 長野県	0.4	—	—	—	0.4	31.7	33.8	45.2	2.7	2.5
21 岐阜県	0.5	—	—	0.0	0.5	25.7	32.8	51.1	4.9	2.9
22 静岡県	0.4	—	—	0.1	0.2	25.3	29.2	42.2	4.4	2.9
23 愛知県	0.5	—	—	0.1	0.4	16.2	28.4	39.7	4.8	2.0
24 三重県	0.7	—	—	—	0.7	35.3	37.2	50.7	5.7	3.3
25 滋賀県	0.3	—	—	0.2	0.2	22.7	33.2	47.7	5.3	3.3
26 京都府	0.3	—	—	—	0.3	22.3	37.6	41.0	5.1	2.5
27 大阪府	0.5	—	0.0	0.1	0.4	12.2	32.9	40.9	6.0	2.4
28 兵庫県	0.4	—	—	—	0.4	26.3	35.9	45.6	5.1	2.9
29 奈良県	0.4	—	—	—	0.4	26.2	31.2	41.3	5.8	2.1
30 和歌山県	0.3	—	—	—	0.3	42.8	34.1	57.7	5.9	3.0
31 鳥取県	0.2	—	—	—	0.2	39.9	39.9	58.3	6.8	2.6
32 島根県	0.3	—	—	—	0.3	33.8	47.4	62.0	4.2	3.6
33 岡山県	0.5	—	—	0.1	0.4	35.2	40.7	54.6	5.7	3.1
34 広島県	0.3	—	—	0.1	0.2	28.2	36.7	48.2	4.5	2.5
35 山口県	0.6	—	—	0.1	0.5	22.8	47.4	55.7	6.1	3.5
36 徳島県	0.6	—	—	—	0.6	31.7	51.6	56.0	7.6	2.9
37 香川県	0.6	—	—	—	0.6	29.8	47.4	59.7	4.8	4.3
38 愛媛県	0.1	—	—	—	0.1	35.1	40.2	58.4	5.8	2.8
39 高知県	0.6	—	—	0.1	0.5	21.2	47.9	66.3	7.1	2.4
40 福岡県	0.4	—	—	0.0	0.4	13.7	38.4	43.8	4.7	2.9
41 佐賀県	0.5	—	—	0.1	0.3	22.4	38.7	54.9	5.9	2.4
42 長崎県	0.5	—	—	0.1	0.4	13.6	45.1	44.7	3.3	2.4
43 熊本県	0.3	—	—	0.1	0.3	19.9	43.7	48.7	3.6	3.4
44 大分県	0.3	—	—	—	0.3	23.4	49.7	49.4	4.8	3.1
45 宮崎県	0.6	—	—	0.1	0.5	14.6	41.5	52.9	5.1	2.5
46 鹿児島県	0.5	—	—	0.1	0.4	25.6	44.2	49.3	3.8	2.5
47 沖縄県	1.1	—	—	0.3	0.7	20.7	40.6	38.3	3.1	1.3

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1989—con.

平成元年

93 頭蓋内損傷 (うもの骨折を除く)	94 胸・腹及び骨 の内部損傷	95 開放 創	96 熱 傷	97 神経及び 脊髄の損傷	98 中毒及び 毒作用	99 溺 死	100 窒息及び 絞首	101 その他の 損傷	E104-E117 中毒の 外因 及び	E104-E114 不慮の 有害作 用及び	E104 自動車 事故
6.6	3.7	0.8	1.8	0.3	3.1	5.0	10.4	6.0	45.4	25.4	11.9
5.7	4.4	0.7	1.9	0.3	3.5	5.1	12.3	6.4	48.4	27.4	14.3
6.7	2.9	0.8	2.0	0.5	4.9	7.2	14.0	7.5	54.3	30.2	13.6
6.9	4.4	1.5	2.6	0.7	5.2	7.3	17.7	8.2	61.8	31.5	12.6
5.6	2.8	0.6	1.2	0.4	3.1	6.1	8.3	6.8	41.0	23.2	11.0
5.7	3.5	0.7	3.4	0.2	4.5	6.4	20.8	8.4	60.7	29.8	10.9
6.6	1.7	0.8	1.3	0.3	4.1	6.5	14.7	7.2	49.6	25.7	9.2
8.0	4.2	0.8	2.8	0.8	5.3	6.1	10.8	8.2	53.4	33.6	14.9
10.5	3.8	0.5	1.7	0.5	5.4	4.5	8.0	6.4	49.9	32.7	19.7
9.0	4.9	0.6	2.1	0.4	5.3	3.4	9.2	5.8	50.8	31.6	18.6
7.1	3.4	0.8	1.2	0.4	6.4	4.4	11.1	6.6	50.0	27.9	14.1
6.0	2.9	0.8	1.4	0.5	2.5	3.1	8.0	5.0	36.3	20.1	11.0
6.6	3.2	1.0	2.0	0.3	2.7	3.3	7.5	5.8	38.2	22.7	11.7
4.3	3.7	0.8	1.2	0.2	1.6	2.8	7.3	4.1	33.0	16.6	7.2
4.2	4.5	0.5	1.5	0.2	2.0	3.9	7.4	4.1	36.4	20.3	9.7
7.7	3.6	0.6	1.9	0.3	4.9	9.6	17.7	7.6	60.7	31.3	12.6
7.9	3.3	0.8	1.6	0.8	4.4	10.0	12.5	10.1	59.3	34.9	14.6
6.6	3.0	0.5	1.5	0.2	2.2	6.6	12.0	8.0	48.7	29.0	12.9
10.3	4.0	0.6	2.0	1.0	2.9	4.9	12.8	7.0	53.8	33.8	15.8
8.1	4.4	0.8	1.3	0.4	5.2	4.1	11.5	5.4	47.6	26.4	12.2
6.1	3.3	0.4	2.1	0.4	3.5	5.6	11.6	6.9	45.2	24.8	10.4
7.9	4.1	0.8	2.4	0.1	2.8	4.9	12.5	7.7	51.1	30.9	15.1
7.2	3.5	1.0	1.5	0.3	3.0	4.4	8.4	5.4	42.2	25.8	12.4
6.8	2.6	0.6	1.5	0.3	2.5	3.8	9.3	5.5	39.7	21.6	10.9
9.7	3.5	1.0	2.4	0.3	2.9	5.5	9.7	6.8	50.7	32.2	17.3
7.2	4.1	0.3	1.9	0.7	2.7	6.2	9.7	6.2	47.7	29.6	15.7
7.4	2.8	0.9	1.3	0.2	2.2	3.7	9.4	5.6	41.0	22.9	11.9
5.7	4.1	0.9	1.5	0.3	1.9	4.1	9.3	4.8	40.9	19.9	9.6
6.9	4.1	1.0	1.9	0.3	2.4	5.0	9.6	6.4	45.6	25.7	11.8
7.0	2.7	0.8	1.8	0.1	2.8	4.3	8.9	5.1	41.3	24.1	13.0
7.8	4.7	0.8	1.8	0.4	4.7	6.9	15.1	6.6	57.7	30.0	13.4
6.8	3.2	0.5	2.4	0.5	4.7	9.3	12.5	8.9	58.3	33.8	14.3
7.9	4.8	1.0	1.8	0.4	3.7	8.6	17.9	8.1	62.0	34.2	11.9
9.2	4.3	0.8	2.5	0.7	3.7	7.0	10.7	6.9	54.6	34.1	14.8
7.6	3.6	0.7	2.2	0.4	3.1	5.4	12.1	6.0	48.2	27.8	12.0
7.9	3.8	0.6	2.7	0.5	2.4	7.4	13.1	7.6	55.7	33.7	14.0
8.4	2.6	0.7	2.5	0.2	2.6	10.4	11.4	6.6	56.0	33.9	15.7
8.4	5.3	1.3	2.7	0.3	2.3	10.6	10.6	9.1	59.7	38.0	18.0
7.2	4.1	1.4	2.7	0.3	4.5	7.9	12.9	8.9	58.4	34.3	14.8
10.2	4.8	1.2	1.4	1.0	3.5	7.3	15.8	11.6	66.3	39.8	13.7
6.3	3.5	0.9	1.7	0.2	2.9	4.2	11.0	5.5	43.8	23.6	11.6
8.3	4.4	1.3	1.5	0.5	5.7	7.5	11.4	6.0	54.9	33.8	16.4
6.4	2.4	1.0	2.0	0.4	2.7	6.8	11.7	5.6	44.7	24.7	8.3
7.0	2.6	1.0	2.1	0.3	4.6	4.4	11.9	7.8	48.7	27.0	10.3
7.3	3.7	1.0	2.2	0.6	3.8	5.3	11.5	6.1	49.4	30.2	11.6
6.5	3.6	1.1	1.5	0.4	5.6	6.4	14.0	6.3	52.9	29.5	10.9
6.4	3.0	0.7	1.6	0.3	4.8	6.0	14.3	6.0	49.3	26.1	9.4
4.9	4.5	0.3	1.2	0.2	2.5	5.3	10.5	4.4	38.3	18.6	8.6

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	E105 外 の 交 通 事 故 以 外 の 事 故	E106 不 慮 の 中 毒	E107 不 慮 の 墜 落	E108 火 災 及 び 火 災 に よ る 不 慮 の 事 故	E109 天 災	E110 不 慮 の 溺 死	E111 不 機 械 的 窒 息	E112 不 慮 の 打 撲	E113 工 業 性 を 主 と す る 不 慮 の 事 故	E114 そ の 他 の 事 故 及 び 不 慮 の 事 故
全 国 Total	0.9	0.5	3.4	0.9	0.0	2.5	2.7	0.4	1.0	1.3
01 ^{a)} 北海道	1.1	0.6	2.3	1.2	0.0	2.0	2.4	0.5	1.7	1.2
02 青森県	1.1	0.7	2.5	1.5	0.1	3.4	3.3	0.5	1.7	1.9
03 岩手県	1.5	0.6	3.8	1.2	—	3.3	4.8	0.7	1.3	1.8
04 宮城県	0.7	0.4	2.1	0.7	—	2.8	3.1	0.3	0.9	1.1
05 秋田県	1.1	0.5	3.2	1.8	—	3.3	4.3	1.5	1.4	1.9
06 山形県	1.0	0.2	3.5	1.0	0.2	3.8	3.0	0.6	1.2	1.9
07 福島県	1.0	1.0	3.3	1.3	0.4	3.7	4.0	0.5	1.4	2.0
08 茨城県	1.0	0.5	2.7	0.9	—	2.4	2.6	0.2	1.2	1.4
09 栃木県	0.6	0.6	3.1	0.7	—	2.2	2.8	0.8	1.1	1.1
10 群馬県	0.9	0.8	3.6	1.0	—	2.5	2.4	0.3	0.8	1.5
11 埼玉県	0.6	0.2	2.7	0.4	—	1.4	2.1	0.2	0.6	0.8
12 千葉県	0.7	0.6	2.8	1.1	0.0	1.5	2.3	0.2	0.6	1.2
13 東京都	0.4	0.3	2.9	0.6	0.0	1.5	1.9	0.2	0.4	1.1
14 神奈川県	0.7	0.3	2.6	0.6	0.1	2.4	2.3	0.2	0.7	0.8
15 新潟県	0.9	0.8	4.2	0.8	—	5.0	3.7	0.6	0.8	1.9
16 富山県	1.2	0.8	5.0	0.5	—	5.6	4.4	0.1	0.9	1.8
17 石川県	1.5	0.2	3.7	1.0	—	3.5	3.0	0.3	1.1	1.7
18 福井県	1.1	0.5	6.1	1.5	—	2.4	2.7	0.5	1.2	2.1
19 山梨県	1.1	0.5	4.0	0.9	—	2.4	2.6	0.4	0.6	1.9
20 長野県	0.4	0.6	3.3	1.1	—	3.2	2.6	0.1	1.2	1.9
21 岐阜県	0.4	0.5	4.2	1.4	0.2	2.9	2.6	0.4	1.4	1.7
22 静岡県	1.1	0.2	3.8	0.6	—	2.4	2.9	0.4	1.0	1.0
23 愛知県	0.7	0.3	2.7	0.7	0.0	1.7	2.4	0.3	0.9	0.9
24 三重県	0.7	0.5	4.3	1.1	—	2.7	2.6	0.4	1.1	1.5
25 滋賀県	0.7	0.4	2.3	0.8	—	3.0	3.2	0.7	1.3	1.4
26 京都府	0.4	0.5	3.2	0.6	—	1.7	2.6	0.1	0.5	1.4
27 大阪府	0.6	0.3	3.2	0.6	0.0	1.6	2.2	0.3	0.6	0.9
28 兵庫県	0.8	0.5	3.7	0.9	—	2.1	3.0	0.2	1.1	1.6
29 奈良県	0.7	1.0	2.3	1.0	—	2.0	2.2	0.1	0.7	1.2
30 和歌山県	1.4	0.6	4.5	0.7	—	2.5	3.5	0.7	1.5	1.4
31 鳥取県	2.1	0.5	3.2	1.5	—	3.9	5.2	0.8	0.5	1.8
32 島根県	2.4	1.5	4.6	0.9	—	4.1	3.8	1.0	1.7	2.3
33 岡山県	1.5	0.4	5.6	1.0	—	3.5	3.2	0.6	1.7	1.9
34 広島県	1.1	0.6	4.1	1.3	—	2.6	3.1	0.4	1.4	1.1
35 山口県	2.2	0.4	4.6	1.4	—	3.8	3.1	0.6	1.1	2.5
36 徳島県	0.8	0.1	5.6	1.3	—	4.1	2.6	0.4	1.2	2.0
37 香川県	2.7	0.1	4.0	2.0	—	4.4	3.3	0.3	1.3	2.0
38 愛媛県	1.6	0.7	4.7	1.7	0.1	3.5	3.8	0.5	1.4	1.6
39 高知県	2.4	0.1	7.3	0.8	—	4.7	4.9	0.8	1.6	3.4
40 福岡県	0.9	0.3	3.3	0.7	—	2.1	2.5	0.4	0.9	0.9
41 佐賀県	1.4	0.3	3.8	0.9	—	4.7	3.0	0.3	1.3	1.8
42 長門県	1.7	0.1	4.4	1.1	0.3	3.8	3.1	0.2	1.0	0.9
43 熊本市	1.7	1.0	4.3	0.9	0.1	2.8	3.4	0.3	0.9	1.3
44 大宮市	2.0	1.0	4.7	1.0	0.1	2.7	3.2	0.1	1.9	2.0
45 宮崎県	1.4	1.2	4.2	1.4	—	3.7	3.7	0.6	1.4	1.0
46 鹿児島県	0.9	0.7	3.9	1.1	0.2	3.7	2.9	0.4	1.4	1.5
47 沖縄県	0.5	0.2	2.3	0.5	—	2.5	2.3	0.1	0.6	1.0

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1989-con.

平成元年

E115 自 殺	E116 他 殺	E117 そ の 他 の 外 因	1~26 感 染 症 及 び 寄 生 虫 症	5, 6 結 核	46,51-52, 54-56 心 疾 患	62,63,66 肺 気 管 炎 及 び 支 気 管 炎	4, 72 胃 腸 炎	79, 80 妊 婦 死 産 婦 亡		
								女子人口 10万対 Per 100,000 females	出生 10万対 Per 100,000 live births	出生 10万対 Per 100,000 total births
17.3	0.6	2.1	9.1	2.9	128.1	52.7	1.1	0.2	10.8	10.4
18.4	0.5	2.2	8.5	2.3	132.5	58.1	0.9	0.2	10.9	10.2
21.0	0.4	2.6	10.3	3.4	155.4	55.4	1.6	0.5	25.7	24.6
27.0	1.0	2.3	8.5	2.0	157.5	66.0	0.8	0.1	6.9	6.5
14.6	0.3	2.9	6.8	1.8	111.5	40.4	1.0	0.4	20.7	19.7
29.3	0.3	1.4	11.2	3.1	154.9	61.1	2.3	—	—	—
21.4	0.3	2.2	9.3	2.4	151.9	63.0	1.7	0.3	15.3	14.7
18.3	0.3	1.1	10.4	2.5	136.8	50.7	1.4	0.4	17.3	16.5
15.7	0.4	1.1	8.7	2.2	119.8	45.5	1.2	0.3	13.7	13.2
17.7	0.5	1.1	8.7	2.7	126.3	51.5	1.8	0.2	9.9	9.4
19.6	0.9	1.5	8.6	2.7	134.3	55.5	1.8	0.3	14.9	14.3
14.6	0.6	1.0	6.4	1.8	98.3	36.2	0.8	0.4	18.9	18.3
13.5	0.6	1.4	6.0	2.0	101.6	36.2	1.1	0.1	5.5	5.3
14.5	0.5	1.4	8.9	3.0	110.9	51.2	0.6	0.1	4.7	4.5
13.0	0.6	2.4	6.8	2.3	88.5	38.5	0.6	0.2	10.1	9.7
27.3	0.2	1.8	7.3	1.9	134.6	56.8	1.7	0.1	4.0	3.8
22.7	0.4	1.3	11.3	3.5	140.8	77.6	1.3	0.3	19.4	18.7
17.7	0.6	1.4	10.7	3.6	135.1	71.8	1.0	0.2	8.6	8.2
17.7	0.4	2.0	11.0	4.4	139.2	64.2	2.4	0.2	11.1	10.7
18.7	0.7	1.8	9.8	2.4	149.1	60.9	2.1	—	—	—
18.8	0.4	1.2	7.1	1.7	144.2	58.3	1.1	0.1	4.6	4.4
17.4	0.7	2.2	9.3	3.2	138.0	46.6	2.3	0.5	24.3	23.4
14.1	0.9	1.3	8.9	2.5	127.0	49.0	0.9	0.2	7.9	7.6
15.6	0.5	2.0	8.6	3.1	119.3	39.2	1.0	0.2	7.0	6.7
16.3	0.4	1.8	8.4	2.5	156.1	47.6	1.1	—	—	—
16.2	0.5	1.4	8.7	2.6	132.0	49.0	1.7	0.2	7.4	7.2
15.9	0.5	1.8	9.9	3.2	140.9	56.3	0.9	0.2	8.0	7.7
16.8	0.8	3.5	10.4	3.5	120.3	51.1	0.8	0.2	9.0	8.6
16.9	0.7	2.3	10.0	3.3	137.5	50.3	1.5	0.3	16.8	16.1
14.4	0.7	2.1	8.3	2.9	130.9	44.4	1.0	—	—	—
22.7	0.7	4.3	10.5	3.7	180.9	52.6	1.6	—	—	—
20.1	0.6	3.7	6.8	2.4	165.1	59.9	1.0	—	—	—
24.1	0.4	3.3	10.9	2.8	170.4	79.5	1.8	0.2	12.9	12.4
17.4	0.7	2.4	10.5	3.1	145.9	67.9	1.1	0.5	25.8	24.7
17.1	0.5	2.8	8.7	2.8	130.0	55.9	1.1	—	—	—
19.2	0.4	2.3	12.8	3.4	162.5	80.5	0.9	0.4	20.7	19.8
18.2	0.5	3.4	14.7	4.7	157.8	77.5	2.0	—	—	—
18.7	0.8	2.1	10.0	3.5	163.7	67.9	2.2	0.4	20.4	19.6
20.3	1.5	2.2	11.6	3.5	162.6	63.6	1.1	0.5	26.3	25.2
22.7	1.1	2.6	9.3	3.1	182.9	85.6	1.4	0.9	52.5	49.9
17.2	0.8	2.2	10.0	3.2	129.1	57.2	1.0	0.1	6.0	5.7
18.7	0.6	1.8	10.9	3.5	146.9	65.9	1.7	0.6	31.9	30.4
17.6	0.5	1.8	12.8	3.1	151.2	72.4	1.8	0.2	11.6	10.9
19.3	0.7	1.7	12.9	4.4	158.9	62.0	1.6	—	—	—
16.3	0.6	2.3	11.2	3.5	156.7	68.4	1.5	0.3	16.4	15.5
20.5	0.8	2.1	8.7	4.1	146.2	65.3	1.0	0.2	7.7	7.3
20.1	0.6	2.4	10.8	2.9	162.8	82.8	2.0	0.6	30.5	28.8
16.8	1.1	1.9	9.6	2.7	88.7	49.8	0.7	0.2	5.5	5.3