

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因・性	総 数	0 歳											
			0 歳	1	2	3	4	0-4	5-9	10-14	15-19	20-24		
International Detailed List Code	Causes of Death and Sex	Total	Year											
326	頭蓋内膿瘍又は化膿性感染の後遺症	59	2	2	1	-	-	5	1	4	2	2		
	男 M.	29	-	1	-	-	-	1	1	3	2	1		
	女 F.	30	2	1	1	-	-	4	-	1	-	1		
(330-337)	中枢神経系の遺伝性及び変性疾患	3 732	15	17	9	13	9	63	17	8	11	8		
	男 M.	1 956	8	13	4	6	5	36	11	5	8	6		
	女 F.	1 776	7	4	5	7	4	27	6	3	3	2		
330	一般に小児期にあらわれる脳変性	34	-	5	1	3	4	13	6	2	3	1		
	男 M.	24	-	5	-	2	4	11	4	2	3	-		
	女 F.	10	-	-	1	1	-	2	2	-	-	1		
331	その他の脳変性	419	8	9	6	8	3	34	7	3	2	2		
	男 M.	236	3	6	4	4	-	17	5	3	2	2		
	女 F.	183	5	3	2	4	3	17	2	-	-	-		
332	パーキンソン病	1 692	-	-	-	-	-	-	-	-	-	-		
	男 M.	760	-	-	-	-	-	-	-	-	-	-		
	女 F.	932	-	-	-	-	-	-	-	-	-	-		
333	その他の錐体外路系疾患及び異常運動障害	165	-	1	-	-	-	1	1	1	-	-		
	男 M.	106	-	1	-	-	-	1	-	-	-	-		
	女 F.	59	-	-	-	-	-	1	1	-	-	-		
334	脊髄小脳変性	351	-	-	-	1	-	1	1	3	1	-		
	男 M.	187	-	-	-	-	-	1	1	2	-	-		
	女 F.	164	-	-	-	1	-	1	1	1	1	-		
335	前角細胞疾患	1 007	7	2	2	1	2	14	2	1	3	4		
	男 M.	602	5	1	-	-	1	7	1	-	1	4		
	女 F.	405	2	1	2	1	7	7	1	1	2	-		
336	脊髄のその他の疾患	54	-	-	-	-	-	-	-	-	-	-		
	男 M.	35	-	-	-	-	-	-	-	-	-	-		
	女 F.	19	-	-	-	-	-	-	-	-	-	-		
337	自律神経系の障害	10	-	-	-	-	-	-	-	-	-	-		
	男 M.	6	-	-	-	-	-	-	-	-	-	-		
	女 F.	4	-	-	-	-	-	-	-	-	-	-		
(340-349)	中枢神経系のその他の障害	1 268	35	45	23	16	18	137	55	50	51	54		
	男 M.	693	17	24	15	12	11	79	28	33	29	31		
	女 F.	575	18	21	8	4	7	58	27	17	22	23		
340	多発硬化症	63	-	-	-	-	-	-	-	-	-	2		
	男 M.	24	-	-	-	-	-	-	-	-	-	-		
	女 F.	39	-	-	-	-	-	-	-	-	-	2		
341	中枢神経系のその他の脱髄疾患	28	-	-	-	-	-	-	-	1	1	-		
	男 M.	13	-	-	-	-	-	-	-	1	1	-		
	女 F.	15	-	-	-	-	-	-	-	-	-	-		
342	片 麻 痺	107	-	-	-	-	-	-	-	-	-	-		
	男 M.	46	-	-	-	-	-	-	-	-	-	-		
	女 F.	61	-	-	-	-	-	-	-	-	-	-		
343	脳性小児麻痺	166	10	12	5	5	7	39	24	30	23	15		
	男 M.	97	5	7	3	5	4	24	11	20	12	11		
	女 F.	69	5	5	2	-	3	15	13	10	11	4		
344	その他の麻痺性症候群	130	-	-	-	-	-	-	-	-	-	2		
	男 M.	68	-	-	-	-	-	-	-	-	-	2		
	女 F.	62	-	-	-	-	-	-	-	-	-	-		
345	て ん か ん	390	2	2	6	2	2	14	15	15	21	24		
	男 M.	220	2	-	3	1	1	7	8	10	10	15		
	女 F.	170	-	2	3	1	1	7	7	5	11	9		

DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1989-CON.

国際基本 分類番号	25-29 30-34 35-39 40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100-																	不 詳	国際基本 分類番号	
International Detailed List Code	Not Stated																	International Detailed List Code		
326	2																	-	326	
	男 M.	1																	-	
	女 F.	1																	-	
(330-337)	10																	-	(330-337)	
	男 M.	6																	-	
	女 F.	4																	-	
330	2																	-	330	
	男 M.	1																	-	
	女 F.	1																	-	
331	-																	-	331	
	男 M.	-																	-	
	女 F.	-																	-	
332	1																	-	332	
	男 M.	-																	-	
	女 F.	1																	-	
333	1																	-	333	
	男 M.	1																	-	
	女 F.	-																	-	
334	3																	-	334	
	男 M.	2																	-	
	女 F.	1																	-	
335	3																	-	335	
	男 M.	2																	-	
	女 F.	1																	-	
336	-																	-	336	
	男 M.	-																	-	
	女 F.	-																	-	
337	-																	-	337	
	男 M.	-																	-	
	女 F.	-																	-	
(340-349)	49																	-	(340-349)	
	男 M.	26																	-	
	女 F.	23																	-	
340	2																	-	340	
	男 M.	1																	-	
	女 F.	1																	-	
341	-																	-	341	
	男 M.	-																	-	
	女 F.	-																	-	
342	-																	-	342	
	男 M.	-																	-	
	女 F.	-																	-	
343	4																	-	343	
	男 M.	2																	-	
	女 F.	2																	-	
344	1																	-	344	
	男 M.	-																	-	
	女 F.	1																	-	
345	39																	-	345	
	男 M.	21																	-	
	女 F.	18																	-	

死 因

1表-1 (77-22)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Causes of Death and Sex	総 数 Total	0 歳 Year	年齢階級 (Age Group)																			
				1	2	3	4	0~4	5~9	10~14	15~19	20~24											
346	片 頭 痛..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
347	カタプレキシ-及びナルコレプシ-..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
348	脳のその他の病態..... 男 M. 女 F.	358 210 148	23 10 13	31 17 14	12 9 3	8 6 2	9 6 3	83 48 35	16 9 7	4 2 2	6 6 -	9 3 6	-	-	-	-	-	-	-	-	-	-	-
349	神経系のその他及び詳細不明の障害..... 男 M. 女 F.	26 15 11	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
(350-359)	末梢神経系の障害..... 男 M. 女 F.	453 298 155	11 8 3	5 2 3	-	1	1	18 11 7	5 4 1	17 16 1	68 62 6	55 48 7	-	-	-	-	-	-	-	-	-	-	-
350	三叉神経障害..... 男 M. 女 F.	1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
351	顔面神経障害..... 男 M. 女 F.	3 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
352	その他の脳神経の障害..... 男 M. 女 F.	11 6 5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
353	神経根及び神経そう障害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
354	上肢の単神経炎及び多発単神経炎..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
355	下肢の単神経炎..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
356	遺伝性及び特発性ニューロパシ-..... 男 M. 女 F.	30 18 12	-	-	-	-	-	1 1	-	1 -	1 -	-	-	-	-	-	-	-	-	-	-	-	-
357	炎症性及び中毒性ニューロパシ-..... 男 M. 女 F.	49 22 27	-	-	-	1	1	2 1 1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
358	神経筋障害..... 男 M. 女 F.	58 25 33	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
359	筋ジストロフィー及びその他のミオパシ-..... 男 M. 女 F.	301 226 75	11 8 3	5 2 3	-	-	-	16 10 6	4 4 -	17 16 1	66 61 5	54 47 7	-	-	-	-	-	-	-	-	-	-	-
(360-379)	眼及び付属器の障害..... 男 M. 女 F.	12 6 6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
360	眼 球 の 障 害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

年齢階級 (Age Group)																	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	346
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	347
2	4	9	11	7	17	22	17	15	31	35	31	23	12	2	1	1	348	
1	3	7	6	5	12	14	5	9	20	25	17	11	6	-	-	1	-	
1	1	2	5	2	5	8	12	6	11	10	14	12	6	2	1	-	-	
1	-	1	1	3	1	1	4	2	2	2	4	1	-	-	-	-	349	
1	-	1	1	3	1	-	3	1	2	-	2	-	-	-	-	-	-	
1	-	-	-	-	-	1	1	1	-	2	2	1	-	-	-	-	-	
22	10	9	15	21	26	35	31	35	29	24	15	12	4	2	-	-	(350-359)	
17	9	5	7	9	15	21	18	17	17	7	9	5	1	-	-	-	-	
5	1	4	8	12	11	14	13	18	12	17	6	7	3	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	350	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	351	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	1	1	2	-	4	1	1	-	-	352	
-	-	1	-	-	-	-	-	1	1	1	-	2	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	353	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	354	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	355	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	1	3	1	7	4	4	5	1	-	-	-	356	
1	-	-	-	-	-	1	2	1	6	1	3	2	-	-	-	-	-	
1	-	-	-	-	-	1	1	-	1	3	1	3	1	-	-	-	-	
1	1	1	3	3	-	2	4	9	6	7	4	3	1	1	-	-	357	
1	1	1	1	2	-	2	2	4	4	4	1	1	-	-	-	-	-	
-	-	1	2	1	-	-	2	5	2	6	3	2	1	1	-	-	-	
1	1	2	3	2	5	6	7	10	8	6	3	1	1	1	-	-	358	
1	1	-	-	-	2	4	5	3	4	2	3	-	-	-	-	-	-	
-	-	2	3	2	3	2	2	7	4	4	-	1	1	1	-	-	-	
18	8	5	9	16	21	25	16	14	6	5	-	1	-	-	-	-	359	
14	7	4	6	7	13	14	8	9	2	3	-	1	-	-	-	-	-	
4	1	1	3	9	8	11	8	5	4	2	-	-	-	-	-	-	-	
-	-	-	-	1	-	1	-	-	1	1	2	4	-	-	-	-	(360-379)	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

死 因

1表-1 (77-23)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳															
			0 歳	1	2	3	4	0-4	5-9	10-14	15-19	20-24						
International Detailed List Code	Causes of Death and Sex	Total	Year															
361	網膜剥離及び欠損..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
362	その他の網膜の障害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
363	脈絡網膜の炎症及び瘢痕、並びにその他の脈絡膜障害..... 男 M. 女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
364	虹彩及び毛様体の障害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
365	緑 内 障..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
366	白 内 障..... 男 M. 女 F.	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
367	屈折及び調節障害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
368	視 力 障 害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
369	盲及び視力低下..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
370	角 膜 炎..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
371	角膜混濁及びその他の角膜障害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
372	結 膜 の 障 害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
373	眼 瞼 の 炎 症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
374	眼瞼のその他の障害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
375	涙器系の障害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
376	眼窩の障害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
377	視神経及び視路の障害..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

																不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100~		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	361
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	362
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	363
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	364
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	365
-	-	-	-	-	-	1	-	-	1	1	2	2	4	-	-	-	366
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	367
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	368
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	369
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	370
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	371
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	372
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	373
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	374
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	375
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	376
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	377

死 因
1表-1 (77-24)

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Causes of Death and Sex	総 数 Total	0 歳											不 詳 Not Stated	国際基本 分類番号 International Detailed List Code			
			Year	1	2	3	4	0-4	5-9	10-14	15-19	20-24						
378	斜視及びその他の両眼の眼球運動障害 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	378
379	眼のその他の障害 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	379
(380-389)	耳及び乳突の疾患 男女 M. F.	17 6	1 1	-	-	-	-	-	-	1 1	-	1 1	-	-	-	-	-	(380-389)
380	外 耳 の 障 害 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	380
381	非化膿性中耳炎及び耳管障害 男女 M. F.	2 1	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1	-	381
382	化膿性及び詳細不明の中耳炎 男女 M. F.	10 4	1 1	-	-	-	-	-	-	1 1	-	1 1	-	-	-	2 1	1 1	382
383	乳突炎及び関連病態 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	383
384	鼓膜のその他の障害 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	384
385	中耳及び乳突のその他の障害 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	385
386	めまい症候群及び前庭系のその他の障害 男女 M. F.	5 1	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1	4 3	386
387	耳 硬 化 症 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	387
388	耳のその他の障害 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	388
389	ろ う 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	389
VII	循 環 系 の 疾 患 男女 M. F.	294 142	353 609	248 149	75 45	40 19	25 15	23 15	411 243	93 51	125 80	290 183	412 293	-	-	-	-	VII
(390-392)	急性リウマチ熱 男女 M. F.	37 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(390-392)
390	心臓併発症の記載のないリウマチ熱 男女 M. F.	31 13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	390
391	心臓併発症を伴うリウマチ熱 男女 M. F.	6 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	391

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年
DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1989-CON.

25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	378
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	379
-	-	-	-	-	1	1	-	2	1	1	2	6	1	-	-	-	(380-389)
-	-	-	-	-	1	-	-	1	-	1	1	4	1	-	-	-	380
-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	381
-	-	-	-	-	1	1	-	2	1	-	-	2	1	-	-	-	382
-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	-	-	383
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	384
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	385
-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	386
-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	387
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	388
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	389
600	832	1 832	3 455	5 465	8 061	12 078	16 376	20 812	31 594	51 285	60 683	51 137	23 166	5 072	500	74	VII
419	577	1 280	2 423	3 794	5 606	8 412	10 759	11 820	16 976	25 348	26 441	19 254	7 129	1 341	110	70	
181	255	552	1 032	1 671	2 455	3 666	5 617	8 992	14 618	25 937	34 242	31 883	16 037	3 731	390	4	(390-392)
-	-	-	1	1	-	2	5	6	7	11	1	2	1	-	-	-	390
-	-	-	1	1	-	2	4	3	3	5	6	1	1	-	-	-	391
-	-	-	1	1	-	1	3	6	6	9	1	2	1	-	-	-	390
-	-	-	1	1	-	1	3	3	3	4	5	1	1	-	-	-	391
-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-	391
-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	391

死 因
1表-1 (77-25)

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Causes of Death and Sex	総 数 Total	0 歳 Year										不 詳 Not Stated	国際基本 分類番号 International Detailed List Code			
			0 歳	1	2	3	4	0~4	5~9	10~14	15~19	20~24					
392	リウマチ性舞蹈病..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	392
(393-398)	慢性リウマチ性心疾患..... 男女 M. F.	1 341 424 917	-	-	-	-	-	-	-	-	1	-	2	-	-	-	(393-398)
393	慢性リウマチ性心膜炎..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	393
394	僧帽弁の疾患..... 男女 M. F.	891 251 640	-	-	-	-	-	-	-	1	-	1	-	-	-	-	394
395	大動脈弁の疾患..... 男女 M. F.	5 3 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	395
396	僧帽弁及び大動脈弁の疾患..... 男女 M. F.	326 145 181	-	-	-	-	-	-	-	-	-	-	-	-	-	-	396
397	その他の心内臓構造の疾患..... 男女 M. F.	58 12 46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	397
398	その他のリウマチ性心疾患..... 男女 M. F.	61 13 48	-	-	-	-	-	-	-	-	-	1	-	-	-	-	398
(401-405)	高血圧性疾患..... 男女 M. F.	9 271 3 486 5 785	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(401-405)
.0	悪性と明示されたもの..... 男女 M. F.	33 17 16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.0
.1	良性と明示されたもの..... 男女 M. F.	21 9 12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.1
.9	悪性又は良性と明示されないもの..... 男女 M. F.	9 217 3 460 5 757	-	-	-	-	-	-	-	-	-	-	-	-	-	-	.9
401	本態性高血圧..... 男女 M. F.	1 445 468 977	-	-	-	-	-	-	-	-	-	-	-	-	-	-	401
402	高血圧性心疾患..... 男女 M. F.	6 703 2 534 4 169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	402
403	高血圧性腎疾患..... 男女 M. F.	669 304 365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	403
404	高血圧性心腎疾患..... 男女 M. F.	454 180 274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	404
405	二次性高血圧..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	405

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1989-CON.

国際基本 分類番号 International Detailed List Code	性・年齢(5歳階級)・死因(三桁基本分類)別																不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~		
392	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	392
(393-398)	2	6	9	17	50	58	132	165	177	188	209	161	102	56	6	-	(393-398)	
393	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	393	
394	1	5	4	8	28	39	96	126	137	130	119	98	65	29	4	-	394	
395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	395	
396	-	-	3	7	20	13	32	28	29	40	60	48	25	20	1	-	396	
397	1	1	2	1	-	4	1	8	6	8	11	6	5	3	1	-	397	
398	-	-	-	1	2	2	2	3	3	9	18	9	7	4	-	-	398	
(401-405)	4	3	17	27	73	110	181	258	347	682	1 319	2 224	2 375	1 314	307	30	(401-405)	
.0	-	-	-	2	2	3	4	5	1	2	3	5	5	-	1	-	.0	
.1	-	-	-	1	1	-	2	2	-	1	2	3	2	-	1	-	.1	
.9	4	3	17	25	71	107	177	253	346	679	1 312	2 214	2 363	1 310	306	30	.9	
401	-	-	1	2	4	2	7	14	19	50	129	325	452	330	95	15	401	
402	3	-	9	20	57	81	139	208	274	533	1 004	1 623	1 669	881	189	13	402	
403	1	3	6	3	10	14	21	25	35	59	105	161	161	53	11	1	403	
404	-	-	1	2	2	13	14	11	19	40	81	115	93	50	12	1	404	
405	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	405	

死 因

1表-1 (77-26)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因・性 Causes of Death and Sex	総 数 Total	0 歳 Year	1	2	3	4	0-4	5-9	10-14	15-19	20-24	International Detailed List Code
(410-414)	虚血性心疾患..... 男 M. 25 828 女 F. 22 976	48 804	-	2	-	-	-	2	-	5	8	21	
410	急性心筋梗塞..... 男 M. 16 951 女 F. 13 495	30 446	-	1	-	-	-	1	-	4	6	13	
411	その他の急性及び亜急性型の虚血性心疾患..... 男 M. 1 100 女 F. 1 883	2 983	-	-	-	-	-	-	-	-	-	-	
412	陈旧性心筋梗塞..... 男 M. 1 086 女 F. 655	1 741	-	-	-	-	-	-	-	-	-	-	
413	狭 心 症..... 男 M. 993 女 F. 959	1 952	-	-	-	-	-	-	-	-	-	-	
414	その他の型の慢性虚血性心疾患..... 男 M. 5 698 女 F. 5 984	11 682	-	1	-	-	-	1	-	1	2	8	
(415-417)	肺 循 環 疾 患..... 男 M. 638 女 F. 572	1 210	9	5	2	2	-	18	6	7	14	14	
415	急性肺性心疾患..... 男 M. 302 女 F. 301	603	1	-	-	-	-	1	-	-	2	-	
416	慢性肺性心疾患..... 男 M. 334 女 F. 265	599	8	5	2	2	-	17	6	7	11	14	
417	肺循環のその他の疾患..... 男 M. 2 女 F. 6	8	-	-	-	-	-	-	-	-	1	-	
(420-429)	その他の型の心疾患..... 男 M. 51 011 女 F. 54 465	105 476	197	60	35	22	19	333	58	87	213	305	
420	急性心膜炎..... 男 M. 23 女 F. 9	32	-	-	1	-	-	1	-	-	-	-	
421	急性及び亜急性心内膜炎..... 男 M. 146 女 F. 71	217	-	-	-	-	-	-	-	2	2	3	
422	急性心筋炎..... 男 M. 69 女 F. 37	106	5	-	-	1	1	7	1	3	-	3	
423	心膜のその他の疾患..... 男 M. 127 女 F. 119	246	-	-	-	-	-	1	-	-	2	1	
424	心内膜のその他の疾患..... 男 M. 1 494 女 F. 2 339	3 833	-	-	-	-	-	-	-	2	5	5	
425	心 筋 症..... 男 M. 1 196 女 F. 701	1 897	21	9	4	3	1	38	5	16	25	21	

性・年齢 (5歳階級)・死因 (三桁基本分類) 別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

国際基本 分類番号	International Detailed List Code	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
(410-414)		44	72	210	404	756	1 298	2 094	3 285	4 221	6 370	9 333	9 765	7 247	3 012	583	57	17	
410		32	57	175	326	603	1 042	1 640	2 358	2 658	3 646	4 852	4 369	2 877	959	176	11	4	410
411		12	15	35	78	153	256	454	927	1 563	2 724	4 481	5 396	4 370	2 053	407	46	17	
412		35	50	158	296	595	1 001	1 632	2 459	3 126	4 461	6 085	5 563	3 545	1 191	200	21	4	410
413		25	41	128	239	475	798	1 274	1 765	1 967	2 562	3 155	2 543	1 477	411	65	3	4	410
414		10	9	30	57	120	203	358	694	1 159	1 899	2 930	3 020	2 068	780	135	18	1	410
415		2	1	2	9	13	17	20	60	102	212	473	733	832	403	95	8	1	411
416		1	-	1	7	7	10	8	29	51	96	190	278	283	118	19	1	1	411
417		1	1	1	2	6	7	12	31	51	116	283	455	549	285	76	7	-	411
418		-	1	2	2	13	31	45	113	152	258	378	389	256	95	5	1	-	412
419		-	-	2	2	10	25	36	95	108	179	246	213	133	35	2	-	-	412
420		-	1	-	-	3	6	9	18	44	79	132	176	123	60	3	1	-	412
421		1	5	8	15	20	42	62	120	125	235	347	422	324	171	48	7	-	413
422		1	3	7	12	17	30	53	87	81	136	188	186	131	50	11	-	-	413
423		-	2	1	3	3	12	9	33	44	99	159	236	193	121	37	7	-	413
424		6	15	40	82	115	207	335	533	716	1 204	2 050	2 658	2 290	1 152	235	20	12	414
425		5	13	37	66	94	179	269	382	451	673	1 073	1 149	853	345	79	7	12	414
426		1	2	3	16	21	28	66	151	265	531	977	1 509	1 437	807	156	13	-	414
427		14	16	20	35	38	49	70	95	124	160	219	175	108	21	6	-	1	(415-417)
428		7	6	6	15	14	22	30	52	60	80	138	102	63	9	4	-	1	(415-417)
429		7	10	14	20	24	27	40	43	64	80	81	73	45	12	2	-	-	(415-417)
430		8	8	5	21	20	29	47	48	74	87	112	84	46	8	3	-	-	415
431		4	3	3	12	8	13	20	28	27	43	66	40	27	4	2	-	-	415
432		4	5	2	9	12	16	27	20	47	44	46	44	19	4	1	-	-	415
433		6	8	14	14	18	20	22	46	50	72	106	90	61	13	3	-	1	416
434		3	3	3	3	6	9	9	23	33	37	72	62	36	5	2	-	1	416
435		3	5	11	11	12	11	13	23	17	35	34	28	25	8	1	-	-	416
436		-	-	1	-	-	-	1	1	-	1	1	1	-	-	-	-	-	417
437		-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	417
438		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	417
439		424	507	886	1 394	2 007	2 780	3 970	5 365	6 761	10 453	17 411	21 637	18 984	9 389	2 233	256	23	(420-429)
440		304	363	650	1 025	1 458	2 008	2 777	3 547	3 812	5 590	8 488	9 401	7 269	2 997	601	62	21	(420-429)
441		120	144	236	369	549	772	1 193	1 818	2 949	4 863	8 923	12 236	11 715	6 392	1 632	194	2	(420-429)
442		1	-	-	-	2	3	1	2	-	-	4	3	5	1	-	-	-	420
443		1	-	-	-	1	3	1	2	-	-	1	2	2	-	-	-	-	420
444		-	-	-	-	1	-	-	-	-	-	3	1	3	1	-	-	-	420
445		1	-	4	7	5	13	16	21	25	18	13	7	5	3	1	-	-	421
446		-	-	3	4	2	6	11	12	13	8	9	2	1	-	-	-	-	421
447		1	-	1	3	3	7	5	9	12	10	4	5	4	3	1	-	-	421
448		1	4	6	6	4	3	5	4	5	7	2	4	4	-	-	-	-	422
449		1	2	5	5	2	3	3	3	1	5	1	-	1	-	-	-	-	422
450		-	2	1	1	2	-	2	1	4	2	1	4	3	-	-	-	-	422
451		3	2	4	3	7	6	22	22	31	31	40	33	29	5	4	-	-	423
452		2	2	2	1	4	4	15	16	22	15	14	11	2	1	-	-	-	423
453		1	-	2	2	3	2	7	6	9	16	26	19	18	3	3	-	-	423
454		2	7	20	35	75	89	192	258	357	460	753	713	565	243	49	3	-	424
455		1	5	17	22	44	45	94	117	142	207	299	250	177	62	6	-	-	424
456		1	2	3	13	31	44	98	141	215	253	454	463	388	181	43	3	-	424
457		22	17	51	58	109	124	201	232	243	207	227	185	90	21	4	-	1	425
458		20	12	36	41	81	91	149	177	157	118	121	85	36	4	2	-	1	425
459		2	5	15	17	28	33	52	55	86	89	106	100	54	17	2	-	-	425

死 因

1表-1 (77-27)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

Table with 14 columns: International Detailed List Code, Causes of Death and Sex, Total, 0 Year, 1, 2, 3, 4, 0-4, 5-9, 10-14, 15-19, 20-24. Rows include causes like 伝導障害, 不整脈, 心不全, etc.

注: 438 については8頁の1-4, 5) を参照

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

Table with 18 columns for age groups (25-29 to 100+) and 1 column for International Detailed List Code. Rows correspond to the causes listed on page 130.

死 因
1表-1 (77-28)

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Causes of Death and Sex	総 数 Total	0 歳 年 代											不 詳 Not Stated	国際基本 分類番号 International Detailed List Code			
			0 歳	1	2	3	4	0~4	5~9	10~14	15~19	20~24						
440	じゅく状硬化..... 男 M. 女 F.	2 358 1 005 1 353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	440
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
441	大 動 脈 瘤..... 男 M. 女 F.	3 695 2 379 1 316	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	441
			-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	
442	その他の動脈瘤..... 男 M. 女 F.	86 61 25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	442
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
443	その他の末梢血管疾患..... 男 M. 女 F.	49 38 11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	443
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
444	動脈塞栓及び血栓..... 男 M. 女 F.	462 264 198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	444
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
446	結節性多発動脈炎及び類似疾患..... 男 M. 女 F.	225 97 128	4	1	1	-	1	7	5	2	6	1	-	-	-	-	-	446
			4	1	1	-	1	2	4	2	4	1	-	-	-	-	-	
447	動脈及び細動脈のその他の障害..... 男 M. 女 F.	30 15 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	447
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
448	毛細管の疾患..... 男 M. 女 F.	1 1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	448
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(451-459)	静脈及びリンパ管の疾患、並びに循環系 のその他の疾患..... 男 M. 女 F.	656 408 248	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	(451-459)
			-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	
451	静脈炎及び血栓静脈炎..... 男 M. 女 F.	58 29 29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	451
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
452	門 脈 血 栓..... 男 M. 女 F.	5 2 3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	452
			-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
453	その他の静脈塞栓及び血栓..... 男 M. 女 F.	29 14 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	453
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
454	下肢の静脈瘤..... 男 M. 女 F.	8 5 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	454
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
455	痔 核..... 男 M. 女 F.	3 1 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	455
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
456	その他の部位の静脈瘤..... 男 M. 女 F.	312 241 71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	456
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
457	リンパ管の非感染性障害..... 男 M. 女 F.	6 3 3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	457
			-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
458	低 血 圧..... 男 M. 女 F.	68 28 40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	458
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

性・年齢（5歳階級）・死因（三桁基本分類）別 平成元年

DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1989-CON.

International Detailed List Code	性・年齢（5歳階級）・死因（三桁基本分類）別																International Detailed List Code	
	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~		不 詳 Not Stated
440	-	-	-	2	2	6	14	28	63	116	306	529	689	447	133	22	1	440
	-	-	-	1	2	5	12	21	42	67	172	253	256	134	34	5	1	
441	6	8	23	41	55	111	189	345	443	629	787	618	343	82	8	1	1	441
	4	5	17	32	45	83	138	257	307	404	499	368	177	38	1	-	1	
442	-	1	-	-	2	2	5	4	11	17	20	11	10	3	-	-	-	442
	-	1	-	-	-	2	2	3	10	10	17	9	6	-	-	-	-	
443	-	-	-	1	-	2	2	4	4	3	3	15	11	4	-	-	-	443
	-	-	-	1	-	2	2	4	3	2	3	12	8	1	-	-	-	
444	-	-	3	3	3	7	9	31	35	54	98	107	81	27	3	1	1	444
	-	-	3	2	1	4	7	23	22	37	62	56	35	10	1	1	1	
446	2	4	8	8	13	12	15	33	43	27	28	5	6	-	-	-	-	446
	2	4	4	4	9	2	5	11	16	11	10	3	4	-	-	-	-	
447	-	-	-	2	1	1	4	2	1	5	5	5	3	-	-	1	-	447
	-	-	-	1	1	-	4	2	1	2	2	1	1	-	-	-	1	
448	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	448
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
(451-459)	5	7	9	28	38	56	89	66	52	64	65	83	53	23	10	-	1	(451-459)
	2	4	8	23	30	49	71	51	35	30	38	31	23	6	3	-	1	
451	-	1	-	-	1	1	5	3	3	9	10	11	9	4	1	-	-	451
	-	1	-	-	1	1	4	3	3	4	4	4	6	2	1	-	-	
452	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	452
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
453	-	-	3	2	2	1	2	3	2	6	1	6	1	-	-	-	-	453
	-	-	3	-	-	1	1	2	3	3	1	4	1	-	-	-	-	
454	-	-	-	-	1	-	2	2	-	1	1	1	-	-	-	-	-	454
	-	-	-	-	1	-	2	1	-	1	1	1	-	-	-	-	-	
455	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	455
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
456	1	3	3	21	25	43	55	51	30	17	21	20	12	5	4	-	1	456
	-	3	3	19	23	40	46	41	22	10	14	9	4	3	2	-	1	
457	-	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	457
	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
458	1	1	2	-	2	1	2	1	2	6	9	15	14	9	3	-	-	458
	1	1	1	-	1	1	1	1	1	2	6	6	6	1	1	-	-	

死 因
1表-1 (77-30)

第1表-1 死 亡 数,
TABLE 1-1. DEATHS FOR EACH CAUSE (THE
ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳	1	2	3	4	0~4	5~9	10~14	15~19	20~24
International Detailed List Code	Causes of Death and Sex	Total	Year									
476	慢性喉頭炎及び喉頭気管炎 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
477	アレルギー性鼻炎 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-
478	上気道のその他の疾患 男女 M. F.	53 32 21	2 2	1 1	1 1	-	-	4 4	-	-	-	-
(480-487)	肺炎及びインフルエンザ 男女 M. F.	59 084 33 526 25 558	146 80 66	56 26 30	34 20 14	15 10 5	17 10 7	268 146 122	46 27 19	47 25 22	58 38 20	74 32 42
480	ウイルス肺炎 男女 M. F.	31 20 11	-	1 1	-	-	-	1 1	1 1	1 1	-	-
481	肺炎球菌性肺炎 男女 M. F.	431 285 146	1 1	-	1 1	1 1	-	3 3	1 1	1 1	-	1 1
482	その他の細菌性肺炎 男女 M. F.	389 263 126	1 1	1 1	-	-	-	2 1 1	1 1	-	-	-
483	その他の明示された病原体による肺炎 男女 M. F.	22 9 13	1 1	-	-	-	-	1 1	1 1	-	-	-
485	気管支肺炎、病原体不明 男女 M. F.	4 964 2 529 2 435	11 10 1	5 1 4	5 3 2	1 1	1 1	23 16 7	7 5 2	8 6 2	9 6 3	8 2 6
486	肺炎、病原体不明 男女 M. F.	53 126 30 364 22 762	131 67 64	48 24 24	28 17 11	13 9 4	15 8 7	235 125 110	35 19 16	37 17 20	47 31 16	64 29 35
487	インフルエンザ 男女 M. F.	121 56 65	1 1	1 1	-	-	-	1 1 1	3 2	-	2 1 1	1 1
(490-496)	慢性閉塞性肺疾患及び類似病態 男女 M. F.	15 761 10 154 5 607	17 14 3	13 7 6	16 7 9	7 3 4	4 2 2	57 33 24	19 13 6	49 30 19	75 52 23	87 63 24
490	気管支炎、急性又は慢性と明示されないもの 男女 M. F.	942 478 464	8 5 3	3 1 2	2 2	-	-	1 6 8	14 6 1	4 3 1	2 2	3 1 2
491	慢性気管支炎 男女 M. F.	3 526 2 217 1 309	2 2	-	-	-	-	2 2	3 1 2	2 1 1	2 1 1	3 3
492	肺 気 腫 男女 M. F.	3 705 3 060 645	-	-	1 1	-	-	1 1	-	-	1 1	-
493	喘 息 男女 M. F.	5 808 3 302 2 506	7 7	10 6 4	13 6 7	7 3 4	3 2 1	40 24 16	12 9 3	45 27 18	69 49 20	82 59 23
494	気管支拡張症 男女 M. F.	827 457 370	-	-	-	-	-	-	-	-	-	1 1

性・年齢（5歳階級）・死因（三桁基本分類）別 平成元年

DETAILED LIST OF THE 9TH REVISED
BY SEX AND AGE: JAPAN, 1989-CON.

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~	不 詳	国際基本 分類番号
																Not Stated	International Detailed List Code
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	476
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	477
-	1	3	3	1	3	8	4	2	7	8	2	5	2	-	-	-	478
99 62 37	73 35 38	139 72 67	200 133 67	300 203 97	544 367 177	1 008 733 275	1 779 1 265 514	2 969 1 964 1 005	5 902 3 933 1 969	11 120 6 910 4 210	14 365 8 254 6 111	12 664 6 312 6 352	5 839 2 426 3 413	1 416 527 889	159 47 112	15	(480-487)
1	-	-	-	2	1	-	1	2	4	3	7	4	2	1	-	-	480
-	1	-	-	9	15	29	21	32	40	74	97	76	18	4	1	-	481
-	-	-	5	9	13	25	17	25	27	52	58	39	10	-	-	-	482
-	-	1	3	3	2	6	24	28	53	82	92	66	22	3	1	-	483
-	-	-	2	2	1	4	15	17	43	57	63	44	11	1	-	-	485
10 5	6 2	11 4	15 7	18 13	32 19	58 39	98 65	186 113	406 249	894 511	1 186 620	1 179 540	653 251	130 50	25 4	2	485
86 54 32	65 33 32	127 67 60	176 118 58	266 177 89	492 331 161	912 664 248	1 633 1 805 911	2 716 1 805 1 785	5 390 3 605 1 785	10 047 6 278 3 769	12 957 7 495 5 462	11 297 5 671 5 626	5 130 2 152 2 978	1 274 475 799	130 42 88	10	486
2	1	-	1	2	3	2	3	2	3	9	18	39	11	2	2	-	487
72 49 23	55 29 26	93 51 42	128 63 65	180 104 76	254 154 100	440 277 163	761 488 273	1 192 797 395	2 012 1 373 639	3 273 2 259 1 014	3 442 2 308 1 134	2 375 1 438 937	986 484 502	191 81 110	20 8 12	-	(490-496)
1	1	3	3	2	5	8	21	37	59	141	205	246	146	36	4	-	490
2	4	3	6	11	13	33	90	150	380	739	884	782	339	73	5	-	491
-	2	-	4	4	18	57	163	361	610	1 016	914	404	135	12	3	-	492
66 47 19	43 23 20	81 43 38	106 52 54	144 82 62	194 106 88	295 174 121	412 236 176	509 293 216	695 413 282	973 564 409	1 031 616 415	681 344 337	273 116 157	53 23 30	4 2 2	-	493
3	3	4	9	14	19	26	39	68	115	181	180	111	46	7	1	-	494
1	-	2	2	8	13	12	21	37	61	100	102	65	28	5	-	-	
2	3	2	7	6	6	14	18	31	54	81	78	46	18	2	1	-	

死 因

1表-1 (77-31)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Causes of Death and Sex	総 数 Total	0 歳													
			Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24				
495	外因性アレルギー性肺炎..... 男女 M. F.	6 3 3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
496	他に分類されない慢性気道閉塞症..... 男女 M. F.	947 637 310	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(500-508)	じん肺症及びその他の外的因子による肺疾患..... 男女 M. F.	2 892 2 058 834	10 6 4	3 2 1	3 2 1	1 1 -	- - -	17 11 6	1 1 -	- - -	- 5 3	8 3 -	3 3 -	- -	- -	- -
500	炭坑夫じん肺..... 男女 M. F.	4 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
501	石 綿 肺..... 男女 M. F.	14 12 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
502	その他の珪酸又は珪酸塩によるじん肺症..... 男女 M. F.	228 220 8	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
503	その他の無機じんによるじん肺症..... 男女 M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
504	その他のじんあいの吸入による肺症..... 男女 M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
505	詳細不明のじん肺症..... 男女 M. F.	555 531 24	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
506	化学性フェーム及び蒸気による呼吸器病態..... 男女 M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
507	固体及び液体による肺炎..... 男女 M. F.	2 083 1 284 799	10 6 4	3 2 1	3 2 1	1 1 -	- -	17 11 6	1 1 -	- -	- 5 3	8 5 3	3 3 -	- -	- -	- -
508	その他及び詳細不明の外的因子による呼吸器病態..... 男女 M. F.	8 7 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(510-519)	呼吸系のその他の疾患..... 男女 M. F.	7 945 4 990 2 955	20 13 7	8 6 2	3 1 2	3 1 2	1 -	35 21 14	7 2 5	12 7 5	18 12 6	24 19 5	4 4 -	- -	- -	- -
510	膿 胸..... 男女 M. F.	355 274 81	- -	- -	- -	1 -	- -	1 1	- -	1 -	- -	- -	- -	- -	- -	- -
511	胸 膜 炎..... 男女 M. F.	663 385 278	1 -	- -	- -	- -	- -	1 1	1 1	- -	2 1 1	3 2 1	- -	- -	- -	- -
512	気 胸..... 男女 M. F.	259 203 56	3 2 1	- -	- -	- -	- -	3 2 1	- -	- -	3 3 -	2 2 -	- -	- -	- -	- -
513	肺及び縦隔の腫瘍..... 男女 M. F.	466 345 121	- -	- -	- -	- -	- -	- -	- -	- -	1 1 -	3 2 1	- -	- -	- -	- -

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

																		国際基本 分類番号 International Detailed List Code
25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~	不 詳 Not Stated		
-	1	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	495	
-	1	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-		
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	496	
-	1	2	-	5	5	21	36	66	153	222	227	149	47	10	3	-		
-	1	1	-	2	4	14	26	44	109	161	149	95	25	7	-	-		
-	1	1	-	3	1	7	10	22	44	61	78	54	22	3	3	-	(500-508)	
2	2	7	7	18	57	118	183	220	381	598	585	475	174	33	3	-		
1	-	4	4	12	50	106	161	181	305	443	402	277	78	13	1	-		
1	2	3	3	6	7	12	22	39	76	155	183	198	96	20	2	-	500	
-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	501	
-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-		
-	-	-	1	-	4	1	2	2	3	-	-	1	-	-	-	-	501	
-	-	-	1	-	3	1	2	2	2	-	-	1	-	-	-	-		
-	-	-	-	-	1	11	18	28	40	56	30	15	1	-	-	-	502	
-	-	-	-	1	11	17	28	27	38	53	29	15	1	-	-	-		
-	-	-	-	-	-	1	-	1	2	3	1	-	-	-	-	-	503	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	504	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	1	-	4	23	59	90	78	95	108	61	30	6	-	-	-	505	
-	-	1	-	4	21	57	88	74	91	103	58	28	6	-	-	-		
-	-	-	-	-	2	2	2	4	4	5	3	2	-	-	-	-	506	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	2	6	6	13	19	39	63	107	241	432	492	429	167	33	3	-	507	
1	-	3	3	7	15	30	43	74	172	285	313	233	71	13	1	-		
1	2	3	3	6	4	9	20	33	69	147	179	196	96	20	2	-		
-	-	-	-	-	-	1	-	4	1	-	2	-	-	-	-	-	508	
-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-		
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	(510-519)	
17	21	47	70	96	210	352	596	773	1 204	1 651	1 434	954	344	68	8	4		
13	10	32	43	59	139	235	407	515	793	1 072	865	551	160	29	2	4		
4	11	15	27	37	71	117	189	258	411	579	569	403	184	39	6	-		
1	-	5	4	3	12	13	43	53	67	58	47	33	13	-	1	-	510	
1	-	4	2	2	10	12	39	46	48	38	38	25	7	-	1	-		
-	-	1	2	1	2	1	4	7	19	20	9	8	6	-	-	-		
-	-	2	8	8	13	12	25	27	58	127	133	159	73	11	-	-	511	
-	-	2	7	5	6	7	15	17	44	81	79	81	33	5	-	-		
-	-	-	1	3	7	5	10	10	14	46	54	78	40	6	-	-		
-	-	-	3	1	9	5	20	21	44	58	56	25	6	2	1	-	512	
-	-	-	2	1	8	3	15	20	32	48	42	18	5	2	-	-		
-	-	-	1	-	1	2	5	1	12	10	14	7	1	-	1	-		
-	2	-	2	12	20	40	42	44	57	88	77	51	20	6	-	-	513	
-	1	-	2	9	17	27	34	34	40	66	61	33	14	3	-	-		
-	1	-	-	3	3	13	8	10	17	22	16	18	6	3	-	-		

死 因

1表-1 (77-32)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	International Detailed List Code	総 数 Total	0 歳											不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
				Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24			
514	肺うつ血及び血液沈滞	M. F.	522 289 233	2 1 1	- - -	- - -	- - -	- - -	2 1 1	2 1 1	1 1 -	3 2 1	5 4 1		514	
515	炎症後肺線維症	M. F.	1 838 1 088 750	1 1 -	1 - 1	- - -	- - -	1 - 1	3 1 2	- - -	2 2 -	1 - 1	- - -		515	
516	その他の肺胎性及び肺胞周囲性肺症	M. F.	1 605 1 018 587	7 6 1	2 1 1	- - -	1 - 1	- - -	10 7 3	- - -	4 2 2	- - -	2 2 -		516	
518	肺のその他の疾患	M. F.	824 490 334	2 - 2	1 1 -	1 - -	- - -	- - -	4 1 3	1 1 -	1 - 1	2 - 2	4 4 -		518	
519	呼吸系のその他の疾患	M. F.	1 413 898 515	4 3 1	4 4 -	2 1 1	1 1 -	- - -	11 9 2	3 - 3	3 1 2	6 5 1	5 3 2		519	
IX	消化系の疾患	M. F.	37 740 22 010 15 730	61 40 21	12 7 5	9 7 2	3 3 -	2 - 2	87 57 30	26 15 11	11 9 2	33 21 12	47 25 22		IX	
(520-529)	口腔、唾液腺及び顎の疾患	M. F.	37 12 25	3 2 1	- - -	- - -	- - -	- - -	3 2 1	1 1 -	- - -	1 1 -	- - -		(520-529)	
520	歯の発育及び萌出異常	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		520	
521	歯の硬組織の疾患	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		521	
522	歯髓及び根尖歯周組織の疾患	M. F.	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		522	
523	歯肉及び歯周疾患	M. F.	2 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		523	
524	不正咬合を含む歯、顎、顔面の異常	M. F.	4 3 1	3 2 1	- - -	- - -	- - -	- - -	3 2 1	1 1 -	- - -	- -	- -		524	
525	歯及び歯の支持組織のその他の疾患及び異常状態	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		525	
526	顎 の 疾 患	M. F.	4 2 2	- - -	- - -	- - -	- - -	- - -	- -	- -	- -	1 1 -	- -		526	
527	唾液腺の疾患	M. F.	13 3 10	- - -	- - -	- - -	- - -	- - -	- -	- -	- -	- -	- -		527	
528	口腔軟組織の疾患、歯肉及び舌に特有の病変を除く	M. F.	13 3 10	- - -	- - -	- - -	- - -	- - -	- -	- -	- -	- -	- -		528	
529	舌の疾患及びその他の病態	M. F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		529	

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
4 3 1	3 2 1	7 5 2	11 7 4	8 6 2	15 11 4	19 14 5	21 17 17	36 19 17	55 31 24	81 49 32	100 48 52	98 51 47	38 13 25	11 3 8	1 - 1	514	
2 2 -	5 2 3	9 6 3	11 8 3	13 8 5	39 23 16	78 49 29	164 98 66	210 134 76	301 180 121	421 266 155	322 180 142	189 105 84	55 20 35	12 4 8	1 - 1	515	
3 2 1	4 2 2	11 7 4	18 9 9	33 15 18	60 39 21	104 66 38	166 115 51	189 119 70	290 195 95	314 193 121	242 148 94	115 73 42	34 20 14	4 3 1	2 1 1	516	
3 2 1	3 1 2	6 5 1	7 4 3	9 6 3	22 12 10	36 24 12	50 31 19	62 41 21	130 89 41	169 103 66	159 91 68	100 54 46	44 17 27	10 3 7	1 - 1	518	
4 3 1	4 2 2	7 3 4	6 2 4	9 7 2	20 13 7	45 33 12	65 43 22	131 85 46	202 134 68	335 228 107	298 178 120	184 111 73	61 31 30	12 6 6	1 - 1	519	
84 57 27	174 136 38	448 354 94	928 771 157	1 691 1 421 270	2 617 2 114 503	3 995 3 148 847	3 704 2 631 1 073	3 462 2 018 1 444	4 000 2 196 1 804	5 031 2 570 2 461	5 190 2 217 2 973	4 026 1 541 2 485	1 783 573 1 210	349 99 250	28 11 17	26 IX 26	
- -	- -	- -	1 -	- -	1 -	- -	1 -	3 -	4 2	4 3	4 1	3 3	5 5	6 6	- -	(520-529)	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	520	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	521	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -	522	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -	523	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	524	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	525	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	526	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	527	
- -	- -	- -	1 1	- -	1 -	- -	- -	2 -	- -	1 1	2 1	2 1	2 1	2 2	- -	528	
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	529	

死 因

1表-1 (77-33)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Causes of Death and Sex	総 数 Total	0 歳 1 2 3 4 0~4 5~9 10~14 15~19 20~24																			
			0 歳 Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24										
(530~537)	食道、胃及び十二指腸の疾患..... 男 M. 4 473 女 F. 2 378 2 095	3	-	1	-	1	5	4	3	4	9											
530	食道の疾患..... 男 M. 191 女 F. 108 83	-	-	-	-	-	-	1	-	-	1											
531	胃 潰 瘍..... 男 M. 2 771 女 F. 1 480 1 291	1	-	-	-	1	2	1	2	3	3											
532	十二指腸潰瘍..... 男 M. 656 女 F. 385 271	-	-	-	-	-	-	1	1	1												
533	部位不明の消化性潰瘍..... 男 M. 238 女 F. 130 108	2	-	-	-	-	2	-	-	4												
534	胃 空 腸 潰 瘍..... 男 M. 27 女 F. 18 9	-	-	-	-	-	-	-	-	-												
535	胃炎及び十二指腸炎..... 男 M. 353 女 F. 132 221	-	-	-	-	-	-	-	-	1												
536	胃の機能障害..... 男 M. 62 女 F. 26 36	-	-	1	-	-	1	-	-	-												
537	胃及び十二指腸のその他の障害..... 男 M. 175 女 F. 99 76	-	-	-	-	-	-	1	-	-												
(540~543)	虫 垂 炎..... 男 M. 82 女 F. 46 36	-	-	-	-	-	-	-	1	1												
540	急性虫垂炎..... 男 M. 73 女 F. 40 33	-	-	-	-	-	-	-	1	1												
541	性質不明の虫垂炎..... 男 M. 6 女 F. 4 2	-	-	-	-	-	-	-	-	-												
542	その他の虫垂炎..... 男 M. 1 女 F. 1	-	-	-	-	-	-	-	-	-												
543	虫垂のその他の疾患..... 男 M. 2 女 F. 1	-	-	-	-	-	-	-	-	-												
(550~553)	腹腔のヘルニア..... 男 M. 193 女 F. 58 135	4	-	-	-	-	4	-	-	-												
550	そけいヘルニア..... 男 M. 48 女 F. 33 15	2	-	-	-	-	2	-	-	-												
551	腹腔のその他のヘルニア、え疽を伴うもの..... 男 M. 16 女 F. 2 14	-	-	-	-	-	-	-	-	-												

性・年齢（5歳階級）・死因（三桁基本分類）別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

国際基本 分類番号 International Detailed List Code	25~29 30~34 35~39 40~44 45~49 50~54 55~59 60~64 65~69 70~74 75~79 80~84 85~89 90~94 95~99 100~																不 詳 Not Stated	国際基本 分類番号 International Detailed List Code	
	25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~94	95~99	100~			
(530~537)	9 7 2	22 15 7	30 25 5	51 43 8	83 69 14	144 124 20	216 179 37	266 208 58	306 201 105	447 278 169	685 365 320	847 379 468	824 304 520	409 132 277	98 26 72	6 2 4	5 5 -	530	
531	3 3 -	12 8 4	21 18 3	24 21 3	50 43 7	82 71 11	126 112 14	171 136 35	177 121 56	276 180 96	457 235 222	553 244 309	512 186 326	237 79 158	53 11 42	1 - 1	5 5 -	531	
532	2 2 -	6 4 2	4 4 -	15 12 3	14 11 3	22 18 4	47 36 11	43 34 9	56 36 20	83 47 36	99 64 35	111 48 63	94 46 48	51 17 34	6 4 2	- - -	- - -	532	
533	2 1 1	1 1 -	1 1 -	2 1 1	6 3 3	14 13 1	14 12 2	15 11 4	20 14 6	22 13 9	27 13 14	40 20 20	50 17 33	15 5 10	3 - 3	- - -	- - -	533	
534	- - -	- - -	- - -	1 1 -	1 1 -	4 3 1	1 1 -	4 3 1	2 2 -	1 - 1	5 4 1	4 2 2	3 1 2	- - -	1 - 1	- - -	- - -	534	
535	1 1 -	- - -	1 - 1	1 1 -	- - -	1 - -	12 7 5	5 2 3	13 6 7	17 9 8	30 12 18	68 32 36	107 33 74	69 21 48	24 6 18	3 1 2	- - -	- - -	535
536	- - -	1 1 -	- - -	2 1 1	1 1 -	1 1 -	1 - 1	2 - 2	4 3 3	4 3 1	7 3 4	12 3 8	12 4 7	9 5 6	4 3 2	1 2 1	- - -	- - -	536
537	1 1 -	- - -	- - -	1 1 -	2 2 -	8 5 3	7 4 3	17 15 11	24 13 11	22 11 8	23 15 11	28 17 11	23 10 13	16 4 12	1 1 -	1 1 -	- - -	- - -	537
(540~543)	2 2 -	- - -	1 1 -	2 2 -	3 3 -	4 4 -	6 3 3	5 5 -	9 6 3	7 4 3	12 6 6	19 6 13	4 6 4	6 - 4	- 2 4	- - -	- - -	- - -	(540~543)
540	1 1 -	- - -	1 - -	2 2 -	3 3 -	4 4 -	5 2 3	5 5 -	8 5 3	6 4 2	11 5 6	17 5 12	3 - 3	5 1 4	- - -	- - -	- - -	- - -	540
541	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	1 - -	- - -	- - -	1 1 -	1 1 -	- - -	- - -	- - -	- - -	541
542	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	542
543	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	543
(550~553)	- - -	1 1 -	- - -	- - -	- - -	- - -	4 3 1	6 4 2	8 2 6	6 4 2	9 7 6	28 16 41	57 8 38	46 6 12	18 6 5	5 - 1	1 - 1	- - -	(550~553)
550	- - -	1 1 -	- - -	- - -	- - -	- - -	1 1 -	2 - -	2 - -	4 4 -	3 1 2	6 4 5	14 9 3	7 4 1	4 3 2	- - -	- - -	- - -	550
551	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	2 - -	9 1 8	4 - 4	- - -	- - -	- - -	- - -	- - -	551

死 因

1表-1 (77-34)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

Table with columns for International Detailed List Code, Causes of Death and Sex, Total, and age groups (0-24 years).

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

Table with columns for age groups (25-100+), Not Stated, and International Detailed List Code.

死 因

1表-1 (77-35)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳										
			Year	1	2	3	4	0-4	5-9	10-14	15-19	20-24	
International Detailed List Code	Causes of Death and Sex	Total	1	2	3	4	0-4	5-9	10-14	15-19	20-24		
570	急性又は亜急性肝臓死 男 M. 女 F.	619 331 288	5 2 3	3 3 -	3 1 2	- - -	- - -	11 6 5	3 1 2	- - -	2 1 1	1 1 -	
571	慢性肝疾患及び肝硬変 男 M. 女 F.	16 713 11 360 5 353	1 - 1	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -	3 1 2	9 5 4	
572	肝臓癌及び慢性肝疾患の続発症 男 M. 女 F.	1 786 1 099 687	9 5 4	3 - 3	1 1 -	- - -	13 6 7	4 3 1	3 2 1	2 2 1	2 4 -	8 4 4	
573	その他の肝障害 男 M. 女 F.	601 348 253	3 3 -	- - -	- - -	- - -	3 3 -	3 3 -	- - -	- - -	4 3 1	- - -	
574	胆 石 症 男 M. 女 F.	840 364 476	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	1 1 -	
575	胆のうのその他の障害 男 M. 女 F.	560 226 334	- - -	- - -	- - -	- - -	- - -	- - 1	1 - -	- - -	- - -	- - -	
576	その他の胆道の障害 男 M. 女 F.	754 364 390	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - 1	
577	膵 の 疾 患 男 M. 女 F.	1 113 700 413	- - -	1 1 -	- - -	- - -	1 1 -	- - -	1 - -	1 - -	4 3 1	3 3 -	
578	胃 腸 出 血 男 M. 女 F.	4 518 2 190 2 328	2 2 2	4 2 2	2 - -	- - -	8 6 2	3 2 1	1 1 -	2 2 -	2 1 1	2 1 1	
579	腸管の吸収不良 男 M. 女 F.	18 3 15	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
X	泌尿生殖系の疾患 男 M. 女 F.	18 649 8 923 9 726	94 54 40	5 3 2	2 1 2	2 - 2	4 2 47	107 60 3	10 7 6	10 4 9	16 7 13	27 14 13	
(580-589)	腎炎、ネフローゼ症候群及びネフローゼ 男 M. 女 F.	16 420 8 022 8 398	90 52 38	4 3 1	2 1 2	2 - 2	3 1 44	101 57 44	10 7 3	10 4 6	14 7 7	23 11 12	
580	急性糸球体腎炎 男 M. 女 F.	56 25 31	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	
581	ネフローゼ症候群 男 M. 女 F.	383 187 196	1 - 1	2 2 -	- - -	- - -	1 1 1	4 3 1	7 5 2	6 3 3	2 2 -	2 - 2	
582	慢性糸球体腎炎 男 M. 女 F.	939 399 540	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 - 2	1 - 1	
583	腎炎及び腎症、急性又は慢性と明示されな いもの 男 M. 女 F.	155 75 80	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	- - -	1 1 -	1 1 -	
584	急 性 腎 不 全 男 M. 女 F.	3 248 1 595 1 653	34 17 17	1 1 -	- - -	1 - 1	- - 18	36 18 18	- - -	1 - 1	2 1 1	4 2 2	

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

25-29																	30-34																	35-39																	40-44																	45-49																	50-54																	55-59																	60-64																	65-69																	70-74																	75-79																	80-84																	85-89																	90-94																	95-99																	100~																	不 詳	国際基本 分類番号																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
25-29																	30-34																	35-39																	40-44																	45-49																	50-54																	55-59																	60-64																	65-69																	70-74																	75-79																	80-84																	85-89																	90-94																	95-99																	100~																	Not Stated	International Detailed List Code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
4	8	17	14	24	30	57	52	50	74	101	94	56	17	3	1	-	570	2	7	8	9	17	19	33	31	32	48	46	48	17	4	1	-	571	2	1	9	5	7	11	24	21	18	26	55	46	39	13	2	1	-	572	7	10	28	53	73	116	179	180	198	199	263	238	157	45	8	-	2	573	5	6	25	43	59	89	129	139	114	115	137	119	80	16	4	-	2	574	2	4	3	10	14	27	50	41	84	84	126	119	77	29	4	-	-	575	3	6	9	12	15	36	47	41	46	67	80	109	75	41	4	-	-	576	2	4	7	9	13	30	34	29	27	38	37	54	38	15	2	-	-	577	1	2	2	3	2	6	13	12	19	29	43	55	37	26	2	-	-	578	3	-	1	4	15	12	30	37	53	95	139	183	155	92	19	-	-	579	1	-	-	3	7	7	19	21	22	51	60	78	62	22	9	-	-	X	2	-	1	1	8	5	11	16	31	44	79	105	93	70	10	-	-	1	-	-	3	2	2	11	20	23	34	60	96	107	136	52	11	2	-	2	X	-	-	2	2	1	7	11	18	13	24	44	38	51	13	4	-	-	1	1	-	-	1	2	1	4	9	5	21	36	52	69	85	39	7	2	-	-	1	-	2	1	4	10	13	28	37	49	76	127	181	139	68	17	1	-	-	2	X	-	1	1	3	8	5	21	25	24	45	66	81	56	24	4	-	-	1	1	5	23	36	50	62	87	107	95	79	102	158	150	108	35	6	1	-	-	1	1	3	15	29	46	53	69	90	74	47	60	83	64	44	13	2	-	-	1	1	2	8	7	4	9	18	17	21	32	42	75	86	64	22	4	1	-	-	1	1	8	13	31	49	87	113	192	215	245	424	732	993	858	453	82	7	-	-	4	4	5	11	27	40	72	84	151	162	158	253	402	375	277	135	22	4	-	-	3	3	3	2	4	9	15	29	41	53	87	171	330	618	581	318	60	3	-	-	1	1	-	-	-	-	1	-	1	4	-	4	2	3	2	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	3	-	3	1	3	2	1	-	-	1	1	26	55	103	135	258	436	662	977	1 338	2 072	3 510	4 065	3 213	1 320	277	30	2	X	1	1	17	32	59	89	162	280	406	596	715	1 064	1 708	1 823	1 272	505	93	9	1	1	1	1	9	23	44	46	96	156	256	381	623	1 008	1 802	2 242	1 941	815	184	21	-	-	1	1	24	48	95	126	246	411	621	907	1 226	1 867	3 130	3 554	2 700	1 065	215	25	2	(580-589)	1	1	15	29	56	82	158	264	386	558	663	984	1 541	1 618	1 090	408	74	9	1	1	1	1	9	19	39	44	88	147	235	349	563	883	1 589	1 936	1 610	657	141	16	-	-	1	1	-	-	-	-	1	-	4	2	2	5	8	15	11	6	1	-	-	-	-	1	1	-	-	-	-	1	-	3	2	-	4	4	7	2	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	4	8	9	5	1	-	-	-	-	1	1	-	2	5	5	6	18	23	20	40	40	74	71	41	15	2	-	-	-	-	1	1	-	1	2	4	2	8	16	7	19	23	32	32	19	7	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	8	11	13	29	39	33	56	92	160	218	188	71	13	2	-	-	-	-	1	1	-	2	4	8	5	15	19	23	33	35	68	86	71	25	5	-	-	-	-	1	1	-	1	4	3	8	14	20	10	23	57	92	132	117	46	8	2	-	-	-	-	1	1	-	-	2	1	2	3	4	6	7	20	32	41	11	5	-	-	-	-	-	-	1	1	-	-	-	-	1	2	3	2	3	11	10	15	17	3	2	-	-	-	-	1	1	-	-	-	-	1	1	1	4	4	9	8	17	24	8	3	-	-	-	-	1	1	7	11	16	21	44	66	109	185	219	344	623	711	559	229	57	4	-	-	-	-	1	1	4	7	8	14	33	41	74	123	116	173	309	314	246	92	18	2	-	-	-	-	1	1	3	4	8	7	11	25	35	62	103	171	314	397	313	137	39	2	-	-	-	-	1	1

死 因

1表-1 (77-36)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳	1	2	3	4	0~4	5~9	10~14	15~19	20~24	International Detailed List Code	
													Total	Year
585	慢性腎不全	4 987	1	-	-	-	-	1	-	2	5	11	M.	F.
586	腎不全, 詳細不明	6 618	52	1	1	1	1	56	1	1	2	4	M.	F.
587	腎の硬化症, 詳細不明	29	-	-	-	-	-	-	-	-	-	-	M.	F.
588	腎機能低下により生ずる障害	5	2	-	1	-	1	4	-	-	-	-	M.	F.
589	原因不明の矮小腎	-	-	-	-	-	-	-	-	-	-	-	M.	F.
(590-599)	泌尿系のその他の疾患	1 942	4	1	-	-	1	6	-	-	2	4	M.	F.
590	腎 の 感 染	801	2	-	-	-	-	2	-	-	1	2	M.	F.
591	水 腎 症	42	1	1	-	-	-	2	-	-	-	-	M.	F.
592	腎及び尿管の結石	71	-	-	-	-	-	-	-	-	-	-	M.	F.
593	腎及び尿管のその他の障害	254	1	-	-	-	-	1	-	-	-	1	M.	F.
594	下部尿路の結石	5	-	-	-	-	-	-	-	-	-	-	M.	F.
595	膀 胱 炎	69	-	-	-	-	-	-	-	-	-	-	M.	F.
596	膀胱のその他の障害	18	-	-	-	-	-	-	-	-	-	-	M.	F.
597	非性交感染性尿道炎及び尿道症候群	6	-	-	-	-	-	-	-	-	-	-	M.	F.
598	尿 道 狭 窄	1	-	-	-	-	-	-	-	-	-	-	M.	F.
599	尿道及び尿路のその他の障害	675	-	-	-	-	1	1	-	-	1	1	M.	F.
(600-608)	男性生殖器の疾患	238	-	-	-	-	-	-	-	-	-	-	M.	F.

性・年齢 (5歳階級)・死因 (三桁基本分類) 別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

																国際基本 分類番号	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100~	不 詳	International Detailed List Code
																Not Stated	
13	21	42	56	116	179	268	374	490	662	977	945	611	183	28	2	1	585
7	13	25	36	71	119	161	232	271	362	488	475	264	80	10	1	-	-
6	8	17	20	45	60	107	142	219	300	489	470	347	103	18	1	1	-
4	11	22	32	64	115	172	287	410	702	1 265	1 554	1 243	547	108	17	1	586
4	6	15	19	45	78	109	169	220	375	629	685	468	200	37	6	1	-
-	5	7	13	19	37	63	118	190	327	636	869	775	347	71	11	-	-
-	-	-	-	-	1	1	-	2	2	5	8	6	3	1	-	-	587
-	-	-	-	-	1	1	-	1	1	1	4	3	3	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	588
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	589
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	5	7	9	9	24	38	66	106	183	340	438	438	207	53	5	-	(590-599)
2	3	2	7	4	16	18	36	46	65	136	143	113	54	12	-	-	-
-	2	5	2	5	8	20	30	60	118	204	295	325	153	41	5	-	-
1	2	2	5	4	9	11	21	43	63	137	185	203	89	21	-	-	590
1	1	-	4	1	4	6	16	16	50	53	39	20	6	6	-	-	-
-	1	2	1	3	5	5	15	27	47	87	132	164	69	15	-	-	-
-	-	-	1	-	-	2	2	3	4	6	12	6	4	-	-	-	591
-	-	-	1	-	-	-	-	1	1	3	4	2	1	-	-	-	-
-	-	-	-	-	2	2	2	2	2	3	8	4	3	-	-	-	-
-	-	2	-	2	3	4	7	5	12	17	12	4	2	1	-	-	592
-	-	1	-	2	2	4	3	2	6	5	1	1	2	1	-	-	-
-	-	1	-	1	4	3	2	10	11	7	3	2	1	-	-	-	-
1	1	1	2	2	5	9	9	11	24	48	60	44	25	8	2	-	593
1	1	-	1	1	3	3	9	9	14	25	21	15	7	2	-	-	-
-	-	1	1	1	2	6	-	2	10	23	39	29	18	6	2	-	-
-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	594
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
-	-	-	-	-	-	4	5	4	4	7	17	17	8	2	1	-	595
-	-	-	-	-	-	2	3	2	3	4	9	4	2	1	-	-	-
-	-	-	-	-	-	2	2	2	1	3	8	13	6	1	1	-	-
-	-	-	-	-	1	1	1	1	2	2	4	4	1	1	-	-	596
-	-	-	-	-	1	1	-	1	-	4	4	1	1	1	-	-	-
-	-	-	-	-	-	-	-	1	-	2	2	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	597
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	598
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
-	2	2	1	1	6	6	21	38	73	119	146	158	78	19	2	-	599
-	1	1	1	-	6	5	14	14	29	47	49	24	3	3	-	-	-
-	1	1	-	1	-	1	7	24	44	72	99	109	54	16	2	-	-
-	-	1	-	-	2	2	6	15	31	62	69	43	7	-	-	-	(600-608)
-	-	1	-	-	2	2	6	15	31	62	69	43	7	-	-	-	-

死 因

1表-1 (77-37)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性 Causes of Death and Sex	総 数 Total	0 歳 Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24	不 詳		国際基本 分類番号 International Detailed List Code	
													男 M. 女 F.	男 M. 女 F.		
600	前立腺肥大症	220	-	-	-	-	-	-	-	-	-	-	-	-	-	600
	男 M. 女 F.	220	-	-	-	-	-	-	-	-	-	-	-	-	-	
601	前立腺の炎症性疾患	8	-	-	-	-	-	-	-	-	-	-	-	-	-	601
	男 M. 女 F.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
602	前立腺のその他の障害	1	-	-	-	-	-	-	-	-	-	-	-	-	-	602
	男 M. 女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
603	睾丸水瘤	-	-	-	-	-	-	-	-	-	-	-	-	-	-	603
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
604	睾丸炎及び副睾丸炎	2	-	-	-	-	-	-	-	-	-	-	-	-	-	604
	男 M. 女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
605	過長包皮及び包茎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	605
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
606	男性不妊症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	606
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
607	陰茎の障害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	607
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
608	男性生殖器のその他の障害	7	-	-	-	-	-	-	-	-	-	-	-	-	-	608
	男 M. 女 F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
(610-611)	乳房の障害	1	-	-	-	-	-	-	-	-	-	-	-	-	-	(610-611)
	男 M. 女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
610	良性乳房形成異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	610
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
611	乳房のその他の障害	1	-	-	-	-	-	-	-	-	-	-	-	-	-	611
	男 M. 女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
(614-616)	女性骨盤臓器の炎症性疾患	31	-	-	-	-	-	-	-	-	-	-	-	-	-	(614-616)
	男 M. 女 F.	31	-	-	-	-	-	-	-	-	-	-	-	-	-	
614	卵巣, 卵管, 骨盤結合組織及び腹膜の炎症性疾患	17	-	-	-	-	-	-	-	-	-	-	-	-	-	614
	男 M. 女 F.	17	-	-	-	-	-	-	-	-	-	-	-	-	-	
615	子宮の炎症性疾患, 子宮頸を除く	13	-	-	-	-	-	-	-	-	-	-	-	-	-	615
	男 M. 女 F.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	
616	子宮頸, 陰及び外陰の炎症性疾患	1	-	-	-	-	-	-	-	-	-	-	-	-	-	616
	男 M. 女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
(617-629)	女性生殖路のその他の障害	17	-	-	-	-	-	-	-	-	-	-	-	-	-	(617-629)
	男 M. 女 F.	17	-	-	-	-	-	-	-	-	-	-	-	-	-	

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
-	-	-	-	-	-	-	-	6	14	29	59	65	40	7	-	-	600
-	-	-	-	-	-	-	-	6	14	29	59	65	40	7	-	-	
-	-	1	-	-	-	-	-	-	1	-	2	2	2	-	-	-	601
-	-	1	-	-	-	-	-	-	1	-	2	2	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	602
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	603
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	604
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	605
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	606
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	607
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	2	-	-	1	1	2	-	-	-	-	608
-	-	-	-	-	1	2	-	-	-	1	1	2	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(610-611)
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	610
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	611
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	3	1	1	2	-	1	8	9	3	2	1	-	(614-616)
-	-	-	-	-	3	1	1	2	-	1	8	9	3	2	1	-	
-	-	-	-	2	1	1	1	-	-	4	6	1	1	-	-	-	614
-	-	-	-	2	1	1	1	-	-	4	6	1	1	-	-	-	
-	-	-	-	1	-	-	1	-	1	4	3	2	-	1	-	-	615
-	-	-	-	1	-	-	1	-	1	4	3	2	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	616
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
-	1	-	-	-	-	-	-	-	6	1	2	3	3	1	-	-	(617-629)
-	1	-	-	-	-	-	-	-	6	1	2	3	3	1	-	-	

死 因

1表-1 (77-38)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳												
			0 歳	1	2	3	4	0~4	5~9	10~14	15~19	20~24			
International Detailed List Code	Causes of Death and Sex	Total	Year												
617	子宮内農症..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
618	生殖器脱..... 男女 M. F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-
619	女性生殖路に併発した瘻..... 男女 M. F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-
620	卵巣, 卵管及び広間膜の非炎症性疾患..... 男女 M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-
621	子宮疾患, 他に分類されないもの..... 男女 M. F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-
622	子宮頸の非炎症性疾患..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
623	膣の非炎症性障害..... 男女 M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-
624	外陰及び会陰の非炎症性疾患..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
625	女性生殖器に伴う疼痛及びその他の症状..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
626	月経障害及び女性生殖路からのその他の異常出血..... 男女 M. F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-
627	閉経期又は閉経後障害..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
628	女性不妊症..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
629	その他の女性生殖路の障害..... 男女 M. F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-
XI	妊娠, 分娩及び産じょくの合併症..... 男女 M. F.	135	-	-	-	-	-	-	-	-	4	14	-	-	-
(630-639)	妊娠, 流産に終わったもの..... 男女 M. F.	10	-	-	-	-	-	-	-	-	2	-	-	-	-
630	胞 状 奇 胎..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
631	受胎その他の異常生成物..... 男女 M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

																	国際基本 分類番号
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100-	不 詳	International Detailed List Code
																	Not Stated
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	617
-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	618
-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	619
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	620
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	621
-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	622
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	623
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	624
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	625
-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	626
-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	627
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	628
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	629
35	32	37	13	-	-	-	-	-	-	-	-	-	-	-	-	-	XI
35	32	37	13	-	-	-	-	-	-	-	-	-	-	-	-	-	(630-639)
2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	630
2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	631

死 因

1表-1 (77-39)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数	0 歳												
			0 歳	1	2	3	4	0~4	5~9	10~14	15~19	20~24			
International Detailed List Code	Causes of Death and Sex	Total	Year												
632	稽留流産..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
633	子宮外妊娠..... 男 M. 女 F.	5	-	-	-	-	-	-	-	-	-	-	1	-	
634	自然流産..... 男 M. 女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	
635	人工流産, 合法..... 男 M. 女 F.	2	-	-	-	-	-	-	-	-	-	-	1	-	
636	人工流産, 非合法..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
637	詳細不明の流産..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
638	人工流産の不成功..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
639	流産, 子宮外妊娠及び胎状奇胎妊娠に統 算する合併症..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
(640-648)	主として妊娠に関連した合併症..... 男 M. 女 F.	54	-	-	-	-	-	-	-	-	-	-	1	7	
640	妊娠早期の出血..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
641	分娩前出血, 胎盤早期剥離及び前置胎盤..... 男 M. 女 F.	14	-	-	-	-	-	-	-	-	-	-	1	-	
642	高血圧, 妊娠・分娩・産じょくに合併す るもの..... 男 M. 女 F.	20	-	-	-	-	-	-	-	-	-	-	4	-	
643	強度の妊娠性嘔吐..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
644	早産又は切迫分娩..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
645	遷延妊娠..... 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
646	妊娠のその他の合併症, 他に分類されな いもの..... 男 M. 女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	
647	他のところに分類できる母体の感染症及 び寄生虫症であるが, 妊娠・分娩・産じょ くに合併しているもの..... 男 M. 女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

																国際基本 分類番号	
25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100~	不 詳	International Detailed List Code
																Not Stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	632
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	633
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	634
-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	635
-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	636
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	637
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	638
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	639
13	15	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-	(640-648)
13	15	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-	640
3	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	641
3	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	642
8	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	643
8	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	644
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	645
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	646
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	647
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	648
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	649

死 因

1表-1 (77-40)

第1表-1 死 亡 数,

TABLE 1-1. DEATHS FOR EACH CAUSE (THE ICD ADAPTED FOR USE IN JAPAN)

国際基本 分類番号	死 因 ・ 性	総 数 Total	0 歳 Year	1	2	3	4	0~4	5~9	10~14	15~19	20~24		
														International Detailed List Code
648	他のところに分類できる母体のその他の 現在の病態であるが、妊娠・分娩・産じょ くに合併しているもの 男 M. 女 F.	17	-	-	-	-	-	-	-	-	-	1	2	
(650-659)	正常分娩、及び妊娠・分娩における治療の その他の適応症 男 M. 女 F.	1	-	-	-	-	-	-	-	-	-	-	-	
650	完全に正常な状態における分娩 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
651	多胎妊娠 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
652	胎児の位置異常 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
653	不均 衡 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
654	骨盤内軟部組織及び臓器の異常 男 M. 女 F.	1	-	-	-	-	-	-	-	-	-	-	-	
655	母体の管理に影響する既知の又は推定さ れる胎児異常 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
656	母体の管理に影響する胎児及び胎盤のそ 他の問題 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
657	羊水過多 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
658	羊膜腔及び羊膜に伴うその他の問題 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
659	分娩に関するケア又は介入に対するその 他の適応で他に分類されないもの 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
(660-669)	分娩の経過に主として発生する合併症 男 M. 女 F.	34	-	-	-	-	-	-	-	-	-	1		
660	停止分娩 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
661	娩出力の異常 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
662	遷延分娩 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	
663	臍帯合併症 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-	-	

性・年齢(5歳階級)・死因(三桁基本分類)別 平成元年

DETAILED LIST OF THE 9TH REVISED BY SEX AND AGE: JAPAN, 1989-CON.

25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100~	不 詳 Not Stated	国際基本 分類番号 International Detailed List Code
2	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	648
2	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	(650-659)
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	651
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	652
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	653
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	654
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	655
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	656
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	657
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	658
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	659
12	5	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	(660-669)
12	5	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	660
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	661
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	662
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	663