第5表 周産期死亡数，出産時の平均体重，妊娠満28週以後の死産―早期新生児死亡・性・単産―複産・妊娠期間（4週区分）・(早期―正期―過期再掲）別 平成元年

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGET, AND MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1989

総数 Total

単産―複産 Plurality of Birth / 妊娠期間 Period of Gestation	総数 Total				0.5kg未満 Under 0.5kg				0.5～0.9kg		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	7 450	3 880	3 499	71	194	76	85	33	1 123	578	537
妊娠満28週未満 Under 28 weeks gestation	545	306	239	-	60	30	30	-	417	232	185
満28週～満31週 28-31 weeks	1 614	829	758	27	88	30	44	14	544	268	270
満32週～満35週 32-35	1 772	943	813	16	21	11	6	4	140	69	70
満36週～満39週 36-39	2 304	1 192	1 093	19	17	4	5	8	22	9	12
満40週～満43週 40-43	1 165	581	575	9	8	1	-	7	-	-	-
満44週～ 44 completed weeks and over	10	5	5	-	-	-	-	-	-	-	-
不詳 Not stated	40	24	16	-	-	-	-	-	-	-	-
（再掲）											
早期（満37週未満） Pre-term	4 452	2 359	2 044	49	174	72	81	21	1 113	574	532
満28週未満 Under 28 weeks	545	306	239	-	60	30	30	-	417	232	185
満28週～満31週 28-31	1 614	829	758	27	88	30	44	14	544	268	270
満32週～満36週 32-36	2 293	1 224	1 047	22	26	12	7	7	152	74	77
正期（満37週～満41週） Term	2 816	1 434	1 361	21	19	4	4	11	10	4	5
過期（満42週～） Post-term	142	63	78	1	1	-	-	1	-	-	-
単産 Single	6 881	3 607	3 227	47	133	52	67	14	968	500	461
妊娠満28週未満	443	249	194	-	46	20	26	-	342	192	150
満28週～満31週	1 503	779	701	23	71	25	36	10	498	245	247
満32週～満35週	1 616	871	734	11	10	5	4	1	116	59	56
満36週～満39週	2 126	1 107	1 011	8	2	1	1	-	12	4	8
満40週～満43週	1 143	572	566	5	4	1	-	3	-	-	-
満44週～	10	5	5	-	-	-	-	-	-	-	-
不詳	40	24	16	-	-	-	-	-	-	-	-
（再掲）											
早期（満37週未満）	4 030	2 151	1 843	36	127	50	66	11	963	498	458
満28週未満	443	249	194	-	46	20	26	-	342	192	150
満28週～満31週	1 503	779	701	23	71	25	36	10	498	245	247
満32週～満36週	2 084	1 123	948	13	10	5	4	1	123	61	61
正期（満37週～満41週）	2 670	1 370	1 290	10	5	2	1	2	5	2	3
過期（満42週～）	141	62	78	1	1	-	-	1	-	-	-
複産 Plural	569	273	272	24	61	24	18	19	155	78	76
妊娠満28週未満	102	57	45	-	14	10	4	-	75	40	35
満28週～満31週	111	50	57	4	17	5	8	4	46	23	23
満32週～満35週	156	72	79	5	11	6	2	3	24	10	14
満36週～満39週	178	85	82	11	15	3	4	8	10	5	4
満40週～満43週	22	9	9	4	4	-	-	4	-	-	-
満44週～	-	-	-	-	-	-	-	-	-	-	-
不詳	-	-	-	-	-	-	-	-	-	-	-
（再掲）											
早期（満37週未満）	422	208	201	13	47	22	15	10	150	76	74
満28週未満	102	57	45	-	14	10	4	-	75	40	35
満28週～満31週	111	50	57	4	17	5	8	4	46	23	23
満32週～満36週	209	101	99	9	16	7	3	6	29	13	16
正期（満37週～満41週）	146	64	71	11	14	2	3	9	5	2	2
過期（満42週～）	1	1	-	-	-	-	-	-	-	-	-

1.0～1.4kg					1.5～1.9kg				2.0～2.4kg			
総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
1 216	665	542	9	1 248	655	580	13	1 165	575	585	5
63	41	22	-	1	1	-	-	2	-	2	-
624	332	288	4	272	153	118	1	56	29	26	1
401	219	178	4	592	309	278	5	445	239	205	1
122	71	50	1	351	178	166	7	542	256	284	2
6	2	4	-	30	12	18	-	119	51	67	1
-	-	-	-	2	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-
1 130	619	503	8	986	526	452	8	674	366	305	3
63	41	22	-	1	1	-	-	2	-	2	-
624	332	288	4	272	153	118	1	56	29	26	1
443	246	193	4	713	372	334	7	616	337	277	2
85	46	38	1	258	126	127	5	474	205	267	2
1	-	1	-	4	3	1	-	16	4	12	-
1 116	618	489	9	1 138	596	531	11	1 078	535	539	4
52	36	16	-	1	1	-	-	2	-	2	-
593	318	271	4	262	147	114	1	51	27	23	1
366	207	155	4	536	277	255	4	426	231	194	1
99	55	43	1	307	157	144	6	487	230	256	1
6	2	4	-	30	12	18	-	111	47	63	1
-	-	-	-	2	2	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-
1 045	582	455	8	903	479	417	7	640	348	290	2
52	36	16	-	1	1	-	-	2	-	2	-
593	318	271	4	262	147	114	1	51	27	23	1
400	228	168	4	640	331	303	6	587	321	265	1
70	36	33	1	231	114	113	4	421	183	236	2
1	-	1	-	4	3	1	-	16	4	12	-
100	47	53	-	110	59	49	2	87	40	46	1
11	5	6	-	-	-	-	-	-	-	-	-
31	14	17	-	10	6	4	-	5	2	3	-
35	12	23	-	56	32	23	1	19	8	11	-
23	16	7	-	44	21	22	1	55	26	28	1
-	-	-	-	-	-	-	-	8	4	4	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-
85	37	48	-	83	47	35	1	34	18	15	1
11	5	6	-	-	-	-	-	-	-	-	-
31	14	17	-	10	6	4	-	5	2	3	-
43	18	25	-	73	41	31	1	29	16	12	1
15	10	5	-	27	12	14	1	53	22	31	-
-	-	-	-	-	-	-	-	-	-	-	-

第5表 周産期死亡数，出産時の体重；出産時単産―複産・妊娠期間（4週区分）・総数

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGET, AND MEAN BIRTH (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

総数
Total

単産―複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ～ 2.9kg				(再掲) (Secondary mention) 2500gちょうど Just 2500g				3.0 ～ 3.4kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	1 166	584	582	-	33	15	18	-	889	483	406	-	287
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31 weeks	19	12	7	-	1	-	1	-	1	1	-	-	2
満32週～満35週 32-35	124	74	50	-	6	3	3	-	32	16	16	-	11
満36週～満39週 36-39	672	327	345	-	14	7	7	-	436	250	186	-	93
満40週～満43週 40-43	346	168	178	-	11	4	7	-	415	213	202	-	179
満44週～ 44 completed weeks and over	2	-	2	-	-	-	-	-	4	2	2	-	1
不詳 Not stated	3	3	-	-	1	1	-	-	1	1	-	-	1
(再掲)													
早期(満37週未満) Pre-term	265	146	119	-	13	4	9	-	66	36	30	-	21
満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31	19	12	7	-	1	-	1	-	1	1	-	-	2
満32週～満36週 32-36	246	134	112	-	12	4	8	-	65	35	30	-	19
正期(満37週～満41週) Term	868	422	446	-	18	9	9	-	763	418	345	-	243
過期(満42週～) Post-term	30	13	17	-	1	1	-	-	59	28	31	-	22
単産 Single	1 126	564	562	-	31	14	17	-	879	480	399	-	285
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	18	12	6	-	1	-	1	-	1	1	-	-	2
満32週～満35週	119	70	49	-	5	2	3	-	29	16	13	-	9
満36週～満39週	647	316	331	-	14	7	7	-	430	247	183	-	93
満40週～満43週	337	163	174	-	10	4	6	-	414	213	201	-	179
満44週～	2	-	2	-	-	-	-	-	4	2	2	-	1
不詳 (再掲)	3	3	-	-	1	1	-	-	1	1	-	-	1
早期(満37週未満)	252	141	111	-	12	3	9	-	62	35	27	-	19
満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	18	12	6	-	1	-	1	-	1	1	-	-	2
満32週～満36週	234	129	105	-	11	3	8	-	61	34	27	-	17
正期(満37週～満41週)	842	408	434	-	17	9	8	-	757	416	341	-	243
過期(満42週～)	29	12	17	-	1	1	-	-	59	28	31	-	22
複産 Plural	40	20	20	-	2	1	1	-	10	3	7	-	2
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	1	-	1	-	-	-	-	-	-	-	-	-	-
満32週～満35週	5	4	1	-	1	1	-	-	3	-	3	-	2
満36週～満39週	25	11	14	-	-	-	-	-	6	3	3	-	-
満40週～満43週	9	5	4	-	1	-	1	-	1	-	1	-	-
満44週～	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満)	13	5	8	-	1	1	-	-	4	1	3	-	2
満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	1	-	1	-	-	-	-	-	-	-	-	-	-
満32週～満36週	12	5	7	-	1	1	-	-	4	1	3	-	2
正期(満37週～満41週)	26	14	12	-	1	-	1	-	6	2	4	-	-
過期(満42週～)	1	1	-	-	-	-	-	-	-	-	-	-	-

の平均体重，妊娠満28週以後の死産―早期新生児死亡・性・(早期―正期―過期再掲）別 平成元年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1989—CON.

～ 3.9kg			4.0kg ～ and over				不詳 Not stated				出産時の平均体重 Mean birth weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
172	115	-	97	61	35	1	65	31	32	2	2.00	2.03	1.99	0.88
-	-	-	-	-	-	-	2	2	-	-	0.74	0.75	0.73	-
1	1	-	1	-	1	-	7	3	3	1	1.17	1.21	1.14	0.64
2	9	-	3	2	-	1	3	2	1	-	1.78	1.79	1.77	1.34
69	24	-	40	25	15	-	9	3	6	-	2.52	2.58	2.49	1.00
99	80	-	52	34	18	-	10	1	8	1	3.06	3.14	3.02	0.44
1	-	-	1	-	1	-	-	-	-	-	3.02	2.79	3.25	-
-	1	-	-	-	-	-	34	20	14	-	2.88	2.85	2.95	-
7	14	-	9	5	3	1	14	8	5	1	1.48	1.50	1.47	0.91
-	-	-	-	-	-	-	2	2	-	-	0.74	0.75	0.73	-
1	1	-	1	-	1	-	7	3	3	1	1.17	1.21	1.14	0.64
6	13	-	8	5	2	1	5	3	2	-	1.88	1.89	1.88	1.23
152	91	-	79	54	25	-	17	3	13	1	2.77	2.85	2.72	0.84
13	9	-	9	2	7	-	-	-	-	-	3.11	3.17	3.10	0.35
172	113	-	96	61	35	-	62	29	31	2	2.05	2.08	2.04	1.07
-	-	-	-	-	-	-	-	-	-	-	0.75	0.76	0.73	-
1	1	-	1	-	1	-	6	3	2	1	1.18	1.22	1.15	0.72
2	7	-	2	2	-	-	3	2	1	-	1.80	1.81	1.80	1.39
69	24	-	40	25	15	-	9	3	6	-	2.58	2.63	2.53	1.70
99	80	-	52	34	18	-	10	1	8	1	3.08	3.15	3.03	0.83
1	-	-	1	-	1	-	-	-	-	-	3.02	2.79	3.25	-
-	1	-	-	-	-	-	34	20	14	-	2.88	2.85	2.95	-
7	12	-	8	5	3	-	11	6	4	1	1.51	1.53	1.50	0.98
-	-	-	-	-	-	-	-	-	-	-	0.75	0.76	0.73	-
1	1	-	1	-	1	-	6	3	2	1	1.18	1.22	1.15	0.72
6	11	-	7	5	2	-	5	3	2	-	1.91	1.92	1.91	1.42
152	91	-	79	54	25	-	17	3	13	1	2.82	2.89	2.76	1.48
13	9	-	9	2	7	-	-	-	-	-	3.11	3.17	3.10	0.35
-	2	-	1	-	-	1	3	2	1	-	1.39	1.39	1.47	0.53
-	-	-	-	-	-	-	2	2	-	-	0.71	0.68	0.76	-
-	-	-	-	-	-	-	1	-	1	-	0.97	1.00	0.99	0.18
-	2	-	1	-	-	1	-	-	-	-	1.52	1.49	1.56	1.25
-	-	-	-	-	-	-	-	-	-	-	1.83	1.86	1.98	0.50
-	-	-	-	-	-	-	-	-	-	-	2.09	2.58	2.51	0.05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	-	1	-	-	1	3	2	1	-	1.20	1.18	1.25	0.71
-	-	-	-	-	-	-	2	2	-	-	0.71	0.68	0.76	-
-	-	-	-	-	-	-	1	-	1	-	0.97	1.00	0.99	0.18
-	2	-	1	-	-	1	-	-	-	-	1.55	1.54	1.61	0.95
-	-	-	-	-	-	-	-	-	-	-	1.93	2.03	2.09	0.30
-	-	-	-	-	-	-	-	-	-	-	2.85	2.85	-	-

第5表 周産期死亡数，出産時の体重；出産時

単産―複産・妊娠期間（4週区分）・

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks and Over of Gestation

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGET, AND MEAN BIRTH (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産―複産 Plurality of Birth / 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5kg				0.5 ～		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	5 064	2 577	2 416	71	129	43	53	33	642	318	316
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	1 336	670	639	27	85	28	43	14	488	241	241
満32週～満35週 32-35	1 417	739	662	16	19	10	5	4	133	68	64
満36週～満39週 36-39	1 596	813	764	19	17	4	5	8	21	9	11
満40週～満43週 40-43	709	354	346	9	8	1	-	7	-	-	-
満44週～ 44 completed weeks and over	6	1	5	-	-	-	-	-	-	-	-
不詳 Not stated	.	.	.	.	.	.	.	.	.	.	.
（再掲）											
早期（満37週未満） Pre-term	3 133	1 613	1 471	49	109	39	49	21	632	314	311
満28週未満 Under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	1 336	670	639	27	85	28	43	14	488	241	241
満32週～満36週 32-36	1 797	943	832	22	24	11	6	7	144	73	70
正期（満37週～満41週） Term	1 833	922	890	21	19	4	4	11	10	4	5
過期（満42週～） Post-term	98	42	55	1	1	-	-	1	-	-	-
単産 Single	4 705	2 409	2 249	47	83	29	40	14	576	286	283
妊娠満28週未満	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週	1 262	637	602	23	68	23	35	10	454	224	224
満32週～満35週	1 291	677	603	11	9	4	4	1	111	58	52
満36週～満39週	1 452	747	697	8	2	1	1	-	11	4	7
満40週～満43週	694	347	342	5	4	1	-	3	-	-	-
満44週～	6	1	5	-	-	-	-	-	-	-	-
不詳	.	.	.	.	.	.	.	.	.	.	.
（再掲）											
早期（満37週未満）	2 892	1 497	1 359	36	77	27	39	11	571	284	280
満28週未満	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週	1 262	637	602	23	68	23	35	10	454	224	224
満32週～満36週	1 630	860	757	13	9	4	4	1	117	60	56
正期（満37週～満41週）	1 716	871	835	10	5	2	1	2	5	2	3
過期（満42週～）	97	41	55	1	1	-	-	1	-	-	-
複産 Plural	359	168	167	24	46	14	13	19	66	32	33
妊娠満28週未満	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週	74	33	37	4	17	5	8	4	34	17	17
満32週～満35週	126	62	59	5	10	6	1	3	22	10	12
満36週～満39週	144	66	67	11	15	3	4	8	10	5	4
満40週～満43週	15	7	4	4	4	-	-	4	-	-	-
満44週～	-	-	-	-	-	-	-	-	-	-	-
不詳	.	.	.	.	.	.	.	.	.	.	.
（再掲）											
早期（満37週未満）	241	116	112	13	32	12	10	10	61	30	31
満28週未満	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週	74	33	37	4	17	5	8	4	34	17	17
満32週～満36週	167	83	75	9	15	7	2	6	27	13	14
正期（満37週～満41週）	117	51	55	11	14	2	3	9	5	2	2
過期（満42週～）	1	1	-	-	-	-	-	-	-	-	-

の平均体重，妊娠満28週以後の死産―早期新生児死亡・性・

(早期―正期―過期再掲）別 平成元年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1989—CON.

0.9kg	1.0 ～ 1.4kg				1.5 ～ 1.9kg				2.0 ～ 2.4kg			
不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
8	920	497	414	9	936	478	445	13	846	415	426	5
.	.	.	.	.	.	.	.	.	.	.	.	.
6	493	259	230	4	209	111	97	1	41	20	20	1
1	338	184	150	4	469	236	228	5	331	173	157	1
1	86	53	32	1	240	123	110	7	404	191	211	2
-	3	1	2	-	17	7	10	-	70	31	38	1
-	-	-	-	-	1	1	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
7	863	467	388	8	763	393	352	8	504	266	235	3
.	.	.	.	.	.	.	.	.	.	.	.	.
6	493	259	230	4	209	111	97	1	41	20	20	1
1	370	208	158	4	554	282	265	7	463	246	215	2
1	57	30	26	1	171	84	82	5	332	147	183	2
-	-	-	-	-	2	1	1	-	10	2	8	-
7	862	468	385	9	853	434	408	11	780	384	392	4
.	.	.	.	.	.	.	.	.	.	.	.	.
6	480	253	223	4	204	108	95	1	37	18	18	1
1	310	173	133	4	426	210	212	4	318	168	149	1
-	69	41	27	1	205	108	91	6	360	170	189	1
-	3	1	2	-	17	7	10	-	65	28	36	1
-	-	-	-	-	1	1	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
7	817	446	363	8	704	359	338	7	478	252	224	2
.	.	.	.	.	.	.	.	.	.	.	.	.
6	480	253	223	4	204	108	95	1	37	18	18	1
1	337	193	140	4	500	251	243	6	441	234	206	1
-	45	22	22	1	147	74	69	4	292	130	160	2
-	-	-	-	-	2	1	1	-	10	2	8	-
1	58	29	29	-	83	44	37	2	66	31	34	1
.	.	.	.	.	.	.	.	.	.	.	.	.
-	13	6	7	-	5	3	2	-	4	2	2	-
-	28	11	17	-	43	26	16	1	13	5	8	-
1	17	12	5	-	35	15	19	1	44	21	22	1
-	-	-	-	-	-	-	-	-	5	3	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
-	46	21	25	-	59	34	24	1	26	14	11	1
.	.	.	.	.	.	.	.	.	.	.	.	.
-	13	6	7	-	5	3	2	-	4	2	2	-
-	33	15	18	-	54	31	22	1	22	12	9	1
1	12	8	4	-	24	10	13	1	40	17	23	-
-	-	-	-	-	-	-	-	-	-	-	-	-

第5表 周産期死亡数，出産時の体重；出産時の平均体重，妊娠満28週以後の死産―早期新生児死亡・性・単産―複産・妊娠期間（4週区分）・(早期―正期―過期再掲）別 平成元年

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks and Over of Gestation

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGET, AND MEAN BIRTH (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED ACCORDING TO BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1989—CON.

単産―複産 Plurality of Birth / 妊娠期間 Period of Gestation	2.5 ～ 2.9kg				(再掲) (Secondary mention) 2500g ちょうど Just 2500g				3.0 ～ 3.4kg				3.5 ～ 3.9kg			
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
総数 Total	793	391	402	-	17	9	8	-	548	292	256	-	171	96	75	-
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	11	8	3	-	1	-	1	-	1	1	-	-	1	-	1	-
満32週～満35週 32-35	91	52	39	-	3	1	2	-	24	13	11	-	10	2	8	-
満36週～満39週 36-39	465	223	242	-	9	5	4	-	274	151	123	-	59	43	16	-
満40週～満43週 40-43	224	108	116	-	4	3	1	-	247	127	120	-	101	51	50	-
満44週～ 44 completed weeks and over	2	-	2	-	-	-	-	-	2	-	2	-	-	-	-	-
不詳 Not stated	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(再掲)																
早期(満37週未満) Pre-term	190	103	87	-	9	2	7	-	44	23	21	-	16	4	12	-
満28週未満 Under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	11	8	3	-	1	-	1	-	1	1	-	-	1	-	1	-
満32週～満36週 32-36	179	95	84	-	8	2	6	-	43	22	21	-	15	4	11	-
正期(満37週～満41週) Term	580	277	303	-	7	6	1	-	463	250	213	-	141	85	56	-
過期(満42週～) Post-term	23	11	12	-	1	1	-	-	41	19	22	-	14	7	7	-
単産 Single	764	374	390	-	16	8	8	-	541	291	250	-	169	96	73	-
妊娠満28週未満	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週	11	8	3	-	1	-	1	-	1	1	-	-	1	-	1	-
満32週～満35週	87	48	39	-	2	-	2	-	21	13	8	-	8	2	6	-
満36週～満39週	445	214	231	-	9	5	4	-	271	150	121	-	59	43	16	-
満40週～満43週	219	104	115	-	4	3	1	-	246	127	119	-	101	51	50	-
満44週～	2	-	2	-	-	-	-	-	2	-	2	-	-	-	-	-
不詳	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(再掲)																
早期(満37週未満)	180	98	82	-	8	1	7	-	41	23	18	-	14	4	10	-
満28週未満	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週	11	8	3	-	1	-	1	-	1	1	-	-	1	-	1	-
満32週～満36週	169	90	79	-	7	1	6	-	40	22	18	-	13	4	9	-
正期(満37週～満41週)	562	266	296	-	7	6	1	-	459	249	210	-	141	85	56	-
過期(満42週～)	22	10	12	-	1	1	-	-	41	19	22	-	14	7	7	-
複産 Plural	29	17	12	-	1	1	-	-	7	1	6	-	2	-	2	-
妊娠満28週未満	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満35週	4	4	-	-	1	1	-	-	3	-	3	-	2	-	2	-
満36週～満39週	20	9	11	-	-	-	-	-	3	1	2	-	-	-	-	-
満40週～満43週	5	4	1	-	-	-	-	-	1	-	1	-	-	-	-	-
満44週～	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(再掲)																
早期(満37週未満)	10	5	5	-	1	1	-	-	3	-	3	-	2	-	2	-
満28週未満	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満36週	10	5	5	-	1	1	-	-	3	-	3	-	2	-	2	-
正期(満37週～満41週)	18	11	7	-	-	-	-	-	4	1	3	-	-	-	-	-
過期(満42週～)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

4.0kg ～ and over				不詳 Not stated				出産時の平均体重 Mean birth weight							
総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
67	42	24	1	12	5	5	2	2.00	2.03	2.00	0.88				
.	.	.	.	.	.	.	.	.	.	.	.				
1	-	1	-	6	2	3	1	1.13	1.16	1.11	0.64				
2	1	-	1	-	-	-	-	1.74	1.74	1.74	1.34				
26	14	12	-	4	2	2	-	2.49	2.53	2.48	1.00				
37	27	10	-	2	1	-	1	3.05	3.14	3.02	0.44				
1	-	1	-	-	-	-	-	3.00	1.75	3.25	-				
.	.	.	.	.	.	.	.	.	.	.	.				
5	2	2	1	7	2	4	1	1.53	1.55	1.53	0.91				
.	.	.	.	.	.	.	.	.	.	.	.				
1	-	1	-	6	2	3	1	1.13	1.16	1.11	0.64				
4	2	1	1	1	-	1	-	1.83	1.83	1.85	1.23				
55	38	17	-	5	3	1	1	2.74	2.82	2.70	0.84				
7	2	5	-	-	-	-	-	3.13	3.19	3.13	0.35				
66	42	24	-	11	5	4	2	2.04	2.07	2.03	1.07				
.	.	.	.	.	.	.	.	.	.	.	.				
1	-	1	-	5	2	2	1	1.15	1.17	1.13	0.72				
1	-	1	-	-	-	-	-	1.76	1.77	1.76	1.39				
26	14	12	-	4	2	2	-	2.56	2.59	2.53	1.70				
37	27	10	-	2	1	-	1	3.08	3.16	3.03	0.83				
1	-	1	-	-	-	-	-	3.00	1.75	3.25	-				
.	.	.	.	.	.	.	.	.	.	.	.				
4	2	2	-	6	2	3	1	1.55	1.57	1.54	0.98				
.	.	.	.	.	.	.	.	.	.	.	.				
1	-	1	-	5	2	2	1	1.15	1.17	1.13	0.72				
3	2	1	-	1	-	1	-	1.86	1.86	1.87	1.42				
55	38	17	-	5	3	1	1	2.80	2.87	2.74	1.48				
7	2	5	-	-	-	-	-	3.13	3.20	3.13	0.35				
1	-	-	1	1	-	1	-	1.49	1.54	1.58	0.53				
.	.	.	.	.	.	.	.	.	.	.	.				
-	-	-	-	1	-	1	-	0.84	0.92	0.84	0.18				
1	-	-	1	-	-	-	-	1.48	1.44	1.54	1.25				
-	-	-	-	-	-	-	-	1.77	1.81	1.95	0.50				
-	-	-	-	-	-	-	-	1.92	2.62	2.58	0.05				
-	-	-	-	-	-	-	-	-	-	-	-				
.	.	.	.	.	.	.	.	.	.	.	.				
1	-	-	1	1	-	1	-	1.30	1.32	1.35	0.71				
.	.	.	.	.	.	.	.	.	.	.	.				
-	-	-	-	1	-	1	-	0.84	0.92	0.84	0.18				
1	-	-	1	-	-	-	-	1.50	1.48	1.60	0.95				
-	-	-	-	-	-	-	-	1.85	2.00	2.03	0.30				
-	-	-	-	-	-	-	-	2.85	2.85	-	-				

第5表 周産期死亡数，出産時の体重；出産時単産―複産・妊娠期間（4週区分）・早期新生児（生後1週未満）死亡数

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGET, AND MEAN BIRTH (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

Early Neonatal Deaths (Under 1 Week)

単産―複産 Plurality of Birth / 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5kg				0.5 ～		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	2 386	1 303	1 083	.	65	33	32	.	481	260	221
妊娠満28週未満 Under 28 weeks gestation	545	306	239	.	60	30	30	.	417	232	185
満28週～満31週 28-31 weeks	278	159	119	.	3	2	1	.	56	27	29
満32週～満35週 32-35	355	204	151	.	2	1	1	.	7	1	6
満36週～満39週 36-39	708	379	329	.	-	-	-	.	1	-	1
満40週～満43週 40-43	456	227	229	.	-	-	-	.	-	-	-
満44週～ 44 completed weeks and over	4	4	-	.	-	-	-	.	-	-	-
不詳 Not stated	40	24	16	.	-	-	-	.	-	-	-
（再掲）											
早期（満37週未満） Pre-term	1 319	746	573	.	65	33	32	.	481	260	221
満28週未満 Under 28 weeks	545	306	239	.	60	30	30	.	417	232	185
満28週～満31週 28-31	278	159	119	.	3	2	1	.	56	27	29
満32週～満36週 32-36	496	281	215	.	2	1	1	.	8	1	7
正期（満37週～満41週） Term	983	512	471	.	-	-	-	.	-	-	-
過期（満42週～） Post-term	44	21	23	.	-	-	-	.	-	-	-
単産 Single	2 176	1 198	978	.	50	23	27	.	392	214	178
妊娠満28週未満	443	249	194	.	46	20	26	.	342	192	150
満28週～満31週	241	142	99	.	3	2	1	.	44	21	23
満32週～満35週	325	194	131	.	1	1	-	.	5	1	4
満36週～満39週	674	360	314	.	-	-	-	.	1	-	1
満40週～満43週	449	225	224	.	-	-	-	.	-	-	-
満44週～	4	4	-	.	-	-	-	.	-	-	-
不詳	40	24	16	.	-	-	-	.	-	-	-
（再掲）											
早期（満37週未満）	1 138	654	484	.	50	23	27	.	392	214	178
満28週未満	443	249	194	.	46	20	26	.	342	192	150
満28週～満31週	241	142	99	.	3	2	1	.	44	21	23
満32週～満36週	454	263	191	.	1	1	-	.	6	1	5
正期（満37週～満41週）	954	499	455	.	-	-	-	.	-	-	-
過期（満42週～）	44	21	23	.	-	-	-	.	-	-	-
複産 Plural	210	105	105	.	15	10	5	.	89	46	43
妊娠満28週未満	102	57	45	.	14	10	4	.	75	40	35
満28週～満31週	37	17	20	.	-	-	-	.	12	6	6
満32週～満35週	30	10	20	.	1	-	1	.	2	-	2
満36週～満39週	34	19	15	.	-	-	-	.	-	-	-
満40週～満43週	7	2	5	.	-	-	-	.	-	-	-
満44週～	-	-	-	.	-	-	-	.	-	-	-
不詳	-	-	-	.	-	-	-	.	-	-	-
（再掲）											
早期（満37週未満）	181	92	89	.	15	10	5	.	89	46	43
満28週未満	102	57	45	.	14	10	4	.	75	40	35
満28週～満31週	37	17	20	.	-	-	-	.	12	6	6
満32週～満36週	42	18	24	.	1	-	1	.	2	-	2
正期（満37週～満41週）	29	13	16	.	-	-	-	.	-	-	-
過期（満42週～）	-	-	-	.	-	-	-	.	-	-	-

の平均体重，妊娠満28週以後の死産―早期新生児死亡・性・(早期―正期―過期再掲）別 平成元年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1989—CON.

0.9kg	1.0 ～ 1.4kg				1.5 ～ 1.9kg				2.0 ～ 2.4kg			
不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
.	296	168	128	.	312	177	135	.	319	160	159	.
.	63	41	22	.	1	1	-	.	2	-	2	.
.	131	73	58	.	63	42	21	.	15	9	6	.
.	63	35	28	.	123	73	50	.	114	66	48	.
.	36	18	18	.	111	55	56	.	138	65	73	.
.	3	1	2	.	13	5	8	.	49	20	29	.
.	-	-	-	.	1	1	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	1	-	1	.
.	267	152	115	.	223	133	90	.	170	100	70	.
.	63	41	22	.	1	1	-	.	2	-	2	.
.	131	73	58	.	63	42	21	.	15	9	6	.
.	73	38	35	.	159	90	69	.	153	91	62	.
.	28	16	12	.	87	42	45	.	142	58	84	.
.	1	-	1	.	2	2	-	.	6	2	4	.
.	254	150	104	.	285	162	123	.	298	151	147	.
.	52	36	16	.	1	1	-	.	2	-	2	.
.	113	65	48	.	58	39	19	.	14	9	5	.
.	56	34	22	.	110	67	43	.	108	63	45	.
.	30	14	16	.	102	49	53	.	127	60	67	.
.	3	1	2	.	13	5	8	.	46	19	27	.
.	-	-	-	.	1	1	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	1	-	1	.
.	228	136	92	.	199	120	79	.	162	96	66	.
.	52	36	16	.	1	1	-	.	2	-	2	.
.	113	65	48	.	58	39	19	.	14	9	5	.
.	63	35	28	.	140	80	60	.	146	87	59	.
.	25	14	11	.	84	40	44	.	129	53	76	.
.	1	-	1	.	2	2	-	.	6	2	4	.
.	42	18	24	.	27	15	12	.	21	9	12	.
.	11	5	6	.	-	-	-	.	-	-	-	.
.	18	8	10	.	5	3	2	.	1	-	1	.
.	7	1	6	.	13	6	7	.	6	3	3	.
.	6	4	2	.	9	6	3	.	11	5	6	.
.	-	-	-	.	-	-	-	.	3	1	2	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	39	16	23	.	24	13	11	.	8	4	4	.
.	11	5	6	.	-	-	-	.	-	-	-	.
.	18	8	10	.	5	3	2	.	1	-	1	.
.	10	3	7	.	19	10	9	.	7	4	3	.
.	3	2	1	.	3	2	1	.	13	5	8	.
.	-	-	-	.	-	-	-	.	-	-	-	.

第5表 周産期死亡数，出産時の体重；出産時の平均体重，妊娠満28週以後の死産―早期新生児死亡・性・単産―複産・妊娠期間（4週区分）・(早期―正期―過期再掲）別 平成元年

早期新生児(生後1週未満)死亡数
Early Neonatal Deaths
(Under 1 Week)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGET, AND MEAN BIRTH (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1989—CON.

単産―複産 Plurality of Birth / 妊娠期間 Period of Gestation	2.5 ～ 2.9kg				(再掲) (Secondary mention) 2500gちょうど Just 2500g				3.0 ～ 3.4kg				3.5 ～ 3.9kg				4.0kg ～ and over				不詳 Not stated				出産時の平均体重 Mean birth weight			
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
総数 Total	373	193	180	.	16	6	10	.	341	191	150	.	116	76	40	.	30	19	11	.	53	26	27	.	2.01	2.03	1.99	.
妊娠満28週未満 Under 28 weeks gestation	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	2	2	-	.	0.74	0.75	0.73	.
満28週～満31週 28-31 weeks	8	4	4	.	-	-	-	.	-	-	-	.	1	1	-	.	-	-	-	.	1	1	-	.	1.34	1.39	1.28	.
満32週～満35週 32-35	33	22	11	.	3	2	1	.	8	3	5	.	1	-	1	.	1	1	-	.	3	2	1	.	1.94	1.96	1.91	.
満36週～満39週 36-39	207	104	103	.	5	2	3	.	162	99	63	.	34	26	8	.	14	11	3	.	5	1	4	.	2.60	2.68	2.51	.
満40週～満43週 40-43	122	60	62	.	7	1	6	.	168	86	82	.	78	48	30	.	15	7	8	.	8	-	8	.	3.08	3.14	3.02	.
満44週～ 44 completed weeks and over	-	-	-	.	-	-	-	.	2	2	-	.	1	1	-	.	-	-	-	.	-	-	-	.	3.05	3.05	-	.
不詳 Not stated	3	3	-	.	1	1	-	.	1	1	-	.	1	-	1	.	-	-	-	.	34	20	14	.	2.88	2.85	2.95	.
(再掲)																												
早期(満37週未満) Pre-term	75	43	32	.	4	2	2	.	22	13	9	.	5	3	2	.	4	3	1	.	7	6	1	.	1.36	1.39	1.32	.
満28週未満 Under 28 weeks	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	2	2	-	.	0.74	0.75	0.73	.
満28週～満31週 28-31	8	4	4	.	-	-	-	.	-	-	-	.	1	1	-	.	-	-	-	.	1	1	-	.	1.34	1.39	1.28	.
満32週～満36週 32-36	67	39	28	.	4	2	2	.	22	13	9	.	4	2	2	.	4	3	1	.	4	3	1	.	2.05	2.09	2.01	.
正期(満37週～満41週) Term	288	145	143	.	11	3	8	.	300	168	132	.	102	67	35	.	24	16	8	.	12	-	12	.	2.84	2.90	2.77	.
過期(満42週～) Post-term	7	2	5	.	-	-	-	.	18	9	9	.	8	6	2	.	2	-	2	.	-	-	-	.	3.07	3.13	3.01	.
単産 Single	362	190	172	.	15	6	9	.	338	189	149	.	116	76	40	.	30	19	11	.	51	24	27	.	2.09	2.11	2.07	.
妊娠満28週未満	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	0.75	0.76	0.73	.
満28週～満31週	7	4	3	.	-	-	-	.	-	-	-	.	1	1	-	.	-	-	-	.	1	1	-	.	1.36	1.42	1.29	.
満32週～満35週	32	22	10	.	3	2	1	.	8	3	5	.	1	-	1	.	1	1	-	.	3	2	1	.	1.97	1.97	1.95	.
満36週～満39週	202	102	100	.	5	2	3	.	159	97	62	.	34	26	8	.	14	11	3	.	5	1	4	.	2.63	2.72	2.53	.
満40週～満43週	118	59	59	.	6	1	5	.	168	86	82	.	78	48	30	.	15	7	8	.	8	-	8	.	3.09	3.14	3.03	.
満44週～	-	-	-	.	-	-	-	.	2	2	-	.	1	1	-	.	-	-	-	.	-	-	-	.	3.05	3.05	-	.
不詳	3	3	-	.	1	1	-	.	1	1	-	.	1	-	1	.	-	-	-	.	34	20	14	.	2.88	2.85	2.95	.
(再掲)																												
早期(満37週未満)	72	43	29	.	4	2	2	.	21	12	9	.	5	3	2	.	4	3	1	.	5	4	1	.	1.41	1.44	1.36	.
満28週未満	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	0.75	0.76	0.73	.
満28週～満31週	7	4	3	.	-	-	-	.	-	-	-	.	1	1	-	.	-	-	-	.	1	1	-	.	1.36	1.42	1.29	.
満32週～満36週	65	39	26	.	4	2	2	.	21	12	9	.	4	2	2	.	4	3	1	.	4	3	1	.	2.09	2.11	2.05	.
正期(満37週～満41週)	280	142	138	.	10	3	7	.	298	167	131	.	102	67	35	.	24	16	8	.	12	-	12	.	2.86	2.92	2.79	.
過期(満42週～)	7	2	5	.	-	-	-	.	18	9	9	.	8	6	2	.	2	-	2	.	-	-	-	.	3.07	3.13	3.01	.
複産 Plural	11	3	8	.	1	-	1	.	3	2	1	.	-	-	-	.	-	-	-	.	2	2	-	.	1.22	1.14	1.29	.
妊娠満28週未満	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	2	2	-	.	0.71	0.68	0.76	.
満28週～満31週	1	-	1	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	1.21	1.16	1.26	.
満32週～満35週	1	-	1	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	1.67	1.78	1.62	.
満36週～満39週	5	2	3	.	-	-	-	.	3	2	1	.	-	-	-	.	-	-	-	.	-	-	-	.	2.06	2.00	2.13	.
満40週～満43週	4	1	3	.	1	-	1	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	2.45	2.45	2.45	.
満44週～	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
不詳	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
(再掲)																												
早期(満37週未満)	3	-	3	.	-	-	-	.	1	1	-	.	-	-	-	.	-	-	-	.	2	2	-	.	1.05	1.00	1.11	.
満28週未満	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	2	2	-	.	0.71	0.68	0.76	.
満28週～満31週	1	-	1	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	1.21	1.16	1.26	.
満32週～満36週	2	-	2	.	-	-	-	.	1	1	-	.	-	-	-	.	-	-	-	.	-	-	-	.	1.72	1.81	1.65	.
正期(満37週～満41週)	8	3	5	.	1	-	1	.	2	1	1	.	-	-	-	.	-	-	-	.	-	-	-	.	2.24	2.17	2.30	.
過期(満42週～)	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.	-	-	-	.