

15 主な疾病・異常被患率の

1 幼稚園 計

(単位 %)

区 分	近視	色覚異常	トラコーマ	慢性副鼻炎	へんとう大	う歯	結核	寄生虫卵有	せき柱常	胸郭異常	心臓疾患常	運動機能害
昭和23年	...	...	2.07	...	...	24.29	...	...	...	...	...	0.12
24	...	...	1.73	0.09	7.29	31.04	0.56	57.71	0.77	1.42	...	0.11
25	...	...	1.53	0.08	7.90	45.36	0.89	54.21	0.58	1.27	...	0.10
26	...	...	1.08	0.07	9.86	59.64	2.36	52.01	0.53	1.40	...	0.10
27	...	...	...	...	...	...	...	...	...	...	...	...
28	...	...	...	...	...	...	...	...	...	...	...	...
29	...	...	1.84	0.32	11.54	81.58	1.03	37.02	0.54	1.48	0.26	0.14
30	...	...	...	...	...	...	...	...	...	...	...	...
31	...	...	1.47	0.30	11.74	84.98	1.25	26.62	0.46	1.27	0.26	0.12
32	...	...	1.69	0.44	12.47	86.2	0.72	22.6	0.52	1.36	0.30	0.13
33	...	...	1.58	0.42	12.58	87.2	0.77	19.0	0.44	1.18	0.30	0.14
34	2.46	0.31	1.45	0.41	12.29	88.9	0.72	16.7	0.51	1.41	0.28	0.14
35	2.08	0.18	1.27	0.39	12.26	88.16	0.32	12.02	0.31	1.17	0.28	0.12
36	7.20	0.27	1.02	0.43	11.33	88.24	0.33	8.85	0.35	1.19	0.29	0.11
37	3.07	0.20	1.00	0.39	12.18	88.18	0.28	7.07	0.32	1.06	0.24	0.10
38	1.59	0.15	0.70	0.39	11.19	88.81	0.30	4.89	0.31	1.07	0.28	0.09
39	2.17	0.26	0.55	0.33	10.95	90.51	0.21	4.17	0.29	1.06	0.26	0.09
40	2.13	0.23	0.49	0.26	10.55	90.14	0.19	3.04	0.25	0.80	0.24	0.07
41	1.74	0.29	0.46	0.32	9.88	91.01	0.24	2.03	0.29	0.94	0.27	0.06
42	1.99	0.31	0.37	0.34	10.56	92.62	0.26	2.16	0.22	0.87	0.29	0.05
43	1.68	0.36	0.32	0.34	10.30	91.41	0.23	1.54	0.18	0.83	0.25	0.04
44	2.99	0.45	0.37	0.32	9.74	91.62	0.22	1.50	0.29	0.84	0.29	0.07
45	4.0	0.5	0.1	0.3	11.3	95.4	...	1.0	1.0	0.3	0.1	...
46	...	...	...	...	...	...	...	...	...	...	...	...
47	5.05	0.33	0.23	0.30	10.56	93.82	0.14	1.22	0.86	0.33	0.33	0.06
48	...	0.80	0.27	0.30	10.54	94.07	0.10	0.96	0.77	0.31	0.31	0.05
49	...	...	0.17	0.77	9.39	94.00	...	5.19	0.69	0.38	0.38	0.06
50	...	...	0.15	0.55	9.42	94.20	...	5.62	0.70	0.39	0.39	0.05
51	...	...	0.09	0.54	9.15	93.86	...	6.33	0.68	0.37	0.37	0.06
52	...	...	0.02	0.57	8.92	88.37	...	4.03	0.74	0.40	0.40	0.05
53	...	...	0.05	0.34	7.71	87.53	...	4.06	0.76	0.39	0.39	0.04

注 1. この表は、疾病異常のうち、特に被患率の増減の大きいものの推移を示したものである。(以下同じ。)  
 2. 「寄生虫卵保有」は、何らかの寄生虫卵を保有しているものの率であるが、昭和35年度～昭和48年度については回虫卵を保有しているものの率を示したものである。(以下同じ。)

推移(昭和23年度～昭和53年度)

幼稚園 男

(単位 %)

区 分	近視	色覚異常	トラコーマ	慢性副鼻炎	へんとう大	う歯	結核	寄生虫卵有	せき柱常	胸郭異常	心臓疾患常	運動機能害
昭和23年	...	...	2.03	...	...	23.35	...	...	...	...	...	0.13
24	...	...	1.72	0.10	7.67	29.82	0.71	58.77	0.98	1.89	...	0.09
25	...	...	1.57	0.09	8.38	45.08	1.03	54.33	0.72	1.73	...	0.11
26	...	...	1.09	0.08	10.23	59.21	2.70	53.64	0.64	1.82	...	0.12
27	...	...	...	...	...	...	...	...	...	...	...	...
28	...	...	...	...	...	...	...	...	...	...	...	...
29	...	...	1.78	0.38	12.14	81.41	1.09	38.48	0.66	1.93	0.28	0.16
30	...	...	1.52	0.33	13.12	85.04	1.04	32.03	0.58	1.76	0.25	0.11
31	...	...	1.28	0.33	12.35	84.55	1.42	27.09	0.58	1.70	0.27	0.14
32	...	...	1.58	0.49	12.88	86.1	0.77	23.1	0.68	1.76	0.31	0.15
33	...	...	1.52	0.47	13.13	87.1	0.79	18.1	0.54	1.56	0.33	0.16
34	2.31	0.54	1.40	0.46	12.87	88.8	0.78	17.1	0.65	1.89	0.29	0.17
35	1.82	0.33	1.23	0.44	13.06	88.37	0.35	12.46	0.37	1.53	0.30	0.13
36	6.52	0.42	0.99	0.47	12.08	88.13	0.36	9.13	0.42	1.59	0.30	0.12
37	2.88	0.33	0.94	0.44	13.06	88.05	0.26	7.24	0.39	1.47	0.25	0.11
38	1.48	0.27	0.68	0.41	12.21	88.60	0.34	5.06	0.38	1.46	0.30	0.11
39	2.15	0.47	0.53	0.38	12.25	91.95	0.23	4.39	0.37	1.42	0.26	0.10
40	1.97	0.41	0.44	0.28	11.46	89.97	0.20	3.41	0.30	1.11	0.25	0.08
41	1.62	0.52	0.41	0.37	10.87	90.84	0.25	2.09	0.34	1.29	0.28	0.06
42	1.81	0.57	0.34	0.40	11.60	92.42	0.28	2.22	0.27	1.24	0.29	0.06
43	1.55	0.67	0.30	0.38	11.36	91.02	0.24	1.62	0.21	1.17	0.27	0.05
44	2.77	0.82	0.34	0.33	10.76	91.93	0.25	1.54	0.31	1.17	0.31	0.06
45	3.6	0.9	0.1	0.3	12.1	95.5	0.1	1.2	1.4	0.4	0.2	...
46	...	...	...	...	...	...	...	...	...	...	...	...
47	4.79	0.63	0.23	0.35	11.49	93.51	0.14	1.33	1.17	0.35	0.35	0.07
48	...	1.44	0.25	0.35	11.60	93.95	0.09	0.97	1.09	0.33	0.33	0.05
49	...	...	0.16	0.90	10.41	93.96	...	5.39	0.97	0.41	0.41	0.07
50	...	...	0.14	0.66	10.42	94.10	...	5.85	0.99	0.41	0.41	0.07
51	...	...	0.09	0.67	10.21	93.66	...	6.75	0.91	0.39	0.39	0.08
52	...	...	0.03	0.70	9.82	87.80	...	4.40	0.92	0.43	0.43	0.07
53	...	...	0.07	0.39	8.48	87.47	...	4.09	0.94	0.41	0.41	0.03

15 主な疾病・異常被患率の

幼稚園 女

(単位 %)

区 分	近視	色覚異常	トラコーマ	慢性副鼻炎	へんとう大	う歯	結核	寄生虫卵有	せき柱常	胸郭異常	心臓疾患常	運動機能害
昭和23年	...	...	2.10	...	...	25.23	...	...	...	...	...	0.11
24	...	...	1.73	0.10	6.92	31.63	0.42	56.69	0.55	0.94	...	0.13
25	...	...	1.50	0.07	7.40	45.65	0.75	54.09	0.43	0.81	...	0.10
26	...	...	1.07	0.06	9.47	60.09	2.00	50.32	0.42	0.95	...	0.07
27	...	...	...	...	...	...	...	...	...	...	...	...
28	...	...	...	...	...	...	...	...	...	...	...	...
29	...	...	1.91	0.26	10.90	81.76	0.95	35.33	0.43	1.01	0.23	0.11
30	...	...	1.59	0.27	11.39	84.20	0.99	30.67	0.34	0.79	0.24	0.08
31	...	...	1.67	0.28	11.11	85.44	1.18	26.12	0.34	0.82	0.26	0.10
32	...	...	1.80	0.39	12.04	86.1	0.67	22.1	0.35	0.92	0.30	0.10
33	...	...	1.66	0.36	12.00	87.4	0.76	20.0	0.33	0.78	0.27	0.12
34	2.61	0.09	1.50	0.35	11.67	89.0	0.67	16.0	0.36	0.89	0.27	0.11
35	2.34	0.03	1.32	0.33	11.40	87.95	0.30	11.54	0.24	0.78	0.27	0.10
36	7.93	0.11	1.06	0.39	10.55	88.36	0.31	8.55	0.28	0.77	0.27	0.10
37	3.28	0.06	1.06	0.33	11.22	88.32	0.29	6.88	0.25	0.62	0.24	0.09
38	1.70	0.02	0.72	0.37	10.10	89.05	0.27	4.72	0.23	0.66	0.26	0.08
39	2.20	0.05	0.56	0.28	9.62	89.02	0.18	3.94	0.20	0.68	0.26	0.08
40	2.30	0.04	0.54	0.24	9.58	90.32	0.17	3.01	0.20	0.47	0.23	0.07
41	1.86	0.05	0.52	0.27	8.85	91.19	0.22	1.97	0.24	0.57	0.27	0.05
42	2.18	0.05	0.41	0.27	9.46	92.85	0.23	2.09	0.17	0.48	0.29	0.04
43	1.82	0.03	0.35	0.30	9.19	91.81	0.22	1.44	0.14	0.48	0.24	0.03
44	3.22	0.06	0.40	0.30	8.67	91.27	0.20	1.54	0.26	0.49	0.27	0.07
45	4.5	0.1	0.2	0.2	10.4	95.3	-	0.8	0.5	0.3	0.1	0.1
46	...	...	...	...	...	...	...	...	...	...	...	...
47	5.32	0.03	0.23	0.25	9.39	94.13	0.15	1.10	0.53	0.32	0.32	0.05
48	...	0.13	0.29	0.25	9.45	94.19	0.12	0.94	0.43	0.29	0.29	0.04
49	...	...	0.18	0.64	8.33	94.03	...	4.99	0.40	0.36	0.36	0.05
50	...	...	0.17	0.43	8.39	94.31	...	5.38	0.41	0.36	0.36	0.03
51	...	...	0.09	0.41	8.03	94.06	...	5.88	0.44	0.36	0.36	0.04
52	...	...	0.02	0.43	7.97	88.97	...	3.64	0.55	0.36	0.36	0.03
53	...	...	0.02	0.27	6.89	87.59	...	4.03	0.56	0.38	0.38	0.06

推移(昭和23年度~昭和53年度)(つづき)

2 小学校 計

(単位 %)

区 分	近視	色覚異常	トラコーマ	慢性副鼻炎	へんとう大	う歯	結核	寄生虫卵有	せき柱常	胸郭異常	心臓疾患常	運動機能害
昭和23年	8.30	0.72	5.30	...	...	...	...	...	...	...	...	0.29
24	5.44	0.72	5.08	0.15	6.78	42.08	0.73	63.89	1.27	1.10	...	0.31
25	8.22	1.09	5.32	0.16	7.29	42.25	0.64	63.42	1.14	1.03	...	0.31
26	7.72	0.74	5.09	0.25	8.51	41.63	0.97	57.98	1.23	1.21	...	0.26
27	8.99	0.94	6.66	...	8.65	45.45	1.10	55.14	1.03	0.96	...	0.41
28	10.50	1.44	5.55	0.62	9.88	51.94	1.02	48.76	1.05	1.08	0.27	0.37
29	10.23	1.61	5.34	0.66	9.69	59.78	0.94	42.21	1.04	1.08	0.50	0.36
30	10.29	1.60	4.66	0.93	10.87	66.50	0.92	38.28	0.89	1.09	0.25	0.36
31	9.21	1.54	4.30	0.99	10.51	70.47	0.94	32.48	0.96	1.07	0.28	0.35
32	9.61	1.69	4.53	1.06	11.25	79.0	0.77	29.2	0.81	1.04	0.28	0.35
33	9.78	1.64	4.23	1.02	10.36	80.0	0.76	25.4	0.81	0.99	0.32	0.32
34	9.13	1.63	3.52	1.16	10.31	81.6	0.71	21.8	0.83	1.08	0.30	0.31
35	9.69	1.57	3.55	1.38	9.79	84.19	0.57	14.08	0.68	0.94	0.33	0.34
36	12.36	1.51	3.09	1.45	10.22	83.14	0.57	11.55	0.58	0.88	0.33	0.31
37	12.09	1.54	2.81	1.54	9.99	85.54	0.49	9.50	0.58	0.91	0.40	0.32
38	11.77	1.62	2.51	1.38	10.21	87.61	0.45	6.90	0.56	0.92	0.41	0.30
39	11.99	1.63	2.16	1.40	9.50	87.89	0.40	5.81	0.55	0.85	0.35	0.28
40	12.09	1.58	1.94	1.31	9.71	87.88	0.35	4.47	0.55	0.76	0.32	0.27
41	11.40	1.58	1.46	1.31	9.93	87.97	0.27	3.17	0.61	0.79	0.32	0.26
42	11.34	1.62	1.40	1.51	9.88	91.96	0.33	2.88	0.43	0.80	0.36	0.22
43	11.68	1.69	1.20	1.37	9.90	91.50	0.33	2.22	0.41	0.74	0.33	0.19
44	12.10	1.65	0.99	1.31	8.87	92.24	0.22	1.68	0.38	0.67	0.30	0.20
45	11.3	1.7	0.8	1.2	9.4	93.6	0.2	1.6	1.3	0.4	0.4	0.2
46	10.55	1.52	0.63	0.94	8.40	93.92	0.09	0.73	0.84	0.28	0.28	0.14
47	11.31	1.65	0.53	1.18	8.37	93.16	0.08	0.88	0.83	0.27	0.27	0.11
48	13.09	1.72	0.53	1.25	7.84	93.42	0.10	0.72	0.66	0.24	0.24	0.09
49	13.58	1.88	0.28	1.64	7.28	94.26	0.10	4.64	0.67	0.38	0.38	0.11
50	12.39	1.78	0.23	1.31	6.59	94.43	0.10	5.23	0.64	0.38	0.38	0.11
51	12.20	1.85	0.19	1.28	6.17	94.46	0.10	5.40	0.60	0.33	0.33	0.12
52	9.43	1.54	0.08	1.18	6.16	93.73	0.05	4.18	0.89	0.38	0.38	0.07
53	9.18	1.48	0.07	1.10	5.65	94.17	0.06	4.27	0.79	0.34	0.34	0.06

15 主な疾病・異常被患率の

小学校 男

(単位 %)

区分	近視	色覚異常	トラコーマ	慢性副鼻炎	肥厚大	う歯	結核	寄生虫卵有	せき柱常	胸郭異常	心臓疾患常	運動機能害
昭和23年	7.57	1.19	4.98	...	...	...	...	...	...	...	...	0.32
24	4.98	1.21	4.80	0.16	6.75	42.39	0.72	63.91	1.42	1.20	...	0.33
25	7.48	1.86	5.02	0.18	7.30	42.32	0.68	63.54	1.31	1.14	...	0.33
26	6.90	1.32	4.73	0.28	8.58	41.54	0.96	58.08	1.43	1.37	...	0.28
27	8.08	1.63	6.22	...	8.67	44.88	1.19	55.34	1.24	1.12	...	0.43
28	9.44	2.51	5.16	0.65	9.90	51.19	1.09	49.30	1.25	1.25	0.26	0.39
29	9.30	2.79	4.92	0.74	9.80	58.77	0.98	42.92	1.20	1.26	0.29	0.39
30	9.34	2.80	4.32	1.04	10.94	65.17	0.99	38.76	1.02	1.28	0.24	0.38
31	8.54	2.74	3.94	1.12	10.62	69.48	0.97	33.06	1.10	1.23	0.26	0.37
32	8.80	3.03	4.15	1.17	11.37	76.7	0.80	29.7	0.91	1.24	0.27	0.37
33	8.86	2.92	3.81	1.10	10.42	79.0	0.77	26.0	0.93	1.17	0.32	0.34
34	8.29	2.90	3.19	1.28	10.32	80.8	0.73	22.1	0.95	1.27	0.29	0.33
35	8.73	2.85	3.13	1.52	9.72	83.33	0.59	14.35	0.71	1.12	0.32	0.37
36	11.09	2.77	2.80	1.60	10.24	82.26	0.60	11.86	0.65	1.06	0.31	0.33
37	10.82	2.83	2.54	1.72	10.07	84.73	0.50	9.74	0.63	1.09	0.37	0.34
38	10.50	2.97	2.25	1.52	10.47	87.00	0.47	7.14	0.62	1.14	0.39	0.34
39	10.66	3.02	2.03	1.54	9.79	87.50	0.42	6.01	0.61	1.03	0.35	0.31
40	10.78	2.93	1.71	1.45	10.01	86.91	0.37	4.60	0.61	0.92	0.31	0.30
41	10.04	2.92	1.46	1.48	10.15	87.97	0.28	3.24	0.68	0.98	0.30	0.29
42	10.07	3.01	1.20	1.71	10.19	91.52	0.36	3.01	0.48	0.98	0.35	0.24
43	10.42	3.14	1.05	1.57	10.23	90.90	0.33	2.30	0.46	0.90	0.31	0.22
44	10.63	3.08	0.86	1.48	9.18	91.68	0.22	1.76	0.44	0.86	0.30	0.22
45	9.9	3.2	0.7	1.4	9.7	93.1	0.2	1.6	1.5	0.4	0.4	0.2
46	9.20	2.94	0.57	1.10	8.67	93.58	0.12	0.75	1.02	0.28	0.28	0.18
47	9.90	3.10	0.45	1.37	8.65	92.62	0.10	0.89	1.02	0.27	0.27	0.12
48	11.45	3.22	0.46	1.44	8.18	93.00	0.10	0.77	0.81	0.24	0.24	0.11
49	11.76	3.48	0.25	1.90	7.77	93.94	0.11	4.96	0.86	0.39	0.39	0.12
50	10.54	3.31	0.20	1.54	6.87	94.25	0.11	5.71	0.80	0.39	0.39	0.13
51	10.34	3.44	0.17	1.50	6.39	94.11	0.11	5.98	0.75	0.34	0.34	0.13
52	7.83	2.87	0.06	1.43	6.52	93.44	0.07	4.63	1.07	0.38	0.38	0.07
53	7.54	2.73	0.06	1.34	5.91	93.93	0.06	4.84	0.97	0.35	0.35	0.07

推移(昭和23年度~昭和53年度)(つづき)

小学校 女

(単位 %)

区分	近視	色覚異常	トラコーマ	慢性副鼻炎	肥厚大	う歯	結核	寄生虫卵有	せき柱常	胸郭異常	心臓疾患常	運動機能害
昭和23年	9.03	0.24	5.61	...	...	...	...	...	...	...	...	0.25
24	5.92	0.22	5.37	0.13	6.82	41.75	0.74	63.89	1.12	1.01	...	0.29
25	8.97	0.30	5.63	0.14	7.27	42.17	0.59	63.31	0.97	0.91	...	0.29
26	8.57	0.14	5.46	0.22	8.43	41.74	0.98	57.88	1.02	1.04	...	0.24
27	9.90	0.23	7.12	...	8.62	46.03	0.99	54.94	0.82	0.80	...	0.39
28	11.59	0.33	5.95	0.59	9.86	52.73	0.97	48.20	0.85	0.91	0.27	0.34
29	11.19	0.39	5.78	0.57	9.58	60.83	0.90	41.48	0.87	0.90	0.31	0.34
30	11.27	0.36	5.02	0.81	10.79	67.87	0.85	37.78	0.76	0.90	0.27	0.34
31	10.14	0.28	4.68	0.86	10.40	71.50	0.91	31.88	0.81	0.89	0.29	0.33
32	10.45	0.33	4.93	0.93	11.13	81.5	0.73	28.8	0.69	0.83	0.30	0.32
33	10.73	0.32	4.66	0.93	10.29	81.1	0.73	24.8	0.68	0.81	0.33	0.30
34	10.01	0.30	3.86	1.02	10.03	82.5	0.67	21.4	0.70	0.87	0.31	0.28
35	10.69	0.24	3.99	1.24	9.86	85.08	0.56	13.81	0.65	0.75	0.34	0.31
36	13.68	0.21	3.40	1.32	10.20	84.03	0.55	11.23	0.50	0.70	0.35	0.29
37	13.42	0.20	3.08	1.35	9.91	86.37	0.48	9.25	0.51	0.72	0.43	0.29
38	13.10	0.21	2.76	1.23	9.95	88.26	0.42	6.66	0.50	0.70	0.42	0.26
39	13.39	0.21	2.38	1.25	9.20	88.31	0.38	5.61	0.48	0.67	0.36	0.25
40	13.46	0.16	2.19	1.15	9.38	88.88	0.32	4.34	0.50	0.59	0.33	0.23
41	12.82	0.18	1.88	1.14	9.71	89.40	0.27	3.10	0.53	0.60	0.33	0.23
42	12.64	0.17	1.60	1.29	9.56	92.42	0.31	2.76	0.38	0.60	0.37	0.20
43	13.00	0.17	1.36	1.17	9.55	92.11	0.30	2.14	0.37	0.56	0.34	0.17
44	13.64	0.17	1.13	1.13	8.54	92.81	0.21	1.58	0.32	0.47	0.30	0.18
45	12.7	0.2	1.0	1.0	9.0	94.2	0.1	1.6	1.0	0.4	0.4	0.2
46	11.90	0.11	0.68	0.78	8.13	94.26	0.06	0.71	0.66	0.29	0.29	0.10
47	12.79	0.13	0.62	0.98	8.07	93.72	0.07	0.87	0.63	0.27	0.27	0.10
48	14.81	0.16	0.59	1.06	7.48	93.85	0.09	0.67	0.51	0.24	0.24	0.07
49	15.10	0.19	0.32	1.36	6.77	94.60	0.09	4.31	0.48	0.37	0.37	0.10
50	14.33	0.17	0.26	1.08	6.31	94.61	0.09	4.73	0.48	0.37	0.37	0.10
51	14.11	0.19	0.22	1.05	5.93	94.83	0.09	4.79	0.44	0.32	0.32	0.10
52	11.14	0.10	0.10	0.93	5.79	94.05	0.03	3.70	0.70	0.38	0.38	0.07
53	10.92	0.15	0.09	0.84	5.38	94.42	0.06	3.69	0.60	0.32	0.32	0.06

15 主な疾病・異常被患率の

3 中学校 計

(単位 %)

区分	近視	色覚異常	トラコーマ	慢性副鼻腔炎	肥厚性大動脈硬化	う歯	結核	寄生虫卵有	せき柱異常	胸郭異常	心臓疾患	運動機能障害
昭和23年	8.22	0.88	4.50	...	...	...	...	...	...	...	...	0.23
24	8.86	1.30	4.55	0.25	6.30	39.37	0.57	58.50	1.09	0.77	...	0.25
25	8.85	1.43	4.91	0.30	6.67	42.04	0.50	59.26	1.00	0.69	...	0.26
26	9.51	1.53	5.39	0.61	7.81	39.35	0.91	54.29	1.25	0.78	...	0.26
27	10.49	1.62	6.33	...	7.56	38.38	0.86	52.77	0.89	0.58	...	0.40
28	12.83	1.91	6.29	1.06	8.43	38.34	0.76	46.92	0.88	0.72	0.33	0.33
29	13.97	1.97	5.58	1.05	7.91	42.87	0.61	41.14	0.83	0.54	0.32	0.37
30	15.19	2.02	5.24	1.42	8.06	47.31	0.71	35.71	0.82	0.57	0.37	0.35
31	14.96	1.95	4.54	1.50	8.07	50.00	0.60	31.02	0.79	0.48	0.35	0.33
32	17.03	2.15	4.53	1.68	8.10	58.8	0.56	27.4	0.71	0.51	0.40	0.38
33	16.94	2.19	4.25	1.80	8.02	63.8	0.58	22.1	0.65	0.47	0.37	0.35
34	16.81	2.17	3.91	2.04	8.38	70.4	0.51	20.3	0.66	0.52	0.40	0.32
35	16.71	2.12	3.53	1.85	8.06	73.97	0.45	12.83	0.62	0.57	0.39	0.35
36	18.85	2.05	2.92	1.80	6.87	75.50	0.36	9.40	0.48	0.51	0.36	0.30
37	20.03	2.14	2.65	1.88	6.72	80.01	0.38	7.81	0.44	0.41	0.38	0.28
38	20.59	2.07	2.29	1.84	6.17	81.74	0.33	6.08	0.49	0.47	0.42	0.28
39	22.21	2.07	2.01	1.95	6.34	84.15	0.26	5.03	0.40	0.45	0.42	0.29
40	21.96	2.15	2.01	1.91	6.05	85.65	0.22	3.78	0.36	0.43	0.40	0.27
41	21.53	2.20	1.83	1.77	6.39	86.06	0.21	2.96	0.30	0.40	0.44	0.27
42	22.19	2.20	1.59	1.91	6.23	87.44	0.21	2.75	0.32	0.43	0.43	0.28
43	23.30	2.25	1.28	1.85	5.83	88.50	0.20	2.21	0.26	1.36	0.40	0.24
44	23.70	2.27	1.12	1.66	5.56	89.67	0.15	1.71	0.32	0.37	0.38	0.24
45	21.2	2.2	0.8	1.3	5.5	90.5	0.2	1.6	0.6	0.6	0.4	0.3
46	22.20	2.07	0.72	1.41	4.99	90.85	0.08	0.83	0.46	0.46	0.43	0.12
47	22.05	2.21	0.54	1.42	4.94	92.99	0.07	0.91	0.50	0.50	0.34	0.16
48	25.29	2.21	0.45	1.24	4.49	93.23	0.04	0.69	0.43	0.43	0.29	0.13
49	26.45	2.31	0.33	1.52	4.03	93.09	0.04	...	0.47	0.47	0.45	0.14
50	27.56	2.27	0.30	1.41	3.74	93.68	0.04	...	0.46	0.46	0.43	0.14
51	29.17	2.19	0.26	1.26	3.28	94.13	0.05	...	0.52	0.52	0.43	0.13
52	25.37	1.89	0.11	1.05	3.11	93.46	0.03	...	0.75	0.75	0.40	0.08
53	26.82	1.88	0.08	1.11	2.86	93.85	0.03	...	0.65	0.65	0.39	0.07

推移(昭和23年度～昭和53年度)(つづき)

中学校 男

(単位 %)

区分	近視	色覚異常	トラコーマ	慢性副鼻腔炎	肥厚性大動脈硬化	う歯	結核	寄生虫卵有	せき柱異常	胸郭異常	心臓疾患	運動機能障害
昭和23年	6.79	1.47	4.23	...	...	...	...	...	...	...	...	0.26
24	7.89	2.23	4.24	0.25	5.76	37.71	0.52	58.37	1.25	0.85	...	0.28
25	7.88	2.40	4.56	0.33	6.21	40.22	0.53	59.36	1.16	0.76	...	0.28
26	8.47	2.58	5.01	0.62	7.28	37.95	0.93	53.32	1.36	0.90	...	0.31
27	9.31	2.81	5.80	...	7.06	36.40	0.92	52.47	1.01	0.66	...	0.42
28	11.34	3.29	5.82	1.20	7.88	36.49	0.84	46.60	0.98	0.83	0.31	0.36
29	12.70	3.44	5.25	1.11	7.45	40.55	0.62	40.98	0.92	0.61	0.31	0.39
30	13.56	3.53	4.92	1.51	7.73	44.76	0.72	35.36	0.91	0.66	0.35	0.38
31	13.04	3.48	4.21	1.62	7.72	47.02	0.62	30.91	0.88	0.57	0.36	0.34
32	15.41	3.77	4.22	1.80	7.72	57.2	0.57	27.1	0.75	0.61	0.36	0.38
33	15.10	3.87	3.96	1.86	7.72	60.2	0.59	21.8	0.72	0.56	0.35	0.37
34	15.09	3.89	3.65	2.24	8.14	67.3	0.52	19.6	0.73	0.64	0.37	0.33
35	14.94	3.82	3.35	1.94	7.75	71.23	0.45	12.67	0.69	0.71	0.37	0.38
36	17.40	3.74	2.83	1.94	6.93	74.72	0.38	9.39	0.53	0.63	0.35	0.33
37	18.02	3.86	2.53	2.04	6.73	78.07	0.41	7.76	0.49	0.52	0.36	0.30
38	18.38	3.79	2.20	1.97	6.10	78.95	0.34	6.03	0.52	0.56	0.39	0.30
39	20.17	3.82	1.96	2.11	6.24	83.19	0.26	5.07	0.45	0.55	0.36	0.30
40	19.81	3.95	1.96	2.00	6.10	83.44	0.24	3.74	0.40	0.59	0.38	0.28
41	19.11	4.05	1.78	1.86	6.42	83.95	0.23	2.89	0.33	0.53	0.43	0.30
42	19.80	4.06	1.54	2.02	6.31	85.33	0.24	2.73	0.36	0.58	0.42	0.30
43	20.66	4.14	1.25	1.97	5.94	86.55	0.22	2.20	0.31	0.50	0.39	0.25
44	21.03	4.21	1.08	1.80	5.64	87.89	0.16	1.69	0.35	0.51	0.37	0.23
45	18.5	4.1	0.8	1.5	5.7	88.6	0.2	1.7	0.7	0.7	0.5	0.3
46	19.64	3.92	0.76	1.47	5.22	89.01	0.08	0.83	0.57	0.57	0.41	0.15
47	19.54	4.12	0.53	1.57	5.00	91.48	0.08	0.91	0.66	0.66	0.34	0.16
48	22.65	4.17	0.45	1.38	4.63	92.12	0.05	0.69	0.58	0.58	0.30	0.13
49	23.35	4.24	0.30	1.69	4.14	91.84	0.05	...	0.62	0.62	0.45	0.14
50	24.07	4.20	0.29	1.60	3.90	92.49	0.03	...	0.60	0.60	0.43	0.14
51	25.29	4.07	0.27	1.43	3.42	92.98	0.05	...	0.65	0.65	0.44	0.13
52	21.65	3.47	0.13	1.26	3.29	92.55	0.02	...	0.82	0.82	0.39	0.08
53	22.60	3.45	0.09	1.26	3.03	92.88	0.03	...	0.74	0.74	0.39	0.07

15 主な疾病・異常被患率の

中学校 女

(単位 %)

区分	近視	色覚異常	トラコーマ	慢性副鼻炎	肥厚性鼻炎	う歯	結核	寄生虫卵有	せき柱異常	胸部異常	心臓疾患異常	運動機能障害
昭和23年	9.65	0.31	4.77	...	...	...	...	...	...	...	...	0.21
24	9.86	0.43	4.86	0.25	6.86	41.05	0.62	58.62	0.92	0.69	...	0.22
25	9.85	0.43	5.28	0.28	7.15	43.91	0.47	59.15	0.84	0.61	...	0.24
26	10.57	0.45	5.79	0.60	8.35	40.76	0.88	55.27	1.13	0.65	...	0.20
27	11.70	0.39	6.88	...	8.07	40.43	0.80	53.08	0.76	0.50	...	0.37
28	14.38	0.47	6.77	0.93	9.01	40.26	0.73	47.20	0.76	0.60	0.35	0.31
29	15.25	0.49	5.91	0.98	8.36	45.21	0.60	41.30	0.74	0.47	0.33	0.34
30	16.86	0.46	5.57	1.32	8.44	49.94	0.70	36.07	0.72	0.48	0.40	0.32
31	16.91	0.40	4.87	1.38	8.43	53.04	0.57	31.12	0.70	0.38	0.34	0.31
32	18.68	0.48	4.85	1.57	8.49	63.0	0.56	27.6	0.66	0.40	0.43	0.37
33	18.87	0.41	4.54	1.75	8.33	67.6	0.57	22.3	0.58	0.37	0.39	0.33
34	18.58	0.37	4.18	1.84	8.63	73.6	0.50	21.1	0.59	0.39	0.43	0.30
35	18.58	0.34	3.71	1.75	8.40	76.84	0.45	12.98	0.54	0.41	0.42	0.33
36	20.36	0.29	3.00	1.66	6.81	76.30	0.34	9.41	0.43	0.38	0.37	0.27
37	22.12	0.35	2.77	1.71	6.71	82.28	0.36	7.87	0.34	0.30	0.41	0.27
38	22.91	0.28	2.40	1.70	6.24	84.69	0.31	6.12	0.45	0.37	0.46	0.26
39	24.24	0.28	2.05	1.78	6.44	85.13	0.25	5.00	0.34	0.34	0.49	0.28
40	24.23	0.28	2.07	1.81	5.99	87.96	0.21	3.83	0.32	0.27	0.42	0.25
41	24.07	0.27	1.89	1.67	6.36	88.26	0.20	3.04	0.27	0.26	0.44	0.25
42	24.69	0.25	1.63	1.79	6.15	89.62	0.18	2.76	0.28	0.28	0.43	0.26
43	26.08	0.25	1.32	1.73	5.71	90.54	0.18	2.23	0.21	0.22	0.40	0.23
44	26.50	0.23	1.16	1.51	5.48	91.52	0.14	1.74	0.29	0.22	0.39	0.24
45	24.0	0.2	0.8	1.2	5.3	92.5	0.2	1.5	0.4	0.4	0.4	0.3
46	24.76	0.23	0.68	1.36	4.75	92.69	0.09	0.82	0.36	0.36	0.44	0.08
47	24.66	0.21	0.56	1.26	4.88	94.56	0.05	0.91	0.34	0.34	0.34	0.16
48	28.00	0.19	0.46	1.10	4.35	94.37	0.04	0.68	0.27	0.27	0.29	0.14
49	29.65	0.24	0.35	1.33	3.92	94.39	0.04	...	0.31	0.31	0.44	0.14
50	31.20	0.23	0.31	1.21	3.57	94.92	0.04	...	0.32	0.32	0.43	0.15
51	33.17	0.22	0.25	1.08	3.14	95.32	0.05	...	0.39	0.39	0.42	0.13
52	29.42	0.18	0.09	0.82	2.91	94.41	0.05	...	0.68	0.68	0.41	0.07
53	31.44	0.19	0.08	0.96	2.69	94.88	0.03	...	0.56	0.56	0.38	0.07

推移(昭和23年度~昭和53年度)(つづき)

4 高等学校 計

(単位 %)

区分	近視	色覚異常	トラコーマ	慢性副鼻炎	肥厚性鼻炎	う歯	結核	寄生虫卵有	せき柱異常	胸部異常	心臓疾患異常	運動機能障害
昭和23年	12.09	0.78	1.48	...	...	...	...	...	...	...	...	0.09
24	11.80	1.46	1.77	0.45	3.64	58.79	0.95	50.19	0.70	0.59	...	0.12
25	11.48	1.52	1.93	0.50	3.82	62.25	0.79	49.94	0.57	0.50	...	0.11
26	12.51	1.78	2.12	0.87	4.08	55.34	0.71	47.67	0.54	0.59	...	0.12
27	14.40	1.74	3.25	...	4.80	55.62	0.75	47.21	0.55	0.46	...	0.17
28	18.46	2.56	2.82	1.56	5.38	53.47	0.80	39.06	0.53	0.52	0.32	0.17
29	20.87	2.02	2.84	2.00	4.79	52.64	0.66	33.59	0.52	0.43	0.37	0.18
30	22.98	2.05	2.92	1.81	5.39	52.54	0.68	27.62	0.47	0.43	0.36	0.17
31	24.68	2.13	2.73	1.90	5.32	55.80	0.57	23.21	0.47	0.44	0.37	0.18
32	26.49	2.28	2.51	1.87	5.08	59.1	0.51	20.8	0.43	0.33	0.38	0.16
33	27.85	2.19	2.31	1.81	4.83	63.0	0.54	17.2	0.36	0.32	0.35	0.16
34	29.20	2.17	2.04	1.85	4.81	67.9	0.52	14.3	0.32	0.31	0.35	0.15
35	30.24	2.19	2.08	2.30	4.73	71.77	0.48	8.85	0.32	0.29	0.35	0.16
36	33.43	2.23	1.67	1.89	4.33	75.96	0.42	6.72	0.31	0.30	0.34	0.16
37	33.44	2.22	1.50	1.81	4.31	80.96	0.36	5.09	0.25	0.27	0.35	0.14
38	34.01	2.11	1.26	1.54	3.86	83.52	0.25	4.20	0.33	0.27	0.35	0.13
39	35.75	2.10	1.10	1.52	3.87	85.23	0.24	3.02	0.29	0.27	0.34	0.12
40	36.46	2.07	0.75	1.58	3.56	86.52	0.20	2.36	0.19	0.28	0.28	0.12
41	35.58	2.20	0.88	1.75	3.47	87.41	0.14	1.71	0.19	0.26	0.32	0.14
42	38.41	2.27	0.85	1.50	3.44	89.03	0.14	1.48	0.25	0.24	0.36	0.13
43	39.37	2.14	0.72	1.56	3.11	90.40	0.14	1.30	0.19	0.24	0.39	0.12
44	39.52	2.20	0.64	1.61	2.94	90.70	0.11	0.97	0.14	0.28	0.37	0.13
45	39.7	2.0	0.5	1.2	2.6	92.8	0.1	0.7	0.4	0.4	0.3	0.1
46	37.30	2.25	0.34	1.28	2.78	91.83	0.05	0.49	0.37	0.37	0.40	0.10
47	38.62	2.34	0.46	1.51	2.67	93.03	0.06	0.60	0.35	0.35	0.40	0.12
48	42.09	2.27	0.32	1.25	2.79	93.89	0.06	0.44	0.30	0.30	0.32	0.12
49	44.44	2.30	0.21	1.41	2.22	94.46	0.06	...	0.41	0.41	0.52	0.12
50	44.49	2.43	0.17	1.35	2.28	94.94	0.05	...	0.33	0.33	0.54	0.14
51	45.89	2.35	0.15	1.16	2.00	95.26	0.06	...	0.32	0.32	0.54	0.13
52	41.52	2.18	0.07	1.03	1.69	94.60	0.04	...	0.60	0.60	0.69	0.09
53	43.05	2.15	0.04	0.89	1.55	95.11	0.03	...	0.61	0.61	0.68	0.07

15 主な疾病・異常被患率の

高等学校 男

(単位 %)

区分	近視	色覚異常	トラコーマ	慢性副鼻腔炎	肥厚性鼻炎	う歯	結核	寄生虫卵有	せき柱異常	胸部異常	心臓疾患	運動機能障害
昭和23年	10.94	1.47	1.45	...	...	...	...	...	...	...	...	0.11
24	10.81	2.17	1.76	0.50	2.84	55.80	0.99	49.03	0.82	0.73	...	0.13
25	10.71	2.34	1.92	0.55	3.21	59.68	0.85	50.93	0.68	0.61	...	0.13
26	11.53	2.87	2.20	1.03	3.36	52.77	0.69	48.70	0.61	0.62	...	0.15
27	13.76	2.73	3.18	...	4.25	52.45	0.79	47.67	0.62	0.58	...	0.19
28	17.87	3.19	2.92	1.65	4.89	51.46	0.84	38.90	0.69	0.66	0.32	0.20
29	20.23	3.27	2.97	2.22	4.59	49.75	0.68	33.65	0.66	0.58	0.34	0.21
30	22.00	3.43	3.26	1.92	5.02	49.82	0.74	27.53	0.57	0.58	0.35	0.20
31	23.70	3.57	2.86	2.08	5.11	52.52	0.60	22.98	0.59	0.51	0.35	0.20
32	25.78	3.75	2.73	2.02	4.67	55.7	0.54	20.5	0.56	0.45	0.38	0.18
33	26.94	3.83	2.53	2.03	4.58	59.9	0.55	17.1	0.45	0.42	0.32	0.19
34	28.03	3.81	2.28	2.10	4.63	63.9	0.57	13.8	0.38	0.45	0.34	0.17
35	29.34	3.84	2.34	2.55	4.61	68.48	0.51	8.78	0.43	0.41	0.34	0.19
36	32.73	3.90	1.89	2.14	4.28	72.36	0.43	6.60	0.39	0.41	0.34	0.26
37	32.85	3.96	1.69	2.03	4.40	77.91	0.34	5.09	0.32	0.41	0.35	0.15
38	32.53	3.87	1.50	1.80	3.90	79.93	0.27	4.18	0.41	0.42	0.34	0.16
39	33.88	3.87	1.38	1.73	3.84	82.45	0.25	3.12	0.32	0.35	0.32	0.15
40	34.57	3.81	0.85	1.67	3.39	83.57	0.20	2.53	0.25	0.44	0.26	0.15
41	33.55	4.11	0.97	2.01	3.48	85.18	0.14	1.75	0.25	0.38	0.32	0.17
42	36.65	4.14	0.96	1.72	3.37	86.84	0.14	1.48	0.32	0.36	0.35	0.14
43	38.29	4.07	0.86	1.63	2.98	88.12	0.15	1.27	0.20	0.35	0.38	0.14
44	37.37	4.16	0.71	1.73	2.87	88.85	0.11	0.97	0.17	0.38	0.37	0.16
45	37.6	4.0	0.5	1.4	2.5	90.9	0.1	0.7	0.6	0.3	0.3	0.1
46	35.78	4.38	0.39	1.48	2.84	89.39	0.05	0.48	0.60	0.52	0.52	0.16
47	37.02	4.36	0.47	1.60	2.61	91.55	0.06	0.57	0.50	0.39	0.39	0.13
48	39.84	4.21	0.36	1.33	2.80	92.50	0.06	0.45	0.42	0.32	0.32	0.13
49	41.75	4.35	0.24	1.62	2.19	94.42	0.07	...	0.58	0.60	0.60	0.14
50	43.14	4.55	0.20	1.44	2.27	93.51	0.05	...	0.51	0.57	0.57	0.15
51	44.04	4.42	0.17	1.32	1.96	93.79	0.05	...	0.45	0.58	0.58	0.14
52	38.98	4.11	0.08	1.11	1.64	93.66	0.03	...	0.78	0.72	0.72	0.10
53	40.37	4.05	0.04	1.00	1.50	94.09	0.03	...	0.77	0.75	0.75	0.07

推移(昭和23年度~昭和53年度)(つづき)

高等学校 女

(単位 %)

区分	近視	色覚異常	トラコーマ	慢性副鼻腔炎	肥厚性鼻炎	う歯	結核	寄生虫卵有	せき柱異常	胸部異常	心臓疾患	運動機能障害
昭和23年	13.24	0.09	1.51	...	...	...	...	...	...	...	...	0.07
24	13.51	0.22	1.79	0.37	5.02	63.94	0.90	52.03	0.49	0.34	...	0.10
25	12.70	0.22	1.93	0.42	4.79	66.34	0.69	48.57	0.40	0.33	...	0.09
26	13.86	0.25	2.00	0.65	5.09	58.85	0.77	46.41	0.43	0.54	...	0.09
27	15.36	0.24	3.36	...	5.65	60.39	0.68	46.54	0.44	0.28	...	0.12
28	19.31	0.29	2.69	1.43	6.09	56.31	0.74	39.30	0.31	0.31	0.33	0.12
29	21.73	0.28	2.67	1.70	5.05	56.57	0.63	33.51	0.31	0.23	0.40	0.15
30	24.20	0.28	2.50	1.68	5.86	55.96	0.61	27.74	0.34	0.24	0.38	0.14
31	25.92	0.28	2.56	1.72	5.59	59.97	0.52	23.46	0.31	0.22	0.40	0.15
32	27.43	0.31	2.22	1.66	5.61	63.5	0.47	21.1	0.26	0.17	0.38	0.13
33	28.88	0.29	2.05	1.55	5.12	66.5	0.53	17.2	0.24	0.20	0.38	0.13
34	30.55	0.24	1.77	1.56	5.25	72.6	0.45	14.7	0.25	0.16	0.37	0.12
35	31.29	0.25	1.78	2.02	4.87	75.67	0.44	8.93	0.19	0.15	0.36	0.13
36	34.29	0.24	1.40	1.59	4.40	80.23	0.38	6.85	0.23	0.17	0.35	0.13
37	34.11	0.20	1.28	1.55	4.21	84.43	0.37	4.94	0.16	0.12	0.36	0.12
38	35.63	0.20	0.99	1.25	3.82	87.40	0.24	4.21	0.25	0.12	0.35	0.10
39	37.75	0.20	0.80	1.29	3.91	88.34	0.22	2.92	0.26	0.19	0.37	0.09
40	38.50	0.19	0.65	1.49	3.74	89.66	0.20	2.19	0.12	0.11	0.31	0.09
41	37.72	0.19	0.79	1.48	3.46	89.75	0.15	1.67	0.12	0.13	0.32	0.10
42	40.36	0.18	0.74	1.26	3.52	91.43	0.13	1.48	0.17	0.11	0.36	0.11
43	40.48	0.19	0.59	1.49	3.24	92.62	0.13	1.34	0.18	0.12	0.39	0.10
44	41.73	0.20	0.57	1.48	3.01	92.55	0.12	0.96	0.11	0.18	0.38	0.10
45	41.5	0.2	0.4	1.0	2.6	94.5	0.1	0.7	0.2	0.3	0.3	0.1
46	38.81	0.14	0.29	1.08	2.72	94.25	0.06	0.50	0.15	0.27	0.27	0.04
47	40.72	0.19	0.44	1.42	2.73	94.55	0.05	0.63	0.19	0.41	0.41	0.11
48	44.55	0.20	0.28	1.16	2.78	95.30	0.06	0.42	0.18	0.32	0.32	0.11
49	47.23	0.21	0.18	1.21	2.26	94.50	0.06	...	0.24	0.45	0.45	0.10
50	45.95	0.22	0.14	1.26	2.29	96.39	0.05	...	0.14	0.50	0.50	0.13
51	47.74	0.22	0.13	1.01	2.04	96.74	0.06	...	0.18	0.49	0.49	0.11
52	44.09	0.18	0.05	0.96	1.73	95.54	0.06	...	0.43	0.65	0.65	0.08
53	45.87	0.16	0.03	0.78	1.61	96.15	0.03	...	0.45	0.62	0.62	0.07