

10 都道府県別疾病異常被患者率(一般検診)

I 幼稚園(1)男

区分	栄養要注意	せき柱異常	胸郭異常	目										耳			鼻	歯																
				近視	遠視	乱視	弱視(両眼)	色神異常	トラブル	結膜炎	その他の疾患	難聴(両耳)	中耳炎	その他の疾患	帯のう疽	むし歯	処完了者	未処置者	その他歯の疾患	計														
																				計														
全 国	0.5	0.3	1.2	2.8	0.1	0.1	0.1	0.8	0.3	2.3	0.5	0.2	0.3	0.6	0.3	0.5	91.9	6.4	85.5	0.4														
北海道	0.2	—	0.8	0.9	0.1	0.1	0.2	0.1	0.1	0.9	0.1	0.1	0.5	0.1	0.0	0.2	87.1	7.3	79.8	0.2														
青森県	0.4	0.1	1.1	0.2	0.2	—	—	—	0.7	3.2	0.2	0.1	0.4	1.8	—	0.0	0.4	0.2	0.8	94.4	5.0	89.4	0.1											
岩手県	0.6	0.1	2.0	—	—	—	—	1.6	2.6	4.6	0.9	1.2	0.4	1.8	0.7	0.1	0.1	0.2	0.6	95.6	3.4	92.2	0.2											
宮城県	0.6	0.1	1.0	3.4	—	—	0.2	0.7	0.7	2.9	0.5	—	0.2	0.7	0.1	0.2	0.4	0.4	0.4	91.2	8.9	82.3	—											
秋田県	0.1	0.1	1.8	1.0	—	—	—	—	0.5	3.1	0.6	—	0.7	0.5	0.1	0.3	0.2	1.4	94.4	3.3	91.1	0.1												
山形県	1.3	0.1	1.2	2.1	—	—	—	—	0.7	2.2	0.6	—	0.5	0.5	1.4	0.1	0.1	0.2	0.4	—	0.1	2.3	—	0.8	95.6	8.1	87.5	0.1						
福島県	0.6	0.1	1.6	1.4	—	—	—	0.6	0.9	2.4	1.0	0.1	0.3	0.2	0.0	0.3	10.6	1.5	0.2	0.0	—	—	0.5	0.6	0.2	94.2	2.7	91.5	0.0					
茨城県	—	0.2	2.0	1.1	—	—	—	—	0.5	0.4	1.4	0.4	0.2	—	—	—	9.7	1.0	0.1	0.1	—	0.1	0.0	0.6	0.0	0.3	94.2	3.7	90.5	0.1				
栃木県	0.4	0.3	2.9	3.4	0.8	—	0.4	1.1	0.5	2.0	0.1	0.3	0.0	0.1	0.1	1.6	11.9	1.1	0.1	0.0	—	0.2	1.3	0.1	0.3	97.4	3.5	93.9	0.4					
群馬県	0.3	0.1	1.3	0.5	—	0.4	—	0.7	0.3	1.7	0.3	0.1	0.1	—	1.3	0.4	14.2	1.4	0.3	0.1	0.1	0.4	0.2	0.1	—	1.0	0.3	0.8	84.7	2.7	82.0	4.6		
埼玉県	0.1	0.3	0.6	1.5	0.1	—	0.1	0.6	0.3	2.6	0.6	0.1	0.3	0.3	0.0	0.1	11.0	1.1	0.3	0.1	0.2	0.8	—	0.1	1.0	0.6	0.7	93.9	9.7	84.2	1.0			
千葉県	1.9	0.1	0.8	4.0	—	1.4	0.6	2.7	0.1	3.1	0.6	0.2	0.1	0.3	0.1	0.1	11.8	1.2	0.4	0.0	—	0.0	0.2	0.4	—	0.1	0.3	0.2	0.3	98.3	13.3	85.0	0.7	
東京都	0.5	0.3	1.3	—	—	—	—	1.1	0.1	2.8	0.9	0.4	0.5	0.4	0.2	0.4	11.7	5.8	0.1	0.0	—	0.4	1.3	0.1	0.1	0.4	—	1.1	94.5	14.2	80.3	0.5		
新潟県	0.6	1.9	2.0	—	—	—	—	0.6	3.0	—	2.1	0.4	0.6	0.4	0.3	0.7	13.5	4.3	0.3	0.0	0.1	0.2	0.8	—	0.0	0.8	0.1	0.4	92.5	7.4	85.1	1.4		
福島県	0.3	0.2	1.7	7.5	—	—	—	1.8	—	2.2	0.4	—	0.4	1.2	0.1	0.1	13.3	4.0	0.5	0.2	0.1	—	0.1	0.5	—	—	1.4	0.3	0.6	96.4	4.0	92.4	0.3	
富山県	0.6	0.4	1.5	13.9	—	—	—	0.7	—	5.7	1.0	0.2	0.4	0.6	0.8	0.7	6.6	7.5	0.6	0.1	—	0.1	0.3	0.2	—	0.2	0.8	0.6	0.6	82.9	4.9	78.0	0.4	
石川県	—	0.2	2.9	5.8	2.9	—	—	1.2	—	1.4	0.3	—	0.1	—	0.4	0.3	8.6	1.6	0.4	0.1	—	0.4	0.3	—	0.1	0.3	0.2	0.3	88.0	4.0	84.0	0.4		
福井県	0.7	0.6	1.1	2.9	—	—	—	1.0	0.3	2.3	0.3	0.4	0.2	0.1	0.4	0.5	11.5	1.0	0.4	0.1	0.1	0.3	0.4	—	1.5	0.3	1.7	94.8	1.6	93.2	0.1			
長野県	0.3	0.3	1.6	1.2	—	—	—	0.5	1.2	3.2	0.9	—	0.2	0.1	0.6	0.2	19.7	5.5	0.2	0.1	—	0.1	0.3	0.4	—	0.2	0.4	0.2	0.3	73.0	13.0	60.0	0.1	
岐阜県	0.2	0.3	0.7	0.3	0.1	0.0	0.0	0.1	0.1	1.1	0.8	0.3	0.2	0.6	0.6	0.7	11.0	3.7	0.2	0.0	0.0	0.4	0.5	0.0	0.1	0.8	0.0	1.4	95.7	11.6	84.1	0.5		
愛知県	0.2	0.2	0.4	3.9	—	0.2	—	—	0.8	4.2	0.5	0.4	0.6	0.6	0.3	1.2	6.3	3.0	0.2	—	0.0	0.2	0.2	—	0.1	0.3	0.5	0.3	63.9	7.1	56.8	0.1		
三重県	1.3	0.3	0.9	5.4	0.7	0.7	—	1.9	0.5	2.1	0.3	—	0.6	0.2	0.5	0.5	8.4	1.2	0.4	0.5	0.1	0.3	1.1	0.1	0.4	0.4	0.6	95.5	6.9	88.6	0.3			
滋賀県	0.3	0.3	0.8	—	—	—	—	0.8	0.1	2.1	0.2	—	0.2	0.1	0.2	0.2	10.6	1.0	0.2	0.0	—	0.4	0.3	0.0	—	0.4	—	0.7	95.7	8.3	87.4	0.2		
京都府	0.3	0.0	0.6	—	—	—	—	2.0	0.3	2.9	0.5	—	0.3	0.4	0.0	0.2	15.6	4.0	0.2	0.0	0.0	0.0	0.4	—	0.2	—	0.0	0.5	94.8	2.2	92.6	0.0		
大阪府	0.5	0.5	1.3	3.4	—	—	—	1.7	—	1.0	0.7	0.2	0.2	2.4	0.2	0.3	13.3	5.0	—	—	—	0.9	0.3	—	0.1	0.4	0.7	2.2	94.4	2.9	91.5	0.7		
兵庫県	1.2	0.2	0.9	1.5	0.4	0.6	0.1	0.5	0.0	1.2	0.4	—	0.1	1.4	0.3	0.2	15.6	10.6	0.2	0.1	0.1	0.5	0.4	0.0	—	0.4	1.0	1.9	88.6	4.4	84.2	0.6		
奈良県	0.2	0.8	0.7	1.2	0.2	0.2	0.1	1.9	0.1	2.5	0.7	0.2	0.5	1.0	0.5	0.3	9.4	5.5	0.2	0.0	0.0	0.2	0.9	0.1	0.1	0.2	0.2	0.2	95.6	9.3	86.3	0.3		
和歌山県	0.2	0.2	0.6	4.9	—	0.1	—	0.5	0.3	2.3	0.4	0.5	0.3	0.5	0.9	0.9	11.7	5.0	0.3	0.0	—	0.1	0.2	0.6	—	0.6	1.5	1.1	90.9	6.8	84.1	0.1		
鳥取県	0.5	0.1	1.3	—	—	—	—	5.0	—	0.5	0.1	—	—	—	—	1.2	9.0	1.2	0.1	—	—	0.5	—	—	0.5	—	0.5	0.3	96.3	2.9	93.4	—		
岡山県	0.7	0.4	2.1	0.6	—	—	—	0.8	0.7	0.6	0.5	—	0.1	0.6	0.3	1.5	10.3	5.7	0.1	—	—	0.5	0.3	—										

10 都道府県別疾病異常

幼稚園(2)女

区分	栄養要注意	せき柱異常	胸郭異常	目							耳			鼻	
				近視	遠視	乱視	弱視(両眼)	色神異常	トラブル	結膜炎	その他の眼疾	難聴(両耳)	中耳炎	その他の耳疾	蓄のう症
全 国	0.4	0.3	0.5	3.2	0.1	0.1	0.1	0.1	0.4	2.6	0.5	0.2	0.2	0.6	0.3
北海道	0.0	-	0.2	1.5	0.1	-	0.2	0.2	0.2	1.0	0.3	0.1	0.4	-	-
青森県	0.2	-	0.8	-	-	0.2	-	-	-	1.4	4.4	0.2	-	0.1	2.0
岩手県	0.7	-	0.9	-	-	-	-	-	-	3.5	4.6	0.6	0.6	0.1	1.8
宮城県	0.6	-	0.6	3.3	-	0.4	0.5	-	-	0.9	3.4	0.4	-	0.3	0.5
秋田県	0.2	-	0.4	0.5	-	-	-	-	-	0.6	3.2	0.1	0.1	0.4	0.4
山形県	1.4	0.2	0.8	2.8	-	-	-	-	0.2	2.5	0.3	-	0.2	1.2	0.8
福島県	0.4	0.2	0.5	0.4	-	-	-	-	-	1.5	1.8	0.7	-	0.2	0.0
茨城県	-	0.1	0.9	1.5	-	-	-	-	0.0	0.5	1.5	0.2	0.1	0.0	-
栃木県	0.4	0.1	1.3	1.5	0.4	-	-	-	0.4	0.2	1.7	0.1	-	0.1	0.6
群馬県	0.2	0.1	0.7	0.2	-	-	-	-	0.2	-	0.4	0.1	-	-	0.9
埼玉県	0.2	0.2	0.3	1.8	0.1	-	0.1	0.1	0.3	3.8	0.5	0.0	0.1	0.6	0.1
千葉県	0.3	-	0.3	4.3	-	-	-	0.4	0.4	4.4	0.6	-	0.2	0.1	0.1
東京都	0.5	0.3	0.3	-	-	-	-	-	-	0.2	0.6	0.1	0.4	-	-
神奈川県	0.8	1.8	1.1	-	-	-	1.2	-	-	2.3	0.4	0.6	0.3	0.1	0.4
新潟県	0.5	0.1	0.4	2.1	-	-	-	-	-	1.9	0.3	-	0.2	0.4	0.1
富山県	0.8	0.3	0.7	17.1	0.3	0.3	-	-	-	5.1	0.3	-	0.4	0.7	0.6
石川県	0.1	0.2	0.7	3.0	3.0	-	-	-	-	2.4	0.6	0.1	0.1	-	0.4
福井県	0.9	0.4	0.4	4.3	-	-	-	-	0.1	0.1	3.9	0.1	0.4	-	-
長野県	0.2	0.3	0.3	2.0	-	-	0.2	-	-	0.6	8.5	2.0	-	0.1	0.6
岐阜県	0.4	0.3	0.4	0.1	0.1	0.0	0.0	0.0	0.0	1.4	0.4	0.1	0.5	0.5	0.5
愛知県	0.0	-	0.0	3.6	0.4	0.5	-	-	-	0.6	3.8	0.6	-	0.2	0.3
三重県	1.2	0.2	0.5	3.0	-	-	-	-	0.2	2.5	0.3	-	0.1	0.3	0.3
滋賀県	0.2	0.1	0.3	-	-	-	-	0.1	0.1	1.7	0.4	-	0.1	0.1	0.0
京都府	0.2	0.1	0.3	-	-	-	-	-	-	0.1	0.1	0.1	0.0	0.1	0.0
大阪府	0.6	0.2	0.1	1.5	0.3	0.1	0.7	-	-	1.4	0.2	-	0.2	1.2	0.5
兵庫県	0.2	0.2	0.6	6.0	0.3	0.3	-	-	0.2	3.1	1.1	1.0	0.6	2.6	0.3
奈良県	0.4	0.5	0.3	2.7	0.2	0.6	0.1	0.0	0.4	3.2	0.5	0.4	0.3	0.9	0.3
和歌山县	-	0.4	0.1	5.3	0.1	-	0.1	-	0.8	2.9	0.5	0.4	0.2	0.1	0.8
鳥取県	0.3	0.2	0.3	1.4	-	0.1	-	0.1	1.6	3.5	0.3	-	0.2	0.1	0.1
島根県	0.1	0.2	0.6	-	-	-	-	-	0.2	1.0	0.2	-	-	-	-
岡山県	0.5	0.1	0.8	0.5	-	-	-	0.2	0.6	1.0	0.6	-	-	-	-
広島県	0.8	0.5	1.0	5.8	-	-	-	0.3	-	3.6	1.1	0.2	0.4	-	-
山口県	0.6	0.5	0.3	6.6	-	-	-	-	-	1.6	0.5	-	-	-	-
徳島県	-	0.3	0.6	1.1	0.1	-	0.1	-	0.2	4.0	1.7	-	0.3	0.4	0.2
香川県	0.7	0.1	0.3	11.8	0.1	0.1	0.2	0.1	0.2	1.7	0.4	0.1	0.2	0.9	0.3
愛媛県	0.3	0.1	0.3	4.7	-	-	0.2	-	0.0	1.9	0.8	0.1	0.3	0.4	0.7
高知県	0.6	-	0.4	-	-	-	-	-	-	0.4	0.3	-	-	-	-
福岡県	0.2	0.3	0.7	3.0	0.1	0.1	-	0.1	0.6	3.9	0.4	0.3	0.2	0.9	0.9
佐賀県	0.4	0.7	0.4	0.4	-	-	-	-	-	0.1	1.9	0.4	-	-	-
長崎県	0.7	0.6	0.8	9.7	-	0.2	-	-	0.2	0.0	3.0	0.2	0.4	0.4	1.2
熊本県	0.1	0.4	0.3	0.3	0.1	-	-	-	-	0.1	0.9	0.5	-	-	-
宮崎県	0.1	0.1	0.3	2.5	-	0.1	0.1	-	-	1.3	0.3	0.1	0.1	0.2	0.2
鹿児島県	0.0	0.4	0.3	-	-	-	-	-	-	2.0	2.9	0.5	-	0.3	-

被患率(一般検診)(つづき)

(%)

およびいん頭	言語障害	精神薄弱	脳性小兒麻痺	運動機能害	心臓の疾患	ぜん息	腎臓の疾患	身体虚弱	伝皮膚性疾病	寄生虫病	調						
											アドノード	へせん肥と大	そ鼻のいん他んの頭患	計			
0.3	8.7	2.5	0.1	0.1	0.0	0.1	0.3	0.3	0.0	0.1	0.4	0.3	0.5	91.3	6.5		
0.1	6.2	0.7	0.2	-	0.0	0.0	0.2	0.4	-	-	0.3	0.1	0.4	87.2	6.9		
-	7.3	2.3	-	-	-	-	0.2	0.2	0.2	-	0.2	1.1	0.2	93.9	5.4		
0.2	11.6	7.5	-	-	-	-	0.1	-	-	0.3	-	0.6	95.7	3.7	92.0		
0.2	8.4	1.4	0.1	0.1	-	0.1	0.2	0.2	-	0.1	0.6	0.5	0.3	90.3	9.7	80.6	
0.2	9.5	0.4	0.2	0.1	-	0.1	0.2	0.1	-	0.1	0.2	-	1.1	94.6	11.5	83.1	
0.1	8.1	4.2	0.1	0.1	-	-	0.3	0.1	-	0.5	1.1	-	0.2	95.5	7.7	87.8	
0.1	8.5	1.1	-	-	0.1	-	0.2	0.0	-	-	0.2	0.3	0.2	94.7	2.5	92.2	
-	8.5	0.4	-	0.1	-	-	0.2	0.0	-	-	0.7	0.1	0.2	95.8	3.7	92.1	
1.1	8.8	1.1	-	0.1	-	-	0.2	-	-	-	0.9	-	0.2	97.9	3.2	94.7	
0.2	11.4	1.3	0.0	-	0.0	-	0.2	0.1	0.0	-	0.6	0.2	0.6	89.0	6.7	82.3	
0.1	8.9	1.9	-	-	-	-	0.1	0.2	-	-	0.1	0.3	0.4	0.3	93.1	3.7	89.4
0.1	8.9	0.7	0.2	0.2	-	0.1	0.3	0.3	-	-	0.5	0.2	0.5	92.3	10.3	82.0	
0.1	9.3	1.3	0.1	0.1	-	0.1	0.2	0.4	-	0.0	0.1	0.2	0.3	97.6	10.9	86.7	
0.3	10.2	3.7	0.2	-	-	-	0.3	0.9	-	0.1	0.5	-	1.0	95.5	14.0	81.5	
0.4	10.6	3.1	0.2	0.1													

10 都道府県別疾病異常

2 小学校(1)男

区分	栄養要注意	せき柱異常	胸郭異常	目								耳				鼻	
				近視	遠視	乱視	弱視(両眼)	色神異常	トランボ	結膜炎	その他の眼疾	難聴(両耳)	中耳炎	その他の耳疾	蓄のう症		
全 国	0.4	0.4	0.9	10.6	0.3	0.3	0.2	3.1	0.9	3.5	1.0	0.3	0.3	1.5	1.5		
北海道	0.1	0.1	0.5	18.2	0.1	0.1	0.3	2.8	0.4	1.0	0.6	0.3	0.3	1.2	1.6		
青森	0.1	0.1	0.6	12.1	0.4	0.0	0.2	3.5	2.3	3.3	1.0	0.3	0.3	2.6	0.6		
岩手	0.3	0.2	0.9	11.0	—	0.0	—	3.2	5.6	4.4	1.6	0.4	0.2	2.8	4.8		
宮城	0.2	0.1	0.7	6.2	0.3	0.4	0.1	3.0	1.4	5.5	1.0	0.2	0.3	0.4	2.0		
秋田	0.1	0.0	0.3	12.6	0.2	0.2	0.2	2.6	2.8	2.8	1.6	0.1	0.1	0.4	0.6		
山形	1.3	1.5	2.5	9.3	0.2	0.2	0.1	3.1	1.1	5.5	2.0	0.3	0.2	1.4	2.0		
福島	0.5	0.1	0.9	8.4	0.2	0.5	0.3	2.6	3.6	2.9	1.3	0.1	0.1	0.1	0.4		
茨城	0.1	0.3	1.0	7.8	0.2	0.1	0.3	2.4	0.9	1.2	0.8	0.1	0.1	0.8	0.3		
栃木	0.3	0.2	0.8	6.3	0.1	0.1	0.2	3.1	0.9	2.7	1.1	0.2	0.1	0.7	0.3		
群馬	0.2	0.1	0.7	7.5	0.1	0.1	0.2	2.6	0.1	1.8	2.3	0.3	0.2	0.9	0.6		
埼玉	0.1	0.2	0.9	12.8	0.1	0.5	0.2	2.8	0.2	4.8	1.1	0.3	0.3	2.4	0.6		
千葉	0.0	0.2	0.9	13.9	0.1	0.2	0.1	2.7	0.6	5.0	1.6	0.3	0.3	1.9	0.8		
東京	0.4	0.3	1.3	11.5	0.1	0.6	0.1	3.3	0.1	5.3	1.2	0.5	0.2	4.9	1.8		
神奈川	0.4	0.4	0.5	7.1	0.7	0.5	0.3	2.8	0.0	4.0	1.4	0.2	0.1	2.5	1.9		
新潟	0.3	0.4	1.4	9.1	0.3	0.5	0.1	3.0	0.1	3.1	1.1	0.2	0.2	2.3	1.5		
富山	1.0	0.6	1.4	14.6	0.3	0.5	0.1	2.8	0.0	4.3	1.9	0.5	0.3	2.4	3.0		
石川	0.2	0.3	1.6	12.2	0.2	0.1	0.2	3.2	0.3	2.6	0.4	0.1	0.2	0.2	0.1		
福井	0.4	0.9	0.9	13.5	0.3	0.3	0.0	3.2	0.3	2.0	0.3	0.4	0.2	0.5	0.7		
長野	0.7	1.4	1.1	12.4	0.2	0.3	0.5	3.5	0.2	4.4	1.0	0.6	0.2	1.8	1.7		
岐阜	0.4	0.9	0.8	9.8	0.2	0.4	0.1	2.9	0.2	3.2	1.8	0.6	0.1	1.5	5.0		
静岡	0.3	0.4	0.6	12.0	0.1	0.3	0.4	3.0	0.4	4.1	0.9	0.2	0.1	1.3	1.1		
愛知	0.7	0.3	0.8	10.6	0.3	0.7	0.0	3.4	0.4	3.7	0.8	0.4	0.2	1.8	0.6		
三重	0.2	0.3	0.6	10.8	0.2	0.4	0.1	3.4	0.4	3.7	0.8	0.3	0.1	0.6	0.6		
滋賀	0.2	0.4	0.5	2.4	—	—	0.5	3.4	2.1	2.6	0.5	0.4	0.2	0.3	0.3		
京都	0.4	1.0	0.8	11.2	2.1	0.1	0.2	4.0	0.0	0.8	0.5	0.3	0.2	0.4	0.4		
大阪	0.5	0.5	0.6	9.8	0.1	0.4	0.1	3.1	0.1	4.7	0.6	0.4	0.2	3.5	1.2		
兵庫	0.5	0.3	0.4	13.3	0.8	1.2	0.2	3.4	0.2	4.6	1.1	0.5	0.2	2.2	1.0		
奈良	0.3	0.3	0.3	12.1	0.4	0.7	0.2	3.3	1.0	5.2	1.5	0.3	0.3	1.2	2.5		
和歌	0.5	0.4	0.7	11.3	0.7	0.3	0.3	3.6	0.4	2.8	0.5	0.2	0.2	0.4	0.4		
鳥取	0.1	0.6	0.7	12.0	0.1	0.1	0.2	3.1	3.6	4.4	0.4	0.7	0.1	0.2	0.4		
島根	0.2	0.6	1.5	11.2	0.0	0.1	0.2	2.8	0.5	1.9	0.6	0.4	0.2	1.1	3.3		
広島	0.4	0.6	1.4	8.2	—	—	0.3	3.0	0.6	1.1	0.4	0.3	0.1	0.7	1.2		
山口	0.4	0.2	0.7	9.7	0.1	0.3	0.2	3.6	0.3	3.5	0.9	0.5	0.3	1.1	1.7		
福岡	0.3	0.2	0.6	11.9	0.3	1.0	0.1	3.5	0.1	3.0	0.9	0.4	0.2	2.5	4.2		
大分	0.6	0.6	0.8	9.7	0.2	0.5	0.1	3.8	0.1	3.1	1.2	0.4	0.4	3.3	1.9		
宮崎	0.5	0.1	0.8	11.5	0.0	0.1	0.2	3.0	0.1	1.6	0.9	0.4	0.3	0.7	0.8		
鹿児島	0.1	0.4	0.7	5.5	0.1	0.1	0.1	2.2	1.6	4.3	0.9	0.1	0.4	1.0	0.8		

被患率(一般検診)(つづき)

(%).

およびいん頭	言語障害	精神薄弱	脳性小兒麻痺	運動機能害	心臓の疾患	ぜん息	腎臓の疾患	身体虚弱	伝皮膚性疾患	寄生虫病	歯						
											アデノイド	へせん肥大	そ鼻のいん頭の頭患	計	むし歯	歯周病	その他疾
0.5	9.2	6.6	0.4	1.2	0.0	0.2	0.3	0.5	0.1	0.2	1.3	0.2	0.6	91.7	11.0	80.7	1.5
0.2	6.9	5.1	0.7	0.8	0.0	0.2	0.3	0.5	0.0	0.1	2.2	0.3	0.6	94.7	5.4	89.3	1.0
0.1	7.8	7.5	0.2	0.6	0.0	0.1	0.2	0.2	0.0	0.1	3.1	0.6	0.6	96.9	3.0	93.9	1.6
1.0	14.5	13.6	0.3	1.0	0.0	0.3	0.2	0.2	—	0.2	2.2	0.0	1.6	93.0	3.4	89.6	1.1
0.7	9.9	5.5	1.6	1.3	0.1	0.3	0.4	0.4	0.0	0.4	2.1	0.3	0.8	93.4	5.9	87.5	1.1
0.1	7.6	2.0	0.4	0.7	—	0.1	0.1	0.1	0.0	0.1	2.9	—	1.0	95.1	4.6	90.5	1.0
0.6	12.6	7.8	0.4	1.4	—	0.1	0.2	0.2	0.1	0.5	2.3	0.2	0.8	91.8	16.5	75.3	1.4
0.0	9.9	2.0	1.2	1.6	0.0	0.2	0.1	0.3	0.0	0.1	2.0	1.0	1.1	93.8	6.2	87.6	1.8
0.0	9.3	2.6	0.3	1.6	0.0	0.2	0.2	0.2	0.1	0.1	1.7	0.2	0.3	92.0	7.2	84.8	1.3
1.1	8.9	1.4	0.4	2.3	0.0	0.2	0.3	0.3	0.1	0.1	1.6	0.4	0.4	95.0	8.5	86.5	0.9
0.8	9.2	6.6	0.5	1.1	0.0	0.2	0.2	0.4	0.1	0.2	2.2	0.3	0.9	94.2	11.7	82.5	4.5
0.1	7.2	8.8	0.4	0.8	0.0	0.3	0.2	0.3	0.1	0.3	0.6	0.2	0.3	93.1	15.9	77.2	

10 都道府県別疾病異常

2 小学校(2)女

区分	栄養要注意	せき柱異常	胸部異常	目								耳				鼻																			
				近視	遠視	乱視	弱視(両眼)	色神異常	トボム	結膜炎	その他の疾患	難聴(両耳)	中耳炎	その他の疾患	蓄のう症	計		その他																	
																計	その他																		
全国	0.3	0.3	0.5	13.6	0.3	0.4	0.2	0.2	1.1	4.3	1.1	0.3	0.2	1.3	1.1	0.4	8.5	4.8	0.2	1.1	0.0	0.2	0.3	0.5	92.8	13.4	79.4	1.5							
北海道	0.2	0.0	0.3	23.8	0.1	0.1	0.6	0.2	0.4	1.4	0.5	0.2	0.2	0.9	0.9	0.3	6.3	4.4	0.4	0.8	0.1	0.1	0.3	0.4	94.6	6.9	87.7	1.1							
青森県	0.1	0.0	0.2	14.6	0.5	0.0	0.3	0.2	3.0	4.3	1.1	0.5	0.1	2.4	0.5	0.1	7.7	6.3	0.0	0.4	0.0	0.1	0.1	0.5	97.4	3.6	93.8	1.4							
岩手県	0.3	0.1	0.4	12.3	—	—	—	0.2	7.5	6.0	1.7	0.1	0.0	2.7	3.8	0.8	13.2	11.4	0.1	0.8	0.0	0.2	0.1	0.1	0.0	0.1	1.4	0.0	1.0	94.3	4.7	89.6	0.8		
宮城県	0.3	0.0	0.4	7.5	0.1	0.2	0.2	0.2	2.1	6.7	0.9	0.2	0.1	0.6	1.6	0.5	9.6	4.4	0.6	1.0	0.0	0.2	0.3	0.7	94.1	8.4	85.7	1.2							
秋田県	0.1	0.0	0.1	16.1	0.1	0.3	0.2	0.2	3.6	3.8	1.4	0.1	0.1	0.4	0.3	0.1	6.7	1.6	0.1	0.5	—	0.1	0.2	0.1	0.0	0.1	1.9	—	0.7	95.7	5.6	90.1	0.9		
山形県	1.5	1.1	1.6	12.9	0.2	0.3	0.1	0.3	1.2	6.8	2.7	0.3	0.1	1.4	1.4	0.2	12.4	5.5	0.1	1.3	0.0	0.2	0.3	0.1	0.1	0.5	1.1	0.1	0.6	93.4	19.8	73.6	1.5		
福島県	0.2	0.0	0.5	10.6	0.3	0.5	0.3	0.1	4.3	3.8	1.0	0.1	0.0	0.2	0.2	0.1	9.1	1.8	0.8	1.3	—	0.3	0.2	0.1	0.0	0.1	1.2	0.8	0.6	94.4	8.0	86.4	1.7		
茨城県	0.1	0.3	0.6	10.0	0.2	0.2	0.2	0.2	1.3	1.4	0.8	0.1	0.1	0.6	0.2	0.1	8.4	2.2	0.1	1.3	0.1	0.2	0.3	0.1	0.0	0.1	0.9	0.2	0.2	93.6	9.3	84.3	1.6		
栃木県	0.4	0.2	0.5	8.4	0.1	0.1	0.2	0.1	1.6	3.6	1.0	0.2	0.1	0.5	0.2	0.1	7.7	1.3	0.2	1.8	0.0	0.2	0.3	0.1	0.0	0.1	0.7	0.3	0.4	96.1	10.7	85.4	0.7		
埼玉県	0.2	0.1	0.3	10.0	0.1	0.2	0.2	0.1	0.2	2.2	2.4	0.2	0.1	1.0	0.5	0.1	8.2	4.3	0.2	1.1	0.0	0.2	0.3	0.2	0.1	0.1	1.3	0.3	0.8	95.6	14.1	81.5	3.9		
千葉県	0.0	0.2	0.5	17.7	0.1	0.2	0.4	0.1	0.7	6.4	1.6	0.2	0.2	1.5	0.6	0.1	11.8	7.0	0.2	1.8	0.0	0.2	0.2	0.1	0.1	0.6	0.1	0.2	90.2	10.7	79.5	0.6			
東京都	0.4	0.3	0.6	15.1	0.3	0.9	0.2	0.1	0.1	6.8	1.4	0.3	0.2	4.2	1.0	0.1	5.4	8.2	0.2	0.5	0.0	0.1	0.2	0.6	0.0	0.1	0.2	0.0	0.1	0.1	0.2	97.3	21.7	75.6	2.3
新潟県	0.4	0.3	0.2	9.4	0.7	0.8	0.3	0.1	0.1	4.6	1.4	0.2	0.1	2.0	1.3	0.4	11.2	5.6	0.1	0.3	0.0	0.1	0.3	0.4	0.0	0.1	0.4	0.0	0.5	92.4	19.9	72.5	1.4		
富山県	0.9	0.3	0.7	19.7	0.4	0.7	0.1	0.2	0.1	5.3	2.1	0.5	0.2	2.5	2.1	0.1	7.2	11.0	0.1	1.3	0.0	0.1	0.2	0.2	0.1	0.3	0.2	0.3	94.1	19.2	74.9	0.7			
石川県	0.2	0.1	0.6	15.0	0.1	0.3	0.3	0.2	0.5	3.1	0.5	0.1	0.1	0.1	0.1	0.1	7.7	1.4	0.1	0.7	0.0	0.1	0.2	0.0	0.1	0.1	0.4	—	0.6	91.9	17.1	74.8	0.9		
福井県	0.3	0.6	0.5	16.7	0.3	0.2	0.1	0.1	0.5	2.3	0.2	0.3	0.2	0.5	0.5	0.2	9.2	1.0	0.4	0.7	0.0	0.2	0.3	0.1	0.0	0.2	1.5	0.1	0.7	91.2	10.5	80.7	0.9		
長野県	0.7	0.9	0.5	15.7	0.3	0.6	0.6	0.2	0.3	5.7	1.0	0.5	0.1	1.5	1.3	1.2	11.4	5.0	0.2	1.2	0.0	0.1	0.2	0.2	0.0	0.1	0.6	0.4	0.5	95.9	10.6	85.3	3.1		
岐阜県	0.3	0.3	0.4	14.9	0.1	0.2	0.4	0.2	0.5	4.7	0.9	0.1	0.1	1.3	1.0	0.7	9.9	4.1	0.1	1.9	0.0	0.2	0.5	0.1	0.0	0.2	0.4	0.1	0.3	83.9	19.2	64.7	2.0		
静岡県	0.6	0.2	0.5	13.3	0.2	0.7	0.1	0.1	0.5	4.0	0.9	0.5	0.1	1.9	0.4	0.4	7.3	2.8	0.1	0.7	0.0	0.2	0.4	0.0	0.0	0.4	0.2	0.1	90.2	16.0	74.2	1.1			
愛媛県	0.3	0.1	0.4	14.5	0.2	0.5	0.2	0.2	0.7	4.0	1.1	0.3	0.1	0.1	0.4	0.3	9.6	1.8	0.0	0.1	0.0	0.1	0.2	0.5	—	0.1	0.1	0.5	—	0.1	94.2	12.8	81.4	0.7	
三重県	0.2	0.4	0.2	1.3	0.4	—	—	0.2	2.3	3.1	0.5	0.6	0.1	0.3	0.3	0.2	7.9	2.9	0.1	0.8	0.0	0.1	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.1	92.2	9.4	82.8	1.0	
滋賀県	0.4	1.0	0.3	13.9	1.7	0.2	0.4	0.2	0.0	1.0	0.4	0.2	0.1	0.2	0.3	0.5	14.0	2.8	0.2	1.3	0.0	0.2	0.3	0.2	0.1	0.2	0.5	0.3	0.8	95.6	11.6	84.0	3.5		
京都府	0.6	0.4	0.3	12.4	0.1	0.5	0.1	0.1	0.2	5.9	0.7	0.3	0.4	2.9	0.8	0.7	9.1	7.8	0.1	1.2	0.1	0.2	0.2	0.4	0.1	0.1	0.6	0.4	0.4	95.0	15.0	80.0	1.2		
大阪府	0.4	0.2	0.2	18.8	0.7	1.8	0.3	0.2	0.2	5.2	1.4	0.5	0.3	2.1	0.7	0.2	7.4	4.2	0.2	0.6	0.1	0.2	0.6	0.7	0.1	0.4	0.3	0.4	0.7	95.6	13.3	82.3	2.4		
兵庫県	0.3	0.2	0.2	14.8	0.3	0.6	0.2	0.2	1.2	6.2	1.9	0.2	0.2	1.2	1.9	0.2	6.9	3.4	0.2	0.6	0.0	0.2	0.5	0.5	0.1	0.1	0.6	0.3	0.4	92.5	14.4	78.1	2.0		
奈良県	0.3	0.4	0.2	15.1	0.6	0.3	0.4	0.1	0.4	3.6	0.5	0.2	0.1	0.1	0.3	0.1	9.4	1.5	0.1	1.1	0.0	0.2	0.4	0.2	0.1	0.1	0.4	0.8	0.5	88.1	15.0	73.1	1.4		
和歌県	0.1	0.3	0.4	15.2	0.1	0.3	0.2	0.3	4.3	5.4	0.4	0.7	0.4	0.2	0.4	0.4	0.8	9.6	1.6	0.2	1.3	0.0	0.2	0.3	0.3	0.1	0.3	0.3	0.7	0.4	88.5	15.9	72.6	1.0	
鳥取県																																			

10 都道府県別疾病異常

3 中学校(1)男

区分	栄養 要 注意	せき柱異常	胸郭 異常	目							耳			鼻	
				近視	遠視	乱視	弱視(両眼)	色神異常	トラブルーム	結膜炎	その他の疾患	難聴(両耳)	中耳炎	その他の疾患	蓄のう症
全国	0.2	0.4	0.5	21.0	0.2	0.7	0.4	4.2	1.1	3.5	1.0	0.4	0.3	1.0	1.8
北海道	0.2	0.1	0.1	25.9	0.0	0.2	0.3	4.2	0.3	1.6	0.3	0.4	0.4	1.9	1.7
青森県	0.1	0.3	0.3	16.1	0.9	0.4	1.0	5.0	3.4	4.2	0.5	0.7	0.4	1.4	1.3
岩手県	0.1	0.2	0.3	21.5	1.0	2.0	0.5	3.8	6.4	5.3	1.2	0.6	1.4	2.3	5.1
宮城県	0.5	1.2	0.3	15.7	0.2	0.5	0.2	4.5	1.5	4.6	0.7	0.6	0.3	0.6	3.8
秋田県	0.1	0.1	0.3	17.9	0.0	0.1	0.1	4.8	2.8	3.4	0.9	0.1	0.2	0.1	1.0
山形県	1.1	0.5	0.8	17.8	0.3	0.4	0.6	4.5	1.4	4.7	1.6	0.4	0.4	0.3	2.8
福島県	0.1	0.1	0.3	15.6	0.1	0.3	0.5	4.2	3.3	2.4	0.8	0.3	0.3	0.3	0.6
茨城県	0.0	0.7	0.6	13.2	0.1	0.5	0.4	3.7	0.4	0.7	0.3	0.6	0.4	0.2	0.8
栃木県	0.1	0.7	0.7	14.8	0.3	0.5	0.3	4.4	1.6	4.8	1.5	0.4	0.4	2.2	2.2
群馬県	0.0	0.3	0.9	14.1	0.2	1.0	0.1	4.0	0.2	1.7	2.9	0.3	0.3	1.6	2.0
埼玉県	0.1	0.1	0.7	20.9	0.1	2.3	0.2	4.4	0.6	4.7	1.3	0.2	0.3	1.9	0.6
千葉県	0.4	0.1	0.5	20.9	0.1	0.8	0.3	3.9	0.8	5.5	0.5	1.1	0.4	2.4	2.3
東京都	0.1	0.1	0.4	31.5	0.5	1.5	0.5	4.0	0.1	5.5	1.5	0.4	0.4	2.5	1.6
神奈川県	0.3	0.8	0.6	25.7	0.0	1.0	1.4	4.4	0.2	4.2	1.3	0.7	0.1	1.6	1.3
新潟県	0.2	0.2	1.0	23.2	—	0.4	—	4.6	0.1	2.8	1.2	0.4	0.2	0.8	1.8
富山県	0.3	0.2	0.7	28.7	0.1	0.7	0.6	4.4	0.1	4.6	1.7	0.2	0.1	0.5	3.1
石川県	0.0	0.2	0.5	24.0	0.1	0.2	0.1	4.4	0.7	5.9	0.2	0.1	0.1	0.5	0.5
福井県	0.2	0.2	0.3	33.5	0.0	0.3	0.1	4.4	0.6	1.8	0.6	0.6	0.1	0.3	0.2
山梨県	0.4	0.2	0.8	18.7	0.1	0.4	0.8	5.1	0.6	8.2	2.1	0.4	0.3	1.3	3.0
長野県	0.3	0.5	0.4	18.8	0.2	0.9	0.1	4.1	0.0	2.7	2.0	0.3	0.2	1.0	4.7
岐阜県	0.2	0.3	0.3	21.1	0.0	0.3	0.2	4.1	0.6	3.8	1.1	0.2	0.2	0.6	1.2
愛知県	0.1	0.4	0.5	21.7	0.0	1.1	0.1	3.9	0.2	3.0	0.5	0.3	0.3	1.0	1.2
三重県	0.2	0.2	0.3	29.4	0.3	0.7	0.1	3.6	0.4	5.5	0.3	0.4	0.2	0.1	0.6
滋賀県	0.1	0.3	0.5	21.6	0.0	0.0	1.0	4.6	1.7	4.5	0.6	0.3	0.2	0.1	0.6
京都府	0.4	0.4	0.4	24.1	0.1	0.5	0.4	4.1	0.0	1.0	0.5	0.2	0.2	0.1	0.9
大阪府	1.1	0.7	0.4	22.1	0.0	0.6	0.1	3.9	0.5	2.7	0.8	0.3	0.3	1.3	1.1
兵庫県	0.5	0.2	0.2	31.0	1.1	2.1	0.1	4.8	0.8	3.9	1.5	0.3	0.4	1.7	1.8
奈良県	0.2	0.7	0.5	23.2	0.2	0.9	0.8	4.0	0.8	3.8	0.6	0.5	0.3	1.9	1.9
和歌山県	0.1	0.1	0.4	22.2	0.3	0.6	0.7	4.8	0.4	2.8	0.3	0.2	0.1	0.5	0.5
鳥取県	0.0	1.8	0.7	22.3	0.2	0.2	0.4	3.4	0.9	3.3	0.7	0.3	0.5	2.2	2.2
島根県	0.1	0.1	0.3	17.8	—	0.4	0.5	4.1	0.6	0.7	0.3	0.4	0.5	1.0	0.5
岡山県	0.2	0.1	0.5	24.0	0.1	0.8	0.3	4.1	0.5	4.1	2.0	0.5	0.8	2.2	2.2
広島県	0.2	0.2	0.3	23.1	0.2	1.0	0.9	4.3	0.2	2.0	1.0	0.4	0.3	1.4	2.2
山口県	0.2	0.4	0.5	22.4	0.1	0.3	0.4	4.4	0.6	3.1	0.8	0.4	0.5	4.4	4.4
徳島県	0.5	0.3	0.5	19.5	0.3	0.6	0.1	4.2	0.2	1.9	1.6	0.2	0.3	0.6	0.7
香川県	0.2	0.3	0.1	28.4	0.0	0.4	0.2	4.5	0.2	1.5	0.9	0.5	0.4	0.2	2.9
愛媛県	0.5	0.3	0.6	22.0	0.0	0.3	0.1	3.4	0.5	3.5	0.4	0.2	0.3	0.9	0.9
高知県	0.0	0.0	0.5	16.5	—	0.1	1.1	3.1	0.3	0.8	0.2	0.5	0.1	2.1	0.5
佐賀県	0.1	0.3	0.6	20.7	0.6	0.3	0.4	4.7	1.1	4.4	0.6	0.6	0.5	2.0	4.1
長崎県	0.2	0.2	0.5	20.6	0.3	0.6	0.2	4.3	0.6	2.6	0.5	0.4	0.3	2.9	2.9
熊本県	0.2	0.1	0.4	13.9	0.0	0.2	0.1	4.2	1.0	4.2	1.2	0.7	0.3	0.5	0.6
大分県	—	—	0.3	17.1	0.2	1.2	0.4	4.1	0.6	3.2	0.9	0.4	0.3	1.6	2.6
宮崎県	0.1	0.2	0.7	15.1	0.0	0.4	0.3	3.5	1.9	6.0	0.9	0.1	0.2	0.2	0.7
鹿児島県	0.2	1.2	1.4	14.5	0.6	0.4	0.2	4.1	2.3	3.6	1.6	0.4	0.4	1.5	2.2

被患率(一般検診)(つづき)

およびいん頭	言語障害	精神薄弱	脳性小兒麻痺	運動機能障害	心臓の疾患	ぜん息	腎臓の疾患	身体虚弱	伝皮嚢腫性疾患	寄生虫病	歯			
											アノード	へんとく	せん肥大	その他
0.1	5.6	3.8	0.3	2.2	0.0	0.2	0.4	0.2	0.1	0.2	1.4	0.2	0.6	87.9
0.1	6.6	4.9	0.3	0.9	0.0	0.2	0.3	0.1	0.1	0.5	2.7	0.2	0.5	91.5
0.0	5.7	5.2	0.4	2.8	0.0	0.4	0.2	0.1	0.1	0.1	2.7	0.3	0.6	91.1
0.0	6.0	11.9	0.2	2.1	—	0.1	0.3	0.1	0.1	1.8	—	0.7	95.2	8.8
0.0	5.9	8.2	0.6	3.2	0.0	0.2	0.2	0.1	0.1	1.5	0.0	0.6	81.7	15.7
0.1	5.3	1.3	0.2	0.6	0.0	0.1	0.3	0.1	0.0	0.1	2.1	—	1.2	90.4
0.1	5.3	1.3	0.2	0.6	0.0	0.1	0.3	0.1	0.0	0.1	2.1	—	1.2	80.7
—	5.8	2.0	0.3	1.8	0.0	0.2	0.2	0.1	0.1	0.3	2.1	0.0	0.7	90.7
0.0	5.4	0.4	0.4	2.9	0.0	0.2	0.3	0.1	0.1	0.3	2.9	0.4	0.4	86.7
0.0	6.3	1.0	0.2	2.7	0.0	0.2	0.2	0.1</						

10 都道府県別疾病異常

3 中学校(2)女

区分	栄養要注意	せき柱異常	胸郭異常	目								耳			(%)																			
				近視	遠視	乱視	弱視	(両眼)	色神異常	トロボーム	結膜炎	その他の眼疾	難聴(両耳)	中耳炎	その他の耳疾	蓄のう症	およびいん頭	言語障害	精神薄弱	脳性小兒麻痺	運動機能害	心臓の疾患	ぜん息	腎臓の疾患	身体虚弱	伝皮膚性疾患	寄生虫病	そ疾の病他異の當	むし歯	歯周病	未就学者	その他疾		
																アデノイド	へせん肥大	そ鼻のいん頭他疾患																
全国	0.2	0.3	0.2	26.5	0.2	0.8	0.4	0.2	1.2	3.4	0.9	0.3	0.2	0.7	0.7	1.5	0.1	5.5	2.9	0.1	1.8	0.0	0.2	0.4	0.1	0.1	0.2	0.6	0.2	0.5	91.6	25.8	65.8	2.7
北海道	0.0	0.0	0.1	29.3	0.2	0.2	0.4	0.4	0.3	1.5	0.4	0.4	0.2	1.8	1.1	0.0	7.0	3.8	0.1	0.6	0.1	0.2	0.4	0.1	0.1	0.5	1.0	0.2	0.6	92.7	13.1	79.6	2.2	
青森	0.1	0.3	0.2	20.7	0.8	0.5	0.8	0.3	3.3	4.5	0.6	0.6	0.2	1.0	1.7	0.0	6.3	4.3	0.2	2.1	0.0	0.4	0.5	0.0	0.1	0.2	1.2	0.3	0.5	93.9	9.8	84.1	3.3	
岩手	0.1	0.2	0.1	22.9	2.0	2.7	1.4	0.3	7.5	5.8	1.4	0.2	1.0	1.4	4.7	0.0	5.5	10.3	0.1	1.6	—	0.2	0.2	0.0	0.0	0.1	0.7	—	0.5	99.2	10.7	88.5	2.7	
宮城	0.4	0.8	0.1	21.5	0.2	0.9	0.2	0.1	1.6	4.9	0.6	0.5	0.3	0.3	3.0	0.1	5.6	5.3	0.2	2.8	0.0	0.2	0.2	0.0	0.1	0.2	0.6	0.0	0.4	88.5	19.1	69.4	3.2	
秋田	0.1	0.1	0.1	22.5	0.0	0.1	0.2	0.3	3.0	3.1	0.8	0.1	0.1	0.1	0.9	0.1	5.1	1.1	0.1	0.5	—	0.1	0.3	0.0	0.0	0.1	0.3	0.0	0.5	93.0	11.3	81.7	1.2	
山形	0.6	0.3	0.5	22.0	0.3	0.4	0.9	0.3	1.6	5.3	1.7	0.4	0.2	0.3	2.4	0.0	5.6	1.7	0.1	1.5	0.0	0.3	0.2	0.0	0.1	0.1	0.8	0.0	0.6	94.5	37.5	57.0	2.2	
福島	0.0	0.0	0.1	19.9	0.1	0.5	0.6	0.4	3.9	2.9	0.6	0.4	0.2	0.2	0.6	0.0	5.9	0.4	0.1	2.4	0.0	0.1	0.4	0.0	0.0	0.2	1.4	0.4	0.2	91.5	15.0	76.5	2.4	
茨城	0.0	0.5	0.3	18.1	0.1	0.5	0.4	0.2	0.4	0.9	0.4	0.3	0.2	0.1	0.7	0.1	6.5	0.7	0.5	2.0	0.0	0.2	0.3	0.1	0.1	0.1	0.5	0.1	0.3	91.4	16.9	74.5	3.9	
栃木	0.1	0.6	0.2	21.3	0.2	0.5	0.5	0.1	1.7	4.8	1.4	0.2	0.2	1.4	1.7	0.2	8.3	2.2	0.1	2.2	0.0	0.2	0.5	0.0	0.1	0.2	1.1	0.3	0.3	91.6	25.8	65.8	4.7	
群馬	0.0	0.1	0.2	18.3	0.1	1.2	0.2	0.2	0.2	1.3	2.7	0.2	0.2	1.0	1.5	0.2	6.8	3.5	0.1	1.5	0.0	0.0	0.3	0.1	0.1	0.1	0.6	0.0	0.2	95.1	25.9	69.2	2.2	
埼玉	0.1	0.2	0.1	26.7	0.1	2.6	0.2	0.2	0.7	4.7	1.0	0.2	0.2	1.4	0.4	0.4	4.8	3.6	0.2	1.7	0.0	0.3	0.4	0.0	0.1	0.2	0.8	0.2	0.2	93.6	32.1	61.5	2.6	
千葉	0.3	0.1	0.1	28.7	0.0	0.9	0.4	0.1	0.9	4.4	0.4	0.5	0.2	1.3	1.9	0.0	7.7	1.9	0.2	2.3	0.0	0.2	0.4	0.1	0.0	0.2	1.6	0.2	0.2	94.2	22.7	71.5	1.6	
東京	0.0	0.1	0.1	35.0	0.2	2.2	0.4	0.1	0.1	5.5	1.5	0.2	0.3	1.4	1.3	0.0	5.0	3.4	0.1	0.6	0.0	0.2	0.3	0.1	0.1	0.2	0.1	0.2	—	94.6	31.2	63.4	3.7	
神奈川	0.2	0.5	0.2	31.4	0.3	0.5	0.1	0.2	0.2	3.8	0.8	0.3	0.2	1.1	0.9	0.0	3.7	1.8	0.1	0.4	0.0	0.1	0.3	0.2	0.1	0.1	0.0	0.0	0.5	95.3	34.1	61.2	4.1	
新潟	0.2	0.1	0.5	28.6	0.1	0.4	0.1	0.3	0.1	2.2	0.9	0.3	0.3	0.4	1.5	0.0	5.8	2.9	0.1	2.2	0.1	0.3	0.2	0.1	0.1	0.2	1.0	0.0	0.5	93.1	30.0	63.1	2.6	
富山	0.3	0.3	0.3	34.9	0.2	0.7	1.0	0.2	0.1	4.6	1.4	0.2	0.0	0.3	2.6	—	4.1	4.0	0.1	2.4	0.0	0.2	0.5	0.2	0.0	0.2	0.5	0.4	0.7	0.8	95.6	34.0	61.6	1.2
石川	0.1	0.1	0.2	27.8	0.2	0.7	0.4	0.3	0.7	5.8	0.2	0.1	0.0	0.3	0.4	—	3.2	0.6	0.1	1.0	—	0.2	0.3	0.0	0.1	0.1	0.1	0.1	—	0.4	94.6	25.5	69.1	1.2
福井	0.2	0.2	0.1	37.9	0.0	0.3	0.1	0.3	0.8	1.8	0.2	0.4	0.1	0.1	0.2	—	5.9	0.7	0.2	1.5	0.0	0.2	0.4	0.1	0.1	0.2	0.3	—	1.0	90.2	31.3	58.9	3.6	
長野	0.3	0.2	0.2	26.0	0.1	0.5	1.0	0.3	0.7	7.2	2.0	0.3	0.1	1.0	2.1	0.1	7.6	4.8	0.1	2.2	0.0	0.2	0.2	0.1	0.1	0.2	0.2	0.3	0.6	93.6	22.2	71.4	3.6	
岐阜	0.2	0.3	0.1	24.4	0.1	1.1	0.1	0.1	0.1	2.7	2.0	0.1	0.2	0.8	4.4	—	5.6	6.5	0.1	1.0	0.0	0.2	0.3	0.1	0.1	0.3	0.1	0.1	0.8	94.6	31.2	63.4	5.5	
愛知	0.2	0.3	0.1	24.8	0.0	0.2	0.2	0.2	0.5	4.1	0.8	0.2	0.1	0.4	0.9	—	4.2	2.4	0.0	2.8	0.0	0.2	0.4	0.1	0.1	0.0	0.3	0.3	1.9	90.9	27.4	63.5	3.1	
三重	0.1	0.3	0.2	27.3	0.2	1.9	0.0	0.3	0.2	2.5	0.6	0.3	0.2	0.6	1.1	0.1	4.9	1.7	0.2	3.2	0.1	0.3	0.1	0.1	0.0	0.2	0.7	0.2	0.4	91.7	34.2	57.5	1.6	
滋賀	0.1	0.2	0.3	35.7	0.3	0.7	0.3	0.2	0.2	4.8	0.3	0.5	0.1	0.1	0.4	0.0	0.0	5.3	2.4	0.1	0.1	0.0	0.2	0.3	0.1	0.0	0.1	0.4	0.0	0.6	89.7	32.6	57.1	3.8
静岡	0.2	0.3	0.1	31.7	0.0	0.0	0.0	0.3	1.7	3.4	0.6	0.4	0.1	0.0	0.9	0.0	0.0	8.0	2.3	0.0	1.9	0.0	0.2	0.2	0.1	0.1	0.2	0.2	0.1	0.3	94.3	18.7	75.6	6.3
三浦	0.3	0.4	0.3	29.7	0.1	0.7	0.7	0.2	0.1	0.9	0.5	0.1	0.1	0.0	0.6	0.6	0.0	6.7	2.1	0.1	1.8	0.0	0.3	0.4	0.0	0.2	0.4	0.5	0.9	0.8	94.0	24.0	70.0	4.1
京都	0.4	0.6	0.3	25.4	0.0	0.8	0.1	0.																										

10 都道府県別疾病異常

4 高等学校(1)男

区分	栄養要注意	せき柱異常	胸郭異常	目								耳			鼻	
				近視	遠視	乱視	弱視(両眼)	色神異常	トロボーム	結膜炎	その他の眼疾	難聴(両耳)	中耳炎	その他の耳疾	蓄のう症	
全 国	0.1	0.2	0.4	37.4	0.4	1.4	0.5	4.2	0.7	2.9	0.9	0.3	0.3	0.7	1.7	
北海道	0.0	0.1	0.1	38.0	0.4	2.8	1.7	4.4	0.0	1.6	0.3	0.3	0.1	0.0	0.6	
青森県	0.1	—	0.4	39.6	0.7	0.1	0.3	5.7	0.9	2.7	0.5	0.2	0.4	1.2	2.3	
岩手県	0.0	0.0	0.2	27.7	0.0	1.3	0.1	5.3	4.1	4.3	1.5	0.0	0.6	2.4	7.0	
宮城県	—	0.3	0.2	29.9	0.0	0.6	0.1	4.2	2.1	4.9	1.4	0.2	0.2	0.1	3.6	
秋田県	—	0.1	0.1	35.9	0.1	0.2	0.1	4.3	1.9	3.0	0.6	0.1	0.3	0.7	1.4	
山形県	0.6	0.3	0.6	34.8	0.2	1.3	0.4	4.9	0.2	2.8	1.0	0.4	0.3	0.4	3.3	
福島県	0.2	0.2	0.3	33.4	0.2	0.8	0.1	4.1	1.1	1.5	0.3	0.0	0.1	0.1	0.7	
茨城県	—	0.1	0.3	33.4	0.0	1.7	0.2	3.8	0.3	1.0	0.7	0.3	0.2	0.2	2.2	
栃木県	0.0	0.0	0.5	28.1	0.2	1.7	0.2	4.0	1.9	2.5	2.0	0.3	0.3	0.7	2.9	
群馬県	0.1	0.0	0.3	25.5	0.5	1.3	0.1	4.0	0.1	1.3	0.5	0.3	0.1	1.2	—	
埼玉県	0.0	0.2	0.4	30.5	0.4	2.3	0.2	4.4	0.1	3.5	1.3	0.6	0.3	0.7	0.9	
千葉県	0.1	0.1	0.3	28.7	—	1.0	1.9	3.2	0.1	2.0	0.9	0.1	0.2	1.4	0.4	
東京都	0.1	0.1	0.4	33.6	0.3	2.3	0.2	4.7	0.1	4.0	1.2	—	0.4	0.7	0.7	
神奈川県	—	0.1	0.2	33.5	1.4	1.9	1.4	4.5	0.2	3.9	1.5	1.3	0.5	3.3	4.3	
新潟県	0.1	0.3	1.1	38.9	0.2	0.4	0.0	3.8	0.1	1.5	0.6	0.2	0.2	0.4	4.0	
富山県	0.0	0.2	0.3	46.0	0.1	0.4	1.9	4.2	0.0	5.0	1.5	0.3	0.3	1.1	1.5	
石川県	0.2	0.2	0.3	33.0	—	0.4	0.9	4.6	0.1	1.5	0.3	0.1	0.2	0.2	0.8	
福井県	0.0	0.0	0.4	50.9	1.5	0.2	0.0	4.9	0.9	2.2	0.3	0.5	0.4	0.2	0.7	
長野県	0.4	0.5	0.5	29.1	—	1.0	0.4	4.3	0.3	6.8	1.4	0.2	0.5	2.5	4.5	
岐阜県	0.7	0.4	0.5	34.2	0.3	1.3	2.4	3.8	0.0	3.7	1.2	0.1	0.1	0.3	2.7	
静岡県	0.1	0.2	0.1	38.7	0.0	1.1	2.4	3.9	0.5	5.5	1.5	0.6	0.1	0.2	0.5	
愛知県	0.0	0.3	0.7	42.7	0.4	3.0	—	4.5	1.0	4.4	1.1	0.3	0.2	0.0	2.0	
三重県	0.2	0.2	0.3	50.5	1.0	4.3	0.0	3.7	0.4	2.4	0.6	0.3	0.2	0.1	1.1	
滋賀県	—	0.1	0.3	35.0	—	1.3	0.9	3.0	1.3	3.8	0.8	0.2	0.2	0.4	0.9	
京都府	0.0	0.2	0.1	50.9	0.2	2.3	0.5	4.3	—	0.3	0.1	0.3	0.1	0.1	0.3	
大阪府	0.1	0.1	0.5	39.5	0.2	1.0	0.1	3.9	0.0	1.9	1.9	0.5	0.1	0.8	1.1	
兵庫県	0.0	0.0	0.2	53.8	0.4	2.5	0.0	4.3	0.3	3.8	1.8	0.3	0.4	0.9	0.5	
奈良県	0.2	0.1	0.6	46.3	2.4	1.1	0.1	3.6	0.6	3.5	0.9	0.2	0.2	0.7	0.6	
和歌山県	0.1	0.3	0.5	47.4	1.2	2.0	1.3	4.0	0.9	2.9	0.5	0.3	0.1	0.4	0.4	
鳥取県	0.2	1.1	1.5	33.4	—	0.3	0.1	5.2	0.2	0.7	0.2	0.2	0.2	0.6	0.6	
島根県	0.3	0.5	30.8	0.7	1.2	—	4.0	1.7	1.5	1.0	0.5	0.4	1.7	1.0	—	
岡山県	0.0	0.0	0.2	43.0	0.2	2.1	0.0	5.1	0.2	4.9	2.3	0.4	1.2	3.1	—	
広島県	0.2	0.1	0.4	40.7	0.2	3.8	—	5.0	0.1	2.6	0.9	0.2	0.5	0.9	1.5	
山口県	0.2	0.1	0.3	42.0	0.0	2.0	—	4.5	0.2	3.3	0.9	0.2	0.5	2.0	3.3	
徳島県	0.2	—	0.3	29.3	—	0.2	—	3.9	0.2	2.5	1.7	0.3	0.4	1.9	2.6	
香川県	0.6	0.1	0.5	50.4	0.0	1.1	0.0	3.7	0.5	2.2	1.5	0.2	0.7	1.2	—	
愛媛県	0.1	0.1	0.2	40.2	0.2	0.5	—	3.7	0.2	2.9	0.1	0.6	0.2	0.5	0.5	
高知県	0.0	0.2	0.6	24.6	0.1	0.7	0.0	4.6	0.0	0.7	0.4	0.5	0.1	1.0	—	
福岡県	0.1	0.2	0.1	37.6	0.4	2.7	0.4	3.2	0.8	3.1	0.2	0.4	0.7	0.3	1.7	
佐賀県	0.1	0.2	0.2	38.4	0.1	0.7	0.8	4.7	0.5	6.6	0.9	0.2	0.6	0.4	4.6	
長崎県	0.0	0.1	0.3	29.8	—	1.2	0.0	4.2	0.2	2.3	0.6	0.3	0.3	1.3	—	
熊本県	0.1	0.3	0.7	29.7	0.1	0.4	0.0	4.3	0.4	4.4	0.9	0.3	0.2	1.4	—	
大分県	0.2	0.1	0.6	30.4	0.2	1.2	—	3.6	0.5	0.8	0.1	0.4	0.3	0.9	2.5	
宮崎県	0.0	0.1	0.2	25.9	—	0.6	0.3	3.1	3.7	3.4	0.5	0.0	0.3	0.1	0.7	
鹿児島県	0.0	0.1	0.3	35.5	0.0	0.1	0.7	2.8	1.0	1.8	1.5	0.2	0.2	0.4	0.9	

被患率(一般検診)(つづき)

アデノイド	へせん肥大	その他いんの頭の病	言語障害	精神薄弱	脳性小兒麻痺	運動機能障害	心臓の疾患	ぜん息	腎臓の疾患	身体虚弱	伝皮膚疾患	寄生虫病	その他異常	歯				
														むし歯	歯周病	未処置者	ある齧歯者	
														計	むし歯	歯周病	未処置者	
0.0	2.9	3.2	0.1	0.0	0.0	0.2	0.4	0.1	0.1	0.0	0.4	0.1	0.4	0.4	88.9	23.8	65.1	2.7
—	1.6	1.0	0.0	—	0.0	0.1	0.3	0.0	0.1	0.1	0.0	0.1	0.1	0.7	94.2	14.1	80.1	1.6
—	4.6	11.8	0.0	—	0.0	0.2	—	0.0	—	—	0.8	0.2	95.0	15.4	79.6	1.8		
0.1	5.0	10.4	0.0	—	—	0.1	0.2	—	0.0	—	0.1	0.1	0.3	89.2	11.2	78.0	2.7	
—	3.5	3.4	0.0	—	—	0.2	0.1	0.0	0.1	0.0	1.7	—	0.2	83.1	18.9	64.2	0.8	
—	2.4	1.3	0.															

10 都道府県別疾病異常

4 高等学校(2)女

区分	栄養要注意	せき柱異常	胸郭異常	目								耳			鼻
				近視	遠視	乱視	弱視(両眼)	色神異常	トロボーム	結膜炎	その他の疾患	難聴(両耳)	中耳炎	その他の疾患	蓄膿のう症
全 国	0.1	0.1	0.2	41.7	0.3	1.8	0.4	0.2	0.6	2.1	0.7	0.2	0.2	0.4	1.5
北海道	-	0.1	0.0	47.8	0.1	1.1	0.4	0.3	0.1	0.8	0.1	0.1	0.0	0.0	0.2
青森県	0.0	-	0.3	44.7	0.3	4.7	0.5	0.1	0.5	2.4	0.2	0.0	0.4	3.4	3.3
岩手県	0.0	0.0	0.1	29.4	-	3.4	0.1	0.1	3.9	4.8	1.0	0.0	0.2	2.6	12.6
宮城県	0.0	0.0	0.1	32.3	0.1	0.4	0.0	0.2	0.8	4.3	0.9	0.1	0.1	0.1	1.7
秋田県	0.0	0.0	0.6	40.3	0.1	0.1	0.1	0.2	1.8	0.8	0.3	-	0.1	0.2	0.5
山形県	0.2	0.2	0.1	38.2	0.1	1.5	0.4	0.3	0.9	2.3	0.7	0.2	0.1	0.3	2.9
福島県	0.1	0.0	0.1	44.7	0.4	4.8	0.1	0.2	1.0	0.6	0.2	0.1	0.0	0.0	0.2
茨城県	0.2	1.6	0.9	36.4	1.1	1.7	0.3	0.2	0.4	0.9	0.4	0.4	0.7	0.1	3.4
栃木県	0.0	0.0	0.1	38.8	0.1	1.5	0.1	0.1	0.7	1.4	1.6	0.1	0.2	0.5	2.6
群馬県	0.0	0.1	0.2	34.7	1.0	3.0	0.2	0.2	0.1	2.1	2.1	0.2	0.3	0.5	1.3
埼玉県	-	0.0	0.0	36.7	0.2	3.0	0.6	0.1	0.2	3.8	0.7	0.2	0.2	0.4	0.4
千葉県	0.1	-	0.1	38.4	0.1	1.8	1.6	0.2	0.3	3.3	1.0	0.1	1.2	0.8	
東京都	0.0	0.0	0.1	37.4	0.3	3.3	0.2	0.1	0.1	3.9	1.3	0.0	0.1	0.6	0.9
神奈川県	0.0	0.1	0.0	39.9	0.5	2.0	0.7	0.1	0.0	1.5	0.8	0.1	0.2	0.6	0.7
新潟県	0.0	0.1	0.2	34.1	0.4	0.8	0.1	0.3	-	3.4	1.4	0.2	0.1	0.2	2.1
富山県	0.3	0.1	0.0	46.1	0.4	0.4	0.3	0.1	0.1	4.8	0.9	0.2	0.1	0.3	2.6
石川県	0.1	0.1	0.4	43.0	0.0	0.2	-	0.2	0.1	1.3	0.3	0.6	0.3	0.6	1.0
福井県	0.1	0.1	0.2	51.0	0.7	0.2	-	0.2	0.8	1.0	0.3	0.4	0.3	0.1	0.7
山梨県	0.2	0.1	0.2	27.9	-	2.1	0.4	0.3	0.2	2.0	0.5	0.2	0.1	1.1	2.3
長野県	0.6	0.0	0.1	37.6	0.2	1.7	0.5	0.2	0.1	2.6	0.7	0.0	0.1	0.1	2.5
岐阜県	0.0	0.2	0.1	46.1	0.1	1.9	1.0	0.1	0.6	3.1	1.3	0.8	0.1	0.6	0.2
静岡県	0.1	0.0	0.1	49.3	0.4	5.8	0.0	0.5	0.4	3.0	0.6	0.1	0.2	0.3	0.7
愛知県	0.2	0.1	0.2	57.5	0.8	2.8	0.1	0.1	0.2	1.0	0.3	0.1	0.2	0.5	0.5
三重県	0.0	0.0	0.2	46.0	-	1.6	-	0.2	0.7	1.1	1.5	0.5	0.1	0.1	0.5
滋賀県	0.1	0.0	0.1	49.8	0.1	1.5	3.6	0.1	-	0.1	0.1	0.0	0.0	0.0	0.2
京都府	0.3	0.1	0.1	43.5	0.4	1.5	0.1	0.3	0.2	1.1	0.9	0.3	0.2	0.8	
大阪府	0.0	0.0	0.0	55.1	0.3	2.6	0.0	0.2	0.1	1.2	1.3	0.3	0.2	0.3	0.7
兵庫県	0.2	0.3	0.5	51.4	0.0	0.9	0.0	0.2	0.6	2.5	1.0	0.1	0.0	0.2	0.3
奈良県	0.1	-	0.1	51.6	0.3	0.9	1.1	0.2	0.3	1.7	0.3	0.2	0.2	0.1	0.7
和歌山県	0.1	0.1	0.1	35.2	0.1	0.3	0.2	0.3	2.4	2.4	0.3	0.6	0.1	0.2	1.6
鳥取県	0.2	0.5	1.3	38.4	0.0	0.9	0.3	0.2	0.3	1.4	0.4	0.1	0.1	0.0	0.4
島根県	0.1	0.1	0.4	27.8	0.2	0.7	-	0.3	0.7	0.7	0.4	0.5	0.3	0.1	0.4
岡山県	-	0.0	0.1	50.0	0.0	2.3	0.1	0.3	0.2	2.4	1.7	0.2	0.3	0.4	1.9
広島県	0.1	0.1	0.1	46.7	0.0	2.3	0.1	0.1	0.9	0.6	0.1	0.2	0.2	0.1	1.0
山口県	0.2	0.0	0.1	49.7	0.1	2.8	0.1	0.2	0.0	2.7	0.7	0.2	0.3	0.2	2.3
徳島県	0.1	-	-	43.3	0.1	0.1	0.0	0.1	0.1	1.6	1.1	0.2	0.3	1.8	
香川県	0.0	0.1	0.2	56.5	0.1	3.1	0.1	0.2	0.2	1.3	1.9	0.2	0.4	0.4	1.3
愛媛県	0.0	0.0	1.2	44.9	0.0	0.3	-	0.1	0.1	1.5	0.2	0.1	0.0	0.2	1.3
高知県	0.0	0.0	0.1	29.2	-	0.9	-	0.3	-	0.3	0.1	0.1	0.5	0.2	0.2
福岡県	0.1	0.1	0.1	47.4	0.9	1.1	0.1	0.2	1.0	2.5	0.4	0.2	0.3	0.4	2.1
佐賀県	0.1	0.0	0.1	40.7	0.0	0.6	0.6	0.1	0.4	5.9	0.5	0.1	0.3	0.2	3.0
長崎県	0.1	0.0	0.1	35.4	0.0	2.7	0.1	0.2	0.1	0.9	0.3	0.1	0.2	0.3	1.4
熊本県	0.0	0.1	0.1	32.1	0.1	0.3	3.2	0.2	0.8	3.0	0.3	-	0.3	0.1	0.8
大分県	-	0.1	0.2	29.8	0.3	1.5	1.0	0.4	0.5	0.6	0.1	0.2	0.1	0.5	0.3
宮崎県	0.0	0.0	0.1	24.3	0.1	0.5	0.9	0.1	3.6	2.6	0.3	0.1	0.2	0.1	0.6
鹿児島県	0.1	0.0	0.1	33.2	0.1	0.3	1.0	0.3	0.8	1.4	0.7	0.1	0.2	0.1	0.5

被患率(一般検診)(つづき)

(96)

およびいん項 学年 性別	言語障害	精神薄弱	脳性小兒麻痺	運動機能害	心臓の疾患	ぜん息	腎臓の疾患	身体虚弱	伝皮染病性疾患	寄生虫病	その他異常の常	歯					
												むし歯	歯周病	本齧歯	その他の疾		
0.0	3.0	2.2	0.0	0.0	0.0	0.1	0.4	0.0	0.1	0.1	0.1	0.7	92.5	29.0	63.5	2.5	
-	1.3	0.1	0.0	-	0.0	0.1	0.5	0.1	0.0	0.0	-	0.1	1.3	97.4	15.5	61.9	1.5
0.0	8.2	16.1	-	-	0.2	0.2	-	-	-	0.0	0.4	0.4	95.3	18.5	76.8	4.6	
-	5.1	9.5	0.0	-	0.1	0.1	0.0	0.0	-	0.0	0.3	0.4	94.4	8.6	65.6	2.9	
0.0	4.8	0.9	0.0	-	0.0	0.1	0.1	0.0	0.1	0.0	-	0.1	69.5	30.3	59.2	5.0	
-	3.3	0.1	-	-	0.0	-	0.1	-	-	0.1	-	0.3	93.0	12.8	50.2	2.8	
-	5.2	2.3	0.0	-	0.0	0.2	0.1	-	0.1	0.1	-	0.1	0.2	95.2	34.6	60.6	2.2
-	2.7																