

11 都道府県別疾患

1 幼稚園 (1) 男

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色異常	トボラム	結膜炎	その他の眼疾		
全 国	0.5	0.3	1.1	2.0	0.1	0.0	0.1	0.4	0.4	2.8	0.5	0.1	0.3
北 喜 岩 宮 秋 海 道 森 手 城 田	0.8	0.1	1.3	1.8	-	-	0.1	0.3	0.4	2.2	0.3	0.1	0.2
	1.6	-	1.0	-	-	-	-	0.7	3.0	0.1	0.0	0.1	-
	0.3	0.0	0.9	4.4	-	-	-	0.4	3.1	4.6	0.5	2.0	0.3
	0.2	0.1	1.2	0.4	-	-	0.1	0.1	0.9	2.4	0.3	0.1	0.4
	0.3	0.9	0.5	0.8	-	-	-	0.0	1.1	2.7	0.4	-	0.2
山 福 茨 栃 群 形 島 城 木 馬	1.4	0.4	3.5	0.6	-	-	-	0.6	0.4	1.8	0.7	0.4	0.4
	0.1	0.4	1.0	0.3	-	-	-	0.1	1.5	1.4	0.6	0.1	0.2
	0.3	0.1	1.5	1.6	0.4	-	-	1.0	0.2	0.9	0.4	0.0	0.2
	0.2	0.2	1.9	0.6	-	-	-	0.8	0.9	2.8	0.3	0.1	0.1
	0.3	0.2	2.7	1.0	0.0	-	-	0.0	1.0	0.1	2.0	0.3	0.0
埼 千 東 神 奈 新 玉 葉 京 川 鴻	0.3	0.3	1.0	3.7	0.1	-	0.1	0.5	0.2	1.9	0.3	0.0	0.3
	0.2	0.5	1.1	0.3	-	-	0.4	0.8	0.4	5.8	0.4	0.3	0.4
	0.4	0.4	1.4	-	-	-	-	0.0	0.3	3.0	0.6	0.2	0.4
	0.6	0.2	0.7	-	-	-	-	2.7	-	6.1	0.3	1.8	0.3
	0.4	0.0	1.5	-	-	-	-	-	-	2.0	0.3	-	0.2
富 石 福 山 長 山 川 井 梨 野	0.3	0.3	1.1	1.6	-	-	0.1	0.2	0.1	3.6	0.4	0.1	0.0
	0.5	0.2	1.8	0.0	-	-	-	0.1	0.1	1.0	0.3	0.1	0.1
	1.3	0.9	2.4	4.1	-	0.0	-	1.0	0.2	2.4	0.4	0.3	0.1
	0.5	0.3	0.9	-	-	-	-	0.2	0.1	1.5	0.4	0.1	0.2
	0.9	0.3	0.9	0.1	0.1	-	-	0.2	0.1	2.6	0.5	0.1	0.1
岐 静 愛 三 滋 露 岡 知 重 賀	0.4	0.2	0.5	0.1	-	-	-	0.1	0.3	3.9	0.8	0.1	0.2
	0.8	0.2	0.6	5.6	-	-	-	0.1	0.1	2.8	0.3	-	0.2
	0.5	0.1	0.7	-	-	-	-	1.0	0.3	1.7	0.2	0.1	0.4
	0.2	0.7	1.4	3.6	-	-	-	1.8	2.5	2.0	1.6	0.2	0.1
	0.9	1.5	2.5	2.3	-	-	-	1.2	0.1	1.7	0.5	0.5	0.3
京 大 兵 奈 歌 都 阪 庫 良 山	1.1	1.4	0.7	24.6	-	-	-	4.5	0.0	1.4	0.1	1.1	0.4
	0.3	0.1	0.7	0.0	0.0	-	-	1.1	0.6	2.2	0.6	-	0.1
	0.3	0.4	0.8	1.1	-	-	-	1.1	0.3	4.0	1.1	0.5	0.4
	0.2	0.5	0.8	3.6	0.1	-	-	-	0.8	3.4	0.3	0.1	0.3
	0.3	0.1	1.2	28.4	6.2	-	-	2.5	3.5	2.6	0.4	-	0.0
鳥 島 闇 広 山 取 根 山 島 口	0.1	0.4	2.6	-	-	-	-	0.1	0.9	0.9	0.1	-	0.1
	0.2	0.3	2.6	-	-	-	-	1.2	0.6	2.5	0.7	0.5	0.3
	0.1	0.1	1.8	4.4	-	-	-	1.8	0.2	3.7	1.6	0.2	0.8
	0.5	0.3	0.9	1.3	-	-	-	1.0	0.0	1.6	0.8	0.1	0.5
	0.8	0.2	1.2	1.3	-	-	-	0.2	2.2	0.2	1.8	0.5	0.9
徳 香 愛 姫 岡 島 川 姬 媛 知 岡	0.9	0.1	0.9	0.5	0.2	-	-	0.3	0.2	0.4	3.5	1.0	0.4
	0.8	0.1	0.8	4.4	-	-	-	0.5	0.8	2.8	1.2	0.2	0.4
	1.2	0.1	1.0	-	-	-	-	0.1	0.2	1.3	0.1	-	0.1
	0.3	-	0.3	-	-	-	-	0.2	-	0.3	-	-	-
	0.8	0.2	1.4	0.2	-	-	-	0.1	0.8	2.0	0.6	0.0	0.4
佐 長 熊 大 岡 鹿 児 賀 島 分 嶺 島	0.3	0.4	0.6	1.1	-	-	-	0.2	0.2	1.7	0.1	0.6	0.4
	0.3	0.2	0.9	2.5	-	-	-	0.6	0.3	1.8	-	-	0.2
	1.0	0.3	0.8	-	-	-	-	0.1	3.0	1.1	0.1	0.2	0.2
	0.2	0.1	0.7	1.6	-	-	-	0.3	0.7	1.8	0.3	-	0.2
	0.2	0.2	1.9	2.5	-	-	-	5.0	0.3	1.5	0.4	1.3	0.2
都道府県別疾患	0.0	0.9	1.2	1.1	-	-	-	0.1	0.1	1.3	2.4	0.2	-0.5

異常被患者率(一般検診)

(%)

	鼻およびいん頭				伝皮 染膚 性疾 患	心臓 の疾 患	精神 薄弱	身体 虚弱	運動 機会	寄生 虫病	その 他の 異常	歯			
	蓄 の症	ア イ デ ノ ド	へ う 肥 ん せ ん 大	そ の 他 の 頭 患								む し 歯 計	歔 完 了 者	未 歔 置 者	
0.7	0.3	0.7	11.5	3.2	0.6	0.3	0.0	0.1	0.1	0.3	0.8	90.0	6.6	83.4	
0.1	0.1	0.3	13.0	1.4	0.9	0.2	0.0	0.3	0.1	0.2	0.8	92.0	3.3	88.7	
0.2	0.2	0.5	8.2	1.7	0.9	0.1	-	-	-	0.5	0.4	91.6	3.3	88.3	
0.6	0.9	0.7	13.7	4.9	1.0	0.2	0.0	0.1	0.2	1.0	89.2	1.2	88.0	0.1	
0.6	0.2	0.3	11.5	2.2	1.1	0.3	-	-	0.1	0.9	0.5	87.5	7.4	80.1	0.4
0.3	-	0.3	11.4	1.6	1.4	0.1	0.0	0.1	0.1	0.5	92.7	3.1	89.6	0.2	
1.1	0.5	0.6	11.5	5.3	1.2	0.1	0.0	0.2	0.0	0.6	92.6	5.8	86.8	0.3	
0.1	0.1	-	11.5	1.0	0.2	0.0	0.1	0.1	0.1	0.6	92.6	3.0	89.6	0.4	
0.2	0.1	0.1	8.4	1.0	0.5	0.1	0.0	0.1	0.1	0.3	90.6	3.4	87.2	0.1	
0.0	0.0	0.1	17.4	1.9	1.5	0.2	-	-	-	0.1	96.5	4.7	91.8	0.4	
0.1	0.1	0.3	13.8	2.0	2.0	0.3	-	-	0.0	0.6	92.2	3.2	89.0	0.4	
2.2	-	0.3	12.3	3.4	0.7	0.2	0.1	0.1	0.1	0.2	0.4	87.9	9.9	78.0	0.1
0.4	0.1	1.1	15.0	1.7	0.4	0.3	0.1	0.1	0.0	0.2	0.7	81.1	0.1	81.0	0.6
0.9	0.1	0.5	15.0	3.9	1.2	0.2	0.0	0.1	0.1	0.2	0.8	91.6	14.1	77.5	0.8
0.7	0.9	2.5	15.8	1.5	0.2	0.3	0.0	0.0	-	0.6	9				

11 都道府県別疾患

1 幼稚園 (2) 女

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色異常	トボラム	結膜炎	その他の眼疾	難聴(両耳)	中耳炎
全 国	0.5	0.2	0.5	2.3	0.0	0.0	0.0	0.0	0.5	3.0	0.5	0.1	0.3
北 海 道	0.8	0.0	0.4	4.4	-	0.1	-	0.1	0.3	1.5	0.2	0.0	0.0
	0.2	0.0	0.3	-	-	-	-	-	1.2	3.0	0.1	-	0.0
	0.1	-	0.5	10.4	-	-	-	-	3.3	4.9	0.8	2.0	0.3
	0.2	0.2	0.5	0.6	-	-	0.3	-	0.8	2.7	0.2	-	0.7
	0.2	0.4	0.4	1.5	-	-	-	-	1.1	3.3	0.2	-	0.1
山 群	1.2	0.3	1.4	2.0	-	-	-	0.2	0.6	2.3	0.9	-	0.4
	0.1	0.4	0.5	0.3	-	-	-	-	2.0	1.5	0.7	0.2	0.2
	0.1	0.1	0.5	1.3	0.5	-	-	0.0	0.2	0.7	0.2	0.0	0.2
	0.3	0.1	1.5	0.7	-	-	-	-	2.0	8.3	0.3	0.1	0.1
	0.3	0.1	1.0	1.1	0.0	-	0.0	0.1	0.2	2.4	0.3	0.1	0.1
埼 玉	0.4	0.1	0.4	4.7	-	-	-	0.1	0.1	1.9	0.4	0.1	0.3
	2.0	0.2	0.7	0.3	-	-	0.4	-	0.3	5.0	0.2	0.1	0.6
	0.5	0.3	0.4	-	-	-	-	0.0	0.4	3.2	0.6	0.2	0.3
	0.4	0.1	0.2	-	-	-	1.1	-	6.7	0.6	-	0.2	-
	0.4	0.0	0.9	-	-	-	-	-	0.2	2.0	0.1	-	0.2
富 石	0.2	0.1	0.4	1.4	-	-	-	0.0	0.1	3.5	0.3	0.1	0.1
	0.3	0.2	0.8	0.0	-	-	-	-	0.1	1.1	0.2	0.1	0.1
	0.8	0.5	1.0	3.5	-	0.0	-	0.1	0.5	3.5	0.3	0.0	-
	0.8	0.4	0.2	-	-	-	-	-	0.2	1.9	0.8	0.0	0.1
	0.7	0.1	0.6	-	0.2	-	-	-	0.0	2.5	0.6	-	0.1
岐 静 愛	0.4	0.1	0.3	0.0	-	-	-	-	0.3	4.2	0.7	-	0.2
	0.8	0.3	0.3	5.6	-	-	-	-	0.1	2.6	0.4	0.1	-
	0.4	0.1	0.3	-	-	-	-	0.2	0.7	1.7	0.2	-	0.4
	0.3	0.3	0.7	2.7	-	-	-	0.1	2.4	2.4	1.8	0.3	0.0
	0.7	0.3	0.7	2.1	0.3	0.3	0.3	0.1	0.0	2.0	0.4	-	0.2
京 大	0.5	0.7	0.1	19.9	-	-	-	-	0.1	1.1	0.3	0.1	0.2
	0.5	0.1	0.3	3.5	-	-	-	0.1	0.6	2.7	0.4	0.2	0.4
	0.3	0.3	0.5	0.9	-	-	-	-	0.6	3.6	1.0	0.3	0.2
	0.5	0.8	1.8	4.5	-	-	-	4.2	1.0	3.8	0.5	0.2	0.2
	0.2	0.0	0.4	25.1	1.0	-	-	-	3.7	3.6	0.4	-	0.0
鳥 島	0.2	-	0.5	-	-	-	-	0.1	1.1	0.1	-	0.2	-
	0.3	0.1	1.3	-	-	-	-	-	1.1	2.2	0.4	1.1	0.2
	0.1	0.3	0.8	7.3	-	-	0.1	0.1	0.6	4.4	1.9	0.2	0.5
	0.6	0.1	0.3	2.6	-	-	-	0.1	0.1	2.0	0.7	0.1	0.4
	0.5	0.0	0.3	1.2	-	-	0.2	0.2	0.1	2.7	0.7	0.4	0.3
徳 香	0.7	0.0	0.5	0.7	0.3	-	-	0.1	0.6	4.1	1.7	0.2	0.5
	0.9	0.4	4.9	-	-	-	-	-	0.7	2.5	0.7	-	0.2
	0.5	-	0.4	0.9	-	-	-	0.0	0.1	1.0	0.1	0.0	0.1
	-	-	1.0	-	-	-	-	0.2	-	0.3	0.3	-	0.3
	0.7	0.1	0.9	0.1	-	-	-	-	0.9	2.1	0.7	0.0	0.4
佐 長	0.4	0.2	0.2	1.5	0.2	-	-	-	0.2	1.9	0.2	0.1	0.2
	0.3	0.1	0.7	2.3	0.2	0.1	-	-	0.4	1.5	0.0	-	0.4
	0.8	0.4	0.5	-	-	-	-	-	0.1	3.9	1.1	-	0.1
	0.1	0.1	0.3	1.7	-	-	-	0.1	0.5	1.5	0.3	-	0.1
	0.2	0.1	1.0	4.1	-	2.0	-	0.2	2.3	0.3	-	0.1	0.4
	0.1	0.3	0.4	1.2	0.1	0.1	0.1	0.8	3.2	0.1	-	0.3	-

異常被患率(一般検診)

都道府県

(%)

その耳疾	鼻およびいん頭				伝皮	心臓	精神	身体	運動	寄生虫	歯			
	蓄うの症	アノイデド	へう肥んせんとん大	そ鼻ののい疾他ん患の頭							むし	歯菌	未歯者	その他の疾
	計													
0.7	0.2	0.6	9.6	2.6	0.5	0.2	0.0	0.1	0.1	0.3	0.6	90.3	6.6	83.7
0.1	0.1	0.2	10.4	4.0	0.8	0.4	-	0.2	0.1	0.2	0.4	92.4	2.6	89.8
0.7	0.6	0.3	12.4	4.0	0.9	0.2	0.0	0.1	0.1	0.8	0.5	90.5	3.1	87.4
0.6	0.2	0.2	9.0	2.2	0.5	-	-	0.1	0.1	0.2	0.8	90.3	2.8	87.5
0.1	0.5	0.2	8.4	1.3	1.0	0.1	0.1	0.0	0.1	0.2	0.3	98.0	3.2	89.8
0.5	0.4	0.4	8.9	3.9	0.6	0.2	0.0	0.1	0.1	0.2	0.3	92.6	5.5	87.1
0.0	0.2	-	8.4	0.4	0.6	0.1	0.1	0.0	0.0	0.2	0.2	81.7	2.4	79.3
0.1	0.1	0.1	6.1	0.4	0.4	0.1	0.1	0.1	0.0	0.1	0.2	91.6	3.2	88.4
-	0.1	0.1	30.9	3.6	2.2	0.2	-	-	0.1	0.1	0.6	99.2	5.2	94.0
0.1	0.1	0.2	12.0	0.7	1.0	0.4	0.1	0.1	0.1	0.5	0.4	92.5	3.4	89.1
0.4	0.1	0.1	-	-	-	-	-	-	-	-	-	-	-	-
2.4	0.0	0.4	10.6	2.2	0.8	0.1	-	0.1	0.1	0.3	0.2	88.4	9.1	79.3
0.2	0.1	1.4	12.0	1.3	0.4	0.1	0.1	0.0	0.1	0.1	0.5	88.4	6.2	82.2
0.7	0.1	0.5	12.0	3.1	1.2	0.1	0.0	0.1	0.1	0.2	0.6	92.6	14.1	78.5
0.7	0.9	1.9	13.5	1.6	0.1	0.3	-	-	0.0	0.0	0.3	95.9	9.1	86.8
0.4	0.1	0.4	7.1	1.6	0.7	0.1	-	-	0.1	0.1	0.3	89.8	3.0	86.8
0.1	0.1	0.5	16.6	5.7	0.9	0.7	0.1	0.0	0.1	0.2	0.3	91.5	7.5	84.0
0.6	0.3	0.2	7.7	4.1	0.8	0.2</td								

11 都道府県別疾患

異常被患率(一般検診)

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視	色異常	トボラム	結膜炎	その他の疾患		
全国	0.5	0.6	0.9	10.8	0.2	0.2	0.2	2.9	1.7	4.0	0.9	0.5	0.4
北海道	0.5	0.7	0.4	16.3	0.1	0.1	0.2	2.9	0.7	2.6	0.2	0.4	0.2
青森県	0.5	0.5	0.4	12.3	0.2	0.1	0.2	3.4	5.5	3.4	0.9	0.2	0.2
岩手県	0.2	0.2	1.0	13.7	0.1	0.0	0.3	3.0	6.9	3.4	1.8	0.4	0.3
宮城県	0.3	0.3	0.7	6.8	0.1	0.1	0.2	2.5	3.4	3.4	1.1	0.5	0.3
秋田県	0.4	0.1	0.6	9.3	-	0.0	0.3	3.1	3.8	3.2	0.5	0.2	0.1
山形県	1.8	2.8	2.1	8.4	0.1	0.1	0.1	2.8	3.1	7.1	2.2	0.3	0.4
福島県	0.3	1.1	0.8	9.0	0.1	0.0	0.4	2.7	6.2	2.9	0.7	0.3	0.3
茨城県	0.2	0.4	1.1	7.3	0.0	0.1	0.2	2.4	0.9	1.6	0.7	0.4	0.3
栃木県	0.5	0.3	1.4	7.0	0.1	0.1	0.1	3.1	2.6	3.9	1.7	0.3	0.3
群馬県	0.5	1.2	1.5	6.9	0.7	0.2	0.2	2.8	0.7	2.2	2.6	0.3	0.4
埼玉県	0.5	0.5	0.9	9.7	0.0	0.1	0.3	2.8	0.4	2.9	0.6	0.1	0.2
千葉県	0.1	1.0	8.5	0.1	0.1	0.4	2.8	0.7	7.2	1.2	0.5	0.4	0.2
東京都	0.1	0.3	0.6	14.4	0.1	0.5	0.1	2.5	0.2	6.4	1.1	0.7	0.3
神奈川県	0.2	0.3	2.0	8.0	0.2	0.3	0.1	2.7	0.2	4.0	1.5	0.5	0.3
新潟県	0.3	0.5	1.5	9.6	0.2	0.1	0.2	2.9	0.2	4.1	1.8	0.2	0.5
富山県	0.9	0.9	1.2	15.1	0.0	0.1	0.0	3.0	0.1	3.4	1.0	0.2	0.2
石川県	0.5	0.5	15.4	0.0	0.1	0.1	0.1	2.9	0.5	4.5	0.5	0.3	0.1
福井県	0.3	0.9	12.3	0.0	0.1	0.1	0.1	3.6	0.5	3.0	0.5	0.2	0.2
山梨県	0.8	1.4	6.5	0.1	0.1	0.2	0.2	3.2	1.0	6.4	1.3	0.4	0.4
長野県	0.8	2.0	9.7	0.1	0.2	0.1	0.1	3.7	0.0	3.9	1.2	0.2	0.3
岐阜県	0.6	0.5	11.2	0.1	0.1	0.3	3.2	1.6	5.3	1.6	0.6	0.3	0.3
静岡県	0.3	0.8	11.9	0.0	0.2	0.2	3.3	0.8	3.7	0.8	0.7	0.6	0.2
愛知県	0.6	1.0	12.9	0.3	0.7	0.1	3.1	1.0	2.5	0.3	0.2	0.4	0.2
三重県	0.2	0.4	9.7	0.1	0.2	0.7	4.0	4.6	2.0	0.6	0.5	0.3	0.2
滋賀県	0.6	1.0	7.3	0.1	0.2	0.1	3.2	0.1	1.7	0.6	0.4	0.4	0.2
京都府	0.9	0.9	0.5	10.7	0.1	0.2	0.1	3.1	0.3	4.0	0.5	0.3	0.4
大阪府	1.2	1.2	14.0	0.4	0.3	0.1	3.1	0.8	5.2	1.2	1.5	0.7	0.2
兵庫県	0.4	0.3	9.0	0.1	0.1	0.6	3.1	1.8	5.0	0.3	0.4	0.3	0.2
奈良県	0.4	0.6	10.1	0.1	0.3	0.1	4.1	0.3	2.6	0.4	0.5	0.3	0.2
和歌山县	0.4	1.0	1.2	7.0	0.1	0.2	0.4	2.3	6.3	2.6	1.0	0.5	0.2
鳥取県	0.7	0.7	1.1	10.7	0.1	0.2	0.1	3.4	0.9	3.3	1.0	0.7	0.5
島根県	0.5	1.6	11.9	-	0.0	1.3	2.5	1.1	1.6	0.4	0.6	0.3	0.2
岡山県	0.3	0.6	8.8	0.1	0.2	0.3	3.4	0.6	4.8	1.1	0.7	0.3	0.2
広島県	0.3	0.5	10.3	0.2	0.2	0.1	3.4	0.5	2.4	1.0	0.5	0.6	0.2
山口県	0.2	0.3	9.9	0.1	0.1	0.2	2.9	1.0	3.6	1.1	0.5	0.4	0.2
徳島県	0.5	0.2	0.5	9.7	0.1	0.3	0.1	2.2	0.4	2.3	0.8	0.7	0.4
香川県	0.9	0.7	0.7	13.8	0.1	0.0	0.4	3.1	0.8	2.6	1.1	0.4	0.2
愛媛県	0.2	0.3	1.1	9.5	0.1	0.1	0.2	2.6	1.0	4.6	0.5	0.2	0.2
高知県	0.2	0.2	1.0	7.2	0.0	0.1	0.1	2.9	0.8	1.6	0.2	0.8	0.2
福岡県	0.8	0.4	1.0	11.4	0.2	0.1	0.1	2.7	3.6	5.0	0.4	0.6	0.8
佐賀県	0.4	1.0	0.5	9.9	0.0	0.2	0.2	3.6	1.9	4.6	1.8	0.6	1.0
長崎県	0.5	1.8	1.2	9.8	0.2	0.5	0.1	2.6	2.1	3.1	0.6	0.5	0.2
熊本県	0.4	0.5	0.7	9.2	0.0	0.1	0.2	3.3	0.7	5.7	0.7	0.3	0.2
大分県	0.4	0.1	0.6	7.0	0.8	0.1	0.3	2.5	0.8	4.3	0.8	0.2	0.2
宮崎県	1.2	0.2	1.3	6.8	-	0.1	0.6	2.0	6.7	4.5	0.8	0.5	0.2
鹿児島県	0.2	0.3	0.9	8.3	0.5	0.0	0.4	2.6	4.7	3.4	0.9	0.5	0.2

その耳疾	鼻およびいん頭				伝皮	心臓	精神	身体	運動	寄生虫	そ疾の病	歯			
	蓄症	アイ	ヘ	その他の疾患								の疾患	の疾患	の疾患	の疾患
1.3	1.5	0.7	10.0	6.1	2.2	0.3	1.4	0.2	0.3	0.5	0.8	86.9	7.6	79.3	1.2
0.6	0.6	0.2	9.7	0.6	5.2	0.3	1.1	0.2	0.3	0.7	0.5	95.1	3.4	91.7	0.8
0.3	1.8	0.1	7.5	1.3	5.2	0.3	1.4	0.1	0.3	0.0	2.5	97.3	1.2	96.1	4.4
2.9	3.3	1.8	13.1	14.1	4.1	0.1	2.0	0.3	0.2	0.0	1.8	88.3	3.6	84.7	0.5
0.3	0.4	0.1	13.8	2.7	2.4	0.2	1.5	0.2	0.5	1.2	1.9	78.8	4.7	74.1	0.4
0.3	1.1	1.1	9.8	4.2	5.5	0.3	1.2	0.1	0.2	0.0	1.0	91.9	2.0	89.9	0.4
0.5	1.8	0.4	15.8	6.3	4.4	0.3	1.5	1.3	0.2	0.7	1.0	88.1	9.5	78.6	0.9
0.4	1.4	0.5	8.4	3.6	3.5	0.4	0.3	0.1	0.2	1.1	0.4	89.5	4.7	84.8	1.5
0.2	0.4	0.0	8.5	1.7	1.5	0.3	1.5	0.3	0.2	0.9	0.4	83.9	4.8	79.1	0.5
0.7	0.5	0.5	14.0	4.7	4.0	0.2	2.0	0.1	0.3	0.3	0.6	80.3	5.5	74.8	2.8
1.2	0.9	2.1	13.0	5.3	4.2	0.3	2.2	0.1	0.4	0.4	0.6	88.7	7.5	81.2	2.7
0.9	0.6	0.4	12.9	6.8	2.5	0.2	1.2	0.2	0.3	0.2	0.3	82.8	17.9	64.9	2.7
1.4	1.9	0.4	10.2	8.6	1.9	0.3	1.7	0.6	0.2	0.3	0.4	83.4	6.9	76.5	0.7
3.9	1.5	1.4	11.7	11.8	0.6	0.1	1.1	0.2	0.3	0.0	0.5	94.3	12.3		

11 都道府県別疾患

異常被患率(一般検診)

(%)

区分	栄養要注意	せき注異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視	色異常	トボーム	結膜炎	その他の疾患	難聴	中耳炎
全国	0.5	0.5	0.6	13.5	0.2	0.2	0.2	0.2	2.2	4.8	1.0	0.4	0.3
北海道 青森 岩手 宮城 秋田	0.7	0.7	0.2	21.7	0.2	0.1	0.2	0.2	0.7	3.1	0.1	0.2	0.1
	0.3	0.4	0.2	17.0	0.2	0.3	0.3	0.2	7.4	4.6	0.9	0.2	0.2
	0.2	0.2	0.5	18.3	0.1	0.0	0.2	0.2	9.4	3.9	1.8	0.5	0.2
	0.3	0.2	0.5	8.4	0.1	0.2	0.3	0.2	4.3	4.0	1.0	0.3	0.2
	0.4	0.1	0.5	12.1	-	-	0.3	0.1	5.3	3.5	0.6	0.1	0.1
山形 福島 茨城 栃木 群馬	2.2	2.4	1.4	10.8	0.1	0.2	0.1	0.1	4.0	9.1	2.2	0.2	0.4
	0.3	0.8	0.4	10.1	-	0.1	0.3	0.1	8.0	3.7	0.9	0.3	0.3
	0.2	0.4	0.6	9.2	0.0	0.1	0.2	0.1	1.1	1.6	0.7	0.2	0.1
	0.4	0.2	1.1	9.1	0.0	0.0	0.2	0.2	3.5	5.0	1.5	0.3	0.1
	0.6	0.9	1.0	7.9	0.4	0.3	0.3	0.2	1.0	2.6	2.2	0.3	0.2
埼玉 千葉 東京 神奈川 新潟	0.5	0.3	0.5	10.9	0.1	0.1	0.3	0.1	0.7	3.1	0.8	0.1	0.1
	0.2	0.1	0.5	10.3	0.2	0.4	0.3	0.3	1.0	8.8	1.3	0.4	0.3
	0.1	0.2	0.5	17.3	0.4	0.5	0.3	0.1	0.3	7.4	1.1	0.5	0.2
	0.2	0.4	1.2	9.8	0.2	0.2	0.1	0.1	0.2	5.3	1.6	0.4	0.2
	0.2	0.4	0.9	12.6	0.1	0.2	0.1	0.2	0.4	5.4	1.5	0.1	0.2
富山 石川 福井 山梨 長野	0.9	0.8	1.1	19.5	0.0	0.1	0.1	0.2	0.1	4.0	1.2	0.1	0.1
	0.5	0.5	0.5	18.3	0.0	0.2	0.1	0.2	0.9	4.7	0.6	0.4	0.1
	0.3	0.7	0.7	15.9	0.0	0.1	0.2	0.2	0.9	3.4	0.5	0.4	0.2
	0.9	0.5	0.6	8.9	0.1	0.2	0.1	0.2	1.3	8.4	1.4	0.6	0.2
	0.7	1.3	0.3	12.6	0.1	0.2	0.1	0.2	0.1	5.3	1.3	0.1	0.1
岐阜 静岡 愛知 三重 滋賀	0.5	0.3	0.3	12.4	0.1	0.1	0.2	0.2	1.9	6.2	1.7	0.5	0.2
	0.3	0.4	0.4	14.7	0.1	0.3	0.1	0.1	1.1	4.6	0.8	0.4	0.4
	0.5	0.5	0.8	15.7	0.2	0.8	0.1	0.1	1.4	2.9	0.4	0.3	0.3
	0.2	0.4	0.4	8.9	0.1	0.4	0.5	0.4	5.6	2.3	0.6	0.5	0.2
	0.6	0.9	0.6	8.6	0.1	0.2	0.1	0.2	0.1	1.8	0.5	0.4	0.2
京都 大阪 兵庫 奈良 京都	0.8	0.7	0.3	13.5	0.0	0.1	0.1	0.2	0.4	4.9	0.4	0.3	0.3
	1.4	1.0	0.8	17.9	0.4	0.3	0.2	0.1	0.8	4.9	1.2	1.7	0.4
	0.4	0.3	0.4	11.2	0.1	0.1	0.8	0.2	2.1	6.4	0.4	0.5	0.2
	0.2	0.6	0.4	12.8	0.2	0.4	0.2	0.1	0.4	3.0	0.2	0.5	0.1
	0.5	0.6	0.7	9.2	0.1	0.1	0.2	0.3	8.7	2.8	1.0	0.6	0.2
鳥取 島根 岡山 広島 山口	0.7	0.6	1.0	13.2	0.0	0.2	0.1	0.2	1.4	4.0	1.4	0.6	0.3
	0.6	0.3	1.0	12.7	-	0.1	1.1	0.2	1.2	2.3	0.3	0.4	0.2
	0.3	0.4	0.4	11.5	0.1	0.2	0.3	0.8	6.2	1.2	0.5	0.2	0.2
	0.2	0.2	0.4	13.0	0.1	0.2	0.2	0.2	0.8	3.1	1.1	2.1	0.4
	0.1	0.3	0.6	12.7	0.1	0.1	0.2	0.1	1.0	4.1	1.0	0.5	0.3
徳島 香川 愛媛 高知 福岡	0.6	0.2	0.3	11.5	0.2	0.4	0.1	0.1	0.3	2.5	0.8	0.6	0.3
	0.7	0.4	0.5	17.0	0.0	0.1	0.5	0.1	0.8	3.0	1.2	0.3	0.3
	0.2	0.2	0.6	11.9	0.0	0.0	0.1	0.2	1.4	5.2	0.9	0.2	0.2
	0.1	0.2	0.4	9.2	0.0	0.1	0.1	0.1	0.8	1.7	0.7	0.8	0.1
	0.7	0.3	0.9	14.6	0.0	0.1	0.1	0.1	4.3	6.4	0.6	0.4	0.7
佐賀 長崎 熊本 大分 宮崎 鹿児島	0.3	1.2	0.5	12.1	0.1	0.2	0.1	0.2	2.6	5.4	1.8	0.6	0.7
	0.5	1.5	0.7	11.9	0.3	0.8	0.1	0.1	2.8	3.3	0.5	0.5	0.3
	0.4	0.4	0.4	12.2	0.0	0.0	0.3	0.2	0.8	7.1	0.7	0.5	0.4
	0.3	0.1	0.4	9.2	0.7	0.1	0.4	0.2	1.1	5.0	0.8	0.2	0.4
	1.0	0.2	0.8	7.3	0.0	0.1	0.5	0.1	7.1	5.3	0.8	0.1	0.3

その耳他疾	鼻およびいん頭				伝皮膚性疾患	心臓の疾患	精神薄弱	身体虚弱	運動障機害	寄生虫病	歯			
	蓄うの症	アイデードノ	へうせん大とん	その鼻のいの疾患の他の頭							計	むし歯	歯完了者	未歯置ある
1.1	1.2	0.5	9.4	4.6	1.3	0.3	1.2	0.2	0.2	0.4	88.9	9.9	79.0	1.1
0.7	0.5	0.1	8.9	0.3	3.4	0.3	1.2	0.1	0.3	0.7	95.7	4.3	91.4	0.9
0.3	1.7	0.1	8.2	0.9	3.6	0.3	1.3	0.1	0.3	0.0	97.1	1.6	95.5	4.1
2.0	2.3	1.3	13.5	12.0	2.9	0.3	1.9	0.4	0.2	0.0	82.9	4.5	78.4	0.6
0.2	0.4	0.1	12.8	2.4	1.3	0.2	1.2	0.2	0.4	1.1	81.4	6.6	74.8	0.4
0.3	0.8	0.8	8.8	3.4	3.3	0.3	1.2	0.2	0.2	0.0	92.4	2.9	89.5	0.2
0.7	1.6	0.4	15.9	4.9	2.2	0.3	1.4	1.3	0.2	0.7	90.6	11.9	78.7	1.0
0.5	1.2	0.3	8.0	2.9	2.3	0.5	0.3	0.2	0.2	0.8	92.2	6.4	85.8	1.3
0.1	0.3	0.1	7.5	1.1	1.2	0.3	1.1	0.2	0.2	0.7	87.9	5.9	82.0	0.6
0.6	0.2	0.5	13.4	3.7	2.9	0.4	1.7	0.2	0.2	0.4	83.8	8.1	75.7	2.5
0.9	0.7	1.4	11.9	2.0	2.8	0.3	1.1	0.2	0.3	0.4	89.9	9.7	80.2	2.3
0.8	1.5	0.9	10.6	4.2	2.5	0.3	1.4	0.2	0.2	0.5	86.9	9.8	77.1	0.4
0.9	0.8	1.0	9.8	6.8	1.2	0.2	1.3	0.3	0.3	0.4	94.5	13.8	80.7	0.3
1.0	1.1	0.4	9.1	5.6										

11 都道府県別疾患

3 中学校 (1) 男

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱(両眼)	色異常	トボラム	結膜炎	その他の眼疾	難聴(両耳)	中耳炎
全国	0.4	0.4	0.6	19.8	0.3	0.6	0.3	4.0	2.0	4.1	1.1	0.5	0.5
北海道	0.2	0.1	0.3	20.7	0.0	0.1	0.5	4.0	1.3	1.1	0.4	0.4	0.2
青森県	0.1	0.1	0.2	16.8	0.2	0.3	1.9	4.5	8.5	6.2	0.9	0.7	0.4
岩手県	0.5	0.1	0.7	16.6	0.1	0.2	1.0	4.2	8.1	2.8	1.3	0.6	0.4
宮城県	0.7	1.2	1.0	14.5	0.1	0.5	0.2	3.9	3.7	3.4	0.5	0.5	0.4
秋田県	0.1	0.5	0.3	17.6	0.0	0.1	0.1	4.2	2.5	4.5	0.6	0.2	0.2
山形県	1.7	3.0	2.0	17.1	0.2	0.9	0.1	4.5	3.2	7.0	1.0	0.3	0.4
福島県	0.3	0.2	0.5	16.5	1.3	0.2	1.3	3.9	3.8	2.3	0.7	0.2	0.2
茨城県	0.0	0.5	0.5	16.0	0.2	0.3	0.1	3.4	0.9	1.0	0.6	0.2	0.3
栃木県	0.4	0.2	0.8	13.7	0.1	0.7	0.7	3.8	2.1	3.8	1.1	0.6	0.4
群馬県	0.1	0.7	0.7	14.9	0.1	0.7	0.4	3.4	1.0	3.2	2.0	0.6	0.4
埼玉県	0.1	0.2	0.8	16.5	0.6	1.7	0.2	4.1	0.8	4.5	2.0	0.3	0.2
千葉県	0.6	0.3	0.5	14.9	1.0	0.3	0.7	3.3	1.5	5.9	0.9	0.3	0.5
東京都	0.2	0.1	0.5	31.2	0.8	2.2	0.7	3.6	0.1	6.5	1.7	0.3	0.7
神奈川県	0.1	0.8	0.7	19.3	0.0	0.7	0.3	4.3	0.7	4.9	2.3	0.6	0.5
新潟県	0.2	0.3	0.7	19.5	0.5	0.3	0.4	3.8	0.6	4.6	0.9	0.4	0.5
富山県	1.0	0.4	0.8	27.1	0.1	0.3	0.0	4.9	0.4	3.2	1.2	0.7	0.4
石川県	0.2	0.2	0.5	24.9	0.1	0.5	0.5	4.7	0.9	4.4	0.2	0.3	0.2
福井県	0.3	0.1	0.4	24.7	0.0	0.2	0.1	4.9	0.7	1.9	1.1	0.4	0.2
長野県	1.5	0.5	1.2	17.4	0.2	1.5	0.2	4.3	0.7	5.3	1.4	0.3	0.5
山梨県	0.4	1.0	0.5	19.5	0.0	0.4	0.1	4.0	0.1	5.4	1.8	0.3	0.3
岐阜県	0.3	0.8	0.7	17.5	-	0.2	0.2	4.2	0.9	4.0	2.9	0.2	0.3
静岡県	0.4	0.2	0.5	23.4	0.1	0.9	0.2	3.5	2.1	3.4	0.8	0.2	0.4
愛知県	0.2	0.3	0.5	27.6	0.2	1.3	0.1	3.8	1.3	3.1	0.2	0.4	0.1
三重県	0.2	0.4	0.5	19.5	0.1	0.6	-	7.1	3.8	3.7	0.3	0.6	0.2
滋賀県	0.9	0.6	0.4	19.7	0.2	0.6	0.2	4.7	0.1	1.8	0.3	0.5	0.2
京都府	1.1	1.0	1.3	18.5	0.4	0.2	0.1	4.0	2.0	4.0	0.5	0.5	0.6
大阪府	0.6	0.5	0.4	26.5	0.2	0.5	0.1	4.5	1.9	5.6	2.1	0.7	0.7
兵庫県	0.2	0.2	0.6	26.2	0.4	0.8	0.5	4.4	1.9	6.3	1.3	0.4	0.7
奈良県	0.2	0.0	0.3	20.5	0.5	0.7	0.5	4.5	0.7	2.2	0.4	0.4	0.3
和歌県	0.8	0.2	0.6	15.7	1.2	0.2	0.3	4.6	7.6	5.5	0.5	0.4	0.5
鳥取県	0.3	0.3	0.3	18.7	0.0	0.8	0.4	3.9	0.8	2.9	1.0	0.3	0.6
島根県	0.4	0.5	1.8	13.4	0.2	0.4	0.3	4.2	1.2	1.9	0.8	0.8	0.3
岡山県	0.6	0.3	0.7	18.7	-	1.4	0.2	3.7	1.2	3.4	1.5	0.7	0.4
広島県	0.3	0.1	0.5	19.7	0.5	1.1	0.4	4.1	0.7	2.6	0.6	0.5	0.5
山口県	0.2	0.2	0.5	20.2	0.0	0.5	0.5	3.9	1.0	2.7	0.7	0.5	1.0
徳島県	0.3	0.4	0.6	15.4	-	1.7	-	3.6	0.2	2.3	1.0	0.8	0.6
香川県	0.3	0.4	0.2	30.2	-	0.1	0.0	3.4	1.3	2.7	1.2	0.5	0.7
愛媛県	0.2	0.2	0.5	17.1	0.2	0.2	0.4	3.9	1.3	2.3	0.7	0.4	0.4
高知県	0.2	0.2	0.6	11.0	0.0	0.1	0.3	3.2	0.5	1.1	0.3	0.8	0.2
福岡県	0.3	0.4	0.6	17.9	0.5	0.4	0.4	4.0	3.7	8.0	0.4	0.7	0.5
佐賀県	0.2	0.2	0.4	19.8	0.9	0.5	0.1	4.5	2.7	3.4	0.7	0.6	1.2
長崎県	0.1	0.4	0.4	12.6	0.1	0.3	0.1	3.4	1.6	2.1	0.5	0.4	1.0
熊本県	0.8	0.3	0.5	11.6	0.1	0.1	0.1	3.4	2.1	3.8	0.7	0.6	0.4
大分県	0.4	0.1	0.3	14.7	0.3	0.4	0.3	3.6	1.4	2.3	0.8	1.0	0.7
宮崎県	0.5	0.3	0.7	11.4	0.0	0.1	0.2	3.6	6.5	4.9	0.8	0.7	0.3
鹿児島県	0.1	0.3	0.5	12.6	0.7	0.1	0.5	3.4	4.1	3.4	0.6	0.4	0.5

異常被患率(一般検診)

(%)

その耳他疾	鼻およびいん頭				伝皮 染膚 性疾 患	心臓 の疾 患	精神 薄弱	身体 虚弱	運動 機会	寄生 虫病	歯				
	蓄う の症	ア イ デ ノ ド	へ ん せ ん と ん	そ 鼻 の い ん 他 の 頭							む し く 計	歎 完 了 者	未 歎 了 者		
0.9	2.0	0.1	6.1	4.1	2.1	0.4	1.8	0.2	0.3	0.5	83.5	15.9	67.6	2.7	
0.6	1.2	0.0	6.1	2.6	3.2	0.3	1.1	0.2	0.3	0.4	89.1	8.5	80.6	1.4	
1.3	0.9	0.0	4.9	2.8	4.1	0.2	2.3	0.3	0.2	0.1	91.2	6.1	85.1	2.6	
1.6	8.5	0.1	11.8	11.0	3.6	0.3	2.1	0.3	0.3	0.0	1.9	81.8	6.4	75.4	3.1
0.7	1.6	0.0	8.0	6.1	4.5	0.4	2.8	0.3	0.4	0.5	1.6	73.0	9.0	64.0	4.0
0.2	1.3	0.3	4.4	1.3	4.6	0.1	1.3	0.1	0.3	0.0	0.8	80.8	7.7	73.1	1.7
0.4	6.6	-	9.6	3.3	4.0	0.5	1.2	0.7	0.3	0.3	0.9	84.0	23.0	61.0	1.7
0.1	0.5	-	3.5	0.2	2.3	0.5	0.3	0.1	0.2	0.2	0.3	80.7	7.0	73.7	1.9
1.3	0.8	0.1	4.1	1.0	1.8	0.3	2.2	0.1	0.2	0.2	0.3	80.2	9.1	71.1	4.3
0.5	0.8	0.0	7.8	2.1	4.0	0.3	3.2	0.4	0.3	1.0	0.4	83.1	14.1	69.0	6.7
0.5	1.6	0.1	9.2	2.6	3.8	0.4	2.2	0.1	0.2	1.2	0.5	88.1	13.9	74.2	7.4
0.8	1.2	0.0	5.9	3.4	2.9	0.4	3.0	0.2	0.2	0.4	0.6	83.2	18.6	64.6	2.5
0.5	1.2	0.0	5.9	3.4	2.9	0.4	3.0								

11 都道府県別疾患

3 中学校 (2) 女

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱(両眼)	色異常	トボラム	結膜炎	その他の眼疾患		
全国	0.3	0.3	0.3	24.2	0.3	0.7	0.5	0.3	2.1	4.3	1.0	0.4	0.3
北海道 青森 岩手 宮城 秋田	0.1	0.1	0.1	29.1	0.1	0.2	0.5	0.2	1.4	1.1	0.3	0.1	0.2
	0.1	0.0	0.1	22.0	0.2	0.2	1.8	0.4	7.8	7.3	0.7	0.6	0.5
	0.3	0.2	0.2	22.9	0.1	0.4	1.1	0.3	9.5	3.3	1.2	0.3	0.2
	0.5	1.6	0.6	18.7	0.2	0.7	0.4	0.3	4.1	3.6	0.6	0.3	0.3
	0.1	0.3	0.3	23.1	0.0	0.1	0.1	0.3	2.9	5.0	0.5	0.2	0.1
山形 福島 茨城 栃木 群馬	1.5	2.7	1.2	22.4	0.1	1.1	0.0	0.3	3.6	8.0	1.2	0.3	0.3
	0.2	0.1	0.1	21.8	0.6	0.2	1.7	0.3	4.9	2.6	0.8	0.2	0.1
	0.1	0.1	0.1	21.2	0.2	0.5	0.3	0.3	0.9	0.4	0.3	0.1	0.2
	0.3	0.1	0.4	17.9	0.0	0.7	0.9	0.2	2.3	4.2	0.9	0.6	0.2
	0.1	0.3	0.3	20.0	0.1	1.1	0.5	0.3	0.9	3.1	1.8	0.5	0.3
埼玉 千葉 東京 新潟	0.1	0.2	0.3	20.5	1.0	2.0	0.1	0.3	0.6	5.1	2.0	0.3	0.2
	0.2	0.2	0.2	17.2	0.9	0.7	0.9	0.2	1.4	5.6	1.0	0.2	0.3
	0.1	0.1	0.1	34.1	1.1	3.6	1.0	0.2	0.2	5.9	1.8	0.5	0.4
	0.1	0.7	0.3	24.1	-	0.7	0.5	0.3	0.9	5.8	1.8	0.5	0.5
	0.2	0.3	0.3	24.6	0.4	0.2	0.2	0.5	0.6	4.8	0.9	0.5	0.2
富山 福井 山梨 長野	0.9	0.2	0.3	31.3	0.1	0.3	0.0	0.2	0.4	3.7	1.1	0.4	0.3
	0.2	0.3	0.2	29.8	0.0	0.4	0.6	0.4	1.1	3.9	0.2	0.1	0.2
	0.3	0.2	0.2	30.1	0.0	0.1	0.3	0.3	0.7	1.9	1.2	0.3	0.1
	0.8	0.3	0.5	24.1	0.1	1.7	0.2	0.3	0.6	5.9	1.5	0.2	0.2
	0.4	1.1	0.2	23.7	-	0.4	0.0	0.3	0.2	4.9	1.7	0.2	0.2
岐阜 静岡 愛知 三重	0.1	0.7	0.7	20.4	0.0	0.2	0.2	0.2	0.9	3.9	2.9	0.1	0.1
	0.2	0.1	0.2	28.6	0.1	1.3	0.3	0.2	1.5	3.3	0.6	0.2	0.2
	0.4	0.2	0.2	30.6	0.2	1.8	0.1	0.1	1.8	2.7	0.2	0.3	0.1
	0.3	0.3	0.2	23.7	-	0.5	0.5	0.5	4.5	4.4	0.3	0.2	0.1
	0.8	0.5	0.4	22.9	0.1	0.6	0.1	0.4	0.2	1.8	0.4	0.4	0.2
京都 大阪 兵庫 奈良 和歌	1.5	0.8	0.7	13.5	0.3	0.3	0.2	0.2	1.5	4.1	0.5	0.2	0.4
	0.5	0.3	0.2	31.6	0.2	0.8	0.0	0.4	1.6	6.0	2.0	0.5	0.5
	0.1	0.2	0.1	29.4	0.5	0.9	0.2	0.3	1.7	6.1	0.7	0.2	0.4
	0.2	0.0	0.1	26.7	0.5	0.6	0.3	0.3	0.5	2.1	0.4	0.3	0.2
	0.5	0.1	0.3	20.0	0.4	0.2	0.6	0.5	7.5	5.1	0.4	0.3	0.3
鳥取 島根 岡山 広島	0.2	0.3	0.1	23.6	-	1.3	0.7	0.2	0.9	3.3	0.9	0.2	0.3
	0.7	0.2	0.8	14.5	-	-	0.5	0.4	1.1	2.0	0.8	0.7	0.2
	0.5	0.6	0.4	24.8	0.1	1.6	0.1	0.2	1.3	2.9	1.5	0.6	0.5
	0.4	0.1	0.2	25.6	0.4	1.6	0.3	0.2	0.6	2.6	0.7	0.4	0.4
	0.3	0.1	0.3	24.8	0.1	0.6	0.5	0.2	1.0	2.9	0.6	0.5	0.8
徳島 香川 愛媛 高知 福岡	0.2	0.1	0.3	18.1	-	1.7	0.1	0.2	0.2	2.7	1.0	0.5	0.4
	0.1	0.1	0.2	38.2	0.0	0.2	0.1	0.3	1.5	2.6	1.0	0.3	0.4
	0.3	0.1	0.2	22.1	0.0	0.1	0.4	0.3	1.4	2.6	0.6	0.2	0.3
	0.0	0.1	0.2	12.5	-	0.0	0.2	0.3	0.5	0.9	0.2	0.5	0.3
	0.1	0.2	0.4	23.8	0.3	0.6	0.8	0.4	3.8	8.9	0.5	0.7	0.5
佐賀 長崎 熊本 大分 宮崎 鹿児 島嶼	0.4	0.3	0.3	24.5	0.5	0.8	0.1	0.1	3.1	4.3	0.9	0.5	0.8
	0.1	0.3	0.2	21.1	0.1	0.6	0.1	0.4	1.6	2.0	0.4	0.3	0.9
	0.7	0.3	0.3	15.7	0.1	0.2	0.2	0.3	2.7	3.8	0.7	0.5	0.3
	0.3	0.1	0.2	18.4	0.2	0.4	0.4	0.2	1.5	2.0	0.8	0.4	0.6
	0.3	0.2	0.5	15.4	0.5	0.1	0.2	0.2	6.7	5.9	0.8	0.6	0.1
	-	0.4	0.1	14.9	0.5	0.2	0.7	0.3	4.7	5.1	0.8	0.3	0.3

異常被患率(一般検診)

(%)

	鼻およびいん頭				伝皮膚性疾患	心臓の疾患	精神薄弱	身体虚弱	運動障害	寄生虫病	歯			
	蓄うの症	アイデノ	へうせんせんとん	そ鼻のいの疾他ん患の頭							計	むし歯	未歯	歯他疾
0.6	1.8	0.1	6.0	3.2	0.9	0.4	1.6	0.2	0.3	0.4	0.5	87.9	18.7	69.2
0.6	1.1	0.0	5.4	2.6	1.4	0.4	1.4	0.2	0.2	0.3	0.3	92.8	8.4	84.4
1.5	0.9	0.0	5.2	3.0	1.8	0.5	2.2	0.4	0.3	0.1	1.4	92.4	7.7	84.7
1.3	8.5	0.1	11.6	9.6	2.0	0.4	1.9	0.2	0.2	0.0	1.0	86.9	7.3	79.6
0.5	1.1	0.0	8.4	3.9	2.4	0.4	3.0	0.3	0.6	0.4	1.0	79.2	10.9	68.3
0.2	1.2	0.4	4.9	1.1	1.7	0.2	1.1	0.2	0.3	-	0.4	87.0	9.9	77.1
0.3	5.3	0.0	8.9	3.0	2.0	0.5	1.2	0.6	0.3	0.4	0.5	88.9	25.5	63.4
0.1	0.6	-	4.0	0.1	1.6	0.4	0.3	0.1	0.2	0.6	0.2	86.4	9.5	76.9
0.8	0.8	0.0	4.0	0.7	0.9	0.3	2.0	0.1	0.2	0.2	0.1	86.6	11.9	74.7
0.2	0.7	0.0	7.8	1.7	1.9	0.4	2.9	0.5	0.3	1.0	0.4	87.9	16.9	71.0
0.4	1.6	0.1	8.5	2.4	1.6	0.4	2.2	0.1	0.2	1.0	0.5	92.2	16.5	75.7
0.3	5.3	0.0	8.9	3.0	2.0	0.5	1.2	0.6	0.3	0.4	0.5	88.9	25.5	63.4
0.1	0.6	-	4.0	0.1	1.6	0.4	0.3	0.1	0.2	0.6	0.2	89.2	16.9	72.3</td

11 都道府県別疾患

4 高等学校 (1) 男

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色異常	トボラム	結膜炎	その他の眼疾患	難聴(両耳)	中耳炎
全 国	0.2	0.3	0.4	34.6	0.4	1.9	0.3	3.8	0.8	3.0	0.9	0.4	0.4
北海道 青森 岩手 宮城 秋田	0.2	0.2	0.4	36.1	1.2	0.4	0.5	5.0	0.7	1.7	0.3	0.5	0.2
	0.2	0.1	0.3	31.8	0.0	1.2	0.2	6.5	2.9	5.0	1.5	0.5	0.4
	0.1	0.1	0.2	32.9	-	0.9	0.5	2.9	6.4	3.5	0.9	0.2	0.5
	-	0.3	0.4	34.0	0.1	0.7	0.1	4.3	2.5	5.6	1.1	0.2	0.2
	-	0.7	0.1	35.4	-	0.1	0.1	3.3	2.2	1.8	0.4	0.1	0.2
山形 福島 茨城 栃木 群馬	0.5	0.6	0.7	32.0	0.1	1.0	0.0	3.9	1.5	5.6	1.1	0.1	0.5
	0.0	0.1	0.3	34.1	0.1	1.5	0.1	4.4	3.4	3.8	0.5	0.4	0.2
	-	0.3	0.2	31.4	0.0	3.6	0.3	3.3	1.3	1.7	0.4	0.0	0.1
	0.0	0.1	0.5	24.1	0.2	0.4	0.1	3.7	1.0	3.4	1.0	0.2	0.9
	0.0	1.3	0.3	30.3	0.1	2.0	0.0	3.7	0.2	1.2	1.6	0.6	0.4
埼玉 千葉 東京 神奈川 新潟	0.1	0.1	0.7	25.9	1.5	2.2	0.2	4.4	0.4	5.7	1.7	0.4	0.4
	0.3	0.6	1.9	23.2	0.5	0.6	0.6	4.2	0.1	2.5	1.1	0.5	0.5
	0.3	0.2	0.5	42.5	1.4	6.2	0.2	3.2	0.0	4.0	0.8	0.3	0.4
	0.0	0.2	0.3	22.5	0.8	2.0	0.1	3.7	0.1	1.2	0.7	0.2	0.0
	0.1	0.8	1.0	29.1	0.2	0.7	-	2.7	0.3	3.2	0.8	0.2	0.6
富山 石川 福井 山梨 長野	0.1	0.5	0.4	39.5	0.0	0.2	0.1	3.5	0.1	4.2	1.5	0.2	0.5
	0.1	0.1	0.2	39.7	-	0.2	0.0	3.8	0.5	4.0	0.8	0.3	0.4
	0.1	0.3	0.6	46.6	0.1	0.4	0.3	3.4	0.4	2.9	0.4	0.6	0.2
	0.7	0.9	0.5	28.2	0.1	1.2	0.1	5.2	0.2	3.9	1.1	1.4	0.3
	0.6	0.8	0.4	35.2	0.1	1.7	0.1	4.0	0.1	3.2	1.6	0.3	0.3
岐阜 静岡 愛知 三重	0.1	0.2	0.3	26.7	0.4	0.8	2.1	2.4	1.2	3.1	5.5	0.1	0.1
	0.1	0.1	0.2	45.4	0.3	2.1	0.1	3.9	0.3	1.5	0.5	0.2	0.5
	0.1	0.4	0.2	44.1	0.2	2.9	0.1	3.6	0.9	3.7	0.6	0.2	0.5
	0.0	0.1	0.3	34.2	0.5	2.2	-	4.3	2.9	2.7	1.0	0.9	0.6
	0.1	0.1	0.1	33.1	0.3	1.0	2.2	4.7	-	0.5	0.2	0.6	0.3
京都 大阪 兵庫 奈良 和歌山	0.3	0.2	0.7	36.0	0.2	0.7	0.0	4.9	0.2	2.9	0.5	0.7	0.6
	0.1	0.1	0.3	45.8	0.4	8.0	0.1	6.3	0.5	1.1	1.8	0.4	1.1
	0.2	0.1	0.5	36.9	0.2	1.3	0.5	3.9	0.8	3.0	0.3	0.3	0.2
	0.1	0.0	0.4	36.8	0.4	0.3	0.2	5.1	0.2	1.7	0.3	0.3	0.2
	0.4	0.1	0.6	28.8	0.6	0.1	0.2	4.0	7.1	2.7	0.1	0.3	0.3
鳥取 島根 岡山 広島	0.0	0.6	0.5	39.8	0.1	0.9	0.0	3.6	0.4	1.3	0.1	0.2	0.3
	0.1	0.2	0.4	20.6	0.8	1.8	0.5	4.1	0.7	0.7	0.4	0.5	0.2
	0.0	0.1	0.5	36.7	0.0	1.6	0.1	4.2	0.3	6.1	0.3	0.4	0.4
	0.1	0.1	0.6	39.6	0.2	2.1	1.4	3.5	0.1	2.1	0.9	0.6	0.4
	0.2	0.5	1.7	32.6	0.1	0.9	0.2	3.3	1.4	2.8	0.8	0.1	0.7
徳島 香川 愛媛 高知 福岡	0.1	0.1	0.1	27.6	0.1	1.0	0.0	3.5	0.2	4.2	1.4	0.3	0.6
	0.1	0.2	0.3	48.1	0.1	0.5	0.1	4.2	0.6	1.0	0.8	0.3	0.7
	0.1	0.0	0.3	29.1	0.0	0.5	0.1	3.9	0.2	2.4	0.2	0.2	0.2
	0.1	0.1	0.3	23.4	0.0	0.6	0.4	2.7	0.0	1.2	0.3	0.5	0.1
	0.3	0.1	0.2	29.5	1.2	1.6	0.5	2.9	1.0	3.8	0.5	0.7	0.5
佐賀 長崎 熊本 大分 宮崎 鹿児島	0.0	0.2	0.1	35.4	1.3	0.0	-	3.5	1.1	4.3	0.7	0.1	0.6
	0.1	0.2	0.4	33.0	0.0	1.2	0.1	3.3	0.5	1.2	0.3	0.8	0.8
	0.1	0.3	0.3	25.9	0.4	0.6	0.2	4.0	0.4	3.6	0.7	0.2	0.6
	0.1	0.0	0.1	34.3	0.8	2.5	0.3	2.6	0.5	2.2	0.3	0.3	0.3
	0.1	0.1	0.4	22.6	0.2	1.0	0.4	3.8	2.4	3.6	0.7	0.1	0.4
	0.0	0.2	0.4	21.2	1.0	1.0	1.6	3.2	0.7	4.7	0.6	0.8	0.6

異常被患率(一般検診)

(%)

その耳他疾	鼻およびいん頭				伝皮膚性疾患	心臓の疾患	精神薄弱	身体虚弱	運動障機害	寄生虫病	歯				
	蓄うの症	アイデノド	へう肥とん大	そ鼻のいの疾他ん患の頭							むし歯	歯周病	その歯他疾		
0.6	1.7	0.1	3.4	3.0	0.3	0.3	0.0	0.1	0.1	0.2	0.3	83.6	20.9	62.7	2.4
0.5	1.7	0.0	2.8	2.0	0.2	0.4	-	0.1	0.2	0.2	0.4	91.1	9.6	81.5	0.9
1.4	1.8	-	2.8	4.2	0.2	0.3	-	0.1	0.3	0.0	0.2	89.3	12.7	76.6	2.1
2.7	5.8	3.1	5.2	12.9	0.1	0.2	-	0.0	0.1	-	0.4	83.8	9.2	74.6	2.8
0.2	2.6	-	3.7	2.4	0.0	0.2	-	0.0	0.2	-	0.2	74.6	21.9	52.7	1.8
0.2	2.5	0.0	4.7	1.5	0.6	0.2	-	0.0	0.2	-	0.3	88.6	10.5	78.1	3.1
0.3	3.7	-	4.0	4.7	0.1	0.3	-	0.0	0.0	-	0.2	82.0	18.3	63.7	0.6
0.1	0.6	-	2.1	0.2	0.3	0.2	-	0.0	0.1	-	0.2	80.1	15.8	64.3	1.4
0.1	1.8	1.0	2.6	2.4	0.0	0.2	-	0.1	0.1	-	0.2	83.1	15.2	67.9	5.7
1.8	2.2	-	8.7	7.3	1.5	0.2	-	0.1	0.1	-	0.1	82.2	21.9	60.3	3.8
0.2	1.3	-	4.0	5.9	0.7	0.1	-	0.0	0.1	-	0.3	79.8	25.4	54.4	3.3
1.1	1.5	-	2.7	3.5	0.2	0.2	-	0.0	0.1	-	0.1	91.5	20.0	71.5	9.1
1.1	0.9	0.0	4.1	2.5	0.3	0.2	-								

11 都道府県別疾病

4 高等学校

(2) 女

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視	色異常	トボラム	結膜炎	その他の眼疾	難聴(両耳)	中耳炎
全 国	0.1	0.1	0.1	38.5	0.4	1.9	0.7	0.2	0.7	2.5	0.7	0.2	0.3
北 海 道	0.1	0.3	0.1	43.9	0.6	1.1	1.1	0.3	0.6	1.2	0.2	0.1	0.1
	0.0	0.0	0.1	36.2	0.1	2.5	6.8	0.4	1.4	1.8	1.5	0.1	0.4
	0.1	-	0.0	40.5	-	1.0	1.0	0.2	6.1	3.7	1.0	0.1	0.4
	0.1	0.2	0.1	34.9	0.1	1.4	0.0	0.2	2.9	5.3	1.0	0.1	0.3
	0.0	0.7	0.0	41.4	-	-	0.1	0.5	1.8	0.4	0.2	0.0	0.3
山 福 茨 横 森 群	0.6	0.3	0.3	40.1	0.1	2.2	0.0	0.3	0.8	3.6	0.7	0.1	0.2
	0.0	0.0	0.1	53.7	0.1	0.8	0.1	0.5	2.1	1.0	0.2	0.1	0.0
	-	0.0	0.1	29.1	0.1	0.9	3.4	0.1	1.6	0.5	0.2	0.1	0.1
	0.0	0.0	0.1	31.0	0.0	0.6	-	0.2	1.2	2.7	0.8	0.1	0.3
	0.1	1.1	0.3	32.3	0.2	2.3	0.0	0.1	0.1	0.7	0.6	0.4	0.2
埼 千 東 神 奈 新	-	0.1	0.1	32.4	0.8	2.9	0.1	0.1	0.2	3.8	0.5	0.2	0.1
	0.2	0.0	0.1	32.1	0.3	0.6	0.4	0.2	0.9	3.8	0.9	0.3	0.4
	0.1	0.1	0.1	43.0	4.5	5.2	0.4	0.2	0.1	3.0	0.8	0.1	0.4
	0.0	0.1	0.0	32.1	1.2	1.2	0.1	0.2	0.1	1.7	0.5	0.0	0.2
	0.0	0.2	0.2	42.3	0.2	1.1	0.0	0.3	0.2	2.5	1.2	0.2	0.5
富 石 福 山 長	0.1	0.3	0.0	44.9	0.0	0.2	-	0.2	0.1	3.5	1.1	0.2	0.4
	0.0	0.1	0.0	47.0	0.0	0.1	0.0	0.2	0.3	1.6	0.4	0.1	0.3
	0.1	0.3	0.4	45.1	0.1	0.2	0.6	0.2	0.6	1.5	0.2	0.2	0.2
	0.1	0.0	0.1	30.0	0.1	2.9	-	0.3	0.1	4.3	0.9	0.4	0.5
	0.6	0.1	0.1	39.4	0.2	1.1	0.1	0.2	0.1	3.6	0.9	0.5	0.2
岐 静 愛 三 重	0.1	-	0.0	23.0	0.2	0.6	2.7	0.2	0.6	3.8	1.3	0.0	0.1
	-	0.1	0.1	40.9	0.1	1.3	0.1	0.2	0.6	1.7	0.2	0.2	0.2
	0.1	0.1	0.1	47.9	0.2	4.6	0.1	0.2	0.7	4.0	0.4	0.3	0.3
	0.0	0.1	0.1	34.4	0.3	4.6	0.1	0.2	1.7	1.7	0.8	0.6	0.3
	0.2	-	-	27.8	0.2	1.0	3.6	0.2	-	0.1	0.1	0.2	0.2
京 大 兵 奈 和 歌	0.7	0.2	0.3	42.4	0.1	2.0	0.8	0.2	0.0	2.6	1.2	0.2	0.2
	0.4	0.2	0.1	47.1	0.2	6.1	0.0	0.2	0.3	1.9	1.1	0.1	0.4
	0.0	0.0	0.1	39.8	0.1	1.6	0.5	0.1	0.7	3.1	0.8	0.4	0.3
	0.2	0.0	0.1	38.3	0.1	0.3	0.3	0.4	0.1	1.3	0.3	0.4	0.4
	0.0	0.0	0.1	36.4	0.2	0.3	0.2	0.4	3.9	1.6	0.2	0.2	0.2
鳥 島 國 広 山	0.0	0.1	0.2	41.5	0.1	0.8	0.1	0.1	0.2	0.7	0.1	0.3	0.1
	0.2	0.0	0.2	28.7	0.1	2.2	0.0	0.3	0.5	0.6	0.4	0.6	0.8
	0.1	0.0	0.2	38.6	0.2	2.5	0.0	0.2	0.2	3.2	4.2	0.6	0.5
	0.2	0.1	0.2	38.0	0.1	2.2	0.9	0.1	0.1	1.3	0.6	0.4	0.5
	0.0	0.1	0.4	42.5	0.1	1.4	0.1	0.1	0.6	1.8	0.6	0.1	0.4
徳 香 愛 高 福	0.2	0.1	0.1	26.1	0.1	0.9	-	0.2	0.3	2.8	1.0	0.1	0.4
	0.1	0.0	0.1	52.6	0.0	0.3	0.1	0.2	0.4	1.5	1.0	0.4	0.3
	0.0	0.1	0.0	36.5	-	0.2	0.1	0.1	0.1	2.6	0.1	0.0	0.3
	0.0	0.0	0.1	23.4	0.1	1.1	0.5	0.2	0.1	0.8	0.0	0.5	0.2
	0.1	0.0	0.1	36.4	1.5	0.7	1.6	0.1	1.1	3.0	0.5	0.4	0.3
佐 長 熊 大 宮 鹿 児 島	0.0	0.2	0.1	38.8	-	-	0.2	0.4	2.9	0.4	0.2	0.5	0.5
	0.0	0.0	0.1	37.7	0.1	1.1	0.1	0.2	0.3	1.2	0.1	0.3	0.4
	0.0	0.1	0.1	32.7	0.1	0.6	0.3	0.1	0.3	3.0	0.4	0.2	0.4
	0.1	0.0	0.0	34.6	0.5	1.9	0.1	0.2	0.3	1.6	0.3	0.2	0.4
	0.2	0.1	0.1	30.2	0.1	1.1	0.9	0.1	1.8	2.1	0.9	0.2	0.2

異常被患率(一般検診)

(%)

その耳他疾	鼻およびいん頭				伝皮膚性疾患	心臓の疾患	精神薄弱	身体虚弱	運動障機害	運能	寄生虫病	そ疾の病他異の常	歯		
	蓄うの症	アイデノド	へう肥んせん大	そ鼻の他の頭患									むし歯	処完了者	未処置者
0.5	1.5	0.1	3.7	2.5	0.1	0.3	0.0	0.1	0.1	0.2	0.4	89.6	24.7	64.9	2.5
0.3	1.5	0.1	2.7	1.3	0.2	0.5	-	0.2	0.1	0.3	0.3	93.9	10.9	83.0	1.3
3.0	2.6	-	4.3	8.2	0.0	0.4	-	0.0	0.1	-	0.1	88.2	16.0	72.2	2.0
1.9	5.1	1.8	7.3	10.6	0.0	0.3	-	0.1	0.1	0.0	0.2	90.6	10.4	80.2	2.6
0.2	4.0	-	6.1	3.9	0.0	0.2	-	0.1	0.2	-	0.3	82.0	17.2	64.8	6.4
0.2	1.9	0.0	5.5	1.2	0.2	0.2	-	0.0	0.1	-	0.4	93.2	10.9	82.3	1.7
0.4	3.1	0.0	2.9	1.2	0.1	0.2	-	0.0	0.1	-	0.2	94.1	29.2	64.9	1.5
0.0	0.5	-	4.7	0.5	0.1	0.2	-	0.0	0.0	0.5	1.0	90.3	21.5	68.8	2.4
0.1	0.2	-	3.7	0.6	0.0	0.3	-	0.0	0.0	-	0.1	86.6	15.1	71.5	3.0
0.9	3.9	-	7.9	3.9	0.6	0.2	-	0.2	0.1	0.1	0.1	91.7	27.3	64.4	1.5
0.2	1.3	-	3.9	2.0	0.0	0.2	-	0.0	0.1	0.2	0.1	89.8	23.4	66.4	5.5
0.8	1.2	-	3.5	2.3	0.0	0.1	-	0.1	0.1	0.1	0.1	93.9	28.0	65.9	6.4
0.7	0.9	0.1	3.6	1.8	0.1	0.1	-	0.0	0.0	0.1	0.1	92.9	21.8	71.1	3.9
0.7	1.1	0													