

19 年 齡 別 疾 病

1 計(大学・短期大学平均)

区 分	一 般 検 診								
	栄養要注意	近 視	遠 視	乱 視	色神異常	トラホーム	難聴(両耳)		
計	計	0.05	37.25	0.64	0.87	3.72	0.18	0.07	
	男	18 歳	0.07	35.75	0.61	0.96	4.06	0.24	0.06
		19	0.06	37.31	0.62	0.88	3.72	0.19	0.05
		20	0.05	37.38	0.67	0.83	3.66	0.21	0.08
		21	0.03	37.59	0.63	0.78	3.96	0.16	0.07
		22	0.04	37.57	0.72	0.78	3.54	0.12	0.07
23		0.06	38.69	0.61	1.05	3.54	0.11	0.09	
24	0.03	37.41	0.42	0.99	3.25	0.10	0.09		
女	計	0.10	37.27	0.53	0.51	0.09	0.14	0.04	
	18 歳	0.11	37.46	0.50	0.52	0.09	0.15	0.04	
	19	0.09	37.00	0.50	0.47	0.06	0.14	0.03	
	20	0.10	37.77	0.63	0.50	0.10	0.15	0.04	
	21	0.06	37.41	0.50	0.55	0.08	0.10	0.03	
	22	0.15	36.34	0.52	0.69	0.13	0.17	0.06	
23	0.18	37.12	0.86	0.37	0.43	0.12	0.06		
24	-	33.24	0.80	0.67	0.40	-	-		
昼	計	0.06	37.77	0.55	0.86	3.67	0.18	0.07	
	男	18 歳	0.08	36.12	0.57	0.98	4.05	0.24	0.06
		19	0.06	37.76	0.54	0.89	3.64	0.19	0.06
		20	0.05	37.97	0.55	0.85	3.59	0.21	0.09
		21	0.04	38.33	0.55	0.78	3.91	0.16	0.07
		22	0.04	37.84	0.61	0.74	3.42	0.12	0.07
23		0.08	39.84	0.46	0.97	3.34	0.11	0.06	
24	0.03	39.06	0.47	0.95	3.31	0.10	0.08		
間	計	0.09	37.54	0.53	0.51	0.08	0.14	0.04	
	女	18 歳	0.10	37.62	0.50	0.52	0.08	0.15	0.04
		19	0.08	37.16	0.50	0.47	0.06	0.14	0.03
		20	0.08	38.11	0.64	0.50	0.10	0.15	0.04
		21	0.05	37.72	0.48	0.55	0.08	0.10	0.03
		22	0.11	37.53	0.49	0.77	0.13	0.19	0.06
23		0.08	39.41	1.00	0.39	0.39	0.15	-	
24	-	34.92	0.71	0.88	0.53	-	-		
夜	計	0.03	33.40	1.33	0.91	4.13	0.16	0.08	
	男	18 歳	0.05	30.90	1.12	0.67	4.26	0.29	0.05
		19	0.06	33.00	1.40	0.79	4.45	0.19	0.02
		20	0.03	32.80	1.58	0.71	4.22	0.19	0.05
		21	0.02	34.01	1.38	0.74	4.33	0.12	0.07
		22	-	35.85	1.46	1.05	4.30	0.10	0.07
23		-	34.23	1.20	1.34	4.33	0.14	0.20	
24	0.04	32.97	0.28	1.09	3.09	0.11	0.11		
間	計	0.34	29.89	0.74	0.41	0.16	0.04	0.03	
	女	18 歳	0.46	28.68	0.46	0.46	0.55	-	-
		19	0.37	30.70	0.61	0.37	0.06	0.18	-
		20	0.35	30.52	0.50	0.50	-	-	-
		21	0.20	30.53	0.89	0.50	0.09	-	0.09
		22	0.44	28.18	0.73	0.15	0.15	-	-
23		0.60	28.27	0.30	0.30	0.60	-	0.03	
24	-	27.93	1.12	-	-	-	-		

この表は、健康診断受検者のうち疾病異常被患者（健康診断票にその旨記載のあつた者）の占める割合を示す。「近視」では72頁の(注)を参照のこと。

異 常 被 患 率

(%)

む し 菌	結 核 性 疾 患						ツベルクリン皮内反応成績 (計=100)					
	在学者のうち結核被患者の占める割合			定期結核健康診断受検者のうち結核被患者の占める割合			陽 性	疑 陽 性	陰 性			
	計	呼吸器系(再掲)	計	呼吸器系(再掲)	計	呼吸器系(再掲)						
計	73.90	33.73	40.17	0.48	0.47	0.49	0.48	95.31	2.75	1.94		
男	18 歳	77.65	33.84	43.81	0.23	0.23	0.27	0.27	92.03	4.94	3.03	
	19	73.63	33.11	40.52	0.32	0.32	0.33	0.33	94.67	3.17	2.16	
	20	71.98	32.79	39.19	0.39	0.38	0.40	0.39	95.79	2.40	1.81	
	21	72.55	32.75	39.80	0.48	0.47	0.45	0.45	96.77	1.77	1.46	
	22	74.78	37.37	37.41	0.63	0.62	0.61	0.61	96.73	1.88	1.39	
	23	75.55	35.84	39.71	0.87	0.87	0.94	0.94	96.66	1.80	1.54	
24	72.79	33.32	39.47	1.03	1.01	1.26	1.25	96.29	2.08	1.63		
女	計	85.73	37.62	48.11	0.29	0.28	0.28	0.27	94.00	3.15	2.85	
	18 歳	85.27	36.04	49.23	0.18	0.17	0.19	0.18	92.38	4.27	3.35	
	19	85.33	35.89	49.44	0.22	0.21	0.21	0.21	94.04	2.96	3.00	
	20	89.19	42.19	47.00	0.36	0.34	0.31	0.31	95.01	2.44	2.55	
	21	85.86	40.48	45.38	0.40	0.38	0.37	0.36	96.22	1.87	1.91	
	22	79.84	39.18	40.66	0.74	0.73	0.75	0.75	95.68	2.56	1.76	
23	79.51	37.03	42.48	0.92	0.88	1.16	1.16	95.99	2.08	1.93		
24	79.32	37.71	41.61	0.90	0.90	1.00	1.00	96.69	1.74	1.57		
昼	計	74.63	34.19	40.44	0.51	0.50	0.49	0.49	95.49	2.63	1.88	
	男	18 歳	77.88	34.15	43.73	0.24	0.24	0.27	0.27	92.17	4.85	2.98
		19	73.68	33.38	40.30	0.33	0.33	0.34	0.34	94.88	3.04	2.08
		20	72.52	33.03	39.49	0.41	0.40	0.41	0.40	96.02	2.22	1.76
		21	73.26	33.20	40.06	0.51	0.50	0.45	0.45	97.05	1.59	1.36
		22	76.25	38.56	37.69	0.69	0.68	0.65	0.65	96.96	1.72	1.32
23		77.43	36.76	40.67	1.01	1.00	0.99	0.99	96.99	1.59	1.42	
24	76.70	34.99	41.71	1.31	1.29	1.44	1.43	96.72	1.76	1.52		
間	計	86.19	37.77	48.42	0.29	0.28	0.28	0.27	94.07	3.11	2.82	
	女	18 歳	85.43	36.10	49.33	0.19	0.18	0.19	0.18	92.42	4.25	3.33
		19	85.75	36.08	49.67	0.22	0.21	0.21	0.21	94.08	2.93	2.99
		20	89.74	42.44	47.30	0.36	0.34	0.31	0.31	95.24	2.31	2.45
		21	86.49	40.78	45.71	0.42	0.40	0.38	0.37	96.35	1.80	1.85
		22	81.59	39.76	41.83	0.81	0.79	0.80	0.80	96.20	2.20	1.60
23		83.23	37.58	45.65	0.98	0.93	1.25	1.25	96.32	1.84	1.84	
24	81.37	37.82	43.55	1.22	1.22	1.32	1.32	97.14	1.32	1.54		
夜	計	67.81	29.92	37.89	0.35	0.34	0.45	0.44	93.75	3.80	2.45	
	男	18 歳	74.07	29.01	45.06	0.01	0.01	0.22	0.22	89.90	6.35	3.75
		19	73.08	30.10	42.98	0.23	0.22	0.28	0.27	92.31	4.60	3.09
		20	67.15	30.64	36.51	0.22	0.22	0.26	0.26	93.63	4.10	2.27
		21	65.60	28.32	37.28	0.33	0.32	0.47	0.46	94.00	3.65	2.35
		22	64.75	29.23	35.52	0.35	0.34	0.36	0.35	95.10	3.00	1.90
23		68.02	32.14	35.88	0.52	0.52	0.73	0.73	95.24	2.71	2.05	
24	61.98	28.69	33.29	0.48	0.47	0.74	0.74	94.97	3.04	1.99		
間	計	69.42	32.38	37.04	0.22	0.22	0.26	0.26	91.86	4.49	3.65	
	女	18 歳	75.28	31.94	43.34	-	-	-	-	89.93	5.66	4.41
		19	66.96	27.70	39.26	0.18	0.18	0.18	0.18	92.54	4.12	3.34
		20	72.93	34.65	38.28	0.29	0.29	0.40	0.40	90.11	5.17	4.72
		21	66.81	31.36	35.45	0.13	0.13	0.09	0.09	93.41	3.42	3.17
		22	61.18	32.94	28.24	0.38	0.38	0.42	0.42	91.47	5.47	3.06
23		59.03	34.03	25.00	0.71	0.71	0.82	0.82	94.68	3.21	2.11	
24	67.75	37.10	30.65	-	-	-	-	95.00	3.33	1.67		

「遠視」、「乱視」、「難聴」については66頁、「在学者数に対する結核被患率」および「定期結核健康診断で判明した者」について

19 年 齡 別 疾 病

異 常 被 患 率

2 大 学

(%)

区 分	一 般 検 診								
	栄養要注意	近 視	遠 視	乱 視	色 神異常	トラホーム	難聴(両耳)		
計	計	0.04	37.52	0.64	0.87	3.77	0.18	0.06	
	男	18 歳	0.07	36.14	0.60	0.98	4.12	0.24	0.06
		19	0.05	37.61	0.61	0.89	3.78	0.19	0.05
		20	0.04	37.63	0.67	0.84	3.71	0.21	0.07
		21	0.03	38.03	0.63	0.78	3.99	0.16	0.06
		22	0.03	37.68	0.73	0.78	3.58	0.12	0.06
		23	0.04	39.05	0.62	1.03	3.57	0.12	0.06
	24	0.01	37.77	0.40	0.94	3.28	0.10	0.07	
	女	計	0.07	37.97	0.45	0.52	0.11	0.13	0.03
		18 歳	0.07	37.02	0.35	0.48	0.12	0.13	0.03
19		0.07	38.73	0.39	0.52	0.11	0.13	0.03	
20		0.07	38.47	0.57	0.49	0.09	0.14	0.03	
21		0.05	37.75	0.49	0.56	0.08	0.10	0.03	
22		0.11	37.69	0.45	0.71	0.15	0.17	0.02	
23	0.08	40.31	0.62	0.38	0.54	0.15	0.08		
24	-	33.64	0.55	0.37	0.55	-	-		
昼	男	計	0.05	37.94	0.53	0.87	3.70	0.18	0.06
		18 歳	0.07	36.46	0.55	1.00	4.09	0.24	0.06
		19	0.05	37.99	0.52	0.90	3.70	0.19	0.05
		20	0.04	38.09	0.54	0.86	3.61	0.21	0.07
		21	0.03	38.40	0.54	0.79	3.93	0.16	0.07
		22	0.03	37.88	0.61	0.73	3.43	0.12	0.06
	23	0.05	40.02	0.46	0.98	3.35	0.10	0.06	
	24	0.01	39.09	0.47	0.96	3.30	0.11	0.08	
	女	計	0.07	38.16	0.45	0.52	0.11	0.13	0.03
		18 歳	0.07	37.13	0.35	0.48	0.12	0.14	0.03
19		0.07	38.80	0.39	0.52	0.11	0.13	0.03	
20		0.07	38.69	0.57	0.49	0.10	0.15	0.03	
21	0.05	37.89	0.47	0.55	0.08	0.10	0.03		
22	0.12	38.27	0.42	0.77	0.14	0.19	0.02		
23	0.09	41.60	0.70	0.35	0.44	0.18	-		
24	-	35.21	0.43	0.43	0.65	-	-		
夜	男	計	0.01	33.54	1.61	0.88	4.51	0.14	0.04
		18 歳	0.02	30.82	1.32	0.54	4.67	0.23	0.05
		19	0.01	33.07	1.77	0.77	4.83	0.14	0.02
		20	0.02	33.06	1.95	0.72	4.69	0.14	0.04
		21	-	34.00	1.63	0.74	4.58	0.13	0.01
		22	-	36.06	1.72	1.14	4.74	0.06	0.02
	23	-	34.40	1.38	1.26	4.66	0.17	0.07	
	24	-	33.20	0.18	0.87	3.22	0.09	0.05	
	女	計	-	30.67	0.66	0.41	0.22	0.07	0.07
		18 歳	-	28.74	0.59	0.29	0.29	-	-
19		-	33.09	0.56	0.37	0.19	0.37	-	
20		-	29.08	0.51	0.34	-	-	-	
21	-	31.36	1.27	0.85	0.21	-	0.21		
22	-	30.06	0.92	-	0.31	-	-		
23	-	31.29	-	0.61	1.23	-	0.61		
24	-	24.36	1.28	-	-	-	-		

計	む し 歯			結 核 性 疾 患				ツベルクリン皮内反応成績 (計=100)		
	処完了者	未処置歯ある者	在学者のうち結核被患者の占める割合	定期結核健康診断受検者のうち結核被患者の占める割合		陽 性		疑陽性	陰 性	
				計	呼吸器系掲(再)	計	呼吸器系掲(再)			
74.45	34.01	40.44	0.50	0.49	0.49	0.49	95.41	2.70	1.89	
78.35	34.29	44.06	0.24	0.24	0.27	0.27	92.11	4.92	2.97	
74.16	33.37	40.79	0.33	0.33	0.34	0.34	94.83	3.08	2.09	
72.53	33.06	39.47	0.40	0.39	0.41	0.40	95.88	2.35	1.77	
72.84	32.88	39.96	0.49	0.48	0.45	0.45	96.85	1.73	1.42	
75.18	37.63	37.55	0.64	0.64	0.63	0.63	96.82	1.82	1.36	
76.46	36.20	40.26	0.92	0.91	0.98	0.98	96.74	1.76	1.50	
74.03	33.55	40.48	1.10	1.08	1.33	1.32	96.39	2.03	1.58	
87.76	41.13	46.63	0.43	0.41	0.42	0.41	94.62	2.71	2.67	
87.00	39.44	47.56	0.17	0.16	0.17	0.16	92.32	4.14	3.54	
86.96	39.69	47.27	0.29	0.26	0.27	0.26	94.02	2.88	3.10	
91.94	44.78	47.16	0.37	0.35	0.31	0.31	95.49	2.13	2.38	
86.81	41.06	45.75	0.40	0.38	0.36	0.35	96.50	1.69	1.81	
82.00	40.54	41.46	0.80	0.78	0.80	0.80	96.46	2.09	1.45	
83.07	38.15	44.92	1.08	1.03	1.34	1.34	96.64	1.78	1.58	
83.81	39.37	44.44	0.96	0.96	1.90	1.90	97.62	1.19	1.19	
74.84	34.30	40.54	0.51	0.50	0.49	0.49	95.58	2.59	1.83	
78.42	34.51	43.91	0.25	0.25	0.27	0.27	92.25	4.83	2.92	
73.98	33.52	40.46	0.33	0.33	0.34	0.34	95.04	2.95	2.01	
72.72	33.10	39.62	0.42	0.41	0.41	0.40	96.10	2.18	1.72	
73.34	33.22	40.12	0.50	0.49	0.45	0.45	97.08	1.57	1.35	
76.26	38.57	37.69	0.69	0.68	0.66	0.66	96.98	1.72	1.30	
77.65	36.82	40.83	1.02	1.01	1.00	1.00	97.00	1.59	1.41	
76.88	35.01	41.87	1.31	1.29	1.44	1.43	96.75	1.75	1.50	
87.87	41.22	46.65	0.35	0.33	0.32	0.31	94.60	2.72	2.68	
87.02	39.52	47.50	0.16	0.16	0.18	0.17	92.35	4.11	3.54	
86.98	39.82	47.16	0.27	0.26	0.27	0.26	93.97	2.90	3.13	
91.99	44.93	47.06	0.36	0.34	0.29	0.29	95.51	2.10	2.39	
86.98	41.20	45.78	0.40	0.38	0.36	0.36	96.48	1.71	1.81	
82.32	40.54	41.78	0.84	0.82	0.82	0.82	96.47	2.07	1.46	
85.49	38.36	47.13	1.10	1.04	1.40	1.40	96.67	1.66	1.67	
84.03	38.54	45.49	1.17	1.17	1.17	1.17	97.62	1.06	1.32	
69.84	30.61	39.23	0.39	0.39	0.53	0.53	93.55	3.93	2.52	
77.11	29.99	47.12	0.13	0.13	0.24	0.24	89.20	6.76	4.04	
77.06	31.18	45.88	0.26	0.26	0.32	0.32	91.81	4.84	3.35	
70.10	32.49	37.61	0.26	0.26	0.32	0.32	93.18	4.45	2.37	
66.28	28.48	37.80	0.37	0.36	0.52	0.52	94.00	3.71	2.29	
65.42	29.21	36.21	0.39	0.39	0.43	0.43	95.39	2.75	1.86	
70.22	32.93	37.29	0.60	0.60	0.89	0.89	95.28	2.74	1.98	
63.02	27.89	35.13	0.60	0.58	0.93	0.93	94.95	3.14	1.91	
81.99	36.28	45.71	0.42	0.42	0.49	0.49	95.70	2.52	1.78	
85.63	32.34	53.29	-	-	-	-	88.82	7.89	3.29	
86.48	31.97	54.51	0.47	0.47	0.49	0.49	96.91	1.69	1.40	
88.79	35.68	53.11	0.63	0.63	0.91	0.91	94.35	3.49	2.16	
76.30	32.70	43.60	0.25	0.25	0.18	0.18	97.52	0.62	1.86	
74.77	40.54	34.23	0.51	0.51	0.52	0.52	96.30	2.47	1.23	
59.72	36.11	23.61	0.97	0.97	1.00	1.00	96.43	2.68	0.89	
81.48	48.15	33.33	-	-	-	-	97.62	2.38	-	

162頁の(注)を参照のこと。

19 年 齡 別 疾 病

3 短期大学

異 常 被 患 率

(%)

区 分	一 般 検 診								
	栄養要注意	近 視	遠 視	乱 視	色 神異常	トラホール	難聴(両耳)		
計	計	0.21	32.14	0.67	0.77	2.76	0.19	0.24	
	男	18 歳	0.23	28.44	0.88	0.55	2.93	0.28	0.15
		19	0.23	32.38	0.75	0.62	2.62	0.17	0.14
		20	0.16	32.33	0.68	0.58	2.72	0.28	0.32
		21	0.22	33.53	0.77	0.61	2.98	0.10	0.26
		22	0.18	34.75	0.49	0.81	2.60	0.18	0.36
23		0.38	32.23	0.46	1.30	2.99	0.08	0.61	
24	0.24	33.17	0.61	1.59	2.93	0.12	0.24		
女	計	0.13	36.35	0.64	0.50	0.05	0.15	0.04	
	18 歳	0.14	37.79	0.61	0.55	0.07	0.15	0.05	
	19	0.11	35.77	0.58	0.43	0.03	0.14	0.03	
	20	0.21	34.99	0.86	0.55	0.11	0.16	0.08	
	21	0.20	32.44	0.67	0.40	-	0.13	-	
	22	0.41	27.66	0.97	0.55	-	0.14	0.28	
23	0.61	24.55	1.82	0.30	-	-	-		
24	-	32.20	1.46	1.46	-	-	-		
昼 間 部	計	0.37	31.12	1.06	0.44	2.63	0.13	0.31	
	男	18 歳	0.26	27.12	1.08	0.30	2.98	0.19	0.19
		19	0.25	32.11	1.09	0.48	2.29	0.08	0.23
		20	0.33	32.78	1.08	0.47	2.83	0.19	0.66
		21	0.55	32.17	1.53	0.33	2.07	0.11	0.22
		22	0.75	33.77	0.57	1.13	2.64	-	0.57
23		1.78	27.40	0.36	-	3.20	0.36	0.36	
24	0.71	37.59	0.71	0.71	4.26	-	-		
女	計	0.11	36.72	0.63	0.50	0.05	0.15	0.05	
	18 歳	0.13	38.00	0.62	0.55	0.06	0.16	0.05	
	19	0.09	35.96	0.58	0.44	0.03	0.14	0.03	
	20	0.15	35.51	0.92	0.54	0.13	0.19	0.09	
	21	0.10	33.92	0.73	0.52	-	0.21	-	
	22	-	28.85	1.37	0.82	-	0.27	0.55	
23	-	23.57	3.18	0.67	-	-	-		
24	-	33.65	1.92	2.88	-	-	-		
夜 間 部	計	0.08	32.93	0.37	1.02	2.86	0.24	0.19	
	男	18 歳	0.15	31.18	0.46	1.08	2.85	0.46	0.08
		19	0.20	32.80	0.20	0.84	3.15	0.32	-
		20	0.03	31.99	0.38	0.66	2.64	0.35	0.07
		21	0.09	34.09	0.45	0.73	3.35	0.09	0.27
		22	-	35.06	0.47	0.70	2.58	0.23	0.29
23		-	33.56	0.49	1.66	2.94	-	0.68	
24	0.15	32.25	0.59	1.77	2.64	0.15	0.29		
女	計	0.57	29.40	0.79	0.42	0.12	0.02	-	
	18 歳	0.66	28.65	0.40	0.53	0.66	-	-	
	19	0.55	29.52	0.64	0.37	-	0.09	-	
	20	0.61	31.64	0.48	0.61	-	-	-	
	21	0.37	29.80	0.56	0.19	-	-	-	
	22	0.84	26.46	0.56	0.28	-	-	-	
23	1.16	25.43	0.58	-	-	-	-		
24	-	30.09	0.99	-	-	-	-		

む し 菌	結 核 性 疾 患						ツベルクリン皮内反応成績 (計=100)			
	在学者のうち結核被患者の占める割合			定期結核健康診断受検者のうち結核被患者の占める割合			陽 性	疑 陽 性	陰 性	
	計	呼吸器系(再)	計	呼吸器系(再)	計	呼吸器系(再)				
計	64.21	28.87	35.34	0.22	0.19	0.26	0.22	93.21	3.87	2.92
男	63.81	24.89	38.92	0.19	0.15	0.19	0.17	90.68	5.23	4.09
	65.62	29.15	36.47	0.23	0.20	0.29	0.25	91.99	4.71	3.30
	62.03	27.94	34.09	0.12	0.12	0.16	0.16	93.81	3.65	2.54
	64.47	29.09	35.38	0.36	0.29	0.46	0.39	94.30	3.27	2.43
	65.25	31.09	34.16	0.24	0.21	0.19	0.14	94.34	3.27	2.39
	61.66	30.36	31.30	0.10	0.10	0.08	0.08	95.26	2.46	2.28
60.43	31.03	29.40	0.14	0.14	0.26	0.26	95.05	2.70	2.25	
女	83.36	33.53	49.83	0.21	0.20	0.22	0.21	93.20	3.71	3.09
	84.05	33.65	50.40	0.21	0.19	0.21	0.19	92.42	4.37	3.21
	84.34	33.58	50.76	0.17	0.17	0.17	0.17	94.05	3.02	2.93
	79.60	33.12	46.48	0.34	0.31	0.34	0.32	93.06	3.70	3.24
	72.30	32.17	40.13	0.43	0.43	0.48	0.48	92.11	4.49	3.40
	63.61	28.94	34.67	0.33	0.33	0.44	0.44	90.59	5.61	3.80
63.31	31.95	31.36	0.22	0.22	0.32	0.32	93.64	3.18	3.18	
64.58	32.29	32.29	0.71	0.71	1.03	1.03	94.12	3.27	2.61	
昼 間 部	66.12	29.76	36.36	0.34	0.31	0.40	0.37	91.91	4.44	3.65
	63.11	24.28	38.83	0.20	0.14	0.20	0.17	90.10	5.31	4.59
	66.89	30.16	36.73	0.34	0.30	0.40	0.35	90.94	5.19	3.87
	64.43	30.20	34.23	0.25	0.25	0.31	0.31	92.52	4.30	3.18
	66.38	32.06	34.32	0.80	0.72	0.95	0.84	94.93	2.90	2.17
	74.91	37.81	37.10	0.53	0.53	0.58	0.58	95.24	1.45	3.31
62.81	32.93	29.88	0.26	0.26	0.36	0.36	95.80	1.91	2.29	
66.21	33.77	32.47	0.88	0.88	1.48	1.48	95.12	2.44	2.44	
夜 間 部	84.20	33.67	50.53	0.22	0.21	0.22	0.21	93.37	3.62	3.01
	84.31	33.69	50.62	0.21	0.19	0.21	0.19	92.47	4.36	3.17
	85.00	33.78	51.22	0.19	0.18	0.18	0.18	94.15	2.96	2.89
	81.25	33.04	48.21	0.40	0.37	0.39	0.37	94.01	3.27	2.72
	77.22	32.88	44.34	0.71	0.71	0.78	0.78	93.08	3.95	2.97
	72.67	30.24	42.43	0.46	0.46	0.58	0.58	92.64	3.87	3.49
67.01	31.96	35.05	-	-	-	-	93.94	3.03	3.03	
68.86	34.43	34.43	1.49	1.49	2.08	2.08	94.66	2.67	2.67	
夜 間 部	62.83	28.22	34.61	0.14	0.11	0.14	0.10	94.36	3.37	2.27
	65.30	26.20	39.10	0.15	0.15	0.16	0.16	92.15	5.04	2.81
	63.61	27.54	36.07	0.08	0.05	0.12	0.08	93.76	3.90	2.34
	60.40	26.41	33.99	0.02	0.02	0.04	0.04	94.94	3.08	1.98
	63.69	27.87	35.82	0.18	0.12	0.24	0.19	93.98	3.46	2.56
	62.72	29.32	33.40	0.15	0.11	0.06	-	94.01	3.94	2.05
61.39	29.75	31.64	0.06	0.06	-	-	95.10	2.63	2.27	
59.49	30.59	28.90	-	-	-	-	95.04	2.76	2.20	
夜 間 部	62.39	30.20	32.19	0.06	0.06	0.18	0.18	90.05	5.42	4.53
	71.49	31.80	39.69	-	-	-	-	90.23	5.06	4.71
	59.88	26.15	33.73	-	-	-	-	90.87	5.05	4.08
	62.46	33.97	28.49	-	-	-	-	88.00	6.00	6.00
	58.08	30.13	27.95	-	-	-	-	90.73	5.24	4.03
	50.69	27.08	23.61	0.21	0.21	0.30	0.30	88.81	7.12	4.07
58.33	31.94	26.39	0.40	0.40	0.60	0.60	93.38	3.31	3.31	
57.14	28.57	28.57	-	-	-	-	93.59	3.85	2.56	

162頁の(注)を参照のこと。