

第10表 都道府県別疾患

(1) 幼稚園一男

区分	栄養 注意	せき柱異常	胸郭 異常	目								耳	
				近視	遠視	乱視	弱視 (両眼)	色神異常	トボラム	結膜炎	その他の眼疾	難聴 (両耳)	中耳炎
全国	0.6	0.4	1.5	1.5	0.2	0.0	0.1	0.3	0.7	3.0	0.5	0.2	0.4
北海道 青森 岩手 宮城 秋田	1.3	0.1	1.2	0.4	0.1	-	-	0.1	0.3	2.7	0.4	0.1	0.5
	0.3	0.1	0.6	0.0	-	-	-	0.0	0.6	3.1	0.2	-	0.3
	0.6	0.1	1.7	1.7	-	-	-	-	3.5	3.9	0.6	-	0.2
	0.1	0.0	1.9	0.4	-	-	-	0.9	1.1	3.4	0.7	-	0.1
	0.3	0.8	1.4	1.8	-	-	-	0.2	0.9	3.1	0.4	-	0.3
山形 福島 茨城 栃木 群馬	2.3	1.1	3.9	-	-	-	-	0.4	0.8	3.0	0.9	0.1	0.6
	0.2	0.4	0.8	1.5	-	0.1	-	0.2	2.7	2.9	0.5	0.1	0.1
	0.6	0.2	1.6	1.1	0.2	0.1	0.1	0.6	0.6	1.6	0.5	-	0.3
	0.3	0.0	1.7	1.6	-	-	0.2	0.1	1.3	3.9	0.3	-	0.2
	0.4	-	1.4	1.4	0.1	-	-	0.3	0.2	1.8	0.2	0.1	0.1
埼玉 千葉 東京 神奈川 新潟	0.5	0.1	0.9	-	-	-	-	0.2	0.5	5.6	0.4	0.1	0.4
	0.2	0.1	0.8	0.7	-	-	-	0.1	0.8	3.0	0.3	0.0	0.3
	0.7	0.2	1.4	-	-	-	-	0.0	0.1	2.4	0.2	-	0.4
	0.6	0.4	1.4	-	-	-	-	0.7	0.6	3.2	0.2	-	0.5
	0.9	0.1	3.0	-	-	-	-	-	-	1.3	0.2	0.1	0.1
富山 石川 福井 山梨 長野	0.8	0.5	2.4	0.8	-	-	-	0.1	0.2	3.2	0.4	0.1	0.3
	0.7	0.4	3.4	0.6	-	-	-	-	0.2	1.5	0.3	0.1	0.0
	0.7	0.7	0.9	4.7	-	-	-	0.1	0.9	3.8	0.5	-	0.4
	0.9	0.2	1.5	-	-	-	-	0.1	0.2	2.7	0.3	-	0.1
	0.8	0.3	1.3	1.4	0.2	-	-	0.1	0.1	3.6	0.9	0.1	0.2
岐阜 静岡 愛知 三重 滋賀	0.5	0.3	0.5	0.1	0.1	-	-	0.5	0.3	4.1	1.8	0.1	0.5
	0.6	0.6	1.0	1.1	0.0	0.1	0.1	0.2	0.6	3.4	0.5	0.1	0.2
	0.7	0.6	2.0	-	-	-	-	0.1	0.5	1.6	0.5	0.1	0.3
	0.3	0.6	1.5	12.6	-	-	-	1.3	2.5	3.9	0.4	0.3	0.1
	0.9	1.0	2.5	5.0	-	-	-	0.7	0.1	2.6	0.5	0.0	0.2
京都 大阪 奈良 兵庫 和歌山	1.6	1.4	1.0	1.3	0.3	0.1	0.1	0.0	0.1	3.2	0.8	0.1	0.3
	0.3	0.2	1.8	0.9	0.2	0.0	-	0.2	1.1	3.7	0.9	0.2	0.4
	0.7	0.3	1.5	1.5	0.1	-	0.1	0.5	0.8	2.8	0.4	0.1	0.4
	0.4	0.1	1.0	4.2	1.8	-	-	0.5	0.3	2.9	0.5	0.1	0.5
	0.8	0.5	1.8	1.2	0.3	-	0.1	-	3.9	5.2	1.2	0.2	0.3
鳥取 島根 岡山 広島 山口	2.1	1.7	3.0	-	-	-	-	0.3	-	-	0.3	-	0.3
	0.5	0.6	2.9	-	-	-	-	1.2	1.9	0.8	1.2	0.5	0.5
	0.3	0.3	0.7	2.3	-	-	-	0.3	2.2	1.0	2.4	0.4	0.4
	0.6	0.1	0.7	1.4	0.1	-	-	0.3	0.2	3.4	0.5	0.6	0.7
	1.0	0.5	3.8	-	-	0.1	-	0.2	0.6	1.6	0.3	-	0.5
徳島 香川 愛媛 高知 福岡	1.5	0.4	1.0	4.0	-	-	-	1.7	1.5	0.9	4.1	1.3	0.5
	0.9	1.0	1.3	2.6	-	-	-	0.2	0.4	2.9	0.6	0.5	0.8
	0.5	0.1	1.0	0.5	-	-	-	0.2	0.3	3.1	0.3	0.1	0.3
	1.4	0.1	0.9	-	-	-	-	4.4	-	1.0	0.8	-	-
	0.6	0.7	1.3	-	-	-	-	-	0.9	3.3	0.2	-	0.6
佐賀 長崎 熊本 大分 宮崎 鹿児島	0.3	0.6	0.8	-	-	-	-	-	0.4	1.8	0.2	-	0.4
	0.8	0.8	2.2	1.9	-	-	-	0.1	0.2	3.5	0.3	0.0	0.4
	0.9	1.1	1.0	-	-	-	-	0.0	0.2	3.7	1.2	-	0.0
	0.3	0.1	0.8	2.8	1.5	-	0.1	0.9	0.7	2.0	0.2	0.1	0.3
	0.1	0.3	1.5	0.3	0.3	-	-	1.7	4.1	1.2	-	0.1	0.1
	0.7	0.3	0.5	-	-	-	-	-	0.6	2.3	0.5	0.1	0.4

異常被患者率(一般検診)

一般検診・幼

(%)

その耳疾他	鼻およびいん頭			伝皮膚性疾患の発生率	心臓の疾患の発生率	精神薄弱の発生率	身体虚弱の発生率	運動機能障害の発生率	寄生虫病の発生率	歯		
	蓄膿症	アイデノ	へうせん大							むし歯	歯周病	その他の歯疾
0.7	0.4	0.7	12.2	3.6	0.7	0.3	0.0	0.1	0.4	0.8	88.6	5.4
0.1	0.2	0.1	13.3	2.3	1.2	0.2	-	0.1	0.1	-	94.5	3.9
0.4	0.2	0.1	11.8	1.0	0.6	0.1	-	0.0	-	-	87.4	3.0
1.2	0.3	0.9	12.8	7.1	1.0	0.1	0.0	0.1	0.1	1.0	90.1	2.2
0.4	0.1	0.6	10.9	1.7	0.2	0.1	-	0.1	0.0	1.0	89.2	5.9
0.3	-	-	12.6	1.8	0.8	0.1	0.0	0.0	-	1.5	96.2	3.8
0.9	0.6	0.4	18.0	1.2	1.1	0.1	-	-	0.4	0.8	90.4	6.1
0.8	-	1.5	18.0	1.8	1.1	0.2	0.0	0.1	-	0.4	89.3	0.4
0.9	0.5	0.2	12.9	0.9	0.7	0.3	0.0	-	0.1	0.3	88.3	3.8
0.5	0.1	0.4	11.2	3.8	0.7	0.2	-	0.0	0.2	0.6	87.7	3.0
1.2	0.1	0.5	14.5	1.4	0.4	0.3	0.1	0.0	0.1	0.5	89.4	3.8
0.8	0.3	0.3	16.5	5.0	0.5	0.3	-	0.2	0.0	0.5	90.9	7.8
0.8	0.1	0.3	13.7	1.7	1.1	0.2	-	0.1	-	0.3	88.9	12.4
0.0	0.2	0.5	12.9	0.9	0.7	0.3	0.0	-	0.1	0.2	88.3	3.8
0.8	0.3	0.1	12.9	0.9	0.7	0.3	0.0	-	0.1	0.3	84.5	-
0.5	0.3	0.2	14.2	1.1	0.7	0.6	0.0	0.2	-	0.3	87.0	1.6
0.5	0.1	0.9	7.5	2.4	2.2	0.3	0.2	0.2	1.1	0.8	81.7	4.7
0.5	0.2	0.1	11.6	3.5	2.0	0.1	-	0.1	-	0.1	93.6	5.4
1.3	0.2	1.0	11.6	3.9	1.1	0.5	0.0	0.1	0.4	0.4	84.0	6.8
1.5	0.9	1.3	13.0	3.9								

第10表 都道府県別疾患

(2) 幼稚園一女

異常被患率(一般検診)

一般検診・幼
(%)

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色神異常	トボラム	結膜炎	その他の眼疾	難聴(両耳)	中耳炎
全国	0.5	0.2	0.7	1.7	0.1	0.0	0.0	0.0	0.7	3.2	0.6	0.1	0.3
北海道 青森 岩手 宮城 秋田	0.9	0.0	0.3	0.6	-	-	-	0.5	2.5	0.7	-	0.3	
	0.5	-	0.3	0.1	-	-	-	0.0	0.8	3.0	0.3	0.0	0.3
	0.4	0.1	0.6	-	-	-	-	3.3	5.6	1.2	2.0	0.4	
	0.1	0.0	0.7	0.5	-	-	0.1	0.1	1.7	4.1	1.1	0.1	0.3
	0.3	0.4	0.9	1.5	-	-	-	-	1.5	2.8	0.8	0.1	0.1
山形 福島 茨城 栃木 群馬	1.8	0.6	1.6	0.2	-	-	-	-	1.2	2.9	0.6	-	0.3
	0.1	0.3	0.2	1.6	-	0.1	-	-	2.4	2.6	0.5	0.1	0.1
	0.6	0.1	0.8	1.5	0.1	0.2	-	0.0	0.8	1.5	0.6	-	0.2
	0.4	0.0	1.1	2.0	-	-	0.2	-	1.4	4.8	0.7	0.1	0.1
	0.4	0.1	0.6	2.0	0.1	-	-	-	0.4	1.9	0.2	0.1	0.1
埼玉 千葉 東京 神奈川 新潟	0.3	0.1	0.7	-	-	-	-	-	0.3	4.6	0.3	0.0	0.3
	0.2	-	0.7	0.9	-	-	0.1	0.1	0.7	2.7	0.3	0.0	0.1
	0.5	0.1	0.6	-	-	-	-	-	0.1	2.9	0.4	-	0.2
	0.7	0.1	0.6	-	-	-	-	-	0.2	3.1	0.2	-	0.6
	0.6	0.0	1.1	-	-	-	-	-	1.6	0.4	-	0.0	
富山 石川 福井 長野	0.4	0.3	1.1	1.0	-	-	-	0.1	3.1	0.5	-	0.1	
	0.5	0.3	1.1	1.1	-	-	-	0.1	1.9	0.2	-	0.1	
	0.6	0.3	0.5	6.0	-	-	-	0.1	0.7	3.8	0.2	0.6	0.1
	0.6	0.2	0.6	-	-	-	-	0.1	0.3	2.8	0.5	-	0.1
	0.8	0.1	1.0	0.8	0.1	-	0.1	-	0.1	3.7	0.7	0.1	0.5
岐阜 静岡 愛知 三重	0.2	0.2	0.2	-	-	-	-	0.1	0.5	5.3	1.4	0.0	0.2
	0.5	0.2	1.2	1.6	-	0.1	0.1	0.2	0.6	3.8	0.7	0.2	0.2
	0.5	0.3	1.1	-	-	-	-	-	0.5	1.6	0.3	-	0.1
	0.2	0.4	0.5	15.8	-	-	1.3	0.2	2.5	2.9	0.3	-	0.1
	0.8	1.1	0.8	6.0	-	-	-	0.1	2.7	0.7	-	0.1	
京都 大阪 兵庫 奈良 和歌	1.0	1.2	-	1.0	0.1	0.1	0.1	-	0.0	3.3	0.9	0.0	0.3
	0.2	0.2	0.5	1.1	0.0	-	-	0.0	1.3	4.0	0.8	0.3	0.5
	0.4	0.2	0.5	1.6	-	-	-	-	0.8	3.0	0.5	0.1	0.4
	0.6	0.0	0.7	4.2	2.3	-	-	-	0.4	3.0	0.8	0.1	0.5
	0.5	0.2	0.5	0.4	-	-	-	0.1	5.8	4.7	1.2	0.1	0.2
鳥取 島根 広島 山口	1.3	1.2	2.1	-	-	-	-	-	0.5	0.1	-	0.1	
	0.4	0.1	1.3	-	-	-	-	-	1.6	2.1	0.5	1.3	0.2
	0.2	0.2	0.4	3.2	-	0.1	0.2	0.2	1.1	3.4	0.8	0.3	0.3
	0.6	0.1	0.2	0.5	-	-	-	0.1	0.1	3.9	0.6	0.0	0.2
	1.1	0.2	2.3	0.6	-	-	-	-	0.7	1.9	0.5	0.5	0.2
徳島 香川 愛媛 高知 福岡	0.8	0.1	0.7	5.1	-	0.5	-	0.1	1.2	5.4	1.1	0.1	0.3
	0.3	0.4	0.3	4.4	-	-	0.1	0.1	1.0	2.9	0.5	0.2	0.3
	0.8	0.1	0.5	1.0	-	-	-	0.1	2.9	0.5	0.2	0.2	
	1.2	-	0.2	-	-	-	4.7	-	-	1.0	-	-	0.1
	0.6	0.5	0.7	-	-	-	-	-	0.6	3.2	0.3	-	0.6
佐賀 長崎 熊本 大分 宮崎 鹿児 島	0.3	0.4	0.4	-	-	-	-	-	0.2	1.8	0.1	-	0.2
	0.6	0.4	1.0	1.9	-	-	0.1	-	0.7	3.7	0.1	-	0.3
	0.8	0.5	0.7	-	-	-	-	-	0.1	3.6	1.8	-	0.5
	0.2	0.1	0.4	3.6	0.7	-	-	0.1	0.8	3.0	0.8	0.0	0.2
	0.2	0.4	0.9	-	0.2	0.2	-	-	1.7	3.9	0.4	-	0.1
	0.9	0.5	0.5	-	-	-	-	-	0.4	1.7	1.2	-	0.2

108頁の(注)を参照のこと。

異常被患率(一般検診)

その他の耳疾	鼻およびいん頭			伝皮 染膚性疾 患	心臓 の疾患	精神 薄弱	身体 虚弱	運動 機能害	寄生虫 病	歯					
	蓄 瘻 のう 症	ア イ デ ノ ド	へ せ ん 肥 と う 大							む し 計	歯 齶 処 了 置 者	未 歯 歯 處 置 者	その他の歯		
0.5	0.4	0.7	10.1	2.7	0.5	0.3	0.1	0.1	0.4	0.7	89.1	5.9	83.2	0.4	
-	0.2	0.0	10.5	2.9	0.8	0.4	-	0.1	-	-	1.5	93.2	2.4	90.8	-
0.3	0.1	0.4	9.7	0.8	0.2	0.1	-	-	-	-	0.4	93.7	2.3	91.4	-
1.0	0.5	0.7	11.0	5.1	0.7	0.1	0.0	-	0.0	0.1	0.7	93.0	2.5	90.5	0.0
0.2	0.3	0.7	10.4	0.6	0.2	0.1	0.0	0.0	0.1	-	0.9	91.7	6.4	85.3	0.0
0.3	-	0.0	11.7	1.3	0.4	0.2	0.1	-	0.0	0.0	0.9	96.4	4.3	92.1	0.6
0.4	0.5	1.0	7.4	2.0	0.4	0.1	-	0.1	0.1	0.2	0.2	89.5	4.8	84.7	0.4
0.1	0.1	0.1	7.9	0.5	0.4	-	0.1	0.1	-	0.2	0.2	93.9	1.8	92.1	0.2
0.0	0.1	0.3	7.5	1.2	0.4	-	0.2	-	0.2	0.1	0.3	93.6	1.4	92.2	0.1
0.6	0.1	0.4	16.9	0.9	0.7	0.0	-	-	-	0.5	0.1	91.6	5.1	86.5	1.8
0.4	-	1.3	15.2	1.0	0.5	0.2	-	0.0	0.1	0.4	0.4	90.7	6.2	84.5	0.2
0.5	0.1	0.5	8.9	2.7	0.2	-	0.1	0.1	-	0.3	0.3	86.8	4.2	82.6	-
1.5	0.1	0.7	11.7	1.1	0.2	0.1	0.0	0.0	0.0	0.2	0.2	90.0	3.5	86.5	0.5
0.4	0.4	0.8	12.6	2.9	0.6	0.2	0.0	0.1	0.1	0.3	0.8	91.5	9.0	82.5	1.2
0.3	0.1	0.2	12.2	2.1	1.0	0.2	0.0	0.1	0.0	-	0.2	89.2	13.7	75.5	0.3
-	0.0	0.3	11.4	0.9	0.4	0.4	-	0.							

第10表 都道府県別疾患

(3) 小学校一男

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色神異常	トボラム	結膜炎	その他の眼疾	難聴(両耳)	中耳炎
全 国	0.6	0.6	1.1	10.5	0.3	0.2	0.2	3.0	2.3	4.0	1.1	0.5	0.5
北海道 青森 岩手 宮城 秋田	0.1	0.4	1.1	14.1	0.1	0.1	0.6	3.2	1.6	2.7	0.3	0.3	0.1
	0.1	0.7	0.6	10.4	0.4	0.0	0.3	2.7	7.0	3.6	0.6	0.2	0.8
	0.7	0.2	1.0	13.0	0.2	0.1	0.4	2.9	7.1	3.9	1.4	0.5	0.4
	0.3	0.3	1.5	5.9	0.2	0.1	0.2	3.0	5.1	3.0	1.0	0.6	0.5
	0.4	0.2	0.3	9.1	-	0.0	0.2	2.3	4.9	3.1	0.6	0.4	0.4
山形 福島 茨城 栃木 群馬	2.7	4.2	4.4	8.3	0.1	0.2	0.2	3.2	4.5	6.3	1.3	0.2	0.3
	0.2	0.1	1.0	6.8	0.3	0.0	0.2	2.3	4.1	2.1	0.9	0.1	0.2
	0.3	0.1	1.2	8.1	0.3	0.1	0.2	2.1	0.9	1.1	0.8	0.5	0.3
	0.2	0.5	1.2	7.8	0.1	0.1	0.3	3.0	3.5	2.7	0.8	0.3	0.3
	0.5	0.6	2.0	8.0	0.5	0.2	0.3	3.4	1.3	2.2	1.1	0.3	0.5
埼玉 千葉 東京 神奈川 新潟	0.6	0.3	1.2	11.1	0.2	0.4	0.3	2.9	2.2	4.2	1.0	0.5	0.4
	0.2	0.1	1.1	9.7	0.1	0.1	0.2	2.2	1.5	6.3	1.4	0.7	0.5
	0.5	0.2	0.9	15.7	0.1	1.3	0.1	3.5	0.9	5.7	1.9	0.4	0.3
	0.3	0.2	0.7	6.9	0.1	0.2	0.3	2.2	0.5	4.0	1.0	0.4	0.4
	1.1	1.0	2.2	10.3	0.3	0.2	0.1	2.8	0.5	3.3	1.1	0.7	0.6
富山 石川 福井 長野	1.1	0.9	1.6	14.5	0.2	0.3	0.3	3.2	0.6	4.7	1.1	0.6	0.3
	0.9	0.8	1.3	13.9	0.0	0.1	0.1	3.0	1.1	3.0	0.5	0.5	0.2
	1.1	1.3	1.3	13.0	0.1	0.1	0.3	3.5	0.8	4.2	0.5	0.6	0.3
	0.9	1.3	1.8	10.5	0.0	0.1	0.2	3.7	1.4	5.4	1.2	1.4	0.4
	1.0	1.8	1.3	10.8	0.2	0.1	0.1	3.1	0.4	4.5	1.3	0.4	0.3
岐阜 静岡 愛知 三重	0.8	1.3	0.8	11.8	0.1	0.1	0.3	3.0	1.7	4.9	4.1	0.5	0.5
	0.6	0.3	0.9	11.9	0.0	0.1	0.1	3.0	1.4	3.9	0.6	0.3	0.2
	0.9	0.7	0.6	10.5	0.3	0.6	0.4	3.3	2.2	3.6	0.6	0.7	0.3
	0.7	3.0	1.3	10.3	0.1	0.0	0.3	3.8	4.5	3.3	0.5	0.4	0.5
	1.0	0.6	1.0	10.9	0.1	0.2	0.8	3.2	0.1	1.8	0.6	0.5	0.5
京都 大阪 兵庫 奈良 和歌	1.0	0.8	0.7	11.3	0.1	0.1	0.1	2.8	1.0	5.9	0.7	0.5	0.6
	1.1	1.1	1.4	15.7	0.2	0.4	0.1	3.2	1.5	5.5	1.3	0.3	0.9
	0.8	0.4	0.8	12.2	0.4	0.2	0.1	3.2	1.7	5.3	1.0	1.2	0.3
	0.7	0.3	0.5	8.9	0.2	0.1	0.1	3.5	1.5	3.1	0.4	0.5	0.4
	0.6	0.5	1.0	8.0	0.6	0.3	0.3	3.6	6.7	3.4	0.3	0.2	0.3
鳥取 島根 岡山 広島	1.1	1.0	1.5	9.3	0.1	0.2	0.2	3.0	0.8	2.2	0.5	0.6	0.3
	0.6	0.4	1.9	7.6	-	0.1	0.4	3.3	1.3	1.8	0.4	0.6	0.4
	0.4	0.5	1.8	9.8	0.1	0.1	0.3	3.2	1.2	5.4	2.2	0.7	0.5
	0.4	0.3	0.7	12.7	0.2	0.4	0.1	2.7	0.7	2.7	1.3	0.6	0.7
	1.1	0.2	0.9	10.8	0.1	0.1	0.1	3.4	1.1	2.4	1.1	0.6	0.8
徳島 香川 愛媛 高知	0.4	0.3	0.6	7.7	0.0	0.3	0.1	2.1	1.4	2.9	0.9	0.9	1.1
	0.6	0.4	0.5	10.3	0.1	0.1	0.3	3.2	1.0	3.7	1.3	0.4	0.8
	0.3	0.1	0.8	8.2	0.2	0.1	0.3	3.1	1.7	3.6	0.5	0.6	0.4
	0.3	0.7	1.1	4.8	0.1	0.0	0.1	2.4	1.3	2.1	0.3	0.4	0.4
	0.6	0.7	0.9	9.4	1.7	0.1	0.3	3.4	4.8	4.1	0.9	0.6	1.0
佐賀 長崎 熊本 大分 鹿児	0.2	0.9	0.5	6.4	0.7	0.1	0.2	3.5	2.5	4.5	1.0	1.0	1.2
	0.4	0.8	1.1	9.8	0.1	0.2	0.4	2.5	1.7	2.7	0.7	0.7	0.6
	0.4	0.3	0.8	8.8	0.0	0.0	0.2	2.7	1.3	4.6	1.2	1.3	0.9
	0.1	0.5	0.9	9.2	0.7	0.4	0.4	3.0	2.3	2.8	0.4	0.3	0.8
	0.3	0.5	1.2	5.2	0.4	0.1	0.5	2.2	2.9	4.0	2.0	0.4	0.7
	0.5	0.6	1.1	5.1	0.1	0.1	0.1	2.2	4.4	3.7	1.2	0.3	0.8

異常被患者率(一般検診)

その他の耳疾	鼻およびいん頭				伝皮染膚性疾患	心臓の疾患	精神薄弱	身体虚弱	運動機能害	寄生虫病	歯				
	薔のう症	アイデノド	へうせん大	その他の頭							計	むし歯	処完了者	未歯者	その他の歯疾
1.3	1.5	0.7	10.5	6.1	2.7	0.4	1.5	0.3	0.3	0.2	1.0	87.0	5.9	81.1	1.4
0.8	1.1	0.1	8.0	2.7	5.2	0.4	2.0	0.3	0.3	0.1	0.6	93.3	2.8	90.5	0.9
1.0	1.6	0.2	8.6	5.7	4.5	0.2	2.3	0.1	0.2	0.1	3.8	95.3	1.2	94.1	1.4
2.9	4.8	1.5	16.2	9.1	3.9	0.3	1.6	0.4	0.3	0.2	2.8	86.6	2.9	83.7	0.9
0.3	0.7	0.8	13.4	3.9	3.8	0.2	2.6	0.2	0.3	0.2	4.8	76.7	4.1	72.6	0.4
0.3	0.4	0.5	8.6	2.2	5.1	0.3	0.5	0.1	0.3	0.0	1.1	90.1	1.2	88.9	0.6
0.9	1.7	0.3	14.0	3.9	5.2	0.5	2.1	1.1	0.5	0.3	1.9	85.5	7.8	77.7	0.7
0.3	0.1	-	5.9	0.7	4.6	0.3	0.5	0.2	0.3	0.1	0.5	87.3	2.8	84.5	0.7
0.3	0.1	0.0	6.9	0.6	2.6	0.2	1.6	0.2	0.2	0.2	0.6	81.7	3.1	78.6	2.1
0.7	0.8	0.4	12.0	5.0	3.5	0.2	1.1	0.1	0.2	1.1	0.5	86.2	3.7	82.5	1.1
0.8	0.7	2.5	14.6	7.8	3.6	0.3	1.6	0.3	0.3	0.1	1.0	90.5	5.8	84.7	9.6
2.3	1.0	1.0	13.3	6.8	1.4	0.2	0.7	0.2	0.3	0.0	0.5	83.8	11.2	72.6	1.0
1.0															

第10表 都道府県別疾患

異常被患率(一般検診)

一般検診・小

(%)

(4) 小学校一女

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色神異常	トーラム	結膜炎	その他の疾		
全 国	0.6	0.5	0.7	13.1	0.2	0.2	0.2	0.2	2.8	4.7	1.1	0.4	0.3
北海道 青森 岩手 宮城 秋田	0.1	0.2	0.5	19.3	0.2	0.2	0.8	0.3	1.9	2.5	0.3	0.2	0.1
	0.2	0.4	0.5	17.7	0.2	0.0	0.2	0.6	8.9	4.5	0.9	0.2	0.6
	0.6	0.2	0.5	16.3	0.1	0.1	0.2	0.2	9.1	4.7	1.8	0.5	0.3
	0.3	0.1	0.9	7.4	0.3	0.2	0.2	0.2	6.3	3.1	0.9	0.5	0.3
	0.4	0.1	0.2	11.3	0.1	0.0	0.5	0.2	6.4	3.8	0.6	0.4	0.4
山形 福島 茨城 栃木 群馬	2.5	3.5	2.6	10.2	0.2	0.2	0.1	0.2	5.5	8.1	1.3	0.2	0.3
	0.2	0.1	0.4	8.2	0.1	0.0	0.1	0.2	5.0	2.7	0.7	0.2	0.1
	0.3	0.2	0.6	9.2	0.4	0.1	0.2	0.2	0.8	1.1	0.8	0.4	0.2
	0.1	0.4	0.7	8.6	0.1	0.1	0.3	0.2	4.8	3.6	0.9	0.3	0.2
	0.4	0.4	1.2	10.3	0.5	0.1	0.2	0.2	1.6	3.2	1.3	0.2	0.4
埼玉 千葉 東京 新宿	0.7	0.2	0.7	13.0	0.2	0.4	0.4	0.2	2.8	5.4	0.9	0.4	0.3
	0.2	0.0	0.6	11.3	0.0	0.2	0.3	0.2	2.2	7.4	1.6	0.4	0.3
	0.6	0.4	0.9	19.8	0.2	1.2	0.1	0.2	1.1	6.7	2.4	0.3	0.2
	0.4	0.2	0.3	8.8	0.1	0.1	0.2	0.1	0.9	5.5	1.2	0.3	0.3
	1.0	0.7	1.3	13.5	0.5	0.3	0.1	0.2	0.6	4.2	1.2	0.6	0.4
富山 石川 福井 長野	0.9	0.7	0.9	18.3	0.2	0.6	0.2	0.3	0.6	5.2	1.0	0.5	0.2
	0.9	0.5	0.8	16.7	0.0	0.1	0.1	0.2	1.5	4.2	0.5	0.4	0.1
	1.2	0.9	1.0	16.5	0.0	0.1	0.3	0.4	0.8	4.9	0.6	0.4	0.2
	0.8	1.0	0.8	14.8	0.2	0.1	0.1	0.2	1.8	6.4	1.2	1.6	0.2
	0.8	1.5	0.5	14.2	0.1	0.1	0.1	0.1	0.7	6.0	1.2	0.3	0.2
岐阜 静岡 愛知 三重 滋賀	0.6	0.9	0.6	14.1	0.0	0.0	0.3	0.2	2.0	6.0	4.1	0.5	0.3
	0.6	0.1	0.5	14.2	0.3	0.1	0.2	0.2	1.9	4.8	0.6	0.3	0.2
	0.9	0.7	0.5	13.2	0.3	0.6	0.4	0.2	2.8	4.7	0.8	0.3	0.2
	1.0	2.5	0.9	11.7	0.0	0.3	0.2	0.2	4.9	3.8	0.5	0.4	0.2
	0.9	0.5	0.6	12.5	0.2	0.3	1.0	0.2	0.1	2.0	0.6	0.5	0.3
京都 大阪 兵庫 奈良 和歌	1.3	0.7	0.6	14.7	0.1	0.1	0.0	0.3	1.2	6.9	0.8	0.5	0.4
	1.4	1.0	0.8	19.0	0.1	0.5	0.1	0.2	1.9	6.1	1.3	0.6	0.6
	0.7	0.2	0.6	14.2	0.1	0.2	0.1	0.2	2.2	5.6	1.2	0.9	0.2
	0.8	0.4	0.3	11.7	0.1	0.1	0.2	0.3	1.9	3.8	0.3	0.6	0.3
	0.5	0.4	0.5	10.6	0.3	0.2	0.3	0.2	8.1	4.2	0.3	0.2	0.1
鳥取 島根 広島 山口	0.8	0.6	1.4	11.2	0.1	0.3	0.2	0.2	1.0	2.3	0.6	0.5	0.2
	0.8	0.1	1.1	7.3	-	0.2	0.5	0.2	1.7	2.1	0.3	0.6	0.3
	0.5	0.4	1.2	12.2	0.1	0.2	0.3	0.1	1.8	6.3	2.0	0.6	0.4
	0.4	0.3	0.4	16.1	0.1	0.5	0.1	0.2	0.8	3.2	1.6	0.6	0.4
	1.0	0.2	0.5	14.7	0.1	0.3	0.1	0.2	1.4	2.4	1.6	0.5	0.6
徳島 香川 愛媛 高知 福岡	0.4	0.2	0.3	8.9	0.1	0.3	0.2	0.2	2.0	3.5	0.9	0.7	0.6
	0.7	0.4	0.4	13.2	0.1	0.1	0.2	0.1	1.5	4.2	1.1	0.3	0.5
	0.3	0.2	0.4	11.8	0.2	0.1	0.5	0.2	1.6	4.9	0.5	0.6	0.2
	0.3	0.3	0.6	6.0	0.1	0.0	0.1	0.2	2.1	2.7	0.3	0.3	0.2
	0.7	0.5	0.7	11.6	0.9	0.1	0.3	0.2	6.0	4.9	0.8	0.4	0.8
佐賀 長崎 熊本 大分 宮崎 鹿児 島	0.3	0.9	0.3	8.1	0.2	0.1	0.2	0.2	2.9	5.7	0.6	1.9	0.9
	0.5	0.7	0.8	12.7	0.1	0.2	0.5	0.1	1.7	3.1	0.4	0.5	0.3
	0.3	0.2	0.6	11.5	0.0	0.1	0.2	0.2	1.7	6.5	1.2	0.5	0.5
	0.2	0.3	0.5	10.7	0.6	0.4	0.3	0.4	3.2	2.4	0.3	0.2	0.6
	0.4	0.4	1.0	7.0	0.4	0.2	0.4	0.3	3.7	4.8	1.9	0.2	0.3
	0.4	0.4	0.8	5.6	0.1	0.1	0.1	0.3	5.3	4.6	1.3	0.3	0.5

108頁の(注)を参照のこと。

その耳他疾	鼻およびいん頭			伝皮	心臓	精神	身体	運動	寄生虫病	そ疾の病他異の常	歯			
	蓄のう症	アデノイド	へう肥とん大								むし歯	し歯	未歯者	その他疾
1.2	1.2	0.6	10.0	4.5	1.5	0.4	1.3	0.3	0.2	0.8	88.3	7.6	80.7	1.4
0.6	1.1	0.1	7.4	2.1	3.9	0.5	1.8	0.4	0.2	0.3	93.3	3.4	89.9	0.9
1.1	1.6	0.2	8.5	4.3	2.6	0.2	2.1	0.2	0.2	2.4	96.3	1.5	94.8	1.4
2.6	4.5	1.5	16.1	7.9	2.9	0.4	1.4	0.4	0.3	2.2	88.8	3.7	85.1	0.6
0.3	0.5	0.7	12.9	2.8	1.9	0.2	2.0	0.3	0.3	3.0	80.6	5.8	74.8	0.6
0.4	0.4	0.5	9.2	1.4	3.3	0.3	0.3	0.2	0.2	0.8	91.7	1.6	90.1	0.6
1.0	1.4	0.2	13.5	2.6	3.7	0.5	2.0	0.5	0.2	1.6	87.5	9.1	78.4	0.7
0.3	0.1	0.2	6.2	0.6	3.0	0.2	0.5	0.2	0.2	0.1	85.4	4.3	81.1	0.6
0.2	0.1	0.0	7.2	0.5	1.7	0.2	1.5	0.3	0.2	0.1	88.6	4.2	79.4	2.1
0.6	0.7	0.3	13.3	4.1	2.0	0.3	1.0	0.1	0.2	1.0	87.7	5.0	82.7	0.6
0.8	0.6	1.3	12.8	2.9	0.3	1.6	0.6	0.5	0.2	0.0	91.5	8.9	80.0	1.4
0.5	0.3	0.0	10.1	6.0	2.9	0.3	1.6	0.6	0.2	0.7	88.9	8.9	80.0	1.4
0.5	0													

第10表 都道府県別疾患

(5) 中学校一男

一般検診・中

(%)

区分	栄養 需要 注意	せき柱異常	胸郭 異常	目								耳	
				近視	遠視	乱視	弱視 (両眼)	色神異常	トボーム	結膜炎	その他の疾患	難聴 (両耳)	中耳炎
全 国	0.4	0.5	0.6	18.4	0.4	0.4	0.4	3.8	2.2	3.7	0.9	0.5	0.5
北海道 青森 岩手 宮城 秋田	0.1	0.1	0.1	22.7	0.6	0.2	0.5	2.7	0.8	1.3	0.3	0.2	0.2
	0.3	0.1	0.6	18.2	-	-	0.0	0.6	3.1	0.2	-	0.3	
	0.7	0.2	0.2	16.2	0.0	0.3	0.6	3.7	6.1	2.0	0.5	0.5	0.4
	0.5	2.2	0.4	14.1	0.1	0.7	0.1	3.4	5.3	1.4	0.8	0.7	0.3
	0.3	0.2	0.2	11.5	0.0	0.1	0.3	4.1	5.5	2.4	0.6	0.7	0.5
山形 福島 茨城 栃木 群馬	1.6	4.0	1.4	16.7	0.2	0.6	0.2	4.7	3.9	4.8	0.9	0.4	0.3
	0.2	0.2	0.4	19.6	0.2	0.2	0.2	3.6	5.2	1.8	1.0	0.3	0.3
	0.1	0.9	0.9	13.8	0.1	0.5	0.5	3.0	1.1	1.6	0.5	0.6	0.4
	0.2	0.2	0.8	9.9	0.8	0.3	0.5	3.7	2.4	4.5	1.2	1.1	0.3
	0.6	0.8	1.0	10.6	0.4	0.4	0.4	3.4	1.3	4.2	1.0	0.8	0.5
埼玉 千葉 東京 新潟	0.2	0.3	0.7	15.6	0.2	0.9	0.3	3.9	1.2	3.8	0.8	0.2	0.3
	0.2	0.2	0.6	12.7	0.2	0.2	0.3	2.9	1.2	3.9	1.0	0.5	0.3
	0.4	0.2	0.5	20.6	0.3	0.4	0.4	3.8	0.6	6.7	1.8	0.6	0.7
	0.2	0.2	0.6	19.8	0.1	0.4	0.1	4.3	0.8	5.1	1.1	0.3	0.4
	0.5	0.2	0.7	18.0	0.2	0.2	0.1	3.1	0.5	3.6	1.2	0.5	0.4
富山 石川 福井 長野	1.1	0.7	0.6	22.0	0.2	0.4	0.7	3.6	0.6	3.1	1.2	0.3	0.7
	0.5	0.2	0.6	23.2	0.0	0.3	0.2	4.2	0.9	2.3	0.3	0.3	0.2
	0.3	0.4	0.5	23.9	0.2	0.4	0.5	4.7	1.1	3.0	0.4	0.8	0.4
	1.2	0.6	1.1	17.2	0.9	1.8	0.3	4.3	1.2	4.2	0.9	0.4	0.5
	0.2	0.8	0.5	19.3	0.1	0.6	0.1	3.9	0.3	4.3	1.2	0.5	0.5
岐阜 静岡 愛知 三重	0.4	0.5	0.7	20.7	0.1	0.3	0.4	4.2	2.2	3.9	4.1	0.6	0.6
	0.2	0.5	0.7	21.6	0.6	0.4	0.2	3.5	1.4	3.3	1.2	0.5	0.6
	0.8	0.6	1.0	25.7	0.1	1.3	0.1	3.6	2.4	4.6	0.5	0.6	0.4
	0.1	0.3	0.4	11.6	0.3	0.5	0.9	4.9	4.3	1.9	0.2	0.4	0.3
	1.3	0.8	0.7	18.7	0.2	0.4	0.5	3.8	0.2	1.4	0.7	0.4	0.3
京都 大阪 兵庫 奈良 和歌	0.9	0.8	0.7	18.1	0.1	0.4	0.1	4.0	1.0	6.1	0.4	0.6	0.9
	0.9	1.1	0.4	27.8	0.3	0.7	0.3	4.5	1.7	5.2	0.8	0.2	0.6
	0.4	0.0	0.3	21.3	0.1	0.2	0.5	4.1	3.1	4.5	0.6	0.5	0.5
	0.9	0.5	0.3	19.0	0.5	0.6	0.4	4.4	1.7	3.0	0.4	0.5	0.5
	1.2	0.4	1.7	12.0	2.2	0.4	1.3	5.3	8.0	1.7	0.3	0.5	0.3
鳥取 島根 岡山 広島	0.1	0.3	0.4	19.4	0.0	0.3	0.2	3.9	0.7	1.7	1.0	0.6	0.6
	0.3	0.4	0.2	12.8	0.1	1.1	0.3	4.1	1.2	1.7	0.6	1.1	0.3
	0.1	0.2	0.4	19.9	0.0	0.9	0.2	4.2	1.7	3.5	0.7	0.8	0.5
	0.3	0.3	0.4	20.2	0.2	0.5	0.3	3.5	0.6	2.8	1.0	0.7	0.3
	0.1	0.2	0.3	18.8	0.0	0.6	0.2	3.8	1.5	2.4	0.4	0.4	0.7
徳島 香川 愛媛 高知	0.3	0.3	0.2	15.7	0.8	0.9	0.3	1.2	0.9	2.2	0.6	1.2	0.5
	0.1	0.1	0.2	21.5	0.0	0.2	0.4	4.0	1.8	3.7	1.1	0.4	1.2
	0.2	0.3	0.4	16.2	0.4	0.3	0.2	3.6	1.3	2.9	0.4	0.6	0.3
	0.3	0.3	0.4	9.1	0.2	0.1	0.5	3.2	0.9	2.0	0.5	0.4	0.2
	0.4	0.3	0.6	15.8	2.6	0.2	1.4	4.3	5.1	3.2	0.5	0.6	0.7
佐賀 長崎 熊本 大分 鹿児 島	0.1	0.2	0.4	19.1	0.2	0.2	0.1	4.4	3.2	2.5	0.7	0.5	1.7
	0.4	0.3	0.3	20.1	0.2	0.5	0.5	4.0	2.5	6.8	0.2	0.3	0.8
	0.4	0.8	0.6	10.1	0.1	-	0.4	3.2	1.5	5.5	0.6	0.7	0.6
	0.8	0.3	0.4	10.9	1.8	0.4	0.4	3.6	2.3	2.1	0.4	0.7	0.4
	0.1	0.5	0.8	13.1	0.0	0.2	0.2	3.5	5.3	2.8	0.8	0.3	0.5
	0.2	2.6	1.7	12.0	0.3	0.1	1.0	3.2	5.0	3.8	1.0	0.6	0.6

108頁の(注)を参照のこと。

異常被患率(一般検診)

その他の疾患	鼻およびいん頭				伝皮 染膚性疾患	心臓 の疾患	精神 薄弱	身体 虚弱	運動 機能害	寄生 虫病	歯			
	蓄のう症	アイデノ	へう肥 んせん大	その他の いん頭							計	むし歯 処完了	未歯者 処ある	その他疾
0.9	2.0	0.2	6.1	3.3	1.9	0.4	1.7	0.2	0.3	0.3	79.0	14.0	65.0	3.0
0.2	0.7	0.0	4.0	1.0	2.2	0.4	1.0	0.9	0.2	0.1	83.4	7.3	76.1	1.9
0.4	0.2	0.1	11.8	1.0	0.6	0.1	-	0.0	-	0.6	87.4	3.0	84.4	-
0.7	3.9	0.0	11.4	6.6	2.8	0.3	1.4	0.1	0.4	0.1	78.7	7.2	71.5	3.5
0.7	2.2	0.0	7.8	2.5	3.8	0.3	3.5	0.3	0.4	0.3	68.9	9.6	59.3	1.7
0.2	1.0	1.6	8.0	1.8	4.1	0.2	1.8	0.1	0.2	1.1	80.7	6.2	74.5	3.5
0.3	2.0	-	7.4	2.2	5.9	0.4	1.7	0.6	0.3	0.3	81.5	21.2	60.3	1.6
0.1	0.4	-	4.6	0.4	1.6	0.3	0.7	0.2	0.3	0.3	74.9	7.7	67.2	3.2
0.3	0.5	0.0	5.2	0.8	1.3	0.3	0.7	0.2	0.3	0.3	74.5	6.7	67.8	4.7
1.0	1.3	1.3	7.3	1.5	4.6	0.5	2.7	0.2	0.2	1.5	78.1	10.8	67.3	6.8
0.6	1.4	0.8	9.2	3.1	3.6	0.4	3.4	0.1	0.4	2.5	82.9	11.9	71.0	6.7
0.3	2.0	-	7.7	3.6	0.5	0.2	0.7	0.3	0.3	0.3	85.9	17.7	68.2	

第10表 都道府県別疾患

(6) 中学校一女

異常被患者率(一般検診)

(%)

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色神異常	トボラム	結膜炎	その他の眼疾	難聴(両耳)	中耳炎
全 国	0.4	0.5	0.4	22.9	0.3	0.5	0.6	0.3	2.4	3.9	0.8	0.5	0.4
北海道 青森 岩手 宮城 秋田	0.0	0.1	0.1	30.7	0.4	0.3	0.6	0.3	0.8	1.0	0.3	0.2	0.2
	0.8	0.2	0.3	23.8	0.1	0.2	0.5	0.6	5.9	3.5	1.0	0.4	0.4
	0.4	0.1	0.1	19.3	0.0	0.2	0.9	0.2	7.0	2.3	0.6	0.4	0.3
	0.3	1.9	0.4	18.3	0.2	1.1	0.2	0.2	6.0	1.8	0.9	0.7	0.3
	0.2	0.1	0.2	18.0	0.0	0.1	0.3	0.5	6.2	2.4	0.7	0.5	0.3
山形 福島 茨城 栃木 群馬	1.2	3.3	1.0	20.0	0.1	0.9	0.3	0.3	4.0	5.6	0.9	0.3	0.3
	0.1	0.2	0.8	23.4	0.2	0.1	0.2	0.4	6.9	2.1	1.1	0.1	0.1
	0.1	1.1	0.5	18.8	0.1	0.8	0.8	0.2	1.4	1.3	0.4	0.6	0.2
	0.1	0.1	0.4	14.8	0.3	0.4	0.5	0.2	2.3	5.1	1.7	0.7	0.3
	0.5	0.6	0.4	17.1	0.2	0.4	0.5	0.2	1.7	5.0	1.1	0.7	0.4
埼玉 千葉 東京 神奈川 新潟	0.2	0.2	0.2	20.2	0.1	0.7	0.4	0.2	1.3	4.3	0.8	0.1	0.3
	0.2	0.1	0.3	24.5	0.1	0.4	0.3	0.2	1.2	4.7	1.1	0.4	0.4
	0.6	0.1	0.2	24.1	0.3	0.7	0.4	0.2	0.6	7.5	1.3	0.6	0.5
	0.2	0.2	0.4	22.6	0.0	0.8	0.1	0.1	1.0	5.5	1.2	0.3	0.4
	0.6	0.1	0.3	21.4	0.1	0.2	0.2	0.2	0.6	4.1	1.1	0.5	0.3
富山 石川 福井 山梨 長野	1.2	0.7	0.4	26.2	0.2	0.6	0.7	0.3	0.5	3.8	1.2	0.3	0.3
	0.4	0.1	0.2	26.6	0.0	0.0	0.4	0.4	0.8	2.6	0.1	0.0	0.1
	0.3	0.5	1.2	26.7	0.2	0.7	0.5	0.6	1.4	3.2	0.4	0.6	0.3
	1.0	0.4	0.5	17.9	0.6	1.7	0.2	0.6	1.3	5.2	0.8	0.4	0.3
	0.5	1.0	0.2	24.4	0.1	0.6	0.2	0.2	0.4	4.5	0.9	0.4	0.3
岐阜 静岡 愛知 三重 滋賀	0.4	0.8	0.8	23.7	0.0	0.1	0.3	0.2	2.1	4.2	4.0	0.5	0.4
	0.2	0.3	0.5	27.3	0.3	0.2	0.2	0.2	1.5	3.4	1.0	0.2	0.5
	0.9	0.5	0.6	28.6	0.1	1.0	0.0	0.2	2.5	4.7	0.5	0.4	0.3
	0.1	0.4	0.2	14.3	0.2	0.5	1.1	0.3	4.5	2.1	0.2	0.2	0.3
	1.0	0.7	0.5	20.8	0.1	0.5	0.5	0.4	0.2	1.2	0.6	0.2	0.2
京都 大阪 兵庫 奈良 和歌	0.6	0.9	0.4	21.1	0.0	0.7	0.1	0.2	0.9	6.8	0.4	0.6	0.7
	0.9	0.5	0.7	22.2	0.4	0.8	0.7	0.3	1.7	5.3	0.8	0.7	0.5
	0.2	0.0	0.2	20.8	0.1	0.1	0.5	0.2	2.3	3.9	0.5	0.4	0.3
	0.6	0.5	0.2	22.8	0.6	0.6	0.4	0.2	1.4	3.1	0.4	0.6	0.3
	0.8	0.2	0.3	16.3	2.2	1.1	1.6	0.2	8.0	1.4	0.4	0.6	0.3
鳥取 島根 岡山 広島 山口	0.2	0.5	0.2	22.6	-	0.5	0.1	0.2	0.6	1.6	0.7	0.4	0.3
	0.4	0.3	0.4	17.2	0.1	1.6	0.3	0.3	1.5	1.7	0.7	0.5	0.4
	0.2	0.1	0.2	25.6	0.0	1.0	0.2	0.3	1.6	3.6	0.7	0.8	0.4
	0.4	0.3	0.2	27.7	0.4	0.7	0.2	0.3	0.5	2.9	1.0	0.5	0.2
	0.2	0.2	0.1	25.4	0.0	0.7	0.8	0.2	1.5	2.3	0.3	0.4	0.4
徳島 香川 愛媛 高知 福岡	0.2	0.2	0.2	20.6	0.6	0.7	0.3	0.3	0.9	2.0	0.7	0.9	0.5
	0.1	0.1	0.1	29.5	0.0	0.2	0.5	0.4	1.8	3.9	0.9	0.5	1.1
	0.3	0.2	0.4	22.1	0.3	0.3	0.4	0.2	1.1	3.5	0.3	0.7	0.3
	0.1	0.2	0.1	12.7	0.1	0.1	0.6	0.5	1.1	2.1	0.7	0.4	0.1
	0.3	0.3	0.4	20.3	1.9	0.4	2.5	0.4	6.0	3.4	0.5	0.4	0.6
佐賀 長崎 熊本 大分 鹿児 島嶼	0.1	0.1	0.2	23.4	0.2	0.2	0.2	0.2	3.6	3.2	0.7	0.4	1.2
	0.4	0.2	0.1	22.5	0.2	0.8	0.5	0.3	2.2	6.3	0.2	0.3	0.6
	0.3	0.6	0.2	13.8	0.1	0.1	0.4	0.2	1.8	6.0	0.8	0.7	0.5
	0.4	0.2	0.2	15.9	0.9	0.3	0.7	0.6	2.3	1.7	0.2	0.5	0.2
	0.1	0.1	0.3	15.9	-	0.1	0.4	0.3	5.8	3.3	1.0	0.3	0.4
	0.1	3.2	1.4	13.3	0.0	0.0	1.2	0.4	5.9	4.3	1.0	0.4	0.4

その耳疾	鼻およびいん頭			伝皮染膚性疾患	心臓の疾患	精神薄弱	身体虚弱	運動機能害	寄生虫病	歯		
	薔のう症	アイデノド	へうんせんとん大							むし歯	処置	完了者
0.6	1.7	0.1	6.2	2.7	0.8	0.5	1.6	0.3	0.3	0.5	84.7	16.5
0.2	0.4	0.1	5.2	0.8	1.0	0.5	1.0	0.2	0.1	0.5	87.6	8.4
0.4	0.5	-	7.9	2.1	2.3	0.3	4.2	0.1	0.9	0.9	89.8	5.2
1.3	3.9	0.1	12.2	5.0	1.5	0.5	1.2	0.1	0.3	0.5	85.5	9.3
0.6	2.1	0.0	8.3	2.3	1.7	0.5	3.7	0.3	0.5	0.7	77.5	11.3
0.1	1.0	1.4	7.8	1.6	1.7	0.3	1.8	0.2	1.4	0.8	87.9	7.3
0.2	1.8	0.0	8.5	2.2	2.8	0.6	1.7	0.7	0.3	0.6	86.3	23.6
0.1	0.4	-	5.1	0.3	0.9	0.4	0.6	0.3	0.2	0.4	82.9	10.8
0.3	0.6	0.1	5.6	0.7	0.3	0.6	0.3	0.2	0.2	0.5	79.3	7.0
0.8	1.3	0.0	8.0	1.4	1.8	0.9	2.3	0.2	1.4	0.5	85.0	13.6
0.5	1.2	0.7	9.7	2.1	2.3	0.3	2.8	0.2	1.8	0.8	95.0	14.1
0.6	1.5	0.0	6.4	2.7	2.0	0.4	2.9	0.2	0.3	0.1	84.2	13.7
0.8	1.9	0.1	8.4	2.8	0.6	0.2	0.2	0.2	0.7	0.4	90.8	21.3
0.3	0.7	0.2	8.4	2.8	0.6	0.2	1.0	0.2	0.2	0.4	86.1	14.0
2.0	4.2	0.3	6.5	6.3	0.3	0.3	0.9	0.1	0			

第10表 都道府県別疾患

(7) 高等学校一男

一般検診・高

(%)

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色神異常	トーラム	結膜炎	その他の眼疾		
全 国	0.2	0.4	0.4	32.5	0.3	1.6	0.5	3.9	1.5	3.2	0.9	0.5	0.5
北海道 青森 岩手 宮城 秋田	0.1	0.1	0.2	36.2	0.1	0.6	0.5	4.1	1.6	0.9	0.3	0.8	0.2
	0.1	0.1	0.1	29.3	0.5	0.5	0.6	3.8	5.0	6.1	0.4	0.1	0.6
	-	0.2	0.2	22.3	0.2	0.3	2.8	4.3	5.8	3.5	2.9	0.2	0.5
	0.1	0.3	0.4	26.6	0.3	2.8	-	3.6	2.6	2.1	0.7	0.0	0.2
	0.1	0.2	0.3	32.0	-	-	0.1	3.3	4.9	4.2	0.6	0.0	0.4
山形 福島 茨城 栃木 群馬	0.4	1.2	0.5	34.3	1.0	2.4	0.0	5.2	2.0	5.6	0.7	0.3	0.4
	0.1	0.5	0.2	23.5	0.1	0.9	0.9	5.3	2.0	0.7	0.2	0.5	0.1
	0.0	0.3	0.3	27.7	0.2	2.8	0.0	4.6	1.2	1.7	0.5	0.3	0.3
	0.0	0.1	0.3	24.7	0.3	2.8	0.2	2.9	3.1	2.8	0.9	0.3	0.3
	0.2	0.1	0.4	28.7	0.1	2.5	0.1	4.6	0.2	2.2	1.4	0.5	0.6
埼玉 東京都 新潟	0.1	0.1	0.7	30.0	0.4	2.1	0.1	4.4	1.0	5.8	1.3	0.4	0.7
	0.3	0.3	0.5	22.4	0.0	0.7	4.7	3.1	1.1	2.7	0.9	0.5	0.2
	0.3	0.6	0.3	49.3	0.2	10.5	0.1	3.7	0.2	2.8	0.9	0.4	0.6
	0.1	0.1	0.7	31.1	-	2.1	0.1	2.5	0.6	2.6	0.5	0.3	0.3
	0.3	0.1	0.5	33.5	0.0	0.5	0.2	5.0	0.6	3.1	1.0	0.5	0.5
富山 石川 福井 長野	0.2	0.8	0.4	40.4	0.1	0.6	2.8	4.8	0.3	4.0	1.9	0.4	0.4
	0.1	0.4	0.5	46.0	0.0	-	0.9	4.8	0.4	3.4	1.6	0.1	0.4
	0.2	0.3	0.7	43.9	0.2	0.3	0.3	4.1	0.9	2.1	0.4	0.4	0.2
	1.0	0.7	0.8	32.0	-	1.1	-	5.9	1.2	4.5	1.4	0.6	0.5
	0.1	1.6	0.5	33.4	0.1	1.7	0.5	4.7	0.2	3.1	2.0	0.7	0.5
岐阜 愛知 三重 滋賀	0.0	0.1	0.2	36.8	0.7	0.7	0.2	2.5	1.5	10.5	5.3	0.3	0.2
	0.1	0.3	0.3	36.1	-	0.9	0.5	4.5	2.4	2.1	0.9	0.6	0.8
	0.3	0.5	0.4	40.1	0.5	2.8	0.2	3.6	1.5	4.0	0.5	0.6	0.6
	0.1	0.1	0.3	32.6	0.8	2.6	0.0	6.3	4.0	3.0	0.9	0.4	0.9
	0.2	0.7	0.3	35.6	0.3	1.1	0.1	3.8	-	0.3	0.3	0.7	0.5
京都市 大阪市 兵庫県 奈良 和歌山	0.4	0.1	0.5	28.7	0.0	1.2	0.2	4.4	1.0	3.2	1.9	0.9	0.6
	0.2	0.7	0.7	38.8	0.4	4.3	0.1	4.3	0.1	4.3	1.0	2.9	0.7
	0.5	0.3	0.4	39.0	0.6	1.2	0.1	4.4	1.4	5.3	0.5	0.6	0.5
	0.1	0.3	0.3	28.6	0.5	0.8	0.2	4.2	0.8	2.2	0.4	0.6	0.3
	0.4	0.4	0.3	22.4	0.2	0.0	0.1	3.1	9.6	3.8	0.9	0.3	0.5
鳥取 島根 岡山 広島	0.0	0.8	1.1	34.2	-	1.4	-	2.7	0.7	2.1	0.4	0.2	0.3
	0.3	0.1	0.7	32.1	0.7	1.8	-	4.6	1.1	1.4	1.0	0.4	0.3
	-	1.1	1.3	32.7	0.1	0.5	-	3.8	0.5	2.0	0.8	0.5	0.7
	0.1	0.3	0.4	31.7	0.1	2.2	0.1	2.8	0.2	3.6	0.5	0.2	0.8
	0.1	0.2	1.1	30.5	0.1	0.9	0.1	2.1	1.7	3.4	0.5	1.0	0.9
徳島 香川 愛媛 高知 福岡	0.0	0.1	0.2	28.7	0.2	0.5	-	4.1	0.6	2.8	1.7	0.7	1.0
	0.9	0.1	0.3	36.3	0.2	0.2	0.3	4.2	1.2	1.9	2.3	0.2	0.4
	0.0	0.6	0.4	25.1	0.8	0.2	0.1	4.0	0.9	2.6	0.0	0.3	0.2
	0.2	0.6	0.2	15.8	0.0	0.1	0.0	2.2	1.1	2.8	0.4	0.2	0.2
	0.7	0.1	0.3	26.2	0.1	0.9	1.1	3.4	2.5	2.5	0.5	1.0	0.4
佐賀 長崎 熊本 大分 宮崎 鹿児島	0.1	0.8	0.3	30.2	0.1	0.9	-	4.0	3.8	3.1	0.9	0.2	1.9
	0.0	0.1	0.5	31.8	0.0	1.0	0.1	3.2	0.8	1.7	0.8	0.3	0.5
	0.1	0.1	0.3	19.6	-	0.5	0.0	5.3	0.4	5.2	0.5	0.4	1.0
	0.1	0.1	0.3	33.8	1.0	2.0	0.6	2.7	0.6	2.4	0.2	0.1	0.2
	0.0	0.2	0.4	22.4	0.0	1.2	0.2	4.4	3.2	6.1	1.3	0.1	0.4
	0.0	2.4	0.3	18.8	-	0.0	0.5	2.8	4.5	4.5	0.9	0.2	0.5

108頁の(注)を参照のこと。高等専門学校の学生は、この高等学校の中に含めた。

異常被患者率(一般検診)

(%)

その他の疾患	鼻およびいん頭				伝皮膚性疾患	心臓の疾患	精神薄弱	身体虚弱	運動機能害	寄生虫病	歯				
	蓄のう症	アイデノ	へう肥んせん大	そ鼻の他の頭							計	むし	完了者	未歯者	
0.8	1.8	0.1	3.9	3.4	0.3	0.3	0.0	0.1	0.2	0.2	0.4	79.9	19.3	60.6	3.0
0.2	0.2	-	2.8	1.7	0.2	0.2	-	0.0	0.2	-	0.6	84.6	11.9	72.7	0.5
2.5	6.9	0.1	5.4	12.7	0.1	0.1	0.1	0.1	0.1	0.5	0.2	88.8	14.0	74.8	2.5
1.3	6.7	-	7.7	7.2	0.2	0.2	-	0.1	0.1	0.0	0.5	83.1	10.2	72.9	3.9
0.1	0.7	-	4.1	1.1	0.3	0.2	-	-	0.1	-	0.1	64.2	11.8	52.4	5.0
0.1	1.6	-	7.1	6.5	3.9	0.2	-	0.0	0.3	0.1	0.5	85.6	10.1	75.5	2.1
0.5	5.3	-	6.0	2.3	0.6	0.4	-	0.0	0.3	0.1	0.6	75.3	25.0	50.3	1.4
0.1	0.1	0.1	4.6	1.2	0.8	0.3	-	0.1	0.1	1.1	0.3	81.8	12.0	69.8	5.7
0.3	1.8	0.2	2.5	2.0	0.9	0.2	-	-	0.1	-	0.4	75.6	14.8	60.8	5.4
0.6	3.6	1.1	7.7	4.2	1.0	0.1	-	-	0.1	-	0.3	80.1	17.7	62.4	6.3
0.3	2.4	0.0	5.1	1.4	0.2	0.1	-	-	0.1	0.2	0.3	81.4	20.9	60.5	2.6
1.0	3.5	0.0	4.6	5.7	0.0	0.3	-	0.0	0.2	-	0.2	89.1			

第10表 都道府県別疾患

(8) 高等学校一女

異常被患者率(一般検診)

一般検診・高

(%)

区分	栄養要注 意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色神異常	トボラム	結膜炎	その他の疾	難聴(両耳)	中耳炎
全 国	0.2	0.3	0.1	35.6	0.5	1.9	0.4	0.2	1.0	2.4	0.7	0.3	0.4
北海道 青森 岩手 宮城 秋田	0.0	0.1	0.0	41.4	0.1	1.1	0.5	0.4	0.9	1.2	0.2	0.8	0.2
	0.1	0.1	0.1	28.6	0.2	1.7	-	0.3	2.5	3.8	0.3	0.2	1.0
	-	0.1	0.1	28.7	0.1	0.6	3.2	0.1	4.9	4.0	3.1	0.3	0.3
	0.1	0.1	0.2	30.3	0.7	0.8	0.1	0.0	4.3	2.8	0.8	0.1	0.5
	0.3	0.1	0.1	37.2	-	-	-	0.2	2.9	2.3	0.5	-	0.2
山形 福島 茨城 栃木 群馬	0.4	0.4	0.1	35.0	0.1	1.0	0.1	0.1	0.8	4.4	0.5	0.2	0.2
	-	0.1	0.1	22.3	0.2	0.4	1.2	0.2	0.7	1.2	0.2	0.2	0.3
	-	0.2	0.1	31.6	0.1	1.9	0.0	0.1	1.2	3.7	0.5	0.3	0.3
	-	0.0	0.2	28.3	0.1	0.6	0.0	0.1	2.7	3.1	1.1	0.1	0.4
	0.2	0.1	0.1	28.5	0.7	1.1	0.1	0.2	0.1	1.5	0.5	0.2	0.5
埼玉 千葉 東京 神奈 新潟	0.0	0.0	0.2	31.9	0.1	2.5	0.0	0.2	0.6	3.3	1.2	0.2	0.2
	-	-	-	35.2	0.1	0.5	3.3	0.1	1.2	3.2	0.8	0.3	0.3
	0.0	0.7	0.1	44.2	3.7	5.8	0.1	0.1	0.1	2.4	0.9	0.2	0.4
	0.0	0.1	0.1	39.2	0.2	2.5	-	0.1	0.1	1.8	0.3	0.1	0.1
	-	0.0	0.3	36.7	-	0.4	0.0	0.2	0.3	3.7	0.9	0.3	0.5
富山 石川 福井 長野	0.1	0.3	0.1	40.9	0.0	0.3	4.3	0.3	0.1	2.5	2.0	0.3	0.3
	0.1	0.2	0.1	47.5	0.1	0.2	1.3	0.1	0.2	1.6	0.8	0.1	0.4
	0.3	0.1	0.2	46.6	0.1	0.4	0.2	0.2	0.0	1.7	0.5	0.2	0.3
	0.4	0.3	0.2	37.4	0.1	3.1	-	0.3	0.4	2.6	1.0	0.3	0.5
	0.2	0.4	0.1	31.7	0.2	2.2	0.2	0.2	0.5	1.9	1.0	0.3	0.3
岐阜 静岡 愛知 三重 滋賀	0.2	0.1	0.0	29.5	0.4	0.5	0.8	0.4	1.0	1.8	0.5	0.3	0.1
	0.2	0.1	0.1	41.9	0.7	2.3	0.1	0.1	1.0	3.4	1.1	0.4	0.7
	0.1	0.5	0.2	43.5	0.3	3.6	0.1	0.1	1.6	2.7	0.7	0.4	0.3
	-	-	0.1	40.1	0.6	3.7	-	0.4	2.8	2.4	0.6	0.3	0.6
	0.1	0.1	0.1	33.4	0.2	0.7	0.1	0.2	0.0	0.2	0.1	0.3	0.3
京都 大阪 兵庫 奈良 和歌	-	0.0	0.1	30.5	0.1	1.5	0.1	0.2	0.6	1.8	0.5	0.3	0.4
	0.7	0.4	0.2	48.2	0.3	5.0	0.2	0.3	0.3	1.2	0.5	0.1	0.3
	0.2	0.0	0.1	38.9	0.5	1.3	0.2	0.2	1.0	2.8	0.6	0.3	0.2
	0.0	0.2	0.1	31.7	0.4	0.6	-	0.3	0.7	2.3	0.2	0.4	0.2
	0.0	0.0	0.0	29.6	0.1	0.2	0.0	0.2	4.5	2.6	0.4	0.4	0.5
鳥取 島根 岡山 広島 山口	0.2	0.1	0.2	30.7	0.3	1.0	0.0	0.1	0.6	2.3	0.6	0.1	0.6
	0.1	0.2	0.2	24.3	0.1	1.4	0.0	0.4	0.4	1.1	0.4	0.6	0.3
	0.1	0.3	0.5	34.0	0.0	0.7	0.3	0.3	0.4	1.1	0.4	0.6	0.2
	0.1	0.1	0.1	33.9	0.2	1.9	0.3	0.1	0.4	3.5	0.9	0.5	0.7
	0.1	0.4	0.1	35.4	0.1	1.1	0.3	0.0	1.5	1.6	0.3	0.3	0.5
徳島 香川 愛媛 高知 岡山	0.0	0.0	0.1	32.6	0.1	0.4	0.3	0.1	0.6	2.2	1.8	0.8	0.9
	0.1	-	0.0	35.8	0.1	0.0	0.3	0.2	0.3	1.4	0.8	0.3	0.1
	0.1	0.0	0.0	29.7	2.8	0.4	0.4	0.2	0.9	1.4	0.1	0.3	0.2
	0.1	0.1	0.1	24.5	0.1	0.3	0.1	0.5	0.5	1.7	0.3	0.3	0.2
	0.5	0.0	0.1	21.1	0.3	0.9	1.3	0.3	2.8	3.6	0.5	0.5	0.6
佐賀 長崎 熊本 宮崎 鹿児 島嶼	-	0.1	0.1	25.6	0.0	0.6	0.0	0.5	1.4	1.9	0.1	0.3	0.7
	0.1	1.2	0.2	36.1	0.3	0.7	0.1	0.1	0.6	0.7	0.3	0.2	0.1
	0.3	0.2	0.2	23.6	0.0	0.5	-	0.1	0.3	3.9	0.8	0.1	0.7
	0.1	-	0.1	32.2	0.5	2.1	1.5	0.3	0.5	1.2	0.3	0.6	0.2
	0.1	0.1	0.1	24.5	0.0	1.5	0.1	0.1	2.5	5.5	1.7	0.0	0.3
	0.0	0.8	0.2	18.5	-	-	1.3	0.1	3.3	6.7	1.5	0.0	0.1

108頁の(注)を参照のこと。

その耳他疾	鼻およびいん頭				伝皮 染膚 性疾 患	心臓 の疾 患	精神 薄弱	身体 虚弱	運動 機能害	寄生 虫病	歯				
	蓄 のう 症	ア デ ノ ド	へう 肥 んせ ん大	そ鼻 の他 のいん 頭							計	むし 歯	処置	完了者	未歯 者
0.4	1.3	0.1	3.8	2.3	0.1	0.4	0.0	0.1	0.1	0.2	0.5	87.4	22.8	64.6	3.0
0.0	0.2	0.0	4.6	0.8	0.1	0.3	-	0.0	0.1	-	0.7	91.0	15.5	75.5	4.4
1.8	2.2	0.1	6.1	8.4	0.0	0.6	0.0	0.2	0.1	0.3	0.2	88.3	13.9	74.4	5.9
1.3	6.6	0.0	6.7	8.2	0.0	0.1	-	0.1	0.0	0.1	0.8	85.7	14.0	71.7	2.1
0.2	1.5	-	5.9	2.3	0.0	0.2	-	0.0	0.1	-	0.0	79.8	16.9	62.9	3.5
0.3	2.1	-	6.2	1.9	0.6	0.2	-	-	0.2	0.0	0.3	89.3	6.1	83.2	0.5
0.1	2.3	0.3	3.0	1.9	0.5	0.4	-	0.1	0.3	0.2	0.2	85.7	27.2	58.5	1.7
0.1	0.3	-	2.6	0.5	0.0	0.2	-	0.1	0.1	0.4	0.3	90.8	10.7	80.1	4.6
0.7	1.2	-	3.0	1.8	-	0.3	-	-	0.2	-	0.1	78.5	16.4	62.1	2.6
0.2	3.4	0.0	5.8	8.0	0.1	0.2	-	-	0.1	-	0.2	84.9	16.0	68.9	2.8
0.4	1.4	0.1	8.9	1.6	-	0.2	-	0.0	0.1	0.4	0.4	88.6	18.1	70.5	3.3
0.3	1.3	0.1	3.6	2.4</											