

死亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

簡 単 分類番号	死 因 ・ 性			総数	0歳 ¹⁾												
I17 Rubrics ^{a)} list code	Causes of death and sex			Total	Years	1	2	3	4	1～4	0～4	5～9	10～14	15～19	20～24	25～29	
	総		数	総数T. 男女 M. F.	618.1 683.3 555.0	498.3 539.4 455.0	81.0 89.3 72.2	44.9 51.5 38.1	35.3 41.1 29.3	26.3 34.1 18.1	46.3 53.4 38.8	131.7 145.5 117.2	19.3 23.4 15.1	15.1 18.5 11.6	43.7 64.0 22.2	54.2 75.1 32.4	58.9 79.2 38.1
1	コ	レ	ラ	総数T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
2	腸	チ	フ	ス	総数T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
3	細菌性赤痢及びア メーバ症			総数T. 男女 M. F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
4	腸炎及びその他の 下痢性疾患			総数T. 男女 M. F.	0.6 0.5 0.8	1.6 1.2 2.0	0.4 0.6 0.3	0.4 0.6 0.3	0.3 0.4 0.3	0.1 0.1 —	0.3 0.4 0.2	0.5 0.5 0.5	0.1 0.1 —	0.0 0.0 —	0.0 0.0 —	— — —	0.0 0.1 —
5	呼吸系の結核			総数T. 男女 M. F.	3.2 4.8 1.6	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 0.0	0.1 0.1 0.1
6	その他の結核な (後遺症を含まない)			総数T. 男女 M. F.	0.2 0.2 0.1	— — —	0.1 0.3 —	— — —	0.1 — 0.1	— — 0.0	0.1 0.1 0.0	0.0 0.0 0.0	— — —	— — —	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.1 0.1
7	ら		い	総数T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
8	ジ	フ	テ	リ	A	総数T. 男女 M. F.	0.0 0.0 —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
9	百	日	咳	総数T. 男女 M. F.	0.0 0.0 0.0	0.5 0.3 0.8	0.1 — 0.1	— — —	— — —	— — 0.0	0.0 — 0.0	0.1 0.1 0.2	0.0 0.0 —	— — —	— — —	— — —	— — —
10	猩	紅	熱	総数T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
11	髄膜炎菌感染			総数T. 男女 M. F.	0.0 0.0 —	— — —	— — —	0.1 0.1 —	— — —	— — 0.0	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —
12	破 傷 風 (新生児破傷風を除く)			総数T. 男女 M. F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
13	敗 血 症 (新生児敗血症を除く)			総数T. 男女 M. F.	2.3 2.1 2.4	8.7 7.7 9.8	0.7 0.6 0.9	0.4 0.7 —	0.6 0.1 1.1	0.1 0.1 —	0.4 0.4 0.5	2.0 1.8 2.2	0.1 0.1 —	0.0 0.1 0.0	0.1 0.0 0.1	0.1 0.1 0.1	0.1 0.2 0.1
14	急性灰白髄炎			総数T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
15	痘		瘡	総数T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
16	麻		疹	総数T. 男女 M. F.	0.1 0.1 0.1	1.3 1.7 0.9	2.6 2.4 2.8	1.2 1.0 1.4	0.2 0.1 0.3	0.1 0.1 —	1.0 0.9 1.1	1.1 1.0 1.1	0.2 0.1 0.2	0.0 — 0.1	0.0 0.0 0.0	— — —	0.0 0.0 —
17	日	本	脳	炎	総数T. 男女 M. F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
18	ウイルス肝炎B			総数T. 男女 M. F.	0.2 0.3 0.2	0.1 0.3 —	— — —	— — —	0.1 — 0.1	— — —	0.0 — 0.0	0.0 0.1 0.0	— — —	— — —	— — —	— — —	— — —

注：1) 0歳は出生10万対の死亡率である。

Deaths

(简单分類) 別死亡率 (人口10万対)
death (the 117 rubrics list of mortality for Japan) : Japan, 1987

昭和62年

[illegible]

Note : a) 117 Rubrics list code see page 422

表5.16 性・年齢別にみた死因

Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

簡 単 分類番号	死 因 ・ 性		総数	0歳 ¹⁾	1	2	3	4	1～4	0～4	5～9	10～14	15～19	20～24	25～29
117 Rubrics ^{a)} list code	Causes of death and sex		Total	Years											
19	その他のウイルス肝 炎	総数T. 男M. 女F.	0.8 0.8 0.7	1.6 2.2 0.9	0.5 0.6 0.4	0.3 0.1 0.4	— — —	0.1 0.1 —	0.2 0.2 0.2	0.5 0.6 0.3	0.1 0.1 0.1	0.1 0.1 0.0	0.2 0.2 0.2	0.3 0.3 0.3	0.4 0.4 0.4
20	発疹チフス及びその 他のリケッチア症	総数T. 男M. 女F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
21	マ ラ リ ア	総数T. 男M. 女F.	0.0 — 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
22	梅 毒	総数T. 男M. 女F.	0.1 0.1 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
23	カ ン ジ ダ 症 (新生児カンジダ症 を除く)	総数T. 男M. 女F.	0.1 0.1 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
24	日本住血吸虫 症	総数T. 男M. 女F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
25	フ ィ ラ リ ア 症	総数T. 男M. 女F.	0.0 0.0 —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
26	その他の感染症及び 寄生虫症	総数T. 男M. 女F.	1.7 2.1 1.2	1.1 1.3 0.9	0.5 0.4 0.6	0.4 0.7 0.1	0.2 0.3 0.1	0.3 — 0.7	0.4 0.3 0.4	0.5 0.5 0.5	0.3 0.3 0.2	0.2 0.2 0.2	0.1 0.2 0.1	0.2 0.1 0.2	0.2 0.2 0.2
28-37	悪 性 新 生 物	総数T. 男M. 女F.	164.2 199.5 130.1	3.6 3.9 3.4	3.9 4.1 3.7	5.1 5.8 4.3	4.1 4.2 4.0	4.2 6.4 1.8	4.3 5.1 3.5	4.2 4.9 3.4	3.4 3.9 2.8	3.8 4.2 3.3	4.6 5.5 3.7	5.4 5.9 4.9	8.8 8.8 8.8
28	食 道	総数T. 男M. 女F.	5.5 9.3 1.8	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.1 0.0	0.0 0.1 0.0
29	胃	総数T. 男M. 女F.	39.8 50.6 29.3	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.1 0.0 0.1	0.7 0.5 0.9	1.9 1.5 2.4
30	直腸、直腸S状結 腸移行部及び肛門	総数T. 男M. 女F.	6.9 8.2 5.6	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.1 0.1 0.0	0.3 0.2 0.3
31	肝	総数T. 男M. 女F.	18.2 27.1 9.7	0.3 0.6 —	0.2 0.3 0.1	0.6 0.7 0.6	— — 0.4	0.3 0.4 0.1	0.3 0.3 0.3	0.3 0.4 0.3	0.1 0.1 0.0	0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.2 0.1	0.3 0.4 0.2
32	脾	総数T. 男M. 女F.	9.9 11.4 8.4	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.2 —
33	気管、気管支及び 肺	総数T. 男M. 女F.	26.1 38.7 13.9	— — —	— — —	— — —	— — —	0.1 — 0.1	0.0 — 0.0	0.0 — 0.0	— — —	— — —	0.0 0.0 0.0	0.1 0.1 0.1	0.4 0.4 0.3
34	乳 房	総数T. 男M. 女F.	4.3 0.1 8.5	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	0.0 — 0.1	0.3 — 0.5
35	子 宮 ²⁾	女 F.	7.5	—	—	—	—	—	—	—	—	—	0.0	0.1	0.4
36	白 血 病	総数T. 男M. 女F.	4.6 5.6 3.7	1.1 1.4 0.8	1.4 1.1 1.6	2.0 2.2 1.9	1.9 1.9 1.9	1.6 2.4 0.8	1.7 1.9 1.6	1.6 1.8 1.4	1.7 2.1 1.3	1.9 2.2 1.6	1.9 2.1 1.7	1.7 2.0 1.4	1.9 2.4 1.5

注：1) 0歳は出生10万対の死亡率である。
2) 女子人口10万対の死亡率である。

Deaths

(簡単分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan) : Japan, 1987-con.

昭和62年

[illegible]

死 亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
117 Rubrics ¹⁾ list code	Causes of death and sex	Total	Years											
37	そ の 他	総数T. 男M. 女F.	45.0 48.5 41.7	2.2 1.9 2.6	2.3 2.7 1.9	2.4 2.9 1.9	2.0 2.4 1.7	2.2 2.9 1.5	2.2 2.7 1.7	1.6 1.7 1.6	1.8 1.9 1.6	2.4 3.2 1.6	2.6 3.0 2.2	3.5 3.7 3.2
38	良性及び性質不詳の 新生物	総数T. 男M. 女F.	5.4 6.0 4.8	1.8 1.6 2.0	1.2 1.1 1.3	0.6 0.6 0.6	0.7 0.9 0.4	0.7 0.1 1.2	0.8 0.7 0.9	1.0 0.8 1.1	0.9 1.0 0.6	0.8 0.9 0.7	0.7 0.8 0.6	0.7 0.9 0.6
39	糖 尿 病	総数T. 男M. 女F.	7.5 7.1 7.9	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.2	0.3 0.4 0.2
40	栄 養 欠 乏 症	総数T. 男M. 女F.	0.4 0.4 0.3	0.5 0.7 0.3	— — —	— — —	— — —	— — —	0.1 0.1 0.1	0.0 0.1 0.1	— — —	— — —	0.0 0.0 0.1	0.0 — —
41	貧 血	総数T. 男M. 女F.	1.2 1.1 1.4	0.2 0.4 —	0.4 0.4 0.3	0.3 0.4 0.1	0.3 0.4 0.1	0.3 0.4 0.2	0.2 0.4 0.1	0.2 0.2 0.1	0.1 0.1 0.2	0.2 0.2 0.2	0.2 0.2 0.1	0.2 0.2 0.1
42	精 神 障 害	総数T. 男M. 女F.	2.4 2.3 2.4	0.1 0.1 —	0.1 0.1 0.1	0.1 0.3 —	— — —	0.1 0.1 0.0	0.1 0.1 0.0	— — —	0.0 0.1 0.1	0.1 0.2 0.1	0.1 0.2 0.1	0.2 0.2 0.3
43	髄 膜 炎	総数T. 男M. 女F.	0.4 0.5 0.4	2.9 3.2 2.6	0.4 0.4 0.4	0.4 0.3 0.4	0.1 0.1 0.1	0.1 0.2 0.3	0.2 0.8 0.7	0.1 0.1 0.0	0.0 0.0 0.0	0.1 0.1 0.0	0.1 0.1 0.0	0.1 0.1 0.1
44	中枢神経系の非炎症 性疾患	総数T. 男M. 女F.	3.9 4.2 3.6	4.5 4.9 4.1	3.8 4.7 2.8	2.5 3.2 1.9	1.8 2.1 1.5	0.9 1.3 0.5	2.2 2.8 1.7	2.7 3.2 2.1	1.0 1.1 1.0	0.8 0.9 0.8	0.8 0.9 0.8	1.1 1.1 1.1
45	急性リウマチ熱	総数T. 男M. 女F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
46	慢性リウマチ性心疾 患	総数T. 男M. 女F.	1.2 0.8 1.6	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 —
48-49	高 血 圧 性 疾 患	総数T. 男M. 女F.	8.8 6.8 10.7	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	0.1 0.1 0.1
48	高 血 圧 性 心 疾 患	総数T. 男M. 女F.	6.6 5.1 8.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	0.1 — 0.1
49	その他の高血圧性 疾患	総数T. 男M. 女F.	2.2 1.7 2.6	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —
51-52	虚 血 性 心 疾 患	総数T. 男M. 女F.	39.6 43.0 36.2	— — —	0.1 0.1 —	0.1 — —	— — —	0.0 0.0 0.0	0.0 0.0 0.0	0.0 — —	— — —	0.1 0.1 0.0	0.3 0.2 0.4	0.6 0.8 0.5
51	急 性 心 筋 梗 塞	総数T. 男M. 女F.	24.5 28.2 20.9	— — —	— — —	0.1 — —	— — —	0.0 — 0.0	0.0 — 0.0	0.0 — 0.0	— — —	0.1 0.1 0.0	0.2 0.1 0.2	0.4 0.5 0.3
52	その他の虚血性心 疾患	総数T. 男M. 女F.	15.0 14.7 15.3	— — —	0.1 0.1 —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	— — —	0.0 0.1 0.2	0.1 0.1 0.2	0.2 0.3 0.2
54-56	肺循環疾患及びその 他の型の心疾患	総数T. 男M. 女F.	77.6 77.7 77.5	17.0 17.2 16.8	4.9 5.1 4.8	2.8 2.9 2.6	1.4 1.7 1.1	1.3 1.2 1.4	2.6 2.7 2.4	5.3 5.4 5.1	1.0 1.2 0.9	1.5 1.7 1.3	2.6 3.4 2.1	5.3 7.6 2.8

注：1) 0歳は出生10万対の死亡率である。

Deaths

(簡単分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan) : Japan, 1987-con.

昭和62年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
4.7 4.9 4.5	7.7 7.4 7.9	12.4 12.2 12.7	22.1 22.1 22.1	40.9 43.6 38.3	65.4 76.4 54.7	100.2 120.6 82.6	149.1 189.4 120.4	223.8 288.3 177.3	329.9 433.3 260.3	442.2 613.4 338.6	502.3 713.1 396.2	479.4 698.4 391.2	265.4 343.5 212.9	462.8 646.4 360.9	496.8 710.0 394.9
1.1 1.1 1.1	1.4 1.7 1.2	1.8 2.2 1.5	2.6 3.0 2.3	4.1 5.1 3.1	6.8 9.0 4.7	9.4 13.1 6.1	13.8 19.3 9.8	22.8 29.9 17.7	37.2 49.7 28.8	59.1 76.1 48.7	79.5 101.3 68.6	93.7 95.3 93.1	31.2 39.3 25.8	68.0 84.2 59.1	82.9 100.0 74.8
0.4 0.5 0.4	0.8 0.9 0.6	1.4 1.9 0.9	2.9 4.0 1.7	5.4 7.9 2.9	8.9 11.8 6.1	12.7 14.8 10.8	23.1 24.3 22.2	38.5 41.8 36.2	66.8 69.9 64.6	97.6 94.0 99.8	110.0 114.8 107.6	94.6 126.6 81.8	50.8 51.5 50.4	100.9 101.9 100.3	106.3 117.3 101.1
0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.0	0.2 0.3 0.1	0.3 0.5 0.1	0.5 0.8 0.1	0.6 0.9 0.3	0.5 0.7 0.4	1.1 1.9 0.6	2.0 2.5 1.6	4.2 4.5 4.1	7.3 8.0 7.0	18.8 25.0 16.4	2.1 2.5 1.9	6.4 6.9 6.2	10.1 11.6 9.4
0.2 0.2 0.2	0.2 0.2 0.2	0.3 0.2 0.3	0.5 0.4 0.7	0.7 0.5 0.8	1.0 0.9 1.0	1.5 1.2 1.8	2.8 3.0 2.6	5.0 5.2 4.9	9.6 12.8 7.4	16.2 17.2 15.5	27.4 31.6 25.3	38.1 37.5 38.4	8.3 8.9 7.9	21.4 22.6 20.7	30.0 32.9 28.6
0.3 0.5 0.2	0.5 0.7 0.3	0.8 1.2 0.5	1.3 2.1 0.6	1.6 2.5 0.6	1.8 2.8 0.7	2.1 3.1 1.3	3.2 3.2 2.4	5.7 6.9 4.8	14.9 16.8 13.6	37.4 36.5 38.0	76.3 74.3 77.3	137.7 154.7 130.8	16.3 15.7 16.7	57.6 55.2 58.9	91.0 91.4 90.8
0.1 0.1 0.1	0.1 0.1 0.1	0.2 0.2 0.1	0.2 0.2 0.2	0.5 0.7 0.2	0.8 1.0 0.5	1.0 0.9 0.7	1.2 1.2 0.8	1.9 2.4 1.6	2.5 2.9 2.3	3.5 3.3 3.6	3.2 4.2 2.8	4.0 9.4 1.9	2.0 2.4 1.8	3.5 4.0 3.2	3.4 5.3 2.5
1.0 1.2 0.7	0.8 1.1 0.6	1.0 1.2 0.8	1.8 1.9 1.7	2.7 3.4 2.1	4.4 5.6 3.2	6.8 8.2 5.6	11.9 14.7 9.9	18.5 23.3 21.8	26.6 33.9 21.8	35.7 42.0 31.9	34.6 45.6 29.1	41.3 56.2 35.2	21.2 26.0 18.0	35.9 44.0 31.4	36.2 47.8 30.6
— — —	— — —	— — —	0.0 — 0.0	0.0 — 0.0	0.0 — 0.1	0.0 — 0.2	0.1 0.1 0.1	0.4 0.1 0.5	0.3 0.1 0.3	0.3 0.3 0.6	0.7 0.8 0.6	0.4 0.8 0.6	0.2 0.1 0.3	0.4 0.5 0.4	0.6 0.7 0.6
0.1 0.1 0.1	0.2 0.2 0.1	0.3 0.2 0.4	0.7 0.5 0.9	1.2 0.7 1.7	2.1 1.9 2.1	3.4 5.6 3.2	5.5 11.1 9.9	9.4 29.2 15.0	25.5 66.3 21.8	61.9 176.4 176.0	176.2 356.5 375.4	369.1 639.1 786.8	75.6 68.5 80.4	282.7 258.4 296.2	459.0 416.6 479.2
0.1 0.1 0.1	0.2 0.1 0.1	0.5 0.5 0.2	0.6 0.7 0.4	1.3 1.8 0.9	2.5 3.4 1.7	4.7 5.6 3.9	9.4 11.1 8.1	25.5 29.2 22.8	61.9 66.3 59.0	176.2 176.4 176.0	369.1 639.1 786.8	744.4 639.1 786.8	56.7 51.2 60.4	205.9 188.4 215.7	322.4 293.4 336.3
0.0 0.0 0.0	0.1 0.1 0.0	0.1 0.2 0.1	0.2 0.1 0.2	0.3 0.4 0.1	0.4 0.6 0.3	1.0 1.3 1.5	2.1 2.8 3.2	3.7 4.2 6.3	7.4 9.0 18.8	20.6 23.1 48.5	49.2 50.2 136.5	264.8 257.0 268.8	505.4 428.1 536.5	56.7 51.2 60.4	205.9 188.4 215.7
1.2 1.9 0.6	2.2 3.5 0.9	4.1 6.7 1.4	8.7 14.2 3.3	17.1 27.9 6.5	31.0 49.4 13.3	52.5 80.3 28.7	94.9 140.4 137.6	186.6 254.7 137.6	345.7 444.5 279.3	610.9 743.4 530.7	958.6 1 107.2 883.9	1 362.3 1 578.1 1 275.5	299.3 361.5 257.3	778.3 901.7 709.8	1 055.3 1 207.3 982.7
0.8 1.2 0.4	1.6 2.6 0.6	3.1 5.2 1.1	6.6 10.8 2.5	13.7 22.1 5.5	24.4 39.1 10.2	40.3 62.3 21.4	70.2 102.8 47.0	130.6 177.6 96.8	220.3 288.7 174.3	334.1 419.8 282.3	444.6 549.8 391.7	509.4 640.6 456.6	175.9 223.3 143.9	381.6 470.7 332.1	460.2 569.1 408.1
0.4 0.7 0.2	0.6 0.9 0.3	0.9 1.6 0.3	2.1 3.4 0.8	3.4 5.9 1.0	6.6 10.4 3.1	12.2 17.9 7.3	24.7 37.6 15.5	56.0 77.1 40.9	125.4 155.7 104.9	276.8 323.6 248.4	514.0 557.4 492.1	852.9 937.5 818.9	123.4 138.2 113.4	396.7 431.0 377.7	595.2 638.2 574.6
7.4 10.4 4.3	10.2 14.9 5.5	14.9 21.5 8.3	22.9 33.0 13.0	34.4 49.9 19.2	53.4 76.6 31.1	81.5 112.1 55.1	135.5 180.9 103.2	271.0 346.1 216.9	579.7 709.4 492.5	1 205.6 1 424.6 1 073.1	2 319.6 2 659.5 2 148.6	4 217.9 4 564.1 4 078.6	574.0 634.9 533.0	1 796.4 1 984.2 1 692.3	2 774.3 3 064.5 2 635.7

死 亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
117 Rubrics ^{a)} list code	Causes of death and sex	Total	Years											
54	心内膜の慢性疾患 総数T. 男M. 女F.	2.9 2.4 3.5	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.1 0.1 0.0	0.1 0.1 0.1	0.1 0.1 0.0	0.1 0.1 0.0
55	心 不 全 総数T. 男M. 女F.	65.7 65.8 65.7	11.3 12.0 10.5	3.7 4.2 3.1	1.9 2.3 1.4	1.0 1.1 1.0	0.7 0.8 0.7	1.8 2.1 1.5	3.6 3.9 3.2	0.6 0.7 0.5	0.9 1.0 0.8	1.9 2.5 1.2	2.4 3.4 1.4	4.3 6.4 2.0
56	その他の心疾患 総数T. 男M. 女F.	9.0 9.6 8.4	5.7 5.2 6.3	1.2 0.8 1.6	0.8 0.6 1.2	0.4 0.7 0.1	0.5 0.4 0.7	0.7 0.6 0.9	1.7 1.5 1.9	0.4 0.4 0.3	0.5 0.6 0.5	0.7 0.9 0.7	0.9 1.2 0.7	0.9 1.1 0.8
58-60	脳 血 管 疾 患 総数T. 男M. 女F.	101.7 98.4 105.0	2.6 2.2 3.1	0.7 1.0 0.4	0.5 0.4 0.6	0.2 0.3 0.1	0.1 0.1 —	0.4 0.4 0.3	0.8 0.8 0.8	0.2 0.1 0.3	0.3 0.4 0.2	0.4 0.5 0.3	0.8 0.9 0.7	1.6 2.0 1.3
58	脳 出 血 総数T. 男M. 女F.	27.0 29.0 25.1	2.2 1.6 2.9	0.6 0.7 0.4	0.3 0.3 0.3	0.2 0.3 0.1	0.1 0.1 —	0.3 0.3 0.2	0.6 0.6 0.7	0.2 0.1 0.2	0.2 0.3 0.1	0.3 0.3 0.2	0.3 0.2 0.5	0.8 1.0 0.5
59	脳 梗 塞 総数T. 男M. 女F.	51.4 49.8 53.0	— — —	0.1 0.1 —	0.1 0.1 —	— — —	— — —	0.0 0.1 —	0.0 0.1 —	— — —	0.0 0.1 0.0	0.1 0.1 0.2	0.1 0.1 0.2	0.2 0.2 0.2
60	その他の脳血管疾患 総数T. 男M. 女F.	23.3 19.6 26.9	0.4 0.6 0.2	0.1 0.1 —	0.1 — —	— — —	— — —	0.1 0.0 0.1	0.1 0.0 0.1	0.1 0.0 0.1	0.1 0.1 0.1	0.3 0.4 0.2	0.7 0.8 0.6	0.7 0.8 0.6
61	循環系のその他の疾患 総数T. 男M. 女F.	6.0 6.8 5.3	0.5 0.9 0.2	0.2 0.1 0.3	0.3 0.3 0.3	0.1 — —	— — —	0.2 0.1 0.2	0.2 0.2 0.2	0.0 0.0 0.0	0.0 0.1 0.0	0.1 0.1 0.1	0.2 0.0 0.1	0.2 0.3 0.1
62	急性気管支炎 総数T. 男M. 女F.	0.9 1.0 0.9	0.4 0.3 0.6	0.3 0.1 0.4	0.2 0.4 —	0.1 0.1 0.1	0.1 0.1 —	0.2 0.2 0.1	0.2 0.2 0.2	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.1 — 0.1	0.1 — 0.1
63	肺 炎 総数T. 男M. 女F.	40.3 46.8 34.1	12.8 15.5 9.9	5.0 5.8 4.2	2.3 2.5 2.2	1.4 1.7 1.1	1.2 1.4 1.0	2.4 2.8 2.1	4.4 5.2 3.5	0.5 0.7 0.4	0.4 0.5 0.4	0.5 0.8 0.3	0.6 0.6 0.7	1.0 1.1 1.0
64	インフルエンザ 総数T. 男M. 女F.	0.1 0.1 0.1	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — —	— — —	— — —	— — —	— — —	— — —
66-68	気管支炎、肺気腫及び喘息 総数T. 男M. 女F.	11.2 14.6 7.9	1.0 0.9 1.1	1.4 1.8 0.9	0.7 1.0 0.4	0.5 0.4 0.6	0.5 0.5 0.4	0.7 0.9 0.6	0.8 0.9 0.7	0.5 0.5 0.5	0.6 0.8 0.4	0.6 0.9 0.3	0.9 1.1 0.7	0.8 1.0 0.6
66	気 管 支 炎 総数T. 男M. 女F.	3.6 4.4 2.8	0.4 0.6 0.3	0.4 0.3 0.6	0.4 0.4 0.3	0.1 — 0.1	0.1 0.1 0.1	0.2 0.2 0.3	0.3 0.3 0.3	0.1 0.1 0.0	0.1 0.1 0.1	0.0 0.0 0.0	0.1 — 0.1	0.1 — 0.1
67	肺 気 腫 総数T. 男M. 女F.	2.7 4.4 1.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	— — —
68	喘 息 総数T. 男M. 女F.	5.0 5.8 4.1	0.5 0.3 0.8	0.9 1.6 0.3	0.4 0.6 0.1	0.4 0.4 0.4	0.3 0.4 0.3	0.5 0.7 0.3	0.5 0.6 0.4	0.4 0.4 0.4	0.5 0.7 0.3	0.6 0.9 0.7	0.9 1.1 0.7	0.7 0.9 0.5
69	胃及び十二指腸潰瘍 総数T. 男M. 女F.	3.2 3.5 2.9	— — —	— — —	0.1 — 0.1	— — —	— — —	0.0 0.0 0.0	0.0 0.0 0.0	— — —	— — —	0.0 0.0 0.0	0.0 0.1 0.0	0.1 0.2 —
70	虫 垂 炎 総数T. 男M. 女F.	0.1 0.1 0.1	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — —	— — —	— — —	— — —	— — —	— — —
71	腹腔ヘルニア及び腸閉塞 総数T. 男M. 女F.	2.3 2.0 2.5	1.0 1.2 0.8	0.4 0.7 0.1	— — —	— — —	0.1 — —	0.1 0.2 0.1	0.3 0.4 0.0	0.0 — 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.0 0.1	0.1 0.0 0.2

注：1) 0歳は出生10万対の死亡率である。

Deaths

(簡単分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan) : Japan, 1987-con.

昭和62年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
0.2 0.2 0.1	0.3 0.3 0.3	0.5 0.5 0.4	0.9 0.8 0.9	1.5 1.5 1.5	2.8 3.1 2.4	4.2 4.1 4.3	8.4 8.6 8.3	13.5 13.1 13.8	22.9 24.7 21.6	40.5 34.4 44.2	66.8 58.6 70.9	96.0 93.7 96.9	21.1 19.2 22.4	53.0 45.2 57.4	73.8 66.1 77.5
6.0 8.6 3.4	8.1 12.0 4.1	12.1 17.8 6.4	18.8 27.9 9.9	27.8 41.5 14.4	43.2 63.4 23.9	65.8 92.6 42.8	107.6 146.8 79.7	222.4 288.0 175.2	492.5 603.2 418.0	1 042.9 1 234.9 926.7	2 034.5 2 320.7 1 890.4	3 802.7 4 060.9 3 698.7	492.2 543.0 458.1	1 575.8 1 731.7 1 489.4	2 458.0 2 690.7 2 346.8
1.2 1.6 0.8	1.9 2.5 1.2	2.3 3.2 1.5	3.2 4.3 2.2	5.1 6.9 3.3	7.4 10.1 4.7	11.4 15.4 8.0	19.5 25.5 15.3	35.0 45.0 27.8	64.4 81.5 52.9	122.3 155.2 102.3	218.4 280.2 187.3	319.3 409.4 283.0	60.6 72.6 52.5	167.6 207.3 145.5	242.5 307.6 211.4
3.3 3.9 2.6	7.5 10.0 5.0	17.0 21.8 12.1	28.5 36.4 20.6	50.0 63.9 36.3	75.1 99.2 51.9	108.1 140.7 80.0	194.6 254.4 152.1	406.4 506.7 334.2	860.0 1 042.7 736.9	1 678.3 1 939.9 1 519.9	2 842.8 3 075.5 2 725.7	4 122.9 4 400.0 4 011.3	769.9 847.3 717.9	2 232.3 2 423.6 2 126.2	3 149.4 3 357.1 3 050.2
1.5 1.9 1.1	3.6 5.2 2.0	8.6 12.0 5.2	14.7 21.0 8.5	26.4 36.8 16.3	38.0 53.7 23.0	45.9 63.8 30.5	70.1 96.6 51.3	116.7 147.8 94.3	202.3 235.3 180.1	316.2 348.5 296.7	470.6 498.3 455.7	575.8 598.4 566.7	168.7 191.1 153.7	383.9 406.9 371.1	495.8 519.6 484.4
0.3 0.2 0.3	0.5 0.6 0.4	1.2 1.5 0.9	2.6 3.2 1.9	6.5 9.1 4.0	14.6 20.8 8.7	33.4 48.0 20.9	78.1 112.8 53.4	206.0 279.7 152.9	495.3 638.9 398.8	1 030.0 1 245.8 899.5	1 752.1 1 958.6 1 648.2	2 515.2 2 751.6 2 420.1	440.3 505.8 396.3	1 370.8 1 546.6 1 273.3	1 934.9 2 127.2 1 843.0
1.5 1.8 1.3	3.4 4.3 2.6	7.2 8.4 6.0	11.2 12.2 10.2	17.0 18.1 16.0	22.4 24.7 20.2	28.8 29.0 28.6	46.4 45.0 47.3	83.7 79.2 87.0	162.3 168.5 158.0	332.0 345.6 323.7	620.1 618.6 620.8	1 031.8 1 050.0 1 024.5	160.9 150.4 168.0	477.6 470.1 481.8	718.7 710.3 722.7
0.2 0.3 0.2	0.6 0.8 0.4	1.0 1.5 0.5	1.3 2.0 0.6	2.3 3.4 1.3	3.8 6.0 1.7	7.8 12.3 4.0	12.9 21.0 7.2	25.3 37.8 16.4	47.4 70.8 31.6	89.0 119.3 70.6	168.1 201.3 151.4	319.7 348.4 308.2	45.7 58.7 37.0	132.4 157.9 118.3	204.4 232.6 191.0
0.0 — 0.0	0.0 0.0 0.0	0.0 — 0.0	0.0 0.1 0.0	0.1 0.1 0.0	0.2 0.4 0.1	0.3 0.5 0.2	1.2 2.0 0.6	1.9 2.7 1.4	5.0 7.9 3.0	16.4 22.0 12.9	43.8 57.8 36.7	113.0 148.4 98.7	8.1 9.8 6.9	32.9 40.8 28.6	60.4 77.1 52.4
1.2 1.1 1.3	1.2 1.5 0.9	2.0 2.9 1.1	3.4 4.6 2.1	6.6 9.7 3.6	11.9 18.1 6.1	24.2 36.1 13.9	58.0 93.6 32.7	147.9 234.9 85.3	357.9 548.0 230.2	754.5 1 140.6 520.8	1 422.3 2 096.2 1 083.2	2 416.1 3 340.6 2 044.0	338.0 469.4 249.6	1 095.7 1 557.0 839.7	1 660.4 2 360.8 1 325.7
— — —	0.0 0.0 —	— — —	— — —	0.0 0.0 0.0	0.0 0.1 0.0	0.1 0.1 0.1	0.1 0.2 0.1	0.2 0.1 0.2	0.7 0.8 0.7	1.9 1.7 2.0	4.0 5.1 3.4	8.5 9.4 8.2	0.8 0.8 0.8	3.1 3.2 3.0	5.0 6.0 4.6
0.7 0.9 0.5	1.0 1.2 0.8	1.1 1.2 1.0	2.0 2.2 1.9	3.5 4.0 3.0	5.7 7.7 3.7	10.8 15.5 6.7	23.1 35.3 14.4	49.3 80.0 27.2	104.7 180.2 54.1	186.6 332.7 98.1	290.8 509.7 180.7	388.3 640.6 286.8	86.6 138.6 51.5	234.6 402.6 141.4	314.2 537.5 207.5
0.1 0.1 0.0	0.1 0.1 0.0	0.1 0.1 0.0	0.2 0.2 0.2	0.5 0.6 0.3	0.7 1.0 0.3	1.7 2.1 1.3	4.6 6.6 3.2	11.9 18.7 6.9	33.8 55.3 19.3	70.3 117.2 42.0	137.7 224.9 93.8	208.5 348.4 152.2	30.8 45.9 20.6	102.1 162.9 68.4	154.7 251.2 108.6
0.0 0.0 —	0.0 — 0.0	0.0 0.0 0.0	0.1 0.1 —	0.2 0.4 0.0	0.3 0.4 0.2	0.8 1.4 0.6	2.5 4.6 2.6	7.3 13.9 2.6	16.1 31.6 5.0	32.5 67.5 9.0	48.3 104.5 14.4	48.9 118.6 13.8	45.7 104.7 22.0	22.6 45.6 7.1	48.3 108.3 15.0
0.6 0.8 0.4	0.9 1.1 0.7	1.0 1.1 1.0	1.7 1.8 1.7	2.9 3.1 2.7	4.2 5.3 3.2	6.6 8.8 4.8	11.2 14.8 8.6	21.3 29.7 15.3	38.5 57.4 25.8	67.9 111.0 41.8	104.2 166.2 73.0	134.1 187.5 112.6	33.2 47.1 23.9	84.3 131.4 58.1	111.4 170.8 83.0
0.2 0.4 —	0.4 0.5 0.2	0.5 0.7 0.3	0.7 1.2 0.2	1.7 2.9 0.5	2.3 3.9 0.8	4.2 6.4 2.3	5.8 8.6 3.8	12.0 18.0 7.7	24.7 32.9 19.2	50.8 60.4 45.0	94.6 104.2 89.8	139.5 142.2 138.4	23.6 27.8 20.8	71.4 78.1 67.6	105.4 112.3 102.1
0.0 0.0 —	0.0 0.0 0.0	0.0 0.1 —	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.1	0.0 0.0 0.1	0.0 0.0 0.1	0.2 0.4 0.1	0.8 1.2 0.6	1.5 2.1 1.1	1.4 2.1 1.1	3.1 6.2 1.9	0.6 0.9 0.4	1.6 2.4 1.2	1.8 3.0 1.3
0.1 0.1 0.0	0.3 0.2 0.2	0.5 0.5 0.4	0.8 0.8 0.8	1.2 1.6 1.8	2.6 3.5 3.6	4.4 5.6 3.6	9.7 12.0 8.1	20.1 23.7 17.6	37.2 46.1 37.8	57.9 62.0 55.8	92.4 78.1 98.1	17.3 17.9 16.8	48.1 46.1 49.2	66.2 65.4 66.5	

210

Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

注： 1) 0歳は出生10万対の死亡率である。
2) 女子人口10万対の死亡率である。
3) 男子人口10万対の死亡率である。

昭和62年

(簡単分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan): Japan, 1987-con.

211

死 亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
117 Rubrics ^{a)} list code	Causes of death and sex	Total	Years											
91-101	損 傷 及 び 中 毒	総数T. 男 M. 女 F.	45.8 63.2 29.0	39.2 45.2 32.9	27.0 31.9 21.9	14.9 18.6 11.0	15.1 20.0 9.9	11.7 17.0 6.9	17.0 21.6 12.2	21.2 26.0 16.1	8.3 11.3 5.1	4.3 6.1 2.3	28.9 46.0 10.9	36.2 55.0 16.6
91	頭 蓋 骨 折	総数T. 男 M. 女 F.	4.9 7.4 2.5	0.6 0.7 0.5	2.4 3.4 1.3	2.3 2.9 1.7	1.6 2.0 1.2	2.1 3.0 1.1	2.1 2.8 1.4	1.8 2.4 1.2	1.2 1.7 0.7	0.8 1.2 0.3	6.4 10.0 2.6	7.1 10.8 3.1
92	その他の骨の骨折	総数T. 男 M. 女 F.	2.4 2.7 2.1	— — —	— — —	0.1 0.3 —	0.4 0.8 —	0.3 0.7 —	0.2 0.4 —	0.2 0.4 —	0.3 0.2 —	0.1 0.2 —	2.3 3.8 0.8	2.7 3.9 1.4
93	頭 蓋 内 損 傷 (頭蓋骨折を伴うものを除く)	総数T. 男 M. 女 F.	5.8 8.5 3.3	2.5 2.7 2.1	2.5 3.2 1.8	3.0 3.6 2.5	2.9 3.7 2.1	2.7 3.8 1.6	2.8 3.6 2.0	2.7 3.4 2.0	2.0 2.6 1.2	0.8 1.2 0.4	7.1 11.5 2.3	5.4 8.6 2.1
94	胸、腹及び骨盤の 内部損傷	総数T. 男 M. 女 F.	3.4 5.4 1.5	0.4 0.1 0.8	0.9 1.3 0.6	0.8 0.8 0.7	1.5 1.9 1.1	0.7 0.9 0.5	1.0 1.2 0.7	0.9 1.0 0.7	0.8 0.9 0.7	0.2 0.1 0.2	4.7 8.0 1.3	4.8 7.8 1.8
95	開 放 創	総数T. 男 M. 女 F.	0.8 1.2 0.4	0.1 0.3 —	0.3 0.4 —	0.1 0.1 —	0.3 0.3 —	— — —	0.2 0.2 —	0.2 0.2 —	0.1 0.1 —	0.0 0.3 —	0.6 0.8 0.3	0.6 0.8 0.3
96	熱 傷	総数T. 男 M. 女 F.	1.9 2.4 1.5	1.0 1.2 0.8	1.0 1.6 0.4	1.6 2.1 1.0	0.9 1.1 0.8	0.5 0.5 0.5	1.0 1.3 0.7	1.0 1.3 0.7	0.5 0.5 0.4	0.3 0.3 0.6	1.2 1.7 0.6	1.3 1.6 1.0
97	神経及び脊髄の損 傷	総数T. 男 M. 女 F.	0.3 0.6 0.1	— — —	— — —	— — —	0.1 0.3 —	0.1 0.3 —	0.1 0.1 —	0.1 0.1 —	0.1 0.1 —	0.0 0.6 0.1	0.4 0.5 0.0	0.2 0.4 0.1
98	中毒及び毒作用	総数T. 男 M. 女 F.	4.2 5.8 2.6	0.3 0.3 0.3	0.5 0.4 0.6	0.4 0.4 0.3	0.4 0.4 0.4	0.5 0.4 0.5	0.4 0.4 0.5	0.4 0.4 0.2	0.3 0.4 0.2	0.2 0.2 0.7	3.2 4.2 2.2	4.6 7.0 2.2
99	溺 死	総数T. 男 M. 女 F.	4.9 6.2 3.7	3.3 4.8 1.8	14.5 15.7 13.3	4.5 5.5 3.5	5.4 7.9 2.8	3.4 4.8 1.9	6.9 8.4 5.2	6.2 7.7 4.6	2.2 3.4 0.9	0.8 1.3 0.2	1.6 2.6 0.6	2.3 4.1 1.0
100	窒息及び絞首	総数T. 男 M. 女 F.	11.6 15.6 7.7	17.3 20.5 13.9	1.7 2.3 1.0	0.5 0.8 0.1	0.3 0.1 0.6	0.3 0.4 0.3	0.7 0.9 0.5	3.8 4.6 3.0	0.3 0.4 0.2	0.6 0.8 0.4	2.1 3.3 0.9	5.3 8.4 1.5
101	その他の損傷	総数T. 男 M. 女 F.	5.4 7.4 3.5	13.7 14.6 12.7	3.2 3.7 2.7	1.6 2.1 1.2	1.1 1.6 0.6	0.9 1.6 0.3	1.7 2.2 1.1	3.9 4.5 3.3	0.6 0.9 0.2	0.4 0.6 0.3	2.6 4.2 0.9	3.0 4.9 1.7
E104-E117	損傷及び中毒の外因	総数T. 男 M. 女 F.	45.8 63.2 29.0	39.2 45.2 32.9	27.0 31.9 21.9	14.9 18.6 11.0	15.1 20.0 9.9	11.7 17.0 6.9	17.0 21.6 12.2	21.2 26.0 16.1	8.3 11.3 5.1	4.3 6.1 2.3	28.9 46.0 10.9	36.2 55.0 16.6
E104-E114	不慮の事故及び有害 作用	総数T. 男 M. 女 F.	23.2 33.7 13.2	30.1 36.0 24.0	23.9 28.9 18.7	13.3 16.9 9.7	12.7 17.2 7.9	10.5 15.1 5.8	15.0 19.4 10.4	17.8 22.5 12.9	7.3 10.1 4.4	3.0 4.5 1.4	22.7 38.1 6.5	12.7 21.9 3.3
E104	自動車事故	総数T. 男 M. 女 F.	10.3 15.4 5.4	1.5 1.3 1.7	3.6 4.8 2.4	4.6 5.7 3.5	5.3 6.6 3.9	5.2 7.5 2.9	4.7 6.2 3.2	4.1 5.2 2.9	3.7 4.6 2.6	1.4 2.0 0.8	20.2 34.0 5.8	16.1 27.7 4.1
E105	自動車事故以外の 交通事故	総数T. 男 M. 女 F.	1.0 1.7 0.3	0.1 0.1 —	0.7 1.3 0.1	1.0 1.7 0.3	0.4 0.8 —	0.5 0.9 0.1	0.7 1.2 0.1	0.5 1.0 0.1	0.4 0.6 0.1	0.3 0.3 0.1	0.6 1.0 0.1	0.5 0.9 0.1
E106	不慮の中毒	総数T. 男 M. 女 F.	0.6 0.8 0.4	0.1 0.3 —	0.3 0.3 0.3	0.1 — 0.1	0.1 — 0.1	0.1 — 0.1	0.1 — 0.2	0.1 — 0.1	0.1 — 0.0	0.0 — 0.0	0.2 0.2 0.2	0.5 0.7 0.2

注1) 0歳は出生10万対の死亡率である。

Deaths

(簡単分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan): Japan, 1987-con.

昭和62年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
29.2 44.4 13.8	32.6 49.3 15.8	39.9 60.6 19.3	51.7 79.4 24.3	61.3 92.5 30.7	62.0 91.7 33.4	64.8 94.0 39.8	75.2 106.9 52.6	102.3 137.9 76.6	148.6 201.2 113.3	213.7 276.1 175.9	271.2 354.0 229.5	365.0 460.9 326.4	129.2 168.8 102.6	243.8 310.4 206.9	293.7 376.7 254.0
3.4 5.4 1.3	3.7 5.4 1.9	4.4 7.1 1.7	5.4 8.7 2.2	6.3 9.0 3.5	6.2 9.9 2.5	6.6 9.9 3.7	7.0 11.7 3.7	8.7 13.2 5.5	11.3 16.9 7.5	12.1 18.6 8.2	12.4 24.1 10.1	12.1 21.2 9.6	9.3 14.6 5.8	12.2 20.0 7.9	12.4 22.6 7.5
1.2 1.9 0.5	1.0 1.5 0.6	1.3 1.8 0.8	1.7 2.5 1.0	1.8 2.9 0.8	2.1 3.1 1.1	2.1 3.3 1.1	2.8 3.7 2.3	4.4 5.2 3.8	8.9 9.5 8.4	19.5 17.4 20.8	46.2 38.8 49.9	112.6 87.5 122.6	10.6 9.4 11.4	35.6 28.2 39.6	62.1 49.2 68.3
2.8 4.4 1.1	2.8 4.3 1.4	3.9 6.1 1.7	4.8 7.3 2.4	6.9 10.8 3.1	6.9 10.5 3.4	8.9 13.5 4.9	10.8 15.7 7.2	15.9 24.1 10.1	20.4 32.7 12.1	29.5 43.7 20.9	30.1 45.6 22.3	24.2 32.8 20.8	17.6 26.2 11.8	29.2 43.4 21.3	28.7 42.9 21.9
2.8 4.2 1.5	2.8 4.6 1.1	3.5 5.6 1.4	4.2 6.7 1.6	4.3 7.3 1.4	4.5 7.3 1.8	4.6 7.5 2.1	4.7 7.7 2.6	4.9 7.8 2.9	7.4 11.3 4.8	6.4 9.6 4.4	6.5 11.0 4.2	5.4 14.1 1.9	5.6 8.9 3.4	6.3 10.3 4.1	6.2 11.6 3.7
0.7 1.3 0.2	1.0 1.6 0.4	1.0 1.7 0.4	1.3 1.9 0.6	1.5 2.1 0.9	1.4 2.2 0.8	1.0 1.3 0.5	1.2 1.3 0.5	1.1 1.8 0.7	0.8 1.0 0.7	1.0 1.0 0.9	2.0 2.5 1.7	1.3 — 1.9	1.1 — 1.9	1.3 — 1.3	1.8 2.0 1.7
1.6 2.0 1.2	1.7 2.1 1.3	2.1 2.7 1.5	2.3 3.2 1.3	2.4 3.6 1.3	2.3 3.0 1.6	2.0 2.8 1.4	2.7 3.8 1.8	3.5 4.5 2.8	7.5 9.0 6.5	11.2 16.9 7.7	14.5 21.9 10.8	17.5 28.1 13.2	5.8 7.6 4.5	12.7 19.0 9.2	15.3 23.3 11.4
0.1 0.1 —	0.2 0.3 0.0	0.2 0.3 0.1	0.3 0.5 0.1	0.3 0.6 0.0	0.4 0.6 0.2	0.8 1.4 0.2	0.8 1.9 0.3	1.1 2.4 0.2	1.3 2.5 0.5	1.4 2.8 0.5	0.8 2.5 —	1.8 4.7 0.6	1.1 2.3 0.3	1.3 2.8 0.4	1.1 3.0 0.2
4.6 7.0 2.1	4.4 6.7 2.0	5.2 8.1 2.3	6.8 10.1 3.5	7.7 11.4 4.1	6.8 9.6 4.1	6.3 8.7 5.3	5.9 6.7 4.3	7.1 8.5 6.2	7.4 8.6 6.6	8.5 10.3 7.4	7.9 9.3 7.2	6.7 10.9 5.0	7.0 8.2 6.2	8.2 10.1 7.1	7.6 9.6 6.7
2.7 4.0 1.3	3.5 4.9 2.1	3.8 5.4 2.2	4.9 7.0 2.8	5.2 7.5 3.1	5.6 7.9 3.4	7.1 9.1 5.3	7.9 10.1 6.4	12.6 13.9 11.7	18.4 19.8 17.4	27.4 28.4 26.9	33.5 35.4 32.5	35.4 60.9 25.2	15.5 16.9 14.5	29.9 32.7 28.4	33.9 40.9 30.6
6.7 10.0 3.2	8.7 13.6 3.8	11.4 17.2 5.5	16.1 25.1 7.2	19.9 29.8 10.3	20.0 28.5 11.8	18.1 24.9 12.3	21.5 27.6 17.1	27.7 33.3 23.6	38.7 48.0 32.4	54.7 65.1 48.4	56.6 78.9 45.4	49.8 76.6 39.0	32.9 40.4 27.9	54.8 69.6 46.6	55.0 78.4 43.8
2.7 4.1 1.3	2.9 4.4 1.3	3.1 4.6 1.6	4.0 6.4 1.6	4.9 7.6 2.3	5.9 9.1 2.8	7.3 11.5 3.7	9.7 15.8 5.4	15.2 23.3 9.3	26.7 41.8 16.6	42.0 62.3 29.7	60.6 84.0 48.8	98.2 128.1 86.2	22.7 32.7 15.9	52.4 72.9 41.0	69.6 93.4 58.3
29.2 44.4 13.8	32.6 49.3 15.8	39.9 60.6 19.3	51.7 79.4 24.3	61.3 92.5 30.7	62.0 91.7 33.4	64.8 94.0 39.8	75.2 106.9 52.6	102.3 137.9 76.6	148.6 201.2 113.3	213.7 276.1 175.9	271.2 354.0 229.5	365.0 460.9 326.4	129.2 168.8 102.6	243.8 310.4 206.9	293.7 376.7 254.0
11.1 18.9 3.1	11.4 18.4 4.4	14.2 23.1 5.4	18.9 30.4 7.5	24.0 38.7 9.6	27.0 43.4 11.2	32.6 52.0 16.0	39.4 62.7 22.9	57.1 86.1 36.2	89.6 130.1 62.4	134.1 183.6 104.2	186.9 246.0 157.1	290.1 346.9 267.3	77.7 108.0 57.3	163.3 212.2 136.2	211.6 267.4 184.9
5.8 9.7 1.9	5.2 8.0 2.4	6.6 10.0 3.2	8.5 12.5 4.5	9.9 14.4 5.4	11.2 16.6 6.0	13.8 19.8 8.6	16.1 23.0 11.2	21.7 31.1 15.0	29.8 41.9 21.7	31.5 44.4 23.6	34.2 53.6 24.4	17.9 35.9 10.7	23.3 33.0 16.7	31.0 46.3 22.6	30.3 49.8 21.0
0.7 1.2 0.1	0.8 1.4 0.2	0.8 1.6 0.1	1.2 2.2 0.2	1.7 3.0 0.3	1.4 2.5 0.3	2.1 3.8 0.6	1.7 3.4 0.5	2.9 4.9 1.5	1.1 1.5 0.5	1.2 1.5 0.5	1.5 2.6 1.3	1.8 2.6 1.3	2.0 3.2 1.3	0.9 1.3 1.3	1.7 2.2 1.1
0.6 1.0 0.2	0.5 0.7 0.3	0.7 1.0 0.4	0.7 1.0 0.5	1.1 1.6 0.6	1.0 1.4 0.3	1.0 1.7 0.6	1.1 1.6 0.5	1.1 1.7 0.6	1.2 1.7 0.6	1.5 2.1 0.8	1.8 2.6 1.1	2.0 3.8 1.3	0.9 1.6 1.3	1.3 1.9 1.2	1.7 3.0 1.1

死 亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
117 Rubrics ^{a)} list code	Causes of death and sex	Total	Years											
E107	不慮の墜落	総数T. 男M. 女F.	3.2 4.2 2.1	0.9 1.0 0.8	1.1 1.7 0.4	0.6 0.8 0.3	0.5 0.7 0.4	0.5 0.7 0.4	0.7 0.9 0.5	0.3 0.4 0.1	0.1 0.1 0.1	0.3 0.5 0.1	0.6 0.9 0.2	0.7 1.2 0.2
E108	火災及び火焔による不慮の事故	総数T. 男M. 女F.	0.9 1.1 0.7	0.6 0.7 0.5	0.7 1.0 0.4	1.3 1.8 0.7	1.0 0.9 0.7	0.5 0.4 0.7	0.9 1.0 0.7	0.8 1.0 0.4	0.5 0.5 0.2	0.2 0.2 0.1	0.3 0.4 0.1	0.3 0.4 0.2
E109	天 災	総数T. 男M. 女F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	0.0 0.0 0.0
E110	不慮の溺死	総数T. 男M. 女F.	2.4 3.2 1.5	2.0 3.0 0.9	12.9 14.4 11.3	4.2 5.0 3.3	4.1 6.1 2.1	2.5 3.8 1.1	5.8 7.2 4.3	1.8 2.8 0.8	0.6 1.0 0.1	0.9 1.5 0.1	0.9 1.6 0.2	1.0 1.9 0.2
E111	不慮の機械的窒息	総数T. 男M. 女F.	2.3 2.9 1.6	23.8 27.9 19.4	3.6 4.4 2.8	0.6 0.8 0.4	0.7 1.1 0.3	0.5 0.8 0.1	1.3 1.7 0.9	0.3 0.3 0.2	0.2 0.2 0.1	0.1 0.2 0.0	0.2 0.2 0.1	0.2 0.3 0.1
E112	不慮の打撲	総数T. 男M. 女F.	0.4 0.7 0.1	0.2 0.3 0.2	0.1 0.1 0.1	0.1 0.1 —	0.1 0.1 —	0.1 0.1 0.1	0.1 0.2 0.1	0.1 0.1 0.1	0.1 0.1 —	0.1 0.2 0.0	0.1 0.2 —	0.2 0.3 —
E113	工業性を主とする不慮の事故	総数T. 男M. 女F.	1.0 1.8 0.2	0.2 0.4 —	0.6 0.8 0.3	0.6 0.6 0.7	0.3 0.4 0.1	0.3 0.5 —	0.4 0.6 0.3	0.2 0.3 0.2	0.1 0.1 0.0	0.2 0.3 0.0	0.7 1.3 0.0	0.5 0.9 —
E114	その他の不慮の事故及び有害作用	総数T. 男M. 女F.	1.3 1.8 0.8	0.7 0.9 0.6	0.2 0.1 0.3	0.3 0.4 0.1	0.3 0.5 —	0.2 0.3 0.1	0.3 0.4 0.2	0.1 0.1 —	0.1 0.2 0.0	0.3 0.5 0.0	0.4 0.5 0.2	0.4 0.5 0.2
E115	自 殺	総数T. 男M. 女F.	19.6 25.6 13.8	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — —	0.7 1.0 0.4	5.1 6.4 3.7	13.8 17.7 9.7	17.5 24.6 10.4
E116	他 殺	総数T. 男M. 女F.	0.8 0.9 0.6	5.7 5.1 6.4	1.3 1.1 1.5	0.7 0.6 0.9	1.2 1.1 1.2	0.5 0.4 0.7	0.9 0.8 1.1	1.8 1.6 2.1	0.7 0.8 0.5	0.3 0.3 0.3	0.4 0.6 0.6	0.5 0.5 0.5
E117	その他の外因	総数T. 男M. 女F.	2.2 3.0 1.4	3.3 4.2 2.4	1.8 1.8 1.8	0.8 1.2 0.4	1.2 1.7 0.7	0.7 0.9 0.4	1.1 1.4 0.8	1.5 1.9 1.1	0.3 0.3 0.2	0.3 1.0 0.4	1.6 2.2 0.9	1.5 2.2 0.7
(再掲) 1-26	感染症及び寄生虫症	総数T. 男M. 女F.	9.2 11.1 7.2	14.9 14.6 15.3	5.0 4.8 5.2	2.8 3.2 2.3	1.5 0.9 2.1	0.6 0.5 0.7	2.4 2.3 2.5	4.8 4.6 4.9	0.7 0.8 0.6	0.3 0.3 0.3	0.5 0.5 0.6	0.9 1.0 0.8
5, 6	結 核	総数T. 男M. 女F.	3.3 5.0 1.7	— — —	0.1 0.3 —	— — —	0.1 — —	— — —	0.1 0.1 0.0	0.0 0.0 0.0	— — —	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.2 0.1
46, 51-52 54-56	心 疾 患	総数T. 男M. 女F.	118.4 121.5 115.4	17.0 17.2 16.8	5.0 5.2 4.8	2.8 2.9 2.7	1.4 1.7 1.1	1.3 1.2 1.4	2.6 2.7 2.5	5.3 5.5 5.2	1.0 1.2 0.9	1.5 1.7 1.4	2.7 3.7 2.5	5.9 8.5 3.3
62, 63, 66	肺炎及び気管支炎	総数T. 男M. 女F.	44.9 52.1 37.9	13.7 16.3 10.9	5.7 6.2 5.2	2.9 3.3 2.5	1.6 1.9 1.4	1.4 1.7 1.1	2.9 3.2 2.5	4.9 5.7 4.1	0.6 0.8 0.4	0.6 0.8 0.5	0.7 0.7 0.7	1.1 1.1 1.2
4, 72	胃 腸 炎	総数T. 男M. 女F.	1.4 1.2 1.7	1.6 1.2 2.0	0.5 0.7 0.3	0.4 0.6 0.3	0.3 0.4 —	0.1 0.1 —	0.3 0.4 0.2	0.6 0.6 0.5	0.1 0.1 —	0.0 0.1 0.0	0.1 0.1 0.0	0.1 0.1 0.1
79, 80	妊産婦死亡 ²⁾	女F.	0.3	—	—	—	—	—	—	—	—	0.1	0.3	1.2

注：1) 0歳は出生10万対の死亡率である。
2) 女子人口10万対の死亡率である。

Deaths

(簡単分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan): Japan, 1987-con.

昭和62年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
0.9 1.6 0.1	1.3 2.2 0.3	1.6 3.0 0.3	2.5 4.6 0.4	3.7 6.8 0.8	4.0 6.8 1.2	4.4 7.8 1.5	5.6 9.9 2.5	8.9 15.0 4.6	14.2 21.1 9.6	32.0 38.6 28.0	59.6 62.9 58.0	140.8 114.1 151.6	16.5 20.4 13.9	49.7 50.6 49.2	79.1 73.8 81.6
0.4 0.5 0.2	0.3 0.4 0.2	0.6 0.7 0.4	0.5 0.8 0.3	0.8 1.3 0.3	0.8 1.2 0.4	1.1 1.6 0.6	1.6 2.5 1.0	2.4 3.2 1.8	5.2 5.9 4.7	9.0 13.3 6.4	11.2 17.3 8.1	14.3 28.1 8.8	4.1 5.5 3.2	10.1 15.4 7.1	11.9 19.6 8.3
— — —	— — —	0.0 — —	— — —	0.0 — —	0.0 — —	0.0 — —	— — —	0.0 — —	0.0 — —	0.1 — —	0.1 — —	— — —	0.0 — —	0.1 — —	0.1 — —
0.9 1.7 0.1	1.0 1.7 0.3	1.1 2.1 0.2	1.5 2.5 0.6	1.7 2.7 0.7	2.0 3.2 0.9	2.9 4.4 1.6	3.4 5.0 2.3	6.6 8.6 5.2	11.4 14.4 9.3	17.2 19.6 15.7	22.7 26.6 20.8	25.1 45.3 17.0	8.9 11.0 7.6	19.5 23.4 17.4	23.3 30.6 19.8
0.2 0.3 0.0	0.4 0.5 0.0	0.4 0.5 0.3	0.7 0.9 0.4	1.1 1.6 0.5	1.8 2.8 0.8	2.6 4.0 1.4	4.4 6.8 2.7	8.3 13.6 4.4	17.1 28.4 9.6	26.4 43.5 16.0	36.6 57.0 25.3	53.8 85.9 40.9	13.2 20.4 8.4	31.8 50.2 21.6	40.7 63.1 30.0
0.3 0.5 0.1	0.4 0.8 0.1	0.3 0.6 0.0	0.7 1.2 0.1	0.7 1.2 0.1	1.1 2.0 0.1	0.8 1.7 0.1	0.7 1.5 0.1	0.4 0.6 0.2	0.7 1.5 0.1	0.6 1.0 0.3	0.1 0.4 —	0.9 1.6 0.6	0.5 1.1 0.1	0.5 0.9 0.3	0.3 0.7 0.2
0.9 1.8 —	0.9 1.7 —	1.2 2.3 0.2	1.5 2.7 0.2	1.8 3.4 0.3	1.8 3.5 0.3	1.5 2.9 0.2	1.8 3.8 0.4	1.2 2.5 0.3	1.8 3.3 0.8	2.2 4.1 1.0	2.0 3.1 1.7	3.6 3.1 3.8	1.7 3.3 0.7	2.3 3.6 1.5	2.4 2.7 2.2
0.5 0.7 0.2	0.6 1.0 0.2	0.8 1.3 0.2	1.1 2.0 0.4	1.5 2.6 0.7	2.0 3.4 0.8	2.4 4.3 1.4	3.0 5.3 1.9	3.4 5.2 2.1	5.5 8.0 3.8	9.5 11.4 8.3	16.1 17.3 15.5	29.1 26.6 30.2	5.5 7.3 4.4	13.1 14.1 12.6	19.2 19.3 19.2
16.3 22.9 9.5	18.4 26.8 9.9	22.3 32.5 12.0	29.1 43.6 14.7	33.3 47.6 19.2	31.6 42.9 20.7	29.0 37.3 21.8	32.1 39.1 27.2	40.0 45.8 35.9	52.0 62.8 44.8	70.2 80.9 63.7	72.3 93.7 61.6	64.6 98.4 50.9	45.5 53.6 40.1	70.3 85.6 61.8	70.5 94.7 58.9
0.5 0.7 0.3	0.8 1.2 0.5	1.0 1.3 0.6	0.9 1.2 0.6	1.0 1.4 0.6	0.6 0.8 0.4	0.4 0.7 0.5	0.7 0.9 0.7	0.9 1.1 0.9	0.8 1.1 0.7	0.8 0.9 0.7	1.3 2.5 0.6	1.3 1.6 1.3	0.8 0.9 0.8	1.0 1.4 0.8	1.3 2.3 0.8
1.4 2.0 0.8	2.0 2.9 1.0	2.5 3.7 1.3	2.8 4.2 1.4	3.0 4.8 1.3	2.8 4.6 1.2	2.8 4.4 1.5	3.0 4.4 1.9	4.2 5.2 3.6	6.2 7.2 5.5	8.6 10.7 7.3	10.7 11.8 10.2	9.0 14.1 6.9	5.1 6.3 4.4	9.2 11.2 8.1	10.3 12.3 9.4
0.9 1.2 0.7	1.6 1.9 1.4	2.3 3.1 1.5	3.7 4.9 2.5	6.7 9.2 4.2	10.6 14.8 6.5	15.7 22.5 9.9	26.4 40.4 16.4	43.5 65.1 28.0	69.1 103.8 45.7	97.3 148.5 66.2	137.4 186.1 113.0	167.3 203.1 152.8	56.4 80.7 40.1	115.1 162.6 88.7	144.6 189.7 123.0
0.1 0.2 0.1	0.4 0.6 0.2	0.7 1.0 0.4	1.5 2.3 0.7	2.8 4.5 1.1	4.7 7.2 2.2	6.6 10.8 3.0	10.6 19.0 4.5	18.4 32.4 8.4	27.0 50.7 11.2	33.2 64.0 14.5	42.5 76.4 25.5	34.1 71.9 18.9	20.9 37.4 9.7	35.9 67.9 18.2	40.5 75.4 23.8
8.7 12.4 5.0	12.6 18.5 6.5	19.3 28.5 10.1	32.3 47.7 17.1	52.7 78.6 27.3	86.5 128.0 46.7	137.4 194.8 88.0	235.9 325.4 172.2	463.1 604.9 360.9	932.4 1558.9 780.1	1825.3 2774.9 1613.7	3293.6 5778.5 3049.7	5598.2 9157.8 5373.0	880.1 1001.5 798.5	2586.2 4894.8 2415.0	3845.6 6284.4 3636.0
1.3 1.2 1.4	1.3 1.6 1.0	2.1 3.0 1.2	3.6 4.9 2.3	7.1 10.4 3.9	12.9 19.5 6.5	26.1 38.6 15.4	63.8 102.2 36.5	161.7 256.3 93.5	396.6 611.2 252.6	841.2 1279.9 575.7	1603.8 2378.9 1213.8	2737.7 3837.5 2295.0	376.9 525.1 277.1	1230.7 1760.8 936.7	1875.4 2689.0 1486.7
0.0 0.1 —	0.1 0.2 —	0.2 0.2 —	0.2 0.2 —	0.2 0.3 —	0.5 0.7 —	1.1 1.2 —	1.8 2.2 —	3.4 4.1 —	8.3 8.3 —	22.8 23.6 —	59.9 59.4 —	142.6 145.3 —	11.5 10.6 —	44.3 42.4 —	79.7 78.7 —
1.1	0.8	0.3	0.0	—	—	—	—	—	—	—	—	—	—	—	—