

死 亡

[地域別にみた死因]
[Causes of death in prefecture]

表5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	総数 Total	1 ^{b)} コレラ	2 腸チフス	3 細菌性赤痢及び症	4 腸の下痢性及びその他患	5 呼吸系の結核	6 その他(後遺症を含む) 結核	7 らい	8 ジフテリア	9 百日咳
全 国 Total	618.1	—	—	0.0	0.6	3.2	0.2	—	0.0	0.0
01 ^{a)} 北海道	592.0	—	—	—	0.4	2.5	0.2	—	—	0.0
02 青森	674.2	—	—	—	0.9	4.6	0.1	—	—	—
03 岩手	712.9	—	—	—	0.4	2.3	0.4	—	0.1	—
04 宮城	589.2	—	—	—	1.0	1.9	0.1	—	—	—
05 秋田	772.4	—	—	—	1.0	3.2	—	—	—	—
06 山形	755.0	—	—	—	0.6	2.4	0.2	—	—	—
07 福島	714.7	—	—	—	1.0	3.9	—	—	—	0.0
08 茨城	628.0	—	—	—	0.6	2.5	—	—	—	0.0
09 栃木	634.5	—	—	—	0.8	2.1	0.2	—	—	0.1
10 群馬	662.7	—	—	—	0.9	2.5	0.3	—	—	—
11 埼玉県	456.6	—	—	—	0.3	2.1	0.1	—	—	—
12 千葉県	483.0	—	—	—	0.6	2.0	0.2	—	—	0.0
13 東京都	543.0	—	—	0.0	0.3	3.1	0.2	—	—	0.0
14 神奈川県	456.2	—	—	—	0.2	2.6	0.2	—	—	—
15 新潟	705.8	—	—	—	0.9	1.5	0.0	—	—	—
16 富山	709.7	—	—	—	1.0	2.6	0.2	—	—	—
17 石川	663.1	—	—	—	1.5	3.8	0.2	—	—	—
18 福井	703.4	—	—	—	2.4	3.8	0.1	—	—	—
19 山梨	708.5	—	—	0.1	1.1	2.7	0.2	—	—	—
20 長野	729.1	—	—	—	0.6	1.9	0.2	—	—	—
21 岐阜	638.7	—	—	—	0.5	4.1	0.3	—	—	—
22 静岡県	595.4	—	—	—	0.7	3.4	0.2	—	—	—
23 愛知県	528.8	—	—	—	0.6	3.4	0.1	—	—	—
24 三重	712.4	—	—	—	1.4	3.9	—	—	—	—
25 滋賀	621.4	—	—	—	1.0	4.6	0.1	—	—	—
26 京都	661.1	—	—	—	0.6	3.8	0.3	—	—	—
27 大阪	565.9	—	—	—	0.6	3.5	0.2	—	—	0.0
28 兵庫県	641.9	—	—	—	0.9	3.7	0.2	—	—	—
29 奈良	621.2	—	—	—	0.2	2.6	0.3	—	—	—
30 和歌山	833.1	—	—	—	1.0	5.9	0.1	—	—	—
31 鳥取	782.1	—	—	—	0.5	2.0	0.5	—	—	—
32 島根	827.4	—	—	—	0.9	1.0	—	—	—	—
33 岡山	725.6	—	—	—	0.6	3.1	0.2	—	—	—
34 広島	663.2	—	—	—	0.9	2.8	0.2	—	—	—
35 山口	771.9	—	—	—	0.6	3.0	—	—	—	—
36 徳島	785.4	—	—	—	0.7	5.6	0.5	—	—	—
37 香川県	727.6	—	—	—	1.5	2.8	0.2	—	—	—
38 愛媛	751.5	—	—	—	0.7	4.1	0.1	—	—	—
39 高知県	839.0	—	—	—	1.1	4.4	—	—	—	—
40 福岡	651.1	—	—	0.0	0.5	3.6	0.1	—	—	—
41 佐賀	757.1	—	—	—	1.3	4.6	0.1	—	—	0.1
42 長門	721.5	—	—	—	0.3	4.3	0.3	—	—	—
43 熊本	731.4	—	—	—	0.7	3.6	0.2	—	—	—
44 大分	772.9	—	—	—	1.2	4.4	0.2	—	—	—
45 宮崎	705.1	—	—	—	0.6	4.4	—	—	—	—
46 鹿児島	817.1	—	—	—	1.3	3.6	0.1	—	—	0.1
47 沖縄	465.8	—	—	—	0.3	2.3	0.1	—	—	—

Deaths

(简单分類) 別死亡率 (人口10万対)

rubrics list of mortality for Japan) in each prefecture : Japan, 1987

昭和62年

10 猩 紅 熱	11 髄 膜 炎 菌 感 染	12 破 傷 風 (新生児破傷風を除く)	13 敗 血 症 (新生児敗血症を除く)	14 急 性 灰 白 髄 炎	15 痘 瘡	16 麻 疹	17 日 本 脳 炎	18 ウ ィ ル ス 肝 炎 B	19 そ の 他 の ウ ィ ル ス 炎	20 発 熱 の リ フ テ ッ ス 及 び そ の 症	21 マ ラ リ ア
—	0.0	0.0	2.3	—	—	0.1	0.0	0.2	0.8	—	0.0
—	—	0.0	1.7	—	—	0.1	—	0.2	1.2	—	—
—	—	—	2.3	—	—	0.1	—	0.2	1.0	—	—
—	—	—	2.7	—	—	—	—	0.3	1.3	—	—
—	—	0.0	0.9	—	—	—	—	0.2	0.8	—	—
—	—	—	3.1	—	—	0.2	—	0.2	1.1	—	—
—	—	—	2.3	—	—	—	—	0.2	0.9	—	—
—	—	—	1.9	—	—	0.3	—	0.3	0.7	—	—
—	—	0.0	1.6	—	—	0.1	—	0.3	0.6	—	—
—	—	—	2.1	—	—	0.1	—	0.1	0.9	—	—
—	—	—	2.7	—	—	0.1	—	0.1	0.9	—	—
—	—	0.0	1.7	—	—	0.1	—	0.1	0.5	—	—
—	—	0.0	1.5	—	—	0.0	—	0.2	0.8	—	0.0
—	—	—	2.1	—	—	0.0	—	0.2	0.6	—	—
—	—	0.0	1.6	—	—	—	—	0.2	0.6	—	—
—	—	—	2.2	—	—	0.0	—	0.1	0.4	—	—
—	—	—	4.4	—	—	—	—	0.1	0.6	—	—
—	—	—	2.0	—	—	—	—	0.4	1.0	—	—
—	—	—	2.7	—	—	—	—	0.6	1.3	—	—
—	—	—	2.6	—	—	—	—	0.5	0.7	—	—
—	—	—	1.9	—	—	—	—	0.3	0.8	—	—
—	—	—	1.2	—	—	0.1	—	0.3	0.4	—	—
—	—	0.1	2.5	—	—	—	—	0.6	1.0	—	—
—	—	—	2.0	—	—	0.0	—	0.2	0.6	—	—
—	—	0.1	2.5	—	—	0.1	—	0.1	0.7	—	—
—	—	—	2.2	—	—	0.1	—	0.3	0.6	—	—
—	—	0.0	2.5	—	—	0.2	—	0.5	0.9	—	—
—	—	—	3.3	—	—	0.2	—	0.2	0.7	—	—
—	—	—	2.9	—	—	0.1	0.0	0.2	0.6	—	—
—	—	—	2.3	—	—	—	—	0.2	1.2	—	—
—	—	—	1.7	—	—	—	—	0.1	0.6	—	—
—	—	—	1.3	—	—	—	—	0.5	0.2	—	—
—	—	—	4.0	—	—	—	—	0.1	0.8	—	—
—	—	—	2.9	—	—	0.1	—	0.2	0.8	—	—
—	—	0.1	2.1	—	—	—	—	0.2	0.7	—	—
—	—	0.1	3.7	—	—	—	—	0.3	0.9	—	—
—	—	0.1	3.5	—	—	0.1	—	0.7	1.2	—	—
—	—	—	2.7	—	—	—	—	0.3	0.7	—	—
—	—	—	3.1	—	—	0.1	—	0.2	0.7	—	—
—	—	—	3.3	—	—	0.4	—	0.5	1.0	—	—
—	—	—	2.3	—	—	0.2	0.0	0.2	0.8	—	—
—	—	—	2.8	—	—	—	0.1	0.3	1.3	—	—
—	—	—	2.8	—	—	—	—	0.1	1.0	—	—
—	—	0.1	3.0	—	—	0.1	0.1	0.4	0.6	—	—
—	—	—	2.2	—	—	0.1	—	0.9	1.0	—	—
—	0.1	0.2	1.6	—	—	0.3	—	0.3	1.0	—	—
—	—	—	2.7	—	—	—	—	0.3	1.1	—	—
—	—	—	4.2	—	—	0.4	—	0.2	1.0	—	—

Note : a) See page 34

b) 117 Rubrics list code See page 422

表5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	22 梅毒	23 （新生児カンジダ症を除く） カンジダ症	24 日本住血吸虫症	25 フィラリア症	26 その他の寄生虫症	28-37 悪性新生物	28 食道	29 胃	30 腸・直腸・肛門 直腸・直腸S状結	31 肝
全 国 Total	0.1	0.1	0.0	0.0	1.7	164.2	5.5	39.8	6.9	18.2
01 ^{a)} 北海道	0.0	0.1	—	—	1.7	166.5	6.6	35.8	6.4	14.4
02 青森	—	—	—	—	1.5	172.8	7.2	42.6	7.6	15.1
03 岩手	—	0.2	—	—	1.9	175.9	5.4	39.9	8.5	12.4
04 宮城	0.0	0.1	—	—	1.5	159.5	9.9	36.8	7.6	10.5
05 秋田	0.2	—	—	—	1.9	213.8	10.5	57.2	11.1	14.6
06 山形	0.1	0.1	—	—	1.3	197.3	8.2	58.8	7.9	14.0
07 福島	—	0.1	—	—	1.4	185.3	7.3	48.1	9.0	13.3
08 茨城	0.2	—	—	—	1.6	157.8	6.9	42.7	6.8	14.2
09 栃木	0.1	0.1	—	—	1.4	149.6	6.4	42.0	6.9	14.6
10 群馬	0.2	—	—	—	1.3	157.7	6.2	42.7	8.0	15.8
11 埼玉県	0.1	0.0	—	—	1.5	120.8	4.6	32.3	5.5	11.6
12 千葉県	—	0.0	—	—	1.0	132.3	4.9	34.8	5.6	13.0
13 東京都	0.1	0.1	0.0	—	2.0	156.4	6.6	36.6	6.1	16.1
14 神奈川県	0.1	0.0	—	—	1.6	130.8	4.8	31.8	5.6	13.6
15 新潟	0.0	—	—	—	1.7	198.2	9.3	58.9	8.7	12.6
16 富山	—	0.1	—	—	1.0	189.8	5.4	57.3	5.9	14.6
17 石川	0.1	0.1	—	—	1.1	180.8	4.2	47.1	9.1	16.1
18 福井	—	—	—	—	1.3	173.3	4.2	42.4	6.6	17.6
19 山梨	0.2	—	0.2	—	1.7	176.2	7.1	41.1	7.4	23.9
20 長野	0.1	—	—	—	1.6	183.6	6.8	48.6	9.0	15.4
21 岐阜	—	—	—	—	1.7	158.1	3.5	42.6	7.8	17.0
22 静岡県	0.1	—	—	—	2.2	150.7	4.2	35.5	6.7	19.4
23 愛知	0.0	0.0	—	—	2.0	141.7	3.4	35.2	6.4	14.6
24 三重	—	—	—	—	2.2	168.2	4.5	45.0	7.2	15.2
25 滋賀	—	0.2	—	—	1.9	156.2	3.2	41.0	5.4	10.8
26 京都	0.1	0.0	—	—	1.2	173.5	4.3	42.0	7.2	17.2
27 大阪	0.1	0.1	—	—	1.6	164.0	5.0	38.6	5.9	26.5
28 兵庫県	0.0	0.1	—	—	1.3	172.0	5.1	41.0	6.7	23.7
29 奈良	—	—	—	—	1.0	162.6	4.7	42.2	7.2	20.2
30 和歌山	0.1	0.2	—	—	1.2	211.3	6.2	57.2	7.4	23.7
31 鳥取	—	—	—	—	1.0	201.8	3.6	51.7	10.2	24.1
32 島根	—	—	—	—	2.1	204.3	4.7	52.9	8.0	20.6
33 岡山	—	0.1	—	—	1.8	180.6	3.5	41.3	8.2	23.6
34 広島	—	0.0	0.0	—	1.9	168.6	4.1	36.6	6.9	27.3
35 山口	0.1	0.1	—	—	2.3	192.9	5.9	47.2	7.9	22.6
36 徳島	0.1	—	—	—	2.9	189.5	3.6	45.7	9.5	25.5
37 香川県	0.2	0.1	—	—	1.9	189.4	4.6	45.3	8.4	19.2
38 愛媛	—	0.1	—	—	1.4	184.5	3.5	45.1	7.6	23.1
39 高松	0.1	0.1	—	—	2.8	190.4	5.1	46.3	7.7	23.1
40 福岡	0.1	0.1	0.0	—	1.6	189.3	4.5	41.2	7.4	31.2
41 佐賀	—	0.3	—	—	1.3	208.0	5.1	49.4	7.2	27.9
42 長門	—	0.1	—	0.1	2.2	206.0	5.2	43.4	8.6	24.9
43 熊本	—	0.1	—	—	2.1	184.4	6.0	33.5	5.9	24.9
44 大宮	—	0.1	—	—	1.5	195.7	6.3	41.4	8.8	26.6
45 鹿	0.2	—	—	—	1.2	172.8	7.1	37.7	7.9	19.0
46 児	0.1	0.1	—	—	2.4	193.6	8.8	33.5	8.1	24.9
47 島	—	—	—	—	1.3	115.4	5.1	15.9	3.9	7.8

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1987—con.

昭和62年

32 肺	33 気管・気管支 及肺	34 乳 房	34 乳 （女子人口10万対） 房	35 子 （女子人口10万対） 宮	36 白 血 病	37 そ の 他	38 良 性 及 び 新 生 物 質 不 詳	39 糖 尿 病	40 栄 養 欠 乏 症	41 貧 血	42 精 神 障 害
9.9	26.1	4.3	8.5	7.5	4.6	45.0	5.4	7.5	0.4	1.2	2.4
12.7	29.3	4.6	8.9	6.8	4.2	49.1	3.0	8.7	0.2	1.2	1.4
11.0	26.1	4.2	7.9	6.2	5.3	50.6	5.2	8.3	0.3	1.1	2.2
11.5	29.3	5.3	10.1	7.7	5.9	53.8	6.2	7.6	0.3	1.1	2.9
11.4	24.9	4.9	9.5	5.6	5.0	45.6	3.6	7.1	0.2	1.0	2.2
14.0	30.3	4.0	7.7	7.7	4.0	64.0	6.3	8.0	0.4	1.0	2.8
12.7	29.2	4.2	8.1	5.2	4.1	55.5	4.7	8.3	0.4	0.9	2.7
12.9	29.3	4.0	7.8	8.1	5.1	52.2	2.7	8.4	0.2	1.4	3.9
9.0	22.1	3.7	7.3	7.6	4.3	44.4	5.6	7.9	0.3	1.2	2.6
9.0	21.4	3.8	7.2	6.6	3.5	38.5	5.3	8.0	0.2	1.0	2.3
9.7	22.0	3.2	6.3	5.3	4.1	43.4	8.8	7.1	0.2	1.0	2.9
6.9	18.1	4.1	8.3	4.2	3.2	32.5	5.0	5.2	0.1	1.0	1.8
7.4	19.5	4.1	8.1	6.4	3.9	36.1	3.2	6.4	0.5	1.1	1.6
8.7	24.1	5.2	10.5	7.2	4.3	45.2	5.4	7.1	0.5	1.1	1.9
7.7	19.7	4.2	8.6	6.0	4.0	36.4	3.9	5.5	0.2	0.9	1.7
14.1	29.8	4.3	8.0	5.1	4.5	53.4	5.3	8.9	0.1	1.0	4.1
11.5	29.8	5.1	9.7	7.1	5.1	51.6	5.5	9.7	0.1	1.2	1.8
11.5	29.2	4.5	8.7	5.4	4.8	51.5	0.7	9.3	0.2	1.4	2.7
11.5	29.6	4.2	8.1	6.9	3.9	49.8	4.0	8.4	0.6	2.1	2.2
11.3	26.8	3.6	7.0	7.5	3.9	47.3	6.3	7.6	0.4	1.4	2.9
12.9	25.7	5.5	10.6	8.5	4.9	50.4	5.7	8.9	0.3	1.0	2.8
8.9	22.5	3.9	7.6	8.8	3.7	43.6	7.4	7.7	0.0	0.9	2.1
9.4	22.4	4.5	8.8	5.3	4.1	41.8	5.5	8.2	0.4	1.1	2.4
7.4	22.6	3.9	7.9	7.5	4.0	40.5	4.0	6.1	0.3	0.9	1.7
10.9	28.8	4.4	8.5	7.4	3.8	44.6	7.1	9.1	0.1	1.9	2.7
10.0	28.8	4.3	8.1	6.7	4.9	44.6	6.7	8.0	0.3	1.3	2.8
10.6	31.2	4.1	7.9	8.6	4.5	48.1	9.0	9.1	0.3	2.2	2.2
8.6	25.8	4.5	8.9	7.9	4.2	40.7	4.1	7.0	0.4	1.1	2.0
9.8	29.1	4.2	8.1	8.7	4.5	43.5	5.8	7.7	0.5	1.4	2.6
7.5	28.5	4.5	8.8	7.9	4.6	39.1	7.7	7.4	0.2	1.0	2.8
13.4	36.9	5.6	10.7	9.4	5.2	50.7	6.4	9.6	1.0	1.9	4.3
14.5	31.9	3.4	6.2	13.7	6.0	49.3	5.9	10.6	0.2	1.6	1.6
14.6	34.5	3.9	7.5	9.2	4.7	55.7	8.3	8.1	0.3	1.9	1.8
10.4	29.7	3.3	6.3	7.4	4.7	52.1	4.2	7.4	0.3	1.0	2.4
10.7	26.5	4.4	8.4	9.0	4.8	42.7	9.2	8.1	0.3	1.3	2.3
10.2	33.3	4.6	8.6	9.7	5.2	50.8	7.5	7.2	0.4	1.6	2.5
11.9	31.7	3.7	7.1	9.2	7.2	45.9	8.5	11.1	0.7	1.8	2.6
13.3	32.9	5.5	10.5	8.5	4.3	51.6	7.8	7.5	0.1	1.9	1.7
10.9	30.2	3.8	7.2	11.4	5.6	48.6	7.9	7.8	0.4	1.6	3.2
11.2	31.2	3.3	6.4	6.4	5.7	53.3	9.0	9.9	0.4	1.2	2.6
11.3	31.8	4.7	9.0	9.0	5.0	47.6	6.7	7.8	0.4	1.6	3.0
11.8	33.4	3.4	6.5	7.1	6.7	59.3	3.5	9.8	0.5	1.7	3.0
10.0	35.7	4.0	7.7	12.4	7.4	60.2	2.1	9.0	0.3	1.9	2.5
11.9	31.6	4.9	9.1	9.7	6.7	53.9	8.3	8.1	0.4	1.7	3.5
11.7	27.6	4.3	8.1	10.4	8.2	55.3	4.5	7.9	0.2	2.3	5.4
10.6	25.4	3.3	6.3	7.8	8.8	48.8	9.8	7.6	0.3	2.0	3.5
11.8	32.8	3.7	7.0	10.2	9.3	55.2	10.4	9.4	0.6	2.0	3.7
6.2	24.5	3.0	5.9	8.2	7.6	37.2	4.3	5.8	0.8	0.8	2.4

表5.19 都道府県別にみた死因
Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	43 髄 膜 炎	44 中非 枢炎 神症 経性 系疾 患の	45 急性 性リ ウマ チ熱	46 慢性 性リ ウマ チ疾 患の	48-49 高血 圧性 疾患	48 高血 圧性 心疾 患	49 高血 圧性 心疾 患 の 他	51-52 虚血 性心 疾患	51 急性 性心 筋梗 塞	52 虚血 性心 疾患 の 他
全 国 Total	0.4	3.9	0.0	1.2	8.8	6.6	2.2	39.6	24.5	15.0
01 ^a 北海道	0.3	3.7	0.1	1.2	6.3	4.7	1.6	44.0	27.4	16.6
02 青森	0.5	2.3	—	1.1	6.0	4.0	2.0	35.1	23.4	11.7
03 岩手	0.4	3.4	0.1	0.7	7.6	5.5	2.1	43.9	29.6	14.3
04 宮城	0.4	4.2	—	1.0	7.4	5.6	1.9	39.1	25.0	14.1
05 秋田	0.4	3.6	—	1.1	7.5	4.7	2.8	44.2	24.1	20.2
06 山形	0.7	4.3	0.2	1.0	11.7	7.6	4.1	42.4	24.0	18.4
07 福島	0.3	5.2	0.1	1.2	6.8	4.9	1.8	43.5	28.9	14.6
08 茨城	0.3	4.4	—	1.2	10.1	7.4	2.7	36.6	23.6	12.9
09 栃木	0.5	3.9	—	1.5	9.6	7.7	1.9	37.6	26.2	11.4
10 群馬	0.2	3.0	—	1.1	7.7	5.8	1.9	40.7	29.4	11.4
11 埼玉県	0.3	3.1	0.1	0.9	6.1	4.6	1.5	28.0	19.6	8.4
12 千葉県	0.3	3.0	0.0	0.9	9.6	7.2	2.4	30.3	19.8	10.5
13 東京都	0.4	3.7	0.0	1.4	7.8	6.0	1.9	46.6	26.8	19.9
14 神奈川県	0.4	2.6	0.0	0.7	5.9	4.3	1.6	34.7	23.9	10.9
15 新潟	0.4	4.3	0.0	1.1	11.8	8.8	3.0	39.5	27.0	12.5
16 富山	0.6	4.6	0.1	0.9	6.9	4.7	2.1	38.3	25.6	12.7
17 石川	0.3	3.5	—	1.0	8.1	5.5	2.7	39.9	24.3	15.6
18 福井	0.1	4.7	—	1.7	11.0	8.3	2.7	37.7	20.7	17.0
19 山梨	0.5	5.0	—	1.7	10.5	6.9	3.6	43.6	29.0	14.5
20 長野	0.1	5.0	0.1	1.2	8.4	6.4	2.0	44.6	31.8	12.8
21 岐阜	0.4	4.9	0.0	1.4	9.7	7.8	2.0	36.5	23.5	13.0
22 静岡県	0.4	3.5	—	1.2	8.9	6.5	2.4	39.8	24.9	15.0
23 愛知県	0.3	3.6	0.0	1.0	7.8	5.6	2.2	29.2	19.0	10.2
24 三重	0.5	5.1	—	1.4	12.3	9.2	3.1	42.7	28.1	14.6
25 滋賀	0.5	5.3	0.1	1.5	11.2	8.3	2.9	36.7	20.1	16.6
26 京都府	0.5	5.1	0.1	1.3	8.7	6.4	2.3	43.6	25.1	18.5
27 大阪府	0.5	3.6	0.0	1.1	8.0	5.9	2.1	37.7	22.2	15.5
28 兵庫県	0.4	3.8	—	1.2	9.9	7.3	2.6	36.5	23.3	13.3
29 奈良	0.5	3.8	—	1.1	9.5	6.7	2.9	34.0	21.3	12.7
30 和歌山	1.2	6.0	—	1.3	10.4	8.1	2.3	42.2	28.1	14.1
31 鳥取県	0.7	4.7	—	1.1	8.6	7.8	0.8	41.6	25.2	16.4
32 島根県	0.3	5.1	—	1.6	9.7	6.9	2.8	43.7	28.4	15.3
33 岡山県	0.6	4.4	0.1	1.5	7.3	5.1	2.2	34.1	22.9	11.1
34 広島県	0.7	4.3	—	1.2	8.6	7.0	1.6	36.5	21.0	15.4
35 山口県	0.4	4.9	—	2.0	12.8	9.4	3.4	50.3	29.9	20.5
36 徳島県	0.2	6.9	0.1	1.2	8.7	7.3	1.4	49.0	28.0	21.0
37 香川県	0.5	4.5	—	2.1	8.4	5.9	2.5	42.0	23.5	18.5
38 愛媛県	0.5	4.6	0.1	1.4	6.7	4.8	1.9	36.8	23.5	13.2
39 高知県	1.1	3.9	—	1.1	8.0	5.7	2.3	50.7	29.9	20.8
40 福岡県	0.5	3.8	0.0	1.7	11.8	10.1	1.7	43.0	22.5	20.6
41 佐賀県	0.3	4.4	0.1	2.2	20.6	18.3	2.3	53.8	24.7	29.1
42 長崎県	0.8	5.0	—	2.0	17.0	13.3	3.7	50.8	30.4	20.4
43 熊本県	0.9	4.0	0.1	1.2	13.9	10.8	3.1	47.2	27.6	19.6
44 大分県	0.5	5.1	0.1	2.0	14.1	10.0	4.0	62.4	34.7	27.7
45 宮崎県	0.9	3.7	—	2.0	11.0	8.9	2.0	55.5	31.7	23.8
46 鹿児島	0.8	6.1	0.1	1.7	13.4	10.4	3.0	44.7	26.0	18.7
47 沖縄県	0.3	2.3	—	1.0	4.8	3.5	1.3	24.1	18.8	5.3

(簡単分類) 別死亡率 (人口10万対) (つづき)
rubrics list of mortality for Japan) in each prefecture : Japan, 1987-con.

昭和62年

54-56 肺循環 系疾 患及 び その 他 の 心 疾 患	54 心 内 膜 の 慢 性 患	55 心 不 全	56 そ の 他 の 心 疾 患	58-60 脳血 管疾 患	58 脳 出 血	59 脳 梗 塞	60 そ の 他 の 脳 管 疾 患 の 患	61 循 環 系 の 他 の 疾 患 の 患	62 急 性 気 管 支 炎	63 肺 炎	64 イン フル エン ザ
77.6	2.9	65.7	9.0	101.7	27.0	51.4	23.3	6.0	0.9	40.3	0.1
76.7	2.9	64.8	9.0	87.1	22.8	42.6	21.6	5.3	1.1	42.2	0.1
96.7	3.0	82.4	11.3	113.4	30.2	54.0	29.1	5.4	2.2	42.6	0.3
101.2	4.1	86.5	10.7	131.4	33.1	72.7	25.6	6.2	1.7	53.2	0.1
67.7	3.0	54.6	10.1	121.9	26.7	74.1	21.2	5.8	1.0	34.5	0.1
99.0	4.0	78.6	16.3	153.3	31.7	86.0	35.6	7.1	2.3	45.5	0.1
96.8	2.7	82.4	11.7	151.5	32.0	82.6	36.9	5.6	1.6	45.4	0.1
86.0	3.7	73.9	8.4	141.7	34.7	83.5	23.5	5.9	1.7	40.0	—
74.2	2.7	63.0	8.4	120.1	29.6	67.9	22.6	4.8	0.9	36.4	0.2
75.7	3.5	61.6	10.6	132.7	31.3	74.3	27.1	4.4	1.8	43.8	0.4
84.0	3.7	72.2	8.1	129.2	31.8	72.3	25.1	4.8	0.9	46.8	—
63.8	2.3	55.5	6.0	74.3	22.3	35.7	16.3	4.1	0.7	27.6	0.1
62.0	2.1	53.0	6.9	79.3	22.1	40.2	17.0	4.1	0.6	28.2	0.0
50.6	2.6	38.9	9.1	86.7	25.8	41.4	19.5	6.0	0.5	41.2	0.1
48.6	2.6	39.2	6.9	70.0	22.5	31.4	16.1	5.0	0.2	32.3	0.0
79.9	2.7	66.8	10.3	136.6	29.7	78.4	28.5	7.8	1.3	47.4	0.0
85.8	3.9	73.6	8.2	126.6	24.5	66.3	35.8	7.5	1.2	58.6	0.1
83.6	3.2	69.0	11.4	104.2	24.6	55.3	24.4	8.1	0.8	49.5	0.3
93.5	4.5	78.8	10.2	123.4	26.3	68.7	28.4	9.1	1.7	40.4	0.4
91.1	4.6	75.8	10.6	127.6	34.2	65.5	28.0	6.1	1.4	45.8	0.5
88.6	3.0	76.0	9.6	158.6	36.8	91.4	30.4	8.2	1.5	43.1	0.0
86.5	2.3	75.4	8.8	118.9	31.6	57.8	29.5	5.4	1.5	34.9	0.1
77.4	3.1	66.4	7.9	100.9	27.5	50.4	23.1	5.3	0.9	37.1	0.1
76.5	2.5	67.4	6.6	87.0	23.2	42.2	21.6	5.8	0.7	29.6	0.1
98.2	2.8	86.7	8.7	128.6	30.8	63.9	33.8	9.8	0.8	37.4	0.2
84.1	3.3	72.3	8.5	104.4	25.5	56.7	22.3	8.6	0.9	32.7	0.2
89.8	3.3	77.8	8.8	99.0	30.2	46.9	22.0	7.6	0.5	41.0	0.1
72.6	2.1	61.3	9.2	70.4	20.5	32.8	17.2	6.0	0.4	38.7	0.1
89.2	2.8	77.5	8.9	90.9	25.2	44.5	21.2	7.6	0.6	38.2	0.1
85.0	2.0	75.0	8.1	108.2	23.5	60.8	23.9	6.7	1.0	34.2	—
125.2	2.5	111.9	10.9	135.1	29.7	72.0	33.4	6.1	0.8	43.5	0.2
107.6	5.2	89.3	13.2	144.9	35.3	76.3	33.3	6.2	1.6	50.4	—
100.0	5.1	86.4	8.6	151.1	37.4	83.8	29.9	9.0	1.6	63.1	0.1
103.3	3.7	89.2	10.3	120.3	28.8	65.2	26.3	6.1	1.2	50.8	0.2
84.7	3.1	73.4	8.2	103.8	26.8	52.2	24.8	6.5	1.6	44.2	0.1
94.2	4.9	78.6	10.8	122.5	31.4	59.3	31.8	8.2	1.1	61.5	0.3
100.1	3.8	86.0	10.3	118.8	29.9	60.2	28.6	6.1	1.8	61.0	0.2
107.8	3.5	94.0	10.3	106.4	22.6	55.1	28.7	6.0	1.0	48.0	—
105.2	3.2	91.9	10.1	121.2	29.0	62.9	29.4	4.9	2.0	48.2	—
115.3	3.5	95.7	16.1	142.2	37.9	71.9	32.4	6.5	1.3	67.1	0.2
77.0	2.8	65.7	8.5	95.2	26.7	43.4	25.0	5.7	0.8	41.7	0.1
78.8	3.3	67.1	8.4	123.5	37.8	61.3	24.5	7.4	1.3	48.1	—
78.2	4.1	61.2	12.9	109.3	32.6	50.6	26.0	9.7	1.1	50.2	0.3
98.6	4.7	83.0	11.0	114.1	34.1	50.0	30.1	6.8	0.9	42.2	0.2
89.0	3.4	75.0	10.6	130.1	33.6	67.9	28.7	6.8	2.1	51.3	0.2
90.7	4.3	75.3	11.1	117.4	35.5	52.9	29.0	6.5	2.1	42.7	—
112.1	3.1	97.3	11.7	143.0	38.4	65.9	38.7	6.6	1.7	57.7	0.2
54.4	2.1	45.5	6.8	52.9	19.7	17.6	15.6	3.8	0.7	33.2	0.1

表5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	66-68 気管支炎・肺炎 及呼吸器疾患	66 気管支炎	67 肺気腫	68 喘息	69 胃及び十二指腸潰瘍	70 虫垂炎	71 腹腸閉塞 （ヘルニア及び腸捻転）	72 胃及び慢性胃腸炎 ・十二指腸炎	73 慢性肝疾患 （硬変及び肝臓腫大）	74 肝臓疾患 （肝硬変を除く）
全 国 Total	11.2	3.6	2.7	5.0	3.2	0.1	2.3	0.8	13.7	2.2
01 ^海 北海道	9.7	3.0	2.1	4.6	2.8	0.0	2.7	0.5	10.8	2.2
02 青森	10.5	3.2	2.3	5.0	4.2	0.1	2.2	0.4	13.0	1.9
03 岩手	9.5	3.3	1.9	4.3	3.7	0.1	1.9	0.5	12.1	1.8
04 宮城	9.5	2.9	1.6	5.0	2.4	0.1	1.8	0.7	8.9	2.5
05 秋田	10.6	3.4	2.7	4.6	3.9	0.2	2.5	0.9	8.8	1.7
06 山形	11.8	4.0	3.1	4.8	4.0	0.2	3.4	1.1	10.0	1.8
07 福島	13.0	4.4	2.6	6.0	3.1	0.2	2.3	0.7	12.3	2.1
08 茨城	12.5	3.5	2.6	6.4	4.2	0.1	1.9	1.0	11.5	1.7
09 栃木	13.6	4.4	3.1	6.1	2.4	—	2.3	1.3	13.3	2.1
10 群馬	12.4	4.3	3.0	5.0	3.3	0.2	1.5	0.6	12.9	2.4
11 埼玉	7.0	2.2	1.3	3.5	2.4	0.0	1.7	0.6	11.1	1.6
12 千葉	7.9	2.6	2.0	3.4	2.2	0.1	1.5	0.6	9.8	1.7
13 東京	9.6	2.7	2.5	4.4	3.2	0.0	2.2	0.4	14.1	1.7
14 神奈川	7.3	2.1	2.1	3.2	2.1	0.0	1.9	0.4	12.6	1.6
15 新潟	12.8	4.2	3.2	5.4	2.4	0.0	2.7	0.8	7.3	1.5
16 富山	11.8	5.8	2.5	3.5	3.5	—	2.9	1.3	9.5	2.9
17 石川	9.8	3.7	1.6	4.4	3.1	0.3	2.8	0.7	11.3	2.0
18 福井	10.8	4.5	2.6	3.7	3.3	—	4.4	2.2	14.4	2.8
19 山梨	13.2	3.3	4.4	5.5	3.7	0.1	1.9	1.5	18.0	1.8
20 長野	13.4	4.4	4.2	4.8	4.0	0.0	2.7	0.5	9.6	1.4
21 岐阜	12.4	3.8	2.2	6.3	3.1	0.0	2.0	1.2	11.5	2.3
22 静岡	9.3	3.1	2.6	3.6	3.0	0.1	1.9	0.7	11.9	1.9
23 愛知	9.3	2.9	2.3	4.1	2.0	0.1	1.4	1.1	11.1	2.1
24 三重	13.8	4.3	3.5	6.1	2.8	0.1	2.4	1.0	12.7	1.9
25 滋賀	11.8	3.8	3.8	4.2	3.0	0.1	2.5	1.5	9.0	2.6
26 京都	10.3	3.6	2.9	3.8	3.3	0.2	2.7	0.8	12.2	2.7
27 大阪	11.0	3.2	2.6	5.2	2.9	0.1	2.1	0.5	18.1	1.9
28 兵庫	11.9	3.4	2.7	5.8	3.2	0.2	2.5	0.9	17.7	2.7
29 奈良	9.5	3.0	2.6	3.9	3.4	—	2.3	1.4	12.8	2.3
30 和歌山	13.9	4.5	3.7	5.7	3.3	0.1	3.7	0.9	18.5	4.5
31 鳥取	14.8	5.0	4.6	5.2	4.1	—	2.6	1.8	15.6	2.6
32 島根	18.7	7.7	3.8	7.2	4.5	—	3.0	1.1	15.9	2.9
33 岡山	15.8	4.4	4.6	6.8	4.1	—	3.1	1.3	16.5	2.4
34 広島	12.3	3.8	3.4	5.2	3.4	0.2	2.7	0.8	18.3	2.6
35 山口	16.6	5.9	4.3	6.4	3.9	0.1	3.1	1.2	17.5	3.4
36 徳島	17.1	5.4	3.1	8.6	4.1	0.1	3.5	1.6	22.0	2.9
37 香川	13.3	4.4	2.4	6.4	2.6	0.1	2.4	1.2	16.0	2.9
38 愛媛	13.4	4.3	2.8	6.4	3.1	—	3.1	0.5	16.8	3.5
39 高松	17.0	5.3	3.5	8.3	4.7	0.1	3.8	1.0	17.0	2.6
40 福岡	12.5	4.1	2.5	5.8	3.7	0.1	1.9	0.7	19.1	2.8
41 佐賀	15.5	5.7	3.0	6.8	4.1	—	3.0	1.3	17.9	1.6
42 長門	16.6	7.9	3.2	5.5	4.0	0.1	3.1	1.4	16.0	2.0
43 熊本	15.1	5.6	3.1	6.4	5.1	0.1	2.4	1.6	19.6	3.7
44 大分	14.9	5.4	3.6	5.9	4.6	0.1	2.3	1.4	17.4	2.5
45 宮崎	15.6	5.3	3.4	6.9	5.0	0.1	3.1	0.3	14.5	3.3
46 鹿児島	19.7	6.2	3.6	10.0	7.5	0.2	2.3	2.0	15.2	2.4
47 沖縄	11.9	3.3	2.7	5.9	2.8	0.2	1.0	0.3	7.4	2.0

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1987-con.

昭和62年

76-77 急性心臓病 ・脳血管障害 ・ネフローゼ症	76 急性心臓病 ・脳血管障害 ・ネフローゼ症	77 その他	78 前立腺肥大症 （男子人口10万対）	79 直接産科的死亡			80 間接産科的死亡			81 先天異常	82 出生時の呼吸器疾患 ・外傷・低体温・酸中毒 ・その他
				女子人口 10万対	出生 10万対	出産 10万対	女子人口 10万対	出生 10万対	出産 10万対		
11.8	2.8	9.0	0.4	0.2	10.5	10.0	0.0	1.6	1.5	3.1	1.5
15.2	4.3	10.9	0.4	0.2	9.8	9.2	—	—	—	3.0	1.2
14.7	4.6	10.2	0.7	0.3	11.5	11.0	—	—	—	2.9	2.4
16.8	5.8	11.0	0.6	0.3	12.8	12.2	—	—	—	3.6	1.0
8.4	2.1	6.2	0.7	0.2	7.6	7.2	0.1	3.8	3.6	3.0	1.8
13.4	4.3	9.2	0.8	0.5	23.4	22.4	—	—	—	3.6	1.4
11.7	3.3	8.3	0.5	0.2	7.1	6.8	0.3	14.3	13.6	2.7	2.1
11.6	3.9	7.7	0.6	0.3	11.9	11.3	0.1	4.0	3.8	4.7	1.6
9.3	2.3	7.0	0.4	0.4	18.9	18.0	0.1	3.1	3.0	3.3	1.4
9.6	1.9	7.8	0.5	0.3	13.2	12.6	—	—	—	3.0	1.7
10.2	2.5	7.7	0.6	—	—	—	0.1	4.6	4.5	3.4	1.4
8.3	2.0	6.2	0.4	0.2	10.9	10.4	0.1	3.1	3.0	3.1	1.5
7.5	1.6	5.9	0.3	0.3	12.2	11.7	0.1	3.5	3.3	2.4	0.9
10.7	2.1	8.5	0.3	0.2	9.3	8.9	—	—	—	3.2	1.1
7.8	1.7	6.1	0.3	0.2	10.8	10.4	0.0	1.2	1.2	2.8	1.2
8.4	2.4	6.1	0.7	0.2	11.2	10.8	—	—	—	2.8	1.5
12.7	3.4	9.3	0.2	—	—	—	—	—	—	2.9	2.1
11.5	3.9	7.6	0.5	0.7	32.5	31.0	—	—	—	2.7	1.2
11.9	2.8	9.1	0.8	—	—	—	—	—	—	2.4	2.2
10.6	2.5	8.1	0.2	0.2	10.3	9.9	—	—	—	2.5	1.2
9.6	2.6	7.0	0.3	0.2	8.7	8.4	—	—	—	2.5	1.8
10.8	2.6	8.3	0.1	—	—	—	0.1	4.5	4.3	3.0	1.1
10.6	2.2	8.4	0.5	0.2	7.1	6.9	—	—	—	2.6	1.4
9.8	1.8	8.1	0.2	0.2	10.3	9.9	0.1	2.6	2.5	3.3	1.6
14.1	3.1	11.0	1.2	0.1	5.2	5.0	—	—	—	2.9	1.8
11.9	3.0	9.0	0.9	0.2	7.0	6.7	—	—	—	4.2	2.7
15.6	3.0	12.6	0.4	0.1	3.8	3.6	0.1	3.8	3.6	3.1	1.6
13.9	3.3	10.6	0.2	0.3	15.8	15.0	—	—	—	3.0	1.6
13.8	2.7	11.0	0.5	0.2	10.4	10.0	—	—	—	2.4	1.6
13.1	3.0	10.1	0.2	0.3	14.5	13.9	0.1	7.2	7.0	2.7	1.2
14.0	3.4	10.6	0.8	0.2	8.9	8.5	—	—	—	3.2	1.8
11.7	2.0	9.8	—	0.3	14.3	13.6	—	—	—	3.4	0.5
13.4	3.2	10.2	1.0	0.2	11.7	11.3	—	—	—	2.5	2.4
13.1	2.9	10.3	0.9	0.2	9.4	9.0	0.1	4.7	4.5	3.2	1.5
12.7	2.6	10.1	0.3	0.1	3.2	3.0	0.1	3.2	3.0	3.4	1.7
17.4	4.4	13.0	0.3	0.4	18.8	17.9	—	—	—	3.0	1.7
16.2	3.1	13.1	0.8	0.2	11.5	10.9	—	—	—	3.4	1.4
15.3	2.6	12.7	0.4	—	—	—	—	—	—	2.6	1.6
14.5	2.8	11.7	0.1	0.2	12.2	11.7	—	—	—	2.8	1.9
19.9	4.7	15.2	0.5	—	—	—	—	—	—	3.8	2.8
12.1	3.1	9.0	0.3	0.4	18.7	17.6	0.1	3.7	3.5	2.9	1.4
13.3	2.6	10.7	0.7	0.2	9.5	9.0	—	—	—	2.6	1.8
15.8	3.1	12.7	0.5	0.2	10.5	9.9	—	—	—	2.8	1.3
16.5	3.4	13.1	0.7	0.3	13.9	13.1	—	—	—	3.9	1.2
16.5	4.4	12.1	0.2	—	—	—	—	—	—	3.2	1.5
12.3	4.1	8.3	—	0.2	7.1	6.7	—	—	—	4.1	2.6
16.0	4.4	11.6	1.1	0.3	13.3	12.6	—	—	—	3.8	1.5
8.8	2.4	6.4	—	—	—	—	0.2	5.1	5.0	3.6	2.2

表5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	84-87 その 他の死 の因	84 新生児 破傷風	85 新生児 カンジダ 感染	86 新生児 敗血症	87 その 他	88 老 精神 病の 記載の ない 衰	89 その他 すべての 疾患	91-101 損傷 及び 中毒	91 頭蓋 骨折	92 その他 の骨の 骨折
全 国 Total	0.6	—	—	0.1	0.5	20.8	29.8	45.8	4.9	2.4
01 ¹⁾ 北海道	0.8	—	—	0.2	0.6	9.4	30.0	46.0	4.6	2.7
02 青森	0.9	—	—	0.1	0.7	28.6	27.0	59.0	5.1	2.4
03 岩手	0.6	—	—	0.2	0.4	16.4	35.1	55.9	3.6	2.5
04 宮城	0.6	—	—	—	0.6	21.2	24.2	40.6	4.5	1.8
05 秋田	0.6	—	—	—	0.6	23.0	30.8	62.9	4.4	2.4
06 山形	0.4	—	—	0.2	0.2	37.0	31.5	53.2	3.7	1.8
07 福島	0.6	—	—	0.1	0.5	33.9	31.2	53.0	4.2	2.6
08 茨城	0.5	—	—	0.1	0.4	32.0	26.4	49.9	5.4	2.9
09 栃木	0.8	—	—	0.2	0.6	20.3	28.1	49.6	5.9	3.2
10 群馬	0.6	—	—	—	0.6	24.5	30.3	53.2	5.2	2.8
11 埼玉県	0.8	—	—	0.1	0.7	13.1	19.8	35.6	4.2	2.3
12 千葉県	0.4	—	—	0.1	0.3	17.6	20.5	39.8	4.7	2.6
13 東京都	0.4	—	—	0.1	0.4	10.3	26.1	33.7	4.7	1.7
14 神奈川県	0.5	—	—	0.1	0.4	10.4	20.5	36.4	5.2	2.1
15 新潟	0.6	—	—	0.1	0.6	25.3	26.4	58.0	5.4	1.7
16 富山	0.4	—	—	0.1	0.3	20.3	33.9	56.2	4.1	3.2
17 石川	0.5	—	—	0.1	0.4	29.0	33.8	49.1	4.5	2.1
18 福井	1.0	—	—	0.2	0.7	33.8	32.7	54.5	6.0	3.4
19 山梨	0.5	—	—	0.1	0.4	28.6	33.2	52.9	5.4	3.6
20 長野	0.7	—	—	—	0.7	31.2	32.7	49.4	3.7	2.8
21 岐阜	0.6	—	—	0.1	0.5	27.8	30.0	47.5	6.0	2.6
22 静岡県	0.6	—	—	0.1	0.5	26.4	29.3	40.8	4.3	2.5
23 愛知県	0.6	—	—	0.1	0.5	17.3	24.9	38.6	4.5	1.9
24 三重	0.7	—	—	0.2	0.5	37.9	33.5	49.4	5.9	2.7
25 滋賀	1.0	—	—	0.1	0.9	22.1	31.0	45.0	3.8	3.0
26 京都	0.3	—	—	—	0.3	26.2	34.5	43.9	5.1	2.4
27 大阪	0.7	—	—	0.1	0.6	12.7	28.5	40.2	5.9	2.4
28 兵庫県	0.8	—	—	0.2	0.6	27.5	32.7	45.3	5.7	2.2
29 奈良	1.1	—	—	0.1	1.0	26.6	29.3	41.8	5.3	3.0
30 和歌山	0.7	—	—	0.3	0.5	48.6	41.9	59.9	6.6	2.4
31 鳥取	—	—	—	—	—	41.0	36.9	52.0	3.4	2.4
32 島根	0.6	—	—	0.1	0.5	33.5	47.2	62.0	3.9	3.4
33 岡山	0.4	—	—	0.1	0.4	37.4	38.5	52.2	4.5	3.0
34 広島	0.7	—	—	0.2	0.4	29.7	33.3	50.4	4.5	2.6
35 山口	0.6	—	—	0.2	0.4	26.1	40.7	55.0	6.4	3.0
36 徳島	1.1	—	—	—	1.1	30.3	41.9	55.4	6.0	2.2
37 香川県	0.5	—	—	0.1	0.4	29.4	36.8	57.4	5.7	3.3
38 愛媛	0.6	—	—	0.2	0.4	43.7	38.7	61.2	5.1	3.5
39 高松	0.8	—	—	—	0.8	23.7	45.8	71.2	6.1	3.3
40 福岡	0.7	—	—	0.1	0.6	14.6	31.4	46.9	5.0	2.5
41 佐賀	0.7	—	—	0.1	0.6	23.5	36.5	55.7	6.6	2.4
42 長門	0.6	—	—	0.1	0.4	14.5	40.8	45.1	2.8	2.1
43 熊本	0.5	—	—	0.1	0.4	21.9	40.7	51.0	4.2	2.9
44 大分	0.8	—	—	0.1	0.7	20.7	39.6	55.8	5.7	3.0
45 宮崎	1.0	—	—	—	1.0	15.5	37.1	52.2	3.2	2.3
46 鹿児島	1.0	—	—	0.3	0.7	27.7	41.0	56.1	3.2	2.6
47 沖縄	1.3	—	—	0.5	0.8	24.0	37.1	46.2	3.0	1.8

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1987-con.

昭和62年

93 頭蓋 内損 傷(頭蓋 骨折を 除く)	94 胸内 腹部 及び 骨盤の 損傷	95 開 放 創	96 熱 傷	97 神 経 の 損 傷 及び び	98 中 毒 及 び 毒 作 用	99 溺 死	100 窒息 及び 絞 首	101 その 他の 損 傷	E104- E117 損傷 の 外 因	E104- E114 不慮 の 事 故 及 び 作 用	E104 自 動 車 事 故
5.8	3.4	0.8	1.9	0.3	4.2	4.9	11.6	5.4	45.8	23.2	10.3
4.9	3.1	0.8	1.8	0.3	4.2	5.3	12.8	5.3	46.0	23.9	10.8
5.2	4.2	0.7	3.2	0.2	6.0	8.0	18.4	5.7	59.0	29.8	11.2
6.5	3.9	0.6	2.2	0.3	4.7	6.1	18.6	6.9	55.9	26.9	10.7
4.9	2.7	0.6	1.8	0.2	4.1	5.4	10.1	4.5	40.6	21.0	8.4
4.8	3.1	0.4	2.2	0.7	6.4	7.8	23.8	6.8	62.9	27.6	8.8
6.3	2.4	0.7	1.7	0.2	5.7	7.1	16.2	7.4	53.2	27.4	9.6
6.3	3.8	0.8	2.5	0.4	7.6	5.6	11.9	7.4	53.0	28.8	12.6
7.6	4.1	0.6	2.2	0.6	7.0	4.8	8.9	5.7	49.9	28.9	15.9
7.1	3.6	0.6	2.9	0.4	8.2	2.5	9.5	5.8	49.6	27.3	14.9
7.3	3.1	0.8	2.2	0.4	8.3	4.4	12.4	6.3	53.2	26.3	12.2
4.9	2.5	0.8	1.9	0.2	3.8	2.8	8.0	4.2	35.6	17.7	9.1
6.1	2.5	0.8	1.9	0.4	3.4	3.8	8.6	5.1	39.8	21.3	11.1
3.9	3.8	0.8	1.6	0.2	2.3	2.6	8.2	3.9	33.7	14.9	6.3
4.1	4.2	0.7	1.4	0.2	2.4	3.6	8.7	3.9	36.4	17.7	8.1
5.5	3.4	1.0	1.8	0.4	6.7	8.4	17.6	6.2	58.0	28.5	10.6
6.9	2.1	0.6	2.0	0.6	5.3	7.7	15.7	8.0	56.2	30.1	11.2
7.2	4.6	0.1	2.5	0.1	2.9	6.8	11.6	6.8	49.1	29.5	12.5
8.7	3.5	0.9	3.4	0.7	3.5	5.6	13.3	5.3	54.5	31.9	14.0
6.3	3.8	0.5	2.4	0.7	6.3	4.2	12.4	7.4	52.9	29.0	13.7
7.0	2.8	0.7	2.2	0.5	5.3	4.8	13.7	5.8	49.4	25.6	10.4
5.7	3.1	0.6	2.1	0.2	4.5	4.4	12.2	6.1	47.5	26.2	12.7
6.6	3.4	0.6	1.6	0.4	3.9	4.3	8.9	4.5	40.8	23.0	11.1
5.5	2.4	0.7	1.6	0.3	2.7	3.7	10.0	5.4	38.6	19.6	9.7
7.4	2.8	0.4	2.4	0.6	4.0	5.9	10.9	6.5	49.4	29.1	13.5
6.6	3.0	0.6	1.4	0.3	2.9	5.2	12.4	5.8	45.0	25.0	12.5
6.0	3.9	1.0	1.7	0.4	3.5	3.7	11.2	5.0	43.9	22.3	12.1
5.0	3.9	1.0	1.5	0.3	2.3	3.1	10.3	4.7	40.2	17.4	8.5
6.5	3.3	0.8	1.7	0.3	3.3	4.9	11.0	5.6	45.3	22.6	9.9
5.0	3.4	0.8	2.0	0.5	3.8	4.3	9.0	4.7	41.8	23.3	11.7
8.6	3.5	0.8	2.0	0.6	5.8	7.0	15.9	6.7	59.9	30.8	13.6
6.3	3.6	0.8	2.6	0.3	5.0	8.3	12.4	6.8	52.0	29.3	9.8
6.9	4.9	0.3	2.3	0.6	5.1	9.8	16.9	7.8	62.0	32.7	12.1
6.1	4.6	1.2	3.2	0.5	4.3	6.7	12.8	5.4	52.2	28.6	11.5
6.7	3.4	0.6	2.4	0.6	4.4	5.6	13.6	5.9	50.4	25.9	10.6
6.0	3.1	0.9	2.3	0.3	4.0	6.8	15.1	7.0	55.0	30.9	13.5
7.2	3.8	0.8	3.1	0.6	5.3	9.1	11.1	6.2	55.4	30.9	10.8
9.1	4.8	1.1	2.4	0.8	4.4	10.0	10.5	5.3	57.4	35.5	17.7
8.8	3.2	1.2	2.3	0.3	6.7	7.6	14.3	8.3	61.2	32.0	11.9
9.9	4.7	1.6	2.3	0.5	6.5	9.4	17.7	9.2	71.2	39.8	14.1
5.9	3.2	1.3	1.9	0.2	4.6	5.1	12.4	5.1	46.9	23.0	10.3
8.0	4.2	0.9	1.8	0.2	6.7	7.4	11.7	5.8	55.7	33.0	14.6
5.5	2.3	0.4	1.6	0.6	3.9	7.1	13.5	5.2	45.1	22.4	8.3
6.5	3.1	0.5	1.9	0.4	6.1	5.9	13.5	6.1	51.0	27.5	11.4
8.2	3.9	0.9	2.4	0.5	5.8	7.1	13.4	5.1	55.8	30.1	11.0
6.6	2.8	0.9	1.3	0.2	7.9	4.3	16.2	6.6	52.2	25.2	9.8
5.8	3.1	0.6	2.5	0.4	8.3	7.0	16.6	5.8	56.1	26.2	8.5
4.9	4.2	0.6	1.5	0.2	3.1	6.3	14.8	5.8	46.2	21.1	8.8

死 亡

表5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	E105 自動車 交通事故 以外 の事故	E106 不慮 の中毒	E107 不慮 の墜落	E108 火災 による 不慮の 事故 及び 火災	E109 天 災	E110 不慮 の溺死	E111 不慮 の機械 的窒息	E112 不慮 の打撲	E113 不慮 の事故 工業性 を主と する	E114 事故 及び 有害 作用 その他 の不慮 の
全 国 Total	1.0	0.6	3.2	0.9	0.0	2.4	2.3	0.4	1.0	1.3
01 ^a 北海道	0.8	0.8	2.3	1.3	—	2.2	2.4	0.4	1.7	1.2
02 青森県	2.8	0.9	2.4	2.1	—	4.0	2.5	0.6	1.3	2.0
03 岩手県	1.2	0.7	2.9	1.2	—	2.7	3.7	0.8	1.1	1.9
04 宮城県	0.9	0.6	2.9	0.8	—	3.1	2.3	0.2	1.0	0.9
05 秋田県	1.4	0.6	3.7	0.9	—	5.1	2.8	0.6	1.5	2.2
06 山形県	1.5	0.4	2.2	1.2	—	4.8	4.1	0.6	1.3	1.7
07 福島県	1.1	1.1	2.7	1.0	—	3.1	3.1	0.7	1.3	2.1
08 茨城県	1.3	0.7	2.9	0.9	—	2.6	2.4	0.3	0.7	1.2
09 栃木県	1.1	0.8	2.4	1.0	—	1.7	2.2	0.4	1.1	1.8
10 群馬県	0.5	0.5	3.8	1.4	0.2	2.3	2.9	0.3	0.8	1.4
11 埼玉県	0.7	0.4	2.0	0.7	—	1.4	1.8	0.2	0.6	0.8
12 千葉県	0.9	0.7	2.5	0.6	0.0	1.5	1.9	0.4	0.9	0.9
13 東京都	0.6	0.4	2.4	0.7	—	1.3	1.5	0.2	0.5	1.0
14 神奈川県	0.7	0.2	2.7	0.4	—	2.0	1.9	0.2	0.6	1.0
15 新潟県	1.1	1.0	4.0	1.1	—	4.6	2.5	0.4	1.4	1.7
16 富山県	1.9	1.0	4.8	0.8	—	4.1	3.4	0.3	1.0	1.7
17 石川県	1.2	0.4	3.6	1.7	—	3.8	3.1	0.4	1.1	1.6
18 福井県	1.6	0.5	6.0	2.1	—	2.7	2.1	0.4	1.0	1.7
19 山梨県	0.6	1.1	3.8	0.6	—	2.5	2.4	0.6	1.1	2.7
20 長野県	0.9	0.9	4.3	1.2	—	2.7	2.7	0.5	0.8	1.2
21 岐阜県	0.6	0.7	3.7	0.9	—	2.5	2.3	0.7	0.9	1.1
22 静岡県	1.1	0.3	3.4	0.6	—	2.3	2.1	0.3	1.0	0.8
23 愛知県	0.6	0.3	2.6	0.8	—	1.4	2.1	0.3	0.9	0.8
24 三重県	1.2	0.9	4.0	0.6	—	2.9	2.4	0.6	1.6	1.5
25 滋賀県	0.8	0.5	3.4	0.7	—	2.4	3.2	0.3	0.6	0.7
26 京都府	0.7	0.4	2.7	0.6	—	1.9	1.6	0.4	0.7	1.1
27 大阪府	0.5	0.2	2.7	0.5	—	1.2	2.0	0.3	0.6	0.9
28 兵庫県	1.1	0.6	3.5	0.8	—	2.2	1.9	0.4	0.8	1.4
29 奈良県	0.8	1.1	3.5	1.0	—	1.9	1.7	0.3	0.6	0.9
30 和歌山県	1.5	1.1	3.9	1.1	—	3.1	2.5	0.7	0.6	2.6
31 鳥取県	1.1	1.6	2.8	1.8	0.7	4.7	2.4	0.8	1.1	2.4
32 島根県	1.8	0.6	5.7	1.1	—	4.5	2.7	1.1	1.4	1.6
33 岡山県	1.4	1.0	4.4	2.0	—	2.7	2.7	0.3	1.1	1.6
34 広島県	1.5	0.9	3.9	1.0	—	2.8	2.2	0.4	1.2	1.4
35 山口県	1.8	0.8	4.1	1.1	—	3.2	2.7	0.5	1.3	1.8
36 徳島県	1.9	0.7	4.9	2.5	—	2.9	3.7	0.2	2.2	1.1
37 香川県	1.8	0.9	4.1	1.5	0.1	5.2	1.7	0.4	1.1	1.3
38 愛媛県	1.8	0.9	5.4	1.2	—	3.3	3.3	0.7	1.6	2.0
39 高知県	1.8	1.2	7.5	1.1	0.2	4.8	4.9	0.5	1.9	1.8
40 福岡県	1.0	0.5	3.4	0.8	—	2.2	2.1	0.3	0.8	1.5
41 佐賀県	1.5	1.5	3.9	1.0	—	3.8	3.3	0.9	1.6	1.0
42 長門県	1.7	0.6	2.8	0.5	0.1	3.3	2.5	0.6	1.2	0.8
43 熊本市	1.2	0.9	3.7	0.9	—	3.7	2.7	0.4	1.5	1.0
44 大分県	2.3	0.9	5.5	1.1	—	3.4	1.8	1.0	1.7	1.4
45 宮崎県	1.4	1.6	2.7	0.6	—	2.1	2.5	0.8	1.5	2.2
46 鹿児島県	1.0	1.5	4.4	1.5	—	3.4	2.8	0.5	1.5	1.1
47 沖縄県	1.2	0.7	1.8	0.3	—	2.8	3.3	0.4	0.8	1.2

Deaths

(简单分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1987—con.

昭和62年

E115 自殺 殺	E116 他 殺	E117 その他 の 外 因	1-26 感染症 及び 寄生 虫症	5, 6 結 核	46, 51-52, 54-56 心 疾 患	62, 63, 66 肺炎 及び 気管 支炎	4, 72 胃 腸 炎	79, 80 妊産婦 死亡		
								女子人口 10万対 Per 100,000 Females	出生 10万対 Per 100,000 live births	出生 10万対 Per 100,000 total birhs
19.6	0.8	2.2	9.2	3.3	118.4	44.9	1.4	0.3	12.0	11.5
19.3	0.7	2.0	8.2	2.7	121.9	46.3	0.9	0.2	9.8	9.2
26.9	1.1	1.2	10.7	4.7	132.8	48.0	1.3	0.3	11.5	11.0
26.6	0.3	2.1	9.5	2.7	145.8	58.2	0.9	0.3	12.8	12.2
16.8	0.4	2.4	6.5	2.0	107.8	38.3	1.7	0.3	11.4	10.8
33.1	0.5	1.8	10.9	3.2	144.3	51.2	1.9	0.5	23.4	22.4
24.0	0.7	1.1	7.9	2.5	140.3	51.0	1.7	0.5	21.4	20.4
22.2	0.9	1.1	9.7	3.9	130.7	46.1	1.7	0.4	15.8	15.1
18.6	0.8	1.6	7.5	2.5	111.9	40.9	1.6	0.5	22.0	21.1
20.2	0.7	1.4	7.8	2.3	114.8	50.0	2.1	0.3	13.2	12.6
23.6	0.8	2.5	8.9	2.7	125.8	52.0	1.5	0.1	4.6	4.5
16.7	0.4	0.8	6.6	2.1	92.7	30.5	0.9	0.3	14.0	13.4
15.9	0.9	1.8	6.4	2.2	93.2	31.4	1.2	0.3	15.7	15.1
16.3	0.6	1.9	8.7	3.3	98.6	44.4	0.7	0.2	9.3	8.9
15.3	0.7	2.7	7.0	2.8	84.1	34.6	0.6	0.3	12.0	11.5
27.0	0.4	2.1	7.0	1.5	120.6	52.8	1.7	0.2	11.2	10.8
24.2	0.9	1.0	9.9	2.8	125.0	65.6	2.3	—	—	—
17.2	0.7	1.6	10.2	4.0	124.5	54.0	2.2	0.7	32.5	31.0
20.6	0.5	1.5	12.4	3.9	132.9	46.6	4.7	—	—	—
22.0	0.7	1.1	10.1	3.0	136.3	50.6	2.6	0.2	10.3	9.9
21.5	0.8	1.5	7.3	2.1	134.4	49.1	1.1	0.2	8.7	8.4
19.9	0.5	0.9	8.6	4.4	124.4	40.2	1.8	0.1	4.5	4.3
15.9	0.4	1.5	10.8	3.5	118.5	41.1	1.5	0.2	7.1	6.9
16.7	0.7	1.6	8.9	3.4	106.7	33.2	1.7	0.3	12.9	12.4
17.9	0.6	1.7	10.8	3.9	142.3	42.5	2.3	0.1	5.2	5.0
17.7	0.9	1.4	11.0	4.7	122.3	37.5	2.6	0.2	7.0	6.7
19.4	0.7	1.6	10.0	4.0	134.7	45.2	1.4	0.2	7.5	7.2
18.1	1.1	3.6	10.6	3.7	111.5	42.3	1.1	0.3	15.8	15.0
19.6	0.8	2.3	10.1	3.9	126.9	42.2	1.8	0.2	10.4	10.0
16.3	0.2	2.0	7.7	2.9	120.2	38.2	1.6	0.4	21.7	20.9
26.3	0.8	2.0	10.9	6.0	168.7	48.9	1.9	0.2	8.9	8.5
17.7	0.3	4.7	5.9	2.4	150.4	57.1	2.3	0.3	14.3	13.6
25.6	—	3.7	9.0	1.0	145.3	72.5	2.0	0.2	11.7	11.3
20.4	1.0	2.2	9.7	3.3	138.8	56.5	1.9	0.3	14.1	13.5
20.1	0.6	3.8	9.0	3.0	122.3	49.5	1.7	0.1	6.4	6.1
21.3	0.2	2.7	10.9	3.0	146.5	68.6	1.8	0.4	18.8	17.9
20.2	1.0	3.4	15.4	6.1	150.3	68.1	2.3	0.2	11.5	10.9
18.5	0.8	2.5	10.3	3.0	152.0	53.4	2.6	—	—	—
24.1	1.4	3.6	10.4	4.1	143.4	54.5	1.2	0.2	12.2	11.7
27.5	1.1	2.8	13.6	4.4	167.1	73.7	2.0	—	—	—
20.6	1.0	2.3	9.5	3.7	121.7	46.7	1.2	0.5	22.4	21.1
20.3	0.6	1.9	12.2	4.7	134.8	55.1	2.5	0.2	9.5	9.0
19.7	0.9	2.1	11.2	4.5	130.9	59.2	1.7	0.2	10.5	9.9
21.1	1.0	1.4	10.9	3.8	147.1	48.7	2.3	0.3	13.9	13.1
23.1	1.0	1.6	11.6	4.6	153.4	58.8	2.7	—	—	—
25.0	0.5	1.4	9.9	4.4	148.2	50.1	0.9	0.2	7.1	6.7
27.4	0.5	2.0	12.2	3.7	158.5	65.5	3.3	0.3	13.3	12.6
21.0	1.8	2.4	9.7	2.4	79.5	37.2	0.6	0.2	5.1	5.0