

表 5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

(简单分類) 別死亡率 (人口10万対)
death (the 117 rubrics list of mortality for Japan): Japan, 1985

Table with columns for cause of death (e.g., Total, 1, 2, 3, 4, 1~4, 0~4, 5~9, 10~14, 15~19, 20~24, 25~29) and rows for various causes like Total, 1 (コレラ), 2 (腸チフス), 3 (細菌性赤痢及びアメーバ症), 4 (腸炎及びその他の下痢性疾患), 5 (呼吸系の結核), 6 (その他の結核), 7 (らい), 8 (ジフテリア), 9 (百日咳), 10 (猩紅熱), 11 (髄膜炎菌感染), 12 (破傷風), 13 (敗血症), 14 (急性灰白髄炎), 15 (痘), 16 (麻疹), 17 (日本脳炎), 18 (ウイルス肝炎B).

注: 1) 0歳は出生10万対の死亡率である。

Table with columns for age groups (30~34, 35~39, 40~44, 45~49, 50~54, 55~59, 60~64, 65~69, 70~74, 75~79, 80~84, 85~89, 90~, 65~, 80~, 85~) and rows for various causes of death corresponding to the left page.

Note: a) 117 Rubrics list code see page 420

昭和60年

表 5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

(簡単分類)別死亡率(人口10万対)(つづき)
death (the 117 rubrics list of mortality for Japan): Japan, 1985-con.

Table with columns for simple classification number, cause of death and sex, total, 0-year-olds, and age groups from 1 to 25-29.

注: 1) 0歳は出生10万対の死亡率である。
2) 女子人口10万対の死亡率である。

Table with columns for age groups from 30-34 to 85+ and corresponding death rates.

表 5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

(簡単分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan): Japan, 1985-con.

簡単 分類番号 117 Rubrics ^{a)} list code	死因・性 Causes of death and sex	総数 Total	0歳 ¹⁾ Years	10歳未満								10歳以上				
				1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29		
37	その他	総数 T. 42.2	2.2	2.2	2.7	1.8	2.2	2.2	2.2	2.2	1.8	1.9	2.6	2.4	3.3	
	男 M.	45.3	1.9	2.6	2.7	2.2	2.5	2.4	2.1	2.0	3.3	2.7	3.8			
38	良性及び性質不詳の 新生物	総数 T. 5.4	2.5	1.0	0.6	0.5	1.1	0.8	1.1	0.8	0.6	0.5	0.8	0.8		
	男 M.	6.1	2.3	1.6	0.5	0.7	1.0	0.9	1.2	1.0	0.7	0.7	1.2	0.9		
39	糖尿病	総数 T. 7.7	0.1	—	—	0.1	—	0.0	0.0	0.0	0.0	0.1	0.2	0.3		
	男 M.	7.3	0.1	—	—	—	—	0.0	0.0	0.0	0.0	0.1	0.2	0.4		
40	栄養欠乏症	総数 T. 0.4	0.2	0.1	0.2	0.1	—	0.1	0.1	—	0.0	—	0.0	0.0		
	男 M.	0.4	0.3	0.1	0.3	0.1	—	0.1	0.2	—	—	—	—	—		
41	貧血	総数 T. 1.3	0.5	0.3	0.3	0.1	0.1	0.2	0.3	0.3	0.3	0.2	0.2	0.2		
	男 M.	1.2	0.3	0.4	0.4	0.1	—	0.2	0.2	0.3	0.3	0.4	0.2	0.3		
42	精神障害	総数 T. 2.5	—	0.1	0.1	—	—	0.0	0.0	0.0	0.0	0.1	0.2	0.2		
	男 M.	2.4	—	—	0.1	—	—	0.0	0.0	—	—	0.1	0.2	0.3		
43	髄膜炎	総数 T. 0.5	5.2	0.9	0.7	0.3	0.1	0.5	1.4	0.0	0.0	0.1	0.1	0.2		
	男 M.	0.6	6.3	0.9	0.9	0.4	0.1	0.6	1.7	0.0	0.0	0.1	0.1	0.3		
44	中枢神経系の非炎症 性疾患	総数 T. 4.0	5.4	4.0	2.7	2.6	1.9	2.8	3.3	1.0	0.6	1.0	0.9	1.0		
	男 M.	4.3	5.8	4.7	3.1	3.1	1.4	3.1	3.6	1.2	0.7	1.2	1.2	1.0		
45	急性リウマチ熱	総数 T. 0.0	—	—	—	—	—	—	—	—	—	—	—	0.0		
	男 M.	0.0	—	—	—	—	—	—	—	—	—	—	—	—		
46	慢性リウマチ性心疾患	総数 T. 1.4	—	—	—	—	—	—	—	—	—	0.0	—	—		
	男 M.	0.9	—	—	—	—	—	—	—	—	—	—	0.0	—		
48-49	高血圧性疾患	総数 T. 10.6	—	—	—	—	—	—	—	—	—	—	0.1	0.1		
	男 M.	8.5	—	—	—	—	—	—	—	—	—	—	—	0.1		
48	高血圧性心疾患	総数 T. 7.9	—	—	—	—	—	—	—	—	—	—	0.1	0.1		
	男 M.	6.4	—	—	—	—	—	—	—	—	—	—	—	0.1		
49	その他の高血圧性 疾患	総数 T. 2.7	—	—	—	—	—	—	—	—	—	—	0.0	0.0		
	男 M.	2.1	—	—	—	—	—	—	—	—	—	—	—	—		
51-52	虚血性心疾患	総数 T. 41.1	—	—	0.1	—	—	0.0	0.0	0.0	0.0	0.1	0.4	0.6		
	男 M.	45.5	—	—	0.1	—	—	0.0	0.0	0.0	0.1	0.2	0.5	0.9		
51	急性心筋梗塞	総数 T. 25.4	—	—	0.1	—	—	0.0	0.0	0.0	0.0	0.1	0.4	0.4		
	男 M.	29.9	—	—	0.1	—	—	0.0	0.0	0.0	0.0	0.1	0.5	0.6		
52	その他の虚血性心 疾患	総数 T. 15.7	—	—	—	—	—	—	—	—	—	0.0	0.0	0.1		
	男 M.	15.6	—	—	—	—	—	—	—	—	—	0.0	0.1	0.3		
54-56	肺循環疾患及びその 他の型の心疾患	総数 T. 74.8	16.3	4.8	2.1	1.9	1.4	2.5	5.2	1.0	1.3	2.4	4.1	5.5		
	男 M.	75.2	17.7	4.5	2.3	2.2	1.5	2.6	5.5	1.1	1.5	2.9	6.0	7.6		

注: 1) 0歳は出生10万対の死亡率である。

昭和60年

		30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
37	その他	4.7	7.5	14.0	23.1	40.2	65.2	97.1	149.6	227.9	341.6	413.8	484.0	442.9	261.1	434.8	474.1
	男 M.	5.0	7.7	13.2	23.7	41.3	74.9	116.8	186.2	293.2	448.4	568.8	708.8	639.5	335.7	607.5	693.3
38	良性及び性質不詳の 新生物	4.4	7.3	14.8	22.5	39.2	55.9	81.7	122.6	180.5	267.6	319.4	374.8	209.5	209.5	338.5	371.0
	男 M.	1.1	1.3	1.9	3.0	4.9	7.7	10.4	16.8	25.8	41.6	54.9	75.0	80.3	32.5	62.4	76.3
39	糖尿病	1.2	1.5	2.1	3.7	6.1	9.6	13.2	22.6	35.0	57.7	69.2	105.9	96.0	42.2	79.9	103.7
	男 M.	1.0	1.1	1.6	2.3	3.8	6.0	8.3	12.4	19.2	30.4	46.3	60.0	73.6	25.7	52.6	63.4
40	栄養欠乏症	0.6	0.9	1.7	2.9	5.9	9.3	14.9	25.5	44.9	75.6	100.8	107.8	79.7	54.5	100.9	101.0
	男 M.	0.6	1.0	2.2	4.2	8.3	11.4	17.2	28.4	48.2	75.5	99.7	132.6	90.6	55.9	107.0	123.2
41	貧血	0.6	0.9	1.3	1.6	3.5	7.4	13.2	23.3	42.4	75.7	101.4	95.7	75.2	53.4	97.4	90.6
	男 M.	0.1	0.1	0.1	0.3	0.4	0.4	0.5	0.7	1.3	2.3	5.3	10.7	29.1	2.6	8.7	15.2
42	精神障害	0.1	0.1	0.2	0.5	0.7	0.6	0.6	0.8	1.3	3.0	6.6	13.6	32.6	2.9	10.1	17.8
	男 M.	0.1	0.1	0.1	0.1	0.2	0.1	0.4	0.5	1.3	1.8	4.6	9.4	27.6	2.5	8.0	13.9
43	髄膜炎	0.3	0.3	0.4	0.5	0.7	1.1	1.8	3.5	5.5	10.4	17.2	31.5	39.9	8.9	22.9	33.5
	男 M.	0.2	0.2	0.4	0.5	0.5	0.5	1.2	1.9	3.6	6.5	11.4	19.0	34.4	9.1	23.7	34.0
44	中枢神経系の非炎症 性疾患	0.3	0.3	0.4	0.6	0.9	1.0	1.7	3.5	4.7	8.5	20.3	40.7	83.5	110.5	23.7	55.9
	男 M.	0.2	0.2	0.4	0.6	0.9	1.0	1.7	3.5	4.7	8.5	20.3	40.7	83.5	110.5	23.7	55.9
45	急性リウマチ熱	0.2	0.2	0.4	0.8	0.8	0.8	1.7	3.0	8.1	18.0	40.9	88.9	130.4	19.0	62.4	99.2
	男 M.	0.5	0.6	1.0	1.5	1.8	1.6	2.5	3.5	4.7	8.5	20.3	40.7	83.5	110.5	23.7	55.9
46	慢性リウマチ性心疾患	0.8	1.1	1.8	2.3	2.9	2.5	3.5	4.7	8.5	20.3	40.7	83.5	110.5	17.0	55.9	89.5
	男 M.	0.2	0.2	0.4	0.8	0.8	0.8	1.7	3.0	8.1	18.0	40.9	88.9	130.4	19.0	62.4	99.2
48-49	高血圧性疾患	0.2	0.2	0.2	0.3	0.5	0.9	1.0	1.3	2.2	2.9	2.1	3.2	1.6	2.1	2.3	2.8
	男 M.	0.2	0.3	0.3	0.4	0.8	1.2	1.2	1.5	2.8	3.0	2.9	3.1	1.8	2.4	2.9	2.8
48	高血圧性心疾患	0.1	0.2	0.1	0.2	0.3	0.6	0.8	1.1	1.9	2.8	1.6	3.3	1.5	1.8	2.0	2.9
	男 M.	0.9	1.0	1.2	1.6	2.9	4.6	8.1	13.5	19.4	29.3	31.1	39.9	37.2	22.0	33.9	39.2
49	その他の高血圧性 疾患	1.0	1.3	1.2	1.8	3.4	5.7	9.1	17.5	23.7	38.4	40.9	45.9	45.3	27.4	42.4	45.8
	男 M.	0.8	0.7	1.1	1.4	2.4	3.5	7.3	10.5	16.2	23.0	25.1	37.0	33.7	18.2	29.2	36.2
51-52	虚血性心疾患	0.0	0.0	—	—	0.0	0.0	0.1	0.4	0.1	0.4	0.7	—	—	0.3	0.5	0.5
	男 M.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
51	急性心筋梗塞	0.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	男 M.	0.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
52	その他の虚血性心 疾患	0.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	男 M.	0.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
54-56	肺循環疾患及びその 他の型の心疾患	0.1	0.1	0.1	0.1	0.4	0.5	0.4	0.8	2.1	6.4	20.3	61.2	148.7	275.3	24.9	102.3
	男 M.	0.0	0.2	0.2	0.3	0.5	0.4	1.1	2.6	7.5	22.8	59.7	155.5	222.8	22.4	94.2	170.6
54-56	肺循環疾患及びその 他の型の心疾患	0.1	0.0	0.1	0.1	0.4	0.5	0.6	1.8	5.6	18.6	62.2	145.4	297.5	26.6	106.8	183.1
	男 M.	1.1	2.2	5.2	10.0	19.9	34.2	60.3	113.1	214.1	393.4	673.4	1 076.2	1 429.4	328.4	843.1	1 161.1
54-56	肺循環疾患及びその 他の型の心疾患	1.8	3.5	8.9	15.5	32.2	54.4	94.9	163.5	291.2	500.8	825.8	1 311.1	1 637.7	399.2	999.2	1 384.1
	男 M.	0.4	1.0	1.6	4.5	7.8	15.1	33.3	75.9	158.2	319.0	580.7	962.0	1 341.3	279.5	756.0	1 056.2
54-56	肺循環疾患及びその 他の型の心疾患	0.8	1.8	4.0	8.0	15.9	26.5	46.6	84.3	147.7	245.9	353.7	479.9	517.2	191.1	400.7	488.9
	男 M.	1.3	2.8	6.8	12.4	25.6	42.4	73.4	122.2	202.3	320.6	461.6	602.8	675.7	246.0	510.5	619.1
54-56	肺循環疾患及びその 他の型の心疾患	0.3	0.8	1.3	3.6	6.5	11.4	25.6	56.3	108.1	194.2	288.0	420.1	450.2	153.2	339.4	427.6
	男 M.	0.3	0.4	1.2	2.0	4.0	7.7	13.7	28.8	66.4	147.5	319.8	596.4	912.2	137.3	442.4	672.3
54-56	肺循環疾患及びその 他の型の心疾患	0.5	0.7	2.0	3.1	6.7	12.1	21.5	41.3	88.9	180.2	364.2	708				

表 5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

(簡単分類) 別死亡率 (人口10万対) (つづき)
death (the 117 rubrics list of mortality for Japan): Japan, 1985-con.

Table with columns for Rubric No., Cause of Death (Total, 0 years, 1-29 years), and rows for various causes such as heart disease, stroke, pneumonia, etc.

注: 1) 0歳は出生10万対の死亡率である。

Table with columns for Age Groups (30-85+) and rows for the same 117 rubrics as the left page, showing mortality rates by age.

表 5.16 性・年齢別にみた死因 Table 5.16 Death rates (per 100,000 population) by sex, age and causes of

Table with columns for 117 Rubrics, Causes of death and sex, Total, and age groups (0歳, 1, 2, 3, 4, 1~4, 0~4, 5~9, 10~14, 15~19, 20~24, 25~29). Rows include categories like E107 (不慮の墜落), E108 (火災及び火傷による不慮の事故), E109 (天災), E110 (不慮の溺死), E111 (不慮の機械的窒息), E112 (不慮の打撲), E113 (工業性を主とする不慮の事故), E114 (その他の不慮の事故及び有害作用), E115 (自殺), E116 (他殺), E117 (その他の外因), (再掲) 1-26 (感染症及び寄生虫症), 5, 6 (結核), 46, 51-52, 54-56 (心疾患), 62, 63, 66 (肺炎及び気管支炎), 4, 72 (胃腸炎), 79, 80 (妊産婦死亡).

注: 1) 0歳は出生10万対の死亡率である。 2) 女子人口10万対の死亡率である。

(简单分類) 別死亡率(人口10万対)(つづき) death (the 117 rubrics list of mortality for Japan): Japan, 1985-con.

昭和60年

Table with columns for age groups (30~34, 35~39, 40~44, 45~49, 50~54, 55~59, 60~64, 65~69, 70~74, 75~79, 80~84, 85~89, 90~, 65~, 80~, 85~) and rows corresponding to the 117 rubrics from the previous table.