

死 亡

[地域別にみた死因]

[Causes of death in prefecture]

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	総数 Total	1 ^{b)} コレラ	2 腸チフス	3 細菌性赤痢及び アメーバ症	4 下痢性疾患 腸炎及びその他の	5 呼吸系の結核	6 その他の結核 (後遺症を含まない)	7 らい	8 ジフテリア	9 百日咳
全 国 Total	625.5	—	—	0.0	0.9	3.7	0.2	—	—	0.0
01 ^{a)} 北海道	603.2	—	—	—	0.5	3.3	0.2	—	—	0.0
02 青森	693.3	—	—	—	1.0	4.7	0.3	—	—	—
03 岩手	692.5	—	—	—	0.8	3.3	0.1	—	—	—
04 宮城	591.7	—	—	—	0.9	2.7	0.1	—	—	—
05 秋田	751.2	—	—	—	1.0	2.7	—	—	—	—
06 山形	783.2	—	—	—	0.9	2.2	0.1	—	—	—
07 福島	728.6	—	—	—	1.4	3.7	—	—	—	—
08 茨城	635.2	—	—	—	1.2	2.8	0.1	—	—	—
09 栃木	655.5	—	—	—	1.3	3.7	0.1	—	—	—
10 群馬	668.5	—	—	—	0.8	2.7	0.2	—	—	—
11 埼玉	451.2	—	—	—	0.5	2.2	0.1	—	—	—
12 千葉	481.6	—	—	—	0.8	2.2	0.0	—	—	—
13 東京	530.5	—	—	—	0.5	3.5	0.2	—	—	0.0
14 神奈川	458.1	—	—	0.0	0.6	2.7	0.1	—	—	0.0
15 新潟	738.5	—	—	—	1.3	2.1	0.2	—	—	—
16 富山	735.3	—	—	—	1.7	3.4	0.3	—	—	—
17 石川	661.4	—	—	—	0.9	5.5	0.1	—	—	—
18 福井	730.3	—	—	—	2.8	3.9	—	—	—	—
19 山梨	754.8	—	—	—	1.3	3.2	0.2	—	—	—
20 長野	736.0	—	—	—	1.3	2.4	0.0	—	—	—
21 岐阜	649.6	—	—	—	1.2	5.3	0.5	—	—	—
22 静岡	597.9	—	—	—	0.7	3.3	0.2	—	—	—
23 愛知	515.0	—	—	—	0.7	4.8	0.1	—	—	—
24 三重	732.0	—	—	—	0.6	4.0	0.1	—	—	—
25 滋賀	622.3	—	—	—	1.5	3.3	0.2	—	—	—
26 京都	660.4	—	—	—	0.8	4.8	0.2	—	—	—
27 大阪	556.5	—	—	0.0	0.5	4.1	0.3	—	—	0.0
28 兵庫	643.6	—	—	—	1.4	4.8	0.3	—	—	—
29 奈良	636.2	—	—	—	0.2	3.2	0.2	—	—	—
30 和歌山	821.0	—	—	—	1.0	5.2	0.2	—	—	—
31 鳥取	782.2	—	—	—	1.1	2.6	—	—	—	—
32 島根	831.7	—	—	—	1.5	2.8	—	—	—	—
33 岡山	750.1	—	—	—	1.2	4.5	0.2	—	—	0.1
34 広島	678.3	—	—	—	1.2	3.8	0.2	—	—	—
35 山口	772.9	—	—	0.1	1.0	4.5	0.1	—	—	—
36 徳島	800.6	—	—	—	1.4	5.9	0.2	—	—	—
37 香川	726.9	—	—	—	1.5	3.0	0.1	—	—	—
38 愛媛	752.9	—	—	—	0.8	4.6	0.2	—	—	—
39 高知	866.8	—	—	—	1.2	3.7	0.2	—	—	—
40 福岡	649.8	—	—	0.0	0.7	4.2	0.1	—	—	—
41 佐賀	764.7	—	—	—	1.1	5.2	0.2	—	—	—
42 長門	745.1	—	—	—	1.1	4.4	0.1	—	—	—
43 熊本	745.2	—	—	—	1.0	5.5	0.2	—	—	—
44 大分	781.2	—	—	—	1.5	5.1	0.2	—	—	—
45 宮崎	706.0	—	—	—	0.6	5.3	0.1	—	—	—
46 鹿児島	846.4	—	—	—	2.4	4.7	0.2	—	—	0.1
47 沖縄	448.9	—	—	—	1.0	2.0	0.4	—	—	—

Deaths

(簡単分類) 別死亡率 (人口10万対)

rubrics list of mortality for Japan) in each prefecture : Japan, 1985

昭和60年

10 猩紅熱	11 髄膜炎菌感染	12 破傷風 (新生児破傷風を除く)	13 敗血症 (新生児敗血症を除く)	14 急性灰白髄炎	15 痘瘡	16 麻疹	17 日本脳炎	18 ウイルス肝炎B	19 その他のウイルス肝炎	20 他のリケッチア症 登革熱及びその	21 マラリア
—	0.0	0.0	2.1	—	—	0.0	0.0	0.2	0.9	0.0	0.0
—	—	—	1.8	—	—	0.0	—	0.3	1.5	—	—
—	—	0.1	1.4	—	—	0.4	—	0.4	1.6	—	—
—	—	—	3.1	—	—	—	—	0.1	0.8	0.1	—
—	—	—	1.1	—	—	0.0	—	0.1	0.7	—	—
—	—	—	2.3	—	—	—	—	0.2	1.1	—	—
—	—	—	2.3	—	—	—	—	0.2	1.0	—	—
—	—	—	1.5	—	—	—	—	0.4	0.7	—	0.0
—	—	0.0	1.9	—	—	0.1	—	0.1	1.0	—	—
—	0.1	0.1	2.1	—	—	—	—	0.2	1.3	—	—
—	—	—	2.7	—	—	—	—	0.2	0.6	—	—
—	—	0.0	1.4	—	—	0.0	—	0.1	0.7	—	—
—	—	0.0	1.1	—	—	0.0	—	0.1	0.5	—	—
—	—	0.0	1.7	—	—	0.0	—	0.1	0.6	0.0	—
—	—	0.0	1.5	—	—	—	—	0.1	0.5	—	—
—	—	—	1.8	—	—	0.0	—	0.1	0.9	—	—
—	—	—	3.9	—	—	—	—	0.2	1.5	—	—
—	—	—	2.7	—	—	—	—	—	0.8	—	—
—	—	—	3.0	—	—	—	—	0.1	0.9	—	—
—	—	0.1	2.7	—	—	—	—	0.9	1.1	—	—
—	—	0.0	1.6	—	—	—	—	0.3	0.8	—	—
—	—	0.0	1.2	—	—	—	—	0.2	0.6	—	—
—	—	0.0	2.0	—	—	0.0	—	0.3	0.6	0.0	—
—	—	0.0	1.8	—	—	0.0	—	0.2	0.8	—	—
—	—	0.1	2.5	—	—	—	—	0.1	0.9	—	—
—	—	—	1.6	—	—	—	—	0.2	0.7	—	—
—	—	—	2.8	—	—	—	—	0.2	0.9	—	—
—	—	0.0	3.6	—	—	0.0	—	0.1	1.0	—	—
—	0.0	—	2.2	—	—	0.1	—	0.2	0.9	—	0.0
—	—	—	2.6	—	—	0.1	—	0.2	0.8	—	—
—	—	—	1.3	—	—	—	0.3	0.1	0.8	—	—
—	—	0.2	2.1	—	—	—	—	0.2	0.8	—	—
—	—	—	3.4	—	—	—	—	0.3	0.6	—	—
—	—	—	2.4	—	—	—	—	0.3	1.1	—	—
—	—	0.0	1.7	—	—	—	—	0.1	1.2	—	—
—	—	—	3.4	—	—	—	0.1	0.3	1.0	—	—
—	—	—	2.6	—	—	—	—	0.2	1.2	—	—
—	—	—	2.2	—	—	—	—	0.1	0.9	—	—
—	—	0.1	2.6	—	—	—	—	0.1	1.2	—	—
—	—	0.1	3.8	—	—	0.1	—	0.5	2.4	—	—
—	—	—	2.1	—	—	—	0.0	0.2	0.8	—	—
—	0.1	—	2.9	—	—	—	—	0.2	0.8	—	—
—	—	0.1	2.6	—	—	0.1	0.1	0.2	0.8	—	—
—	—	—	3.3	—	—	0.1	—	0.3	1.0	—	—
—	—	—	1.9	—	—	—	—	0.2	0.8	—	—
—	0.1	0.1	1.8	—	—	0.3	—	0.3	1.0	—	—
—	—	0.1	2.5	—	—	0.3	—	0.4	1.2	—	—
—	—	0.1	4.4	—	—	—	—	0.4	0.7	—	—

Note : a) See page 34

b) 117 Rubrics list code See page 420

表 5.19 都道府県別にみた死因
Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	22 梅毒 毒	23 カ ン サ (新 生 児 カ ン サ を 除 く) ジ ダ 症	24 日本 住 血 吸 虫 症	25 フィ ラ リ ア 症	26 その 他 の 感 染 症 及 虫 症	28-37 悪 性 新 生 物	28 食 道	29 胃	30 直 腸 ・ 直 腸 S 状 結 腸 癌 及 他 の 直 腸 癌	31 肝 臓
全 国 Total	0.1	0.0	0.0	0.0	1.5	156.1	5.2	40.7	6.6	16.5
01 ^{a)} 北海道	0.0	0.0	—	—	1.3	159.9	6.3	37.7	6.7	14.6
02 青森	0.1	0.1	—	—	1.1	174.3	5.5	45.4	7.4	14.3
03 岩手	0.1	0.1	—	—	2.1	155.8	6.3	36.8	7.8	11.1
04 宮城	0.0	—	—	—	1.1	152.2	7.7	39.4	7.2	10.6
05 秋田	—	—	—	—	2.1	186.0	9.4	55.2	7.1	11.5
06 山形	0.1	—	—	—	1.0	195.7	8.0	62.0	9.6	12.4
07 福島	—	0.1	—	—	1.6	179.6	8.5	51.1	7.4	13.4
08 茨城	—	—	—	—	0.8	143.4	6.5	43.3	5.6	12.1
09 栃木	0.1	0.2	—	—	1.1	148.6	6.2	47.1	5.7	12.5
10 群馬	0.1	—	—	—	0.9	151.8	5.6	45.0	6.6	12.1
11 埼玉県	0.0	0.0	—	—	1.1	113.8	4.5	32.3	4.9	10.3
12 千葉県	0.0	0.0	—	—	1.1	120.3	4.1	33.9	5.0	11.0
13 東京都	0.1	0.0	—	—	1.7	144.9	6.0	36.7	6.2	13.5
14 神奈川県	0.0	0.1	—	—	1.5	124.3	4.9	32.0	5.5	11.6
15 新潟	0.0	—	—	—	1.9	194.9	8.7	61.8	9.5	12.2
16 富山	—	—	—	—	1.3	191.4	5.1	59.5	7.9	14.2
17 石川	0.1	—	—	—	0.9	169.3	2.9	47.9	7.4	15.6
18 福井	—	—	—	—	1.7	173.6	2.3	45.7	8.4	18.6
19 山梨	—	—	0.5	—	2.3	177.7	5.6	46.8	9.7	23.2
20 長野	0.0	0.2	—	—	1.5	173.3	6.0	49.0	8.6	12.3
21 岐阜	0.1	0.0	—	—	1.2	150.2	2.7	40.5	8.2	16.0
22 静岡県	0.1	—	—	—	1.9	139.6	3.7	35.2	5.7	16.0
23 愛知県	0.1	0.0	—	—	1.5	128.3	2.7	33.5	5.2	12.9
24 三重	—	0.1	—	—	2.0	156.6	3.7	44.7	7.0	13.7
25 滋賀	—	—	—	—	1.5	145.8	3.3	42.6	6.1	10.8
26 京都	—	0.0	—	—	1.7	167.6	4.7	42.9	6.1	16.5
27 大阪	0.0	0.0	—	—	1.1	153.4	4.1	37.7	5.8	24.1
28 兵庫県	0.1	0.0	—	—	1.3	161.8	4.8	40.1	6.5	21.8
29 奈良	—	—	—	—	1.0	162.7	5.4	47.2	6.0	21.2
30 和歌山	—	—	—	—	1.5	196.9	5.9	56.8	8.0	21.0
31 鳥取	—	—	—	—	0.8	188.3	4.7	52.7	7.6	23.2
32 島根	—	—	—	—	3.3	191.8	4.1	52.9	7.8	22.1
33 岡山	0.1	—	—	—	1.6	173.9	3.6	41.8	6.6	19.8
34 広島	0.0	0.1	—	0.0	1.5	165.6	4.4	41.7	7.6	22.6
35 山口	0.1	0.1	—	—	1.8	181.7	5.4	46.6	7.6	21.5
36 徳島	—	—	—	—	3.2	180.2	5.5	44.9	9.4	22.6
37 香川	0.1	0.1	—	—	1.4	181.6	3.4	49.9	6.0	19.0
38 愛媛	0.1	0.1	—	0.1	2.2	173.5	3.4	46.9	7.2	18.8
39 高知	—	0.5	—	—	1.4	180.2	3.8	49.2	10.4	19.1
40 福岡	0.0	0.1	—	—	1.9	175.7	4.3	39.5	6.8	28.1
41 佐賀	0.3	—	—	—	2.7	192.2	3.8	47.7	8.2	31.7
42 長崎	0.1	0.1	—	—	1.4	200.1	5.5	46.3	7.1	24.5
43 熊本	0.1	0.2	—	—	1.6	176.9	5.7	38.0	7.0	23.0
44 大分	0.2	—	—	—	1.4	179.6	5.3	42.4	7.9	21.2
45 宮崎	0.1	0.1	—	—	0.9	162.7	5.8	39.0	7.6	19.3
46 鹿児島	0.2	0.1	—	0.1	2.0	182.1	9.9	36.2	8.0	21.3
47 沖縄	0.1	0.1	—	—	2.0	103.9	6.3	15.3	3.3	7.5

(簡単分類) 別死亡率 (人口10万対) (つづき)
rubrics list of mortality for Japan) in each prefecture : Japan, 1985—con.

昭和60年

32 肺 癌	33 気 管 支 炎 及 び 気 管 支 腫 瘍	34 乳 房 癌	34 乳 癌 (女 子 人 口 10 万 対)	35 子 宮 癌 (女 子 人 口 10 万 対)	36 白 血 病	37 そ の 他	38 良 性 及 び 性 質 不 詳 の 新 生 物	39 糖 尿 病	40 栄 養 欠 乏 症	41 貧 血	42 精 神 障 害
8.7	23.8	4.1	8.0	8.0	4.3	42.2	5.4	7.7	0.4	1.3	2.5
11.0	25.6	4.3	8.4	7.9	4.5	45.1	4.1	8.6	0.3	1.0	2.0
11.7	27.6	5.3	10.0	6.7	4.0	49.6	4.8	8.0	0.7	1.2	1.9
10.9	23.8	4.5	8.3	7.0	4.7	46.1	5.3	8.1	0.1	1.2	3.0
9.8	23.1	4.1	7.9	5.8	4.8	42.6	4.0	7.6	0.4	0.8	2.0
10.1	25.7	4.3	8.3	8.6	5.3	53.1	5.8	7.9	0.2	1.7	1.9
9.9	26.6	4.0	7.7	7.9	5.8	53.3	5.1	8.2	0.2	1.3	3.0
10.5	27.5	3.5	6.8	7.9	4.4	49.3	1.9	7.6	0.4	1.4	2.8
8.0	20.3	3.2	6.4	7.2	3.3	37.4	4.6	8.1	0.3	0.9	2.5
8.1	20.8	3.7	7.2	7.4	3.5	37.5	6.3	6.8	0.3	1.2	2.9
7.9	20.8	3.4	6.7	8.5	4.8	41.2	6.5	7.5	0.2	1.1	2.8
6.3	16.4	3.4	6.8	5.7	3.4	29.6	5.0	6.0	0.2	1.1	2.0
6.4	15.6	3.5	6.9	6.6	4.1	33.4	3.1	6.6	0.3	0.9	1.9
8.0	21.6	5.0	10.0	7.4	4.0	40.2	5.3	7.0	0.6	1.2	2.2
6.6	17.6	4.6	9.5	6.9	3.6	34.3	3.6	5.5	0.2	0.9	1.5
10.7	29.0	2.9	5.6	6.4	4.7	52.2	4.8	7.8	0.4	1.3	4.4
11.5	28.8	3.7	7.2	9.5	4.8	51.0	9.6	9.8	0.5	0.9	1.5
9.2	24.6	5.1	9.8	7.8	5.5	46.9	0.8	9.8	0.2	1.2	1.9
8.5	26.9	3.6	7.0	8.4	5.4	49.8	6.9	9.6	0.6	1.2	2.3
11.7	22.8	4.1	8.1	7.4	3.3	46.8	7.0	10.0	0.7	1.2	3.0
11.0	23.2	4.9	9.4	6.7	4.7	50.1	6.2	7.9	0.4	1.4	2.6
8.7	21.4	4.2	7.9	7.9	2.9	41.4	6.6	6.7	0.4	1.4	2.0
8.5	19.3	3.7	7.3	6.8	3.9	40.2	6.2	8.1	0.2	1.1	2.4
7.0	19.7	3.8	7.5	7.5	3.6	36.2	4.1	7.2	0.3	0.9	1.5
9.7	25.3	4.8	9.2	7.6	3.9	40.0	9.5	10.6	0.1	1.5	2.8
8.0	23.1	4.6	9.1	7.1	3.8	40.0	7.3	8.1	0.3	1.5	2.1
9.9	28.9	4.1	8.0	8.4	4.2	46.1	8.2	9.2	0.2	1.8	2.2
7.3	24.3	4.3	8.5	8.1	3.8	37.9	4.0	7.2	0.6	1.4	2.1
8.7	26.3	3.8	7.3	10.5	3.9	40.5	6.6	7.8	0.4	1.8	3.1
9.0	24.8	4.9	9.3	7.3	3.1	37.3	6.7	8.1	0.2	0.9	3.2
12.7	31.8	4.3	8.2	10.7	4.5	46.4	5.5	10.4	0.5	1.7	3.5
10.3	28.4	2.7	4.9	10.8	5.5	47.6	5.2	8.1	0.2	2.9	3.1
11.8	27.7	3.5	6.7	9.6	5.0	51.9	8.8	7.6	0.6	2.9	3.8
10.6	30.1	4.1	7.9	9.1	4.3	48.1	4.5	7.8	0.1	1.1	2.2
8.4	25.8	3.9	7.6	9.0	4.1	42.4	9.0	8.7	0.6	1.9	2.6
8.6	30.7	3.9	7.2	9.9	5.2	47.3	7.0	8.9	0.9	1.5	2.9
8.8	29.5	4.2	8.1	12.1	4.8	44.3	9.0	12.1	—	1.6	2.5
9.8	29.0	4.0	7.5	10.9	4.0	51.1	6.3	6.5	0.3	1.2	1.9
10.0	28.2	4.0	7.6	7.1	5.2	46.1	7.8	7.8	0.5	1.3	2.5
10.7	26.0	4.6	8.7	9.0	5.2	46.5	10.9	12.6	0.1	1.4	5.1
8.8	27.5	4.5	8.6	9.8	4.0	47.0	4.7	7.9	0.3	1.8	3.1
9.5	29.0	3.4	6.4	7.5	5.4	49.6	3.3	7.2	0.1	1.7	3.9
8.8	30.9	4.9	9.4	8.8	7.2	60.3	2.0	7.8	0.3	1.6	3.6
11.4	26.8	3.9	7.3	10.2	5.4	50.2	9.7	8.2	0.7	2.6	3.5
9.6	29.6	3.7	7.0	10.6	6.3	48.0	4.9	7.5	0.3	1.2	4.4
9.2	24.3	3.2	6.1	8.6	5.7	43.9	9.5	5.1	0.3	0.8	4.1
8.1	30.3	3.5	6.3	9.8	8.5	51.0	9.0	10.6	0.9	2.4	4.7
4.6	24.9	2.0	3.9	8.4	4.4	31.4	4.8	5.6	1.4	1.5	2.8

表 5.19 都道府県別にみた死因
Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	43 髄 膜 炎	44 中 非 炎 症 性 疾 患 の 患	45 急 性 リ ウ マ チ 熱	46 慢 性 リ ウ マ チ 性 患	48-49 高 血 圧 性 疾 患	48 高 血 圧 性 心 疾 患	49 そ の 他 の 高 血 圧 性 疾 患	51-52 虚 血 性 心 疾 患	51 急 性 心 筋 梗 塞	52 そ の 他 の 虚 血 性 心 疾 患
全 国 Total	0.5	4.0	0.0	1.4	10.6	7.9	2.7	41.1	25.4	15.7
01 ¹⁾ 北海道	0.4	3.0	—	1.2	6.8	5.0	1.9	46.2	28.1	18.2
02 青森	0.5	2.9	—	0.9	7.0	5.0	2.0	38.5	26.0	12.4
03 岩手	0.5	4.1	—	1.5	8.2	6.5	1.7	46.7	31.8	14.9
04 宮城	0.3	3.7	0.0	1.1	9.6	6.9	2.8	38.8	24.3	14.5
05 秋田	0.6	3.1	—	0.7	7.2	4.9	2.2	42.1	22.9	19.2
06 山形	0.1	4.6	0.1	1.9	12.5	8.0	4.5	43.9	26.2	17.7
07 福島	0.6	4.0	0.0	1.2	7.1	5.3	1.8	47.3	30.2	17.0
08 茨城	0.4	4.0	0.1	1.1	13.1	9.6	3.5	37.5	24.3	13.2
09 栃木	0.5	3.9	—	1.5	11.4	9.3	2.1	38.6	27.6	11.0
10 群馬	0.6	3.5	—	1.2	9.0	7.5	1.6	43.5	31.5	12.0
11 埼玉県	0.3	3.2	—	1.1	7.6	5.7	1.8	30.3	21.8	8.5
12 千葉県	0.4	2.8	0.0	0.9	10.7	8.0	2.7	31.3	20.4	10.9
13 東京都	0.4	3.7	0.0	1.2	8.7	6.6	2.1	47.0	26.8	20.2
14 神奈川県	0.5	3.2	—	1.3	6.9	4.9	2.0	35.0	23.8	11.2
15 新潟	0.4	4.0	0.0	1.4	14.1	10.8	3.3	39.6	26.9	12.7
16 富山	0.2	4.1	—	1.1	10.4	7.6	2.8	41.5	25.9	15.6
17 石川	0.1	3.5	—	1.4	9.1	6.1	2.9	40.5	25.2	15.3
18 福井	0.7	5.7	0.1	1.6	13.0	8.9	4.1	41.0	23.5	17.5
19 山梨	0.7	4.7	0.1	1.5	11.4	9.1	2.3	46.7	33.9	12.8
20 長野	0.2	5.9	—	1.7	12.2	8.2	4.0	48.7	34.4	14.4
21 岐阜	0.7	5.6	0.1	1.8	12.6	9.0	3.6	38.8	25.3	13.4
22 静岡県	0.6	4.8	0.0	1.4	10.8	7.6	3.2	39.4	26.1	13.3
23 愛知県	0.5	3.5	0.0	1.4	8.6	6.2	2.4	31.0	19.8	11.2
24 三重	0.8	4.7	0.1	1.4	16.5	11.2	5.3	42.2	27.7	14.4
25 滋賀	1.2	4.7	—	1.5	13.5	9.8	3.7	34.9	21.9	13.0
26 京都	0.8	3.8	0.1	0.9	10.4	7.3	3.1	43.3	27.8	15.5
27 大阪	0.6	3.2	0.0	1.4	9.1	6.8	2.3	36.5	21.2	15.3
28 兵庫県	0.6	4.0	—	1.2	11.5	8.1	3.5	35.8	22.0	13.8
29 奈良	0.9	3.1	—	0.8	11.0	8.2	2.8	31.1	19.2	11.8
30 和歌山	0.4	6.0	—	1.2	11.1	7.9	3.2	45.7	29.5	16.2
31 鳥取	0.2	5.6	—	1.6	8.7	6.6	2.1	44.2	25.2	19.0
32 島根	0.1	4.1	0.1	1.0	11.2	7.5	3.6	49.0	31.2	17.8
33 岡山	1.0	5.4	—	1.0	9.4	5.7	3.7	41.2	26.8	14.4
34 広島	0.6	4.1	0.0	1.3	10.2	8.5	1.7	41.7	25.6	16.1
35 山口	0.6	4.0	0.1	1.9	13.8	10.8	3.0	50.4	28.7	21.7
36 徳島	0.5	5.5	—	1.7	14.0	9.7	4.2	53.5	33.0	20.6
37 香川県	0.7	5.2	—	1.5	8.6	6.5	2.1	46.1	25.0	21.1
38 愛媛	0.7	5.0	—	1.8	10.0	6.8	3.1	38.3	26.0	12.4
39 高知	0.5	4.6	0.1	1.7	9.6	6.3	3.3	53.4	28.6	24.8
40 福岡	0.4	4.6	0.0	2.0	13.5	11.3	2.2	45.8	23.8	22.0
41 佐賀	0.8	4.4	—	2.0	25.1	21.1	4.0	52.7	23.6	29.1
42 長門	0.8	5.0	—	1.6	21.5	17.4	4.1	50.5	29.4	21.1
43 熊本	0.8	5.3	—	2.4	16.2	12.7	3.5	50.2	27.9	22.3
44 大分	0.6	4.6	0.2	2.3	20.1	15.2	4.9	66.2	34.4	31.8
45 宮崎	0.6	3.2	0.3	2.2	14.1	11.1	3.0	56.8	28.7	28.1
46 鹿児島	0.5	5.2	0.1	1.7	19.1	15.0	4.1	48.2	26.8	21.4
47 沖縄	1.2	2.7	0.2	1.1	5.8	4.5	1.3	25.5	18.6	6.9

(簡単分類) 別死亡率 (人口10万対) (つづき)
rubrics list of mortality for Japan) in each prefecture : Japan, 1985—con.

昭和60年

54-56 肺 循 環 疾 患 及 び そ の 他 の 型 の 心 疾 患	54 心 内 膜 の 慢 性 疾 患	55 心 不 全	56 そ の 他 の 心 疾 患	58-60 脳 血 管 疾 患	58 脳 出 血	59 脳 梗 塞	60 そ の 他 の 脳 血 管 疾 患	61 循 環 系 の 疾 患	62 急 性 気 管 支 炎	63 肺 炎	64 インフル エンザ
74.8	3.0	62.6	9.2	112.2	30.7	56.0	25.6	6.3	1.2	37.5	0.4
74.6	3.1	62.0	9.5	96.0	25.4	45.9	24.7	5.6	1.3	39.3	0.2
89.6	3.7	73.8	12.0	134.9	39.8	63.6	31.5	5.2	1.3	45.2	0.3
85.4	2.7	73.8	8.9	141.8	42.0	75.1	24.7	5.8	2.3	52.7	0.3
64.4	3.1	51.5	9.9	131.6	30.3	77.9	23.3	5.7	1.2	33.3	0.7
97.5	3.8	78.4	15.4	166.1	37.4	93.1	35.5	7.0	2.4	42.9	0.2
97.3	3.8	81.6	11.9	167.1	36.6	90.9	39.6	7.7	1.8	43.6	0.2
80.5	2.8	67.3	10.4	159.0	39.7	93.3	26.1	6.0	1.8	40.6	0.2
75.7	2.6	65.4	7.6	133.3	34.5	75.2	23.6	4.5	1.7	31.8	0.4
77.1	3.1	60.9	13.0	150.6	39.2	82.0	29.4	4.9	2.3	34.8	0.4
81.1	3.8	69.0	8.4	142.7	37.1	79.0	26.6	5.0	1.3	39.7	0.7
55.6	1.9	46.8	6.9	81.2	25.8	38.8	16.6	3.8	0.8	24.7	0.3
58.8	2.1	49.9	6.8	89.7	26.6	44.3	18.8	4.1	0.8	24.8	0.2
46.0	2.6	34.8	8.6	93.2	27.5	44.5	21.2	5.6	0.7	36.2	0.4
45.6	1.7	37.3	6.6	79.6	26.5	35.3	17.8	5.2	0.5	28.2	0.3
76.9	3.5	63.3	10.1	154.0	37.7	84.6	31.8	8.8	1.9	44.4	0.7
84.1	2.9	69.7	11.5	138.5	27.5	74.1	36.9	8.5	1.3	48.3	0.4
82.6	3.0	65.6	13.9	117.1	32.3	61.5	23.3	7.2	1.0	42.3	0.3
93.2	3.5	78.1	11.6	133.6	30.7	71.3	31.6	9.7	2.6	37.7	0.6
91.7	3.6	76.8	11.3	148.2	39.7	75.8	32.7	7.3	2.1	42.5	2.1
91.3	3.9	76.9	10.5	167.2	41.0	92.4	33.9	8.8	1.2	40.5	0.6
84.6	3.2	72.6	8.8	128.2	34.8	60.9	32.5	6.1	2.1	31.4	0.2
73.3	2.8	62.3	8.2	111.9	30.7	55.0	26.1	5.5	1.3	35.7	0.3
72.5	2.1	63.3	7.1	89.3	23.9	43.5	21.8	6.7	1.1	26.6	0.2
98.7	2.5	86.2	10.0	148.7	40.4	75.0	33.3	11.2	1.2	36.7	0.5
86.1	3.9	73.9	8.2	109.0	25.9	56.4	26.8	11.5	0.9	31.6	0.4
81.9	2.8	69.9	9.2	110.2	32.9	54.1	23.2	10.8	1.3	37.9	0.4
70.8	2.8	58.8	9.2	73.2	21.3	33.2	18.7	5.7	0.5	34.2	0.4
85.0	2.9	73.2	8.9	98.5	29.0	48.0	21.5	7.4	0.9	34.6	0.6
88.2	3.5	75.9	8.7	118.7	26.0	65.3	27.5	8.1	0.8	32.5	0.2
124.1	3.2	108.8	12.1	147.0	30.4	76.7	39.9	8.3	1.0	37.6	0.8
104.6	5.0	90.1	9.5	155.6	38.1	85.5	32.1	5.3	1.5	40.8	0.3
99.2	4.6	85.1	9.4	164.0	45.3	80.5	38.2	7.1	2.5	54.7	0.9
94.3	3.1	81.3	9.9	142.5	34.2	76.3	32.1	5.4	1.3	51.8	0.9
81.0	2.8	70.0	8.3	110.1	28.2	54.6	27.2	6.7	1.2	45.3	0.6
88.4	4.2	74.3	9.8	137.7	38.8	62.6	36.3	7.0	1.3	58.3	1.1
103.9	4.5	85.8	13.7	131.2	34.0	61.8	35.4	8.7	1.9	52.8	0.5
103.7	2.6	88.6	12.5	113.5	28.5	55.0	30.0	6.7	2.0	44.3	0.7
101.3	3.7	86.6	11.1	126.6	28.6	65.0	33.1	6.2	1.4	47.5	0.4
112.9	4.7	93.9	14.2	169.9	43.4	90.9	35.6	6.4	1.2	57.7	1.1
72.3	2.7	61.4	8.2	103.0	28.0	47.8	27.2	6.0	0.9	39.4	0.6
83.5	4.2	70.1	9.3	130.8	36.7	65.7	28.4	7.3	1.6	49.4	0.2
80.2	4.9	61.2	14.1	127.0	37.9	59.1	30.0	8.9	2.2	51.1	0.3
94.7	4.5	77.7	12.6	124.8	36.5	55.5	32.8	8.6	1.4	39.9	0.9
77.8	3.9	64.9	9.0	146.5	39.7	73.9	32.9	8.4	3.1	49.3	0.3
84.7	4.6	71.2	9.0	132.0	37.7	58.0	36.3	4.6	1.7	45.4	0.8
108.9	4.4	92.8	11.6	155.3	43.8	69.3	42.2	5.9	3.1	58.0	0.8
47.5	1.7	38.4	7.4	53.0	19.4	18.0	15.6	3.9	0.2	29.5	0.1

表 5.19 都道府県別にみた死因
Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	66-68 気管支炎・肺炎 及呼吸器 系疾患	66 気管支炎	67 肺気腫	68 喘息	69 胃及び十二指腸潰瘍	70 虫垂炎	71 腸閉塞 及ヘルニア	72 胃腸炎 及び慢性 十二指腸炎	73 慢性肝硬変 疾患及び 肝臓病	74 肝臓病 (肝硬変を除く)
全 国 Total	12.0	4.0	2.7	5.3	3.7	0.1	2.2	1.0	14.3	2.2
01 ¹⁾ 北海道	10.0	3.0	2.7	4.3	2.8	0.1	2.4	0.6	11.6	2.4
02 青森県	10.6	2.8	2.5	5.3	3.6	0.1	2.0	1.1	10.1	2.0
03 岩手県	11.5	3.4	2.4	5.6	4.5	0.1	2.5	0.2	11.6	1.9
04 宮城県	10.5	3.2	2.9	4.3	3.5	0.1	1.8	0.6	9.4	2.0
05 秋田県	10.5	3.0	3.0	4.5	3.0	0.2	2.5	1.7	8.5	2.2
06 山形県	16.5	5.9	5.0	5.6	3.8	0.1	2.6	1.8	11.2	2.8
07 福島県	12.2	4.0	2.8	5.4	3.9	0.1	2.8	0.7	12.3	1.9
08 茨城県	13.0	5.2	1.4	6.3	4.2	0.1	2.2	1.4	12.3	2.4
09 栃木県	15.3	5.2	3.2	6.9	4.2	0.1	2.2	1.7	12.8	1.9
10 群馬県	16.9	6.4	4.3	6.2	3.7	0.1	1.8	0.8	13.0	1.7
11 埼玉県	8.0	2.3	1.7	4.0	2.6	0.1	1.6	0.9	11.4	1.7
12 千葉県	7.8	2.6	1.7	3.5	2.9	0.1	1.8	0.9	9.8	1.6
13 東京都	9.5	3.0	2.2	4.2	3.6	0.1	2.2	0.7	14.4	1.5
14 神奈川県	7.0	1.9	2.0	3.1	2.6	0.1	1.5	0.3	13.3	1.6
15 新潟県	12.5	5.1	2.7	4.7	3.3	0.1	2.4	1.8	8.0	1.6
16 富山県	11.3	4.3	2.2	4.8	3.9	0.1	2.1	1.1	10.1	2.8
17 石川県	10.8	3.6	2.2	4.9	4.0	0.1	1.8	1.3	10.0	1.6
18 福井県	13.0	5.4	2.4	5.2	3.8	—	2.3	2.1	13.3	2.8
19 山梨県	14.8	2.7	5.8	6.3	4.0	0.2	2.1	2.6	16.4	2.9
20 長野県	13.4	5.2	3.2	5.0	3.7	—	2.3	0.9	10.9	1.8
21 岐阜県	14.0	4.1	2.9	6.9	3.9	0.1	2.2	1.4	13.0	1.3
22 静岡県	11.2	4.0	2.9	4.3	3.3	0.1	1.8	0.9	13.4	1.6
23 愛知県	9.6	3.2	1.9	4.5	2.7	0.1	1.5	1.1	11.0	1.8
24 三重県	14.8	6.3	2.8	5.8	2.8	0.1	2.6	1.8	12.7	2.4
25 滋賀県	14.2	4.1	4.5	5.5	4.0	0.1	1.6	2.0	10.4	2.6
26 京都府	10.6	3.5	3.4	3.7	3.9	0.1	2.2	0.9	13.1	2.4
27 大阪府	11.6	3.5	2.6	5.5	3.6	0.1	2.2	0.6	17.9	2.8
28 兵庫県	12.4	3.8	2.6	6.0	3.5	0.2	2.2	1.0	18.2	2.9
29 奈良県	12.3	4.1	3.4	4.8	3.7	0.2	2.8	1.2	14.0	2.8
30 和歌山県	14.3	4.3	4.3	5.6	4.4	—	2.9	1.4	17.5	2.9
31 鳥取県	14.7	6.6	3.5	4.5	4.5	0.2	3.5	2.1	17.9	2.4
32 島根県	17.9	6.9	4.3	6.8	5.6	0.1	3.6	1.3	15.3	3.3
33 岡山県	16.6	4.8	3.2	8.7	5.2	—	2.7	1.4	15.7	2.5
34 広島県	12.4	4.1	3.9	4.4	4.3	0.1	2.6	1.0	20.2	2.7
35 山口県	16.9	6.4	4.0	6.5	3.8	0.1	3.6	1.4	18.1	2.8
36 徳島県	16.0	6.9	2.8	6.4	6.6	0.1	1.8	1.6	20.6	3.6
37 香川県	18.0	7.4	2.7	7.9	3.6	0.4	2.5	2.0	14.7	2.4
38 愛媛県	14.8	4.6	2.5	7.6	3.4	0.2	2.7	1.0	17.5	2.0
39 高知県	17.9	5.5	2.5	10.0	5.2	0.1	3.7	1.2	19.6	3.0
40 福岡県	13.0	4.3	2.5	6.1	4.7	0.1	2.4	1.2	20.6	2.9
41 佐賀県	15.8	6.2	2.5	7.2	4.2	0.2	2.2	2.1	23.1	2.7
42 長門県	15.8	6.7	3.4	5.7	4.4	0.1	3.2	1.7	16.5	2.3
43 熊本県	18.5	7.8	3.7	7.0	5.2	0.2	2.2	1.2	19.1	3.5
44 大分県	16.9	7.4	3.3	6.3	7.3	—	2.7	1.8	20.1	2.4
45 宮崎県	17.0	5.5	2.8	8.7	4.9	—	2.3	1.4	14.0	1.9
46 鹿児島県	21.7	6.8	3.7	11.1	8.0	0.2	2.8	1.6	18.7	3.3
47 沖縄県	13.3	4.5	2.5	6.2	3.6	—	0.8	—	7.4	1.4

(簡単分類) 別死亡率 (人口10万対) (つづき)
rubrics list of mortality for Japan) in each prefecture : Japan, 1985—con.

昭和60年											
76-77 候群及びネフローゼ 腎炎・ネフローゼ症	76 急性糸球体腎炎及 びネフローゼ症候群	77 そ の 他	78 (男子人口10万対) 前立線肥大症	79 死 亡 直接産科的			80 死 亡 間接産科的			81 先 天 異 常	82 他の呼吸器病 症・分娩時外傷 ・低酸素症
				女子人口 10万対	出 生 10万対	出 産 10万対	女子人口 10万対	出 生 10万対	出 産 10万対		
11.2	2.5	8.7	0.6	0.3	13.7	13.1	0.0	2.1	2.0	3.3	2.0
13.3	3.5	9.8	0.6	0.2	9.0	8.4	0.0	1.5	1.4	3.8	2.1
13.8	2.8	11.0	1.0	0.3	10.5	9.9	0.1	5.2	5.0	4.0	2.0
13.3	3.5	9.8	1.1	0.5	23.2	22.0	—	—	—	4.0	1.6
6.8	1.6	5.3	0.9	0.4	14.3	13.5	0.2	7.1	6.7	3.4	1.7
11.7	2.9	8.9	0.8	—	—	—	0.2	7.3	7.0	2.8	2.3
11.6	2.0	9.6	1.0	0.5	20.1	19.1	—	—	—	3.4	2.1
10.9	3.5	7.4	0.9	0.5	18.3	17.4	—	—	—	4.1	2.5
10.0	3.0	7.0	0.7	0.3	11.9	11.4	0.1	3.0	2.9	3.5	2.3
8.7	2.8	5.9	0.7	0.6	25.2	24.2	0.1	4.2	4.0	3.6	1.8
11.1	2.0	9.0	1.4	0.3	13.1	12.6	—	—	—	3.6	1.6
7.3	2.0	5.3	0.3	0.3	11.9	11.4	0.0	1.5	1.4	3.3	1.7
7.4	1.5	5.9	0.7	0.3	11.5	11.1	—	—	—	3.0	1.5
10.2	1.9	8.2	0.4	0.3	13.5	12.9	0.1	4.0	3.8	3.0	1.5
7.5	1.5	6.0	0.2	0.3	13.9	13.4	0.1	2.3	2.2	3.2	1.9
8.0	2.5	5.5	1.2	0.2	6.8	6.6	0.1	3.4	3.3	3.1	3.2
13.1	4.9	8.2	0.5	0.5	25.0	24.0	—	—	—	3.6	2.2
9.9	2.9	7.1	0.2	0.2	7.5	7.2	—	—	—	2.8	1.6
10.3	3.0	7.3	2.0	0.2	10.0	9.5	0.5	19.9	19.1	4.9	2.9
11.8	3.5	8.3	0.5	0.7	30.5	29.2	0.5	20.3	19.5	4.0	1.5
9.4	2.5	6.9	0.5	0.3	12.4	12.0	—	—	—	3.0	2.6
9.7	2.0	7.7	0.5	0.2	8.4	8.1	—	—	—	3.6	2.3
9.8	1.9	7.9	0.4	0.3	13.7	13.1	—	—	—	3.4	1.8
8.6	1.7	6.9	0.4	0.3	13.7	13.1	0.1	5.0	4.8	3.1	1.9
12.1	2.0	10.1	1.2	0.1	5.1	4.9	—	—	—	2.7	2.8
10.2	1.6	8.6	0.9	0.2	6.7	6.5	—	—	—	3.1	2.1
16.2	2.7	13.5	0.6	0.5	24.6	23.5	—	—	—	3.4	1.6
13.6	2.9	10.7	0.2	0.3	14.0	13.2	0.0	1.0	0.9	3.1	1.8
12.0	2.6	9.4	0.7	0.3	13.0	12.5	0.0	1.6	1.6	3.0	2.2
10.0	1.8	8.3	0.5	0.3	13.6	13.1	—	—	—	3.1	2.1
13.3	2.9	10.5	0.4	0.4	16.5	15.8	—	—	—	4.4	2.5
9.5	3.1	6.4	1.0	—	—	—	—	—	—	4.5	2.3
12.4	2.8	9.7	2.4	0.7	33.1	31.7	—	—	—	3.5	1.8
14.6	2.9	11.8	0.5	0.2	8.8	8.4	—	—	—	3.2	1.5
13.3	2.9	10.4	0.7	0.5	20.9	19.9	—	—	—	3.6	1.7
15.2	3.2	12.0	0.8	0.4	17.0	16.2	0.1	5.7	5.4	3.3	2.4
16.1	3.4	12.7	0.5	—	—	—	—	—	—	2.5	3.2
13.2	2.3	10.9	0.8	0.4	17.3	16.6	—	—	—	3.0	1.4
14.2	3.2	11.0	0.4	0.1	5.7	5.4	0.1	5.7	5.4	2.7	3.4
20.5	4.4	16.1	0.3	0.4	21.4	20.3	—	—	—	3.0	3.4
11.8	2.7	9.1	0.4	0.2	10.2	9.6	—	—	—	3.1	2.1
14.3	2.8	11.5	1.6	—	—	—	—	—	—	2.6	3.8
15.4	3.3	12.1	0.7	0.5	19.6	18.2	—	—	—	2.6	2.1
13.6	3.1	10.5	1.2	0.2	8.6	8.1	—	—	—	3.2	2.6
17.0	4.3	12.8	1.0	0.9	41.6	39.0	0.3	13.9	13.0	3.1	1.1
11.1	1.4	9.6	0.9	0.3	13.1	12.3	—	—	—	3.2	2.2
18.5	4.9	13.7	1.5	0.5	21.4	20.2	—	—	—	3.6	2.6
9.8	2.3	7.5	0.3	0.5	14.5	14.1	—	—	—	3.2	3.0

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都道府県 Prefecture	84-87 その の 他 の 死 因	84 新 生 児 破 傷 風	85 新 生 児 カ ン ジ ダ 感 染	86 新 生 児 敗 血 症	87 そ の 他	88 精 神 病 の 記 載 の な い 衰 老	89 そ の 他 す べ て の 疾 患	91-101 損 傷 及 び 中 毒	91 頭 蓋 骨 折	92 そ の 他 の 骨 の 折
全 国 Total	0.8	—	0.0	0.1	0.7	23.1	29.0	46.9	5.4	2.5
01 ^{a)} 北海道	0.8	—	—	0.1	0.6	12.0	29.7	51.8	5.1	3.4
02 青森	1.0	—	—	—	1.0	31.1	28.4	54.8	4.7	2.4
03 岩手	0.5	—	—	0.1	0.3	16.7	33.6	56.2	4.9	2.1
04 宮城	1.0	—	—	0.0	0.9	19.2	23.2	43.4	4.1	2.4
05 秋田	0.7	—	—	0.1	0.6	23.1	33.7	65.0	4.6	2.1
06 山形	0.9	—	—	0.1	0.8	38.0	33.1	52.9	3.6	2.3
07 福島	1.1	—	—	0.2	0.9	39.2	29.4	55.2	4.8	2.9
08 茨城	1.1	—	—	0.1	1.0	31.5	26.1	53.2	7.0	3.5
09 栃木	0.8	—	—	0.1	0.8	20.5	27.8	51.2	5.5	3.5
10 群馬	1.0	—	—	0.1	0.9	21.3	31.6	52.9	6.2	2.7
11 埼玉	0.8	—	—	0.1	0.6	14.1	18.6	35.6	4.7	2.0
12 千葉	0.8	—	—	0.1	0.7	19.2	20.1	40.8	4.7	2.3
13 東京	0.6	—	—	0.1	0.5	11.3	24.1	35.0	4.7	1.6
14 神奈川	0.8	—	—	0.1	0.7	11.7	19.6	37.2	6.0	2.0
15 新潟	0.7	—	—	0.0	0.7	31.2	30.0	63.7	4.4	2.4
16 富山	0.5	—	—	—	0.5	26.6	34.7	58.4	4.7	2.0
17 石川	0.8	—	—	—	0.8	34.9	33.8	48.7	4.0	2.2
18 福井	0.9	—	—	0.1	0.7	35.3	37.1	54.1	5.1	3.2
19 山梨	0.6	—	—	0.1	0.5	28.6	36.7	56.9	8.5	3.5
20 長野	0.9	—	—	0.1	0.7	30.9	29.3	48.1	4.7	1.9
21 岐阜	1.0	—	—	0.1	0.8	29.8	28.5	48.6	5.6	2.4
22 静岡	0.5	—	—	0.0	0.5	27.8	28.1	41.8	4.8	2.6
23 愛知	0.7	—	—	0.1	0.6	17.7	23.1	38.0	4.3	2.0
24 三重	0.8	—	—	0.2	0.6	36.6	32.4	52.9	5.9	3.0
25 滋賀	1.2	—	—	0.1	1.1	26.2	30.9	43.9	5.1	1.4
26 京都	0.5	—	—	0.1	0.4	28.6	32.0	42.0	5.7	2.7
27 大阪	0.7	—	—	0.1	0.7	16.6	26.9	39.3	6.9	2.2
28 兵庫	0.7	—	—	0.1	0.6	32.7	30.9	48.0	7.7	2.8
29 奈良	1.2	—	—	0.2	1.0	26.8	26.2	43.8	6.2	2.3
30 和歌山	1.4	—	—	0.3	1.1	50.5	35.1	57.9	7.0	2.9
31 鳥取	0.2	—	—	—	0.2	46.3	33.4	56.4	6.1	2.4
32 島根	0.6	—	—	0.3	0.4	41.4	39.1	62.9	4.8	2.6
33 岡山	0.7	—	—	0.1	0.6	41.4	37.7	51.3	5.7	2.7
34 広島	0.6	—	—	0.1	0.5	32.8	31.5	49.5	4.1	2.6
35 山口	1.0	—	—	0.3	0.8	27.3	39.4	57.2	6.4	3.7
36 徳島	0.7	—	—	—	0.7	33.9	43.1	55.9	6.7	3.0
37 香川	0.5	—	—	0.1	0.4	32.1	38.7	53.7	5.5	3.5
38 愛媛	1.0	—	—	—	1.0	49.7	37.6	57.9	5.2	3.5
39 高知	0.4	—	—	0.1	0.2	30.6	44.0	70.9	6.5	3.2
40 福岡	0.7	—	0.0	0.1	0.6	16.2	30.9	47.7	5.2	2.7
41 佐賀	1.0	—	—	0.2	0.8	27.4	32.1	52.5	5.7	1.6
42 長門	0.6	—	—	0.1	0.4	16.9	38.1	49.5	3.4	1.8
43 熊大	0.8	—	—	—	0.8	23.3	42.3	48.8	4.5	3.2
44 本分	0.5	—	—	0.1	0.4	25.6	39.6	53.0	5.6	3.4
45 崎	0.9	—	—	0.2	0.8	17.5	36.7	53.0	4.3	2.6
46 鹿児島	0.6	—	—	0.1	0.5	33.7	41.9	57.7	4.0	3.3
47 沖繩	1.7	—	—	0.5	1.2	29.7	33.0	39.8	3.1	1.4

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1985—con.

昭和60年

93 頭 蓋 骨 の 損 傷 及 び 内 部 損 傷	94 胸 部 及 び 内 部 損 傷	95 開 放 創	96 熱 傷	97 神 経 の 損 傷 及 び 脊 髄 の 損 傷	98 中 毒 及 び 毒 作 用	99 溺 死	100 窒 息 及 び 絞 首	101 そ の 他 の 損 傷	E104— E117 損 傷 の 外 因	E104— E114 不 慮 の 事 故 及 び 用	E104 自 動 車 事 故
5.8	3.5	0.8	1.9	0.3	4.7	5.2	11.9	4.9	46.9	24.6	10.5
5.0	3.8	0.9	2.6	0.3	5.1	5.6	15.4	4.7	51.8	27.5	12.4
6.0	3.9	0.7	2.4	0.3	4.7	6.6	17.9	5.2	54.8	28.0	11.7
6.2	3.7	0.7	1.6	0.3	5.4	5.8	18.6	6.7	56.2	26.9	9.4
3.6	2.5	0.7	1.6	0.2	6.5	6.1	10.5	5.2	43.4	21.2	7.0
5.5	4.6	0.9	2.4	0.4	8.1	7.3	23.1	6.0	65.0	30.1	11.2
6.0	3.1	0.8	1.5	0.2	5.8	5.8	16.1	7.5	52.9	27.7	10.0
6.7	3.6	0.7	2.4	0.6	8.6	5.5	12.5	7.0	55.2	30.2	11.4
8.5	3.8	0.8	2.2	0.4	7.8	4.1	9.8	5.4	53.2	31.7	18.0
6.8	3.7	0.8	1.9	0.6	9.3	4.0	10.8	4.2	51.2	27.4	15.0
7.3	3.0	1.0	2.0	0.3	9.6	4.3	12.0	4.6	52.9	25.9	12.3
4.8	3.0	0.6	1.7	0.3	3.9	3.0	8.2	3.4	35.6	18.5	10.0
6.7	3.0	0.8	1.7	0.3	4.2	3.5	9.2	4.5	40.8	22.8	11.6
4.4	4.0	0.8	1.4	0.2	2.3	3.1	9.1	3.4	35.0	16.3	6.4
3.9	4.2	0.7	1.4	0.4	2.4	3.8	9.1	3.2	37.2	18.6	8.7
5.8	4.0	0.5	2.5	0.3	6.9	9.4	20.6	6.8	63.7	32.0	10.1
7.7	3.1	0.5	1.9	0.3	6.1	9.4	15.5	7.1	58.4	33.3	10.4
6.9	3.3	1.0	2.2	0.9	3.7	6.4	11.7	6.3	48.7	28.3	10.8
8.3	3.6	0.5	1.1	1.2	4.1	7.4	13.1	6.4	54.1	33.5	14.0
7.8	4.7	0.2	2.2	0.4	6.9	5.5	11.4	5.7	56.9	33.9	16.0
5.9	3.8	0.8	2.5	0.4	5.2	5.0	12.8	5.1	48.1	25.8	9.6
5.8	3.2	0.4	2.0	0.6	4.7	5.0	13.3	5.6	48.6	26.5	11.6
6.2	3.4	0.8	1.4	0.4	5.2	4.0	9.2	3.7	41.8	23.1	12.0
5.6	2.7	0.5	1.5	0.3	3.1	4.0	9.4	4.6	38.0	21.3	11.2
8.1	3.7	0.3	2.4	0.6	5.1	6.7	10.6	6.4	52.9	33.5	16.2
7.2	3.5	0.7	2.1	0.3	3.5	5.3	10.9	3.9	43.9	26.4	13.9
5.6	2.5	0.5	1.4	0.2	3.9	3.9	11.1	4.4	42.0	21.4	10.3
4.8	3.5	0.9	1.3	0.2	2.6	3.1	9.5	4.3	39.3	18.9	7.6
5.7	3.6	0.9	1.8	0.3	4.3	5.3	10.7	4.8	48.0	25.4	10.5
6.6	3.0	0.5	1.9	0.2	4.0	4.9	10.5	3.6	43.8	24.2	10.3
6.6	2.9	0.5	1.8	0.4	5.6	6.8	18.0	5.3	57.9	28.3	11.5
7.3	2.9	1.6	1.9	0.2	5.2	8.1	14.4	6.4	56.4	33.7	13.5
6.9	2.9	1.0	1.8	0.3	5.0	10.7	19.1	8.0	62.9	32.7	10.8
5.9	3.3	0.7	2.5	0.5	5.2	7.6	10.4	6.6	51.3	30.2	12.0
6.9	3.4	0.6	1.7	0.3	4.7	5.9	13.4	5.9	49.5	26.6	10.9
7.4	3.5	0.9	2.1	0.3	5.6	6.7	15.0	5.5	57.2	32.9	12.3
7.1	5.2	0.7	2.9	0.6	5.4	9.5	10.6	4.2	55.9	32.8	14.3
6.6	3.9	1.1	2.3	0.6	4.8	8.0	10.8	6.6	53.7	30.3	12.2
6.3	4.5	0.9	2.0	0.5	6.7	9.0	13.5	5.9	57.9	31.2	11.3
10.3	5.6	1.1	3.8	0.7	8.1	8.1	15.8	7.8	70.9	39.7	13.6
6.0	3.2	1.1	2.0	0.2	5.3	5.3	12.8	4.0	47.7	24.1	10.7
5.4	3.3	1.0	1.1	0.4	7.0	9.5	11.0	6.5	52.5	30.1	11.1
5.4	3.2	0.9	2.1	0.6	3.6	8.1	15.0	5.5	49.5	25.9	7.2
6.2	2.5	1.0	1.4	0.5	6.4	7.0	11.1	5.2	48.8	27.2	9.7
7.5	3.4	1.4	1.5	0.4	6.7	5.9	12.5	4.7	53.0	29.4	12.0
6.7	3.0	0.5	2.3	0.2	6.3	5.7	16.0	5.5	53.0	27.1	10.8
5.9	3.0	1.0	3.3	0.3	7.6	6.2	18.1	5.0	57.7	28.7	8.7
3.2	3.7	0.7	2.0	—	4.2	5.9	11.1	4.5	39.8	18.6	6.7

表 5.19 都道府県別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death (the 117

都 道 府 県 Prefecture	E105 交 通 事 故 自 動 車 事 故 以 外 の	E106 不 慮 の 中 毒	E107 不 慮 の 墜 落	E108 火 災 及 び 火 災 による 不 慮 の 事 故	E109 天 災	E110 不 慮 の 溺 死	E111 不 慮 の 機 械 的 窒 息	E112 不 慮 の 打 撲	E113 不 慮 の 事 故 工 業 性 を 主 と する	E114 事 故 及 び 有 害 作 用 そ の 他 の 不 慮 の
全 国 Total	1.4	0.7	3.3	1.0	0.0	2.7	2.2	0.4	1.1	1.3
01 ⁰ 北海道	1.3	0.9	2.3	1.5	—	2.4	2.2	0.6	2.6	1.3
02 青森	0.9	0.7	2.0	1.8	0.1	3.7	1.8	1.4	2.2	1.8
03 岩手	1.6	1.1	3.2	1.0	—	3.5	3.4	0.7	1.1	1.9
04 宮城	1.5	0.9	2.1	1.0	—	3.2	2.5	0.5	1.1	1.3
05 秋田	1.0	0.9	3.4	1.5	—	4.4	3.2	1.0	1.6	2.0
06 山形	0.6	0.7	3.4	0.9	—	3.7	3.5	0.7	1.6	2.6
07 福島	1.1	1.7	4.0	1.6	0.0	2.9	2.7	0.7	1.8	2.4
08 茨城	1.2	0.8	3.3	1.1	—	2.2	2.0	0.6	1.4	1.2
09 栃木	1.1	0.8	3.0	1.0	—	2.3	1.8	0.2	1.0	1.2
10 群馬	1.3	1.0	3.7	0.9	—	2.1	2.0	0.4	0.9	1.2
11 埼玉	0.8	0.5	2.4	0.6	0.1	1.5	1.3	0.2	0.6	0.7
12 千葉	1.2	0.8	2.7	0.6	—	1.9	1.6	0.3	0.9	1.3
13 東京都	1.2	0.2	3.1	0.7	—	1.7	1.6	0.2	0.4	0.7
14 神奈川	1.0	0.4	2.5	0.5	—	2.4	1.6	0.2	0.6	0.7
15 新潟	1.1	1.0	3.5	1.6	—	5.5	3.9	0.9	1.7	2.7
16 富山	1.7	2.0	5.0	0.9	—	5.2	3.6	1.0	1.4	2.0
17 石川	2.0	0.8	3.2	1.3	—	3.1	3.9	0.3	1.4	1.6
18 福井	1.3	0.2	4.3	0.9	—	5.2	3.0	1.0	2.2	1.3
19 山梨	1.0	1.2	5.6	0.7	0.1	3.4	1.9	0.5	1.3	2.1
20 長野	0.8	1.0	3.4	1.6	0.0	2.5	2.3	0.2	1.3	3.1
21 岐阜	0.9	0.6	3.6	1.1	—	2.8	2.6	0.6	1.6	0.9
22 静岡	0.6	0.5	2.9	0.8	—	2.3	1.8	0.3	1.0	0.8
23 愛知	0.8	0.5	2.1	0.9	—	1.9	1.9	0.2	0.9	0.9
24 三重	1.8	0.7	3.7	1.6	—	3.7	2.6	0.9	1.4	0.8
25 滋賀	1.5	0.6	2.1	1.1	—	2.9	1.9	0.2	0.7	1.5
26 京都	0.9	0.6	3.0	0.9	—	1.7	2.1	0.2	0.7	1.1
27 大阪	2.5	0.2	3.0	0.5	—	1.3	2.1	0.3	0.7	0.7
28 兵庫県	3.2	0.7	3.6	0.9	—	2.2	1.6	0.3	1.1	1.4
29 奈良	1.8	0.4	4.1	0.8	—	2.5	1.5	0.5	1.5	0.7
30 和歌山	1.9	0.5	4.5	1.6	—	3.6	2.9	0.3	0.7	0.9
31 鳥取	1.1	1.1	4.5	0.6	—	5.6	2.7	0.2	1.6	2.6
32 島根	3.4	1.4	4.0	0.9	—	4.1	3.5	1.5	1.4	1.8
33 岡山	1.8	1.3	4.3	1.4	—	3.3	3.1	0.5	1.1	1.5
34 広島	1.5	0.5	3.7	1.1	—	3.0	2.4	0.6	1.2	1.8
35 山口	2.6	1.1	5.9	1.0	0.3	4.0	2.8	0.4	1.1	1.4
36 徳島	2.2	—	6.3	1.7	—	3.6	1.8	0.5	1.4	1.1
37 香川	2.3	0.7	4.3	1.3	—	3.2	2.3	0.7	1.5	1.9
38 愛媛	2.3	1.5	4.8	1.4	—	4.3	2.5	0.8	1.6	0.7
39 高知	1.8	1.7	6.0	2.0	—	4.6	4.3	1.4	2.3	2.0
40 福岡	1.3	1.1	3.8	0.9	0.0	2.6	1.9	0.4	0.5	0.9
41 佐賀	1.6	0.7	4.5	0.8	0.3	5.6	2.0	0.1	1.0	2.4
42 長門	1.8	0.4	4.4	1.3	0.5	4.7	2.6	0.2	1.6	1.3
43 熊本	2.1	1.5	4.4	0.7	0.6	3.2	1.9	0.5	1.2	1.5
44 大分	1.4	0.6	5.9	1.1	—	3.0	2.5	0.4	1.4	1.2
45 宮崎	1.1	0.9	3.5	1.2	—	3.6	2.1	1.0	1.6	1.3
46 鹿児島	1.7	1.0	5.0	2.6	0.1	3.5	2.1	0.7	1.6	1.7
47 沖縄	0.2	0.7	2.0	1.4	—	3.1	3.2	—	0.7	0.7

(簡単分類) 別死亡率 (人口10万対) (つづき)

rubrics list of mortality for Japan) in each prefecture : Japan, 1985—con.

昭和60年

E115 自 殺	E116 他 殺	E117 そ の 他 の 外 因	1-26 感 染 症 及 び 寄 生 虫 症	5, 6 結 核	46, 51-52, 54-56 心 疾 患	62, 63, 66 肺 炎 及 び 気 管 支 炎	4, 72 胃 腸 炎	79, 80 妊 産 婦 死 亡		
								女子人口 10 万 対 Per 100,000 Females	出 生 10 万 対 Per 100,000 live births	出 産 10 万 対 Per 100,000 total births
19.4	0.8	2.0	9.7	3.9	117.3	42.7	1.9	0.4	15.8	15.1
21.7	1.1	1.6	9.0	3.5	122.0	43.6	1.1	0.2	10.5	9.8
24.2	0.7	1.9	11.1	5.0	129.0	49.3	2.0	0.4	15.7	14.9
26.5	0.8	1.9	10.7	3.4	133.6	58.4	1.0	0.5	23.2	22.0
19.4	0.6	2.2	6.9	2.8	104.3	37.7	1.6	0.5	21.4	20.2
33.1	1.0	0.8	9.4	2.7	140.4	48.3	2.6	0.2	7.3	7.0
23.4	0.3	1.5	7.7	2.2	143.1	51.3	2.7	0.5	20.1	19.1
22.8	0.7	1.5	9.4	3.7	129.0	46.4	2.1	0.5	18.3	17.4
19.9	0.5	1.1	8.0	2.9	114.3	38.7	2.6	0.4	14.9	14.3
21.9	0.7	1.2	10.1	3.8	117.2	42.4	3.0	0.7	29.4	28.2
24.3	0.9	1.8	8.3	2.9	125.9	47.4	1.6	0.3	13.1	12.6
15.5	0.6	1.0	6.1	2.3	87.0	27.8	1.4	0.3	13.4	12.9
15.8	0.6	1.5	5.8	2.2	91.1	28.3	1.7	0.3	11.5	11.1
16.4	0.7	1.7	8.4	3.6	94.2	39.9	1.2	0.4	17.4	16.7
15.4	1.1	2.1	7.2	2.8	81.9	30.5	0.9	0.4	16.3	15.7
29.5	0.9	1.2	8.3	2.3	117.9	51.5	3.1	0.2	10.3	9.9
24.0	0.4	0.7	12.3	3.6	126.6	53.9	2.8	0.5	25.0	24.0
17.9	1.0	1.6	10.9	5.6	124.5	47.0	2.2	0.2	7.5	7.2
17.8	0.7	2.2	12.4	3.9	135.8	45.6	4.9	0.7	29.9	28.6
21.3	0.5	1.2	12.3	3.4	139.8	47.3	3.9	1.2	50.8	48.7
20.0	0.9	1.3	8.3	2.5	141.7	46.9	2.2	0.3	12.4	12.0
20.6	0.6	0.9	10.5	5.8	125.2	37.6	2.6	0.2	8.4	8.1
16.9	0.4	1.4	9.2	3.5	114.1	41.0	1.6	0.3	13.7	13.1
14.8	0.5	1.4	10.2	5.0	104.8	30.8	1.8	0.5	18.7	17.9
17.5	0.7	1.2	10.2	4.1	142.2	44.2	2.4	0.1	5.1	4.9
15.6	0.3	1.5	8.9	3.4	122.5	36.6	3.5	0.2	6.7	6.5
18.3	0.5	1.8	11.4	5.0	126.1	42.7	1.7	0.5	24.6	23.5
16.1	1.0	3.3	10.9	4.4	108.8	38.2	1.1	0.3	15.0	14.2
19.3	0.9	2.4	11.2	5.1	122.1	39.3	2.4	0.3	14.7	14.1
17.3	0.5	1.8	8.4	3.4	120.0	37.5	1.4	0.3	13.6	13.1
26.2	1.1	2.2	10.4	5.4	171.0	43.0	2.4	0.4	16.5	15.8
19.3	1.1	2.3	7.7	2.6	150.4	48.9	3.2	—	—	—
26.6	0.6	3.0	11.8	2.8	149.2	64.1	2.8	0.7	33.1	31.7
17.4	0.9	2.6	11.5	4.8	136.5	57.8	2.6	0.2	8.8	8.4
19.1	0.7	3.0	9.9	4.0	124.0	50.7	2.2	0.5	20.9	19.9
21.7	0.9	1.6	12.3	4.6	140.6	66.0	2.4	0.5	22.6	21.6
19.5	1.0	2.6	14.9	6.1	159.1	61.6	3.0	—	—	—
19.6	0.6	3.2	9.3	3.1	151.4	53.7	3.5	0.4	17.3	16.6
23.1	1.3	2.3	12.1	4.8	141.4	53.5	1.8	0.2	11.3	10.8
25.5	2.7	3.0	14.3	3.9	167.9	64.4	2.4	0.4	21.4	20.3
20.4	1.2	2.1	10.1	4.4	120.1	44.6	1.8	0.2	10.2	9.6
20.3	0.7	1.5	13.6	5.4	138.2	57.1	3.3	—	—	—
21.5	0.7	1.4	11.1	4.6	132.4	60.0	2.8	0.5	19.6	18.2
19.4	1.0	1.2	13.3	5.7	147.3	49.2	2.2	0.2	8.6	8.1
21.3	0.9	1.4	11.4	5.4	146.3	59.9	3.3	1.2	55.5	52.0
23.1	1.2	1.6	10.6	5.4	143.7	52.6	1.9	0.3	13.1	12.3
26.1	1.3	1.6	14.1	4.9	158.8	67.8	4.0	0.5	21.4	20.2
16.8	1.3	3.1	11.1	2.4	74.1	34.2	1.0	0.5	14.5	14.1