

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時
5 表 (6-1)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS)

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5 kg				0.5 ~		
	Total				Total				Total		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	11 470	6 059	5 299	112	263	120	114	29	1 772	850	902
妊娠満28週未満 Under 28 weeks gestation	898	489	409	-	61	29	32	-	696	367	329
満28週—満31週 28-31 weeks	2 509	1 318	1 156	35	134	63	64	7	822	385	425
満32週—満35週 32-35	2 576	1 323	1 221	32	35	15	13	7	210	73	131
満36週—満39週 36-39	3 421	1 838	1 543	40	30	12	4	14	43	25	17
満40週—満43週 40-43	1 994	1 054	935	5	3	1	1	1	1	-	-
満44週— 44 completed weeks and over	9	3	6	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	63	34	29	-	-	-	-	-	-	-	-
早期 (満37週未満) Pre-term	6 725	3 521	3 128	76	240	113	110	17	1 745	836	890
満28週未満 under 28 weeks	898	489	409	-	61	29	32	-	696	367	329
満28週—満31週 28-31	2 509	1 318	1 156	35	134	63	64	7	822	385	425
満32週—満36週 32-36	3 318	1 714	1 563	41	45	21	14	10	227	84	136
正期 (満37週—満41週) Term	4 373	2 350	1 988	35	21	6	4	11	27	14	12
過期 (満42週—) Post-term	309	154	154	1	2	1	-	1	-	-	-
単産 Single	10 660	5 604	4 968	88	184	85	86	13	1 564	737	809
妊娠満28週未満	766	411	355	-	55	24	31	-	586	303	283
満28週—満31週	2 324	1 216	1 074	34	108	51	50	7	766	361	394
満32週—満35週	2 383	1 214	1 142	27	15	7	5	3	188	61	121
満36週—満39週	3 166	1 699	1 443	24	5	2	-	3	24	12	11
満40週—満43週	1 949	1 027	919	3	1	1	-	-	-	-	-
満44週—	9	3	6	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	63	34	29	-	-	-	-	-	-	-	-
早期 (満37週未満)	6 148	3 196	2 884	68	181	84	86	11	1 551	730	803
満28週未満	766	411	355	-	55	24	31	-	586	303	283
満28週—満31週	2 324	1 216	1 074	34	108	51	50	7	766	361	394
満32週—満36週	3 058	1 569	1 455	34	18	9	5	4	199	66	126
正期 (満37週—満41週)	4 141	2 220	1 901	20	2	-	-	2	13	7	6
過期 (満42週—)	308	154	154	-	1	1	-	-	-	-	-
複産 Plural	810	455	331	24	79	35	28	16	208	113	93
妊娠満28週未満	132	78	54	-	6	5	1	-	110	64	46
満28週—満31週	185	102	82	1	26	12	14	-	56	24	31
満32週—満35週	193	109	79	5	20	8	8	4	22	12	10
満36週—満39週	255	139	100	16	25	10	4	11	19	13	6
満40週—満43週	45	27	16	2	2	-	1	1	1	-	-
満44週—	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満)	577	325	244	8	59	29	24	6	194	106	87
満28週未満	132	78	54	-	6	5	1	-	110	64	46
満28週—満31週	185	102	82	1	26	12	14	-	56	24	31
満32週—満36週	260	145	108	7	27	12	9	6	28	18	10
正期 (満37週—満41週)	232	130	87	15	19	6	4	9	14	7	6
過期 (満42週—)	1	-	-	1	1	-	-	1	-	-	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・ PERINATAL DEATH
(早期—正期—過期再掲) 別 昭和60年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1985

0.9kg	1.0 ~ 1.4 kg				1.5 ~ 1.9 kg				2.0 ~ 2.4 kg			
不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
20	2 022	1 064	939	19	1 863	1 004	844	15	1 667	905	752	10
-	130	87	43	-	6	4	2	-	-	-	-	-
12	1 027	559	460	8	409	247	160	2	73	40	31	2
6	646	330	310	6	841	435	396	10	569	305	264	-
1	206	81	120	5	511	263	245	3	779	422	350	7
1	13	7	6	-	92	54	38	-	239	136	102	1
-	-	-	-	-	1	1	-	-	4	-	4	-
-	-	-	-	-	3	-	3	-	3	2	1	-
19	1 893	1 010	868	15	1 448	797	639	12	867	464	399	4
-	130	87	43	-	6	4	2	-	-	-	-	-
12	1 027	559	460	8	409	247	160	2	73	40	31	2
7	736	364	365	7	1 033	546	477	10	794	424	368	2
1	127	53	70	4	401	199	199	3	750	415	329	6
-	2	1	1	-	11	8	3	-	47	24	23	-
18	1 840	962	862	16	1 725	916	794	15	1 556	843	704	9
-	114	78	36	-	6	4	2	-	-	-	-	-
11	949	514	427	8	388	230	156	2	71	38	31	2
6	589	298	285	6	790	407	373	10	537	284	253	-
1	177	67	108	2	454	225	226	3	708	385	317	6
-	11	5	6	-	83	49	34	-	233	134	98	1
-	-	-	-	-	1	1	-	-	4	-	4	-
-	-	-	-	-	3	-	3	-	3	2	1	-
18	1 729	918	796	15	1 361	745	604	12	818	432	382	4
-	114	78	36	-	6	4	2	-	-	-	-	-
11	949	514	427	8	388	230	156	2	71	38	31	2
7	666	326	333	7	967	511	446	10	747	394	351	2
-	109	43	65	1	350	163	184	3	688	385	298	5
-	2	1	1	-	11	8	3	-	47	24	23	-
2	182	102	77	3	138	88	50	-	111	62	48	1
-	16	9	7	-	-	-	-	-	-	-	-	-
1	78	45	33	-	21	17	4	-	2	2	-	-
-	57	32	25	-	51	28	23	-	32	21	11	-
-	29	14	12	3	57	38	19	-	71	37	33	1
1	2	2	-	-	9	5	4	-	6	2	4	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	164	92	72	-	87	52	35	-	49	32	17	-
-	16	9	7	-	-	-	-	-	-	-	-	-
1	78	45	33	-	21	17	4	-	2	2	-	-
-	70	38	32	-	66	35	31	-	47	30	17	-
1	18	10	5	3	51	36	15	-	62	30	31	1
-	-	-	-	-	-	-	-	-	-	-	-	-

周産期死亡 第5表 周産期死亡数, 出産時の体重: 出産時
5表(6-2) 単産一複産・妊娠期間(4週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

総数 Total	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500 g ちょうど Just 2500 g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
単産一複産 Plurality of Birth													
妊娠期間 Period of Gestation													
総数 Total	1 738	907	824	7	72	30	42	-	1 379	751	626	2	511
妊娠28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31 weeks	20	13	7	-	3	2	1	-	6	3	3	-	1
満32週～満35週 32-35	197	123	72	2	7	3	4	-	56	27	29	-	16
満36週～満39週 36-39	991	520	466	5	44	17	27	-	607	356	250	1	170
満40週～満43週 40-43	524	249	275	-	16	8	8	-	706	363	342	1	322
満44週～ 44 completed weeks and over	2	1	1	-	-	-	-	-	2	1	1	-	-
不詳 (再掲) Not stated (Secondary Mention)	4	1	3	-	2	-	2	-	2	1	1	-	2
早期(満37週未満) Per-term	367	219	145	3	21	10	11	-	103	50	53	-	28
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31	20	13	7	-	3	2	1	-	6	3	3	-	1
満32週～満36週 32-36	347	206	138	3	18	8	10	-	97	47	50	-	27
正期(満37週～満41週) Term	1 294	650	640	4	46	17	29	-	1 165	644	519	2	431
過期(満42週～) Post-term	73	37	36	-	3	3	-	-	109	56	53	-	50
単産 Single	1 675	870	799	6	68	29	39	-	1 360	740	618	2	505
妊娠28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	20	13	7	-	3	2	1	-	6	3	3	-	1
満32週～満35週	191	118	72	1	7	3	4	-	53	25	28	-	14
満36週～満39週	947	495	447	5	40	16	24	-	598	354	243	1	170
満40週～満43週	511	242	269	-	16	8	8	-	699	356	342	1	318
満44週～	2	1	1	-	-	-	-	-	2	1	1	-	-
不詳 (再掲)	4	1	3	-	2	-	2	-	2	1	1	-	2
早期(満37週未満)	352	210	140	2	20	9	11	-	98	48	50	-	26
満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	20	13	7	-	3	2	1	-	6	3	3	-	1
満32週～満36週	332	197	133	2	17	7	10	-	92	45	47	-	25
正期(満37週～満41週)	1 246	622	620	4	43	17	26	-	1 151	635	514	2	427
過期(満42週～)	73	37	36	-	3	3	-	-	109	56	53	-	50
複産 Plural	63	37	25	1	4	1	3	-	19	11	8	-	6
妊娠28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満35週	6	5	-	1	-	-	-	-	3	2	1	-	2
満36週～満39週	44	25	19	-	4	1	3	-	9	2	7	-	-
満40週～満43週	13	7	6	-	-	-	-	-	7	7	-	-	4
満44週～	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満28週未満)	15	9	5	1	1	1	-	-	5	2	3	-	2
満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満36週	15	9	5	1	1	1	-	-	5	2	3	-	2
正期(満37週～満41週)	48	28	20	-	3	-	3	-	14	9	5	-	4
過期(満42週～)	-	-	-	-	-	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH
(早期一正期一過期再掲) 別 昭和60年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1985-CON.

～ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
314	195	2	154	93	61	-	101	51	42	8	2.00	2.05	1.97	1.19
-	-	-	-	-	-	-	5	2	3	-	0.79	0.81	0.77	-
1	-	-	-	-	-	-	17	7	6	4	1.16	1.20	1.12	0.89
11	5	-	4	3	1	-	2	1	-	1	1.76	1.80	1.72	1.16
111	58	1	68	45	23	-	16	3	10	3	2.52	2.59	2.47	1.34
190	131	1	82	45	37	-	12	9	3	-	3.04	3.04	3.03	2.05
-	-	-	-	-	-	-	-	-	-	-	2.59	2.58	2.60	-
1	1	-	-	-	-	-	49	29	20	-	2.61	2.85	2.47	-
17	10	1	9	5	4	-	25	10	10	5	1.45	1.48	1.42	1.09
-	-	-	-	-	-	-	5	2	3	-	0.79	0.81	0.77	-
1	-	-	-	-	-	-	17	7	6	4	1.16	1.20	1.12	0.89
16	10	1	9	5	4	-	3	1	1	1	1.84	1.88	1.81	1.24
276	154	1	132	82	50	-	25	11	11	3	2.79	2.84	2.74	1.45
20	30	-	13	6	7	-	2	1	1	-	3.02	2.96	3.09	0.15
310	193	2	154	93	61	-	97	48	42	7	2.05	2.10	2.00	1.38
-	-	-	-	-	-	-	5	2	3	-	0.80	0.82	0.77	-
1	-	-	-	-	-	-	15	5	6	4	1.17	1.21	1.14	0.90
10	4	-	4	3	1	-	2	1	-	1	1.78	1.83	1.74	1.26
111	58	1	68	45	23	-	15	3	10	2	2.58	2.65	2.50	1.93
187	130	1	82	45	37	-	11	8	3	-	3.05	3.06	3.04	3.18
-	-	-	-	-	-	-	-	-	-	-	2.59	2.58	2.60	-
1	1	-	-	-	-	-	49	29	20	-	2.61	2.85	2.47	-
16	9	1	9	5	4	-	23	8	10	5	1.47	1.50	1.44	1.16
-	-	-	-	-	-	-	5	2	3	-	0.80	0.82	0.77	-
1	-	-	-	-	-	-	15	5	6	4	1.17	1.21	1.14	0.90
15	9	1	9	5	4	-	3	1	1	1	1.87	1.91	1.83	1.40
273	153	1	132	82	50	-	23	10	11	2	2.83	2.89	2.77	2.14
20	30	-	13	6	7	-	2	1	1	-	3.03	2.96	3.09	-
4	2	-	-	-	-	-	4	3	-	1	1.42	1.46	1.42	0.52
-	-	-	-	-	-	-	-	-	-	-	0.77	0.76	0.77	-
-	-	-	-	-	-	-	2	2	-	-	1.01	1.07	0.94	0.55
-	-	-	-	-	-	-	-	-	-	-	1.50	1.57	1.45	0.67
1	1	-	-	-	-	-	1	-	-	1	1.82	1.83	2.01	0.48
-	-	-	-	-	-	-	1	1	-	-	2.40	2.63	2.28	0.35
3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	2	2	-	-	1.20	1.22	1.19	0.50
-	-	-	-	-	-	-	-	-	-	-	0.77	0.76	0.77	-
-	-	-	-	-	-	-	2	2	-	-	1.01	1.07	0.94	0.55
-	-	-	-	-	-	-	-	-	-	-	1.55	1.57	1.59	0.49
1	1	-	-	-	-	-	2	1	-	1	1.98	2.07	2.07	0.55
3	1	-	-	-	-	-	-	-	-	-	0.15	-	-	0.15

周産期死亡 第5表 周産期死亡数, 出産時の体重: 出産時
5 表 (6-3)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5 kg				0.5 ~		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	7 733	3 992	3 629	112	198	90	79	29	947	427	500
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週 28-31 weeks	1 943	991	917	35	130	62	61	7	713	332	369
満32週~満35週 32-35	2 071	1 042	997	32	35	15	13	7	191	71	114
満36週~満39週 36-39	2 478	1 302	1 136	40	30	12	4	14	42	24	17
満40週~満43週 40-43	1 234	654	575	5	3	1	1	1	1	-	-
満44週~ 44 completed weeks and over	7	3	4	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Pre-term	4 609	2 345	2 188	76	175	83	75	17	921	414	488
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週 28-31	1 943	991	917	35	130	62	61	7	713	332	369
満32週~満36週 32-36	2 666	1 354	1 271	41	45	21	14	10	208	82	119
正期 (満37週~満41週) Term	2 929	1 551	1 343	35	21	6	4	11	26	13	12
過期 (満42週~) Post-term	195	96	98	1	2	1	-	1	-	-	-
単産 Single	7 210	3 700	3 422	88	127	60	54	13	869	387	464
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週 28-31	1 830	927	869	34	106	50	49	7	676	317	348
満32週~満35週 32-35	1 917	953	937	27	15	7	5	3	170	59	105
満36週~満39週 36-39	2 258	1 186	1 048	24	5	2	-	3	23	11	11
満40週~満43週 40-43	1 198	631	564	3	1	1	-	-	-	-	-
満44週~ 44 completed weeks and over	7	3	4	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Pre-term	4 283	2 159	2 056	68	124	59	54	11	857	381	458
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週 28-31	1 830	927	869	34	106	50	49	7	676	317	348
満32週~満36週 32-36	2 453	1 232	1 187	34	18	9	5	4	181	64	110
正期 (満37週~満41週) Term	2 733	1 445	1 268	20	2	-	-	2	12	6	6
過期 (満42週~) Post-term	194	96	98	-	1	1	-	-	-	-	-
複産 Plural	523	292	207	24	71	30	25	16	78	40	36
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週 28-31	113	64	48	1	24	12	12	-	37	15	21
満32週~満35週 32-35	154	89	60	5	20	8	8	4	21	12	9
満36週~満39週 36-39	220	116	88	16	25	10	4	11	19	13	6
満40週~満43週 40-43	36	23	11	2	2	-	1	1	1	-	-
満44週~ 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Pre-term	326	186	132	8	51	24	21	6	64	33	30
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週 28-31	113	64	48	1	24	12	12	-	37	15	21
満32週~満36週 32-36	213	122	84	7	27	12	9	6	27	18	9
正期 (満37週~満41週) Term	196	106	75	15	19	6	4	9	14	7	6
過期 (満42週~) Post-term	1	-	-	1	1	-	-	1	-	-	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH
(早期一正期一過期再掲) 別 昭和60年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1985-CON.

0.9kg	1.0 ～ 1.4 kg				1.5 ～ 1.9 kg				2.0 ～ 2.4 kg			
不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
20	1 475	753	703	19	1 402	736	651	15	1 199	636	553	10
・	・	・	・	・	・	・	・	・	・	・	・	・
12	737	396	333	8	274	153	119	2	57	31	24	2
6	563	286	271	6	669	335	324	10	421	220	201	-
1	166	66	95	5	397	212	182	3	583	303	273	7
1	9	5	4	-	61	35	26	-	136	82	53	1
-	-	-	-	-	1	1	-	-	2	-	2	-
・	・	・	・	・	・	・	・	・	・	・	・	・
19	1 376	711	650	15	1 103	582	509	12	666	353	309	4
・	・	・	・	・	・	・	・	・	・	・	・	・
12	737	396	333	8	274	153	119	2	57	31	24	2
7	639	315	317	7	829	429	390	10	609	322	285	2
1	97	41	52	4	292	149	140	3	508	269	233	6
-	2	1	1	-	7	5	2	-	25	14	11	-
18	1 356	680	660	16	1 301	671	615	15	1 117	593	515	9
・	・	・	・	・	・	・	・	・	・	・	・	・
11	697	369	320	8	264	145	117	2	55	29	24	2
6	512	255	251	6	634	315	309	10	403	208	195	-
1	140	53	85	2	349	180	166	3	525	276	243	6
-	7	3	4	-	53	30	23	-	132	80	51	1
-	-	-	-	-	1	1	-	-	2	-	2	-
・	・	・	・	・	・	・	・	・	・	・	・	・
18	1 274	647	612	15	1 046	548	486	12	633	332	297	4
・	・	・	・	・	・	・	・	・	・	・	・	・
11	697	369	320	8	264	145	117	2	55	29	24	2
7	577	278	292	7	782	403	369	10	578	303	273	2
-	80	32	47	1	248	118	127	3	459	247	207	5
-	2	1	1	-	7	5	2	-	25	14	11	-
2	119	73	43	3	101	65	36	-	82	43	38	1
・	・	・	・	・	・	・	・	・	・	・	・	・
1	40	27	13	-	10	8	2	-	2	2	-	-
-	51	31	20	-	35	20	15	-	18	12	6	-
-	26	13	10	3	48	32	16	-	58	27	30	1
1	2	2	-	-	8	5	3	-	4	2	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
・	・	・	・	・	・	・	・	・	・	・	・	・
1	102	64	38	-	57	34	23	-	33	21	12	-
・	・	・	・	・	・	・	・	・	・	・	・	・
1	40	27	13	-	10	8	2	-	2	2	-	-
-	62	37	25	-	47	26	21	-	31	19	12	-
1	17	9	5	3	44	31	13	-	49	22	26	1
-	-	-	-	-	-	-	-	-	-	-	-	-

周産期死亡 第5表 周産期死亡数, 出産時の体重: 出産時
5表(6-4) 単産-複産・妊娠期間(4週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産-複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500g ちょうど Just 2500g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	1 179	606	566	7	54	23	31	-	902	492	408	2	309
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週-満31週 28-31 weeks	16	11	5	-	3	2	1	-	3	2	1	-	1
満32週-満35週 32-35	136	84	50	2	6	2	4	-	43	23	20	-	10
満36週-満39週 36-39	701	354	342	5	33	12	21	-	400	229	170	1	111
満40週-満43週 40-43	324	156	168	-	12	7	5	-	454	237	216	1	187
満44週- 44 completed weeks and over	2	1	1	-	-	-	-	-	2	1	1	-	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term 満28週未満 under 28 weeks	264	153	108	3	18	7	11	-	70	33	37	-	17
満28週-満31週 28-31	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週-満36週 32-36	16	11	5	-	3	2	1	-	3	2	1	-	1
満37週-満41週 Term	248	142	103	3	15	5	10	-	67	31	36	-	16
満42週- Post-term	865	430	431	4	33	13	20	-	758	420	336	2	265
満43週- 満44週	50	23	27	-	3	3	-	-	74	39	35	-	27
単産 Single	1 128	577	545	6	51	22	29	-	887	483	402	2	304
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週-満31週 28-31	16	11	5	-	3	2	1	-	3	2	1	-	1
満32週-満35週 32-35	132	81	50	1	6	2	4	-	40	21	19	-	8
満36週-満39週 36-39	665	335	325	5	30	11	19	-	393	227	165	1	111
満40週-満43週 40-43	313	149	164	-	12	7	5	-	449	232	216	1	184
満44週- 44 completed weeks and over	2	1	1	-	-	-	-	-	2	1	1	-	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term 満28週未満 under 28 weeks	251	146	103	2	17	6	11	-	66	31	35	-	15
満28週-満31週 28-31	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週-満36週 32-36	16	11	5	-	3	2	1	-	3	2	1	-	1
満37週-満41週 Term	235	135	98	2	14	4	10	-	63	29	34	-	14
満42週- Post-term	827	408	415	4	31	13	18	-	747	413	332	2	262
満43週- 満44週	50	23	27	-	3	3	-	-	74	39	35	-	27
複産 Plural	51	29	21	1	3	1	2	-	15	9	6	-	5
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週-満31週 28-31	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週-満35週 32-35	4	3	-	1	-	-	-	-	3	2	1	-	2
満36週-満39週 36-39	36	19	17	-	3	1	2	-	7	2	5	-	3
満40週-満43週 40-43	11	7	4	-	-	-	-	-	5	5	-	-	-
満44週- 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term 満28週未満 under 28 weeks	13	7	5	1	1	1	-	-	4	2	2	-	2
満28週-満31週 28-31	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週-満36週 32-36	-	-	-	-	-	-	-	-	-	-	-	-	-
満37週-満41週 Term	13	7	5	1	1	1	-	-	4	2	2	-	2
満42週- Post-term	38	22	16	-	2	-	2	-	11	7	4	-	3

の平均体重, 妊娠満28週以後の死産-早期新生児死亡・性・ PERINATAL DEATH
(早期-正期-過期再掲) 別 昭和60年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1985-CON.

~ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
183	124	2	102	65	37	-	20	4	8	8	2.01	2.07	1.98	1.19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	12	3	5	4	1.12	1.15	1.08	0.89
7	3	-	2	1	1	-	1	-	-	1	1.71	1.75	1.68	1.16
69	41	1	44	33	11	-	4	-	1	3	2.46	2.52	2.43	1.34
106	80	1	56	31	25	-	3	1	2	-	3.03	3.04	3.03	2.05
-	-	-	-	-	-	-	-	-	-	-	2.69	2.58	2.78	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	6	1	4	3	1	-	13	3	5	5	1.50	1.54	1.48	1.09
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	12	3	5	4	1.12	1.15	1.08	0.89
9	6	1	4	3	1	-	1	-	-	1	1.79	1.82	1.77	1.24
162	102	1	90	60	30	-	7	1	3	3	2.75	2.81	2.71	1.45
11	16	-	8	2	6	-	-	-	-	-	3.00	2.93	3.10	0.15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	122	2	102	65	37	-	19	4	8	7	2.05	2.11	2.00	1.38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	12	3	5	4	1.13	1.16	1.10	0.90
6	2	-	2	1	1	-	1	-	-	1	1.73	1.77	1.70	1.26
69	41	1	44	33	11	-	3	-	1	2	2.53	2.60	2.46	1.93
104	79	1	56	31	25	-	3	1	2	-	3.06	3.06	3.05	3.18
-	-	-	-	-	-	-	-	-	-	-	2.69	2.58	2.78	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	5	1	4	3	1	-	13	3	5	5	1.52	1.56	1.49	1.16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	12	3	5	4	1.13	1.16	1.10	0.90
8	5	1	4	3	1	-	1	-	-	1	1.81	1.85	1.78	1.40
160	101	1	90	60	30	-	6	1	3	2	2.81	2.87	2.75	2.14
11	16	-	8	2	6	-	-	-	-	-	3.02	2.93	3.10	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	-	-	-	-	-	1	-	-	1	1.51	1.57	1.55	0.52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	0.92	1.00	0.82	0.55
1	1	-	-	-	-	-	-	-	-	-	1.41	1.47	1.37	0.67
-	-	-	-	-	-	-	1	-	-	1	1.76	1.77	1.98	0.48
2	1	-	-	-	-	-	-	-	-	-	2.33	2.54	2.25	0.35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	1.28	1.32	1.28	0.50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	0.92	1.00	0.82	0.55
1	1	-	-	-	-	-	-	-	-	-	1.47	1.48	1.54	0.49
2	1	-	-	-	-	-	1	-	-	1	1.91	2.01	2.03	0.55
-	-	-	-	-	-	-	-	-	-	-	0.15	-	-	0.15

周産期死亡 第5表 周産期死亡数, 出産時の体重: 出産時
5 表 (6-5)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

早期新生児(生後1週未満)死亡数
Deaths Under 1 Week

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5 kg				0.5 ~		
	総数	男	女	不詳	総数	男	女	不詳	総数	男	女
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female
総数 Total	3 737	2 067	1 670	-	65	30	35	-	825	423	402
妊娠28週未満 Under 28 weeks gestation	898	489	409	-	61	29	32	-	696	367	329
満28週～満31週 28-31 weeks	566	327	239	-	4	1	3	-	109	53	56
満32週～満35週 32-35	505	281	224	-	-	-	-	-	19	2	17
満36週～満39週 36-39	943	536	407	-	-	-	-	-	1	1	-
満40週～満43週 40-43	760	400	360	-	-	-	-	-	-	-	-
満44週～ 44 completed weeks and over	2	-	2	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated	63	34	29	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	2 116	1 176	940	-	65	30	35	-	824	422	402
満28週未満 under 28 weeks	898	489	409	-	61	29	32	-	696	367	329
満28週～満31週 28-31	566	327	239	-	4	1	3	-	109	53	56
満32週～満36週 32-36	652	360	292	-	-	-	-	-	19	2	17
正期(満37週～満41週) Term	1 444	799	645	-	-	-	-	-	1	1	-
過期(満42週～) Post-term	114	58	56	-	-	-	-	-	-	-	-
単産 Single	3 450	1 904	1 546	-	57	25	32	-	695	350	345
妊娠28週未満	766	411	355	-	55	24	31	-	586	303	283
満28週～満31週	494	289	205	-	2	1	1	-	90	44	46
満32週～満35週	466	261	205	-	-	-	-	-	18	2	16
満36週～満39週	908	513	395	-	-	-	-	-	1	1	-
満40週～満43週	751	396	355	-	-	-	-	-	-	-	-
満44週～	2	-	2	-	-	-	-	-	-	-	-
不詳 (再掲)	63	34	29	-	-	-	-	-	-	-	-
早期(満37週未満)	1 865	1 037	828	-	57	25	32	-	694	349	345
満28週未満	766	411	355	-	55	24	31	-	586	303	283
満28週～満31週	494	289	205	-	2	1	1	-	90	44	46
満32週～満36週	605	337	268	-	-	-	-	-	18	2	16
正期(満37週～満41週)	1 408	775	633	-	-	-	-	-	1	1	-
過期(満42週～)	114	58	56	-	-	-	-	-	-	-	-
複産 Plural	287	163	124	-	8	5	3	-	130	73	57
妊娠28週未満	132	78	54	-	6	5	1	-	110	64	46
満28週～満31週	72	38	34	-	2	-	2	-	19	9	10
満32週～満35週	39	20	19	-	-	-	-	-	1	-	1
満36週～満39週	35	23	12	-	-	-	-	-	-	-	-
満40週～満43週	9	4	5	-	-	-	-	-	-	-	-
満44週～	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満)	251	139	112	-	8	5	3	-	130	73	57
満28週未満	132	78	54	-	6	5	1	-	110	64	46
満28週～満31週	72	38	34	-	2	-	2	-	19	9	10
満32週～満36週	47	23	24	-	-	-	-	-	1	-	1
正期(満37週～満41週)	36	24	12	-	-	-	-	-	-	-	-
過期(満42週～)	-	-	-	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・ PERINATAL DEATH
(早期—正期—過期再掲) 別 昭和60年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1985—CON.

0.9kg	1.0 ～ 1.4 kg				1.5 ～ 1.9 kg				2.0 ～ 2.4 kg			
不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
-	547	311	236	-	461	268	193	-	468	269	199	-
-	130	87	43	-	6	4	2	-	-	-	-	-
-	290	163	127	-	135	94	41	-	16	9	7	-
-	83	44	39	-	172	100	72	-	148	85	63	-
-	40	15	25	-	114	51	63	-	196	119	77	-
-	4	2	2	-	31	19	12	-	103	54	49	-
-	-	-	-	-	-	-	-	-	2	-	2	-
-	-	-	-	-	3	-	3	-	3	2	1	-
-	517	299	218	-	345	215	130	-	201	111	90	-
-	130	87	43	-	6	4	2	-	-	-	-	-
-	290	163	127	-	135	94	41	-	16	9	7	-
-	97	49	48	-	204	117	87	-	185	102	83	-
-	30	12	18	-	109	50	59	-	242	146	96	-
-	-	-	-	-	4	3	1	-	22	10	12	-
-	484	282	202	-	424	245	179	-	439	250	189	-
-	114	78	36	-	6	4	2	-	-	-	-	-
-	252	145	107	-	124	85	39	-	16	9	7	-
-	77	43	34	-	156	92	64	-	134	76	58	-
-	37	14	23	-	105	45	60	-	183	109	74	-
-	4	2	2	-	30	19	11	-	101	54	47	-
-	-	-	-	-	-	-	-	-	2	-	2	-
-	-	-	-	-	3	-	3	-	3	2	1	-
-	455	271	184	-	315	197	118	-	185	100	85	-
-	114	78	36	-	6	4	2	-	-	-	-	-
-	252	145	107	-	124	85	39	-	16	9	7	-
-	89	48	41	-	185	108	77	-	169	91	78	-
-	29	11	18	-	102	45	57	-	229	138	91	-
-	-	-	-	-	4	3	1	-	22	10	12	-
-	63	29	34	-	37	23	14	-	29	19	10	-
-	16	9	7	-	-	-	-	-	-	-	-	-
-	38	18	20	-	11	9	2	-	-	-	-	-
-	6	1	5	-	16	8	8	-	14	9	5	-
-	3	1	2	-	9	6	3	-	13	10	3	-
-	-	-	-	-	1	-	1	-	2	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	62	28	34	-	30	18	12	-	16	11	5	-
-	16	9	7	-	-	-	-	-	-	-	-	-
-	38	18	20	-	11	9	2	-	16	11	5	-
-	8	1	7	-	19	9	10	-	13	8	5	-
-	1	1	-	-	7	5	2	-	-	-	-	-

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時
5 表 (6-6) 単産一複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

早期新生児(生後1週未満)死亡数
Deaths Under 1 Week

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500 g ちょうど Just 2500 g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	559	301	258	-	18	7	11	-	477	259	218	-	202
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週 28-31 weeks	4	2	2	-	-	-	-	-	3	1	2	-	-
満32週~満35週 32-35	61	39	22	-	1	1	-	-	13	4	9	-	6
満36週~満39週 36-39	290	166	124	-	11	5	6	-	207	127	80	-	59
満40週~満43週 40-43	200	93	107	-	4	1	3	-	252	126	126	-	135
満44週~ 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 Not stated (再掲)	4	1	3	-	2	-	2	-	2	1	1	-	2
早期(満37週未満) Pre-term	103	66	37	-	3	3	-	-	33	17	16	-	11
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週 28-31	4	2	2	-	-	-	-	-	3	1	2	-	-
満32週~満36週 32-36	99	64	35	-	3	3	-	-	30	16	14	-	11
正期(満37週~満41週) Term	429	220	209	-	13	4	9	-	407	224	183	-	166
過期(満42週~) Post-term	23	14	9	-	-	-	-	-	35	17	18	-	23
単産 Single	547	293	254	-	17	7	10	-	473	257	216	-	201
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週	4	2	2	-	-	-	-	-	3	1	2	-	-
満32週~満35週	59	37	22	-	1	1	-	-	13	4	9	-	6
満36週~満39週	282	160	122	-	10	5	5	-	205	127	78	-	59
満40週~満43週	198	93	105	-	4	1	3	-	250	124	126	-	134
満44週~	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	4	1	3	-	2	-	2	-	2	1	1	-	2
早期(満37週未満)	101	64	37	-	3	3	-	-	32	17	15	-	11
満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週	4	2	2	-	-	-	-	-	3	1	2	-	-
満32週~満36週	97	62	35	-	3	3	-	-	29	16	13	-	11
正期(満37週~満41週)	419	214	205	-	12	4	8	-	404	222	182	-	165
過期(満42週~)	23	14	9	-	-	-	-	-	35	17	18	-	23
複産 Plural	12	8	4	-	1	-	1	-	4	2	2	-	1
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週~満35週	2	2	-	-	-	-	-	-	-	-	-	-	-
満36週~満39週	8	6	2	-	1	-	1	-	2	2	-	-	1
満40週~満43週	2	-	2	-	-	-	-	-	2	-	-	-	-
満44週~	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満)	2	2	-	-	-	-	-	-	1	-	1	-	-
満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週~満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週~満36週	2	2	-	-	-	-	-	-	1	-	1	-	-
正期(満37週~満41週)	10	6	4	-	1	-	1	-	3	2	1	-	1
過期(満42週~)	-	-	-	-	-	-	-	-	-	-	-	-	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH
(早期一正期一過期再掲) 別 昭和60年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1985-CON.

~ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
131	71	-	52	28	24	-	81	47	34	-	1.98	2.01	1.94	-
-	-	-	-	-	-	-	5	2	3	-	0.79	0.81	0.77	-
-	-	-	-	-	-	-	5	4	1	-	1.31	1.34	1.26	-
4	2	-	2	2	-	-	1	1	-	-	1.96	2.02	1.89	-
42	17	-	24	12	12	-	12	3	9	-	2.68	2.74	2.60	-
84	51	-	26	14	12	-	9	8	1	-	3.04	3.05	3.02	-
-	-	-	-	-	-	-	-	-	-	-	2.25	-	2.25	-
1	1	-	-	-	-	-	49	29	20	-	2.61	2.85	2.47	-
7	4	-	5	2	3	-	12	7	5	-	1.32	1.36	1.28	-
-	-	-	-	-	-	-	5	2	3	-	0.79	0.81	0.77	-
-	-	-	-	-	-	-	5	4	1	-	1.31	1.34	1.26	-
7	4	-	5	2	3	-	2	1	1	-	2.06	2.12	2.00	-
114	52	-	42	22	20	-	18	10	8	-	2.87	2.90	2.82	-
9	14	-	5	4	1	-	2	1	1	-	3.04	3.02	3.07	-
130	71	-	52	28	24	-	78	44	34	-	2.04	2.08	2.01	-
-	-	-	-	-	-	-	5	2	3	-	0.80	0.82	0.77	-
-	-	-	-	-	-	-	3	2	1	-	1.33	1.36	1.29	-
4	2	-	2	2	-	-	1	1	-	-	1.97	2.02	1.91	-
42	17	-	24	12	12	-	12	3	9	-	2.70	2.77	2.61	-
83	51	-	26	14	12	-	8	7	1	-	3.04	3.05	3.03	-
-	-	-	-	-	-	-	-	-	-	-	2.25	-	2.25	-
1	1	-	-	-	-	-	49	29	20	-	2.61	2.85	2.47	-
7	4	-	5	2	3	-	10	5	5	-	1.35	1.39	1.30	-
-	-	-	-	-	-	-	5	2	3	-	0.80	0.82	0.77	-
-	-	-	-	-	-	-	3	2	1	-	1.33	1.36	1.29	-
7	4	-	5	2	3	-	2	1	1	-	2.08	2.12	2.02	-
113	52	-	42	22	20	-	17	9	8	-	2.88	2.92	2.83	-
9	14	-	5	4	1	-	2	1	1	-	3.04	3.02	3.07	-
1	-	-	-	-	-	-	3	3	-	-	1.24	1.27	1.20	-
-	-	-	-	-	-	-	-	-	-	-	0.77	0.76	0.77	-
-	-	-	-	-	-	-	2	2	-	-	1.15	1.21	1.10	-
-	-	-	-	-	-	-	-	-	-	-	1.87	2.04	1.70	-
-	-	-	-	-	-	-	-	-	-	-	2.18	2.16	2.20	-
1	-	-	-	-	-	-	1	1	-	-	2.73	3.35	2.35	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	2	-	-	1.09	1.10	1.08	-
-	-	-	-	-	-	-	-	-	-	-	0.77	0.76	0.77	-
-	-	-	-	-	-	-	2	2	-	-	1.15	1.21	1.10	-
-	-	-	-	-	-	-	-	-	-	-	1.90	2.05	1.76	-
1	-	-	-	-	-	-	1	1	-	-	2.33	2.32	2.35	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-