

死 因

10表 (30-1)

第10表 乳児（1歳未満）死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 4 週 未 満 Under 1 year										
		総 数 Total of infant deaths	1 週 未 満 Under 1 week									
			総 数 Total	1 日 (24 時 間) 未 満 Under 1 day (24 hours)								
				1 日 day	2 日	3 日	4 日	5 日	6 日	7 日	8 日	9 日
	総 数 Total	9 406 5 267 4 139	5 894 3 305 2 589	4 571 2 592 1 979	2 291 1 259 1 032	874 515 359	519 320 199	342 189 153	238 135 103	164 87 77	143 87 56	
I	感染症及び寄生虫症	248 132 116	48 20 28	-	-	-	-	-	-	-	-	
(001~009)	腸管感染症	58 30 28	3 1 2	-	-	-	-	-	-	-	-	
(010~018)	結 核	3 1 2	-	-	-	-	-	-	-	-	-	
(020~027)	動物媒介の細菌性疾患	-	-	-	-	-	-	-	-	-	-	
(030~041)	その他の細菌性疾患	116 63 53	35 17 18	-	-	-	-	-	-	-	-	
(045~049)	灰白髄炎及び中枢神経系のその他の非 節足動物媒介性ウイルス疾患	7 4 3	1 - 1	-	-	-	-	-	-	-	-	
(050~057)	発疹を伴うウイルス疾患	21 7 14	3 1 2	-	-	-	-	-	-	-	-	
(060~066)	節足動物媒介のウイルス疾患	-	-	-	-	-	-	-	-	-	-	
(070~079)	ウイルス及びクラミジアによるその他 の疾患	36 24 12	5 1 4	-	-	-	-	-	-	-	-	
(080~088)	リケッチア症及びその他の節足動物媒 介疾患	-	-	-	-	-	-	-	-	-	-	
(090~099)	梅毒及びその他の性病	-	-	-	-	-	-	-	-	-	-	
(100~104)	その他のスピロヘータ疾患	-	-	-	-	-	-	-	-	-	-	
(110~118)	真 菌 症	-	-	-	-	-	-	-	-	-	-	
(120~129)	蠕 虫 症	-	-	-	-	-	-	-	-	-	-	
(130~136)	その他の感染症及び寄生虫症	7 3 4	1 - 1	-	-	-	-	-	-	-	-	
(137~139)	感染症及び寄生虫症の後遺症	-	-	-	-	-	-	-	-	-	-	

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983

Under 4 weeks				4 週 未 満 4 weeks & over, less than 2 months	2 か 月 months	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1 ~ 2 週 未 満 1 week & over, less than 2 weeks	2 ~ 3 週 未 満	3 ~ 4 週 未 満													
711 381 330	354 184 170	258 148 110	781 434 347		474 260 214	363 209 154	356 194 162	326 184 142	255 145 110	240 133 107	203 107 96	167 92 75	177 104 73	170 100 70	
17 8 9	19 6 13	12 6 6	43 21 22		29 17 12	29 19 10	14 8 6	10 5 5	14 8 6	13 7 6	7 2 5	15 10 5	14 9 5	12 6 6	I
1 - 1	1 - 1	1 1 -	5 3 2		10 5 5	7 4 3	5 2 3	8 3 5	5 2 3	2 1 1	- - -	3 3 -	6 4 2	4 2 2	(001~009)
- - -	- - -	- - -	- - -		- - -	- - -	- - -	- - -	1 1 -	- - -	1 - 1	- - -	1 - 1	- - -	(010~018)
- - -	- - -	- - -	- - -		- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	(020~027)
9 6 3	16 6 10	10 5 5	32 15 17		15 9 6	11 8 3	8 5 3	1 1 -	4 2 2	5 3 2	1 - 1	2 1 1	- - -	2 2 -	(030~041)
- - -	- - -	1 - 1	1 1 -		- - -	1 1 -	- - -	- - -	- - -	1 - 1	- - -	1 1 -	1 1 -	1 - 1	(045~049)
2 1 1	1 - 1	- - -	- - -		1 - 1	- - -	- - -	- - -	1 - -	3 1 2	2 - 2	4 1 3	4 2 2	3 1 2	(050~057)
- - -	- - -	- - -	- - -		- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	(060~066)
5 1 4	- - -	- - -	5 2 3		3 3 -	8 5 3	1 1 -	1 1 -	2 2 -	2 2 -	3 2 1	4 3 1	2 2 -	- -	(070~079)
- - -	- - -	- - -	- - -		- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -	(080~088)
- - -	- - -	- - -	- - -		- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -	(090~099)
- - -	- - -	- - -	- - -		- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -	(100~104)
- - -	- - -	- - -	- - -		- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -	(110~118)
- - -	- - -	- - -	- - -		- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -	(120~129)
- - -	1 - 1	- - -	- - -		- - -	2 1 1	- - -	- - -	1 - 1	- - -	- - -	1 - -	- - -	2 1 1	(130~136)
- - -	- - -	- - -	- - -		- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -	(137~139)

第10表 乳児（1歳未満）死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未 満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日
II	新 生 物	92	15	6	2	2	2	-	-	-	-
	男 M.	49	11	5	1	2	2	-	-	-	-
	女 F.	43	4	1	1	-	-	-	-	-	-
(140~149)	口唇、口腔及び咽頭の悪性新生物	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(150~159)	消化器及び腹膜の悪性新生物	12	3	1	-	1	-	-	-	-	-
	男 M.	6	1	1	-	1	-	-	-	-	-
	女 F.	6	2	-	-	-	-	-	-	-	-
(160~165)	呼吸器及び胸腔内臓器の悪性新生物	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(170~175)	骨、結合組織、皮膚及び乳房の悪性新生物	3	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-
(179~189)	泌尿生殖器の悪性新生物	3	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-
(190~199)	その他及び部位不明の悪性新生物	17	1	-	-	-	-	-	-	-	-
	男 M.	10	1	-	-	-	-	-	-	-	-
	女 F.	7	-	-	-	-	-	-	-	-	-
(200~208)	リンパ組織及び造血組織の悪性新生物	36	3	1	-	1	-	-	-	-	-
	男 M.	15	3	1	-	1	-	-	-	-	-
	女 F.	21	-	-	-	-	-	-	-	-	-
(210~229)	良 性 新 生 物	4	3	1	1	-	-	-	-	-	-
	男 M.	2	2	1	1	-	-	-	-	-	-
	女 F.	2	1	-	-	-	-	-	-	-	-
(230~234)	上 皮 内 癌	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(235~238)	性状不詳の新生物	2	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-
(239)	性質の明示されない新生物	15	5	3	1	-	2	-	-	-	-
	男 M.	12	4	2	-	2	-	-	-	-	-
	女 F.	3	1	1	1	-	-	-	-	-	-
III	内分泌、栄養及び代謝疾患並びに免疫障害	78	19	8	1	-	2	1	1	2	1
	男 M.	48	10	5	1	-	1	1	-	2	1
	女 F.	30	9	3	-	-	1	-	1	-	1
(240~246)	甲状腺の障害	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(250~259)	その他の内分泌腺の疾患	7	3	1	-	-	-	-	-	1	-
	男 M.	5	2	1	-	-	-	-	-	1	-
	女 F.	2	1	-	-	-	-	-	-	-	-
(260~269)	栄養欠乏症	9	1	-	-	-	-	-	-	-	-
	男 M.	6	1	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-
(270~279)	その他の代謝障害及び免疫障害	62	15	7	1	-	2	1	1	1	1
	男 M.	37	7	4	1	-	1	1	1	1	1
	女 F.	25	8	3	-	-	1	-	-	-	-

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983-CON.

Under 4 weeks				2 か 月	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満	3~4週 未 満	4 週 ~ 2 か 月 4 weeks & over, less than 2 months											
1	3	5	11	7	8	8	5	7	3	8	7	7	6	II
1	2	3	4	4	3	2	2	3	2	3	5	6	4	
-	1	2	7	3	5	6	3	4	1	5	2	1	2	(140~149)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	2	1	2	1	-	1	1	1	-	-	-	2	(150~159)
-	-	-	-	1	1	-	1	1	1	-	-	-	1	
-	-	2	1	1	1	-	-	-	-	-	-	-	-	(160~165)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	-	-	1	-	-	(170~175)
-	-	-	-	-	1	-	-	1	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	1	1	-	-	-	(179~189)
-	-	-	-	-	-	-	-	-	1	1	-	1	-	
-	1	-	4	2	2	-	2	-	-	1	1	3	1	(190~199)
-	1	-	2	1	1	-	2	-	-	1	1	2	1	
-	-	-	2	1	1	-	-	-	-	-	-	1	-	
1	-	1	3	2	3	6	2	5	1	5	3	1	2	(200~208)
1	-	1	2	-	3	5	1	3	1	4	2	1	1	
-	1	1	-	-	-	1	-	-	-	-	-	-	-	(210~229)
-	1	1	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(230~234)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	2	-	-	-	-	-	-	-	-	-	-	(235~238)
-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	1	1	1	1	1	1	-	-	1	2	2	1	1	(239)
-	1	1	1	1	1	-	-	-	1	2	2	1	1	
5	4	2	7	11	9	7	9	-	8	1	5	1	1	III
1	3	1	3	9	5	7	4	-	4	1	4	1	1	
4	1	1	4	2	4	-	5	-	4	-	1	1	-	(240~246)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	1	2	-	1	-	-	-	-	-	-	-	(250~259)
1	1	-	1	2	-	1	-	-	-	-	-	-	-	
-	1	-	2	1	1	-	1	-	1	-	2	-	-	(260~269)
-	1	-	1	1	-	-	1	-	1	-	2	-	-	
4	2	2	4	8	8	6	8	-	7	1	3	1	1	(270~279)
1	1	1	2	6	4	6	4	-	4	1	1	1	1	
3	1	1	2	2	4	-	4	-	3	-	1	1	-	

死 因

10表 (30-3)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week									
			総 数 Total	1 週 未 満 Under 1 week								
				1日(24時 間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日		
IV	血液及び造血器の疾患	29	7	4	-	-	3	-	1	-	-	
	男 M.	18	4	2	-	-	1	-	1	-	-	
	女 F.	11	3	2	-	-	2	-	-	-	-	
V	精 神 障 害	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	
(290~299)	精 神 病	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	
(290~294)	器質精神病状態	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	
(295~299)	その他の精神病	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	
(300~316)	神経症、人格異常及びその他の非精神 病性精神障害	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	
(317~319)	精 神 薄 弱	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	
VI	神経系及び感覚器の疾患	188	30	10	-	-	2	2	2	1	3	
	男 M.	105	18	6	-	-	2	1	1	1	1	
	女 F.	83	12	4	-	-	-	1	1	-	2	
(320~326)	中枢神経系の炎症性疾患	105	26	9	-	-	1	2	2	1	3	
	男 M.	61	15	5	-	-	1	1	1	1	1	
	女 F.	44	11	4	-	-	-	1	1	-	2	
(330~337)	中枢神経系の遺伝性及び変性疾患	23	1	1	-	-	1	-	-	-	-	
	男 M.	15	1	1	-	-	1	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	
(340~349)	中枢神経系のその他の障害	56	2	-	-	-	-	-	-	-	-	
	男 M.	27	1	-	-	-	-	-	-	-	-	
	女 F.	29	1	-	-	-	-	-	-	-	-	
(350~359)	末梢神経系の障害	4	1	-	-	-	-	-	-	-	-	
	男 M.	2	1	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	
(360~379)	眼及び付属器の障害	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	
(380~389)	耳及び乳様突起の疾患	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	
VII	循環系の疾患	272	40	2	1	-	-	-	-	-	1	
	男 M.	153	23	2	1	-	-	-	-	-	1	
	女 F.	119	17	-	-	-	-	-	-	-	-	
(390~392)	急性リウマチ熱	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	
(393~398)	慢性リウマチ性心疾患	-	-	-	-	-	-	-	-	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983-CON.

Under 4 weeks				4 週 ~ 2 月 満 4 weeks & over, less than 2 months	2 か 月 months	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1 ~ 2 週 未 満 1 week & over, less than 2 weeks	2 ~ 3 週 未 満	3 ~ 4 週 未 満													
1 1 -	1 - 1	1 - -	1 1 -	8 6 2	1 1 -	2 - -	2 - 2	2 1 1	3 1 2	1 1 -	1 - 1	- - -	2 - -	- -	IV
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	V
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	(290~299)
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	(290~294)
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	(295~299)
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	(300~316)
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	(317~319)
9 5 4	4 3 1	7 4 2	19 11 8	16 12 4	7 4 3	6 2 4	21 13 8	20 12 8	18 9 9	18 8 10	13 8 5	8 3 5	12 5 7	-	VI
8 5 3	4 3 1	5 2 3	16 9 7	11 10 1	3 2 1	2 1 1	8 6 2	9 6 3	7 2 5	8 4 4	7 4 3	4 1 3	4 1 3	-	(320~326)
- -	- -	- -	- -	4 2 2	- -	1 1	3 2 1	3 3 -	4 2 2	3 2 1	1 1 -	2 1 1	1 1 1	-	(330~337)
1 - 1	- - -	1 1 -	3 2 1	1 - 1	4 2 2	3 1 2	9 5 4	6 2 4	7 5 2	7 2 5	5 3 2	2 1 1	7 3 4	-	(340~349)
- -	- -	1 1 -	- - -	- - -	- - -	- - -	1 1 -	2 1 1	- - -	- - -	- - -	- - -	- - -	- -	(350~359)
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	(360~379)
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	(380~389)
18 11 7	12 6 6	8 4 4	52 28 24	41 18 23	30 20 10	24 12 12	15 8 7	19 16 3	15 10 5	10 4 6	9 5 4	10 3 7	7 6 1	-	VII
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	(390~392)
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	(393~398)

死 因

10表 (30-4)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満	4 週 未 満								
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
(401~405)	高血圧性疾患 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
(410~414)	虚血性心疾患 ----- 男 M. 女 F.	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
(415~417)	肺循環疾患 ----- 男 M. 女 F.	9 3 6	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
(420~429)	その他の型の心疾患 ----- 男 M. 女 F.	190 103 87	25 15 10	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	
(430~438)	脳血管疾患 ----- 男 M. 女 F.	59 35 24	11 5 6	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
(440~448)	動脈、細動脈及び毛細血管の疾患 ----- 男 M. 女 F.	8 7 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
(451~459)	静脈及びリンパ管の疾患、並びに循環 系のその他の疾患 ----- 男 M. 女 F.	5 4 1	2 2 -	1 1 -	1 1 -	- - -	- - -	- - -	- - -	- - -	
VII	呼吸系の疾患 ----- 男 M. 女 F.	456 256 200	91 47 44	33 15 18	2 1 1	8 3 5	8 4 4	8 6 2	1 2 1	2 1 2	
(460~466)	急性呼吸器感染 ----- 男 M. 女 F.	50 28 22	2 2 2	1 1 1	- - -	- - -	1 1 1	- - -	- - -	- - -	
(470~478)	上気道のその他の疾患 ----- 男 M. 女 F.	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
(480~487)	肺炎及びインフルエンザ ----- 男 M. 女 F.	323 180 143	80 40 40	31 14 17	2 1 1	8 3 5	7 4 3	7 5 2	1 1 1	2 1 2	
(490~496)	慢性閉塞性肺疾患及び類似病態 ----- 男 M. 女 F.	22 11 11	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
(500~508)	じん肺症及びその他の外的因子による 肺疾患 ----- 男 M. 女 F.	18 11 7	5 4 1	1 1 -	- - -	- - -	- - -	1 1 -	- - -	- - -	
(510~519)	呼吸系のその他の疾患 ----- 男 M. 女 F.	42 26 16	4 3 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
IX	消化系の疾患 ----- 男 M. 女 F.	76 46 30	14 10 4	2 1 1	1 1 -	1 1 1	- - -	- - -	- - -	- - -	
(520~529)	口腔、唾液腺及び顎の疾患 ----- 男 M. 女 F.	3 2 1	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
(530~537)	食道、胃及び十二指腸の疾患 ----- 男 M. 女 F.	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983-CON.

Under 4 weeks				4 週 未 満 4 weeks & over, less than 2 months	2 か 月 months	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満	3~4週 未 満													
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(401~405)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	(410~414)
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	1	1	-	-	2	1	-	-	-	-	2	2	-	-	(415~417)
-	1	1	-	-	2	1	-	-	-	-	2	1	-	-	-
11 8 3	10 5 5	3 1 2	29 13 16	25 10 15	25 16 9	22 11 11	11 6 5	17 14 3	12 8 4	7 3 4	5 3 2	9 2 7	3 2 1	-	(420~429)
7 3 4	1 1 -	3 1 2	22 15 7	10 4 6	3 2 1	2 1 1	3 1 2	- - -	1 1 -	1 1 -	2 1 1	1 1 -	3 3 -	-	(430~438)
-	-	-	-	3 3	1 1	-	1 1	1 1	1 -	-	-	-	1 1	-	(440~448)
-	-	-	-	-	-	-	-	-	1 1	-	-	-	-	-	-
-	-	1 1	1 1	-	-	-	-	1 1	1 1	-	-	-	-	-	(451~459)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 12 13	17 12 5	16 8 8	61 35 26	41 28 13	40 24 16	41 19 22	44 23 21	18 9 9	32 19 13	25 12 13	18 8 10	21 17 4	24 15 9	VII	-
-	-	1 -	2 2	5 4 1	2 1 1	6 4 2	6 1 5	2 1 1	8 5 3	5 2 3	1 -	6 6 -	5 2 3	-	(460~466)
-	-	-	-	-	-	1 -	-	-	-	-	-	-	-	-	(470~478)
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
24 11 13	14 9 5	11 6 5	45 24 21	31 20 11	28 18 10	24 10 14	29 18 11	11 5 6	24 14 10	16 8 8	9 3 6	11 9 2	15 11 4	-	(480~487)
-	-	-	4 1 3	2 1 1	2 1 1	3 3 -	2 1 1	1 1 -	-	1 -	5 3 2	1 1 -	1 1 -	-	(490~496)
1 1 -	2 2 -	1 1 1	3 3 -	-	2 1 1	2 2 2	1 1 -	2 1 1	-	1 1 1	-	1 1 -	1 1 -	-	(500~508)
-	1 1 -	3 2 1	7 5 2	3 3 -	6 3 3	5 2 3	6 2 4	2 1 1	-	2 2 -	3 2 1	2 1 1	2 2 -	-	(510~519)
5 3 2	3 2 1	4 4 -	15 7 8	11 6 5	5 3 2	7 4 3	3 2 1	7 4 3	9 7 2	-	1 1 -	4 2 2	-	-	IX
-	-	1 1	1 1	-	-	1 1	-	-	-	-	-	-	-	-	(520~529)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1 1	-	-	-	-	1 1	-	-	-	-	-	(530~537)

10表 (30—5)

第10表 乳兒（1歳未満）死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE.

[illegible]

注) XIは該当があり得ないので省略した。

性・日 齡一月 齡・死 因 (基 本 分 類) 別 昭和58年

.TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

[illegible]

死 因

10表 (30-6)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE.

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満	4 週 未 満								
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week						6 日	
				総 数 Total	1日(24時 間)未 満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日		5 日
					day	day	day	day	day		day
(710~719)	関節症及び関連障害 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(720~724)	脊 柱 疾 患 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(725~729)	リウマチ、背部を除く ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(730~739)	オステオパシー、軟骨障害及び後天性 筋骨格変形 ----- 男 M. 女 F.	2 2 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
IV	先 天 異 常 ----- 男 M. 女 F.	2 730 1 432 1 298	1 501 801 700	954 522 432	406 225 181	182 100 82	122 73 49	86 47 39	63 32 31	49 22 27	46 23 23
740	無脳症及び類似異常 ----- 男 M. 女 F.	79 43 36	79 43 36	76 42 34	53 30 23	11 5 6	6 3 3	3 2 1	2 1 1	- - -	1 1 -
740.0	無 脳 症 ----- 男 M. 女 F.	79 43 36	79 43 36	76 42 34	53 30 23	11 5 6	6 3 3	3 2 1	2 1 1	- - -	1 1 -
740.1	頭蓋脊椎披裂 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
740.2	後頭孔脳脱出症 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
741	脊 椎 披 裂 ----- 男 M. 女 F.	33 20 13	15 9 6	10 7 3	5 4 1	3 2 1	1 1 -	- - -	1 - 1	- - -	- - -
741.0	水頭症を伴うもの ----- 男 M. 女 F.	21 13 8	7 5 2	6 5 1	3 3 -	1 1 -	1 1 -	- - -	1 - 1	- - -	- - -
741.9	水頭症の記載のないもの ----- 男 M. 女 F.	12 7 5	8 4 4	4 2 2	2 1 1	2 1 1	- - -	- - -	- - -	- - -	- - -
742	神経系のその他の先天異常 ----- 男 M. 女 F.	133 77 56	61 32 29	38 20 18	17 9 8	6 3 3	10 4 6	3 3 -	- - -	2 1 1	- - -
742.0	脳 ヘル ニ ア ----- 男 M. 女 F.	13 7 6	10 6 4	5 2 3	1 - 1	- - -	2 - 2	2 2 -	- - -	- - -	- - -
742.1	小 頭 症 ----- 男 M. 女 F.	9 4 5	5 2 3	2 1 1	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -
742.2	脳の減少奇形 ----- 男 M. 女 F.	12 5 7	5 - 5	4 - 4	- - -	1 - 1	2 - 2	- - -	- - -	1 - 1	- - -
742.3	先天性水頭症 ----- 男 M. 女 F.	75 50 25	29 17 12	18 11 7	13 7 6	1 1 -	3 2 1	- - -	- - -	1 1 -	- - -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983-CON.

Under 4 weeks				4 週 未 満 4 weeks & over, less than 2 months	2 か 月 months	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1～2 週 未 満 1 week & over, less than 2 weeks	2～3 週 未 満	3～4 週 未 満													
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(710～719)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(720～724)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(725～729)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1 (730～739)
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
267 145 122	160 79 81	120 55 65	338 188 150	185 90 95	125 63 62	111 56 55	94 47 47	80 42 38	76 40 36	65 31 34	50 20 30	51 27 24	54 27 27	IV	
2 - 2	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-	740
2 - 2	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-	740.0
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-	740.1
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-	740.2
2 - 2	2 1 1	1 1 -	6 3 3	1 - 1	1 1 -	4 3 1	1 1 -	1 1 -	2 2 -	1 - 1	1 - 1	- - -	- - -	-	741
1 - 1	- - -	- - -	2 - 2	1 - 1	1 - -	4 3 1	1 1 -	1 1 -	2 2 -	1 - 1	1 - 1	- - -	- - -	-	741.0
1 - 1	2 1 1	1 1 -	4 3 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-	741.9
9 7 2	6 3 3	8 2 6	16 13 3	8 3 5	6 5 1	9 4 5	7 2 5	5 4 1	5 4 1	6 3 3	5 3 2	4 3 1	1 1 -	1	742
2 2 -	2 1 1	1 1 -	3 1 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-	742.0
1 1 -	1 - 1	1 1 -	- - -	2 1 1	- - -	- - -	1 - 1	- - -	1 - -	- - -	- - -	- - -	- - -	-	742.1
- - -	- - -	1 - 1	1 1 -	- - -	- 1 -	- - -	1 - 1	1 1 -	2 1 1	- - -	- - -	- - -	1 1 -	-	742.2
5 3 2	3 2 1	3 1 2	10 9 1	4 2 2	5 4 1	7 3 4	3 2 1	4 3 1	2 2 -	5 3 2	3 2 1	2 2 -	1 2 -	1	742.3

死 因

10表 (30-7)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満	4 週 未 満							
		総 数	1 週 未 満 Under 1 week							
		Total of infant deaths	総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日
742.4	脳のその他の明示された異常 男 M. 女 F.	9 3 6	3 2 1	3 2 1	1 1 1	2 1 1	- - -	- - -	- - -	- - -
742.5	脊髄のその他の明示された異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
742.8	神経系のその他の明示された異常 男 M. 女 F.	1 1	- -	- -	- -	- -	- -	- -	- -	- -
742.9	脳、脊髄及び神経系の詳細不明の異常 男 M. 女 F.	14 8 6	9 5 4	6 4 2	- 1 1	2 1 1	3 2 1	1 1 -	- - -	- - -
743	眼の先天異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
743.0	無 眼 球 症 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
743.1	小 眼 球 症 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
743.2	牛 眼 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
743.3	先天性白内障及び水晶体異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
743.4	コロボーム及びその他の前房の異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
743.5	後 房 の 異 常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
743.6	眼瞼、涙器及び眼窩の先天異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
743.8	眼のその他の明示された異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
743.9	詳細不明の眼の異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -
744	耳、顔及び頸の先天異常 男 M. 女 F.	2 2 -	2 2 -	2 2 -	2 2 -	- -	- -	- -	- -	- -
744.0	聴力障害の原因となった耳の異常 男 M. 女 F.	1 1 -	1 1 -	1 1 -	1 1 -	- -	- -	- -	- -	- -
744.1	副 耳 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983-CON.

Under 4 weeks				2 か 月	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満	3~4週 未 満	4 週 ~ 月 満 & over, less than 2 months											
-	-	-	-	1	-	1	2	-	-	1	1	-	-	742.4
-	-	-	-	1	-	1	2	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	742.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	742.8
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	2	2	1	-	1	-	-	-	-	1	-	-	742.9
1	-	2	2	1	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	744
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.1

死 因
10表 (30-8)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満	4 週 未 満								
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week							
				総 数 1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日	
744.2	耳のその他の明示された異常 男 M. 女 F.	1 1	1 1	1 1	1 1	- -	- -	- -	- -	- -	- -
744.3	耳の詳細不明の先天異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
744.4	脳満, 脳のう胞, 脳瘻及び前耳洞 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
744.5	頸 翼 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
744.8	顔及び頸のその他の明示された異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
744.9	詳細不明の顔及び頸の異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
745	心臓球の異常及び心中隔閉鎖異常 男 M. 女 F.	521 291 230	167 88 79	74 37 37	13 6 7	19 11 8	12 6 6	8 6 2	10 5 5	5 2 3	7 1 6
745.0	総動脈幹遺残 男 M. 女 F.	31 15 16	16 7 9	7 3 4	1 1 -	2 1 1	1 1 1	1 1 1	1 1 -	1 1 1	- -
745.1	大血管の転位 男 M. 女 F.	144 95 49	52 34 18	18 14 4	5 2 3	4 4 -	3 3 -	3 3 -	1 1 -	- 1 -	2 1 1
745.2	ファロー四徴 男 M. 女 F.	53 27 26	9 3 6	5 1 4	1 1 1	1 1 -	- - -	- - -	1 1 1	1 1 1	1 1 1
745.3	単 心 室 男 M. 女 F.	35 19 16	14 9 5	9 6 3	2 2 -	1 1 -	2 1 2	1 1 -	3 2 1	- -	- -
745.4	心室中隔欠損 男 M. 女 F.	135 74 61	31 13 18	12 4 8	3 1 2	3 1 2	1 1 -	1 1 1	2 - 2	1 1 -	1 1 1
745.5	二次口型心房中隔欠損 男 M. 女 F.	36 18 18	17 5 12	11 4 7	1 1 1	3 1 2	3 1 2	- 1 -	2 1 1	1 1 -	1 1 1
745.6	心内膜床欠損 男 M. 女 F.	80 39 41	23 15 8	9 4 5	- - -	5 2 3	2 1 1	1 1 -	- - -	- - -	1 1 1
745.7	二 腔 心 男 M. 女 F.	5 3 2	4 2 2	3 1 2	- - -	- - -	- - -	1 1 -	- - -	1 1 1	1 1 1
745.8	そ の 他 男 M. 女 F.	1 - 1	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
745.9	詳細不明の中隔欠損 男 M. 女 F.	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983-CON.

Under 4 weeks				4 2 未 週 か 2 月 満 4 weeks & over, less than 2 months	2 か 月 months	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1 ~ 2 週 未 満 1 week & over, less than 2 weeks	2 ~ 3 週 未 満	3 ~ 4 週 未 満	4 週 未 満												
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38 23 15	29 15 14	26 13 13	64 39 25	45 33 12	38 16 22	38 22 16	32 15 17	27 15 12	29 16 13	27 17 10	15 8 7	18 10 8	21 12 9		745
2 2 -	3 - 3	4 2 2	4 2 2	4 4 -	2 2 -	- - -	1 - 1	1 - 1	2 - 2	1 - 1	- - -	- - -	- - -	- - -	745.0
15 8 7	9 6 3	10 6 4	23 16 7	12 10 2	7 3 4	8 4 4	5 5 -	7 3 4	9 8 1	9 4 5	3 2 1	6 3 3	3 3 -		745.1
- - -	2 1 1	2 1 1	7 4 3	5 1 4	6 3 3	4 3 1	4 1 3	3 2 1	2 1 1	4 3 1	2 1 1	2 2 -	5 3 2		745.2
3 2 1	- - -	2 1 1	4 2 2	2 2 -	5 1 4	2 1 1	2 2 -	2 2 2	2 1 1	1 - 1	1 1 -	- - -	- - -	- - -	745.3
10 5 5	4 2 2	5 2 3	14 8 6	13 9 4	8 3 5	15 9 6	11 5 6	11 7 4	11 4 7	5 5 -	3 2 1	6 5 1	7 4 3		745.4
2 - 2	3 1 2	1 - 1	6 4 2	1 1 -	4 2 2	1 1 -	- - -	3 3 -	- - -	3 2 1	1 - 1	- - -	- - -	- - -	745.5
5 5 -	7 5 2	2 1 1	6 3 3	7 5 2	6 2 4	8 4 4	8 1 7	- - -	3 2 1	4 3 1	5 2 3	4 4 4	6 2 4		745.6
1 1 -	- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	745.7
- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	745.8
- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	745.9

死 因

10表 (30—9)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
746	心臓のその他の先天異常	680	430	259	75	53	42	26	22	23	18
	男 M.	349	236	141	40	30	23	14	13	10	11
	女 F.	331	194	118	35	23	19	12	9	13	7
746.0	肺動脈弁の異常	20	9	4	1	-	1	-	1	-	1
	男 M.	7	3	2	-	-	-	-	1	-	1
	女 F.	13	6	2	1	-	1	-	-	-	-
746.1	先天性三尖弁閉鎖及び狭窄	33	8	1	-	-	1	-	-	-	-
	男 M.	17	7	1	-	-	1	-	-	-	-
	女 F.	16	1	-	-	-	-	-	-	-	-
746.2	エプスタイン奇形	10	7	4	-	-	-	1	-	3	-
	男 M.	7	5	2	-	-	-	1	-	1	-
	女 F.	3	2	2	-	-	-	-	-	2	-
746.3	先天性大動脈弁狭窄	9	4	2	-	-	-	1	-	-	1
	男 M.	6	4	2	-	-	-	1	-	-	1
	女 F.	3	-	-	-	-	-	-	-	-	-
746.4	先天性大動脈弁閉鎖不全	5	5	2	-	-	1	-	1	-	-
	男 M.	3	3	2	-	-	1	-	1	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-
746.5	先天性僧帽弁狭窄	4	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-
746.6	先天性僧帽弁閉鎖不全	6	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-
746.7	左心形成不全症候群	46	28	13	-	1	5	3	2	1	1
	男 M.	25	15	7	-	1	3	2	-	-	1
	女 F.	21	13	6	-	-	2	1	2	1	-
746.8	心臓のその他の明示された異常	58	38	19	4	7	3	1	2	1	1
	男 M.	30	16	8	1	5	1	-	-	-	1
	女 F.	28	22	11	3	2	2	1	2	1	-
746.9	心臓の詳細不明の異常	489	331	214	70	45	31	20	16	18	14
	男 M.	251	183	117	39	24	17	10	11	9	7
	女 F.	238	148	97	31	21	14	10	5	9	7
746.9A	先天性弁膜疾患	6	2	2	1	1	-	-	-	-	-
	男 M.	2	1	1	-	1	-	-	-	-	-
	女 F.	4	1	1	1	-	-	-	-	-	-
746.9B	そ の 他	483	329	212	69	44	31	20	16	18	14
	男 M.	249	182	116	39	23	17	10	11	9	7
	女 F.	234	147	96	30	21	14	10	5	9	7
747	循環系のその他の先天異常	360	207	104	27	33	16	10	7	2	9
	男 M.	187	116	66	17	24	10	3	3	1	8
	女 F.	173	91	38	10	9	6	7	4	1	1
747.0	動 脈 管 開 存	75	51	19	6	6	2	-	2	1	2
	男 M.	30	24	11	4	5	-	-	1	-	1
	女 F.	45	27	8	2	1	2	-	1	1	1
747.1	大 動 脈 縮 窄	73	33	10	2	-	1	3	1	-	3
	男 M.	32	13	6	-	-	1	1	1	-	3
	女 F.	41	20	4	2	-	-	2	-	-	-
747.2	大動脈のその他の異常	8	5	4	-	2	1	1	-	-	-
	男 M.	5	3	2	-	1	1	-	-	-	-
	女 F.	3	2	2	-	1	-	1	-	-	-

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 週 未 満 4 weeks & over, less than 2 months	2 か 月 months	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1～2 週 未 満 1 week & over, less than 2 weeks	2～3 週 未 満	3～4 週 未 満													
93 56 37	51 24 27	27 15 12	83 43 40	48 17 31	26 15 11	15 10 5	12 4 8	14 3 11	12 5 7	6 2 4	15 4 11	8 5 3	11 5 6	746	
3 - 3	2 1 1	- - -	2 - 2	4 1 3	3 2 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	2 1 1	746.0	
6 6 -	1 - 1	- - -	6 1 5	7 2 5	4 2 2	2 2 -	2 1 1	2 1 1	- - -	1 1 -	- - -	- - -	1 - 1	746.1	
1 1 -	2 2 -	- - -	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	746.2	
1 1 -	- - -	1 1 -	1 - 1	1 - 1	- - -	- - -	- - -	- - -	2 1 1	- - -	- - -	1 1 -	- - -	746.3	
1 - 1	1 1 -	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	746.4	
- - -	- - -	- - -	- - -	1 1 -	- - -	- - -	1 - 1	1 - 1	- - -	- - -	- - -	- - -	1 - 1	746.5	
- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	1 1 -	- - -	2 - 2	1 1 -	1 1 -	746.6	
6 4 2	3 1 2	6 3 3	10 6 4	4 1 3	2 2 -	1 1 -	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	746.7	
11 5 6	3 1 2	5 2 3	10 7 3	1 1 -	4 2 2	- - -	1 1 -	1 - 1	1 1 -	- - -	- - -	1 1 -	1 1 -	746.8	
64 39 25	39 18 21	14 9 5	51 27 24	30 11 19	13 7 6	12 7 5	7 2 5	10 2 8	8 3 5	5 1 4	13 4 9	5 2 3	4 2 2	746.9	
- - -	- - -	- - -	- - -	2 1 2	1 1 -	- - -	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -	746.9A	
64 39 25	39 18 21	14 9 5	51 27 24	28 11 17	12 6 6	12 7 5	7 2 5	9 2 7	8 3 5	5 1 4	13 4 9	5 2 3	4 2 2	746.9B	
49 24 25	36 16 20	18 10 8	64 33 31	28 11 17	18 7 11	12 6 6	9 7 2	7 5 2	4 1 3	3 - 3	3 1 2	3 - 3	2 - 2	747	
10 3 7	17 7 10	5 3 2	13 4 9	2 - 2	- - -	2 1 1	1 - 1	1 - 1	1 1 -	1 - 1	1 - 1	1 - 1	1 - 1	747.0	
12 2 10	6 2 4	5 3 2	15 9 6	9 3 6	6 1 5	4 2 2	2 2 -	2 2 -	- - -	2 - 2	- - -	- - -	- - -	747.1	
1 1 -	- - -	- - -	1 - 1	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	- - -	- - -	747.2	

死 因

10表 (30—10)

第10表 乳児（1歳未満）死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日
747.3	肺動脈の異常	45	20	8	2	-	2	1	1	1	1
	男 M.	26	13	5	1	-	1	1	1	1	1
	女 F.	19	7	3	1	-	1	-	1	-	-
747.4	大動脈及び肺静脈異常	102	44	16	1	7	5	-	1	-	2
	男 M.	57	27	11	-	5	3	-	1	-	2
	女 F.	45	17	5	1	2	2	-	-	-	-
747.5	臍動脈の欠如又は低形成	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
747.6	末梢血管系のその他の異常	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
747.8	循環系のその他の明示された異常	2	1	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-
747.9	循環系の詳細不明の異常	55	53	47	16	18	5	5	2	-	1
	男 M.	36	35	31	12	13	4	1	-	-	1
	女 F.	19	18	16	4	5	1	4	2	-	-
748	呼吸系の先天異常	99	64	58	44	10	2	1	1	-	-
	男 M.	50	32	29	22	4	2	1	-	-	-
	女 F.	49	32	29	22	6	-	-	1	-	-
748.0	後鼻孔閉鎖	1	1	1	1	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	1	1	-	-	-	-	-	-
748.1	鼻のその他の異常	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
748.2	喉頭横隔	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
748.3	喉頭、気管及び気管支のその他の異常	33	9	7	6	1	-	-	-	-	-
	男 M.	16	4	3	2	1	-	-	-	-	-
	女 F.	17	5	4	4	-	-	-	-	-	-
748.4	先天性のう胞肺	4	4	3	2	1	-	-	-	-	-
	男 M.	1	1	1	1	-	-	-	-	-	-
	女 F.	3	3	2	1	1	-	-	-	-	-
748.5	肺の無発生、低形成及び異形成	53	45	42	30	8	2	1	1	-	-
	男 M.	29	24	22	16	3	2	1	-	-	-
	女 F.	24	21	20	14	5	-	-	1	-	-
748.6	肺のその他の異常	5	4	4	4	-	-	-	-	-	-
	男 M.	3	3	3	3	-	-	-	-	-	-
	女 F.	2	1	1	1	-	-	-	-	-	-
748.8	呼吸系のその他の明示された異常	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
748.9	呼吸系の詳細不明の異常	3	1	1	1	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-
	女 F.	2	1	1	1	-	-	-	-	-	-
749	口蓋裂及び唇裂	20	18	9	2	2	2	3	-	-	-
	男 M.	8	8	4	1	1	1	1	-	-	-
	女 F.	12	10	5	1	1	1	2	-	-	-

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 週 未 満 4 weeks & over, less than 2 months	2 か月 months	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1～2週 未 満 1 week & over, less than 2 weeks	2～3週 未 満 2 weeks & over, less than 3 weeks	3～4週 未 満 3 weeks & over, less than 4 weeks													
6 4 2	1 1 -	5 3 2	11 6 5	3 1 2	2 2 -	1 1	2 2 -	2 2 -	2 2 -	3 -	- -	- -	1 -	- -	747.3
15 11 4	10 4 6	3 1 2	23 14 9	11 5 6	10 4 6	5 3 2	4 3 1	2 1 1	- -	- -	- -	1 1	1 1	1 1	747.4
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	747.5
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	747.6
1 1 -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	747.8
4 2 2	2 2 -	- -	1 1	1 1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	747.9
2 1 1	3 1 2	1 1 -	7 5 2	6 3 3	7 4 3	2 1 1	2 1 1	3 1 2	2 1 1	2 1 2	- -	- -	1 1 -	3 1 2	748
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	748.0
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	748.1
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	748.2
1 1 -	1 1 1	- -	6 4 2	1 1	6 3 3	1 1 -	2 1 1	1 1 1	2 1 1	2 1 2	2 2	- -	1 1 -	2 1 1	748.3
1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	748.4
- -	2 1 1	1 1 -	- -	4 3 1	1 1	- -	- -	- -	2 1 1	- -	- -	- -	- -	- -	748.5
- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	748.6
- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	748.8
- -	- -	- -	1 1 -	1 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	748.9
4 1 3	3 2 1	2 1 1	- - -	1 - 1	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	749

死 因

10表 (30—11)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日
749.0	口 蓋 裂	10	9	2	-	1	-	1	-	-	-
	男 M.	4	4	1	-	1	-	-	-	-	-
	女 F.	6	5	1	-	-	-	1	-	-	-
749.1	唇 裂	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
749.2	唇裂を伴う口蓋裂	10	9	7	2	1	2	2	-	-	-
	男 M.	4	4	3	1	-	1	1	-	-	-
	女 F.	6	5	4	1	1	1	1	-	-	-
750	上部消化管のその他の先天異常	48	33	19	4	-	3	3	1	4	4
	男 M.	23	16	9	3	-	2	1	-	2	1
	女 F.	25	17	10	1	-	1	2	1	2	3
750.0	舌小帯短縮症	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
750.1	舌のその他の異常	2	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-
750.2	口腔及び咽頭のその他の明示された異常	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
750.3	気管食道瘻、食道閉鎖及び狭窄	42	31	17	4	-	3	2	1	3	4
	男 M.	21	16	9	3	-	2	1	-	2	1
	女 F.	21	15	8	1	-	1	1	1	1	3
750.3a	気管食道瘻及び食道閉鎖	40	30	16	4	-	3	1	1	3	4
	男 M.	20	15	8	3	-	2	-	-	2	1
	女 F.	20	15	8	1	-	1	1	1	1	3
750.3b	食道狭窄及びその他	2	1	1	-	-	-	1	-	-	-
	男 M.	1	1	1	-	-	-	1	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-
750.4	食道のその他の明示された異常	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
750.5	先天性肥厚性幽門狭窄	4	2	2	-	-	-	1	-	1	-
	男 M.	2	-	-	-	-	-	-	-	-	-
	女 F.	2	2	2	-	-	-	1	-	1	-
750.6	先天性裂孔ヘルニア	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
750.7	胃のその他の明示された異常	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
750.8	上部消化管のその他の明示された異常	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
750.9	上部消化管の詳細不明の異常	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
751	消化系のその他の先天異常	136	51	29	6	3	5	7	3	4	1
	男 M.	79	34	20	4	1	5	5	3	2	-
	女 F.	57	17	9	2	2	-	2	-	2	1

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 2 未 週 か 月 満 4 weeks & over, less than 2 months	2 か 月 months	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1 未 1 week & over, less than 2 weeks	2 週 満 未	3 週 満 未	4 週 満												
4 1 3	2 1 1	1 1 1	- - -	- - -	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	749.0
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	749.1
- - -	1 1 1	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 1	- - -	- - -	- - -	749.2
11 5 6	3 2 1	- - -	8 4 4	2 2 -	1 1 1	2 2 2	1 1 -	- - -	- - -	- - -	1 1 1	- - -	- - -	- - -	750
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.0
- - -	- - -	- - -	1 1 1	- - -	- - -	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.1
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.2
11 5 6	3 2 1	- - -	5 2 3	2 2 -	1 1 1	1 1 1	1 1 -	- - -	- - -	- - -	1 1 1	- - -	- - -	- - -	750.3
11 5 6	3 2 1	- - -	5 2 3	2 2 -	1 1 1	- - -	1 1 -	- - -	- - -	- - -	1 1 1	- - -	- - -	- - -	750.3a
- - -	- - -	- - -	- - -	- - -	- - -	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.3b
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.4
- - -	- - -	- - -	2 2 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.5
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.6
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.7
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.8
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	750.9
12 9 3	3 3 -	7 2 5	20 13 7	12 6 6	10 5 5	5 2 3	5 2 3	5 2 3	5 3 2	2 1 1	7 4 3	6 2 4	6 3 3	7 4 3	751

死 因

10表 (30—12)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Cause of Death and Sex	1年未満	4 週 未 満								
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
751.0	メッケル憩室 ----- 男 M. 女 F.	2 2	2 2	2 2	- -	- -	1 1	- -	1 1	- -	- -
751.1	小腸の閉鎖及び狭窄 ----- 男 M. 女 F.	38 24 14	21 14 7	9 6 3	- - -	1 - 1	1 1 -	4 3 1	- - -	2 2 -	- -
751.1a	十二指腸閉鎖 ----- 男 M. 女 F.	9 7 2	5 4 1	2 1 1	- - -	1 - 1	- - -	1 1 -	- - -	- - -	- -
751.1b	空 腸 閉 鎖 ----- 男 M. 女 F.	5 2 3	4 2 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -
751.1c	回 腸 閉 鎖 ----- 男 M. 女 F.	4 1 3	2 - 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -
751.1d	十二指腸狭窄 ----- 男 M. 女 F.	2 2 -	1 1 -	1 1 -	- - -	- - -	- - -	- - -	- - -	1 1 -	- -
751.1e	空 腸 狭 窄 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -
751.1f	回 腸 狭 窄 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -
751.1g	そ の 他 ----- 男 M. 女 F.	18 12 6	9 7 2	6 4 2	- - -	- - -	1 1 -	3 2 1	- - -	1 1 -	1 1 1
751.2	結腸、直腸及び肛門管の閉鎖及び狭窄 ----- 男 M. 女 F.	10 8 2	6 4 2	5 3 2	3 2 1	1 1 -	- - -	- - -	1 1 -	- - -	- -
751.2a	結 腸 閉 鎖 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -
751.2b	直 腸 閉 鎖 ----- 男 M. 女 F.	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -
751.2c	肛 門 閉 鎖 ----- 男 M. 女 F.	9 7 2	6 4 2	5 3 2	3 2 1	1 1 -	- - -	- - -	1 1 -	- - -	- -
751.2d	先天性結腸狭窄 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -
751.2e	先天性直腸狭窄 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -
751.2f	先天性肛門狭窄 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -
751.2g	そ の 他 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				2 か月	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満 2 weeks & over, less than 3 weeks	3~4週 未 満 3 weeks & over, less than 4 weeks	4~5週 未 満 4 weeks & over, less than 5 weeks											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.0
6 5 1	2 2 -	4 1 3	8 4 4	4 3 1	3 2 1	-	-	2 1 1	-	-	-	-	-	751.1
1 1 -	1 1 -	1 1 -	4 3 1	-	-	-	-	-	-	-	-	-	-	751.1a
3 2 1	-	1 1 -	1 1 -	-	-	-	-	-	-	-	-	-	-	751.1b
-	-	2 2 -	1 1 -	1 1 -	-	-	-	-	-	-	-	-	-	751.1c
-	-	-	-	-	1 1 -	-	-	-	-	-	-	-	-	751.1d
-	-	-	-	-	-	1 1 -	-	-	-	-	-	-	-	751.1e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.1f
2 2 -	1 1 -	-	2 1 1	3 2 1	2 1 1	-	-	2 1 1	-	-	-	-	-	751.1g
1 1 -	-	-	2 2 -	1 1 -	-	-	-	-	-	1 1 -	-	-	-	751.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.2a
-	-	-	-	-	-	-	-	-	-	1 1 -	-	-	-	751.2b
1 1 -	-	-	2 2 -	1 1 -	-	-	-	-	-	-	-	-	-	751.2c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.2d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.2e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.2f
-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.2g

死 因

10表 (30-13)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満	4 週 未 満								
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week							
				総 数 1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日	
751.3	ヒルシュブルング病及び結腸のその 他の先天性機能障害 男 M. 女 F.	24 15 9	5 2 3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
751.4	腸固定の異常 男 M. 女 F.	11 8 3	7 5 2	4 3 1	- - -	1 1 -	1 1 -	1 1 -	- - -	1 - 1	- - -
751.4a	腸回転異常及び総腸間膜症 男 M. 女 F.	11 8 3	7 5 2	4 3 1	- - -	1 1 -	1 1 -	1 1 -	- - -	1 - 1	- - -
751.4b	そ の 他 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
751.5	腸のその他の異常 男 M. 女 F.	6 4 2	4 3 1	4 3 1	3 2 1	- - -	1 1 -	- - -	- - -	- - -	- - -
751.6	胆のう、胆管及び肝の異常 男 M. 女 F.	39 14 25	2 1 1	2 1 1	- - -	- - -	1 1 -	1 - 1	- - -	- - -	- - -
751.6a	先天性胆道閉鎖 男 M. 女 F.	34 13 21	1 1 -	1 1 -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -
751.6b	先天性胆管拡張症 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
751.6c	先天性肝多のう胞性疾患 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
751.6d	そ の 他 男 M. 女 F.	5 1 4	1 - 1	1 - 1	- - -	- - -	- - -	1 - 1	- - -	- - -	- - -
751.7	脾 臓 の 異 常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
751.8	消化系のその他の明示された異常 男 M. 女 F.	1 1 -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
751.9	消化系の詳細不明の異常 男 M. 女 F.	5 3 2	3 2 1	3 2 1	- - -	- - -	- - -	1 1 -	1 1 -	1 - 1	- - -
752	生殖器の先天異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
752.0	卵 巣 の 異 常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
752.1	卵管及び広間膜の異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
752.2	重 複 子 宮 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983-CON.

Under 4 weeks				4 2 2 未 週 か 4 weeks & over, less than 2 months	2 か 月 months	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1 未 1 week & over, less than 2 weeks	2 未 2 週 満	3 未 3 週 満	4 未 4 週 満												
2 1 1	1 1 -	2 - 2	6 5 1	1 - 1	2 1 1	1 - 1	1 - 1	- - -	- - -	3 3 -	3 2 1	1 - -	1 - -	751.3	
2 1 1	- - -	1 - -	1 1 -	1 - -	- - -	1 - 1	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	751.4	
2 1 1	- - -	1 - -	1 1 -	1 - -	- - -	1 - 1	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	751.4a	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	751.4b	
- - -	- - -	- - -	- - -	- - -	1 - 1	- - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	751.5	
- - -	- - -	- - -	2 - 2	5 1 4	4 2 2	3 2 1	3 1 2	2 1 1	2 1 1	2 - 2	3 - 3	5 2 3	6 3 3	751.6	
- - -	- - -	- - -	2 - 2	4 1 3	3 2 1	3 2 1	2 - 2	2 1 1	2 1 1	1 - 1	3 - 3	5 2 3	6 3 3	751.6a	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	751.6b	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	751.6c	
- - -	- - -	- - -	- - -	1 - 1	1 - 1	- - -	1 - -	- - -	- - -	1 - 1	- - -	- - -	- - -	751.6d	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	751.7	
1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	751.8	
- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	751.9	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	752	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	752.0	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	752.1	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	752.2	

死 因

10表 (30—14)

第10表 乳児（1歳未満）死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
752.3	子宮のその他の異常 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
752.4	子宮頸、腔及び女性外生殖器の異常 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
752.5	停 留 嚥 丸 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
752.6	尿道下裂及び尿道上裂 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
752.7	性別不分明及び偽半陰陽 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
752.8	生殖器のその他の明示された異常 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
752.9	生殖器の詳細不明の異常 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
753	泌尿器の先天異常 男 M. 女 F.	33 17 16	26 13 13	21 12 9	14 9 5	1 1 -	1 1 1	1 1 1	2 2 -	1 1 1	1 1 1
753.0	腎無発生及び發育不全 男 M. 女 F.	19 13 6	16 11 5	14 10 4	9 8 1	- - -	- - 1	1 2 1	2 2 -	1 1 1	1 1 1
753.1	のう胞性腎疾患 男 M. 女 F.	6 1 5	4 1 3	4 1 3	4 1 3	- - -	- - -	- - -	- - -	- - -	- - -
753.2	腎盂及び尿管の閉塞性欠損 男 M. 女 F.	3 2 1	2 1 1	2 1 1	- 1 -	1 1 1	1 - -	- - -	- - -	- - -	- - -
753.3	腎のその他の明示された異常 男 M. 女 F.	1 1 -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
753.4	尿管のその他の明示された異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
753.5	膀 胱 の 外 反 男 M. 女 F.	2 2 -	2 2 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
753.6	尿道及び膀胱頸部の閉鎖及び狭窄 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
753.7	尿管の異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
753.8	膀胱及び尿道のその他の明示された異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 週 ~ 月 満 2 か月 4 weeks & over, less than 2 months	2 か月 months	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満	3~4週 未 満	4 週 ~ 月 満 2 か月 4 weeks & over, less than 2 months												
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.9
2 1 1	2 1 2	1 1 1	3 2 1	3 1 2	-	-	-	-	-	-	1 1 -	-	-	-	753
2 1 1	-	-	2 1 1	1 1 -	1 1 -	-	-	-	-	-	-	-	-	-	753.0
-	-	-	-	2 1 -	1 1 -	-	-	-	-	-	-	-	-	-	753.1
-	-	-	1 1 -	-	-	-	-	-	-	-	-	-	-	-	753.2
-	1 1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	753.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.4
-	1 1 -	1 1 -	-	-	-	-	-	-	-	-	-	-	-	-	753.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.8

死 因

10表 (30—15)

第10表 乳児（1歳未満）死亡数，

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満							
			1 週 未 満 Under 1 week							
			総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日
753.9	泌尿系の詳細不明の異常 男 M. 女 F.	2 1 1	1 1 1	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -
754	主要先天性筋骨格異常 男 M. 女 F.	1 1 1	1 1 1	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -
754.0	頭蓋，顔面及び顎 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
754.1	胸鎖乳突筋 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
754.2	脊 椎 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
754.3	先天性股関節脱臼 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
754.4	先天性反張膝及び脚の長骨の弯曲 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
754.5	足の内反異常 男 M. 女 F.	1 1 1	1 1 1	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -
754.6	足の外反異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
754.7	足のその他の異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
754.8	その他の明示されたもの 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
755	四肢のその他の先天異常 男 M. 女 F.	2 1 1	1 1 1	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -
755.0	多 指 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
755.1	合 指 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
755.2	上肢の減数異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
755.3	下肢の減数異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
755.4	詳細不明の肢の減数異常 男 M. 女 F.	1 1 1	1 1 1	1 1 1	- - -	- - -	- - -	- - -	- - -	- - -

性・日 齢一月 齢・死 因（基本分類）別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 週～ 2 か月 2 weeks & over, less than 2 months	2 か月 months	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1～2週 未満 1 week & over, less than 2 weeks	2～3週 未満	3～4週 未満	4 週～ 2 か月 2 weeks & over, less than 2 months												
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	753.9
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	754
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754.7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	755.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.4

死 因

10表 (30—16)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week									
			総 数 Total	1 週 未 満 Under 1 week								
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日	
755.5	上肢のその他の異常, 肩甲帯を含む 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-
755.6	下肢のその他の異常, 骨盤帯を含む 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-
755.8	詳細不明の肢のその他の明示された異常 男 M. 女 F.	1 1	-	-	-	-	-	-	-	-	-	-
755.9	詳細不明の肢の詳細不明の異常 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-
756	その他の筋骨格先天異常 男 M. 女 F.	181 89 92	147 72 75	124 65 59	83 44 39	16 8 8	8 5 3	7 4 3	5 2 3	3 2 1	2 - 2	-
756.0	頭蓋及び顔面骨の異常 男 M. 女 F.	21 9 12	13 5 8	11 5 6	6 3 3	1 - 1	- - -	3 1 2	1 1 -	- - -	- - -	-
756.1	脊 柱 の 異 常 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-
756.2	類 肋 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-	-
756.3	肋骨及び胸骨のその他の異常 男 M. 女 F.	2 2	1 1	1 1	1 1	- -	- -	- -	- -	- -	- -	-
756.4	軟骨形成異常 男 M. 女 F.	7 3 4	6 3 3	5 3 2	5 3 2	- - -	- - -	- - -	- - -	- - -	- - -	-
756.5	骨 形 成 異 常 男 M. 女 F.	14 7 7	11 5 6	10 4 6	7 2 5	2 1 1	- - -	- - -	- - -	1 1 -	- - -	-
756.6	横隔膜の異常 男 M. 女 F.	96 50 46	89 47 42	80 45 35	55 31 24	13 7 6	5 4 1	2 2 -	2 2 2	2 1 1	1 - 1	-
756.7	腹 壁 の 異 常 男 M. 女 F.	34 16 18	27 12 15	17 8 9	9 5 4	- - -	3 1 2	2 1 1	2 1 1	- - -	1 - 1	-
756.8	筋, 腱, 筋膜及び結合組織のその他の 明示された異常 男 M. 女 F.	2 2 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-
756.9	筋骨格系の詳細不明の異常 男 M. 女 F.	5 2 3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-
757	外皮の先天異常 男 M. 女 F.	1 1 -	1 1 -	1 1 -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -	-
757.0	脚の遺伝性浮腫 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	-

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 週 未 満 4 weeks & over, less than 2 months	2 か 月 months	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1 週 未 満 1 week & over, less than 2 weeks	2 週 未 満	3 週 未 満	4 週 未 満												
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1 1	-	-	-	755.8
-	-	-	-	-	-	-	-	-	-	-	1 1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16 6 10	3 - 3	4 1 3	9 7 2	7 5 2	2 1 1	3 - 3	2 - 2	2 - -	2 2 -	3 2 1	2 - 2	1 - 1	2 - 2	1 - 1	756
1 - 1	- - -	1 - 1	3 2 1	- - -	1 - 1	2 - 2	- - -	1 - -	1 1 -	- - -	- - -	- - -	- - -	- - -	756.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756.2
-	-	-	-	-	-	-	1 1	- -	- -	- -	- -	- -	- -	- -	756.3
1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- -	756.4
1 1	- -	- -	- -	1 1	- -	- -	- -	1 -	1 1	- -	- -	- -	- -	- -	765.5
7 2 5	1 1 1	1 1 1	4 3 1	- - -	- - -	- - -	- 1 -	- -	- -	- -	- -	- -	- 1	1 1 1	756.6
6 3 3	2 2 2	2 1 1	2 2 -	3 1 2	1 1 -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	756.7
-	-	-	-	2 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	756.8
-	-	-	-	1 1	- -	- -	1 1	- -	- -	1 1	1 1	1 1	- -	- -	756.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.0

死 因

10表 (30—17)

第10表 乳児（1歳未満）死亡数，

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
757.1	先天性魚りんせん 男 M. 女 F.	1 1	1 1	1 1	- -	- -	1 1	- -	- -	- -	- -
757.2	皮膚掌紋異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
757.3	皮膚のその他の明示された異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
757.4	毛髪 of 明示された異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
757.5	爪の明示された異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
757.6	乳房の明示された異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
757.8	外皮のその他の明示された異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
757.9	外皮の詳細不明の異常 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
758	染色体異常 男 M. 女 F.	249 111 138	99 46 53	46 24 22	10 7 3	10 4 6	9 7 2	8 4 4	6 1 5	2 1 1	1 - 1
758.0	ダウン症候群 男 M. 女 F.	96 55 41	27 17 10	15 9 6	4 2 2	4 2 2	2 2 -	2 2 -	2 - 2	1 - 1	- - -
758.1	バトウ症候群 男 M. 女 F.	15 8 7	7 3 4	3 1 2	- - -	1 - 1	2 1 1	- - -	- - -	- - -	- - -
758.2	エドワード症候群 男 M. 女 F.	82 21 61	37 13 24	12 6 6	2 1 1	3 2 1	1 1 -	4 2 2	1 - 1	- - 1	1 - 1
758.3	染色体欠失症候群 男 M. 女 F.	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
758.4	正常個体における平衡性染色体転座 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
758.5	染色体異常によるその他の病態 男 M. 女 F.	8 6 2	5 4 1	3 2 1	- - -	- - -	1 1 -	- - -	2 1 1	- - -	- - -
758.6	性器発育異常 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
758.7	クラインフェルター症候群 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks														国際基本 分類番号 International Detailed List Code
1～2週 未 満 1 week & over, less than 2 weeks	2～3週 未 満 2 weeks & over, less than 3 weeks	3～4週 未 満 3 weeks & over, less than 4 weeks	4 週 未 満 4 weeks & over, less than 2 months	2 か月 months	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.9
19 7 12	14 8 6	20 7 13	44 20 24	19 5 14	10 4 6	17 7 10	13 7 6	15 7 8	9 5 4	6 2 4	4 2 2	8 4 4	5 2 3	758
6 4 2	2 2 -	4 2 2	11 9 2	6 3 3	2 2 -	9 2 7	7 5 2	10 5 5	7 5 2	3 1 2	3 1 2	6 3 3	5 2 3	758.0
2 1 1	2 1 1	- - -	4 2 2	1 1 -	- - -	1 1 -	- - -	1 1 -	1 - -	- - -	- - -	- - -	- - -	758.1
7 1 6	7 4 3	11 2 9	20 4 16	7 - 7	5 - 5	6 3 3	4 - 4	- - -	1 - 1	2 1 1	- - -	- - -	- - -	758.2
-	-	-	-	-	-	-	-	-	-	1 1	- -	- -	- -	758.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	758.4
-	1 1 -	1 1 -	- - -	1 - 1	- - -	1 1 -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	758.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	758.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	758.7

死 因

10表 (30—18)

第10表 乳児（1歳未満）死亡数，

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未 満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
758.8	性染色体異常によるその他の病態 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
758.9	詳細不明の染色体異常による病態 男 M. 女 F.	47 21 26	23 9 14	13 6 7	4 4 -	2 - 2	3 2 1	2 - 2	1 - 1	1 - 1	-
759	その他及び詳細不明の先天異常 男 M. 女 F.	152 83 69	99 52 47	82 42 40	49 26 23	15 6 9	4 3 1	6 3 3	3 2 1	3 1 2	2 1 1
759.0	脾 の 異 常 男 M. 女 F.	31 22 9	10 7 3	5 3 2	1 - 1	-	2 1 1	-	1 - -	1 1 -	-
759.1	副 腎 の 異 常 男 M. 女 F.	1 - 1	- - -	- - -	- - -	-	-	-	-	-	-
759.2	その他の内分泌腺の異常 男 M. 女 F.	- - -	- - -	- - -	- - -	-	-	-	-	-	-
759.3	内 臓 逆 位 男 M. 女 F.	1 1	1 1	1 1	- -	-	-	-	1 1	-	-
759.4	結 合 双 生 児 男 M. 女 F.	6 6	4 4	4 4	- -	2 2	-	2 2	-	-	-
759.5	結 節 硬 化 男 M. 女 F.	2 2	- -	- -	- -	-	-	-	-	-	-
759.6	その他の組織過誤症，他に分類されな いもの 男 M. 女 F.	- - -	- - -	- - -	- - -	-	-	-	-	-	-
759.7	多発性先天異常と記載されたもの 男 M. 女 F.	62 32 30	46 24 22	40 22 18	23 11 12	10 6 4	1 1 -	3 2 1	1 1 -	- - 1	2 1 1
759.8	その他の明示された異常 男 M. 女 F.	15 10 5	8 5 3	5 4 1	4 3 1	- - -	- - -	1 1 -	- - -	- - -	-
759.9	詳細不明の先天異常 男 M. 女 F.	34 17 17	30 16 14	27 13 14	21 12 9	3 1 3	1 1 -	- - -	- - -	2 - 2	-
IV	周産期に発生した主要病態 男 M. 女 F.	4 147 2 380 1 767	3 886 2 227 1 659	3 397 1 952 1 445	1 796 982 814	664 402 262	365 226 139	226 126 100	162 99 63	105 60 45	79 57 22
760	現在の妊娠とは無関係の場合もありう る母体の病態による胎児又は新生児の 障害 男 M. 女 F.	- - -	- - -	- - -	- - -	-	-	-	-	-	-
761	母体の妊娠異常による胎児又は新生児 の障害 男 M. 女 F.	- - -	- - -	- - -	- - -	-	-	-	-	-	-
762	胎盤，臍帯及び卵膜の異常による胎児 又は新生児の障害 男 M. 女 F.	- - -	- - -	- - -	- - -	-	-	-	-	-	-

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				2 か 月	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1～2週 未 満 1 week & over, less than 2 weeks	2～3週 未 満	3～4週 未 満	4 週～ 2 月 未 満 & over, less than 2 months											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	758.8
4 1 3	2 - 2	4 2 2	9 5 4	4 1 3	3 2 1	-	1 1 -	4 1 3	-	-	1 1 -	2 1 1	-	758.9
8 5 3	4 3 1	5 2 3	14 6 8	5 4 1	6 5 1	4 1 3	10 7 3	1 1 -	8 3 5	1 1 -	-	1 1 -	3 2 1	759
3 2 1	2 2 -	-	6 3 3	3 3 -	3 3 -	-	4 4 -	-	3 3 -	-	-	1 1 -	1 1 -	759.0
-	-	-	-	-	-	1 1	-	-	-	-	-	-	-	759.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	759.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	759.3
-	-	-	1 1	1 1	-	-	-	-	-	-	-	-	-	759.4
-	-	-	-	-	-	-	-	-	1 1	-	-	-	-	759.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	759.6
2 1 1	-	4 1 3	6 2 4	-	2 2 -	1 1 -	4 2 2	-	1 1 -	1 1 -	-	-	1 1 -	759.7
1 - 1	1 1 -	1 1 -	1 1 -	1 1 1	1 1 1	-	2 1 1	-	2 1 -	-	-	-	-	759.8
2 2 -	1 1 -	-	-	-	-	2 2 -	-	1 1 -	1 1 -	-	-	-	-	759.9
326 176 150	105 57 48	58 42 16	137 84 53	35 18 17	20 11 9	17 12 5	14 8 6	14 8 6	8 5 3	8 6 2	2 2 2	3 1 2	3 2 3	IV
-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761
-	-	-	-	-	-	-	-	-	-	-	-	-	-	762

死 因

10表 (30-19)

第10表 乳児（1歳未満）死亡数，

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Cause of Death and Sex	1年未満	4 週 未 満								
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未 満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
763	その他の分娩の異常による胎児又は新生児の障害 男 M. 女 F.	- - -	- - -	・ ・ ・	・ ・ ・	・ ・ ・	・ ・ ・	・ ・ ・	・ ・ ・	・ ・ ・	・ ・ ・
764	胎児の発育遅延及び胎児の栄養失調 男 M. 女 F.	54 29 25	53 29 24	51 29 22	27 14 13	13 8 5	6 3 3	2 2 -	2 1 1	1 1 -	- - -
764.0	"Light-for-dates", 胎児の栄養失調の記載のないもの 男 M. 女 F.	22 14 8	22 14 8	22 14 8	7 4 3	6 4 2	4 2 2	2 2 -	2 1 1	1 1 -	- - -
764.1	"Light-for-dates", 胎児の栄養失調の徴候を伴うもの 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
764.2	"Light-for-dates", の記載のない胎児栄養失調 男 M. 女 F.	1 - 1	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
764.9	詳細不明の胎児発育遅延 男 M. 女 F.	31 15 16	30 15 15	29 15 14	20 10 10	7 4 3	2 1 1	- - -	- - -	- - -	- - -
765	妊娠期間短縮に関連した障害及び詳細不明の低出生体重児 男 M. 女 F.	332 170 162	323 163 160	303 152 151	220 116 104	42 18 24	13 5 8	11 5 6	5 2 3	7 3 4	5 3 2
765.0	超 未 熟 男 M. 女 F.	206 89 117	203 87 116	196 84 112	142 62 80	23 8 15	13 5 8	9 5 4	1 - 1	5 2 3	3 2 1
765.1	その他の早期産児 男 M. 女 F.	126 81 45	120 76 44	107 68 39	78 54 24	19 10 9	- - -	2 - 2	4 2 2	2 1 1	2 1 1
766	過期妊娠及び高出生体重児に関連する障害 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
766.0	超 巨 大 児 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
766.1	その他の"heavy-for-dates"児 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
766.2	過期産児, "heavy-for-dates"でないもの 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
767	出 産 時 外 傷 男 M. 女 F.	412 250 162	368 224 144	302 183 119	86 46 40	83 53 30	49 32 17	37 17 20	17 14 3	19 12 7	11 9 2
767.0	硬膜下及び脳出血 男 M. 女 F.	378 226 152	334 200 134	272 162 110	73 38 35	79 50 29	43 26 17	34 15 19	17 14 3	17 12 5	9 7 2
767.1	頭 皮 の 損 傷 男 M. 女 F.	17 11 6	17 11 6	16 11 5	11 7 4	3 2 1	1 1 -	1 1 -	- - -	- - -	- - -
767.2	鎖 骨 骨 折 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983-CON.

Under 4 weeks												国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満	3~4週 未 満	4週 未 満 & over, less than 2 months	2 か 月	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	
-	-	-	-	-	-	-	-	-	-	-	-	763
-	-	-	-	-	-	-	-	-	-	-	-	764
-	1	1	1	-	-	-	-	-	-	-	-	764.0
-	1	1	1	-	-	-	-	-	-	-	-	764.1
-	-	-	-	-	-	-	-	-	-	-	-	764.2
-	-	-	-	-	-	-	-	-	-	-	-	764.9
-	1	-	-	-	-	-	-	-	-	-	-	765
-	1	-	-	-	-	-	-	-	-	-	-	765.0
-	-	1	1	-	-	-	-	-	-	-	-	765.1
9	7	4	4	2	1	1	1	-	-	-	-	766
5	3	3	4	1	1	1	1	-	-	-	-	766.0
4	4	1	-	1	1	-	-	-	-	-	-	766.1
5	1	1	2	1	-	-	-	-	-	-	-	766.2
2	-	-	2	-	-	-	-	-	-	-	-	767
3	-	1	-	1	-	-	-	-	-	-	-	767.0
4	6	3	2	1	1	1	1	-	-	-	-	767.1
3	4	-	-	-	-	-	-	-	-	-	-	767.2

死 因
10表 (30—20)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 1日(24時 間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日	
767.3	骨格のその他の損傷 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
767.4	脊椎及び脊髄の損傷 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
767.5	顔面神経損傷 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
767.6	上腕神経そう損傷 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
767.7	その他の脳神経及び末梢神経損傷 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
767.8	そ の 他 男 M. 女 F.	17 13 4	17 13 4	14 10 4	2 1 1	1 1 -	5 5 -	2 1 1	- - -	2 2 -	2 2 -
767.9	詳 細 不 明 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
768	子宮内低酸素症及び分娩仮死 男 M. 女 F.	173 104 69	170 103 67	161 98 63	128 74 54	15 9 6	5 5 -	6 5 1	5 3 2	1 1 -	1 1 -
768.0	分娩開始前又は時期不明の仮死又 は無酸素症による胎児死亡 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
768.1	分娩中の仮死又は無酸素症による胎 児死亡 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
768.2	出生児の分娩開始前における胎児ジ ストレス 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
768.3	出生児において最初に気付かれたの が分娩中である胎児ジストレス 男 M. 女 F.	2 2 -	2 2 -	2 2 -	2 2 -	-	-	-	-	-	-
768.4	出生児における胎児ジストレス詳細 不明 男 M. 女 F.	5 4 1	5 4 1	5 4 1	5 4 1	-	-	-	-	-	-
768.5	重症出生時仮死 男 M. 女 F.	70 43 27	67 42 25	64 41 23	46 28 18	7 3 4	4 4 1	5 4 1	1 1 -	- - -	1 1 -
768.6	軽度又は中等度出生時仮死 男 M. 女 F.	1 1 -	1 1 -	1 1 -	1 1 -	-	-	-	-	-	-
768.9	詳細不明の出生時仮死 男 M. 女 F.	95 54 41	95 54 41	89 50 39	74 39 35	8 6 2	1 1 -	1 1 -	4 2 2	1 1 -	- - -
769	呼吸窮迫症候群 男 M. 女 F.	887 535 352	850 513 337	775 472 303	363 208 155	203 133 70	105 68 37	43 23 20	37 23 14	11 8 3	13 9 4

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 週 ~ 2 か月 4 weeks & over, less than 2 months	2 か月 months	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1 ~ 2 週 未 満 1 week & over, less than 2 weeks	2 ~ 3 週 未 満	3 ~ 4 週 未 満													
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.7
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	767.8
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	767.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
7	2	-	1	-	-	-	-	-	-	1	1	-	-	-	768.0
3	2	-	1	-	-	-	-	-	-	1	1	-	-	-	768.1
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.9
3	-	-	1	-	-	-	-	-	-	1	1	-	-	-	769
1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
50	18	7	24	4	2	3	1	1	-	-	1	-	-	-	1
27	9	5	14	2	2	2	1	1	-	-	1	-	-	-	1
23	9	2	10	2	-	1	-	-	-	-	-	-	-	-	1

死 因

10表 (30—21)

第10表 乳児（1歳未満）死亡数，

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				1日(24時 間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日	
770	胎児及び新生児のその他の呼吸器病態	1 384	1 295	1 165	712	199	100	69	34	34	17
	男 M.	785	733	667	395	118	64	40	18	18	14
	女 F.	599	562	498	317	81	36	29	16	16	3
770.0	先天性肺炎	3	3	1	-	1	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-
	女 F.	1	1	1	-	1	-	-	-	-	-
770.1	大量吸引症候群	155	152	148	72	39	16	9	7	5	-
	男 M.	79	78	75	35	16	11	7	3	3	-
	女 F.	76	74	73	37	23	5	2	4	2	-
770.1A	胎児吸引性肺炎	11	11	10	3	3	2	-	2	-	-
	男 M.	6	6	5	1	2	1	-	1	-	-
	女 F.	5	5	5	2	1	1	-	1	-	-
770.1B	そ の 他	144	141	138	69	36	14	9	5	5	-
	男 M.	73	72	70	34	14	10	7	2	3	-
	女 F.	71	69	68	35	22	4	2	3	2	-
770.2	間質性肺炎腫及び関連病態	43	41	34	19	7	4	1	1	2	-
	男 M.	23	21	18	10	5	1	1	1	-	-
	女 F.	20	20	16	9	2	3	-	-	2	-
770.3	肺 出 血	129	124	100	30	18	17	20	3	8	4
	男 M.	79	76	63	14	12	14	13	2	5	3
	女 F.	50	48	37	16	6	3	7	1	3	1
770.4	原発性無気肺	48	47	45	31	6	4	1	2	1	-
	男 M.	20	20	19	13	2	3	1	1	-	-
	女 F.	28	27	26	18	4	1	1	1	1	-
770.5	その他及び詳細不明の無気肺	275	268	253	192	34	10	9	4	2	2
	男 M.	156	151	143	105	21	6	6	2	1	2
	女 F.	119	117	110	87	13	4	3	2	1	-
770.6	新生児の一過性頻呼吸	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
770.7	周産期に発生した慢性呼吸器疾患	45	5	-	-	-	-	-	-	-	-
	男 M.	24	3	-	-	-	-	-	-	-	-
	女 F.	21	2	-	-	-	-	-	-	-	-
770.8	出生後のその他の呼吸障害	686	655	584	368	94	49	29	17	16	11
	男 M.	402	382	349	218	62	29	13	9	9	9
	女 F.	284	273	235	150	32	20	16	8	7	2
770.9	詳 細 不 明	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
771	周産期に特異的な感染	189	158	86	7	14	16	12	17	10	10
	男 M.	102	88	48	3	6	11	6	10	4	8
	女 F.	87	70	38	4	8	5	6	7	6	2
771.0	先天性風疹	3	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-
771.1	先天性サイトメガロウイルス感染	4	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-
771.2	その他の先天性感染	3	3	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 週 未 満 4 weeks & over, less than 2 months	2 か月 months	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1～2週 未 満 1 week & over, less than 2 weeks	2～3週 未 満	3～4週 未 満													
84 40 44	26 13 13	20 13 7	34 22 12	15 8 7	8 5 3	5 3 2	9 4 5	6 5 1	5 3 2	3 2 1	2 - 2	1 - 1	1 - 1	770	
1 1 -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	770.0	
3 3 -	1 - 1	- - -	2 - 2	- - -	- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	770.1	
1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	770.1A	
2 2 -	1 - 1	- - -	2 - 2	- - -	- - -	- - -	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	770.1B	
5 3 2	1 - 1	1 - 1	2 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	770.2	
16 9 7	4 2 2	4 2 2	3 2 1	1 1 -	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	770.3	
1 - 1	1 1 -	- - -	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	770.4	
11 5 6	2 1 1	2 2 -	3 3 -	- - -	1 1 -	- - -	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	770.5	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	770.6	
1 - 1	1 1 -	3 2 1	8 5 3	8 3 5	4 2 2	4 3 1	5 2 3	2 2 3	4 3 1	2 1 1	2 - 2	1 - 1	- - -	770.7	
46 19 27	15 7 8	10 7 3	15 10 5	6 4 2	3 2 1	- - -	2 1 1	3 2 1	1 - 1	1 1 -	- - -	- - -	- - -	770.8	
- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	770.9	
54 27 27	10 5 5	8 8 -	19 10 9	4 2 2	1 1 -	2 1 1	1 - 1	3 - 3	- - -	1 - 1	- - -	- - -	- - -	771	
- - -	- - -	- - -	- - -	- - -	- - -	1 - -	1 - 1	1 - 1	- - -	- - -	- - -	- - -	- - -	771.0	
- - -	- - -	- - -	2 1 1	- - -	- - -	- - -	- - -	2 - 2	- - -	- - -	- - -	- - -	- - -	771.1	
2 1 1	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	771.2	

死 因

10表 (30—22)

第10表 乳児（1歳未満）死亡数，

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Cause of Death and Sex	1年未満	4 週 未 満							
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week						6 日
				1日(24時間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	
771.3	新生児破傷風 ----- 男 M. 女 F.	2 1 1	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -
771.4	新 生 児 臍 炎 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
771.5	新生児感染性乳腺炎 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
771.6	新生児結膜炎及び涙のう炎 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
771.7	新生児カンジダ感染 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
771.8	周産期に特有のその他の感染 ----- 男 M. 女 F.	177 97 80	153 85 68	86 48 38	7 3 4	14 6 8	16 11 5	12 6 6	17 10 7	10 4 6
771.8A	新生児敗血症 ----- 男 M. 女 F.	161 89 72	139 77 62	77 44 33	4 2 2	12 6 6	15 10 5	12 6 6	16 10 6	10 4 6
771.8B	そ の 他 ----- 男 M. 女 F.	16 8 8	14 8 6	9 4 5	3 1 2	2 - 2	1 1 -	- - -	1 - 1	- - -
772	胎児及び新生児の出血 ----- 男 M. 女 F.	94 57 37	90 54 36	74 43 31	19 10 9	16 12 4	19 9 10	8 4 4	4 2 2	3 2 1
772.0	胎 児 の 失 血 ----- 男 M. 女 F.	5 3 2	5 3 2	4 2 2	3 2 1	- - -	1 - 1	- - -	- - -	- - -
772.1	脳 室 内 出 血 ----- 男 M. 女 F.	34 19 15	33 18 15	29 16 13	4 2 2	6 6 -	9 4 5	4 1 3	2 - 2	1 1 -
772.2	くも膜下出血 ----- 男 M. 女 F.	10 8 2	9 7 2	4 2 2	2 1 1	2 1 1	- - -	- - -	- - -	- - -
772.3	出産後臍出血 ----- 男 M. 女 F.	2 1 1	2 1 1	1 - 1	1 - 1	- - -	- - -	- - -	- - -	- - -
772.4	胃 腸 出 血 ----- 男 M. 女 F.	30 18 12	28 17 11	24 15 9	3 1 2	5 4 1	6 2 4	4 3 1	2 2 -	2 1 1
772.5	副 腎 出 血 ----- 男 M. 女 F.	6 3 3	6 3 3	6 3 3	4 2 2	1 - 1	1 1 -	- - -	- - -	- - -
772.6	皮 膚 出 血 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
772.8	そ の 他 ----- 男 M. 女 F.	3 1 2	3 1 2	2 1 1	1 1 -	1 - 1	- - -	- - -	- - -	- - -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 週 ~ 2 か月	2 か月	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1~2週 未満 1 week & over, less than 2 weeks	2~3週 未満	3~4週 未満	4 週 ~ 2 か月 4 weeks & over, less than 2 months	months											
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	771.3
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771.7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
51	8	8	17	4	1	1	-	-	-	-	-	1	-	-	771.8
25	4	8	9	2	1	-	-	-	-	-	-	1	-	-	
26	4	-	8	2	-	1	-	-	-	-	-	1	-	-	
48	8	6	17	3	1	-	-	-	-	-	-	1	-	-	771.8A
23	4	6	9	2	1	-	-	-	-	-	-	1	-	-	
25	4	-	8	1	-	-	-	-	-	-	-	1	-	-	
3	-	2	-	1	-	1	-	-	-	-	-	-	-	-	771.8B
2	-	2	-	1	-	1	-	-	-	-	-	-	-	-	
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
8	7	1	4	-	-	-	-	-	-	-	-	-	-	-	772
6	4	1	3	-	-	-	-	-	-	-	-	-	-	-	
2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772.0
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	772.1
-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	772.2
3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	772.3
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	772.4
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	772.8
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

死 因

10表 (30—23)

第10表 乳児（1歳未満）死亡数，

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week							
			総 数 Total	1 週 未 満 Under 1 week						
				1日(24時間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日
772.9	詳細不明	4	4	4	1	1	2	-	-	-
	男 M.	4	4	4	1	1	2	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-
773	同種免疫による胎児又は新生児溶血性疾患	6	6	5	-	2	-	2	1	-
	男 M.	6	6	5	-	2	-	2	1	-
	女 F.	-	-	-	-	-	-	-	-	-
773.0	Rh同種免疫による溶血性疾患	3	3	3	-	1	-	2	-	-
	男 M.	3	3	3	-	1	-	2	-	-
	女 F.	-	-	-	-	-	-	-	-	-
773.1	ABO同種免疫による溶血性疾患	1	1	1	-	-	-	-	1	-
	男 M.	1	1	1	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-
773.2	その他及び詳細不明の同種免疫による溶血性疾患	2	2	1	-	1	-	-	-	-
	男 M.	2	2	1	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-
773.3	同種免疫による胎児水腫	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-
773.4	同種免疫による核黄疸	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-
773.5	同種免疫による晩発貧血	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-
774	その他の周産期黄疸	16	7	3	1	-	1	1	-	-
	男 M.	12	5	3	1	-	1	1	-	-
	女 F.	4	2	-	-	-	-	-	-	-
774.1	その他の過度の溶血による周産期黄疸	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-
774.2	早期産に伴う新生児黄疸	1	1	1	-	-	1	-	-	-
	男 M.	1	1	1	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-
774.3	その他の原因による抱合遅延に基づく黄疸	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-
774.4	肝細胞傷害による周産期黄疸	11	2	1	1	-	-	-	-	-
	男 M.	8	1	1	1	-	-	-	-	-
	女 F.	3	1	-	-	-	-	-	-	-
774.5	その他の原因による周産期黄疸	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-
774.6	詳細不明の胎児及び新生児黄疸	3	3	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-
774.7	同種免疫によらない核黄疸	1	1	1	-	-	-	1	-	-
	男 M.	1	1	1	-	-	-	1	-	-
	女 F.	-	-	-	-	-	-	-	-	-
775	胎児及び新生児に特異的な内分泌及び代謝障害	17	14	13	1	4	5	-	3	-
	男 M.	13	11	10	1	3	4	-	2	-
	女 F.	4	3	3	-	1	1	-	1	-

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				2 か月	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1～2週 未 満 1 week & over, less than 2 weeks	2～3週 未 満	3～4週 未 満	4 週～ 2 か月 4 weeks & over, less than 2 months											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	772.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	773
-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	773.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	773.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	773.2
-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	773.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	773.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	773.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	1	1	4	-	1	-	1	1	1	-	-	-	-	774
-	1	1	3	-	1	-	1	1	1	-	-	-	-	
2	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	774.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	774.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	774.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	4	-	1	-	1	1	1	-	-	-	-	774.4
1	-	-	3	-	1	-	1	1	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	774.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	-	-	-	-	-	-	-	-	-	-	-	774.6
1	1	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	774.7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	1	1	-	-	-	-	-	-	-	-	1	775
-	1	-	1	1	-	-	-	-	-	-	-	-	1	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	

死 因

10表 (30—24)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日
775.0	「糖尿病の母の児」症候群 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
775.1	新生児糖尿病 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
775.2	新生児重症筋無力症 男 M. 女 F.	2 1 1	-	-	-	-	-	-	-	-	-
775.3	新生児甲状腺線中毒症 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
775.4	新生児の低カルシウム血症及び低マ グネシウム血症 男 M. 女 F.	1 1	1 1	1 1	-	-	-	-	1 1	-	-
775.5	その他の一過性新生児電解質障害 男 M. 女 F.	1 1	1 1	1 1	-	1 1	-	-	-	-	-
775.6	新生児低血糖症 男 M. 女 F.	4 3 1	4 3 1	4 3 1	-	2 1 1	1 1	-	1 1	-	-
775.7	新生児の遅発代謝性アシドーシス 男 M. 女 F.	1 1	1 1	1 1	1 1	-	-	-	-	-	-
775.8	その他の一過性の新生児内分泌及び 代謝障害 男 M. 女 F.	8 7 1	7 6 1	6 5 1	-	1 1	4 3 1	-	1 1	-	-
775.9	詳 細 不 明 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
776	胎児及び新生児の血液障害 男 M. 女 F.	63 30 33	54 25 29	39 16 23	13 7 6	10 4 6	5 3 2	4 - 4	4 1 3	1 1 1	2 1 1
776.0	新生児出血性疾患 男 M. 女 F.	24 13 11	15 8 7	8 3 5	1 1 -	4 1 3	1 1 1	-	1 1 -	1 1 1	-
776.1	一過性新生児血小板減少症 男 M. 女 F.	1 1	1 1	-	-	-	-	-	-	-	-
776.2	新生児の播種性血管内凝固 男 M. 女 F.	31 15 16	31 15 16	24 12 12	9 6 3	4 2 2	4 3 1	3 3	2 2	- -	2 1 1
776.3	その他の一過性新生児凝固障害 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
776.4	新生児赤血球増加症 男 M. 女 F.	1 1	1 1	1 1	-	-	-	-	1 1	-	-
776.5	先 天 性 貧 血 男 M. 女 F.	3 3	3 3	3 3	2 2	-	-	1 1	-	-	-

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				2 か月 2 months	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1~2週 未 1 week & over, less than 2 weeks	2~3週 未 2 weeks & over, less than 3 weeks	3~4週 未 3 weeks & over, less than 4 weeks	4~5週 未 4 weeks & over, less than 5 weeks											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	775.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	775.1
-	-	-	-	1 1	-	-	-	-	-	-	-	-	1 1	775.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	775.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	775.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	775.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	775.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	775.7
-	1 1	-	-	1 1	-	-	-	-	-	-	-	-	-	775.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	775.9
11 5 6	1 1 -	3 3 -	7 4 3	1 1	-	1 1	-	-	-	-	-	-	-	776
3 1 2	1 1 -	3 3 -	7 4 3	1 1	-	1 1	-	-	-	-	-	-	-	776.0
1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	776.1
7 3 4	-	-	-	-	-	-	-	-	-	-	-	-	-	776.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	776.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	776.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	776.5

死 因

10表 (30—25)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号	死 因・性 Cause of Death and Sex	1年未満	4 週 未 満									
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week								
				総 数 Total	1日(24時 間)未 満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日	
776.5	未熟児の貧血 ----- 男 M. 女 F.	3 1 2	3 1 2	3 1 2	1 - 1	2 1 1	- - -	- - -	- - -	- - -	- - -	
776.7	一過性新生児好中球減少症 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
776.8	その他の明示された一過性血液（学 的）障害 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
776.9	詳 細 不 明 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
777	消化系の周産期障害 ----- 男 M. 女 F.	101 73 28	88 64 24	49 36 13	2 1 1	4 1 3	4 2 2	6 5 1	17 15 2	9 7 2	7 5 2	
777.1	その他の胎便閉塞 ----- 男 M. 女 F.	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
777.2	濃縮乳による腸閉塞 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
777.3	母体血液の嚥下による吐血及びメレ ナ ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
777.4	新生児の一過性イレウス ----- 男 M. 女 F.	3 2 1	3 2 1	2 2 -	- - -	- - -	- - -	- - -	1 1 -	- - -	1 1 -	
777.5	胎児又は新生児の致死性全腸炎 ----- 男 M. 女 F.	30 21 9	25 17 8	6 4 2	- - -	1 - 1	1 - 1	2 2 -	1 1 -	- - -	1 1 -	
777.6	周産期腸穿孔 ----- 男 M. 女 F.	20 17 3	18 15 3	15 13 2	1 1 -	2 1 1	1 1 -	- - -	4 4 -	5 5 -	2 1 1	
777.8	そ の 他 ----- 男 M. 女 F.	47 33 14	42 30 12	26 17 9	1 - 1	1 - 1	2 1 1	4 3 1	11 9 2	4 2 2	3 2 1	
777.9	詳 細 不 明 ----- 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
778	胎児及び新生児の外皮及び体温調節に 関連する病態 ----- 男 M. 女 F.	70 39 31	68 37 31	55 29 26	38 16 22	7 6 1	2 2 -	1 1 -	3 2 1	4 2 2	- - -	
778.0	同種免疫によらない胎児水腫 ----- 男 M. 女 F.	27 15 12	27 15 12	23 13 10	14 6 8	5 5 -	- - -	- - -	2 1 1	2 1 1	- - -	
778.1	新生児硬化症 ----- 男 M. 女 F.	3 1 2	3 1 2	1 1 -	- - -	- - -	- - -	- - -	- - -	1 1 -	- - -	
778.2	新生児寒冷傷害症候群 ----- 男 M. 女 F.	7 6 1	6 5 1	2 1 1	1 - 1	- - -	- - -	- - -	1 1 -	- - -	- - -	

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				4 週 2 未 4 weeks & over, less than 2 months	2 か月 months	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1～2 週 未 満 1 week & over, less than 2 weeks	2～3 週 未 満	3～4 週 未 満													
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	776.7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	776.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	776.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
29 21 8	7 4 3	3 3	10 6 4	-	1 1	-	-	-	1 1	1 1	-	-	-	-	777.1
-	-	-	1 1	-	-	-	-	-	-	-	-	-	-	-	777.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777.4
1 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777.5
14 10 4	4 2 2	1 1 -	4 3 1	-	1 1	-	-	-	-	-	-	-	-	-	777.6
2 2 -	1 - 1	-	1 1 -	-	-	-	-	-	-	1 1 -	-	-	-	-	777.8
12 9 3	2 2 -	2 2 -	4 2 2	-	-	-	-	-	1 1	-	-	-	-	-	777.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
11 6 5	2 2 -	-	2 2 -	-	-	-	-	-	-	-	-	-	-	-	778.0
4 2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.1
2 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.2
3 3	1 1	-	1 1	-	-	-	-	-	-	-	-	-	-	-	

死 因

10表 (30—26)

第10表 乳児（1歳未満）死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
778.3	その他の新生児低体温症	6	5	2	1	-	1	-	-	-	-
	男 M.	4	3	1	-	-	1	-	-	-	-
	女 F.	2	2	1	1	-	-	-	-	-	-
778.4	新生児のその他の体温調節障害	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
778.5	その他及び詳細不明の新生児の浮腫	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
778.6	先天性睾丸水腫	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
778.7	新生児の乳房腫脹	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
778.8	そ の 他	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
778.9	詳 細 不 明	27	27	27	22	2	1	1	-	1	-
	男 M.	13	13	13	10	1	1	1	-	-	-
	女 F.	14	14	14	12	1	-	-	-	1	-
779	周産期に発生したその他及び診断名不 明確の病態	349	342	316	179	52	35	24	13	5	8
	男 M.	175	172	161	90	29	17	15	5	2	3
	女 F.	174	170	155	89	23	18	9	8	3	5
779.0	新生児の痙攣	4	3	3	-	-	1	1	1	-	-
	男 M.	3	2	2	-	-	1	1	1	-	-
	女 F.	1	1	1	-	-	-	1	-	-	-
779.1	新生児におけるその他及び詳細不明 の脳刺激性	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
779.2	脳抑圧、昏睡及びその他の脳の異常 徴候	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
779.3	新生児哺乳の問題	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
779.4	新生児に特異的な薬物反応及び薬物 中毒	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
779.5	新生児の薬物離脱症候群	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
779.6	妊 娠 中 絶	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
779.6A	経済的理由による人工妊娠中絶	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
779.6B	父又は近親者の疾患による人工妊 娠中絶	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-

性・日 齢一月 齢・死 因 (基 本 分 類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				2 か月 months	3 か月	4 か月	5 か月	6 か月	7 か月	8 か月	9 か月	10 か月	11 か月	国際基本 分類番号 International Detailed List Code
1～2週 未 満 1 week & over, less than 2 weeks	2～3週 未 満	3～4週 未 満	4 週～ 2 月 4 weeks & over, less than 2 months											
2	1	-	1	-	-	-	-	-	-	-	-	-	-	778.3
1	1	-	1	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18	7	1	3	2	-	1	1	-	-	-	-	-	-	779
8	3	-	1	1	-	-	1	-	-	-	-	-	-	
10	4	1	2	1	-	1	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	779.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.6A
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.6B
-	-	-	-	-	-	-	-	-	-	-	-	-	-	

死 因

10表 (30—27)

第10表 乳児（1歳未満）死亡数，

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時間)未満 Under 1 day (24 hours)	1 日	2 日	3 日	4 日	5 日	6 日
779.6C	その他の理由による人工妊娠中絶 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
779.6D	詳細不明の妊娠中絶 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
779.8	そ の 他 男 M. 女 F.	301 147 154	296 146 150	276 137 139	150 71 79	48 27 21	33 15 18	22 15 7	11 4 7	4 2 2	8 3 5
779.9	詳 細 不 明 男 M. 女 F.	44 25 19	43 24 19	37 22 15	29 19 10	4 2 2	1 1 1	1 - 1	1 1 1	1 - 1	- - -
779.9A	先天性弱質 男 M. 女 F.	23 11 12	22 10 12	18 10 8	12 8 4	3 1 2	1 1 1	1 - 1	- - -	1 - 1	- - -
779.9B	浸 軟 児 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
779.9C	子宮内胎児死亡 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
779.9D	そ の 他 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
779.9E	不 詳 男 M. 女 F.	21 14 7	21 14 7	19 12 7	17 11 6	1 1 -	- - -	- - -	1 1 1	- - -	- - -
XVI	症状、徴候及び診断名不明確の状態 男 M. 女 F.	217 136 81	24 20 4	4 4 -	- 1 -	1 1 -	1 1 2	- 2 -	- - -	- - -	- - -
(780~789)	症 状 男 M. 女 F.	14 9 5	4 3 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(790~796)	非特異性異常所見 男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
(797~799)	診断名不明確又は原因不明の病因及び死因 男 M. 女 F.	203 127 76	20 17 3	4 4 -	- 1 -	1 1 -	1 1 2	- - -	- - -	- - -	- - -
XVII	損傷及び中毒 男 M. 女 F.	749 452 297	125 69 56	89 49 40	77 43 34	4 2 2	1 1 -	1 - 1	1 1 1	2 1 1	3 2 1
(800~829)	骨 折 男 M. 女 F.	22 15 7	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(800~804)	頭蓋の骨折 男 M. 女 F.	20 14 6	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(805~809)	頸部及び体幹の骨折 男 M. 女 F.	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

性・日 齢一月 齢・死 因(基本分類)別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				2 か 月	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	10 か 月	11 か 月	国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満	3~4週 未 満	4 週 ~ 2 か 月 4 weeks & over, less than 2 months											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.6C
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.6D
14 6 8	5 3 2	1 - 1	2 - 2	2 1 1	- - 1	1 - 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	779.8
4 2 2	2 - 2	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	779.9
2 - 2	2 - 2	- - -	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	779.9A
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.9B
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.9C
-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.9D
2 2 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	779.9E
5 4 1	9 7 2	6 5 1	28 16 12	32 21 11	18 12 6	30 21 9	24 15 9	21 9 12	15 6 9	10 6 4	3 2 1	7 3 4	5 5 -	XVI
2 1 1	2 2 -	- - -	1 1 -	- - -	1 1 -	1 1 -	- - -	2 1 1	1 1 1	2 1 1	- - -	1 1 1	1 1 -	(780~789)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(790~796)
3 3 -	7 5 2	6 5 1	27 15 12	32 21 11	17 11 6	29 20 9	24 15 9	19 8 11	14 6 8	8 5 3	3 2 1	6 3 3	4 4 -	(797~799)
12 5 7	12 5 7	12 10 2	53 28 25	61 34 27	67 41 26	87 51 36	84 55 29	51 32 19	39 21 18	48 32 16	41 28 13	48 31 17	45 30 15	XVII
-	-	-	2 2 -	1 1 -	- - -	2 2 -	2 1 1	5 3 2	3 1 2	1 1 -	3 1 2	3 1 -	3 3 -	(800~829)
-	-	-	2 2 -	1 1 -	- - -	2 2 -	2 1 1	3 2 1	3 1 2	1 1 -	3 1 2	3 1 -	3 3 -	(800~804)
-	-	-	-	-	-	-	-	2 1 1	- - -	- - -	- - -	- - -	- - -	(805~809)

死 因

10表 (30—28)

第10表 乳児（1歳未満）死亡数，

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満	4 週 未 満								
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
(810~819)	上肢の骨折 ----- 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(820~829)	下肢の骨折 ----- 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(830~839)	関節脱臼 ----- 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(840~848)	関節と隣接筋の捻挫及びストレイン ----- 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(850~854)	頭蓋内損傷，頭蓋骨折を伴うものを除く ----- 男 M. 女 F.	44 35 9	3 3 9	1 1 9	- - -	- - -	- - -	- - -	- - -	- - -	1 1 9
(860~869)	胸，腹及び骨盤の内部損傷 ----- 男 M. 女 F.	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(870~897)	開 放 創 ----- 男 M. 女 F.	3 2 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(870~879)	頭，頸及び体幹の開放創 ----- 男 M. 女 F.	3 2 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(880~887)	上肢の開放創 ----- 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(890~897)	下肢の開放創 ----- 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(900~904)	血管への損傷 ----- 男 M. 女 F.	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -
(905~909)	損傷，中毒，毒作用及びその他の外因 の後遺症 ----- 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(910~919)	表 在 損 傷 ----- 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(920~924)	皮膚表面に異常を伴わない挫傷 ----- 男 M. 女 F.	1 1 -	1 1 -	- -	- -	- -	- -	- -	- -	- -	- -
(925~929)	圧 挫 損 傷 ----- 男 M. 女 F.	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
(930~939)	孔口への異物侵入 ----- 男 M. 女 F.	215 127 88	22 13 9	5 3 2	- - -	- - -	1 1 -	- - -	1 1 1	2 1 1	1 1 -
(940~949)	熱 傷 ----- 男 M. 女 F.	20 11 9	1 1 -	- -	- -	- -	- -	- -	- -	- -	- -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				2 か月 2 months	3 か月 3 months	4 か月 4 months	5 か月 5 months	6 か月 6 months	7 か月 7 months	8 か月 8 months	9 か月 9 months	10 か月 10 months	11 か月 11 months	国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満 2 weeks & over, less than 3 weeks	3~4週 未 満 3 weeks & over, less than 4 weeks	4週 未 満 4 weeks & over, less than 5 weeks											
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(810~819)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(820~829)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(830~839)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(840~848)
1 1	1 1	-	1 1	2 2	2 1 1	4 3 1	3 3 -	4 2 2	3 3 -	3 2 1	8 8 -	5 2 3	6 5 1	(850~854)
-	-	-	-	1 1	-	-	-	-	-	-	-	-	-	(860~869)
-	-	-	-	-	-	1 1	-	1 1	-	-	-	-	-	(870~879)
-	-	-	-	-	-	1 1	-	1 1	-	-	-	-	-	(870~879)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(880~887)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(890~897)
-	-	-	-	-	-	-	-	-	-	1 1	-	-	-	(900~904)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(905~909)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(910~919)
-	-	1 1	-	-	-	-	-	-	-	-	-	-	-	(920~924)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(925~929)
5 2 3	6 3 3	6 5 1	21 10 11	25 11 14	28 19 9	25 17 8	28 17 11	12 8 4	14 5 9	11 7 4	8 6 2	12 6 6	9 8 1	(930~939)
-	-	1 1	3 2	3 3	2 1 1	1 1 -	2 2 -	1 1 -	-	1 1 -	2 2 -	4 3 1	-	(940~949)

死 因

10表 (30—29)

第10表 乳児 (1歳未満) 死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因・性 Cause of Death and Sex	1年未満 総 数 Total of infant deaths	4 週 未 満 Under 1 week								
			総 数 Total	1 週 未 満 Under 1 week							
				総 数 Total	1日(24時 間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日
(950~957)	神経及び脊髄の損傷	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
(958~959)	外傷の合併症及び詳細不明の損傷	27 14	24 13	23 13	21 12	2 1	-	-	-	-	-
	男 M. 女 F.	13 13	11 11	10 10	9 9	1 1	-	-	-	-	-
(960~979)	医薬品及び生物学的製剤による中毒	1	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	1	-	-	-	-	-	-	-	-	-
(980~989)	薬用を主としない物質の毒作用	10 4	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	6	-	-	-	-	-	-	-	-	-
(990~995)	その他及び詳細不明の外因的作用	401 240	74 38	60 32	56 31	2 1	-	1	-	-	1
	男 M. 女 F.	161	36	28	25	1	-	1	-	-	1
(996~999)	他に分類されない外科的及び内科的処 置の合併症	2	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	2	-	-	-	-	-	-	-	-	-
E	損傷及び中毒の外因の補助分類	749 452	125 69	89 49	77 43	4 2	1 1	1	1	2	3
	男 M. 女 F.	297	56	40	34	2	-	1	1	1	1
(E800~ E807)	鉄 道 事 故	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
(E810~ E819)	自動車交通事故	20 14	1 1	-	-	-	-	-	-	-	-
	男 M. 女 F.	6	-	-	-	-	-	-	-	-	-
(E820~ E825)	自動車非交通事故	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
(E826~ E829)	その他の道路交通機関事故	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
(E830~ E838)	水上交通機関事故	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
(E840~ E845)	航空機及び宇宙交通機関事故	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
(E846~ E848)	他に分類されない交通機関事故	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
(E850~ E858)	医薬品及び生物学的製剤による不慮の 中毒	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-
(E860~ E869)	その他の固体、液体、ガス及び蒸気によ る不慮の中毒	2	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	2	-	-	-	-	-	-	-	-	-
(E870~ E876)	外科的及び内科的診断上の患者事故	-	-	-	-	-	-	-	-	-	-
	男 M. 女 F.	-	-	-	-	-	-	-	-	-	-

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks												国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満	3~4週 未 満	4週 未 満 & over, less than 2 months	2 か 月	3 か 月	4 か 月	5 か 月	6 か 月	7 か 月	8 か 月	9 か 月	
months	months	months	months	months	months	months	months	months	months	months	months	
-	-	-	-	-	-	-	-	-	-	-	-	(950~957)
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	-	-	1	1	-	-	(958~959)
1	-	-	1	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	(960~979)
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	1	1	-	2	1	-	1	1	1	(980~989)
-	-	-	1	1	-	1	1	-	1	1	1	-
5	5	4	24	27	34	53	46	28	17	29	19	(990~995)
2	1	3	14	18	19	28	32	17	11	20	10	-
3	4	1	10	9	15	25	14	11	6	9	9	-
-	-	-	-	1	-	-	-	-	-	1	-	(996~999)
-	-	-	-	1	-	-	-	-	-	1	-	-
12	12	12	53	61	67	87	84	51	39	48	41	E
5	5	10	28	34	41	51	55	32	21	32	28	-
7	7	2	25	27	26	36	29	19	18	16	13	-
-	-	-	-	-	-	-	-	-	-	-	-	(E800~ E807)
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	1	-	1	3	1	2	3	2	(E810~ E819)
-	1	-	-	1	-	1	3	1	1	2	1	-
-	-	-	-	-	-	-	-	-	-	-	-	(E820~ E825)
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	(E826~ E829)
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	(E830~ E838)
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	(E840~ E845)
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	(E846~ E848)
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	(E850~ E858)
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	(E860~ E869)
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	(E870~ E876)
-	-	-	-	-	-	-	-	-	-	-	-	-

死 因

10表 (30—30)

第10表 乳児（1歳未満）死亡数,

TABLE 10. INFANT DEATHS (UNDER 1 YEAR) BY CAUSE (THE DE-

国際基本 分類番号 International Detailed List Code	死 因 ・ 性 Cause of Death and Sex	1年未満	4 週 未 満							
		総 数 Total of infant deaths	総 数 Total	1 週 未 満 Under 1 week						
				総 数 Total	1日(24時 間)未 満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日
(E878～ E879)	患者の異常反応あるいは後発合併症を 生じた外科的及び内科的処置で処置時 事故の記載のないもの 男 M. 女 F.	2 2 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(E880～ E888)	不 慮 の 墜 落 男 M. 女 F.	31 26 5	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(E890～ E899)	火災及び火焰による不慮の事故 男 M. 女 F.	17 8 9	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(E900～ E909)	自然及び環境要因による不慮の事故 男 M. 女 F.	20 8 12	13 7 6	13 7 6	11 7 4	1 - 1	- - 1	1 - 1	- - -	- - -
(E910～ E915)	溺水、窒息及び異物による不慮の事故 男 M. 女 F.	478 294 184	33 18 15	5 3 2	- - -	- - -	1 1 1	- - -	1 1 1	2 1 1
(E916～ E928)	その他の不慮の事故 男 M. 女 F.	15 10 5	1 1 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(E929)	不慮の事故による損傷の後遺症 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(E930～ E949)	医薬品及び生物学的製剤の治療上使用 による有害作用 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(E950～ E959)	自殺及び自傷 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	- - -
(E960～ E969)	他殺及び他人の加害による損傷 男 M. 女 F.	104 59 45	50 28 22	49 28 21	47 27 20	1 1 -	- - -	- - -	- - -	- - 1
(E970～ E978)	法 的 介 入 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
(E980～ E989)	不慮か故意かの決定されない損傷 男 M. 女 F.	60 31 29	25 12 13	22 11 11	19 9 10	2 1 1	- - -	- - -	- - -	- 1 1
(E990～ E999)	戦争行為による損傷 男 M. 女 F.	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -

性・日 齢一月 齢・死 因 (基本分類) 別 昭和58年

-TAILED LIST OF THE 9TH REVISED ICD A. F. U. I. J.), SEX AND AGE: JAPAN, 1983—CON.

Under 4 weeks				2 か 月 2 months	3 か 月 3 months	4 か 月 4 months	5 か 月 5 months	6 か 月 6 months	7 か 月 7 months	8 か 月 8 months	9 か 月 9 months	10 か 月 10 months	11 か 月 11 months	国際基本 分類番号 International Detailed List Code
1~2週 未 満 1 week & over, less than 2 weeks	2~3週 未 満 2 weeks & over, less than 3 weeks	3~4週 未 満 3 weeks & over, less than 4 weeks	4 週 未 満 4 weeks & over, less than 2 months											
-	-	-	-	1	-	-	-	-	-	1	-	-	-	(E878~ E879)
1	-	-	1	-	1	3	2	5	3	1	7	3	4	(E880~ E888)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	3	2	2	2	1	1	-	2	1	2	-	(E890~ E899)
-	-	1	1	2	1	2	-	-	-	1	1	1	-	
-	-	-	1	-	1	2	-	-	-	1	1	-	1	(E900~ E909)
-	-	-	1	-	1	2	-	-	-	1	1	-	-	
8	10	10	37	42	54	66	69	33	29	29	25	32	29	(E910~ E915)
3	4	8	19	22	33	39	48	22	15	22	16	20	20	
5	6	2	18	20	21	27	21	11	14	7	9	12	9	
-	-	1	1	1	1	2	2	1	-	1	1	3	1	(E916~ E928)
-	-	1	1	1	1	1	1	1	-	1	1	3	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E929)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E930~ E949)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E950~ E959)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	10	8	4	7	4	6	3	6	3	1	2	(E960~ E969)
-	-	-	6	4	4	4	1	3	2	3	2	-	2	
-	1	-	4	4	-	3	3	3	1	3	1	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E970~ E978)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	6	4	4	2	4	2	4	1	4	4	(E980~ E989)
1	-	-	-	5	2	3	-	1	1	2	-	3	2	
2	-	-	-	1	2	1	2	3	1	2	1	1	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E990~ E999)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	