

〔地域別にみた死因〕

表 5.18 都道府県別にみた死因

都道府県	総数	1 コレラ	2 腸チフス	3 細菌性赤痢及び アメーバ症	4 下痢性疾患 腸炎及びその他の	5 呼吸系の結核	6 （後遺症を含まない） その他の結核	7 らい	8 ジフテリア	9 百日咳
全国	603.2	—	0.0	0.0	1.1	4.3	0.2	0.0	—	0.0
北海道	578.5	—	—	—	0.7	3.2	0.3	—	—	0.0
青森	645.9	—	—	—	1.2	6.0	0.3	—	—	—
岩手	672.3	—	—	—	1.0	3.9	0.1	—	—	—
宮城	580.8	—	—	—	0.5	2.7	0.2	—	—	0.0
秋田	715.8	—	—	—	1.3	3.0	0.1	—	—	—
山形	763.3	—	—	—	1.8	2.6	—	—	—	—
福島	705.3	—	—	—	1.4	3.4	0.2	—	—	—
茨城	644.2	—	—	—	1.3	2.6	0.2	—	—	0.0
栃木	660.9	—	—	—	1.9	3.6	0.3	—	—	—
群馬	657.0	—	—	—	1.3	3.0	0.1	—	—	—
埼玉県	434.7	—	—	—	0.6	2.7	0.2	—	—	0.0
千葉県	470.0	—	—	—	0.9	2.6	0.1	—	—	0.0
東京都	504.6	—	—	0.0	0.6	3.9	0.2	—	—	—
神奈川県	430.9	—	—	—	0.4	3.3	0.1	—	—	0.0
新潟	698.7	—	—	—	1.1	2.8	0.2	—	—	—
富山	681.8	—	—	—	1.9	4.5	0.5	—	—	—
石川	639.9	—	—	—	2.0	5.1	0.2	—	—	—
福井	713.8	—	—	—	2.3	4.3	0.1	—	—	—
山梨	736.6	—	—	—	1.4	2.8	—	—	—	—
長野	713.5	—	—	0.0	1.6	3.2	0.2	—	—	—
岐阜	631.5	—	—	—	1.6	6.7	0.2	—	—	—
静岡県	587.5	—	—	—	1.1	3.8	0.2	—	—	—
愛知県	505.7	—	—	—	1.0	5.2	0.3	—	—	—
三重	700.3	—	—	—	1.2	4.9	0.2	—	—	0.1
滋賀	632.4	—	—	—	1.8	4.7	0.4	—	—	—
京都府	639.3	—	—	—	1.0	4.9	0.4	—	—	—
大阪府	532.0	—	—	—	0.8	4.9	0.4	—	—	—
兵庫県	620.1	—	0.0	—	1.4	5.4	0.2	—	—	0.0
奈良	607.7	—	—	—	1.3	3.0	0.2	—	—	—
和歌山	781.8	—	—	—	1.2	9.5	0.3	—	—	—
鳥取	779.6	—	—	—	1.3	3.3	0.3	—	—	—
島根	848.7	—	—	—	1.3	3.3	—	—	—	—
岡山	726.8	—	—	—	1.6	4.3	0.3	—	—	—
広島	644.1	—	—	—	1.1	4.0	0.1	—	—	—
山口	737.5	—	—	—	1.5	4.9	0.2	—	—	—
徳島	808.7	—	—	—	1.7	6.0	0.2	—	—	—
香川県	727.8	—	—	—	2.2	3.9	0.1	—	—	—
愛媛	727.8	—	0.1	—	1.2	5.6	0.1	—	—	—
高松	902.5	—	—	—	1.4	5.0	0.1	—	—	—
福岡	619.3	—	—	—	0.7	5.8	0.2	—	—	—
佐賀	759.0	—	—	—	2.2	6.3	0.1	—	—	0.1
長門	747.6	—	—	—	0.8	4.5	0.6	—	—	—
熊本	731.5	—	—	0.1	1.1	7.4	0.2	—	—	—
大宮	754.5	—	—	—	2.0	7.1	0.2	—	—	—
大宮	711.2	—	—	—	1.0	5.8	0.3	—	—	—
鹿児島	821.5	—	—	—	1.6	6.9	0.2	—	—	—
沖縄	466.4	—	—	—	0.8	2.8	0.2	0.1	—	0.1

(簡単分類)別死亡率(人口10万対)

昭和57年

10 猩紅熱	11 髄膜炎菌感染	12 破傷風 (新生児破傷風を除く)	13 敗血症 (新生児敗血症を除く)	14 急性灰白髄炎	15 痘瘡	16 麻疹	17 日本脳炎	18 ウイルス肝炎B	19 その他のウイルス肝炎	20 他のリケッチア症 発疹チフス及びその	21 マラリア
0.0	0.0	0.0	1.5	—	—	0.0	0.0	0.1	0.8	—	0.0
—	—	0.0	1.6	—	—	—	—	0.2	1.0	—	0.0
—	—	—	1.6	—	—	—	—	0.1	0.9	—	—
—	—	—	1.4	—	—	0.1	—	0.1	1.3	—	—
—	—	0.0	0.8	—	—	—	—	—	0.9	—	—
—	—	—	2.0	—	—	—	—	0.2	0.8	—	—
—	—	—	—	—	—	—	—	—	0.9	—	—
—	—	—	1.5	—	—	—	—	0.2	1.2	—	—
—	—	0.1	0.8	—	—	0.1	—	0.2	1.3	—	—
—	—	—	1.2	—	—	0.1	—	0.2	0.8	—	—
—	—	0.1	1.1	—	—	—	—	0.1	1.2	—	—
—	—	0.1	1.1	—	—	0.0	—	0.1	0.8	—	—
—	—	0.0	1.1	—	—	—	—	0.1	0.7	—	—
—	—	0.0	1.2	—	—	0.0	—	0.1	0.5	—	0.0
—	0.0	0.0	1.2	—	—	—	0.0	0.1	0.6	—	—
—	—	0.1	0.9	—	—	—	—	0.0	0.7	—	—
—	—	—	1.4	—	—	—	—	—	0.9	—	—
—	—	0.1	1.3	—	—	—	—	0.1	1.3	—	—
—	—	—	1.4	—	—	—	—	0.5	1.3	—	—
—	—	—	0.7	—	—	—	—	0.1	0.7	—	—
—	—	—	0.9	—	—	0.0	—	0.2	0.9	—	—
—	—	—	1.2	—	—	—	0.1	0.1	0.7	—	—
—	—	—	1.0	—	—	0.0	—	0.1	0.8	—	—
—	—	0.0	1.4	—	—	0.0	—	0.2	0.5	—	0.0
—	—	—	1.6	—	—	—	—	0.1	0.8	—	—
—	—	—	1.5	—	—	—	—	0.1	0.5	—	—
—	—	—	2.0	—	—	0.0	—	0.1	0.6	—	0.0
—	—	0.0	1.9	—	—	0.0	—	0.2	0.8	—	—
—	—	0.0	1.5	—	—	—	0.0	0.2	0.9	—	—
—	—	0.1	1.1	—	—	—	—	0.1	1.0	—	—
—	—	—	1.3	—	—	—	—	0.1	0.5	—	—
—	—	—	2.5	—	—	—	—	—	1.0	—	—
—	0.1	—	2.0	—	—	—	—	0.3	1.0	—	—
—	—	—	2.2	—	—	—	—	0.3	1.0	—	—
—	—	—	1.4	—	—	—	—	0.1	0.7	—	—
—	—	—	1.4	—	—	—	—	0.1	1.1	—	—
—	—	—	2.5	—	—	—	—	0.1	1.1	—	—
—	—	—	1.7	—	—	—	—	0.3	0.7	—	—
—	—	—	1.8	—	—	0.1	—	0.1	0.9	—	—
—	—	—	2.6	—	—	—	—	—	1.2	—	—
—	—	—	1.5	—	—	0.0	—	0.2	1.0	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1.1	—	—	—	—	0.3	1.8	—	—
—	—	—	1.3	—	—	0.1	0.1	0.3	0.9	—	—
—	—	0.1	2.5	—	—	—	—	0.1	0.9	—	—
—	0.1	—	2.1	—	—	—	—	0.2	1.1	—	—
—	—	0.1	1.8	—	—	0.1	—	0.1	0.7	—	—
—	—	0.1	1.8	—	—	—	—	—	—	—	—
0.1	—	0.1	1.8	—	—	0.3	0.1	0.3	1.4	—	—
—	—	—	2.7	—	—	—	—	0.2	0.5	—	—

表 5.18 都道府県別にみた死因

都道府県	22 梅毒	23 カ ン サ (新 生 児 を 除 く) シ ン ジ タ 症	24 日本 住 血 吸 虫 症	25 フ ィ ラ リ ア 症	26 寄 生 虫 症 及 び 其 他 の 感 染 症	28-37 悪 性 新 生 物	28 食 道	29 胃	30 腸 行 部 及 び 直 腸 ・ 直 腸 S 状 結	31 肝
全	0.1	0.0	0.0	0.0	1.1	144.2	5.0	41.5	6.2	14.0
北海道	0.1	0.0	—	—	1.2	146.8	6.3	38.6	6.4	13.0
青森	0.2	0.1	—	—	0.8	146.0	4.2	39.0	5.4	11.8
岩手	—	—	—	—	1.4	151.3	6.1	36.5	8.3	10.5
宮城	0.0	—	—	—	1.1	141.6	7.8	39.6	7.2	9.7
秋田	—	—	—	—	1.7	183.1	9.6	62.7	7.4	10.0
山形	0.1	0.2	—	—	1.4	187.6	8.0	66.2	8.9	11.7
福島	0.1	0.0	—	—	1.0	162.3	7.9	49.3	7.4	11.4
茨城	0.1	0.1	—	—	0.9	138.4	5.5	45.6	5.5	11.7
栃木	0.2	0.1	—	—	0.9	142.3	5.8	48.2	5.9	9.9
群馬	0.3	—	—	—	0.5	138.2	6.2	44.7	6.1	10.0
埼玉県	0.1	—	—	—	0.8	104.7	4.2	33.7	4.2	8.5
千葉県	0.1	—	—	—	0.8	107.6	3.8	34.2	4.2	9.0
東京都	0.1	0.0	—	—	1.6	134.1	5.8	37.1	5.8	11.5
神奈川県	0.0	0.0	—	—	0.9	112.4	4.3	31.0	4.6	10.0
新潟	0.2	—	—	—	1.3	177.2	8.4	60.3	8.0	11.3
富山	0.2	—	—	—	0.6	170.1	5.0	56.5	6.3	14.1
石川	0.2	—	—	—	0.5	149.9	2.2	46.9	6.4	12.0
福山	0.4	—	—	—	0.9	176.0	3.9	54.4	7.3	17.3
山梨	0.1	—	0.5	—	1.6	168.2	4.7	51.8	6.6	18.4
長野	0.1	0.0	—	—	0.8	165.2	6.6	49.6	10.4	12.5
岐阜	0.1	—	—	—	1.2	142.5	2.6	45.2	6.8	13.1
静岡県	0.1	0.0	—	0.0	1.3	131.6	3.8	38.3	5.8	12.2
愛知	0.1	0.1	—	—	1.1	121.5	2.7	35.5	5.6	10.8
三重	0.1	0.1	—	—	1.4	153.0	3.4	46.1	7.1	12.3
滋賀	0.2	—	—	—	1.0	136.5	2.4	43.8	6.2	9.1
京都	0.0	—	—	—	1.4	151.5	4.6	43.8	6.9	12.9
大阪府	0.1	0.1	—	0.0	1.0	136.1	4.1	38.0	5.2	19.6
兵庫県	0.1	0.0	—	—	1.0	151.1	4.3	42.0	6.7	17.4
奈良	0.1	—	—	—	1.0	148.1	3.4	48.8	5.4	16.0
和歌山	0.1	—	—	—	0.6	182.8	8.4	55.1	7.3	18.6
鳥取	—	—	—	—	1.0	186.8	3.5	54.3	8.2	22.7
島根	0.1	0.1	—	—	0.9	191.2	5.7	58.4	8.7	18.3
岡山	0.1	—	—	—	1.4	162.1	3.6	45.4	6.5	16.9
広島	0.1	0.0	—	—	1.3	152.4	4.4	41.7	6.6	19.0
山口	0.3	0.1	—	—	1.3	171.4	5.6	48.6	7.5	18.6
徳島	—	—	—	—	1.4	172.0	3.9	47.5	7.6	22.8
香川県	—	—	—	—	1.4	169.2	2.7	51.5	7.3	16.4
愛媛	0.1	—	—	—	1.5	166.5	3.9	51.4	7.7	18.6
高松	0.1	0.1	—	—	1.4	180.3	5.9	52.0	7.1	18.1
福岡	0.0	0.0	—	—	1.2	161.6	4.1	41.6	6.4	22.3
佐賀	0.1	0.1	—	0.1	0.9	192.2	5.3	61.4	6.3	23.2
長門	0.1	0.1	—	—	1.3	182.0	5.0	43.4	6.5	23.1
熊本	0.2	0.1	—	—	1.8	162.9	5.4	34.6	6.3	22.6
大宮	0.1	0.1	—	—	1.4	171.3	3.9	44.0	7.1	20.4
鹿	0.2	0.1	—	0.1	1.1	156.6	6.9	40.5	6.2	16.1
児	0.3	—	—	0.1	0.9	169.9	9.2	38.4	7.7	18.6
沖	0.2	—	—	—	1.4	104.1	7.0	17.0	3.0	7.6

(简单分類) 別死亡率 (人口 10 万対) (つづき)

昭和 57 年

32 肺	33 気 管 ・ 気 管 支 肺	34 乳 房	34 乳 房 (女 子 人 口 10 万 対)	35 子 宮 (女 子 人 口 10 万 対)	36 白 血 病	37 そ の 他	38 新 生 児 及 び 性 質 不 詳 の 物	39 糖 尿 病	40 栄 養 欠 乏 症	41 貧 血	42 精 神 障 害
7.4	20.5	3.7	7.2	8.6	4.1	37.3	5.1	7.4	0.4	1.3	2.4
8.7	21.9	3.9	7.6	8.9	4.2	39.3	3.9	9.2	0.3	1.3	2.2
8.8	22.5	3.7	7.2	9.7	4.0	41.5	4.4	7.9	0.3	1.6	2.3
9.4	22.0	4.6	9.0	8.4	4.6	44.8	4.8	9.0	0.2	1.4	2.2
7.9	20.3	3.7	7.3	7.4	4.2	37.4	4.0	6.5	0.2	1.0	2.5
10.2	23.7	4.9	9.5	9.2	4.5	45.3	4.5	6.8	0.4	0.9	2.5
10.0	26.2	3.5	6.8	7.9	4.5	44.6	5.6	6.9	0.3	1.0	2.2
9.2	22.4	4.2	8.1	6.7	5.1	42.0	2.2	6.6	0.4	1.1	2.0
6.5	16.5	3.7	7.4	8.9	3.8	35.1	6.4	6.9	0.6	1.1	2.2
7.5	18.3	3.7	7.4	7.4	4.2	34.9	5.4	7.6	—	1.2	2.7
6.9	19.6	3.4	6.7	4.9	3.4	35.3	8.1	7.6	0.2	1.4	2.8
4.9	13.1	3.2	6.5	5.7	3.6	26.5	3.4	4.9	0.2	1.0	1.6
5.4	13.4	2.9	5.9	7.1	3.8	27.4	4.5	6.2	0.3	1.1	1.9
6.9	19.3	4.3	8.6	7.9	3.7	35.8	4.6	6.6	0.4	1.0	1.9
5.5	16.0	3.7	7.6	6.0	3.8	30.5	3.1	4.9	0.3	0.8	1.5
8.0	23.5	3.4	6.7	7.8	4.2	46.1	3.5	8.0	0.3	1.1	3.1
9.0	20.8	3.4	6.6	10.6	4.1	45.4	5.4	8.1	0.5	1.4	1.2
7.6	22.6	3.4	6.5	8.9	4.3	40.0	1.2	7.8	0.3	1.7	1.9
7.9	22.5	3.8	7.3	10.9	5.2	48.1	6.3	9.7	0.5	1.8	2.6
9.4	21.9	4.3	8.4	10.4	3.5	42.4	6.7	7.0	0.5	1.6	2.0
9.9	21.0	3.7	7.1	7.9	4.0	43.5	5.9	8.4	0.3	1.9	1.6
6.0	18.2	3.2	6.3	9.6	3.3	39.1	6.2	6.5	0.5	1.5	1.6
7.6	16.4	3.6	7.1	7.9	4.0	36.0	5.3	8.1	0.1	1.1	2.7
6.4	17.4	3.6	7.2	6.9	3.2	32.9	4.1	6.0	0.3	1.1	1.6
8.5	23.1	4.2	8.1	9.1	5.2	38.6	8.7	9.5	0.2	0.9	1.9
7.4	18.9	2.8	5.5	8.3	4.7	36.9	7.7	8.9	0.1	1.5	2.7
7.4	22.7	3.7	7.2	10.1	4.2	40.2	9.0	8.8	0.2	1.1	1.8
5.8	19.2	3.8	7.5	9.7	3.7	31.8	5.6	7.0	0.5	1.3	2.3
8.0	22.2	3.9	7.7	10.0	4.1	37.3	3.5	7.5	0.5	1.6	2.3
8.4	20.3	3.5	6.8	8.2	4.6	33.5	5.8	9.7	0.5	1.1	2.7
9.7	27.3	2.9	5.7	12.1	4.5	42.7	6.4	7.6	0.1	1.7	3.1
9.7	27.6	3.3	6.3	11.7	4.6	46.9	5.3	8.1	0.7	1.6	2.3
10.8	25.8	3.8	7.4	11.5	6.0	47.7	6.5	8.3	1.0	1.8	2.7
10.0	25.8	3.5	6.7	9.4	4.0	41.5	4.7	7.1	0.4	1.5	3.3
7.4	24.1	3.3	6.4	8.8	4.3	37.0	8.1	10.3	0.6	2.0	2.5
8.5	26.7	2.9	5.6	11.3	3.8	43.5	6.4	6.7	0.3	1.3	4.8
8.6	26.8	4.0	7.7	7.2	4.0	43.1	7.5	12.6	0.5	2.2	1.9
6.9	28.5	3.5	6.7	12.8	4.4	41.5	6.6	7.3	0.2	2.2	2.1
9.3	23.5	3.0	5.8	12.0	5.2	37.6	5.0	8.5	0.1	1.1	2.3
10.4	21.5	3.8	7.3	8.3	4.9	52.2	10.9	12.2	0.5	1.9	4.4
8.8	25.6	3.8	7.3	9.7	5.0	39.1	6.4	8.4	0.4	1.4	2.9
9.7	27.5	2.6	5.0	15.3	4.1	44.0	7.7	9.2	0.2	1.4	3.8
9.2	26.8	4.0	7.7	10.0	5.3	53.5	1.7	5.9	0.6	1.7	3.5
9.0	24.8	3.5	6.8	9.9	4.4	46.9	6.8	9.0	0.4	2.5	4.9
7.9	25.0	4.6	8.8	12.0	4.4	47.6	1.3	7.9	0.5	1.5	4.9
7.6	24.1	4.4	8.4	12.0	6.0	38.5	8.5	6.7	0.3	1.2	3.4
7.8	25.7	3.3	6.3	10.6	6.1	47.5	9.6	10.5	0.7	2.2	4.8
4.2	20.0	2.5	4.9	8.6	4.8	33.6	4.9	4.4	1.2	1.0	2.9

表 5.18 都道府県別にみた死因

都道府県	43 腫 膜 炎	44 中 非 炎 症 性 疾 患 の 患	45 急 性 リ ウ マ チ 熱	46 慢 性 リ ウ マ チ 疾 患	48-49 高 血 圧 性 疾 患	48 高 血 圧 性 心 疾 患	49 そ の 他 高 血 圧 性 疾 患	51-52 虚 血 性 心 疾 患	51 急 性 心 筋 梗 塞	52 そ の 他 虚 血 性 心 疾 患
全 国	0.6	3.6	0.0	1.5	11.7	8.5	3.2	41.0	25.1	15.9
北海道	0.4	2.6	0.0	1.0	9.9	7.3	2.6	45.2	27.0	18.2
青森	0.5	4.1	—	1.8	6.7	5.0	1.8	35.4	22.9	12.6
岩手	0.8	2.5	0.2	1.3	9.5	7.1	2.5	44.7	28.9	15.8
宮城	0.7	3.3	—	1.0	11.1	7.4	3.6	40.2	26.1	14.1
秋田	0.5	3.7	—	1.4	8.0	5.3	2.7	44.3	25.6	18.8
山形	0.3	3.3	0.3	1.7	11.7	8.1	3.7	45.1	26.6	18.5
福島	0.5	3.9	0.0	1.5	9.5	6.9	2.6	44.2	27.3	16.9
茨城	0.7	3.9	0.0	1.3	11.9	8.4	3.5	42.4	27.3	15.0
栃木	0.7	2.9	—	1.3	11.6	8.9	2.6	43.8	29.7	14.1
群馬	0.7	4.2	0.1	1.8	11.2	8.8	2.5	46.5	33.4	13.1
千葉県	0.5	3.0	0.0	1.0	8.6	6.4	2.2	29.2	19.9	9.3
東京都	0.5	2.9	0.0	1.3	12.6	9.4	3.3	32.4	20.9	11.5
神奈川県	0.5	3.4	0.0	1.4	9.4	7.0	2.4	45.1	26.9	18.2
新潟	0.5	2.7	0.0	1.2	7.4	5.6	1.8	34.7	23.3	11.5
富山	0.7	4.2	0.1	1.2	15.3	10.6	4.7	44.5	30.4	14.1
石川県	0.9	3.4	0.1	1.3	8.9	6.0	2.9	44.6	28.3	16.4
福井	0.8	4.4	0.2	1.6	11.0	7.4	3.6	46.7	28.1	18.6
山梨	0.4	5.4	0.1	1.6	14.9	9.5	5.4	45.7	25.9	19.8
長野	0.6	4.4	0.2	2.5	11.5	7.9	3.6	49.9	36.8	13.1
岐阜	0.5	4.1	0.0	1.7	13.6	10.0	3.6	45.7	29.1	16.6
静岡県	0.7	4.2	—	1.7	13.5	10.0	3.5	36.9	23.6	13.3
愛知県	0.5	4.3	0.1	1.7	13.0	8.6	4.3	39.2	24.8	14.3
三重	0.6	3.2	0.1	1.4	10.2	6.8	3.4	30.9	20.6	10.3
滋賀	0.9	5.0	0.1	1.4	14.6	9.1	5.5	43.5	28.0	15.5
京都府	0.5	3.4	—	2.1	19.1	14.0	5.1	39.4	25.1	14.3
大阪府	0.7	3.7	0.0	1.8	12.0	7.8	4.2	46.7	27.4	19.3
兵庫県	0.7	3.5	0.0	1.2	10.8	7.8	3.0	33.4	19.5	13.9
奈良	0.9	3.9	0.1	1.2	11.9	7.7	4.2	37.0	22.5	14.5
和歌山	1.0	4.0	—	1.0	12.2	8.9	3.3	33.6	19.5	14.2
鳥取	0.6	5.7	0.2	1.5	13.5	9.1	4.4	42.4	26.6	15.8
島根	1.2	3.8	—	1.5	13.2	8.1	5.1	41.1	27.5	13.7
岡山	0.4	4.2	—	1.7	14.6	9.8	4.8	54.8	33.2	21.6
広島	0.6	4.6	0.1	1.3	9.7	7.1	2.6	40.0	26.2	13.7
山口	0.5	4.0	0.0	1.6	10.2	7.8	2.4	41.7	24.8	16.9
徳島	0.8	4.1	0.2	1.8	13.2	9.9	3.3	51.5	29.1	22.4
香川県	0.6	4.5	—	1.8	13.2	9.7	3.5	54.5	30.8	23.7
愛媛	0.3	4.4	0.2	2.0	9.3	5.9	3.5	43.1	23.1	19.9
高松	0.7	3.8	—	2.8	9.6	7.6	2.0	41.0	26.1	14.9
福岡	0.6	5.2	—	2.2	10.3	7.2	3.1	60.6	32.5	28.1
佐賀	0.7	3.5	0.0	1.8	14.8	12.1	2.8	44.4	22.4	22.0
長崎	0.8	3.2	—	1.7	26.9	23.6	3.3	54.8	23.1	31.7
熊本	0.4	3.9	—	2.0	25.1	19.1	6.0	49.5	28.2	21.4
大分	0.4	4.4	0.1	2.3	18.0	13.7	4.3	48.3	26.5	21.8
宮崎	0.5	4.2	—	2.4	17.8	13.9	4.0	68.0	36.5	31.5
鹿児島	0.6	3.9	0.1	2.5	16.9	13.5	3.4	56.7	27.6	29.1
沖縄	0.7	5.9	0.1	2.3	21.2	15.8	5.5	48.2	26.4	21.9
	0.6	2.8	—	2.0	6.7	4.9	1.8	26.9	20.8	6.1

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 57 年

54-56 肺 循 環 疾 患 及 び そ の 他 の 心 疾 患	54 心 内 膜 の 慢 性 疾 患	55 心 不 全	56 そ の 他 の 心 疾 患	58-60 脳 血 管 疾 患	58 脳 出 血	59 脳 梗 塞	60 そ の 他 の 血 管 疾 患	61 循 環 系 の 疾 患	62 急 性 気 管 支 炎	63 肺 炎	64 インフル エンザ
64.2	2.9	52.2	9.2	125.0	37.4	59.8	27.9	6.7	1.4	29.9	0.7
63.4	3.0	51.2	9.2	107.9	32.4	48.5	27.0	6.2	1.3	32.5	0.2
72.3	2.9	59.8	9.6	144.7	47.0	61.3	36.4	4.6	1.2	36.8	0.5
70.8	3.2	59.5	8.1	154.3	44.9	82.7	26.7	6.9	2.0	43.4	0.6
54.0	2.3	41.0	10.7	151.4	37.1	88.2	26.2	5.8	1.7	26.4	0.4
80.7	3.3	61.2	16.2	178.4	43.9	99.2	35.4	5.6	2.4	35.7	0.6
78.1	4.5	61.6	12.0	199.0	47.2	111.8	40.0	6.5	1.5	34.1	0.9
72.2	3.1	58.6	10.5	181.9	50.4	101.6	29.9	5.8	2.3	35.4	0.3
68.8	3.3	57.6	7.9	159.0	45.5	86.5	27.0	5.1	1.9	28.3	1.0
63.5	3.4	47.5	12.6	175.7	46.5	93.8	35.5	5.2	3.1	31.2	0.7
70.8	2.4	59.6	8.8	156.6	42.9	85.4	28.3	4.4	1.5	36.4	0.9
47.4	2.4	39.1	5.9	90.1	29.9	42.1	18.0	3.8	1.0	20.1	0.6
49.3	2.4	40.2	6.6	101.4	33.9	45.7	21.8	4.3	0.7	19.5	0.4
40.3	2.7	29.2	8.4	101.3	33.6	46.5	21.2	5.3	0.7	29.2	0.5
38.3	1.8	29.6	6.9	85.4	29.4	36.3	19.7	4.2	0.7	21.4	0.3
58.4	2.6	45.9	9.9	168.8	45.0	90.3	33.4	10.0	1.9	38.2	0.6
68.4	2.6	56.3	9.5	155.6	39.2	77.5	38.8	10.1	1.9	34.9	0.4
63.6	3.3	48.8	11.5	132.1	41.6	64.5	26.0	13.7	1.5	39.1	0.7
85.3	3.4	70.6	11.3	139.9	34.2	72.4	33.4	10.9	2.6	29.6	—
79.0	3.5	65.8	9.8	173.2	51.2	91.2	30.8	8.3	2.6	32.5	1.1
72.3	3.6	57.2	11.5	192.6	49.7	108.8	34.1	7.6	2.1	29.1	0.8
74.0	2.9	62.3	8.8	140.3	41.4	66.2	32.6	6.9	2.5	27.0	1.0
64.8	2.8	52.3	9.7	122.2	38.3	57.7	26.2	6.3	1.5	29.4	0.8
60.9	2.1	51.7	7.1	102.8	29.4	47.9	25.4	6.7	1.3	22.6	0.7
80.0	2.8	66.1	11.1	149.9	43.0	71.8	35.1	14.3	1.2	29.6	1.3
68.1	2.8	56.3	9.0	135.2	39.6	63.3	32.3	10.5	1.1	25.7	1.3
73.3	3.1	61.3	9.0	118.1	36.0	56.6	25.5	11.4	1.0	29.6	0.6
63.8	1.9	51.9	10.0	84.5	26.2	36.1	22.2	7.0	0.8	25.6	0.6
72.3	2.3	61.2	8.7	112.0	33.8	51.5	26.6	8.7	0.8	27.0	0.9
78.0	2.4	66.1	9.5	119.1	32.5	59.7	26.8	10.2	1.0	22.6	0.6
106.2	4.1	90.4	11.6	159.2	41.8	72.1	45.3	6.7	1.8	27.3	1.1
93.4	2.6	81.7	9.0	173.2	48.8	90.3	34.0	8.6	0.5	41.3	1.2
88.7	5.0	74.0	9.7	199.4	61.5	94.1	43.8	10.1	4.2	43.9	1.5
81.3	4.3	67.5	9.6	155.0	43.5	78.3	33.2	6.9	2.0	41.7	1.6
64.3	2.9	54.1	7.4	117.9	35.3	54.0	28.6	7.5	1.5	37.2	0.4
73.9	2.9	63.3	7.7	150.7	45.9	68.6	36.2	8.3	2.8	42.3	0.9
90.6	4.7	73.1	12.8	159.4	49.3	71.6	38.5	9.5	3.0	44.8	0.7
103.9	4.5	87.7	11.7	132.0	32.7	61.5	37.8	8.1	2.5	42.2	1.2
89.8	3.5	76.8	9.5	140.4	39.5	66.9	34.1	7.9	1.5	36.9	0.5
107.8	4.1	88.2	15.5	208.0	57.4	108.8	41.9	8.3	2.6	51.6	2.0
63.3	2.5	51.8	9.0	115.8	34.6	51.1	30.1	6.4	1.0	29.9	0.4
72.6	3.4	60.8	8.4	143.0	46.2	63.0	33.8	8.9	1.6	33.8	0.2
77.9	4.5	60.2	13.3	142.6	46.2	64.0	32.4	10.2	1.9	39.8	1.4
87.5	4.8	69.7	13.1	142.7	46.9	57.8	38.0	6.8	1.9	32.3	1.2
74.1	3.3	61.3	9.6	158.3	44.6	81.8	31.9	6.8	2.1	39.4	1.5
77.3	5.0	61.4	10.9	151.1	45.8	68.8	36.5	5.2	3.2	35.8	0.5
95.5	4.4	79.4	11.6	173.8	55.5	69.7	48.6	5.5	3.2	41.2	1.8
44.2	3.4	34.0	6.8	64.9	29.2	17.9	17.9	4.6	0.6	24.5	0.4

表 5.18 都道府県別にみた死因

都道府県	66-68 気管支炎・ 肺炎腫及び 喘息	66 気管支炎	67 肺気腫	68 喘息	69 胃及び十二指腸 潰瘍	70 虫垂炎	71 腹腸閉塞 ヘルニア及び 疝	72 胃及び慢性胃腸炎 胃炎・十二指腸炎	73 慢性肝疾患及び 肝硬変	74 肝疾患 (肝硬変を除く)
全 国	10.9	3.7	2.1	5.1	4.0	0.1	2.1	1.4	14.0	2.0
北海道	9.4	2.7	2.0	4.7	3.4	0.1	2.3	0.9	12.1	1.7
青森	9.9	2.8	1.7	5.4	4.4	0.1	2.6	0.9	12.0	2.4
岩手	10.2	3.1	1.6	5.5	4.1	0.1	2.7	1.0	10.8	1.5
宮城	8.0	1.9	1.8	4.2	3.5	0.2	1.7	0.9	9.1	2.1
秋田	10.7	3.1	2.4	5.2	4.5	—	3.1	1.7	7.7	2.2
山形	12.8	4.5	2.6	5.6	4.4	0.2	3.0	1.7	10.1	1.8
福島	11.7	4.0	2.1	5.7	4.5	0.2	2.6	1.6	12.0	2.0
茨城	12.1	4.0	1.7	6.5	4.4	0.2	2.1	1.5	11.5	1.9
栃木	15.6	5.6	1.8	8.3	5.8	0.3	1.9	2.5	12.1	2.3
群馬	15.2	5.3	3.6	6.3	5.2	0.2	2.6	1.4	12.5	1.7
埼玉県	7.2	2.3	1.1	3.8	2.5	0.1	1.4	1.2	10.2	1.4
千葉県	7.8	2.8	1.4	3.5	3.2	0.0	1.3	1.1	9.1	1.5
東京都	8.9	2.7	2.1	4.1	4.1	0.1	2.0	0.7	14.4	1.5
神奈川県	6.6	1.9	1.6	3.1	2.6	0.1	1.3	0.4	12.5	1.4
新潟県	11.2	4.6	2.0	4.5	3.6	0.0	2.5	2.5	6.9	2.2
富山県	9.1	3.4	2.1	3.6	4.1	0.2	1.9	1.9	10.2	2.4
石川県	9.8	3.3	2.0	4.5	3.9	0.1	2.4	1.0	11.3	2.1
福井県	11.6	4.4	2.4	4.8	3.5	0.1	2.0	3.1	12.7	3.1
山梨県	13.7	4.0	4.1	5.7	5.2	—	2.6	2.2	19.2	2.3
長野県	12.5	4.4	2.8	5.3	4.2	0.2	2.9	1.5	9.7	1.5
岐阜県	11.3	4.0	2.2	5.0	4.1	0.4	2.3	2.1	10.7	2.1
静岡県	10.5	4.0	2.6	4.0	3.6	0.1	1.5	1.5	13.5	1.9
愛知県	8.7	3.1	1.5	4.1	2.7	0.1	1.6	1.5	10.5	1.8
三重県	13.7	5.4	2.4	5.9	3.5	0.1	1.6	2.0	14.0	2.4
滋賀県	14.4	5.3	2.9	6.2	4.5	0.3	1.7	2.0	10.8	3.4
京都府	10.4	3.8	2.9	3.7	4.5	0.1	2.5	1.6	11.9	2.0
大阪府	10.6	3.4	2.1	5.1	3.3	0.1	1.9	0.9	19.1	2.2
兵庫県	12.9	4.4	2.2	6.2	4.4	0.2	2.5	1.9	17.2	2.1
奈良県	11.8	3.2	3.0	5.7	4.3	0.4	2.7	1.4	12.3	2.4
和歌山県	14.9	4.1	3.5	7.3	5.8	0.2	3.1	1.5	18.4	3.1
鳥取県	11.5	3.6	3.5	4.4	4.1	0.3	2.5	1.3	15.5	2.3
島根県	14.4	5.3	2.3	6.7	6.4	0.4	2.9	2.2	15.3	1.4
岡山県	15.0	4.1	3.2	7.7	5.6	0.2	2.6	1.9	16.7	2.1
広島県	12.0	3.6	3.2	5.2	4.3	0.1	2.2	1.6	19.6	2.6
山口県	14.3	5.6	2.8	5.9	5.6	0.1	2.7	1.4	18.1	2.4
徳島県	16.4	6.0	2.9	7.5	4.0	—	3.1	2.3	23.6	2.9
香川県	12.7	3.6	2.1	7.0	3.7	—	2.0	2.7	14.9	2.1
愛媛県	11.8	4.0	1.7	6.1	4.2	0.1	3.0	1.5	16.5	2.8
高知県	15.4	4.4	2.0	8.9	5.6	0.2	3.0	1.6	20.2	2.5
福岡県	12.0	4.3	1.9	5.8	4.1	0.1	2.5	1.0	20.8	2.2
佐賀県	14.5	5.2	2.2	7.1	5.2	—	2.9	2.6	20.3	3.2
長崎県	15.0	6.4	3.1	5.5	5.3	0.2	2.5	2.5	18.6	2.9
熊本県	16.8	7.2	2.7	6.9	6.4	0.2	2.1	2.5	18.8	2.8
大分県	12.8	3.2	2.9	6.6	5.8	—	3.5	1.9	17.6	3.2
宮崎県	14.4	4.6	1.8	8.0	5.6	0.3	3.0	1.0	19.1	2.7
鹿児島県	18.9	6.5	2.6	9.7	9.1	0.3	3.7	4.4	17.4	3.5
沖縄県	12.2	3.8	2.1	6.2	3.4	0.4	0.8	0.8	9.7	1.5

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

76-77 腎炎・ネフローゼ症 候群及びネフローゼ 急性糸球体腎炎及 びネフローゼ症候群	76 急性糸球体腎炎及 びネフローゼ症候群	77 その他	78 (男子人口10万対) 前立腺肥大症	79 直接産科的 死 亡			80 間接産科的 死 亡			81 先天異常	82 他の呼吸器病態 の他の呼吸器病態 症・分娩死及び 出産時外傷・低酸素 症
				女子人口 10 万対	出 生 10 万対	出 産 10 万対	女子人口 10 万対	出 生 10 万対	出 産 10 万対		
9.7	2.0	7.6	0.7	0.4	15.8	15.1	0.1	2.6	2.4	3.7	2.8
10.9	3.0	7.9	1.1	0.3	11.0	10.2	0.1	2.7	2.6	4.2	3.1
10.4	2.0	8.4	1.4	0.5	19.6	18.6	—	—	—	4.3	3.8
14.0	3.4	10.6	1.3	0.9	37.7	35.7	0.1	5.4	5.1	3.9	3.4
6.1	1.3	4.9	1.2	0.2	6.6	6.2	—	—	—	3.6	3.3
7.7	1.7	6.1	0.7	0.5	19.7	18.8	0.3	13.1	12.5	4.0	2.4
10.3	2.4	7.9	1.2	0.5	19.0	18.1	—	—	—	3.7	3.6
8.0	2.1	5.9	0.7	0.8	28.0	26.6	0.2	7.0	6.7	3.8	3.0
7.8	2.2	5.6	1.0	0.5	16.8	16.1	—	—	—	3.9	3.6
7.5	1.8	5.7	0.3	0.3	12.1	11.5	—	—	—	3.7	3.5
11.6	1.9	9.7	0.8	0.3	12.4	12.0	—	—	—	4.2	2.5
7.0	1.6	5.4	0.4	0.4	15.1	14.6	—	—	—	3.4	2.9
6.9	1.3	5.7	0.6	0.5	18.3	17.6	—	—	—	3.6	3.3
8.3	1.7	6.5	0.3	0.5	20.9	19.9	0.0	0.7	0.7	3.3	2.2
6.6	1.1	5.4	0.4	0.4	14.3	13.7	0.1	2.2	2.1	3.8	2.5
6.5	2.0	4.5	0.3	0.2	6.5	6.2	—	—	—	3.5	2.8
9.9	2.2	7.8	1.9	0.5	23.5	22.5	0.2	7.8	7.5	3.0	2.3
8.0	1.9	6.1	0.7	—	—	—	—	—	—	3.9	2.7
8.3	2.0	6.3	1.3	0.2	9.8	9.4	—	—	—	2.9	3.1
11.5	2.8	8.7	0.5	0.2	10.1	9.7	0.2	10.1	9.7	1.7	2.3
8.9	1.8	7.1	0.6	0.4	16.0	15.3	—	—	—	3.4	2.5
11.0	2.5	8.5	0.9	0.2	8.2	7.8	—	—	—	3.6	2.9
8.7	1.4	7.2	1.0	0.6	21.8	20.9	0.2	8.7	8.3	4.9	2.4
8.4	1.9	6.4	0.7	0.4	14.6	13.9	—	—	—	4.1	2.2
9.4	1.4	8.0	1.2	0.1	4.9	4.7	0.2	9.8	9.4	3.2	3.2
8.6	2.1	6.5	1.8	—	—	—	0.4	13.1	12.6	4.1	3.1
11.2	2.2	9.0	0.7	0.5	23.0	21.9	0.1	3.3	3.1	3.5	2.7
11.2	2.1	9.0	0.5	0.3	10.4	9.8	0.1	2.8	2.7	3.6	2.6
10.9	1.9	9.0	0.6	0.6	22.8	21.7	0.2	6.1	5.8	3.3	3.0
10.5	1.9	8.6	0.3	0.3	12.6	12.0	0.2	6.3	6.0	3.8	2.6
10.2	1.7	8.5	0.6	0.7	30.8	29.2	—	—	—	4.6	4.1
10.0	3.0	7.1	1.0	0.3	12.6	11.9	0.3	12.6	11.9	4.3	3.8
11.2	3.1	8.1	0.8	1.0	42.7	40.7	0.2	10.7	10.2	4.1	2.8
11.8	2.3	9.4	0.6	0.3	12.7	12.1	—	—	—	3.9	2.4
10.2	2.1	8.1	1.0	0.3	11.2	10.6	0.1	2.8	2.7	3.5	2.7
11.8	2.2	9.6	0.5	0.2	10.6	10.1	—	—	—	4.4	3.7
14.6	2.3	12.3	1.8	0.5	19.5	18.6	—	—	—	4.6	2.8
13.8	3.4	10.4	1.0	0.2	8.1	7.8	—	—	—	4.2	3.9
13.2	2.6	10.6	0.6	0.4	15.9	15.0	0.4	15.9	15.0	3.5	3.8
19.2	5.3	13.9	0.3	0.2	10.2	9.7	0.2	10.2	9.7	5.0	3.0
10.3	2.1	8.3	0.5	0.5	17.5	16.5	0.0	1.6	1.5	3.3	2.6
14.9	2.4	12.5	0.7	0.2	8.2	7.8	—	—	—	2.2	1.7
11.6	3.0	8.6	0.9	0.6	23.0	21.5	—	—	—	5.3	2.2
15.2	2.4	12.8	1.2	0.3	12.6	11.8	—	—	—	4.9	2.8
12.8	2.5	10.3	1.0	0.3	13.1	12.3	0.2	6.6	6.1	3.0	3.5
9.1	1.8	7.3	1.6	0.3	12.0	11.2	—	—	—	4.0	3.1
15.7	3.8	11.9	1.7	0.5	20.3	19.1	0.1	4.1	3.8	3.2	3.8
7.0	1.6	5.4	0.2	0.5	15.0	14.6	—	—	—	4.7	4.4

表 5.18 都道府県別にみた死因

都道府県	84-87 その他の死因	84 新生児破傷風	85 新生児カンジダ感染	86 新生児敗血症	87 その他	88 老精神病の記載のない衰	89 その他すべての疾患	91-101 損傷及び中毒	91 頭蓋骨折	92 その他の骨の骨折
全 国	1.2	—	—	0.1	1.0	23.3	25.8	45.0	5.7	2.6
北海道	0.9	—	—	0.0	0.9	12.4	26.0	47.5	6.3	3.2
青森県	1.4	—	—	0.1	1.3	30.9	25.5	54.0	6.5	2.4
岩手県	1.6	—	—	—	1.6	16.7	29.5	56.7	6.4	3.1
宮城県	1.6	—	—	0.2	1.4	17.4	20.7	43.8	5.5	3.2
秋田県	0.9	—	—	—	0.9	23.1	23.6	55.2	4.6	2.7
山形県	2.5	—	—	0.2	2.3	37.3	28.4	48.2	3.9	2.6
福島県	1.3	—	—	0.1	1.1	38.4	26.6	48.3	5.1	3.1
茨城県	2.1	—	—	0.2	1.9	31.2	24.6	48.7	6.1	3.3
栃木県	2.4	—	—	0.2	2.2	21.1	24.4	48.9	7.7	3.6
群馬県	2.0	—	—	0.2	1.8	24.5	26.5	45.6	6.2	2.1
埼玉県	1.5	—	—	0.2	1.3	15.4	17.8	34.7	4.7	2.0
千葉県	1.3	—	—	0.2	1.2	20.4	19.2	37.1	4.7	2.1
東京都	1.0	—	—	0.2	0.8	10.9	21.0	31.8	4.4	1.7
神奈川県	1.1	—	—	0.2	0.9	12.4	17.8	34.8	5.3	2.1
新潟県	0.9	—	—	0.0	0.8	29.3	27.3	55.1	5.5	2.9
富山県	1.4	—	—	0.4	1.0	23.6	29.6	53.8	5.6	2.9
石川県	1.6	—	—	0.1	1.5	32.9	27.0	43.8	6.0	3.2
福井県	1.3	—	—	0.1	1.1	33.8	32.0	50.9	7.2	3.4
山梨県	1.2	—	—	—	1.2	29.5	32.6	51.9	6.9	3.6
長野県	1.2	—	—	0.1	1.1	29.8	27.9	45.3	4.5	3.1
岐阜県	0.8	—	—	0.2	0.6	28.5	26.0	46.0	6.2	2.7
静岡県	0.9	—	—	0.2	0.7	27.7	23.6	44.6	6.0	2.6
愛知県	0.9	—	—	0.1	0.8	17.2	20.7	39.0	5.5	2.1
三重県	1.1	—	—	0.1	1.0	34.8	32.2	51.8	7.0	2.6
滋賀県	1.8	—	—	—	1.8	29.2	27.4	46.1	6.7	2.2
京都府	0.9	—	—	0.1	0.8	31.0	31.9	42.8	6.4	2.1
大阪府	1.0	—	—	0.1	0.9	17.6	23.0	39.3	5.8	2.1
兵庫県	0.9	—	—	0.1	0.8	34.1	27.6	44.5	5.4	2.5
奈良県	2.0	—	—	0.1	1.9	29.9	23.4	40.9	6.9	1.9
和歌山県	1.3	—	—	—	1.3	51.6	30.2	50.6	7.5	2.8
鳥取県	1.0	—	—	0.2	0.8	42.9	29.6	56.7	5.9	4.1
島根県	0.6	—	—	—	0.6	46.1	34.5	61.6	5.2	3.8
岡山県	0.3	—	—	0.1	0.3	42.1	33.5	53.3	6.7	2.9
広島県	1.2	—	—	0.1	1.1	33.0	29.6	49.3	5.9	2.8
山口県	1.3	—	—	—	1.3	26.3	34.2	58.4	6.9	4.0
徳島県	1.1	—	—	—	1.1	39.3	39.0	61.6	6.6	4.0
香川県	0.7	—	—	0.1	0.6	31.4	33.4	54.8	7.4	3.1
愛媛県	2.0	—	—	0.4	1.6	44.5	32.8	57.6	6.4	3.3
高知県	0.7	—	—	—	0.7	31.7	42.4	69.9	9.6	3.4
福岡県	1.2	—	—	0.2	0.9	15.3	26.1	43.4	6.2	2.3
佐賀県	0.8	—	—	0.2	0.6	27.1	30.7	56.9	8.3	2.6
長崎県	0.6	—	—	0.2	0.4	20.7	34.9	64.4	5.3	2.7
熊本県	1.4	—	—	0.1	1.3	25.5	36.7	47.7	4.9	3.8
大分県	1.7	—	—	—	1.7	23.0	33.0	55.0	6.6	3.0
宮崎県	1.7	—	—	—	1.7	17.4	32.9	54.0	5.8	2.5
鹿児島県	1.3	—	—	—	1.3	34.7	40.0	53.4	4.1	3.4
沖縄県	1.2	—	—	0.1	1.1	36.7	32.7	44.8	5.2	2.5

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

											昭和 57 年
93 頭蓋内損傷 (うものを除く)	94 胸部・腹部及び骨盤の損傷	95 開放創	96 熱傷	97 神経の損傷及びび	98 中毒及び毒作用	99 溺死	100 窒息及び絞首	101 その他の損傷	E104-E117 損傷及び中毒の死	E104-E117 損傷及び中毒の死	E 104 自動車事故
5.6	3.3	0.8	1.9	0.3	4.4	5.4	10.3	4.6	45.0	24.7	10.5
4.6	3.9	0.6	1.6	0.3	4.8	5.9	11.2	5.1	47.5	27.2	13.0
6.8	3.1	0.9	4.0	0.2	5.2	6.4	13.9	4.6	54.0	30.8	13.4
5.1	4.1	0.6	1.8	0.6	4.3	7.4	16.9	6.2	56.7	31.1	11.3
3.1	2.6	0.8	1.7	0.0	5.8	7.9	8.9	4.3	43.8	24.4	9.1
4.4	3.1	0.9	3.1	0.6	6.0	8.4	15.8	5.6	55.2	28.7	10.0
6.0	2.2	0.6	2.2	0.2	5.0	7.7	12.4	5.4	48.2	27.0	9.6
5.8	3.3	0.7	2.3	0.2	5.4	5.9	10.7	5.9	48.3	28.2	11.7
8.5	3.8	0.8	2.2	0.5	6.7	4.7	6.6	5.4	48.7	30.9	17.4
6.3	3.4	0.7	1.8	0.4	8.1	3.5	9.7	3.6	48.9	26.8	14.7
6.4	2.5	0.5	2.1	0.4	7.5	3.8	9.9	4.1	45.6	23.6	11.4
5.0	2.2	0.7	2.0	0.2	3.7	3.1	7.3	3.7	34.7	18.0	9.2
5.7	2.6	0.5	2.0	0.2	3.6	4.1	7.9	3.7	37.1	20.9	10.3
4.3	3.0	0.8	1.5	0.2	2.7	3.1	6.8	3.3	31.8	15.2	6.0
4.0	3.3	0.8	1.6	0.5	2.8	3.7	7.5	3.2	34.8	18.3	7.8
5.2	2.9	0.6	1.9	0.3	5.4	7.5	17.2	5.7	55.1	27.4	10.6
6.1	3.3	0.4	2.3	0.4	5.6	8.2	12.1	7.0	53.8	32.1	11.7
4.9	3.0	0.4	2.3	0.3	3.0	6.5	9.1	5.2	43.8	27.3	10.9
7.0	2.9	0.9	3.0	0.5	2.3	6.5	12.7	4.5	50.9	31.2	14.4
6.9	3.6	0.7	1.6	0.1	8.5	4.3	10.6	4.9	51.9	29.9	13.6
4.9	3.1	0.5	2.1	0.5	4.6	6.1	11.3	4.8	45.3	25.7	10.2
5.3	3.3	0.7	2.1	0.4	3.6	4.2	12.6	4.9	46.0	24.4	10.5
7.9	2.6	0.5	2.1	0.3	4.8	4.2	8.5	5.1	44.6	27.0	13.5
5.1	3.0	0.5	1.8	0.3	4.1	4.0	8.6	4.0	39.0	21.5	10.4
8.1	3.0	0.6	2.3	0.5	4.7	6.1	10.8	6.0	51.8	31.9	14.2
7.7	3.7	0.8	1.2	0.6	2.9	5.1	10.5	4.7	46.1	28.9	14.3
5.4	2.4	0.8	2.1	0.5	3.5	4.5	9.5	5.6	42.8	23.4	10.2
4.0	3.1	0.8	1.6	0.1	3.7	3.3	11.0	3.7	39.3	17.4	7.5
5.9	3.1	0.9	1.8	0.3	4.4	4.9	10.7	4.7	44.5	23.7	10.0
5.6	3.8	1.1	1.7	0.2	3.9	4.1	8.9	2.9	40.9	22.2	10.4
6.4	2.9	0.7	1.3	0.6	5.1	6.8	12.7	4.0	50.6	27.8	10.8
6.4	3.8	1.8	2.1	0.3	3.5	10.9	11.5	6.4	56.7	33.7	14.0
7.3	3.3	0.6	1.9	0.3	4.8	8.5	19.2	6.6	61.6	31.7	10.2
7.8	3.9	0.7	3.1	0.4	4.2	7.6	9.6	6.4	53.3	33.2	13.2
6.8	3.7	1.0	2.4	0.3	3.4	6.8	11.9	4.3	49.3	29.2	11.4
6.5	4.1	1.1	2.6	0.3	6.8	7.9	12.8	5.4	58.4	32.2	11.7
9.3	4.3	1.1	3.0	0.4	4.8	8.8	13.6	5.6	61.6	37.2	14.1
8.9	2.4	0.5	2.2	0.4	4.8	11.3	8.3	5.5	54.8	34.3	16.4
6.7	4.3	1.3	2.8	0.3	6.3	8.9	10.4	6.8	57.6	35.0	12.2
7.0	4.9	1.3	3.4	0.7	6.4	12.0	14.5	6.7	69.9	43.3	17.0
5.6	3.1	1.0	1.5	0.4	4.5	5.0	9.7	3.8	43.4	23.9	10.4
7.4	3.7	1.3	1.3	—	7.4	7.9	11.8	5.3	56.9	34.9	14.3
6.2	12.4	0.6	2.2	0.1	4.3	12.1	12.2	6.2	64.4	44.7	8.5
5.4	2.9	0.9	1.3	0.3	6.2	6.1	11.3	4.6	47.7	27.8	10.1
7.5	3.9	0.8	1.6	0.5	5.8	6.2	13.3	5.8	55.0	32.4	11.9
5.7	2.9	1.2	1.7	0.4	7.0	7.6	13.8	5.4	54.0	31.1	11.9
6.7	3.1	0.9	2.6	0.1	5.8	6.9	13.9	5.8	53.4	30.9	10.2
5.0	4.1	0.8	1.7	0.2	3.2	8.1	10.0	4.0	44.8	26.7	11.8

表 5.18 都道府県別にみた死因

都道府県	E 105 交通事故 以外の	E 106 不慮の 中毒	E 107 不慮の 墜落	E 108 火災 による 不慮の 事故 及び 火災	E 109 天 災	E 110 不慮の 溺死	E 111 不慮の 機械的 窒息	E 112 不慮の 打撲	E 113 不慮の 工業性 を主と する事 故	E 114 事故及び 有害作用 その他の 不慮の
全 国	1.2	0.6	3.5	1.0	0.4	2.8	1.9	0.5	1.1	1.2
北海道	1.2	0.9	2.3	1.2	—	2.7	2.1	0.9	1.7	1.3
青森	1.8	0.6	2.6	2.7	—	3.2	1.8	1.0	2.3	1.4
岩手	1.5	0.7	3.7	1.3	0.1	3.9	3.8	1.3	1.8	1.8
宮城	1.9	1.1	2.7	1.0	0.0	4.1	1.9	0.3	1.1	1.2
秋田	1.3	0.9	3.1	1.9	—	5.0	2.4	0.4	2.2	1.5
山形	1.0	0.6	3.0	1.0	—	5.1	2.2	0.8	2.1	1.8
福島	0.7	0.8	3.3	1.4	0.1	3.4	2.7	1.1	1.5	1.5
茨城	1.2	0.7	3.4	0.7	—	2.6	2.1	0.3	1.5	1.0
栃木	0.9	0.8	2.9	1.1	0.1	2.4	1.4	0.6	1.2	0.7
群馬	0.9	1.0	3.4	0.9	0.1	1.5	2.0	0.4	0.9	1.1
埼玉県	0.5	0.4	2.3	0.8	0.0	1.7	1.3	0.2	0.7	0.7
千葉県	1.1	0.5	2.3	0.9	0.0	2.3	1.5	0.3	0.8	0.9
東京都	0.5	0.4	3.1	0.8	0.1	1.7	1.4	0.2	0.4	0.7
神奈川県	0.6	0.4	2.9	0.7	0.1	2.2	1.5	0.3	0.6	1.1
新潟	1.5	1.1	3.9	1.3	0.0	3.4	2.3	0.5	1.2	1.7
富山	1.1	1.4	3.3	1.2	—	5.1	3.7	1.0	1.4	2.3
石川	2.0	0.4	3.8	1.1	—	3.2	2.5	0.7	1.2	1.4
福井	1.3	0.3	4.9	1.9	—	3.8	1.5	0.9	1.4	0.9
山梨	0.5	0.7	5.1	1.1	1.0	2.5	2.1	0.7	2.0	0.6
長野	0.8	1.1	3.5	1.2	0.2	3.4	1.9	0.8	1.1	1.5
岐阜	1.1	0.6	4.0	1.0	—	2.0	2.2	0.6	1.5	0.9
静岡県	0.9	0.4	3.8	1.1	0.5	2.2	2.0	0.5	0.9	1.2
愛知県	0.7	0.6	2.7	1.0	0.0	2.0	2.0	0.4	1.0	0.7
三重	1.6	0.8	3.9	1.5	1.5	3.3	2.6	0.4	0.9	1.3
滋賀	1.5	0.8	3.2	0.9	—	2.4	2.3	1.1	1.1	1.3
京都府	1.0	0.4	3.7	1.4	—	2.4	1.9	0.2	0.9	1.3
大阪府	0.6	0.4	2.9	0.8	0.1	1.4	1.6	0.2	0.9	0.9
兵庫県	1.0	0.6	4.2	1.0	0.1	2.3	1.7	0.4	1.1	1.3
奈良	1.0	0.5	2.9	0.5	0.8	1.8	0.6	0.5	1.8	1.4
和歌山	1.8	0.8	5.2	0.6	—	3.8	1.8	0.6	0.9	1.4
鳥取県	1.5	0.5	4.1	1.5	—	6.3	3.1	0.7	0.7	1.5
島根	2.4	0.6	4.7	0.9	—	4.2	2.4	1.1	1.9	3.2
岡山	1.4	0.9	5.2	1.6	0.1	3.9	2.4	0.7	1.7	2.2
広島	2.2	0.5	4.9	1.1	0.2	3.6	2.0	0.5	1.3	1.4
山口	2.7	0.8	5.9	1.6	0.2	3.6	2.1	0.6	1.6	1.3
徳島	1.6	0.8	5.9	1.6	—	5.1	3.1	1.1	2.4	1.4
香川県	2.7	0.3	4.3	1.1	—	5.0	1.9	0.5	1.1	1.2
愛媛	3.0	1.1	6.1	1.8	0.2	5.0	2.0	0.4	1.7	1.6
高松	2.9	1.3	5.9	1.9	—	7.0	2.0	1.4	1.8	2.0
福岡	1.9	0.6	3.5	0.8	0.1	2.5	1.6	0.4	1.0	1.2
佐賀	2.5	0.7	4.8	0.8	0.2	4.8	3.0	0.5	1.5	1.8
長崎	2.6	0.4	4.3	0.9	1.2	4.0	3.1	0.4	1.3	1.1
熊本	1.3	1.4	4.1	0.4	1.2	4.0	2.0	0.7	0.6	1.9
大分	2.3	0.9	6.4	0.7	0.7	3.4	2.3	0.2	1.9	1.7
宮崎	0.9	0.7	4.0	1.0	0.9	4.9	3.4	0.5	1.5	1.3
鹿児島	1.3	1.6	4.6	1.9	—	4.1	2.3	1.4	1.7	1.9
沖縄	0.7	0.8	2.5	0.7	—	5.2	2.1	0.5	1.4	0.8

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 57 年

E 115 自殺	E 116 他 殺	E 117 その他の 外 因	1 ~ 26 感染症及び 寄生虫症	5, 6 結 核	46, 51-52, 54-56 心 疾	62, 63, 66 肺炎及び 気管支炎	4, 72 胃 腸 炎	79, 80 妊産婦死亡		
殺	殺	殺	核	患	患	患	患	女子人口 10 万対	出 生 10 万対	出 産 10 万対
17.5	0.9	1.8	9.4	4.5	106.7	35.0	2.5	0.5	18.4	17.5
17.9	0.9	1.5	8.3	3.5	109.7	36.5	1.6	0.3	13.7	12.8
20.8	1.0	1.4	11.1	6.3	109.5	40.9	2.1	0.5	19.6	18.6
24.1	0.6	0.9	9.2	4.0	116.8	48.5	2.0	1.1	43.1	40.8
17.2	0.8	1.5	6.4	2.9	95.2	29.9	1.4	0.2	6.6	6.2
24.9	0.6	1.0	9.1	3.1	126.4	41.2	2.9	0.8	32.9	31.3
19.3	0.7	1.2	8.3	2.6	124.9	40.1	3.4	0.5	19.0	18.1
18.1	0.7	1.4	8.4	3.6	117.8	41.7	2.9	1.0	35.1	33.3
15.4	1.2	1.3	8.0	2.8	112.5	34.1	2.8	0.5	16.8	16.1
20.0	1.0	1.1	9.6	3.9	108.6	39.9	4.4	0.3	12.1	11.5
19.6	0.7	1.7	7.6	3.1	119.1	43.2	2.7	0.3	12.4	12.0
15.1	0.9	0.7	6.4	2.9	77.6	23.4	1.7	0.4	15.1	14.6
14.4	0.7	1.1	6.5	2.7	83.0	23.0	2.0	0.5	18.3	17.6
14.4	1.0	1.2	8.3	4.1	86.8	32.6	1.4	0.5	21.7	20.6
13.5	1.0	2.0	6.8	3.5	74.2	24.0	0.8	0.4	16.5	15.9
25.3	1.0	1.3	7.2	3.0	104.1	44.7	3.6	0.2	6.5	6.2
20.5	0.3	1.0	10.1	5.1	114.3	40.2	3.8	0.7	31.3	29.9
14.9	0.6	1.1	10.9	5.3	111.9	43.9	3.0	—	—	—
17.7	0.9	1.1	11.1	4.4	132.7	36.7	5.4	0.2	9.8	9.4
20.1	0.4	1.5	8.0	2.8	131.4	39.1	3.6	0.5	20.3	19.3
18.2	0.4	1.1	8.1	3.4	119.7	35.6	3.2	0.4	16.0	15.3
19.8	0.7	1.2	11.8	6.9	112.6	33.6	3.7	0.2	8.2	7.8
14.9	0.9	1.8	8.6	4.0	105.7	34.8	2.6	0.8	30.5	29.2
15.5	0.6	1.3	9.9	5.5	93.1	27.0	2.5	0.4	14.6	13.9
18.0	0.8	1.1	10.6	5.1	124.9	36.2	3.2	0.3	14.7	14.0
14.9	1.0	1.4	10.2	5.1	109.6	32.2	3.8	0.4	13.1	12.6
17.5	0.7	1.3	10.5	5.3	121.8	34.4	2.5	0.6	26.2	25.0
17.9	1.2	2.9	10.3	5.3	98.5	29.8	1.7	0.3	13.2	12.4
18.0	0.9	2.0	10.9	5.7	110.4	32.3	3.2	0.7	28.8	27.5
16.3	1.0	1.4	7.7	3.1	112.6	26.8	2.6	0.5	18.8	18.0
19.9	1.0	1.8	13.5	9.8	150.1	33.2	2.7	0.7	30.8	29.2
18.1	1.0	3.9	9.4	3.6	136.0	45.4	2.6	0.6	25.2	23.8
27.5	0.1	2.3	9.2	3.3	145.2	53.4	3.4	1.2	53.4	50.8
17.1	1.0	2.1	11.1	4.6	122.6	47.8	3.5	0.3	12.7	12.1
16.7	0.9	2.5	8.8	4.2	107.6	42.3	2.7	0.4	14.0	13.3
23.2	1.3	1.8	10.9	5.1	127.3	50.7	2.9	0.2	10.6	10.1
20.3	1.3	2.8	13.2	6.3	146.9	53.9	4.0	0.5	19.5	18.6
17.7	0.7	2.1	10.2	4.0	148.9	48.2	4.9	0.2	8.1	7.8
19.3	0.9	2.4	11.3	5.7	133.6	42.4	2.6	0.8	31.9	30.1
23.8	1.0	1.8	12.1	5.2	170.6	58.7	3.0	0.5	20.4	19.3
16.2	1.2	2.1	10.7	5.9	109.5	35.2	1.7	0.5	19.1	18.0
19.1	2.1	0.8	13.3	6.4	129.2	40.6	4.8	0.2	8.2	7.8
16.6	0.8	2.3	10.0	5.0	129.5	48.1	3.3	0.6	23.0	21.5
18.3	0.9	0.8	14.6	7.6	138.2	41.4	3.7	0.3	12.6	11.8
20.3	1.3	1.1	14.4	7.4	144.5	44.7	4.0	0.5	19.7	18.4
20.9	1.4	0.6	11.3	6.1	136.5	43.6	2.1	0.3	12.0	11.2
19.8	0.4	2.3	13.9	7.1	146.1	50.8	6.0	0.6	24.3	22.9
14.7	1.9	1.6	9.1	3.0	73.1	29.0	1.6	0.5	15.0	14.6