

周産期死亡 第5表 周産期死亡数，出産時の体重；出産時
5表(6-1)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産一複産 Plurality of Birth 妊 娠 期 間 Period of Gestation	総 数 Total				0.5 kg 未 満 Under 0.5 kg				0.5 ~		
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female
総 数 Total	15 303	8 378	6 781	144	308	142	128	38	2 033	1 032	966
妊娠満28週未満 Under 28 weeks gestation	1 006	547	459	-	63	36	27	-	740	383	357
満28週～満31週 28-31 weeks	3 328	1 827	1 451	50	169	74	78	17	946	479	457
満32週～満35週 32-35 weeks	3 203	1 787	1 379	37	29	13	11	5	273	139	131
満36週～満39週 36-39 weeks	4 631	2 563	2 023	45	36	13	8	15	67	29	36
満40週～満43週 40-43 weeks	3 039	1 603	1 424	12	11	6	4	1	6	2	4
満44週～ 44 completed weeks and over	31	14	17	-	-	-	-	-	-	-	-
不 詳 (再 掲)	65	37	28	-	-	-	-	-	1	-	1
早期 (満37週未満) Pre-term	8 504	4 694	3 716	94	268	126	119	23	1 988	1 013	961
満28週未満 under 28 weeks	1 006	547	459	-	63	36	27	-	740	383	357
満28週～満31週 28-31 weeks	3 328	1 827	1 451	50	169	74	78	17	946	479	457
満32週～満36週 32-36 weeks	4 170	2 320	1 806	44	36	16	14	6	302	151	147
正期 (満37週～満41週) Term	6 237	3 381	2 807	49	39	16	9	14	44	19	24
過期 (満42週～) Post-term	497	266	230	1	1	-	-	1	-	-	-
単 産 Single	14 210	7 793	6 307	110	220	102	99	19	1 791	906	872
妊娠満28週未満 Under 28 weeks gestation	853	471	382	-	43	27	16	-	628	330	298
満28週～満31週 28-31 weeks	3 049	1 665	1 341	43	149	63	72	14	861	430	422
満32週～満35週 32-35 weeks	2 996	1 672	1 293	31	19	7	8	4	246	123	120
満36週～満39週 36-39 weeks	4 265	2 374	1 865	26	4	3	-	1	52	22	29
満40週～満43週 40-43 weeks	2 951	1 560	1 381	10	5	2	3	-	3	1	2
満44週～ 44 completed weeks and over	31	14	17	-	-	-	-	-	-	-	-
不 詳 (再 掲)	65	37	28	-	-	-	-	-	1	-	1
早期 (満37週未満) Pre-term	7 785	4 303	3 403	79	211	97	96	18	1 759	893	854
満28週未満 under 28 weeks	853	471	382	-	43	27	16	-	628	330	298
満28週～満31週 28-31 weeks	3 049	1 665	1 341	43	149	63	72	14	861	430	422
満32週～満36週 32-36 weeks	3 883	2 167	1 680	36	19	7	8	4	270	133	134
正期 (満37週～満41週) Term	5 868	3 190	2 647	31	9	5	3	1	31	13	17
過期 (満42週～) Post-term	492	263	229	-	-	-	-	-	-	-	-
複 産 Plural	1 093	585	474	34	88	40	29	19	242	126	114
妊娠満28週未満 Under 28 weeks gestation	153	76	77	-	20	9	11	-	112	53	59
満28週～満31週 28-31 weeks	279	162	110	7	20	11	6	3	85	49	35
満32週～満35週 32-35 weeks	207	115	86	6	10	6	3	1	27	16	11
満36週～満39週 36-39 weeks	366	189	158	19	32	10	8	14	15	7	7
満40週～満43週 40-43 weeks	88	43	43	2	6	4	1	1	3	1	2
満44週～ 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-
不 詳 (再 掲)	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Pre-term	719	391	313	15	57	29	23	5	229	120	107
満28週未満 under 28 weeks	153	76	77	-	20	9	11	-	112	53	59
満28週～満31週 28-31 weeks	279	162	110	7	20	11	6	3	85	49	35
満32週～満36週 32-36 weeks	287	153	126	8	17	9	6	2	32	18	13
正期 (満37週～満41週) Term	369	191	160	18	30	11	6	13	13	6	7
過期 (満42週～) Post-term	5	3	1	1	1	-	-	1	-	-	-

の平均体重，妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH
(早期一正期一過期再掲) 別 昭和57年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1982

0.9kg Not stated	1.0 ~ 1.4 kg				1.5 ~ 1.9 kg				2.0 ~ 2.4 kg			
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
15	2 769	1 514	1 232	23	2 477	1 381	1 068	28	2 250	1 237	997	16
-	189	121	68	-	10	5	5	-	-	-	-	-
10	1 416	802	604	10	581	356	221	4	145	82	61	2
3	851	440	400	11	1 005	566	428	11	696	413	279	4
2	277	134	141	2	723	378	337	8	1 070	582	480	8
-	36	17	19	-	157	76	76	5	337	159	176	2
-	-	-	-	-	1	-	1	-	2	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
14	2 569	1 423	1 125	21	1 855	1 060	779	16	1 103	641	453	9
-	189	121	68	-	10	5	5	-	-	-	-	-
10	1 416	802	604	10	581	356	221	4	145	82	61	2
4	964	500	453	11	1 264	699	553	12	958	559	392	7
1	196	90	104	2	602	314	276	12	1 097	565	525	7
-	4	1	3	-	20	7	13	-	50	31	19	-
13	2 521	1 377	1 123	21	2 270	1 279	967	24	2 096	1 148	933	15
-	170	108	62	-	10	5	5	-	-	-	-	-
9	1 291	731	551	9	538	330	205	3	144	81	61	2
3	797	410	377	10	936	531	396	9	658	389	266	3
1	233	112	119	2	643	344	291	8	979	529	442	8
-	30	16	14	-	142	69	69	4	313	148	163	2
-	-	-	-	-	1	-	1	-	2	1	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
12	2 358	1 303	1 036	19	1 710	985	712	13	1 055	613	434	8
-	170	108	62	-	10	5	5	-	-	-	-	-
9	1 291	731	551	9	538	330	205	3	144	81	61	2
3	897	464	423	10	1 162	650	502	10	911	532	373	6
1	159	73	84	2	540	287	242	11	993	506	480	7
-	4	1	3	-	20	7	13	-	48	29	19	-
2	248	137	109	2	207	102	101	4	154	89	64	1
-	19	13	6	-	-	-	-	-	-	-	-	-
1	125	71	53	1	43	26	16	1	38	24	13	1
-	54	30	23	1	69	35	32	2	91	53	38	-
1	44	22	22	-	80	34	46	1	24	11	13	-
-	6	1	5	-	15	7	7	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	211	120	89	2	145	75	67	3	48	28	19	1
-	19	13	6	-	-	-	-	-	1	1	-	-
1	125	71	53	1	43	26	16	1	47	27	19	1
1	67	36	30	1	102	49	51	2	104	59	45	-
-	37	17	20	-	62	27	34	1	2	2	-	-

周産期死亡

5 表 (6-2)

第5表 周産期死亡数, 出産時の体重: 出産時

単産-複産・妊娠期間(4週区分)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

総 数 Total		(再 掲) (Secondary Mention) 2500 g ちょうど Just 2500 g												
単 産 一 複 産 Plurality of Birth 妊 娠 期 間 Period of Gestation	2.5 ~ 2.9 kg								3.0 ~ 3.4 kg				3.5	
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	
総 数 Total	2 304	1 276	1 018	10	129	73	54	2	1 951	1 085	865	1	807	
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	
満28週～満31週 28-31 weeks	36	21	15	-	4	3	1	-	7	5	2	-	4	
満32週～満35週 32-35	248	165	82	1	33	19	14	-	62	31	31	-	13	
満36週～満39週 36-39	1 234	695	531	8	62	38	23	1	828	484	344	-	275	
満40週～満43週 40-43	776	392	383	1	29	13	15	1	1 043	559	483	1	508	
満44週～ 44 completed weeks and over	10	3	7	-	1	-	1	-	8	3	5	-	7	
不 詳 Not stated (再 掲)	-	-	-	-	-	-	-	-	3	3	-	-	-	
早期(満37週未満) Pre-term	491	311	178	2	53	33	20	-	131	73	58	-	55	
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-	
満28週～満31週 28-31	36	21	15	-	4	3	1	-	7	5	2	-	4	
満32週～満36週 32-36	455	290	163	2	49	30	19	-	124	68	56	-	31	
正期(満37週～満41週) Term	1 683	898	777	8	74	39	33	2	1 646	917	728	1	682	
過期(満42週～) Post-term	130	67	63	-	2	1	1	-	171	92	79	-	90	
単 産 Single	2 194	1 210	977	7	124	71	51	2	1 918	1 065	852	1	805	
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	
満28週～満31週 28-31	33	18	15	-	4	3	1	-	7	5	2	-	4	
満32週～満35週 32-35	242	161	81	-	33	19	14	-	60	31	29	-	13	
満36週～満39週 36-39	1 158	648	504	6	58	37	20	1	805	471	334	-	274	
満40週～満43週 40-43	751	380	370	1	28	12	15	1	1 035	552	482	1	508	
満44週～ 44 completed weeks and over	10	3	7	-	1	-	1	-	8	3	5	-	7	
不 詳 Not stated (再 掲)	-	-	-	-	-	-	-	-	3	3	-	-	-	
早期(満37週未満) Pre-term	471	295	175	1	52	33	19	-	128	73	55	-	33	
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-	
満28週～満31週 28-31	33	18	15	-	4	3	1	-	7	5	2	-	4	
満32週～満36週 32-36	438	277	160	1	48	30	18	-	121	68	53	-	30	
正期(満37週～満41週) Term	1 593	848	739	6	70	37	31	2	1 618	898	719	1	682	
過期(満42週～) Post-term	130	67	63	-	2	1	1	-	169	91	78	-	90	
複 産 Plural	110	66	41	3	5	2	3	-	33	20	13	-	2	
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	
満28週～満31週 28-31	3	3	-	-	-	-	-	-	-	-	-	-	-	
満32週～満35週 32-35	6	4	1	1	-	-	-	-	-	-	-	-	1	
満36週～満39週 36-39	76	47	27	2	4	1	3	-	2	-	2	-	-	
満40週～満43週 40-43	25	12	13	-	1	1	-	-	23	13	10	-	1	
満44週～ 44 completed weeks and over	-	-	-	-	-	-	-	-	8	7	1	-	-	
不 詳 Not stated (再 掲)	-	-	-	-	-	-	-	-	-	-	-	-	-	
早期(満28週未満) Pre-term	20	16	3	1	1	-	1	-	3	-	3	-	2	
満28週未満 under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-	
満28週～満31週 28-31	3	3	-	-	-	-	-	-	-	-	-	-	1	
満32週～満36週 32-36	17	13	3	1	1	-	1	-	-	-	-	-	1	
正期(満37週～満41週) Term	90	50	38	2	4	2	2	-	3	-	3	-	-	
過期(満42週～) Post-term	-	-	-	-	-	-	-	-	28	19	9	-	-	

の平均体重, 妊娠満28週以後の死産-早期新生児死亡・性・ PERINATAL DEATH

(早期-正期-過期再掲)別 昭和57年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1982-CON.

～ 3.9 kg			4.0 kg ～ and over				不 詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
487	319	1	262	154	108	-	142	70	60	12	2.06	2.10	2.03	1.25
-	-	-	-	-	-	-	4	2	2	-	0.82	0.84	0.79	-
1	2	1	-	-	-	-	24	7	11	6	1.21	1.24	1.18	0.86
6	7	-	15	9	6	-	11	5	4	2	1.75	1.79	1.71	1.38
179	96	-	97	58	39	-	24	11	11	2	2.52	2.57	2.48	1.39
296	212	-	147	85	62	-	18	11	5	2	3.03	3.07	2.99	1.88
5	2	-	3	2	1	-	-	-	-	-	3.16	3.33	3.01	-
-	-	-	-	-	-	-	61	34	27	-	2.70	3.28	0.95	-
18	16	1	19	11	8	-	45	18	19	8	1.47	1.51	1.43	1.14
-	-	-	-	-	-	-	4	2	2	-	0.82	0.84	0.79	-
1	2	1	-	-	-	-	24	7	11	6	1.21	1.24	1.18	0.86
17	14	-	19	11	8	-	17	9	6	2	1.84	1.88	1.80	1.44
419	263	-	216	128	88	-	32	15	13	4	2.78	2.83	2.75	1.48
50	40	-	27	15	12	-	4	3	1	-	3.09	3.11	3.07	0.05
486	319	-	260	152	108	-	135	68	57	10	2.11	2.14	2.08	1.37
-	-	-	-	-	-	-	2	1	1	-	0.83	0.85	0.81	-
1	2	-	-	-	-	-	23	6	11	6	1.22	1.25	1.19	0.80
6	7	-	15	9	6	-	10	5	3	2	1.76	1.81	1.72	1.34
178	96	-	95	56	39	-	22	11	11	-	2.57	2.61	2.52	1.99
296	212	-	147	85	62	-	17	11	4	2	3.05	3.10	3.01	2.13
5	2	-	3	2	1	-	-	-	-	-	3.16	3.33	3.01	-
-	-	-	-	-	-	-	61	34	27	-	2.70	3.28	0.95	-
17	16	-	19	11	8	-	41	16	17	8	1.50	1.54	1.45	1.12
-	-	-	-	-	-	-	2	1	1	-	0.83	0.85	0.81	-
1	2	-	-	-	-	-	23	6	11	6	1.22	1.25	1.19	0.80
16	14	-	19	11	8	-	16	9	5	2	1.86	1.90	1.81	1.47
419	263	-	214	126	88	-	29	15	12	2	2.83	2.87	2.79	1.98
50	40	-	27	15	12	-	4	3	1	-	3.10	3.12	3.07	-
1	-	1	2	2	-	-	7	2	3	2	1.51	1.57	1.48	0.88
-	-	-	-	-	-	-	2	1	1	-	0.76	0.80	0.72	-
-	-	1	-	-	-	-	1	1	-	-	1.10	1.13	1.06	1.22
-	-	-	-	-	-	-	1	-	1	-	1.54	1.53	1.55	1.62
1	-	-	2	2	-	-	2	-	-	2	1.97	2.11	1.95	0.48
-	-	-	-	-	-	-	1	-	1	-	2.12	2.22	2.07	0.90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	1	-	-	-	-	4	2	2	-	1.23	1.25	1.19	1.26
-	-	-	-	-	-	-	2	1	1	-	0.76	0.80	0.72	-
-	-	1	-	-	-	-	1	1	-	-	1.10	1.13	1.06	1.22
1	-	-	-	-	-	-	1	-	1	-	1.59	1.61	1.60	1.29
-	-	-	2	2	-	-	3	-	-	2	2.05	2.18	2.04	0.58
-	-	-	-	-	-	-	-	-	-	-	2.23	2.68	3.05	0.05

周産期死亡

5 表 (6-3)

第5表 周産期死亡数, 出産時の体重; 出産時

単産・複産・妊娠期間 (4 週区分)

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産・複産 Plurality of Birth 妊娠期間 Period of Gestation	総 数 Total				0.5 kg 未 満 Under 0.5 kg				0.5 ~		
	総 数	男	女	不 詳	総 数	男	女	不 詳	総 数	男	女
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female
総 数 Total	10 236	5 432	4 660	144	243	105	100	38	1 141	566	50
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	2 457	1 282	1 125	50	167	73	77	17	812	404	338
満32週～満35週 32-35	2 471	1 327	1 107	37	29	13	11	5	260	135	122
満36週～満39週 36-39	3 300	1 778	1 477	45	36	13	8	15	63	25	36
満40週～満43週 40-43	1 985	1 033	940	12	11	6	4	1	6	2	4
満44週～ 44 completed weeks and over	23	12	11	-	-	-	-	-	-	-	-
不 詳 Not stated (再 掲)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	5 665	3 013	2 558	94	203	89	91	23	1 099	549	536
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	2 457	1 282	1 125	50	167	73	77	17	812	404	338
満32週～満36週 32-36	3 208	1 731	1 433	44	36	16	14	6	287	145	138
正期 (満37週～満41週) Term	4 249	2 252	1 948	49	39	16	9	14	42	17	24
満42週～ Post-term	322	167	154	1	1	-	-	1	-	-	-
単 産 Single	9 544	5 074	4 360	110	175	74	82	19	1 036	511	512
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	2 293	1 195	1 055	43	147	62	71	14	751	372	370
満32週～満35週 32-35	2 318	1 247	1 040	31	19	7	8	4	233	119	111
満36週～満39週 36-39	2 999	1 622	1 351	26	4	3	-	-	49	19	29
満40週～満43週 40-43	1 911	998	903	10	5	2	3	-	3	1	2
満44週～ 44 completed weeks and over	23	12	11	-	-	-	-	-	-	-	-
不 詳 Not stated (再 掲)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	5 281	2 812	2 390	79	166	69	79	18	1 006	499	495
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	2 293	1 195	1 055	43	147	62	71	14	751	372	370
満32週～満36週 32-36	2 988	1 617	1 335	36	19	7	8	4	255	127	125
正期 (満37週～満41週) Term	3 944	2 096	1 817	31	9	5	3	1	30	12	17
満42週～ Post-term	319	166	153	-	-	-	-	-	-	-	-
複 産 Plural	692	358	300	34	68	31	18	19	105	55	48
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	164	87	70	7	20	11	6	3	61	32	28
満32週～満35週 32-35	153	80	67	6	10	6	3	1	27	16	11
満36週～満39週 36-39	301	156	126	19	32	10	8	14	14	6	7
満40週～満43週 40-43	74	35	37	2	6	4	1	1	3	1	2
満44週～ 44 completed weeks and over	.	.	.	.	.	.	.	.	.	.	.
不 詳 Not stated (再 掲)	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	384	201	168	15	37	20	12	5	93	50	41
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	164	87	70	7	20	11	6	3	61	32	28
満32週～満36週 32-36	220	114	98	8	17	9	6	2	32	18	13
正期 (満37週～満41週) Term	305	156	131	18	30	11	6	13	12	5	7
満42週～ Post-term	3	1	1	1	1	-	-	1	-	-	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・ PERINATAL DEATH

(早期—正期—過期再掲) 別 昭和57年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1982—CON.

0.9kg	1.0 ~ 1.4 kg				1.5 ~ 1.9 kg				2.0 ~ 2.4 kg			
不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
15	1 919	1 001	895	23	1 748	946	774	28	1 608	850	742	16
.	.	.	.	.	.	.	.	.	.	.	.	.
10	924	501	413	10	369	209	156	4	121	63	56	2
3	739	373	355	11	721	396	314	11	482	267	211	4
2	230	114	114	2	555	293	254	8	776	408	360	8
-	26	13	13	-	102	48	49	5	228	111	115	2
-	-	-	-	-	1	-	1	-	1	1	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
14	1 762	930	811	21	1 290	709	565	16	798	439	350	9
.	.	.	.	.	.	.	.	.	.	.	.	.
10	924	501	413	10	369	209	156	4	121	63	56	2
4	838	429	398	11	921	500	409	12	677	376	294	7
1	155	70	83	2	449	235	202	12	779	391	381	7
-	2	1	1	-	9	2	7	-	31	20	11	-
13	1 778	933	824	21	1 611	879	708	24	1 491	783	693	15
.	.	.	.	.	.	.	.	.	.	.	.	.
9	869	474	386	9	347	197	147	3	120	62	56	2
3	697	351	336	10	679	377	293	9	456	251	202	3
1	192	96	94	2	494	261	225	8	707	367	332	8
-	20	12	8	-	90	44	42	4	207	102	103	2
-	-	-	-	-	1	-	1	-	1	1	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
12	1 653	875	759	19	1 200	665	522	13	765	420	337	8
.	.	.	.	.	.	.	.	.	.	.	.	.
9	869	474	386	9	347	197	147	3	120	62	56	2
3	784	401	373	10	853	468	375	10	645	358	281	6
1	123	57	64	2	402	212	179	11	696	344	345	7
-	2	1	1	-	9	2	7	-	30	19	11	-
2	141	68	71	2	137	67	66	4	117	67	49	1
.	.	.	.	.	.	.	.	.	.	.	.	.
1	55	27	27	1	22	12	9	1	1	1	-	-
-	42	22	19	1	42	19	21	2	26	16	9	1
1	38	18	20	-	61	32	29	-	69	41	28	-
-	6	1	5	-	12	4	7	1	21	9	12	-
.	.	.	.	.	.	.	.	.	.	.	.	.
2	109	55	52	2	90	44	43	3	33	19	13	1
.	.	.	.	.	.	.	.	.	.	.	.	.
1	55	27	27	1	22	12	9	1	1	1	-	-
1	54	28	25	1	68	32	34	2	32	18	13	1
-	32	13	19	-	47	23	23	-	83	47	36	-
-	-	-	-	-	-	-	-	-	1	1	-	-

周産期死亡

5 表 (6-4)

第5表 周産期死亡数, 出産時の体重; 出産時

単産—複産・妊娠期間(4週区分)・

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500g ちょうど Just 2500g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	1 571	856	705	10	92	50	40	2	1 252	677	574	1	524
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	34	21	13	-	4	3	1	-	7	5	2	-	3
満32週～満35週 32-35	164	105	58	1	20	11	9	-	45	22	23	-	10
満36週～満39週 36-39	864	474	382	8	46	26	19	1	526	303	223	-	169
満40週～満43週 40-43	501	253	247	1	21	10	10	1	670	345	324	1	336
満44週～ 44 completed weeks and over	8	3	5	-	1	-	1	-	4	2	2	-	6
不詳 (再掲)	.	.	.	.	.	.	.	.	.	.	.	.	.
早期(満37週未満) Pre-term	352	217	133	2	37	23	14	-	91	50	41	-	24
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	34	21	13	-	4	3	1	-	7	5	2	-	3
満32週～満36週 32-36	318	196	120	2	33	20	13	-	84	45	39	-	21
正期(満37週～満41週) Term	1 134	594	532	8	53	26	25	2	1 045	567	477	1	441
過期(満42週～) Post-term	85	45	40	-	2	1	1	-	116	60	56	-	59
単産 Single	1 482	803	672	7	88	48	38	2	1 225	663	561	1	523
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	31	18	13	-	4	3	1	-	7	5	2	-	2
満32週～満35週 32-35	161	104	57	-	20	11	9	-	43	22	21	-	10
満36週～満39週 36-39	800	436	358	6	43	25	17	1	507	294	213	-	169
満40週～満43週 40-43	482	242	239	1	20	9	10	1	664	340	323	1	336
満44週～ 44 completed weeks and over	8	3	5	-	1	-	1	-	4	2	2	-	6
不詳 (再掲)	.	.	.	.	.	.	.	.	.	.	.	.	.
早期(満37週未満) Pre-term	336	205	130	1	36	23	13	-	88	50	38	-	23
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	31	18	13	-	4	3	1	-	7	5	2	-	2
満32週～満36週 32-36	305	187	117	1	32	20	12	-	81	45	36	-	21
正期(満37週～満41週) Term	1 061	553	502	6	50	24	24	2	1 022	553	468	1	441
過期(満42週～) Post-term	85	45	40	-	2	1	1	-	115	60	55	-	59
複産 Plural	89	53	33	3	4	2	2	-	27	14	13	-	1
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	3	3	-	-	-	-	-	-	-	-	-	-	1
満32週～満35週 32-35	3	1	1	1	-	-	-	-	2	-	2	-	-
満36週～満39週 36-39	64	38	24	2	3	1	2	-	19	9	10	-	-
満40週～満43週 40-43	19	11	8	-	1	1	-	-	6	5	1	-	-
満44週～ 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	.	.	.	.	.	.	.	.	.	.	.	.	.
早期(満37週未満) Pre-term	16	12	3	1	1	-	1	-	3	-	3	-	1
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	3	3	-	-	-	-	-	-	-	-	-	-	1
満32週～満36週 32-36	13	9	3	1	1	-	1	-	3	-	3	-	-
正期(満37週～満41週) Term	73	41	30	2	3	2	1	-	23	14	9	-	-
過期(満42週～) Post-term	-	-	-	-	-	-	-	-	1	-	1	-	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・ PERINATAL DEATH

(早期—正期—過期再掲) 別 昭和57年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1982—CON.

~ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
306	217	1	186	109	77	-	44	16	16	12	2.07	2.11	2.05	1.25
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	1	1	-	-	-	-	20	5	9	6	1.17	1.19	1.15	0.86
4	6	-	13	8	5	-	8	4	2	2	1.69	1.72	1.66	1.38
105	64	-	69	36	33	-	12	7	3	2	2.46	2.50	2.43	1.39
192	144	-	101	63	38	-	4	-	2	2	3.02	3.06	2.98	1.88
4	2	-	3	2	1	-	-	-	-	-	3.16	3.30	3.00	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	14	1	16	10	6	-	30	11	11	8	1.51	1.55	1.49	1.14
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	1	1	-	-	-	-	20	5	9	6	1.17	1.19	1.15	0.86
8	13	-	16	10	6	-	10	6	2	2	1.78	1.81	1.75	1.44
269	172	-	151	88	63	-	14	5	5	4	2.74	2.79	2.71	1.48
28	31	-	19	11	8	-	-	-	-	-	3.11	3.12	3.11	0.05
306	217	-	184	107	77	-	39	15	14	10	2.11	2.14	2.08	1.37
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	1	-	-	-	-	-	19	4	9	6	1.18	1.21	1.16	0.80
4	6	-	13	8	5	-	7	4	1	2	1.70	1.74	1.67	1.34
105	64	-	67	34	33	-	10	7	3	-	2.51	2.55	2.48	1.99
192	144	-	101	63	38	-	3	-	1	2	3.06	3.09	3.02	2.13
4	2	-	3	2	1	-	-	-	-	-	3.16	3.30	3.00	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	14	-	16	10	6	-	28	10	10	8	1.53	1.57	1.50	1.12
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
1	1	-	-	-	-	-	19	4	9	6	1.18	1.21	1.16	0.80
8	13	-	16	10	6	-	9	6	1	2	1.80	1.83	1.77	1.47
269	172	-	149	86	63	-	11	5	4	2	2.79	2.84	2.76	1.98
28	31	-	19	11	8	-	-	-	-	-	3.12	3.12	3.11	-
-	-	1	2	2	-	-	5	1	2	2	1.62	1.68	1.63	0.88
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	1	-	-	-	-	1	1	-	-	1.02	1.04	0.98	1.22
.	.	-	-	-	-	-	1	-	1	-	1.46	1.42	1.50	1.62
.	.	-	-	-	-	-	2	-	-	2	1.92	2.06	1.94	0.48
.	.	-	2	2	-	-	1	-	1	-	2.05	2.18	2.00	0.90
.	.	-	-	-	-	-	-	-	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	1	-	-	-	-	2	1	1	-	1.31	1.31	1.31	1.26
.	.	-	-	-	-	-	-	-	-	-	.	.	.	.
.	.	1	-	-	-	-	1	1	-	-	1.02	1.04	0.98	1.22
.	.	-	-	-	-	-	-	-	-	-	1.52	1.52	1.55	1.29
.	.	-	-	-	-	-	1	-	-	-	2.01	2.15	2.02	0.58
.	.	-	2	2	-	-	3	-	1	2	1.78	2.25	3.05	0.05
.	.	-	-	-	-	-	-	-	-	-	-	-	-	-

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時
5 表 (6-5)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

早期新生児(生後1週未満)死亡数
Deaths Under 1 Week

単産—複産 Plurality of Birth 妊 娠 期 間 Period of Gestation	総 数 Total				0.5 kg 未 満 Under 0.5 kg				0.5 ~		
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female
総 数 Total	5 067	2 946	2 121	.	65	37	28	.	892	466	426
妊娠28週未満 Under 28 weeks gestation	1 006	547	459	.	63	36	27	.	740	383	357
28-31 weeks	871	545	326	.	2	1	1	.	134	75	59
32-35 weeks	732	460	272	.	-	-	-	.	13	4	9
36-39 weeks	1 331	785	546	.	-	-	-	.	4	4	-
40-43 weeks	1 054	570	484	.	-	-	-	.	-	-	-
44 completed weeks and over	8	2	6	.	-	-	-	.	-	-	-
不 詳 Not stated (再 掲)	65	37	28	.	-	-	-	.	1	-	1
早期 (満37週未満) Pre-term	2 839	1 681	1 158	.	65	37	28	.	889	464	425
28-31 weeks	1 006	547	459	.	63	36	27	.	740	383	357
32-36 weeks	871	545	326	.	2	1	1	.	134	75	59
37-41 weeks	962	589	373	.	-	-	-	.	15	6	9
正期 (満37週—満41週) Term	1 988	1 129	859	.	-	-	-	.	2	2	-
過期 (満42週—) Post-term	175	99	76	.	-	-	-	.	-	-	-
単 産 Single	4 666	2 719	1 947	.	45	28	17	.	755	395	360
妊娠28週未満	853	471	382	.	43	27	16	.	628	330	298
28-31 weeks	756	470	286	.	2	1	1	.	110	58	52
32-35 weeks	678	425	253	.	-	-	-	.	13	4	9
36-39 weeks	1 266	752	514	.	-	-	-	.	3	3	-
40-43 weeks	1 040	562	478	.	-	-	-	.	-	-	-
44週—	8	2	6	.	-	-	-	.	-	-	-
不 詳 (再 掲)	65	37	28	.	-	-	-	.	1	-	1
早期 (満37週未満)	2 504	1 491	1 013	.	45	28	17	.	753	394	359
28-31 weeks	853	471	382	.	43	27	16	.	628	330	298
32-36 weeks	756	470	286	.	2	1	1	.	110	58	52
37-41 weeks	895	550	345	.	-	-	-	.	15	6	9
正期 (満37週—満41週) Term	1 924	1 094	830	.	-	-	-	.	1	1	-
過期 (満42週—) Post-term	173	97	76	.	-	-	-	.	-	-	-
複 産 Plural	401	227	174	.	20	9	11	.	137	71	66
妊娠28週未満	153	76	77	.	20	9	11	.	112	53	59
28-31 weeks	115	75	40	.	-	-	-	.	24	17	7
32-35 weeks	54	35	19	.	-	-	-	.	-	-	-
36-39 weeks	65	33	32	.	-	-	-	.	1	1	-
40-43 weeks	14	8	6	.	-	-	-	.	-	-	-
44週—	-	-	-	.	-	-	-	.	-	-	-
不 詳 (再 掲)	-	-	-	.	-	-	-	.	-	-	-
早期 (満37週未満)	335	190	145	.	20	9	11	.	136	70	66
28-31 weeks	153	76	77	.	20	9	11	.	112	53	59
32-36 weeks	115	75	40	.	-	-	-	.	24	17	7
37-41 weeks	67	39	28	.	-	-	-	.	-	-	-
正期 (満37週—満41週) Term	64	35	29	.	-	-	-	.	1	1	-
過期 (満42週—) Post-term	2	2	-	.	-	-	-	.	-	-	-

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・ PERINATAL DEATH
(早期—正期—過期再掲) 別 昭和57年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1982—CON.

0.9kg Not stated	1.0 ~ 1.4 kg				1.5 ~ 1.9 kg				2.0 ~ 2.4 kg			
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
.	850	513	337	.	729	435	294	.	642	387	255	.
.	189	121	68	.	10	5	5	.	-	-	-	.
.	492	301	191	.	212	147	65	.	24	19	5	.
.	112	67	45	.	284	170	114	.	214	146	68	.
.	47	20	27	.	168	85	83	.	294	174	120	.
.	10	4	6	.	55	28	27	.	109	48	61	.
.	-	-	-	.	-	-	-	.	1	-	1	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	807	493	314	.	565	351	214	.	305	202	103	.
.	189	121	68	.	10	5	5	.	-	-	-	.
.	492	301	191	.	212	147	65	.	24	19	5	.
.	126	71	55	.	343	199	144	.	281	183	98	.
.	41	20	21	.	153	79	74	.	318	174	144	.
.	2	-	2	.	11	5	6	.	19	11	8	.
.	743	444	299	.	659	400	259	.	605	365	240	.
.	170	108	62	.	10	5	5	.	-	-	-	.
.	422	257	165	.	191	133	58	.	24	19	5	.
.	100	59	41	.	257	154	103	.	202	138	64	.
.	41	16	25	.	149	83	66	.	272	162	110	.
.	10	4	6	.	52	25	27	.	106	46	60	.
.	-	-	-	.	-	-	-	.	1	-	1	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	705	428	277	.	510	320	190	.	290	193	97	.
.	170	108	62	.	10	5	5	.	-	-	-	.
.	422	257	165	.	191	133	58	.	24	19	5	.
.	113	63	50	.	309	182	127	.	266	174	92	.
.	36	16	20	.	138	75	63	.	297	162	135	.
.	2	-	2	.	11	5	6	.	18	10	8	.
.	107	69	38	.	70	35	35	.	37	22	15	.
.	19	13	6	.	-	-	-	.	-	-	-	.
.	70	44	26	.	21	14	7	.	12	8	4	.
.	12	8	4	.	27	16	11	.	22	12	10	.
.	6	4	2	.	19	2	17	.	3	2	1	.
.	-	-	-	.	3	3	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	102	65	37	.	55	31	24	.	15	9	6	.
.	19	13	6	.	-	-	-	.	-	-	-	.
.	70	44	26	.	21	14	7	.	-	-	-	.
.	13	8	5	.	34	17	17	.	15	9	6	.
.	5	4	1	.	15	4	11	.	21	12	9	.
.	-	-	-	.	-	-	-	.	1	1	-	.

周産期死亡 第5表 周産期死亡数, 出産時の体重: 出産時
5 表 (6-6)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

早期新生児(生後1週未満)死亡数
Deaths Under 1 Week

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9 kg				(再掲) (Secondary Mention) 2500 g ちょうど Just 2500 g				3.0 ~ 3.4 kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	733	420	313	•	37	23	14	•	699	408	291	•	283
妊娠満28週未満 Under 28 weeks gestation	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週 28-31 weeks	2	-	2	•	-	-	-	•	-	-	-	•	1
満32週~満35週 32-35	84	60	24	•	13	8	5	•	17	9	8	•	3
満36週~満39週 36-39	370	221	149	•	16	12	4	•	302	181	121	•	106
満40週~満43週 40-43	275	139	136	•	8	3	5	•	373	214	159	•	172
満44週~ 44 completed weeks and over	2	-	2	•	-	-	-	•	4	1	3	•	1
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	•	-	-	-	•	3	3	-	•	-
早期(満37週未満) Pre-term	139	94	45	•	16	10	6	•	40	23	17	•	11
満28週未満 under 28 weeks	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週 28-31	2	-	2	•	-	-	-	•	-	-	-	•	1
満32週~満36週 32-36	137	94	43	•	16	10	6	•	40	23	17	•	10
正期(満37週~満41週) Term	549	304	245	•	21	13	8	•	601	350	251	•	241
過期(満42週~) Post-term	45	22	23	•	-	-	-	•	55	32	23	•	31
単産 Single	712	407	305	•	36	23	13	•	693	402	291	•	282
妊娠満28週未満 Under 28 weeks gestation	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週 28-31	2	-	2	•	-	-	-	•	-	-	-	•	1
満32週~満35週 32-35	81	57	24	•	13	8	5	•	17	9	8	•	3
満36週~満39週 36-39	358	212	146	•	15	12	3	•	298	177	121	•	105
満40週~満43週 40-43	269	138	131	•	8	3	5	•	371	212	159	•	172
満44週~ 44 completed weeks and over	2	-	2	•	-	-	-	•	4	1	3	•	1
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	•	-	-	-	•	3	3	-	•	-
早期(満37週未満) Pre-term	135	90	45	•	16	10	6	•	40	23	17	•	10
満28週未満 under 28 weeks	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週 28-31	2	-	2	•	-	-	-	•	-	-	-	•	1
満32週~満36週 32-36	133	90	43	•	16	10	6	•	40	23	17	•	9
正期(満37週~満41週) Term	532	295	237	•	20	13	7	•	596	345	251	•	241
過期(満42週~) Post-term	45	22	23	•	-	-	-	•	54	31	23	•	31
複産 Plural	21	13	8	•	1	-	1	•	6	6	-	•	1
妊娠満28週未満 Under 28 weeks gestation	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週 28-31	-	-	-	•	-	-	-	•	-	-	-	•	-
満32週~満35週 32-35	3	3	-	•	-	-	-	•	-	-	-	•	-
満36週~満39週 36-39	12	9	3	•	1	-	1	•	4	4	-	•	1
満40週~満43週 40-43	6	1	5	•	-	-	-	•	2	2	-	•	-
満44週~ 44 completed weeks and over	-	-	-	•	-	-	-	•	-	-	-	•	-
不詳 (再掲) Not stated (Secondary Mention)	-	-	-	•	-	-	-	•	-	-	-	•	-
早期(満37週未満) Pre-term	4	4	-	•	-	-	-	•	-	-	-	•	1
満28週未満 under 28 weeks	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週 28-31	-	-	-	•	-	-	-	•	-	-	-	•	-
満32週~満36週 32-36	4	4	-	•	-	-	-	•	-	-	-	•	1
正期(満37週~満41週) Term	17	9	8	•	1	-	1	•	5	5	-	•	-
過期(満42週~) Post-term	-	-	-	•	-	-	-	•	1	1	-	•	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH

(早期一正期一過期再掲) 別 昭和57年
OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1982-CON.

~ 3.9 kg			4.0 kg ~ and over				不詳 Not stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
181	102	•	76	45	31	•	98	54	44	•	2.04	2.07	2.00	•
-	-	•	-	-	-	•	4	2	2	•	0.82	0.84	0.79	•
-	1	•	-	-	-	•	4	2	2	•	1.33	1.36	1.28	•
2	1	•	2	1	1	•	3	1	2	•	1.96	1.99	1.90	•
74	32	•	28	22	6	•	12	4	8	•	2.68	2.74	2.60	•
104	68	•	46	22	24	•	14	11	3	•	3.05	3.09	2.99	•
1	-	•	-	-	-	•	-	-	-	•	3.15	3.50	3.03	•
-	-	•	-	-	-	•	61	34	27	•	2.70	3.28	0.95	•
9	2	•	3	1	2	•	15	7	8	•	1.39	1.45	1.31	•
-	-	•	-	-	-	•	4	2	2	•	0.82	0.84	0.79	•
-	1	•	-	-	-	•	4	2	2	•	1.33	1.36	1.28	•
9	1	•	3	1	2	•	7	3	4	•	2.04	2.08	1.98	•
150	91	•	65	40	25	•	18	10	8	•	2.89	2.92	2.84	•
22	9	•	8	4	4	•	4	3	1	•	3.05	3.11	2.98	•
180	102	•	76	45	31	•	96	53	43	•	2.10	2.13	2.07	•
-	-	•	-	-	-	•	2	1	1	•	0.83	0.85	0.81	•
-	1	•	-	-	-	•	4	2	2	•	1.35	1.38	1.29	•
2	1	•	2	1	1	•	3	1	2	•	1.97	2.01	1.91	•
73	32	•	28	22	6	•	12	4	8	•	2.71	2.76	2.64	•
104	68	•	46	22	24	•	14	11	3	•	3.05	3.10	3.00	•
1	-	•	-	-	-	•	-	-	-	•	3.15	3.50	3.03	•
-	-	•	-	-	-	•	61	34	27	•	2.70	3.28	0.95	•
8	2	•	3	1	2	•	13	6	7	•	1.43	1.48	1.35	•
-	-	•	-	-	-	•	2	1	1	•	0.83	0.85	0.81	•
-	1	•	-	-	-	•	4	2	2	•	1.35	1.38	1.29	•
-	1	•	3	1	2	•	7	3	4	•	2.06	2.10	2.00	•
150	91	•	65	40	25	•	18	10	8	•	2.91	2.94	2.86	•
22	9	•	8	4	4	•	4	3	1	•	3.05	3.11	2.98	•
1	-	•	-	-	-	•	2	1	1	•	1.32	1.38	1.24	•
-	-	•	-	-	-	•	2	1	1	•	0.76	0.80	0.72	•
-	-	•	-	-	-	•	-	-	-	•	1.22	1.23	1.19	•
-	-	•	-	-	-	•	-	-	-	•	1.77	1.80	1.73	•
-	-	•	-	-	-	•	-	-	-	•	2.17	2.34	1.99	•
1	-	•	-	-	-	•	-	-	-	•	2.47	2.43	2.53	•
-	-	•	-	-	-	•	-	-	-	•	-	-	-	•
-	-	•	-	-	-	•	-	-	-	•	-	-	-	•
1	-	•	-	-	-	•	2	1	1	•	1.13	1.19	1.05	•
-	-	•	-	-	-	•	2	1	1	•	0.76	0.80	0.72	•
-	-	•	-	-	-	•	-	-	-	•	1.22	1.23	1.19	•
-	-	•	-	-	-	•	-	-	-	•	1.83	1.87	1.76	•
1	-	•	-	-	-	•	-	-	-	•	2.24	2.31	2.15	•
-	-	•	-	-	-	•	-	-	-	•	2.90	2.90	-	•