

(簡單分類)別死亡率(人口10万対)

															昭和 55 年	
25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	65~	80~	単 分 類 番 号	
69.7 90.3 48.7	81.8 102.9 60.5	125.1 159.7 90.7	194.8 255.1 135.0	324.2 436.2 211.9	479.5 639.3 325.7	678.8 919.9 484.5	1 099.1 1 505.7 784.5	1 878.4 2 554.6 1 350.8	3 330.5 4 401.1 2 504.6	5 950.7 7 586.4 4 778.4	10 162.1 12 381.1 8 800.3	18 757.8 21 000.6 17 691.8	4 773.9 5 675.6 4 116.1	12 989.1 14 920.9 11 896.0		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
—	—	—	0.0 0.0	—	—	—	—	—	—	—	—	—	—	—	3	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	
0.1 0.1 0.1	0.0 0.0 0.1	0.1 0.1 0.0	0.2 0.2 0.1	0.2 0.2 0.3	0.3 0.4 0.2	0.5 0.7 0.4	0.8 1.0 0.7	2.4 2.4 2.5	4.1 4.5 3.8	11.5 13.1 10.3	30.3 31.5 29.6	88.6 73.1 96.0	11.8 10.5 12.9	49.5 43.8 52.7	5	
0.2 0.2 0.2	0.4 0.6 0.3	1.1 1.2 1.0	2.3 3.1 1.5	4.2 5.8 2.5	7.0 10.8 3.3	9.4 15.2 4.7	13.3 23.0 5.7	22.9 40.0 9.6	33.6 60.7 12.7	50.6 93.0 20.2	59.2 109.3 28.4	50.0 100.9 25.6	36.3 64.9 15.5	56.2 106.8 27.4	6	
0.1 0.1 0.0	0.1 0.1 0.1	0.1 0.1 0.1	0.2 0.2 0.1	0.2 0.3 0.0	0.3 0.3 0.3	0.5 0.7 0.4	0.7 0.6 0.7	1.0 1.3 0.8	1.0 1.5 0.7	2.1 2.7 1.6	1.5 1.5 1.5	2.3 2.9 1.9	1.3 1.7 1.1	1.7 1.9 1.6	7	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	
—	0.0 — 0.0	0.0 0.0 —	— — —	0.0 0.0 —	— — —	— — —	— — —	— — —	0.0 — 0.1	— — —	— — —	0.2 0.6 —	0.0 0.0 0.0	0.1 0.2 —	12	
—	0.0 0.0 —	0.0 0.1 —	— — —	0.0 0.0 0.0	0.0 0.1 —	0.0 0.0 0.0	0.0 0.1 0.0	0.2 0.3 0.1	0.2 0.4 0.1	0.2 0.2 0.2	0.4 0.2 0.4	1.1 1.2 1.1	0.3 0.3 0.2	0.6 0.5 0.7	13	
0.1 0.2 0.1	0.2 0.2 0.2	0.3 0.3 0.2	0.3 0.4 0.2	0.7 0.8 0.5	0.9 0.9 0.8	1.3 1.3 1.3	2.0 2.8 1.4	3.4 3.9 3.1	6.7 7.9 5.9	12.0 13.7 10.9	18.0 18.9 17.4	20.1 18.0 21.2	8.4 8.8 8.0	18.7 18.6 18.7	14	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	
0.0 0.0	0.0 0.0	— —	— —	— —	— —	— —	— —	— —	— —	0.0 0.1	— —	— —	0.0 0.0	— —		

146

表 5.15 性・年齢別にみた死因

簡 単 分類番号	死 因 ・ 性	総 数	0 歳	1	2	3	4	1～4	0～4	5～9	10～14	15～19	20～24
17	日 本 脳 炎	総数 男 女	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —
18	ウ イ ル ス 肝 炎 B	総数 男 女	0.1 0.1 0.1	— — —	— — —	0.1 0.1 —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	— — —	— — —	0.0 — 0.0
19	そ の 他 の ウ イ ル ス 肝 炎	総数 男 女	0.8 1.0 0.7	1.7 2.5 0.9	0.6 0.8 0.4	0.2 0.3 0.1	— 0.2 —	0.1 0.3 0.1	0.2 0.7 0.3	0.0 0.0 0.1	0.0 0.0 0.0	0.2 0.3 0.2	0.4 0.4 0.4
20	発疹チフス及びその他の リケッチア症	総数 男 女	0.0 — 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
21	マ ラ リ ア	総数 男 女	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
22	梅 毒	総数 男 女	0.1 0.1 0.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
23	カ ン ジ ダ 症 (新生児カンジダ症を除く)	総数 男 女	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	— — —	— — —	0.0 0.0 —
24	日 本 住 血 吸 虫 症	総数 男 女	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
25	フ ィ ラ リ ア 症	総数 男 女	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
26	その他の感染症及び寄生 虫症	総数 男 女	1.0 1.2 0.8	1.5 1.8 1.0	1.0 1.1 1.0	0.4 0.3 0.5	0.4 0.6 0.2	0.2 0.2 0.1	0.5 0.5 0.4	0.7 0.8 0.6	0.3 0.4 0.2	0.2 0.2 0.1	0.2 0.2 0.1
28—37	悪 性 新 生 物	総数 男 女	139.2 163.7 115.5	3.4 3.0 3.8	6.3 6.7 5.9	6.4 7.0 5.7	5.8 6.2 5.4	5.3 6.7 3.8	5.9 6.6 5.2	5.5 6.0 4.9	4.7 5.7 3.7	4.4 6.4 4.8	5.6 6.5 6.0
28	食 道	総数 男 女	4.9 7.9 2.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
29	胃	総数 男 女	43.4 54.0 33.2	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.1 0.1 0.1	0.9 0.7 1.1
30	直腸・直腸S状結腸移行 部及び肛門	総数 男 女	6.0 6.9 5.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	0.0 0.0 0.0	0.1 0.1 0.1
31	肝	総数 男 女	12.5 17.6 7.6	0.2 0.2 0.1	0.4 0.5 0.4	0.5 0.8 0.2	0.2 0.1 0.4	0.1 — 0.1	0.3 0.3 0.3	0.3 0.1 0.2	0.1 0.1 0.0	0.0 0.1 0.0	0.1 0.2 0.0
32	脾	総数 男 女	6.7 7.8 5.7	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — —	— — —	0.0 0.0 0.1	0.0 0.1 —
33	気管、気管支及び肺	総数 男 女	18.3 27.0 9.9	— — —	— — —	— — —	0.1 0.1 0.1	0.1 0.1 0.0	0.0 0.1 0.0	— — —	0.0 0.0 —	0.0 0.1 —	0.1 0.1 0.1

注：1） 0歳は出生10万対の死亡率である。

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 55 年

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～	65～	80～	簡単 分類番号
0.0 — 0.0	0.0 0.0 —	— — —	— — —	0.0 — 0.0	0.0 0.0 —	0.0 0.0 —	0.0 0.1 —	0.1 — 0.1	0.1 0.1 0.1	0.2 0.4 0.1	0.2 0.2 0.1	0.2 0.6 —	0.1 0.1 0.1	0.2 0.3 0.1	17
0.0 0.0 0.0	0.0 0.0 —	0.1 0.2 0.1	0.0 0.0 0.0	0.1 0.1 0.1	0.3 0.2 0.2	0.2 0.3 0.0	0.2 0.7 0.5	0.3 0.7 0.0	0.6 0.8 0.5	0.6 0.8 0.4	1.0 1.9 0.4	— — —	0.5 0.8 0.3	0.7 1.4 0.3	18
0.3 0.3 0.2	0.4 0.4 0.5	0.7 0.9 0.5	0.7 0.8 0.6	1.1 1.4 0.8	1.0 1.1 0.9	1.8 2.6 1.1	1.9 2.9 1.2	2.7 3.0 2.5	3.8 4.0 3.6	3.3 3.4 3.2	3.5 3.9 3.3	3.0 4.1 2.5	3.2 3.5 3.0	3.3 3.9 3.0	19
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.1	— — —	— — —	— — —	0.0 — 0.0	— — —	20
0.0 — 0.0	— — —	0.0 0.0 —	0.0 0.0 —	— — —	— — —	— — —	0.0 0.1 —	0.0 0.1 —	— — —	0.0 0.1 —	— — —	— — —	0.0 0.0 —	— — —	21
— — —	0.0 — 0.0	0.0 0.0 —	0.0 0.0 —	0.1 0.1 0.1	0.2 0.3 0.1	0.3 0.5 0.2	0.7 1.0 0.4	1.2 1.5 1.0	1.0 0.8 1.2	1.2 0.9 0.9	0.9 2.3 0.3	1.0 1.2 0.8	1.1 1.2 0.7	1.1 1.9 0.7	22
0.0 0.0 —	0.0 0.0 —	— — —	— — —	— — —	— — —	0.0 — 0.0	0.0 — 0.0	0.1 — 0.2	0.2 — 0.2	0.1 0.2 0.1	0.5 0.2 0.6	— — —	0.2 0.1 0.2	0.3 0.2 0.4	23
— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.1 0.1	— — —	— — —	— — —	0.1 — —	— — —	0.0 — 0.0	0.1 — 0.1	24
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.1 —	— — —	0.2 — —	— — —	0.0 0.0 0.0	0.1 — 0.2	25
0.2 0.2 0.1	0.3 0.3 0.2	0.4 0.4 0.3	0.5 0.6 0.4	0.9 0.9 0.9	1.1 1.2 0.9	1.7 2.1 1.3	2.5 3.8 1.5	3.0 4.1 2.1	5.0 7.3 3.2	6.2 10.0 3.6	8.1 9.9 7.0	12.6 22.0 8.1	5.2 7.4 3.6	9.6 13.5 7.4	26
11.3 10.8 11.8	19.0 17.3 20.8	34.7 32.6 36.7	56.7 56.1 57.3	104.0 117.9 90.1	178.4 216.6 141.7	261.3 333.1 203.4	410.1 556.7 296.6	614.3 858.4 423.8	897.6 1260.0 618.0	1163.5 1641.2 821.2	1308.4 1868.7 964.6	1140.7 1670.0 887.2	897.7 1249.4 641.1	1253.2 1810.1 937.7	28—37
0.0 — 0.0	0.0 0.1 0.0	0.1 0.2 0.0	0.6 0.9 0.4	2.3 4.2 0.3	5.8 10.4 1.3	9.6 18.3 2.5	15.6 29.1 5.2	26.2 48.6 8.8	36.1 63.9 14.7	45.6 81.7 19.7	51.2 91.3 26.6	48.3 91.1 27.8	36.4 65.0 15.6	50.3 91.3 27.0	28
3.1 2.3 4.0	6.9 5.7 6.1	12.5 11.5 13.5	18.6 19.3 18.0	32.1 39.2 25.0	52.8 70.5 35.7	76.1 105.3 52.7	126.7 185.7 81.0	193.6 291.6 117.0	282.1 421.3 174.7	382.5 563.2 253.0	434.0 638.5 308.6	373.1 543.5 291.5	288.6 423.0 190.6	414.0 610.5 302.6	29
0.3 0.4 0.3	0.9 0.9 0.8	1.9 2.1 1.7	3.2 3.6 2.8	5.0 6.0 4.0	7.5 9.2 6.0	9.7 12.0 7.9	15.1 19.9 11.4	23.1 32.4 15.8	37.6 51.9 26.5	52.8 69.6 40.8	67.9 91.1 53.7	69.0 101.5 53.5	39.8 53.3 30.0	68.3 94.2 53.6	30
0.3 0.4 0.1	0.8 1.3 0.4	2.1 3.1 1.1	4.3 6.5 2.1	12.3 20.9 3.6	22.2 38.5 6.5	30.1 51.4 13.0	42.8 71.7 20.5	54.5 83.2 32.1	75.8 111.5 48.3	87.2 119.3 64.2	97.4 138.4 72.3	79.4 109.6 64.9	72.5 104.4 49.2	91.5 129.9 69.7	31
0.3 0.3 0.2	0.4 0.4 0.3	0.9 1.4 0.5	2.2 3.1 1.3	4.5 6.0 3.0	8.4 11.0 5.9	13.6 19.1 9.2	24.0 32.2 17.7	35.0 45.6 26.8	48.3 58.2 40.7	54.6 71.5 42.5	53.2 68.6 43.7	39.1 54.5 31.7	44.6 56.7 35.8	48.5 64.4 39.5	32
0.4 0.5 0.3	0.8 0.9 0.8	2.1 2.5 1.7	4.0 5.0 2.9	8.2 11.2 5.1	18.0 26.6 9.6	30.5 48.8 15.8	57.2 95.7 27.4	93.3 158.6 42.3	147.5 255.3 64.3	187.6 330.6 85.1	179.6 324.4 90.7	123.7 241.3 67.4	137.1 238.1 63.5	161.2 299.9 82.6	33

表 5.15 性・年齢別にみた死因

簡 単 分 類 番 号	死 因 ・ 性	総 数	0 歳	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24
34	乳 房	総数	3.6	—	—	—	—	—	—	—	—	—	0.0
		男女	0.1 7.0	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 0.1
35	子 宮	女2)	9.2	—	—	—	—	—	—	—	—	—	0.2
36	白 血 病	総数	3.9	1.0	2.7	2.8	2.6	2.7	2.4	2.8	2.3	2.3	1.9
		男女	4.6 3.3	0.9 1.0	2.5 3.0	3.5 2.1	3.2 2.0	3.6 1.8	3.2 2.2	3.3 2.0	2.6 1.9	2.5 2.2	2.0 1.7
37	そ の 他	総数	35.1	2.2	3.2	3.0	2.8	2.5	2.9	2.8	1.9	2.0	3.0
		男女	37.8 32.5	1.8 2.6	3.8 2.5	2.8 3.3	2.8 2.9	3.0 1.9	3.1 2.7	2.9 2.6	2.3 1.4	2.0 2.3	3.6 2.7
38	良性及び性質不詳の新生 物	総数	5.2	2.4	1.2	0.8	1.0	0.9	1.0	1.2	0.8	0.7	0.9
		男女	5.9 4.6	2.5 2.4	1.3 1.0	1.0 0.5	1.1 0.9	1.2 0.7	1.2 0.8	1.4 1.1	0.9 0.7	0.7 0.6	1.2 0.7
39	糖 尿 病	総数	7.3	0.1	0.1	0.1	—	—	0.0	0.0	0.0	0.2	0.3
		男女	7.1 7.5	— 0.1	0.1 —	— 0.1	— —	— —	0.0 0.0	0.0 0.0	0.0 0.0	0.2 0.3	0.3 0.3
40	栄 養 欠 乏 症	総数	0.4	0.4	0.1	0.1	0.1	—	0.1	0.1	0.0	—	0.1
		男女	0.4 0.3	0.4 0.4	0.1 —	— 0.1	— —	— —	0.1 0.1	0.1 —	0.0 0.0	— —	0.1 0.1
41	貧 血	総数	1.3	0.4	0.5	0.5	0.2	0.3	0.4	0.3	0.2	0.3	0.3
		男女	1.2 1.4	0.5 0.4	0.6 0.5	0.6 0.4	0.1 0.4	0.4 0.2	0.4 0.4	0.3 0.3	0.2 0.3	0.3 0.3	0.4 0.3
42	精 神 障 害	総数	2.6	—	—	—	—	0.1	0.0	0.0	0.0	0.2	0.2
		男女	2.7 2.5	— —	— —	— —	— —	0.1 —	0.0 —	0.0 —	0.0 —	0.2 0.2	0.2 0.1
43	髄 膜 炎	総数	0.6	8.4	1.9	0.4	0.3	0.3	0.7	2.1	0.1	0.1	0.1
		男女	0.7 0.5	8.9 7.8	2.1 1.8	0.6 0.1	0.3 0.4	0.1 0.4	0.8 0.6	2.3 2.0	0.2 0.1	0.1 0.1	0.1 0.1
44	中枢神経系の非炎症性疾 患	総数	3.7	5.7	3.5	2.5	2.4	1.5	2.5	3.1	1.2	1.1	1.4
		男女	4.2 3.3	6.8 4.6	4.2 2.6	2.8 2.3	2.4 2.3	1.7 1.3	2.8 2.1	3.5 2.6	1.4 1.0	1.3 1.0	1.8 0.9
45	急 性 リ ウ マ チ 熱	総数	0.1	—	—	—	0.1	0.1	0.0	0.0	0.0	—	—
		男女	0.1 0.2	— —	— —	— —	— 0.1	— 0.1	— 0.1	— 0.0	— 0.0	— —	— —
46	慢性リウマチ性心疾患	総数	1.5	—	—	—	—	—	—	0.0	0.0	0.0	0.1
		男女	1.0 1.9	— —	— —	— —	— —	— —	— —	0.0 —	0.0 —	0.0 —	— 0.1
48—49	高 血 圧 性 疾 患	総数	13.7	—	—	—	0.1	—	0.0	—	—	—	0.0
		男女	11.6 15.7	— —	— —	— —	— 0.1	— —	— 0.0	— —	— —	— —	0.0 0.0
48	高 血 圧 性 心 疾 患	総数	9.9	—	—	—	0.1	—	0.0	—	—	—	0.0
		男女	8.5 11.3	— —	— —	— —	— 0.1	— —	— 0.0	— —	— —	— —	— 0.0
49	その他の高血圧性疾患	総数	3.7	—	—	—	—	—	—	—	—	—	0.0
		男女	3.1 4.4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 0.0
51—52	虚 血 性 心 疾 患	総数	41.6	0.1	0.1	—	—	—	0.0	0.0	0.0	0.1	0.2
		男女	47.1 36.3	— 0.1	0.1 —	— —	— —	— —	0.0 —	0.0 —	0.0 —	0.2 0.1	0.3 0.2

注：1） 0歳は出生10万対の死亡率である。

2） 女子人口10万対の死亡率である。

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 55 年

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	65~	80~	简单 分类 番号
0.5 — 1.0	1.2 — 2.5	2.8 0.0 5.5	4.3 0.0 8.6	6.7 0.1 13.3	8.8 0.1 17.2	11.1 0.2 19.8	9.8 0.2 17.2	10.4 0.3 18.3	10.5 0.6 18.2	10.9 0.4 18.4	13.0 1.2 20.2	16.2 1.7 23.1	11.1 0.6 18.8	14.0 1.4 21.2	34
0.6	1.1	2.2	4.7	9.5	15.0	21.0	27.8	35.8	44.2	54.6	64.7	53.2	46.0	60.7	35
2.1 2.8 1.5	2.3 2.4 2.2	3.0 3.5 2.5	3.7 4.0 3.4	4.1 4.9 3.3	5.1 5.7 4.5	5.5 7.0 4.3	7.0 8.4 6.0	9.6 12.6 7.2	12.2 17.0 8.4	13.7 19.7 9.4	13.5 21.3 8.8	9.6 17.4 5.8	11.5 16.2 8.1	12.2 20.2 7.8	36
4.0 4.2 3.8	5.2 5.7 4.7	8.2 8.4 8.0	13.4 13.6 13.2	24.2 25.4 23.0	42.2 44.5 40.1	63.4 71.2 57.1	96.1 113.9 82.4	148.6 185.4 119.9	222.5 280.3 177.9	296.9 385.3 233.5	358.5 493.8 275.4	346.4 509.3 268.4	229.5 292.2 183.7	354.5 498.4 272.9	37
0.9 1.1 0.7	1.2 1.5 0.8	1.4 1.6 1.3	2.0 2.3 1.8	3.3 4.0 2.5	5.4 6.3 4.6	7.8 9.7 6.2	11.8 15.1 9.2	19.5 26.7 13.9	28.6 36.3 22.6	46.1 60.1 36.0	61.6 78.7 51.2	70.1 97.4 57.1	34.0 43.4 27.2	64.4 84.3 53.2	38
0.4 0.4 0.4	0.7 0.7 0.6	1.1 1.4 0.8	1.8 2.5 1.1	4.2 5.6 2.9	6.0 7.8 4.2	9.1 10.7 7.7	17.4 20.8 14.8	30.6 32.8 28.9	55.3 54.3 56.1	81.0 86.6 77.0	100.5 111.2 94.0	87.3 102.7 79.9	57.3 59.3 55.9	96.2 108.7 89.1	39
0.1 0.1 0.1	0.1 0.1 0.0	0.1 0.1 0.1	0.1 0.2 0.1	0.3 0.5 0.1	0.4 0.5 0.2	0.5 0.6 0.4	0.5 0.7 0.3	1.0 1.4 0.8	1.3 1.8 0.9	3.0 3.3 2.7	5.6 6.8 4.9	14.1 13.9 14.2	2.6 2.9 2.4	8.4 8.9 8.1	40
0.3 0.3 0.2	0.3 0.3 0.4	0.3 0.3 0.3	0.5 0.6 0.5	0.6 0.7 0.5	0.9 0.7 1.1	1.2 0.9 1.5	2.3 3.0 1.8	4.4 4.5 4.3	6.6 7.1 6.3	12.3 13.3 11.7	18.2 21.1 16.5	28.8 38.3 24.2	9.2 9.8 8.8	21.7 26.1 19.2	41
0.4 0.5 0.2	0.7 1.0 0.4	1.2 1.7 0.6	2.0 3.1 0.9	2.4 3.7 1.0	2.3 3.6 0.9	2.6 3.7 1.6	3.6 4.3 3.0	5.4 7.6 3.7	11.3 11.0 11.5	23.7 22.6 24.5	44.3 42.4 45.5	82.5 71.3 88.0	18.5 17.1 19.4	56.9 50.9 60.3	42
0.2 0.3 0.2	0.3 0.4 0.1	0.3 0.3 0.2	0.4 0.5 0.2	0.6 0.7 0.4	0.5 0.8 0.3	0.8 1.3 0.4	0.9 1.1 0.8	1.5 1.8 1.3	1.7 2.0 1.4	1.9 2.6 1.4	2.3 2.9 1.9	3.0 3.5 2.8	1.8 2.2 1.5	2.5 3.1 2.2	43
1.1 1.4 0.8	1.2 1.2 1.2	1.1 1.0 1.1	1.4 1.4 1.3	2.0 2.1 1.8	3.2 3.7 2.8	4.6 5.8 3.6	8.3 10.9 6.3	13.2 17.7 9.7	20.7 26.2 16.5	28.5 35.4 23.5	31.6 37.8 27.8	30.5 38.3 26.7	21.0 26.2 17.2	31.2 37.9 27.4	44
0.0 0.0 —	0.0 0.0 —	0.0 0.0 —	0.0 0.0 0.0	0.0 — 0.0	0.1 0.0 0.1	0.2 0.2 0.2	0.3 0.3 0.4	0.4 0.4 0.4	0.8 0.8 0.8	1.6 0.9 2.0	2.1 2.2 2.1	2.4 0.6 3.3	1.0 0.8 1.2	2.2 1.7 2.5	45
0.2 0.1 0.3	0.3 0.3 0.3	0.6 0.4 0.8	1.1 0.9 1.3	1.8 1.7 2.0	2.7 1.6 3.7	3.8 3.0 4.5	4.6 3.1 5.7	5.8 4.4 6.9	6.1 4.6 7.3	8.0 5.8 9.6	10.2 8.0 11.6	14.5 14.5 14.5	7.2 5.4 8.5	11.6 9.9 12.6	46
0.1 0.2 0.1	0.3 0.3 0.2	0.3 0.4 0.2	1.0 1.2 0.7	1.6 2.1 1.2	2.9 3.6 2.1	4.9 6.3 3.7	10.7 13.6 8.5	25.7 31.6 21.1	61.3 69.4 54.9	167.2 176.3 160.7	381.0 397.9 370.7	814.2 786.0 828.2	139.2 133.3 143.5	523.5 512.2 530.0	48—49
0.1 0.1 0.1	0.1 0.2 0.1	0.2 0.3 0.1	0.6 0.7 0.5	1.2 1.6 0.8	2.1 2.6 1.7	3.9 4.9 3.1	8.7 11.2 6.9	20.7 25.5 16.9	47.9 53.0 44.0	126.2 131.0 122.8	272.7 284.0 265.7	538.9 535.4 540.9	100.7 97.3 103.2	360.2 358.1 361.5	48
0.0 0.1 —	0.1 0.1 0.1	0.1 0.2 0.1	0.4 0.6 0.2	0.4 0.5 0.3	0.7 1.0 0.5	1.0 1.4 0.7	1.9 2.4 1.6	5.0 6.1 4.2	13.3 16.4 10.9	41.0 45.4 37.9	108.4 113.9 105.0	275.3 250.6 287.3	38.5 36.0 40.4	163.3 154.2 168.5	49
0.7 1.1 0.3	1.4 2.2 0.5	2.8 4.5 1.0	6.9 11.0 2.8	13.8 21.4 6.2	24.3 39.3 9.8	42.3 69.5 20.3	78.6 122.5 44.7	143.9 203.0 97.8	273.6 362.8 204.8	484.2 603.7 398.5	780.6 945.0 679.7	1 227.0 1 445.5 1 122.8	366.0 442.7 310.0	927.4 1092.5 834.0	51—52

表 5.15 性・年齢別にみた死因

簡 単 分類番号	死 因 ・ 性	総 数	0 歳	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24
51	急性心筋梗塞	総数	25.3	0.1	0.1	—	—	—	0.0	0.0	—	0.0	0.2
		男	30.7	—	0.1	—	—	—	0.0	0.0	—	0.1	0.2
		女	20.1	0.1	—	—	—	—	0.0	—	—	0.1	0.2
52	その他の虚血性心疾患	総数	16.3	—	—	—	—	—	—	0.0	—	0.0	0.1
		男	16.4	—	—	—	—	—	—	—	—	—	—
		女	16.2	—	—	—	—	—	—	—	—	—	0.0
54-56	肺循環疾患及びその他の 型の心疾患	総数	63.2	16.8	4.6	2.9	1.6	1.6	2.7	5.3	1.2	1.4	4.2
		男	64.1	18.4	4.8	3.5	2.0	2.0	3.0	5.9	1.3	1.6	6.3
		女	62.3	15.2	4.4	2.3	1.3	1.2	2.2	4.6	1.2	1.7	2.0
54	心内膜の慢性疾患	総数	3.0	—	0.1	0.1	—	0.1	0.0	0.1	0.1	0.1	0.2
		男	2.7	—	0.1	—	—	0.1	0.0	0.1	0.1	0.1	0.2
		女	3.4	—	—	0.1	—	—	0.0	0.1	0.1	0.1	0.1
55	心 不 全	総数	51.3	12.4	3.0	2.0	1.2	1.3	1.8	0.7	1.0	2.1	3.1
		男	51.6	13.3	3.2	2.3	1.1	1.6	2.0	0.8	1.2	2.8	4.6
		女	51.0	11.4	2.9	1.7	1.3	0.9	1.7	0.7	0.8	1.3	1.5
56	そ の 他 の 心 疾 患	総数	8.9	4.4	1.5	0.8	0.5	0.3	0.8	1.4	0.4	0.7	0.9
		男	9.9	5.1	1.5	1.2	0.9	0.3	1.0	1.7	0.4	1.0	1.4
		女	8.0	3.8	1.5	0.5	—	0.3	0.6	1.2	0.5	0.3	0.4
58-60	脳 血 管 疾 患	総数	139.7	4.2	0.7	0.2	0.3	0.4	1.1	0.3	0.4	0.6	1.1
		男	142.9	5.7	0.8	0.2	0.3	0.2	1.4	0.5	0.4	0.6	1.3
		女	136.5	2.6	0.6	0.2	0.2	0.6	0.4	0.1	0.4	0.5	1.0
58	脳 出 血	総数	43.7	3.9	0.5	0.2	0.1	0.1	0.9	0.2	0.2	0.2	0.4
		男	47.5	5.2	0.7	0.2	0.1	—	1.2	0.4	0.2	0.3	0.5
		女	40.0	2.5	0.4	0.2	—	0.1	0.6	0.1	0.3	0.2	0.4
59	脳 梗 塞	総数	64.8	0.1	0.1	—	0.1	0.2	0.1	0.0	0.0	0.0	0.2
		男	65.1	0.1	0.1	—	0.1	0.1	0.1	0.0	—	0.0	0.2
		女	64.5	—	—	—	0.1	0.2	0.1	—	0.0	—	0.2
60	その他の脳血管疾患	総数	31.2	0.3	0.1	—	0.1	0.2	0.1	0.1	0.2	0.3	0.5
		男	30.3	0.4	—	—	0.1	0.1	0.1	0.1	0.2	0.3	0.6
		女	32.0	0.1	0.3	—	0.1	0.2	0.1	0.0	0.1	0.3	0.4
61	循環系のその他の疾患	総数	7.3	1.0	0.1	0.3	—	—	0.1	0.3	0.1	0.1	0.2
		男	7.6	1.2	0.1	0.1	—	—	0.1	0.3	0.1	0.1	0.1
		女	6.9	0.7	0.1	0.5	—	—	0.1	0.2	0.1	0.1	0.2
62	急性気管支炎	総数	1.7	1.3	0.4	0.4	0.1	0.3	0.5	0.1	0.1	0.1	0.1
		男	1.7	1.1	0.6	0.6	0.1	0.3	0.5	0.2	0.1	0.1	0.2
		女	1.7	1.4	0.3	0.2	—	0.4	0.2	0.5	0.1	0.1	0.1
63	肺 炎	総数	28.4	35.1	8.0	4.2	2.3	1.6	3.9	9.7	1.0	0.8	1.0
		男	32.6	37.5	7.8	5.1	2.4	1.9	4.2	10.5	0.9	1.3	0.8
		女	24.4	32.5	8.3	3.2	2.2	1.2	3.6	8.9	1.0	0.7	1.1
64	インフルエンザ	総数	0.6	0.4	0.2	0.1	—	0.2	0.1	0.2	0.1	0.1	0.1
		男	0.6	0.4	0.4	—	—	0.3	0.2	0.1	0.0	0.1	0.1
		女	0.6	0.4	0.1	0.1	—	—	0.1	0.1	0.1	0.1	0.1
66-68	気管支炎、肺気腫及び喘 息	総数	10.9	1.9	1.5	1.3	1.0	0.9	1.2	1.3	0.6	0.4	0.4
		男	14.0	2.2	1.4	1.8	0.8	0.5	1.1	1.3	0.6	0.5	0.5
		女	7.9	1.6	1.6	0.8	1.2	1.2	1.2	1.3	0.7	0.3	0.3
66	気 管 支 炎	総数	3.6	1.0	0.3	0.1	0.2	0.2	0.2	0.3	0.1	0.1	0.1
		男	4.2	0.9	0.2	0.1	0.2	0.2	0.2	0.3	0.2	0.1	0.0
		女	3.0	1.0	0.4	—	0.1	0.1	0.3	0.1	0.1	0.1	0.1
67	肺 気 腫	総数	1.8	—	—	—	—	—	—	0.0	—	0.0	—
		男	3.0	—	—	—	—	—	—	—	—	0.0	—
		女	0.7	—	—	—	—	—	—	0.0	—	—	—

注：1） 0歳は出生10万対の死亡率である。

(簡 単 分 類) 別 死 亡 率 (人 口 10 万 対) (つ づ き)

昭和55年

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75 ~ 79	80 ~ 84	85 ~	65 ~	80 ~	単 分類番号
0.6 0.9 0.2	1.1 1.8 0.4	2.3 3.7 0.8	5.6 9.0 2.3	11.3 17.8 4.8	19.5 31.7 7.7	33.0 54.8 15.5	61.2 95.6 34.6	105.3 150.9 69.8	179.4 242.4 130.8	277.5 361.8 217.1	377.6 474.0 318.5	464.6 588.2 405.6	205.4 264.6 162.3	406.2 507.6 348.8	51
0.2 0.2 0.1	0.2 0.4 0.1	0.5 0.8 0.2	1.2 2.0 0.5	2.5 3.5 1.4	4.8 7.6 2.1	9.2 14.7 4.8	17.4 26.9 10.1	38.6 52.1 28.0	94.2 120.3 74.0	206.7 241.9 181.4	403.0 471.0 361.2	762.3 857.3 717.1	160.5 178.1 147.7	521.2 584.9 485.1	52
5.7 7.8 3.6	6.7 9.3 4.0	10.6 15.1 6.1	16.4 23.1 9.8	24.2 34.7 13.7	34.5 46.5 22.9	49.8 66.2 36.6	85.4 110.3 66.1	160.1 207.4 123.2	315.1 390.6 256.8	649.2 779.0 556.1	1 288.1 1 480.3 1 170.1	2 796.0 3 009.3 2 695.2	546.8 596.1 510.8	1 784.0 1 930.8 1 701.1	54-56
0.3 0.3 0.2	0.5 0.6 0.4	0.8 0.8 0.7	1.1 1.2 1.1	1.6 1.6 1.6	3.0 2.8 3.3	4.3 4.8 4.0	7.4 7.2 7.5	10.4 11.7 9.4	17.6 17.6 17.5	26.8 29.0 25.3	44.9 41.2 47.1	67.5 58.0 72.1	22.0 21.2 22.5	52.3 46.1 55.8	54
4.2 5.9 2.4	5.1 7.3 2.9	7.8 11.2 4.3	12.1 17.7 6.6	17.9 26.6 9.3	25.0 35.0 15.3	36.4 48.6 26.5	62.8 83.4 46.9	123.3 161.9 93.2	249.1 311.1 201.3	529.7 632.9 455.8	1 091.7 1 245.0 997.6	2 474.8 2 634.6 2 399.5	455.1 491.2 428.8	1 546.6 1 654.4 1 485.7	55
1.2 1.6 0.9	1.1 1.4 0.7	2.1 3.1 1.1	3.2 4.2 2.1	4.7 6.5 2.8	6.5 8.7 4.3	9.1 12.8 6.2	15.2 19.7 11.7	26.4 33.9 20.6	48.3 61.8 38.0	92.6 117.2 75.1	151.5 194.1 125.4	253.7 316.7 223.6	69.7 83.7 59.4	185.1 230.2 159.5	56
2.2 2.9 1.5	4.5 6.2 2.8	12.3 17.2 7.5	25.3 35.2 15.4	51.0 68.1 33.9	76.8 102.6 52.0	114.0 151.4 83.9	210.8 275.3 160.9	422.9 549.3 324.3	850.0 1 071.9 678.9	1 707.0 2 962.8 1 452.0	2 942.8 3 388.9 2 669.0	4 597.6 4 972.2 4 420.4	1 259.8 1 424.0 1 140.0	3 487.0 3 855.4 3 278.8	58-60
1.1 1.4 0.7	2.3 3.5 1.2	6.9 10.2 3.5	14.8 22.1 7.6	30.3 43.0 17.6	45.0 63.2 27.4	61.3 85.3 41.9	99.8 133.0 74.2	167.7 216.4 129.6	271.8 330.5 226.5	440.8 507.7 392.9	652.7 713.8 615.2	795.4 875.9 757.2	331.1 376.7 297.7	699.6 761.6 664.6	58
0.2 0.3 0.2	0.3 0.4 0.3	0.6 0.7 0.5	1.5 1.8 1.2	4.4 6.0 2.9	9.1 11.7 6.5	22.0 29.3 16.0	59.6 83.6 41.1	161.8 224.4 113.0	405.4 535.7 304.9	917.1 1 150.3 749.9	1 696.3 2 009.7 1 503.9	2 787.1 3 029.0 2 672.6	665.8 765.4 593.2	2 055.0 2 310.0 1 910.8	59
0.9 1.2 0.6	1.8 2.4 1.3	4.9 6.3 3.5	9.0 11.4 6.6	16.3 19.1 13.4	22.7 27.7 18.0	30.8 36.8 26.0	51.4 58.8 45.6	93.4 108.5 81.7	172.9 205.7 147.5	349.1 404.8 309.2	593.8 665.4 549.9	1 015.0 1 067.3 990.5	262.9 281.9 249.0	732.3 783.8 703.3	60
0.2 0.2 0.2	0.3 0.5 0.2	0.7 0.9 0.5	1.2 1.8 0.6	1.8 2.7 0.8	2.7 3.8 1.6	4.7 7.2 2.8	8.3 12.5 5.1	14.7 22.0 9.0	32.8 47.9 21.1	77.9 100.0 62.0	169.6 212.3 143.5	419.1 457.7 400.9	68.3 78.9 60.5	251.7 284.6 233.1	61
0.1 0.0 0.1	0.0 0.0 0.1	0.0 0.0 0.0	0.1 0.0 0.1	0.1 0.1 0.2	0.2 0.2 0.1	0.5 0.5 0.6	1.1 1.8 0.6	2.8 4.1 1.9	6.7 9.5 4.5	15.6 19.5 12.8	42.4 54.5 34.9	131.3 156.0 119.4	16.9 19.2 15.3	71.6 84.4 64.4	62
1.3 1.4 1.3	1.2 1.3 1.1	1.4 1.4 1.4	2.5 3.2 1.9	4.4 6.0 2.8	6.4 8.7 4.1	13.0 18.0 8.9	25.5 38.2 15.7	66.6 101.0 39.7	156.2 227.4 101.3	341.0 499.4 227.6	678.2 940.6 517.2	1 341.3 1 835.3 1 105.0	271.8 358.7 208.5	896.3 1 204.2 721.8	63
0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.1 0.1	0.0 0.1 —	0.0 0.0 0.0	0.2 0.2 0.2	0.3 0.2 0.3	0.6 0.9 0.4	1.3 1.6 1.1	2.1 3.2 1.2	7.2 9.6 5.5	12.8 15.0 11.4	38.2 43.5 35.6	5.7 6.5 5.2	21.2 23.4 19.9	64
0.4 0.5 0.3	0.5 0.6 0.5	0.8 0.7 0.8	1.2 1.5 0.9	1.9 2.2 1.5	3.5 4.0 3.1	6.2 8.4 4.4	14.3 21.5 8.6	32.9 49.4 20.1	69.9 111.0 38.2	140.6 227.6 78.2	229.5 383.6 135.0	395.4 627.0 284.5	102.5 154.6 64.6	284.1 455.3 187.1	66-68
0.1 0.1 0.0	0.1 0.1 0.1	0.1 0.1 0.1	0.2 0.2 0.2	0.3 0.3 0.2	0.7 0.7 0.6	1.1 1.4 1.0	3.0 4.4 2.0	8.0 11.2 5.5	19.3 27.7 12.8	46.6 67.7 31.6	88.8 140.1 57.4	195.9 288.3 151.7	36.4 49.4 26.9	124.1 183.7 90.2	66
0.0 0.0 —	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.0 0.1	0.1 0.0 0.0	0.3 0.1 0.2	1.0 1.6 0.5	2.8 5.4 0.9	7.9 14.8 2.6	15.9 31.0 4.3	27.8 55.5 7.9	34.2 74.1 9.7	37.0 81.8 15.6	18.2 35.3 5.6	35.1 76.4 11.7	67

(簡單分類)別死亡率(人口10万対)(つづき)

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	65~	80~	单 分 类 番 号
0.3 0.3 0.2	0.4 0.4 0.4	0.6 0.6 0.6	0.9 1.2 0.6	1.5 1.7 1.2	2.5 2.9 2.2	4.1 5.5 2.9	8.4 11.8 5.8	17.0 23.5 12.0	34.7 52.3 21.1	66.2 104.5 38.7	106.5 169.4 68.0	162.5 257.0 117.2	48.0 69.8 32.0	124.9 195.2 85.1	68
0.2 0.4 0.0	0.3 0.5 0.1	0.6 1.0 0.1	1.2 2.3 0.2	2.2 3.7 0.6	3.2 5.6 1.0	4.5 8.1 1.6	7.8 13.0 3.8	13.8 22.0 7.4	29.1 42.4 18.9	51.2 73.1 35.4	94.2 118.0 79.6	153.3 174.0 143.4	40.6 52.5 31.9	113.6 134.5 101.8	69
0.0 0.0 0.0	0.0 0.0 —	0.0 0.1 0.0	0.0 — 0.0	0.1 0.1 0.0	0.2 0.3 0.1	0.1 0.1 0.2	0.3 0.5 0.2	0.4 0.6 0.1	0.9 1.0 0.8	2.2 3.1 1.6	3.1 3.6 2.8	4.7 6.4 3.9	1.4 1.7 1.1	3.6 4.4 3.2	70
0.1 0.2 0.1	0.3 0.3 0.2	0.3 0.3 0.3	0.6 0.5 0.7	0.9 1.1 0.6	1.2 1.4 1.0	2.0 2.4 1.7	4.1 5.7 2.9	7.0 8.8 5.6	13.7 16.2 11.8	26.4 30.2 23.7	41.3 38.8 42.8	60.4 64.4 58.5	18.8 20.0 18.0	47.6 46.3 48.3	71
0.1 0.1 0.1	0.2 0.2 0.1	0.1 0.1 0.1	0.1 0.1 0.1	0.4 0.6 0.2	0.6 0.9 0.3	0.8 1.2 0.5	1.6 1.6 1.5	2.4 2.7 2.2	6.9 8.1 5.9	17.9 19.5 16.8	48.2 47.2 48.8	149.9 127.0 160.9	18.8 16.4 20.5	81.6 70.8 87.8	72
0.4 0.6 0.1	1.5 2.6 0.5	4.9 8.7 1.2	12.6 22.4 2.9	25.6 45.9 5.2	31.4 53.4 10.2	33.5 55.5 15.7	42.1 64.6 24.7	47.4 71.0 29.0	58.6 82.4 40.2	76.7 110.4 52.6	96.1 146.1 65.4	96.7 145.0 73.5	63.7 91.6 43.3	96.3 145.8 68.2	73
0.2 0.3 0.2	0.4 0.5 0.3	0.8 1.2 0.3	1.2 1.6 0.7	1.6 2.3 0.9	2.3 2.9 1.7	2.6 3.8 1.6	4.2 5.8 2.9	6.6 9.0 4.6	11.3 14.0 9.1	18.0 23.6 14.0	29.2 36.6 24.7	54.2 66.1 48.4	14.8 18.0 12.5	37.4 45.3 33.0	74
1.3 1.4 1.1	1.4 1.8 1.1	1.8 2.1 1.5	2.6 3.2 2.1	4.0 4.5 3.6	6.2 6.8 5.6	9.6 10.2 9.1	16.7 19.0 14.8	30.2 35.1 26.3	54.1 66.1 44.8	91.7 108.3 79.7	137.5 175.4 114.2	216.2 250.6 199.9	69.2 79.4 61.7	163.4 197.6 144.0	76—77
0.3 0.3 0.4	0.3 0.3 0.3	0.4 0.3 0.5	0.4 0.5 0.3	0.7 0.9 0.6	0.9 1.1 0.7	1.9 2.3 1.5	3.1 4.0 2.4	5.4 6.3 4.8	10.2 12.7 8.3	17.6 20.4 15.6	24.1 29.6 20.8	40.2 49.9 35.6	12.8 14.7 11.4	29.4 35.5 26.0	76
1.0 1.1 0.8	1.1 1.5 0.8	1.4 1.9 1.0	2.2 2.7 1.8	3.3 3.5 3.0	5.3 5.7 4.9	7.7 8.0 7.5	13.6 15.1 12.4	24.7 28.9 21.5	43.9 53.4 36.5	74.1 87.9 64.2	113.3 145.9 93.4	176.0 200.7 164.3	56.4 64.8 50.2	134.0 162.0 118.1	77
— — —	— — —	0.0 — —	— — —	— — —	— — —	0.0 — —	0.2 — —	1.0 — —	3.2 — —	11.3 — —	33.7 — —	115.4 — —	11.0 — —	57.8 — —	78
1.7 — —	1.9 — —	1.2 — —	0.5 — —	0.2 — —	0.0 — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	79
0.2 — —	0.2 — —	0.1 — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	80
0.7 0.7 0.7	0.6 0.6 0.7	0.7 0.7 0.6	0.6 0.5 0.7	0.6 0.6 0.5	0.9 0.6 1.2	1.1 1.3 1.0	1.4 1.5 1.2	1.4 1.2 1.5	1.5 1.2 1.7	1.5 1.4 1.6	1.2 1.0 1.3	1.5 2.3 1.1	1.4 1.3 1.5	1.3 1.4 1.3	81
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	82
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	84—87
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	84
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	85

3) 男子人口 10 万対の死亡率である。

表 5.15 性・年齢別にみた死因

簡 単 分類番号	死 因 ・ 性	総 数	0 歳	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24
86	新 生 児 敗 血 症	総数	0.1	9.2	—	—	—	—	1.7	—	—	—	—
		男	0.1	9.2	—	—	—	—	1.7	—	—	—	—
		女	0.1	9.1	—	—	—	—	1.7	—	—	—	—
87	そ の 他	総数	1.5	111.3	0.1	0.1	—	0.0	20.7	—	0.0	—	—
		男	1.8	126.1	—	0.1	—	0.0	23.6	—	0.0	—	—
		女	1.2	95.6	0.1	—	—	0.0	17.6	—	—	—	—
88	精神病の記載のない老衰	総数	27.7	—	—	—	—	—	—	—	—	—	—
		男	19.7	—	—	—	—	—	—	—	—	—	—
		女	35.4	—	—	—	—	—	—	—	—	—	—
89	その他すべての疾患	総数	25.3	27.4	7.8	5.3	3.6	1.9	4.6	8.8	1.3	1.0	2.2
		男	25.3	28.8	8.7	6.0	3.1	1.6	4.8	9.3	1.3	1.3	2.7
		女	25.4	25.9	6.9	4.6	4.1	2.2	4.4	8.3	1.3	0.8	1.7
91-101	損 傷 及 び 中 毒	総数	45.5	52.0	38.4	25.6	24.0	20.8	27.0	31.7	12.9	5.4	31.3
		男	62.9	57.4	43.1	33.8	30.9	27.7	33.7	38.3	17.7	8.0	48.8
		女	28.6	46.2	33.4	17.2	16.6	13.7	19.9	24.8	7.8	2.8	12.8
91	頭 蓋 骨 折	総数	6.4	1.9	4.7	4.0	4.2	4.1	4.3	3.8	2.3	1.1	8.3
		男	10.0	2.3	5.3	5.7	5.3	5.0	5.3	4.8	3.1	1.5	13.3
		女	2.9	1.4	4.1	2.4	3.0	3.1	3.2	2.8	1.4	0.6	3.0
92	その他の骨の骨折	総数	2.6	—	0.5	0.2	0.8	0.3	0.4	0.4	0.1	2.1	1.8
		男	2.9	—	0.4	0.3	1.1	0.4	0.6	0.5	0.2	3.3	2.8
		女	2.3	—	0.6	—	0.5	0.1	0.3	0.2	0.3	0.1	0.9
93	頭 蓋 内 損 傷 (頭蓋骨折を伴うものを除く)	総数	5.2	2.3	2.8	3.3	3.4	3.4	3.2	3.1	1.9	0.9	6.2
		男	7.8	2.1	3.8	4.5	4.1	4.5	4.2	3.8	2.6	1.1	9.9
		女	2.7	2.5	1.8	2.0	2.7	2.2	2.2	1.2	0.7	2.2	1.4
94	胸、腹及び骨盤の内部損傷	総数	3.2	0.3	0.7	1.3	1.4	1.6	1.3	1.1	1.3	0.4	3.6
		男	5.2	0.2	0.6	1.7	1.8	2.0	1.5	1.3	1.6	0.7	6.2
		女	1.3	0.3	0.8	1.0	0.9	1.2	1.0	0.8	0.9	0.1	0.8
95	開 放 創	総数	0.7	0.3	0.1	0.3	0.3	0.2	0.2	0.2	0.1	0.3	0.4
		男	1.1	0.6	—	0.3	0.6	0.3	0.3	0.4	0.2	0.4	0.5
		女	0.4	—	0.3	0.2	—	—	0.1	0.1	0.1	0.0	0.3
96	熱 傷	総数	2.1	1.8	2.5	1.7	1.5	1.3	1.8	0.8	0.3	0.6	1.4
		男	2.6	1.2	3.2	1.7	2.0	1.7	2.1	0.7	0.4	0.7	1.8
		女	1.7	2.4	1.9	1.7	1.1	0.9	1.4	1.5	0.8	0.2	0.6
97	神経及び脊髄の損傷	総数	0.3	—	0.1	0.1	—	0.3	0.1	0.1	0.0	0.3	0.3
		男	0.5	—	0.1	0.1	—	0.4	0.2	0.1	0.1	0.0	0.5
		女	0.1	—	—	—	0.1	0.0	0.0	0.1	0.0	0.0	0.1
98	中 毒 及 び 毒 作 用	総数	4.3	1.0	0.8	0.8	1.3	1.1	1.0	0.5	0.3	2.4	6.4
		男	5.5	0.9	0.9	0.7	1.3	1.1	1.0	0.4	0.4	2.9	8.4
		女	3.0	1.0	0.6	1.0	1.2	1.1	1.0	0.6	0.2	1.9	4.3
99	溺 死	総数	5.6	4.9	20.4	10.1	9.0	6.8	11.4	10.2	4.1	1.2	2.2
		男	7.4	5.2	22.8	14.3	12.7	10.2	14.8	13.1	6.7	2.1	3.5
		女	4.0	4.7	17.9	5.7	5.0	3.2	7.8	7.2	1.4	0.3	0.9
100	窒 息 及 び 絞 首	総数	10.4	24.0	3.3	1.5	0.8	0.8	1.6	5.7	0.8	0.6	3.0
		男	13.4	26.3	3.3	1.4	0.8	0.8	1.5	6.1	1.0	0.9	4.3
		女	7.5	21.6	3.4	1.7	0.8	0.8	1.6	5.3	0.5	0.3	1.6
101	その他の損傷	総数	4.7	15.6	2.5	2.3	1.4	1.0	1.8	4.3	0.6	0.3	2.4
		男	6.7	18.6	2.8	3.0	1.3	1.2	2.1	5.2	0.8	0.4	3.9
		女	2.7	12.4	2.1	1.5	1.4	0.8	1.4	3.5	0.5	0.2	0.8

注：1) 0歳は出生10万対の死亡率である。

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 55 年

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	65~	80~	簡 単 分類番号
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	86
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	87
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	88
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	89
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	90
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	91-101
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	91
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	92
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	93
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	94
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	95
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	96
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	97
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	98
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	99
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	100
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	101

表 5.15 性・年齢別にみた死因

簡 単 分類番号	死 因 ・ 性	総 数	0 歳	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24
E 104 - E 117	損 傷 及 び 中 毒 の 外 因	総数 45.5 男女 62.9 28.6	52.0 57.4 46.2	38.4 43.1 33.4	25.6 33.8 17.2	24.0 30.9 16.6	20.8 27.7 13.7	27.0 33.7 19.9	31.7 38.3 24.8	12.9 17.7 7.8	5.4 8.0 2.8	31.3 48.8 12.8	39.4 60.4 18.1
E 104 - E 114	不慮の事故及び有害作用	総数 25.1 男女 37.0 13.6	41.8 47.0 36.3	35.1 39.7 30.3	22.6 30.9 14.1	21.5 28.0 14.7	18.8 25.5 11.9	24.3 30.9 17.5	27.6 34.0 20.9	11.4 16.0 6.6	4.2 6.2 2.0	23.1 38.1 7.1	19.7 33.9 5.4
E 104	自 動 車 事 故	総数 10.1 男女 15.5 4.9	1.3 1.5 1.0	4.5 4.7 4.3	6.3 8.9 3.7	7.4 9.6 5.0	8.8 11.6 5.8	6.8 8.8 4.7	5.8 7.5 4.0	4.8 6.2 3.4	1.7 2.2 1.1	18.8 31.4 5.5	13.2 22.5 3.8
E 105	自動車事故以外の交 通事故	総数 1.3 男女 2.2 0.5	— — —	1.3 1.4 1.1	1.4 2.3 0.5	1.1 1.5 0.6	0.5 0.5 0.4	1.1 1.4 0.6	0.9 1.2 0.5	0.7 1.3 0.2	0.4 0.7 0.2	0.6 1.0 0.3	0.8 1.4 0.2
E 106	不 慮 の 中 毒	総数 0.7 男女 0.9 0.5	0.1 0.1 —	0.4 0.5 0.4	0.3 0.3 0.2	0.3 0.3 0.2	0.5 0.5 0.4	0.4 0.4 0.3	0.3 0.4 0.3	0.1 0.1 0.1	0.1 0.1 0.0	0.6 0.8 0.4	0.7 1.0 0.4
E 107	不 慮 の 墜 落	総数 3.8 男女 5.1 2.6	2.3 2.5 2.1	1.9 2.7 1.1	1.1 1.4 0.8	1.1 1.4 0.8	0.4 0.5 0.2	1.1 1.5 0.7	1.3 1.7 1.0	0.5 0.8 0.2	0.2 0.3 0.1	0.6 1.0 0.1	1.1 2.1 0.2
E 108	火災及び火焰による 不慮の事故	総数 1.3 男女 1.5 1.0	1.6 1.1 2.1	1.1 1.4 0.8	1.1 1.2 1.0	1.5 1.7 1.1	1.0 1.0 1.1	1.2 1.3 1.1	1.3 1.3 1.3	0.6 0.6 0.6	0.3 0.4 0.3	0.3 0.4 0.2	0.5 0.7 0.3
E 109	天 災	総数 0.0 男女 0.0 0.0	— — —	0.1 0.1 —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	0.0 — —	— — —	0.0 — —	— — —
E 110	不 慮 の 溺 死	総数 3.0 男女 4.3 1.7	4.1 4.1 4.0	19.4 21.9 16.6	9.4 13.2 5.5	8.1 11.4 4.7	5.9 9.0 2.7	10.5 13.7 7.2	9.3 12.0 6.6	3.6 5.9 1.2	0.9 1.7 0.2	1.1 1.9 0.2	1.7 3.2 0.2
E 111	不慮の機械的窒息	総数 1.9 男女 2.5 1.2	30.7 35.9 25.2	4.1 4.0 4.3	1.8 2.2 1.4	0.8 0.6 1.1	0.7 0.8 0.6	1.8 1.8 1.8	7.2 8.2 6.1	0.3 0.4 0.2	0.2 0.3 0.1	0.1 0.1 0.1	0.2 0.3 0.1
E 112	不 慮 の 打 撲	総数 0.6 男女 1.1 0.1	0.4 0.4 0.5	0.2 0.4 0.1	0.2 0.3 0.1	0.3 0.4 0.2	0.2 0.2 0.1	0.2 0.3 0.1	0.3 0.3 0.2	0.2 0.3 0.1	0.2 0.3 0.0	0.3 0.5 0.0	0.4 0.7 —
E 113	工業性を主とする不 慮の事故	総数 1.3 男女 2.1 0.4	0.5 0.6 0.4	1.8 2.0 1.5	0.8 0.9 0.7	0.6 0.9 0.4	0.8 1.1 0.4	1.0 1.2 0.7	0.9 1.1 0.7	0.4 0.3 0.5	0.1 0.2 —	0.5 0.8 0.1	0.9 1.5 0.2
E 114	その他の不慮の事故 及び有害作用	総数 1.2 男女 1.8 0.7	0.9 0.9 0.1	0.4 0.6 0.1	0.2 0.2 0.1	0.2 0.1 0.2	0.1 0.2 —	0.2 0.3 0.1	0.3 0.4 0.3	0.1 0.2 0.1	0.1 0.1 0.0	0.2 0.3 0.2	0.3 0.5 0.1
E 115	自 殺	総数 17.7 男女 22.4 13.2	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	0.6 0.9 0.3	7.3 9.5 5.0	18.1 24.5 11.6
E 116	他 殺	総数 1.0 男女 1.1 0.8	6.1 6.3 5.9	2.1 2.2 1.9	2.2 1.6 2.9	2.0 2.5 1.5	1.6 1.6 1.7	2.0 2.0 2.0	2.8 2.8 2.7	1.1 1.2 1.1	0.4 0.5 0.3	0.3 0.3 0.4	0.4 0.3 0.4
E 117	そ の 他 の 外 因	総数 1.7 男女 2.4 1.0	4.1 4.2 4.0	1.2 1.2 1.3	0.8 1.3 0.2	0.5 0.4 0.5	0.3 0.5 0.1	0.7 0.8 0.5	1.3 1.5 1.2	0.3 0.5 0.1	0.3 0.4 0.2	0.6 0.8 0.3	1.2 1.8 0.6

注：1) 0歳は出生10万対の死亡率である。

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 55 年

25~29	30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	65~	80~	簡単 分類番号
35.7 53.3 17.8	32.1 48.2 15.8	37.6 56.4 18.8	43.9 66.7 21.3	51.8 80.1 23.5	54.8 82.5 28.2	57.5 89.2 31.9	63.2 96.8 37.1	84.4 118.6 57.6	121.3 162.4 89.7	166.8 209.3 136.3	232.8 291.7 196.6	349.2 419.4 315.7	139.3 176.3 112.2	271.1 329.3 238.1	E 104 - E 117
14.1 24.0 4.1	12.3 20.8 3.7	15.2 25.3 5.2	19.0 31.3 6.8	23.8 40.5 7.1	27.6 45.2 10.7	31.1 53.0 13.4	35.6 60.5 16.4	48.5 78.7 25.0	71.2 106.7 43.8	102.2 139.2 75.7	154.3 201.8 125.1	261.4 301.0 242.5	86.8 118.4 63.8	189.5 231.1 165.9	E 104 - E 114
7.2 12.2 2.1	5.9 9.8 1.9	7.1 11.2 3.1	8.0 12.2 3.9	9.7 15.4 4.0	11.1 16.9 5.5	13.0 20.9 6.7	14.7 23.7 7.8	18.4 29.4 9.9	25.3 38.2 15.4	27.9 40.1 19.1	31.6 46.3 22.6	26.5 45.8 17.3	24.0 36.2 15.0	29.9 46.1 20.7	E 104
0.7 1.2 0.2	0.8 1.4 0.2	0.9 1.7 0.2	1.5 2.7 0.3	1.8 3.5 0.2	2.1 3.4 0.7	2.1 3.7 0.7	2.2 4.0 0.8	2.3 4.2 0.9	4.6 7.9 2.1	4.2 7.4 2.0	4.3 8.5 1.8	5.8 10.4 3.6	3.7 6.5 1.7	4.8 9.1 2.4	E 105
0.7 0.9 0.5	0.4 0.5 0.2	0.5 0.7 0.3	0.7 1.1 0.3	0.7 1.0 0.4	0.9 1.5 0.4	0.8 1.1 0.6	0.9 1.3 0.6	1.2 1.6 0.9	2.0 2.4 1.7	2.5 3.4 1.8	3.1 3.4 3.0	3.2 4.1 2.8	2.0 2.5 1.6	3.2 3.6 2.9	E 106
1.3 2.5 0.2	1.2 2.3 0.2	1.9 3.5 0.3	2.7 4.8 0.5	3.9 7.1 0.7	4.2 7.8 0.7	5.2 9.8 1.5	5.7 10.3 2.2	8.2 13.7 3.9	11.7 17.2 7.5	23.0 24.3 22.0	45.0 48.9 42.5	126.7 109.6 135.0	21.8 23.7 20.4	71.9 66.8 74.7	E 107
0.6 0.8 0.4	0.6 0.6 0.5	0.4 0.4 0.4	0.7 0.9 0.5	0.7 1.0 0.3	0.9 1.1 0.6	1.1 1.6 0.6	1.6 2.4 0.9	3.5 5.2 2.1	5.9 7.8 4.5	8.5 11.5 6.3	13.8 18.9 10.7	21.6 33.1 16.1	7.1 9.5 5.4	16.4 23.1 12.6	E 108
0.0 0.0 0.0	— — —	— — —	0.0 0.0 —	0.0 0.0 —	0.0 0.1 —	0.1 0.1 0.0	0.1 0.1 0.0	0.1 0.1 0.1	0.1 0.1 0.1	— — —	— — —	0.2 — 0.3	0.1 0.0 0.1	0.1 — 0.1	E 109
1.3 2.4 0.2	1.1 1.9 0.2	1.4 2.4 0.3	1.6 2.7 0.5	1.7 3.0 0.4	1.9 3.2 0.6	2.4 4.1 1.0	2.4 3.9 1.2	4.3 6.8 2.3	7.7 9.3 6.4	12.5 14.1 11.3	19.3 22.8 17.1	22.4 27.3 20.0	9.3 11.2 7.9	20.3 24.1 18.1	E 110
0.2 0.3 0.1	0.3 0.3 0.2	0.4 0.6 0.2	0.4 0.7 0.2	0.6 1.0 0.2	1.1 1.6 0.6	1.3 1.8 0.8	2.8 4.8 1.2	4.9 8.3 2.4	7.5 13.1 3.3	14.1 24.1 7.0	19.8 33.2 11.6	24.6 40.6 17.0	10.0 16.2 5.4	21.4 35.4 13.5	E 111
0.3 0.7 0.0	0.6 1.0 0.1	0.6 1.1 0.1	0.8 1.4 0.2	1.1 2.2 0.1	1.4 2.5 0.4	1.3 2.5 0.4	1.1 2.2 0.2	0.7 1.3 0.1	0.7 1.3 0.2	0.8 1.4 0.3	1.1 1.5 0.9	0.6 1.2 0.3	0.7 1.3 0.3	0.9 1.4 0.7	E 112
1.2 2.1 0.3	1.2 2.2 0.2	1.5 2.6 0.3	1.6 3.0 0.2	2.1 3.8 0.4	2.3 4.0 0.7	1.9 3.5 0.6	1.8 3.3 0.6	1.9 3.3 0.8	1.6 3.0 0.6	1.9 2.8 1.3	2.8 3.9 2.1	5.1 6.4 4.5	2.1 3.3 1.2	3.5 4.6 2.9	E 113
0.6 1.0 0.1	0.4 0.8 0.1	0.6 0.9 0.2	1.1 1.9 0.2	1.4 2.5 0.3	1.7 3.1 0.4	2.0 3.9 0.5	2.4 4.5 0.8	3.1 4.9 1.7	4.0 6.5 2.1	6.8 9.9 4.7	13.5 14.5 12.8	24.6 22.6 25.6	6.2 7.9 5.0	17.1 16.9 17.3	E 114
19.4 26.4 12.3	17.4 24.0 10.7	19.6 27.0 12.3	22.1 31.4 12.9	24.6 34.7 14.4	23.8 31.9 16.0	24.0 32.4 17.1	24.7 32.4 18.8	32.5 35.1 30.4	45.3 49.0 42.3	58.8 62.7 56.1	71.6 81.4 65.6	78.6 107.9 64.6	47.5 51.5 44.5	73.9 89.2 65.2	E 115
0.7 0.9 0.5	1.0 1.3 0.8	1.1 1.5 0.7	1.1 1.5 0.7	1.2 1.6 0.8	0.8 1.1 0.6	0.5 0.6 0.4	0.6 0.8 0.5	0.6 0.8 0.5	0.9 1.1 0.8	1.2 1.9 0.7	0.5 0.5 0.4	0.8 1.1 0.7	0.8 1.0 0.7	0.6 0.3 0.7	E 116
1.4 2.0 0.8	1.4 2.1 0.7	1.6 2.6 0.7	1.7 2.5 0.8	2.2 3.2 1.2	2.6 4.4 0.9	1.9 3.1 1.0	2.2 3.1 1.4	2.7 4.0 1.7	4.0 5.5 2.7	4.6 5.6 3.9	6.5 8.0 5.5	8.5 10.4 7.5	4.1 5.4 3.2	7.1 8.7 6.2	E 117

表 5.15 性・年齢別にみた死因

簡 単 分類番号	死 因 ・ 性	総 数	0 歳 ¹⁾	1	2	3	4	1～4	0～4	5～9	10～14	15～19	20～24
(再掲)													
1 - 26	感染症及び寄生虫症	総数 10.3 男 13.2 女 7.5	17.4 20.7 13.8	5.5 6.2 4.8	1.8 2.2 1.3	1.5 1.8 1.3	0.8 1.2 0.4	2.4 2.8 1.9	5.1 6.1 4.1	0.6 0.6 0.6	0.3 0.2 0.3	0.5 0.6 0.4	0.9 1.1 0.8
5.6	結 核	総数 5.5 男 8.3 女 2.9	0.2 0.2 0.1	0.2 0.2 0.1	— — —	0.1 — 0.2	— — —	0.1 0.1 0.1	0.1 0.1 0.1	— — —	— — —	0.0 0.0 0.0	0.2 0.2 0.2
46,51,52 54 - 56	心 疾 患	総数 106.3 男 112.2 女 100.5	16.9 18.4 15.3	4.7 5.0 4.4	2.9 3.5 2.3	1.6 2.0 1.3	1.6 2.0 1.2	2.7 3.1 2.2	5.3 5.9 4.6	1.3 1.3 1.2	1.5 1.7 1.2	3.0 4.2 1.7	4.4 6.7 2.2
62,63,66	肺炎及び気管支炎	総数 33.8 男 38.5 女 29.2	37.3 39.4 35.0	8.7 8.6 8.9	4.6 5.8 3.5	2.6 2.8 2.3	2.0 2.3 1.8	4.4 4.8 4.0	10.5 11.3 9.7	1.2 1.2 1.2	0.9 1.0 0.8	1.2 1.5 0.8	1.1 1.0 1.3
4,72	胃 腸 炎	総数 3.3 男 2.7 女 3.8	6.8 8.3 5.4	2.4 3.1 1.6	0.6 1.2 —	0.6 0.6 0.7	0.2 0.2 0.2	0.9 1.2 0.6	2.0 2.5 1.5	0.1 0.1 0.1	0.0 0.0 0.0	0.1 0.1 0.1	0.0 0.1 0.0
79,80	妊 産 婦 死 亡 ²⁾	女 0.5	—	—	—	—	—	—	—	—	—	0.2	0.8

注：1) 0歳は出生10万対の死亡率である。

2) 女子人口10万対の死亡率である。

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 55 年

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～	65～	80～	簡 単 分類番号
1.0	1.5	2.9	4.2	7.5	10.8	15.8	21.9	36.9	56.6	88.0	124.0	179.0	68.4	142.1	(再掲) 1 - 26
1.2	1.8	3.5	5.4	9.8	15.2	23.5	35.1	56.7	88.8	138.4	179.3	225.6	99.5	193.0	
0.9	1.3	2.2	2.9	5.2	6.6	9.5	11.6	21.5	31.8	51.8	90.1	156.7	45.7	113.3	
0.3	0.5	1.2	2.5	4.3	7.3	9.9	13.9	23.9	34.6	52.6	60.6	52.3	37.7	57.9	5.6
0.3	0.7	1.4	3.3	6.1	11.1	15.9	23.6	41.3	62.1	95.7	110.7	103.8	66.6	108.7	
0.3	0.4	1.1	1.6	2.5	3.6	5.1	6.5	10.4	13.4	21.8	29.9	27.6	16.6	29.1	
6.6	8.3	14.0	24.4	39.9	61.4	95.9	168.6	309.8	594.8	1 141.4	2 078.9	4 037.4	920.0	2 723.0	46,51,
9.0	11.9	20.1	35.0	57.7	87.4	138.7	235.9	414.8	757.9	1 388.5	2 433.2	4 469.3	1 044.3	3 033.2	52,
4.1	4.8	7.9	13.9	21.9	36.4	61.4	116.5	227.9	469.0	964.3	1 861.4	3 832.4	829.3	2 547.6	54 - 56
1.5	1.3	1.6	2.8	4.8	7.2	14.6	29.7	77.4	182.2	403.3	809.4	1 668.5	325.1	1 092.0	
1.5	1.4	1.6	3.4	6.4	9.7	19.8	44.5	116.2	264.7	586.6	1 135.2	2 279.6	427.3	1 472.4	62,63,66
1.4	1.2	1.6	2.2	3.3	4.9	10.5	18.3	47.1	118.6	272.0	609.5	1 376.1	250.6	876.4	
0.2	0.2	0.2	0.3	0.7	0.9	1.4	2.4	4.9	11.0	29.3	78.5	238.4	30.7	131.1	
0.2	0.2	0.2	0.3	0.8	1.3	1.9	2.6	5.1	12.5	32.5	78.7	200.1	26.9	114.5	4,72
0.2	0.2	0.2	0.2	0.5	0.5	0.9	2.2	4.7	9.7	27.1	78.4	257.0	33.4	140.5	
1.9	2.2	1.3	0.5	0.2	0.0	—	—	—	—	—	—	—	—	—	79,80