

〔地域別にみた死因〕

表 5.18 都道府県別にみた死因

都道府県	総数	1 コレラ	2 腸チフス	3 細菌性赤痢及び症	4 下痢性疾患 腸炎及びその他の	5 呼吸系の結核	6 その他の結核 (後遺症を含まない)	7 らい	8 ジフテリア	9 百日咳
全国	622.0	—	0.0	—	1.4	5.3	0.3	—	0.0	0.0
北海道	583.7	—	—	—	1.0	4.8	0.3	—	—	—
青森	662.0	—	—	—	1.3	6.4	0.3	—	—	—
岩手	703.2	—	—	—	1.4	5.7	—	—	—	—
宮城	610.6	—	—	—	1.4	2.7	0.2	—	—	0.1
秋田	731.0	—	—	—	2.1	3.0	0.7	—	—	—
山形	795.8	—	—	—	—	—	—	—	—	—
福島	733.8	—	—	—	1.8	3.6	0.2	—	—	—
茨城	658.9	—	—	—	1.8	4.7	0.4	—	—	—
栃木	673.2	—	—	—	1.8	3.6	0.2	—	—	0.0
群馬	667.5	—	—	—	1.4	3.9	0.1	—	—	—
埼玉	446.8	—	—	—	1.3	3.2	0.3	—	—	0.1
千葉	486.2	—	—	—	0.8	2.9	0.2	—	—	—
東京都	502.7	—	—	—	1.1	3.0	0.3	—	—	0.1
神奈川	432.2	—	—	—	0.6	4.6	0.3	—	—	—
新潟	727.2	—	—	—	0.6	3.7	0.1	—	—	—
富山	726.3	—	—	—	2.7	3.4	0.4	—	—	—
石川	692.5	—	—	—	2.9	6.5	0.4	—	—	—
福井	745.6	—	—	—	1.6	4.2	0.1	—	—	—
山梨	767.4	—	—	—	3.0	7.8	0.1	—	—	—
長野	755.4	—	—	—	2.1	4.9	0.4	—	—	—
岐阜	668.1	—	—	—	1.8	4.5	0.3	—	—	—
静岡	595.1	—	—	—	1.7	8.5	0.1	—	—	0.1
愛知	507.8	—	0.0	—	1.7	3.6	0.1	—	—	0.1
三重	718.9	—	—	—	1.2	6.4	0.2	—	—	0.1
滋賀	672.1	—	—	—	1.9	5.8	0.3	—	—	—
京都	639.9	—	—	—	2.8	5.0	0.1	—	—	—
大阪	520.6	—	—	—	1.3	6.4	0.3	—	—	—
兵庫県	625.6	—	—	—	0.7	6.2	0.3	—	—	—
奈良	630.8	—	—	—	2.0	5.5	0.3	—	—	—
和歌山	801.3	—	—	—	2.1	5.0	0.2	—	—	—
鳥取	817.3	—	—	—	1.3	8.8	0.3	—	—	—
島根	900.6	—	—	—	2.0	4.9	0.7	—	—	0.2
岡山	749.0	—	—	—	2.9	4.1	0.5	—	—	—
広島	665.1	—	—	—	1.8	5.7	0.3	—	—	—
山口	784.7	—	—	—	0.9	4.5	0.3	—	—	—
徳島	841.3	—	—	—	1.6	6.5	—	—	—	—
香川	751.2	—	—	—	1.8	9.9	0.1	—	—	—
愛媛	751.8	—	—	—	2.3	6.4	0.2	—	—	0.1
高松	890.0	—	—	—	0.9	6.7	0.3	—	—	—
福岡	646.4	—	—	—	2.3	6.2	0.2	—	—	—
佐賀	798.4	—	—	—	1.1	7.3	0.3	—	0.0	0.0
長門	744.7	—	—	—	1.7	8.0	—	—	—	—
熊本	753.5	—	—	—	1.4	7.0	0.1	—	—	0.1
大分	804.4	—	—	—	2.0	7.6	0.3	—	—	—
宮崎	725.8	—	—	—	1.5	11.3	0.3	—	—	—
鹿児島	885.3	—	—	—	2.0	8.8	0.5	—	—	—
沖縄	489.4	—	—	—	2.3	6.8	0.4	—	—	—
					1.8	3.1	0.5	—	—	0.1

(簡単分類) 別死亡率 (人口 10 万対)

昭和55年

10 猩 紅 熱	11 髄 膜 炎 菌 感 染	12 破 傷 風 (新生児破傷風を除く)	13 敗 血 症 (新生児敗血症を除く)	14 急 性 灰 白 髄 炎	15 痘 瘡	16 麻 疹	17 日 本 脳 炎	18 ウ イ ル ス 肝 炎 B	19 そ の 他 の ウ イ ル ス 肝 炎	20 他 の リ ケ ッ チ ア 症 発 疹 チ フ ス 及 び そ の	21 マ ラ リ ア
—	0.0	0.0	1.2	—	—	0.0	0.0	0.1	0.8	0.0	0.0
—	—	0.0	1.6	—	—	0.1	—	0.1	1.3	—	—
—	—	—	1.3	—	—	0.1	—	0.1	1.3	—	—
—	—	—	1.8	—	—	0.2	—	0.1	1.1	—	—
—	—	0.1	0.7	—	—	—	—	0.0	0.9	—	0.0
—	—	—	1.8	—	—	0.1	—	—	1.3	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1.4	—	—	—	—	—	0.7	—	—
—	0.0	—	0.8	—	—	0.1	—	0.1	1.2	—	—
—	—	0.1	0.7	—	—	0.0	—	0.3	1.1	—	—
—	—	0.1	0.9	—	—	0.1	—	0.1	0.9	—	—
—	—	0.1	1.1	—	—	0.1	—	0.1	0.8	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	0.0	0.7	—	—	0.1	—	0.0	0.6	—	—
—	0.0	0.0	0.6	—	—	—	—	0.1	0.6	—	—
—	0.0	0.0	1.0	—	—	0.0	—	0.1	0.7	—	0.0
—	—	—	0.8	—	—	0.0	—	0.1	0.7	—	—
—	—	—	1.1	—	—	0.1	—	—	1.0	0.0	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	0.9	—	—	—	—	—	1.0	—	—
—	—	—	2.4	—	—	—	—	0.1	0.9	—	—
—	—	0.1	0.6	—	—	0.3	—	—	0.6	—	—
—	—	0.2	1.2	—	—	—	—	—	0.1	—	—
—	—	—	0.9	—	—	—	—	0.2	1.2	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	0.9	—	—	—	—	0.2	1.0	—	—
—	—	0.0	0.9	—	—	—	—	0.1	0.6	—	—
—	—	0.0	1.0	—	—	0.0	0.0	0.1	0.5	—	0.0
—	—	0.1	1.2	—	—	—	—	0.1	0.6	—	—
—	—	—	0.5	—	—	—	—	0.2	0.7	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1.2	—	—	0.1	—	0.2	0.8	—	—
—	—	—	1.1	—	—	0.0	—	0.2	0.8	—	0.0
—	—	0.0	1.1	—	—	0.1	—	0.1	0.7	—	—
—	—	0.1	0.6	—	—	—	—	—	0.8	—	—
—	—	—	1.2	—	—	0.1	0.6	0.2	0.8	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1.5	—	—	—	0.2	0.2	1.2	—	—
—	0.1	0.3	1.6	—	—	—	—	0.5	1.1	—	—
—	—	—	1.9	—	—	0.1	—	0.1	0.8	—	—
—	—	0.1	1.8	—	—	—	—	0.1	0.7	—	—
—	—	0.1	1.7	—	—	0.1	—	0.1	0.6	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1.3	—	—	0.2	0.1	0.1	1.1	—	—
—	—	—	1.2	—	—	—	—	0.1	0.7	—	—
—	—	—	1.9	—	—	0.1	0.1	0.2	0.7	—	—
—	—	—	3.0	—	—	—	—	—	1.3	—	—
—	0.0	0.1	1.1	—	—	0.0	0.0	0.1	0.8	—	0.0
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	1.2	—	—	0.1	—	—	0.9	—	—
—	—	0.2	1.3	—	—	—	0.1	—	1.1	—	—
—	—	0.1	1.3	—	—	—	0.3	0.1	0.8	—	0.1
—	—	0.1	1.3	—	—	0.2	—	0.2	0.9	—	—
—	—	0.2	1.7	—	—	0.2	0.1	0.1	0.5	—	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	0.3	2.3	—	—	0.1	—	0.2	1.7	—	—
—	—	—	2.6	—	—	0.1	—	0.1	1.1	—	—

表 5.18 都道府県別にみた死因

都 道 府 県	22 梅 毒	23 カ ン ジ ン ダ 症 (新 生 児 カ ン ジ ン ダ 症 を 除 く)	24 日 本 住 血 吸 虫 症	25 フ ィ ラ リ ア 症	26 寄 生 虫 症 そ の 他 の 感 染 症 及 び	28-37 悪 性 新 生 物	28 食 道	29 胃	30 直 腸 ・ 直 腸 S 状 結 腸 移 行 部 及 び 肛 門	31 肝
全 国	0.1	0.0	0.0	0.0	1.0	139.2	4.9	43.4	6.0	12.5
北海道	0.1	0.1	—	—	1.2	139.0	5.5	40.0	6.0	11.0
北海	0.3	—	—	—	1.1	140.7	3.8	44.3	5.1	9.6
青森	0.1	—	—	—	1.0	134.1	5.3	38.7	6.0	10.0
岩手	0.0	—	—	—	0.9	137.2	8.3	43.2	4.8	8.9
宮城	—	—	—	—	0.9	175.8	8.5	63.6	7.1	9.6
山形	0.2	—	—	—	0.3	186.7	9.4	66.1	9.9	10.1
福島	0.1	—	—	—	0.9	159.8	8.6	51.4	7.8	9.9
茨城	0.1	—	—	—	0.7	131.4	6.4	46.1	5.4	9.3
栃木	0.1	—	—	—	1.2	134.8	6.0	48.6	5.9	8.9
群馬	0.4	—	—	—	0.5	133.8	6.1	48.0	5.3	8.6
埼玉県	0.1	—	0.0	—	0.6	100.1	3.8	33.9	4.7	7.1
茨城	0.1	0.0	—	—	0.6	105.3	3.9	35.2	4.6	7.5
東京	0.1	0.0	0.0	—	1.1	127.3	5.9	37.7	5.4	10.1
神奈川	0.0	0.0	—	—	0.8	109.5	4.1	33.7	4.9	8.4
新潟	0.1	—	—	—	0.9	170.6	7.5	62.3	7.0	10.5
富山	0.1	—	—	—	0.6	174.5	3.7	67.2	6.4	13.0
石川	—	—	—	—	1.1	164.5	4.6	57.7	7.2	14.2
福山	0.3	—	—	—	1.0	166.8	3.3	53.2	9.2	17.6
山長	0.1	0.1	0.6	—	1.5	167.1	7.1	51.2	6.0	20.1
岐阜	0.2	0.0	—	—	1.5	163.9	6.9	54.0	8.9	11.7
静岡	0.1	0.1	—	—	0.9	142.0	2.7	52.0	6.7	12.7
愛三	0.1	0.1	0.0	0.0	0.9	120.9	3.5	35.8	5.6	11.6
滋重	0.1	0.0	—	—	0.7	112.6	2.4	37.0	5.2	9.3
賀	0.2	0.1	—	—	1.3	146.7	3.8	49.6	6.2	11.2
京	—	—	—	—	1.4	138.8	1.9	47.3	7.4	8.9
大阪	0.2	0.1	—	—	1.0	144.0	3.8	45.0	6.7	10.7
兵庫	0.1	0.0	—	—	0.8	125.4	3.9	37.8	4.7	15.1
奈良	0.2	—	—	—	0.9	146.9	4.1	43.9	5.5	15.8
和歌山	0.3	0.1	—	—	0.7	146.0	5.5	53.4	4.8	15.2
鳥取	0.2	—	—	—	0.9	179.5	7.0	58.8	7.2	17.6
島根	0.3	—	—	—	0.5	176.0	3.9	62.5	7.4	18.7
岡山	0.3	—	—	—	1.6	177.2	5.1	53.7	9.3	17.4
広島	—	—	—	—	0.7	160.6	3.8	48.1	6.7	15.4
徳島	—	0.0	—	—	1.1	147.1	3.1	42.5	6.7	18.7
香川	0.1	—	—	—	1.4	168.2	6.0	52.5	7.4	14.9
愛媛	0.1	—	—	—	1.3	163.3	4.8	47.2	8.9	21.0
高松	0.1	—	—	—	1.9	163.9	2.9	54.5	6.1	16.6
福岡	0.2	—	—	—	0.7	153.1	4.1	50.5	6.5	14.1
佐賀	0.6	—	—	—	1.7	155.9	4.1	48.5	8.3	14.1
熊本	0.1	0.0	—	—	1.4	159.6	5.1	45.9	6.0	20.1
大分	0.2	—	—	—	1.0	179.6	3.9	55.1	6.2	22.1
佐	—	0.1	—	0.1	1.7	164.7	4.7	42.8	6.5	17.8
長	0.1	0.1	—	—	0.8	155.2	5.2	38.6	6.5	18.7
熊	0.3	—	—	—	1.0	170.0	5.1	46.8	8.8	21.8
大	0.5	0.1	—	—	0.9	148.3	6.1	41.1	7.3	16.2
宮	—	—	—	—	—	—	—	—	—	—
児	0.3	—	—	—	1.7	166.0	9.0	37.0	6.2	19.6
鹿	0.2	—	—	0.1	1.8	103.9	7.4	17.4	2.9	7.9
沖	—	—	—	—	—	—	—	—	—	—

(简单分類) 別死亡率 (人口 10 万対) (つづき)

昭和55年											
32 肺	33 気管・ 気管支 及肺	34 乳 房	34 乳 房 (女子人口 10万対)	35 子宮 (女子人口 10万対)	36 白 血 病	37 そ の 他	38 新 生 良 性 及 び 性 質 不 詳 の 物	39 糖 尿 病	40 栄 養 欠 乏 症	41 貧 血	42 精 神 障 害
6.7	18.3	3.6	7.0	9.2	3.9	35.1	5.2	7.3	0.4	1.3	2.6
8.1	20.4	3.5	6.7	8.5	3.6	36.6	3.4	8.5	0.4	1.4	1.7
7.7	20.0	2.9	5.6	9.4	4.9	37.6	5.7	7.4	0.5	1.1	2.6
8.1	17.7	4.4	8.3	7.3	4.0	36.0	5.3	8.1	0.1	0.9	2.5
7.4	19.5	4.3	8.5	6.5	3.7	33.6	5.7	7.0	0.1	1.0	1.7
8.7	22.6	3.7	7.1	10.1	4.2	42.6	4.5	5.7	0.5	0.9	2.0
10.5	23.9	4.1	7.9	9.2	4.5	43.6	6.2	6.9	0.6	1.0	2.5
9.6	17.8	3.8	7.3	10.1	4.1	41.6	2.0	6.1	0.3	1.2	2.3
6.4	15.0	2.7	5.4	10.1	3.0	31.9	7.0	6.4	0.2	1.2	2.5
7.1	15.3	2.4	4.7	8.2	4.3	32.0	5.3	6.8	0.2	1.0	2.3
6.0	16.8	3.2	6.1	9.6	3.4	31.6	7.1	8.1	0.3	1.3	2.9
4.4	12.1	2.9	5.9	6.3	3.1	24.9	2.8	4.7	0.3	1.1	1.5
4.7	12.7	3.2	6.5	6.1	3.7	26.8	5.0	6.1	0.2	1.0	2.2
6.2	16.9	4.8	9.7	8.6	3.5	32.5	5.0	6.5	0.3	1.1	2.4
5.0	14.5	4.1	8.2	6.7	3.4	28.2	2.5	5.0	0.3	1.0	1.5
8.5	20.0	3.7	7.0	8.3	4.4	42.5	3.6	6.9	0.3	1.2	4.1
8.3	21.6	3.6	6.9	8.1	4.0	42.5	4.3	9.4	0.9	1.2	1.2
6.1	19.8	2.3	4.4	7.9	4.4	44.2	1.1	9.1	0.2	0.8	2.3
8.2	18.5	4.6	8.6	10.8	4.3	42.4	7.6	12.8	0.4	1.8	2.0
7.9	17.2	4.0	7.5	8.7	4.7	44.3	8.4	10.6	0.5	1.9	3.2
7.7	17.2	4.2	8.0	10.9	4.1	43.7	6.3	7.7	0.1	1.6	1.6
6.8	16.2	3.2	6.1	8.7	3.3	33.9	4.4	7.0	0.3	1.6	2.3
6.0	15.4	2.5	5.0	6.7	3.9	33.2	5.5	7.1	0.3	1.1	3.0
5.1	14.1	3.1	6.2	8.1	3.2	29.2	4.4	6.4	0.2	0.9	2.3
7.2	20.0	3.3	6.2	9.5	3.8	36.8	6.7	9.9	0.3	1.2	1.7
6.7	19.7	3.8	7.4	8.5	4.4	34.3	8.5	9.3	0.1	1.3	3.6
6.3	21.5	4.1	7.9	10.0	4.3	36.5	9.4	7.8	0.4	1.4	2.1
4.8	17.6	3.3	6.5	9.7	3.5	29.7	6.2	7.1	0.4	1.5	2.3
6.6	20.1	3.7	7.2	10.8	4.0	37.6	2.0	8.1	0.4	1.6	2.8
7.5	17.1	3.2	6.3	11.1	3.5	30.1	7.4	7.6	0.5	1.3	2.8
10.3	24.4	3.8	7.2	12.9	4.5	39.3	6.2	8.1	0.6	0.8	4.0
10.2	22.0	2.8	5.4	9.9	3.8	39.5	4.3	11.0	0.5	0.5	3.0
8.2	23.8	4.7	9.0	9.0	4.7	45.6	8.0	11.8	0.8	1.1	4.2
8.7	22.8	3.2	6.1	7.5	4.8	43.3	6.4	7.4	0.3	1.3	3.2
7.2	21.1	4.0	7.5	10.9	4.7	33.5	7.8	8.6	0.6	1.5	2.4
7.0	23.9	2.9	5.5	11.7	3.9	43.7	7.2	8.6	1.1	1.9	3.7
7.8	23.7	3.5	6.7	11.3	4.1	36.4	7.0	11.9	0.4	1.7	2.6
6.5	24.4	3.0	5.8	10.9	4.1	40.2	7.7	7.3	0.3	2.1	1.8
7.7	20.1	3.4	6.5	11.2	3.9	36.9	5.6	8.0	0.7	1.8	3.3
9.1	17.6	2.6	5.1	12.2	5.1	40.1	11.9	11.4	0.7	1.7	3.6
7.5	22.0	4.0	7.5	12.4	4.4	38.3	6.4	7.5	0.4	1.6	3.7
8.8	25.2	3.5	6.4	13.9	3.6	43.9	9.1	9.2	0.2	1.9	3.5
7.8	22.3	3.6	6.7	9.3	4.8	49.4	2.6	7.0	0.7	1.8	3.1
7.6	23.4	3.2	5.9	12.4	4.8	40.6	7.6	8.2	0.5	2.5	4.4
8.5	21.3	3.8	7.2	13.2	4.0	43.0	1.0	6.7	0.2	1.8	4.0
8.5	17.8	3.5	6.2	10.4	4.5	38.0	7.3	6.8	0.1	1.4	3.5
9.3	24.1	3.1	5.9	12.5	6.7	44.5	9.7	11.0	0.1	2.0	5.9
4.3	16.0	1.9	3.8	11.7	5.2	34.9	3.3	3.5	1.5	1.2	3.2

表 5.18 都道府県別にみた死因

都道府県	43 髄 膜 炎	44 中非 枢炎 神経 性疾 系の 患	45 急性 リウ マチ 熱	46 慢心 性リ ウマ チ疾 性の 患	48-49 高血 圧性 疾患	48 高血 圧性 心疾 患	49 高血 圧性 心疾 患 の 他	51-52 虚血 性心 疾患	51 急性 心筋 梗塞	52 虚血 性心 疾患 の 他
全 国	0.6	3.7	0.1	1.5	13.7	9.9	3.7	41.6	25.3	16.3
北海道	0.4	3.1	0.2	1.3	10.7	7.9	2.7	44.0	26.1	17.9
青森	0.8	2.2	0.2	1.4	8.3	6.4	1.9	33.7	21.8	11.9
岩手	0.7	4.0	0.3	1.6	11.4	9.1	2.3	46.4	29.2	17.2
宮城	0.5	3.2	0.1	0.9	12.3	8.4	3.9	41.9	26.5	15.4
秋田	0.6	2.8	0.1	1.7	9.7	6.0	3.7	42.5	27.0	15.4
山形	0.5	4.3	0.1	1.4	13.4	8.6	4.8	47.5	28.5	19.0
福島	0.2	4.0	0.1	1.2	11.5	7.9	3.6	51.8	31.8	20.0
茨城	0.6	4.3	0.0	1.3	14.9	9.7	5.2	40.2	24.9	15.3
栃木	0.5	4.2	0.1	1.2	12.7	8.8	3.8	44.6	30.4	14.2
群馬	0.8	4.0	—	1.7	10.4	7.8	2.7	44.6	31.4	13.1
埼玉県	0.4	2.7	0.1	1.1	10.2	7.5	2.7	30.3	20.0	10.4
千葉県	0.6	2.9	0.1	1.0	14.8	10.8	4.0	33.0	21.5	11.5
東京都	0.5	3.0	0.1	1.5	11.0	8.1	2.9	43.2	25.7	17.5
神奈川県	0.5	2.7	0.0	1.2	8.1	5.9	2.2	34.0	22.9	11.0
新潟県	0.5	4.4	0.0	1.1	17.0	11.9	5.1	42.4	30.2	12.3
富山県	0.8	4.8	0.1	1.7	13.4	10.1	3.3	45.9	30.3	15.6
石川県	0.5	3.3	0.1	1.0	14.8	10.3	4.5	41.7	26.1	15.7
福井県	1.0	4.3	—	2.2	16.5	11.5	4.9	53.0	31.0	22.0
山梨県	0.6	4.0	0.1	2.0	14.6	9.6	5.0	43.7	30.5	13.2
長野県	0.3	5.3	0.2	1.9	14.1	10.3	3.8	49.3	32.8	16.5
岐阜県	0.7	3.7	0.2	1.3	15.7	11.3	4.4	39.6	24.9	14.7
静岡県	0.6	4.1	0.2	1.1	14.7	10.3	4.4	40.7	26.9	13.9
愛知県	0.6	3.6	0.2	1.3	12.7	8.6	4.1	29.5	19.9	9.6
三重県	0.5	5.1	0.4	1.7	16.0	10.7	5.3	47.3	29.8	17.5
滋賀県	0.6	4.2	—	0.9	17.1	12.5	4.6	43.0	26.0	17.1
京都府	0.5	4.1	0.1	1.7	14.0	9.4	4.7	47.5	27.3	20.2
大阪府	0.6	3.0	0.1	1.3	12.7	9.5	3.2	32.8	18.8	14.0
兵庫県	0.7	4.2	0.1	1.5	12.1	8.0	4.1	37.2	22.2	15.0
奈良県	0.9	4.0	0.1	1.3	14.5	11.0	3.5	33.0	17.1	15.9
和歌山県	0.7	4.8	0.4	0.9	16.4	11.8	4.6	42.7	26.6	16.2
鳥取県	0.8	5.1	0.2	2.1	14.0	9.9	4.1	46.9	22.4	24.5
島根県	0.5	3.8	0.1	2.8	19.0	13.7	5.3	55.5	35.5	20.0
岡山県	0.5	4.6	0.2	2.1	11.2	7.5	3.6	37.5	23.5	14.0
広島県	0.9	4.2	0.1	1.5	13.5	11.0	2.6	42.9	25.3	17.5
山口県	0.4	4.4	0.2	1.7	18.1	12.6	5.5	54.8	32.9	21.9
徳島県	0.6	4.7	—	1.0	18.0	14.5	3.5	59.9	34.6	25.3
香川県	0.9	6.7	—	1.8	11.4	8.4	3.0	48.2	25.8	22.4
愛媛県	0.3	3.1	0.3	2.2	13.2	9.1	4.1	44.4	27.2	17.3
高知県	0.5	5.9	0.2	1.9	14.6	9.9	4.7	63.1	33.5	29.6
福岡県	0.8	3.2	0.2	2.0	17.5	14.2	3.3	46.2	23.4	22.9
佐賀県	0.7	4.5	0.2	1.9	30.3	26.1	4.2	56.6	25.2	31.4
長崎県	0.6	4.3	0.2	1.9	27.4	21.1	6.3	49.5	28.6	20.9
熊本県	0.8	5.0	0.5	2.3	22.8	17.2	5.5	49.6	25.8	23.7
大宮	0.6	4.2	0.2	2.4	23.4	17.0	6.4	69.6	32.8	36.8
鹿嶋	0.8	4.7	0.3	1.8	18.8	15.5	3.3	57.2	30.2	26.9
児島	0.5	6.9	0.2	2.1	25.4	17.5	7.9	50.3	29.1	21.3
沖繩	0.7	3.7	0.3	1.8	7.6	5.8	1.8	25.1	18.8	6.3

(简单分類) 別死亡率 (人口 10 万対) (つづき)

昭和 55 年

54-56 肺 循環 疾患 及び その 他の 型の 心疾 患	54 心 内 膜 の 慢 性 疾 患	55 心 不 全	56 そ の 他 の 心 疾 患	58-60 脳 血 管 疾 患	58 脳 出 血	59 脳 梗 塞	60 そ の 他 の 血 管 疾 患 の 患	61 循 環 系 の 他 の 疾 患 の 患	62 急 性 気 管 支 炎	63 肺 炎	64 イン フル エン ザ
63.2	3.0	51.3	8.9	139.7	43.7	64.8	31.2	7.3	1.7	28.4	0.6
62.8	3.1	50.4	9.3	117.3	37.1	49.5	30.7	6.5	2.1	31.6	0.5
72.5	3.3	57.8	11.5	158.1	56.8	62.2	39.1	5.7	2.1	36.5	0.9
73.1	4.3	60.3	8.5	183.3	54.8	97.8	30.7	7.0	3.8	43.8	0.5
57.3	3.7	42.8	10.9	165.3	43.0	95.6	26.7	5.8	2.5	30.1	0.7
78.1	4.4	59.2	14.4	201.4	59.5	109.2	32.7	7.2	2.5	33.6	0.2
79.1	3.8	62.6	12.6	213.7	59.8	109.3	44.7	7.6	2.0	37.5	0.6
68.1	3.3	53.0	11.8	200.0	61.6	107.4	31.0	5.8	3.1	35.1	0.4
67.1	3.1	56.1	7.9	172.2	56.0	88.5	27.6	5.0	2.5	25.0	0.3
61.8	3.6	45.1	13.1	188.5	56.4	99.0	33.1	5.2	3.4	29.2	0.4
65.7	3.0	53.6	9.1	177.7	51.1	95.0	31.6	5.5	2.3	32.8	0.4
46.6	2.0	38.4	6.2	104.2	36.4	46.5	21.3	4.1	1.2	18.3	0.3
48.4	2.2	40.6	5.6	114.0	39.4	50.1	24.5	3.9	0.9	18.3	0.4
38.5	2.6	27.9	8.0	109.2	35.6	50.3	23.3	5.7	0.9	26.9	0.5
35.5	2.4	26.7	6.4	93.0	32.0	38.5	22.5	4.3	0.8	19.6	0.4
59.2	3.0	46.7	9.6	190.9	58.2	96.2	36.6	11.3	2.8	36.9	1.0
71.6	3.7	58.0	9.9	166.4	44.7	76.8	44.8	10.4	3.0	35.0	0.6
74.6	3.5	58.5	12.6	153.9	43.6	66.3	44.0	14.1	1.6	36.2	1.0
76.7	2.5	63.8	10.4	157.9	44.7	77.2	36.1	15.7	2.9	31.3	0.9
76.6	3.7	62.7	10.1	194.1	56.5	98.3	39.4	6.5	2.0	28.4	1.6
73.6	3.8	59.6	10.1	214.3	58.7	115.3	40.3	10.4	2.2	30.8	0.9
73.2	4.2	60.5	8.5	159.4	50.4	73.3	35.7	8.0	2.7	25.8	0.7
63.4	2.5	51.5	9.3	138.3	45.1	63.2	29.9	6.5	1.8	28.7	0.4
59.1	2.1	49.0	7.9	111.0	34.0	48.7	28.4	7.2	1.2	21.0	0.5
79.8	3.6	66.4	9.8	162.2	46.3	77.0	38.9	14.8	1.2	28.4	0.9
78.8	2.2	67.9	8.7	157.1	47.9	71.6	37.7	11.0	0.8	22.8	1.0
68.4	3.1	55.1	10.2	128.9	40.6	57.7	30.5	11.1	1.0	27.0	0.5
56.5	2.2	45.3	9.0	95.0	29.3	41.1	24.5	7.3	0.7	21.6	0.3
66.5	2.8	55.9	7.8	125.1	40.6	55.8	28.7	8.2	1.3	23.2	0.6
75.5	3.0	65.0	7.4	131.2	38.3	62.8	30.0	11.1	1.6	22.3	1.3
107.5	4.0	91.4	12.0	170.0	47.5	77.6	44.8	6.4	1.4	27.7	1.0
85.8	4.4	75.5	5.9	201.8	61.0	101.5	39.3	7.7	2.8	36.0	0.7
91.5	5.6	74.4	11.5	222.7	69.6	101.9	51.2	10.0	3.4	45.0	2.0
89.3	3.7	75.9	9.7	171.7	50.9	86.5	34.2	7.2	2.1	37.0	0.6
64.6	2.7	55.1	6.8	136.7	42.2	62.1	32.4	9.3	2.2	32.5	0.6
75.8	3.4	64.7	7.6	172.4	55.0	77.7	39.6	8.8	2.8	42.6	1.0
93.7	5.0	73.6	15.0	178.9	65.1	69.6	44.2	9.7	2.9	40.5	0.8
91.3	3.7	75.4	12.2	140.4	40.8	60.9	38.7	9.3	3.4	36.7	0.8
85.6	3.0	73.5	9.1	163.5	46.2	76.0	41.3	7.6	1.7	36.4	1.1
101.5	4.3	84.3	12.9	224.7	60.7	115.6	48.4	8.3	2.4	47.0	0.8
62.7	2.2	52.4	8.1	125.1	35.8	57.6	31.7	7.3	1.2	28.5	0.5
83.1	3.9	68.2	10.9	162.6	54.0	70.5	38.1	10.3	1.7	35.1	0.6
72.8	5.0	55.8	12.0	158.7	57.3	67.0	34.5	11.9	2.4	41.0	1.4
86.7	4.5	70.2	12.0	154.5	53.2	58.4	42.8	9.6	1.8	32.0	1.9
71.2	4.1	59.8	7.3	190.8	54.2	100.6	36.0	8.7	3.5	35.7	1.0
69.8	4.5	56.3	9.0	163.9	49.5	72.9	41.5	3.5	2.9	35.2	0.7
106.5	4.9	91.2	10.5	197.4	68.3	76.9	52.2	7.5	3.4	41.0	1.0
44.2	2.3	36.0	5.9	78.4	33.1	20.8	24.5	3.0	1.1	23.3	0.9

表 5.18 都道府県別にみた死因

都道府県	66-68 気管支炎・ 肺炎・ 気腫及び 喘息	66 気管支 炎	67 肺 気 腫	68 喘 息	69 胃及び十二 指腸潰瘍	70 虫 垂 炎	71 腹腸 腔ヘルニア 及び 塞	72 胃及び慢性 胃炎・十二指 腸炎	73 慢性肝硬 変及び 肝臓病	74 肝 臓病 (肝硬変を除く)
全 国	10.9	3.6	1.8	5.5	4.8	0.2	2.3	1.9	14.2	2.1
北海道	8.1	2.1	1.6	4.4	3.8	0.2	2.2	1.2	12.0	2.1
青森県	8.2	2.2	1.1	4.9	4.5	0.1	1.6	2.3	11.8	3.0
岩手県	10.9	3.1	1.8	6.0	5.4	0.5	2.3	1.5	9.5	1.7
宮城県	10.3	2.4	2.2	5.7	4.8	0.4	1.7	0.9	10.1	2.2
秋田県	8.1	2.8	1.4	3.9	3.6	0.2	2.3	1.7	9.1	2.1
山形県	13.9	4.6	2.4	6.9	4.6	0.1	3.2	1.8	10.2	2.6
福島県	12.8	4.4	2.2	6.2	6.2	0.4	2.9	1.7	11.6	2.3
茨城県	12.0	3.5	1.7	6.8	5.9	0.1	2.5	1.7	12.5	2.8
栃木県	14.7	4.9	2.2	7.6	5.8	0.2	1.9	2.8	13.3	2.4
群馬県	15.0	5.8	2.6	6.6	4.8	0.2	2.2	2.6	13.2	2.3
埼玉県	7.0	2.1	0.9	4.0	3.2	0.2	1.7	1.5	10.5	1.2
千葉県	8.3	2.8	1.2	4.2	4.1	0.1	1.7	1.5	8.8	1.4
東京都	8.2	2.7	1.6	3.9	3.8	0.1	2.0	1.0	12.9	1.5
神奈川県	6.5	2.2	1.3	3.0	2.9	0.2	1.6	0.9	12.2	1.1
新潟県	11.2	4.6	1.8	4.8	4.1	0.4	2.5	3.6	8.1	1.8
富山県	12.2	6.1	1.3	4.9	4.6	0.2	2.6	3.4	10.0	3.5
石川県	6.7	2.6	1.1	3.0	4.3	—	2.4	2.2	11.0	2.3
福井県	13.2	3.8	1.9	7.5	4.9	0.1	2.0	3.4	12.5	3.2
山梨県	16.4	4.5	3.9	8.0	8.9	0.1	3.0	3.6	17.0	2.0
長野県	11.9	3.3	2.5	6.1	5.6	0.2	2.4	1.9	10.2	2.3
岐阜県	12.4	3.6	1.8	7.0	5.0	0.3	2.8	3.0	12.6	2.4
静岡県	7.6	2.8	1.1	3.7	3.9	0.1	2.1	2.2	15.1	1.6
愛知県	8.8	3.2	1.3	4.3	3.2	0.2	1.9	1.9	10.9	1.6
三重県	13.5	5.1	1.6	6.7	5.6	0.3	2.1	3.1	13.0	2.6
滋賀県	13.7	5.1	2.2	6.4	5.4	0.3	1.8	2.9	10.7	2.8
京都府	10.8	3.6	2.6	4.7	4.8	0.3	2.5	1.5	12.8	2.2
大阪府	10.3	3.5	1.9	4.9	4.0	0.3	2.2	1.1	18.0	1.9
兵庫県	11.9	3.8	1.9	6.2	5.3	0.2	2.5	1.8	17.6	2.5
奈良県	12.2	4.5	2.3	5.5	4.3	0.2	2.8	2.6	13.7	3.1
和歌山県	12.5	3.8	1.9	6.8	4.9	0.2	2.8	2.8	17.6	3.5
鳥取県	15.3	4.1	3.8	7.4	5.1	0.5	3.1	3.9	19.2	2.0
島根県	16.4	5.5	2.5	8.4	8.0	0.3	2.5	4.1	18.8	2.7
岡山県	16.1	4.8	3.1	8.3	5.4	0.1	3.8	2.3	15.4	2.4
広島県	11.9	3.2	2.8	5.8	5.3	0.1	2.5	2.2	19.6	2.0
山口県	14.2	4.2	2.7	7.2	5.7	0.1	2.0	2.5	18.7	2.0
徳島県	20.1	7.0	3.2	9.9	6.4	0.5	1.3	2.5	23.8	3.4
香川県	14.4	5.5	2.5	6.4	6.5	0.3	2.4	3.1	17.3	1.5
愛媛県	12.2	4.5	1.9	5.8	4.3	0.1	2.5	1.6	18.0	2.8
高知県	12.3	4.5	1.4	6.3	6.6	0.2	3.6	2.8	19.0	2.5
福岡県	11.4	4.0	1.5	5.8	5.4	0.1	2.8	1.8	20.8	2.4
佐賀県	13.7	4.3	2.2	7.2	5.7	0.5	3.0	3.7	24.5	3.6
長崎県	16.7	5.8	2.9	8.0	6.7	—	2.4	3.8	16.7	3.3
熊本県	17.4	6.9	2.0	8.5	7.1	0.1	2.4	3.0	18.7	3.2
大分県	14.8	6.2	2.4	6.2	8.5	0.2	3.0	3.7	20.9	3.1
宮崎県	15.2	3.7	1.9	9.5	6.4	0.1	2.9	2.9	17.4	3.5
鹿児島県	20.5	6.3	2.9	11.3	11.6	0.2	3.7	3.4	18.0	4.3
沖縄県	14.7	5.0	2.1	7.6	4.5	0.3	1.0	0.9	7.8	2.4

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 55 年											
76 - 77	76	77	78	79			80			81	82
腎炎・ネ フローゼ 症	急性糸球 体腎炎及 びネフロー ゼ症候群	そ の 他	(男子人口 10万対) 前立腺肥 大症	直接死 産科的 死	出 生 10 万 対	出 産 10 万 対	間接死 産科的 死	出 生 10 万 対	出 産 10 万 対	先 天 異 常	の他の呼吸器 病態 症・分娩死及 びその 出産時外傷・低 酸素
女子人口 10 万 対							女子人口 10 万 対				
8.8	1.7	7.1	0.9	0.5	18.5	17.7	0.1	2.0	1.9	4.2	3.3
9.4	2.3	7.1	1.1	0.4	13.2	12.3	0.1	4.0	3.7	4.2	4.2
9.6	2.4	7.2	1.1	0.9	32.2	30.6	—	—	—	4.8	4.9
10.4	2.7	7.7	1.6	0.8	30.6	28.9	—	—	—	5.0	4.6
6.0	1.2	4.8	1.2	0.4	12.8	12.2	—	—	—	3.4	4.4
8.4	1.7	6.7	1.0	0.3	12.3	11.7	—	—	—	4.6	3.7
8.8	1.4	7.4	1.2	—	—	—	—	—	—	3.9	3.2
8.0	1.9	6.1	1.6	0.4	13.6	12.9	—	—	—	4.5	4.1
7.5	1.6	5.8	0.9	0.5	19.2	18.6	0.1	2.7	2.7	4.5	3.9
7.7	1.4	6.2	0.9	0.5	19.3	18.5	0.1	3.9	3.7	4.9	3.8
7.8	1.6	6.2	1.0	0.3	11.9	11.5	0.1	4.0	3.8	4.5	2.8
5.5	1.0	4.5	0.3	0.5	17.3	16.7	0.1	4.0	3.9	4.0	3.0
6.1	1.1	5.0	0.3	0.6	21.4	20.5	—	—	—	3.5	2.9
7.8	1.3	6.5	0.4	0.6	25.0	23.8	0.1	3.6	3.4	3.6	2.5
6.4	1.2	5.2	0.4	0.4	14.8	14.3	0.0	1.1	1.0	4.5	3.3
5.5	1.0	4.5	0.8	0.2	9.1	8.8	—	—	—	3.9	4.0
8.7	2.2	6.5	1.5	0.4	14.8	14.2	—	—	—	4.6	2.6
7.3	2.0	5.3	0.2	—	—	—	—	—	—	4.5	3.8
9.0	1.4	7.6	1.0	—	—	—	—	—	—	3.5	1.9
9.6	2.0	7.6	0.5	0.7	30.0	28.6	—	—	—	5.2	2.4
7.7	1.7	6.0	1.3	0.9	36.8	35.3	—	—	—	5.8	3.9
8.7	1.8	6.9	0.6	0.4	15.5	14.9	—	—	—	5.1	3.4
8.3	1.7	6.6	0.9	0.4	14.8	14.2	—	—	—	4.0	2.3
6.9	1.2	5.8	0.6	0.3	11.4	10.9	0.1	2.3	2.2	4.6	3.1
10.4	2.2	8.2	1.1	0.3	14.0	13.4	—	—	—	3.5	3.5
8.4	1.5	6.9	0.9	0.4	12.5	12.0	—	—	—	4.2	2.8
12.1	1.6	10.5	0.6	0.4	15.6	14.8	0.2	6.2	5.9	3.7	2.9
8.8	1.6	7.2	0.4	0.7	25.0	23.6	0.1	3.6	3.4	3.8	3.0
10.4	1.9	8.5	1.1	0.6	23.3	22.3	0.0	1.5	1.4	3.7	3.7
8.1	1.2	6.9	0.8	0.3	12.5	12.0	—	—	—	4.0	3.4
10.8	2.5	8.4	0.6	0.4	14.9	14.3	—	—	—	3.7	4.1
7.4	1.8	5.6	1.4	0.6	24.4	23.2	—	—	—	4.6	2.8
10.3	2.8	7.5	1.6	1.2	50.2	47.9	—	—	—	4.3	5.1
9.5	1.8	7.7	1.3	0.1	4.1	3.9	0.1	4.1	3.9	4.2	2.1
10.4	1.7	8.7	1.0	0.6	21.4	20.5	—	—	—	4.0	3.6
11.8	2.5	9.3	0.9	0.7	30.3	28.7	0.1	5.1	4.8	3.8	4.3
13.3	1.7	11.7	2.0	0.5	19.0	18.0	0.2	9.5	9.0	4.7	2.9
13.8	2.3	11.4	1.7	—	—	—	—	—	—	4.3	3.2
10.9	1.6	9.3	1.7	0.5	20.3	19.3	—	—	—	3.9	3.2
15.3	2.8	12.6	1.2	0.5	21.3	20.2	—	—	—	4.4	3.1
9.4	1.6	7.8	0.7	0.4	15.5	14.7	0.1	3.1	2.9	4.2	3.3
11.2	2.0	9.2	1.7	0.4	16.0	15.2	—	—	—	4.2	3.0
12.3	2.6	9.6	1.3	0.4	13.5	12.6	0.1	4.5	4.2	5.0	3.0
13.2	2.4	10.8	2.3	0.1	4.1	3.9	—	—	—	4.9	3.4
12.5	1.7	10.9	1.0	1.1	43.0	40.4	—	—	—	4.0	3.9
9.4	1.8	7.5	1.5	0.5	17.7	16.6	0.2	5.9	5.5	5.0	3.9
14.2	3.0	11.1	2.8	1.3	48.9	45.9	—	—	—	4.9	4.1
7.2	1.8	5.4	0.9	0.4	9.9	9.6	—	—	—	5.2	4.6

表 5.18 都道府県別にみた死因

都道府県	84-87 その他 の死因	84 新生児 破傷風	85 新生児 カンジダ 感染	86 新生児 敗血症	87 その他	88 老 精神病の 記載のない 衰	89 その他 すべての 疾患	91-101 損傷 及び 中毒	91 頭 蓋 骨 折	92 その他の 骨の骨折
全 国	1.6	0.0	0.0	0.1	1.5	27.7	25.3	45.5	6.4	2.6
北海道	1.6	—	—	0.1	1.6	15.0	27.0	46.6	6.3	2.9
青森	1.4	—	—	—	1.4	35.0	24.2	57.2	7.6	2.6
岩手	1.8	—	—	0.1	1.8	18.7	26.9	64.2	9.1	3.6
宮城	2.4	—	—	0.1	2.3	19.7	22.9	40.3	6.5	2.7
秋田	0.6	—	—	0.1	0.6	25.3	27.8	53.1	4.6	2.4
山形	1.4	—	—	—	1.4	44.8	27.0	49.9	4.6	3.4
福島	2.0	—	—	0.0	2.0	39.9	25.2	47.7	5.7	2.3
茨城	2.9	0.0	—	0.0	2.8	35.6	24.3	51.2	8.1	2.9
栃木	2.4	—	—	0.3	2.2	24.5	25.8	51.3	7.7	3.1
群馬	2.1	—	—	—	2.1	27.5	27.2	47.1	6.1	3.5
埼玉県	2.2	—	—	0.1	2.1	18.6	16.1	35.8	5.4	2.1
千葉県	1.7	—	—	0.1	1.5	23.4	17.9	39.7	6.0	2.6
東京都	1.4	—	—	0.2	1.3	12.8	20.5	31.8	4.6	1.5
神奈川県	1.6	—	—	0.1	1.5	14.2	17.8	32.0	5.1	1.4
新潟県	1.8	—	0.0	0.1	1.7	33.1	27.6	55.0	6.3	2.8
富山県	1.7	—	—	—	1.7	27.9	29.6	56.2	6.3	3.4
石川県	2.2	—	—	0.3	1.9	38.1	28.8	47.5	6.4	2.9
福井県	1.1	—	—	0.4	0.8	36.8	32.6	53.2	7.3	3.9
山梨県	2.1	—	—	0.1	2.0	37.0	30.2	51.8	8.2	4.4
長野県	1.4	—	—	0.1	1.3	34.4	28.9	42.3	5.3	2.3
岐阜県	1.5	—	—	0.3	1.2	37.3	23.4	47.9	7.9	2.3
静岡県	1.2	—	—	0.2	1.0	32.1	22.5	44.9	6.5	2.7
愛知県	1.4	—	—	0.2	1.2	20.7	19.2	37.8	6.2	2.0
三重県	1.5	—	—	0.2	1.2	39.4	32.6	50.8	7.5	3.4
滋賀県	1.9	—	—	—	1.9	31.3	30.5	45.3	7.4	3.0
京都府	1.5	—	—	0.0	1.5	34.6	28.3	39.9	6.1	2.5
大阪府	1.3	—	—	0.1	1.2	21.8	21.4	37.1	5.7	1.9
兵庫県	0.9	—	—	0.1	0.8	37.3	25.4	48.0	6.5	3.2
奈良県	1.7	—	—	—	1.7	30.3	27.6	44.0	7.1	2.8
和歌山県	2.8	—	—	0.1	2.8	58.8	31.1	51.8	7.8	3.2
鳥取県	1.3	—	—	0.2	1.2	55.9	27.3	57.2	8.9	3.1
島根県	1.5	—	—	—	1.5	51.3	35.1	66.4	7.0	3.4
岡山県	0.6	—	—	0.1	0.5	48.5	33.8	49.7	6.8	2.9
広島県	1.4	—	—	0.1	1.3	36.0	27.4	51.1	6.8	3.1
山口県	1.6	—	—	—	1.6	42.3	29.6	59.3	7.8	3.7
徳島県	1.3	—	—	0.1	1.2	46.3	35.7	64.3	10.8	4.0
香川県	1.5	—	—	0.2	1.3	43.1	34.0	57.6	9.5	4.1
愛媛県	2.1	—	—	0.1	1.9	56.2	33.5	55.9	7.4	3.0
高知県	1.9	—	—	—	1.9	35.6	41.8	68.7	9.0	3.7
福岡県	1.4	—	—	0.2	1.2	20.7	28.1	47.1	7.1	2.1
佐賀県	1.4	—	—	0.1	1.3	34.3	33.9	50.4	6.3	4.1
長門県	0.8	—	—	—	0.8	25.8	34.8	47.8	4.9	2.4
熊本県	2.2	—	—	0.1	2.1	32.3	35.9	49.2	4.4	3.7
大分県	2.6	—	—	0.2	2.5	26.3	30.8	56.8	7.8	2.9
宮崎県	2.3	—	—	0.1	2.2	25.1	28.5	59.9	7.3	2.7
鹿児島県	2.5	—	—	0.2	2.3	45.2	37.9	60.0	6.1	4.3
沖縄県	2.1	—	—	0.3	1.8	44.0	34.1	41.8	3.7	1.2

(簡単分類) 別死亡率 (人口 10 万対) (つづき)

昭和 55 年

93 頭蓋内損傷 (うものを除く) (頭蓋骨折を伴)	94 胸部・腹部 及び骨盤の 損傷	95 開放 創	96 熱 傷	97 神経 及び 損傷	98 中毒 及び 毒作用	99 溺 死	100 窒息 及び 絞首	101 その他の 損傷	E104-E117 損傷の 外 及び 因	E104-E114 不慮の 事故 及び 用	E 104 自動車 事故
5.2	3.2	0.7	2.1	0.3	4.3	5.6	10.4	4.7	45.5	25.1	10.1
4.2	3.5	0.5	2.4	0.1	4.6	5.5	11.7	4.8	46.6	26.5	11.5
6.0	4.0	0.5	3.0	0.5	5.4	8.6	13.6	5.3	57.2	34.6	13.4
5.0	5.3	0.8	2.6	0.4	4.0	8.8	17.6	7.0	64.2	36.6	12.7
3.3	2.4	0.4	1.3	0.1	3.7	6.6	8.8	4.5	40.3	24.3	8.5
5.1	2.8	0.6	1.6	0.2	4.9	8.7	16.3	5.9	53.1	29.5	8.7
4.2	2.2	0.7	2.5	0.5	5.0	8.0	12.7	6.0	49.9	28.1	9.0
5.9	3.8	0.4	2.6	0.6	3.9	6.4	10.2	6.0	47.7	28.8	10.3
7.9	3.3	0.7	2.9	0.2	6.4	5.2	8.3	5.2	51.2	32.3	17.5
6.4	3.1	0.9	3.0	0.8	7.3	4.6	10.2	4.1	51.3	30.4	15.6
6.3	2.2	0.8	2.3	0.3	6.4	4.5	10.4	4.3	47.1	25.1	11.8
4.6	2.3	1.0	2.5	0.2	3.3	3.2	7.9	3.2	35.8	18.9	9.0
5.8	2.9	0.9	1.9	0.3	2.8	4.5	8.3	3.6	39.7	23.4	12.1
3.5	2.8	0.9	1.8	0.2	2.9	2.9	7.3	3.4	31.8	14.6	5.1
3.1	3.7	0.5	1.7	0.4	2.4	3.6	6.9	3.2	32.0	16.5	6.9
5.6	3.2	0.6	2.0	0.4	3.9	8.6	15.9	5.7	55.0	30.7	11.0
6.7	3.5	0.5	2.8	0.6	3.9	8.4	14.1	6.0	56.2	33.7	10.9
5.5	2.9	0.4	2.2	0.3	4.8	6.9	10.0	5.4	47.5	29.3	10.5
5.7	4.4	0.4	2.5	0.4	2.4	6.8	12.7	6.6	53.2	34.8	14.0
8.1	3.2	0.7	1.6	0.1	6.7	4.4	8.6	5.6	51.8	31.5	15.5
5.7	2.9	0.2	1.6	0.3	4.2	5.2	9.8	4.7	42.3	24.0	8.9
5.0	3.7	0.4	2.2	0.3	4.1	6.5	10.7	4.7	47.9	28.2	12.1
6.5	2.5	0.9	2.0	0.4	4.7	4.6	9.2	5.0	44.9	26.5	12.3
4.0	2.8	0.5	1.8	0.3	3.3	3.8	8.6	4.4	37.8	21.3	10.3
5.7	3.8	0.7	2.6	0.2	4.4	7.0	9.8	5.5	50.8	31.5	13.5
5.9	3.0	1.0	2.4	0.3	2.9	5.4	9.6	4.3	45.3	28.7	13.4
5.2	2.0	0.8	1.6	0.1	3.6	3.9	9.9	4.2	39.9	20.2	9.3
3.8	2.9	0.8	1.4	0.2	3.9	3.7	8.9	3.8	37.1	16.9	6.4
5.9	3.3	0.6	2.1	0.3	5.2	5.5	10.2	5.2	48.0	25.9	10.7
4.7	3.3	1.2	1.2	0.2	4.3	4.3	9.9	5.0	44.0	24.1	9.7
6.3	4.1	0.4	2.1	0.3	5.6	6.0	12.6	3.4	51.8	28.1	12.0
5.6	4.6	0.8	3.5	0.3	4.6	7.2	13.8	4.8	57.2	34.4	12.0
6.0	3.9	1.5	2.7	0.4	4.2	12.5	17.1	7.7	66.4	36.9	10.8
5.8	3.3	1.0	2.1	0.4	3.8	7.4	9.9	6.1	49.7	30.1	11.5
6.1	3.8	0.7	2.5	0.4	3.9	6.9	12.6	4.2	51.1	28.9	9.8
5.0	3.7	0.8	3.8	0.4	4.4	7.9	15.0	6.8	59.3	34.5	11.6
8.5	3.2	0.8	3.4	0.6	4.6	9.3	13.2	5.9	64.3	37.7	13.9
7.1	3.2	0.6	2.5	0.2	5.1	10.2	10.2	4.9	57.6	34.7	14.8
6.4	3.5	1.1	2.2	0.7	5.9	9.4	10.6	5.8	55.9	34.7	12.0
7.7	4.5	0.8	4.7	1.1	4.3	11.5	15.8	5.6	68.7	41.7	14.4
5.5	3.2	0.8	1.6	0.4	5.3	5.9	10.6	4.6	47.1	26.2	10.7
4.2	3.4	0.6	1.9	0.2	6.0	8.0	10.7	5.1	50.4	31.6	10.6
5.3	2.3	0.7	1.6	0.2	4.4	9.5	11.7	4.8	47.8	26.4	7.8
6.7	3.4	0.9	2.1	0.1	5.6	6.4	10.1	5.7	49.2	30.5	10.8
6.6	4.5	1.0	2.6	0.6	5.4	8.5	11.7	5.3	56.8	35.2	11.7
6.6	4.3	0.9	1.5	0.3	7.9	8.1	15.2	5.2	59.9	34.0	11.3
6.1	3.4	0.9	2.8	0.2	6.9	7.2	16.2	6.0	60.0	32.0	10.5
5.6	4.7	0.7	1.7	0.1	4.0	5.9	9.7	4.6	41.8	23.0	9.2

表 5.18 都道府県別にみた死因

都道府県	E 105 交通事故 以外の 自動車事故	E 106 不慮の 中毒	E 107 不慮の 墜落	E 108 火災による 不慮の事故 及び火災	E 109 天災	E 110 不慮の 溺死	E 111 不慮の機械的 窒息	E 112 不慮の打撲	E 113 不慮の事故 工業性を主とする	E 114 事故及び有害作用 その他の不慮の
全 国	1.3	0.7	3.8	1.3	0.0	3.0	1.9	0.6	1.3	1.2
北海道	1.3	0.7	2.6	1.7	0.0	2.2	2.4	1.0	1.7	1.2
青森	2.5	0.7	3.5	2.6	—	5.2	3.0	0.9	1.4	1.4
岩手	2.0	1.2	5.0	1.6	—	5.2	3.6	0.9	2.7	1.8
宮城	2.2	1.2	2.7	0.8	—	3.2	2.1	1.0	1.3	1.4
秋田	2.2	0.9	2.9	0.9	—	5.5	2.5	1.1	2.8	1.8
山形	1.1	0.6	3.7	1.8	—	5.5	3.0	1.0	0.7	1.7
福島	1.7	1.0	3.8	1.4	—	3.8	2.2	1.2	1.5	1.9
茨城	1.5	0.6	2.8	1.6	—	2.7	2.2	0.8	1.4	1.3
栃木	1.2	1.4	3.3	1.6	0.1	2.9	1.4	0.5	1.1	1.2
群馬	0.8	1.0	3.7	0.9	—	2.6	1.3	0.4	1.3	1.2
埼玉県	0.8	0.4	2.6	1.1	—	1.6	1.3	0.3	1.2	0.6
千葉県	1.1	0.4	2.8	1.1	—	2.6	1.3	0.3	0.7	1.1
東京都	0.6	0.3	3.2	1.3	—	1.5	1.2	0.2	0.5	0.6
神奈川県	0.6	0.3	2.5	0.7	—	2.3	1.5	0.3	0.6	0.8
新潟県	1.3	0.9	5.0	1.6	—	4.8	2.1	0.7	1.7	1.7
富山県	2.1	1.6	6.2	1.5	—	4.5	2.1	1.4	1.5	2.0
石川県	2.0	0.6	4.1	1.3	—	4.2	2.5	1.1	1.2	1.8
福井県	1.3	0.8	5.6	1.8	—	5.1	2.9	1.0	1.1	1.3
山梨県	0.7	1.6	5.1	1.2	—	2.1	1.6	1.0	0.9	1.6
長野県	1.2	0.5	3.8	1.3	—	2.7	2.0	0.9	1.1	1.6
岐阜県	1.0	0.7	4.1	1.2	—	4.0	2.3	0.4	1.5	0.9
静岡県	1.3	0.3	3.7	1.1	—	2.6	1.9	0.6	1.6	1.1
愛知県	0.9	0.6	2.7	0.9	—	2.1	1.6	0.4	1.0	0.8
三重県	1.3	1.2	4.9	1.4	—	3.7	2.1	0.4	1.7	1.4
滋賀県	1.8	0.7	4.0	1.1	—	2.4	1.8	0.7	1.8	1.0
京都府	0.7	0.3	3.4	1.1	—	1.6	2.1	0.4	0.7	0.7
大阪府	0.9	0.2	3.3	0.8	0.0	1.6	1.5	0.4	1.0	0.8
兵庫県	1.6	0.7	4.1	1.2	—	2.7	1.7	0.5	1.2	1.5
奈良県	1.7	0.6	4.1	0.7	—	2.2	1.9	0.6	1.0	1.5
和歌山県	1.1	0.5	4.7	1.2	—	2.8	1.5	1.5	1.1	1.7
鳥取県	2.0	1.3	5.9	2.8	—	4.8	1.5	1.0	2.0	1.2
島根県	3.2	0.8	4.8	1.5	—	7.2	2.4	1.3	1.3	3.7
岡山県	1.5	0.6	4.7	1.5	—	3.5	2.5	0.5	1.5	2.2
広島県	1.9	0.8	5.7	1.5	0.0	3.5	2.1	0.6	1.9	1.2
山口県	2.6	0.6	5.7	2.6	0.2	4.1	2.4	0.6	1.7	2.4
徳島県	2.0	0.5	7.2	2.4	—	4.1	2.9	1.0	2.2	1.6
香川県	2.5	1.2	5.6	1.5	0.1	3.1	2.1	0.3	2.3	1.1
愛媛県	2.6	1.3	5.7	1.5	—	4.7	2.7	1.1	1.3	1.9
高知県	2.6	0.7	7.9	2.6	—	5.5	2.3	1.0	2.4	2.3
福岡県	1.6	0.8	3.9	0.8	0.2	3.5	1.8	0.6	1.2	1.2
佐賀県	1.5	1.3	5.7	1.0	0.1	5.8	2.0	0.6	1.6	1.4
長門県	2.5	0.9	4.3	1.3	—	4.3	1.9	0.8	1.3	1.4
熊本県	2.1	1.1	4.5	1.2	0.3	4.0	1.9	1.3	1.7	1.7
大分県	3.1	1.2	6.4	1.5	—	4.4	2.1	0.9	2.4	1.4
宮崎県	1.6	1.2	5.7	0.6	—	6.1	2.9	1.5	1.7	1.4
鹿児島県	1.3	1.7	5.0	1.4	—	4.2	2.5	0.7	2.6	2.3
沖縄県	1.0	0.9	3.2	0.9	—	3.1	1.8	0.4	0.9	1.5

(简单分類) 別死亡率 (人口 10 万対) (つづき)

昭和 55 年

E 115 自殺	E 116 他 殺	E 117 その他の 外 因	1 ~ 26 感染症及び 寄生虫症	5, 6 結 核	46, 51, 52, 54-56 心 疾	62, 63, 66 肺炎及び 気管支炎	4, 72 胃 腸 炎	79, 80 妊産婦死亡		
殺	殺	外 因	症	核	患	炎	炎	女子人口 10 万対	出 生 10 万対	出 産 10 万対
17.7	1.0	1.7	10.3	5.5	106.3	33.8	3.3	0.5	20.5	19.5
18.4	0.7	1.0	10.5	5.0	108.1	35.8	2.2	0.5	17.2	16.0
20.3	0.8	1.4	12.1	6.7	107.6	40.8	3.6	0.9	32.2	30.6
25.9	1.1	0.6	11.4	5.7	121.2	50.6	2.8	0.8	30.6	28.9
14.5	0.5	0.9	7.0	2.8	100.1	35.0	2.2	0.4	12.8	12.2
22.5	0.3	0.9	9.8	3.7	122.3	39.0	3.9	0.3	12.3	11.7
19.9	0.6	1.2	8.2	3.8	127.9	44.1	3.6	—	—	—
16.5	0.9	1.5	10.3	5.1	121.1	42.6	3.6	0.4	13.6	12.9
17.0	0.8	1.1	8.6	3.7	108.6	31.0	3.4	0.6	22.0	21.2
19.1	1.3	0.6	8.8	4.0	107.6	37.5	4.2	0.7	23.1	22.2
19.9	1.3	0.9	8.0	3.5	112.0	40.9	3.9	0.4	15.9	15.3
14.6	1.0	1.4	6.0	3.1	78.0	21.6	2.3	0.6	21.3	20.5
14.5	0.8	1.0	6.5	3.3	82.4	22.0	2.6	0.6	21.4	20.5
15.1	0.8	1.3	8.5	4.8	83.2	30.5	1.6	0.7	28.6	27.2
12.9	0.8	1.7	6.9	3.8	70.6	22.5	1.4	0.4	15.9	15.3
22.6	0.4	1.3	9.8	3.9	102.7	44.3	6.3	0.2	9.1	8.8
21.1	0.6	0.8	12.5	6.9	119.2	44.1	6.3	0.4	14.8	14.2
16.8	0.5	0.9	19.5	4.3	117.4	40.5	3.8	—	—	—
17.0	0.3	1.1	13.9	8.0	131.9	38.0	6.5	—	—	—
18.1	0.9	1.4	11.4	5.2	122.3	34.9	5.7	0.7	30.0	28.6
16.5	0.5	1.3	10.7	4.8	124.8	36.3	3.7	0.9	36.8	35.3
17.9	0.9	0.9	13.4	8.6	114.1	32.1	4.8	0.4	15.5	14.9
16.2	0.8	1.3	8.2	3.8	105.2	33.3	3.9	0.4	14.8	14.2
14.8	0.9	0.8	10.4	6.5	89.9	25.4	3.1	0.4	13.7	13.1
16.6	1.1	1.6	11.5	6.1	128.7	34.8	5.0	0.3	14.0	13.4
15.2	0.5	0.9	10.6	5.1	122.8	28.7	5.6	0.4	12.5	12.0
17.7	0.8	1.2	11.5	6.7	117.6	31.6	2.7	0.5	21.8	20.7
16.5	1.2	2.6	10.2	6.4	90.6	25.8	1.8	0.7	28.6	27.0
19.0	1.1	2.0	10.9	5.8	105.3	28.2	3.8	0.6	24.8	23.7
16.9	1.2	1.9	9.8	5.1	109.8	28.4	4.6	0.3	12.5	12.0
19.9	0.8	2.9	14.3	9.1	151.2	32.9	4.1	0.4	14.9	14.3
19.6	1.6	1.6	11.5	5.6	134.8	42.9	5.9	0.6	24.4	23.2
26.9	0.5	2.2	13.1	4.6	149.8	53.9	7.0	1.2	50.2	47.9
16.6	0.8	2.2	11.3	6.0	128.9	43.8	4.1	0.2	8.2	7.8
18.6	1.1	2.6	9.6	4.8	109.0	38.0	3.1	0.6	21.4	20.5
21.4	1.1	2.3	12.1	6.5	132.3	49.6	4.1	0.9	35.4	33.5
22.6	1.2	2.8	16.1	10.0	154.6	50.3	4.3	0.7	28.5	27.0
20.3	0.7	1.9	13.1	6.6	141.4	45.6	5.5	—	—	—
18.2	0.8	2.2	11.8	7.0	132.2	42.6	2.5	0.5	20.3	19.3
23.8	0.8	2.4	15.3	6.5	166.5	54.0	5.0	0.5	21.3	20.2
17.9	1.2	1.9	12.3	7.6	111.0	33.7	2.8	0.5	18.6	17.6
16.8	0.5	1.5	13.2	8.0	141.5	41.1	5.5	0.4	16.0	15.2
18.3	1.3	1.8	12.8	7.0	124.2	49.2	5.1	0.5	18.0	16.8
17.3	0.9	0.4	13.6	7.9	138.6	40.8	5.0	0.1	4.1	3.9
18.6	2.1	1.0	17.2	11.6	143.2	45.4	5.2	1.1	43.0	40.4
24.0	1.1	0.8	15.6	9.4	128.8	41.8	4.9	0.7	23.5	22.1
23.2	1.8	3.0	16.1	7.2	159.0	50.7	5.7	1.3	48.9	45.9
14.9	1.4	2.6	11.4	3.6	71.1	29.5	2.7	0.4	9.9	9.6