

周産期死亡
5 表 (6-1)

第5表 周産期死亡数, 出産時の体重: 出産時

単産・複産・妊娠期間 (4 週区分)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産・複産 Plurality of Birth 妊娠期間 Period of Gestation	総 数 Total				0.5 kg 未 満 Under 0.5 kg				0.5 ~ 0.9		
	Total				Total				Total		
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female
総 数 Total	18 385	10 097	8 123	165	347	150	150	47	2 028	1 002	1 009
妊娠満28週未満 Under 28 weeks gestation	1 064	593	471	-	44	18	26	-	678	344	334
満28週～満31週 28-31 weeks	3 986	2 154	1 768	64	205	92	84	29	983	473	500
満32週～満35週 32-35	3 884	2 216	1 628	40	44	23	17	4	303	157	141
満36週～満39週 36-39	5 425	3 036	2 346	43	38	11	17	10	58	24	32
満40週～満43週 40-43	3 888	2 025	1 845	18	16	6	6	4	6	4	2
満44週～ 44 completed weeks and over	50	28	22	-	-	-	-	-	-	-	-
不 詳 Not stated (再 掲)	88	45	43	-	-	-	-	-	-	-	-
早期 (満37週未満) Pre-term	10 016	5 555	4 346	115	298	135	128	35	1 992	988	987
満28週未満 under 28 weeks	1 064	593	471	-	44	18	26	-	678	344	334
満28週～満31週 28-31	3 986	2 154	1 768	64	205	92	84	29	983	473	500
満32週～満36週 32-36	4 966	2 808	2 107	51	49	25	18	6	331	171	153
正期 (満37週～満41週) Term	7 547	4 139	3 358	50	48	15	21	12	35	13	22
過期 (満42週～) Post-term	734	358	376	-	1	-	1	-	1	1	-
単 産 Single	17 177	9 477	7 561	139	245	111	105	29	1 818	905	900
妊娠満28週未満	937	536	401	-	33	13	20	-	590	308	282
満28週～満31週	3 685	1 992	1 634	59	175	82	67	26	907	436	463
満32週～満35週	3 602	2 048	1 521	33	22	10	12	-	275	140	131
満36週～満39週	5 061	2 873	2 153	35	13	6	4	3	41	17	23
満40週～満43週	3 754	1 955	1 787	12	2	-	2	-	5	4	1
満44週～	50	28	22	-	-	-	-	-	-	-	-
不 詳 (再 掲)	88	45	43	-	-	-	-	-	-	-	-
早期 (満37週未満)	9 235	5 133	4 002	100	231	106	99	26	1 797	897	887
満28週未満	937	536	401	-	33	13	20	-	590	308	282
満28週～満31週	3 685	1 992	1 634	59	175	82	67	26	907	436	463
満32週～満36週	4 613	2 605	1 967	41	23	11	12	-	300	153	142
正期 (満37週～満41週)	7 137	3 951	3 147	39	14	5	6	3	20	7	13
過期 (満42週～)	717	348	369	-	-	-	-	-	1	1	-
複 産 Plural	1 208	620	562	26	102	39	45	18	210	97	109
妊娠満28週未満	127	57	70	-	11	5	6	-	88	36	52
満28週～満31週	301	162	134	5	30	10	17	3	76	37	37
満32週～満35週	282	168	107	7	22	13	5	4	28	17	10
満36週～満39週	364	163	193	8	25	5	13	7	17	7	9
満40週～満43週	134	70	58	6	14	6	4	4	1	-	1
満44週～	-	-	-	-	-	-	-	-	-	-	-
不 詳 (再 掲)	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満)	781	422	344	15	67	29	29	9	195	91	100
満28週未満	127	57	70	-	11	5	6	-	88	36	52
満28週～満31週	301	162	134	5	30	10	17	3	76	37	37
満32週～満36週	353	203	140	10	26	14	6	6	31	18	11
正期 (満37週～満41週)	410	188	211	11	34	10	15	9	15	6	9
過期 (満42週～)	17	10	7	-	1	-	1	-	-	-	-

の平均体重, 妊娠満28週以後の死産・早期新生児死亡・性・ PERINATAL DEATH

(早期・正期・過期再掲) 別 昭和55年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1980

	1.0 ~ 1.4				1.5 ~ 1.9				2.0 ~ 2.4			
不 詳	総 数	男	女	不 詳	総 数	男	女	不 詳	総 数	男	女	不 詳
Not stated	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female	Not stated
17	3 383	1 842	1 513	28	3 157	1 771	1 352	34	2 734	1 539	1 180	15
-	312	209	103	-	21	17	4	-	2	2	-	-
10	1 691	926	756	9	842	524	314	4	153	95	56	2
5	975	508	454	13	1 250	711	526	13	878	533	341	4
2	361	182	174	5	859	433	411	15	1 233	696	530	7
-	43	16	26	1	184	85	97	2	462	210	250	2
-	1	1	-	-	1	1	-	-	6	3	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-
17	3 116	1 714	1 379	23	2 396	1 403	971	22	1 328	792	529	7
-	312	209	103	-	21	17	4	-	2	2	-	-
10	1 691	926	756	9	842	524	314	4	153	95	56	2
7	1 113	579	520	14	1 533	862	653	18	1 173	695	473	5
-	263	126	132	5	739	354	373	12	1 326	712	606	8
-	4	2	2	-	22	14	8	-	80	35	45	-
13	3 074	1 681	1 367	26	2 905	1 630	1 241	34	2 543	1 431	1 097	15
-	286	194	92	-	21	17	4	-	2	2	-	-
8	1 551	845	697	9	795	496	295	4	149	92	55	2
4	903	472	420	11	1 153	648	492	13	826	500	322	4
1	299	158	136	5	769	388	366	15	1 136	642	487	7
-	34	11	22	1	166	80	84	2	424	192	230	2
-	1	1	-	-	1	1	-	-	6	3	3	-
-	-	-	-	-	-	-	-	-	-	-	-	-
13	2 859	1 574	1 264	21	2 239	1 305	912	22	1 251	742	502	7
-	286	194	92	-	21	17	4	-	2	2	-	-
8	1 551	845	697	9	795	496	295	4	149	92	55	2
5	1 022	535	475	12	1 423	792	613	18	1 100	648	447	5
-	212	106	101	5	647	313	322	12	1 216	656	552	8
-	3	1	2	-	19	12	7	-	76	33	43	-
4	309	161	146	2	252	141	111	-	191	108	83	-
-	26	15	11	-	-	-	-	-	-	-	-	-
2	140	81	59	-	47	28	19	-	4	3	1	-
1	72	36	34	2	97	63	34	-	52	33	19	-
1	62	24	38	-	90	45	45	-	97	54	43	-
-	9	5	4	-	18	5	13	-	38	18	20	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
4	257	140	115	2	157	98	59	-	77	50	27	-
-	26	15	11	-	-	-	-	-	-	-	-	-
2	140	81	59	-	47	28	19	-	4	3	1	-
2	91	44	45	2	110	70	40	-	73	47	26	-
-	51	20	31	-	92	41	51	-	110	56	54	-
-	1	1	-	-	3	2	1	-	4	2	2	-

周産期死亡 第5表 周産期死亡数, 出産時の体重; 出産時

5 表 (6-2)

単産一複産・妊娠期間 (4 週区分)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9				(再掲) (Secondary Mention) 2500g ちょうど Just 2500g				3.0 ~ 3.4				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	2 845	1 496	1 343	6	165	86	78	1	2 453	1 424	1 026	3	903
妊娠満28週未満 Under 28 weeks gestation	1	1	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31 weeks	44	20	24	-	6	2	4	-	14	6	8	-	2
満32週～満35週 32-35	315	206	109	-	41	20	21	-	71	45	25	1	23
満36週～満39週 36-39	1 413	765	645	3	83	49	34	-	1 025	635	390	-	300
満40週～満43週 40-43	1 057	495	559	3	35	15	19	1	1 324	728	594	2	570
満44週～ 44 completed weeks and over	13	9	4	-	-	-	-	-	18	10	8	-	7
不詳 (再掲) Not stated	2	-	2	-	-	-	-	-	1	-	1	-	1
早期 (満37週未満) Per-term	591	356	235	-	66	31	35	-	150	94	55	1	43
満28週未満 under 28 weeks	1	1	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31	44	20	24	-	6	2	4	-	14	6	8	-	2
満32週～満36週 32-36	546	335	211	-	60	29	31	-	136	88	47	1	41
正期 (満37週～満41週) Term	2 056	1 054	996	6	94	52	41	1	2 046	1 211	836	2	738
過期 (満42週～) Post-term	196	86	110	-	5	3	2	-	256	121	134	-	121
単産 Single	2 758	1 459	1 293	6	159	83	75	1	2 413	1 395	1 015	3	901
妊娠満28週未満	1	1	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	42	19	23	-	5	2	3	-	14	6	8	-	2
満32週～満35週	309	203	106	-	39	18	21	-	68	42	25	1	23
満36週～満39週	1 363	749	611	3	80	48	32	-	1 008	626	382	-	300
満40週～満43週	1 028	478	547	3	35	15	19	1	1 304	711	591	2	568
満44週～	13	9	4	-	-	-	-	-	18	10	8	-	7
不詳 (再掲)	2	-	2	-	-	-	-	-	1	-	1	-	1
早期 (満37週未満)	573	348	225	-	62	29	33	-	146	91	54	1	43
満28週未満	1	1	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	42	19	23	-	5	2	3	-	14	6	8	-	2
満32週～満36週	530	328	202	-	57	27	30	-	132	85	46	1	41
正期 (満37週～満41週)	1 992	1 027	959	6	92	51	40	1	2 011	1 183	826	2	738
過期 (満42週～)	191	84	107	-	5	3	2	-	255	121	134	-	119
複産 Plural	87	37	50	-	6	3	3	-	40	29	11	-	2
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	2	1	1	-	1	-	1	-	-	-	-	-	-
満32週～満35週	6	3	3	-	2	2	-	-	3	3	-	-	-
満36週～満39週	50	16	34	-	3	1	2	-	17	9	8	-	-
満40週～満43週	29	17	12	-	-	-	-	-	20	17	3	-	2
満44週～	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期 (満28週未満)	18	8	10	-	4	2	2	-	4	3	1	-	-
満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	2	1	1	-	1	-	1	-	-	-	-	-	-
満32週～満36週	16	7	9	-	3	2	1	-	4	3	1	-	-
正期 (満37週～満41週)	64	27	37	-	2	1	1	-	35	25	10	-	-
過期 (満42週～)	5	2	3	-	-	-	-	-	1	1	-	-	2

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH

(早期・正期・過期再掲) 別 昭和55年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1980—CON.

~ 3.9			4.0 ~				不詳 Not Stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
570	330	3	346	215	129	2	189	88	91	10	2.10	2.14	2.06	1.26
-	-	-	-	-	-	-	6	2	4	-	0.89	0.93	0.84	-
1	1	-	2	1	1	-	50	16	24	10	1.24	1.28	1.21	0.69
16	7	-	11	9	2	-	14	8	6	-	1.76	1.81	1.71	1.37
206	93	1	117	73	44	-	21	11	10	-	2.52	2.59	2.45	1.49
343	225	2	211	130	79	2	15	8	7	-	3.02	3.08	2.95	2.23
3	4	-	4	1	3	-	-	-	-	-	3.04	2.91	3.20	-
1	-	-	1	1	-	-	83	43	40	-	3.33	3.80	3.02	-
24	19	-	27	20	7	-	75	29	36	10	1.51	1.55	1.46	1.01
-	-	-	-	-	-	-	6	2	4	-	0.89	0.93	0.84	-
1	1	-	2	1	1	-	50	16	24	10	1.24	1.28	1.21	0.69
23	18	-	25	19	6	-	19	11	8	-	1.85	1.89	1.81	1.36
478	257	3	266	164	100	2	30	15	15	-	2.77	2.84	2.71	1.79
67	54	-	52	30	22	-	1	1	-	-	3.11	3.14	3.07	-
568	330	3	340	213	127	-	180	84	86	10	2.14	2.18	2.10	1.38
-	-	-	-	-	-	-	4	1	3	-	0.90	0.95	0.85	-
1	1	-	2	1	1	-	48	14	24	10	1.25	1.29	1.22	0.70
16	7	-	11	9	2	-	12	8	4	-	1.78	1.83	1.72	1.54
206	93	1	113	71	42	-	19	10	9	-	2.57	2.62	2.51	1.78
341	225	2	209	130	79	-	14	8	6	-	3.05	3.11	2.98	2.61
3	4	-	4	1	3	-	-	-	-	-	3.04	2.91	3.20	-
1	-	-	1	1	-	-	83	43	40	-	3.33	3.80	3.02	-
24	19	-	27	20	7	-	69	26	33	10	1.53	1.57	1.48	1.09
-	-	-	-	-	-	-	4	1	3	-	0.90	0.95	0.85	-
1	1	-	2	1	1	-	48	14	24	10	1.25	1.29	1.22	0.70
23	18	-	25	19	6	-	17	11	6	-	1.87	1.91	1.82	1.56
478	257	3	260	162	98	-	27	14	13	-	2.82	2.87	2.76	2.05
65	54	-	52	30	22	-	1	1	-	-	3.12	3.16	3.09	-
2	-	-	6	2	2	2	9	4	5	-	1.53	1.60	1.50	0.67
-	-	-	-	-	-	-	2	1	1	-	0.80	0.81	0.78	-
-	-	-	-	-	-	-	2	2	-	-	1.11	1.17	1.06	0.53
-	-	-	-	-	-	-	2	-	2	-	1.54	1.57	1.55	0.55
-	-	-	4	2	2	-	2	1	1	-	1.89	1.98	1.87	0.25
2	-	-	2	-	-	2	1	-	1	-	2.19	2.37	2.05	1.47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	6	3	3	-	1.27	1.34	1.22	0.52
-	-	-	-	-	-	-	2	1	1	-	0.80	0.81	0.78	-
-	-	-	-	-	-	-	2	2	-	-	1.11	1.17	1.06	0.53
-	-	-	-	-	-	-	2	-	2	-	1.58	1.62	1.61	0.52
-	-	-	6	2	2	2	3	1	2	-	1.99	2.12	1.93	0.86
2	-	-	-	-	-	-	-	-	-	-	2.35	2.54	2.08	-

周産期死亡

5 表 (6-3)

第5表 周産期死亡数, 出産時の体重; 出産時

単産一複産・妊娠期間(4週区分)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5 kg				0.5 ~ 0.9		
	総数	男	女	不詳	総数	男	女	不詳	総数	男	女
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female
総数 Total	12 231	6 488	5 578	165	300	130	123	47	1 194	575	602
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	2 828	1 436	1 328	64	203	91	83	29	852	404	438
満32週～満35週 32-35	3 013	1 662	1 311	40	44	23	17	4	282	145	132
満36週～満39週 36-39	3 842	2 092	1 707	43	37	10	17	10	54	22	30
満40週～満43週 40-43	2 511	1 275	1 213	18	16	6	6	4	6	4	2
満44週～ 44 completed weeks and over	37	23	14	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated	.	.	.	.	.	.	.	.	.	.	.
早期(満37週未満) Pre-term	6 656	3 532	3 009	115	252	116	101	35	1 160	562	581
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	2 828	1 436	1 328	64	203	91	83	29	852	404	438
満32週～満36週 32-36	3 828	2 096	1 681	51	49	25	18	6	308	158	143
正期(満37週～満41週) Term	5 097	2 729	2 318	50	47	14	21	12	33	12	21
過期(満42週～) Post-term	478	227	251	-	1	-	1	-	1	1	-
単産 Single	11 483	6 118	5 226	139	209	96	84	29	1 103	535	555
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	2 659	1 357	1 243	59	173	81	66	26	804	386	410
満32週～満35週 32-35	2 808	1 540	1 235	33	22	10	12	-	255	129	122
満36週～満39週 36-39	3 566	1 976	1 555	35	12	5	4	3	39	16	22
満40週～満43週 40-43	2 413	1 222	1 179	12	2	-	2	-	5	4	1
満44週～ 44 completed weeks and over	37	23	14	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated	.	.	.	.	.	.	.	.	.	.	.
早期(満37週未満) Pre-term	6 226	3 301	2 825	100	196	92	78	26	1 082	527	542
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	2 659	1 357	1 243	59	173	81	66	26	804	386	410
満32週～満36週 32-36	3 567	1 944	1 582	41	23	11	12	-	278	141	132
正期(満37週～満41週) Term	4 793	2 598	2 156	39	13	4	6	3	20	7	13
過期(満42週～) Post-term	464	219	245	-	-	-	-	-	1	1	-
複産 Plural	748	370	352	26	91	34	39	18	91	40	47
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	169	79	85	5	30	10	17	3	48	18	28
満32週～満35週 32-35	205	122	76	7	22	13	5	4	27	16	10
満36週～満39週 36-39	276	116	152	8	25	5	13	7	15	6	8
満40週～満43週 40-43	98	53	39	6	14	6	4	4	1	-	1
満44週～ 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated	.	.	.	.	.	.	.	.	.	.	.
早期(満37週未満) Pre-term	430	231	184	15	56	24	23	9	78	35	39
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	169	79	85	5	30	10	17	3	48	18	28
満32週～満36週 32-36	261	152	99	10	26	14	6	6	30	17	11
正期(満37週～満41週) Term	304	131	162	11	34	10	15	9	13	5	8
過期(満42週～) Post-term	14	8	6	-	1	-	1	-	-	-	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH

(早期・正期・過期再掲) 別 昭和55年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1980—CON.

不詳 Not stated	1.0 ~ 1.4				1.5 ~ 1.9				2.0 ~ 2.4			
	総数	男	女	不詳	総数	男	女	不詳	総数	男	女	不詳
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female	Not stated
17	2 240	1 147	1 065	28	2 184	1 176	974	34	1 909	1 037	857	15
.	.	.	.	.	.	.	.	.	.	.	.	.
10	1 061	544	508	9	500	295	201	4	117	67	48	2
5	857	445	399	13	906	491	402	13	612	356	252	4
2	288	146	137	5	652	328	309	15	874	476	391	7
-	33	11	21	1	125	61	62	2	303	135	166	2
-	1	1	-	-	1	1	-	-	3	3	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
17	2 027	1 044	960	23	1 628	897	709	22	943	540	396	7
.	.	.	.	.	.	.	.	.	.	.	.	.
10	1 061	544	508	9	500	295	201	4	117	67	48	2
7	966	500	452	14	1 128	602	508	18	826	473	348	5
-	210	101	104	5	541	267	262	12	918	474	436	8
-	3	2	1	-	15	12	3	-	48	23	25	-
13	2 065	1 063	976	26	2 017	1 086	897	34	1 792	972	805	15
.	.	.	.	.	.	.	.	.	.	.	.	.
8	993	506	478	9	483	286	193	4	115	66	47	2
4	805	420	374	11	841	448	380	13	581	337	240	4
1	240	128	107	5	581	295	271	15	811	442	362	7
-	26	8	17	1	111	56	53	2	282	124	156	2
-	1	1	-	-	1	1	-	-	3	3	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
13	1 892	974	897	21	1 533	838	673	22	895	509	379	7
.	.	.	.	.	.	.	.	.	.	.	.	.
8	993	506	478	9	483	286	193	4	115	66	47	2
5	899	468	419	12	1 050	552	480	18	780	443	332	5
-	171	88	78	5	472	238	222	12	851	441	402	8
-	2	1	1	-	12	10	2	-	46	22	24	-
4	175	84	89	2	167	90	77	-	117	65	52	-
.	.	.	.	.	.	.	.	.	.	.	.	.
2	68	38	30	-	17	9	8	-	2	1	1	-
1	52	25	25	-	65	43	22	-	31	19	12	-
1	48	18	30	-	71	33	38	-	63	34	29	-
-	7	3	4	-	14	5	9	-	21	11	10	-
-	-	-	-	-	-	-	-	-	-	-	-	-
.	.	.	.	.	.	.	.	.	.	.	.	.
4	135	70	63	2	95	59	36	-	48	31	17	-
.	.	.	.	.	.	.	.	.	.	.	.	.
2	68	38	30	-	17	9	8	-	2	1	1	-
2	67	32	33	2	78	50	28	-	46	30	16	-
-	39	13	26	-	69	29	40	-	67	33	34	-
-	1	1	-	-	3	2	1	-	2	1	1	-

周産期死亡
5 表 (6-4)

第5表 周産期死亡数, 出産時の体重; 出産時

単産一複産・妊娠期間 (4 週区分)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9				(再掲) (Secondary Mention) 2500 g ちょうど Just 2500 g				3.0 ~ 3.4				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	1 916	980	930	6	112	59	52	1	1 603	910	690	3	565
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31 weeks	34	15	19	-	4	-	4	-	14	6	8	-	1
満32週～満35週 32-35	219	141	78	-	29	14	15	-	58	36	21	1	17
満36週～満39週 36-39	953	500	450	3	60	37	23	-	698	425	273	-	179
満40週～満43週 40-43	700	316	381	3	19	8	10	1	820	436	382	2	362
満44週～ 44 completed weeks and over	10	8	2	-	-	-	-	-	13	7	6	-	6
不詳 (再掲) Not stated (Secondary Mention)	.	.	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	414	245	169	-	47	21	26	-	120	73	46	1	30
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	34	15	19	-	4	-	4	-	14	6	8	-	1
満32週～満36週 32-36	380	230	150	-	43	21	22	-	106	67	38	1	29
正期 (満37週～満41週) Term	1 375	683	686	6	64	38	25	1	1 315	767	546	2	453
過期 (満42週～) Post-term	127	52	75	-	1	-	1	-	168	70	98	-	82
単産 Single	1 851	952	893	6	108	57	50	1	1 572	887	682	3	564
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	32	14	18	-	3	-	3	-	14	6	8	-	1
満32週～満35週 32-35	214	138	76	-	27	12	15	-	55	33	21	1	17
満36週～満39週 36-39	917	489	425	3	59	37	22	-	686	419	267	-	179
満40週～満43週 40-43	678	303	372	3	19	8	10	1	804	422	380	2	361
満44週～ 44 completed weeks and over	10	8	2	-	-	-	-	-	13	7	6	-	6
不詳 (再掲) Not stated (Secondary Mention)	.	.	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	402	238	164	-	44	19	25	-	116	70	45	1	30
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	32	14	18	-	3	-	3	-	14	6	8	-	1
満32週～満36週 32-36	370	224	146	-	41	19	22	-	102	64	37	1	29
正期 (満37週～満41週) Term	1 327	664	657	6	63	38	24	1	1 289	748	539	2	453
過期 (満42週～) Post-term	122	50	72	-	1	-	1	-	167	69	98	-	81
複産 Plural	65	28	37	-	4	2	2	-	31	23	8	-	1
妊娠満28週未満 Under 28 weeks gestation	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	2	1	1	-	1	-	1	-	3	3	-	-	-
満32週～満35週 32-35	5	3	2	-	2	2	-	-	3	3	-	-	-
満36週～満39週 36-39	36	11	25	-	1	-	1	-	12	6	6	-	-
満40週～満43週 40-43	22	13	9	-	-	-	-	-	16	14	2	-	1
満44週～ 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary Mention)	.	.	.	.	.	.	.	.	.	.	.	.	.
早期 (満37週未満) Pre-term	12	7	5	-	3	2	1	-	4	3	1	-	-
満28週未満 under 28 weeks	.	.	.	.	.	.	.	.	.	.	.	.	.
満28週～満31週 28-31	2	1	1	-	1	-	1	-	3	3	-	-	-
満32週～満36週 32-36	10	6	4	-	2	2	-	-	4	3	1	-	-
正期 (満37週～満41週) Term	48	19	29	-	1	-	1	-	26	19	7	-	-
過期 (満42週～) Post-term	5	2	3	-	-	-	-	-	1	1	-	-	1

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH

(早期・正期・過期再掲) 別 昭和55年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1980—CON.

～ 3.9			4.0 ～				不 詳 Not Stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
347	215	3	243	153	88	2	77	33	34	10	2.10	2.15	2.06	1.26
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	1	-	2	1	1	-	44	13	21	10	1.18	1.21	1.17	0.69
11	6	-	10	8	2	-	8	6	2	-	1.71	1.75	1.67	1.37
122	56	1	92	55	37	-	15	8	7	-	2.48	2.54	2.42	1.49
212	148	2	136	88	46	2	10	6	4	-	3.00	3.07	2.93	2.23
2	4	-	3	1	2	-	-	-	-	-	3.07	2.85	3.43	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
14	16	-	25	19	6	-	57	22	25	10	1.54	1.58	1.50	1.01
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	1	-	2	1	1	-	44	13	21	10	1.18	1.21	1.17	0.69
14	15	-	23	18	5	-	13	9	4	-	1.80	1.84	1.76	1.36
289	161	3	185	111	72	2	20	11	9	-	2.73	2.80	2.67	1.79
44	38	-	33	23	10	-	-	-	-	-	3.11	3.14	3.09	-
346	215	3	237	151	86	-	73	30	33	10	2.13	2.18	2.10	1.38
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	1	-	2	1	1	-	42	11	21	10	1.19	1.22	1.18	0.70
11	6	-	10	8	2	-	8	6	2	-	1.73	1.77	1.68	1.54
122	56	1	88	53	35	-	13	7	6	-	2.53	2.58	2.48	1.78
211	148	2	134	88	46	-	10	6	4	-	3.03	3.10	2.97	2.61
2	4	-	3	1	2	-	-	-	-	-	3.07	2.85	3.43	-
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
14	16	-	25	19	6	-	55	20	25	10	1.55	1.60	1.52	1.09
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	1	-	2	1	1	-	42	11	21	10	1.19	1.22	1.18	0.70
14	15	-	23	18	5	-	13	9	4	-	1.82	1.86	1.78	1.56
289	161	3	179	109	70	-	18	10	8	-	2.78	2.83	2.73	2.05
43	38	-	33	23	10	-	-	-	-	-	3.14	3.17	3.12	-
1	-	-	6	2	2	2	4	3	1	-	1.58	1.67	1.55	0.67
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	-	-	-	-	2	2	-	-	0.99	1.06	0.96	0.53
-	-	-	-	-	-	-	-	-	-	-	1.46	1.49	1.48	0.55
1	-	-	4	2	2	-	2	1	1	-	1.82	1.95	1.81	0.25
-	-	-	2	-	-	2	-	-	-	-	2.13	2.33	1.96	1.47
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	-	-	-	-	2	2	-	-	1.30	1.39	1.26	0.52
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
-	-	-	-	-	-	-	2	2	-	-	0.99	1.06	0.96	0.53
-	-	-	-	-	-	-	-	-	-	-	1.50	1.56	1.52	0.52
-	-	-	6	2	2	2	2	1	1	-	1.93	2.10	1.86	0.86
1	-	-	-	-	-	-	-	-	-	-	2.27	2.43	2.07	-

周産期死亡
5 表 (6-5)

第5表 周産期死亡数, 出産時の体重: 出産時
単産一複産・妊娠期間 (4 週区分)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
PERIOD OF GESTATION
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

早期新生児 (生後 1 週未満) 死亡数
Deaths Under 1 Week

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	総 数 Total				0.5 kg 未 満 Under 0.5 kg				0.5 ~ 0.9		
	総 数	男	女	不 詳	総 数	男	女	不 詳	総 数	男	女
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female
総 数 Total	6 154	3 609	2 545	.	47	20	27	.	834	427	407
妊娠満28週未満 Under 28 weeks gestation	1 064	593	471	.	44	18	26	.	678	344	334
満28週～満31週 28-31 weeks	1 158	718	440	.	2	1	1	.	131	69	62
満32週～満35週 32-35	871	554	317	.	-	-	-	.	21	12	9
満36週～満39週 36-39	1 583	944	639	.	1	1	-	.	4	2	2
満40週～満43週 40-43	1 377	750	627	.	-	-	-	.	-	-	-
満44週～ 44 completed weeks and over	13	5	8	.	-	-	-	.	-	-	-
不 詳 Not stated (再 掲)	88	45	43	.	-	-	-	.	-	-	-
早期 (満37週未満) Pre-term	3 360	2 023	1 337	.	46	19	27	.	832	426	406
満28週未満 under 28 weeks	1 064	593	471	.	44	18	26	.	678	344	334
満28週～満31週 28-31	1 158	718	440	.	2	1	1	.	131	69	62
満32週～満36週 32-36	1 138	712	426	.	-	-	-	.	23	13	10
正期 (満37週～満41週) Term	2 450	1 410	1 040	.	1	1	-	.	2	1	1
過期 (満42週～) Post-term	256	131	125	.	-	-	-	.	-	-	-
単 産 Single	5 694	3 359	2 335	.	36	15	21	.	715	370	345
妊娠満28週未満	937	536	401	.	33	13	20	.	590	308	282
満28週～満31週	1 026	635	391	.	2	1	1	.	103	50	53
満32週～満35週	794	508	286	.	-	-	-	.	20	11	9
満36週～満39週	1 495	897	598	.	1	1	-	.	2	1	1
満40週～満43週	1 341	733	608	.	-	-	-	.	-	-	-
満44週～	13	5	8	.	-	-	-	.	-	-	-
不 詳 (再 掲)	88	45	43	.	-	-	-	.	-	-	-
早期 (満37週未満)	3 009	1 832	1 177	.	35	14	21	.	715	370	345
満28週未満	937	536	401	.	33	13	20	.	590	308	282
満28週～満31週	1 026	635	391	.	2	1	1	.	103	50	53
満32週～満36週	1 046	661	385	.	-	-	-	.	22	12	10
正期 (満37週～満41週)	2 344	1 353	991	.	1	1	-	.	-	-	-
過期 (満42週～)	253	129	124	.	-	-	-	.	-	-	-
複 産 Plural	460	250	210	.	11	5	6	.	119	57	62
妊娠満28週未満	127	57	70	.	11	5	6	.	88	36	52
満28週～満31週	132	83	49	.	-	-	-	.	28	19	9
満32週～満35週	77	46	31	.	-	-	-	.	1	1	-
満36週～満39週	88	47	41	.	-	-	-	.	2	1	1
満40週～満43週	36	17	19	.	-	-	-	.	-	-	-
満44週～	-	-	-	.	-	-	-	.	-	-	-
不 詳 (再 掲)	-	-	-	.	-	-	-	.	-	-	-
早期 (満37週未満)	351	191	160	.	11	5	6	.	117	56	61
満28週未満	127	57	70	.	11	5	6	.	88	36	52
満28週～満31週	132	83	49	.	-	-	-	.	28	19	9
満32週～満36週	92	51	41	.	-	-	-	.	1	1	-
正期 (満37週～満41週)	106	57	49	.	-	-	-	.	2	1	1
過期 (満42週～)	3	2	1	.	-	-	-	.	-	-	-

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH
(早期・正期・過期再掲) 別 昭和55年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1980—CON.

不 詳 Not stated	1.0 ~ 1.4				1.5 ~ 1.9				2.0 ~ 2.4			
	総 数	男	女	不 詳	総 数	男	女	不 詳	総 数	男	女	不 詳
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female	Not stated
.	1 143	695	448	.	973	595	378	.	825	502	323	.
.	312	209	103	.	21	17	4	.	2	2	-	.
.	630	382	248	.	342	229	113	.	36	28	8	.
.	118	63	55	.	344	220	124	.	266	177	89	.
.	73	36	37	.	207	105	102	.	359	220	139	.
.	10	5	5	.	59	24	35	.	159	75	84	.
.	-	-	-	.	-	-	-	.	3	-	3	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	1 089	670	419	.	768	506	262	.	385	252	133	.
.	312	209	103	.	21	17	4	.	2	2	-	.
.	630	382	248	.	342	229	113	.	36	28	8	.
.	147	79	68	.	405	260	145	.	347	222	125	.
.	53	25	28	.	198	87	111	.	408	238	170	.
.	1	-	1	.	7	2	5	.	32	12	20	.
.	1 009	618	391	.	888	544	344	.	751	459	292	.
.	286	194	92	.	21	17	4	.	2	2	-	.
.	558	339	219	.	312	210	102	.	34	26	8	.
.	98	52	46	.	312	200	112	.	245	163	82	.
.	59	30	29	.	188	93	95	.	325	200	125	.
.	8	3	5	.	55	24	31	.	142	68	74	.
.	-	-	-	.	-	-	-	.	3	-	3	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	967	600	367	.	706	467	239	.	356	233	123	.
.	286	194	92	.	21	17	4	.	2	2	-	.
.	558	339	219	.	312	210	102	.	34	26	8	.
.	123	67	56	.	373	240	133	.	320	205	115	.
.	41	18	23	.	175	75	100	.	365	215	150	.
.	1	-	1	.	7	2	5	.	30	11	19	.
.	134	77	57	.	85	51	34	.	74	43	31	.
.	26	15	11	.	-	-	-	.	-	-	-	.
.	72	43	29	.	30	19	11	.	2	2	-	.
.	20	11	9	.	32	20	12	.	21	14	7	.
.	14	6	8	.	19	12	7	.	34	20	14	.
.	2	2	-	.	4	-	4	.	17	7	10	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	122	70	52	.	62	39	23	.	29	19	10	.
.	26	15	11	.	-	-	-	.	-	-	-	.
.	72	43	29	.	30	19	11	.	2	2	-	.
.	24	12	12	.	32	20	12	.	27	17	10	.
.	12	7	5	.	23	12	11	.	43	23	20	.
.	-	-	-	.	-	-	-	.	2	1	1	.

周産期死亡

5 表 (6-6)

第5表 周産期死亡数, 出産時の体重: 出産時

単産一複産・妊娠期間 (4週区分)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1980-CON.

早期新生児(生後1週未満)死亡数
Deaths Under 1 Week

単産一複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9				(再掲) (Secondary Mention) 2500g ちょうど Just 2500g				3.0 ~ 3.4				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	929	516	413	•	53	27	26	•	850	514	336	•	338
妊娠満28週未満 Under 28 weeks gestation	1	1	-	•	-	-	-	•	-	-	-	•	-
満28週未満 28-31 weeks	10	5	5	•	2	2	-	•	-	-	-	•	1
満32週~満35週 32-35	96	65	31	•	12	6	6	•	13	9	4	•	6
満36週~満39週 36-39	460	265	195	•	23	12	11	•	327	210	117	•	121
満40週~満43週 40-43	357	179	178	•	16	7	9	•	504	292	212	•	208
満44週~ 44 completed weeks and over	3	1	2	•	-	-	-	•	5	3	2	•	1
不詳 (再掲) Not stated	2	-	2	•	-	-	-	•	1	-	1	•	1
早期(満37週未満) Pre-term	177	111	66	•	19	10	9	•	30	21	9	•	13
満28週未満 under 28 weeks	1	1	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週 28-31	10	5	5	•	2	2	-	•	-	-	-	•	1
満32週~満36週 32-36	166	105	61	•	17	8	9	•	30	21	9	•	12
正期(満37週~満41週) Term	681	371	310	•	30	14	16	•	731	441	290	•	285
過期(満42週~) Post-term	69	34	35	•	4	3	1	•	88	52	36	•	39
単産 Single	907	507	400	•	51	26	25	•	841	508	333	•	337
妊娠満28週未満	1	1	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週	10	5	5	•	2	2	-	•	-	-	-	•	1
満32週~満35週	95	65	30	•	12	6	6	•	13	9	4	•	6
満36週~満39週	446	260	186	•	21	11	10	•	322	207	115	•	121
満40週~満43週	350	175	175	•	16	7	9	•	500	289	211	•	207
満44週~	3	1	2	•	-	-	-	•	5	3	2	•	1
不詳 (再掲) Not stated	2	-	2	•	-	-	-	•	1	-	1	•	1
早期(満37週未満)	171	110	61	•	18	10	8	•	30	21	9	•	13
満28週未満	1	1	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週	10	5	5	•	2	2	-	•	-	-	-	•	1
満32週~満36週	160	104	56	•	16	8	8	•	30	21	9	•	12
正期(満37週~満41週)	665	363	302	•	29	13	16	•	722	435	287	•	285
過期(満42週~)	69	34	35	•	4	3	1	•	88	52	36	•	38
複産 Plural	22	9	13	•	2	1	1	•	9	6	3	•	1
妊娠満28週未満	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週	-	-	-	•	-	-	-	•	-	-	-	•	-
満32週~満35週	1	-	1	•	-	-	-	•	-	-	-	•	-
満36週~満39週	14	5	9	•	2	1	1	•	5	3	2	•	-
満40週~満43週	7	4	3	•	-	-	-	•	4	3	1	•	1
満44週~	-	-	-	•	-	-	-	•	-	-	-	•	-
不詳 (再掲) Not stated	-	-	-	•	-	-	-	•	-	-	-	•	-
早期(満37週未満)	6	1	5	•	1	-	1	•	-	-	-	•	-
満28週未満	-	-	-	•	-	-	-	•	-	-	-	•	-
満28週~満31週	-	-	-	•	-	-	-	•	-	-	-	•	-
満32週~満36週	6	1	5	•	1	-	1	•	-	-	-	•	-
正期(満37週~満41週)	16	8	8	•	1	1	-	•	9	6	3	•	-
過期(満42週~)	-	-	-	•	-	-	-	•	-	-	-	•	1

の平均体重, 妊娠満28週以後の死産一早期新生児死亡・性・ PERINATAL DEATH

(早期・正期・過期再掲) 別 昭和55年

OF 28 WEEKS AND OVER OF GESTATION, DEATHS UNDER 1 WEEK) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1980-CON.

3.9 ~			4.0 ~				不 詳 Not Stated				出産時の平均体重 Mean Birth Weight			
男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
223	115	・	103	62	41	・	112	55	57	・	2.09	2.12	2.04	・
-	-	・	-	-	-	・	6	2	4	・	0.89	0.93	0.84	・
1	-	・	-	-	-	・	6	3	3	・	1.39	1.42	1.33	・
5	1	・	1	1	-	・	6	2	4	・	1.96	1.99	1.91	・
84	37	・	25	18	7	・	6	3	3	・	2.63	2.69	2.55	・
131	77	・	75	42	33	・	5	2	3	・	3.05	3.11	2.98	・
1	-	・	1	-	1	・	-	-	-	・	2.97	3.23	2.81	・
1	-	・	1	1	-	・	83	43	40	・	3.33	3.80	3.02	・
10	3	・	2	1	1	・	18	7	11	・	1.45	1.50	1.37	・
-	-	・	-	-	-	・	6	2	4	・	0.89	0.93	0.84	・
1	-	・	-	-	-	・	6	3	3	・	1.39	1.42	1.33	・
9	3	・	2	1	1	・	6	2	4	・	2.03	2.05	1.99	・
189	96	・	81	53	28	・	10	4	6	・	2.86	2.92	2.79	・
23	16	・	19	7	12	・	1	1	-	・	3.09	3.15	3.03	・
222	115	・	103	62	41	・	107	54	53	・	2.14	2.17	2.10	・
-	-	・	-	-	-	・	4	1	3	・	0.90	0.95	0.85	・
1	-	・	-	-	-	・	6	3	3	・	1.41	1.44	1.35	・
5	1	・	1	1	-	・	4	2	2	・	1.98	2.01	1.92	・
84	37	・	25	18	7	・	6	3	3	・	2.66	2.72	2.58	・
130	77	・	75	42	33	・	4	2	2	・	3.07	3.13	3.00	・
1	-	・	1	-	1	・	-	-	-	・	2.97	3.23	2.81	・
1	-	・	1	1	-	・	83	43	40	・	3.33	3.80	3.02	・
10	3	・	2	1	1	・	14	6	8	・	1.47	1.52	1.39	・
-	-	・	-	-	-	・	4	1	3	・	0.90	0.95	0.85	・
1	-	・	-	-	-	・	6	3	3	・	1.41	1.44	1.35	・
9	3	・	2	1	1	・	4	2	2	・	2.05	2.07	2.01	・
189	96	・	81	53	28	・	9	4	5	・	2.90	2.95	2.82	・
22	16	・	19	7	12	・	1	1	-	・	3.10	3.15	3.04	・
1	-	・	-	-	-	・	5	1	4	・	1.46	1.49	1.42	・
-	-	・	-	-	-	・	2	1	1	・	0.80	0.81	0.78	・
-	-	・	-	-	-	・	-	-	-	・	1.25	1.27	1.24	・
-	-	・	-	-	-	・	2	-	2	・	1.76	1.76	1.75	・
-	-	・	-	-	-	・	-	-	-	・	2.08	2.07	2.09	・
1	-	・	-	-	-	・	1	-	1	・	2.38	2.51	2.26	・
-	-	・	-	-	-	・	-	-	-	・	-	-	-	・
-	-	・	-	-	-	・	-	-	-	・	-	-	-	・
-	-	・	-	-	-	・	4	1	3	・	1.23	1.28	1.18	・
-	-	・	-	-	-	・	2	1	1	・	0.80	0.81	0.78	・
-	-	・	-	-	-	・	-	-	-	・	1.25	1.27	1.24	・
-	-	・	-	-	-	・	2	-	2	・	1.81	1.80	1.83	・
-	-	・	-	-	-	・	1	-	1	・	2.16	2.16	2.16	・
1	-	・	-	-	-	・	-	-	-	・	2.72	3.00	2.15	・