昭 和 47 年

人 口 動 態 統 計

VITAL STATISTICS 1972
JAPAN

下 巻

Volume 2

厚 生 省 大 臣 官 房 統 計 調 査 部
HEALTH AND WELFARE STATISTICS DIVISION,
MINISTER'S SECRETARIAT,
MINISTRY OF HEALTH AND WELFARE

昭和47年 人口動態統計 下 巻
VITAL STATISTICS 1972 JAPAN (VOL. 2)
正 誤 表
CORRIGENDA

ページ page	欄 column	行 Line			誤 Error		正 Corrected		
107	1	7	7	from above		192			92
139	1	10	10	〃		1986			986
164	1	16	16	〃		19927			9927
176	1	28	28	〃		1827			827
〃	1	30	30	〃		1827			827
179	1	13	13	〃		195			95
〃	1	15	15	〃		195			95
〃	1	22	22	〃		180			80
〃	1	24	24	〃		180			80
355	1	下から 9	9	from bottom		1995			995
358	2	〃 21	21	〃	不鮮明	unclearly arranged			8
479	1	16	16	from above		1965			965
547	4~6	25~51	25~51	〃	不鮮明	unclearly	3	1	–
						arranged	2	1	–
							1	–	–
					〃	〃	–	–	–
							–	–	–
							–	–	–
					〃	〃	32	49	28
							20	23	21
							12	26	7
					〃	〃	10	17	11
							6	10	8
							4	7	3
					〃	〃	–	–	3
							–	–	1
							–	–	2
					〃	〃	12	19	7
							7	9	6
							5	10	1
					〃	〃	10	13	7
							7	4	6
							3	9	1
					〃	〃	46	95	38
							30	55	23
							16	40	15
					〃	〃	4	13	13
							4	7	5
							–	6	8
548	8	下から 1~3	1~3	from bottom	不鮮明	unclearly arranged			12
									5
									7
549	4	12	12	from above	〃	〃			3
559	1	下から 1	1	from bottom	〃	〃			204
560	1	27	27	from above	〃	〃			8
〃	〃	34	34	〃	〃	〃			420
〃	〃	下から 16	16	from bottom	〃	〃			86
〃	2	26	26	〃	〃	〃			8005
〃	4	19	19	from above	〃	〃			8
〃	〃	36	36	〃	〃	〃			28
〃	〃	下から 15	15	from bottom	〃	〃			118

昭 和 47 年

人 口 動 態 統 計

VITAL STATISTICS 1972
JAPAN

下 巻

Volume 2

厚 生 省 大 臣 官 房 統 計 調 査 部
HEALTH AND WELFARE STATISTICS DIVISION,
MINISTER'S SECRETARIAT,
MINISTRY OF HEALTH AND WELFARE

昭　和　47　年

人口動態統計　下巻

―目　　次―

疾病，傷害および死因統計分類の分類体系ならびに分類表…… 7

疾病，傷害および死因統計分類の分類体系…… 8

日本における死因統計分類表（英文対照）…… 10

1. 疾病，傷害および死因の統計分類基本分類表…… 10

2. 50項目死因分類表（B表）…… 41

3. 35項目乳児死因簡単分類表（S表）…… 43

4. 100項目周産期疾病および死因分類表（P表）…… 44

統　計　表　一　覧…… 47

死　　因（死産原因を含む）

（死　亡）

第 1 表　死亡者数，性・年齢（5才階級）・死因（基本分類）別 …… 48

第 2 表　死亡者数，性・年齢（5才階級）・死因（B分類）別…… 266

第 3 表　死亡者数，性・月・死因（B分類）別…… 280

第 4 表　死亡者数，性・死因（B分類）・都道府県（七大都市再掲）別…… 294

第 5 表　死亡者数，性・死亡の場所・死因（B分類）別…… 336

第 6 表　特定死因の死亡者数，性・年齢（5才階級）・死亡当時の世帯のおもな仕事別…… 344

第 7 表　交通事故以外の不慮の事故（E850―E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別―従業中(再掲)―…… 358

第 8 表　外因による死亡者数，性・年齢(特定階級)・外因・傷害の性質・死因(B分類)別…… 424

第 9 表　自動車事故死亡者数，性・年齢（特定階級）・傷害発生地による都道府県・市部―郡部（七大都市再掲）別…… 432

（乳児死亡）

第 10 表　乳児（1才未満）死亡者数，性・日齢―月齢・死因（基本分類）別…… 438

第 11 表　乳児（1才未満）死亡者数，性・日齢―月齢・死因（乳児簡単分類(S)）別…… 508

第 12 表　乳児（1才未満）死亡者数・新生児（生後4週未満）死亡者数，性・死因（乳児簡単分類(S)）・都道府県（七大都市再掲）別…… 514

第 13 表　乳児(1才未満)死亡者数・新生児(生後4週未満)死亡者数，性・月・死因(乳児簡単分類(S))別 …… 550

（死　産）
第 14 表　医師の立会による死産胎数，自然一人工・妊娠期間・原因（基本分類）別…… 556
（周産期死亡）
第 15 表　周産期死亡数，後期死産一早期新生児死亡・性・原因（P分類）・出産時の立会者別…… 566
第 16 表　周産期死亡数（後期死産は医師立会のみ），後期死産（医師立会のみ）一早期新生児死亡・性・妊娠期間・原因（P分類）別…… 576
第 17 表　周産期死亡数（後期死産は医師立会のみ），後期死産（医師立会のみ）一早期新生児死亡・性・胎児死亡の時期・原因（P分類）・出産時の体重（平均体重を含む）別…… 596
附　録
第 7 表　日本における外国人の死因…… 646
第 8 表　外国における日本人の死因…… 646
1. 死亡者数，性・死因（B分類）別…… 646
2. 乳児（1才未満）死亡者数，性・死因（乳児簡単分類(S)）別…… 654

VITAL STATISTICS, 1972, JAPAN VOLUME 2

CONTENTS OF VOL. 2

Reference to the international list number of causes of death …… 7
Structure of the international statistical classification of disease, injuries, and causes of death …… 8
List of statistical classification of causes of death in Japan (refered to English) …… 10
1. Detailed list of statistical classification of diseases, injuries, and causes of death …… 10
2. List of 50 causes for tabulation of mortality (B List) …… 41
3. List of 35 causes for tabulation of infant mortality (S List) …… 43
4. List of 100 causes for tabulation of perinatal morbidity and mortality (P List) …… 44

Cause of death

(Deaths)

Table 1 Deaths from causes (detailed list) by sex and age …… 48
Table 2 Deaths from causes (B list) by sex and age …… 266
Table 3 Deaths from causes (B list) by sex and month of occurrence …… 280
Table 4 Deaths from causes (B list) by sex; for each prefecture* …… 294
Table 5 Deaths from causes (B list) by sex and place of death …… 336
Table 6 Deaths by certain selected causes, by sex age and occupational type of household …… 344
Table 7 Non-transport accidental deaths (E850-E929) by sex and age and causes (detailed list) according to the place of occurrence of the accident —At work (secondary mention)— …… 358
Table 8 Deaths from external causes by sex and age, cross-classified by E and N classification …… 424
Table 9 Motor vehicle accidental deaths (E810-E823), by sex and age; for urban and rural in each prefecture** 432

(Infant deaths)

Table 10 Infant deaths (under 1 year), from causes (detailed list), by sex and age …… 438
Table 11 Infant deaths (under 1 year), from causes (S list), by sex and age …… 508
Table 12 Infant deaths (under 1 year) and neonatal deaths (under 4 weeks), from causes (S list) by sex; for each prefecture* …… 514
Table 13 Infant deaths (under 1 year) and neonatal deaths (under 4 weeks), from causes (S list) by sex and month of occurrence …… 550

(Foetal deaths)

Table 14 Foetal deaths attended by physician from causes (detailed list) by period of gestation, and type (spontaneous or artificial) …… 556

(Perinatal deaths)

Table 15 Perinatal deaths, from causes (P list) by late foetal death or early neonatal death, sex and attendant of birth …… 566
Table 16 Perinatal deaths, from causes (P list), by late foetal death (attended by physician) or early neonatal death, sex and period of gestation …… 576
Table 17 Perinatal deaths from causes (P list) by late foetal death (attended by physician) or early neonatal death, sex, birth weight and time of death (ante-, intra-, or past-partum) …… 596

(Appendix)

Appendix 7 Causes of deaths, for foreigners in Japan …… 646
8 Causes of deaths, for Japanese in foreign countries …… 646

* Reported by place of residense
** Reported by place of occurrence

Each prefecture is denoted by the serial number given here. Prefecture is an administrative area over cities, towns and villages.



01 Hokkaido
02 Aomori
03 Iwate
04 Miyagi
05 Akita

06 Yamagata
07 Fukushima
08 Ibaraki
09 Tochigi
10 Gunma

11 Saitama
12 Chiba
13 Tokyo
14 Kanagawa
15 Niigata

16 Toyama
17 Ishikawa
18 Fukui
19 Yamanashi
20 Nagano

21 Gifu
22 Shizuoka
23 Aichi
24 Mie
25 Shiga

26 Kyoto
27 Osaka
28 Hyogo
29 Nara
30 Wakayama

31 Tottori
32 Shimane
33 Okayama
34 Hiroshima
35 Yamaguchi

36 Tokushima
37 Kagawa
38 Ehime
39 Kochi
40 Fukuoka

41 Saga
42 Nagasaki
43 Kumamoto
44 Oita
45 Miyazaki
46 Kagoshima

7 largest cities
(secondary mention)
50 Area of wards in Tokyo-to
51 Yokohama
52 Nagoya
53 Kyoto
54 Osaka
55 Kobe
56 Kitakyusyu

疾病，傷害および死因統計分類の分類体系ならびに分類表

本書の死因統計に用いられている死因分類は，第８回修正の国際疾病，傷害および死因統計分類が基礎となっているので，この分類体系をは握する参考として，はじめに疾病，傷害および死因統計分類の分類体系をかかげる。

つぎに日本における死因統計分類表をそれぞれ英文と対照して各項目に対応する基本分類番号もあわせて付した。

1. 疾病，傷害および死因の統計分類基本分類表（基本分類表）
2. 50項目死因分類表（B表）
3. 35項目乳児死因簡単分類表（S表）
4. 100項目周産期疾病および死因分類表（P表）

Reference to the international list number of causes of death

For the convenience of compilation, English translation is not put for each category in the table, but just list number. But to help English readers, the reference to list number is shown here as follows :

疾病，傷害および死因統計分類の分類体系（000－796，E800－E999，N800－N999）



E ⅪⅦ　不慮の事故・中毒および暴力（外因）（E800－E999）







N ⅪⅦ　不慮の事故・中毒および暴力（傷害の性質）（N800－N999）





日本における死因統計分類表（英文対照）

LIST OF STATISTICAL CLASSIFICATION OF CAUSES OF DEATH IN JAPAN (REFERED TO ENGLISH)

1　疾病，傷害および死因の統計分類基本分類表

DETAILED LIST OF STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH

基本分類番号 Detailed List Number	死因	Cause of Death

I　伝染病および寄生虫病

INFECTIVE AND PARASTIC DISEASES

腸管伝染病（000－009）

Intestinal infectious diseases

000　コレラ — Cholera
001　腸チフス — Typhoid fever
002　パラチフス — Paratyphoid fever
003　その他のサルモネラ感染 — Other Salmonella infections
004　細菌性赤痢 — Bacillary dysentery
.0　志賀菌 — Shiga
.1　フレキシネル菌 — Flexner
.3　ゾンネ菌 — Sonne
.2，.4，.8　その他 — Other bacillary
.9　詳細不明 — Unspecified
005　食中毒（細菌性） — Food poisoning (bacterial)
.0　ブドウ球菌 — Staphylococcal
.1　ボツリヌス中毒 — Botulism
.8a　腸炎ビブリオ — Vibrio parahaemolyticus
.2，.8b　その他 — Other
.9　詳細不明の食中毒 — Food poisoning, unspecified
006　アメーバ症 — Amoebiasis
007　その他の原虫性腸疾患 — Other protozoal intestinal diseases
008　その他の明示された病原体による腸炎 — Enteritis due to other specified organism
.8a　伝染性下痢症 — Infectious diarrhoea
.0～.3，.8b，.9その他 — Other
009　下痢性疾患 — Diarrhoeal disease
.0　赤痢様下痢 — Dysentery, unspecified
.1　下痢 — Diarrhoea
.2　胃腸炎および大腸炎 — Gastro-enteritis and colitis
.9　その他 — Other

結核（010－019）

Tuberculosis

010　けい肺結核 — Silicotuberculosis
011　肺結核 — Pulmonary tuberculosis
012　その他の呼吸器結核 — Other respiratory tuberculosis
.0　初期 — Primary
.1　結核性と明示された胸膜炎 — Pleurisy specified as tuberculous
.2　原因の記載のない滲出性胸膜炎 — Pleurisy with effusion without mention of cause
.3　喉頭結核 — Tuberculous laryngitis
.9　その他 — Other
013　髄膜および中枢神経系の結核 — Tuberculosis of meninges and central nervous system
.0　結核性髄膜炎 — Tuberculous meningitis
.9　その他 — Other
014　腸，腹膜および腸間膜リンパ節の結核 — Tuberculosis of intestines, peritoneum and mesenteric glands
015　骨および関節の結核 — Tuberculosis of bones and joints
.0　脊椎 — Vertebral column
.1　股 — Hip
.2　膝 — Knee
.8　その他 — Other
.9　詳細不明 — Unspecified
016　性尿器系の結核 — Tuberculosis of genito-urinary system
017　その他の臓器の結核 — Tuberculosis of other organs
.0　皮膚および皮下疎性結合織 — Skin and subcutaneous cellular tissue
.1　末梢リンパ節 — Peripheral lymphatic glands
.2　眼 — Eye
.3　耳 — Ear
.9　その他 — Other
018　播種結核 — Disseminated tuberculosis
.0　急性粟粒結核（肺以外と明示されたもの） — Acute miliary tuberculosis specified as non-pulmonary
.1　詳細不明の急性粟粒結核 — Acute miliary tuberculosis unspecified
.9　その他の型の播種結核 — Other forms of disseminated tuberculosis
019　結核の後遺症 — Late effects of tuberculosis

動物媒介の細菌性疾患（020－027）

Zoonotic bacterial diseases

020　ペスト — Plague
021　ツラレミア — Tularaemia
022　炭疽 — Anthrax
023　ブルセラ症 — Brucellosis
024　鼻疽 — Glanders
025　類鼻疽 — Melioidosis
026　鼠咬熱 — Rat-bite fever
027　その他の動物媒介の細菌性疾患 — Other zoonotic bacterial diseases

その他の細菌性疾患（030－039）

Other bacterial diseases

030　癩 — Leprosy
031　その他のマイコバクテリアによる疾患 — Other diseases due to mycobacteria
032　ジフテリア — Diphtheria
033　百日咳 — Whooping cough
034　レンサ球菌性咽頭炎および猩紅熱 — Streptococcal sore throat and scarlet fever
.0　レンサ球菌性咽頭炎 — Streptococcal sore throat
.1　猩紅熱 — Scarlet fever
035　丹毒 — Erysipelas
036　髄膜炎菌感染 — Meningococcal infection
037　破傷風 — Tetanus
038　敗血症 — Septicaemia
.0　レンサ球菌性 — Streptococcal
.1　ブドウ球菌性 — Staphylococcal
.2　肺炎球菌性 — Pneumococcal
.8　その他の細菌性 — Other bacterial
.9　詳細不明 — Unspecified
039　その他の細菌性疾患 — Other bacterial diseases
.0　ガス壊疽 — Gas gangrene
.1　鼻硬腫 — Rhinoscleroma
.9　その他 — Other

灰白髄炎およびその他の中枢神経系の腸内ウイルス疾患（040－046）

Poliomyelitis and other enterovirus diseases of central nervous system

040　急性麻痺性灰白髄炎，球型と明示されたもの — Acute paralytic poliomyelitis specified as bulbar
041　その他の麻痺を伴う急性灰白髄炎 — Acute polimyelitis with other paralysis
042　急性非麻痺性灰白髄炎 — Acute non-paralytic poliomyelitis
043　詳細不明の急性灰白髄炎 — Acute poliomyelitis, unspecified
044　急性灰白髄炎の後遺症 — Late effects of acute poliomyelitis
045　腸内ウイルスによる無菌性髄膜炎 — Aseptic meningitis due to enterovirus
.0　コクサキーウイルス — Cocksackie virus
.1　エコーウイルス — ECHO virus
.9　詳細不明の無菌性髄膜炎 — Aseptic meningitis, unspecified
046　その他の中枢神経系の腸内ウイルス疾患 — Other enterovirus diseases of central nervous system

発疹を伴うウイルス疾患（050－057）

Viral diseases accompanied by exanthem

050　痘瘡 — Smallpox
051　牛痘 — Cowpox
052　水痘 — Chickenpox
053　帯状疱疹 — Herpes zoster
054　単純疱疹 — Herpes simplex
055　麻疹 — Measles
056　風疹 — Rubella
057　その他のウイルス性発疹 — Other viral exanthem

節足動物媒介のウイルス疾患（060－068）

Arthropod-borne viral diseases

060　黄熱 — Yellow fever
061　デング熱 — Dengue
062　蚊媒介のウイルス脳炎 — Mosquito-borne viral encephalitis
.0　日本脳炎 — Japanese encephalitis
.1～.9　その他および詳細不明 — Other and unspecified
063　ダニ媒介ウイルス脳炎 — Tick-borne viral encephalitis
064　その他の節足動物伝播によるウイルス脳炎 — Viral encephalitis transmitted by other arthropods

065　詳細不明のウイルス脳炎
066　ウイルス脳炎の後遺症
067　節足動物媒介の出血熱
068　その他の節足動物媒介のウイルス疾患

その他のウイルス疾患（070－079）

070　伝染性肝炎
071　狂犬病
072　おたふくかぜ
073　オウム病
074　コクサキーウイルスによる特殊疾患
.0　ヘルパンギーナ
.1　流行性胸膜痛（ボルンホルム病）
.2　コクサキー心筋炎
.9　その他
075　伝染性単核細胞症
076　トラコーマ，活動性
077　トラコーマの後遺症
078　その他の結膜のウイルス疾患
079　その他のウイルス疾患
.2　リンパ球性脈絡髄膜炎
.0～.1，.3～.9　その他および詳細不明

リケツチア症およびその他の節足動物媒介の伝染病（080－089）

080　流行性シラミ媒介チフス
081　その他のチフス
.2a　つつが虫病
.0，.1，.2b，.9　その他および詳細不明
082　ダニ媒介リケッチア症
083　その他のリケッチア症
084　マラリア
085　リーシュマニア症
086　アメリカトリパノソーマ症
087　その他のトリパノソーマ症
088　回帰熱
089　その他の節足動物媒介の疾患

梅毒およびその他の性病（090－099）

090　先天梅毒
091　早期顕性梅毒
092　早期潜伏梅毒
093　心血管梅毒
.0　梅毒性と明示された大動脈瘤
.9　その他の心血管梅毒
094　中枢神経系の梅毒
.0　脊髄癆
.1　進行麻痺
.9　その他の中枢神経系の梅毒
095　その他の症状を伴う晩期梅毒
096　晩期潜伏梅毒
097　その他および詳細不明の梅毒
.0　詳細不明の晩期梅毒
.1　詳細不明の潜伏梅毒
.9　詳細不明の梅毒
098　淋菌感染
099　その他の性病
.0　軟性下疳
.1　そけいリンパ肉芽腫症
.2，.9　その他および詳細不明

その他のスピロヘータ症（100－104）

100　レプトスピラ症
.0　黄疸出血性レプトスピラ症
.8　その他
.9　詳細不明
101　ワンサン口峡炎
102　フランベシア
103　ピンタ
104　その他のスピロヘータ感染

Viral encephalitis, unspecified
Late effects of viral encephalitis
Arthropod-borne haemorrhagic fever
Other arthropod-borne viral diseases

Other viral diseases

Infectious hepatitis
Rabies
Mumps
Psittacosis
Specific diseases due to Cocksackie virus
Herpangina
Epidemic pleurodynia (Bornholm disease)
Cocksackie myocarditis
Other
Infectious mononucleosis
Trachoma, active
Late effects of trachoma
Other viral diseases of the conjunctiva
Other viral diseases
Lymphocytic choriomeningitis
Other and unspecified

Rickettsioses and other arthropod-borne diseases

Epidemic louse-borne typhus
Other typhus
Tsutsugamushi disease
Other and unspecified
Tick-borne rickettsiosis
Other rickettsioses
Malaria
Leishmaniasis
American trypanosomiasis
Other trypanosomiasis
Relapsing fever
Other arthropod-borne diseases

Syphilis and other venereal diseases

Congenital syphilis
Early syphilis, symptomatic
Early syphilis, latent
Cardiovascular syphilis
Aneurysm of aorta, specified as syphilitic
Other cardiovascular syphilis
Syphilis of central nervous system
Tabes dorsalis
General paresis
Other syphilis of central nervous system
Other forms of late syphilis, with symptoms
Late syphilis, latent
Other syphilis and not specified
Late syphilis, unspecified
Latent syphilis, unspecified
Syphilis, unspecified
Gonococcal infections
Other venereal disease
Chancroid
Lymphogranuloma venereum
Other and unspecified

Other spirochaetal diseases

Leptospirosis
Leptospirosis icterohaemorrhagica
Other
Unspecified
Vincent's angina
Yaws
Pinta
Other spirochaetal infection

真菌症（110－117）

110　皮膚糸状菌症
111　その他および詳細不明の皮膚真菌症
112　カンジダ症
113　放線菌症
114　コクチジオイデス症
115　ヒストプラスマ症
116　ブラストミセス症
117　その他の全身性真菌症

蠕虫症（120－129）

120　住血吸虫症
.2　日本住血吸虫症
.0，.1，.3～.9　その他および詳細不明
121　その他の吸虫感染
.1　肝吸虫症
.2　肺吸虫症
.3　肝蛭症
.0～.4，.9　その他および詳細不明
122　包虫症
123　その他の条虫症
124　旋毛虫症
125　糸状虫感染
126　鉤虫症
127　その他の腸蠕虫症
.0　回虫症
.3　蛲虫症
.5　混合腸蠕虫症
.1，.2，.4，.9　その他および詳細不明
128　その他および詳細不明の蠕虫症
129　詳細不明の腸寄生虫症

その他の伝染病および寄生虫病（130－136）

130　トキソプラスマ症
131　性尿器トリコモナス症
132　シラミ症
133　ダニ症
134　その他の寄生
135　サルコイドージス
136　その他および詳細不明の伝染病および寄生虫病

II　新生物

口腔および咽頭の悪性新生物（140－149）

140　口唇の悪性新生物
141　舌の悪性新生物
.0　基底
.1　背面
.2　辺縁および舌尖
.3　腹面
.9　部位不明
142　唾液腺の悪性新生物
.0　耳下腺
.8　その他の明示された唾液腺
.9　詳細不明の唾液腺
143　歯肉の悪性新生物
144　口底の悪性新生物
145　その他および部位不明の口腔の悪性新生物
.0　口腔粘膜
.1　口蓋（硬）（軟）
.8　その他の明示された部位
.9　部位不明
146　中咽頭の悪性新生物
.0　扁桃
.8　その他の明示された部位
.9　部位不明
147　鼻咽頭の悪性新生物
148　下咽頭の悪性新生物

Mycoses

Dermatophytosis
Dermatomycosis, other and unspecified
Moniliasis
Actinomycosis
Coccidioidomycosis
Histoplasmosis
Blastomycosis
Other systemic mycosis

Helminthiases

Schistosomiasis (bilharziasis)
Schistosoma japonicum
Other and unspecified
Other trematode infection
Clonorchiasis
Paragonomiasis
Fascioliasis
Other and unspecified
Hydatidosis
Other cestode infection
Trichiniasis
Filarial infection
Ancylostomiasis
Other intestinal helminthiasis
Ascariasis
Enterobiasis
Mixed intestinal helminthiasis
Other and unspecified
Other and unspecified helminthiasis
Intestinal parasitism, unspecified

Other infective and parasitic diseases

Toxoplasmosis
Trichomoniasis urogenitalis
Pediculosis
Acariasis
Other infestation
Sarcoidosis
Other and unspecified infective and parasitic diseases

NEOPLASMS

Malignant neoplasm of buccal cavity and pharynx

Malignant neoplasm of lip
Malignant neoplasm of tongue
Base of tongue
Dorsal surface of tongue
Borders and tip of tongue
Ventral surface of tongue
Part unspecified
Malignant neoplasm of salivary gland
Parotid gland
Other specified salivary gland
Unspecified salivary gland
Malignant neoplasm of gum
Malignant neoplasm of floor of mouth
Malignant neoplasm of other and unspecified parts of mouth
Buccal mucosa
Palate (hard) (soft)
Other specified parts
Part unspecified
Malignant neoplasm of oropharynx
Tonsils
Other specified parts
Part unspecified
Malignant neoplasm of nasopharynx
Malignant neoplasm of hypopharynx

149　部位不明の咽頭の悪性新生物

消化器および腹膜の悪性新生物（150－159）

150　食道の悪性新生物
.a　上　　部
.b　中　　部
.c　下　　部
.d　部位不明
151　胃の悪性新生物
.0　噴　　門
.1　幽　　門
.8　その他の明示された部位
.9　部位不明
152　小腸の悪性新生物（十二指腸を含む）
.0　十二指腸
.8　その他の明示された部位
.9　部位不明
153　大腸の悪性新生物（直腸を除く）
.0　盲腸，虫垂および上行結腸
.1　横行結腸（左右結腸曲を含む）
.2　下行結腸
.3　S状結腸
.8　部位不明の大腸（結腸を含む）
.9　部位不明の腸管
154　直腸および直腸S状結腸移行部の悪性新生物
.0　直腸S状結腸移行部
.1　直　　腸
.2　肛　　門
155　原発と明示された肝臓および肝内胆管の悪性新生物
.0　肝　　臓
.1　肝内胆管
156　胆嚢および胆管の悪性新生物
.0　胆　　嚢
.1　肝外胆管
.2　ファーテル乳頭
.9　詳細不明の胆管
157　膵臓の悪性新生物
.0　頭　　部
.8　その他の明示された部位
.9　部位不明
158　腹膜および後腹膜組織の悪性新生物
.0　後腹膜組織
.9　その他の部位
159　詳細不明の消化器の悪性新生物

呼吸器系の悪性新生物　（160－163）

160　鼻，鼻腔，中耳および副鼻腔の悪性新生物
.0　鼻（内）および鼻腔
.1　耳管および中耳
.2　上顎洞
.8　その他の副鼻腔
.9　詳細不明の副鼻腔
161　喉頭の悪性新生物
.0　声門，真声帯
.8　その他の明示された部位
.9　部位不明
162　気管，気管支および肺の悪性新生物
.0　気　　管
.1　気管支および肺
.1a　気管支および原発と明示された肺
.1b　肺（原発，続発別不明）
163　その他および詳細不明の呼吸器の悪性新生物
.0　胸　　膜
.1　縦　　隔
.9　部位不明

骨，結合織，皮膚および乳房の悪性新生物（170－174）

170　骨の悪性新生物
.0　頭蓋骨および顔面骨
.1　下顎骨

Malignant neoplasm of pharynx, unspecified

Malignant neoplasm of digestive organs and peritoneum

Malignant neoplasm of oesophagus
Upper part
Middle part
Lower part
Part unspecified
Malignant neoplasm of stomach
Cardia
Pylorus
Other specified parts
Part unspecified
Malignant neoplasm of small intestine, including duodenum
Duodenum
Other specified parts
Part unspecified
Malignant neoplasm of large intestine, except rectum
Caecum, appendix and ascending colon
Transverse colon, including hepatic and splenic flexures
Descending colon
Sigmoid colon
Large intestine (including colon), part unspecified
Intestinal tract, part unspecified
Malignant neoplasm of rectum and rectosigmoid junction
Rectosigmoid junction
Rectum
Anal canal
Malignant neoplasm of liver and intrahepatic bile ducts, specified as primary
Liver
Intrahepatic bile ducts
Malignant neoplasm of gallbladder and bile ducts
Gallbladder
Extrahepatic bile ducts
Ampulla of Vater
Biliary tract, unspecified
Malignant neoplasm of pancreas
Head
Other specified parts
Part unspecified
Malignant neoplasm of peritoneum and retroperitoneal tissue
Retroperitoneal tissue
Other parts
Malignant neoplasm of unspecified digestive organs

Malignant neoplasm of respiratory system

Malignant neoplasm of nose, nasal cavities, middle ear and accessory sinuses
Nose (internal) and nasal cavities
Eustachian tube and middle ear
Maxillary sinus
Other sinus
Unspecified sinus
Malignant neoplasm of larynx
Glottis, true vocal cord
Other specified parts
Part unspecified
Malignant neoplasm of trachea, bronchus and lung
Trachea
Bronchus and lung
Bronchus, and lung, specified as primary
Lung, unspecified
Malignant neoplasm of other and unspecified respiratory organs
Pleura
Mediastinum
Site unspecified

Malignant neoplasm of bone, connective tissue, skin and breast

Malignant neoplasm of bone
Bones of skull and face
Lower jaw bone

.2　椎骨（仙骨および尾骨を除く）
.3　肋骨，胸骨および鎖骨
.4　上肢の長骨および肩甲骨
.5　上肢の短骨
.6　骨盤骨，仙骨，尾骨
.7　下肢の長骨
.8　下肢の短骨
.9　部位不明
171　結合織およびその他の軟部組織の悪性新生物
.0　頭部，顔面および頸部
.1　体　　幹
.2　上肢（肩を含む）
.3　下肢（股を含む）
.9　部位不明
172　皮膚の悪性黒色腫
.0　口　　唇
.1　眼瞼（背を含む）
.2　耳および外耳道
.3　その他および部位不明の顔面
.4　頭皮および頸
.5　陰　　嚢
.6　体幹（陰嚢を除く）
.7　上　　肢
.8　下　　肢
.9　部位不明
173　その他の皮膚の悪性新生物
.0　口　　唇
.1　眼瞼（背を含む）
.2　耳および外耳道
.3　その他および部位不明の顔面
.4　頭皮および頸
.5　陰　　嚢
.6　体幹（陰嚢を除く）
.7　上　　肢
.8　下　　肢
.9　部位不明
174　乳房の悪性新生物

性尿器の悪性新生物（180－189）

180　子宮頸の悪性新生物
181　絨毛上皮腫
182　その他の子宮の悪性新生物
.0　子宮体
.9　部位不明の子宮
183　卵巣，卵管および子宮広間膜の悪性新生物
.0　卵　　巣
.1　卵管および子宮広間膜
.9　部位不明
184　その他および詳細不明の女性性器の悪性新生物
.0　腟
.1　外　　陰
.8　その他の明示された部位
.9　部位不明
185　前立腺の悪性新生物
186　睾丸の悪性新生物
187　その他および詳細不明の男性性器の悪性新生物
.0　陰　　茎
.8　その他の明示された部位
.9　部位不明
188　膀胱の悪性新生物
189　その他および詳細不明の泌尿器の悪性新生物
.0　腎臓（腎盂を除く）
.1　腎　　盂
.2　尿　　管
.9　その他および詳細不明

その他および部位不明の悪性新生物（190－199）

190　眼の悪性新生物
191　脳の悪性新生物
192　その他の神経系の悪性新生物

Vertebral, column (excluding sacrum and coccyx)
Ribs, sternum and clavicle
Long bones of upper limb and scapula
Upper limb, short bones
Pelvic bones, sacrum, coccyx
Lower limb, long bones
Lower limb, short bones
Site unspecified
Malignant neoplasn of connective and other soft tissue
Head, face and neck
Trunk
Upper limb (including shoulder)
Lower limb (including hip)
Site unspecified
Malignant melanoma of skin
Lips
Eyelids, including canthi
Ear and external auricular canal
Other and unspecified parts of face
Scalp and neck
Scrotum
Trunk, except scrotum
Upper limb
Lower limb
Site unspecified
Other malignant neoplasm of skin
Lips
Eyelids, including canthi
Ear and external auricular canal
Other and unspecified parts of face
Scalp and neck
Scrotum
Trunk, except scrotum
Upper limb
Lower limb
Site unspecified
Malignant neoplasm of breast

Malignant neoplasm of genito-urinary organs

Malignant neoplasm of cervix uteri
Chorionepithelioma
Other malignant neoplasm of uterus
Corpus uteri
Uterus, unspecified
Malignant neoplasm of ovary, fallopian tube, and broad ligament
Ovary
Fallopian tube and broad ligament
Part unspecified
Malignant neoplasm of other and unspecified female genital organs
Vagina
Vulva
Other specified sites
Site unspecified
Malignant neoplasm of prostate
Malignant neoplasm of testis
Malignant neoplasm of other and unspecified male genital organs
Penis
Other specified sites
Site unspecified
Malignant neoplasm of bladder
Malignant neoplasm of other and unspecified urinary organs
Kidney, except pelvis
Pelvis of kidney
Ureter
Other and unspecified

Malignant neoplasm of other and unspecified sites

Malignant neoplasm of eye
Malignant neoplasm of brain
Malignant neoplasm of other parts of nervous system

.0 脳神経（視神経を含む）
.1 脳　髄　膜
.2 脊　髄
.3 脊 髄 髄 膜
.4 末 梢 神 経
.5 交 感 神 経 系
.9 部 位 不 明
193 甲状腺の悪性新生物
194 その他の内分泌腺の悪性新生物
.0 副　腎
.1 上 皮 小 体
.2 胸　腺
.3 下垂体および頭蓋咽頭管
.4 松　果　体
.8 そ　の　他
.9 詳細不明の内分泌腺
195 その他の不明確な部位の悪性新生物
.0 腹部癌，腹腔癌
.1 骨盤，骨盤臓器，直腸膣中隔
.9 そ　の　他
196 続発および詳細不明のリンパ節の悪性新生物
.0 頭，顔および頸
.1 胸　腔　内
.2 腹　腔　内
.3 腋窩および上肢
.4 そけいおよび下肢
.7 その他の明示された部位
.8 多　部　位
.9 部 位 不 明
197 続発性の呼吸器および消化器の悪性新生物
.0 肺（続発と明示されたもの）
.1 縦隔（続発と明示されたもの）
.2 胸膜（続発と明示されたもの）
.3 その他の呼吸器（続発と明示されたもの）
.4 小腸（十二指腸を含む），（続発と明示されたもの）
.5 大腸および直腸（続発と明示されたもの）
.6 腹膜（続発と明示されたもの）
.7 肝（続発と明示されたもの）
.8 肝（原発，続発別不明）
.9 その他の消化器（続発と明示されたもの）
198 その他の続発性悪性新生物
.0 膀胱（続発と明示されたもの）
.1 その他の泌尿器（続発と明示されたもの）
.2 皮膚（続発と明示されたもの）
.3 脳（続発と明示されたもの）
.4 その他の神経系の部位（続発と明示されたもの）
.5 骨（続発と明示されたもの）
.9 その他の部位（続発と明示されたもの）
199 部位の明示されない悪性新生物
.0 多　部　位
.1 そ　の　他

リンパ組織および造血組織の新生物（200－209）

200 リンパ肉腫および細網肉腫
.0 細 網 肉 腫
.1 リ ン パ 肉 腫
201 ホ ジ キ ン 病
202 その他のリンパ組織の新生物
.0 巨大濾胞リンパ腫
.1 菌 状 息 肉 症
.2 その他のリンパ組織の原発性悪性新生物
.9 その他の型のリンパ腫
203 多 発 骨 髄 腫
204 リンパ性白血病
.0 急　性
.1 慢　性
.9 詳 細 不 明
205 骨髄性白血病
.0 急　性
.1 慢　性

Cranial nerves (including optic)
Cerebral meninges
Spinal cord
Spinal meninges
Peripheral nerves
Sympathetic nervous system
Site unspecified
Malignant neoplasm of thyroid gland
Malignant neoplasm of other endocrine glands
Suprarenal gland
Parathyroid gland
Thymus
Pituitary gland and craniopharyngeal duct
Pineal gland
Other
Unspecified endocrine gland
Malignant neoplasm of ill-defined sites
Abdomen, intra-abdominal cancer
Pelvis, pelvic viscera, rectovaginal septum
Other
Secondary and unspecified malignant neoplasm of lymph nodes
Head, face and neck
Intrathoracic
Intra-abdominal
Axillary and upper limb
Inguinal and lower limb
Other specified sites
Multiples sites
Site unspecified
Secondary malignant neoplasm of respiratory and digestive systems
Lung, specified as secondary
Mediastinum, specified as secondary
Pleura, specified as secondary
Other respiratory organs, specified as secondary
Small intestine, including duodenum, specified as secondary
Large intestine and rectum, specified as secondary
Peritoneum, specified as secondary
Liver, specified as secondary
Liver, unspecified
Other digestive organs, specified as secondary
Other secondary malignant neoplasm
Bladder specified as secondary
Other urinary organs, specified as secondary
Skin, specified as secondary
Brain, specified as secondary
Other parts or nervous system, specified as secondary
Bone, specified as secondary
Other sites, specified as secondary
Malignant neoplasm without specification of site
Multiple
Other

Neoplasms of lymphatic and haematopoietic tissue

Lymphosarcoma and reticulum-cell sarcoma
Reticulum-cell sarcoma
Lymphosarcoma
Hodgkin's disease
Other neoplasms of lymphoid tissue
Giant follicular lymphoma
Mycosis fungoides
Other primary malignant neoplasms of lymphoid tissue
Other forms of lymphoma
Multiple myeloma
Lymphatic leukaemia
Acute
Chronic
Unspecified
Myeloid leukaemia
Acute
Chronic

.9 詳 細 不 明
206 単球性白血病
.0 急　性
.1 慢　性
.9 詳 細 不 明
207 その他および詳細不明の白血病
.0 急 性 白 血 病
.1 慢 性 白 血 病
.2 急 性 赤 血 病
.9 詳細不明の白血病
208 真性赤血球増加症
209 骨 髄 線 維 症

良性新生物（210－228）

210 口腔および咽頭の良性新生物
211 その他の消化器系の良性新生物
.0 食　道
.1 胃
.2 ～ .7 そ　の　他
.9 部 位 不 明
212 呼吸器系の良性新生物
213 骨および軟骨の良性新生物
214 脂　肪　腫
215 その他の筋および結合織の良性新生物
216 皮膚の良性新生物
217 乳房の良性新生物
218 子宮の線維筋腫
219 その他の子宮の良性新生物
220 卵巣の良性新生物
221 その他の女性性器の良性新生物
222 男性性器の良性新生物
223 腎臓およびその他の泌尿器の良性新生物
224 眼の良性新生物
225 脳およびその他の神経系の良性新生物
.0 脳
.1 脳神経（視神経を含む）
.2 脳　髄　膜
.3 脊　髄
.4 脊 髄 髄 膜
.5 末 梢 神 経
.6 交 感 神 経 系
.9 部 位 不 明
226 内分泌腺の良性新生物
227 血管腫およびリンパ管腫
228 その他ならびに詳細不明の臓器および組織の良性新生物

性質不詳の新生物（230－239）

230 消化器の性質不詳の新生物
.0 食　道
.1 胃
.2 小　腸
.3 大腸（直腸を除く）
.4 直　腸
.5 肝および胆路
.6 膵　臓
.7 腹　膜
.9 部 位 不 明
231 呼吸器の性質不詳の新生物
.0 鼻，鼻腔，中耳および副鼻腔
.1 喉　頭
.2 気　管
.3 気管支および肺
.4 胸　膜
.5 縦　隔
.9 部 位 不 明
232 皮膚および筋骨格系の性質不詳の新生物
.0 骨および軟骨
.1 筋および結合織
.2 皮　膚
233 乳房の性質不詳の新生物
234 子宮の性質不詳の新生物

Unspecified
Monocytic leukaemia
Acute
Chronic
Unspecified
Other and unspecified leukaemia
Leukaemia, acute
Leukaemia, chronic
Acute erythraemia
Leukaemia, unspecified
Polycythaemia vera
Myelofibrosis

Benign neoplasms

Benign neoplasm of buccal cavity and pharynx
Bengin neoplasm of other parts of digestive system
Oesophagus
Stomach
Other
Unspecified site
Benign neoplasm of respiratory system
Benign neoplasm of bone and cartilage
Lipoma
Other benign neoplasm of muscular and connective tissue
Benign neoplasm of skin
Benign neoplasm of breast
Uterine fibroma
Other benign neoplasm of uterus
Benign neoplasm of ovary
Benign neoplasm of other female genital organs
Benign neoplasm of male genital organs
Benign neoplasm of kidney and other urinary organs
Benign neoplasm of eye
Benign neoplasm of brain and other parts of nervous system
Brain
Cranial nerves (including optic)
Cerebral meninges
Spinal cord
Spinal meninges
Peripheral nerves
Sympathetic nervous system
Unspecified site
Benign neoplasm of endocrine glands
Haemangioma and lymphangioma
Benign neoplasm of other and unspecified organs and tissues

Neoplasm of unspecified nature

Neoplasm of unspecified nature of digestive organs
Oesophagus
Stomach
Small intestine
Large intestine, excluding rectum
Rectum
Liver and biliary passage
Pancreas
Peritoneum
Unspecified site
Neoplasm of unspecified nature of respiratory organs
Nose, nasal cavities, middle ear and accessory sinuses
Larynx
Trachea
Bronchus and lung
Pleura
Mediastinum
Unspecified site
Neoplasm of unspecified nature of skin and musculo-skeletal system
Bone and cartilage
Muscular and connective tissue
Skin
Neoplasm of unspecified nature of breast
Neoplasm of unspecified nature of uterus

235 卵巣の性質不詳の新生物
236 その他の女性性器の性質不詳の新生物
237 その他の性尿器の性質不詳の新生物
.0 睾丸
.1 陰茎
.2 その他および詳細不明の男性性器
.3 腎臓（腎盂を除く）
.4 腎盂
.5 尿管
.6 膀胱
.9 その他および部位不明の泌尿器
238 眼，脳およびその他の神経系の性質不詳の新生物
.0 眼
.1 脳
.2 脳神経（視神経を含む）
.3 脳髄膜
.4 脊髄
.5 脊髄髄膜
.6 末梢神経
.7 交感神経系
.9 部位不明
239 その他および詳細不明の臓器の性質不詳の新生物
.0 口腔および咽頭
.1 内分泌腺
.9 その他および部位不明

III 内分泌，栄養および代謝の疾患

甲状腺の疾患（240－246）

240 単純性甲状腺腫
241 非中毒性結節性甲状腺腫
242 甲状腺腫を伴うまたは伴わない甲状腺中毒症
.0 中毒性びまん性甲状腺腫
.1 中毒性結節性甲状腺腫
.2 甲状腺腫の記載のない甲状腺中毒症
243 先天性クレチン病
244 粘液水腫
245 甲状腺炎
246 その他の甲状腺の疾患

その他の内分泌腺の疾患（250－258）

250 糖尿病
251 糖尿病以外の膵臓性内分泌障害
252 上皮小体の疾患
253 下垂体の疾患
254 胸腺の疾患
255 副腎の疾患
256 卵巣機能障害
257 睾丸機能障害
258 多腺性機能障害およびその他の内分泌腺の疾患
.0 クッシング症候群
.1，.9 その他および詳細不明

ビタミン欠乏症およびその他の栄養欠乏症（260－269）

260 ビタミンA欠乏症
261 ビタミンB_1欠乏症
262 ナイアシン欠乏症
263 その他のビタミンB欠乏症
264 ビタミンC欠乏症
265 ビタミンD欠乏症
.0 活動性くる病
.1 くる病後遺症
.2 骨軟化症
.9 詳細不明
266 その他のビタミン欠乏症
267 蛋白栄養失調症
268 栄養性消耗症
269 その他の栄養欠乏症
.9a 栄養失調症

Neoplasm of unspecified nature of ovary
Neoplasm of unspecified nature of other female genital organs
Neoplasm of unspecified nature of other genito-urinary organs
Testis
Penis
Other and unspecified male genital organs
Kidney, except pelvis
Pelvis of kidney
Ureter
Bladder
Other and unspecified urinary organs
Neoplasm of unspecified nature of eye, brain and other parts of nervous system
Eye
Brain
Cranial nerves (including optic nerve)
Cerebral meninges
Spinal cord
Spinal meninges
Peripheral nerves
Sympathetic nervous system
Unspecified site
Neoplasm of unspecified nature of other and unspecified organs
Buccal cavity and pharynx
Endocrine glands
Other and unspecified sites

ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES

Diseases of thyroid gland

Simple goitre
Non-toxic nodular goitre
Thyrotoxicosis with or without goitre
Toxic diffuse goitre
Toxic nodular goitre
Thyrotoxicosis without mention of goitre
Cretinism of congenital origin
Myxoedema
Thyroiditis
Other diseases of thyroid gland

Diseases of other endocrine glands

Diabetes mellitus
Disorders of pancreatic internal secretion other than diabetes mellitus
Diseases of parathyroid gland
Diseases of pituitary gland
Diseases of thymus gland
Diseases of adrenal glands
Ovarian dysfunction
Testicular dysfunction
Polyglandular dysfunction and other diseases of endocrine glands
Cushing's syndrome
Other and unspecified

Avitaminoses and other nutritional deficiency

Vitamin A deficiency
Thiamine deficiency
Niacin deficiency
Other vitamin B deficiency
Ascorbic acid deficiency
Vitamin D deficiency
Rickets active
Rickets, late effect
Osteomalacia
Unspecified
Other vitamin deficiency states
Protein malnutrition
Nutritional marasmus
Other nutritional deficiency
Malnutrition

.0，.1，.9b その他および詳細不明

その他の代謝疾患（270－279）

270 アミノ酸代謝の先天障害
271 糖質代謝の先天障害
272 脂質代謝の先天障害
273 その他および詳細不明の先天性代謝障害
274 痛風
275 血漿蛋白異常症
276 アミロイド症
277 内分泌性と明示されない肥満症
278 その他の食事過剰
279 その他および詳細不明の代謝疾患

IV 血液および造血器の疾患

280 鉄欠乏性貧血
281 その他の欠乏性貧血
.0 悪性貧血
.1～.9 その他および非特定の欠乏性貧血
282 遺伝性溶血性貧血
283 後天性溶血性貧血
284 無形成貧血
285 その他および非特定貧血
286 血液凝固異常
.0 血友病
.1～.9 その他
287 紫斑病およびその他の出血性病態
.0 アレルギー性紫斑病
.1 栓球減少症
.2 出血性栓球血症
.3 栓球症
.9 その他および詳細不明
288 無顆粒球症
289 その他の血液および造血器の疾患
.4 脾臓の疾患
.0～.3，.9 その他および詳細不明

V 精神障害

精神病（290－299）

290 老年および初老期痴呆
.0 老年痴呆
.0a 老年痴呆
.0b その他の老年性精神病
.1 初老期痴呆
291 アルコール精神病
292 頭蓋内感染に伴う精神病
293 その他の脳性病態に伴う精神病
294 その他の身体的病態に伴う精神病
295 精神分裂病
.0 単純型
.1 破瓜型
.2 緊張型
.3 妄想型
.4 急性分裂病性挿間
.5 潜伏分裂病
.6 残遺分裂病
.7 分裂・情動性型
.8 その他
.9 詳細不明
296 躁うつ病
.0 退行期うつ病
.1 躁うつ病，躁病型
.2 躁うつ病，抑うつ型
.3 躁うつ病，循環型
.8 その他
.9 詳細不明
297 妄想状態

Other and unspecified

Other metabolic diseases

Congenital disorders of amino-acid metabolism
Congenital disorders of carbohydrate metabolism
Congenital disorders of lipid metabolism
Other and unspecified congenital disorders of metabolism
Gout
Plasma protein abnormalities
Amyloidosis
Obesity not specified as of endocrine origin
Other hyperalimentation
Other and unspecified metabolic diseases

DISEASES OF BLOOD AND BLOOD-FORMING ORGANS

Iron deficiency anaemias
Other deficiency anaemias
Pernicious anaemia
Other and unspecified
Hereditary haemolytic anaemias
Acquired haemolytic anaemias
Aplastic anaemia
Other and unspecified anaemias
Coagulation defects
Haemophilia
Other
Purpura and other haemorrhagic conditions
Allergic purpura
Thrombocytopenia
Haemorrhagic thrombocythaemia
Thrombocytopathy
Other and unspecified
Agranulocytosis
Other diseases of blood and blood-forming organs
Diseases of spleen
Other and unspecified

MENTAL DISORDERS

Psychoses

Senile and pre-senile dementia
Senile dementia
Senile dementia
Other senile psychoses
Pre-senile dementia
Alcoholic psychosis
Psychosis associated with intracranial infection
Psychosis associated with other cerebral condition
Psychosis associated with other physical condition
Schizophrenia
Simple type
Hebephrenic type
Catatonic type
Paranoid type
Acute schizophrenic episode
Latent schizophrenia
Residual schizophrenia
Schizo-affective type
Other
Unspecified type
Affective psychoses
Involutional melancholia
Manic-depressive psychosis, manic type
Manic-depressive psychosis, depressed type
Manic depressive psychosis, circular type
Other
Unspecified
Paranoid states

298 その他の精神病
299 詳細不明の精神病

神経症，人格異常およびその他の非精神病性精神障害（300－309）

300 神経症
.0 不安神経症
.1 ヒステリー
.2 恐怖症
.3 強迫神経症
.4 抑うつ神経症
.5 神経衰弱
.6 離人性症候群
.7 心気性神経症
.8 その他
.9 詳細不明
301 人格異常
302 性的偏向
303 アルコール症
.0 挿間性過量飲酒
.1 習慣性過量飲酒
.2 アルコール嗜癖
.9 その他および詳細不明のアルコール症
304 薬物依存
305 心因性と推定される身体障害
.3 心血管
.5 胃腸
.0～.2，.4，.6～.9 その他
306 他に分類されない特殊症状
307 一過性状況性障害
308 児童期行動異常
309 身体的病態に伴う精神病性と明示されない精神障害

精神薄弱（310－315）

310 境界精神薄弱
311 軽度精神薄弱
312 中度精神薄弱
313 重度精神薄弱
314 最重度精神薄弱
315 詳細不明の精神薄弱

VI 神経系および感覚器の疾患

中枢神経系の炎症性疾患（320－324）

320 髄膜炎
321 頭蓋内静脈洞の静脈炎および血栓静脈炎
322 頭蓋内および脊椎管内膿瘍
323 脳炎，脊髄炎および脳脊髄炎
324 頭蓋内膿瘍または化膿性感染の後遺症

神経系の遺伝性および家族性疾患（330－333）

330 遺伝性神経筋障害
.0 神経性筋萎縮症
.1 家族性進行性脊髄性筋萎縮症
.2 先天性筋無緊張症
.3 進行性筋ジストロフィー症
.9 その他
331 線状体・淡蒼球系の遺伝性疾患
332 遺伝性失調症
333 その他の神経系の遺伝性および家族性疾患

その他の中枢神経系の疾患（340－349）

340 多発硬化症
341 その他の中枢神経系の脱髄疾患
342 振戦麻痺
343 脳性けい性小児麻痺
344 その他の脳性麻痺
345 てんかん
.0 全身非けいれん性
.1 全身けいれん性
.2 てんかん発作重積
.3 局所性
.9 その他および詳細不明
346 片頭痛
347 その他の脳の疾患
348 運動ニューロンの疾患
.0 筋萎縮性側索硬化症
.1 進行性球麻痺
.2 その他の進行性筋萎縮症
.9 その他および詳細不明の症状
349 その他の脊髄の疾患
.0 脊髄空洞症および延髄空洞症
.9 その他

Other psychoses
Unspecified psychosis

Neuroses, personality disorders and other non-psychotic mental disorders

Neuroses
Anxiety neurosis
Hysterical neurosis
Phobic neurosis
Obsessive compulsive neurosis
Depressive neurosis
Neurasthenia
Depersonalization syndrome
Hypochondriacal neurosis
Other
Unspecified neurosis
Personality disorders
Sexual deviation
Alcoholism
Episodic excessive drinking
Habitual excessive drinking
Alcoholic addiction
Other and unspecified alcoholism
Drug dependence
Physical disorders of presumably psychogenic origin
Cardiovascular
Gastro-intestinal
Other
Special symptoms not elsewhere classified
Transient situational disturbances
Behaviour disorders of childhood
Mental disorders not specified as psychotic associated with physical conditions

Mental retardation

Borderline mental retardation
Mild mental retardation
Moderate mental retardation
Severe mental retardation
Profound mental retardation
Unspecified mental retardation

DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS

Inflammatory diseases of the central nervous system

Meningitis
Phlebitis and thrombophlebitis of intracranial venous sinuses
Intracranial and intraspinal abscess
Encephalitis, myelitis, and encephalomyelitis
Late effects of intracranial abscess or pyogenic infection

Hereditary and familial diseases of nervous system

Hereditary neuromuscular disorders
Neuropathic muscular atrophy
Familial progressive spinal muscular atrophy
Amyotonia congenita
Progressive muscular dystrophy
Other
Hereditary diseases of the striato-pallidal system
Hereditary ataxia
Other hereditary and familial diseases of nervous system

Other diseases of central nervous system

Multiple sclerosis
Other demyelinating diseases of central nervous system
Paralysis agitans
Cerebral spastic infantile paralysis
Other cerebral paralysis
Epilepsy
Generalized non-convulsive
Generalized convulsive
Status epilepticus
Partial
Other and unspecified
Migraine
Other diseases of brain
Motor neurone disease
Amyotrophic lateral sclerosis
Progressive bulbar palsy
Other progressive muscular atrophy
Other and unspecified manifestations
Other diseases of spinal cord
Syringomyelia and syringobulbia
Other

神経および末梢神経節の疾患（350－358）

350 顔面神経麻痺
351 三叉神経痛
352 上腕神経炎
353 坐骨神経痛
354 多発神経炎および多発神経根炎
355 その他および詳細不明の神経痛および神経炎
356 その他の脳神経の疾患
357 その他の末梢神経の疾患（自律神経を除く）
358 末梢自律神経系の疾患

Diseases of nerves and peripheral ganglia

Facial paralysis
Trigeminal neuralgia
Brachial neuritis
Sciatica
Polyneuritis and polyradiculitis
Other and unspecified forms of neuralgia and neuritis
Other diseases of cranial nerves
Other diseases of peripheral nerves except autonomic
Diseases of peripheral autonomic nervous system

眼の炎症性疾患（360－369）

360 結膜炎および眼炎
361 眼瞼炎
362 麦粒腫
363 角膜炎
364 虹彩炎
365 脈絡膜炎
366 その他のブドウ膜の炎症
367 視神経および網膜の炎症
368 涙腺および涙管の炎症
369 その他の眼の炎症性疾患

Inflammatory diseases of the eye

Conjunctivitis and ophthalmia
Blepharitis
Hordeolum
Keratitis
Iritis
Choroiditis
Other inflammation of uveal tract
Inflammation of optic nerve and retina
Inflammation of lacrimal glands and ducts
Other inflammatory diseases of eye

その他の眼の疾患および病態（370－379）

370 屈折異常
371 角膜混濁
372 翼状片
373 斜視
374 白内障
375 緑内障
376 網膜剝離
377 その他の網膜および視神経の疾患
378 その他の眼の疾患
379 盲

Other diseases and conditions of eye

Refractive errors
Corneal opacity
Pterygium
Strabismus
Cataract
Glaucoma
Detachment of retina
Other diseases of retina and optic nerve
Other diseases of eye
Blindness

耳および乳様突起の疾患（380－389）

380 外耳炎
381 乳様突起炎の記載のない中耳炎
382 乳様突起炎を伴う中耳炎
383 中耳炎の記載のない乳様突起炎
384 その他の耳の炎症性疾患
385 メニエール病
386 耳硬化症
387 その他の耳および乳様突起の疾患
388 聾唖
389 その他の聾

Diseases of the ear and mastoid process

Otitis externa
Otitis media without mention of mastoiditis
Otitis media with mastoiditis
Mastoiditis without mention of otitis media
Other inflammatory diseases of ear
Ménière's disease
Otosclerosis
Other diseases of ear and mastoid process
Deaf mutism
Other deafness

VII 循環器系の疾患

活動性リウマチ熱（390－392）

390 心侵襲の記載のないリウマチ熱
391 心侵襲を伴うリウマチ熱
.0 活動性リウマチ性心膜炎
.1 活動性リウマチ性心内膜炎

DISEASES OF THE CIRCULATORY SYSTEM

Active rheumatic fever

Rheumatic fever without mention of heart involvement
Rheumatic fever with heart involvement
Active rheumatic pericarditis
Active rheumatic endocarditis

.2 活動性リウマチ性心筋炎
.9 その他の活動性リウマチ性心疾患
.9a 活動性リウマチ性心炎
.9b そ の 他
392 舞 踏 病
.0 心侵襲を伴うもの
.9 心侵襲の記載のないもの

慢性リウマチ性心疾患（393－398）

393 心 膜 の 疾 患
394 僧帽弁の疾患
.0 リウマチ性と明示されたもの
.9 リウマチ性と明示されないもの
395 大動脈弁の疾患
.0 リウマチ性と明示されたもの
.9 リウマチ性と明示されないもの
396 僧帽弁および大動脈弁の疾患
.0 リウマチ性と明示されたもの
.9 リウマチ性と明示されないもの
397 その他の心内膜構造の疾患
398 その他のリウマチ性と明示された心疾患

高血圧性疾患（400－404）

400 悪性高血圧症
.0 臓器障害の記載のないもの
.1 心侵襲を伴うもの
.2 脳血管侵襲を伴うもの
.3 腎侵襲を伴うもの
.9 多臓器侵襲を伴うもの
401 本態性良性高血圧症
402 高血圧性心疾患
403 高血圧性腎疾患
404 高血圧性心腎疾患

虚血性心疾患（410－414）

.0 高血圧性疾患を伴うもの
.9 高血圧性疾患の記載のないもの
410 急性心筋硬塞症
.0 高血圧性疾患を伴うもの
.9 高血圧性疾患の記載のないもの
411 その他の虚血性心疾患の急性または亜急性型
.0 高血圧性疾患を伴うもの
.9 高血圧性疾患の記載のないもの
412 慢性虚血性心疾患
.0 高血圧性疾患を伴うもの
.9 高血圧性疾患の記載のないもの
413 狭 心 症
.0 高血圧性疾患を伴うもの
.9 高血圧性疾患の記載のないもの
414 無症候性虚血性心疾患
.0 高血圧性疾患を伴うもの
.9 高血圧性疾患の記載のないもの

その他の心疾患（420－429）

420 非リウマチ性急性心膜炎
421 急性および亜急性心内膜炎
.0 急性および亜急性細菌性心内膜炎
.9 その他の急性心内膜炎
422 急 性 心 筋 炎
423 非リウマチ性慢性心膜疾患
424 心内膜の慢性疾患
.0 非リウマチ性僧帽弁
.1 非リウマチ性大動脈弁
.9 その他の心内膜構造
425 心 筋 病
426 肺 性 心 疾 患
427 症候性心疾患
.0 うつ血性心不全
.1 左 室 不 全
.2 心臓ブロック

Active rheumatic myocarditis
Other active rheumatic heart disease
Acute rheumatic carditis
Other
Chorea
With heart involvement
Without mention of heart involvement

Chronic rheumatic heart disease

Diseases of pericardium
Diseases of mitral valve
Specified as rheumatic
Not specified as rheumatic
Diseases of aortic valve
Specified as rheumatic
Not specified as rheumatic
Diseases of mitral and aortic valves
Specified as rheumatic
Not specified as rheumatic
Diseases of other endocardial structures
Other heart disease, specified as rheumatic

Hypertensive disease

Malignant hypertension
Without mention of organ damage
With heart involvement
With cerebrovascular involvement
With renal involvement
With multiple organ involvement
Essential benign hypertension
Hypertensive heart disease
Hypertensive renal disease
Hypertensive heart and renal disease

Ischaemic heart disease

With hypertensive disease
Without mention of hypertensive disease
Acute myocardial infarction
With hypertensive disease
Without mention of hypertensive disease
Other acute and subacute forms of ischaemic heart disease
With hypertensive disease
Without mention of hypertensive disease
Chronic ischaemic heart disease
With hypertensive disease
Without mention of hypertensive disease
Angina pectoris
With hypertensive disease
Without mention of hypertensive disease
Asymptomatic ischaemic heart disease
With hypertensive disease
Without mention of hypertensive disease

Other forms of heart disease

Acute pericarditis, non-rheumatic
Acute and sub-acute endocarditis
Acute and sub-acute bacterial endocarditis
Other acute endocarditis
Acute myocarditis
Chronic disease of pericardium, non-rheumatic
Chronic disease of endocardium
Mitral valve, non-rheumatic
Aortic valve, non-rheumatic
Other endocardial structures
Cardiomyopathy
Pulmonary heart disease
Symptomatic heart disease
Congestive heart failure
Left ventricular failure
Heart block

.9 その他の心臓律動障害
428 その他の心筋機能不全
429 診断名不明確の心疾患

脳血管疾患（430－438）

.0 高血圧（良性）を伴うもの
.9 高血圧の記載のないもの
430 くも膜下出血
.0 高血圧（良性）を伴うもの
.9 高血圧の記載のないもの
431 脳 出 血
.0 高血圧（良性）を伴うもの
.9 高血圧の記載のないもの
432 脳前動脈閉塞
.0 高血圧（良性）を伴うもの
.9 高血圧の記載のないもの
433 脳 血 栓 症
.0 高血圧（良性）を伴うもの
.9 高血圧の記載のないもの
434 脳 塞 栓 症
.0 高血圧（良性）を伴うもの
.9 高血圧の記載のないもの
435 一過性脳虚血
.0 高血圧（良性）を伴うもの
.9 高血圧の記載のないもの
436 診断名不明確の急性脳血管疾患
.0 高血圧（良性）を伴うもの
.9 高血圧の記載のないもの
437 全般性虚血性脳血管疾患
.0 高血圧（良性）を伴うもの
.9 高血圧の記載のないもの
438 その他および診断名不明確の脳血管疾患
.0 高血圧（良性）を伴うもの
.0a 脳 軟 化
.0b そ の 他
.9 高血圧の記載のないもの
.9a 脳 軟 化
.9b そ の 他

動脈，小動脈および毛細管の疾患（440－448）

440 動 脈 硬 化 症
.0 大 動 脈
.1 腎 動 脈
.2 四 肢 の 動 脈
.3 その他の明示された動脈
.9 全身および詳細不明の動脈
441 大動脈瘤（非梅毒性）
.0 解離性大動脈瘤（各部位）
.1 胸部大動脈瘤
.2 腹部大動脈瘤
.9 そ の 他
442 その他の動脈瘤
443 その他の末梢血管疾患
.0 レノー症候群
.1 閉塞性血栓血管炎（ビュルガー病）
.2～.9 その他および詳細不明
444 動脈塞栓症および血栓症
445 壊 疽
.0 動脈硬化性壊疽
.9 他に分類されない壊疽
446 結節性多発動脈炎および類似疾患
447 その他の動脈および小動脈の疾患
448 毛細管の疾患

静脈およびリンパ系の疾患ならびにその他の循環器系の疾患（450－458）

450 肺塞栓症および硬塞症
451 静脈炎および血栓静脈炎
.0 下 肢
.9 その他および部位不明

Other disorders of heart rhythm
Other myocardial insufficiency
Ill-defined heart disease

Cerebrovascular disease

With hypertension (benign)
Without mention of hypertension
Subarachnoid haemorrhage
With hypertension (benign)
Without mention of hypertension
Cerebral haemorrhage
With hypertension (benign)
Without mention of hypertension
Occlusion of pre-cerebral arteries
With hypertension (benign)
Without mention of hypertension
Cerebral thrombosis
With hypertension (benign)
Without mention of hypertension
Cerebral embolism
With hypertension (benign)
Without mention of hypertension
Transient cerebral ischaemia
With hypertension (benign)
Without mention of hypertension
Acute but ill-defined cerebrovascular disease
With hypertension (benign)
Without mention of hypertension
Generalized ischaemic cerebrovascular disease
With hypertension (benign)
Without mention of hypertension
Other and ill-defined cerebrovascular disease
With hypertension (benign)
Cerebral softening
Other
Without mention of hypertension
Cerebral softening
Other

Diseases of arteries, arterioles and capillaries

Arteriosclerosis
Of aorta
Of renal artery
Of arteries of the extremities
Of other specified arteries
Generalized and unspecified
Aortic aneurysm (non-syphilitic)
Dissecting aneurysm (any part)
Aneurysm, thoracic
Aneurysm, abdominal
Other
Other aneurysm
Other peripheral vascular disease
Raynaud's syndrome
Thrombo-angiitis obliterans (Buerger's disease)
Other and unspecified
Arterial embolism and thrombosis
Gangrene
Arteriosclerotic gangrene
Gangrene not elsewhere classified
Polyarteritis nodosa and allied conditions
Other diseases of arteries and arterioles
Diseases of capillaries

Diseases of veins and lymphatics, and other diseases of circulatory system

Pulmonary embolism and infarction
Phlebitis and thrombophlebitis
Of lower extremities
Of other and unspecified sites

452 門脈血栓症
453 その他の静脈塞栓症および血栓症
454 下肢の静脈瘤
455 痔核
456 その他の部位の静脈瘤
.0 食道
.1,.9 その他
457 リンパ管の非感染性疾患
458 その他の循環器系の疾患
.0 低血圧症
.9 その他および詳細不明の循環器系の疾患

Portal vein thrombosis
Other venous embolism and thrombosis
Varicose veins of lower extremities
Haemorrhoids
Varicose veins of other sites
Of oesophagus
Other
Non-infective disease of lymphatic channels
Other diseases of circulatory system
Hypotension
Other and unspecified circulatory diseases

Ⅷ 呼吸器系の疾患

DISEASES OF THE RESPIRATORY SYSTEM

急性呼吸器系感染（インフルエンザを除く）(460－466)

460 急性鼻咽頭炎（かぜ）
461 急性副鼻腔炎
462 急性咽頭炎
463 急性扁桃炎
464 急性喉頭炎および気管炎
465 多発または部位不明の急性上気道感染
466 急性気管支炎および細気管支炎

Acute respiratory infections (except influenza)

Acute nasopharyngitis (common cold)
Acute sinusitis
Acute pharyngitis
Acute tonsillitis
Acute laryngitis and tracheitis
Acute upper respiratory infection of multiple or unspecified sites
Acute bronchitis and bronchiolitis

インフルエンザ（470－474）

470 性質不明のインフルエンザ
471 肺炎を伴うインフルエンザ
472 その他の呼吸器症状を伴うインフルエンザ
473 消化器症状を伴うインフルエンザ
474 神経症状を伴うインフルエンザ

Influenza

Influenza unqualified
Influenza with pneumonia
Influenza with other respiratory manifestations
Influenza with digestive manifestations
Influenza with nervous manifestations

肺炎（480－486）

480 ウイルス肺炎
481 肺炎球菌性肺炎
482 その他の細菌性肺炎
483 その他の明示された病原体による肺炎
484 急性間質性肺炎
485 詳細不明の気管支肺炎
486 詳細不明の肺炎

Pneumonia

Viral pneumonia
Pneumococcal pneumonia
Other bacterial pneumonia
Pneumonia due to other specified organism
Acute interstitial pneumonia
Bronchopneumonia, unspecified
Pneumonia, unspecified

気管支炎，肺気腫および喘息（490－493）

490 詳細不明の気管支炎
491 慢性気管支炎
492 肺気腫
493 喘息

Bronchitis, emphysema and asthma

Bronchitis, unqualified
Chronic bronchitis
Emphysema
Asthma

その他の上気道の疾患（500－508）

500 扁桃肥大およびアデノイド
501 扁桃周囲膿瘍
502 慢性咽頭炎および慢性鼻咽頭炎
503 慢性副鼻腔炎
504 鼻中隔彎曲症
505 鼻茸
506 慢性喉頭炎
507 枯草熱
508 その他の上気道の疾患

Other diseases of upper respiratory tract

Hypertrophy of tonsils and adenoids
Peritonsillar abscess
Chronic pharyngitis and nasopharyngitis
Chronic sinusitis
Deflected nasal septum
Nasal polyp
Chronic laryngitis
Hay fever
Other diseases of upper respiratory tract

その他の呼吸器系の疾患（510－519）

510 膿胸
511 胸膜炎
.0 滲出または結核の記載のないもの
.1 結核以外の細菌性原因の記載のある滲出を伴うもの
.2 その他の滲出型（結核以外のもの）
512 自発気胸
513 肺膿瘍
514 肺うっ血および血液降下症
515 けい肺およびけい酸による塵肺症
.0 けい肺
.1 炭けい肺
.2 石綿肺

Other diseases of respiratory system

Empyema
Pleurisy
Without mention of effusion or tuberculosis
With effusion, with mention of a bacterial cause other than tuberculosis
Other specified forms of effusion, except tuberculosis
Spontaneous pneumothorax
Abscess of lung
Pulmonary congestion and hypostasis
Pneumoconiosis due to silica and silicates
Silicosis
Anthracosilicosis
Asbestosis

.9 その他（詳細不明の塵肺症を含む）
516 その他の塵肺症および類似症
517 その他の慢性間質性肺炎
518 気管支拡張症
519 その他の呼吸器系の疾患
.0 肺虚脱
.1 急性肺水腫
.2 その他の肺の疾患
.9 その他

Other, including pneumoconiosis unspecified
Other pneumoconioses and related diseases
Other chronic interstitial pneumonia
Bronchiectasis
Other diseases of respiratory system
Pulmonary collapse
Acute oedema of lung
Other diseases of lung
Other

Ⅸ 消化器系の疾患

DISEASES OF THE DIGESTIVE SYSTEM

口腔，唾液腺および顎の疾患（520－529）

520 歯の発育および萌出異常
521 歯の硬組織の疾患
522 歯髄および根尖歯周組織の疾患
523 歯周疾患
524 不正咬合を含む歯，顎，顔面の異常
525 その他の歯および歯の支持組織の疾患および異常状態
526 顎の疾患
527 唾液腺の疾患
528 口腔軟組織の疾患（歯肉および舌を除く）
.0 口内炎
.1～.9 その他および詳細不明
529 舌の疾患およびその他の口腔の病態

Diseases of oral cavity, salivary glands and jaws

Disorders of tooth development and eruption
Diseases of hard tissues of the teeth
Diseases of pulp and periapical tissues
Periodontal diseases
Dento-facial anomalies including malocclusion
Other diseases and conditions of the teeth and supporting structures
Diseases of the jaws
Diseases of the salivary glands
Diseases of the oral soft tissues, excluding gingiva and tongue
Stomatitis
Other and unspecified
Diseases of the tongue and other oral conditions

食道，胃および十二指腸の疾患（530－537）

530 食道の疾患
531 胃潰瘍
.0 穿孔を伴うもの
.9 穿孔の記載のないもの
532 十二指腸潰瘍
.0 穿孔を伴うもの
.9 穿孔の記載のないもの
533 部位不明の消化性潰瘍
534 胃空腸潰瘍
535 胃炎および十二指腸炎
536 胃の機能障害
537 その他の胃および十二指腸の疾患

Diseases of oesophagus, stomach and duodenum

Diseases of oesophagus
Ulcer of stomach
With perforation
Without mention of perforation
Ulcer of duodenum
With perforation
Without mention of perforation
Peptic ulcer, site unspecified
Gastrojejunal ulcer
Gastritis and duodenitis
Disorders of function of stomach
Other diseases of stomach and duodenum

虫垂炎（540－543）

540 急性虫垂炎
.0 腹膜炎を伴うもの
.9 腹膜炎の記載のないもの
541 性質不明の虫垂炎
542 その他の虫垂炎
543 その他の虫垂の疾患

Appendicitis

Acute appendicitis
With peritonitis
Without mention of peritonitis
Appendicitis, unqualified
Other appendicitis
Other diseases of appendix

腹腔ヘルニア（550－553）

550 閉塞の記載のないそけいヘルニア
551 その他の閉塞の記載のない腹腔ヘルニア
552 閉塞を伴うそけいヘルニア
553 その他の閉塞を伴う腹腔ヘルニア

Hernia of abdominal cavity

Inguinal hernia without mention of obstruction
Other hernia of abdominal cavity without mention of obstruction
Inguinal hernia with obstruction
Other hernia of abdominal cavity with obstruction

その他の腸および腹膜の疾患（560－569）

560 腸閉塞（ヘルニアの記載のないもの）
.0 重積
.1 麻痺性イレウス
.2 軸捻
.3 腸充塞
.9 その他および詳細不明
561 非感染性胃腸炎および大腸炎（潰瘍性を除く）
562 腸憩室
563 慢性腸炎および潰瘍性大腸炎
.0 限局性腸炎
.1 潰瘍性大腸炎
.9 その他
564 腸の機能障害
565 裂肛および痔瘻

Other diseases of intestine and peritoneum

Intestinal obstruction without mention of hernia
Intussusception
Paralytic ileus
Volvulus
Impaction of intestine
Other and unspecified
Gastro-enteritis and colitis, except ulcerative, of non-infectious origin
Diverticula of intestine
Chronic enteritis and ulcerative colitis
Regional enteritis
Ulcerative colitis
Other
Functional disorders of intestines
Anal fissure and fistula

566 肛門部および直腸部の腺瘍
567 腹膜炎
568 腹膜癒着
569 その他の腸および腹膜の疾患

肝臓，胆嚢および膵臓の疾患(570－577)

570 急性および亜急性肝臓壊死
571 肝硬変
572 化膿性肝炎および肝膿瘍
573 その他の肝臓の疾患
574 胆石症
575 結石の記載のない胆嚢炎および胆管炎
576 その他の胆嚢および胆管の疾患
577 膵臓の疾患
.0 急性膵臓炎
.1 慢性膵臓炎
.9 その他の膵臓の疾患

X 性尿器系の疾患

腎炎およびネフローゼ(580－584)

580 急性腎炎
581 ネフローゼ症候群
582 慢性腎炎
583 急性，慢性の別不明の腎炎
584 性質不明の腎臓の萎縮

その他の泌尿器系の疾患(590－599)

590 腎臓の感染
.0 慢性腎盂腎炎
.1 その他の腎盂腎炎，腎盂炎および腎盂膀胱炎
.2 腎臓および腎周囲組織の膿瘍
.9 その他
591 水腎症
592 腎臓および尿管の結石
593 その他の腎臓および尿管の疾患
594 その他の泌尿器系の結石
595 膀胱炎
596 その他の膀胱の疾患
597 尿道炎（非性病性）
598 尿道狭窄
599 その他の尿路疾患

男性性器の疾患(600－607)

600 前立腺肥大症
601 前立腺炎
602 その他の前立腺の疾患
603 除嚢水瘤
604 睾丸炎および副睾丸炎
605 過長包皮および包茎
606 男性不妊症
607 その他の男性性器の疾患

乳房，卵巣，卵管および子宮旁結合織の疾患(610－616)

610 乳房の慢性嚢胞性疾患
611 その他の乳房の疾患
612 急性卵管炎および卵巣炎
613 慢性卵管炎および卵巣炎
614 急性慢性の別不明の卵管炎および卵巣炎
615 その他の卵巣および卵管の疾患
616 子宮旁結合織および骨盤腹膜の疾患(女性)

子宮およびその他の女性性器の疾患(620－629)

620 子宮頸の感染性疾患
621 その他の子宮頸の疾患
622 子宮（頸を除く），腟および外陰の感染性疾患
623 子宮腟脱
624 子宮の位置異常
625 その他の子宮の疾患

Abscess of anal and rectal regions
Peritonitis
Peritoneal adhesions
Other diseases of intestines and peritoneum

Diseases of liver, galibladder and pancreas

Acute and subacute necrosis of liver
Cirrhosis of liver
Suppurative hepatitis and liver abscess
Other diseases of liver
Cholelithiasis
Cholecystitis and cholangitis, without mention of calculi
Other diseases of gallbladder and biliary ducts
Diseases of pancreas
Acute pancreatitis
Chronic pancreatitis
Other diseases of pancreas

DISEASES OF THE GENITO-URINARY SYSTEM

Nephritis and nephrosis

Acute nephritis
Nephrotic syndrome
Chronic nephritis
Nephritis, unqualified
Renal sclerosis, unqualified

Other diseases of urinary system

Infections of kidney
Chronic pyelonephritis
Other pyelonephritis, pyelitis and pyelocystitis
Abscess of kidney and perirenal tissue
Other
Hydronephrosis
Calculus of kidney and ureter
Other diseases of kidney and ureter
Calcuius of other parts of urinary system
Cystitis
Other diseases of bladder
Urethritis (non-venereal)
Stricture of urethra
Other diseases of urinary tract

Diseases of male genital organs

Hyperplasia of prostate
Prostatitis
Other diseases of prostate
Hydrocele
Orchitis and epididymitis
Redundant prepuce and phimosis
Sterility, male
Other diseases of male genital organs

Diseases of breast, ovary, fallopian tube and parametrium

Chronic cystic disease of breast
Other diseases of breast
Acute salpingitis and oophoritis
Chronic salpingitis and oophoritis
Salpingitis and oophoritis, unqualified
Other diseases of ovary and fallopian tube
Diseases of parametrium and pelvic peritoneum (female)

Diseases of uterus and other female genital organs

Infective diseases of cervix uteri
Other diseases of cervix
Infective diseases of uterus (except cervix), vagina and vulva
Uterovaginal prolapse
Malposition of uterus
Other diseases of uterus

626 月経異常
627 閉経期症状
628 女性不妊症
629 その他の女性性器の疾患

XI 妊娠，分娩および産褥の合併症

妊娠の合併症(630－634)

630 妊娠時の性器の感染
631 子宮外妊娠
632 妊娠時出血
.0 前置胎盤
.1 胎盤早期剥離
.2～.9 その他および詳細不明
633 妊娠貧血
634 その他の妊娠の合併症
.2 胞状奇胎
.0，.1，.3～.9 その他

妊娠および産褥の尿路感染および妊娠中毒症(635－639)

635 妊娠および産褥時に起きた尿路感染
636 妊娠および産褥時に起きた腎疾患
637 子癇前症，子癇および詳細不明の妊娠中毒症
.0 子癇前症
.1 子癇
.9 詳細不明の妊娠中毒症
638 妊娠悪阻
639 その他の妊娠時および産褥時の妊娠中毒症
.0 急性および亜急性肝臓壊死
.9 その他

流産(640－645)

640 医学的適応による人工流産
.1 妊娠中毒症を伴うもの
.0，.2，.9 その他
641 その他の法律的適応による人工流産
.1 妊娠中毒症を伴うもの
.0，.2，.9 その他
642 その他の理由による人工流産
643 自然流産
.1 妊娠中毒症を伴うもの
.0，.2，.9 その他
644 人工または自然と明示されない流産
.1 妊娠中毒症を伴うもの
.0，.2，.9 その他
645 その他の流産
.1 妊娠中毒症を伴うもの
.0，.2，.9 その他

分娩(650－662)

650 合併症の記載のない分娩
651 前置胎盤または分娩前出血を合併する分娩
.a 前置胎盤を合併するもの
.b 胎盤早期剥離を合併するもの
.c その他
652 停留胎盤を合併する分娩
653 その他の分娩後出血を合併する分娩
.a 弛緩出血
.b その他
654 骨盤異常を合併する分娩
655 胎児骨盤不適合を合併する分娩
656 胎児の位置異常を合併する分娩
657 その他の原因による遷延分娩
658 会陰裂傷を伴う分娩（その他の裂傷の記載のないもの）
659 子宮破裂を伴う分娩
660 その他の産科的損傷を伴う分娩
661 その他の合併症を伴う分娩

Disorders of menstruation
Menopausal symptoms
Sterility, female
Other diseases of female genital organs

COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM

Complications of pregnancy

Infections of genital tract during pregnancy
Ectopic pregnancy
Haemorrhage of pregnancy
Placenta praevia
Premature separation of placenta
Other and unspecified
Anaemia of pregnancy
Other complications of pregnancy
Hydatidiform mole
Other

Urinary infections and toxaemias of pregnancy and the puerperium

Urinary infections arising during pregnancy and the puerperium
Renal disease arising during pregnancy and the puerperium
Pre-eclampsia, eclampsia and toxaemia unspecified
Pre-eclampsia
Eclampsia
Toxaemia, unspecified
Hyperemesis gravidarum
Other toxaemias of pregnancy and the puerperium
Acute and subacute necrosis of liver
Other

Abortion

Abortion induced for medical indications
With toxaemia
Other
Abortion induced for other legal indications
With toxaemia
Other
Abortion induced for other reasons
Spontaneous abortion
With toxaemia
Other
Abortion not specified as induced or spontaneous
With toxaemia
Other
Other abortion
With toxaemia
Other

Delivery

Delivery without mention of complication
Delivery complicated by placenta praevia or antepartum haemorrhage
By placenta praevia
By detachment of placenta
Other
Delivery complicated by retained placenta
Delivery complicated by other postpartum haemorrhage
By atonic bleeding
Other
Delivery complicated by abnormality of bony pelvis
Delivery complicated by foetopelvic disproportion
Delivery complicated by malpresentation of foetus
Delivery complicated by prolonged labour of other origin
Delivery with laceration of perineum, without mention of other laceration
Delivery with rupture of uterus
Delivery with other obstetrical trauma
Delivery with other complicatıcns

662　合併症のない分娩における麻酔死

産褥の合併症(670－678)

670　分娩および産褥の敗血症
671　産褥静脈炎および血栓症
672　産褥時の原因不明の発熱
673　産褥性肺塞栓症
674　産褥における脳出血
675　産褥性血液異混和症
676　産褥期貧血
677　その他および詳細不明の産褥の合併症
678　乳腺炎およびその他の乳汁分泌異常

XII　皮膚および皮下組織の疾患

皮膚および皮下組織の感染(680－686)

680　癤およびよう
681　手指および足指の蜂巣織炎
682　その他の蜂巣織炎および膿瘍
683　急性リンパ節炎
684　膿痂疹
685　毛巣嚢胞
686　その他の皮膚および皮下組織の局所感染

その他の皮膚および皮下組織の炎症性病態(690－698)

690　脂漏性皮膚炎
691　小児湿疹および関連症
692　その他の湿疹および皮膚炎
693　疱疹状皮膚炎
694　天疱瘡
695　紅斑症
　.0　中毒性紅斑
　.1　多形滲出性紅斑
　.2　結節性紅斑
　.9a　リッター新生児剝脱状皮膚炎
　.3, .4, .9b　その他および詳細不明
696　乾癬および類似疾患
697　苔癬
698　瘙痒症およびその関連症

その他の皮膚および皮下組織の疾患(700－709)

700　うおのめおよび胼胝
701　その他の皮膚の肥大症および萎縮症
702　その他の皮膚症
703　爪の疾患
704　毛髪および毛嚢の疾患
705　汗腺の疾患
706　脂腺の疾患
707　皮膚の慢性潰瘍
708　蕁麻疹
709　その他の皮膚の疾患

XIII　筋骨格系および結合織の疾患

関節炎およびリウマチ（リウマチ熱を除く）(710－718)

710　化膿性病原体による急性関節炎
711　急性非化膿性関節炎
712　慢性関節リウマチおよび類似症
713　変形性関節症および類似症
　.0　変形性関節症
　.1　変形性脊椎症
　.2　外傷性脊椎症
714　その他の関節炎の特殊型
　.0　外傷性関節炎
　.9　その他
715　詳細不明の関節炎

Anaesthetic death in uncomplicated delivery

Complications of the puerperium

Sepsis of childbirth and the puerperium
Puerperal phlebitis and thrombosis
Pyrexia of unknown origin during the puerperium
Puerperal pulmonary embolism
Cerebral haemorrhage in the puerperium
Puerperal blood dyscrasias
Anaemia of the puerperium
Other and unspecified complications of the puerperium
Mastitis and other disorders of lactation

DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE

Infections of skin and subcutaneous tissue

Boil and carbuncle
Cellulitis of finger and toe
Other cellulitis and abscess
Acute lymphadenitis
Impetigo
Pilonidal cyst
Other local infections of skin and subcutaneous tissue

Other inflammatory conditions of skin and subcutaneous tissue

Seborrhoeic dermatitis
Infantile eczema and related conditions
Other eczema and dermatitis
Dermatitis herpetiformis
Pemphigus
Erythematous conditions
　Toxic erythema
　Erythema multiforme
　Erythema nodosum
　Dermatitis exfoliativa neonatorum Ritter
　Other and unspecified
Psoriasis and similar disorders
Lichen
Pruritus and related conditions

Other diseases of skin and subcutaneous tissue

Corns and callosities
Other hypertrophic and atrophic conditions of skin
Other dermatoses
Diseases of nail
Diseases of hair and hair follicles
Diseases of sweat glands
Diseases of sebaceous glands
Chronic ulcer of skin
Urticaria
Other diseases of skin

DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE

Arthritis and rheumatism, except rheumatic fever

Acute arthritis due to pyogenic organisms
Acute non-pyogenic arthritis
Rheumatoid arthritis and allied conditions
Osteo-arthritis and allied conditions
　Osteo-arthritis
　Spondylitis osteo-arthritica
　Traumatic spondylopathy
Other specified forms of arthritis
　Traumatic arthritis
　Other
Arthritis, unspecified

716　多発筋炎および皮膚筋炎
717　その他の非関節性リウマチ
718　詳細不明のリウマチ

骨髄炎およびその他の骨および関節の疾患(720－729)

720　骨髄炎および骨膜炎
　.0　急性骨髄炎
　.1　慢性骨髄炎
　.2　詳細不明の骨髄炎
　.3　骨髄炎の記載のない骨膜炎
721　変形性骨炎
722　骨軟骨症
723　その他の骨の疾患
724　関節内障
725　椎間板ヘルニア
726　仙腸関節の障害
727　関節の強直
728　脊椎性有痛症候群
729　その他の関節の疾患

その他の筋骨格系の疾患(730－738)

730　バニオン
731　滑膜炎，滑液嚢炎および腱鞘炎
732　感染性筋炎およびその他の腱および筋膜の炎症性疾患
733　その他の筋，腱および筋膜の疾患
　.0　重症筋無力症
　.1　筋萎縮症（特発性）
　.9　その他
734　結合織のびまん性疾患
735　脊柱異常彎曲
736　扁平足
737　外反足母指および内反足母指
738　その他の奇形

XIV　先天異常

740　無脳症
741　二分脊椎
　.0　水頭症を伴うもの
　.9　水頭症の記載のないもの
742　先天性水頭症
743　その他の神経系の先天異常
　.0　脳瘤
　.1　小頭症
　.2　その他の脳の明示された異常
　.3　その他の脊髄の明示された異常
　.4, .8　その他の神経系の異常
　.9　詳細不明の脳，脊髄および神経系の異常
744　眼の先天異常
745　耳，顔および頸の先天異常
746　心臓の先天異常
　.0　総動脈幹残遺
　.1　大血管の転位
　.2　ファローの四徴
　.3　心室中隔欠損
　.4　心房中隔欠損
　.5　共房室口
　.6　心臓弁膜の異常
　.7　心内膜線維弾性症
　.8　その他の明示された心臓の異常
　.9　詳細不明の心臓の異常
747　その他の循環器系の先天異常
748　呼吸器系の先天異常
749　口蓋裂および唇裂
　.0　口蓋裂
　.1　唇裂
　.2　唇裂を伴う口蓋裂
750　その他の上部消化管の先天異常
　.1　幽門狭窄
　.0, .2～.9　その他および詳細不明

Polymyositis and dermatomyositis
Other non-articular rheumatism
Rheumatism, unspecified

Osteomyelitis and other diseases of bone and joint

Osteomyelitis and periostitis
　Acute osteomyelitis
　Chronic osteomyelitis
　Unspecified osteomyelitis
　Periostitis without mention of osteomyelitis
Osteitis deformans
Osteochondrosis
Other diseases of bone
Internal derangement of joint
Displacement of intervertebral disc
Affection of sacro-iliac joint
Ankylosis of joint
Vertebrogenic pain syndromes
Other diseases of joint

Other diseases of musculoskeletal system

Bunion
Synovitis, bursitis and tenosynovitis
Infective myositis and other inflammatory diseases of tendon and fascia
Other diseases of muscle, tendon and fascia
　Myasthenia gravis
　Muscular atrophy (idiopathic)
　Other
Diffuse diseases of connective tissue
Curvature of spine
Flat foot
Hallux valgus and varus
Other deformities

CONGENITAL ANOMALIES

Anencephalus
Spina bifida
　With hydrocephalus
　Without mention of hydrocephalus
Congenital hydrocephalus
Other congenital anomalies of nervous system
　Encephalocele
　Microcephalus
　Other specified anomalies of brain
　Other specified anomalies of spinal cord
　Other anomalies of nervous system
　Unspecified anomalies of brain, spinal cord and nervous system
Congenital anomalies of eye
Congenital anomalies of ear, face and neck
Congenital anomalies of heart
　Common truncus
　Transposition of great vessels
　Tetralogy of Fallot
　Ventricular septal defect
　Atrial septal defect
　Ostium atrioventriculare commune
　Anomalies of heart valves
　Fibroelastosis cordis
　Other specified anomalies of heart
　Unspecified anomalies of heart
Other congenital anomalies of circulatory system
Congenital anomalies of respiratory system
Cleft palate and cleft lip
　Cleft palate
　Cleft lip
　Cleft palate with cleft lip
Other congenital anomalies of upper alimentary tract
　Pyloric stenosis
　Other and unspecified

751 その他の消化器系の先天異常
752 性器の先天異常
753 泌尿器系の先天異常
754 内反足（先天性）
755 その他の体肢の先天異常
756 その他の筋骨格系の先天異常
757 皮膚，毛髪および爪の先天異常
758 その他および詳細不明の先天異常
759 多系統におよぶ先天性症候群

XV 周産期疾病および死亡の主要原因

760 母体の慢性循環器疾患および慢性性尿器疾患
.0 慢性リウマチ性心疾患
.1 先天性心疾患
.2 慢性高血圧症
.3 その他の慢性循環器系疾患
.3a その他の心疾患
.3b そ の 他
.4 慢 性 腎 炎
.5 その他の慢性性尿器系疾患
761 その他の妊娠に関連のない母体側の状態
.0 梅 毒
.1 糖 尿 病
.2 インフルエンザ
.3 風 疹
.4 トキソプラスマ症
.5 損 傷
.6 手 術
.7 胎盤通過性化学物質の作用
.9 その他の母体側の原因
.9a 結 核
.9b 悪性新生物
.9c 良性および性質不詳の新生物
.9d 精 神 障 害
.9e 呼吸器系の疾患
.9f 消化器系の疾患
.9g その他の母体側の疾患
.9h 習慣性流早死産
.9i 過 労
.9j その他の母体側の診断名不明確の状態
762 妊 娠 中 毒 症
.0 妊娠時に起きた腎疾患
.1 子 癇 前 症
.2 子 癇
.3 詳細不明の妊娠中毒症
.4 妊 娠 悪 阻
.5 妊娠時に起きた急性および亜急性肝臓壊死
.9 その他の妊娠中毒症
763 母体の分娩前および分娩時の感染
.0 妊娠時の腎盂炎および腎盂腎炎
.1 その他の妊娠時の性尿器の感染
.9 そ の 他
764 骨盤の骨，臓器または組織の異常を伴う難産
.0 脳の出生時損傷を伴うもの
.0a 骨盤骨の異常を伴うもの
.0b 骨盤の臓器または組織の異常を伴うもの
1 脊髄の出生時損傷を伴うもの
.1a 骨盤骨の異常を伴うもの
.1b 骨盤の臓器または組織の異常を伴うもの
.2 骨または神経の出生時損傷を伴うもの
.2a 骨盤骨の異常を伴うもの
.2b 骨盤の臓器または組織の異常を伴うもの
.3 その他または詳細不明の出生時損傷を伴うもの
.3a 骨盤骨の異常を伴うもの
.3b 骨盤の臓器または組織の異常を伴うもの
.4 仮死，無酸素症または低酸素症を伴うもの
.4a 骨盤骨の異常を伴うもの
.4b 骨盤の臓器または組織の異常を伴うもの

Other congenital anomalies of digestive system
Congenital anomalies of genital organs
Congenital anomalies of urinary system
Clubfoot (congenital)
Other congenital anomalies of limbs
Other congenital anomalies of musculoskeletal system
Congenital anomalies of skin, hair and nails
Other and unspecified congenital anomalies
Congenital syndromes affecting multiple systems

CERTAIN CAUSES OF PERINATAL MORBIDITY AND MORTALITY

Chronic circulatory and genito-urinary diseases in mother
Chronic rheumatic heart disease
Congenital heart disease
Chronic hypertension
Other chronic diseases of circulatory system
Other heart diseases
Other
Chronic nephritis
Other chronic diseases of genito-urinary system
Other maternal conditions unrelated to pregnancy
Syphilis
Diabetes mellitus
Influenza
Rubella
Toxoplasmosis
Injury
Operation
Chemical substances transmitted through placenta
Other maternal causes
Tuberculosis
Malignant neoplasms
Benign neoplasms and neoplasms of unspecified nature
Mental disorders
Diseases of respiratory system
Diseases of digestive system
Other maternal diseases
Habitual abortion
Fatigue
Other maternal ill-defined conditions
Toxaemia of pregnancy
Renal disease arising during pregnancy
Pre-eclampsia of pregnancy
Eclampsia of pregnancy
Toxaemia unspecified
Hyperemesis gravidarum
Acute and sub-acute necrosis of liver arising during pregnancy
Other toxaemia of pregnancy
Maternal ante-and intrapartum infection
Pyelitis and pyelonephritis of pregnancy
Other infections of genito urinary tract during pregnancy
Other
Difficult labour with abnormality of bones, organs or tissues of pelvis
With birth injury to brain
By abnormality of bony pelvis
By abnormality of other pelvic organs and tissues
With birth injury to spinal cord
By abnormality of bony pelvis
By abnormality of other pelvic organs and tissues
With birth injury to bone or nerve
By abnormality of bony pelvis
By abnormality of other pelvic organs and tissues
With other or unspecified birth injury
By abnormality of bony pelvis
By abnormality of other pelvic organs and tissues
With asphyxia, anoxia or hypoxia
By abnormality of bony pelvis
By abnormality of other pelvic organs and tissues

.9 出生時損傷，仮死，無酸素症または低酸素症の記載のないもの
.9a 骨盤骨の異常を伴うもの
.9b 骨盤の臓器または組織の異常を伴うもの
765 胎児骨盤不適合を伴う難産，骨盤異常の記載のないもの
.0 脳の出生時損傷を伴うもの
.1 脊髄の出生時損傷を伴うもの
.2 骨または神経の出生時損傷を伴うもの
.3 その他または詳細不明の出生時損傷を伴うもの
.4 仮死，無酸素症または低酸素症を伴うもの
.9 出生時損傷，仮死，無酸素症または低酸素症の記載のないもの
766 胎児の位置異常を伴う難産
.0 脳の出生時損傷を伴うもの
.0a 骨 盤 位
.0b そ の 他
.1 脊髄の出生時損傷を伴うもの
.1a 骨 盤 位
.1b そ の 他
.2 骨または神経の出生時損傷を伴うもの
.2a 骨 盤 位
.2b そ の 他
.3 その他または詳細不明の出生時損傷を伴うもの
.3a 骨 盤 位
.3b そ の 他
.4 仮死，無酸素症または低酸素症を伴うもの
.4a 骨 盤 位
.4b そ の 他
.9 出生時損傷，仮死，無酸素症または低酸素症の記載のないもの
.9a 骨 盤 位
.9b そ の 他
767 娩出力異常を伴う難産
.0 脳の出生時損傷を伴うもの
.1 脊髄の出生時損傷を伴うもの
.2 骨または神経の出生時損傷を伴うもの
.3 その他または詳細不明の出生時損傷を伴うもの
.4 仮死，無酸素症または低酸素症を伴うもの
.9 出生時損傷，仮死，無酸素症または低酸素症の記載のないもの
768 その他および詳細不明の合併症を伴う難産
.0 脳の出生時損傷を伴うもの
.1 脊髄の出生時損傷を伴うもの
.2 骨または神経の出生時損傷を伴うもの
.3 その他または詳細不明の出生時損傷を伴うもの
.4 仮死，無酸素症または低酸素症を伴うもの
.9 出生時損傷，仮死，無酸素症または低酸素症の記載のないもの
769 その他の妊娠および分娩の合併症
.0 頸 管 無 力 症
.1 早 期 破 水
.2 羊 水 過 多 症
.3 子 宮 外 妊 娠
.4 多 胎 妊 娠
.5 詳細不明の母体死亡
.9 そ の 他
.9a 胎盤状況の記載のない出血
.9b 羊 水 過 少 症
.9c そ の 他
770 胎 盤 異 常
.0 前 置 胎 盤
.1 胎盤早期剝離
.2 胎 盤 硬 塞
.8 そ の 他
.9 詳 細 不 明
771 臍 帯 異 常
.0 臍 帯 圧 迫
.1 臍帯圧迫の記載のない臍帯脱出
.9 そ の 他
.9a 臍 帯 巻 絡
.9b そ の 他
772 原因の記載のない出生時損傷
.0 脳
.1 脊 髄

Without mention of birth injury, asphyxia, anoxia or hypoxia
By abnormality of bony pelvis
By abnormality of other pelvic organs and tissues
Difficult labour with disproportion, but no mention of abnormality of pelvis
With birth injury to brain
With birth injury to spinal cord
With birth injury to bone or nerve
With other or unspecified birth injury
With asphyxia, anoxia or hypoxia
Without mention of birth injury, asphyxia, anoxia or hypoxia
Difficult labour with malposition of foetus
With birth injury to brain
By breech presentation
Other
With birth injury to spinal cord
By breech presentation
Other
With birth injury to bone or nerve
By breech presentation
Other
With other or unspecified birth injury
By breech presentation
Other
With asphyxia, anoxia or hypoxia
By breech presentation
Other
Without mention of birth injury, asphyxia, anoxia or hypoxia
By breech presentation
Other
Difficult labour with abnormality of forces of labour
With birth injury to brain
With birth injury to spinal cord
With birth injury to bone or nerve
With other or unspecified birth injury
With asphyxia, anoxia or hypoxia
Without mention of birth injury, asphyxia, anoxia or hypoxia
Difficult labour with other and unspecified complications
With birth injury to brain
With birth injury to spinal cord
With birth injury to bone or nerve
With other or unspecified birth injury
With asphyxia, anoxia or hypoxia
Without mention of birth injury, asphyxia, anoxia or hypoxia
Other complications of pregnancy and childbirth
Incompetent cervix
Premature rupture of membranes
Hydramnios
Ectopic pregnancy
Multiple pregnancy
Maternal death unspecified
Other
Haemorrhage without mention of placental conditions
Oligohydramnios
Other
Conditions of placenta
Placenta praevia
Premature separation of placenta
Placental infarction
Other
Unspecified
Conditions of umbilical cord
Compression of cord
Prolapse of cord without mention of compression
Other
Entanglement of umbilical cord
Other
Birth injury without mention of cause
To brain
To spinal cord

.2　骨または神経
.9　その他および詳細不明
773　妊娠の中絶
.a　経済的理由による人工妊娠中絶
.b　父または近親者の疾患による人工妊娠中絶
.c　その他の人工妊娠中絶
.d　そ　の　他
774　核黄疸を伴う新生児溶血性疾患
.0　Ｒｈ因子不適合を伴うもの
.1　ＡＢＯ因子不適合を伴うもの
.2　その他または詳細不明の血液型不適合を伴うもの
.9　原因の記載のないもの
775　核黄疸の記載のない新生児溶血性疾患
.0　Ｒｈ因子不適合を伴うもの
.1　ＡＢＯ因子不適合を伴うもの
.2　その他および詳細不明の血液型不適合を伴うもの
.9　原因の記載のないもの
776　他に分類されない無酸素症および低酸素症
.0　産道内容の吸引
.1　硝子様膜症
.2　呼吸窮迫症候群
.3　胎児側窮迫
.4　子宮内無酸素症
.9　詳細不明の新生児仮死
777　詳細不明の未熟児
778　その他の胎児または新生児の異常
.0　出生前の胎児の血液喪失
.1　過熟児
.2　新生児の出血性疾患
.3　寒冷傷害症候群
.9　そ　の　他
.9a　新生児の黄疸
.9b　そ　の　他
779　原因不明の胎児死亡
.0　浸軟児
.9　そ　の　他
.9a　子宮内胎児死亡
.9b　原因不明

XVI　症状および診断名不明確の状態

系統または器管に関する症状（780－789）

780　神経系および特殊感覚に関する症状
.2　全身けいれん
.0, .1, .3～.8　そ　の　他
781　その他の神経系および特殊感覚に関する症状
782　心血管系およびリンパ系に関する症状
.4　心臓麻痺
.0～.3, .5～.9　そ　の　他
783　呼吸器系に関する症状
.1　喀血
.2　呼吸困難
.0, .3～.7　そ　の　他
784　上部消化管に関する症状
.1　はきけおよび嘔吐
.2　幽門けいれん
.4　嚥下困難
.5　吐血
.0, .3, .6, .7　そ　の　他
785　腹部および下部消化管に関する症状
.2　黄疸（新生児を除く）
.3　腹水
.0, .1, .4～.8　そ　の　他
786　性尿器系に関する症状
.1　尿閉
.5　乏尿，無尿（新生児を除く）
.0, .2～.4, .6, .7　そ　の　他
787　肢および関節に関する症状
788　その他の全身症状

To bone or nerve
Other and unspecified
Termination of pregnancy
Induced abortion for financial indication
Induced abortion for diseases of father or relatives
Induced abortion for other indications
Other
Haemolytic disease of newborn with kernicterus
With Rh incompatibility
With ABO incompatibility
With other or unspecified blood incompatibility
Without mention of cause
Haemolytic disease of newborn without mention of kernicterus
With Rh incompatibility
With ABO incompatibility
With other or unspecified blood incompatibility
Without mention of cause
Anoxic and hypoxic conditions not elsewhere classified
Aspiration of content of birth canal
Hyaline membrane disease
Respiratory distress syndrome
Foetal distress
Intra-uterine anoxia
Asphyxia of newborn unspecified
Immaturity, unqualified
Other conditions of foetus or newborn
Foetal blood loss before birth
Post-maturity
Haemorrhagic disease of newborn
Cold injury syndrome
Other
Jaundice of newborn
Other
Foetal death of unknown cause
Maceration
Other
Death in utero
Other

SYMPTOMS AND ILL-DEFINED CONDITIONS

Symptoms referable to systems or organs

Certain symptoms referable to nervous system and special senses
Convulsions
Other
Other symptoms referable to nervous system and special senses
Symptoms referable to cardiovascular and lymphatic system
Acute heart failure, undefined
Other
Symptoms referable to respiratory system
Haemoptysis
Dyspnoea
Other
Symptoms referable to upper gastro-intestinal tract
Nausea and vomiting
Pylorospasm
Dysphagia
Haematemesis
Other
Symptoms referable to abdomen and lower gastro-intestinal tract
Jaundice (not of newborn)
Ascites
Other
Symptoms referable to genito-urinary system
Retention of urine
Oliguria, anuria (not of newborn)
Other
Symptoms referable to limbs and joints
Other general symptoms

789　原因不詳の尿成分異常

診断名不明確の状態（790－796）

790　神経過敏および鈍弱
791　頭痛
792　尿毒症
793　医療の必要のない所見
794　精神病の記載のない老衰
795　頓死（原因不明）
796　その他の診断名不明確ならびに不明の病因および死因
.2　発見死体（原因不明）
.0, .1, .3, .9　その他および詳細不明

XVII　不慮の事故，中毒および暴力

EXVII　不慮の事故，中毒および暴力（外因）

鉄道事故（Ｅ800－Ｅ807）

Ｅ800　車輛間の衝突による鉄道事故
Ｅ801　その他の物体との衝突による鉄道事故
Ｅ802　脱線による鉄道事故（衝突が先行しない場合）
Ｅ803　爆発，火災による鉄道事故
Ｅ804　列車からの墜落または列車上での転倒，墜落
Ｅ805　車輛による衝撃
Ｅ806　その他の明示された鉄道事故
Ｅ807　詳細不明の鉄道事故

自動車交通事故（Ｅ810－Ｅ819）

Ｅ810　列車との衝突による自動車交通事故
Ｅ811　市街電車との衝突による自動車交通事故
Ｅ812　他の自動車との衝突による自動車交通事故
Ｅ813　他の車との衝突による自動車交通事故
Ｅ814　歩行者との衝突による自動車交通事故
Ｅ815　その他の衝突による自動車交通事故
Ｅ816　操縦力を失った非衝突性自動車交通事故
Ｅ817　乗降時の非衝突性自動車交通事故
Ｅ818　その他の非衝突性自動車交通事故
Ｅ819　詳細不明の自動車交通事故

自動車非交通事故（Ｅ820－Ｅ823）

Ｅ820　移動物体との衝突による自動車非交通事故
Ｅ821　静止物体との衝突による自動車非交通事故
Ｅ822　乗降時における自動車の非交通事故
Ｅ823　その他および詳細不明の自動車の非交通事故

その他の道路交通機関事故（Ｅ825－Ｅ827）

Ｅ825　市街電車事故
Ｅ826　自転車事故
Ｅ827　その他の非モーター性道路交通機関事故

水上交通機関事故（Ｅ830－Ｅ838）

Ｅ830　水上交通機関の事故による溺水
Ｅ831　水上交通機関の事故によるその他の傷害
Ｅ832　その他の水上交通機関における溺死または溺水
Ｅ833　水上交通機関内における階段またははしごからの墜落
Ｅ834　水上交通機関内におけるその他の場所からの墜落
Ｅ835　水上交通機関内におけるその他および詳細不明の墜落
Ｅ836　水上交通機関内の機械による不慮の事故
Ｅ837　水上交通機関内における爆発・火炎事故
Ｅ838　その他および詳細不明の水上交通機関事故

航空機および宇宙交通機関事故（Ｅ840－Ｅ845）

Ｅ840　離着時における航空機事故
Ｅ841　その他および詳細不明の航空機事故
Ｅ842　無動力航空機事故
Ｅ843　航空機からの墜落または機内での転倒，墜落
Ｅ844　その他の明示された航空機事故
Ｅ845　宇宙船事故

薬物および医薬品による不慮の中毒（Ｅ850－Ｅ859）

Ｅ850　抗生物質およびその他の抗感染物質による不慮の中毒

Abnormal urinary constituents of unspecified cause

Senility and ill-defined diseases

Nervousness and debility
Headache
Uraemia
Observation, without need for further medical care
Senility without mention of psychosis
Sudden death (cause unknown)
Other ill-defined and unknown causes of morbidity and mortality
Found dead (cause unknown)
Other and unspecified

ACCIDENTS, POISONINGS, AND VIOLENCE

ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)

Railway accidents

Railway accident involving collision with rolling stock
Railway accident involving collision with other object
Railway accident involving derailment without antecedent collision
Railway accident involving explosion, fire, burning
Fall in, on, or from train
Hit by rolling stock
Other specified railway accident
Railway accident of unspecified nature

Motor vehicle traffic accidents

Motor vehicle traffic accident involving collision with train
Motor vehicle traffic accident involving collision with street car
Motor vehicle traffic accident involving collision with another motor vehicle
Motor vehicle traffic accident involving collision with other vehicle
Motor vehicle traffic accident involving collision with pedestrian
Other motor vehicle traffic accident involving collision
Non-collision motor vehicle traffic accident due to loss of control
Non-collision motor vehicle traffic accident while boarding or alighting
Other non-collision motor vehiche traffic accident
Motor vehicle traffic accident of unspecified nature

Motor vehicle non-traffic accidents

Motor vehicle non-traffic accident involving collision with mqving object
Motor vehicle non-traffic accident involving collision with stationary object
Motor vehicle non-traffic accident while boarding or alighting
Motor vehicle non-traffic accident of other and unspecified nature

Other road vehicle accidents

Street car accident
Pedal cycle accident
Other non-motor road vehicle accident

Water transport accidents

Accident to watercraft causing submersion
Accident to watercraft causing other injury
Other accidental submersion or drowning in water transport
Fall on stairs or ladders in water transport
Other fall from one level to another in water transport
Other and unspecified fall in water transport
Machinery accident in water transport
Explosion, fire, burning, in water transport
Other and unspecified water transport accident

Air and space transport accidents

Accident to powered aircraft at take-off or landing
Accident to powered aircraft, other and unspecified
Accident to unpowered aircraft
Fall in, on, or from aircraft
Other specified air transport accidents
Accident involving spacecraft

Accidental poisoning by drugs and medicaments

Accidental poisoning by antibiotics and other anti-infectives

E851 ホルモンおよび合成代用薬による不慮の中毒
E852 その他の主として全身および血液に作用する薬剤
E853 鎮痛薬および下熱薬による不慮の中毒
.0 阿片および合成類似体
.1 サリチル酸および同属体
.4 アニリン誘導体
.2, .3, .5, .9 その他
E854 その他の鎮静薬および睡眠薬による不慮の中毒
.0 バルビツール剤
.1 抱水クロラール
.3 臭化物
.2,.9 その他
E855 自律神経系および精神治療薬による不慮の中毒
E856 その他の中枢神経系抑制薬および興奮薬による不慮の中毒
E857 心臓血管薬による不慮の中毒
E858 胃腸薬による不慮の中毒
E859 その他および詳細不明の薬物および医薬品による不慮の中毒

その他の固体および液体物質による不慮の中毒（E860－E869）

E860 アルコールによる不慮の中毒
E861 清浄剤および研磨剤による不慮の中毒
E862 消毒薬による不慮の中毒
E863 塗料，ワニスによる不慮の中毒
E864 石油製品およびその他の溶媒による不慮の中毒
E865 殺虫剤，肥料，またはその他の農業薬品による不慮の中毒
.a 農薬
.b その他
E866 重金属およびその煙霧による不慮の中毒
E867 他に分類されない腐食剤および侵食剤による不慮の中毒
E868 有毒食品および有毒植物による不慮の中毒
E869 その他および詳細不明の固体および液体による不慮の中毒

ガスおよび蒸気による不慮の中毒（E870－E877）

E870 配管式ガスによる不慮の中毒
E871 ボンベ入り液化石油ガスによる不慮の中毒
E872 その他のユーティリティガスによる不慮の中毒
E873 自動車排気ガスによる不慮の中毒
E874 家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒
E875 その他の一酸化炭素による不慮の中毒
E876 その他のガスおよび蒸気による不慮の中毒
E877 詳細不明のガスおよび蒸気による不慮の中毒

不慮の墜落（E880－E887）

E880 階段からの墜落または上での転倒
E881 はしごまたは足場からの墜落または上での転倒
E882 建物またはその他の建造物からの墜落
E883 地表面の穴またはその他の開口部への墜落
E884 その他の墜落
E885 スリップ，つまづきによる同一面上での転倒
E886 他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒
E887 その他および詳細不明の墜落

火災および火焔による不慮の事故（E890－E899）

E890 住宅の火災による不慮の事故
E891 その他の建物または建造物の火災による不慮の事故
E892 建物または建造物の外における火災による不慮の事故
E893 着衣の引火による不慮の事故
E894 高可燃物の引火による不慮の事故
E895 住宅内で使用されている火による不慮の事故
E896 その他の建物または建造物の内で使用されている火による不慮の事故
E897 建物または建造物の外で使用されている火による不慮の事故
E898 その他の明示された火または火焔による不慮の事故
E899 詳細不明の火による不慮の事故

自然および環境要因による不慮の事故（E900－E909）

E900 過度の高温
E901 過度の低温
E902 高圧および低圧
E903 旅行および身体動揺による障害
E904 飢餓，渇，不良環境曝露および放置

Accidental poisoning by hormones and synthetic substitutes
Accidental poisoning by primarily systemic and haematologic agents
Accidental poisoning by analgesics and antipyretics
Opiates and synthetic analogues
Salicylates and congeners
Aniline derivatives
Other
Accidental poisoning by other sedatives and hypnotics
Barbiturates
Chloral hydrate
Bromides
Other
Accidental poisoning by autonomic nervous system and psychotherapeutic drugs
Accidental poisoning by other central nervous system depressants and stimulants
Accidental poisoning by cardiovascular drugs
Accidental poisoning by gastro-intestinal drugs
Accidental poisoning by other and unspecified drugs and medicaments

Accidental poisoning by other solid and liquid substances

Accidental poisoning by alcohol
Accidental poisoning by cleansing and polishing agents
Accidental poisoning by disinfectants
Accidental poisoning by paints and varnishes
Accidental poisoning by petroleum products and other solvents
Accidental poisoning by pesticides, fertilizers or plant foods
Pesticides
Other
Accidental poisoning by heavy metals and their fumes
Accidental poisoning by corrosives and caustics not elsewhere classified
Accidental poisoning by noxious foodstuffs and poisonous plants
Accidental poisoning by other and unspecified solid and liquid substances

Accidental poisoning by gases and vapours

Accidental poisoning by gas distributed by pipe-line
Accidental poisoning by liquefied petroleum gas distributed in mobile containers
Accidental poisoning by other utility gas
Accidental poisoning by motor vehicle exhaust gas
Accidental poisoning by carbon monoxide from incomplete combustion of domestic fuels
Accidental poisoning by other carbon monoxide
Accidental poisoning by other gases and vapours
Accidental poisoning by unspecified gases and vapours

Accidental falls

Fall on or from stairs or steps
Fall on or from ladders or scaffolding
Fall from or out of building or other structure
Fall into hole or other opening in surface
Other fall from one level to another
Fall on same level from slipping, tripping or stumbling
Fall on same level from collision, pushing or shoving by or with other person
Other and unspecified fall

Accidents caused by fires and flames

Accident caused by conflagration in private dwelling
Accident caused by conflagration in other building or structure
Accident caused by conflagration not in building or structure
Accident caused by ignition of clothing
Accident caused by ignition of highly inflammable material
Accident caused by controlled fire in private dwelling
Accident caused by controlled fire in other building or structure
Accident caused by controlled fire not in building or structure
Accident caused by other specified fires or flames
Accident caused by unspecified fire

Accidents due to natural and environmental factors

Excessive heat
Excessive cold
High and low air pressure
Effects of travel and motion
Hunger, thirst, exposure and neglect

E905 有毒動物および有毒昆虫の咬傷および刺傷
E906 その他の動物による不慮の事故
E907 雷撃
E908 天災
.a 地震
.b 暴風雨および洪水
.c その他
E909 その他の自然および環境要因による不慮の事故

その他の不慮の事故（E910－E929）

E910 不慮の溺死および溺水
.0 レクリエーション中
.9 その他および詳細不明
E911 食物の吸入または嚥下による閉塞および窒息
E912 その他の物体の吸入または嚥下による閉塞および窒息
E913 不慮の機械的窒息
.0 寝台または揺籃
.9 その他および詳細不明
E914 眼および附属器への不慮の異物侵入
E915 その他の孔口への不慮の異物侵入
E916 落下物による不慮の打撲
E917 物体との衝突または物体による不慮の打撲
E918 物体間または物体内にはさまった，ひっかかった不慮の事故
E919 過労および激動
E920 刃器および刺器による不慮の事故
E921 高圧機関の爆発による不慮の事故
E922 銃器による不慮の事故
.0 不慮の自傷
.9 その他および詳細不明
E923 爆発物による不慮の事故
.0 花火
.1 爆破物
.2 爆発性ガス
.8 その他
.9 詳細不明
E924 高熱物体，腐食性液体および蒸気による不慮の事故
E925 電気による不慮の事故
E926 放射線による不慮の事故
E927 車による事故，他に分類されないもの
E928 機械による事故，他に分類されないもの
E929 その他および詳細不明の不慮の事故

外科的および内科的処置の合併症および事故（E930－E936）

E930 手術的処置上の合併症および事故
E931 その他および詳細不明の治療処置上の合併症および事故
E932 診断処置上の合併症および事故
E933 細菌ワクチンによる予防上の合併症および事故
E934 その他の予防的ワクチン使用上の合併症および事故
E935 その他の予防処置の合併症および事故
E936 その他の治療操作以外の処置の合併症および事故

不慮の傷害の後遺症（E940－E949）

E940 自動車事故の後遺症
E941 その他の交通機関事故の後遺症
E942 不慮の中毒の後遺症
E943 不慮の墜落の後遺症
E944 火災による不慮の事故の後遺症
E945 自然および環境要因による不慮の事故の後遺症
E946 その他の不慮の事故の後遺症
E947 外科的手術の後遺症
E948 放射線照射の後遺症
E949 その他の外科的および内科的処置の後遺症

自殺および自傷（E950－E959）

E950 固体または液体による自殺および自為中毒
.a バルビツール剤およびその誘導体
.b 臭化物
.c その他および詳細不明の鎮静薬および睡眠薬
.d シアン化物
.e 農薬
.f その他および詳細不明

Bites and stings of venomous animals and insects
Other accidents caused by animals
Lightning
Cataclysm
Earthquake
Storm and flood
Other
Accident due to other natural and environmental factors

Other accidents

Accidental drowning and submersion
In recreational activities
Other and unspecified
Inhalation and ingestion of food causing obstruction or suffocation
Inhalation and ingestion of other object causing obstruction or suffocation
Accidental mechanical suffocation
In bed or cradle
Other and unspecified
Foreign body entering accidentally eye and adnexa
Foreign body entering accidentally other orifice
Struck accidentally by falling object
Striking against or struck accidentally by objects
Caught accidentally in or between objects
Over-exertion and strenuous movements
Accident caused by cutting or piercing instruments
Accident caused by explosion of pressure vessel
Accident caused by firearm missiles
Accidentally self-inflicted
Other and unspecified
Accident caused by explosive material
Fireworks
Blasting materials
Explosive gases
Other
Unspecified
Accident caused by hot substance, corrosive liquid, and steam
Accident caused by electric current
Accident caused by radiation
Vehicle accidents not elsewhere classifiable
Machinery accidents not elsewhere classifiable
Other and unspecified accidents

Surgical and medical complications and misadventures

Complications and misadventures in operative therapeutic procedures
Complications and misadventures in other and unspecified therapeutic procedure
Complications and misadventures in diagnostic procedures
Complications and misadventures in prophylaxis with bacterial vaccines
Complications and misadventures in prophylaxis with other vaccines
Complications and misadventures in other prophylactic procedures
Complications and misadventures in other non-therapeutic procedures

Late effects of accidental injury

Late effect of motor vehicle accident
Late effect of other transport accident
Late effect of accidental poisoning
Late effect of accidental fall
Late effect of accident caused by fire
Late effect of accident due to natural and environmental factors
Late effect of other accidents
Late effect of surgical operation
Late effect of irradiation
Late effect of other surgical and medical procedures

Suicide and self-inflicted injury

Suicide and self-inflicted poisoning by solid or liquid substances
Barbiturates
Bromides
Other and unspecified sedatives and hypnotics
Cyanides
Pesticides
Other and unspecified

E951 家事用ガスによる自殺および自為中毒
E952 その他のガスによる自殺および自為中毒
E953 縊首，絞首および窒息による自殺および自傷
E954 入水による自殺および自傷
E955 銃器および爆発物による自殺および自傷
E956 刃器および刺器による自殺および自傷
E957 高所からの墜落による自殺および自傷
E958 その他および詳細不明の手段による自殺および自傷
.a 轢圧
.b その他
E959 自傷の後遺症

他殺および他人の加害による傷害(E960－E969)

E960 格闘，口論，強姦
E961 腐食性物質による加害(中毒を除く)
E962 中毒による加害
E963 縊首および絞首による加害
E964 溺水（溺死）による加害
E965 銃器および爆発物による加害
E966 刃器および刺器による加害
E967 高所からのつき落しによる加害
E968 その他および詳細不明の手段による加害
E969 他人による故意の加害による後遺症

法的介入(E970－E978)

E970 法的介入に基づく銃器による傷害
E971 法的介入に基づく爆発物による傷害
E972 法的介入に基づくガスによる傷害
E973 法的介入に基づく鈍器による傷害
E974 法的介入に基づく刃器および鋸器による傷害
E975 法的介入に基づくその他の明示された手段による傷害
E976 法的介入に基づく詳細不明の手段による傷害
E977 法的介入に基づく傷害の後遺症
E978 処刑

不慮か故意か決定されない傷害(E980－E989)

E980 不慮か故意か決定されない固体または液体による中毒
E981 不慮か故意か決定されない家事用ガスによる中毒
E982 不慮か故意か決定されないその他のガスによる中毒
E983 不慮か故意か決定されない縊死および絞首または窒息
E984 不慮か故意か決定されない溺水（溺死）
E985 不慮か故意か決定されない銃器および爆発物による傷害
E986 不慮か故意か決定されない刃器または刺器による傷害
E987 不慮か故意か決定されない高所よりの墜落
E988 不慮か故意か決定されないその他および詳細不明の手段による傷害
E989 不慮か故意か決定されない傷害の後遺症

戦争行為による傷害(E990－E999)

E990 戦争行為に基づく火事および火災による傷害
E991 戦争行為に基づく小銃弾および破片による傷害
E992 戦争行為に基づく海兵器の爆発による傷害
E993 戦争行為に基づくその他の爆発による傷害
E994 戦争行為に基づく航空機破壊による傷害
E995 戦争行為に基づくその他および詳細不明の一般兵器による傷害
E996 戦争行為に基づく核兵器による傷害
E997 戦争行為に基づくその他の非一般的兵器による傷害
E998 戦争行為に基づく交戦状態停止後発生の傷害
E999 戦争行為に基づく傷害の後遺症

Suicide and self-inflicted poisoning by gases in domestic use
Suicide and self-inflicted poisoning by other gases
Suicide and self-inflicted injury by hanging, strangulation and suffocation
Suicide and self-inflicted injury by submersion (drowning)
Suicide and self-inflicted injury by firearms and explosives
Suicide and self-inflicted injury by cutting and piercing instruments
Suicide and self-inflicted injury by jumping from high place
Suicide and self-inflicted injury by other and unspecified means
Jumping before train or vehicle
Other
Late effect of self-inflicted injury

Homicide and injury purposely inflicted by other persons

Fight, brawl, rape
Assault by corrosive or caustic substance, except poisoning
Assault by poisoning
Assault by hanging and strangulation
Assault by submersion (drowning)
Assault by firearms and explosives
Assault by cutting and piercing instruments
Assault by pushing from high place
Assault by other and unspecified means
Late effect of injury purposely inflicted by other person

Legal intervention

Injury due to legal intervention by firearms
Injury due to legal intervention by explosives
Injury due to legal intervention by gas
Injury due to legal intervention by blunt object
Injury due to legal intervention by cutting and piercing instruments
Injury due to legal intervention by other specified means
Injury due to legal intervention by unspecified means
Late effect of injuries due to legal intervention
Legal execution

Injury undetermined whether accidentally or purposely inflicted

Poisoning by solid or liquid substances, undetermined whether accidentally or purposely inflicted
Poisoning by gases in domestic use, undetermined whether accidentally or purposely inflicted
Poisoning by other gases, undetermined whether accidentally or purposely inflicted
Hanging and strangulation, undetermined whether accidentally or purposely inflicted
Submersion (drowning), undeterminde whether accidentally or purposely inflicted
Injury by firearms and explosives, undetermined whether accidentally or purposely inflicted
Injury by cutting and piercing instruments, undetermined whether accidentally or purposely inflicted
Falling from high place, undetermined whether accidentally or purposely inflicted
Injury by other and unspecified means, undetermined whether accidentally or purposely inflicted
Late effect of injury, undetermined whether accidentally or purposely inflicted

Injury resulting from operations of war

Injury due to war operations by fires and conflagrations
Injury due to war operations by bullets and fragments
Injury due to war operations by explosion of marine weapons
Injury due to war operations by other explosion
Injury due to war operations by destruction of aircraft
Injury due to war operations by other and unspecified forms of conventional warfare
Injury due to war operations by nuclear weapons
Injury due to war operations by other forms of unconventional warfare
Injury due to war operations but occurring after cessation of hostilities
Late effect of injury due to war operations

NXVII 不慮の事故，中毒および暴力（傷害の性質）

骨折(N800－N829)

頭蓋，脊柱および体幹の骨折(N800－N809)

N800 頭蓋穹隆部の骨折

N801 頭蓋底の骨折
N802 顔面骨の骨折
.0，.1 鼻骨
.2，.3 下顎骨
.4～.9 その他および後遺症，各顔面骨
N803 その他および詳細不明の頭蓋骨折
N804 その他の骨を含む頭蓋または顔の多発骨折
N805 脊椎の骨折および骨折脱臼（脊髄損傷の記載のないもの）
.0，.1 頸椎
.2，.3 胸椎および腰椎
.4，.5 仙椎および尾椎
.6～.9 詳細不明および後遺症，各脊椎
N806 脊椎の骨折および骨折脱臼（脊髄損傷を伴うもの）
.0，.1 頸椎
.2，.3 胸椎および腰椎
.4，.5 仙椎および尾椎
.6～.9 詳細不明および後遺症，各脊椎
N807 肋骨，胸骨および喉頭の骨折
.0，.1 肋骨
.2，.3 胸骨
.4，.5 喉頭
.9 後遺症，肋骨，胸骨または喉頭
N808 骨盤の骨折
N809 体幹の多発および不詳の骨折

上肢の骨折(N810－N819)

N810 鎖骨骨折
N811 肩甲骨骨折
N812 上腕骨骨折
N813 橈骨および尺骨の骨折
N814 手根骨骨折
N815 中手骨骨折
N816 手指節骨骨折（単発または多発）
N817 手の骨の多発骨折
N818 その他，多発および不詳の上肢骨折
N819 両側上肢および肋骨，胸骨を含む上肢の多発骨折

下肢の骨折(N820－N829)

N820 大腿骨頸骨折
N821 その他および部位不明の大腿骨骨折
N822 膝蓋骨骨折
N823 脛骨および腓骨骨折
N824 踝部の骨折
N825 足根骨および中足骨の骨折（単発または多発）
N826 足指節骨骨折(単発または多発)
N827 その他，多発および不詳の下肢骨折
N828 両側下肢，上肢を含む下肢，肋骨および胸骨を含む下肢の多発骨折
N829 詳細不明の骨の骨折

骨折を伴わない関節脱臼(N830－N839)

N830 顎関節脱臼
N831 肩関節脱臼
N832 肘関節脱臼
N833 手首の関節脱臼
N834 手指の関節脱臼
N835 股関節脱臼
N836 膝関節脱臼
N837 足首の関節脱臼
N838 足の関節脱臼
N839 その他，多発および不詳の関節脱臼

関節の捻挫および隣接筋の過伸展(Strain)(N840－N848)

N840 肩および上腕の捻挫
N841 肘および前腕の捻挫
N842 手首および手の捻挫
N843 股および大腿の捻挫
N844 膝および下腿の捻挫
N845 足首および足の捻挫
N846 仙腸部の捻挫

Fracture of base of skull
Fracture of face bones
Nasal bones
Mandible
Other and late effect, any bacial bones
Other and unqualified skull fractures
Multiple fractures involving skull or face with other bones
Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion
Cervical
Dorsal (thoracic) and lumbar
Sacrum and coccyx
Unspecified and late effect, any vertebra
Fracture and fracture dislocation of vertebral column with spinal cord lesion
Cervical
Dorsal (thoracic) and lumbar
Sacrum and coccyx
Unspecified and late effect, any vertebra
Fracture of rib(s), sternum and larynx
Rib(s)
Sternum
Larynx
Late effect, rib(s), sternum or larynx
Fracture of pelvis
Multiple and ill-defined fractures of trunk

Fracture of upper limb

Fracture of clavicle
Fracture of scapula
Fracture of humerus
Fracture of radius and ulna
Fracture of carpal bone(s)
Fracture of metacarpal bone(s)
Fracture of one or more phalanges of hand
Multiple fractures of hand bones
Other, multiple, and ill-defined fractures of upper limb
Multiple fractures both upper limbs, and upper limb with rib(s) and sternum

Fracture of lower limb

Fracture of neck of femur
Fracture of other and unspecified parts of femur
Fracture of patella
Fracture of tibia and fibula
Fracture of ankle
Fracture of one or more tarsal and metatarsal bones
Fracture of one or more phalanges of foot
Other, multiple, and ill-defined fractures of lower limb
Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum
Fracture of unspecified bones

Dislocation without fracture

Dislocation of jaw
Dislocation of shoulder
Dislocation of elbow
Dislocation of wrist
Dislocation of finger
Dislocation of hip
Dislocation of knee
Dislocation of ankle
Dislocation of foot
Other, multiple, and ill-defined dislocations

Sprains and strains of joints and adjacent muscles

Sprains and strains of shoulder and upper arm
Sprains and strains of elbow and forearm
Sprains and strains of wrist and hand
Sprains and strains of hip and thigh
Sprains and strains of knee and leg
Sprains and strains of ankle and foot
Sprains and strains of sacro-iliac region

N847 その他および部位不明の背部の捻挫
N848 その他および不詳の捻挫

頭蓋内損傷（頭蓋骨折を伴うものを除く）（N850－N854）

N850 脳振盪
N851 脳の裂傷および挫傷
N852 損傷に続発するくも膜下，硬膜下および硬膜外出血（脳の裂傷または挫傷の記載のないもの）
N853 損傷に続発するその他および詳細不明の頭蓋内出血（脳の裂傷または挫傷の記載のないもの）
N854 その他および詳細不明の頭蓋内損傷

胸，腹および骨盤腔の内部損傷（N860－N869）

N860 外傷性気胸および血胸
N861 心臓および肺の損傷
N862 その他および詳細不明の胸腔内臓器の損傷
N863 胃腸管の損傷
N864 肝臓の損傷
N865 脾臓の損傷
N866 腎臓の損傷
N867 骨盤腔内臓器の損傷
N868 その他および詳細不明の腹腔内臓器の損傷
N869 詳細不明または胸腔および腹腔内臓器を含む内部損傷

頭，頸および体幹の裂傷および開放創（N870－N879）

N870 眼および眼窩の開放創
N871 眼の脱出
N872 耳の開放創
N873 その他および詳細不明の頭の裂傷
N874 頸の開放創
N875 胸（壁）の開放創
N876 背の開放創
N877 臀の開放創
N878 性器の開放創（外傷性切断を含む）
N879 その他，多発および詳細不明の頭，頸および体幹の開放創

上肢の裂傷および開放創（N880－N887）

N880 肩および上腕の開放創
N881 肘，前腕および手首の開放創
N882 手の開放創（手指のみを除く）
N883 手指の開放創
N884 上肢の多発および詳細不明の開放創
N885 手母指の外傷性切断（全部）（一部）
N886 その他の指の外傷性切断（全部）（一部）
N887 腕および手の外傷性切断（全部）（一部）

下肢の裂傷および開放創（N890－N897）

N890 股および大腿の開放創
N891 膝，脚（大腿を除く）および足首の開放創
N892 足の開放創（足指のみを除く）
N893 足指の開放創
N894 下肢の多発および詳細不明の開放創
N895 足指の外傷性切断（全部）（一部）
N896 足の外傷性切断（全部）（一部）
N897 脚の外傷性切断（全部）（一部）

多箇所にわたる裂傷および開放創（N900－N907）

N900 両側上肢の多発開放創
N901 両側下肢の多発開放創
N902 下肢を伴う上肢の多発開放創
N903 両手の多発開放創
N904 体肢を伴う頭の多発開放創
N905 体肢を伴う体幹の多発開放創
N906 体肢を伴う顔の多発開放創
N907 その他および部位不明の多発開放創

表在損傷（N910－N918）

N910 顔，頸，頭皮の表在損傷
N911 体幹の表在損傷
N912 肩および上腕の表在損傷

Sprains and strains of other and unspecified parts of back
Other and ill-defined sprains and strains

Intracranial injury (excluding those with skull fracture)

Concussion
Cerebral laceration and contusion
Subarachnoid, subdural and extradural haemorrhage, following injury (without mention of cerebral laceration or contusion)
Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)
Intracranial injury of other and unspecified nature

Internal injury of chest, abdomen and pelvis

Traumatic pneumothorax and haemothorax
Injury to heart and lung
Injury to other and unspecified intrathoracic organs
Injury to gastro-intestinal tract
Injury to liver
Injury to spleen
Injury to kidney
Injury to pelvic organs
Injury to other and unspecified intra-abdominal organs
Internal injury, unspecified or involving intrathoracic and intra-abdominal organs

Laceration and open wound of head, neck and trunk

Open wound of eye and orbit
Enucleation of eye
Open wound of ear
Other and unspecified laceration of head
Open wound of neck
Open wound of chest (wall)
Open wound of back
Open wound of buttock
Open wound of genital organs (external), including traumatic amputation
Other, multiple and unspecified open wounds of head, neck and trunk

Laceration and open wound of upper limb

Open wound of shoulder and upper arm
Open wound of elbow, forearm and wrist
Open wound of hand, except finger(s) alone
Open wound of finger (s)
Multiple and unspecified open wound of upper limb
Traumatic amputation of thumb (complete) (partial)
Traumatic amputation of other finger(s) (complete) (partial)
Traumatic amputation of arm and hand (complete) (partial)

Laceration and open wound of lower limb

Open wound of hip and thigh
Open wound of knee, leg (except thigh), and ankle
Open wound of foot, except toe(s) alone
Open wound of toe(s)
Multiple and unspecified open wound of lower limb
Traumatic amputation of toe(s) (complete) (partial)
Traumatic amputation of foot (complete) (partial)
Traumatic amputation of leg(s) (complete) (partial)

Laceration and open wound of multiple location

Multiple open wounds of both upper limbs
Multiple open wounds of both lower limbs
Multiple open wounds of upper with lower limb(s)
Multiple open wounds of both hands
Multiple open wounds of head with limb(s)
Multiple open wounds of trunk with limb(s)
Multiple open wounds of face with limb(s)
Multiple open wounds of other and unspecified location

Superficial injury

Superficial injury of face, neck, scalp
Superficial injury of trunk
Superficial injury of shoulder and upper arm

N913 肘，前腕および手首の表在損傷
N914 手の表在損傷（手指のみを除く）
N915 手指の表在損傷
N916 股，大腿，脚および足首の表在損傷
N917 足および足指の表在損傷
N918 その他，多発および部位不明の表在損傷

挫傷および破砕（皮膚表面に損傷のないもの）（N920－N929）

N920 顔，頭皮および頸の挫傷（眼を除く）
N921 眼および眼窩の挫傷
N922 体幹の挫傷
N923 肩および上腕の挫傷
N924 肘，前腕および手首の挫傷
N925 手の挫傷（手指のみを除く）
N926 手指の挫傷
N927 股，大腿，脚および足首の挫傷
N928 足および足指の挫傷
N929 その他，多発および部位不明の挫傷

孔口への異物侵入（N930－N939）

N930 眼および附属器の異物
N931 耳の異物
N932 鼻の異物
N933 咽頭および喉頭の異物
N934 気管支および肺の異物
N935 口，食道，胃の異物
N936 小腸および結腸の異物
N937 肛門および直腸の異物
N938 詳細不明の消化器系の異物
N939 性尿路の異物

熱傷（N940－N949）

N940 眼の熱傷
N941 顔，頭および頸の熱傷
N942 体幹の熱傷
N943 上肢の熱傷（手首および手を除く）
N944 手首および手の熱傷
N945 下肢の熱傷
N946 体肢を伴う顔，頭および頸の熱傷
N947 体肢を伴う体幹の熱傷
N948 体幹および体肢を伴う顔，頭，頸の熱傷
N949 その他および部位不明の熱傷

神経および脊髄の損傷（N950－N959）

N950 視神経損傷
N951 その他の脳神経損傷
N952 上腕の神経損傷
N953 前腕の神経損傷
N954 手首および手の神経損傷
N955 大腿の神経損傷
N956 下腿の神経損傷
N957 足首および足の神経損傷
N958 脊椎骨損傷の形跡のない脊髄損傷
.0，.1 頸神経
.2，.3 胸神経および腰神経
.4，.5 仙骨神経
.6～.9 詳細不明および後遺症，各神経
N959 その他の神経損傷（数箇所の神経損傷を含む）

化学物質の有害作用（N960－N989）

医薬品の有害作用〔Adverse effect〕（N960－N979）

N960 抗生物質の有害作用
N961 その他の抗感染物質の有害作用
N962 ホルモンおよび合成代用薬の有害作用
N963 主として全身に作用する薬剤の有害作用
N964 主として血液成分に作用する薬剤の有害作用
N965 鎮痛薬および下熱薬の有害作用
.0 阿片および合成類似体
.1 サリチル酸および同属体

Superficial injury of elbow, forearm and wrist
Superficial injury of hand(s), except finger(s) alone
Superficial injury of finger(s)
Superficial injury of hip, thigh, leg and ankle
Superficial injury of foot and toe(s)
Superficial injury of other, multiple and unspecified sites

Contusion and crushing with intact skin surface

Contusion of face, scalp and neck, except eye(s)
Contusion of eye and orbit
Contusion of trunk
Contusion of shoulder and upper arm
Contusion of elbow, forearm and wrist
Contusion of hand(s), except finger(s) alone
Contusion of finger(s)
Contusion of hip, thigh, leg and ankle
Contusion of foot and toe(s)
Contusion of other, multiple and unspecified sites

Effects of foreign body entering through orifice

Foreign body in eye and adnexa
Foreign body in ear
Foreign body in nose
Foreign body in pharynx and larynx
Foreign body in bronchus and lung
Foreign body in mouth, oesophagus, and stomach
Foreign body in intestine and colon
Foreign body in anus and rectum
Foreign body in digestive system, unspecified
Foreign body in genito-urinary tract

Burn

Burn confined to eye
Burn confined to face, head and neck
Burn confined to trunk
Burn confined to upper limb, except wrist and hand
Burn confined to wrist(s) and hand(s)
Burn confined to lower limb(s)
Burn involving face, head and neck with limb(s)
Burn involving trunk with limb(s)
Burn involving face, head and neck with trunk and limb(s)
Burn involving other and unspecified parts

Injury to nerves and spinal cord

Injury to optic nerve(s)
Injury to other cranial nerve(s)
Injury to nerve(s) in upper arm
Injury to nerve(s) in forearm
Injury to nerve(s) in wrist and hand
Injury to nerve(s) in thigh
Injury to nerve(s) in lower leg
Injury to nerve(s) in ankle and foot
Spinal cord lesion without evidence of spinal bone injury
Cervical
Dorsal (thoracic) and lumbar
Sacral
Unspecified and late effect, any part
Other nerve injury including nerve injury in several parts

Adverse effects of chemical substances

Adverse effect of medicinal agents

Adverse effect of antibiotics
Adverse effect of other anti-infectives
Adverse effect of hormones and synthetic substitutes
Adverse effect of primarily systemic agents
Adverse effect of agents primarily affecting blood constituents
Adverse effect of analgesics and antyipyretics
Opiates and synthetic analogues
Salicylates and congeners

.4 アニリン誘導体
.2, .3, .5, .9 その他
N966 抗けいれん薬の有害作用
N967 その他の鎮静薬および睡眠薬の有害作用
.0 バルビツール剤
.1 抱水クロラール
.3 臭化物
.2, .9 その他
N968 その他の中枢神経系抑制薬の有害作用
N969 局所麻酔薬の有害作用
N970 精神治療薬の有害作用
N971 その他の中枢神経系興奮薬の有害作用
N972 主として自律神経系に作用する薬剤の有害作用
N973 主として心血管系に作用する薬剤の有害作用
N974 主として胃腸系に作用する薬物の有害作用
N975 利尿薬の有害作用
N976 直接に筋骨格系に作用する薬剤の有害作用
N977 その他および詳細不明の薬物の有害作用
N978 2種以上の明示された複合医薬品の有害作用
N979 明示された医薬品とアルコールの複合物質の有害作用

薬用を主としない物質の毒作用（N980－N989）

N980 アルコールの毒作用
N981 石油製品の毒作用
N982 工業溶媒の毒作用
N983 腐食性芳香族，酸およびカセイアルカリの毒作用
.0 腐食性芳香族
.1 酸
.2 カセイアルカリ
.9 詳細不明の腐食剤
N984 鉛およびその化合物の毒作用（煙霧を含む）
N985 その他の薬用を主としない金属の毒作用
N986 一酸化炭素の毒作用
N987 その他のガス，煙霧または蒸気の毒作用
N988 有毒食品の毒作用
.0 貝
.1 きのこ
.2 その他の食用植物
.9 その他
N989 その他の薬用を主としない物質の毒作用
.0 シアン化物
.1 ストリキニーネ
.2, .3 農薬
.4～.9 その他

その他の有害作用（N990－N999）

N990 放射線の作用
N991 低温の作用
N992 熱作用
N993 気圧の作用
.3 潜函病
.0～.2 その他
N994 その他の外因の作用
.0 雷撃の作用
.1 溺死および死に至らない溺水
.2 飢餓の作用
.3 渇の作用
.4 その他の不良環境曝露の作用
.5 過労
.6 動揺病
.7 窒息および絞首
.8 電撃死および死に至らない電撃傷
.9 その他
N995 外傷の早期合併症
N996 その他および詳細不明の損傷
N997 外科的処置に特異な合併症
N998 その他の外科的処置の合併症
N999 内科的処置のその他の合併症

Aniline derivatives
Other
Adverse effect of anticonvulsants
Adverse effect of other sedatives and hypnotics
Barbiturates
Chloral hydrate
Bromides
Other
Adverse effect of other central nervous system depressants
Adverse effect of local anaesthetics
Adverse effect of psychotherapeutics
Adverse effect of other central nervous system stimulants
Adverse effect of agents primarily affecting the autonomic nervous system
Adverse effect of agents primarily affecting cardiovascular system
Adverse effect of drugs primarily effecting gastro-intestinal system
Adverse effect of diuretics
Adverse effect of agents acting directly upon musculoskeletal system
Adverse effect of other and unspecified drugs
Adverse effect of two or more medicinal agents in specified combinations
Alcohol in combination with specified medicinal agents

Toxic effect of substances chiefly non-medicinal as to source

Toxic effect of alcohol
Toxic effect of petroleum products
Toxic effect of industrial solvents
Toxic effect of corrosive aromatics, acids and caustic alkalis
Corrosive aromatics
Acids
Caustic alkalis
Caustic NOS
Toxic effect of lead and its compounds (including fumes)
Toxic effect of other metals chiefly non-medicinal as to source
Toxic effect of carbon monoxide
Toxic effect of other gases, fumes or vapours
Toxic effect of noxious foodstuffs
Shellfish
Mushrooms
Other plants used as food
Other
Toxic effect of other substances chiefly non-medicinal as to source
Cyanide
Strychnine
Pesticides
Others

Other adverse effects

Effects of radiation
Effects of reduced temperature
Effects of heat
Effects of air pressure
Caisson disease
Other
Effects of other external causes
Effects of lightning
Drowning and non-fatal submersion
Effects of hunger
Effects of thirst
Other effects of exposure
Effects of excessive exertion
Motion sickness
Asphyxiation and strangulation
Electrocution and non-fatal effects of electric current
Other
Certain early complications of trauma
Injury, other and unspecified
Complications peculiar to certain surgical procedures
Other complications of surgical procedures
Other complications of medical care

2 50項目死因分類表（B表）（本分類表は厚生省大臣官房統計調査部で使用しているものである。）

LIST OF 50 CAUSES FOR TABULATION OF MORTALITY; B List (This is the list prepared for the specific use of the Health and Welfare Statistics Division, Minister's Secretariat, Ministry of Health and Welfare.)

B分類番号 B List Number	死因 Cause of Death	基本分類番号 Detailed List Number	
B 1	コレラ	000	Cholera
B 2	腸チフス	001	Typhoid fever
B 3	細菌性赤痢およびアメーバ症	004,006	Bacillary dysentery and amoebiasis
B 4	腸炎およびその他の下痢性疾患	008,009	Enteritis and other diarrhoeal diseases
B 5	呼吸器系の結核	010－012	Tuberculosis of respiratory system
B 6	その他の結核（後遺症を含む）	013－019	Other tuberculosis, including late effects
B 7	ペスト	020	Plague
B 8	ジフテリア	032	Diphtheria
B 9	百日咳	033	Whooping cough
B 10	レンサ球菌性咽頭炎および猩紅熱	034	Streptococcal sore throat and scarlet fever
B 11	髄膜炎菌感染	036	Meningococcal infection
B 12	急性灰白髄炎	040－043	Acute poliomyelitis
B 13	痘瘡	050	Smallpox
B 14	麻疹	055	Measles
B 15	チフスおよびその他のリケッチア症	080－083	Typhus and other rickettsioses
B 16	マラリア	084	Malaria
B 17	梅毒および続発症	090－097	Syphilis and its sequelae
B 18	その他の伝染病および寄生虫病	000－136の残り	All other infective and parasitic diseases
.a	癩	030	Leprosy
.b	破傷風	037	Tetanus
.c	敗血症	038	Septicaemia
.d	日本脳炎	062.0	Japanese encephalitis
.e	伝染性肝炎	070	Infectious hepatitis
.f	カンジダ症	112	Moniliasis
.g	日本住血吸虫症	120.2	Schistosoma japonicum
.h	糸状虫症	125	Filarial infection
.i	その他	002, 003, 005, 007, 021－027, 031, 035, 039, 044－046, 051－054, 056－061, 062.1－068, 071－079, 085－089, 098－111, 113－120.1, 120.3－124, 126－136	Other
B 19	悪性新生物（リンパおよび造血組織の新生物を含む）	140－209	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue
.a	食道	150	Malignant neoplasm of oesophagus
.b	胃	151	Malignant neoplasm of stomach
.c	肝臓	155, 197.7, 197,8	Malignant neoplasm of liver
.d	膵臓	157	Malignant neoplasm of pancreas
.e	気管，気管支および肺	162	Malignant neoplasm of trachea, bronchus and lung
.f	乳房	174	Malignant neoplasm of breast
.g	子宮	180－182	Malignant neoplasm of uterus
.h	白血病	204－207	Leukaemia
.i	その他	140－149, 152－154, 156, 158－161, 163－173, 183－197.6, 197.9－203, 208, 209	Other
B 20	良性および性質不詳の新生物	210－239	Benign neoplasms and neoplasms of unspecified nature
B 21	糖尿病	250	Diabetes mellitus
B 22	ビタミン欠乏症およびその他の栄養欠乏症	260－269	Avitaminoses and other nutritional deficiency
B 23	貧血	280－285	Anaemias
B 24	髄膜炎	320	Meningitis
B 25	活動性リウマチ熱	390－392	Active rheumatic fever
B 26	慢性リウマチ性心疾患	393－398	Chronic rheumatic heart disease
B 27	高血圧性疾患	400－404	Hypertensive disease
.a	高血圧性心疾患	400.1, 400.9, 402, 404	Hypertensive heart disease
.b	その他の高血圧性疾患	400.0, 400.2, 400.3, 401, 403	Other hypertensive disease
B 28	虚血性心疾患	410－414	Ischaemic heart disease
B 29	その他の心疾患	420－429	Other forms of heart disease
.a	心内膜の慢性疾患	424	Chronic diseases of endocardium
.b	その他の心筋機能不全	428	Other myocardial insufficiency
.c	その他の心疾患	420－423, 425－427, 429	Other heart diseases
B 30	脳血管疾患	430－438	Cerebrovascular disease
.a	脳出血	431	Cerebral haemorrhage
.b	脳硬塞	432－434, 438.a	Cerebral infarction

	.c その他	430, 435−437, 438.b	Other
B 31	インフルエンザ	470−474	Influenza
B 32	肺炎	480−486	Pneumonia
B 33	気管支炎，肺気腫および喘息	490−493	Bronchitis, emphysema and asthma
	.a 気管支炎	490, 491	Bronchitis
	.b 肺気腫	492	Emphysema
	.c 喘息	493	Asthma
B 34	消化性潰瘍	531−533	Peptic ulcer
B 35	虫垂炎	540−543	Appendicitis
B 36	腸閉塞およびヘルニア	550−553, 560	Intestinal obstruction and hernia
B 37	肝硬変	571	Cirrhosis of liver
B 38	腎炎およびネフローゼ	580−584	Nephritis and nephrosis
	.a 急性腎炎およびネフローゼ	580, 581	Acute nephritis and nephrosis
	.b その他	582−584	Other
B 39	前立腺肥大症	600	Hyperplasia of prostate
B 40	流産	640−645	Abortion
B 41	その他の妊娠，分娩，産褥の合併症および合併症の記載のない分娩	630−639, 650−678	Other complications of pregnancy, childbirth and the puerperium.
B 42	先天異常	740−759	Delivery without mention of complication
B 43	出生時損傷，難産およびその他の無酸素症，低酸素症	764−768, 772, 776	Congenital anomalies
			Birth injury, difficult labour and other anoxic and hypoxic conditions
B 44	その他の周産期の死因	760−763, 769−771, 773−775, 777−779	Other causes of perinatal mortality
B 45	症状およびその他の診断名不明確の状態	780−796	Symptoms and ill-defined conditions
	.a 精神病の記載のない老衰	794	Senility without mention of psychosis
	.b その他	780−793, 795, 796	Other
B 46	その他のすべての疾患	240−738の残り	All other diseases
	.a 精神障害	290−315	Mental disorders
	.b 中枢神経系の非炎症性疾患	330−349	Non-inflammatory diseases of central nervous system
	.c その他の循環器系の疾患	440−458	Other diseases of circulatory system
	.d 急性気管支炎および細気管支炎	466	Acute bronchitis and bronchiolitis
	.e 胃炎・十二指腸炎および慢性胃腸炎	535, 561−563	Gastritis, duodenitis and chronic gastro-enteritis
	.f 肝臓の疾患（肝硬変を除く）	570, 572, 573	Other diseases of liver
	.g その他	残り項目全部	Other

E 外因 — External causes of injury

BE 47	自動車事故	E810−E823	Motor vehicle accidents
BE 48	その他の不慮の事故	E800−E807, E825−E949	All other accidents
	.a 自動車以外の交通事故	E800−E807, E825−E845	Other transport accidents
	.b 不慮の墜落	E880−E887	Accidental falls
	.c 火災および火焔による不慮の事故	E890−E899	Accidents caused by fires
	.d 天災	E908	Cataclysm
	.e 不慮の溺死	E910	Accidental drowning
	.f 工業性の不慮の事故	E916−E921, E923−E928	Accidents mainly of industrial type
	.g その他	E850−E877, E900−E907, E909, E911−E915, E922, E929−E949	Other
BE 49	自殺	E950−E959	Suicide
BE 50	その他の外因	E960−E999	All other external causes
	.a 他殺	E960−E969	Homicide and injury purposely inflicted by other persons
	.b 不慮か故意か決定されない傷害	E980−E989	Injury undetermined whether accidentally or purposely inflicted
	.c 法的介入および戦争行為	E970−E978, E990−E999	Legal intervention and injury resulting from operations of war

N 傷害の性質 — Nature of injury

BN 47	骨折，頭蓋内および内部損傷	N800−N829, N850−N869	Fractures, intracranial and internal injuries
	.a 頭蓋骨折	N800−N804	Fracture of skull
	.b その他の骨の骨折	N805−N829	Fracture of other bones
	.c 頭蓋内損傷（頭蓋骨折を伴うものを除く）	N850−N854	Intracranial injury (excluding skull fracture)
	.d 胸，腹および骨盤腔の内部損傷	N860−N869	Internal injury of chest, abdomen and pelvis
BN 48	熱傷	N940−N949	Burn
BN 49	化学物質の有害作用	N960−N989	Adverse effects of chemical substances
BN 50	その他の損傷	N800−N999の残り	All other injuries
	.a 裂傷および開放創	N870−N907	Laceration and open wound
	.b 溺死	N994.1	Drowning
	.c 窒息および絞首	N994.7	Asphyxiation and strangulation
	.d その他	N830−N848, N910−N939, N950−N959, N990−N994.0, N994.2−N994.6, N994.8−N999	Other

3 35項目乳児死因簡単分類表（S表）

LIST OF 35 CAUSES FOR TABULATION OF INFANT MORTALITY (S List)

S分類番号 S List Number	死因 Cause of Death	基本分類番号 Detailed List Number	
S 1	細菌性赤痢およびアメーバ症	004, 006	Bacillary dysentery and amoebiasis
S 2	腸炎およびその他の下痢性疾患	008, 009	Enteritis and other diarrhoeal diseases
S 3	結核	010−019	Tuberculosis
S 4	ジフテリア	032	Diphtheria
S 5	百日咳	033	Whooping cough
S 6	丹毒	035	Erysipelas
S 7	破傷風	037	Tetanus
S 8	敗血症	038	Septicaemia
S 9	急性灰白髄炎	040−043	Acute poliomyelitis
S 10	麻疹	055	Measles
S 11	日本脳炎	062.0	Japanese encephalitis
S 12	梅毒およびその続発症	090−097	Syphilis and its sequelae
S 13	その他の伝染病および寄生虫病	000−136の残り	Other infective and parasitic diseases
S 14	悪性新生物（リンパおよび造血組織の新生物を含む）	140−209	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissue
	.a 白血病	204−207	Leukaemia
	.b その他	140−209の残り	Other
S 15	良性および性質不詳の新生物	210−239	Benign neoplasms and neoplasms of unspecified nature
S 16	栄養失調症	269.9 a	Malnutrition
S 17	髄膜炎	320	Meningitis
S 18	脳性けい性小児麻痺	343	Cerebral spastic infantile palalysis
S 19	心疾患	393−398, 410−429	Heart diseases
S 20	インフルエンザ	470−474	Influenza
S 21	肺炎	480−486	Pneumonia
S 22	気管支炎	466, 490, 491	Bronchitis
S 23	腸閉塞およびヘルニア	550−553, 560	Intestinal obstruction and hernia
S 24	胃炎，十二指腸炎および慢性胃腸炎	535, 561−563	Gastritis, duodenitis and chronic gastro-enteritis
S 25	先天異常	740−759	Congenital anomalies
	.a 心臓の先天異常	746	Congenital anomalies of heart
	.b その他の循環器系の先天異常	747	Other congenital anomalies of circulatory system
	.c 消化器系の先天異常	749−751	Congenital anomalies of digestive system
	.d その他	740−759の残り	Other
S 26	出生時損傷，難産およびその他の無酸素症，低酸素症	764−768, 772, 776	Birth injury, difficult labour and other anoxic and hypoxic conditions
	.a 脳および脊髄の出生時損傷を伴う難産	764−768の.0,.1, 772.0,772.1	With birth injury to brain and spinal cord
	.b その他および詳細不明の出生時損傷を伴う難産	764−768の.2,.3, 772.2,772.9	With other or unspecified birth injury
	.c 出生時損傷，仮死，無酸素症または低酸素症の記載のない難産	764−768の.9	Without mention of birth injury, asphyxia, anoxia or hypoxia
	.d 仮死，無酸素症または低酸素症	764−768の.4, 776	With asphyxia, anoxia or hypoxia
S 27	母体の妊娠時の疾患による新生児の障害	760−763	Maternal conditions during pregnancy
S 28	新生児溶血性疾患	774, 775	Haemolytic diseases of newborn
S 29	詳細不明の未熟児	777	Immaturity, unqualified
S 30	新生児の出血性疾患	778.2	Haemorrhagic disease of newborn
S 31	新生児の黄疸	778.9 a	Jaundice of newborn
S 32	その他の新生児の異常	778.0, .1, .3, 778.9 b	Other conditions of newborn
S 33	その他のすべての疾患	残り項目全部	Other diseases
S 34	不慮の事故	E800−E949	Accidents
	.a 食物の吸入または嚥下による閉塞および窒息	E911	Inhalation and ingestion of food causing obstruction or suffocation
	.b 不慮の機械的窒息	E913	Accidental mechanical suffocation
	.c その他	E800−E949の残り	Other
S 35	その他の外因死	E950−E999	Other external causes

4　100項目周産期疾病および死因分類表（P表）

LIST OF 100 CAUSES FOR TABULATION OF PERINATAL MORBIDITY AND MORTALITY (P List)

P分類番号 P List Number	死因 Cause of Death	基本分類番号 Detailed List Number
母体の慢性循環器疾患および慢性性尿器疾患（P1－P4）	**Chronic circulatory and genito-urinary disease in mother**	
P 1	慢性リウマチ性心疾患 / Chronic rheumatic heart disease	760.0
P 2	慢性高血圧症 / Chronic hypertension	760.2
P 3	その他の循環器系の慢性疾患 / Other chronic disease of circulatory system	760.1, 760.3
P 4	性尿器系の慢性疾患 / Chronic disease of genito-urinary system	760.4, 760.5
その他の妊娠に関連のない母体側の状態（P5－P11）	**Other maternal conditions unrelated to pregnancy**	
P 5	梅毒 / Syphilis	761.0
P 6	糖尿病 / Diabetes mellitus	761.1
P 7	風疹 / Rubella	761.3
P 8	母体の損傷 / Injury to mother	761.5
P 9	母体の手術 / Operation of mother	761.6
P 10	胎盤通過性化学物質の作用 / Chemical substances transmitted through placenta	761.7
P 11	その他の母体側の状態 / Other maternal conditions	761.2, 761.4, 761.9
	過労 / Overexertion	761.9i
妊娠中毒症（P12－P17）	**Toxaemias of pregnancy**	
P 12	妊娠時に起きた腎疾患 / Renal disease arising during pregnancy	762.0
P 13	子癇前症 / Pre-eclampsia of pregnancy	762.1
P 14	子癇 / Eclampsia of pregnancy	762.2
P 15	詳細不明の妊娠中毒症 / Toxaemia unspecified	762.3
P 16	妊娠悪阻 / Hyperemesis gravidarum	762.4
P 17	その他の妊娠中毒症 / Other toxaemia of pregnancy	762.5, 762.9
母体の分娩前および分娩時の感染（P18－P20）	**Maternal ante-and intrapartum infection**	
P 18	妊娠時の腎盂炎および腎盂腎炎 / Pyelitis and pyelonephritis of pregnancy	763.0
P 19	その他の妊娠時の性尿器の感染 / Other infections of genito-urinary tract during pregnancy	763.1
P 20	その他 / Other	763.9
骨盤の骨，臓器または組織の異常を伴う難産（P21－P23）	**Difficult labour with abnormality of bones, organs or tissues of pelvis**	
P 21	脳または脊髄の出生時損傷を伴うもの / With birth injury to brain or spinal cord	764.0, 764.1
	骨盤骨の異常を伴うもの / By abnormality of bony pelvis	764.0a, 764.1a
P 22	その他または詳細不明の出生時損傷を伴うもの / With other or unspecified birth injury	764.2, 764.3
	骨盤骨の異常を伴うもの / By abnormality of bony pelvis	764.2a, 764.3a
P 23	出生時損傷の記載のないもの / Without mention of birth injury	764.4, 764.9
	骨盤骨の異常を伴うもの / By abnormality of bony pelvis	764.4a, 764.9a
胎児の骨盤不適合を伴う難産（P24－P26）	**Difficult labour with disproportion**	
P 24	脳または脊髄の出生時損傷を伴うもの / With birth injury to brain or spinal cord	765.0, 765.1
P 25	その他または詳細不明の出生時損傷を伴うもの / With other or unspecified birth injury	765.2, 765.3
P 26	出生時損傷の記載のないもの / Without mention of birth injury	765.4, 765.9
胎児の位置異常を伴う難産（P27－P29）	**Difficult labour with malposition of foetus**	
P 27	脳または脊髄の出生時損傷を伴うもの / With birth injury to brain or spinal cord	766.0, 766.1
	骨盤位 / By breech presentation	766.0a, 766.1a
P 28	その他または詳細不明の出生時損傷を伴うもの / With other or unspecified birth injury	766.2, 766.3
	骨盤位 / By breech presentation	766.2a, 766.3a
P 29	出生時損傷の記載のないもの / Without mention of birth injury	766.4, 766.9
	骨盤位 / By breech presentation	766.4a, 766.9a
娩出力異常を伴う難産（P30－P32）	**Difficult labour with abnormality of forces of labour**	
P 30	脳または脊髄の出生時損傷を伴うもの / With birth injury to brain or spinal cord	767.0, 767.1
P 31	その他または詳細不明の出生時損傷を伴うもの / With other or unspecified birth injury	767.2, 767.3
P 32	出生時損傷の記載のないもの / Without mention of birth injury	767.4, 767.9
その他および詳細不明の合併症を伴う難産（P33－P35）	**Difficult labour with other and unspecified complications**	
P 33	脳または脊髄の出生時損傷を伴うもの / With birth injury to brain or spinal cord	768.0, 768.1
P 34	その他または詳細不明の出生時損傷を伴うもの / With other or unspecified birth injury	768.2, 768.3
P 35	出生時損傷の記載のないもの / Without mention of birth injury	768.4, 768.9
その他の妊娠および分娩の合併症（P36－P41）	**Other complications of pregnancy and child-birth**	
P 36	頸管無力症 / Incompetent cervix	769.0
P 37	早期破水 / Premature rupture of membranes	769.1
P 38	羊水過多症 / Hydramnios	769.2
P 39	子宮外妊娠 / Ectopic pregnancy	769.3
P 40	多胎妊娠 / Multiple pregnancy	769.4
P 41	その他の妊娠または分娩の合併症 / Other complications of pregnancy or child-birth	769.5, 769.9
胎盤異常（P42－P46）	**Conditions of placenta**	
P 42	前置胎盤 / Placenta praevia	770.0
P 43	胎盤早期剝離 / Premature separation of placenta	770.1
P 44	胎盤硬塞 / Placental infarction	770.2
P 45	その他の胎盤の異常 / Other conditions of placenta	770.8
P 46	詳細不明の胎盤の異常 / Placental insufficiency, unspecified	770.9
臍帯異常（P47－P49）	**Conditions of umbilical cord**	
P 47	臍帯圧迫 / Compression of cord	771.0
P 48	臍帯圧迫の記載のない臍帯脱出 / Prolapse of cord without mention of compression	771.1
P 49	その他 / Other	771.9
	臍帯巻絡 / Entanglement of umbilical cord	771.9a
原因の記載のない出生時損傷（P50－P52）	**Birth injury without mention of cause**	
P 50	脳または脊髄の出生時損傷 / To brain or spinal cord	772.0, 772.1
P 51	その他または詳細不明の出生時損傷 / Other or unspecified birth injury	772.2, 772.9
P 52	原因の記載のない妊娠の中絶 / Termination of pregnancy without mention of cause	773
新生児溶血性疾患（P53－P56）	**Haemolytic disease of newborn**	
P 53	Rh因子不適合を伴うもの / With Rh incompatibility	774.0, 775.0
P 54	ABO因子不適合を伴うもの / With ABO incompatibility	774.1, 775.1
P 55	その他または詳細不明の血液型不適合を伴うもの / With other or unspecified blood incompatibility	774.2, 775.2
P 56	原因の記載のないもの / Without mention of cause	774.9, 775.9
他に分類されない無酸素症および低酸素症（P57－P60）	**Anoxic and hypoxic conditions not elsewhere classified**	
P 57	硝子様膜症および呼吸窮迫症候群 / Hyaline membrane disease and respiratory distress syndrome	776.1, 776.2
P 58	子宮内無酸素症 / Intra-uterine anoxia	776.4
P 59	詳細不明の新生児仮死 / Asphyxia of newborn, unspecified	776.9
P 60	その他の他に分類されない無酸素症および低酸素症 / Other anoxic and hypoxic conditions not elsewhere classified	776.0, 776.3

その他の胎児および新生児の状態（P61－P68）

P 61	詳細不明の未熟児	777	Immaturity, unqualified
P 62	出生前の胎児の血液喪失	778.0	Foetal blood loss before birth
P 63	過熟児	778.1	Post-maturity
P 64	新生児の出血性疾患	778.2	Haemorrhagic disease of newborn
P 65	寒冷傷害症候群	778.3	Cold injury syndrome
P 66	その他の胎児の異常	778.9	Other conditions of foetus
	新生児の黄疸	778.9 a	Jaundice of newborn
P 67	浸軟児	779.0	Maceration
P 68	原因不明の胎児死亡	779.9	Other foetal death of unknown cause
	子宮内胎児死亡	779.9 a	Death in utero

先天異常（P69－P80）

P 69	無脳症	740	Anencephalus
P 70	二分脊椎	741	Spina bifida
P 71	先天性水頭症	742	Congenital hydrocephalus
P 72	その他の中枢神経系および眼の先天異常	743, 744	Other congenital anomalies of central nervous system and eye
P 73	循環器系の先天異常	746, 747	Congenital anomalies of circulatory system
	心臓の先天異常	746	Congenital anomalies of heart
P 74	呼吸器系の先天異常	748	Congenital anomalies of respiratory system
P 75	消化器系の先天異常	749－751	Congenital anomalies of digestive system
P 76	性尿器系の先天異常	752, 753	Congenital anomalies of genito-urinary system
P 77	筋骨格系の先天異常	754－756	Congenital anomalies of musculoskeletal system
P 78	ダウン病	759.3	Down's disease
P 79	その他の多系統におよぶ先天性症候群	759.0－759.2, 759.4－759.9	Other congenital syndromes affecting multiple systems
P 80	その他および詳細不明の先天異常	745, 757, 758	Other and unspecified congenital anomalies

胎児および新生児の感染（P81－P88）

P 81	下痢性疾患	009	Diarrhoeal disease
P 82	リステリア症	027.0	Listeriosis
P 83	破傷風	037	Tetanus
P 84	敗血症	038	Septicaemia
P 85	ウイルス疾患	040－079	Viral diseases
P 86	先天梅毒	090	Congenital syphilis
P 87	トキソプラスマ症	130	Toxoplasmosis
P 88	その他の伝染病および寄生虫病	000－136の残り	Other infective and parasitic diseases

その他の胎児および新生児の疾患（P89－P94）

P 89	甲状腺の疾患	240－246	Diseases of thyroid gland
P 90	膵嚢胞性線維症（ムコビチドージス）	273.0	Cystic fibrosis (mucoviscidosis)
P 91	血液および造血器の疾患	280－289	Diseases of blood and blood forming organs
P 92	肺炎	480－486	Pneumonia
P 93	その他の明示された疾患	140－738の残り	Other specified conditions
	心不全，その他の心臓疾患	427－429	Cardiac insufficiency, other cardiac disease
	腹腔ヘルニア	550－553	Hernia of abdominal cavity
P 94	症状および診断名不明確の状態	780－796	Symptoms and ill defined conditions

新生児に損傷をもたらした外因（PE95－PE100）

PE95	過度の高温	E900	Excessive heat
PE96	過度の低温	E901	Excessive cold
PE97	飢餓，渇，不良環境曝露および放置	E904	Hunger, thirst, exposure and neglect
PE98	食物の吸入または嚥下による閉塞および窒息	E911	Inhalation and ingestion of food causing obstruction or suffocation
PE99	不慮の機械的窒息	E913	Accidental mechanical suffocation
PE100	その他の外因	E800－E999の残り	Other external causes
	他殺	E960－E968	Homicide

統計表一覧

（下巻）

死因

統計表番号	客体 全死亡	客体 特定死因	客体 外因	客体 乳児死亡	客体 新生児死亡	客体 早期新生児死亡	客体 後期死産	客体 死産	地域 全国	地域 都道府県	地域 七大都市	性	月	年齢 5才階級	年齢 特定年齢	年齢 日齢・月齢	死因 基本分類	死因 乳児基本分類	死因 死産基本分類	死因 B分類	死因 S分類	死因 P分類	死亡の場所	傷害発生の場所	従業中死亡	傷害の性質	世帯のおもな仕事	妊娠期間	自然・人工	出産時の立会者	出産時の体重	死亡の時期	備考
死因 1	×								×			×		×			×															
2	×								×			×		×						×												
3	×								×			×	×							×												
4	×								×	×	×	×								×												
5	×								×			×								×			×									
6		×							×			×		×													×					
7			×						×			×			×		×							×	×							交通事故以外の不慮の事故（E850－E929）
8			×						×			×			×					×						×						
9			×						×	×	×	×			×																	自動車事故（E810－E823） 傷害発生地による都道府県，市部－郡部
10				×					×			×				×		×														
11				×					×			×				×					×											
12				×	×				×	×	×	×									×											
13				×	×				×			×	×								×											
14								×	×										×									×	×			医師立会による
15						×	×		×			×										×								×		
16						×	×		×			×										×						×				後期死産は医師立会のみ
17						×	×		×			×										×								×	×	後期死産は医師立会のみ 出産時の平均体重を含む
附録 5	×			×					×	*		×								×	×											日本における外国人
6	×			×					×			×								×	×											外国における日本人

本年報に掲載しない特別製表

周産期死亡数（後期死産は医師立会のみ），後期死産（医師立会のみ）－早期新生児死亡・性・母の年齢（5才階級）・原因（P分類）別

都道府県編

（死因）
1 死亡者数，性・死因（基本分類）・都道府県別
2 死亡者数，性・年齢（5才階級）・死因（簡単分類）・都道府県別
3 死亡者数，性・月・死因（簡単分類）・都道府県別
4 死亡者数，性・死因（簡単分類）・都道府県・保健所別
5 特定死因の死亡者数，性・都道府県・保健所・市区町村別
6 乳児（1才未満）死亡者数，性・月・死因（乳児簡単分類）・都道府県別

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
	総数 Total	683 751	23 773	2 993	1 840	1 448	1 212	31 266	3 599	2 316	5 996	10 209
	男 M.	372 833	13 840	1 609	1 090	875	748	18 162	2 268	1 469	4 385	6 277
	女 F.	310 918	9 933	1 384	750	573	464	13 104	1 331	847	1 611	3 432
I	伝染病および寄生虫病	19 773	1 169	347	101	54	43	1 714	102	76	107	214
	男 M.	12 261	679	177	61	28	20	965	56	42	48	98
	女 F.	7 512	490	170	40	26	23	749	46	34	59	116
(000～009)	腸管伝染病	3 981	735	172	33	15	11	966	19	18	15	16
	男 M.	1 783	431	98	20	10	5	564	12	13	7	10
	女 F.	2 198	304	74	13	5	6	402	7	5	8	6
000	コレラ	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
001	腸チフス	1	-	-	1	-	-	1	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	1	-	-	1	-	-	-	-
002	パラチフス	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
003	その他のサルモネラ感染	3	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
004	細菌性赤痢	17	4	3	1	-	-	8	1	-	-	-
	男 M.	8	3	-	-	-	-	3	1	-	-	-
	女 F.	9	1	3	1	-	-	5	-	-	-	-
004.0	志賀菌	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
004.1	フレキシネル菌	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
004.3	ゾンネ菌	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
004.2 004.4 004.8	その他	6	3	1	1	-	-	5	1	-	-	-
	男 M.	4	3	-	-	-	-	3	1	-	-	-
	女 F.	2	-	1	1	-	-	2	-	-	-	-
004.9	詳細不明	11	1	2	-	-	-	3	-	-	-	-
	男 M.	4	-	-	-	-	-	-	-	-	-	-
	女 F.	7	1	2	-	-	-	3	-	-	-	-
005	食中毒（細菌性）	25	3	-	-	-	-	3	-	1	-	-
	男 M.	13	3	-	-	-	-	3	-	1	-	-
	女 F.	12	-	-	-	-	-	-	-	-	-	-
005.0	ブドウ球菌	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
005.1	ボツリヌス中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
005.8a	腸炎ビブリオ	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
9 283	10 676	14 788	20 246	24 255	27 877	40 403	58 746	76 329	98 433	100 565	82 180	46 347	16 734	2 980	190	333	
5 911	6 637	9 466	13 288	14 621	15 915	24 047	35 688	46 306	56 458	51 945	36 887	16 850	4 749	697	54	253	
3 372	4 039	5 322	6 958	9 634	11 962	16 356	23 058	30 023	41 975	48 620	45 293	29 497	11 985	2 283	136	80	
260	383	626	952	1 106	1 027	1 344	1 871	2 161	2 641	2 249	1 737	862	274	60	3	4	I
126	206	339	604	672	690	927	1 316	1 562	1 792	1 453	908	354	79	20	1	3	
134	177	287	348	434	337	417	555	599	849	796	829	508	195	40	2	1	
21	18	27	29	22	36	69	119	201	351	549	695	545	214	48	3	-	(000～009)
10	9	15	21	16	16	38	69	93	165	235	253	171	52	13	1	-	
11	9	12	8	6	20	31	50	108	186	314	442	374	162	35	2	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	000
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	001
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	002
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	003
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	3	1	-	1	-	2	-	-	-	004
-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	
-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	004.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	004.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	004.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	004.2 004.4 004.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	3	1	-	1	-	2	-	-	-	004.9
-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	
-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	
2	2	1	1	-	-	-	3	4	2	2	3	1	-	-	-	-	005
1	1	1	1	-	-	-	1	1	1	1	1	-	-	-	-	-	
1	1	-	-	-	-	-	2	3	1	1	2	1	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	005.0
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	005.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	005.8a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
005.2 005.8b	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	005.2 005.8b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
005.9	詳細不明の食中毒	23	3	-	-	-	-	3	-	1	-	-	2	2	-	1	-	-	-	3	3	2	2	3	1	-	-	-	-	005.9
	男 M.	12	3	-	-	-	-	3	-	1	-	-	1	1	-	1	-	-	-	1	1	1	1	1	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	2	1	1	2	1	-	-	-	-	
006	アメーバ症	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	006
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
007	その他の原虫性腸疾患	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	007
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
008	その他の明示された病原体による腸炎	9	3	2	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	008
	男 M.	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
	女 F.	6	2	2	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
008.8a	伝染性下痢症	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	008.8a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
008.0～ 008.3 008.8b 008.9	その他	8	3	1	1	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	008.0～ 008.3 008.8b 008.9
	男 M.	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
	女 F.	5	2	1	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
009	下痢性疾患	3 920	725	167	30	15	11	948	18	17	15	16	19	14	25	26	22	35	67	115	192	347	547	690	544	212	48	3	-	009
	男 M.	1 753	424	98	20	10	5	557	11	12	7	10	9	7	14	18	16	15	37	67	89	163	234	251	171	51	13	1	-	
	女 F.	2 167	301	69	10	5	6	391	7	5	8	6	10	7	11	8	6	20	30	48	103	184	313	439	373	161	35	2	-	
009.0	赤痢様下痢	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	009.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
009.1	下痢	144	97	17	1	-	1	116	-	-	2	-	-	-	1	-	-	2	2	2	1	5	3	6	3	1	-	-	-	009.1
	男 M.	81	54	14	1	-	1	70	-	-	1	-	-	-	-	-	-	-	1	2	-	3	1	2	1	-	-	-	-	
	女 F.	63	43	3	-	-	-	46	-	-	1	-	-	-	1	-	-	2	1	-	1	2	2	4	2	1	-	-	-	
009.2	胃腸炎および大腸炎	3 776	628	150	29	15	10	832	18	17	13	16	19	14	24	26	22	33	65	113	191	342	544	684	541	211	48	3	-	009.2
	男 M.	1 672	370	84	19	10	4	487	11	12	6	10	9	7	14	18	16	15	36	65	89	160	233	249	170	51	13	1	-	
	女 F.	2 104	258	66	10	5	6	345	7	5	7	6	10	7	10	8	6	18	29	48	102	182	311	435	371	160	35	2	-	
009.9	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	009.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(010～019)	結核	12 565	10	22	4	7	3	46	6	11	26	85	140	255	488	755	908	832	1 059	1 460	1 695	2 013	1 539	925	267	44	7	-	4	(010～019)
	男 M.	8 702	5	8	1	2	3	19	2	4	10	37	77	138	267	490	557	581	767	1 072	1 309	1 468	1 118	594	164	21	4	-	3	
	女 F.	3 863	5	14	3	5	-	27	4	7	16	48	63	117	221	265	351	251	292	388	386	545	421	331	103	23	3	-	1	
010	けい肺結核	321	-	-	-	-	-	-	-	-	-	-	-	-	7	13	15	21	50	64	57	68	20	6	-	-	-	-	-	010
	男 M.	315	-	-	-	-	-	-	-	-	-	-	-	-	7	12	15	21	50	61	57	67	20	5	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	1	-	1	-	-	-	-	-	
011	肺結核	11 235	1	4	-	-	-	5	1	5	14	64	106	229	447	696	816	742	926	1 315	1 548	1 814	1 405	822	236	36	4	-	4	011
	男 M.	7 851	-	1	-	-	-	1	-	3	5	29	58	122	242	453	504	525	676	967	1 205	1 321	1 034	536	147	18	2	-	3	
	女 F.	3 384	1	3	-	-	-	4	1	2	9	35	48	107	205	243	312	217	250	348	343	493	371	286	89	18	2	-	1	
012	その他の呼吸器結核	427	1	-	1	1	-	3	-	-	1	3	3	6	3	6	12	17	27	30	42	85	82	69	28	7	3	-	-	012
	男 M.	256	-	-	-	-	-	-	-	-	1	1	3	4	1	3	6	10	12	18	27	56	53	40	16	3	2	-	-	
	女 F.	171	1	-	1	1	-	3	-	-	-	2	-	2	2	3	6	7	15	12	15	29	29	29	12	4	1	-	-	
012.0	初期	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	012.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
012.1	結核性と明示された胸膜炎	78	-	-	-	-	-	-	-	-	1	1	1	-	-	2	3	4	9	8	13	16	8	9	2	1	-	-	-	012.1
	男 M.	54	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	3	3	6	11	12	6	6	1	-	-	-	-	
	女 F.	24	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	6	2	2	4	2	3	1	1	-	-	-	
012.2	原因の記載のない滲出性胸膜炎	347	1	-	-	1	-	2	-	-	-	2	2	6	3	4	9	13	18	22	29	68	74	60	26	6	3	-	-	012.2
	男 M.	201	-	-	-	-	-	-	-	-	-	1	2	4	1	1	4	7	9	12	16	43	47	34	15	3	2	-	-	
	女 F.	146	1	-	-	1	-	2	-	-	-	1	-	2	2	3	5	6	9	10	13	25	27	26	11	3	1	-	-	
012.3	喉頭結核	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	012.3
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
012.9	その他	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	012.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
013	髄膜および中枢神経系の結核	131	7	17	3	5	3	35	4	4	5	12	11	7	10	9	14	2	4	4	7	3	-	-	-	-	-	-	-	013
	男 M.	63	5	6	1	2	3	17	2	-	3	6	5	4	6	4	9	1	1	-	3	2	-	-	-	-	-	-	-	
	女 F.	68	2	11	2	3	-	18	2	4	2	6	6	3	4	5	5	1	3	4	4	1	-	-	-	-	-	-	-	
013.0	結核性髄膜炎	128	7	17	3	5	3	35	4	4	5	10	11	7	10	9	14	2	4	4	6	3	-	-	-	-	-	-	-	013.0
	男 M.	62	5	6	1	2	3	17	2	-	3	5	5	4	6	4	9	1	1	-	3	2	-	-	-	-	-	-	-	
	女 F.	66	2	11	2	3	-	18	2	4	2	5	6	3	4	5	5	1	3	4	3	1	-	-	-	-	-	-	-	
013.9	その他	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	013.9
	男 M.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
014	腸，腹膜および腸間膜リンパ節の結核	124	1	-	-	-	-	1	-	1	2	-	8	2	5	10	10	10	10	16	10	15	10	10	3	1	-	-	-	014
	男 M.	57	-	-	-	-	-	-	-	-	-	-	5	2	2	6	5	4	5	7	2	7	4	7	1	-	-	-	-	
	女 F.	67	1	-	-	-	-	1	-	1	2	-	3	-	3	4	5	6	5	9	8	8	6	3	2	1	-	-	-	
015	骨および関節の結核	110	-	-	-	-	-	-	-	-	-	1	2	4	5	4	8	11	13	13	14	11	14	10	-	-	-	-	-	015
	男 M.	49	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	4	7	5	7	6	3	4	-	-	-	-	-	
	女 F.	61	-	-	-	-	-	-	-	-	-	1	-	2	2	1	5	7	6	8	7	5	11	6	-	-	-	-	-	
015.0	脊椎	90	-	-	-	-	-	-	-	-	-	1	1	3	4	4	8	8	10	12	11	6	12	10	-	-	-	-	-	015.0
	男 M.	37	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	4	5	5	5	2	1	4	-	-	-	-	-	
	女 F.	53	-	-	-	-	-	-	-	-	-	1	-	1	2	1	5	4	5	7	6	4	11	6	-	-	-	-	-	
015.1	股	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	015.1
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
015.2	膝	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	015.2
	男 M.	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
015.8	その他	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	015.8
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
015.9	詳細不明	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	1	-	-	-	-	-	-	015.9
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
016	性尿器系の結核	129	-	-	-	-	-	-	-	-	1	4	5	2	9	10	23	22	18	14	7	10	4	-	-	-	-	-	-	016
	男 M.	68	-	-	-	-	-	-	-	-	-	-	2	1	5	5	14	12	9	10	2	6	2	-	-	-	-	-	-	
	女 F.	61	-	-	-	-	-	-	-	-	1	4	3	1	4	5	9	10	9	4	5	4	2	-	-	-	-	-	-	
017	その他の臓器の結核	18	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	1	1	4	1	3	-	-	-	-	-	017
	男 M.	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	2	-	3	-	-	-	-	-	
017.0	皮膚および皮下疎性結合織	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	017.0
	男 M.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
017.1	末梢リンパ節	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	4	-	2	-	-	-	-	-	017.1
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	2	-	-	-	-	-	
017.2	眼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	017.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
017.3	耳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	017.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
017.9	その他	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	1	-	-	-	-	-	-	017.9
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	
018	播種結核	58	-	1	-	1	-	2	-	-	2	-	4	4	1	5	7	6	9	2	7	2	2	5	-	-	-	-	-	018
	男 M.	28	-	1	-	-	-	1	-	-	-	-	1	3	1	3	1	3	2	2	4	-	2	2	-	-	-	-	-	
	女 F.	30	-	-	-	1	-	1	-	-	2	-	3	1	-	2	6	3	7	-	3	2	2	3	-	-	-	-	-	
018.0	急性粟粒結核（肺以外と明示されたもの）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	018.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
018.1	詳細不明の急性粟粒結核	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	018.1
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
018.9	その他の型の播種結核	57	-	1	-	1	-	2	-	-	2	-	4	4	1	5	7	6	8	2	7	2	2	5	-	-	-	-	-	018.9
	男 M.	27	-	1	-	-	-	1	-	-	-	-	1	3	1	3	1	3	6	2	4	-	-	2	-	-	-	-	-	
	女 F.	30	-	-	-	1	-	1	-	-	2	-	3	1	-	2	6	3	2	-	3	2	2	3	-	-	-	-	-	
019	結核の後遺症	12	-	-	-	-	-	-	1	1	1	1	-	1	-	1	1	-	-	1	2	1	1	-	-	-	-	-	-	019
	男 M.	8	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
(020～027)	動物媒介の細菌性疾患	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(020～027)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
020	ペスト	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	020
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
021	ツラレミア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	021
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
022	炭疽	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	022
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
023	ブルセラ症	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	023
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
024	鼻疽	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	024
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
025	類鼻疽	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	025
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
026	鼠咬熱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	026
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表　死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
027	その他の動物媒介の細菌性疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	027
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(030～039)	その他の細菌性疾患	872	211	16	6	4	2	239	12	13	17	25	23	27	22	37	44	28	39	79	63	85	46	43	24	5	1	-	-	(030～039)
	男 M.	460	118	5	4	2	1	130	10	10	8	12	6	14	10	15	22	16	17	42	33	48	30	22	11	3	1	-	-	
	女 F.	412	93	11	2	2	1	109	2	3	9	13	17	13	12	22	22	12	22	37	30	37	16	21	13	2	-	-	-	
030	癩	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	030
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
031	その他のマイコバクテリアによる疾患	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	031
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
032	ジフテリア	5	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	032
	男 M.	3	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
033	百日咳	2	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	033
	男 M.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
034	レンサ球菌性咽頭炎および猩紅熱	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	034
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
034.0	レンサ球菌性咽頭炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	034.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
034.1	猩紅熱	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	034.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
035	丹毒	23	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	2	2	6	4	2	4	-	-	-	-	035
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	4	4	1	-	-	-	-	-	
	女 F.	10	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	4	-	-	-	-	
036	髄膜炎菌感染	6	1	-	-	-	-	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	036
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	1	-	-	-	-	1	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
037	破傷風	138	13	2	1	-	-	16	4	8	1	4	2	7	3	9	10	4	8	19	13	15	1	9	2	3	-	-	-	037
	男 M.	84	10	-	-	-	-	10	4	8	1	2	1	3	2	4	5	3	3	11	8	11	-	6	-	2	-	-	-	
	女 F.	54	3	2	1	-	-	6	-	-	-	2	1	4	1	5	5	1	5	8	5	4	1	3	2	1	-	-	-	
038	敗血症	624	180	13	5	4	1	203	7	5	13	20	19	15	14	21	29	18	30	53	45	55	33	30	13	-	1	-	-	038
	男 M.	318	99	5	4	2	1	111	5	2	5	9	4	9	5	8	15	9	14	24	23	27	22	15	10	-	1	-	-	
	女 F.	306	81	8	1	2	-	92	2	3	8	11	15	6	9	13	14	9	16	29	22	28	11	15	3	-	-	-	-	
038.0	レンサ球菌性	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	038.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
038.1	ブドウ球菌性	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	038.1
	男 M.	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
038.2	肺炎球菌性	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	038.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
038.8	その他の細菌性	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	038.8
	男 M.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
038.9	詳細不明	619	176	13	5	4	1	199	7	5	13	20
	男 M.	314	96	5	4	2	1	108	5	2	5	9
	女 F.	305	80	8	1	2	-	91	2	3	8	11
039	その他の細菌性疾患	68	14	1	-	-	-	15	1	-	3	-
	男 M.	35	7	-	-	-	-	7	1	-	2	-
	女 F.	33	7	1	-	-	-	8	-	-	1	-
039.0	ガス壊疽	15	-	-	-	-	-	-	-	-	-	-
	男 M.	11	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	-
039.1	鼻硬腫	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
039.9	その他	53	14	1	-	-	-	15	1	-	3	-
	男 M.	24	7	-	-	-	-	7	1	-	2	-
	女 F.	29	7	1	-	-	-	8	-	-	1	-
(040～046)	灰白髄炎およびその他の中枢神経系の腸内ウイルス疾患	131	13	6	4	1	4	28	5	4	10	10
	男 M.	73	11	3	3	-	2	19	1	2	5	8
	女 F.	58	2	3	1	1	2	9	4	2	5	2
040	急性麻痺性灰白髄炎，球型と明示されたもの	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
041	その他の麻痺を伴う急性灰白髄炎	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
042	急性非麻痺性灰白髄炎	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
043	詳細不明の急性灰白髄炎	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
044	急性灰白髄炎の後遺症	37	-	-	1	-	1	2	2	4	5	7
	男 M.	21	-	-	1	-	1	2	-	2	3	6
	女 F.	16	-	-	-	-	-	-	2	2	2	1
045	腸内ウイルスによる無菌性髄膜炎	83	11	3	3	-	2	19	3	-	5	3
	男 M.	48	9	2	2	-	1	14	1	-	2	2
	女 F.	35	2	1	1	-	1	5	2	-	3	1
045.0	コクサキーウイルス	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
045.1	エコーウイルス	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
045.9	詳細不明の無菌性髄膜炎	83	11	3	3	-	2	19	3	-	5	3
	男 M.	48	9	2	2	-	1	14	1	-	2	2
	女 F.	35	2	1	1	-	1	5	2	-	3	1
046	その他の中枢神経系の腸内ウイルス疾患	10	2	3	-	1	1	7	-	-	-	-
	男 M.	3	2	1	-	-	-	3	-	-	-	-
	女 F.	7	-	2	-	1	1	4	-	-	-	-
(050～057)	発疹を伴うウイルス疾患	438	156	113	41	24	19	353	39	7	2	1
	男 M.	226	87	53	25	13	7	185	22	1	2	1
	女 F.	212	69	60	16	11	12	168	17	6	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
19	15	14	21	29	18	30	53	45	55	32	30	13	-	1	-	-	038.9
4	9	5	8	15	9	14	24	23	27	21	15	10	-	1	-	-	
15	6	9	13	14	9	16	29	22	28	11	15	3	-	-	-	-	
2	3	4	4	3	5	1	4	3	6	6	1	5	2	-	-	-	039
1	-	3	2	2	3	-	4	1	5	2	-	1	1	-	-	-	
1	3	1	2	1	2	1	-	2	1	4	1	4	1	-	-	-	
1	-	1	2	2	1	1	3	-	3	1	-	-	-	-	-	-	039.0
-	-	1	2	1	1	-	3	-	3	-	-	-	-	-	-	-	
1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	039.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	3	3	2	1	4	-	1	3	3	5	1	5	2	-	-	-	039.9
1	-	2	-	1	2	-	1	1	2	2	-	1	1	-	-	-	
-	3	1	2	-	2	-	-	2	1	3	1	4	1	-	-	-	
11	10	4	9	4	6	3	11	5	8	2	1	-	-	-	-	-	(040～046)
6	3	3	3	-	4	2	8	3	5	1	-	-	-	-	-	-	
5	7	1	6	4	2	1	3	2	3	1	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	040
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	041
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	042
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	043
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	5	-	2	2	3	-	1	1	-	-	-	-	-	-	-	-	044
3	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	
-	3	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	
7	5	4	5	1	3	3	10	4	8	2	1	-	-	-	-	-	045
2	1	3	3	-	2	2	7	3	5	1	-	-	-	-	-	-	
5	4	1	2	1	1	1	3	1	3	1	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	045.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	045.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	5	4	5	1	3	3	10	4	8	2	1	-	-	-	-	-	045.9
2	1	3	3	-	2	2	7	3	5	1	-	-	-	-	-	-	
5	4	1	2	1	1	1	3	1	3	1	1	-	-	-	-	-	
-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	046
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	1	2	1	-	4	3	2	12	3	6	1	-	-	(050～057)
-	-	-	-	-	1	-	-	4	1	1	5	1	1	1	-	-	
-	-	-	1	1	1	1	-	-	2	1	7	2	5	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
050	痘瘡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	050
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
051	牛痘	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	051
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
052	水痘	17	1	2	5	2	1	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	052
	男 M.	7	1	1	2	-	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	-	1	3	2	1	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
053	帯状疱疹	31	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	3	2	2	11	3	6	1	-	-	053
	男 M.	13	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	4	1	1	1	-	-	
	女 F.	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	7	2	5	-	-	-	
054	単純疱疹	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	054
	男 M.	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
055	麻疹	378	149	111	34	22	17	333	34	6	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	055
	男 M.	196	80	52	22	13	6	173	19	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	女 F.	182	69	59	12	9	11	160	15	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
056	風疹	2	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	056
	男 M.	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
057	その他のウイルス性発疹	7	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	057
	男 M.	6	3	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
(060～068)	節足動物媒介のウイルス疾患	108	10	8	3	-	2	23	6	9	7	6	5	5	4	7	6	6	4	4	4	9	-	3	-	-	-	-	-	(060～068)
	男 M.	55	6	5	2	-	2	15	1	5	3	4	2	3	3	5	2	3	2	1	2	3	-	1	-	-	-	-	-	
	女 F.	53	4	3	1	-	-	8	5	4	4	2	3	2	1	2	4	3	2	3	2	6	-	2	-	-	-	-	-	
060	黄熱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	060
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
061	デング熱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	061
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
062	蚊媒介のウイルス脳炎	36	-	-	-	-	-	-	2	1	2	4	1	3	1	2	5	1	2	3	2	5	-	2	-	-	-	-	-	062
	男 M.	16	-	-	-	-	-	-	-	1	2	2	1	2	1	1	1	-	1	1	1	2	-	-	-	-	-	-	-	
	女 F.	20	-	-	-	-	-	-	2	-	-	2	-	1	-	1	4	1	1	2	1	3	-	2	-	-	-	-	-	
062.0	日本脳炎	36	-	-	-	-	-	-	2	1	2	4	1	3	1	2	5	1	2	3	2	5	-	2	-	-	-	-	-	062.0
	男 M.	16	-	-	-	-	-	-	-	1	2	2	1	2	1	1	1	-	1	1	1	2	-	-	-	-	-	-	-	
	女 F.	20	-	-	-	-	-	-	2	-	-	2	-	1	-	1	4	1	1	2	1	3	-	2	-	-	-	-	-	
062.1～062.9	その他および詳細不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	062.1～062.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
063	ダニ媒介ウイルス脳炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	063
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
064	その他の節足動物伝播によるウイルス脳炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	064
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
065	詳細不明のウイルス脳炎	54	10	8	3	-	2	23	4	7	4	1	2	2	1	1	-	2	1	1	-	2	-	1	-	-	-	-	-	065
	男 M.	31	6	5	2	-	2	15	1	4	1	1	1	1	1	3	-	2	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	23	4	3	1	-	-	8	3	3	3	-	1	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
066	ウイルス脳炎の後遺症	17	-	-	-	-	-	-	-	-	1	1	2	-	2	2	1	3	1	-	2	2	-	-	-	-	-	-	-	066
	男 M.	8	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	1	1	-	-	-	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	2	-	-	1	1	-	-	-	-	-	-	-	
067	節足動物媒介の出血熱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	067
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
068	その他の節足動物媒介のウイルス疾患	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	068
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(070～079)	その他のウイルス疾患	921	26	7	7	1	2	43	15	12	23	64	47	56	58	70	71	60	89	83	79	75	41	23	8	3	1	-	-	(070～079)
	男 M.	459	15	3	4	1	-	23	8	7	10	22	18	30	26	39	37	31	41	47	38	41	23	13	3	1	1	-	-	
	女 F.	462	11	4	3	-	2	20	7	5	13	42	29	26	32	31	34	29	48	36	41	34	18	10	5	2	-	-	-	
070	伝染性肝炎	890	18	2	5	1	2	28	13	12	23	62	46	56	58	70	70	60	89	81	79	73	39	22	6	2	1	-	-	070
	男 M.	442	8	-	3	1	-	12	7	7	10	22	18	30	26	39	37	31	41	45	38	41	22	13	2	-	1	-	-	
	女 F.	448	10	2	2	-	2	16	6	5	13	40	28	26	32	31	33	29	48	36	41	32	17	9	4	2	-	-	-	
071	狂犬病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	071
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
072	おたふくかぜ	8	-	1	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	1	-	-	-	072
	男 M.	4	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
	女 F.	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	
073	オウム病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	073
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
074	コクサキーウイルスによる特殊疾患	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	074
	男 M.	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
074.0	ヘルパンギーナ	3	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	074.0
	男 M.	2	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
074.1	流行性胸膜痛（ボルンホルム病）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	074.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
074.2	コクサキー心筋炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	074.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
074.9	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	074.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
075	伝染性単核細胞症	4	-	2	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	075
	男 M.	3	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
076	トラコーマ，活動性	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	076
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
077	トラコーマの後遺症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	077
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
078	その他の結膜のウイルス疾患	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	078
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
079	その他のウイルス疾患	15	7	1	1	-	-	9	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	079
	男 M.	8	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
	女 F.	7	1	1	1	-	-	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
079.2	リンパ球性脈絡髄膜炎	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	079.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
079.0～079.1 079.3～079.9	その他および詳細不明	14	7	1	1	-	-	9	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	079.0～079.1 079.3～079.9
	男 M.	8	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	
	女 F.	6	1	1	1	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
(080～089)	リケッチア症およびその他の節足動物媒介の伝染病	7	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	2	-	-	1	-	-	-	-	-	-	(080～089)
	男 M.	7	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	2	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
080	流行性シラミ媒介チフス	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	080
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
081	その他のチフス	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	081
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
081.2a	つつが虫病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	081.2a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
081.0, 081.1 081.2b, 081.9	その他および詳細不明	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	081.0, 081.1 081.2b, 081.9
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
082	ダニ媒介リケッチア症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	082
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
083	その他のリケッチア症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	083
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
084	マラリア	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	084
	男 M.	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
085	リーシュマニア症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	085
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
086	アメリカトリパノソーマ症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	086
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
087	その他のトリパノソーマ症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	087
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
088	回帰熱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	088
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
089	その他の節足動物媒介の疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	089
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(090～099)	梅毒およびその他の性病	463	1	-	-	-	-	1	-	-	-	2	4	2	5	17	33	33	59	81	79	72	49	14	11	1	-	-	-	(090～099)
	男 M.	318	-	-	-	-	-	-	-	-	-	1	2	1	2	13	24	22	46	59	58	48	32	8	2	-	-	-	-	
	女 F.	145	1	-	-	-	-	1	-	-	-	1	2	1	3	4	9	11	13	22	21	24	17	6	9	1	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
090	先天梅毒	5	1	-	-	-	-	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	090
	男 M.	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
091	早期顕性梅毒	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	091
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
092	早期潜伏梅毒	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	092
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
093	心血管梅毒	70	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	3	8	18	17	10	2	2	-	-	-	-	093
	男 M.	43	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	2	4	14	10	4	1	1	-	-	-	-	
	女 F.	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	4	7	6	1	1	-	-	-	-	
093.0	梅毒性と明示された大動脈瘤	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	4	3	-	-	-	-	-	-	093.0
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	
093.9	その他の心血管梅毒	59	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	2	6	18	13	7	2	2	-	-	-	-	093.9
	男 M.	37	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	3	14	7	4	1	1	-	-	-	-	
	女 F.	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	4	6	3	1	1	-	-	-	-	
094	中枢神経系の梅毒	347	-	-	-	-	-	-	-	-	-	1	2	2	3	13	28	28	48	68	54	53	31	8	8	-	-	-	-	094
	男 M.	257	-	-	-	-	-	-	-	-	-	-	-	1	2	10	21	20	39	52	43	38	24	6	1	-	-	-	-	
	女 F.	90	-	-	-	-	-	-	-	-	-	1	2	1	1	3	7	8	9	16	11	15	7	2	7	-	-	-	-	
094.0	脊髄癆	62	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	10	15	16	9	1	-	-	-	-	-	094.0
	男 M.	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	12	11	8	1	-	-	-	-	-	
	女 F.	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	3	5	1	-	-	-	-	-	-	
094.1	進行麻痺	233	-	-	-	-	-	-	-	-	-	-	1	2	2	9	25	23	34	47	34	27	17	6	6	-	-	-	-	094.1
	男 M.	182	-	-	-	-	-	-	-	-	-	-	-	1	1	9	21	17	29	37	29	21	12	4	1	-	-	-	-	
	女 F.	51	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	6	5	10	5	6	5	2	5	-	-	-	-	
094.9	その他の中枢神経系の梅毒	52	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	3	8	11	5	10	5	1	2	-	-	-	-	094.9
	男 M.	31	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	7	7	2	6	4	1	-	-	-	-	-	
	女 F.	21	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	1	4	3	4	1	-	2	-	-	-	-	
095	その他の症状を伴う晩期梅毒	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	1	2	1	-	-	-	-	-	-	095
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	-	-	-	-	-	-	-	
096	晩期潜伏梅毒	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	096
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
097	その他および詳細不明の梅毒	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	2	5	-	7	2	1	1	-	-	-	097
	男 M.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	3	-	-	-	-	-	-	
	女 F.	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	4	-	4	2	1	1	-	-	-	
097.0	詳細不明の晩期梅毒	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	097.0
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
097.1	詳細不明の潜伏梅毒	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	097.1
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
097.9	詳細不明の梅毒	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	2	3	-	5	1	-	1	-	-	-	097.9
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	
	女 F.	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	3	-	4	1	-	1	-	-	-	
098	淋菌感染	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	098
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
099	その他の性病	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	099
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
099.0	軟性下疳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	099.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
099.1	そけいリンパ肉芽腫症	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	099.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
099.2 099.9	その他および詳細不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	099.2 099.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(100～104)	その他のスピロヘータ症	41	-	-	-	1	-	1	-	1	-	1	1	1	1	3	4	6	7	4	6	4	2	-	-	-	-	-	-	(100～104)
	男 M.	35	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	5	7	3	6	3	2	-	-	-	-	-	-	
	女 F.	6	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	
100	レプトスピラ症	41	-	-	-	1	-	1	-	1	-	1	1	1	1	3	4	6	7	4	6	4	2	-	-	-	-	-	-	100
	男 M.	35	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	5	7	3	6	3	2	-	-	-	-	-	-	
	女 F.	6	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	
100.0	黄疸出血性レプトスピラ症	40	-	-	-	1	-	1	-	1	-	1	1	1	1	3	4	6	7	4	5	4	2	-	-	-	-	-	-	100.0
	男 M.	34	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	5	7	3	5	3	2	-	-	-	-	-	-	
	女 F.	6	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	
100.8	その他	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	100.8
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
100.9	詳細不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
101	ワンサン口峡炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
102	フランベシア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
103	ピンタ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
104	その他のスピロヘータ感染	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	104
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(110～117)	真菌症	108	4	2	3	-	-	9	-	-	5	2	2	2	2	6	6	7	5	18	15	11	9	7	1	-	1	-	-	(110～117)
	男 M.	63	3	1	2	-	-	6	-	-	2	1	1	2	2	4	5	4	2	7	12	7	4	4	-	-	-	-	-	
	女 F.	45	1	1	1	-	-	3	-	-	3	1	1	-	-	2	1	3	3	11	3	4	5	3	1	-	1	-	-	
110	皮膚糸状菌症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	110
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
111	その他および詳細不明の皮膚真菌症	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	111
	男 M.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
112	カンジダ症	52	4	-	3	-	-	7	-	-	2	-	-	-	-	1	3	3	1	12	5	6	6	5	-	-	1	-	-	112
	男 M.	29	3	-	2	-	-	5	-	-	1	-	-	-	-	-	2	1	-	4	5	5	3	3	-	-	-	-	-	
	女 F.	23	1	-	1	-	-	2	-	-	1	-	-	-	-	1	1	2	1	8	-	1	3	2	-	-	1	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
113	放線菌症	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	113
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	
114	コクチジオイデス症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	114
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
115	ヒストプラスマ症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
116	ブラストミセス症	13	-	-	-	-	-	-	-	-	2	-	2	-	1	3	-	1	1	1	2	-	-	-	-	-	-	-	-	116
	男 M.	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	
117	その他の全身性真菌症	38	-	2	-	-	-	2	-	-	-	2	-	2	1	1	3	3	3	5	8	4	2	2	-	-	-	-	-	117
	男 M.	25	-	1	-	-	-	1	-	-	-	1	-	2	1	1	3	3	1	2	6	2	1	1	-	-	-	-	-	
	女 F.	13	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	2	3	2	2	1	1	-	-	-	-	-	
(120～129)	蠕虫症	44	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	3	3	6	5	5	7	8	1	1	-	-	-	(120～129)
	男 M.	25	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	3	4	2	2	4	3	-	1	-	-	-	
	女 F.	19	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	3	3	3	5	1	-	-	-	-	
120	住血吸虫症	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	3	3	4	3	3	-	-	-	-	-	120
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	1	1	2	1	1	-	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	-	-	-	-	
120.2	日本住血吸虫症	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	3	3	4	3	3	-	-	-	-	-	120.2
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	1	1	2	1	1	-	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	-	-	-	-	
120.0, 120.1 120.3～ 120.9	その他および詳細不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	120.0, 120.1 120.3～ 120.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121	その他の吸虫感染	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	121
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121.1	肝吸虫症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	121.1
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121.2	肺吸虫症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	121.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121.3	肝蛭症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	121.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
121.0～ 121.4 121.9	その他および詳細不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	121.0～ 121.4 121.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
122	包虫症	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	122
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
123	その他の条虫症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	123
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124	旋毛虫症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	124
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
125	糸状虫感染	10	-	-	-	-	-	-	-	-	-	-
	男 M.	7	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
126	鉤虫症	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
127	その他の腸蠕虫症	5	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
127.0	回虫症	5	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
127.3	蟯虫症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
127.5	混合腸蠕虫症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
127.1 127.2 127.4 127.9	その他および詳細不明	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
128	その他および詳細不明の蠕虫症	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
129	詳細不明の腸寄生虫症	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
(130～136)	その他の伝染病および寄生虫病	92	3	1	-	1	-	5	-	1	2	1
	男 M.	55	3	1	-	-	-	4	-	-	1	-
	女 F.	37	-	-	-	1	-	1	-	1	1	1
130	トキソプラスマ症	3	1	1	-	-	-	2	-	-	-	-
	男 M.	3	1	1	-	-	-	2	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
131	性尿器トリコモナス症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
132	シラミ症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
133	ダニ症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
134	その他の寄生	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
135	サルコイドージス	27	-	-	-	-	-	-	-	1	1	1
	男 M.	9	-	-	-	-	-	-	-	-	1	-
	女 F.	18	-	-	-	-	-	-	-	1	-	1
136	その他および詳細不明の伝染病および寄生虫病	62	2	-	-	1	-	3	-	-	1	-
	男 M.	43	2	-	-	-	-	2	-	-	-	-
	女 F.	19	-	-	-	1	-	1	-	-	1	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
-	-	-	-	-	-	-	3	1	-	2	2	1	1	-	-	-	125
-	-	-	-	-	-	-	3	-	-	1	2	-	1	-	-	-	
-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	126
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	127
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	
-	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	127.0
-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	127.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	127.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	127.1 127.2 127.4 127.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	128
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	129
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
5	7	12	14	7	7	6	4	5	5	2	6	2	-	1	-	-	(130～136)
2	6	8	8	5	4	2	2	2	1	2	5	2	-	-	-	-	
3	1	4	6	2	3	4	2	3	4	-	1	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	130
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	131
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	132
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	133
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	134
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	4	1	3	2	2	4	4	-	2	-	-	-	-	-	135
-	-	-	1	-	1	1	1	1	1	-	1	-	-	-	-	-	
1	1	-	3	1	2	1	1	3	3	-	1	-	-	-	-	-	
4	6	12	10	6	4	4	2	1	1	2	3	2	-	1	-	-	136
2	6	8	7	5	3	1	1	1	-	2	3	2	-	-	-	-	
2	-	4	3	1	1	3	1	-	1	-	-	-	-	1	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
II	新生物	133 054	202	150	177	165	187	881	606	437	574	965	1 323	2 065	3 310	5 308	7 439	9 239	13 464	18 326	21 065	21 526	15 670	7 763	2 547	485	52	3	6	II
	男 M.	74 436	113	79	92	89	112	485	354	249	314	508	634	913	1 510	2 607	3 628	4 521	7 531	10 893	13 068	13 015	8 900	3 976	1 126	182	15	2	5	
	女 F.	58 618	89	71	85	76	75	396	252	188	260	457	689	1 152	1 800	2 701	3 811	4 718	5 933	7 433	7 997	8 511	6 770	3 787	1 421	303	37	1	1	
(140～149)	口腔および咽頭の悪性新生物	1 157	-	1	-	-	-	1	-	2	5	8	17	23	40	56	80	71	120	180	187	150	113	65	29	9	-	-	1	(140～149)
	男 M.	786	-	-	-	-	-	-	-	2	4	5	9	13	25	36	59	44	94	129	140	96	66	42	17	4	-	-	1	
	女 F.	371	-	1	-	-	-	1	-	-	1	3	8	10	15	20	21	27	26	51	47	54	47	23	12	5	-	-	-	
140	口唇の悪性新生物	21	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	3	4	8	-	1	-	-	-	140
	男 M.	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	7	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	
141	舌の悪性新生物	427	-	-	-	-	-	-	-	-	1	2	10	9	17	24	33	25	38	67	67	51	49	22	6	6	-	-	-	141
	男 M.	278	-	-	-	-	-	-	-	-	-	2	6	4	10	18	23	14	31	47	52	25	28	12	3	3	-	-	-	
	女 F.	149	-	-	-	-	-	-	-	-	1	-	4	5	7	6	10	11	7	20	15	26	21	10	3	3	-	-	-	
141.0	基底	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	1	1	-	-	-	-	-	-	141.0
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	1	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	
141.1	背面	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	141.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
141.2	辺縁および舌尖	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	141.2
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
141.3	腹面	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	141.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
141.9	部位不明	411	-	-	-	-	-	-	-	-	1	2	10	9	17	22	31	23	37	65	63	50	47	22	6	6	-	-	-	141.9
	男 M.	269	-	-	-	-	-	-	-	-	-	2	6	4	10	16	23	13	30	46	49	25	27	12	3	3	-	-	-	
	女 F.	142	-	-	-	-	-	-	-	-	1	-	4	5	7	6	8	10	7	19	14	25	20	10	3	3	-	-	-	
142	唾液腺の悪性新生物	125	-	-	-	-	-	-	-	-	-	1	2	3	2	5	8	8	15	18	27	16	8	7	4	1	-	-	-	142
	男 M.	87	-	-	-	-	-	-	-	-	-	-	2	1	1	3	7	6	11	12	17	11	6	5	4	1	-	-	-	
	女 F.	38	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	2	4	6	10	5	2	2	-	-	-	-	-	
142.0	耳下腺	98	-	-	-	-	-	-	-	-	-	1	2	3	1	3	7	7	11	13	19	12	7	7	4	1	-	-	-	142.0
	男 M.	72	-	-	-	-	-	-	-	-	-	-	2	1	1	1	6	5	10	9	11	10	6	5	4	1	-	-	-	
	女 F.	26	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	2	1	4	8	2	1	2	-	-	-	-	-	
142.8	その他の明示された唾液腺	20	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	3	4	4	1	-	-	-	-	-	-	142.8
	男 M.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	3	1	-	-	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	3	1	-	-	-	-	-	-	
142.9	詳細不明の唾液腺	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	-	-	-	-	-	-	-	142.9
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
143	歯肉の悪性新生物	32	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	3	3	4	7	4	2	2	-	-	-	-	143
	男 M.	23	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	2	-	2	5	4	1	2	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	-	1	-	-	-	-	-	
144	口底の悪性新生物	40	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	9	5	8	4	2	-	1	-	-	-	-	144
	男 M.	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	9	5	7	2	1	-	1	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	2	1	-	-	-	-	-	-	
145	その他および部位不明の口腔の悪性新生物	116	-	1	-	-	-	1	-	-	-	-	-	1	1	3	6	9	8	13	14	21	18	15	6	-	-	-	-	145
	男 M.	72	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	5	11	12	11	9	10	2	-	-	-	-	
	女 F.	44	-	1	-	-	-	1	-	-	-	-	-	1	-	2	2	3	3	2	2	10	9	5	4	-	-	-	-	
145.0	口腔粘膜	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	6	2	2	-	-	-	-	-	145.0
	男 M.	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	3	2	2	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	

第1表 死　亡　者　数,

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
145.1	口唇（硬）（軟）	31	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	5	5	3	6	1	2	-	-	-	-	145.1
	男 M.	21	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	5	5	3	2	1	1	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	4	-	1	-	-	-	-	
145.8	その他の明示された部位	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	145.8
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
145.9	部位不明	66	-	1	-	-	-	1	-	-	-	-	-	-	-	2	1	6	5	7	8	11	10	11	4	-	-	-	-	145.9
	男 M.	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	5	6	4	5	6	1	-	-	-	-	
	女 F.	31	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	2	2	2	2	7	5	5	3	-	-	-	-	
146	中咽頭の悪性新生物	57	-	-	-	-	-	-	-	1	-	-	1	1	5	2	5	2	8	11	7	5	5	2	1	1	-	-	-	146
	男 M.	38	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	2	6	9	6	4	2	2	-	-	-	-	-	
	女 F.	19	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	-	2	2	1	1	3	-	1	1	-	-	-	
146.0	扁桃	46	-	-	-	-	-	-	-	1	-	-	1	-	5	2	3	2	5	9	6	4	5	1	1	1	-	-	-	146.0
	男 M.	29	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	2	4	8	5	3	2	1	-	-	-	-	-	
	女 F.	17	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	-	1	1	1	1	3	-	1	1	-	-	-	
146.8	その他の明示された部位	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-	146.8
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
146.9	部位不明	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	146.9
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
147	鼻咽頭の悪性新生物	114	-	-	-	-	-	-	-	1	4	4	4	4	9	7	15	8	15	17	11	10	4	-	1	-	-	-	-	147
	男 M.	88	-	-	-	-	-	-	-	1	4	3	1	3	8	5	14	5	12	14	7	8	3	-	-	-	-	-	-	
	女 F.	26	-	-	-	-	-	-	-	-	-	1	3	1	1	2	1	3	3	3	4	2	1	-	1	-	-	-	-	
148	下咽頭の悪性新生物	116	-	-	-	-	-	-	-	-	-	-	-	3	3	6	8	8	11	25	25	17	7	2	-	-	-	-	1	148
	男 M.	73	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	3	8	15	18	13	4	1	-	-	-	-	1	
	女 F.	43	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	5	3	10	7	4	3	1	-	-	-	-	-	
149	部位不明の咽頭の悪性新生物	109	-	-	-	-	-	-	-	-	-	-	-	1	3	4	1	3	13	20	21	16	12	7	8	-	-	-	-	149
	男 M.	80	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	10	16	16	15	6	4	5	-	-	-	-	
	女 F.	29	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	4	5	1	6	3	3	-	-	-	-	
(150～159)	消化器および腹膜の悪性新生物	74 596	8	5	5	5	1	24	6	10	47	245	566	1 016	1 700	2 758	3 881	4 862	7 597	10 612	12 345	13 028	9 458	4 724	1 456	233	24	2	2	(150～159)
	男 M.	44 317	5	5	-	5	1	16	5	7	23	120	262	449	829	1 549	2 176	2 735	4 654	6 733	7 923	8 112	5 508	2 464	648	91	9	2	2	
	女 F.	30 279	3	-	5	-	-	8	1	3	24	125	304	567	871	1 209	1 705	2 127	2 943	3 879	4 422	4 916	3 950	2 260	808	142	15	-	-	
150	食道の悪性新生物	4 921	-	-	-	-	-	-	-	-	-	-	6	8	19	78	143	245	492	790	956	985	701	359	114	24	1	-	-	150
	男 M.	3 739	-	-	-	-	-	-	-	-	-	-	5	7	12	57	119	173	400	650	768	751	497	221	68	10	1	-	-	
	女 F.	1 182	-	-	-	-	-	-	-	-	-	-	1	1	7	21	24	72	92	140	188	234	204	138	46	14	-	-	-	
150.a	上部	111	-	-	-	-	-	-	-	-	-	-	-	-	-	4	9	10	19	16	22	16	10	3	2	-	-	-	-	150.a
	男 M.	66	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	10	13	13	10	5	2	2	-	-	-	-	
	女 F.	45	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	9	3	9	6	5	1	-	-	-	-	-	
150.b	中部	288	-	-	-	-	-	-	-	-	-	-	-	-	-	3	12	24	39	58	74	48	19	9	2	-	-	-	-	150.b
	男 M.	253	-	-	-	-	-	-	-	-	-	-	-	-	-	2	12	19	37	52	65	44	15	7	-	-	-	-	-	
	女 F.	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	6	9	4	4	2	2	-	-	-	-	
150.c	下部	435	-	-	-	-	-	-	-	-	-	-	4	2	2	14	18	29	52	78	93	76	48	17	1	1	-	-	-	150.c
	男 M.	337	-	-	-	-	-	-	-	-	-	-	4	2	1	9	15	15	44	67	74	62	33	10	-	1	-	-	-	
	女 F.	98	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	14	8	11	19	14	15	7	1	-	-	-	-	
150.d	部位不明	4 087	-	-	-	-	-	-	-	-	-	-	2	6	17	57	104	182	382	638	767	845	624	330	109	23	1	-	-	150.d
	男 M.	3 083	-	-	-	-	-	-	-	-	-	-	1	5	11	45	87	134	309	518	616	635	444	202	66	9	1	-	-	
	女 F.	1 004	-	-	-	-	-	-	-	-	-	-	1	1	6	12	17	48	73	120	151	210	180	128	43	14	-	-	-	
151	胃の悪性新生物	49 943	1	-	-	2	-	3	-	5	26	174	368	741	1 237	1 946	2 703	3 270	5 068	7 032	8 150	8 685	6 323	3 126	930	139	14	2	1	151
	男 M.	30 380	1	-	-	2	-	3	-	4	11	86	151	318	566	1 063	1 489	1 887	3 134	4 623	5 424	5 608	3 851	1 678	421	54	6	2	1	
	女 F.	19 563	-	-	-	-	-	-	-	1	15	88	217	423	671	883	1 214	1 383	1 934	2 409	2 726	3 077	2 472	1 448	509	85	8	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
151.0	噴門	1 575	-	-	-	-	-	-	-	-	1	7	17	30	50	75	93	124	185	248	240	268	163	54	18	1	-	1	-	151.0
	男 M.	1 060	-	-	-	-	-	-	-	-	1	4	10	11	28	44	51	78	122	178	184	199	118	22	8	1	-	1	-	
	女 F.	515	-	-	-	-	-	-	-	-	-	3	7	19	22	31	42	46	63	70	56	69	45	32	10	-	-	-	-	
151.1	幽門	3 527	-	-	-	-	-	-	-	-	3	11	20	41	82	127	199	263	372	572	600	611	405	173	42	6	-	-	-	151.1
	男 M.	2 217	-	-	-	-	-	-	-	-	2	4	11	19	44	83	115	165	249	377	390	394	247	90	25	2	-	-	-	
	女 F.	1 310	-	-	-	-	-	-	-	-	1	7	9	22	38	44	84	98	123	195	210	217	158	83	17	4	-	-	-	
151.8	その他の明示された部位	3 942	-	-	-	1	-	1	-	-	1	19	38	86	158	225	293	316	478	668	622	535	335	120	43	4	-	-	-	151.8
	男 M.	2 395	-	-	-	1	-	1	-	-	-	9	12	38	71	117	152	166	283	457	428	362	222	59	17	1	-	-	-	
	女 F.	1 547	-	-	-	-	-	-	-	-	1	10	26	48	87	108	141	150	195	211	194	173	113	61	26	3	-	-	-	
151.9	部位不明	40 899	1	-	-	1	-	2	-	5	21	137	293	584	947	1 519	2 118	2 567	4 033	5 544	6 688	7 271	5 420	2 779	827	128	14	1	1	151.9
	男 M.	24 708	1	-	-	1	-	2	-	4	8	69	118	250	423	819	1 171	1 478	2 480	3 611	4 422	4 653	3 264	1 507	371	50	6	1	1	
	女 F.	16 191	-	-	-	-	-	-	-	1	13	68	175	334	524	700	947	1 089	1 553	1 933	2 266	2 618	2 156	1 272	456	78	8	-	-	
152	小腸の悪性新生物（十二指腸を含む）	232	-	-	-	-	-	-	-	1	1	1	1	4	5	10	10	27	14	31	41	40	25	15	4	2	-	-	-	152
	男 M.	123	-	-	-	-	-	-	-	1	1	-	-	2	2	7	7	13	9	21	22	20	10	6	2	-	-	-	-	
	女 F.	109	-	-	-	-	-	-	-	-	-	1	1	2	3	3	3	14	5	10	19	20	15	9	2	2	-	-	-	
152.0	十二指腸	127	-	-	-	-	-	-	-	-	-	1	-	1	1	5	7	15	8	15	24	20	17	10	2	1	-	-	-	152.0
	男 M.	64	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	11	5	7	14	10	6	3	-	-	-	-	-	
	女 F.	63	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	4	3	8	10	10	11	7	2	1	-	-	-	
152.8	その他の明示された部位	41	-	-	-	-	-	-	-	1	1	-	-	1	2	2	3	6	2	7	7	4	3	2	-	-	-	-	-	152.8
	男 M.	27	-	-	-	-	-	-	-	1	1	-	-	1	-	2	3	2	2	6	3	3	1	2	-	-	-	-	-	
	女 F.	14	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	-	1	4	1	2	-	-	-	-	-	-	
152.9	部位不明	64	-	-	-	-	-	-	-	-	-	-	1	2	2	3	-	6	4	9	10	16	5	3	2	1	-	-	-	152.9
	男 M.	32	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	8	5	7	3	1	2	-	-	-	-	
	女 F.	32	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	6	2	1	5	9	2	2	-	1	-	-	-	
153	大腸の悪性新生物（直腸を除く）	4 449	-	-	-	-	-	-	1	-	3	33	64	83	122	156	262	261	418	559	650	734	610	346	127	18	2	-	-	153
	男 M.	2 089	-	-	-	-	-	-	1	-	2	15	37	40	65	87	126	124	201	255	324	381	258	132	34	6	1	-	-	
	女 F.	2 360	-	-	-	-	-	-	-	-	1	18	27	43	57	69	136	137	217	304	326	353	352	214	93	12	1	-	-	
153.0	盲腸，虫垂および上行結腸	999	-	-	-	-	-	-	1	-	1	6	13	12	34	36	61	46	124	129	148	161	128	71	22	5	1	-	-	153.0
	男 M.	408	-	-	-	-	-	-	1	-	1	3	6	8	17	20	25	22	51	50	61	71	47	22	2	1	-	-	-	
	女 F.	591	-	-	-	-	-	-	-	-	-	3	7	4	17	16	36	24	73	79	87	90	81	49	20	4	1	-	-	
153.1	横行結腸（左右結腸曲を含む）	452	-	-	-	-	-	-	-	-	-	8	9	19	12	24	35	38	31	67	59	58	50	29	12	1	-	-	-	153.1
	男 M.	213	-	-	-	-	-	-	-	-	-	5	5	9	9	16	20	18	12	26	30	33	17	9	4	-	-	-	-	
	女 F.	239	-	-	-	-	-	-	-	-	-	3	4	10	3	8	15	20	19	41	29	25	33	20	8	1	-	-	-	
153.2	下行結腸	170	-	-	-	-	-	-	-	-	-	1	2	7	5	5	20	12	15	16	15	33	21	11	6	-	1	-	-	153.2
	男 M.	96	-	-	-	-	-	-	-	-	-	-	1	5	2	4	10	4	11	8	11	19	8	9	3	-	1	-	-	
	女 F.	74	-	-	-	-	-	-	-	-	-	1	1	2	3	1	10	8	4	8	4	14	13	2	3	-	-	-	-	
153.3	S状結腸	795	-	-	-	-	-	-	-	-	-	3	18	17	29	32	61	44	78	134	116	118	87	45	12	1	-	-	-	153.3
	男 M.	432	-	-	-	-	-	-	-	-	-	1	14	6	11	19	26	20	41	73	74	74	43	24	5	1	-	-	-	
	女 F.	363	-	-	-	-	-	-	-	-	-	2	4	11	18	13	35	24	37	61	42	44	44	21	7	-	-	-	-	
153.8	部位不明の大腸（結腸を含む）	1 601	-	-	-	-	-	-	-	-	1	13	22	26	34	52	75	104	144	178	246	285	238	125	50	8	-	-	-	153.8
	男 M.	763	-	-	-	-	-	-	-	-	-	5	11	11	22	26	42	51	74	82	112	152	109	52	12	2	-	-	-	
	女 F.	838	-	-	-	-	-	-	-	-	1	8	11	15	12	26	33	53	70	96	134	133	129	73	38	6	-	-	-	
153.9	部位不明の腸管	432	-	-	-	-	-	-	-	-	1	2	-	2	8	7	10	17	26	35	66	79	86	65	25	3	-	-	-	153.9
	男 M.	177	-	-	-	-	-	-	-	-	-	1	-	1	4	2	3	9	12	16	36	32	34	16	8	2	-	-	-	
	女 F.	255	-	-	-	-	-	-	-	-	-	1	-	1	4	5	7	8	14	19	30	47	52	49	17	1	-	-	-	
154	直腸および直腸S状結腸移行部の悪性新生物	5 066	-	-	-	-	-	-	-	-	4	15	82	103	166	238	253	308	465	618	744	833	698	360	149	25	5	-	-	154
	男 M.	2 692	-	-	-	-	-	-	-	-	-	8	42	42	101	137	136	143	257	355	423	439	364	167	67	10	1	-	-	
	女 F.	2 374	-	-	-	-	-	-	-	-	4	7	40	61	65	101	117	165	208	263	321	394	334	193	82	15	4	-	-	
154.0	直腸S状結腸移行部	17	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	1	2	3	3	1	-	-	-	-	-	-	154.0
	男 M.	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	2	2	3	1	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
154.1	直腸	5 029	-	-	-	-	-	-	-	-	3	15	81	102	166	234	252	305	460	614	737	826	696	359	149	25	5	-	-	154.1
	男 M.	2 666	-	-	-	-	-	-	-	-	-	8	41	42	101	135	136	140	252	352	419	433	362	167	67	10	1	-	-	
	女 F.	2 363	-	-	-	-	-	-	-	-	3	7	40	60	65	99	116	165	208	262	318	393	334	192	82	15	4	-	-	
154.2	肛門	20	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	4	2	4	4	1	1	-	-	-	-	-	154.2
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	2	3	1	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	
155	原発と明示された肝臓および肝内胆管の悪性新生物	843	6	2	2	2	1	13	3	3	3	5	8	10	25	47	65	80	93	116	126	127	75	34	10	-	-	-	-	155
	男 M.	585	3	2	-	2	1	8	3	2	3	3	7	8	20	41	51	58	72	85	77	73	51	20	3	-	-	-	-	
	女 F.	258	3	-	2	-	-	5	-	1	-	2	1	2	5	6	14	22	21	31	49	54	24	14	7	-	-	-	-	
155.0	肝臓	795	6	2	2	2	1	13	3	3	3	4	8	10	23	45	64	79	85	108	120	117	69	32	9	-	-	-	-	155.0
	男 M.	557	3	2	-	2	1	8	3	2	3	2	7	8	18	39	50	58	68	80	74	67	49	18	3	-	-	-	-	
	女 F.	238	3	-	2	-	-	5	-	1	-	2	1	2	5	6	14	21	17	28	46	50	20	14	6	-	-	-	-	
155.1	肝内胆管	48	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	8	8	6	10	6	2	1	-	-	-	-	155.1
	男 M.	28	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	4	5	3	6	2	2	-	-	-	-	-	
	女 F.	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	4	4	-	1	-	-	-	-	
156	胆嚢および胆管の悪性新生物	3 750	-	-	-	-	-	-	-	-	1	2	7	21	37	85	145	243	349	577	734	732	506	236	68	7	-	-	-	156
	男 M.	1 626	-	-	-	-	-	-	-	-	-	-	3	9	16	34	69	94	161	234	332	323	211	106	30	4	-	-	-	
	女 F.	2 124	-	-	-	-	-	-	-	-	1	2	4	12	21	51	76	149	188	343	402	409	295	130	38	3	-	-	-	
156.0	胆嚢	1 614	-	-	-	-	-	-	-	-	-	1	1	10	10	33	59	114	147	252	320	325	215	100	25	2	-	-	-	156.0
	男 M.	507	-	-	-	-	-	-	-	-	-	-	-	5	1	8	22	31	50	64	97	107	75	38	8	1	-	-	-	
	女 F.	1 107	-	-	-	-	-	-	-	-	-	1	1	5	9	25	37	83	97	188	223	218	140	62	17	1	-	-	-	
156.1	肝外胆管	464	-	-	-	-	-	-	-	-	-	-	2	3	11	7	17	37	59	86	93	81	46	21	1	-	-	-	-	156.1
	男 M.	253	-	-	-	-	-	-	-	-	-	-	2	2	5	2	8	22	29	43	59	42	25	13	1	-	-	-	-	
	女 F.	211	-	-	-	-	-	-	-	-	-	-	-	1	6	5	9	15	30	43	34	39	21	8	-	-	-	-	-	
156.2	ファーテル乳頭	120	-	-	-	-	-	-	-	-	-	-	-	1	3	9	12	6	16	22	23	16	7	4	1	-	-	-	-	156.2
	男 M.	66	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	2	10	13	12	10	4	2	1	-	-	-	-	
	女 F.	54	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	4	6	9	11	6	3	2	-	-	-	-	-	
156.9	詳細不明の胆管	1 552	-	-	-	-	-	-	-	-	1	1	4	7	13	36	57	86	127	217	298	310	238	111	41	5	-	-	-	156.9
	男 M.	800	-	-	-	-	-	-	-	-	-	-	1	1	9	20	33	39	72	114	164	164	107	53	20	3	-	-	-	
	女 F.	752	-	-	-	-	-	-	-	-	1	1	3	6	4	16	24	47	55	103	134	146	131	58	21	2	-	-	-	
157	膵臓の悪性新生物	4 930	-	-	-	-	-	-	-	-	4	7	18	35	78	171	275	391	653	830	881	827	479	217	45	16	2	-	1	157
	男 M.	2 857	-	-	-	-	-	-	-	-	2	2	10	16	40	110	163	231	396	479	522	488	251	119	20	7	-	-	1	
	女 F.	2 073	-	-	-	-	-	-	-	-	2	5	8	19	38	61	112	160	257	351	359	339	228	98	25	9	2	-	-	
157.0	頭部	1 363	-	-	-	-	-	-	-	-	-	-	4	6	23	51	82	115	194	234	244	210	127	61	10	2	-	-	-	157.0
	男 M.	818	-	-	-	-	-	-	-	-	-	-	3	4	17	35	51	63	124	129	149	131	70	36	5	1	-	-	-	
	女 F.	545	-	-	-	-	-	-	-	-	-	-	1	2	6	16	31	52	70	105	95	79	57	25	5	1	-	-	-	
157.8	その他の明示された部位	276	-	-	-	-	-	-	-	-	1	-	1	6	3	15	19	26	38	57	57	34	11	4	1	3	-	-	-	157.8
	男 M.	165	-	-	-	-	-	-	-	-	-	-	-	2	1	10	11	14	24	39	35	18	6	3	1	1	-	-	-	
	女 F.	111	-	-	-	-	-	-	-	-	1	-	1	4	2	5	8	12	14	18	22	16	5	1	-	2	-	-	-	
157.9	部位不明	3 291	-	-	-	-	-	-	-	-	3	7	13	23	52	105	174	250	421	539	580	583	341	152	34	11	2	-	1	157.9
	男 M.	1 874	-	-	-	-	-	-	-	-	2	2	7	10	22	65	101	154	248	311	338	339	175	90	14	5	-	-	1	
	女 F.	1 417	-	-	-	-	-	-	-	-	1	5	6	13	30	40	73	96	173	228	242	244	166	72	20	6	2	-	-	
158	腹膜および後腹膜組織の悪性新生物	368	1	3	3	1	-	8	2	1	5	8	12	11	11	24	23	32	41	55	48	48	23	16	-	-	-	-	-	158
	男 M.	177	1	3	-	1	-	5	1	-	4	6	7	7	7	12	14	10	22	28	22	18	7	7	-	-	-	-	-	
	女 F.	191	-	-	3	-	-	3	1	1	1	2	5	4	4	12	9	22	19	27	26	30	16	9	-	-	-	-	-	
158.0	後腹膜組織	238	1	1	3	1	-	6	-	1	4	7	10	7	10	14	17	25	29	32	28	27	14	7	-	-	-	-	-	158.0
	男 M.	117	1	1	-	1	-	3	-	-	3	5	5	5	7	8	10	6	16	13	16	11	5	4	-	-	-	-	-	
	女 F.	121	-	-	3	-	-	3	-	1	1	2	5	2	3	6	7	19	13	19	12	16	9	3	-	-	-	-	-	
158.9	その他の部位	130	-	2	-	-	-	2	2	-	1	1	2	4	1	10	6	7	12	23	20	21	9	9	-	-	-	-	-	158.9
	男 M.	60	-	2	-	-	-	2	1	-	1	1	2	2	-	4	4	4	6	15	6	7	2	3	-	-	-	-	-	
	女 F.	70	-	-	-	-	-	-	1	-	-	-	-	2	1	6	2	3	6	8	14	14	7	6	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
159	詳細不明の消化器の悪性新生物	94	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	4	4	15	17	18	15	9	2	-	-	-	159
	男 M.	49	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	9	11	8	8	3	-	-	-	-	
	女 F.	45	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	1	6	6	10	7	6	2	-	-	-	
(160～163)	呼吸器系の悪性新生物	14 914	-	3	-	2	5	10	3	11	9	36	58	92	193	346	589	878	1 495	2 318	3 008	2 891	1 942	781	215	32	6	-	1	(160～163)
	男 M.	10 618	-	1	-	1	3	5	2	7	7	24	32	47	116	225	379	549	1 006	1 705	2 321	2 164	1 374	510	127	17	1	-	-	
	女 F.	4 296	-	2	-	1	2	5	1	4	2	12	26	45	77	121	210	329	489	613	687	727	568	271	88	15	5	-	1	
160	鼻，鼻腔，中耳および副鼻腔の悪性新生物	1 070	-	1	-	1	2	4	1	2	4	8	5	19	22	48	85	102	132	158	154	121	127	56	15	5	2	-	-	160
	男 M.	641	-	-	-	1	1	2	-	1	2	4	1	12	16	35	59	60	74	102	96	80	64	24	5	4	-	-	-	
	女 F.	429	-	1	-	-	1	2	1	1	2	4	4	7	6	13	26	42	58	56	58	41	63	32	10	1	2	-	-	
160.0	鼻（内）および鼻腔	40	-	-	-	-	1	1	-	1	1	1	1	2	3	-	3	5	1	3	6	3	4	4	-	1	-	-	-	160.0
	男 M.	20	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	2	-	2	4	1	2	3	-	1	-	-	-	
	女 F.	20	-	-	-	-	1	1	-	-	-	1	1	1	3	-	1	3	1	1	2	2	2	1	-	-	-	-	-	
160.1	耳管および中耳	13	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	2	1	2	1	1	1	-	-	-	-	-	-	160.1
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	1	1	-	-	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	
160.2	上顎洞	972	-	1	-	1	1	3	-	1	2	6	4	16	16	43	77	91	123	145	143	113	117	51	15	4	2	-	-	160.2
	男 M.	588	-	-	-	1	1	2	-	-	1	3	1	10	13	32	55	54	68	95	89	75	61	21	5	3	-	-	-	
	女 F.	384	-	1	-	-	-	1	-	1	1	3	3	6	3	11	22	37	55	50	54	38	56	30	10	1	2	-	-	
160.8	その他の副鼻腔	31	-	-	-	-	-	-	-	-	-	1	-	-	2	5	1	2	4	7	2	4	3	-	-	-	-	-	-	160.8
	男 M.	20	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	2	4	3	-	3	1	-	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	2	1	2	-	-	-	-	-	-	
160.9	詳細不明の副鼻腔	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	3	1	2	-	2	1	-	-	-	-	160.9
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	2	1	-	-	2	1	-	-	-	-	
161	喉頭の悪性新生物	907	-	-	-	-	-	-	-	1	-	2	1	-	4	7	24	37	74	145	184	186	145	64	29	3	1	-	-	161
	男 M.	763	-	-	-	-	-	-	-	1	-	2	1	-	3	7	21	29	59	127	163	162	116	45	23	3	1	-	-	
	女 F.	144	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	8	15	18	21	24	29	19	6	-	-	-	-	
161.0	声門，真声帯	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	1	-	-	-	-	-	-	161.0
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
161.8	その他の明示された部位	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	-	-	-	-	161.8
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
161.9	部位不明	892	-	-	-	-	-	-	-	1	-	2	1	-	4	7	24	36	73	142	180	185	144	61	28	3	1	-	-	161.9
	男 M.	749	-	-	-	-	-	-	-	1	-	2	1	-	3	7	21	28	58	124	160	161	115	42	22	3	1	-	-	
	女 F.	143	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	8	15	18	20	24	29	19	6	-	-	-	-	
162	気管，気管支および肺の悪性新生物	12 290	-	1	-	-	1	2	-	5	1	7	47	67	151	268	444	698	1 220	1 931	2 568	2 468	1 602	609	165	23	3	-	1	162
	男 M.	8 837	-	-	-	-	1	1	-	3	1	10	27	33	89	168	283	441	839	1 428	1 999	1 840	1 155	415	96	9	-	-	-	
	女 F.	3 453	-	1	-	-	-	1	-	2	-	7	20	34	62	100	161	257	381	503	569	628	447	194	69	14	3	-	1	
162.0	気管	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	2	2	-	-	-	-	-	162.0
	男 M.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	
162.1	気管支および肺	12 277	-	1	-	-	1	2	-	5	1	17	47	67	151	268	443	698	1 218	1 930	2 566	2 465	1 600	607	165	23	3	-	1	162.1
	男 M.	8 828	-	-	-	-	1	1	-	3	1	10	27	33	89	168	283	441	839	1 427	1 997	1 837	1 153	414	96	9	-	-	-	
	女 F.	3 449	-	1	-	-	-	1	-	2	-	7	20	34	62	100	160	257	379	503	569	628	447	193	69	14	3	-	1	
162.1a	気管支および原発と明示された肺	544	-	-	-	-	-	-	-	-	-	2	-	5	4	16	24	40	74	98	94	105	54	18	8	1	-	-	1	162.1a
	男 M.	414	-	-	-	-	-	-	-	-	-	1	-	2	4	12	18	27	52	83	74	82	44	11	3	1	-	-	-	
	女 F.	130	-	-	-	-	-	-	-	-	-	1	-	3	-	4	6	13	22	15	20	23	10	7	5	-	-	-	1	
162.1b	肺（原発，続発別不明）	11 733	-	1	-	-	1	2	-	5	1	15	47	62	147	252	419	658	1 144	1 832	2 472	2 380	1 548	589	157	22	3	-	-	162.1b
	男 M.	8 414	-	-	-	-	1	1	-	3	1	9	27	31	85	156	265	414	787	1 344	1 923	1 755	1 109	403	93	8	-	-	-	
	女 F.	3 319	-	1	-	-	-	1	-	2	-	6	20	31	62	96	154	244	357	488	549	605	437	186	64	14	3	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
163	その他および詳細不明の呼吸器の悪性新生物…	647	-	1	-	1	2	4	2	3	4	9
	男 M.	377	-	1	-	-	1	2	2	2	4	8
	女 F.	270	-	-	-	1	1	2	-	1	-	1
163.0	胸膜……	458	-	-	-	-	1	1	1	-	-	2
	男 M.	244	-	-	-	-	-	-	1	-	-	2
	女 F.	214	-	-	-	-	1	1	-	-	-	-
163.1	縦隔……	182	-	1	-	1	1	3	1	3	4	7
	男 M.	128	-	1	-	-	1	2	1	2	4	6
	女 F.	54	-	-	-	1	-	1	-	1	-	1
163.9	部位不明……	7	-	-	-	-	-	-	-	-	-	-
	男 M.	5	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-
(170～174)	骨，結合織，皮膚および乳房の悪性新生物……	4 561	4	6	5	3	6	24	24	45	70	66
	男 M.	1 025	3	1	3	2	5	14	11	20	38	38
	女 F.	3 536	1	5	2	1	1	10	13	25	32	28
170	骨の悪性新生物……	825	-	1	2	-	2	5	13	39	58	42
	男 M.	476	-	-	2	-	2	4	5	16	33	28
	女 F.	349	-	1	-	-	-	1	8	23	25	14
170.0	頭蓋骨および顔面骨……	98	-	-	1	-	-	1	-	-	1	2
	男 M.	56	-	-	1	-	-	1	-	-	1	2
	女 F.	42	-	-	-	-	-	-	-	-	-	-
170.1	下顎骨……	115	-	-	-	-	-	-	-	1	-	-
	男 M.	78	-	-	-	-	-	-	-	-	-	-
	女 F.	37	-	-	-	-	-	-	-	1	-	-
170.2	椎骨（仙骨および尾骨を除く）……	147	-	-	-	-	-	-	1	1	2	2
	男 M.	70	-	-	-	-	-	-	1	-	2	-
	女 F.	77	-	-	-	-	-	-	-	1	-	2
170.3	肋骨，胸骨および鎖骨……	46	-	-	-	-	-	-	3	-	-	2
	男 M.	34	-	-	-	-	-	-	-	-	-	2
	女 F.	12	-	-	-	-	-	-	3	-	-	-
170.4	上肢の長骨および肩甲骨……	38	-	-	-	-	-	-	2	3	3	6
	男 M.	20	-	-	-	-	-	-	1	-	2	5
	女 F.	18	-	-	-	-	-	-	1	3	1	1
170.5	上肢の短骨……	1	-	-	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
170.6	骨盤骨，仙骨，尾骨……	76	-	1	-	-	1	2	-	1	5	2
	男 M.	50	-	-	-	-	1	1	-	1	3	2
	女 F.	26	-	1	-	-	-	1	-	-	2	-
170.7	下肢の長骨……	167	-	-	-	-	-	-	3	21	33	19
	男 M.	89	-	-	-	-	-	-	2	11	15	12
	女 F.	78	-	-	-	-	-	-	1	10	18	7
170.8	下肢の短骨……	5	-	-	-	-	-	-	-	-	1	1
	男 M.	4	-	-	-	-	-	-	-	-	1	1
	女 F.	1	-	-	-	-	-	-	-	-	-	-
170.9	部位不明……	132	-	-	1	-	1	2	4	11	13	8
	男 M.	75	-	-	1	-	1	2	1	4	9	4
	女 F.	57	-	-	-	-	-	-	3	7	4	4
171	結合織およびその他の軟部組織の悪性新生物…	236	4	4	3	3	3	17	10	5	9	9
	男 M.	135	3	-	1	2	2	8	5	4	3	6
	女 F.	101	1	4	2	1	1	9	5	1	6	3

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
5	6	16	23	36	41	69	84	102	116	68	52	6	1	-	-	-	163
3	2	8	15	16	19	34	48	63	82	39	26	3	1	-	-	-	
2	4	8	8	20	22	35	36	39	34	29	26	3	-	-	-	-	
1	2	11	17	30	30	45	58	72	82	58	42	5	1	-	-	-	163.0
-	-	4	10	12	11	22	28	41	58	32	19	3	1	-	-	-	
1	2	7	7	18	19	23	30	31	24	26	23	2	-	-	-	-	
4	4	5	5	6	11	24	25	29	32	9	10	-	-	-	-	-	163.1
3	2	4	4	4	8	12	19	22	22	6	7	-	-	-	-	-	
1	2	1	1	2	3	12	6	7	10	3	3	-	-	-	-	-	
-	-	-	1	-	-	-	1	1	2	1	-	1	-	-	-	-	163.9
-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
68	138	220	374	488	516	496	523	442	405	291	215	108	40	7	1	-	(170～174)
21	28	28	43	50	57	81	114	147	142	101	63	19	10	-	-	-	
47	110	192	331	438	459	415	409	295	263	190	152	89	30	7	1	-	
12	20	21	23	40	44	61	112	110	107	72	33	10	3	-	-	-	170
7	13	10	13	20	29	38	52	72	68	45	18	4	1	-	-	-	
5	7	11	10	20	15	23	60	38	39	27	15	6	2	-	-	-	
1	2	2	3	3	5	9	16	17	13	8	11	2	2	-	-	-	170.0
-	2	-	3	1	3	7	7	10	8	6	4	1	-	-	-	-	
1	-	2	-	2	2	2	9	7	5	2	7	1	2	-	-	-	
-	1	1	1	8	4	11	20	20	16	20	7	5	-	-	-	-	170.1
-	1	1	1	5	4	9	14	13	12	13	4	1	-	-	-	-	
-	-	-	-	3	-	2	6	7	4	7	3	4	-	-	-	-	
1	1	3	5	6	10	19	31	24	21	14	4	2	-	-	-	-	170.2
1	-	1	-	2	7	11	10	15	10	6	3	1	-	-	-	-	
-	1	2	5	4	3	8	21	9	11	8	1	1	-	-	-	-	
1	-	3	2	2	1	4	4	5	10	9	-	-	-	-	-	-	170.3
1	-	3	2	1	1	2	3	3	10	6	-	-	-	-	-	-	
-	-	-	-	1	-	2	1	2	-	3	-	-	-	-	-	-	
-	-	-	-	2	3	3	2	5	3	6	-	-	-	-	-	-	170.4
-	-	-	-	2	1	-	1	3	2	3	-	-	-	-	-	-	
-	-	-	-	-	2	3	1	2	1	3	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	5	4	1	5	6	6	12	8	14	1	2	-	1	-	-	-	170.6
-	2	1	1	2	4	5	7	8	10	-	2	-	1	-	-	-	
1	3	3	-	3	2	1	5	-	4	1	-	-	-	-	-	-	
4	9	6	4	5	4	4	16	12	12	9	6	-	-	-	-	-	170.7
2	7	3	2	3	4	3	4	4	7	7	3	-	-	-	-	-	
2	2	3	2	2	-	1	12	8	5	2	3	-	-	-	-	-	
-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	170.8
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
4	2	2	7	9	11	5	10	18	18	5	2	1	-	-	-	-	170.9
3	1	1	4	4	5	1	5	16	9	4	1	1	-	-	-	-	
1	1	1	3	5	6	4	5	2	9	1	1	-	-	-	-	-	
16	10	12	14	16	24	14	23	24	17	11	3	1	1	-	-	-	171
9	7	7	6	12	12	8	13	14	10	8	2	1	-	-	-	-	
7	3	5	8	4	12	6	10	10	7	3	1	-	1	-	-	-	

第1表　死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
171.0	頭部，顔面および頸部	17	2	-	-	-	-	2	-	-	1	-
	男 M.	12	2	-	-	-	-	2	-	-	1	-
	女 F.	5	-	-	-	-	-	-	-	-	-	-
171.1	体幹	58	1	-	-	-	-	1	1	2	-	1
	男 M.	32	-	-	-	-	-	-	-	2	-	-
	女 F.	26	1	-	-	-	-	1	1	-	-	1
171.2	上肢（肩を含む）	15	-	-	-	-	-	-	-	1	-	-
	男 M.	7	-	-	-	-	-	-	-	1	-	-
	女 F.	8	-	-	-	-	-	-	-	-	-	-
171.3	下肢（股を含む）	51	-	-	-	1	-	1	1	-	3	3
	男 M.	27	-	-	-	-	-	-	1	-	-	1
	女 F.	24	-	-	-	1	-	1	-	-	3	2
171.9	部位不明	95	1	4	3	2	3	13	8	2	5	5
	男 M.	57	1	-	1	2	2	6	4	1	2	5
	女 F.	38	-	4	2	-	1	7	4	1	3	-
172	皮膚の悪性黒色腫	164	-	1	-	-	-	1	-	1	2	4
	男 M.	95	-	1	-	-	-	1	-	-	2	2
	女 F.	69	-	-	-	-	-	-	-	1	-	2
172.0	口唇	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
172.1	眼瞼（眥を含む）	5	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
172.2	耳および外耳道	3	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
172.3	その他および部位不明の顔面	9	-	-	-	-	-	-	-	-	-	-
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	6	-	-	-	-	-	-	-	-	-	-
172.4	頭皮および頸	2	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
172.5	陰嚢	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
172.6	体幹（陰嚢を除く）	13	-	-	-	-	-	-	-	-	-	-
	男 M.	8	-	-	-	-	-	-	-	-	-	-
	女 F.	5	-	-	-	-	-	-	-	-	-	-
172.7	上肢	6	-	-	-	-	-	-	-	-	-	-
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
172.8	下肢	14	-	-	-	-	-	-	-	-	-	-
	男 M.	11	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
172.9	部位不明	111	-	1	-	-	-	1	-	1	2	4
	男 M.	64	-	1	-	-	-	1	-	-	2	2
	女 F.	47	-	-	-	-	-	-	-	1	-	2
173	その他の皮膚の悪性新生物	543	-	-	-	-	1	1	1	-	1	4
	男 M.	288	-	-	-	-	1	1	1	-	-	2
	女 F.	255	-	-	-	-	-	-	-	-	1	2

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
1	-	1	-	1	3	1	3	1	1	-	2	-	-	-	-	-	171.0
1	-	1	-	1	-	1	2	1	1	-	1	-	-	-	-	-	
-	-	-	-	-	3	-	1	-	-	-	1	-	-	-	-	-	
4	1	3	6	3	7	4	5	9	7	2	1	1	-	-	-	-	171.1
3	-	1	3	3	5	2	2	4	4	1	1	1	-	-	-	-	
1	1	2	3	-	2	2	3	5	3	1	-	-	-	-	-	-	
3	-	-	2	2	2	1	2	1	-	1	-	-	-	-	-	-	171.2
-	-	-	-	2	1	1	1	-	-	1	-	-	-	-	-	-	
3	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	
3	5	6	2	6	4	2	7	3	-	5	-	-	-	-	-	-	171.3
2	4	3	1	4	1	-	4	3	-	3	-	-	-	-	-	-	
1	1	3	1	2	3	2	3	-	-	2	-	-	-	-	-	-	
5	4	2	4	4	8	6	6	10	9	3	-	-	1	-	-	-	171.9
3	3	2	2	2	5	4	4	6	5	3	-	-	-	-	-	-	
2	1	-	2	2	3	2	2	4	4	-	-	-	1	-	-	-	
8	9	10	7	17	12	16	25	17	12	14	6	3	-	-	-	-	172
3	5	7	5	10	3	9	16	9	9	9	4	1	-	-	-	-	
5	4	3	2	7	9	7	9	8	3	5	2	2	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	172.0
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	172.1
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	172.2
-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	1	-	1	3	-	1	2	-	1	-	-	-	-	172.3
-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	
-	-	-	-	1	-	-	3	-	1	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	172.4
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	172.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	-	1	1	-	-	2	3	2	1	-	-	-	-	-	-	172.6
-	1	-	1	1	-	-	1	1	2	1	-	-	-	-	-	-	
1	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	
-	-	1	-	-	1	2	1	-	1	-	-	-	-	-	-	-	172.7
-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	
-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
-	1	1	1	2	2	-	2	-	1	3	-	1	-	-	-	-	172.8
-	1	1	1	1	1	-	1	-	1	3	-	1	-	-	-	-	
-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
6	6	8	5	11	8	12	17	12	6	7	5	-	-	-	-	-	172.9
2	3	6	3	7	1	7	13	6	4	3	4	-	-	-	-	-	
4	3	2	2	4	7	5	4	6	2	4	1	-	-	-	-	-	
2	2	6	27	18	18	38	60	65	82	70	83	42	20	2	1	-	173
2	2	4	17	7	12	23	30	46	48	34	37	13	9	-	-	-	
-	-	2	10	11	6	15	30	19	34	36	46	29	11	2	1	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
173.0	口　唇	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-	-	-	173.0
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	
173.1	眼瞼（眥を含む）	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	173.1
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
173.2	耳および外耳道	25	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	2	3	4	3	1	5	3	1	-	-	-	173.2
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	2	1	1	3	1	-	-	-	-	
	女 F.	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	2	-	2	2	1	-	-	-	
173.3	その他および部位不明の顔面	92	-	-	-	-	1	1	1	-	-	-	-	-	-	3	3	3	3	6	13	17	9	15	14	4	-	-	-	173.3
	男 M.	48	-	-	-	-	1	1	1	-	-	-	-	-	-	1	2	1	2	5	9	12	5	5	4	-	-	-	-	
	女 F.	44	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	4	5	4	10	10	4	-	-	-	
173.4	頭皮および頸	73	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	4	6	8	10	11	14	10	4	2	-	-	-	173.4
	男 M.	44	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	5	3	7	6	7	7	2	1	-	-	-	
	女 F.	29	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	5	3	5	7	3	2	1	-	-	-	
173.5	陰　嚢	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	173.5
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
173.6	体幹（陰嚢を除く）	116	-	-	-	-	-	-	-	-	-	1	-	-	2	7	2	2	10	25	8	20	14	14	7	4	-	-	-	173.6
	男 M.	45	-	-	-	-	-	-	-	-	-	1	-	-	1	4	-	2	3	8	7	8	5	1	2	3	-	-	-	
	女 F.	71	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	7	17	1	12	9	13	5	1	-	-	-	
173.7	上　肢	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	1	1	2	1	-	-	-	-	173.7
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	1	1	1	-	-	-	-	
173.8	下　肢	55	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	5	4	4	2	9	8	8	4	3	1	-	-	173.8
	男 M.	36	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	4	3	3	1	6	3	7	2	2	-	-	-	
	女 F.	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	3	5	1	2	1	1	-	-	
173.9	部位不明	159	-	-	-	-	-	-	-	-	1	2	1	1	2	8	10	4	10	14	23	20	21	26	9	5	1	1	-	173.9
	男 M.	90	-	-	-	-	-	-	-	-	-	1	1	1	1	5	5	2	9	8	16	13	12	12	2	2	-	-	-	
	女 F.	69	-	-	-	-	-	-	-	-	1	1	-	-	1	3	5	2	1	6	7	7	9	14	7	3	1	1	-	
174	乳房の悪性新生物	2 793	-	-	-	-	-	-	-	-	-	7	30	97	171	303	397	418	367	303	226	187	124	90	52	16	5	-	-	174
	男 M.	31	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	3	6	7	5	2	-	-	-	-	-	
	女 F.	2 762	-	-	-	-	-	-	-	-	-	7	30	96	171	301	396	417	364	300	220	180	119	88	52	16	5	-	-	
(180～189)	性尿器の悪性新生物	11 811	14	11	17	9	12	63	20	11	45	107	116	173	335	595	869	1 070	1 296	1 540	1 655	1 660	1 264	664	261	61	6	-	-	(180～189)
	男 M.	3 002	7	4	15	4	5	35	10	2	11	38	32	31	50	67	81	105	232	341	516	520	496	282	128	22	3	-	-	
	女 F.	8 809	7	7	2	5	7	28	10	9	34	69	84	142	285	528	788	965	1 064	1 199	1 139	1 140	768	382	133	39	3	-	-	
180	子宮頸の悪性新生物	1 550	-	-	-	-	-	-	-	-	-	2	6	22	59	138	180	223	227	220	173	159	97	29	12	2	1	-	-	180
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1 550	-	-	-	-	-	-	-	-	-	2	6	22	59	138	180	223	227	220	173	159	97	29	12	2	1	-	-	
181	絨毛上皮腫	134	-	-	-	-	-	-	-	-	3	10	23	29	15	17	16	13	6	-	-	1	-	-	-	1	-	-	-	181
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	134	-	-	-	-	-	-	-	-	3	10	23	29	15	17	16	13	6	-	-	1	-	-	-	1	-	-	-	
182	その他の子宮の悪性新生物	4 648	-	-	-	-	-	-	-	-	1	4	7	40	135	239	383	512	561	697	653	650	424	237	78	26	1	-	-	182
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4 648	-	-	-	-	-	-	-	-	1	4	7	40	135	239	383	512	561	697	653	650	424	237	78	26	1	-	-	
182.0	子　宮　体	181	-	-	-	-	-	-	-	-	-	1	-	2	5	10	13	23	20	26	35	26	10	7	3	-	-	-	-	182.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	181	-	-	-	-	-	-	-	-	-	1	-	2	5	10	13	23	20	26	35	26	10	7	3	-	-	-	-	
182.9	部位不明の子宮	4 467	-	-	-	-	-	-	-	-	1	3	7	38	130	229	370	489	541	671	618	624	414	230	75	26	1	-	-	182.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4 467	-	-	-	-	-	-	-	-	1	3	7	38	130	229	370	489	541	671	618	624	414	230	75	26	1	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
183	卵巣，卵管および子宮広間膜の悪性新生物	1 337	1	2	-	-	1	4	6	8	28	50	39	40	63	111	168	160	181	149	139	98	68	18	6	1	-	-	-	183
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1 337	1	2	-	-	1	4	6	8	28	50	39	40	63	111	168	160	181	149	139	98	68	18	6	1	-	-	-	
183.0	卵巣	1 299	1	2	-	-	1	4	6	8	28	49	38	39	61	109	165	157	177	144	133	92	65	18	5	1	-	-	-	183.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1 299	1	2	-	-	1	4	6	8	28	49	38	39	61	109	165	157	177	144	133	92	65	18	5	1	-	-	-	
183.1	卵管および子宮広間膜	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	2	-	-	-	-	-	-	-	183.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	2	-	-	-	-	-	-	-	
183.9	部位不明	31	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	3	2	5	5	4	3	-	1	-	-	-	-	183.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	31	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	3	2	5	5	4	3	-	1	-	-	-	-	
184	その他および詳細不明の女性性器の悪性新生物	181	-	1	-	-	-	1	-	-	-	-	1	3	2	6	8	14	17	18	22	40	25	14	6	4	-	-	-	184
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	181	-	1	-	-	-	1	-	-	-	-	1	3	2	6	8	14	17	18	22	40	25	14	6	4	-	-	-	
184.0	膣	68	-	1	-	-	-	1	-	-	-	-	-	2	2	1	4	6	7	9	8	13	9	4	1	1	-	-	-	184.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	68	-	1	-	-	-	1	-	-	-	-	-	2	2	1	4	6	7	9	8	13	9	4	1	1	-	-	-	
184.1	外陰	101	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	7	10	6	13	25	16	10	5	2	-	-	-	184.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	101	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	7	10	6	13	25	16	10	5	2	-	-	-	
184.8	その他の明示された部位	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	184.8
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
184.9	部位不明	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	3	1	2	-	-	-	1	-	-	-	184.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	3	1	2	-	-	-	1	-	-	-	
185	前立腺の悪性新生物	975	-	-	-	-	-	-	-	-	-	-	3	-	4	3	8	14	45	87	179	197	238	131	51	14	1	-	-	185
	男 M.	975	-	-	-	-	-	-	-	-	-	-	3	-	4	3	8	14	45	87	179	197	238	131	51	14	1	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
186	睾丸の悪性新生物	179	1	2	6	1	1	11	3	-	9	30	24	22	22	15	7	7	5	5	2	6	6	5	-	-	-	-	-	186
	男 M.	179	1	2	6	1	1	11	3	-	9	30	24	22	22	15	7	7	5	5	2	6	6	5	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
187	その他および詳細不明の男性性器の悪性新生物	97	-	-	-	-	-	-	-	-	-	-	-	3	3	8	3	5	12	12	10	14	9	10	7	1	-	-	-	187
	男 M.	97	-	-	-	-	-	-	-	-	-	-	-	3	3	8	3	5	12	12	10	14	9	10	7	1	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
187.0	陰茎	92	-	-	-	-	-	-	-	-	-	-	-	3	1	8	3	4	11	12	10	14	9	10	6	1	-	-	-	187.0
	男 M.	92	-	-	-	-	-	-	-	-	-	-	-	3	1	8	3	4	11	12	10	14	9	10	6	1	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
187.8	その他の明示された部位	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	187.8
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
187.9	部位不明	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	187.9
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
188	膀胱の悪性新生物	1 798	-	2	-	-	-	2	1	-	-	4	2	6	14	21	49	53	131	212	304	379	325	188	94	10	3	-	-	188
	男 M.	1 177	-	1	-	-	-	1	1	-	-	4	1	5	10	16	32	34	97	146	197	241	200	119	64	7	2	-	-	
	女 F.	621	-	1	-	-	-	1	-	-	-	-	1	1	4	5	17	19	34	66	107	138	125	69	30	3	1	-	-	
189	その他および詳細不明の泌尿器の悪性新生物	912	12	4	11	8	10	45	10	3	4	7	11	8	18	37	47	69	111	140	173	116	72	32	7	2	-	-	-	189
	男 M.	574	6	1	9	3	4	23	6	2	2	4	4	1	11	25	31	45	73	91	128	62	43	17	6	-	-	-	-	
	女 F.	338	6	3	2	5	6	22	4	1	2	3	7	7	7	12	16	24	38	49	45	54	29	15	1	2	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
189.0	腎臓（腎盂を除く）	750	12	4	11	8	10	45	10	3	4	6	10	8	15	29	45	58	83	114	134	96	60	25	5	-	-	-	-	189.0
	男 M.	482	6	1	9	3	4	23	6	2	2	4	3	1	9	22	31	35	59	75	103	52	37	14	4	-	-	-	-	
	女 F.	268	6	3	2	5	6	22	4	1	2	2	7	7	6	7	14	23	24	39	31	44	23	11	1	-	-	-	-	
189.1	腎盂	39	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	5	6	11	3	2	1	2	-	-	-	-	189.1
	男 M.	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	3	10	2	2	-	2	-	-	-	-	
	女 F.	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	3	1	1	-	1	-	-	-	-	-	
189.2	尿管	72	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	7	12	15	16	10	7	2	-	-	-	-	-	189.2
	男 M.	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	8	11	10	5	3	2	-	-	-	-	-	
	女 F.	26	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	4	4	6	5	4	-	-	-	-	-	-	
189.9	その他および詳細不明	51	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	11	5	12	7	3	4	-	2	-	-	-	189.9
	男 M.	19	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	2	5	3	1	1	-	-	-	-	-	
	女 F.	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	9	3	7	4	2	3	-	2	-	-	-	
(190～199)	その他および部位不明の悪性新生物	13 233	39	35	44	40	41	199	77	40	47	75	103	144	268	473	768	1 003	1 356	1 884	2 049	2 078	1 537	792	271	61	6	-	2	(190～199)
	男 M.	7 480	22	17	24	16	27	106	43	24	22	38	51	83	146	291	477	577	838	1 119	1 193	1 204	775	359	108	22	2	-	2	
	女 F.	5 753	17	18	20	24	14	93	34	16	25	37	52	61	122	182	291	426	518	765	856	874	762	433	163	39	4	-	-	
190	眼の悪性新生物	44	1	4	1	7	6	19	2	-	-	1	4	-	-	2	-	2	2	1	1	4	1	1	3	-	1	-	-	190
	男 M.	18	-	1	-	1	2	4	2	-	-	-	3	-	-	-	-	2	1	1	1	1	1	1	-	-	1	-	-	
	女 F.	26	1	3	1	6	4	15	-	-	-	1	1	-	-	2	-	-	1	-	-	3	-	-	3	-	-	-	-	
191	脳の悪性新生物	271	7	-	6	2	5	20	30	15	13	12	12	13	27	22	30	20	15	23	10	4	4	-	1	-	-	-	-	191
	男 M.	159	5	-	3	1	4	13	17	8	5	5	5	9	19	10	18	11	9	14	8	3	4	-	1	-	-	-	-	
	女 F.	112	2	-	3	1	1	7	13	7	8	7	7	4	8	12	12	9	6	9	2	1	-	-	-	-	-	-	-	
192	その他の神経系の悪性新生物	271	17	21	32	28	24	122	35	10	8	4	8	7	4	10	9	11	15	9	11	5	3	-	-	-	-	-	-	192
	男 M.	155	11	13	18	12	18	72	18	7	3	2	3	2	2	3	6	8	6	7	10	4	2	-	-	-	-	-	-	
	女 F.	116	6	8	14	16	6	50	17	3	5	2	5	5	2	7	3	3	9	2	1	1	1	-	-	-	-	-	-	
192.0	脳神経（視神経を含む）	11	1	-	-	-	-	1	-	-	2	1	1	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	192.0
	男 M.	8	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
192.1	脳髄膜	8	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	192.1
	男 M.	4	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	
192.2	脊髄	59	-	-	-	2	-	2	2	2	2	1	3	2	2	5	5	5	7	7	7	4	3	-	-	-	-	-	-	192.2
	男 M.	37	-	-	-	-	-	-	2	1	-	-	2	1	2	2	3	4	3	5	7	3	2	-	-	-	-	-	-	
	女 F.	22	-	-	-	2	-	2	-	1	2	1	1	1	-	3	2	1	4	2	-	1	1	-	-	-	-	-	-	
192.3	脊髄髄膜	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	192.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
192.4	末梢神経	19	-	1	-	-	-	1	-	-	2	-	1	3	1	3	1	1	2	-	3	1	-	-	-	-	-	-	-	192.4
	男 M.	9	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	2	1	-	-	-	-	-	-	-	-	
	女 F.	10	-	1	-	-	-	1	-	-	1	-	1	2	1	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
192.5	交感神経系	165	15	20	32	26	24	117	31	8	2	1	2	-	-	2	-	2	2	1	1	-	-	-	-	-	-	-	-	192.5
	男 M.	94	9	13	18	12	18	70	15	6	-	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	
	女 F.	71	6	7	14	14	6	47	16	2	2	-	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
192.9	部位不明	8	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-	192.9
	男 M.	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	
193	甲状腺の悪性新生物	511	-	-	-	-	-	-	-	1	1	1	-	5	4	8	25	34	44	85	80	99	65	41	9	8	1	-	-	193
	男 M.	133	-	-	-	-	-	-	-	1	-	1	-	1	1	3	11	11	14	20	19	28	13	5	3	2	-	-	-	
	女 F.	378	-	-	-	-	-	-	-	-	1	-	-	4	3	5	14	23	30	65	61	71	52	36	6	6	1	-	-	
194	その他の内分泌腺の悪性新生物	87	1	1	-	1	1	4	-	3	2	4	4	2	6	10	10	6	6	10	12	5	1	1	1	-	-	-	-	194
	男 M.	53	1	-	-	1	-	2	-	2	1	2	3	2	3	6	6	5	4	4	9	3	-	-	1	-	-	-	-	
	女 F.	34	-	1	-	-	1	2	-	1	1	2	1	-	3	4	4	1	2	6	3	2	1	1	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
194.0	副腎	34	-	-	-	1	-	1	-	1	-	-	-	-	3	3	3	3	3	6	4	4	1	1	1	-	-	-	-	194.0
	男 M.	19	-	-	-	1	-	1	-	-	-	-	-	-	2	1	1	3	2	3	2	3	-	-	1	-	-	-	-	
	女 F.	15	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	-	1	3	2	1	1	1	-	-	-	-	-	
194.1	上皮小体	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	194.1
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
194.2	胸腺	41	1	-	-	-	-	1	-	1	2	4	1	2	2	5	6	3	1	4	8	1	-	-	-	-	-	-	-	194.2
	男 M.	25	1	-	-	-	-	1	-	1	1	2	-	2	1	3	4	2	-	1	7	-	-	-	-	-	-	-	-	
	女 F.	16	-	-	-	-	-	-	-	-	1	2	1	-	1	2	2	1	1	3	1	1	-	-	-	-	-	-	-	
194.3	下垂体および頭蓋咽頭管	7	-	-	-	-	1	1	-	1	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	194.3
	男 M.	5	-	-	-	-	1	1	-	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
194.4	松果体	3	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194.4
	男 M.	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
194.8	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194.8
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
194.9	詳細不明の内分泌腺	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	194.9
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
195	その他の不明確な部位の悪性新生物	890	5	3	4	-	1	13	5	6	10	14	8	15	21	30	45	44	70	102	114	140	119	88	36	8	2	-	-	195
	男 M.	432	1	1	2	-	-	4	3	4	5	7	2	10	8	15	26	20	41	48	63	74	50	34	15	2	1	-	-	
	女 F.	458	4	2	2	-	1	9	2	2	5	7	6	5	13	15	19	24	29	54	51	66	69	54	21	6	1	-	-	
195.0	腹部癌，腹腔癌	412	3	2	3	-	1	9	1	2	2	1	2	9	12	12	17	15	30	48	52	66	69	49	12	4	-	-	-	195.0
	男 M.	170	1	-	2	-	-	3	1	1	-	-	1	5	4	6	10	7	15	18	25	28	27	14	5	-	-	-	-	
	女 F.	242	2	2	1	-	1	6	-	1	2	1	1	4	8	6	7	8	15	30	27	38	42	35	7	4	-	-	-	
195.1	骨盤，骨盤臓器，直腸膣中隔	54	-	-	-	-	-	-	1	1	-	-	1	-	1	6	6	6	5	7	6	8	2	2	2	-	-	-	-	195.1
	男 M.	18	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	1	3	1	5	2	-	-	-	-	-	-	
	女 F.	36	-	-	-	-	-	-	-	1	-	-	1	-	1	4	5	4	4	4	5	3	-	2	2	-	-	-	-	
195.9	その他	424	2	1	1	-	-	4	3	3	8	13	5	6	8	12	22	23	35	47	56	66	48	37	22	4	2	-	-	195.9
	男 M.	244	-	1	-	-	-	1	1	3	5	7	1	5	4	7	15	11	25	27	37	41	21	20	10	2	1	-	-	
	女 F.	180	2	-	1	-	-	3	2	-	3	6	4	1	4	5	7	12	10	20	19	25	27	17	12	2	1	-	-	
196	続発および詳細不明のリンパ節の悪性新生物	115	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	9	11	11	21	20	21	11	2	1	-	-	-	196
	男 M.	60	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	5	8	9	9	12	8	1	-	-	-	-	
	女 F.	55	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	7	6	3	12	11	9	3	1	1	-	-	-	
196.0	頭，顔および頸	62	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	5	5	7	10	9	15	5	-	-	-	-	-	196.0
	男 M.	40	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	6	5	6	10	5	-	-	-	-	-	
	女 F.	22	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	2	1	5	3	5	-	-	-	-	-	-	
196.1	胸腔内	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	196.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
196.2	腹腔内	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	-	-	-	-	-	-	196.2
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	
196.3	腋窩および上肢	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	1	-	1	-	-	-	-	196.3
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	
196.4	そけいおよび下肢	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	3	2	-	-	-	-	-	196.4
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
196.7	その他の明示された部位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196.7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
196.8	多部位	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	1	-	-	-	196.8
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	
196.9	部位不明	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	6	4	1	3	-	-	-	-	-	196.9
	男 M.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	1	-	2	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	1	1	-	-	-	-	-	
197	続発性の呼吸器および消化器の悪性新生物	10 307	7	4	1	2	3	17	4	3	9	29	48	86	179	344	596	813	1 092	1 532	1 699	1 701	1 264	634	210	44	1	-	2	197
	男 M.	6 091	4	2	1	1	2	10	2	2	5	15	28	52	104	232	390	492	703	952	1 015	1 029	657	300	83	18	-	-	2	
	女 F.	4 216	3	2	-	1	1	7	2	1	4	14	20	34	75	112	206	321	389	580	684	672	607	334	127	26	1	-	-	
197.0	肺（続発と明示されたもの）	173	-	-	-	-	-	-	-	-	-	4	5	1	7	7	21	8	16	29	22	28	17	5	3	-	-	-	-	197.0
	男 M.	97	-	-	-	-	-	-	-	-	-	2	1	-	5	3	9	3	7	21	15	15	13	3	-	-	-	-	-	
	女 F.	76	-	-	-	-	-	-	-	-	-	2	4	1	2	4	12	5	9	8	7	13	4	2	3	-	-	-	-	
197.1	縦隔（続発と明示されたもの）	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	197.1
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
197.2	胸膜（続発と明示されたもの）	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	2	1	3	-	-	-	-	-	-	197.2
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-	2	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	1	-	-	-	-	-	-	
197.3	その他の呼吸器（続発と明示されたもの）	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	197.3
	男 M.	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
197.4	小腸（十二指腸を含む），（続発と明示されたもの）	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	197.4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
197.5	大腸および直腸（続発と明示されたもの）	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	1	3	3	1	-	-	-	-	-	197.5
	男 M.	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	2	1	1	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	2	-	-	-	-	-	-	
197.6	腹膜（続発と明示されたもの）	1 123	-	-	-	-	-	-	1	1	1	6	8	27	33	43	73	98	117	170	163	178	119	59	23	3	-	-	-	197.6
	男 M.	434	-	-	-	-	-	-	1	-	1	2	2	11	10	15	29	30	51	72	70	81	35	15	9	-	-	-	-	
	女 F.	689	-	-	-	-	-	-	-	1	-	4	6	16	23	28	44	68	66	98	93	97	84	44	14	3	-	-	-	
197.7	肝（続発と明示されたもの）	134	-	-	-	-	-	-	-	-	-	1	1	-	3	2	11	11	21	26	21	21	11	3	2	-	-	-	-	197.7
	男 M.	87	-	-	-	-	-	-	-	-	-	-	1	-	1	2	7	8	15	18	12	12	9	2	-	-	-	-	-	
	女 F.	47	-	-	-	-	-	-	-	-	-	1	-	-	2	-	4	3	6	8	9	9	2	1	2	-	-	-	-	
197.8	肝（原発，続発別不明）	8 811	7	4	1	2	3	17	3	2	7	18	34	57	134	291	488	693	928	1 296	1 483	1 462	1 107	565	182	41	1	-	2	197.8
	男 M.	5 428	4	2	1	1	2	10	1	2	3	11	24	40	87	211	342	450	624	835	911	912	593	278	74	18	-	-	2	
	女 F.	3 383	3	2	-	1	1	7	2	-	4	7	10	17	47	80	146	243	304	461	572	550	514	287	108	23	1	-	-	
197.9	その他の消化器（続発と明示されたもの）	33	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	9	7	8	4	-	-	-	-	-	-	197.9
	男 M.	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	6	5	7	4	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-	-	-	-	-	-	
198	その他の続発性悪性新生物	428	-	-	-	-	-	-	1	-	2	5	8	8	17	30	31	39	68	63	62	53	33	5	3	-	-	-	-	198
	男 M.	219	-	-	-	-	-	-	1	-	1	4	1	3	4	11	10	16	39	37	36	31	19	4	2	-	-	-	-	
	女 F.	209	-	-	-	-	-	-	-	-	1	1	7	5	13	19	21	23	29	26	26	22	14	1	1	-	-	-	-	
198.0	膀胱（続発と明示されたもの）	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2	1	-	-	-	-	-	-	198.0
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	
198.1	その他の泌尿器（続発と明示されたもの）	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	1	-	-	-	-	-	-	-	198.1
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
198.2	皮膚（続発と明示されたもの）……	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	4	3	1	-	1	-	-	-	-	198.2
	男 M.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	-	-	1	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	1	-	-	-	-	-	-	
198.3	脳（続発と明示されたもの）……	55	-	-	-	-	-	-	-	-	-	1	-	-	2	10	6	9	8	8	6	3	2	-	-	-	-	-	-	198.3
	男 M.	30	-	-	-	-	-	-	-	-	-	1	-	-	1	5	3	3	4	6	4	3	-	-	-	-	-	-	-	
	女 F.	25	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	6	4	2	2	-	2	-	-	-	-	-	-	
198.4	その他の神経系の部位（続発と明示されたもの）…	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	7	5	1	1	2	-	-	-	-	-	-	198.4
	男 M.	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	1	1	1	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	1	-	-	-	-	-	-	
198.5	骨（続発と明示されたもの）……	160	-	-	-	-	-	-	1	-	-	3	3	2	2	6	15	13	22	19	29	26	16	3	-	-	-	-	-	198.5
	男 M.	90	-	-	-	-	-	-	1	-	-	3	-	2	-	5	6	7	15	10	15	14	10	2	-	-	-	-	-	
	女 F.	70	-	-	-	-	-	-	-	-	-	-	3	-	2	1	9	6	7	9	14	12	6	1	-	-	-	-	-	
198.9	その他の部位（続発と明示されたもの）……	164	-	-	-	-	-	-	-	-	2	1	5	6	12	11	8	13	25	27	22	17	11	7	2	-	-	-	-	198.9
	男 M.	68	-	-	-	-	-	-	-	-	1	-	1	1	3	1	-	4	10	13	13	10	8	2	1	-	-	-	-	
	女 F.	96	-	-	-	-	-	-	-	-	1	1	4	5	9	10	8	9	15	14	9	7	3	-	1	-	-	-	-	
199	部位の明示されない悪性新生物……	309	1	2	-	-	1	4	-	2	2	5	10	7	9	13	21	25	33	48	39	47	26	11	6	-	1	-	-	199
	男 M.	160	-	-	-	-	1	1	-	-	2	2	6	3	4	8	9	10	16	28	23	22	17	7	2	-	-	-	-	
	女 F.	149	1	2	-	-	-	3	-	2	-	3	4	4	5	5	12	15	17	20	16	25	9	4	4	-	1	-	-	
199.0	多部位……	82	-	-	-	-	-	-	-	-	-	2	1	2	2	4	7	8	9	13	12	11	6	3	1	-	1	-	-	199.0
	男 M.	36	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	4	6	7	5	3	3	-	-	-	-	-	
	女 F.	46	-	-	-	-	-	-	-	-	-	2	1	2	1	1	4	7	5	7	5	6	3	-	1	-	1	-	-	
199.1	その他……	227	1	2	-	-	1	4	-	2	2	3	9	5	7	9	14	17	24	35	27	36	20	8	5	-	-	-	-	199.1
	男 M.	124	-	-	-	-	1	1	-	-	2	2	6	3	3	5	6	9	12	22	16	17	14	4	2	-	-	-	-	
	女 F.	103	1	2	-	-	-	3	-	2	-	1	3	2	4	4	8	8	12	13	11	19	6	4	3	-	-	-	-	
(200～209)	リンパ組織および造血組織の新生物……	7 027	66	63	77	82	102	390	351	226	254	304	293	329	359	455	463	477	652	660	693	583	374	126	30	8	-	-	-	(200～209)
	男 M.	4 070	36	34	38	48	55	211	209	131	155	179	167	169	213	278	259	267	372	401	409	347	216	70	13	4	-	-	-	
	女 F.	2 957	30	29	39	34	47	179	142	95	99	125	126	160	146	177	204	210	280	259	284	236	158	56	17	4	-	-	-	
200	リンパ肉腫および細網肉腫……	1 352	5	3	4	5	5	22	29	23	30	44	29	48	62	78	100	109	142	161	161	159	107	35	9	4	-	-	-	200
	男 M.	862	2	2	2	4	2	12	20	16	24	28	19	23	46	60	63	66	79	121	96	92	69	23	3	2	-	-	-	
	女 F.	490	3	1	2	1	3	10	9	7	6	16	10	25	16	18	37	43	63	40	65	67	38	12	6	2	-	-	-	
200.0	細網肉腫……	895	3	2	4	3	4	16	15	12	14	28	24	30	47	54	73	74	98	117	114	98	58	18	5	-	-	-	-	200.0
	男 M.	571	1	1	2	2	1	7	9	6	11	18	15	15	33	41	48	46	56	93	62	57	39	14	1	-	-	-	-	
	女 F.	324	2	1	2	1	3	9	6	6	3	10	9	15	14	13	25	28	42	24	52	41	19	4	4	-	-	-	-	
200.1	リンパ肉腫……	457	2	1	-	2	1	6	14	11	16	16	5	18	15	24	27	35	44	44	47	61	49	17	4	4	-	-	-	200.1
	男 M.	291	1	1	-	2	1	5	11	10	13	10	4	8	13	19	15	20	23	28	34	35	30	9	2	2	-	-	-	
	女 F.	166	1	-	-	-	-	1	3	1	3	6	1	10	2	5	12	15	21	16	13	26	19	8	2	2	-	-	-	
201	ホジキン病……	408	-	-	-	-	-	-	3	6	5	8	12	9	13	24	27	32	56	55	49	57	36	13	3	-	-	-	-	201
	男 M.	272	-	-	-	-	-	-	3	5	3	8	9	5	7	17	17	25	39	39	38	34	16	5	2	-	-	-	-	
	女 F.	136	-	-	-	-	-	-	-	1	2	-	3	4	6	7	10	7	17	16	11	23	20	8	1	-	-	-	-	
202	その他のリンパ組織の新生物……	806	1	2	5	5	4	17	26	18	16	17	31	20	28	46	56	67	94	91	110	81	50	29	6	3	-	-	-	202
	男 M.	504	-	1	3	2	4	10	25	9	12	9	24	11	19	23	32	42	55	62	70	54	30	13	3	1	-	-	-	
	女 F.	302	1	1	2	3	-	7	1	9	4	8	7	9	9	23	24	25	39	29	40	27	20	16	3	2	-	-	-	
202.0	巨大濾胞リンパ腫……	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	202.0
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	
202.1	菌状息肉症……	22	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	3	3	3	8	-	-	-	-	-	-	-	-	202.1
	男 M.	15	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	3	1	1	5	-	-	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	
202.2	その他のリンパ組織の原発性悪性新生物……	762	1	2	5	5	4	17	26	18	16	17	29	19	28	44	53	63	89	86	98	75	48	29	5	2	-	-	-	202.2
	男 M.	478	-	1	3	2	4	10	25	9	12	9	22	11	19	21	30	39	52	59	64	52	29	13	2	-	-	-	-	
	女 F.	284	1	1	2	3	-	7	1	9	4	8	7	8	9	23	23	24	37	27	34	23	19	16	3	2	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
202.9	その他の型のリンパ腺	17	-	-	-	-	-	-	-	-	-	-
	男 M.	9	-	-	-	-	-	-	-	-	-	-
	女 F.	8	-	-	-	-	-	-	-	-	-	-
203	多発骨髄腫	604	1	-	-	-	-	1	-	-	1	3
	男 M.	336	1	-	-	-	-	1	-	-	1	-
	女 F.	268	-	-	-	-	-	-	-	-	-	3
204	リンパ性白血病	339	6	5	6	18	17	52	47	30	26	13
	男 M.	179	4	2	3	11	8	28	24	17	11	8
	女 F.	160	2	3	3	7	9	24	23	13	15	5
204.0	急性	247	5	4	6	17	16	48	45	26	25	12
	男 M.	118	3	2	3	10	7	25	23	15	11	7
	女 F.	129	2	2	3	7	9	23	22	11	14	5
204.1	慢性	53	-	-	-	-	-	-	-	2	-	1
	男 M.	33	-	-	-	-	-	-	-	-	-	1
	女 F.	20	-	-	-	-	-	-	-	2	-	-
204.9	詳細不明	39	1	1	-	1	1	4	2	2	1	-
	男 M.	28	1	-	-	1	1	3	1	2	-	-
	女 F.	11	-	1	-	-	-	1	1	-	1	-
205	骨髄性白血病	2 027	12	19	25	20	26	102	87	65	112	147
	男 M.	1 103	7	13	13	12	16	61	50	35	68	87
	女 F.	924	5	6	12	8	10	41	37	30	44	60
205.0	急性	1 525	7	16	24	18	24	89	78	55	94	115
	男 M.	832	4	10	13	11	15	53	47	32	56	64
	女 F.	693	3	6	11	7	9	36	31	23	38	51
205.1	慢性	394	3	3	1	2	1	10	3	4	15	23
	男 M.	222	2	3	-	1	1	7	1	3	10	18
	女 F.	172	1	-	1	1	-	3	2	1	5	5
205.9	詳細不明	108	2	-	-	-	1	3	6	6	3	9
	男 M.	49	1	-	-	-	-	1	2	-	2	5
	女 F.	59	1	-	-	-	1	2	4	6	1	4
206	単球性白血病	118	1	2	4	1	1	9	4	2	7	10
	男 M.	75	1	-	3	-	1	5	2	1	3	4
	女 F.	43	-	2	1	1	-	4	2	1	4	6
206.0	急性	53	-	2	4	1	-	7	-	-	6	5
	男 M.	34	-	-	3	-	-	3	-	-	3	1
	女 F.	19	-	2	1	1	-	4	-	-	3	4
206.1	慢性	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
206.9	詳細不明	65	1	-	-	-	1	2	4	2	1	5
	男 M.	41	1	-	-	-	1	2	2	1	-	3
	女 F.	24	-	-	-	-	-	-	2	1	1	2
207	その他および詳細不明の白血病	1 324	40	32	33	33	49	187	155	82	57	59
	男 M.	716	21	16	14	19	24	94	85	48	33	33
	女 F.	608	19	16	19	14	25	93	70	34	24	26
207.0	急性白血病	819	23	22	22	25	38	130	124	63	41	39
	男 M.	438	12	11	10	13	18	64	68	41	25	23
	女 F.	381	11	11	12	12	20	66	56	22	16	16
207.1	慢性白血病	33	-	-	-	-	-	-	1	1	1	1
	男 M.	22	-	-	-	-	-	-	1	-	-	1
	女 F.	11	-	-	-	-	-	-	-	1	1	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
-	1	-	-	2	-	-	2	3	5	2	-	1	1	-	-	-	202.9
-	-	-	-	1	-	-	2	1	2	1	-	1	1	-	-	-	
-	1	-	-	1	-	-	-	2	3	1	-	-	-	-	-	-	
3	5	9	21	30	46	97	96	126	93	48	20	4	1	-	-	-	203
1	3	7	11	20	24	52	51	69	50	29	15	1	1	-	-	-	
2	2	2	10	10	22	45	45	57	43	19	5	3	-	-	-	-	
8	15	15	13	10	17	23	26	15	16	10	3	-	-	-	-	-	204
4	7	6	10	5	4	13	13	11	12	4	2	-	-	-	-	-	
4	8	9	3	5	13	10	13	4	4	6	1	-	-	-	-	-	
7	12	10	5	7	12	8	12	7	3	8	-	-	-	-	-	-	204.0
3	6	2	3	4	2	3	5	4	2	3	-	-	-	-	-	-	
4	6	8	2	3	10	5	7	3	1	5	-	-	-	-	-	-	
-	1	4	4	1	4	11	8	4	9	1	3	-	-	-	-	-	204.1
-	-	3	3	1	2	6	4	3	7	1	2	-	-	-	-	-	
-	1	1	1	-	2	5	4	1	2	-	1	-	-	-	-	-	
1	2	1	4	2	1	4	6	4	4	1	-	-	-	-	-	-	204.9
1	1	1	4	-	-	4	4	4	3	-	-	-	-	-	-	-	
-	1	-	-	2	1	-	2	-	1	1	-	-	-	-	-	-	
150	158	172	176	140	132	157	129	133	93	63	10	1	-	-	-	-	205
79	83	95	107	73	62	90	58	68	55	28	4	-	-	-	-	-	
71	75	77	69	67	70	67	71	65	38	35	6	1	-	-	-	-	
97	114	121	136	103	99	120	97	101	60	41	5	-	-	-	-	-	205.0
46	60	66	81	58	49	71	44	55	34	14	2	-	-	-	-	-	
51	54	55	55	45	50	49	53	46	26	27	3	-	-	-	-	-	
43	37	46	35	27	31	28	20	28	24	15	4	1	-	-	-	-	205.1
29	20	27	22	9	13	17	9	12	15	8	2	-	-	-	-	-	
14	17	19	13	18	18	11	11	16	9	7	2	1	-	-	-	-	
10	7	5	5	10	2	9	12	4	9	7	1	-	-	-	-	-	205.9
4	3	2	4	6	-	2	5	1	6	6	-	-	-	-	-	-	
6	4	3	1	4	2	7	7	3	3	1	1	-	-	-	-	-	
8	5	5	10	9	7	5	13	5	7	9	1	2	-	-	-	-	206
4	4	4	5	6	6	4	11	4	6	4	-	2	-	-	-	-	
4	1	1	5	3	1	1	2	1	1	5	1	-	-	-	-	-	
5	2	4	5	2	2	4	6	2	1	-	-	2	-	-	-	-	206.0
3	2	3	3	1	2	3	5	2	1	-	-	2	-	-	-	-	
2	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	206.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	3	1	5	7	5	1	7	3	6	9	1	-	-	-	-	-	206.9
1	2	1	2	5	4	1	6	2	5	4	-	-	-	-	-	-	
2	1	-	3	2	1	-	1	1	1	5	1	-	-	-	-	-	
52	67	53	84	89	60	73	82	84	74	48	13	5	-	-	-	-	207
27	32	27	43	42	33	38	43	51	42	35	8	2	-	-	-	-	
25	35	26	41	47	27	35	39	33	32	13	5	3	-	-	-	-	
36	34	34	50	50	35	41	41	44	34	18	5	-	-	-	-	-	207.0
16	17	18	23	19	20	20	23	24	19	16	2	-	-	-	-	-	
20	17	16	27	31	15	21	18	20	15	2	3	-	-	-	-	-	
1	2	-	4	4	1	1	4	5	2	3	2	-	-	-	-	-	207.1
1	2	-	2	3	-	-	1	4	2	3	2	-	-	-	-	-	
-	-	-	2	1	1	1	3	1	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別　　昭和47年

(DETAILED LIST) BY SEX AND AGE　　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
207.2	急性赤血病	48	-	1	-	1	-	2	-	-	4	2
	男 M.	33	-	1	-	1	-	2	-	-	2	1
	女 F.	15	-	-	-	-	-	-	-	-	2	1
207.9	詳細不明の白血病	424	17	9	11	7	11	55	30	18	11	17
	男 M.	223	9	4	4	5	6	28	16	7	6	8
	女 F.	201	8	5	7	2	5	27	14	11	5	9
208	真性赤血球増加症	20	-	-	-	-	-	-	-	-	-	1
	男 M.	7	-	-	-	-	-	-	-	-	-	-
	女 F.	13	-	-	-	-	-	-	-	-	-	1
209	骨髄線維症	29	-	-	-	-	-	-	-	-	-	2
	男 M.	16	-	-	-	-	-	-	-	-	-	2
	女 F.	13	-	-	-	-	-	-	-	-	-	-
(210～228)	良性新生物	502	20	3	1	2	1	27	8	12	9	15
	男 M.	164	11	3	1	1	1	17	4	5	6	6
	女 F.	338	9	-	-	1	-	10	4	7	3	9
210	口腔および咽頭の良性新生物	5	-	-	-	-	-	-	1	1	-	-
	男 M.	2	-	-	-	-	-	-	1	-	-	-
	女 F.	3	-	-	-	-	-	-	-	1	-	-
211	その他の消化器系の良性新生物	94	2	1	-	-	-	3	1	1	-	1
	男 M.	34	2	1	-	-	-	3	1	-	-	-
	女 F.	60	-	-	-	-	-	-	-	1	-	1
211.0	食道	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
211.1	胃	30	-	-	-	-	-	-	-	-	-	-
	男 M.	9	-	-	-	-	-	-	-	-	-	-
	女 F.	21	-	-	-	-	-	-	-	-	-	-
211.2～211.7	その他	61	2	1	-	-	-	3	1	1	-	1
	男 M.	23	2	1	-	-	-	3	1	-	-	-
	女 F.	38	-	-	-	-	-	-	-	1	-	1
211.9	部位不明	2	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
212	呼吸器系の良性新生物	22	1	-	-	-	-	1	1	-	-	1
	男 M.	15	-	-	-	-	-	-	1	-	-	-
	女 F.	7	1	-	-	-	-	1	-	-	-	1
213	骨および軟骨の良性新生物	12	2	1	-	-	-	3	1	-	1	-
	男 M.	5	-	1	-	-	-	1	-	-	-	-
	女 F.	7	2	-	-	-	-	2	1	-	1	-
214	脂肪腫	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
215	その他の筋および結合織の良性新生物	8	-	-	-	-	-	-	-	-	1	1
	男 M.	6	-	-	-	-	-	-	-	-	1	1
	女 F.	2	-	-	-	-	-	-	-	-	-	-
216	皮膚の良性新生物	1	1	-	-	-	-	1	-	-	-	-
	男 M.	1	1	-	-	-	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
217	乳房の良性新生物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
-	4	-	4	3	8	6	6	6	1	1	1	-	-	-	-	-	207.2
-	2	-	3	2	7	1	5	6	1	1	-	-	-	-	-	-	
-	2	-	1	1	1	5	1	-	-	-	1	-	-	-	-	-	
13	27	19	26	32	16	25	31	29	37	26	5	5	-	-	-	-	207.9
10	11	9	15	18	6	17	14	17	20	15	4	2	-	-	-	-	
5	16	10	11	14	10	8	17	12	17	11	1	3	-	-	-	-	
-	1	1	2	-	1	2	2	5	2	3	-	-	-	-	-	-	208
-	1	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-	
-	-	-	1	-	-	2	1	5	1	2	-	-	-	-	-	-	
-	1	1	1	2	6	3	5	5	1	-	2	-	-	-	-	-	209
-	-	1	1	1	4	2	2	2	1	-	-	-	-	-	-	-	
-	1	-	-	1	2	1	3	3	-	-	2	-	-	-	-	-	
10	23	25	45	44	25	34	41	46	48	47	26	16	1	-	-	-	(210～228)
4	11	6	10	17	5	15	13	13	15	11	6	-	-	-	-	-	
6	12	19	35	27	20	19	28	33	33	36	20	16	1	-	-	-	
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	210
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
1	1	5	2	5	6	11	11	10	14	13	7	2	-	-	-	-	211
-	-	3	-	3	4	4	3	4	6	2	1	-	-	-	-	-	
1	1	2	2	2	2	7	8	6	8	11	6	2	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	211.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	1	-	1	1	4	3	6	6	5	3	-	-	-	-	-	211.1
-	-	1	-	-	-	2	1	2	2	-	1	-	-	-	-	-	
-	-	-	-	1	1	2	2	4	4	5	2	-	-	-	-	-	
1	1	3	2	4	5	7	7	4	8	7	4	2	-	-	-	-	211.2～211.7
-	-	1	-	3	4	2	2	2	4	1	-	-	-	-	-	-	
1	1	2	2	1	1	5	5	2	4	6	4	2	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	211.9
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	-	-	2	-	1	1	5	4	2	1	-	-	-	-	-	212
1	2	-	-	1	-	1	1	4	2	2	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	1	2	-	1	-	-	-	-	-	
-	-	2	1	1	-	1	-	1	-	1	-	-	-	-	-	-	213
-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	
-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	214
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	2	1	-	1	-	-	1	-	1	-	-	-	-	-	215
-	-	-	2	1	-	-	-	-	1	-	1	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	216
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	217
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
218	子宮の線維筋腫	83	-	-	-	-	-	-	-	-	-	1	-	2	3	19	13	7	2	3	9	6	11	-	6	1	-	-	-	218
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	83	-	-	-	-	-	-	-	-	-	1	-	2	3	19	13	7	2	3	9	6	11	-	6	1	-	-	-	
219	その他の子宮の良性新生物	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	219
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
220	卵巣の良性新生物	63	-	-	-	-	-	-	-	-	-	2	-	1	1	5	-	3	-	6	10	9	10	10	6	-	-	-	-	220
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	63	-	-	-	-	-	-	-	-	-	2	-	1	1	5	-	3	-	6	10	9	10	10	6	-	-	-	-	
221	その他の女性性器の良性新生物	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	221
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
222	男性性器の良性新生物	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	222
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
223	腎臓およびその他の泌尿器の良性新生物	22	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	5	-	4	4	7	2	-	-	-	-	223
	男 M.	12	1	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	4	-	1	2	1	-	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	2	-	-	-	
224	眼の良性新生物	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	224
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
225	脳およびその他の神経系の良性新生物	90	3	-	1	2	1	7	1	2	3	3	4	8	3	8	12	6	11	9	5	6	1	1	-	-	-	-	-	225
	男 M.	36	2	-	1	1	1	5	-	-	2	1	2	2	-	3	7	-	7	3	-	2	1	1	-	-	-	-	-	
	女 F.	54	1	-	-	1	-	2	1	2	1	2	2	6	3	5	5	6	4	6	5	4	-	-	-	-	-	-	-	
225.0	脳	26	2	-	-	2	1	5	1	1	1	1	3	4	1	-	2	2	4	-	1	-	-	-	-	-	-	-	-	225.0
	男 M.	12	2	-	-	1	1	4	-	-	1	-	1	1	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	
	女 F.	14	-	-	-	1	-	1	1	1	-	1	2	3	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	
225.1	脳神経（視神経を含む）	7	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	225.1
	男 M.	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
225.2	脳髄膜	38	-	-	-	-	-	-	-	-	-	-	-	3	2	7	6	4	5	7	-	4	-	-	-	-	-	-	-	225.2
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	-	2	2	-	1	-	-	-	-	-	-	-	
	女 F.	25	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	3	5	-	3	-	-	-	-	-	-	-	
225.3	脊髄	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	225.3
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
225.4	脊髄髄膜	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	225.4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
225.5	末梢神経	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	225.5
	男 M.	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
225.6	交感神経系	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	225.6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
225.9	部位不明	8	1	-	1	-	-	2	-	1	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	225.9
	男 M.	3	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	
	女 F.	5	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
226	内分泌腺の良性新生物	66	1	-	-	-	-	1	3	7	3	6	3	4	9	6	9	3	5	4	3	-	-	-	-	-	-	-	-	226
	男 M.	28	-	-	-	-	-	-	1	4	2	4	1	3	1	2	3	1	3	1	2	-	-	-	-	-	-	-	-	
	女 F.	38	1	-	-	-	-	1	2	3	1	2	2	1	8	4	6	2	2	3	1	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
227	血管腫およびリンパ管腫	26	8	1	-	-	-	9	-	1	-	-
	男 M.	18	4	1	-	-	-	5	-	1	-	-
	女 F.	8	4	-	-	-	-	4	-	-	-	-
228	その他ならびに詳細不明の臓器および組織の良性新生物	9	1	-	-	-	-	1	-	-	-	-
	男 M.	6	1	-	-	-	-	1	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
(230—239)	性質不詳の新生物	5 253	51	23	28	22	19	143	117	80	88	109
	男 M.	2 974	29	14	11	12	15	81	70	51	48	60
	女 F.	2 279	22	9	17	10	4	62	47	29	40	49
230	消化器の性質不詳の新生物	1 447	12	2	1	2	-	17	4	5	4	8
	男 M.	811	7	-	1	2	-	10	3	4	1	3
	女 F.	636	5	2	-	-	-	7	1	1	3	5
230.0	食道	51	-	-	-	-	-	-	-	-	-	-
	男 M.	31	-	-	-	-	-	-	-	-	-	-
	女 F.	20	-	-	-	-	-	-	-	-	-	-
230.1	胃	384	-	-	-	-	-	-	-	1	1	1
	男 M.	235	-	-	-	-	-	-	-	1	-	-
	女 F.	149	-	-	-	-	-	-	-	-	1	1
230.2	小腸	30	1	-	-	1	-	2	-	-	-	-
	男 M.	16	1	-	-	1	-	2	-	-	-	-
	女 F.	14	-	-	-	-	-	-	-	-	-	-
230.3	大腸（直腸を除く）	175	1	-	-	-	-	1	1	-	-	1
	男 M.	77	-	-	-	-	-	-	1	-	-	1
	女 F.	98	1	-	-	-	-	1	-	-	-	-
230.4	直腸	52	-	-	-	-	-	-	-	-	-	-
	男 M.	28	-	-	-	-	-	-	-	-	-	-
	女 F.	24	-	-	-	-	-	-	-	-	-	-
230.5	肝および胆路	483	7	2	1	-	-	10	1	1	2	3
	男 M.	268	3	-	1	-	-	4	1	1	1	-
	女 F.	215	4	2	-	-	-	6	-	-	1	3
230.6	膵臓	84	-	-	-	-	-	-	-	1	-	-
	男 M.	52	-	-	-	-	-	-	-	-	-	-
	女 F.	32	-	-	-	-	-	-	-	1	-	-
230.7	腹膜	177	3	-	-	1	-	4	2	2	1	3
	男 M.	97	3	-	-	1	-	4	1	2	-	2
	女 F.	80	-	-	-	-	-	-	1	-	1	1
230.9	部位不明	11	-	-	-	-	-	-	-	-	-	-
	男 M.	7	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	-
231	呼吸器の性質不詳の新生物	842	3	3	1	-	-	7	4	5	7	4
	男 M.	561	1	2	1	-	-	4	3	5	7	3
	女 F.	281	2	1	-	-	-	3	1	-	-	1
231.0	鼻，鼻腔，中耳および副鼻腔	39	-	-	-	-	-	-	1	-	-	1
	男 M.	29	-	-	-	-	-	-	-	-	-	1
	女 F.	10	-	-	-	-	-	-	1	-	-	-
231.1	喉頭	32	1	-	-	-	-	1	-	-	-	-
	男 M.	26	1	-	-	-	-	1	-	-	-	-
	女 F.	6	-	-	-	-	-	-	-	-	-	-
231.2	気管	3	-	-	-	-	-	-	-	-	-	-
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
1	4	1	2	-	-	1	1	2	2	1	1	-	-	-	-	-	227
-	3	1	2	-	-	-	1	2	2	-	1	-	-	-	-	-	
1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	1	3	3	-	-	-	-	-	228
-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	
192	127	170	206	257	337	418	568	640	683	644	370	161	40	3	-	-	(230—239)
56	82	97	108	130	182	239	338	406	415	353	180	66	12	-	-	-	
36	45	73	98	127	155	179	230	234	268	291	190	95	28	3	-	-	
7	13	30	33	56	82	119	184	185	235	251	134	67	12	1	-	-	230
4	6	19	24	31	44	73	117	118	133	132	62	23	4	-	-	-	
3	7	11	9	25	38	46	67	67	102	119	72	44	8	1	-	-	
-	-	1	1	-	4	9	6	7	6	7	6	3	1	-	-	-	230.0
-	-	1	1	-	1	6	6	6	3	4	3	-	-	-	-	-	
-	-	-	-	-	3	3	-	1	3	3	3	3	1	-	-	-	
-	2	7	7	14	22	25	52	43	69	75	41	21	3	-	-	-	230.1
-	1	4	6	7	14	18	36	29	47	38	23	9	2	-	-	-	
-	1	3	1	7	8	7	16	14	22	37	18	12	1	-	-	-	
-	1	-	1	2	2	2	2	3	7	4	4	-	-	-	-	-	230.2
-	1	-	1	1	2	1	2	-	2	3	1	-	-	-	-	-	
-	-	-	-	1	-	1	-	3	5	1	3	-	-	-	-	-	
-	2	1	-	5	5	9	20	18	26	31	32	17	5	1	-	-	230.3
-	-	-	-	3	2	5	11	11	13	16	8	4	2	-	-	-	
-	2	1	-	2	3	4	9	7	13	15	24	13	3	1	-	-	
-	1	2	-	1	1	2	6	8	7	12	7	5	-	-	-	-	230.4
-	1	-	-	1	-	1	3	6	3	5	5	3	-	-	-	-	
-	-	2	-	-	1	1	3	2	4	7	2	2	-	-	-	-	
6	3	9	16	19	26	46	62	68	79	85	28	16	3	-	-	-	230.5
3	1	7	10	11	16	25	40	38	43	50	13	4	-	-	-	-	
3	2	2	6	8	10	21	22	30	36	35	15	12	3	-	-	-	
-	-	2	1	2	10	10	14	17	12	9	6	-	-	-	-	-	230.6
-	-	1	1	2	4	8	6	15	6	4	5	-	-	-	-	-	
-	-	1	-	-	6	2	8	2	6	5	1	-	-	-	-	-	
1	4	8	7	13	12	16	22	19	29	23	8	3	-	-	-	-	230.7
1	2	6	5	6	5	9	13	11	16	9	3	2	-	-	-	-	
-	2	2	2	7	7	7	9	8	13	14	5	1	-	-	-	-	
-	-	-	-	-	-	-	-	2	-	5	2	2	-	-	-	-	230.9
-	-	-	-	-	-	-	-	2	-	3	1	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	
6	13	7	16	33	42	68	103	173	170	103	61	16	4	-	-	-	231
5	7	4	9	18	30	46	68	116	122	64	40	8	2	-	-	-	
1	6	3	7	15	12	22	35	57	48	39	21	8	2	-	-	-	
1	3	1	1	2	4	5	3	6	4	6	1	-	-	-	-	-	231.0
1	3	1	1	1	2	5	2	5	3	4	-	-	-	-	-	-	
-	-	-	-	1	2	-	1	1	1	2	1	-	-	-	-	-	
-	-	-	2	1	1	4	3	7	4	4	3	2	-	-	-	-	231.1
-	-	-	1	1	1	4	3	7	3	1	3	1	-	-	-	-	
-	-	-	1	-	-	-	-	-	1	3	-	1	-	-	-	-	
-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	231.2
-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
231.3	気管支および肺	418	-	-	-	-	-	-	-	1	2	-	1	7	5	7	15	15	30	50	94	91	54	35	9	2	-	-	-	231.3
	男 M.	271	-	-	-	-	-	-	-	1	2	-	-	3	2	5	7	8	16	33	63	67	35	24	4	1	-	-	-	
	女 F.	147	-	-	-	-	-	-	-	-	-	-	1	4	3	2	8	7	14	17	31	24	19	11	5	1	-	-	-	
231.4	胸膜	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	4	-	-	-	-	-	-	-	231.4
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-	-	-	-	
231.5	縦隔	329	2	3	1	-	-	6	3	4	4	3	4	3	1	5	15	18	27	43	62	67	36	21	5	2	-	-	-	231.5
	男 M.	219	-	2	1	-	-	3	3	4	4	2	4	1	1	2	9	16	19	27	39	47	22	12	3	1	-	-	-	
	女 F.	110	2	1	-	-	-	3	-	-	-	1	-	2	-	3	6	2	8	16	23	20	14	9	2	1	-	-	-	
231.9	部位不明	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	-	3	-	-	-	-	-	-	231.9
	男 M.	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
232	皮膚および筋骨格系の性質不詳の新生物	158	3	-	-	-	-	3	2	1	1	-	3	1	2	9	10	9	14	18	27	24	20	7	4	3	-	-	-	232
	男 M.	87	2	-	-	-	-	2	1	-	1	-	-	-	1	4	7	3	7	8	17	16	12	5	1	2	-	-	-	
	女 F.	71	1	-	-	-	-	1	1	1	-	-	3	1	1	5	3	6	7	10	10	8	8	2	3	1	-	-	-	
232.0	骨および軟骨	132	1	-	-	-	-	1	1	1	1	-	2	1	1	8	10	8	12	18	21	20	19	4	2	2	-	-	-	232.0
	男 M.	74	1	-	-	-	-	1	-	-	1	-	-	-	1	4	7	3	7	8	14	12	11	3	-	2	-	-	-	
	女 F.	58	-	-	-	-	-	-	1	1	-	-	2	1	-	4	3	5	5	10	7	8	8	1	2	-	-	-	-	
232.1	筋および結合織	16	2	-	-	-	-	2	1	-	-	-	1	-	1	-	-	-	2	-	2	3	1	2	1	-	-	-	-	232.1
	男 M.	9	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	-	-	-	
	女 F.	7	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	1	1	-	-	-	-	
232.2	皮膚	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	1	-	1	1	1	-	-	-	232.2
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	-	1	-	-	-	
233	乳房の性質不詳の新生物	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	-	1	2	1	1	-	-	1	-	-	233
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	15	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	-	1	2	1	1	-	-	1	-	-	
234	子宮の性質不詳の新生物	24	-	-	-	-	-	-	-	-	-	-	-	1	2	4	-	4	-	2	1	2	5	4	1	2	-	-	-	234
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	24	-	-	-	-	-	-	-	-	-	-	-	1	2	4	-	4	-	2	1	2	5	4	1	2	-	-	-	
235	卵巣の性質不詳の新生物	45	-	-	-	-	1	1	-	-	-	2	1	-	2	2	-	3	6	4	-	8	6	7	3	-	-	-	-	235
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	45	-	-	-	-	1	1	-	-	-	2	1	-	2	2	-	3	6	4	-	8	6	7	3	-	-	-	-	
236	その他の女性性器の性質不詳の新生物	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	236
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
237	その他の性尿器の性質不詳の新生物	534	7	-	-	-	1	8	-	1	3	5	3	4	6	5	14	28	35	58	76	91	107	60	25	5	-	-	-	237
	男 M.	350	4	-	-	-	1	5	-	1	2	4	3	4	4	3	10	18	18	43	51	60	72	35	14	3	-	-	-	
	女 F.	184	3	-	-	-	-	3	-	-	1	1	-	-	2	2	4	10	17	15	25	31	35	25	11	2	-	-	-	
237.0	睾丸	17	-	-	-	-	1	1	-	-	1	3	3	3	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-	237.0
	男 M.	17	-	-	-	-	1	1	-	-	1	3	3	3	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
237.1	陰茎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	237.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
237.2	その他および詳細不明の男性性器	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	237.2
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
237.3	腎臓（腎盂を除く）	179	6	-	-	-	-	6	-	1	1	2	-	1	2	2	7	19	16	19	27	24	30	18	4	-	-	-	-	237.3
	男 M.	98	3	-	-	-	-	3	-	1	1	1	-	-	1	1	3	10	8	14	18	14	13	9	1	-	-	-	-	
	女 F.	81	3	-	-	-	-	3	-	-	-	1	-	1	-	2	1	4	9	8	5	9	10	17	9	3	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
237.4	腎盂	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	2	1	-	-	-	-	-	237.4
	男 M.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	1	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	
237.5	尿管	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	1	1	-	-	-	-	-	237.5
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	-	-	-	-	
237.6	膀胱	306	1	-	-	-	-	1	-	-	1	-	-	-	1	3	5	8	15	31	44	62	71	39	20	5	-	-	-	237.6
	男 M.	217	1	-	-	-	-	1	-	-	-	-	-	-	1	2	5	7	7	23	30	46	54	26	12	3	-	-	-	
	女 F.	89	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	8	8	14	16	17	13	8	2	-	-	-	
237.9	その他および部位不明の泌尿器	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	1	-	1	1	-	-	-	-	237.9
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	
238	眼，脳およびその他の神経系の性質不詳の新生物	1 543	14	15	20	19	16	84	100	64	68	83	68	87	109	119	124	150	137	138	91	59	42	17	3	-	-	-	-	238
	男 M.	852	8	9	7	9	13	46	61	37	34	45	42	60	64	60	55	78	76	64	55	35	26	12	2	-	-	-	-	
	女 F.	691	6	6	13	10	3	38	39	27	34	38	26	27	45	59	69	72	61	74	36	24	16	5	1	-	-	-	-	
238.0	眼	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	238.0
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	
238.1	脳	1 372	14	15	20	18	15	82	95	61	68	77	65	81	103	110	115	134	123	120	68	34	26	9	1	-	-	-	-	238.1
	男 M.	753	8	9	7	8	13	45	60	36	34	41	41	55	61	53	53	72	69	55	42	17	15	4	-	-	-	-	-	
	女 F.	619	6	6	13	10	2	37	35	25	34	36	24	26	42	57	62	62	54	65	26	17	11	5	1	-	-	-	-	
238.2	脳神経（視神経を含む）	20	-	-	-	-	-	-	1	2	-	1	-	1	2	3	2	4	1	2	1	-	-	-	-	-	-	-	-	238.2
	男 M.	6	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	14	-	-	-	-	-	-	1	2	-	-	-	-	1	2	2	3	1	2	-	-	-	-	-	-	-	-	-	
238.3	脳髄膜	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	238.3
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
238.4	脊髄	143	-	-	-	1	-	1	4	1	-	5	3	5	4	6	7	10	13	15	21	23	16	7	2	-	-	-	-	238.4
	男 M.	90	-	-	-	1	-	1	1	1	-	3	1	4	2	6	2	5	7	9	12	16	11	7	2	-	-	-	-	
	女 F.	53	-	-	-	-	-	-	3	-	-	2	2	1	2	-	5	5	6	6	9	7	5	-	-	-	-	-	-	
238.5	脊髄髄膜	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	238.5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
238.6	末梢神経	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	238.6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
238.7	交感神経系	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	238.7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
238.9	部位不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	238.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
239	その他および詳細不明の臓器の性質不詳の新生物	644	12	3	6	1	1	23	7	4	5	7	4	8	11	20	16	21	33	62	85	89	110	81	41	16	1	-	-	239
	男 M.	313	7	3	2	1	1	14	2	4	3	5	2	5	5	8	9	9	19	38	49	49	47	26	18	1	-	-	-	
	女 F.	331	5	-	4	-	-	9	5	-	2	2	2	3	6	12	7	12	14	24	36	40	63	55	23	15	1	-	-	
239.0	口腔および咽頭	96	3	-	-	-	-	3	1	-	-	-	1	2	6	4	4	5	7	18	15	14	9	4	2	1	-	-	-	239.0
	男 M.	74	2	-	-	-	-	2	-	-	-	-	-	2	4	4	4	3	7	14	12	12	6	2	2	-	-	-	-	
	女 F.	22	1	-	-	-	-	1	1	-	-	-	1	-	2	-	-	2	-	4	3	2	3	2	-	1	-	-	-	
239.1	内分泌腺	55	1	1	4	-	1	7	2	4	5	4	2	1	1	1	1	1	2	5	5	5	3	4	1	1	-	-	-	239.1
	男 M.	32	-	1	1	-	1	3	2	4	3	4	2	1	1	-	1	1	1	1	3	3	2	-	-	-	-	-	-	
	女 F.	23	1	-	3	-	-	4	-	-	2	-	-	-	-	1	-	-	1	4	2	2	1	4	1	1	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
239.9	その他および部位不明	493	8	2	2	1	-	13	4	-	-	3
	男 M.	207	5	2	1	1	-	9	-	-	-	1
	女 F.	286	3	-	1	-	-	4	4	-	-	2
III	内分泌，栄養および代謝の疾患	9 209	175	21	15	8	9	228	21	29	52	74
	男 M.	4 476	108	13	8	6	3	138	13	12	26	25
	女 F.	4 733	67	8	7	2	6	90	8	17	26	49
(240—246)	甲状腺の疾患	202	1	1	-	-	-	2	-	2	3	4
	男 M.	49	-	1	-	-	-	1	-	1	1	-
	女 F.	153	1	-	-	-	-	1	-	1	2	4
240	単純性甲状腺腫	27	-	-	-	-	-	-	-	1	-	-
	男 M.	4	-	-	-	-	-	-	-	1	-	-
	女 F.	23	-	-	-	-	-	-	-	-	-	-
241	非中毒性結節性甲状腺腫	3	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
242	甲状腺腫を伴うまたは伴わない甲状腺中毒症	131	-	1	-	-	-	1	-	1	3	3
	男 M.	34	-	1	-	-	-	1	-	-	1	-
	女 F.	97	-	-	-	-	-	-	-	1	2	3
242.0	中毒性びまん性甲状腺腫	63	-	-	-	-	-	-	-	-	3	1
	男 M.	16	-	-	-	-	-	-	-	-	1	-
	女 F.	47	-	-	-	-	-	-	-	-	2	1
242.1	中毒性結節性甲状腺腫	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
242.2	甲状腺腫の記載のない甲状腺中毒症	68	-	1	-	-	-	1	-	1	-	2
	男 M.	18	-	1	-	-	-	1	-	-	-	-
	女 F.	50	-	-	-	-	-	-	-	1	-	2
243	先天性クレチン病	4	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	1
244	粘液水腫	33	1	-	-	-	-	1	-	-	-	-
	男 M.	9	-	-	-	-	-	-	-	-	-	-
	女 F.	24	1	-	-	-	-	1	-	-	-	-
245	甲状腺炎	2	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
246	その他の甲状腺の疾患	2	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
(250—258)	その他の内分泌腺の疾患	8 160	48	4	4	3	1	60	12	17	26	60
	男 M.	3 952	34	2	3	2	-	41	9	6	12	19
	女 F.	4 208	14	2	1	1	1	19	3	11	14	41
250	糖尿病	7 875	3	1	1	-	1	6	6	15	18	50
	男 M.	3 821	3	1	1	-	-	5	4	5	9	16
	女 F.	4 054	-	-	-	-	1	1	2	10	9	34
251	糖尿病以外の膵臓性内分泌障害	63	29	-	-	-	-	29	-	-	-	-
	男 M.	42	24	-	-	-	-	24	-	-	-	-
	女 F.	21	5	-	-	-	-	5	-	-	-	-
252	上皮小体の疾患	4	-	1	-	-	-	1	-	-	-	-
	男 M.	1	-	1	-	-	-	1	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
1	5	4	15	11	15	24	39	65	70	98	73	38	14	1	-	-	239.9
-	2	-	4	4	5	11	23	34	34	39	24	16	1	-	-	-	
1	3	4	11	7	10	13	16	31	36	59	49	22	13	1	-	-	
96	131	193	255	330	389	733	1 111	1 481	1 752	1 360	680	237	50	7	-	-	III
39	54	100	156	189	191	368	553	702	838	630	321	102	18	1	-	-	
57	77	93	99	141	198	365	558	779	914	730	359	135	32	6	-	-	
18	16	13	19	26	16	19	15	17	17	9	4	2	-	-	-	-	(240—246)
7	3	4	5	8	3	7	2	3	2	1	-	1	-	-	-	-	
11	13	9	14	18	13	12	13	14	15	8	4	1	-	-	-	-	
-	1	1	1	3	3	1	1	5	4	2	2	2	-	-	-	-	240
-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
-	-	1	1	3	3	-	1	5	4	2	2	1	-	-	-	-	
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	241
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
14	13	11	15	20	11	15	11	5	4	4	-	-	-	-	-	-	242
5	2	3	5	7	2	4	2	1	1	-	-	-	-	-	-	-	
9	11	8	10	13	9	11	9	4	3	4	-	-	-	-	-	-	
9	8	3	8	14	4	4	5	-	2	2	-	-	-	-	-	-	242.0
3	1	1	3	4	1	-	2	-	-	-	-	-	-	-	-	-	
6	7	2	5	10	3	4	3	-	2	2	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	242.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	5	8	7	6	7	11	6	5	2	2	-	-	-	-	-	-	242.2
2	1	2	2	3	1	4	-	1	1	-	-	-	-	-	-	-	
3	4	6	5	3	6	7	6	4	1	2	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	243
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	
3	1	-	2	3	2	1	2	7	7	2	2	-	-	-	-	-	244
2	-	-	-	1	1	1	-	2	1	1	-	-	-	-	-	-	
1	1	-	2	2	1	-	2	5	6	1	2	-	-	-	-	-	
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	245
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	246
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
66	97	159	217	263	343	653	1 036	1 417	1 652	1 279	589	180	31	3	-	-	(250—258)
23	41	83	134	153	173	322	508	674	783	592	285	81	12	1	-	-	
43	56	76	83	110	170	331	528	743	869	687	304	99	19	2	-	-	
56	90	135	199	248	323	622	1 012	1 400	1 631	1 265	585	180	31	3	-	-	250
21	39	76	123	145	163	316	495	666	776	585	283	81	12	1	-	-	
35	51	59	76	103	160	306	517	734	855	680	302	99	19	2	-	-	
-	-	5	2	1	2	7	2	5	4	5	1	-	-	-	-	-	251
-	-	4	2	1	1	3	1	3	3	-	-	-	-	-	-	-	
-	-	1	-	-	1	4	1	2	1	5	1	-	-	-	-	-	
-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	252
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
253	下垂体の疾患	47	-	-	-	-	-	-	-	1	3	6	4	2	6	5	2	2	6	2	3	3	1	1	-	-	-	-	-	253
	男 M.	8	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	1	1	-	1	-	1	-	-	-	-	-	-	
	女 F.	39	-	-	-	-	-	-	-	-	3	4	4	2	6	3	2	1	5	2	2	3	-	1	-	-	-	-	-	
254	胸腺の疾患	14	1	-	1	2	-	4	3	-	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	254
	男 M.	8	-	-	1	1	-	2	2	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	6	1	-	-	1	-	2	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
255	副腎の疾患	133	15	2	2	-	-	19	3	-	3	3	1	3	9	10	9	13	14	18	7	13	6	2	-	-	-	-	-	255
	男 M.	64	7	-	1	-	-	8	3	-	1	-	1	2	3	6	6	8	2	11	3	4	4	2	-	-	-	-	-	
	女 F.	69	8	2	1	-	-	11	-	-	2	3	-	1	6	4	3	5	12	7	4	9	2	-	-	-	-	-	-	
256	卵巣機能障害	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	256
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
257	睾丸機能障害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	257
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
258	多腺性機能障害およびその他の内分泌腺の疾患	23	-	-	-	1	-	1	-	1	1	-	2	2	2	1	1	3	4	1	1	1	2	-	-	-	-	-	-	258
	男 M.	8	-	-	-	1	-	1	-	1	1	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-	
	女 F.	15	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	3	4	-	-	1	-	-	-	-	-	-	-	
258.0	クッシング症候群	14	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	3	3	-	-	1	1	-	-	-	-	-	-	258.0
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	13	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	3	3	-	-	1	-	-	-	-	-	-	-	
258.1 258.9	その他および詳細不明	9	-	-	-	1	-	1	-	1	1	-	-	-	1	1	-	-	1	1	1	-	1	-	-	-	-	-	-	{258.1 258.9
	男 M.	7	-	-	-	1	-	1	-	1	1	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
(260－269)	ビタミン欠乏症およびその他の栄養欠乏症	513	70	6	2	1	1	80	-	2	4	4	4	8	6	9	20	18	39	34	27	53	57	78	49	17	4	-	-	(260－269)
	男 M.	256	41	2	-	1	-	44	-	-	2	3	3	3	3	9	15	8	23	22	15	30	25	31	16	4	-	-	-	
	女 F.	257	29	4	2	-	1	36	-	2	2	1	1	5	3	-	5	10	16	12	12	23	32	47	33	13	4	-	-	
260	ビタミンA欠乏症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	260
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
261	ビタミンB_1欠乏症	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	1	2	2	-	-	-	-	261
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	
262	ナイアシン欠乏症	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	262
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
263	その他のビタミンB欠乏症	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	263
	男 M.	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
264	ビタミンC欠乏症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	264
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
265	ビタミンD欠乏症	9	-	1	-	-	-	1	-	-	-	1	-	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	265
	男 M.	6	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	
265.0	活動性くる病	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265.0
	男 M.	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
265.1	くる病後遺症	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	265.1
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数,

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
265.2	骨軟化症	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	265.2
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
265.9	詳細不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
266	その他のビタミン欠乏症	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	266
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	
267	蛋白栄養失調症	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	267
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	
268	栄養性消耗症	72	12	1	-	-	-	13	-	-	-	-	-	1	2	-	3	-	6	2	6	5	15	12	3	3	1	-	-	268
	男 M.	35	7	-	-	-	-	7	-	-	-	-	-	-	-	-	2	-	3	-	2	4	5	8	2	2	-	-	-	
	女 F.	37	5	1	-	-	-	6	-	-	-	-	-	1	2	-	1	-	3	2	4	1	10	4	1	1	1	-	-	
269	その他の栄養欠乏症	406	58	4	2	1	1	66	-	2	4	3	4	5	3	6	16	17	30	27	20	46	38	59	43	14	3	-	-	269
	男 M.	201	34	1	-	1	-	36	-	-	2	2	3	2	2	6	12	8	18	18	12	25	19	20	14	2	-	-	-	
	女 F.	205	24	3	2	-	1	30	-	2	2	1	1	3	1	-	4	9	12	9	8	21	19	39	29	12	3	-	-	
269.9a	栄養失調症	270	36	3	2	1	1	43	-	2	4	2	3	5	2	4	14	8	16	21	14	28	24	39	29	10	2	-	-	269.9a
	男 M.	132	23	1	-	1	-	25	-	-	2	1	3	2	1	4	11	3	7	15	8	13	12	13	10	2	-	-	-	
	女 F.	138	13	2	2	-	1	18	-	2	2	1	-	3	1	-	3	5	9	6	6	15	12	26	19	8	2	-	-	
269.0 269.1 269.9b	その他および詳細不明	136	22	1	-	-	-	23	-	-	-	1	1	-	1	2	2	9	14	6	6	18	14	20	14	4	1	-	-	269.0 269.1 269.9b
	男 M.	69	11	-	-	-	-	11	-	-	-	1	-	-	1	2	1	5	11	3	4	12	7	7	4	-	-	-	-	
	女 F.	67	11	1	-	-	-	12	-	-	-	-	1	-	-	-	1	4	3	3	2	6	7	13	10	4	1	-	-	
(270—279)	その他の代謝疾患	334	56	10	9	4	7	86	9	8	19	6	8	10	15	10	21	12	22	26	20	30	15	9	6	2	-	-	-	(270—279)
	男 M.	219	33	8	5	3	3	52	4	5	11	3	6	7	13	8	13	7	16	21	10	23	12	5	4	2	-	-	-	
	女 F.	115	23	2	4	1	4	34	5	3	8	3	2	3	5	2	8	5	6	5	10	7	3	4	2	-	-	-	-	
270	アミノ酸代謝の先天障害	9	3	-	-	-	2	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	270
	男 M.	5	2	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	1	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
271	糖質代謝の先天障害	16	12	-	1	-	-	13	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	271
	男 M.	8	7	-	1	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	5	-	-	-	-	5	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
272	脂質代謝の先天障害	19	3	3	1	-	2	9	1	-	1	-	-	1	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-	272
	男 M.	12	2	3	-	-	1	6	1	-	1	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	
	女 F.	7	1	-	1	-	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
273	その他および詳細不明の先天性代謝障害	94	19	1	1	1	1	23	1	5	9	3	6	5	9	3	7	3	6	5	7	3	4	2	-	-	-	-	-	273
	男 M.	62	13	1	-	1	1	16	-	3	5	2	5	-	2	2	5	3	6	4	3	2	3	1	-	-	-	-	-	
	女 F.	32	6	-	1	-	-	7	1	2	4	1	1	2	3	1	2	-	-	1	4	1	1	1	-	-	-	-	-	
274	痛風	55	-	-	-	-	-	-	-	-	-	-	-	4	3	1	5	1	5	6	4	11	7	2	4	1	-	-	-	274
	男 M.	49	-	-	-	-	-	-	-	-	-	-	-	4	3	1	3	1	4	5	4	11	6	2	3	1	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	1	-	1	-	-	-	-	
275	血漿蛋白異常症	70	7	1	4	1	-	13	2	1	3	1	-	-	3	1	2	6	4	6	6	13	2	5	1	1	-	-	-	275
	男 M.	40	5	1	3	1	-	10	1	-	2	-	-	-	2	1	-	2	1	5	2	8	1	2	1	1	-	-	-	
	女 F.	30	2	-	1	-	-	3	1	1	1	1	-	-	1	-	2	4	3	1	4	5	1	3	-	-	-	-	-	
276	アミロイド症	21	-	-	-	-	-	-	-	-	-	1	-	-	3	3	4	1	4	2	1	-	2	-	-	-	-	-	-	276
	男 M.	15	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	-	3	2	-	-	2	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	
277	内分泌性と明示されない肥満症	5	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	277
	男 M.	4	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数,

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
278	その他の食事過剰	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
279	その他および詳細不明の代謝疾患	45	12	5	2	2	2	23	1	2	3	-
	男 M.	24	4	3	1	1	1	10	-	1	2	-
	女 F.	21	8	2	1	1	1	13	1	1	1	-
Ⅳ	血液および造血器の疾患	2 290	66	29	17	17	20	149	57	49	59	93
	男 M.	984	42	13	8	4	10	77	29	20	23	26
	女 F.	1 306	24	16	9	13	10	72	28	29	36	67
280	鉄欠乏性貧血	84	-	-	-	-	-	-	1	1	-	-
	男 M.	33	-	-	-	-	-	-	1	1	-	-
	女 F.	51	-	-	-	-	-	-	-	-	-	-
281	その他の欠乏性貧血	131	1	-	-	-	-	1	-	2	1	-
	男 M.	54	1	-	-	-	-	1	-	-	-	-
	女 F.	77	-	-	-	-	-	-	-	2	1	-
281.0	悪性貧血	128	1	-	-	-	-	1	-	2	1	-
	男 M.	52	1	-	-	-	-	1	-	-	-	-
	女 F.	76	-	-	-	-	-	-	-	2	1	-
281.1～281.9	その他および非特定の欠乏性貧血	3	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
282	遺伝性溶血性貧血	36	3	1	-	1	-	5	-	-	2	2
	男 M.	18	3	1	-	-	-	4	-	-	1	1
	女 F.	18	-	-	-	1	-	1	-	-	1	1
283	後天性溶血性貧血	23	-	-	-	-	-	-	1	2	1	3
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	17	-	-	-	-	-	-	1	2	1	3
284	無形成貧血	970	9	17	9	11	13	59	32	27	25	46
	男 M.	411	5	4	3	2	6	20	15	9	11	14
	女 F.	559	4	13	6	9	7	39	17	18	14	32
285	その他および非特定貧血	357	6	-	-	-	-	6	2	2	3	7
	男 M.	138	6	-	-	-	-	6	2	-	-	-
	女 F.	219	-	-	-	-	-	-	-	2	3	7
286	血液凝固異常	56	8	6	2	1	1	18	-	4	5	2
	男 M.	41	3	6	2	1	1	13	-	4	4	1
	女 F.	15	5	-	-	-	-	5	-	-	1	1
286.0	血友病	27	1	6	2	1	1	11	-	3	4	1
	男 M.	26	-	6	2	1	1	10	-	3	4	1
	女 F.	1	1	-	-	-	-	1	-	-	-	-
286.1～286.9	その他	29	7	-	-	-	-	7	-	1	1	1
	男 M.	15	3	-	-	-	-	3	-	1	-	-
	女 F.	14	4	-	-	-	-	4	-	-	1	1
287	紫斑病およびその他の出血性病態	416	29	2	5	4	5	45	12	8	13	24
	男 M.	164	17	1	3	1	2	24	5	5	3	5
	女 F.	252	12	1	2	3	3	21	7	3	10	19
287.0	アレルギー性紫斑病	161	9	2	4	2	5	22	8	3	5	6
	男 M.	67	6	1	2	-	2	11	4	1	-	4
	女 F.	94	3	1	2	2	3	11	4	2	5	2
287.1	栓球減少症	163	5	-	1	1	-	7	2	3	3	17
	男 M.	51	3	-	1	-	-	4	1	2	-	1
	女 F.	112	2	-	-	1	-	3	1	1	3	16

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	278
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	2	-	-	1	-	2	5	1	2	-	-	1	-	-	-	-	279
1	1	-	-	1	-	1	4	1	2	-	-	-	-	-	-	-	
1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	
76	75	96	102	123	133	161	224	212	243	220	152	45	18	3	-	-	Ⅳ
32	28	36	47	48	44	61	94	112	128	92	59	21	6	1	-	-	
44	47	60	55	75	89	100	130	100	115	128	93	24	12	2	-	-	
-	3	2	3	5	-	3	3	9	16	18	12	6	2	-	-	-	280
-	1	-	2	1	-	-	-	5	9	7	1	4	1	-	-	-	
-	2	2	1	4	-	3	3	4	7	11	11	2	1	-	-	-	
1	-	5	4	5	4	8	12	12	27	26	20	3	-	-	-	-	281
-	-	3	2	3	1	5	4	4	13	7	9	2	-	-	-	-	
1	-	2	2	2	3	3	8	8	14	19	11	1	-	-	-	-	
1	-	5	4	5	4	7	12	12	27	25	19	3	-	-	-	-	281.0
-	-	3	2	3	1	4	4	4	13	7	8	2	-	-	-	-	
1	-	2	2	2	3	3	8	8	14	18	11	1	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	281.1～281.9
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	8	3	-	5	-	2	3	2	3	-	1	-	-	-	-	-	282
-	3	1	-	2	-	-	2	1	2	-	1	-	-	-	-	-	
-	5	2	-	3	-	2	1	1	1	-	-	-	-	-	-	-	
1	-	1	3	1	2	-	1	1	3	1	2	-	-	-	-	-	283
1	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	
-	-	1	3	1	2	-	-	-	2	-	1	-	-	-	-	-	
36	22	41	43	57	69	86	127	105	97	62	34	2	-	-	-	-	284
16	8	16	19	15	22	27	55	59	59	26	20	-	-	-	-	-	
20	14	25	24	42	47	59	72	46	38	36	14	2	-	-	-	-	
5	6	7	16	7	14	13	21	29	55	67	58	27	10	2	-	-	285
1	1	2	5	1	4	5	9	17	24	28	16	13	4	-	-	-	
4	5	5	11	6	10	8	12	12	31	39	42	14	6	2	-	-	
6	5	5	-	4	2	3	1	1	-	-	-	-	-	-	-	-	286
4	2	3	-	4	1	3	1	1	-	-	-	-	-	-	-	-	
2	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	286.0
4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	4	3	-	3	2	3	1	1	-	-	-	-	-	-	-	-	286.1～286.9
-	1	1	-	3	1	3	1	1	-	-	-	-	-	-	-	-	
2	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
21	22	18	21	24	29	25	33	33	30	31	16	6	5	-	-	-	287
6	8	5	11	13	9	12	12	10	14	14	5	2	1	-	-	-	
15	14	13	10	11	20	13	21	23	16	17	11	4	4	-	-	-	
4	7	4	7	6	9	8	15	16	11	14	11	3	2	-	-	-	287.0
2	3	1	4	4	2	4	7	4	5	7	3	1	-	-	-	-	
2	4	3	3	2	7	4	8	12	6	7	8	2	2	-	-	-	
16	10	9	9	9	14	11	13	15	11	10	3	1	-	-	-	-	287.1
4	2	2	4	3	5	4	4	5	5	4	1	-	-	-	-	-	
12	8	7	5	6	9	7	9	10	6	6	2	1	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
287.2	出血性栓球血症	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
287.3	栓球症	2	1	-	-	-	-	1	-	-	-	-
	男 M.	1	1	-	-	-	-	1	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
287.9	その他および詳細不明	89	14	-	-	1	-	15	2	2	5	1
	男 M.	45	7	-	-	1	-	8	-	2	3	-
	女 F.	44	7	-	-	-	-	7	2	-	2	1
288	無顆粒球症	170	6	2	1	-	1	10	7	3	8	7
	男 M.	96	3	1	-	-	1	5	4	1	4	3
	女 F.	74	3	1	1	-	-	5	3	2	4	4
289	その他の血液および造血器の疾患	47	4	1	-	-	-	5	2	-	1	2
	男 M.	23	4	-	-	-	-	4	2	-	-	2
	女 F.	24	-	1	-	-	-	1	-	-	1	-
289.4	脾臓の疾患	10	1	-	-	-	-	1	-	-	-	1
	男 M.	4	1	-	-	-	-	1	-	-	-	1
	女 F.	6	-	-	-	-	-	-	-	-	-	-
289.0～289.3, 289.9	その他および詳細不明	37	3	1	-	-	-	4	2	-	1	1
	男 M.	19	3	-	-	-	-	3	2	-	-	1
	女 F.	18	-	1	-	-	-	1	-	-	1	-
V	精神障害	3 207	3	-	2	1	1	7	2	6	26	67
	男 M.	1 692	1	-	2	-	-	3	1	3	17	31
	女 F.	1 515	2	-	-	1	1	4	1	3	9	36
(290—299)	精神病	2 191	-	-	-	-	-	-	-	1	11	27
	男 M.	925	-	-	-	-	-	-	-	-	6	10
	女 F.	1 266	-	-	-	-	-	-	-	1	5	17
290	老年および初老期痴呆	1 461	-	-	-	-	-	-	-	-	-	-
	男 M.	577	-	-	-	-	-	-	-	-	-	-
	女 F.	884	-	-	-	-	-	-	-	-	-	-
290.0	老年痴呆	1 412	-	-	-	-	-	-	-	-	-	-
	男 M.	555	-	-	-	-	-	-	-	-	-	-
	女 F.	857	-	-	-	-	-	-	-	-	-	-
290.0a	老年痴呆	1 117	-	-	-	-	-	-	-	-	-	-
	男 M.	449	-	-	-	-	-	-	-	-	-	-
	女 F.	668	-	-	-	-	-	-	-	-	-	-
290.0b	その他の老年性精神病	295	-	-	-	-	-	-	-	-	-	-
	男 M.	106	-	-	-	-	-	-	-	-	-	-
	女 F.	189	-	-	-	-	-	-	-	-	-	-
290.1	初老期痴呆	49	-	-	-	-	-	-	-	-	-	-
	男 M.	22	-	-	-	-	-	-	-	-	-	-
	女 F.	27	-	-	-	-	-	-	-	-	-	-
291	アルコール精神病	85	-	-	-	-	-	-	-	-	-	-
	男 M.	81	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	-
292	頭蓋内感染に伴う精神病	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
293	その他の脳性病態に伴う精神病	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	287.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	287.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
1	5	5	5	9	6	6	5	2	6	7	2	2	3	-	-	-	287.9
-	3	2	3	6	2	4	1	1	4	3	1	1	1	-	-	-	
1	2	3	2	3	4	2	4	1	2	4	1	1	2	-	-	-	
6	8	9	11	13	9	16	18	17	7	14	4	1	1	1	-	-	288
4	5	4	7	8	6	7	9	13	3	8	4	-	-	1	-	-	
2	3	5	4	5	3	9	9	4	4	6	-	1	1	-	-	-	
-	1	5	1	2	4	5	5	3	5	1	5	-	-	-	-	-	289
-	-	2	1	1	1	2	1	1	3	1	2	-	-	-	-	-	
-	1	3	-	1	3	3	4	2	2	-	3	-	-	-	-	-	
-	1	3	-	1	-	2	-	-	1	-	-	-	-	-	-	-	289.4
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	1	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	
-	-	2	1	1	4	3	5	3	4	1	5	-	-	-	-	-	289.0～289.3, 289.9
-	-	1	1	1	1	1	1	1	3	1	2	-	-	-	-	-	
-	-	1	-	-	3	2	4	2	1	-	3	-	-	-	-	-	
48	105	189	231	194	171	196	246	272	369	419	356	211	78	12	-	2	V
36	75	136	157	139	103	115	141	159	181	166	137	64	24	2	-	2	
12	30	53	74	55	68	81	105	113	188	253	219	147	54	10	-	-	
27	53	64	78	70	78	114	157	202	304	381	338	198	74	12	-	2	(290—299)
18	32	35	37	40	28	53	70	113	133	142	124	59	21	2	-	2	
9	21	29	41	30	50	61	87	89	171	239	214	139	53	10	-	-	
-	-	1	1	4	10	25	73	135	260	350	324	193	72	12	-	1	290
-	-	1	1	2	4	10	37	76	115	133	119	56	20	2	-	1	
-	-	-	-	2	6	15	36	59	145	217	205	137	52	10	-	-	
-	-	-	-	1	5	12	58	129	256	350	323	193	72	12	-	1	290.0
-	-	-	-	1	2	5	29	73	114	133	119	56	20	2	-	1	
-	-	-	-	-	3	7	29	56	142	217	204	137	52	10	-	-	
-	-	-	-	1	2	10	31	99	204	283	260	153	62	11	-	1	290.0a
-	-	-	-	1	1	4	19	55	94	111	100	46	15	2	-	1	
-	-	-	-	-	1	6	12	44	110	172	160	107	47	9	-	-	
-	-	-	-	-	3	2	27	30	52	67	63	40	10	1	-	-	290.0b
-	-	-	-	-	1	1	10	18	20	22	19	10	5	-	-	-	
-	-	-	-	-	2	1	17	12	32	45	44	30	5	1	-	-	
-	-	1	1	3	5	13	15	6	4	-	1	-	-	-	-	-	290.1
-	-	1	1	1	2	5	8	3	1	-	-	-	-	-	-	-	
-	-	-	-	2	3	8	7	3	3	-	1	-	-	-	-	-	
4	12	10	17	14	9	8	2	4	3	1	-	1	-	-	-	-	291
4	12	9	16	14	8	7	2	4	3	1	-	1	-	-	-	-	
-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	292
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	293
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
294	その他の身体的病態に伴う精神病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	294
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295	精神分裂病	437	-	-	-	-	-	-	-	1	10	23	20	37	50	46	38	41	53	46	33	22	12	3	1	-	-	-	1	295
	男 M.	186	-	-	-	-	-	-	-	-	6	9	14	18	24	12	19	12	26	16	17	8	3	1	-	-	-	-	1	
	女 F.	251	-	-	-	-	-	-	-	1	4	14	6	19	26	34	19	29	27	30	16	14	9	2	1	-	-	-	-	
295.0	単純型	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	295.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295.1	破瓜型	15	-	-	-	-	-	-	-	-	-	1	-	1	4	-	1	1	5	1	1	-	-	-	-	-	-	-	-	295.1
	男 M.	11	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	1	3	1	1	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
295.2	緊張型	62	-	-	-	-	-	-	-	-	6	6	2	9	11	7	5	6	5	4	1	-	-	-	-	-	-	-	-	295.2
	男 M.	23	-	-	-	-	-	-	-	-	3	2	2	4	3	-	3	1	3	1	1	-	-	-	-	-	-	-	-	
	女 F.	39	-	-	-	-	-	-	-	-	3	4	-	5	8	7	2	5	2	3	-	-	-	-	-	-	-	-	-	
295.3	妄想型	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	295.3
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
295.4	急性分裂病性挿間	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	295.4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295.5	潜伏分裂病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	295.5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295.6	残遺分裂病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	295.6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295.7	分裂・情動性型	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	295.7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295.8	その他	5	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	295.8
	男 M.	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295.9	詳細不明	351	-	-	-	-	-	-	-	-	3	16	17	27	34	39	32	33	42	40	31	20	12	3	1	-	-	-	1	295.9
	男 M.	146	-	-	-	-	-	-	-	-	2	6	12	14	17	12	15	9	19	13	15	7	3	1	-	-	-	-	1	
	女 F.	205	-	-	-	-	-	-	-	-	1	10	5	13	17	27	17	24	23	27	16	13	9	2	1	-	-	-	-	
296	躁うつ病	147	-	-	-	-	-	-	-	-	-	3	2	3	1	8	6	11	17	30	23	17	15	8	1	2	-	-	-	296
	男 M.	54	-	-	-	-	-	-	-	-	-	-	-	2	-	4	1	2	5	12	12	7	4	3	1	1	-	-	-	
	女 F.	93	-	-	-	-	-	-	-	-	-	3	2	1	1	4	5	9	12	18	11	10	11	5	-	1	-	-	-	
296.0	退行期うつ病	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	5	-	-	1	-	-	-	-	-	-	296.0
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	-	-	1	-	-	-	-	-	-	
296.1	躁うつ病，躁病型	12	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	3	-	2	-	2	-	-	-	296.1
	男 M.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	-	1	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	
296.2	躁うつ病，抑うつ型	105	-	-	-	-	-	-	-	-	-	1	2	1	-	5	4	8	13	23	19	12	12	4	1	-	-	-	-	296.2
	男 M.	41	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	2	4	10	9	4	3	2	1	-	-	-	-	
	女 F.	64	-	-	-	-	-	-	-	-	-	1	2	-	-	1	3	6	9	13	10	8	9	2	-	-	-	-	-	
296.3	躁うつ病，循環型	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	296.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
296.8	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	296.8
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
296.9	詳細不明	20	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	1	2	1	3	2	2	2	-	-	-	-	-	296.9
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	
	女 F.	15	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	1	1	2	1	2	-	-	-	-	-	
297	妄想状態	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	297
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	
298	その他の精神病	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	2	-	1	-	-	-	-	-	-	298
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	
299	詳細不明の精神病	49	-	-	-	-	-	-	-	-	1	1	1	1	1	6	6	7	11	4	4	2	1	1	2	-	-	-	-	299
	男 M.	23	-	-	-	-	-	-	-	-	-	1	-	-	-	4	3	2	5	3	3	-	1	-	1	-	-	-	-	
	女 F.	26	-	-	-	-	-	-	-	-	1	-	1	1	1	2	3	5	6	1	1	2	-	1	1	-	-	-	-	
(300—309)	神経症，人格異常およびその他の非精神病性精神障害	933	3	-	1	1	1	6	-	-	9	22	17	48	115	143	118	90	79	85	67	62	37	18	13	4	-	-	-	(300—309)
	男 M.	723	1	-	1	-	-	2	-	-	7	11	14	40	97	117	96	74	60	69	45	47	23	13	5	3	-	-	-	
	女 F.	210	2	-	-	1	1	4	-	-	2	11	3	8	18	26	22	16	19	16	22	15	14	5	8	1	-	-	-	
300	神経症	122	-	-	-	-	-	-	-	-	-	5	1	6	6	8	11	15	8	9	22	11	8	5	4	3	-	-	-	300
	男 M.	42	-	-	-	-	-	-	-	-	-	2	-	4	1	3	5	5	3	3	5	4	2	3	-	2	-	-	-	
	女 F.	80	-	-	-	-	-	-	-	-	-	3	1	2	5	5	6	10	5	6	17	7	6	2	4	1	-	-	-	
300.0	不安神経症	8	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	3	-	-	-	-	1	-	-	-	300.0
	男 M.	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	3	-	-	-	-	-	-	-	-	
300.1	ヒステリー	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	300.1
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
300.2	恐怖症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
300.3	強迫神経症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
300.4	抑うつ神経症	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	300.4
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
300.5	神経衰弱	26	-	-	-	-	-	-	-	-	-	4	-	1	3	3	3	3	-	3	2	2	1	-	1	-	-	-	-	300.5
	男 M.	9	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	2	-	1	-	-	-	-	-	-	-	
	女 F.	17	-	-	-	-	-	-	-	-	-	3	-	1	2	1	2	2	-	1	2	1	1	-	1	-	-	-	-	
300.6	離人性症候群	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300.6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
300.7	心気性神経症	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	300.7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
300.8	その他	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	300.8
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
300.9	詳細不明	76	-	-	-	-	-	-	-	-	-	-	-	4	3	3	5	11	6	6	15	6	7	5	3	2	-	-	-	300.9
	男 M.	26	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	4	2	1	4	3	2	3	-	1	-	-	-	
	女 F.	50	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	7	4	5	11	3	5	2	3	1	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
301	人格異常	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	301
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
302	性的偏向	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	302
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
303	アルコール症	686	-	-	-	-	-	-	-	-	8	9	14	39	99	115	100	69	62	67	39	39	17	6	3	-	-	-	-	303
	男 M.	629	-	-	-	-	-	-	-	-	7	8	13	34	91	105	88	67	55	61	39	37	15	6	3	-	-	-	-	
	女 F.	57	-	-	-	-	-	-	-	-	1	1	1	5	8	10	12	2	7	6	-	2	2	-	-	-	-	-	-	
303.0	挿間性過量飲酒	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	303.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
303.1	習慣性過量飲酒	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	303.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
303.2	アルコール嗜癖	308	-	-	-	-	-	-	-	-	-	-	2	10	45	59	48	34	21	37	16	25	6	3	2	-	-	-	-	303.2
	男 M.	287	-	-	-	-	-	-	-	-	-	-	2	9	40	53	43	33	19	37	16	24	6	3	2	-	-	-	-	
	女 F.	21	-	-	-	-	-	-	-	-	-	-	-	1	5	6	5	1	2	-	-	1	-	-	-	-	-	-	-	
303.9	その他および詳細不明のアルコール症	378	-	-	-	-	-	-	-	-	8	9	12	29	54	56	52	35	41	30	23	14	11	3	1	-	-	-	-	303.9
	男 M.	342	-	-	-	-	-	-	-	-	7	8	11	25	51	52	45	34	36	24	23	13	9	3	1	-	-	-	-	
	女 F.	36	-	-	-	-	-	-	-	-	1	1	1	4	3	4	7	1	5	6	-	1	2	-	-	-	-	-	-	
304	薬物依存	23	-	-	-	-	-	-	-	-	-	2	1	1	6	6	2	-	2	-	-	-	1	2	-	-	-	-	-	304
	男 M.	12	-	-	-	-	-	-	-	-	-	1	-	1	4	3	1	-	1	-	-	-	-	1	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	-	1	-	-	-	1	1	-	-	-	-	-	
305	心因性と推定される身体障害	48	-	-	1	1	1	3	-	-	-	2	1	-	2	5	2	3	5	4	1	7	6	4	3	-	-	-	-	305
	男 M.	20	-	-	1	-	-	1	-	-	-	-	1	-	-	2	-	2	-	1	1	6	3	2	1	-	-	-	-	
	女 F.	28	-	-	-	1	1	2	-	-	-	2	-	-	2	3	2	1	5	3	-	1	3	2	2	-	-	-	-	
305.3	心血管	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	1	3	1	-	-	-	-	-	305.3
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	2	1	-	-	-	-	-	
305.5	胃腸	12	-	-	1	-	1	2	-	-	-	-	-	-	1	-	1	2	1	-	-	3	-	1	1	-	-	-	-	305.5
	男 M.	5	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	1	-	-	-	-	
305.0～305.2, 305.4, 305.6～.9	その他	26	-	-	-	1	-	1	-	-	-	2	1	-	-	3	1	1	3	3	1	3	3	2	2	-	-	-	-	305.0～305.2, 305.4, 305.6～.9
	男 M.	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	3	2	2	1	-	-	-	-	
	女 F.	13	-	-	-	1	-	1	-	-	-	2	-	-	-	2	1	-	3	2	-	-	1	-	1	-	-	-	-	
306	他に分類されない特殊症状	45	3	-	-	-	-	3	-	-	1	4	-	2	2	6	3	3	2	4	3	4	4	1	2	1	-	-	-	306
	男 M.	16	1	-	-	-	-	1	-	-	-	-	-	1	1	2	2	-	1	3	-	-	2	1	1	1	-	-	-	
	女 F.	29	2	-	-	-	-	2	-	-	1	4	-	1	1	4	1	3	1	1	3	4	2	-	1	-	-	-	-	
307	一過性状況性障害	8	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	2	1	1	-	-	-	-	-	-	307
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	
308	児童期行動異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	308
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
309	身体的病態に伴う精神病性と明示されない精神障害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	309
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(310—315)	精神薄弱	83	-	-	1	-	-	1	2	5	6	18	4	4	10	10	6	3	3	4	3	3	1	-	-	-	-	-	-	(310—315)
	男 M.	44	-	-	1	-	-	1	1	3	4	10	4	3	4	3	3	1	2	2	1	1	1	-	-	-	-	-	-	
	女 F.	39	-	-	-	-	-	-	1	2	2	8	-	1	6	7	3	2	1	2	2	2	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
310	境界精神薄弱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	310
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
311	軽度精神薄弱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	311
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
312	中度精神薄弱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	312
	男 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
313	重度精神薄弱	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	313
	男 M.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
314	最重度精神薄弱	12	-	-	-	-	-	-	-	1	2	3	-	-	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-	314
	男 M.	5	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	
315	詳細不明の精神薄弱	69	-	-	1	-	-	1	2	3	4	15	4	4	9	6	6	3	3	3	2	3	1	-	-	-	-	-	-	315
	男 M.	38	-	-	1	-	-	1	1	2	2	8	4	3	4	3	3	1	2	1	1	1	1	-	-	-	-	-	-	
	女 F.	31	-	-	-	-	-	-	1	1	2	7	-	1	5	3	3	2	1	2	1	2	-	-	-	-	-	-	-	
VI	神経系および感覚器の疾患	6 079	464	122	80	77	60	803	155	165	267	294	216	233	247	276	274	266	348	432	517	522	488	336	181	51	7	-	1	VI
	男 M.	3 269	265	61	47	42	35	450	90	98	172	181	122	132	128	150	132	140	196	249	291	282	240	135	68	10	2	-	1	
	女 F.	2 810	199	61	33	35	25	353	65	67	95	113	94	101	119	126	142	126	152	183	226	240	248	201	113	41	5	-	-	
(320—324)	中枢神経系の炎症性疾患	1 303	269	51	33	22	13	388	28	30	29	52	65	64	63	75	66	60	69	83	87	65	51	20	8	-	-	-	-	(320—324)
	男 M.	731	149	23	16	11	8	207	17	18	14	27	36	39	34	47	41	32	40	49	54	33	27	10	6	-	-	-	-	
	女 F.	572	120	28	17	11	5	181	11	12	15	25	29	25	29	28	25	28	29	34	33	32	24	10	2	-	-	-	-	
320	髄膜炎	802	241	28	22	12	7	310	14	18	17	26	41	37	31	36	42	36	41	46	46	31	19	8	3	-	-	-	-	320
	男 M.	457	134	13	12	7	5	171	10	12	9	15	23	20	20	22	29	20	25	28	23	16	10	2	2	-	-	-	-	
	女 F.	345	107	15	10	5	2	139	4	6	8	11	18	17	11	14	13	16	16	18	23	15	9	6	1	-	-	-	-	
321	頭蓋内静脈洞の静脈炎および血栓静脈炎	8	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	-	1	-	-	-	2	-	-	-	-	-	-	321
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	
322	頭蓋内および脊椎管内膿瘍	59	2	3	1	2	1	9	3	3	2	1	3	8	3	7	3	3	4	4	3	2	-	1	-	-	-	-	-	322
	男 M.	36	1	1	1	1	1	5	2	2	1	-	3	6	1	3	3	2	2	2	3	-	-	1	-	-	-	-	-	
	女 F.	23	1	2	-	1	-	4	1	1	1	1	-	2	2	4	-	1	2	2	-	2	-	-	-	-	-	-	-	
323	脳炎，脊髄炎および脳脊髄炎	250	23	16	8	5	4	56	5	6	2	15	12	11	20	15	10	9	11	12	21	17	20	5	3	-	-	-	-	323
	男 M.	136	13	8	3	1	2	27	2	2	1	5	7	9	9	11	6	5	5	8	13	9	12	3	2	-	-	-	-	
	女 F.	114	10	8	5	4	2	29	3	4	1	10	5	2	11	4	4	4	6	4	8	8	8	2	1	-	-	-	-	
324	頭蓋内膿瘍または化膿性感染の後遺症	184	3	4	2	3	1	13	6	3	8	10	6	8	8	17	10	12	12	21	17	15	10	6	2	-	-	-	-	324
	男 M.	100	1	1	-	2	-	4	3	2	3	7	3	4	3	11	3	5	7	11	15	8	5	4	2	-	-	-	-	
	女 F.	84	2	3	2	1	1	9	3	1	5	3	3	4	5	6	7	7	5	10	2	7	5	2	-	-	-	-	-	
(330—333)	神経系の遺伝性および家族性疾患	177	9	5	3	3	3	23	4	10	38	23	2	6	11	9	13	4	11	10	4	3	1	5	-	-	-	-	-	(330—333)
	男 M.	137	8	3	2	3	3	19	2	7	34	22	2	5	8	5	7	3	7	6	3	2	1	4	-	-	-	-	-	
	女 F.	40	1	2	1	-	-	4	2	3	4	1	-	1	3	4	6	1	4	4	1	1	-	1	-	-	-	-	-	
330	遺伝性神経筋障害	129	8	1	1	1	2	13	1	9	36	23	1	5	9	5	6	3	3	5	2	3	1	4	-	-	-	-	-	330
	男 M.	110	7	-	1	1	2	11	-	7	34	22	1	5	7	3	3	3	2	4	2	2	1	3	-	-	-	-	-	
	女 F.	19	1	1	-	-	-	2	1	2	2	1	-	-	2	2	3	-	1	1	-	1	-	1	-	-	-	-	-	
330.0	神経性筋萎縮症	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	330.0
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	
330.1	家族性進行性脊髄性筋萎縮症	11	7	1	-	-	1	9	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	330.1
	男 M.	8	6	-	-	-	1	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	1	1	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
330.2	先天性筋無緊張症	2	1	-	1	-	-	2	-	-	-	-
	男 M.	2	1	-	1	-	-	2	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
330.3	進行性筋ジストロフィー症	95	-	-	-	1	1	2	-	8	34	22
	男 M.	86	-	-	-	1	1	2	-	7	32	21
	女 F.	9	-	-	-	-	-	-	-	1	2	1
330.9	その他	16	-	-	-	-	-	-	1	1	2	1
	男 M.	12	-	-	-	-	-	-	-	-	2	1
	女 F.	4	-	-	-	-	-	-	1	1	-	-
331	線状体・淡蒼球系の遺伝性疾患	15	-	-	-	-	-	-	-	1	1	-
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	9	-	-	-	-	-	-	-	1	1	-
332	遺伝性失調症	9	-	-	-	-	-	-	-	-	1	-
	男 M.	5	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	1	-
333	その他の神経系の遺伝性および家族性疾患	24	1	4	2	2	1	10	3	-	-	-
	男 M.	16	1	3	1	2	1	8	2	-	-	-
	女 F.	8	-	1	1	-	-	2	1	-	-	-
(340—349)	その他の中枢神経系の疾患	3 882	179	65	42	50	41	377	118	118	192	211
	男 M.	2 123	104	35	27	27	21	214	67	68	118	126
	女 F.	1 759	75	30	15	23	20	163	51	50	74	85
340	多発硬化症	58	-	-	-	-	-	-	-	-	-	4
	男 M.	27	-	-	-	-	-	-	-	-	-	2
	女 F.	31	-	-	-	-	-	-	-	-	-	2
341	その他の中枢神経系の脱髄疾患	47	-	-	-	-	-	-	1	4	1	1
	男 M.	25	-	-	-	-	-	-	1	3	1	1
	女 F.	22	-	-	-	-	-	-	-	1	-	-
342	脳血管障害	682	-	-	-	-	-	-	-	-	-	1
	男 M.	331	-	-	-	-	-	-	-	-	-	1
	女 F.	351	-	-	-	-	-	-	-	-	-	-
343	脳性けい性小児麻痺	615	138	39	28	30	22	257	77	56	57	46
	男 M.	350	85	21	18	15	13	152	39	34	41	24
	女 F.	265	53	18	10	15	9	105	38	22	16	22
344	その他の脳性麻痺	568	4	3	-	3	4	14	6	2	8	5
	男 M.	278	3	2	-	2	2	9	4	1	3	2
	女 F.	290	1	1	-	1	2	5	2	1	5	3
345	てんかん	951	18	16	7	12	11	64	25	44	98	120
	男 M.	506	4	7	6	6	2	25	16	25	52	69
	女 F.	445	14	9	1	6	9	39	9	19	46	51
345.0	全身非けいれん性	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
345.1	全身けいれん性	22	-	-	-	-	-	-	-	2	1	5
	男 M.	9	-	-	-	-	-	-	-	1	1	3
	女 F.	13	-	-	-	-	-	-	-	1	-	2
345.2	てんかん発作重積	272	13	12	6	8	5	44	13	15	26	33
	男 M.	151	4	6	5	4	-	19	6	8	16	17
	女 F.	121	9	6	1	4	5	25	7	7	10	16
345.3	局所性	12	-	-	-	-	1	1	-	1	1	1
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	6	-	-	-	-	1	1	-	1	1	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	330.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	3	5	2	3	2	2	4	2	1	1	3	-	-	-	-	-	330.3
1	3	4	2	1	2	2	4	2	-	1	2	-	-	-	-	-	
-	-	1	-	2	-	-	-	-	1	-	1	-	-	-	-	-	
-	1	3	1	2	1	-	-	-	2	-	1	-	-	-	-	-	330.9
-	1	2	-	2	1	-	-	-	2	-	1	-	-	-	-	-	
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	3	4	1	1	1	1	-	-	1	-	-	-	-	-	331
-	-	1	1	2	-	-	-	1	-	-	1	-	-	-	-	-	
-	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	
1	1	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	332
1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	
-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	6	3	1	-	-	-	-	-	-	-	-	333
-	-	-	-	-	-	5	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	
141	151	168	177	177	191	246	308	384	362	313	163	72	11	1	-	1	(340—349)
80	81	83	92	77	100	140	172	212	204	179	73	32	3	1	-	1	
61	70	85	85	100	91	106	136	172	158	134	90	40	8	-	-	-	
2	4	2	5	12	5	5	7	3	2	4	3	-	-	-	-	-	340
-	3	1	1	6	1	4	3	2	-	1	3	-	-	-	-	-	
2	1	1	4	6	4	1	4	1	2	3	-	-	-	-	-	-	
-	1	3	2	-	1	2	7	2	3	7	8	2	2	-	-	-	341
-	-	1	-	-	1	1	5	-	2	6	1	1	1	-	-	-	
-	1	2	2	-	-	1	2	2	1	1	7	1	1	-	-	-	
2	-	4	5	15	24	68	97	154	141	110	45	16	-	-	-	-	342
2	-	3	4	6	8	28	43	69	80	59	20	8	-	-	-	-	
-	-	1	1	9	16	40	54	85	61	51	25	8	-	-	-	-	
23	21	23	13	13	9	5	6	3	2	2	2	-	-	-	-	-	343
11	12	8	7	4	7	2	4	2	1	1	1	-	-	-	-	-	
12	9	15	6	9	2	3	2	1	1	1	1	-	-	-	-	-	
2	7	9	8	9	5	17	32	66	123	121	80	46	7	-	-	1	344
1	2	1	3	6	2	10	14	38	68	60	34	19	-	-	-	1	
1	5	8	5	3	3	7	18	28	55	61	46	27	7	-	-	-	
88	97	97	93	63	44	31	33	23	13	10	6	2	-	-	-	-	345
52	53	52	45	27	26	19	20	11	4	5	4	1	-	-	-	-	
36	44	45	48	36	18	12	13	12	9	5	2	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	345.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	2	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	345.1
2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
2	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	
23	22	26	28	15	7	4	5	4	1	5	-	1	-	-	-	-	345.2
13	13	13	19	8	4	2	5	3	1	4	-	-	-	-	-	-	
10	9	13	9	7	3	2	-	1	-	1	-	1	-	-	-	-	
-	4	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	345.3
-	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
345.9	その他および詳細不明	645	5	4	1	4	5	19	12	26	70	81	61	69	70	61	45	36	25	28	18	12	5	6	1	-	-	-	-	345.9
	男 M.	340	-	1	1	2	2	6	10	16	35	49	37	37	39	24	19	22	15	15	7	3	1	4	1	-	-	-	-	
	女 F.	305	5	3	-	2	3	13	2	10	35	32	24	32	31	37	26	14	10	13	11	9	4	2	-	-	-	-	-	
346	片頭痛	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	346
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
347	その他の脳の疾患	225	16	7	6	5	4	38	7	6	4	4	9	9	12	14	19	31	26	14	15	8	4	3	2	-	-	-	-	347
	男 M.	124	9	5	3	4	4	25	6	2	2	3	5	4	5	9	5	17	17	8	9	4	2	1	-	-	-	-	-	
	女 F.	101	7	2	3	1	-	13	1	4	2	1	4	5	7	5	14	14	9	6	6	4	2	2	2	-	-	-	-	
348	運動ニューロンの疾患	613	3	-	-	-	-	3	2	6	24	28	15	11	16	25	40	60	84	98	94	57	36	10	2	2	-	-	-	348
	男 M.	405	3	-	-	-	-	3	1	3	19	24	9	6	11	16	18	33	57	65	65	38	28	5	2	2	-	-	-	
	女 F.	208	-	-	-	-	-	-	1	3	5	4	6	5	5	9	22	27	27	33	29	19	8	5	-	-	-	-	-	
348.0	筋萎縮性側索硬化症	253	-	-	-	-	-	-	-	-	-	5	4	2	9	9	18	34	50	45	40	27	9	1	-	-	-	-	-	348.0
	男 M.	164	-	-	-	-	-	-	-	-	-	2	1	2	6	8	10	21	34	30	26	17	7	-	-	-	-	-	-	
	女 F.	89	-	-	-	-	-	-	-	-	-	3	3	-	3	1	8	13	16	15	14	10	2	1	-	-	-	-	-	
348.1	進行性球麻痺	86	-	-	-	-	-	-	-	-	2	1	3	1	2	4	7	8	4	8	17	11	10	5	2	1	-	-	-	348.1
	男 M.	48	-	-	-	-	-	-	-	-	-	1	3	1	1	2	2	3	1	3	10	8	8	2	2	1	-	-	-	
	女 F.	38	-	-	-	-	-	-	-	-	2	-	-	-	1	2	5	5	3	5	7	3	2	3	-	-	-	-	-	
348.2	その他の進行性筋萎縮症	274	3	-	-	-	-	3	2	6	22	22	8	8	5	12	15	18	30	45	37	19	17	4	-	1	-	-	-	348.2
	男 M.	193	3	-	-	-	-	3	1	3	19	21	5	3	4	6	6	9	22	32	29	13	13	3	-	1	-	-	-	
	女 F.	81	-	-	-	-	-	-	1	3	3	1	3	5	1	6	9	9	8	13	8	6	4	1	-	-	-	-	-	
348.9	その他および詳細不明の症状	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	348.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
349	その他の脊髄の疾患	121	-	-	1	-	-	1	-	-	-	2	-	1	2	12	6	12	8	14	24	13	18	6	2	-	-	-	-	349
	男 M.	75	-	-	-	-	-	-	-	-	-	-	-	1	1	7	5	5	2	10	16	7	16	4	1	-	-	-	-	
	女 F.	46	-	-	1	-	-	1	-	-	-	2	-	-	1	5	1	7	6	4	8	6	2	2	1	-	-	-	-	
349.0	脊髄空洞症および延髄空洞症	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	2	1	1	-	-	-	-	-	-	-	349.0
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	
349.9	その他	111	-	-	1	-	-	1	-	-	-	2	-	1	1	12	4	9	8	12	23	12	18	6	2	-	-	-	-	349.9
	男 M.	69	-	-	-	-	-	-	-	-	-	-	-	1	-	7	4	4	2	9	15	6	16	4	1	-	-	-	-	
	女 F.	42	-	-	1	-	-	1	-	-	-	2	-	-	1	5	-	5	6	3	8	6	2	2	1	-	-	-	-	
(350～358)	神経および末梢神経節の疾患	635	3	-	2	2	3	10	3	4	2	2	6	10	4	13	16	7	18	24	32	84	117	140	97	40	6	-	-	(350～358)
	男 M.	242	3	-	2	1	3	9	3	3	1	2	4	6	2	4	7	2	8	18	16	41	32	46	30	7	1	-	-	
	女 F.	393	-	-	-	1	-	1	-	1	1	-	2	4	2	9	9	5	10	6	16	43	85	94	67	33	5	-	-	
350	顔面神経麻痺	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	-	-	-	-	350
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	
351	三叉神経痛	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	5	2	2	-	-	-	351
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	2	-	-	-	
	女 F.	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	2	-	-	-	-	
352	上腕神経炎	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	3	-	-	-	-	352
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	
353	坐骨神経痛	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	3	4	22	49	51	39	16	2	-	-	353
	男 M.	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	13	14	16	14	1	-	-	-	
	女 F.	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	9	35	35	25	15	2	-	-	
354	多発神経炎および多発神経根炎	148	-	-	2	2	3	7	3	4	2	1	5	9	3	7	11	3	7	9	8	22	13	18	8	7	1	-	-	354
	男 M.	70	-	-	2	1	3	6	3	3	1	1	3	6	2	1	4	1	3	7	7	10	3	6	2	1	-	-	-	
	女 F.	78	-	-	-	1	-	1	-	1	1	-	2	3	1	6	7	2	4	2	1	12	10	12	6	6	1	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
355	その他および詳細不明の神経痛および神経炎…	191	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	8	25	40	53	44	12	2	-	-	355
	男 M.	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	10	11	18	12	2	1	-	-	
	女 F.	130	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	5	15	29	35	32	10	1	-	-	
356	その他の脳神経の疾患	8	1	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	2	-	-	1	1	-	-	-	-	-	-	356
	男 M.	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
357	その他の末梢神経の疾患（自律神経を除く）…	40	2	-	-	-	-	2	-	-	-	-	1	-	-	3	1	-	1	5	7	11	4	2	-	3	-	-	-	357
	男 M.	22	2	-	-	-	-	2	-	-	-	-	1	-	-	1	1	-	1	5	3	6	-	1	-	1	-	-	-	
	女 F.	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	5	4	1	-	2	-	-	-	
358	末梢自律神経系の疾患	20	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	2	2	-	2	1	1	6	-	-	1	-	-	358
	男 M.	5	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	
	女 F.	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	2	1	1	4	-	-	1	-	-	
(360～369)	眼の炎症性疾患	7	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1	-	-	-	-	(360～369)
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	6	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	
360	結膜炎および眼炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
361	眼瞼炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	361
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
362	麦粒腫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	362
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
363	角膜炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	363
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
364	虹彩炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	364
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
365	脈絡膜炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	365
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
366	その他のブドウ膜の炎症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	366
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
367	視神経および網膜の炎症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	367
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
368	涙腺および涙管の炎症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	368
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
369	その他の眼の炎症性疾患	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	369
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
(370～379)	その他の眼の疾患および病態	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	1	-	-	-	-	(370～379)
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	
370	屈折異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	370
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
371	角膜混濁	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	371
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
372	翼状片	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	372
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
373	斜視	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	373
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
374	白内障	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	374
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
375	緑内障	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	375
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
376	網膜剝離	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	376
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
377	その他の網膜および視神経の疾患	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	377
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
378	その他の眼の疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	378
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
379	盲	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	379
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(380～389)	耳および乳様突起の疾患	66	2	1	-	-	-	3	2	3	6	6	2	2	1	2	1	3	4	5	7	6	4	7	2	-	-	-	-	(380～389)
	男 M.	30	1	-	-	-	-	1	1	2	5	4	-	1	-	2	-	2	1	3	4	2	-	1	-	-	-	-	-	
	女 F.	36	1	1	-	-	-	2	1	1	1	2	2	1	-	-	1	1	3	2	3	4	4	6	2	-	-	-	-	
380	外耳炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	380
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
381	乳様突起炎の記載のない中耳炎	47	1	1	-	-	-	2	2	3	6	6	1	2	1	2	-	2	2	4	3	5	2	2	2	-	-	-	-	381
	男 M.	25	-	-	-	-	-	-	1	2	5	4	-	1	-	2	-	1	1	3	2	2	-	-	-	-	-	-	-	
	女 F.	22	1	1	-	-	-	2	1	1	1	2	1	1	-	-	-	1	1	1	1	3	2	2	2	-	-	-	-	
382	乳様突起炎を伴う中耳炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	382
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
383	中耳炎の記載のない乳様突起炎	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	383
	男 M.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
384	その他の耳の炎症性疾患	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	384
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
385	メニエール病	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	2	5	-	-	-	-	-	385
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	
	女 F.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	2	4	-	-	-	-	-	
386	耳硬化症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	386
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
387	その他の耳および乳様突起の疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	387
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
388	聾唖	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	388
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
389	その他の聾	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	389
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII	循環器系の疾患	285 706	456	56	35	21	24	592	109	150	350	777	1 986	1 612	3 055	5 012	6 804	8 910	14 529	23 878	35 200	50 525	55 328	45 395	23 749	7 462	1 182	64	37	VII
	男 M.	148 556	261	34	22	13	12	342	57	81	223	464	635	1 053	2 090	3 491	4 243	5 166	8 698	14 333	20 870	28 167	27 644	20 031	8 547	2 101	272	19	29	
	女 F.	137 150	195	22	13	8	12	250	52	69	127	313	351	559	965	1 521	2 561	3 744	5 831	9 545	14 330	22 358	27 684	25 364	15 202	5 361	910	45	8	
(390～392)	活動性リウマチ熱	362	-	1	2	-	-	3	6	13	12	12	12	11	26	17	21	18	25	37	28	36	36	37	11	1	-	-	-	(390～392)
	男 M.	116	-	-	-	-	-	-	2	5	3	5	4	1	14	7	6	5	7	7	11	15	8	13	3	-	-	-	-	
	女 F.	246	-	1	2	-	-	3	4	8	9	7	8	10	12	10	15	13	18	30	17	21	28	24	8	1	-	-	-	
390	心侵襲の記載のないリウマチ熱	118	-	1	2	-	-	3	4	7	4	1	1	3	5	6	4	5	5	15	7	12	14	17	5	-	-	-	-	390
	男 M.	31	-	-	-	-	-	-	-	1	1	1	1	-	3	3	2	2	1	3	2	3	1	5	2	-	-	-	-	
	女 F.	87	-	1	2	-	-	3	4	6	3	-	-	3	2	3	2	3	4	12	5	9	13	12	3	-	-	-	-	
391	心侵襲を伴うリウマチ熱	230	-	-	-	-	-	-	2	6	8	11	11	8	18	10	15	10	20	21	20	22	21	20	6	1	-	-	-	391
	男 M.	82	-	-	-	-	-	-	2	4	2	4	3	1	9	4	4	3	6	4	8	12	7	8	1	-	-	-	-	
	女 F.	148	-	-	-	-	-	-	-	2	6	7	8	7	9	6	11	7	14	17	12	10	14	12	5	1	-	-	-	
391.0	活動性リウマチ性心膜炎	33	-	-	-	-	-	-	-	1	2	1	1	1	-	1	3	3	2	5	4	2	4	2	1	-	-	-	-	391.0
	男 M.	18	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	2	1	1	4	1	2	-	1	-	-	-	-	
	女 F.	15	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	1	4	-	1	2	2	-	-	-	-	-	
391.1	活動性リウマチ性心内膜炎	108	-	-	-	-	-	-	1	3	4	9	7	6	14	5	6	4	9	10	6	7	4	8	4	1	-	-	-	391.1
	男 M.	33	-	-	-	-	-	-	1	2	-	4	1	1	6	1	1	1	3	3	2	3	2	2	-	-	-	-	-	
	女 F.	75	-	-	-	-	-	-	-	1	4	5	6	5	8	4	5	3	6	7	4	4	2	6	4	1	-	-	-	
391.2	活動性リウマチ性心筋炎	44	-	-	-	-	-	-	-	1	1	1	2	1	3	3	2	-	2	4	7	5	7	4	1	-	-	-	-	391.2
	男 M.	17	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	-	-	2	4	1	3	-	-	-	-	-	
	女 F.	27	-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	-	2	4	5	1	6	1	1	-	-	-	-	
391.9	その他の活動性リウマチ性心疾患	45	-	-	-	-	-	-	1	1	1	-	1	-	1	1	4	3	7	2	3	8	6	6	-	-	-	-	-	391.9
	男 M.	14	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	2	-	-	4	2	3	-	-	-	-	-	
	女 F.	31	-	-	-	-	-	-	-	1	1	-	-	-	1	-	4	3	5	2	3	4	4	3	-	-	-	-	-	
391.9a	活動性リウマチ性心炎	16	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	3	1	1	-	2	1	3	-	-	-	-	-	391.9a
	男 M.	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	
	女 F.	12	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	-	1	-	1	1	2	-	-	-	-	-	
391.9b	その他	29	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	-	6	1	3	6	5	3	-	-	-	-	-	391.9b
	男 M.	10	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	3	2	2	-	-	-	-	-	
	女 F.	19	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	5	1	3	3	3	1	-	-	-	-	-	
392	舞踏病	14	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	-	1	1	2	1	-	-	-	-	-	-	392
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	-	2	1	-	-	-	-	-	-	
392.0	心侵襲を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	392.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
392.9	心侵襲の記載のないもの	14	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	-	1	1	2	1	-	-	-	-	-	-	392.9
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	-	2	1	-	-	-	-	-	-	
(393～398)	慢性リウマチ性心疾患	3 715	-	-	-	-	-	-	2	9	35	71	87	139	165	248	278	305	327	423	458	451	348	228	108	27	6	-	-	(393～398)
	男 M.	1 516	-	-	-	-	-	-	1	5	17	31	49	61	65	91	101	120	125	175	210	206	136	86	30	7	-	-	-	
	女 F.	2 199	-	-	-	-	-	-	1	4	18	40	38	78	100	157	177	185	202	248	248	245	212	142	78	20	6	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
393	心臓の疾患	12	-	-	-	-	-	-	-	-	-	-
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	6	-	-	-	-	-	-	-	-	-	-
394	僧帽弁の疾患	2 123	-	-	-	-	-	-	2	5	19	41
	男 M.	785	-	-	-	-	-	-	1	2	11	14
	女 F.	1 338	-	-	-	-	-	-	1	3	8	27
394.0	リウマチ性と明示されたもの	97	-	-	-	-	-	-	-	-	2	4
	男 M.	23	-	-	-	-	-	-	-	-	2	-
	女 F.	74	-	-	-	-	-	-	-	-	-	4
394.9	リウマチ性と明示されないもの	2 026	-	-	-	-	-	-	2	5	17	37
	男 M.	762	-	-	-	-	-	-	1	2	9	14
	女 F.	1 264	-	-	-	-	-	-	1	3	8	23
395	大動脈弁の疾患	722	-	-	-	-	-	-	-	1	8	14
	男 M.	447	-	-	-	-	-	-	-	1	3	10
	女 F.	275	-	-	-	-	-	-	-	-	5	4
395.0	リウマチ性と明示されたもの	21	-	-	-	-	-	-	-	-	3	-
	男 M.	11	-	-	-	-	-	-	-	-	1	-
	女 F.	10	-	-	-	-	-	-	-	-	2	-
395.9	リウマチ性と明示されないもの	701	-	-	-	-	-	-	-	1	5	14
	男 M.	436	-	-	-	-	-	-	-	1	2	10
	女 F.	265	-	-	-	-	-	-	-	-	3	4
396	僧帽弁および大動脈弁の疾患	178	-	-	-	-	-	-	-	-	5	8
	男 M.	95	-	-	-	-	-	-	-	-	3	5
	女 F.	83	-	-	-	-	-	-	-	-	2	3
396.0	リウマチ性と明示されたもの	12	-	-	-	-	-	-	-	-	1	-
	男 M.	8	-	-	-	-	-	-	-	-	1	-
	女 F.	4	-	-	-	-	-	-	-	-	-	-
396.9	リウマチ性と明示されないもの	166	-	-	-	-	-	-	-	-	4	8
	男 M.	87	-	-	-	-	-	-	-	-	2	5
	女 F.	79	-	-	-	-	-	-	-	-	2	3
397	その他の心内膜構造の疾患	297	-	-	-	-	-	-	-	1	1	4
	男 M.	81	-	-	-	-	-	-	-	-	-	1
	女 F.	216	-	-	-	-	-	-	-	1	1	3
398	その他のリウマチ性と明示された心疾患	383	-	-	-	-	-	-	-	2	2	4
	男 M.	102	-	-	-	-	-	-	-	2	-	1
	女 F.	281	-	-	-	-	-	-	-	-	2	3
(400～404)	高血圧性疾患	17 421	-	-	-	-	-	-	-	3	5	13
	男 M.	7 877	-	-	-	-	-	-	-	1	3	9
	女 F.	9 546	-	-	-	-	-	-	-	2	2	4
400	悪性高血圧症	602	-	-	-	-	-	-	-	-	-	4
	男 M.	368	-	-	-	-	-	-	-	-	-	2
	女 F.	234	-	-	-	-	-	-	-	-	-	2
400.0	臓器障害の記載のないもの	55	-	-	-	-	-	-	-	-	-	-
	男 M.	25	-	-	-	-	-	-	-	-	-	-
	女 F.	30	-	-	-	-	-	-	-	-	-	-
400.1	心侵襲を伴うもの	69	-	-	-	-	-	-	-	-	-	-
	男 M.	33	-	-	-	-	-	-	-	-	-	-
	女 F.	36	-	-	-	-	-	-	-	-	-	-
400.2	脳血管侵襲を伴うもの	299	-	-	-	-	-	-	-	-	-	-
	男 M.	182	-	-	-	-	-	-	-	-	-	-
	女 F.	117	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
-	2	-	1	-	4	-	-	-	2	1	2	-	-	-	-	-	393
-	1	-	-	-	3	-	-	-	1	-	1	-	-	-	-	-	
-	1	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-	
48	79	114	168	200	209	201	237	238	224	165	111	47	11	4	-	-	394
22	25	36	56	66	71	65	85	108	103	58	47	12	3	-	-	-	
26	54	78	112	134	138	136	152	130	121	107	64	35	8	4	-	-	
2	2	2	12	9	6	7	8	8	18	13	1	3	-	-	-	-	394.0
1	1	-	4	2	-	1	2	3	4	1	1	1	-	-	-	-	
1	1	2	8	7	6	6	6	5	14	12	-	2	-	-	-	-	
46	77	112	156	191	203	194	229	230	206	152	110	44	11	4	-	-	394.9
21	24	36	52	64	71	64	83	105	99	57	46	11	3	-	-	-	
25	53	76	104	127	132	130	146	125	107	95	64	33	8	4	-	-	
20	22	18	26	31	49	72	94	115	110	72	44	22	4	-	-	-	395
16	17	15	16	20	32	45	59	73	62	45	23	9	1	-	-	-	
4	5	3	10	11	17	27	35	42	48	27	21	13	3	-	-	-	
2	-	-	2	-	1	3	4	4	2	-	-	-	-	-	-	-	395.0
2	-	-	1	-	1	1	1	2	2	-	-	-	-	-	-	-	
-	-	-	1	-	-	2	3	2	-	-	-	-	-	-	-	-	
18	22	18	24	31	48	69	90	111	108	72	44	22	4	-	-	-	395.9
14	17	15	15	20	31	44	58	71	60	45	23	9	1	-	-	-	
4	5	3	9	11	17	25	32	40	48	27	21	13	3	-	-	-	
15	21	19	26	18	16	14	12	10	8	4	1	1	-	-	-	-	396
10	11	10	13	9	7	6	10	4	4	2	-	1	-	-	-	-	
5	10	9	13	9	9	8	2	6	4	2	1	-	-	-	-	-	
1	1	2	-	2	1	1	1	-	1	1	-	-	-	-	-	-	396.0
1	-	2	-	1	-	1	1	-	-	1	-	-	-	-	-	-	
-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	
14	20	17	26	16	15	13	11	10	7	3	1	1	-	-	-	-	396.9
9	11	8	13	8	7	5	9	4	4	1	-	1	-	-	-	-	
5	9	9	13	8	8	8	2	6	3	2	1	-	-	-	-	-	
2	8	8	18	15	13	21	33	39	46	41	28	10	8	1	-	-	397
1	4	1	4	2	3	4	6	10	19	14	7	3	2	-	-	-	
1	4	7	14	13	10	17	27	29	27	27	21	7	6	1	-	-	
2	7	6	9	14	14	19	47	56	61	65	42	28	4	1	-	-	398
-	3	3	2	4	4	5	15	15	17	17	8	5	1	-	-	-	
2	4	3	7	10	10	14	32	41	44	48	34	23	3	1	-	-	
27	46	115	183	214	317	567	996	1 631	2 900	3 900	3 576	2 200	636	86	6	-	(400～404)
21	35	64	124	115	171	325	568	916	1 479	1 725	1 419	716	163	22	1	-	
6	11	51	59	99	146	242	428	715	1 421	2 175	2 157	1 484	473	64	5	-	
9	9	33	37	38	38	56	58	59	87	75	63	29	6	-	1	-	400
8	8	25	33	24	29	33	43	35	47	35	25	18	3	-	-	-	
1	1	8	4	14	9	23	15	24	40	40	38	11	3	-	1	-	
-	2	3	3	5	2	8	3	6	5	7	6	3	1	-	1	-	400.0
-	1	1	2	3	2	3	2	2	2	4	2	1	-	-	-	-	
-	1	2	1	2	-	5	1	4	3	3	4	2	1	-	1	-	
1	-	4	5	3	3	3	6	5	16	8	8	5	2	-	-	-	400.1
1	-	3	4	3	-	1	3	2	5	3	4	3	1	-	-	-	
-	-	1	1	-	3	2	3	3	11	5	4	2	1	-	-	-	
-	2	10	13	17	15	21	28	33	53	51	36	18	2	-	-	-	400.2
-	2	9	11	11	12	13	25	19	31	22	14	12	1	-	-	-	
-	-	1	2	6	3	8	3	14	22	29	22	6	1	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
400.3	腎侵襲を伴うもの	106	-	-	-	-	-	-	-	-	-	1	6	2	11	13	7	8	21	14	10	6	3	4	-	-	-	-	-	400.3
	男 M.	73	-	-	-	-	-	-	-	-	-	-	5	2	8	13	3	7	15	6	8	3	1	2	-	-	-	-	-	
	女 F.	33	-	-	-	-	-	-	-	-	-	1	1	-	3	-	4	1	6	8	2	3	2	2	-	-	-	-	-	
400.9	多臓器侵襲を伴うもの	73	-	-	-	-	-	-	-	-	-	3	2	3	5	3	6	10	3	7	5	7	6	9	3	1	-	-	-	400.9
	男 M.	55	-	-	-	-	-	-	-	-	-	2	2	3	4	3	4	8	1	7	4	6	5	3	2	1	-	-	-	
	女 F.	18	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	2	-	1	1	1	6	1	-	-	-	-	
401	本態性良性高血圧症	3 638	-	-	-	-	-	-	-	1	-	1	4	4	13	24	31	30	80	140	232	497	844	898	620	195	22	2	-	401
	男 M.	1 516	-	-	-	-	-	-	-	1	-	1	3	4	6	21	17	16	51	78	137	252	363	334	175	52	5	-	-	
	女 F.	2 122	-	-	-	-	-	-	-	-	-	-	1	-	7	3	14	14	29	62	95	245	481	564	445	143	17	2	-	
402	高血圧性心疾患	11 237	-	-	-	-	-	-	-	-	-	3	3	13	23	69	84	165	303	658	1 138	1 973	2 640	2 341	1 381	387	54	2	-	402
	男 M.	5 037	-	-	-	-	-	-	-	-	-	3	3	9	17	38	40	79	140	375	631	1 004	1 165	948	454	95	15	1	-	
	女 F.	6 200	-	-	-	-	-	-	-	-	-	-	-	4	6	31	44	86	143	283	507	969	1 475	1 393	927	292	39	1	-	
403	高血圧性腎疾患	1 286	-	-	-	-	-	-	-	1	2	1	3	11	30	35	44	54	81	93	131	212	220	189	131	40	7	1	-	403
	男 M.	625	-	-	-	-	-	-	-	-	1	1	3	8	10	24	27	30	51	47	75	108	104	76	48	12	1	-	-	
	女 F.	661	-	-	-	-	-	-	-	1	1	-	-	3	20	11	17	24	30	46	56	104	116	113	83	28	6	1	-	
404	高血圧性心腎疾患	658	-	-	-	-	-	-	-	1	3	4	8	9	16	18	17	30	47	47	71	131	121	85	39	8	3	-	-	404
	男 M.	331	-	-	-	-	-	-	-	-	2	3	4	6	6	8	7	17	30	25	38	68	58	36	21	1	1	-	-	
	女 F.	327	-	-	-	-	-	-	-	1	1	1	4	3	10	10	10	13	17	22	33	63	63	49	18	7	2	-	-	
(410～414)	虚血性心疾患	38 759	-	2	1	-	1	4	2	3	26	62	99	219	394	668	1 053	1 318	2 382	3 998	5 352	7 064	6 878	5 497	2 781	808	135	12	4	(410～414)
	男 M.	22 042	-	1	1	-	1	3	2	3	17	49	64	164	308	527	766	906	1 621	2 609	3 299	4 093	3 632	2 578	1 100	259	36	4	2	
	女 F.	16 717	-	1	-	-	-	1	2	-	9	13	35	55	86	141	287	412	761	1 389	2 053	2 971	3 246	2 919	1 681	549	99	8	2	
410～414 .0	高血圧性疾患を伴うもの	6 985	-	-	-	-	-	-	-	-	1	-	2	7	27	73	117	203	366	687	1 039	1 415	1 417	1 025	485	103	16	1	1	410～414 .0
	男 M.	3 535	-	-	-	-	-	-	-	-	1	-	2	5	18	57	72	117	223	414	571	763	658	418	175	37	3	-	1	
	女 F.	3 450	-	-	-	-	-	-	-	-	-	-	-	2	9	16	45	86	143	273	468	652	759	607	310	66	13	1	-	
410～414 .9	高血圧性疾患の記載のないもの	31 774	-	2	1	-	1	4	2	3	25	62	97	212	367	595	936	1 115	2 016	3 311	4 313	5 649	5 461	4 472	2 296	705	119	11	3	410～414 .9
	男 M.	18 507	-	1	1	-	1	3	2	3	16	49	62	159	290	470	694	789	1 398	2 195	2 728	3 330	2 974	2 160	925	222	33	4	1	
	女 F.	13 267	-	1	-	-	-	1	2	-	9	13	35	53	77	125	242	326	618	1 116	1 585	2 319	2 487	2 312	1 371	483	86	7	2	
410	急性心筋硬塞症	21 839	-	1	1	-	1	3	2	3	17	40	76	156	297	499	776	975	1 677	2 679	3 324	4 042	3 460	2 326	1 133	285	60	6	3	410
	男 M.	13 050	-	1	1	-	1	3	2	3	12	31	50	116	240	400	570	690	1 156	1 774	2 072	2 377	1 884	1 112	444	95	17	2	2	
	女 F.	8 789	-	-	-	-	-	-	-	-	5	9	26	40	57	99	206	285	523	905	1 252	1 665	1 576	1 214	689	190	43	4	1	
410.0	高血圧性疾患を伴うもの	3 726	-	-	-	-	-	-	-	-	1	-	1	7	23	53	85	153	237	412	647	799	675	423	173	29	7	-	1	410.0
	男 M.	1 973	-	-	-	-	-	-	-	-	1	-	1	5	15	41	60	91	146	251	358	439	314	175	62	10	3	-	1	
	女 F.	1 753	-	-	-	-	-	-	-	-	-	-	-	2	8	12	25	62	91	161	289	360	361	248	111	19	4	-	-	
410.9	高血圧性疾患の記載のないもの	18 113	-	1	1	-	1	3	2	3	16	40	75	149	274	446	691	822	1 440	2 267	2 677	3 243	2 785	1 903	960	256	53	6	2	410.9
	男 M.	11 077	-	1	1	-	1	3	2	3	11	31	49	111	225	359	510	599	1 008	1 523	1 714	1 938	1 570	937	382	85	14	2	1	
	女 F.	7 036	-	-	-	-	-	-	-	-	5	9	26	38	49	87	181	223	432	744	963	1 305	1 215	966	578	171	39	4	1	
411	その他の虚血性心疾患の急性または亜急性型	4 525	-	1	-	-	-	1	-	-	-	4	5	10	21	30	57	61	138	285	452	832	968	940	526	166	27	1	1	411
	男 M.	2 144	-	-	-	-	-	-	-	-	-	3	1	5	16	20	26	19	79	159	228	443	454	423	205	58	5	-	-	
	女 F.	2 381	-	1	-	-	-	1	-	-	-	1	4	5	5	10	31	42	59	126	224	389	514	517	321	108	22	1	1	
411.0	高血圧性疾患を伴うもの	1 357	-	-	-	-	-	-	-	-	-	-	-	-	2	8	10	13	44	82	133	268	321	273	159	37	7	-	-	411.0
	男 M.	603	-	-	-	-	-	-	-	-	-	-	-	-	2	5	3	5	26	47	66	127	134	110	62	16	-	-	-	
	女 F.	754	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	8	18	35	67	141	187	163	97	21	7	-	-	
411.9	高血圧性疾患の記載のないもの	3 168	-	1	-	-	-	1	-	-	-	4	5	10	19	22	47	48	94	203	319	564	647	667	367	129	20	1	1	411.9
	男 M.	1 541	-	-	-	-	-	-	-	-	-	3	1	5	14	15	23	14	53	112	162	316	320	313	143	42	5	-	-	
	女 F.	1 627	-	1	-	-	-	1	-	-	-	1	4	5	5	7	24	34	41	91	157	248	327	354	224	87	15	1	1	
412	慢性虚血性心疾患	9 436	-	-	-	-	-	-	-	-	3	3	5	24	28	67	103	163	337	707	1 143	1 670	1 978	1 863	979	315	44	4	-	412
	男 M.	5 103	-	-	-	-	-	-	-	-	-	3	3	18	17	57	80	117	229	438	738	992	1 036	876	394	89	14	2	-	
	女 F.	4 333	-	-	-	-	-	-	-	-	3	-	2	6	11	10	23	46	108	269	405	678	942	987	585	226	30	2	-	
412.0	高血圧性疾患を伴うもの	1 366	-	-	-	-	-	-	-	-	-	-	-	-	1	8	11	22	46	121	174	237	317	261	134	33	1	-	-	412.0
	男 M.	677	-	-	-	-	-	-	-	-	-	-	-	-	-	7	7	11	26	71	102	134	160	105	45	9	-	-	-	
	女 F.	689	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	11	20	50	72	103	157	156	89	24	1	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
412.9	高血圧性疾患の記載のないもの	8 070	-	-	-	-	-	-	-	-	3	3	5	24	27	59	92	141	291	586	969	1 433	1 661	1 602	845	282	43	4	-	412.9
	男 M.	4 426	-	-	-	-	-	-	-	-	-	-	3	18	17	50	73	106	203	367	636	858	876	771	349	80	14	2	-	
	女 F.	3 644	-	-	-	-	-	-	-	-	3	3	2	6	10	9	19	35	88	219	333	575	785	831	496	202	29	2	-	
413	狭心症	2 959	-	-	-	-	-	-	-	-	6	15	13	29	48	72	117	119	230	327	433	520	472	368	143	42	4	1	-	413
	男 M.	1 745	-	-	-	-	-	-	-	-	5	12	10	25	35	50	90	80	159	238	261	281	258	167	57	17	-	-	-	
	女 F.	1 214	-	-	-	-	-	-	-	-	1	3	3	4	13	22	27	39	71	89	172	239	214	201	86	25	4	1	-	
413.0	高血圧性疾患を伴うもの	536	-	-	-	-	-	-	-	-	-	-	1	-	1	4	11	15	39	72	85	111	104	68	19	4	1	1	-	413.0
	男 M.	282	-	-	-	-	-	-	-	-	-	-	1	-	1	4	2	10	25	45	45	63	50	28	6	2	-	-	-	
	女 F.	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	5	14	27	40	48	54	40	13	2	1	1	-	
413.9	高血圧性疾患の記載のないもの	2 423	-	-	-	-	-	-	-	-	6	15	12	29	47	68	106	104	191	255	348	409	368	300	124	38	3	-	-	413.9
	男 M.	1 463	-	-	-	-	-	-	-	-	5	12	9	25	34	46	88	70	134	193	216	218	208	139	51	15	-	-	-	
	女 F.	960	-	-	-	-	-	-	-	-	1	3	3	4	13	22	18	34	57	62	132	191	160	161	73	23	3	-	-	
414	無症候性虚血性心疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	414
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
414.0	高血圧性疾患を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	414.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
414.9	高血圧性疾患の記載のないもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	414.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(420～429)	その他の心疾患	43 411	363	36	25	13	17	454	60	78	178	403	446	568	804	944	1 113	1 259	1 741	2 682	3 879	5 843	7 378	7 604	5 338	2 181	431	21	6	(420～429)
	男 M.	20 634	210	21	16	9	8	264	33	43	124	255	283	356	521	590	610	646	896	1 455	2 146	3 094	3 483	3 299	1 829	597	98	6	6	
	女 F.	22 777	153	15	9	4	9	190	27	35	54	148	163	212	283	354	503	613	845	1 227	1 733	2 749	3 895	4 305	3 509	1 584	333	15	-	
420	非リウマチ性急性心膜炎	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	420
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
421	急性および亜急性心内膜炎	141	4	1	-	-	-	5	3	1	3	3	8	15	7	6	11	7	15	14	11	7	14	3	6	2	-	-	-	421
	男 M.	73	2	-	-	-	-	2	1	-	-	1	3	9	4	6	6	5	12	10	4	2	4	-	3	1	-	-	-	
	女 F.	68	2	1	-	-	-	3	2	1	3	2	5	6	3	-	5	2	3	4	7	5	10	3	3	1	-	-	-	
421.0	急性および亜急性細菌性心内膜炎	108	3	-	-	-	-	3	3	1	2	3	6	11	6	6	8	7	13	12	6	6	9	3	3	-	-	-	-	421.0
	男 M.	62	2	-	-	-	-	2	1	-	-	1	2	6	4	6	5	5	11	10	2	2	4	-	1	-	-	-	-	
	女 F.	46	1	-	-	-	-	1	2	1	2	2	4	5	2	-	3	2	2	2	4	4	5	3	2	-	-	-	-	
421.9	その他の急性心内膜炎	33	1	1	-	-	-	2	-	-	1	-	2	4	1	-	3	-	2	2	5	1	5	-	3	2	-	-	-	421.9
	男 M.	11	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	1	-	2	-	-	-	2	1	-	-	-	
	女 F.	22	1	1	-	-	-	2	-	-	1	-	1	1	1	-	2	-	1	2	3	1	5	-	1	1	-	-	-	
422	急性心筋炎	21	2	-	-	-	-	2	-	1	1	-	3	-	-	-	-	1	-	3	2	-	2	5	1	-	-	-	-	422
	男 M.	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	
	女 F.	15	2	-	-	-	-	2	-	-	1	-	3	-	-	-	-	1	-	1	1	-	-	5	1	-	-	-	-	
423	非リウマチ性慢性心膜疾患	132	3	-	-	-	-	3	-	2	5	5	4	6	11	10	9	4	11	17	13	9	17	4	2	-	-	-	-	423
	男 M.	73	3	-	-	-	-	3	-	1	2	4	3	3	6	5	6	2	5	11	8	2	10	1	1	-	-	-	-	
	女 F.	59	-	-	-	-	-	-	-	1	3	1	1	3	5	5	3	2	6	6	5	7	7	3	1	-	-	-	-	
424	心内膜の慢性疾患	3 650	13	1	2	-	-	16	5	3	23	45	57	83	104	152	192	259	287	352	423	494	480	377	232	56	10	-	-	424
	男 M.	1 417	7	-	1	-	-	8	1	2	15	21	22	31	42	56	64	86	107	156	186	205	186	144	73	12	-	-	-	
	女 F.	2 233	6	1	1	-	-	8	4	1	8	24	35	52	62	96	128	173	180	196	237	289	294	233	159	44	10	-	-	
424.0	非リウマチ性僧帽弁	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	4	4	5	-	-	-	-	424.0
	男 M.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	2	2	-	-	-	-	
	女 F.	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	2	3	-	-	-	-	
424.1	非リウマチ性大動脈弁	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	5	3	2	-	-	-	-	424.1
	男 M.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	2	1	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	1	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
424.9	その他の心内膜構造	3 608	13	1	2	-	-	16	5	3	23	45
	男 M.	1 397	7	-	1	-	-	9	1	2	15	21
	女 F.	2 211	6	1	1	-	-	8	4	1	8	24
425	心筋病	104	1	-	2	-	-	3	-	4	6	11
	男 M.	77	-	-	-	-	-	-	-	4	6	9
	女 F.	27	1	-	2	-	-	3	-	-	-	2
426	肺性心疾患	602	2	1	-	1	-	4	2	3	3	10
	男 M.	377	2	1	-	1	-	4	2	-	1	5
	女 F.	225	-	-	-	-	-	-	-	3	2	5
427	症候性心疾患	6 293	13	1	-	2	1	17	1	7	12	26
	男 M.	3 191	10	1	-	2	-	13	1	5	9	17
	女 F.	3 102	3	-	-	-	1	4	-	2	3	9
427.0	うっ血性心不全	1 755	-	-	-	-	-	-	-	-	-	1
	男 M.	813	-	-	-	-	-	-	-	-	-	-
	女 F.	942	-	-	-	-	-	-	-	-	-	1
427.1	左室不全	3 145	4	1	-	1	-	6	-	3	4	12
	男 M.	1 651	3	1	-	1	-	5	-	3	3	10
	女 F.	1 494	1	-	-	-	-	1	-	-	1	2
427.2	心臓ブロック	367	2	-	-	-	1	3	-	2	2	3
	男 M.	183	2	-	-	-	-	2	-	2	1	-
	女 F.	184	-	-	-	-	1	1	-	-	1	3
427.9	その他の心臓律動障害	1 026	7	-	-	1	-	8	1	2	6	10
	男 M.	544	5	-	-	1	-	6	1	-	5	7
	女 F.	482	2	-	-	-	-	2	-	2	1	3
428	その他の心筋機能不全	31 701	313	31	20	9	16	389	47	55	117	285
	男 M.	14 944	181	18	14	5	8	226	26	28	84	185
	女 F.	16 757	132	13	6	4	8	163	21	27	33	100
429	診断名不明確の心疾患	764	12	1	1	1	-	15	2	2	8	18
	男 M.	474	5	1	1	1	-	8	2	2	7	13
	女 F.	290	7	-	-	-	-	7	-	-	1	5
(430～438)	脳血管疾患	176 228	85	15	5	6	4	115	34	35	80	187
	男 M.	93 290	46	11	4	3	2	66	16	20	52	105
	女 F.	82 938	39	4	1	3	2	49	18	15	28	82
430～438.0	高血圧（良性）を伴うもの	39 457	1	-	-	-	-	1	-	-	2	16
	男 M.	20 569	1	-	-	-	-	1	-	-	-	11
	女 F.	18 888	-	-	-	-	-	-	-	-	2	5
430～438.9	高血圧の記載のないもの	136 771	84	15	5	6	4	114	34	35	78	171
	男 M.	72 721	45	11	4	3	2	65	16	20	52	94
	女 F.	64 050	39	4	1	3	2	49	18	15	26	77
430	くも膜下出血	5 803	10	4	-	1	-	15	8	18	38	77
	男 M.	2 914	6	2	-	-	-	8	2	10	27	45
	女 F.	2 889	4	2	-	1	-	7	6	8	11	32
430.0	高血圧（良性）を伴うもの	773	-	-	-	-	-	-	-	-	-	-
	男 M.	353	-	-	-	-	-	-	-	-	-	-
	女 F.	420	-	-	-	-	-	-	-	-	-	-
430.9	高血圧の記載のないもの	5 030	10	4	-	1	-	15	8	18	38	77
	男 M.	2 561	6	2	-	-	-	8	2	10	27	45
	女 F.	2 469	4	2	-	1	-	7	6	8	11	32
431	脳出血	75 737	69	9	4	4	2	88	21	12	27	68
	男 M.	41 436	37	7	3	3	1	51	12	8	18	41
	女 F.	34 301	32	2	1	1	1	37	9	4	9	27

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
57	83	104	152	192	258	285	348	416	489	471	370	225	56	10	-	-	424.9
22	31	42	56	64	85	107	155	182	204	180	140	70	12	-	-	-	
35	52	62	96	128	173	178	193	234	285	291	230	155	44	10	-	-	
12	8	7	12	12	11	10	2	3	2	-	1	-	-	-	-	-	425
10	7	5	8	8	10	6	1	2	1	-	-	-	-	-	-	-	
2	1	2	4	4	1	4	1	1	1	-	1	-	-	-	-	-	
5	7	14	23	37	25	57	51	69	101	106	60	21	4	-	-	-	426
2	3	5	15	24	14	36	30	50	65	68	37	14	2	-	-	-	
3	4	9	8	13	11	21	21	19	36	38	23	7	2	-	-	-	
29	35	58	77	104	166	225	427	626	1 039	1 229	1 188	743	240	43	1	-	427
20	18	29	44	57	80	120	232	359	588	628	612	278	69	12	-	-	
9	17	29	33	47	86	105	195	267	451	601	576	465	171	31	1	-	
6	8	5	20	40	48	65	118	157	250	315	370	248	86	17	1	-	427.0
4	2	2	8	21	24	33	56	91	138	146	174	81	27	6	-	-	
2	6	3	12	19	24	32	62	66	112	169	196	167	59	11	1	-	
9	11	27	25	27	60	82	181	299	564	672	628	390	126	19	-	-	427.1
6	5	13	17	16	29	48	104	182	330	352	340	151	36	1	-	-	
3	6	14	8	11	31	34	77	117	234	320	288	239	90	18	-	-	
4	7	7	12	11	19	21	35	43	61	71	39	18	9	-	-	-	427.2
3	4	2	6	8	8	11	15	19	26	46	20	8	2	-	-	-	
1	3	5	6	3	11	10	20	24	35	25	19	10	7	-	-	-	
10	9	19	20	26	39	57	93	127	164	171	151	87	19	7	-	-	427.9
7	7	12	13	12	19	28	57	67	94	84	78	38	4	5	-	-	
3	2	7	7	14	20	29	36	60	70	87	73	49	15	2	-	-	
303	378	552	620	707	748	1 097	1 751	2 670	4 119	5 444	5 883	4 276	1 860	375	20	5	428
203	253	388	423	414	419	583	975	1 498	2 190	2 546	2 462	1 437	508	85	6	5	
100	125	164	197	293	329	514	776	1 172	1 929	2 898	3 421	2 839	1 352	290	14	-	
24	36	51	44	41	38	38	64	62	72	86	83	57	19	3	-	1	429
20	32	42	33	31	30	26	37	38	41	39	43	23	5	1	-	1	
4	4	9	11	10	8	12	27	24	31	47	40	34	14	2	-	-	
283	570	1 462	2 812	4 011	5 540	9 247	15 393	23 326	33 330	35 744	27 352	12 636	3 548	476	21	26	(430～438)
198	403	1 063	2 050	2 576	3 227	5 565	9 301	13 928	18 761	18 095	12 117	4 606	1 004	108	8	21	
85	167	399	762	1 435	2 313	3 682	6 092	9 398	14 569	17 649	15 235	8 030	2 544	368	13	5	
31	90	310	653	1 012	1 402	2 397	3 903	5 641	7 651	8 023	5 526	2 236	495	61	1	6	430～438.0
24	72	233	490	639	769	1 459	2 314	3 236	4 134	3 932	2 293	807	129	22	-	4	
7	18	77	163	373	633	938	1 589	2 405	3 517	4 091	3 233	1 429	366	39	1	2	
252	480	1 152	2 159	2 999	4 138	6 850	11 490	17 685	25 679	27 721	21 826	10 400	3 053	415	20	20	430～438.9
174	331	830	1 560	1 937	2 458	4 106	6 987	10 692	14 627	14 163	9 824	3 799	875	86	8	17	
78	149	322	599	1 062	1 680	2 744	4 503	6 993	11 052	13 558	12 002	6 601	2 178	329	12	3	
118	203	345	534	557	588	678	732	684	591	363	177	66	9	-	-	2	430
83	128	227	337	325	308	314	328	287	268	135	56	22	2	-	-	2	
35	75	118	197	232	280	364	404	397	323	228	121	44	7	-	-	-	
3	16	24	43	73	69	85	112	97	113	85	37	13	3	-	-	-	430.0
2	12	14	32	37	33	35	57	33	56	29	9	4	-	-	-	-	
1	4	10	11	36	36	50	55	64	57	56	28	9	3	-	-	-	
115	187	321	491	484	519	593	620	587	478	278	140	53	6	-	-	2	430.9
81	116	213	305	288	275	279	271	254	212	106	47	18	2	-	-	2	
34	71	108	186	196	244	314	349	333	266	172	93	35	4	-	-	-	
111	267	872	1 766	2 610	3 427	5 634	8 559	11 344	14 091	13 199	8 909	3 658	947	106	5	16	431
78	206	677	1 351	1 754	2 045	3 469	5 263	6 712	7 804	6 521	3 834	1 303	251	23	2	13	
33	61	195	415	856	1 382	2 165	3 296	4 632	6 287	6 678	5 075	2 355	696	83	3	3	

第1表 死　亡　者　数，性・年齢（5才階級）・死因（基本分類）別

昭和47年
1972

TABLE 1　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
431.0	高血圧（良性）を伴うもの	23 613	-	-	-	-	-	-	-	-	-	12
	男 M.	12 584	-	-	-	-	-	-	-	-	-	9
	女 F.	11 029	-	-	-	-	-	-	-	-	-	3
431.9	高血圧の記載のないもの	52 124	69	9	4	4	2	88	21	12	27	56
	男 M.	28 852	37	7	3	3	1	51	12	8	18	32
	女 F.	23 272	32	2	1	1	1	37	9	4	9	24
432	脳前動脈閉塞	125	-	-	-	-	-	-	-	1	2	2
	男 M.	74	-	-	-	-	-	-	-	1	1	1
	女 F.	51	-	-	-	-	-	-	-	-	1	1
432.0	高血圧（良性）を伴うもの	8	-	-	-	-	-	-	-	-	-	-
	男 M.	5	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
432.9	高血圧の記載のないもの	117	-	-	-	-	-	-	-	1	2	2
	男 M.	69	-	-	-	-	-	-	-	1	1	1
	女 F.	48	-	-	-	-	-	-	-	-	1	1
433	脳血栓症	14 545	-	-	-	-	-	-	1	1	6	8
	男 M.	7 607	-	-	-	-	-	-	-	-	3	4
	女 F.	6 938	-	-	-	-	-	-	1	1	3	4
433.0	高血圧（良性）を伴うもの	2 066	-	-	-	-	-	-	-	-	1	-
	男 M.	1 035	-	-	-	-	-	-	-	-	-	-
	女 F.	1 031	-	-	-	-	-	-	-	-	1	-
433.9	高血圧の記載のないもの	12 479	-	-	-	-	-	-	1	1	5	8
	男 M.	6 572	-	-	-	-	-	-	-	-	3	4
	女 F.	5 907	-	-	-	-	-	-	1	1	2	4
434	脳塞栓症	3 299	-	1	-	-	-	1	3	1	3	9
	男 M.	1 632	-	1	-	-	-	1	1	1	-	2
	女 F.	1 667	-	-	-	-	-	-	2	-	3	7
434.0	高血圧（良性）を伴うもの	439	-	-	-	-	-	-	-	-	1	-
	男 M.	214	-	-	-	-	-	-	-	-	-	-
	女 F.	225	-	-	-	-	-	-	-	-	1	-
434.9	高血圧の記載のないもの	2 860	-	1	-	-	-	1	3	1	2	9
	男 M.	1 418	-	1	-	-	-	1	1	1	-	2
	女 F.	1 442	-	-	-	-	-	-	2	-	2	7
435	一過性脳虚血	32	2	-	-	-	-	2	-	-	-	-
	男 M.	18	1	-	-	-	-	1	-	-	-	-
	女 F.	14	1	-	-	-	-	1	-	-	-	-
435.0	高血圧（良性）を伴うもの	5	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	-
435.9	高血圧の記載のないもの	27	2	-	-	-	-	2	-	-	-	-
	男 M.	17	1	-	-	-	-	1	-	-	-	-
	女 F.	10	1	-	-	-	-	1	-	-	-	-
436	診断名不明確の急性脳血管疾患	20 557	1	-	-	-	-	1	-	1	3	10
	男 M.	11 185	1	-	-	-	-	1	-	-	2	8
	女 F.	9 372	-	-	-	-	-	-	-	1	1	2
436.0	高血圧（良性）を伴うもの	5 275	1	-	-	-	-	1	-	-	-	2
	男 M.	2 715	1	-	-	-	-	1	-	-	-	2
	女 F.	2 560	-	-	-	-	-	-	-	-	-	-
436.9	高血圧の記載のないもの	15 282	-	-	-	-	-	-	-	-	1	3
	男 M.	8 470	-	-	-	-	-	-	-	-	-	2
	女 F.	6 812	-	-	-	-	-	-	-	-	1	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
23	66	240	516	787	1 041	1 755	2 768	3 604	4 486	4 175	2 796	1 097	216	26	-	5	431.0
17	52	186	390	513	583	1 077	1 655	2 057	2 391	2 037	1 150	401	55	7	-	4	
6	14	54	126	274	458	678	1 113	1 547	2 095	2 138	1 646	696	161	19	-	1	
88	201	632	1 250	1 823	2 386	3 879	5 791	7 740	9 605	9 024	6 113	2 561	731	80	5	11	431.9
61	154	491	961	1 241	1 462	2 392	3 608	4 655	5 413	4 484	2 684	902	196	16	2	9	
27	47	141	289	582	924	1 487	2 183	3 085	4 192	4 540	3 429	1 659	535	64	3	2	
-	4	2	8	6	17	14	15	14	19	11	9	-	-	1	-	-	432
-	2	-	4	2	9	7	9	9	14	9	6	-	-	-	-	-	
-	2	2	4	4	8	7	6	5	5	2	3	-	-	1	-	-	
-	-	-	-	-	1	-	1	1	2	1	2	-	-	-	-	-	432.0
-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	
-	4	2	8	6	16	14	14	13	17	10	7	-	-	1	-	-	432.9
-	2	-	4	2	9	7	8	9	13	8	4	-	-	-	-	-	
-	2	2	4	4	7	7	6	4	4	2	3	-	-	1	-	-	
10	16	35	87	140	281	538	1 053	1 899	3 029	3 258	2 593	1 225	318	44	3	-	433
6	10	23	52	71	166	311	634	1 167	1 731	1 713	1 166	454	84	11	1	-	
4	6	12	35	69	115	227	419	732	1 298	1 545	1 427	771	234	33	2	-	
-	-	4	8	8	35	81	122	269	445	514	365	174	34	5	1	-	433.0
-	-	4	5	5	22	50	70	161	254	240	147	66	7	4	-	-	
-	-	-	3	3	13	31	52	108	191	274	218	108	27	1	1	-	
10	16	31	79	132	246	457	931	1 630	2 584	2 744	2 228	1 051	284	39	2	-	433.9
6	10	19	47	66	144	261	564	1 006	1 477	1 473	1 019	388	77	7	1	-	
4	6	12	32	66	102	196	367	624	1 107	1 271	1 209	663	207	32	1	-	
13	19	21	38	76	110	182	301	446	634	663	492	219	57	11	-	-	434
8	12	9	21	34	51	102	160	244	335	323	216	89	20	3	-	-	
5	7	12	17	42	59	80	141	202	299	340	276	130	37	8	-	-	
-	1	-	-	3	10	28	29	50	100	108	74	30	4	1	-	-	434.0
-	1	-	-	2	8	18	15	24	53	52	30	10	-	1	-	-	
-	-	-	-	1	2	10	14	26	47	56	44	20	4	-	-	-	
13	18	21	38	73	100	154	272	396	534	555	418	189	53	10	-	-	434.9
8	11	9	21	32	43	84	145	220	282	271	186	79	20	2	-	-	
5	7	12	17	41	57	70	127	176	252	284	232	110	33	8	-	-	
-	-	-	-	1	-	-	2	7	8	4	4	4	-	-	-	-	435
-	-	-	-	1	-	-	2	5	4	2	3	-	-	-	-	-	
-	-	-	-	-	-	-	-	2	4	2	1	4	-	-	-	-	
-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	435.0
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	
-	-	-	-	1	-	-	2	6	6	2	4	4	-	-	-	-	435.9
-	-	-	-	1	-	-	2	5	3	2	3	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	3	-	1	4	-	-	-	-	
18	46	163	319	487	754	1 293	2 139	3 103	4 044	4 055	2 673	1 129	274	38	3	4	436
14	37	113	248	319	435	798	1 285	1 905	2 236	2 122	1 165	400	81	9	3	4	
4	9	50	71	168	319	495	854	1 198	1 808	1 933	1 508	729	193	29	-	-	
3	6	39	78	122	192	340	547	798	1 035	1 113	667	265	60	7	-	-	436.0
3	6	28	57	71	94	204	311	456	560	545	274	86	14	3	-	-	
-	-	11	21	51	98	136	236	342	475	568	393	179	46	4	-	-	
15	40	124	241	365	562	953	1 592	2 305	3 009	2 942	2 006	864	214	31	3	4	436.9
11	31	85	191	248	341	594	974	1 449	1 676	1 577	891	314	67	6	3	4	
4	9	39	50	117	221	359	618	856	1 333	1 365	1 115	550	147	25	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
437	全般性虚血性脳血管疾患	10 049	-	-	-	-	1	1	-	-	1	4	1	-	2	2	20	50	134	412	931	1 745	2 563	2 398	1 290	424	65	5	1	437
	男 M.	4 957	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	38	89	262	562	1 012	1 304	1 070	475	123	11	-	-	
	女 F.	5 092	-	-	-	-	1	1	-	-	-	4	1	-	2	-	12	12	45	150	369	733	1 259	1 328	815	301	54	5	1	
437.0	高血圧（良性）を伴うもの	1 647	-	-	-	-	-	-	-	-	-	2	-	-	-	-	5	9	24	62	169	305	468	378	162	54	9	-	-	437.0
	男 M.	827	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	17	42	111	168	237	161	62	18	5	-	-	
	女 F.	820	-	-	-	-	-	-	-	-	-	2	-	-	-	-	4	4	7	20	58	137	231	217	100	36	4	-	-	
437.9	高血圧の記載のないもの	8 402	-	-	-	-	1	1	-	-	1	2	1	-	2	2	15	41	110	350	762	1 440	2 095	2 020	1 128	370	56	5	1	437.9
	男 M.	4 130	-	-	-	-	-	-	-	-	1	-	-	-	-	2	7	33	72	220	451	844	1 067	909	413	105	6	-	-	
	女 F.	4 272	-	-	-	-	1	1	-	-	-	2	1	-	2	-	8	8	38	130	311	596	1 028	1 111	715	265	50	5	1	
438	その他および診断名不明確の脳血管疾患	46 081	3	1	1	1	1	7	1	1	-	9	12	15	22	58	114	313	774	2 160	4 898	9 169	11 628	10 097	5 045	1 519	211	5	3	438
	男 M.	23 467	1	1	1	-	1	4	1	-	-	4	9	8	14	35	62	175	475	1 358	3 037	5 357	5 966	4 601	1 863	443	51	2	2	
	女 F.	22 614	2	-	-	1	-	3	-	1	-	5	3	7	8	23	52	138	299	822	1 861	3 812	5 662	5 496	3 182	1 076	160	3	1	
438.0	高血圧（良性）を伴うもの	5 631	-	-	-	-	-	-	-	-	-	-	2	1	3	8	14	45	84	262	652	1 163	1 557	1 207	495	124	13	-	1	438.0
	男 M.	2 835	-	-	-	-	-	-	-	-	-	-	2	1	1	6	10	24	58	163	394	650	791	520	178	35	2	-	-	
	女 F.	2 796	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	21	26	99	258	513	766	687	317	89	11	-	1	
438.0a	脳軟化	5 039	-	-	-	-	-	-	-	-	-	-	1	1	2	5	11	33	64	232	571	1 017	1 413	1 104	455	117	12	-	1	438.0a
	男 M.	2 532	-	-	-	-	-	-	-	-	-	-	1	1	1	3	8	20	43	146	344	570	715	484	163	32	1	-	-	
	女 F.	2 507	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	13	21	86	227	447	698	620	292	85	11	-	1	
438.0b	その他	592	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	12	20	30	81	146	144	103	40	7	1	-	-	438.0b
	男 M.	303	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	4	15	17	50	80	76	36	15	3	1	-	-	
	女 F.	289	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	8	5	13	31	66	68	67	25	4	-	-	-	
438.9	高血圧の記載のないもの	40 450	3	1	1	1	1	7	1	1	-	9	10	14	19	50	100	268	690	1 918	4 246	8 006	10 071	8 890	4 550	1 395	198	5	2	438.9
	男 M.	20 632	1	1	1	-	1	4	1	-	-	4	7	7	13	29	52	151	417	1 195	2 643	4 707	5 175	4 081	1 685	408	49	2	2	
	女 F.	19 818	2	-	-	1	-	3	-	1	-	5	3	7	6	21	48	117	273	723	1 603	3 299	4 896	4 809	2 865	987	149	3	-	
438.9a	脳軟化	39 439	-	-	-	-	-	-	-	-	-	-	1	6	14	37	84	246	649	1 851	4 129	7 806	9 847	8 717	4 480	1 365	197	5	2	438.9a
	男 M.	20 069	-	-	-	-	-	-	-	-	-	3	1	4	9	22	43	141	395	1 148	2 564	4 578	5 048	4 003	1 663	396	49	2	2	
	女 F.	19 370	-	-	-	-	-	-	-	-	-	1	-	2	5	15	41	105	254	703	1 565	3 228	4 799	4 714	2 817	969	148	3	-	
438.9b	その他	1 011	3	1	1	1	1	7	1	1	-	6	9	8	5	13	16	22	41	67	117	200	224	173	70	30	1	-	-	438.9b
	男 M.	563	1	1	1	-	1	4	1	-	-	3	6	3	4	7	9	10	22	47	79	129	127	78	22	12	-	-	-	
	女 F.	448	2	-	-	1	-	3	-	1	-	3	3	5	1	6	7	12	19	20	38	71	97	95	48	18	1	-	-	
(440～448)	動脈，小動脈および毛細管の疾患	4 871	5	1	1	1	-	8	1	7	9	17	17	42	51	81	65	111	162	266	428	784	911	999	621	242	44	4	1	(440～448)
	男 M.	2 569	3	-	-	1	-	4	1	2	5	6	12	25	34	58	41	71	107	171	294	452	499	475	242	62	8	-	-	
	女 F.	2 302	2	1	1	-	-	4	-	5	4	11	5	17	17	23	24	40	55	95	134	332	412	524	379	180	36	4	1	
440	動脈硬化症	3 022	-	-	-	-	-	-	-	1	-	-	-	-	1	8	3	12	24	63	160	415	658	857	554	225	38	3	-	440
	男 M.	1 391	-	-	-	-	-	-	-	-	-	-	-	-	1	6	1	8	14	36	105	213	334	397	213	57	6	-	-	
	女 F.	1 631	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	4	10	27	55	202	324	460	341	168	32	3	-	
440.0	大動脈	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	440.0
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
440.1	腎動脈	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	440.1
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
440.2	四肢の動脈	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	2	3	1	1	2	-	-	-	440.2
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	2	2	1	-	2	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	
440.3	その他の明示された動脈	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	1	-	-	-	-	440.3
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	
440.9	全身および詳細不明の動脈	2 994	-	-	-	-	-	-	-	-	-	-	-	-	1	7	2	12	23	59	156	413	653	854	550	223	38	3	-	440.9
	男 M.	1 371	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	8	13	33	102	211	330	395	212	55	6	-	-	
	女 F.	1 623	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	10	26	54	202	323	459	338	168	32	3	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
441	大動脈瘤（非梅毒性）	846	-	-	-	-	-	-	-	-	3	2	4	12	13	22	19	39	70	99	138	199	131	60	24	8	1	1	1	441
	男 M.	564	-	-	-	-	-	-	-	-	2	1	3	6	11	16	16	28	54	72	97	132	84	31	10	1	-	-	-	
	女 F.	282	-	-	-	-	-	-	-	-	1	1	1	6	2	6	3	11	16	27	41	67	47	29	14	7	1	1	1	
441.0	解離性大動脈瘤（各部位）	198	-	-	-	-	-	-	-	-	1	1	1	3	6	7	9	8	28	29	25	46	20	9	4	-	-	-	1	441.0
	男 M.	136	-	-	-	-	-	-	-	-	1	1	1	2	5	6	7	7	24	18	19	24	16	3	2	-	-	-	-	
	女 F.	62	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	11	6	22	4	6	2	-	-	-	1	
441.1	胸部大動脈瘤	145	-	-	-	-	-	-	-	-	1	1	-	2	1	7	6	12	13	18	23	30	18	8	2	2	1	-	-	441.1
	男 M.	98	-	-	-	-	-	-	-	-	1	-	-	1	1	5	5	8	11	17	15	19	8	6	1	-	-	-	-	
	女 F.	47	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	4	2	1	8	11	10	2	1	2	1	-	-	
441.2	腹部大動脈瘤	330	-	-	-	-	-	-	-	-	1	-	-	4	4	5	2	8	18	32	58	82	65	36	9	5	-	1	-	441.2
	男 M.	220	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	4	11	24	44	61	45	17	4	1	-	-	-	
	女 F.	110	-	-	-	-	-	-	-	-	1	-	-	4	-	2	-	4	7	8	14	21	20	19	5	4	-	1	-	
441.9	その他	173	-	-	-	-	-	-	-	-	-	-	3	3	2	3	2	11	11	20	32	41	28	7	9	1	-	-	-	441.9
	男 M.	110	-	-	-	-	-	-	-	-	-	-	2	3	1	2	2	9	8	13	19	28	15	5	3	-	-	-	-	
	女 F.	63	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	3	7	13	13	13	2	6	1	-	-	-	
442	その他の動脈瘤	179	-	-	-	-	-	-	-	-	-	3	6	6	14	21	13	22	20	20	16	19	11	5	2	1	-	-	-	442
	男 M.	95	-	-	-	-	-	-	-	-	-	1	5	3	10	13	9	13	8	8	9	7	7	2	-	-	-	-	-	
	女 F.	84	-	-	-	-	-	-	-	-	-	2	1	3	4	8	4	9	12	12	7	12	4	3	2	1	-	-	-	
443	その他の末梢血管疾患	91	1	-	-	-	-	1	-	-	-	1	-	-	1	4	3	3	-	10	10	19	17	13	8	-	1	-	-	443
	男 M.	63	1	-	-	-	-	1	-	-	-	-	-	-	-	3	1	3	-	7	8	14	12	8	6	-	-	-	-	
	女 F.	28	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	3	2	5	5	5	2	-	1	-	-	
443.0	レノー症候群	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	4	4	4	4	2	-	-	-	-	443.0
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	3	2	2	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	1	1	2	-	-	-	-	
443.1	閉塞性血栓血管炎（ビュルガー病）	67	1	-	-	-	-	1	-	-	-	-	-	-	-	3	3	2	-	8	6	15	13	9	6	-	1	-	-	443.1
	男 M.	50	1	-	-	-	-	1	-	-	-	-	-	-	-	3	1	2	-	7	6	11	9	6	4	-	-	-	-	
	女 F.	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	4	4	3	2	-	1	-	-	
443.2～443.9	その他および詳細不明	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	443.2～443.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
444	動脈塞栓症および血栓症	518	2	-	-	1	-	3	-	2	1	1	1	9	6	17	12	27	38	55	89	105	74	47	24	6	1	-	-	444
	男 M.	339	1	-	-	1	-	2	-	2	1	1	1	8	5	13	7	15	28	37	65	66	46	28	11	3	-	-	-	
	女 F.	179	1	-	-	-	-	1	-	-	-	-	-	1	1	4	5	12	10	18	24	39	28	19	13	3	1	-	-	
445	壊疽	79	-	-	-	-	-	-	-	-	-	1	-	2	2	-	3	-	1	4	9	17	12	15	9	2	2	-	-	445
	男 M.	51	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	4	5	14	9	7	2	1	2	-	-	
	女 F.	28	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	4	3	3	8	7	1	-	-	-	
445.0	動脈硬化性壊疽	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	4	5	2	2	-	-	-	445.0
	男 M.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	-	1	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	4	2	1	-	-	-	
445.9	他に分類されない壊疽	59	-	-	-	-	-	-	-	-	-	1	-	2	2	-	3	-	-	4	9	11	8	10	7	-	2	-	-	445.9
	男 M.	42	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	-	-	4	5	10	6	6	2	-	2	-	-	
	女 F.	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	1	2	4	5	-	-	-	-	
446	結節性多発動脈炎および類似疾患	124	1	1	1	-	-	3	1	4	4	9	6	11	14	8	12	8	9	14	5	9	6	-	-	-	1	-	-	446
	男 M.	60	1	-	-	-	-	1	1	-	2	2	3	6	5	6	5	4	3	7	5	5	5	-	-	-	-	-	-	
	女 F.	64	-	1	1	-	-	2	-	4	2	7	3	5	9	2	7	4	6	7	-	4	1	-	-	-	1	-	-	
447	その他の動脈および小動脈の疾患	12	1	-	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	1	1	1	2	2	-	-	-	-	-	447
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	-	-	-	-	-	
	女 F.	6	1	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
448	毛細管の疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	448
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
(450～458)	静脈およびリンパ系の疾患ならびにその他の循環器系の疾患	939	3	1	1	1	2	8	4	2	5	12
	男 M.	512	2	1	1	-	1	5	2	2	2	4
	女 F.	427	1	-	-	1	1	3	2	-	3	8
450	肺塞栓症および硬塞症	131	-	-	-	-	2	2	-	2	2	3
	男 M.	70	-	-	-	-	1	1	-	2	1	2
	女 F.	61	-	-	-	-	1	1	-	-	1	1
451	静脈炎および血栓静脈炎	33	-	-	-	1	-	1	-	-	-	1
	男 M.	13	-	-	-	-	-	-	-	-	-	-
	女 F.	20	-	-	-	1	-	1	-	-	-	1
451.0	下肢	22	-	-	-	1	-	1	-	-	-	1
	男 M.	7	-	-	-	-	-	-	-	-	-	-
	女 F.	15	-	-	-	1	-	1	-	-	-	1
451.9	その他および部位不明	11	-	-	-	-	-	-	-	-	-	-
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	5	-	-	-	-	-	-	-	-	-	-
452	門脈血栓症	4	-	-	-	-	-	-	1	-	-	-
	男 M.	3	-	-	-	-	-	-	1	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
453	その他の静脈塞栓症および血栓症	42	-	-	1	-	-	1	-	-	-	1
	男 M.	24	-	-	1	-	-	1	-	-	-	-
	女 F.	18	-	-	-	-	-	-	-	-	-	1
454	下肢の静脈瘤	3	-	-	-	-	-	-	-	-	-	-
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
455	痔核	20	-	-	-	-	-	-	-	-	-	-
	男 M.	12	-	-	-	-	-	-	-	-	-	-
	女 F.	8	-	-	-	-	-	-	-	-	-	-
456	その他の部位の静脈瘤	301	-	-	-	-	-	-	1	-	1	1
	男 M.	196	-	-	-	-	-	-	-	-	-	1
	女 F.	105	-	-	-	-	-	-	1	-	1	-
456.0	食道	288	-	-	-	-	-	-	1	-	1	1
	男 M.	187	-	-	-	-	-	-	-	-	-	1
	女 F.	101	-	-	-	-	-	-	1	-	1	-
456.1 } 456.9 }	その他	13	-	-	-	-	-	-	-	-	-	-
	男 M.	9	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	-
457	リンパ管の非感染性疾患	6	1	-	-	-	-	1	-	-	-	-
	男 M.	2	1	-	-	-	-	1	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	-
458	その他の循環器系の疾患	399	2	1	-	-	-	3	2	-	2	6
	男 M.	189	1	1	-	-	-	2	1	-	1	1
	女 F.	210	1	-	-	-	-	1	1	-	1	5
458.0	低血圧症	210	-	-	-	-	-	-	-	-	1	1
	男 M.	98	-	-	-	-	-	-	-	-	1	-
	女 F.	112	-	-	-	-	-	-	-	-	-	1
458.9	その他および詳細不明の循環器系の疾患	189	2	1	-	-	-	3	2	-	1	5
	男 M.	91	1	1	-	-	-	2	1	-	-	1
	女 F.	98	1	-	-	-	-	1	1	-	1	4
VIII	呼吸器系の疾患	45 141	2 831	477	237	133	79	3 757	247	209	242	328
	男 M.	25 412	1 588	255	112	69	44	2 068	129	108	149	170
	女 F.	19 729	1 243	222	125	64	35	1 689	118	101	93	158

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
15	17	38	59	49	42	78	83	98	117	133	102	54	19	4	-	-	(450～458)
4	8	21	44	28	20	52	47	66	67	66	44	21	9	-	-	-	
11	9	17	15	21	22	26	36	32	50	67	58	33	10	4	-	-	
2	2	6	10	12	9	14	9	14	17	15	9	3	-	-	-	-	450
2	-	2	7	6	4	6	6	10	9	5	6	1	-	-	-	-	
-	2	4	3	6	5	8	3	4	8	10	3	2	-	-	-	-	
1	-	-	1	4	1	2	4	2	3	6	3	4	-	-	-	-	451
1	-	-	1	3	-	1	1	1	2	1	-	2	-	-	-	-	
-	-	-	-	1	1	1	3	1	1	5	3	2	-	-	-	-	
1	-	-	1	2	-	1	3	1	2	4	3	2	-	-	-	-	451.0
1	-	-	1	2	-	-	1	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	2	-	1	4	3	2	-	-	-	-	
-	-	-	-	2	1	1	1	1	1	2	-	2	-	-	-	-	451.9
-	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	-	
-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	452
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	2	1	4	1	3	6	3	3	5	3	6	3	-	-	-	-	453
-	2	-	3	-	1	5	2	2	2	1	2	3	-	-	-	-	
-	-	1	1	1	2	1	1	1	3	2	4	-	-	-	-	-	
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	454
-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	1	-	-	1	3	1	1	4	4	3	-	1	-	-	455
-	-	-	1	-	-	1	3	1	1	1	2	2	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	3	2	1	-	1	-	-	
2	8	15	25	16	19	29	36	40	40	31	24	8	5	-	-	-	456
1	5	12	23	12	11	20	22	29	24	19	12	3	2	-	-	-	
1	3	3	2	4	8	9	14	11	16	12	12	5	3	-	-	-	
2	8	14	24	16	19	28	33	40	38	29	23	8	3	-	-	-	456.0
1	5	12	22	12	11	19	20	29	23	17	11	3	1	-	-	-	
1	3	2	2	4	8	9	13	11	15	12	12	5	2	-	-	-	
-	-	1	1	-	-	1	3	-	2	2	1	-	2	-	-	-	{ 456.1
-	-	-	1	-	-	1	2	-	1	2	1	-	1	-	-	-	{ 456.9
-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	
-	-	-	2	-	1	-	-	-	1	-	-	1	-	-	-	-	457
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	
10	5	14	16	15	9	25	27	38	49	74	55	32	14	3	-	-	458
-	1	6	9	6	4	18	12	23	28	39	21	10	7	-	-	-	
10	4	8	7	9	5	7	15	15	21	35	34	22	7	3	-	-	
1	1	2	5	4	3	11	12	21	35	51	36	19	7	-	-	-	458.0
-	-	2	2	1	1	7	3	12	19	28	13	5	4	-	-	-	
1	1	-	3	3	2	4	9	9	16	23	23	14	3	-	-	-	
9	4	12	11	11	6	14	15	17	14	23	19	13	7	3	-	-	458.9
-	1	4	7	5	3	11	9	11	9	11	8	5	3	-	-	-	
9	3	8	4	6	3	3	6	6	5	12	11	8	4	3	-	-	
293	321	373	655	725	903	1 438	2 731	4 341	6 712	8 155	7 286	4 467	1 635	294	22	7	VIII
142	158	226	387	422	512	871	1 763	2 870	4 250	4 796	3 796	1 888	592	104	5	6	
151	163	147	268	303	391	567	968	1 471	2 462	3 359	3 490	2 579	1 043	190	17	1	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
(460－466)	急性呼吸器系感染（インフルエンザを除く）…	4 437	262	75	28	25	13	403	28	27	21	28
	男 M.	2 122	142	44	5	16	8	215	12	12	12	18
	女 F.	2 315	120	31	23	9	5	188	16	15	9	10
460	急性鼻咽頭炎（かぜ）	1 635	79	27	3	4	3	116	11	12	8	6
	男 M.	700	43	15	-	2	1	61	5	5	5	3
	女 F.	935	36	12	3	2	2	55	6	7	3	3
461	急性副鼻腔炎	1	-	-	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
462	急性咽頭炎	72	6	2	2	-	1	11	3	-	-	3
	男 M.	40	5	2	-	-	-	7	1	-	-	3
	女 F.	32	1	-	2	-	1	4	2	-	-	-
463	急性扁桃炎	79	10	6	3	2	1	22	3	2	4	2
	男 M.	47	5	3	2	2	1	13	2	2	2	1
	女 F.	32	5	3	1	-	-	9	1	-	2	1
464	急性喉頭炎および気管炎	36	10	5	2	1	1	19	-	-	-	-
	男 M.	18	4	3	1	-	-	8	-	-	-	-
	女 F.	18	6	2	1	1	1	11	-	-	-	-
465	多発または部位不明の急性上気道感染	273	32	11	5	4	4	56	3	2	-	2
	男 M.	130	17	6	-	2	3	28	1	2	-	2
	女 F.	143	15	5	5	2	1	28	2	-	-	-
466	急性気管支炎および細気管支炎	2 341	125	24	13	14	3	179	8	10	9	15
	男 M.	1 187	68	15	2	10	3	98	3	3	5	9
	女 F.	1 154	57	9	11	4	-	81	5	7	4	6
(470－474)	インフルエンザ	856	28	5	4	6	2	45	6	5	4	6
	男 M.	472	14	3	3	3	2	25	2	4	4	3
	女 F.	384	14	2	1	3	-	20	4	1	-	3
470	性質不明のインフルエンザ	447	14	3	3	5	2	27	1	2	4	5
	男 M.	245	9	1	2	3	2	17	1	1	4	2
	女 F.	202	5	2	1	2	-	10	-	1	-	3
471	肺炎を伴うインフルエンザ	343	9	1	1	1	-	12	2	3	-	-
	男 M.	190	2	1	1	-	-	4	-	3	-	-
	女 F.	153	7	-	-	1	-	8	2	-	-	-
472	その他の呼吸器症状を伴うインフルエンザ	40	-	-	-	-	-	-	1	-	-	-
	男 M.	24	-	-	-	-	-	-	-	-	-	-
	女 F.	16	-	-	-	-	-	-	1	-	-	-
473	消化器症状を伴うインフルエンザ	16	2	1	-	-	-	3	-	-	-	-
	男 M.	9	2	1	-	-	-	3	-	-	-	-
	女 F.	7	-	-	-	-	-	-	-	-	-	-
474	神経症状を伴うインフルエンザ	10	3	-	-	-	-	3	2	-	-	1
	男 M.	4	1	-	-	-	-	1	1	-	-	1
	女 F.	6	2	-	-	-	-	2	1	-	-	-
(480－486)	肺炎	23 204	2 356	315	153	72	48	2 944	139	107	143	189
	男 M.	12 462	1 320	167	75	35	29	1 626	64	52	85	92
	女 F.	10 742	1 036	148	78	37	19	1 318	75	55	58	97
480	ウイルス肺炎	37	5	3	1	-	-	9	1	-	-	-
	男 M.	22	3	3	1	-	-	7	1	-	-	-
	女 F.	15	2	-	-	-	-	2	-	-	-	-
481	肺炎球菌性肺炎	659	29	7	6	2	-	44	2	3	9	5
	男 M.	374	15	3	2	-	-	20	1	2	4	1
	女 F.	285	14	4	4	2	-	24	1	1	5	4

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
23	19	26	31	31	57	76	162	260	450	719	874	751	375	72	4	-	(460－466)
13	10	18	22	17	29	45	85	161	248	384	390	280	122	28	1	-	
10	9	8	9	14	28	31	77	99	202	335	484	471	253	44	3	-	
6	8	8	8	13	15	31	49	91	154	256	336	309	160	36	2	-	460
4	6	6	5	5	6	16	23	54	76	120	132	112	43	12	1	-	
2	2	2	3	8	9	15	26	37	78	136	204	197	117	24	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	461
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	1	1	2	1	-	1	8	5	5	6	8	8	2	2	-	-	462
2	1	-	1	-	-	-	5	4	4	3	5	3	1	-	-	-	
3	-	1	1	1	-	1	3	1	1	3	3	5	1	2	-	-	
2	1	3	3	2	8	3	3	4	8	4	2	2	1	-	-	-	463
1	1	2	3	1	2	3	2	3	7	2	-	-	-	-	-	-	
1	-	1	-	1	6	-	1	1	1	2	2	2	1	-	-	-	
-	1	1	2	-	-	-	1	-	3	2	3	4	-	-	-	-	464
-	-	-	2	-	-	-	1	-	3	1	1	2	-	-	-	-	
-	1	1	-	-	-	-	-	-	-	1	2	2	-	-	-	-	
2	2	4	2	2	6	4	10	13	28	43	33	39	18	3	1	-	465
1	1	4	1	1	3	3	4	11	15	23	12	15	2	1	-	-	
1	1	-	1	1	3	1	6	2	13	20	21	24	16	2	1	-	
8	6	9	14	13	28	37	91	147	252	408	492	389	194	31	1	-	466
5	1	6	10	10	18	23	50	89	143	235	240	148	76	15	-	-	
3	5	3	4	3	10	14	41	58	109	173	252	241	118	16	1	-	
3	7	7	15	17	23	24	48	85	152	160	124	74	39	11	1	-	(470－474)
3	5	4	10	10	8	13	29	59	94	93	62	34	8	2	-	-	
-	2	3	5	7	15	11	19	26	58	67	62	40	31	9	1	-	
-	1	2	9	8	14	10	28	36	77	74	74	42	25	8	-	-	470
-	1	-	5	5	5	3	16	27	48	45	40	20	4	1	-	-	
-	-	2	4	3	9	7	12	9	29	29	34	22	21	7	-	-	
3	4	4	5	9	9	12	14	39	64	75	43	29	12	3	1	-	471
3	3	3	4	5	3	9	9	27	38	43	20	12	3	1	-	-	
-	1	1	1	4	6	3	5	12	26	32	23	17	9	2	1	-	
-	1	-	1	-	-	1	3	6	10	9	6	1	1	-	-	-	472
-	1	-	1	-	-	-	2	3	8	5	2	1	1	-	-	-	
-	-	-	-	-	-	1	1	3	2	4	4	-	-	-	-	-	
-	-	1	-	-	-	1	3	2	-	2	1	2	1	-	-	-	473
-	-	1	-	-	-	1	2	1	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	1	1	-	2	1	1	1	-	-	-	
-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	474
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
164	181	174	312	348	427	636	1 176	1 962	3 220	4 129	3 730	2 255	809	138	14	7	(480－486)
76	86	101	182	199	245	366	739	1 226	1 942	2 268	1 858	906	299	43	1	6	
88	95	73	130	149	182	270	437	736	1 278	1 861	1 872	1 349	510	95	13	1	
2	-	-	-	1	-	2	-	2	9	4	4	2	1	-	-	-	480
1	-	-	-	-	-	2	-	2	6	1	1	1	-	-	-	-	
1	-	-	-	1	-	-	-	-	3	3	3	1	1	-	-	-	
8	16	11	28	16	21	36	31	64	99	113	79	59	13	1	-	1	481
4	11	8	19	11	13	23	21	46	59	62	41	21	6	-	-	1	
4	5	3	9	5	8	13	10	18	40	51	38	38	7	1	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
482	その他の細菌性肺炎	44	5	-	1	1	-	7	1	-	-	1	1	-	1	1	-	1	1	3	6	7	4	7	2	1	-	-	-	482
	男 M.	24	3	-	-	-	-	3	-	-	-	1	-	-	1	1	-	1	-	1	4	4	1	4	2	1	-	-	-	
	女 F.	20	2	-	1	1	-	4	1	-	-	-	1	-	-	-	-	-	1	2	2	3	3	3	-	-	-	-	-	
483	その他の明示された病原体による肺炎	65	1	1	-	-	-	2	-	-	-	3	1	-	-	1	-	2	2	7	4	8	21	8	6	-	-	-	-	483
	男 M.	39	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	2	7	4	7	12	3	1	-	-	-	-	
	女 F.	26	1	-	-	-	-	1	-	-	-	2	1	-	-	1	-	1	-	-	-	1	9	5	5	-	-	-	-	
484	急性間質性肺炎	25	6	2	-	-	-	8	-	-	1	-	-	-	3	1	1	3	2	2	1	3	-	-	-	-	-	-	-	484
	男 M.	11	3	-	-	-	-	3	-	-	1	-	-	-	-	-	-	2	-	1	1	3	-	-	-	-	-	-	-	
	女 F.	14	3	2	-	-	-	5	-	-	-	-	-	-	3	1	1	1	2	1	-	-	-	-	-	-	-	-	-	
485	詳細不明の気管支肺炎	4 996	404	78	38	19	13	552	36	27	21	33	17	35	24	54	56	60	106	200	365	647	928	955	597	245	37	1	-	485
	男 M.	2 582	226	40	19	8	8	301	14	11	13	19	10	19	10	20	33	32	50	123	218	377	511	473	250	85	13	-	-	
	女 F.	2 414	178	38	19	11	5	251	22	16	8	14	7	16	14	34	23	28	56	77	147	270	417	482	347	160	24	1	-	
486	詳細不明の肺炎	17 378	1 906	224	107	50	35	2 322	99	77	112	147	135	130	135	227	274	340	487	933	1 520	2 447	3 059	2 677	1 589	549	100	13	6	486
	男 M.	9 410	1 070	120	53	27	21	1 291	48	39	67	70	61	56	82	142	155	196	289	586	951	1 486	1 681	1 336	631	207	30	1	5	
	女 F.	7 968	836	104	54	23	14	1 031	51	38	45	77	74	74	53	85	119	144	198	347	569	961	1 378	1 341	958	342	70	12	1	
(490—493)	気管支炎，肺気腫および喘息	13 012	107	65	46	25	13	256	66	63	53	82	70	82	109	196	207	262	472	934	1 516	2 257	2 560	2 166	1 218	378	64	1	-	(490—493)
	男 M.	7 925	66	31	25	10	3	135	47	37	34	46	33	37	64	100	118	147	286	626	1 050	1 512	1 651	1 251	578	144	28	1	-	
	女 F.	5 087	41	34	21	15	10	121	19	26	19	36	37	45	45	96	89	115	186	308	466	745	909	915	640	234	36	-	-	
490	詳細不明の気管支炎	1 702	79	19	12	5	3	118	8	10	2	5	4	7	7	14	12	10	24	59	128	194	290	376	275	129	30	-	-	490
	男 M.	899	47	8	5	3	2	65	5	5	2	2	3	3	5	8	6	5	15	39	84	117	170	193	118	42	12	-	-	
	女 F.	803	32	11	7	2	1	53	3	5	-	3	1	4	2	6	6	5	9	20	44	77	120	183	157	87	18	-	-	
491	慢性気管支炎	2 423	2	3	1	-	-	6	8	3	2	1	3	2	7	15	17	32	58	133	243	399	597	513	297	73	14	-	-	491
	男 M.	1 453	2	-	1	-	-	3	6	2	-	-	3	-	4	7	9	17	32	87	162	259	375	295	149	35	8	-	-	
	女 F.	970	-	3	-	-	-	3	2	1	2	1	-	2	3	8	8	15	26	46	81	140	222	218	148	38	6	-	-	
492	肺気腫	1 534	1	3	-	1	-	5	2	-	-	3	2	3	4	10	12	24	61	164	254	368	310	210	81	15	6	-	-	492
	男 M.	1 173	1	3	-	-	-	4	2	-	-	2	2	2	-	8	8	18	42	130	212	290	246	151	45	8	3	-	-	
	女 F.	361	-	-	-	1	-	1	-	-	-	1	-	1	4	2	4	6	19	34	42	78	64	59	36	7	3	-	-	
493	喘息	7 353	25	40	33	19	10	127	48	50	49	73	61	70	91	157	166	196	329	578	891	1 296	1 363	1 067	565	161	14	1	-	493
	男 M.	4 400	16	20	19	7	1	63	34	30	32	42	25	32	55	77	95	107	197	370	592	846	860	612	266	59	5	1	-	
	女 F.	2 953	9	20	14	12	9	64	14	20	17	31	36	38	36	80	71	89	132	208	299	450	503	455	299	102	9	-	-	
(500—508)	その他の上気道の疾患	92	5	3	1	2	1	12	2	-	4	5	2	4	4	2	7	4	2	9	7	13	6	6	3	-	-	-	-	(500—508)
	男 M.	56	3	2	1	2	-	8	2	-	3	4	1	3	2	1	3	3	1	6	3	8	5	2	1	-	-	-	-	
	女 F.	36	2	1	-	-	1	4	-	-	1	1	1	1	2	1	4	1	1	3	4	5	1	4	2	-	-	-	-	
500	扁桃肥大およびアデノイド	3	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	500
	男 M.	3	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
501	扁桃周囲膿瘍	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	1	-	1	1	-	-	-	-	-	-	-	501
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
502	慢性咽頭炎および慢性鼻咽頭炎	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	502
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
503	慢性副鼻腔炎	17	-	-	-	-	-	-	-	-	4	2	-	1	1	1	1	-	-	1	1	2	2	-	1	-	-	-	-	503
	男 M.	11	-	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	1	1	2	1	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	
504	鼻中隔彎曲症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	504
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
505	鼻茸	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	505
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
506	慢性喉頭炎	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	506
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
507	枯草熱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	507
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
508	その他の上気道の疾患	57	5	3	1	1	1	11	-	-	-	3	1	2	2	1	3	3	1	7	5	9	1	6	2	-	-	-	-	508
	男 M.	33	3	2	1	1	-	7	-	-	-	3	1	1	1	1	1	2	-	5	2	5	1	2	1	-	-	-	-	
	女 F.	24	2	1	-	-	1	4	-	-	-	-	-	1	1	-	2	1	1	2	3	4	-	4	1	-	-	-	-	
(510—519)	その他の呼吸器系の疾患	3 540	73	14	5	3	2	97	6	7	17	18	31	28	53	99	115	130	228	402	511	620	581	386	166	34	9	2	-	(510—519)
	男 M.	2 375	43	8	3	3	2	59	2	3	11	7	16	17	37	72	75	80	160	278	371	446	395	233	89	19	3	2	-	
	女 F.	1 165	30	6	2	-	-	38	4	4	6	11	15	11	16	27	40	50	68	124	140	174	186	153	77	15	6	-	-	
510	膿胸	233	27	8	2	-	1	38	1	-	1	1	1	3	6	9	15	8	16	25	32	36	20	16	4	1	-	-	-	510
	男 M.	163	15	3	1	-	1	20	-	-	-	1	1	1	4	8	8	5	12	22	26	26	17	11	2	-	-	-	-	
	女 F.	70	12	5	1	-	-	18	1	-	1	-	-	2	2	1	7	3	4	3	6	10	3	5	2	1	-	-	-	
511	胸膜炎	291	3	1	-	1	-	5	1	-	4	1	5	3	5	5	12	8	11	35	38	50	48	42	15	2	1	-	-	511
	男 M.	172	3	1	-	1	-	5	-	-	3	1	2	1	4	3	7	5	8	19	26	35	23	21	7	2	1	-	-	
	女 F.	119	-	-	-	-	-	-	1	-	1	-	3	2	1	2	5	3	3	16	12	15	25	21	8	-	-	-	-	
511.0	滲出または結核の記載のないもの	258	3	1	-	1	-	5	1	-	2	1	4	3	5	5	9	8	9	28	35	47	43	38	13	1	1	-	-	511.0
	男 M.	147	3	1	-	1	-	5	-	-	1	1	2	1	4	3	4	5	6	13	23	33	20	19	6	1	1	-	-	
	女 F.	111	-	-	-	-	-	-	1	-	1	-	2	2	1	2	5	3	3	15	12	14	23	19	7	-	-	-	-	
511.1	結核以外の細菌性原因の記載のある滲出を伴うもの	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	2	3	1	1	-	-	-	511.1
	男 M.	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	
511.2	その他の滲出型（結核以外のもの）	23	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-	2	6	3	2	3	1	1	-	-	-	-	511.2
	男 M.	18	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	2	5	3	1	2	1	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	
512	自発気胸	151	7	-	-	1	1	9	-	2	2	1	1	1	4	12	5	8	10	19	14	24	24	12	3	-	-	-	-	512
	男 M.	117	4	-	-	1	1	6	-	-	2	1	1	1	4	7	4	6	8	15	12	20	18	10	2	-	-	-	-	
	女 F.	34	3	-	-	-	-	3	-	2	-	-	-	-	-	5	1	2	2	4	2	4	6	2	1	-	-	-	-	
513	肺膿瘍	747	7	-	2	-	-	9	-	-	3	4	6	7	7	24	21	39	52	95	116	145	135	61	19	4	-	-	-	513
	男 M.	546	5	-	2	-	-	7	-	-	2	2	4	4	5	19	15	27	38	69	81	110	102	46	11	4	-	-	-	
	女 F.	201	2	-	-	-	-	2	-	-	1	2	2	3	2	5	6	12	14	26	35	35	33	15	8	-	-	-	-	
514	肺うっ血および血液降下症	296	14	3	-	1	-	18	3	-	1	3	3	3	8	4	7	6	10	22	29	37	46	48	35	9	2	2	-	514
	男 M.	177	8	2	-	1	-	11	2	-	-	1	2	2	5	3	5	4	7	14	20	28	26	26	17	2	1	2	-	
	女 F.	119	6	1	-	-	-	7	1	-	1	3	1	1	3	1	2	2	3	8	9	9	20	22	18	7	1	-	-	
515	けい肺およびけい酸による塵肺症	207	-	-	-	-	-	-	-	-	-	-	1	-	3	6	8	10	25	37	46	46	17	6	1	1	-	-	-	515
	男 M.	196	-	-	-	-	-	-	-	-	-	-	-	-	3	6	8	9	25	35	41	45	16	6	1	1	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	5	1	1	-	-	-	-	-	-	
515.0	けい肺	130	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	7	17	21	33	26	13	4	-	1	-	-	-	515.0
	男 M.	126	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	7	17	21	30	26	12	4	-	1	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	
515.1	炭けい肺	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	515.1
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
515.2	石綿肺	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	1	-	-	1	-	-	-	-	-	515.2
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
515.9	その他（詳細不明の塵肺症を含む）	67	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	7	14	12	20	3	1	1	-	-	-	-	515.9
	男 M.	62	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	7	13	10	19	3	1	1	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	

第1表　死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
516	その他の塵肺症および類似症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	516
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
517	その他の慢性間質性肺炎	405	3	1	1	-	-	5	-	3	1	2	5	2	4	17	19	18	39	51	73	67	46	38	15	-	-	-	-	517
	男 M.	236	3	1	-	-	-	4	-	2	-	1	2	2	1	7	9	6	27	28	46	39	31	23	8	-	-	-	-	
	女 F.	169	-	-	1	-	-	1	-	1	1	1	3	-	3	10	10	12	12	23	27	28	15	15	7	-	-	-	-	
518	気管支拡張症	961	2	-	-	-	-	2	-	2	3	3	4	5	7	10	14	23	47	98	126	177	214	142	61	17	6	-	-	518
	男 M.	601	-	-	-	-	-	-	-	1	2	2	1	2	4	9	8	12	23	63	90	117	142	76	38	10	1	-	-	
	女 F.	360	2	-	-	-	-	2	-	1	1	1	3	3	3	1	6	11	24	35	36	60	72	66	23	7	5	-	-	
519	その他の呼吸器系の疾患	248	10	1	-	-	-	11	1	-	2	3	5	4	9	12	14	10	17	20	37	38	31	21	13	-	-	-	-	519
	男 M.	166	5	1	-	-	-	6	-	-	2	1	3	4	7	10	11	6	11	13	29	26	20	14	3	-	-	-	-	
	女 F.	82	5	-	-	-	-	5	1	-	-	2	2	-	2	2	3	4	6	7	8	12	11	7	10	-	-	-	-	
519.0	肺虚脱	19	1	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	1	1	1	6	3	2	-	-	-	-	-	519.0
	男 M.	11	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	5	-	2	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	3	-	-	-	-	-	-	
519.1	急性肺水腫	32	-	1	-	-	-	1	-	-	1	1	2	-	2	-	2	1	3	2	4	5	3	1	4	-	-	-	-	519.1
	男 M.	23	-	1	-	-	-	1	-	-	1	1	1	-	2	-	2	-	2	1	3	4	3	1	1	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	3	-	-	-	-	
519.2	その他の肺の疾患	143	2	-	-	-	-	2	-	-	-	-	2	3	3	6	8	8	9	12	25	25	18	14	8	-	-	-	-	519.2
	男 M.	97	1	-	-	-	-	1	-	-	-	-	2	3	3	5	6	5	6	9	18	17	11	10	1	-	-	-	-	
	女 F.	46	1	-	-	-	-	1	-	-	-	-	-	-	-	1	2	3	3	3	7	8	7	4	7	-	-	-	-	
519.9	その他	54	7	-	-	-	-	7	1	-	1	2	1	1	3	5	2	1	4	5	7	2	7	4	1	-	-	-	-	519.9
	男 M.	35	3	-	-	-	-	3	-	-	1	-	-	1	2	4	2	1	3	3	7	-	6	1	1	-	-	-	-	
	女 F.	19	4	-	-	-	-	4	1	-	-	2	1	1	1	1	-	-	1	2	-	2	1	3	-	-	-	-	-	
IX	消化器系の疾患	38 911	532	59	21	15	11	638	55	83	134	275	360	603	1 234	1 883	2 150	2 244	2 965	3 937	4 494	5 414	5 280	4 293	2 051	711	100	2	5	IX
	男 M.	23 165	340	33	11	11	6	401	35	59	85	165	218	425	962	1 533	1 581	1 518	1 986	2 585	2 849	3 177	2 733	1 876	737	209	26	1	4	
	女 F.	15 746	192	26	10	4	5	237	20	24	49	110	142	178	272	350	569	726	979	1 352	1 645	2 237	2 547	2 417	1 314	502	74	1	1	
(520－529)	口腔，唾液腺および顎の疾患	92	9	4	-	-	-	13	1	1	-	4	4	1	4	4	4	4	2	4	2	10	5	9	10	9	1	-	-	(520－529)
	男 M.	40	7	3	-	-	-	10	-	1	-	1	1	1	1	4	1	-	-	4	-	4	3	3	3	2	1	-	-	
	女 F.	52	2	1	-	-	-	3	1	-	-	3	3	-	3	-	3	4	2	-	2	6	2	6	7	7	-	-	-	
520	歯の発育および萌出異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	520
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
521	歯の硬組織の疾患	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	521
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
522	歯髄および根尖歯周組織の疾患	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	522
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
523	歯周疾患	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	523
	男 M.	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	1	1	-	1	-	1	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
524	不正咬合を含む歯，顎，顔面の異常	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	524
	男 M.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
525	その他の歯および歯の支持組織の疾患および異常状態	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	525
	男 M.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
526	顎の疾患	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	526
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
527	唾液腺の疾患	29	2	3	-	-	-	5	-	1	-	2	2	-	1	1	1	-	-	-	1	2	1	5	4	3	-	-	-	527
	男 M.	11	2	2	-	-	-	4	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1	1	1	-	-	-	-	
	女 F.	18	-	1	-	-	-	1	-	1	-	1	2	-	-	-	1	-	-	-	1	2	-	4	3	3	-	-	-	
528	口腔軟組織の疾患（歯肉および舌を除く）	42	2	1	-	-	-	3	-	-	-	-	1	2	2	3	4	2	1	-	6	3	2	6	5	1	-	-	528
	男 M.	16	2	1	-	-	-	3	-	-	-	-	-	1	-	2	1	-	1	-	2	2	-	2	1	1	-	-	
	女 F.	26	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	4	2	-	4	1	2	4	4	-	-	-	
528.0	口内炎	23	1	1	-	-	-	2	-	-	-	-	-	-	1	-	2	1	-	-	-	5	2	1	5	3	1	-	-	528.0
	男 M.	10	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	1	-	-	
	女 F.	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	3	-	1	3	2	-	-	-	
528.1～528.9	その他および詳細不明	19	1	-	-	-	-	1	-	-	-	-	1	1	1	2	1	3	2	1	-	1	1	1	1	2	-	-	-	{528.1～528.9
	男 M.	6	1	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	2	1	-	-	-	-	-	-	-	-	-	
	女 F.	13	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	2	-	-	1	1	1	1	2	-	-	-	
529	舌の疾患およびその他の口腔の病態	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	529
	男 M.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(530－537)	食道，胃および十二指腸の疾患	19 927	30	2	3	2	-	37	5	5	29	70	64	115	164	254	313	357	485	799	1 128	1 541	1 763	1 622	815	313	48	-	-	(530－537)
	男 M.	5 995	15	1	2	1	-	19	4	3	23	53	47	86	142	220	248	273	356	597	794	1 009	1 011	724	281	95	10	-	-	
	女 F.	3 932	15	1	1	1	-	18	1	2	6	17	17	29	22	34	65	84	129	202	334	532	752	898	534	218	38	-	-	
530	食道の疾患	122	3	-	-	1	-	4	1	-	2	1	1	3	3	6	1	7	9	9	12	18	19	13	9	3	1	-	-	530
	男 M.	76	2	-	-	1	-	2	1	-	1	-	-	1	3	4	-	5	5	7	9	16	11	6	4	1	-	-	-	
	女 F.	46	1	-	-	-	-	2	-	-	1	1	1	2	-	2	1	2	4	2	3	2	8	7	5	2	1	-	-	
531	胃潰瘍	6 170	13	-	1	-	-	14	2	1	12	31	37	64	107	169	208	252	320	554	819	1 048	1 116	891	382	126	17	-	-	531
	男 M.	4 016	4	-	1	-	-	5	1	1	10	22	23	52	95	150	167	195	248	422	591	719	692	441	135	43	4	-	-	
	女 F.	2 154	9	-	-	-	-	9	1	-	2	9	14	12	12	19	41	57	72	132	228	329	424	450	247	83	13	-	-	
531.0	穿孔を伴うもの	647	11	-	-	-	-	11	1	-	3	2	4	12	26	26	33	32	60	74	100	104	81	52	20	6	-	-	-	531.0
	男 M.	455	3	-	-	-	-	3	-	-	2	1	3	9	24	24	25	28	49	49	72	74	53	26	11	2	-	-	-	
	女 F.	192	8	-	-	-	-	8	1	-	1	1	1	3	2	2	8	4	11	25	28	30	28	26	9	4	-	-	-	
531.9	穿孔の記載のないもの	5 523	2	-	1	-	-	3	1	1	9	29	33	52	81	143	175	220	260	480	719	944	1 035	839	362	120	17	-	-	531.9
	男 M.	3 561	1	-	1	-	-	2	1	1	8	21	20	43	71	126	142	167	199	373	519	645	639	415	124	41	4	-	-	
	女 F.	1 962	1	-	-	-	-	1	-	-	1	8	13	9	10	17	33	53	61	107	200	299	396	424	238	79	13	-	-	
532	十二指腸潰瘍	946	3	2	1	1	-	7	-	1	5	19	14	29	36	47	49	59	72	112	121	137	120	80	26	11	1	-	-	532
	男 M.	698	2	1	-	1	-	4	-	1	4	17	13	25	32	45	43	48	54	92	93	95	73	42	11	6	-	-	-	
	女 F.	248	1	1	1	-	-	3	-	-	1	2	1	4	4	2	6	11	18	20	28	42	47	38	15	5	1	-	-	
532.0	穿孔を伴うもの	387	3	2	-	1	-	6	-	1	2	8	6	14	19	24	25	29	49	63	43	56	26	11	3	2	-	-	-	532.0
	男 M.	311	2	1	-	1	-	4	-	1	2	7	5	12	18	22	21	24	36	52	37	40	20	8	2	1	-	-	-	
	女 F.	76	1	1	-	-	-	2	-	-	1	1	1	2	1	2	4	5	13	11	6	16	6	3	1	1	-	-	-	
532.9	穿孔の記載のないもの	559	-	-	1	-	-	1	-	-	3	11	8	15	17	23	24	30	23	49	78	81	94	69	23	9	1	-	-	532.9
	男 M.	387	-	-	-	-	-	-	-	-	3	10	8	13	14	23	22	24	18	40	56	55	53	34	9	5	-	-	-	
	女 F.	172	-	-	1	-	-	1	-	-	-	1	-	2	3	-	2	6	5	9	22	26	41	35	14	4	1	-	-	-	
533	部位不明の消化性潰瘍	261	1	-	-	-	-	1	1	-	-	5	3	5	5	16	20	8	23	31	28	51	24	28	9	2	1	-	-	533
	男 M.	186	1	-	-	-	-	1	1	-	-	4	2	1	2	15	19	7	16	25	20	35	16	17	5	-	-	-	-	
	女 F.	75	-	-	-	-	-	-	-	-	-	1	1	4	3	1	1	1	7	6	8	16	8	11	4	2	1	-	-	
534	胃空腸潰瘍	30	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	2	5	5	3	4	4	-	-	-	-	-	-	534
	男 M.	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	4	2	4	3	-	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-	
535	胃炎および十二指腸炎	2 025	2	-	-	-	-	2	1	-	7	8	5	11	8	7	19	16	42	59	110	232	408	546	357	159	28	-	-	535
	男 M.	808	1	-	-	-	-	1	1	-	5	6	5	6	6	1	10	7	23	32	64	108	179	192	113	43	6	-	-	
	女 F.	1 217	1	-	-	-	-	1	-	-	2	2	-	5	2	6	9	9	19	27	46	124	229	354	244	116	22	-	-	
536	胃の機能障害	114	2	-	1	-	-	3	-	1	2	4	2	1	2	2	5	3	1	6	9	11	18	24	14	6	-	-	-	536
	男 M.	55	1	-	1	-	-	2	-	1	2	3	2	1	2	1	3	3	1	2	5	7	6	8	6	1	-	-	-	
	女 F.	59	1	-	-	-	-	1	-	-	2	1	-	-	-	1	2	-	-	4	4	4	12	16	8	5	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
537	その他の胃および十二指腸の疾患	259	6	-	-	-	-	6	-	2	1	1
	男 M.	134	4	-	-	-	-	4	-	1	1	1
	女 F.	125	2	-	-	-	-	2	-	1	-	-
(540—543)	虫垂炎	483	7	1	2	3	2	15	12	17	16	20
	男 M.	274	5	1	-	3	2	11	9	12	9	15
	女 F.	209	2	-	2	-	-	4	3	5	7	5
540	急性虫垂炎	472	6	1	2	3	2	14	12	17	15	20
	男 M.	269	4	1	-	3	2	10	9	12	9	15
	女 F.	203	2	-	2	-	-	4	3	5	6	5
540.0	腹膜炎を伴うもの	370	5	1	2	3	1	12	5	10	11	13
	男 M.	204	3	1	-	3	1	8	4	7	8	10
	女 F.	166	2	-	2	-	-	4	1	3	3	3
540.9	腹膜炎の記載のないもの	102	1	-	-	-	1	2	7	7	4	7
	男 M.	65	1	-	-	-	1	2	5	5	1	5
	女 F.	37	-	-	-	-	-	-	2	2	3	2
541	性質不明の虫垂炎	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
542	その他の虫垂炎	7	-	-	-	-	-	-	-	-	1	-
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	1	-
543	その他の虫垂の疾患	4	1	-	-	-	-	1	-	-	-	-
	男 M.	2	1	-	-	-	-	1	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-
(550—553)	腹腔ヘルニア	338	68	6	1	3	1	79	1	1	-	2
	男 M.	133	47	2	-	3	-	52	1	1	-	2
	女 F.	205	21	4	1	-	1	27	-	-	-	-
550	閉塞の記載のないそけいヘルニア	24	4	1	-	3	-	8	1	1	-	-
	男 M.	17	3	-	-	3	-	6	1	1	-	-
	女 F.	7	1	1	-	-	-	2	-	-	-	-
551	その他の閉塞の記載のない腹腔ヘルニア	76	46	2	1	-	-	49	-	-	-	1
	男 M.	38	31	-	-	-	-	31	-	-	-	1
	女 F.	38	15	2	1	-	-	18	-	-	-	-
552	閉塞を伴うそけいヘルニア	100	10	2	-	-	-	12	-	-	-	-
	男 M.	51	8	2	-	-	-	10	-	-	-	-
	女 F.	49	2	-	-	-	-	2	-	-	-	-
553	その他の閉塞を伴う腹腔ヘルニア	138	8	1	-	-	1	10	-	-	-	1
	男 M.	27	5	-	-	-	-	5	-	-	-	1
	女 F.	111	3	1	-	-	1	5	-	-	-	-
(560—569)	その他の腸および腹膜の疾患	6 434	341	29	12	3	7	392	25	29	38	75
	男 M.	3 151	220	16	9	1	3	249	14	23	20	38
	女 F.	3 283	121	13	3	2	4	143	11	6	18	37
560	腸閉塞（ヘルニアの記載のないもの）	2 496	268	21	5	1	5	300	15	15	14	33
	男 M.	1 275	173	12	3	1	2	191	9	13	10	22
	女 F.	1 221	95	9	2	-	3	109	6	2	4	11
560.0	重積	186	136	11	2	-	1	150	3	2	1	-
	男 M.	116	87	8	1	-	-	96	1	2	-	-
	女 F.	70	49	3	1	-	1	54	2	-	-	-
560.1	麻痺性イレウス	348	34	2	-	-	-	36	-	2	2	5
	男 M.	169	23	-	-	-	-	23	-	2	1	2
	女 F.	179	11	2	-	-	-	13	-	-	1	3

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
2	1	3	4	9	10	13	23	26	40	54	40	18	6	-	-	-	537
2	-	2	2	5	6	5	13	10	25	31	18	7	1	-	-	-	
-	1	1	2	4	4	8	10	16	15	23	22	11	5	-	-	-	
12	20	13	17	17	22	23	31	54	57	63	41	28	5	-	-	-	(540—543)
11	13	7	11	11	12	12	24	34	31	28	16	8	-	-	-	-	
1	7	6	6	6	10	11	7	20	26	35	25	20	5	-	-	-	
11	19	13	16	16	22	23	31	52	57	61	41	27	5	-	-	-	540
10	12	7	11	10	12	12	24	33	31	28	16	8	-	-	-	-	
1	7	6	5	6	10	11	7	19	26	33	25	19	5	-	-	-	
8	16	11	13	13	19	18	23	41	46	50	36	20	5	-	-	-	540.0
7	10	5	9	8	10	10	19	24	24	21	14	6	-	-	-	-	
1	6	6	4	5	9	8	4	17	22	29	22	14	5	-	-	-	
3	3	2	3	3	3	5	8	11	11	11	5	7	-	-	-	-	540.9
3	2	2	2	2	2	2	5	9	7	7	2	2	-	-	-	-	
-	1	-	1	1	1	3	3	2	4	4	3	5	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	541
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	542
1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	
-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	543
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	
2	-	2	3	1	5	10	15	31	49	47	49	31	9	1	-	-	(550—553)
-	-	1	1	1	5	2	8	10	14	12	16	5	1	1	-	-	
2	-	1	2	-	-	8	7	21	35	35	33	26	8	-	-	-	
-	-	-	-	-	1	-	1	1	3	2	3	3	-	-	-	-	550
-	-	-	-	-	1	-	1	-	3	2	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	
2	-	-	1	-	-	-	1	8	2	1	7	4	-	-	-	-	551
-	-	-	1	-	-	-	-	2	1	1	-	1	-	-	-	-	
2	-	-	-	-	-	-	1	6	1	-	7	3	-	-	-	-	
-	-	1	-	-	1	1	7	10	18	19	17	9	4	1	-	-	552
-	-	1	-	-	1	1	-	5	11	13	9	6	3	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	2	1	3	9	6	12	26	25	22	15	5	-	-	-	553
-	-	-	-	1	3	1	-	3	3	3	6	1	-	-	-	-	
-	-	1	2	-	-	8	6	9	23	22	16	14	5	-	-	-	
73	91	140	177	211	227	342	502	667	910	978	866	481	187	23	-	-	(560—569)
40	47	77	104	117	117	176	276	386	491	450	319	157	44	6	-	-	
33	44	63	73	94	110	166	226	281	419	528	547	324	143	17	-	-	
31	41	63	72	93	99	135	206	272	351	323	270	118	40	5	-	-	560
14	23	30	44	46	52	65	113	161	200	145	94	31	11	1	-	-	
17	18	33	28	47	47	70	93	111	151	178	176	87	29	4	-	-	
1	1	-	1	2	1	-	1	5	5	6	6	1	-	-	-	-	560.0
-	1	-	1	1	1	-	-	4	1	3	3	1	-	-	-	-	
1	-	-	-	1	-	-	1	1	4	3	3	-	-	-	-	-	
1	6	6	8	19	13	19	30	36	44	58	33	24	6	-	-	-	560.1
-	4	2	4	8	6	7	15	23	24	24	14	8	2	-	-	-	
1	2	4	4	11	7	12	15	13	20	34	19	16	4	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
560.2	軸捻転	330	18	1	-	-	2	21	3	3	2	5	9	7	16	12	17	20	20	33	39	50	34	24	12	3	-	-	-	560.2
	男 M.	198	8	1	-	-	1	10	2	3	2	3	7	4	9	7	12	14	12	19	29	27	19	14	4	1	-	-	-	
	女 F.	132	10	-	-	-	1	11	1	-	-	2	2	3	7	5	5	6	8	14	10	23	15	10	8	2	-	-	-	
560.3	腸充塞	17	-	-	-	-	-	-	-	1	1	1	-	-	-	-	2	1	-	2	-	2	5	-	1	-	-	-	-	560.3
	男 M.	8	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	5	-	1	-	-	-	-	
560.9	その他および詳細不明	1 615	80	7	3	1	2	93	9	7	8	22	20	26	41	51	53	64	96	140	192	250	220	207	80	31	5	-	-	560.9
	男 M.	784	55	3	2	1	1	62	6	5	5	16	7	13	19	32	24	30	46	78	105	147	99	63	18	8	1	-	-	
	女 F.	831	25	4	1	-	1	31	3	2	3	6	13	13	22	19	29	34	50	62	87	103	121	144	62	23	4	-	-	
561	非感染性胃腸炎および大腸炎(潰瘍性を除く)	6	2	-	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	561
	男 M.	4	2	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
562	腸憩室	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	3	6	5	8	3	1	-	-	-	-	562
	男 M.	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	3	3	3	1	-	-	-	-	
	女 F.	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	3	2	5	-	-	-	-	-	-	
563	慢性腸炎および潰瘍性大腸炎	1 507	9	2	-	-	1	12	-	3	3	14	14	9	17	19	22	30	40	68	116	182	293	331	222	101	11	-	-	563
	男 M.	596	4	1	-	-	1	6	-	2	3	6	9	3	10	11	9	11	16	31	62	82	122	127	67	17	2	-	-	
	女 F.	911	5	1	-	-	-	6	-	1	-	8	5	6	7	8	13	19	24	37	54	100	171	204	155	84	9	-	-	
563.0	限局性腸炎	23	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	3	2	5	1	1	1	2	1	-	-	-	-	563.0
	男 M.	12	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	3	1	-	-	1	1	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	-	1	1	1	-	-	-	-	-	
563.1	潰瘍性大腸炎	266	7	2	-	-	1	10	-	2	3	10	6	5	9	10	13	15	14	32	24	31	38	25	15	4	-	-	-	563.1
	男 M.	116	3	1	-	-	1	5	-	2	3	4	4	1	5	6	4	6	8	17	9	9	20	8	5	-	-	-	-	
	女 F.	150	4	1	-	-	-	5	-	-	-	6	2	4	4	4	9	9	6	15	15	22	18	17	10	4	-	-	-	
563.9	その他	1 218	2	-	-	-	-	2	-	1	-	4	7	4	8	5	7	12	24	31	91	150	254	304	206	97	11	-	-	563.9
	男 M.	468	1	-	-	-	-	1	-	-	-	2	4	2	5	3	3	4	8	11	52	73	102	118	61	17	2	-	-	
	女 F.	750	1	-	-	-	-	1	-	1	-	2	3	2	3	2	4	8	16	20	39	77	152	186	145	80	9	-	-	
564	腸の機能障害	44	2	-	-	-	-	2	-	-	1	-	-	2	-	2	2	1	2	2	3	4	6	5	8	3	1	-	-	564
	男 M.	24	2	-	-	-	-	2	-	-	1	-	-	-	-	-	2	1	2	2	1	3	3	2	6	-	-	-	-	
	女 F.	20	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	2	1	3	3	2	3	1	-	-	
565	裂肛および痔瘻	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-	-	565
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
566	肛門部および直腸部の腫瘍	17	2	-	-	-	-	2	-	-	-	-	1	-	-	-	1	1	3	2	3	1	1	2	-	-	-	-	-	566
	男 M.	13	2	-	-	-	-	2	-	-	-	-	1	-	-	-	1	1	2	2	2	-	-	2	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	
567	腹膜炎	665	19	2	2	2	-	25	2	7	7	10	7	14	12	31	26	28	40	61	66	101	96	88	38	5	1	-	-	567
	男 M.	319	12	1	2	-	-	15	1	6	1	3	4	10	7	14	14	12	16	27	37	52	49	31	18	2	-	-	-	
	女 F.	346	7	1	-	2	-	10	1	1	6	7	3	4	5	17	12	16	24	34	29	49	47	57	20	3	1	-	-	
568	腹膜癒着	30	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	2	1	3	2	5	2	2	4	-	-	-	-	568
	男 M.	14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	3	1	2	-	-	2	-	-	-	-	
	女 F.	16	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	1	3	2	2	2	-	-	-	-	
569	その他の腸および腹膜の疾患	1 629	39	4	4	-	-	47	8	4	12	18	20	24	46	50	64	63	115	155	198	258	249	165	90	38	5	-	-	569
	男 M.	883	25	2	3	-	-	30	4	2	6	7	12	10	29	33	43	37	74	93	119	147	128	60	32	14	3	-	-	
	女 F.	746	14	2	1	-	-	17	4	2	6	11	8	14	17	17	21	26	41	62	79	111	121	105	58	24	2	-	-	
(570—577)	肝臓，胆嚢および膵臓の疾患	21 637	77	17	3	4	1	102	11	30	51	104	205	376	911	1 428	1 604	1 629	2 103	2 586	2 612	2 847	2 424	1 706	686	188	27	2	5	(570—577)
	男 M.	13 572	46	10	-	3	1	60	7	19	33	56	119	278	734	1 193	1 203	1 111	1 440	1 676	1 625	1 628	1 229	798	283	67	8	1	4	
	女 F.	8 065	31	7	3	1	-	42	4	11	18	48	86	98	177	235	401	518	663	910	987	1 219	1 195	908	403	121	19	1	1	
570	急性および亜急性肝臓壊死	1 791	24	9	-	1	-	34	3	8	24	38	48	52	68	93	105	94	113	156	190	232	226	179	88	33	6	-	1	570
	男 M.	902	15	4	-	1	-	20	-	4	15	17	18	31	41	58	49	48	63	87	96	119	111	72	36	15	2	-	-	
	女 F.	889	9	5	-	-	-	14	3	4	9	21	30	21	27	35	56	46	50	69	94	113	115	107	52	18	4	-	1	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
571	肝硬変	13 587	11	3	-	1	1	16	5	13	14	29
	男 M.	9 696	5	2	-	1	1	9	4	10	10	19
	女 F.	3 891	6	1	-	-	-	7	1	3	4	10
572	化膿性肝炎および肝膿瘍	160	1	-	-	-	-	1	-	-	-	2
	男 M.	83	-	-	-	-	-	-	-	-	-	1
	女 F.	77	1	-	-	-	-	1	-	-	-	1
573	その他の肝臓の疾患	1 373	32	3	1	1	-	37	3	5	3	11
	男 M.	791	22	3	-	1	-	26	3	2	2	9
	女 F.	582	10	-	1	-	-	11	-	3	1	2
574	胆石症	1 577	-	-	-	-	-	-	-	-	-	5
	男 M.	635	-	-	-	-	-	-	-	-	-	3
	女 F.	942	-	-	-	-	-	-	-	-	-	2
575	結石の記載のない胆嚢炎および胆管炎	1 392	-	-	1	-	-	1	-	-	2	2
	男 M.	516	-	-	-	-	-	-	-	-	-	-
	女 F.	876	-	-	1	-	-	1	-	-	2	2
576	その他の胆嚢および胆管の疾患	1 009	8	2	1	1	-	12	-	-	1	3
	男 M.	491	4	1	-	-	-	5	-	-	-	-
	女 F.	518	4	1	1	1	-	7	-	-	1	3
577	膵臓の疾患	748	1	-	-	-	-	1	-	4	7	14
	男 M.	458	-	-	-	-	-	-	-	3	6	7
	女 F.	290	1	-	-	-	-	1	-	1	1	7
577.0	急性膵臓炎	598	1	-	-	-	-	1	-	2	6	12
	男 M.	364	-	-	-	-	-	-	-	1	5	6
	女 F.	234	1	-	-	-	-	1	-	1	1	6
577.1	慢性膵臓炎	47	-	-	-	-	-	-	-	1	-	1
	男 M.	30	-	-	-	-	-	-	-	1	-	1
	女 F.	17	-	-	-	-	-	-	-	-	-	-
577.9	その他の膵臓の疾患	103	-	-	-	-	-	-	-	1	1	1
	男 M.	64	-	-	-	-	-	-	-	1	1	-
	女 F.	39	-	-	-	-	-	-	-	-	-	1
X	性尿器系の疾患	11 354	20	8	9	9	11	57	64	85	183	398
	男 M.	5 851	9	5	7	7	5	33	41	53	99	226
	女 F.	5 503	11	3	2	2	6	24	23	32	84	172
(580—584)	腎炎およびネフローゼ	7 737	12	6	8	9	10	45	58	81	165	358
	男 M.	3 959	4	3	7	7	5	26	38	51	90	211
	女 F.	3 778	8	3	1	2	5	19	20	30	75	147
580	急性腎炎	738	3	-	1	2	2	8	6	6	14	30
	男 M.	370	1	-	1	1	1	4	4	1	7	19
	女 F.	368	2	-	-	1	1	4	2	5	7	11
581	ネフローゼ症候群	765	8	5	6	5	8	32	38	35	43	50
	男 M.	418	3	3	5	4	4	19	27	25	23	22
	女 F.	347	5	2	1	1	4	13	11	10	20	28
582	慢性腎炎	5 303	1	1	1	1	-	4	8	35	95	260
	男 M.	2 749	-	-	1	1	-	2	4	22	54	162
	女 F.	2 554	1	1	-	-	-	2	4	13	41	98
583	急性，慢性の別不明の腎炎	924	-	-	-	1	-	1	5	5	13	16
	男 M.	421	-	-	-	1	-	1	3	3	6	8
	女 F.	503	-	-	-	-	-	-	2	2	7	8
584	性質不明の腎臓の萎縮	7	-	-	-	-	-	-	1	-	-	2
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	6	-	-	-	-	-	-	1	-	-	2

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
86	229	681	1 124	1 254	1 248	1 558	1 836	1 665	1 601	1 161	745	259	52	6	1	4	571
61	188	583	996	1 019	909	1 137	1 293	1 130	1 057	697	404	136	25	4	1	4	
25	41	98	128	235	339	421	543	535	544	464	341	123	27	2	-	-	
1	5	5	8	12	14	21	20	25	21	13	9	2	1	-	-	-	572
1	3	2	4	7	12	15	5	11	13	3	5	1	-	-	-	-	
-	2	3	4	5	2	6	15	14	8	10	4	1	1	-	-	-	
11	34	48	64	62	70	96	128	150	206	215	146	59	23	2	-	-	573
6	18	31	49	39	39	65	76	97	104	114	76	29	6	-	-	-	
5	16	17	15	23	31	31	52	53	102	101	70	30	17	2	-	-	
16	17	26	39	55	81	123	186	203	274	271	185	77	18	1	-	-	574
7	11	15	16	21	32	64	84	86	112	96	66	17	5	-	-	-	
9	6	11	23	34	49	59	102	117	162	175	119	60	13	1	-	-	
10	12	6	20	32	42	53	81	168	243	296	248	128	41	7	-	-	575
2	6	2	11	11	22	23	33	76	102	97	83	39	8	1	-	-	
8	6	4	9	21	20	30	48	92	141	199	165	89	33	6	-	-	
3	5	13	17	29	40	58	106	127	180	173	160	60	16	5	1	-	576
2	2	9	8	19	21	26	58	74	83	82	73	22	6	1	-	-	
1	3	4	9	10	19	32	48	53	97	91	87	38	10	4	1	-	
30	22	64	63	55	40	81	73	84	90	69	34	13	4	-	-	-	577
22	19	51	51	38	28	47	40	55	38	29	19	3	2	-	-	-	
8	3	13	12	17	12	34	33	29	52	40	15	10	2	-	-	-	
27	19	51	52	43	33	67	56	60	65	60	31	10	3	-	-	-	577.0
21	16	40	41	28	22	42	34	37	23	26	17	3	2	-	-	-	
6	3	11	11	15	11	25	22	23	42	34	14	7	1	-	-	-	
-	-	6	-	1	3	5	7	6	9	5	2	-	1	-	-	-	577.1
-	-	5	-	1	3	2	2	6	6	2	1	-	-	-	-	-	
-	-	1	-	-	-	3	5	-	3	3	1	-	1	-	-	-	
3	3	7	11	11	4	9	10	18	16	4	1	3	-	-	-	-	577.9
1	3	6	10	9	3	3	4	12	9	1	1	-	-	-	-	-	
2	-	1	1	2	1	6	6	6	7	3	-	3	-	-	-	-	
428	472	467	548	561	551	670	892	1 113	1 418	1 447	1 202	604	159	33	1	1	X
253	261	237	302	257	262	324	451	562	732	748	638	292	66	14	-	-	
175	211	230	246	304	289	346	441	551	686	699	564	312	93	19	1	1	
374	412	386	455	457	442	517	662	760	837	763	583	294	78	9	-	1	(580—584)
230	237	213	254	218	217	261	343	386	417	355	280	104	27	1	-	-	
144	175	173	201	239	225	256	319	374	420	408	303	190	51	8	-	1	
28	37	34	40	34	35	32	50	86	101	87	65	39	6	-	-	-	580
16	16	13	19	14	24	23	26	44	49	41	30	16	4	-	-	-	
12	21	21	21	20	11	9	24	42	52	46	35	23	2	-	-	-	
27	33	31	39	39	41	41	60	61	74	51	44	21	5	-	-	-	581
14	18	14	28	16	18	21	38	35	47	20	25	6	2	-	-	-	
13	15	17	11	23	23	20	22	26	27	31	19	15	3	-	-	-	
296	313	291	336	348	336	402	480	520	540	467	350	163	51	7	-	1	582
187	183	175	182	168	163	198	249	259	256	233	169	64	18	1	-	-	
109	130	116	154	180	173	204	231	261	284	234	181	99	33	6	-	1	
23	29	29	40	36	30	42	70	93	122	158	124	70	16	2	-	-	583
13	20	10	25	20	12	19	30	48	65	61	56	18	3	-	-	-	
10	9	19	15	16	18	23	40	45	57	97	68	52	13	2	-	-	
-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	584
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
(590—599)	その他の泌尿器系の疾患	2 769	7	2	1	-	1	11	5	4	17	38
	男 M.	1 142	4	2	-	-	-	6	3	2	9	15
	女 F.	1 627	3	-	1	-	1	5	2	2	8	23
590	腎臓の感染	1 363	2	-	-	-	1	3	3	-	8	10
	男 M.	408	-	-	-	-	-	-	1	-	4	1
	女 F.	955	2	-	-	-	1	3	2	-	4	9
590.0	慢性腎盂腎炎	240	-	-	-	-	-	-	1	-	1	3
	男 M.	70	-	-	-	-	-	-	-	-	1	-
	女 F.	170	-	-	-	-	-	-	1	-	-	3
590.1	その他の腎盂腎炎，腎盂炎および腎盂膀胱炎	1 071	2	-	-	-	1	3	2	-	7	7
	男 M.	317	-	-	-	-	-	-	1	-	3	1
	女 F.	754	2	-	-	-	1	3	1	-	4	6
590.2	腎臓および腎周囲組織の腫瘍	46	-	-	-	-	-	-	-	-	-	-
	男 M.	20	-	-	-	-	-	-	-	-	-	-
	女 F.	26	-	-	-	-	-	-	-	-	-	-
590.9	その他	6	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	5	-	-	-	-	-	-	-	-	-	-
591	水腎症	20	-	-	-	-	-	-	-	-	1	2
	男 M.	9	-	-	-	-	-	-	-	-	1	-
	女 F.	11	-	-	-	-	-	-	-	-	-	2
592	腎臓および尿管の結石	177	-	-	-	-	-	-	-	-	2	4
	男 M.	94	-	-	-	-	-	-	-	-	-	2
	女 F.	83	-	-	-	-	-	-	-	-	2	2
593	その他の腎臓および尿管の疾患	682	3	2	-	-	-	5	2	3	6	17
	男 M.	355	2	2	-	-	-	4	2	2	4	10
	女 F.	327	1	-	-	-	-	1	-	1	2	7
594	その他の泌尿器系の結石	54	-	-	-	-	-	-	-	-	-	1
	男 M.	39	-	-	-	-	-	-	-	-	-	-
	女 F.	15	-	-	-	-	-	-	-	-	-	1
595	膀胱炎	233	-	-	-	-	-	-	-	-	-	1
	男 M.	109	-	-	-	-	-	-	-	-	-	-
	女 F.	124	-	-	-	-	-	-	-	-	-	1
596	その他の膀胱の疾患	51	-	-	1	-	-	1	-	-	-	1
	男 M.	28	-	-	-	-	-	-	-	-	-	-
	女 F.	23	-	-	1	-	-	1	-	-	-	1
597	尿道炎（非性病性）	10	-	-	-	-	-	-	-	-	-	-
	男 M.	9	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
598	尿道狭窄	38	-	-	-	-	-	-	-	-	-	1
	男 M.	31	-	-	-	-	-	-	-	-	-	1
	女 F.	7	-	-	-	-	-	-	-	-	-	-
599	その他の尿路疾患	141	2	-	-	-	-	2	-	1	-	1
	男 M.	60	2	-	-	-	-	2	-	-	-	1
	女 F.	81	-	-	-	-	-	-	-	1	-	-
(600—607)	男性性器の疾患	750	1	-	-	-	-	1	-	-	-	-
	男 M.	750	1	-	-	-	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
600	前立腺肥大症	716	-	-	-	-	-	-	-	-	-	-
	男 M.	716	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
47	55	72	84	94	101	145	202	288	441	490	410	201	51	13	-	-	(590—599)
23	24	24	47	38	42	58	85	118	185	213	153	83	11	3	-	-	
24	31	48	37	56	59	87	117	170	256	277	257	118	40	10	-	-	
18	20	28	29	45	55	72	93	148	206	253	236	106	26	4	-	-	590
5	6	9	12	12	18	20	32	46	64	86	62	27	3	-	-	-	
13	14	19	17	33	37	52	61	102	142	167	174	79	23	4	-	-	
6	8	9	7	13	11	21	20	25	44	40	22	8	1	-	-	-	590.0
4	2	3	3	5	2	5	6	9	17	9	2	2	-	-	-	-	
2	6	6	4	8	9	16	14	16	27	31	20	6	1	-	-	-	
11	12	16	20	28	37	47	63	119	154	209	212	96	24	4	-	-	590.1
-	4	5	8	4	13	14	20	35	45	76	60	25	3	-	-	-	
11	8	11	12	24	24	33	43	84	109	133	152	71	21	4	-	-	
1	-	3	2	4	6	4	9	3	7	4	2	1	-	-	-	-	590.2
1	-	1	1	3	3	1	5	2	2	1	-	-	-	-	-	-	
-	-	2	1	1	3	3	4	1	5	3	2	1	-	-	-	-	
-	-	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-	590.9
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	1	1	-	-	1	1	-	-	-	
-	-	1	2	-	-	1	2	4	3	4	-	-	-	-	-	-	591
-	-	1	1	-	-	-	-	1	2	3	-	-	-	-	-	-	
-	-	-	1	-	-	1	2	3	1	1	-	-	-	-	-	-	
3	7	7	10	14	8	11	17	10	29	32	15	6	1	1	-	-	592
2	2	2	8	9	6	7	9	4	15	16	8	3	1	-	-	-	
1	5	5	2	5	2	4	8	6	14	16	7	3	-	1	-	-	
24	22	29	35	30	31	42	66	79	111	102	44	28	4	2	-	-	593
15	14	10	23	15	17	23	29	41	57	50	20	17	1	1	-	-	
9	8	19	12	15	14	19	37	38	54	52	24	11	3	1	-	-	
1	1	-	3	2	2	2	5	2	10	13	9	3	-	-	-	-	594
1	1	-	2	2	-	2	4	1	6	12	6	2	-	-	-	-	
-	-	-	1	-	2	-	1	1	4	1	3	1	-	-	-	-	
-	3	1	2	-	2	4	7	18	35	35	69	37	15	4	-	-	595
-	-	1	-	-	1	1	2	9	15	19	37	19	4	1	-	-	
-	3	-	2	-	1	3	5	9	20	16	32	18	11	3	-	-	
1	1	2	-	2	2	4	-	5	10	9	6	6	1	-	-	-	596
-	-	-	-	-	-	1	-	5	8	6	2	5	1	-	-	-	
1	1	2	-	2	2	3	-	-	2	3	4	1	-	-	-	-	
-	-	-	-	-	-	-	-	1	3	4	2	-	-	-	-	-	597
-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	1	-	2	-	-	1	1	3	9	8	8	4	-	-	-	-	598
-	1	-	-	-	-	1	-	2	8	8	6	4	-	-	-	-	
-	-	-	2	-	-	-	1	1	1	-	2	-	-	-	-	-	
-	-	4	1	1	1	8	11	18	25	30	21	11	4	2	-	-	599
-	-	1	1	-	-	3	9	8	7	10	10	6	1	1	-	-	
-	-	3	-	1	1	5	2	10	18	20	11	5	3	1	-	-	
-	-	-	1	1	3	5	23	58	130	180	205	105	28	10	-	-	(600—607)
-	-	-	1	1	3	5	23	58	130	180	205	105	28	10	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	3	4	23	55	123	173	196	101	27	10	-	-	600
-	-	-	-	1	3	4	23	55	123	173	196	101	27	10	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
601	前立腺炎	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	601
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
602	その他の前立腺の疾患	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	3	4	1	1	-	-	-	602
	男 M.	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	3	4	1	1	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
603	陰嚢水瘤	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	603
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
604	睾丸炎および副睾丸炎	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	604
	男 M.	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
605	過長包皮および包茎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	605
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
606	男性不妊症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	606
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
607	その他の男性性器の疾患	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	1	-	-	-	-	607
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	1	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(610－616)	乳房，卵巣，卵管および子宮旁結合織の疾患	45	-	-	-	-	-	-	1	-	1	1	4	1	3	5	3	4	2	4	4	4	7	1	-	-	-	-	-	(610－616)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	45	-	-	-	-	-	-	1	-	1	1	4	1	3	5	3	4	2	4	4	4	7	1	-	-	-	-	-	
610	乳房の慢性嚢胞性疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	610
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
611	その他の乳房の疾患	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	611
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
612	急性卵管炎および卵巣炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	612
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
613	慢性卵管炎および卵巣炎	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	613
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
614	急性慢性の別不明の卵管炎および卵巣炎	14	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	-	1	2	2	3	-	-	-	-	-	-	614
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	14	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	-	1	2	2	3	-	-	-	-	-	-	
615	その他の卵巣および卵管の疾患	11	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	2	-	-	1	-	2	1	-	-	-	-	-	615
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	2	-	-	1	-	2	1	-	-	-	-	-	
616	子宮旁結合織および骨盤腹膜の疾患(女性)	17	-	-	-	-	-	-	1	-	-	-	2	-	-	2	2	2	2	3	1	1	1	-	-	-	-	-	-	616
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	17	-	-	-	-	-	-	1	-	-	-	2	-	-	2	2	2	2	3	1	1	1	-	-	-	-	-	-	
(620－629)	子宮およびその他の女性性器の疾患	53	-	-	-	-	-	-	-	-	-	1	3	4	6	3	6	1	1	1	3	6	7	3	4	2	1	1	-	(620－629)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	53	-	-	-	-	-	-	-	-	-	1	3	4	6	3	6	1	1	1	3	6	7	3	4	2	1	1	-	
620	子宮頸の感染性疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	620
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
621	その他の子宮類の疾患	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
622	子宮（頸を除く），膣および外陰の感染性疾患	16	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	16	-	-	-	-	-	-	-	-	-	1
623	子宮脱	10	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	10	-	-	-	-	-	-	-	-	-	-
624	子宮の位置異常	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
625	その他の子宮の疾患	11	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	11	-	-	-	-	-	-	-	-	-	-
626	月経異常	12	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	12	-	-	-	-	-	-	-	-	-	-
627	閉経期症状	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
628	女性不妊症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
629	その他の女性性器の疾患	3	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
XI	妊娠，分娩および産褥の合併症	1 827	-	-	-	-	-	-	-	-	8	125
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1 827	-	-	-	-	-	-	-	-	8	125
(630－634)	妊娠の合併症	94	-	-	-	-	-	-	-	-	-	11
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	94	-	-	-	-	-	-	-	-	-	11
630	妊娠時の性器の感染	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
631	子宮外妊娠	64	-	-	-	-	-	-	-	-	-	6
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	64	-	-	-	-	-	-	-	-	-	6
632	妊娠時出血	11	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	11	-	-	-	-	-	-	-	-	-	1
632.0	前置胎盤	4	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	-
632.1	胎盤早期剝離	3	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
632.2～632.9	その他および詳細不明	4	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	621
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	-	1	-	1	1	-	1	4	-	2	1	-	1	-	622
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	-	1	-	1	1	-	1	4	-	2	1	-	1	-	
-	-	-	2	-	-	-	-	2	3	1	1	-	-	1	-	-	623
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	2	-	-	-	-	2	3	1	1	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	624
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	2	1	2	-	-	-	1	-	2	-	1	-	-	-	-	625
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	2	1	2	-	-	-	1	-	2	-	1	-	-	-	-	
1	1	3	-	2	1	-	-	-	1	-	2	-	1	-	-	-	626
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	3	-	2	1	-	-	-	1	-	2	-	1	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	627
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	628
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	629
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
283	219	141	47	4	-	-	-	-	-	-	-	-	-	-	-	-	XI
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
283	219	141	47	4	-	-	-	-	-	-	-	-	-	-	-	-	
25	33	19	5	1	-	-	-	-	-	-	-	-	-	-	-	-	(630－634)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25	33	19	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	630
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	20	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	631
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	20	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	632
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	632.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	632.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	632.2～632.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
633	妊娠貧血	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	633
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
634	その他の妊娠の合併症	18	-	-	-	-	-	-	-	-	-	4	3	7	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	634
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	18	-	-	-	-	-	-	-	-	-	4	3	7	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
634.2	胞状奇胎	6	-	-	-	-	-	-	-	-	-	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	634.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	3	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
634.0 634.1 634.3～ 634.9	その他	12	-	-	-	-	-	-	-	-	-	1	3	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	634.0 634.1 634.3～ 634.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	12	-	-	-	-	-	-	-	-	-	1	3	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
(635—639)	妊娠および産褥の尿路感染および妊娠中毒症	275	-	-	-	-	-	-	-	-	2	45	195	65	48	19	1	-	-	-	-	-	-	-	-	-	-	-	-	(635—639)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	275	-	-	-	-	-	-	-	-	2	45	195	65	48	19	1	-	-	-	-	-	-	-	-	-	-	-	-	
635	妊娠および産褥時に起きた尿路感染	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	635
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
636	妊娠および産褥時に起きた腎疾患	29	-	-	-	-	-	-	-	-	1	4	9	5	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	636
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	29	-	-	-	-	-	-	-	-	1	4	9	5	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
637	子癇前症，子癇および詳細不明の妊娠中毒症	230	-	-	-	-	-	-	-	-	1	34	180	58	40	16	1	-	-	-	-	-	-	-	-	-	-	-	-	637
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	230	-	-	-	-	-	-	-	-	1	34	180	58	40	16	1	-	-	-	-	-	-	-	-	-	-	-	-	
637.0	子癇前症	44	-	-	-	-	-	-	-	-	-	7	11	9	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	637.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	44	-	-	-	-	-	-	-	-	-	7	11	9	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
637.1	子癇	85	-	-	-	-	-	-	-	-	1	15	32	20	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	637.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	85	-	-	-	-	-	-	-	-	1	15	32	20	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-	
637.9	詳細不明の妊娠中毒症	101	-	-	-	-	-	-	-	-	-	12	37	29	18	5	-	-	-	-	-	-	-	-	-	-	-	-	-	637.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	101	-	-	-	-	-	-	-	-	-	12	37	29	18	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
638	妊娠悪阻	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	638
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
639	その他の妊娠時および産褥時の妊娠中毒症	10	-	-	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	639
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
639.0	急性および亜急性肝臓壊死	10	-	-	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	639.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
639.9	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	639.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(640—645)	流産	24	-	-	-	-	-	-	-	-	1	5	9	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	(640—645)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	24	-	-	-	-	-	-	-	-	1	5	9	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
640	医学的適応による人工流産	8	-	-	-	-	-	-	-	-	-	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	640
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
640.1	妊娠中毒症を伴うもの	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	640.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
640.0, 640.2 640.9	その他	7	-	-	-	-	-	-	-	-	-	2	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	640.0, 640.2 640.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	2	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
641	その他の法律的適応による人工流産	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	641
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
641.1	妊娠中毒症を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	641.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
641.0, 641.2 641.9	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	641.0, 641.2 641.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
642	その他の理由による人工流産	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	642
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
643	自然流産	13	-	-	-	-	-	-	-	-	1	1	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	643
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	13	-	-	-	-	-	-	-	-	1	1	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
643.1	妊娠中毒症を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	643.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
643.0, 643.2 643.9	その他	13	-	-	-	-	-	-	-	-	1	1	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	643.0, 643.2 643.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	13	-	-	-	-	-	-	-	-	1	1	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
644	人工または自然と明示されない流産	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	644
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
644.1	妊娠中毒症を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	644.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
644.0, 644.2 644.9	その他	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	644.0, 644.2 644.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
645	その他の流産	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	645
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
645.1	妊娠中毒症を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	645.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
645.0, 645.2 645.9	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	645.0, 645.2 645.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(650—662)	分娩	325	-	-	-	-	-	-	-	-	4	41	119	87	57	16	1	-	-	-	-	-	-	-	-	-	-	-	-	(650—662)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	325	-	-	-	-	-	-	-	-	4	41	119	87	57	16	1	-	-	-	-	-	-	-	-	-	-	-	-	
650	合併症の記載のない分娩	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表　死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
651	前置胎盤または分娩前出血を合併する分娩	66	-	-	-	-	-	-	-	-	1	9	14	23	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-	651
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	66	-	-	-	-	-	-	-	-	1	9	14	23	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
651. a	前置胎盤を合併するもの	35	-	-	-	-	-	-	-	-	-	4	6	11	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	651. a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	35	-	-	-	-	-	-	-	-	-	4	6	11	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
651. b	胎盤早期剝離を合併するもの	28	-	-	-	-	-	-	-	-	1	4	7	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	651. b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	28	-	-	-	-	-	-	-	-	1	4	7	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
651. c	その他	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	651. c
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
652	停留胎盤を合併する分娩	15	-	-	-	-	-	-	-	-	1	2	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	652
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	15	-	-	-	-	-	-	-	-	1	2	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
653	その他の分娩後出血を合併する分娩	125	-	-	-	-	-	-	-	-	1	13	49	32	23	6	1	-	-	-	-	-	-	-	-	-	-	-	-	653
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	125	-	-	-	-	-	-	-	-	1	13	49	32	23	6	1	-	-	-	-	-	-	-	-	-	-	-	-	
653. a	弛緩出血	105	-	-	-	-	-	-	-	-	1	11	41	27	20	4	1	-	-	-	-	-	-	-	-	-	-	-	-	653. a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	105	-	-	-	-	-	-	-	-	1	11	41	27	20	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
653. b	その他	20	-	-	-	-	-	-	-	-	-	2	8	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	653. b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	20	-	-	-	-	-	-	-	-	-	2	8	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
654	骨盤異常を合併する分娩	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	654
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
655	胎児骨盤不適合を合併する分娩	10	-	-	-	-	-	-	-	-	-	2	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	655
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	2	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
656	胎児の位置異常を合併する分娩	6	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	656
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
657	その他の原因による遷延分娩	13	-	-	-	-	-	-	-	-	-	2	6	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	657
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	13	-	-	-	-	-	-	-	-	-	2	6	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
658	会陰裂傷を伴う分娩（その他の裂傷の記載のないもの）	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	658
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
659	子宮破裂を伴う分娩	21	-	-	-	-	-	-	-	-	-	1	9	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	659
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	21	-	-	-	-	-	-	-	-	-	1	9	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
660	その他の産科的損傷を伴う分娩	9	-	-	-	-	-	-	-	-	-	1	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	660
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	-	1	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
661	その他の合併症を伴う分娩	55	-	-	-	-	-	-	-	-	1	7	25	13	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	661
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	55	-	-	-	-	-	-	-	-	1	7	25	13	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
662	合併症のない分娩における麻酔死	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	662
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
(670～678)	産褥の合併症	109	-	-	-	-	-	-	-	-	1	23	35	30	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	(670～678)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	109	-	-	-	-	-	-	-	-	1	23	35	30	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	
670	分娩および産褥の敗血症	19	-	-	-	-	-	-	-	-	-	4	4	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	670
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	19	-	-	-	-	-	-	-	-	-	4	4	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
671	産褥静脈炎および血栓症	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	671
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
672	産褥時の原因不明の発熱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	672
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
673	産褥性肺塞栓症	22	-	-	-	-	-	-	-	-	-	7	7	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	673
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	22	-	-	-	-	-	-	-	-	-	7	7	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
674	産褥における脳出血	13	-	-	-	-	-	-	-	-	-	4	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	674
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	13	-	-	-	-	-	-	-	-	-	4	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
675	産褥性血液異混和症	11	-	-	-	-	-	-	-	-	1	1	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	675
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	1	1	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
676	産褥期貧血	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	676
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
677	その他および詳細不明の産褥の合併症	41	-	-	-	-	-	-	-	-	-	5	13	12	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	677
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	41	-	-	-	-	-	-	-	-	-	5	13	12	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
678	乳腺炎およびその他の乳汁分泌異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	678
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII	皮膚および皮下組織の疾患	876	44	8	4	4	3	63	3	3	12	20	20	12	13	14	21	22	22	52	43	91	138	136	126	48	17	-	-	XII
	男 M.	390	25	6	2	2	2	37	2	-	6	4	2	5	4	6	12	10	11	26	30	45	73	54	49	13	1	-	-	
	女 F.	486	19	2	2	2	1	26	1	3	6	16	18	7	9	8	9	12	11	26	13	46	65	82	77	35	16	-	-	
(680～686)	皮膚および皮下組織の感染	182	22	3	2	3	2	32	2	-	3	6	3	5	3	10	5	7	5	16	17	26	16	12	10	4	-	-	-	(680～686)
	男 M.	90	13	1	-	1	1	16	1	-	2	3	1	3	2	5	2	5	2	9	10	11	10	3	3	2	-	-	-	
	女 F.	92	9	2	2	2	1	16	1	-	1	3	2	2	1	5	3	2	3	7	7	15	6	9	7	2	-	-	-	
680	癤およびよう	22	2	1	-	1	-	4	-	-	1	1	1	-	1	1	1	1	1	1	2	3	1	2	1	-	-	-	-	680
	男 M.	11	2	-	-	-	-	2	-	-	-	1	1	-	1	-	1	1	-	1	-	1	1	1	1	-	-	-	-	
	女 F.	11	-	1	-	1	-	2	-	-	1	-	-	-	-	1	-	-	1	-	2	2	-	1	-	-	-	-	-	
681	手指および足指の蜂巣織炎	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	681
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	
682	その他の蜂巣織炎および膿瘍	111	11	1	-	1	1	14	1	-	2	2	1	4	1	5	4	6	3	14	14	13	11	7	6	3	-	-	-	682
	男 M.	51	4	1	-	-	-	5	-	-	2	-	-	3	1	3	1	4	1	8	10	4	6	-	1	2	-	-	-	
	女 F.	60	7	-	-	1	1	9	1	-	-	2	1	1	-	2	3	2	2	6	4	9	5	7	5	1	-	-	-	
683	急性リンパ節炎	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	683
	男 M.	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
684	膿痂疹	11	4	-	1	-	1	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	684
	男 M.	9	4	-	-	-	1	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	
	女 F.	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
685	毛巣嚢胞	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	685
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
686	その他の皮膚および皮下組織の局所感染	30	4	1	1	1	-	7	1	-	-	2	1	1	1	4	-	-	1	1	-	7	1	1	1	1	-	-	-	686
	男 M.	16	2	-	-	1	-	3	1	-	-	2	-	-	-	2	-	-	1	-	-	5	1	1	-	-	-	-	-	
	女 F.	14	2	1	1	-	-	4	-	-	-	-	1	1	1	2	-	-	-	1	-	2	-	-	1	1	-	-	-	
(690～698)	その他の皮膚および皮下組織の炎症性病態	295	22	5	2	1	1	31	1	3	7	13	16	7	9	4	11	13	12	19	15	31	50	32	17	4	-	-	-	(690～698)
	男 M.	149	12	5	2	1	1	21	1	-	2	1	1	2	1	1	6	4	5	9	12	19	34	16	13	1	-	-	-	
	女 F.	146	10	-	-	-	-	10	-	3	5	12	15	5	8	3	5	9	7	10	3	12	16	16	4	3	-	-	-	
690	脂漏性皮膚炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	690
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
691	小児湿疹および関連症	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	691
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
692	その他の湿疹および皮膚炎	70	3	-	1	-	-	4	-	-	-	-	1	1	1	-	4	2	3	6	7	8	12	10	7	4	-	-	-	692
	男 M.	38	1	-	1	-	-	2	-	-	-	-	1	-	-	-	4	1	1	2	6	4	6	5	5	1	-	-	-	
	女 F.	32	2	-	-	-	-	2	-	-	-	-	-	1	1	-	-	1	2	4	1	4	6	5	2	3	-	-	-	
693	疱疹状皮膚炎	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	-	-	-	-	693
	男 M.	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	
694	天疱瘡	56	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	3	1	4	11	11	13	7	-	-	-	-	694
	男 M.	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	6	5	5	5	-	-	-	-	
	女 F.	29	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	1	1	5	6	8	2	-	-	-	-	
695	紅斑症	151	17	5	1	1	1	25	1	3	7	13	14	4	8	4	7	6	6	11	4	9	21	7	1	-	-	-	-	695
	男 M.	73	10	5	1	1	1	18	1	-	2	1	-	1	1	1	2	1	3	7	3	9	17	5	1	-	-	-	-	
	女 F.	78	7	-	-	-	-	7	-	3	5	12	14	3	7	3	5	5	3	4	1	-	4	2	-	-	-	-	-	
695.0	中毒性紅斑	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	695.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
695.1	多形滲出性紅斑	27	10	5	1	1	1	18	1	-	1	-	1	-	-	-	3	-	-	-	-	1	2	-	-	-	-	-	-	695.1
	男 M.	21	7	5	1	1	1	15	1	-	1	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	
	女 F.	6	3	-	-	-	-	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
695.2	結節性紅斑	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	695.2
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
695.9 a	リッター新生児剝脱状皮膚炎	6	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	695.9 a
	男 M.	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
695.3, 695.4, 695.9 b	その他および詳細不明	117	1	-	-	-	-	1	-	3	6	13	13	4	8	4	4	6	6	10	4	8	19	7	1	-	-	-	-	695.3, 695.4, 695.9 b
	男 M.	49	1	-	-	-	-	1	-	-	1	-	-	1	1	1	-	1	3	6	3	8	16	5	1	-	-	-	-	
	女 F.	68	-	-	-	-	-	-	-	3	5	12	13	3	7	3	4	5	3	4	1	-	3	2	-	-	-	-	-	
696	乾癬および類似疾患	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	696
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
697	苔癬	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	697
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
698	瘙痒症およびその関連症	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	698
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
(700～709)	その他の皮膚および皮下組織の疾患	399	-	-	-	-	-	-	-	-	2	1
	男 M.	151	-	-	-	-	-	-	-	-	2	-
	女 F.	248	-	-	-	-	-	-	-	-	-	1
700	うおのめおよび胼胝	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
701	その他の皮膚の肥大症および萎縮症	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
702	その他の皮膚症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
703	爪の疾患	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
704	毛髪および毛嚢の症患	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
705	汗腺の疾患	1	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	1
706	脂腺の疾患	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
707	皮膚の慢性潰瘍	392	-	-	-	-	-	-	-	-	2	-
	男 M.	146	-	-	-	-	-	-	-	-	2	-
	女 F.	246	-	-	-	-	-	-	-	-	-	-
708	蕁麻疹	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
709	その他の皮膚の疾患	2	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
XII	筋骨格系および結合織の疾患	3 956	9	-	2	1	2	14	10	15	43	115
	男 M.	998	6	-	-	-	1	7	5	6	9	20
	女 F.	2 958	3	-	2	1	1	7	5	9	34	95
(710～718)	関節炎およびリウマチ（リウマチ熱を除く）	3 004	-	-	-	-	1	1	2	1	4	9
	男 M.	727	-	-	-	-	1	1	2	-	2	3
	女 F.	2 277	-	-	-	-	-	-	-	1	2	6
710	化膿性病原体による急性関節炎	33	-	-	-	-	-	-	-	-	-	1
	男 M.	9	-	-	-	-	-	-	-	-	-	1
	女 F.	24	-	-	-	-	-	-	-	-	-	-
711	急性非化膿性関節炎	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
712	慢性関節リウマチおよび類似症	2 402	-	-	-	-	-	-	2	-	1	7
	男 M.	548	-	-	-	-	-	-	2	-	1	1
	女 F.	1 854	-	-	-	-	-	-	-	-	-	6
713	変形性関節症および類似症	164	-	-	-	-	-	-	-	-	-	-
	男 M.	65	-	-	-	-	-	-	-	-	-	-
	女 F.	99	-	-	-	-	-	-	-	-	-	-

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
1	-	1	-	5	2	5	17	11	34	72	92	99	40	17	-	-	(700～709)
-	-	1	-	4	1	4	8	8	15	29	35	33	10	1	-	-	
1	-	-	-	1	1	1	9	3	19	43	57	66	30	16	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	700
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	701
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	702
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	703
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	704
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	705
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	706
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	3	2	5	16	11	33	72	91	99	40	17	-	-	707
-	-	-	-	2	1	4	8	8	14	29	34	33	10	1	-	-	
1	-	-	-	1	1	1	8	3	19	43	57	66	30	16	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	708
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	709
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
98	63	85	99	101	119	219	294	428	605	653	570	317	95	12	-	1	XII
13	10	17	24	28	29	56	80	129	190	170	124	63	15	3	-	-	
85	53	68	75	73	90	163	214	299	415	483	446	254	80	9	-	1	
8	8	13	27	41	72	151	237	364	533	600	534	296	92	11	-	-	(710～718)
1	4	5	5	9	16	40	55	94	155	145	116	56	15	3	-	-	
7	4	8	22	32	56	111	182	270	378	455	418	240	77	8	-	-	
-	-	-	-	-	1	1	3	5	6	8	4	4	-	-	-	-	710
-	-	-	-	-	-	1	1	-	3	2	1	-	-	-	-	-	
-	-	-	-	-	1	-	2	5	3	6	3	4	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	711
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	5	9	18	30	64	121	205	309	459	484	403	206	67	5	-	-	712
1	2	2	2	6	12	27	45	79	126	110	78	40	13	1	-	-	
6	3	7	16	24	52	94	160	230	333	374	325	166	54	4	-	-	
-	-	-	1	1	1	7	4	13	27	37	46	22	5	-	-	-	713
-	-	-	1	1	1	6	3	6	14	11	14	7	1	-	-	-	
-	-	-	-	-	-	1	1	7	13	26	32	15	4	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
713.0	変形性関節症	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	5	4	2	-	-	-	-	713.0
	男 M.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	1	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	2	-	-	-	-	
713.1	変形性脊椎症	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	11	25	32	42	19	5	-	-	-	713.1
	男 M.	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	6	13	9	13	6	1	-	-	-	
	女 F.	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	12	23	29	13	4	-	-	-	
713.2	外傷性脊椎症	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	713.2
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
714	その他の関節炎の特殊型	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	714
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
714.0	外傷性関節炎	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	714.0
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
714.9	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	714.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
715	詳細不明の関節炎	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	7	16	19	14	4	1	-	-	715
	男 M.	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	7	3	1	-	1	-	-	
	女 F.	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	9	16	13	4	-	-	-	
716	多発筋炎および皮膚筋炎	51	-	-	-	-	1	1	-	1	2	1	1	3	3	5	4	1	8	4	8	3	4	1	1	-	-	-	-	716
	男 M.	21	-	-	-	-	1	1	-	-	1	1	-	2	3	1	-	-	2	3	3	2	1	1	-	-	-	-	-	
	女 F.	30	-	-	-	-	-	-	-	1	1	-	1	1	-	4	4	1	6	1	5	1	3	-	1	-	-	-	-	
717	その他の非関節性リウマチ	131	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	15	24	41	30	7	4	-	-	717
	男 M.	36	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	4	7	14	6	-	1	-	-	
	女 F.	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	11	17	27	24	7	3	-	-	
718	詳細不明のリウマチ	151	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	4	13	17	18	16	27	20	19	8	1	-	-	718
	男 M.	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	5	7	5	2	1	-	-	-	
	女 F.	121	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	2	10	15	15	11	20	15	17	7	1	-	-	
(720～729)	骨髄炎およびその他の骨および関節の疾患	205	1	-	-	-	-	1	1	1	-	1	-	-	2	11	11	10	10	13	25	36	37	28	14	2	1	-	1	(720～729)
	男 M.	98	1	-	-	-	-	1	-	1	-	1	-	-	2	7	5	5	6	6	17	19	19	6	4	-	-	-	-	
	女 F.	107	-	-	-	-	-	-	1	-	-	1	-	-	-	4	6	5	4	7	8	17	18	22	10	2	1	-	1	
720	骨髄炎および骨膜炎	68	1	-	-	-	-	1	1	1	-	1	-	-	1	3	4	4	5	6	10	13	6	6	6	-	-	-	-	720
	男 M.	39	1	-	-	-	-	1	-	1	-	-	-	-	1	2	2	2	3	4	6	10	4	2	1	-	-	-	-	
	女 F.	29	-	-	-	-	-	-	1	-	-	1	-	-	-	1	2	2	2	2	4	3	2	4	5	-	-	-	-	
720.0	急性骨髄炎	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	720.0
	男 M.	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
720.1	慢性骨髄炎	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	2	2	-	1	1	-	-	-	-	720.1
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	2	-	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	
720.2	詳細不明の骨髄炎	51	1	-	-	-	-	1	1	-	-	1	-	-	-	2	4	4	2	5	6	10	6	4	5	-	-	-	-	720.2
	男 M.	27	1	-	-	-	-	1	-	-	-	1	-	-	-	1	2	2	2	3	3	7	4	1	1	-	-	-	-	
	女 F.	24	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	2	-	2	3	3	2	3	4	-	-	-	-	
720.3	骨髄炎の記載のない骨膜炎	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	720.3
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	
721	変形性骨炎	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	-	1	2	-	1	-	-	-	721
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	1	2	-	1	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
722	骨軟骨症	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	722
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
723	その他の骨の疾患	78	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	5	7	14	19	18	4	2	1	-	1	723
	男 M.	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	3	8	3	1	-	-	-	-	
	女 F.	55	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	4	11	11	15	3	2	1	-	1	
724	関節内障	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	724
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
725	椎間板ヘルニア	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	1	-	-	-	-	-	725
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
726	仙腸関節の障害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	726
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
727	関節の強直	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	-	-	-	727
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	
728	脊椎性有痛症候群	25	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	1	4	4	5	-	1	-	-	-	-	728
	男 M.	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	4	3	2	-	1	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	1	3	-	-	-	-	-	-	
729	その他の関節の疾患	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-	-	729
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	
(730～738)	その他の筋骨格系の疾患	747	8	-	2	1	1	12	7	13	39	105	90	55	70	61	49	37	58	44	39	36	16	8	7	1	-	-	-	(730～738)
	男 M.	173	5	-	-	-	-	5	3	5	7	17	12	6	10	12	14	8	10	19	18	16	6	2	3	-	-	-	-	
	女 F.	574	3	-	2	1	1	7	4	8	32	88	78	49	60	49	35	29	48	25	21	20	10	6	4	1	-	-	-	
730	パニオン	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	730
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
731	滑膜炎，滑液嚢炎および腱鞘炎	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	731
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
732	感染性筋炎およびその他の腱および筋膜の炎症性疾患	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	732
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
733	その他の筋，腱および筋膜の疾患	138	4	-	2	1	1	8	2	4	4	13	9	5	7	8	8	10	16	15	9	13	6	1	-	-	-	-	-	733
	男 M.	57	2	-	-	-	-	2	1	1	4	6	4	2	2	1	6	4	5	7	2	7	3	-	-	-	-	-	-	
	女 F.	81	2	-	2	1	1	6	1	3	-	7	5	3	5	7	2	6	11	8	7	6	3	1	-	-	-	-	-	
733.0	重症筋無力症	54	-	-	1	1	-	2	1	2	-	8	6	3	5	7	4	3	1	6	2	3	1	-	-	-	-	-	-	733.0
	男 M.	17	-	-	-	-	-	-	-	-	-	2	3	-	1	1	4	-	-	3	-	2	1	-	-	-	-	-	-	
	女 F.	37	-	-	1	1	-	2	1	2	-	6	3	3	4	6	-	3	1	3	2	1	-	-	-	-	-	-	-	
733.1	筋萎縮症（特発性）	53	1	-	-	-	-	1	1	1	2	4	1	1	1	-	2	3	12	7	6	6	4	1	-	-	-	-	-	733.1
	男 M.	26	-	-	-	-	-	-	1	-	2	4	1	1	1	-	-	2	4	3	2	3	2	-	-	-	-	-	-	
	女 F.	27	1	-	-	-	-	1	-	1	-	-	-	-	-	-	2	1	8	4	4	3	2	1	-	-	-	-	-	
733.9	その他	31	3	-	1	-	1	5	-	1	2	1	2	1	1	1	2	4	3	2	1	4	1	-	-	-	-	-	-	733.9
	男 M.	14	2	-	-	-	-	2	-	1	2	-	-	1	-	-	2	2	1	1	-	2	-	-	-	-	-	-	-	
	女 F.	17	1	-	1	-	1	3	-	-	-	1	2	-	1	1	-	2	2	1	1	2	1	-	-	-	-	-	-	
734	結合織のびまん性疾患	592	4	-	-	-	-	4	5	9	35	91	80	50	63	52	41	26	42	27	29	20	9	4	5	-	-	-	-	734
	男 M.	107	3	-	-	-	-	3	2	4	3	10	8	4	8	10	8	4	5	12	15	6	2	1	2	-	-	-	-	
	女 F.	485	1	-	-	-	-	1	3	5	32	81	72	46	55	42	33	22	37	15	14	14	7	3	3	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
735	脊柱異常彎曲	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-	-	735
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	
736	扁平足	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	736
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
737	外反足母指および内反足母指	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	737
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
738	その他の奇形	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	738
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
XIV	先天異常	6 164	4 344	398	209	113	104	5 168	211	105	104	110	50	50	55	43	49	46	49	27	31	29	20	11	4	1	1	-	-	XIV
	男 M.	3 335	2 395	190	111	63	61	2 820	114	57	65	46	23	25	25	20	25	25	27	16	15	17	9	5	-	1	-	-	-	
	女 F.	2 829	1 949	208	98	50	43	2 348	97	48	39	64	27	25	30	23	24	21	22	11	16	12	11	6	4	-	1	-	-	
740	無脳症	66	66	-	-	-	-	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	740
	男 M.	34	34	-	-	-	-	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	32	32	-	-	-	-	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
741	二分脊椎	107	94	2	2	1	1	100	4	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	741
	男 M.	37	33	1	-	-	1	35	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	70	61	1	2	1	-	65	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
741.0	水頭症を伴うもの	50	41	2	2	-	1	46	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	741.0
	男 M.	12	10	1	-	-	1	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	38	31	1	2	-	-	34	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
741.9	水頭症の記載のないもの	57	53	-	-	1	-	54	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	741.9
	男 M.	25	23	-	-	-	-	23	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	32	30	-	-	1	-	31	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
742	先天性水頭症	223	139	27	19	10	8	203	10	4	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	742
	男 M.	109	66	15	8	4	6	99	5	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	114	73	12	11	6	2	104	5	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
743	その他の神経系の先天異常	140	73	11	4	2	1	91	8	3	3	4	2	5	6	5	1	-	2	2	5	3	-	-	-	-	-	-	-	743
	男 M.	75	42	3	3	1	-	49	6	1	-	1	1	4	4	2	-	-	1	2	4	2	-	-	-	-	-	-	-	
	女 F.	65	31	8	1	1	1	42	2	2	3	3	1	1	2	3	1	-	1	2	1	1	-	-	-	-	-	-	-	
743.0	脳腫瘤	21	20	1	-	-	-	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.0
	男 M.	9	9	-	-	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	12	11	1	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
743.1	小頭症	49	23	8	3	2	-	36	8	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	743.1
	男 M.	23	11	3	2	1	-	17	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	26	12	5	1	1	-	19	2	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
743.2	その他の脳の明示された異常	15	12	2	1	-	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.2
	男 M.	9	8	-	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	6	4	2	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
743.3	その他の脊髄の明示された異常	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	743.3
	男 M.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
743.4 743.8	その他の神経系の異常	36	3	-	-	-	-	3	-	1	1	4	2	4	6	4	-	-	1	2	5	3	-	-	-	-	-	-	-	743.4 743.8
	男 M.	19	2	-	-	-	-	2	-	-	-	1	1	3	4	2	-	-	-	-	4	2	-	-	-	-	-	-	-	
	女 F.	17	1	-	-	-	-	1	-	1	1	3	1	1	2	2	-	-	1	2	1	1	-	-	-	-	-	-	-	
743.9	詳細不明の脳，脊髄および神経系の異常	17	14	-	-	-	1	15	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.9
	男 M.	13	11	-	-	-	-	11	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	3	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
744	眼の先天異常	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
745	耳，顔および頸の先天異常	4	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745
	男 M.	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
746	心臓の先天異常	3 389	2 214	250	149	85	79	2 777	161	79	81	76	36	32	30	16	25	12	17	10	8	10	11	5	2	-	1	-	-	746
	男 M.	1 839	1 238	120	86	49	44	1 537	87	44	50	30	17	13	9	6	12	5	12	5	2	3	6	1	-	-	-	-	-	
	女 F.	1 550	976	130	63	36	35	1 240	74	35	31	46	19	19	21	10	13	7	5	5	6	7	5	4	2	-	1	-	-	
746.0	総動脈幹残遺	33	25	2	1	1	1	30	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	746.0
	男 M.	16	10	1	1	-	1	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	17	15	1	-	1	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
746.1	大血管の転位	182	111	21	11	9	6	158	11	8	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	746.1
	男 M.	126	75	11	9	8	5	108	8	6	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	56	36	10	2	1	1	50	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
746.2	ファローの四徴	409	81	32	50	35	42	240	68	24	34	17	10	11	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	746.2
	男 M.	235	50	18	29	23	24	144	36	17	21	4	7	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	174	31	14	21	12	18	96	32	7	13	13	3	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
746.3	心室中隔欠損	518	293	56	29	12	12	402	32	11	15	19	6	2	6	3	4	4	6	4	2	-	2	-	-	-	-	-	-	746.3
	男 M.	255	153	20	11	5	4	193	18	4	12	9	2	-	5	1	2	1	5	2	-	-	1	-	-	-	-	-	-	
	女 F.	263	140	36	18	7	8	209	14	7	3	10	4	2	1	2	2	3	1	2	2	-	1	-	-	-	-	-	-	
746.4	心房中隔欠損	162	72	8	1	5	2	88	7	6	8	8	3	7	3	5	9	4	6	2	2	4	-	-	-	-	-	-	-	746.4
	男 M.	70	34	4	1	2	1	42	5	2	3	4	-	1	-	2	4	2	3	1	-	1	-	-	-	-	-	-	-	
	女 F.	92	38	4	-	3	1	46	2	4	5	4	3	6	3	3	5	2	3	1	2	3	-	-	-	-	-	-	-	
746.5	共房室口	75	38	11	5	2	2	58	9	5	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	746.5
	男 M.	35	19	7	1	2	1	30	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	40	19	4	4	-	1	28	6	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
746.6	心臓弁膜の異常	280	142	18	14	4	5	183	6	11	11	17	4	4	8	4	6	3	2	2	3	4	5	4	2	-	1	-	-	746.6
	男 M.	135	75	8	10	1	2	96	2	7	5	6	1	2	1	-	4	1	2	1	2	2	2	1	-	-	-	-	-	
	女 F.	145	67	10	4	3	3	87	4	4	6	11	3	2	7	4	2	2	-	1	1	2	3	3	2	-	1	-	-	
746.7	心内膜線維弾性症	36	28	5	1	-	-	34	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	746.7
	男 M.	17	13	2	-	-	-	15	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	19	15	3	1	-	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
746.8	その他の明示された心臓の異常	136	91	14	3	5	2	115	3	1	3	3	3	2	-	2	1	-	1	-	-	-	1	1	-	-	-	-	-	746.8
	男 M.	70	45	9	2	3	1	60	-	1	2	1	2	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	66	46	5	1	2	1	55	3	-	1	2	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	
746.9	詳細不明の心臓の異常	1 558	1 333	83	34	12	7	1 469	22	13	8	9	9	3	9	2	4	1	2	2	1	2	2	-	-	-	-	-	-	746.9
	男 M.	880	764	40	22	5	5	836	12	6	5	4	5	2	2	1	2	1	1	1	-	-	2	-	-	-	-	-	-	
	女 F.	678	569	43	12	7	2	633	10	7	3	5	4	1	7	1	2	-	1	1	1	2	-	-	-	-	-	-	-	
747	その他の循環器系の先天異常	243	134	11	5	6	6	162	11	7	8	14	5	2	4	10	4	4	4	1	2	4	-	1	-	-	-	-	-	747
	男 M.	131	69	6	1	5	2	83	6	4	7	6	2	1	3	4	2	3	4	-	1	4	-	1	-	-	-	-	-	
	女 F.	112	65	5	4	1	4	79	5	3	1	8	3	1	1	6	2	1	-	1	1	-	-	-	-	-	-	-	-	
748	呼吸器系の先天異常	113	75	1	1	-	-	77	-	2	1	3	-	3	1	4	2	1	4	4	5	3	3	-	-	-	-	-	-	748
	男 M.	70	45	1	-	-	-	46	-	2	-	2	-	1	1	2	1	1	2	4	4	2	2	-	-	-	-	-	-	
	女 F.	43	30	-	1	-	-	31	-	-	1	1	-	2	-	2	1	-	2	-	1	1	1	-	-	-	-	-	-	
749	口蓋裂および唇裂	153	144	7	2	-	-	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	749
	男 M.	76	71	5	-	-	-	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	77	73	2	2	-	-	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
749.0	口蓋裂	73	67	5	1	-	-	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	749.0
	男 M.	34	30	4	-	-	-	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	39	37	1	1	-	-	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
749.1	唇裂	25	24	1	-	-	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	749.1
	男 M.	18	17	1	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	7	7	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
749.2	唇裂を伴う口蓋裂	55	53	1	1	-	-	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	749.2
	男 M.	24	24	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	31	29	1	1	-	-	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
750	その他の上部消化管の先天異常	264	257	5	1	-	-	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	750
	男 M.	162	158	3	-	-	-	161	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	女 F.	102	99	2	1	-	-	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
750.1	幽門狭窄	50	50	-	-	-	-	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	750.1
	男 M.	32	32	-	-	-	-	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	18	18	-	-	-	-	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
750.0 750.2～ 750.9	その他および詳細不明	214	207	5	1	-	-	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	750.0 750.2～ 750.9
	男 M.	130	126	3	-	-	-	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
	女 F.	84	81	2	1	-	-	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
751	その他の消化器系の先天異常	721	614	52	14	4	5	689	6	2	3	1	3	2	4	-	1	1	2	1	-	2	1	3	-	-	-	-	-	751
	男 M.	400	348	24	5	1	4	382	4	1	2	1	1	1	2	-	-	1	1	1	-	1	-	2	-	-	-	-	-	
	女 F.	321	266	28	9	3	1	307	2	1	1	-	2	1	2	-	1	-	1	-	-	1	1	1	-	-	-	-	-	
752	性器の先天異常	5	5	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752
	男 M.	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
753	泌尿器系の先天異常	135	28	1	1	-	1	31	3	2	1	1	1	2	5	6	12	25	16	9	9	5	4	1	2	-	-	-	-	753
	男 M.	72	17	-	1	-	1	19	2	-	1	1	1	2	3	4	8	12	6	6	3	3	1	-	-	-	-	-	-	
	女 F.	63	11	1	-	-	-	12	1	2	-	-	-	-	2	2	4	13	10	3	6	2	3	1	2	-	-	-	-	
754	内反足（先天性）	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	754
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
755	その他の体肢の先天異常	16	13	-	2	-	-	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755
	男 M.	6	6	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	7	-	2	-	-	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
756	その他の筋骨格系の先天異常	180	154	6	2	-	2	164	3	2	1	1	-	-	1	-	1	-	1	-	2	2	1	1	-	-	-	-	-	756
	男 M.	101	90	1	1	-	2	94	1	-	1	1	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	
	女 F.	79	64	5	1	-	-	70	2	2	-	-	-	-	1	-	1	-	1	-	1	-	1	-	-	-	-	-	-	
757	皮膚，毛髪および爪の先天異常	14	8	1	1	-	-	10	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	757
	男 M.	9	4	1	1	-	-	6	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	4	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
758	その他および詳細不明の先天異常	144	137	3	2	-	-	142	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	758
	男 M.	78	75	-	2	-	-	77	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	66	62	3	-	-	-	65	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
759	多系統におよぶ先天性症候群	245	184	21	4	5	1	215	3	3	4	7	2	3	3	1	1	1	2	-	-	-	-	-	-	-	-	-	-	759
	男 M.	129	93	10	3	3	1	110	3	1	3	2	1	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	116	91	11	1	2	-	105	-	2	1	5	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	
XV	周産期疾病および死亡の主要原因	11 930	11 930	-	-	-	-	11 930	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	XV
	男 M.	7 126	7 126	-	-	-	-	7 126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4 804	4 804	-	-	-	-	4 804	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760	母体の慢性循環器疾患および慢性性尿器疾患	33	33	-	-	-	-	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760
	男 M.	23	23	-	-	-	-	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	10	-	-	-	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
761	その他の妊娠に関連のない母体側の状態	149	149	-	-	-	-	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761
	男 M.	91	91	-	-	-	-	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	58	58	-	-	-	-	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
762	妊娠中毒症	846	846	-	-	-	-	846	-	-	-	-
	男 M.	517	517	-	-	-	-	517	-	-	-	-
	女 F.	329	329	-	-	-	-	329	-	-	-	-
763	母体の分娩前および分娩時の感染	75	75	-	-	-	-	75	-	-	-	-
	男 M.	47	47	-	-	-	-	47	-	-	-	-
	女 F.	28	28	-	-	-	-	28	-	-	-	-
764	骨盤の骨，臓器または組織の異常を伴う難産	132	132	-	-	-	-	132	-	-	-	-
	男 M.	80	80	-	-	-	-	80	-	-	-	-
	女 F.	52	52	-	-	-	-	52	-	-	-	-
765	胎児骨盤不適合を伴う難産，骨盤異常の記載のないもの	75	75	-	-	-	-	75	-	-	-	-
	男 M.	50	50	-	-	-	-	50	-	-	-	-
	女 F.	25	25	-	-	-	-	25	-	-	-	-
766	胎児の位置異常を伴う難産	406	406	-	-	-	-	406	-	-	-	-
	男 M.	249	249	-	-	-	-	249	-	-	-	-
	女 F.	157	157	-	-	-	-	157	-	-	-	-
767	娩出力異常を伴う難産	175	175	-	-	-	-	175	-	-	-	-
	男 M.	102	102	-	-	-	-	102	-	-	-	-
	女 F.	73	73	-	-	-	-	73	-	-	-	-
768	その他および詳細不明の合併症を伴う難産	80	80	-	-	-	-	80	-	-	-	-
	男 M.	50	50	-	-	-	-	50	-	-	-	-
	女 F.	30	30	-	-	-	-	30	-	-	-	-
769	その他の妊娠および分娩の合併症	1 147	1 147	-	-	-	-	1 147	-	-	-	-
	男 M.	670	670	-	-	-	-	670	-	-	-	-
	女 F.	477	477	-	-	-	-	477	-	-	-	-
770	胎盤異常	611	611	-	-	-	-	611	-	-	-	-
	男 M.	366	366	-	-	-	-	366	-	-	-	-
	女 F.	245	245	-	-	-	-	245	-	-	-	-
771	臍帯異常	182	182	-	-	-	-	182	-	-	-	-
	男 M.	124	124	-	-	-	-	124	-	-	-	-
	女 F.	58	58	-	-	-	-	58	-	-	-	-
772	原因の記載のない出生時損傷	571	571	-	-	-	-	571	-	-	-	-
	男 M.	346	346	-	-	-	-	346	-	-	-	-
	女 F.	225	225	-	-	-	-	225	-	-	-	-
773	妊娠の中絶	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
774	核黄疸を伴う新生児溶血性疾患	40	40	-	-	-	-	40	-	-	-	-
	男 M.	29	29	-	-	-	-	29	-	-	-	-
	女 F.	11	11	-	-	-	-	11	-	-	-	-
775	核黄疸の記載のない新生児溶血性疾患	147	147	-	-	-	-	147	-	-	-	-
	男 M.	95	95	-	-	-	-	95	-	-	-	-
	女 F.	52	52	-	-	-	-	52	-	-	-	-
776	他に分類されない無酸素症および低酸素症	2 488	2 488	-	-	-	-	2 488	-	-	-	-
	男 M.	1 552	1 552	-	-	-	-	1 552	-	-	-	-
	女 F.	936	936	-	-	-	-	936	-	-	-	-
777	詳細不明の未熟児	2 102	2 102	-	-	-	-	2 102	-	-	-	-
	男 M.	1 151	1 151	-	-	-	-	1 151	-	-	-	-
	女 F.	951	951	-	-	-	-	951	-	-	-	-
778	その他の胎児または新生児の異常	2 671	2 671	-	-	-	-	2 671	-	-	-	-
	男 M.	1 584	1 584	-	-	-	-	1 584	-	-	-	-
	女 F.	1 087	1 087	-	-	-	-	1 087	-	-	-	-

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	762
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	763
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	769
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	770
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	771
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	775
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	777
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
779	原因不明の胎児死亡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	779
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XVI	症状および診断名不明確の状態	42 163	282	97	45	38	31	493	67	50	129	269	295	362	474	531	527	455	611	858	1 276	2 792	6 084	10 253	9 982	5 376	1 155	87	37	XVI
	男 M.	17 278	174	56	24	20	21	295	42	36	84	216	225	292	391	441	385	306	387	551	744	1 451	2 689	3 949	3 182	1 341	224	22	25	
	女 F.	24 885	108	41	21	18	10	198	25	14	45	53	70	70	83	90	142	149	224	307	532	1 341	3 395	6 304	6 800	4 035	931	65	12	
(780～789)	系統または器管に関する症状	7 829	191	66	22	25	22	326	52	38	89	191	202	265	359	418	411	348	489	629	714	851	876	800	525	204	33	4	5	(780～789)
	男 M.	4 791	116	34	11	14	17	192	37	30	58	151	159	221	299	357	304	240	325	423	446	489	454	358	182	56	5	1	4	
	女 F.	3 038	75	32	11	11	5	134	15	8	31	40	43	44	60	61	107	108	164	206	268	362	422	442	343	148	28	3	1	
780	神経系および特殊感覚に関する症状	77	27	8	4	4	2	45	3	1	1	3	2	1	1	3	6	-	2	2	-	3	2	1	-	-	1	-	-	780
	男 M.	42	19	4	2	2	2	29	2	-	-	2	1	1	1	2	-	-	1	-	-	1	2	-	-	-	-	-	-	
	女 F.	35	8	4	2	2	-	16	1	1	1	1	1	-	-	1	6	-	1	2	-	2	-	1	-	-	1	-	-	
780.2	全身けいれん	58	26	8	4	4	2	44	3	1	1	2	-	1	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	780.2
	男 M.	35	18	4	2	2	2	28	2	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	23	8	4	2	2	-	16	1	1	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	
780.0 780.1 780.3～ 780.8	その他	19	1	-	-	-	-	1	-	-	-	1	2	-	-	3	4	-	-	1	-	3	2	1	-	-	1	-	-	780.0 780.1 780.3～ 780.8
	男 M.	7	1	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	1	2	-	-	-	-	-	-	
	女 F.	12	-	-	-	-	-	-	-	-	-	1	1	-	-	1	4	-	-	1	-	2	-	1	-	-	1	-	-	
781	その他の神経系および特殊感覚に関する症状	123	35	28	6	9	7	85	21	3	2	-	-	1	1	2	-	-	2	3	1	-	1	1	-	-	-	-	-	781
	男 M.	68	19	12	1	5	7	44	15	2	1	-	-	1	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	
	女 F.	55	16	16	5	4	-	41	6	1	1	-	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-	-	-	
782	心血管系およびリンパ系に関する症状	6 793	76	17	4	5	7	109	20	29	79	175	187	250	338	376	382	318	444	556	637	750	764	689	473	179	31	3	4	782
	男 M.	4 202	55	9	2	3	3	72	15	25	53	142	151	210	284	323	287	222	297	374	398	431	398	305	161	45	5	1	3	
	女 F.	2 591	21	8	2	2	4	37	5	4	26	33	36	40	54	53	95	96	147	182	239	319	366	384	312	134	26	2	1	
782.4	心臓麻痺	6 765	75	17	3	5	7	107	20	28	79	173	185	249	335	375	382	318	444	554	634	748	760	688	471	177	31	3	4	782.4
	男 M.	4 191	55	9	2	3	3	72	15	24	53	142	150	210	282	322	287	222	297	373	396	429	397	305	161	45	5	1	3	
	女 F.	2 574	20	8	1	2	4	35	5	4	26	31	35	39	53	53	95	96	147	181	238	319	363	383	310	132	26	2	1	
782.0～ 782.3 782.5～ 782.9	その他	28	1	-	1	-	-	2	-	1	-	2	2	1	3	1	-	-	-	2	3	2	4	1	2	2	-	-	-	782.0～ 782.3 782.5～ 782.9
	男 M.	11	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-	1	2	2	1	-	-	-	-	-	-	
	女 F.	17	1	-	1	-	-	2	-	-	-	2	1	1	1	-	-	-	-	1	1	-	3	1	2	2	-	-	-	
783	呼吸器系に関する症状	81	6	2	1	2	-	11	-	-	1	2	4	2	5	4	3	6	5	10	7	3	13	2	2	1	-	-	-	783
	男 M.	49	3	2	1	1	-	7	-	-	-	1	2	1	4	3	1	3	3	7	5	2	7	1	1	1	-	-	-	
	女 F.	32	3	-	-	1	-	4	-	-	1	1	2	1	1	1	2	3	2	3	2	1	6	1	1	-	-	-	-	
783.1	喀血	52	2	1	1	1	-	5	-	-	1	1	3	2	4	2	3	2	4	7	5	2	8	-	2	1	-	-	-	783.1
	男 M.	25	-	1	1	1	-	3	-	-	-	-	1	1	3	1	1	-	2	4	3	1	3	-	1	1	-	-	-	
	女 F.	27	2	-	-	-	-	2	-	-	1	1	2	1	1	1	2	2	2	3	2	1	5	-	1	-	-	-	-	
783.2	呼吸困難	17	1	1	-	-	-	2	-	-	-	1	1	-	-	1	-	4	1	3	1	-	1	2	-	-	-	-	-	783.2
	男 M.	15	1	1	-	-	-	2	-	-	-	1	1	-	-	1	-	3	1	3	1	-	1	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
783.0 783.3～ 783.7	その他	12	3	-	-	1	-	4	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	4	-	-	-	-	-	783.0 783.3～ 783.7
	男 M.	9	2	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	3	-	-	-	-	-	
	女 F.	3	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
784	上部消化管に関する症状	263	9	-	1	-	-	10	-	-	-	5	2	8	8	14	12	8	18	24	21	24	37	43	14	14	1	-	-	784
	男 M.	177	6	-	1	-	-	7	-	-	-	3	2	7	7	14	12	8	11	19	16	18	20	22	6	5	-	-	-	
	女 F.	86	3	-	-	-	-	3	-	-	-	2	-	1	1	-	-	-	7	5	5	6	17	21	8	9	1	-	-	
784.1	はきけおよび嘔吐	8	3	-	-	-	-	3	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	784.1
	男 M.	5	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
	女 F.	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
784.2	幽門けいれん	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	784.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
784.4	嚥下困難	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	784.4
	男 M.	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
784.5	吐血	234	4	-	-	-	-	4	-	-	-	5	1	7	6	14	12	8	18	21	20	22	35	37	12	11	1	-	-	784.5
	男 M.	163	4	-	-	-	-	4	-	-	-	3	1	6	5	14	12	8	11	18	16	17	18	20	6	4	-	-	-	
	女 F.	71	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	7	3	4	5	17	17	6	7	1	-	-	
784.0 784.3 784.6 784.7	その他	17	2	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	1	-	2	2	4	1	3	-	-	-	784.0 784.3 784.6 784.7
	男 M.	7	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	2	-	-	1	-	-	-	
	女 F.	10	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	1	2	-	-	-	
785	腹部および下部消化管に関する症状	326	5	-	1	-	-	6	-	2	4	2	5	2	4	15	4	15	16	29	39	60	40	43	29	9	-	1	1	785
	男 M.	162	1	-	1	-	-	2	-	2	3	1	1	1	2	12	2	7	12	18	22	31	18	14	9	4	-	-	1	
	女 F.	164	4	-	-	-	-	4	-	-	1	1	4	1	2	3	2	8	4	11	17	29	22	29	20	5	-	1	-	
785.2	黄疸（新生児を除く）	74	3	-	-	-	-	3	-	-	-	1	-	-	-	1	1	2	3	9	8	13	10	10	10	3	-	-	-	785.2
	男 M.	33	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	6	8	7	1	1	1	-	-	-	
	女 F.	41	3	-	-	-	-	3	-	-	-	1	-	-	-	-	1	1	1	5	2	5	3	9	9	2	-	-	-	
785.3	腹水	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	1	4	3	-	-	-	-	785.3
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	女 F.	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	1	4	2	-	-	-	-	
785.0 785.1 785.4～ 785.8	その他	239	2	-	1	-	-	3	-	2	4	1	5	2	3	14	3	11	13	20	30	46	29	29	16	6	-	1	1	785.0 785.1 785.4～ 785.8
	男 M.	128	1	-	1	-	-	2	-	2	3	1	1	1	2	11	2	6	10	14	16	23	11	13	7	3	-	-	1	
	女 F.	111	1	-	-	-	-	1	-	-	1	1	4	1	1	3	1	5	3	6	14	23	18	16	9	3	-	1	-	
786	性尿器系に関する症状	34	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	1	1	2	2	7	14	3	1	-	-	786
	男 M.	26	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	1	1	5	12	3	1	-	-	
	女 F.	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	-	
786.1	尿閉	31	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	7	14	3	1	-	-	-	786.1
	男 M.	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	5	12	3	1	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	
786.5	乏尿，無尿（新生児を除く）	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	786.5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
786.0 786.2～ 786.4 786.6 786.7	その他	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	786.0 786.2～ 786.4 786.6 786.7
	男 M.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
787	肢および関節に関する症状	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	787
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
788	その他の全身症状	127	32	11	5	5	6	59	7	2	2	4	2	1	2	3	4	1	1	4	7	8	10	6	4	-	-	-	-	788
	男 M.	62	13	7	3	3	5	31	4	1	1	2	2	-	1	1	2	-	-	2	3	4	3	3	2	-	-	-	-	
	女 F.	65	19	4	2	2	1	28	3	1	1	2	-	1	1	2	2	1	1	2	4	4	7	3	2	-	-	-	-	
789	原因不詳の尿成分異常	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	789
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
	女 F.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
(790～796)	診断名不明確の状態	34 334	91	31	23	13	9	167	15	12	40	78	93	97	115	113	116	107	122	229	562	1 941	5 208	9 453	9 457	5 172	1 122	83	32	(790～796)
	男 M.	12 487	58	22	13	6	4	103	5	6	26	65	66	71	92	84	81	66	62	128	298	962	2 235	3 591	3 000	1 285	219	21	21	
	女 F.	21 847	33	9	10	7	5	64	10	6	14	13	27	26	23	29	35	41	60	101	264	979	2 973	5 862	6 457	3 887	903	62	11	
790	神経過敏および鈍弱	73	-	1	1	1	2	5	3	-	-	4	4	7	7	6	5	8	6	9	2	2	1	3	-	-	-	-	1	790
	男 M.	45	-	-	-	1	2	3	3	-	-	2	4	5	5	5	3	4	1	6	1	2	-	-	-	-	-	-	1	
	女 F.	28	-	1	1	-	-	2	-	-	-	2	-	2	2	1	2	4	5	3	1	-	1	3	-	-	-	-	-	
791	頭痛	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	791
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
792	尿毒症	908	1	1	-	-	-	2	2	4	20	27	58	42	30	44	55	53	72	99	96	125	111	49	31	6	2	-	-	792
	男 M.	493	-	1	-	-	-	1	1	3	14	22	24	26	21	23	29	24	35	54	61	59	57	22	15	2	-	-	-	
	女 F.	415	1	-	-	-	-	1	1	1	6	5	14	16	9	21	26	29	37	45	35	66	54	27	16	4	2	-	-	
793	医療の必要のない所見	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	793
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
794	精神病の記載のない老衰	32 520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	13	89	420	1 759	5 066	9 388	9 415	5 163	1 120	83	2	794
	男 M.	11 367	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	43	211	875	2 165	3 565	2 980	1 283	219	21	2	
	女 F.	21 153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	10	46	209	884	2 901	5 823	6 435	3 880	901	62	-	
795	頓死（原因不明）	165	7	2	1	-	-	10	1	2	7	16	16	20	32	22	17	14	1	1	2	2	-	1	1	-	-	-	-	795
	男 M.	147	4	2	1	-	-	7	-	1	6	15	14	20	31	21	16	13	1	1	1	-	-	-	-	-	-	-	-	
	女 F.	18	3	-	-	-	-	3	1	1	1	1	2	-	1	1	1	1	-	-	1	2	-	1	1	-	-	-	-	
796	その他の診断名不明確ならびに不明の病因および死因	666	83	27	21	12	7	150	9	6	13	31	35	27	46	41	37	32	30	31	41	53	30	12	10	3	-	-	29	796
	男 M.	435	54	19	12	5	2	92	1	2	6	26	24	20	35	35	33	25	22	24	24	26	13	4	5	-	-	-	18	
	女 F.	231	29	8	9	7	5	58	8	4	7	5	11	7	11	6	4	7	8	7	17	27	17	8	5	3	-	-	11	
796.2	発見死体（原因不明）	36	2	-	-	-	-	2	-	-	-	2	3	2	2	1	2	2	2	-	2	1	-	1	-	-	-	-	14	796.2
	男 M.	27	1	-	-	-	-	1	-	-	-	2	2	2	2	1	2	2	1	-	1	-	-	1	-	-	-	-	10	
	女 F.	9	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	4	
796.0 796.1 796.3 796.9	その他および詳細不明	630	81	27	21	12	7	148	9	6	13	29	32	25	44	40	35	30	28	31	39	52	30	11	10	3	-	-	15	796.0 796.1 796.3 796.9
	男 M.	408	53	19	12	5	2	91	1	2	6	24	22	18	33	34	31	23	21	24	23	26	13	3	5	-	-	-	8	
	女 F.	222	28	8	9	7	5	57	8	4	7	5	10	7	11	6	4	7	7	7	16	26	17	8	5	3	-	-	7	
XVII	不慮の事故，中毒および暴力	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	XVII
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EXVII	不慮の事故，中毒および暴力（外因）	63 111	1 246	1 221	886	792	627	4 772	1 890	854	3 706	6 085	4 451	3 970	4 230	4 290	3 847	3 402	3 654	3 867	3 695	3 794	3 054	2 010	964	291	45	8	232	EXVII
	男 M.	43 604	708	687	583	521	416	2 915	1 300	645	3 065	4 597	3 411	3 000	3 265	3 363	2 860	2 398	2 489	2 637	2 343	2 193	1 602	878	357	92	12	4	178	
	女 F.	19 507	538	534	303	271	211	1 857	590	209	641	1 488	1 040	970	965	927	987	1 004	1 165	1 230	1 352	1 601	1 452	1 132	607	199	33	4	54	
(E800～E807)	鉄道事故	1 210	2	46	55	28	22	153	94	37	35	74	57	61	62	62	55	65	79	68	58	79	75	62	24	4	-	-	6	(E800～E807)
	男 M.	856	2	28	37	22	14	103	69	31	24	58	45	47	50	52	44	46	58	51	37	54	42	30	9	1	-	-	5	
	女 F.	354	-	18	18	6	8	50	25	6	11	16	12	14	12	10	11	19	21	17	21	25	33	32	15	3	-	-	1	
E800	車輛間の衝突による鉄道事故	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E800
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E801	その他の物体との衝突による鉄道事故	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E801
	男 M.	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
E802	脱線による鉄道事故（衝突が先行しない場合）	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	E802
	男 M.	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E803	爆発，火災による鉄道事故	30	1	-	1	-	-	2	-	-	2	1	1	3	-	2	6	5	3	2	2	1	-	-	-	-	-	-	-	E803
	男 M.	15	1	-	-	-	-	1	-	-	1	1	-	2	-	-	3	3	2	1	1	-	-	-	-	-	-	-	-	
	女 F.	15	-	-	1	-	-	1	-	-	1	-	1	1	-	2	3	2	1	1	1	1	-	-	-	-	-	-	-	
E804	列車からの墜落または列車上での転倒，墜落	59	-	-	-	-	-	-	-	-	8	10	5	7	3	5	3	1	8	2	2	3	1	-	1	-	-	-	-	E804
	男 M.	48	-	-	-	-	-	-	-	-	5	9	4	7	3	5	2	-	6	2	1	3	-	-	1	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	-	-	3	1	1	-	-	-	1	1	2	-	1	-	1	-	-	-	-	-	-	
E805	車輛による衝撃	1 115	1	46	54	28	22	151	93	37	24	63	51	51	59	54	44	59	67	64	54	75	74	62	23	4	-	-	6	E805
	男 M.	787	1	28	37	22	14	102	68	31	17	48	41	38	47	46	37	43	49	48	35	51	42	30	8	1	-	-	5	
	女 F.	328	-	18	17	6	8	49	25	6	7	15	10	13	12	8	7	16	18	16	19	24	32	32	15	3	-	-	1	
E806	その他の明示された鉄道事故	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	E806
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E807	詳細不明の鉄道事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E810～E819)	自動車交通事故	20 220	71	144	258	336	310	1 119	784	288	2 061	2 175
	男 M.	15 493	38	73	168	213	206	698	501	204	1 848	1 903
	女 F.	4 727	33	71	90	123	104	421	283	84	213	272
E810	列車との衝突による自動車交通事故	323	2	-	5	-	-	7	2	7	42	62
	男 M.	264	2	-	3	-	-	5	-	3	39	52
	女 F.	59	-	-	2	-	-	2	2	4	3	10
E811	市街電車との衝突による自動車交通事故	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E812	他の自動車との衝突による自動車交通事故	6 466	32	15	14	23	10	94	48	37	1 165	1 152
	男 M.	5 665	16	7	10	13	6	52	23	23	1 084	1 025
	女 F.	801	16	8	4	10	4	42	25	14	81	127
E813	他の車との衝突による自動車交通事故	2 246	3	5	8	8	7	31	118	128	101	42
	男 M.	1 905	2	4	1	6	6	19	97	108	78	31
	女 F.	341	1	1	7	2	1	12	21	20	23	11
E814	歩行者との衝突による自動車交通事故	7 485	23	109	219	295	288	934	586	89	119	197
	男 M.	4 405	13	56	144	190	192	595	369	48	67	153
	女 F.	3 080	10	53	75	105	96	339	217	41	52	44
E815	その他の衝突による自動車交通事故	1 179	4	2	5	4	-	15	7	8	210	302
	男 M.	1 060	2	-	4	2	-	8	4	7	189	278
	女 F.	119	2	2	1	2	-	7	3	1	21	24
E816	操縦力を失った非衝突性自動車交通事故	2 198	7	10	6	5	4	32	12	16	397	370
	男 M.	1 934	3	4	5	2	2	16	2	12	367	321
	女 F.	264	4	6	1	3	2	16	10	4	30	49
E817	乗降時の非衝突性自動車交通事故	7	-	-	-	-	-	-	-	1	-	1
	男 M.	6	-	-	-	-	-	-	-	1	-	1
	女 F.	1	-	-	-	-	-	-	-	-	-	-
E818	その他の非衝突性自動車交通事故	189	-	2	1	1	-	4	6	-	17	26
	男 M.	149	-	1	1	-	-	2	4	-	15	22
	女 F.	40	-	1	-	1	-	2	2	-	2	4
E819	詳細不明の自動車交通事故	126	-	1	-	-	1	2	5	2	9	23
	男 M.	104	-	1	-	-	-	1	2	2	8	20
	女 F.	22	-	-	-	-	1	1	3	-	1	3
(E820～E823)	自動車非交通事故	274	-	25	14	10	5	54	15	-	10	22
	男 M.	216	-	14	9	7	4	34	9	-	9	21
	女 F.	58	-	11	5	3	1	20	6	-	1	1
E820	移動物体との衝突による自動車非交通事故	216	-	25	12	10	5	52	15	-	4	16
	男 M.	163	-	14	9	7	4	34	9	-	3	15
	女 F.	53	-	11	3	3	1	18	6	-	1	1
E821	静止物体との衝突による自動車非交通事故	6	-	-	-	-	-	-	-	-	1	1
	男 M.	6	-	-	-	-	-	-	-	-	1	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E822	乗降時における自動車の非交通事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E823	その他および詳細不明の自動車の非交通事故	52	-	-	2	-	-	2	-	-	5	5
	男 M.	47	-	-	-	-	-	-	-	-	5	5
	女 F.	5	-	-	2	-	-	2	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E807
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 289	1 120	1 319	1 371	1 279	1 171	1 250	1 345	1 182	1 096	789	407	128	28	1	-	18	(E810～E819)
1 142	950	1 103	1 112	1 016	886	909	985	789	676	474	211	56	14	-	-	16	
147	170	216	259	263	285	341	360	393	420	315	196	72	14	1	-	2	
38	16	39	31	25	17	15	12	8	-	2	-	-	-	-	-	-	E810
34	11	31	20	23	13	14	10	7	-	2	-	-	-	-	-	-	
4	5	8	11	2	4	1	2	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E811
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
610	519	552	533	434	356	342	291	171	98	44	17	2	1	-	-	-	E812
542	457	472	455	379	302	306	264	150	83	37	9	1	1	-	-	-	
68	62	80	78	55	54	36	27	21	15	7	8	1	-	-	-	-	
43	58	83	129	162	160	190	297	260	250	143	43	5	1	-	-	2	E813
30	37	52	100	113	122	158	278	248	243	142	42	5	1	-	-	1	
13	21	31	29	49	38	32	19	12	7	1	1	-	-	-	-	1	
206	243	333	377	388	433	526	620	663	703	574	334	119	26	1	-	14	E814
180	192	268	275	262	265	280	321	314	319	273	150	49	12	-	-	13	
26	51	65	102	126	168	246	299	349	384	301	184	70	14	1	-	1	
163	94	102	78	57	50	48	19	10	4	6	5	-	-	-	-	1	E815
152	87	91	68	51	47	39	17	9	3	5	4	-	-	-	-	1	
11	7	11	10	6	3	9	2	1	1	1	1	-	-	-	-	-	
204	175	188	199	184	128	106	89	55	27	12	4	-	-	-	-	-	E816
183	151	170	174	164	117	95	81	50	19	9	3	-	-	-	-	-	
21	24	18	25	20	11	11	8	5	8	3	1	-	-	-	-	-	
-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	E817
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
13	9	10	16	21	16	17	12	10	7	4	-	1	-	-	-	-	E818
9	9	9	13	18	10	14	9	6	4	4	-	1	-	-	-	-	
4	-	1	3	3	6	3	3	4	3	-	-	-	-	-	-	-	
12	6	12	8	7	9	6	3	5	7	4	4	1	-	-	-	1	E819
12	6	10	7	6	8	3	3	5	5	2	3	-	-	-	-	1	
-	-	2	1	1	1	3	-	-	2	2	1	1	-	-	-	-	
14	25	15	15	19	23	20	18	11	10	-	1	2	-	-	-	-	(E820～E823)
12	20	13	15	16	19	16	15	9	6	-	1	1	-	-	-	-	
2	5	2	-	3	4	4	3	2	4	-	-	1	-	-	-	-	
11	21	11	9	12	20	12	14	7	9	-	1	2	-	-	-	-	E820
9	16	9	9	10	16	9	11	5	6	-	1	1	-	-	-	-	
2	5	2	-	2	4	3	3	2	3	-	-	1	-	-	-	-	
1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	E821
1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E822
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	4	4	4	7	3	7	4	4	1	-	-	-	-	-	-	-	E823
2	4	4	4	6	3	6	4	4	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
(E825～E827)	その他の道路交通機関事故	451	-	1	2	2	1	6	22	19	10	6	12	19	22	26	33	30	47	71	47	30	34	12	4	1	-	-	-	(E825～E827)
	男 M.	385	-	-	2	1	-	3	20	17	9	4	9	17	18	23	26	27	41	65	40	25	29	9	3	-	-	-	-	
	女 F.	66	-	1	-	1	1	3	2	2	1	2	3	2	4	3	7	3	6	6	7	5	5	3	1	1	-	-	-	
E825	市街電車事故	10	-	-	1	-	1	2	-	-	-	-	-	-	-	-	1	-	2	-	1	3	-	-	-	1	-	-	-	E825
	男 M.	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	1	-	-	-	
E826	自転車事故	436	-	1	1	2	-	4	22	19	10	6	12	19	22	24	32	29	45	70	45	27	34	12	4	-	-	-	-	E826
	男 M.	376	-	-	1	1	-	2	20	17	9	4	9	17	18	21	25	26	41	64	38	24	29	9	3	-	-	-	-	
	女 F.	60	-	1	-	1	-	2	2	2	1	2	3	2	4	3	7	3	4	6	7	3	5	3	1	-	-	-	-	
E827	その他の非モーター性道路交通機関事故	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	E827
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E830～E838)	水上交通機関事故	772	-	3	-	3	3	9	15	4	61	79	84	70	90	123	90	48	40	25	14	13	2	5	-	-	-	-	-	(E830～E838)
	男 M.	734	-	1	-	2	1	4	13	3	60	76	81	67	86	116	88	45	40	22	14	13	1	5	-	-	-	-	-	
	女 F.	38	-	2	-	1	2	5	2	1	1	3	3	3	4	7	2	3	-	3	-	-	1	-	-	-	-	-	-	
E830	水上交通機関の事故による溺水	317	-	-	-	1	1	2	5	3	38	32	38	27	42	50	40	13	12	3	4	6	1	1	-	-	-	-	-	E830
	男 M.	299	-	-	-	-	-	-	4	2	38	31	36	24	40	48	38	11	12	3	4	6	1	1	-	-	-	-	-	
	女 F.	18	-	-	-	1	1	2	1	1	-	1	2	3	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	
E831	水上交通機関の事故によるその他の傷害	19	-	-	-	-	-	-	-	-	-	2	2	1	4	1	1	5	-	1	2	-	-	-	-	-	-	-	-	E831
	男 M.	18	-	-	-	-	-	-	-	-	-	1	2	1	4	1	1	5	-	1	2	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E832	その他の水上交通機関における溺死または溺水	247	-	2	-	2	2	6	10	1	13	22	23	23	23	34	26	15	21	14	5	6	1	4	-	-	-	-	-	E832
	男 M.	235	-	1	-	2	1	4	9	1	12	21	22	23	22	32	26	14	21	13	5	6	-	4	-	-	-	-	-	
	女 F.	12	-	1	-	-	1	2	1	-	1	1	1	-	1	2	-	1	-	1	-	-	1	-	-	-	-	-	-	
E833	水上交通機関内における階段またははしごからの墜落	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	E833
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E834	水上交通機関内におけるその他の場所からの墜落	26	-	-	-	-	-	-	-	-	-	1	1	3	3	4	6	1	3	-	1	1	-	-	-	-	-	-	-	E834
	男 M.	24	-	-	-	-	-	-	-	-	-	1	1	3	3	4	6	1	3	-	1	1	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E835	水上交通機関内におけるその他および詳細不明の墜落	13	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	3	1	1	-	-	-	-	-	-	-	-	-	E835
	男 M.	12	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	3	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
E836	水上交通機関内の機械による不慮の事故	42	-	-	-	-	-	-	-	-	2	5	5	3	7	9	6	2	1	2	-	-	-	-	-	-	-	-	-	E836
	男 M.	41	-	-	-	-	-	-	-	-	2	5	5	3	6	9	6	2	1	2	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E837	水上交通機関内における爆発・火災事故	21	-	-	-	-	-	-	-	-	3	5	2	1	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	E837
	男 M.	21	-	-	-	-	-	-	-	-	3	5	2	1	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E838	その他および詳細不明の水上交通機関事故	85	-	1	-	-	-	1	-	-	5	12	12	10	8	18	3	9	2	4	1	-	-	-	-	-	-	-	-	E838
	男 M.	80	-	-	-	-	-	-	-	-	5	12	12	10	8	15	3	9	2	3	1	-	-	-	-	-	-	-	-	
	女 F.	5	-	1	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	
(E840～E845)	航空機および宇宙交通機関事故	48	-	-	-	-	-	-	-	-	2	10	12	6	9	4	3	1	1	-	-	-	-	-	-	-	-	-	-	(E840～E845)
	男 M.	44	-	-	-	-	-	-	-	-	2	7	11	6	9	4	3	1	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E840	離着時における航空機事故	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	E840
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E841	その他および詳細不明の航空機事故	41	-	-	-	-	-	-	-	-	-	8	10	6	9	4	3	-	1	-	-	-	-	-	-	-	-	-	-	E841
	男 M.	37	-	-	-	-	-	-	-	-	-	5	9	6	9	4	3	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
E842	無動力航空機事故	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E842
	男 M.	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E843	航空機からの墜落または機内での転倒，墜落	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E843
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E844	その他の明示された航空機事故	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E844
	男 M.	3	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E845	宇宙船事故	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E845
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E850～E859)	薬物および医薬品による不慮の中毒	167	-	2	2	2	-	6	3	2	10	21	21	9	10	17	7	13	8	15	9	3	7	5	1	-	-	-	-	(E850～E859)
	男 M.	86	-	-	1	1	-	2	3	1	5	12	12	3	5	12	3	7	3	8	4	2	1	3	-	-	-	-	-	
	女 F.	81	-	2	1	1	-	4	-	1	5	9	9	6	5	5	4	6	5	7	5	1	6	2	1	-	-	-	-	
E850	抗生物質およびその他の抗感染物質による不慮の中毒	4	-	1	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	E850
	男 M.	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E851	ホルモンおよび合成代用薬による不慮の中毒	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	E851
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
E852	その他の主として全身および血液に作用する薬剤	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E852
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E853	鎮痛薬および下熱薬による不慮の中毒	16	-	1	-	1	-	2	2	1	3	-	1	-	-	1	1	1	-	2	2	-	-	-	-	-	-	-	-	E853
	男 M.	10	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	-	-	
	女 F.	6	-	1	-	1	-	2	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
E853.0	阿片および合成類似体	3	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E853.0
	男 M.	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E853.1	サリチル酸および同属体	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E853.1
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E853.4	アニリン誘導体	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	E853.4
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E853.2 E853.3 E853.5 E853.9	その他	8	-	1	-	-	-	1	-	1	2	-	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	E853.2 E853.3 E853.5 E853.9
	男 M.	5	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	
	女 F.	3	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E854	その他の鎮静薬および睡眠薬による不慮の中毒	79	-	-	-	-	-	-	-	-	5	12	9	4	6	9	2	8	5	7	2	2	4	3	1	-	-	-	-	E854
	男 M.	43	-	-	-	-	-	-	-	-	2	8	6	1	4	7	2	4	1	3	1	1	4	3	-	-	-	-	-	
	女 F.	36	-	-	-	-	-	-	-	-	3	4	3	3	2	2	-	4	4	4	1	1	-	-	1	-	-	-	-	
E854.0	バルビツール剤	13	-	-	-	-	-	-	-	-	2	-	4	-	1	-	-	3	-	-	1	-	1	1	-	-	-	-	-	E854.0
	男 M.	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	3	-	-	1	-	1	-	-	-	-	-	-	
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E854.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E854.3	臭化物	20	-	-	-	-	-	-	-	-	-	3	3	2	-	3	1	-	2	2	1	1	2	1	-	-	-	-	-	E854.3
	男 M.	11	-	-	-	-	-	-	-	-	-	3	2	1	-	2	1	-	1	2	1	1	2	1	-	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E 854.2 E 854.9	その他	46	-	-	-	-	-	-	-	-	3	9
	男 M.	28	-	-	-	-	-	-	-	-	2	5
	女 F.	18	-	-	-	-	-	-	-	-	1	4
E 855	自律神経系および精神治療薬による不慮の中毒	36	-	-	-	-	-	-	-	-	2	4
	男 M.	14	-	-	-	-	-	-	-	-	2	2
	女 F.	22	-	-	-	-	-	-	-	-	-	2
E 856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	5	-	-	-	-	-	-	-	-	-	1
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	1
E 857	心臓血管薬による不慮の中毒	2	-	-	-	-	-	-	1	-	-	-
	男 M.	1	-	-	-	-	-	-	1	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
E 858	胃腸薬による不慮の中毒	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E 859	その他および詳細不明の薬物および医薬品による不慮の中毒	21	-	-	1	1	-	2	-	1	-	3
	男 M.	10	-	-	1	1	-	2	-	-	-	1
	女 F.	11	-	-	-	-	-	-	-	1	-	2
(E 860～E 869)	その他の固体および液体物質による不慮の中毒	185	1	3	1	1	-	6	2	-	4	10
	男 M.	108	-	1	1	-	-	2	1	-	2	5
	女 F.	77	1	2	-	1	-	4	1	-	2	5
E 860	アルコールによる不慮の中毒	2	-	-	-	-	-	-	1	-	1	-
	男 M.	1	-	-	-	-	-	-	1	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E 861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E 862	消毒薬による不慮の中毒	12	-	-	-	-	-	-	1	-	1	-
	男 M.	8	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	1	-	1	-
E 863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E 864	石油製品およびその他の溶媒による不慮の中毒	5	-	-	-	-	-	-	-	-	1	1
	男 M.	5	-	-	-	-	-	-	-	-	1	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E 865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	98	-	3	-	-	-	3	-	-	-	8
	男 M.	50	-	1	-	-	-	1	-	-	-	3
	女 F.	48	-	2	-	-	-	2	-	-	-	5
E 865. a	農薬	98	-	3	-	-	-	3	-	-	-	8
	男 M.	50	-	1	-	-	-	1	-	-	-	3
	女 F.	48	-	2	-	-	-	2	-	-	-	5
E 865. b	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E 866	重金属および煙霧による不慮の中毒	5	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	1	-
E 867	他に分類されない腐食剤および侵食剤による不慮の中毒	19	1	-	-	1	-	2	-	-	-	1
	男 M.	10	-	-	-	-	-	-	-	-	-	-
	女 F.	9	1	-	-	1	-	2	-	-	-	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
2	3	5	6	1	5	3	5	-	1	1	1	1	-	-	-	-	E 854.2 E 854.9
2	1	3	5	1	4	-	3	-	1	-	1	-	-	-	-	-	
-	2	2	1	-	1	3	2	-	-	1	-	1	-	-	-	-	
11	3	4	2	2	1	1	2	3	-	-	1	-	-	-	-	-	E 855
6	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
5	2	3	1	2	1	-	2	3	-	-	1	-	-	-	-	-	
-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	E 856
-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	E 857
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	E 858
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	1	-	2	1	2	2	2	1	1	3	-	-	-	-	-	-	E 859
-	1	-	1	-	1	1	1	-	1	1	-	-	-	-	-	-	
-	-	-	1	1	1	1	1	1	-	2	-	-	-	-	-	-	
10	13	19	14	16	11	14	14	21	15	8	6	2	-	-	-	-	(E 860～E 869)
6	6	14	11	11	5	10	11	10	6	5	2	1	-	-	-	-	
4	7	5	3	5	6	4	3	11	9	3	4	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E 860
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E 861
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	2	1	-	1	1	1	1	1	-	1	-	-	-	-	E 862
-	-	-	2	1	-	1	1	1	-	1	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E 863
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	E 864
-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	6	13	6	11	7	5	3	11	7	7	4	1	-	-	-	-	E 865
5	1	8	4	8	2	3	2	4	3	4	1	1	-	-	-	-	
1	5	5	2	3	5	2	1	7	4	3	3	-	-	-	-	-	
6	6	13	6	11	7	5	3	11	7	7	4	1	-	-	-	-	E 865. a
5	1	8	4	8	2	3	2	4	3	4	1	1	-	-	-	-	
1	5	5	2	3	5	2	1	7	4	3	3	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E 865. b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	E 866
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
1	-	2	1	2	-	2	3	-	4	-	1	-	-	-	-	-	E 867
-	-	2	1	2	-	1	3	-	4	-	1	-	-	-	-	-	
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
E 868	有毒食品および有毒植物による不慮の中毒……	28	-	-	-	-	-	-	-	-	-	-	-	3	1	5	1	2	3	5	6	2	-	-	-	-	-	-	-	E 868
	男 M.	21	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	1	3	4	4	2	-	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-	
E 869	その他および詳細不明の固体および液体による不慮の中毒	16	-	-	1	-	-	1	-	-	-	-	2	1	3	-	1	1	2	1	2	1	-	1	-	-	-	-	-	E 869
	男 M.	12	-	-	1	-	-	1	-	-	-	-	1	1	3	-	-	1	2	-	1	1	-	1	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	
(E870～E877)	ガスおよび蒸気による不慮の中毒……	692	13	6	3	8	8	38	27	13	59	97	76	41	49	50	38	24	36	30	37	26	29	12	8	2	-	-	-	(E870～E877)
	男 M.	431	4	4	2	6	4	20	14	11	37	67	49	31	35	36	23	14	22	20	18	12	10	5	5	2	-	-	-	
	女 F.	261	9	2	1	2	4	18	13	2	22	30	27	10	14	14	15	10	14	10	19	14	19	7	3	-	-	-	-	
E 870	配管式ガスによる不慮の中毒……	257	4	2	1	3	4	14	6	6	19	40	36	19	19	13	12	6	19	9	14	6	7	5	6	1	-	-	-	E 870
	男 M.	133	2	2	1	2	2	9	4	4	5	25	16	14	10	7	3	3	10	4	7	3	2	3	3	1	-	-	-	
	女 F.	124	2	-	-	1	2	5	2	2	14	15	20	5	9	6	9	3	9	5	7	3	5	2	3	-	-	-	-	
E 871	ボンベ入り液化石油ガスによる不慮の中毒……	28	1	-	-	-	-	1	1	1	2	6	4	2	1	3	-	2	1	1	-	-	2	1	-	-	-	-	-	E 871
	男 M.	17	-	-	-	-	-	-	1	1	2	5	3	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	
	女 F.	11	1	-	-	-	-	1	-	-	-	1	1	2	-	2	-	2	-	-	-	-	1	1	-	-	-	-	-	
E 872	その他のユーティリティガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E 872
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E 873	自動車排気ガスによる不慮の中毒……	37	-	-	-	-	-	-	-	-	3	7	9	2	2	6	5	2	1	-	-	-	-	-	-	-	-	-	-	E 873
	男 M.	29	-	-	-	-	-	-	-	-	2	5	6	2	2	5	5	1	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	1	2	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
E 874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	245	8	4	2	5	4	23	20	2	13	16	13	11	16	16	16	11	11	13	20	17	18	6	2	1	-	-	-	E 874
	男 M.	131	2	2	1	4	2	11	9	2	6	5	11	8	11	12	10	7	6	8	8	6	6	2	2	1	-	-	-	
	女 F.	114	6	2	1	1	2	12	11	-	7	11	2	3	5	4	6	4	5	5	12	11	12	4	-	-	-	-	-	
E 875	その他の一酸化炭素による不慮の中毒……	15	-	-	-	-	-	-	-	1	-	2	3	-	1	2	-	-	1	3	1	-	1	-	-	-	-	-	-	E 875
	男 M.	14	-	-	-	-	-	-	-	1	-	2	3	-	1	1	-	-	1	3	1	-	1	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
E 876	その他のガスおよび蒸気による不慮の中毒……	102	-	-	-	-	-	-	-	3	22	25	10	7	9	10	3	2	3	3	2	3	-	-	-	-	-	-	-	E 876
	男 M.	101	-	-	-	-	-	-	-	3	22	25	9	7	9	10	3	2	3	3	2	3	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E 877	詳細不明のガスおよび蒸気による不慮の中毒…	8	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	-	1	-	-	1	-	-	-	-	-	-	E 877
	男 M.	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
(E880～E887)	不慮の墜落……	4 810	58	68	30	31	20	207	42	40	84	239	200	246	281	319	288	257	292	344	297	355	441	402	316	123	25	5	7	(E880～E887)
	男 M.	3 414	45	45	23	22	15	150	32	33	80	213	188	227	269	301	256	229	243	280	222	208	197	139	103	29	6	2	7	
	女 F.	1 396	13	23	7	9	5	57	10	7	4	26	12	19	12	18	32	28	49	64	75	147	244	263	213	94	19	3	-	
E 880	階段からの墜落または上での転倒……	616	8	11	3	3	1	26	1	3	4	12	17	25	34	45	42	41	36	56	45	62	64	54	34	12	2	1	-	E 880
	男 M.	405	6	4	2	2	-	14	1	3	3	8	16	22	32	43	36	35	24	36	35	33	27	25	9	3	-	-	-	
	女 F.	211	2	7	1	1	1	12	-	-	1	4	1	3	2	2	6	6	12	20	10	29	37	29	25	9	2	1	-	
E 881	はしごまたは足場からの墜落または上での転倒	337	-	-	-	-	1	1	1	-	3	19	15	33	30	49	27	29	35	36	25	13	9	7	2	2	-	-	1	E 881
	男 M.	315	-	-	-	-	1	1	1	-	3	18	15	33	29	47	24	27	30	36	22	11	9	5	2	1	-	-	1	
	女 F.	22	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	5	-	3	2	-	2	-	1	-	-	-	
E 882	建物またはその他の建造物からの墜落……	894	4	28	12	16	10	70	16	11	25	65	60	64	86	78	69	53	48	76	48	41	34	29	14	6	-	-	1	E 882
	男 M.	766	3	18	10	10	8	49	10	9	23	60	55	57	82	76	63	51	44	68	37	31	19	21	8	2	-	-	1	
	女 F.	128	1	10	2	6	2	21	6	2	2	5	5	7	4	2	6	2	4	8	11	10	15	8	6	4	-	-	-	
E 883	地表面の穴またはその他の開口部への墜落……	120	2	1	3	1	2	9	1	-	1	5	4	9	4	5	8	13	11	9	11	8	10	9	2	-	1	-	-	E 883
	男 M.	94	1	-	3	1	1	6	1	-	1	4	4	9	4	5	7	12	9	8	7	7	5	3	1	-	1	-	-	
	女 F.	26	1	1	-	-	1	3	-	-	-	1	-	-	-	-	1	1	2	1	4	1	5	6	1	-	-	-	-	
E 884	その他の墜落……	1 573	33	17	8	8	6	72	16	22	43	125	91	97	103	112	109	87	118	107	97	111	110	73	51	23	2	-	4	E 884
	男 M.	1 261	26	14	6	7	5	58	12	18	42	110	90	90	100	104	96	79	102	90	77	74	64	24	23	4	-	-	4	
	女 F.	312	7	3	2	1	1	14	4	4	1	15	1	7	3	8	13	8	16	17	20	37	46	49	28	19	2	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
E 885	スリップ，つまづきによる同一面上での転倒……	1 213	11	11	4	3	-	29	7	2	4	9	12	14	23	28	32	32	43	58	69	117	201	226	202	80	20	4	1	E 885
	男 M.	543	9	9	2	2	-	22	7	1	4	9	7	12	22	24	29	23	34	41	43	51	71	61	55	19	5	2	1	
	女 F.	670	2	2	2	1	-	7	-	1	-	-	5	2	1	4	3	9	9	17	26	66	130	165	147	61	15	2	-	
E 886	他人によるまたは他人を伴う衝突，押し合い…による同一面上での転倒	16	-	-	-	-	-	-	-	2	4	3	1	2	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	E 886
	男 M.	14	-	-	-	-	-	-	-	2	4	3	1	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
E 887	その他および詳細不明の墜落……	41	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	1	-	2	1	3	13	4	10	-	-	-	-	E 887
	男 M.	16	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	-	1	1	1	2	-	4	-	-	-	-	
	女 F.	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	11	4	6	-	-	-	-	
(E 890～E 899)	火災および火焔による不慮の事故……	1 731	41	33	28	32	17	151	54	37	35	74	78	70	59	72	51	57	83	101	141	212	214	130	79	27	6	-	-	(E 890～E 899)
	男 M.	984	20	18	15	16	9	78	30	19	21	45	41	38	34	46	32	38	50	72	86	137	115	61	30	9	2	-	-	
	女 F.	747	21	15	13	16	8	73	24	18	14	29	37	32	25	26	19	19	33	29	55	75	99	69	49	18	4	-	-	
E 890	住宅の火災による不慮の事故……	816	29	24	19	30	14	116	46	30	23	32	38	27	27	33	22	28	46	47	59	78	73	48	25	16	2	-	-	E 890
	男 M.	471	14	13	10	15	7	59	25	16	12	14	19	13	19	22	14	18	30	35	35	55	45	25	10	4	1	-	-	
	女 F.	345	15	11	9	15	7	57	21	14	11	18	19	14	8	11	8	10	16	12	24	23	28	23	15	12	1	-	-	
E 891	その他の建物または建造物の火災による不慮の事故	163	-	1	-	-	1	2	-	-	4	20	27	25	22	21	15	8	7	4	2	4	1	1	-	-	-	-	-	E 891
	男 M.	78	-	1	-	-	-	1	-	-	3	14	11	11	8	9	7	4	4	1	2	2	1	-	-	-	-	-	-	
	女 F.	85	-	-	-	-	1	1	-	-	1	6	16	14	14	12	8	4	3	3	-	2	-	1	-	-	-	-	-	
E 892	建物または建造物の外における火災による不慮の事故	34	-	-	1	-	-	1	-	-	-	-	-	1	1	1	-	3	1	1	8	6	7	2	2	-	-	-	-	E 892
	男 M.	24	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	5	6	3	2	2	-	-	-	-	
	女 F.	10	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	3	-	4	-	-	-	-	-	-	
E 893	着衣の引火による不慮の事故……	451	3	1	3	1	1	9	2	3	4	7	6	5	7	8	6	11	18	25	48	80	103	62	35	8	4	-	-	E 893
	男 M.	241	3	1	2	1	1	8	1	-	3	6	5	4	4	7	4	8	9	15	29	43	52	25	12	5	1	-	-	
	女 F.	210	-	-	1	-	-	1	1	3	1	1	1	1	3	1	2	3	9	10	19	37	51	37	23	3	3	-	-	
E 894	高可燃物の引火による不慮の事故……	47	-	1	1	-	-	2	1	-	3	7	4	5	2	7	3	1	3	3	-	3	2	-	1	-	-	-	-	E 894
	男 M.	35	-	-	1	-	-	1	1	-	3	6	4	4	2	5	3	1	2	1	-	1	1	-	-	-	-	-	-	
	女 F.	12	-	1	-	-	-	1	-	-	-	1	-	1	-	2	-	-	1	2	-	2	1	-	1	-	-	-	-	
E 895	住宅内で使用されている火による不慮の事故…	73	9	3	-	-	-	12	2	1	1	3	1	1	-	1	2	-	1	6	4	14	6	8	8	2	-	-	-	E 895
	男 M.	38	3	1	-	-	-	4	1	1	-	2	-	1	-	1	1	-	1	5	3	9	1	6	2	-	-	-	-	
	女 F.	35	6	2	-	-	-	8	1	-	1	1	1	-	-	-	1	-	-	1	1	5	5	2	6	2	-	-	-	
E 896	その他の建物または建造物の内で使用されている火による不慮の事故	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	E 896
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E 897	建物または建造物の外で使用されている火による不慮の事故	21	-	-	1	1	1	3	-	1	-	1	-	-	-	1	-	2	-	3	3	3	3	1	-	-	-	-	-	E 897
	男 M.	14	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	2	-	3	2	2	2	-	-	-	-	-	-	
	女 F.	7	-	-	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	
E 898	その他の明示された火または火焔による不慮の事故	99	-	2	2	-	-	4	2	1	-	3	2	3	-	-	2	3	4	9	17	22	12	6	8	1	-	-	-	E 898
	男 M.	68	-	1	1	-	-	2	2	1	-	2	2	2	-	-	2	3	2	9	10	17	7	3	4	-	-	-	-	
	女 F.	31	-	1	1	-	-	2	-	-	-	1	-	1	-	-	-	-	2	-	7	5	5	3	4	1	-	-	-	
E 899	詳細不明の火による不慮の事故……	23	-	1	1	-	-	2	1	1	-	1	-	2	-	-	1	1	3	1	-	2	6	2	-	-	-	-	-	E 899
	男 M.	11	-	1	1	-	-	2	-	-	-	1	-	1	-	-	1	-	1	1	-	2	2	-	-	-	-	-	-	
	女 F.	12	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	2	-	-	-	4	2	-	-	-	-	-	
(E 900～E 909)	自然および環境要因による不慮の事故……	1 010	12	13	3	9	7	44	27	24	31	73	67	59	64	81	74	64	80	66	69	73	35	45	19	7	5	-	3	(E 900～E 909)
	男 M.	636	5	6	1	1	2	15	14	14	26	54	56	48	43	59	51	40	41	37	44	45	16	16	12	1	1	-	3	
	女 F.	374	7	7	2	8	5	29	13	10	5	19	11	11	21	22	23	24	39	29	25	28	19	29	7	6	4	-	-	
E 900	過度の高温……	44	4	1	-	-	-	5	1	2	2	3	-	1	-	2	2	2	4	2	3	1	3	4	4	3	-	-	-	E 900
	男 M.	25	2	1	-	-	-	3	1	2	2	1	-	1	-	-	2	2	2	1	2	1	1	-	3	1	-	-	-	
	女 F.	19	2	-	-	-	-	2	-	-	-	2	-	-	-	2	-	-	2	1	1	-	2	4	1	2	-	-	-	
E 901	過度の低温……	369	2	-	1	-	-	3	1	1	10	32	36	27	21	33	24	27	25	28	26	27	11	25	7	1	2	-	2	E 901
	男 M.	289	-	-	1	-	-	1	-	-	10	24	33	23	19	32	20	23	17	23	20	21	6	10	4	-	1	-	2	
	女 F.	80	2	-	-	-	-	2	1	1	-	8	3	4	2	1	4	4	8	5	6	6	5	15	3	1	1	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E 902	高圧および低圧	8	-	-	-	-	-	-	-	-	-	1
	男 M.	8	-	-	-	-	-	-	-	-	-	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E 903	旅行および身体動揺による障害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E 904	飢餓，渇，不良環境曝露および放置	15	1	-	-	-	-	1	-	1	-	-
	男 M.	9	-	-	-	-	-	-	-	1	-	-
	女 F.	6	1	-	-	-	-	1	-	-	-	-
E 905	有毒動物および有毒昆虫の咬傷および刺傷	29	-	-	-	-	-	-	2	-	-	1
	男 M.	18	-	-	-	-	-	-	2	-	-	-
	女 F.	11	-	-	-	-	-	-	-	-	-	1
E 906	その他の動物による不慮の事故	51	1	2	-	1	-	4	3	-	-	2
	男 M.	38	1	1	-	1	-	3	1	-	-	1
	女 F.	13	-	1	-	-	-	1	2	-	-	1
E 907	雷撃	25	-	-	-	-	-	-	1	2	4	4
	男 M.	18	-	-	-	-	-	-	1	2	4	3
	女 F.	7	-	-	-	-	-	-	-	-	-	1
E 908	天災	444	4	10	2	8	7	31	19	17	13	18
	男 M.	206	2	4	-	-	2	8	9	8	8	12
	女 F.	238	2	6	2	8	5	23	10	9	5	6
E 908. a	地震	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E 908. b	暴風雨および洪水	443	4	10	2	8	7	31	19	17	13	17
	男 M.	205	2	4	-	-	2	8	9	8	8	11
	女 F.	238	2	6	2	8	5	23	10	9	5	6
E 908. c	その他	1	-	-	-	-	-	-	-	-	-	1
	男 M.	1	-	-	-	-	-	-	-	-	-	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E 909	その他の自然および環境要因による不慮の事故	25	-	-	-	-	-	-	-	1	2	12
	男 M.	25	-	-	-	-	-	-	-	1	2	12
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E 910～E 929)	その他の不慮の事故	10 304	889	814	422	279	189	2 593	669	262	399	734
	男 M.	7 907	515	469	288	198	137	1 607	528	230	364	678
	女 F.	2 397	374	345	134	81	52	986	141	32	35	56
E 910	不慮の溺死および溺水	4 776	78	609	342	213	141	1 383	540	209	269	345
	男 M.	3 523	47	349	241	156	110	903	434	185	246	317
	女 F.	1 253	31	260	101	57	31	480	106	24	23	28
E 910.0	レクリエーション中	1 767	8	151	111	79	69	418	307	171	209	240
	男 M.	1 528	5	90	81	62	55	293	254	149	198	226
	女 F.	239	3	61	30	17	14	125	53	22	11	14
E 910.9	その他および詳細不明	3 009	70	458	231	134	72	965	233	38	60	105
	男 M.	1 995	42	259	160	94	55	610	180	36	48	91
	女 F.	1 014	28	199	71	40	17	355	53	2	12	14
E 911	食物の吸入または嚥下による閉塞および窒息	1 003	252	44	10	7	5	318	9	3	10	12
	男 M.	686	140	25	7	6	2	180	7	1	6	10
	女 F.	317	112	19	3	1	3	138	2	2	4	2
E 912	その他の物体の吸入または嚥下による閉塞および窒息	43	11	6	1	1	-	19	-	-	-	1
	男 M.	25	8	4	1	-	-	13	-	-	-	1
	女 F.	18	3	2	-	1	-	6	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	E 902
3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E 903
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	-	1	-	2	1	1	2	1	-	1	-	-	-	1	E 904
-	1	-	-	1	-	2	1	1	-	-	-	1	-	-	-	1	
1	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	
1	2	1	-	2	4	3	2	4	5	1	1	-	-	-	-	-	E 905
1	2	1	-	1	2	3	-	1	3	1	1	-	-	-	-	-	
-	-	-	-	1	2	-	2	3	2	-	-	-	-	-	-	-	
4	1	3	3	7	2	2	1	4	6	3	3	2	1	-	-	-	E 906
3	1	3	3	6	2	1	-	3	6	2	1	2	-	1	-	-	
1	-	-	-	1	-	1	1	1	-	1	2	-	1	-	-	-	
-	1	1	2	4	2	3	-	-	-	-	-	1	-	-	-	-	E 907
-	-	1	1	2	1	3	-	-	-	-	-	-	-	-	-	-	
-	1	-	1	2	1	-	-	-	-	-	-	1	-	-	-	-	
16	22	36	40	32	27	41	32	31	32	16	12	4	2	3	-	-	E 908
10	16	18	22	17	10	13	12	17	14	6	4	2	-	-	-	-	
6	6	18	18	15	17	28	20	14	18	10	8	2	2	3	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E 908. a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
16	22	36	40	32	27	41	32	31	32	16	12	4	2	3	-	-	E 908. b
10	16	18	22	17	10	13	12	17	14	6	4	2	-	-	-	-	
6	6	18	18	15	17	28	20	14	18	10	8	2	2	3	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E 908. c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	E 909
6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
504	527	606	633	530	454	401	381	394	429	362	262	110	40	3	2	9	(E 910～E 929)
483	487	539	579	451	379	330	276	293	282	212	114	45	17	3	1	9	
21	40	67	54	79	75	71	105	101	147	150	148	65	23	-	1	-	
200	138	142	162	160	134	125	139	180	213	203	146	65	16	1	-	6	E 910
192	127	129	145	132	103	103	85	122	117	98	51	19	8	1	-	6	
8	11	13	17	28	31	22	54	58	96	105	95	46	8	-	-	-	
112	65	44	47	44	23	23	23	15	12	7	4	1	-	-	-	2	E 910.0
111	63	43	47	42	23	23	19	14	11	7	2	1	-	-	-	2	
1	2	1	-	2	-	-	4	1	1	-	2	-	-	-	-	-	
88	73	98	115	116	111	102	116	165	201	196	142	64	16	1	-	4	E 910.9
81	64	86	98	90	80	80	66	108	106	91	49	18	8	1	-	4	
7	9	12	17	26	31	22	50	57	95	105	93	46	8	-	-	-	
10	11	9	17	9	29	34	71	98	124	105	84	28	19	1	2	-	E 911
7	8	6	15	7	23	26	58	79	97	80	48	18	8	1	1	-	
3	3	3	2	2	6	8	13	19	27	25	36	10	11	-	1	-	
-	1	-	1	2	-	2	3	3	4	5	2	-	-	-	-	-	E 912
-	-	-	1	1	-	1	1	2	3	2	-	-	-	-	-	-	
-	1	-	-	1	-	1	2	1	1	3	2	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E913	不慮の機械的窒息	835	499	60	5	16	8	588	17	23	10	17
	男 M.	537	290	29	2	11	6	338	15	19	9	14
	女 F.	298	209	31	3	5	2	250	2	4	1	3
E913.0	寝台または揺籃	388	361	16	1	3	-	381	1	1	-	1
	男 M.	230	214	8	1	3	-	226	-	-	-	-
	女 F.	158	147	8	-	-	-	155	1	1	-	1
E913.9	その他および詳細不明	447	138	44	4	13	8	207	16	22	10	16
	男 M.	307	76	21	1	8	6	112	15	19	9	14
	女 F.	140	62	23	3	5	2	95	1	3	1	2
E914	眼および附属器への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E915	その他の孔口への不慮の異物侵入	10	2	1	1	-	1	5	1	-	-	-
	男 M.	7	2	1	1	-	-	4	-	-	-	-
	女 F.	3	-	-	-	-	1	1	1	-	-	-
E916	落下物による不慮の打撲	1 191	2	2	7	6	11	28	36	6	21	70
	男 M.	1 072	1	1	6	2	6	16	24	6	19	68
	女 F.	119	1	1	1	4	5	12	12	-	2	2
E917	物体との衝突または物体による不慮の打撲	380	6	4	-	3	4	17	11	7	9	27
	男 M.	314	4	4	-	2	3	13	8	6	9	25
	女 F.	66	2	-	-	1	1	4	3	1	-	2
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	555	3	2	2	5	3	15	11	3	26	55
	男 M.	499	2	1	2	4	2	11	10	3	24	54
	女 F.	56	1	1	-	1	1	4	1	-	2	1
E919	過労および激動	3	-	-	-	-	-	-	-	-	1	1
	男 M.	3	-	-	-	-	-	-	-	-	1	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E920	刃器および刺器による不慮の事故	77	-	3	3	-	-	6	1	3	4	8
	男 M.	62	-	2	1	-	-	3	-	3	3	6
	女 F.	15	-	1	2	-	-	3	1	-	1	2
E921	高圧機関の爆発による不慮の事故	20	-	-	-	-	-	-	-	-	-	3
	男 M.	17	-	-	-	-	-	-	-	-	-	3
	女 F.	3	-	-	-	-	-	-	-	-	-	-
E922	銃器による不慮の事故	27	-	-	-	-	-	-	2	-	-	3
	男 M.	27	-	-	-	-	-	-	2	-	-	3
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.0	不慮の自傷	10	-	-	-	-	-	-	-	-	-	3
	男 M.	10	-	-	-	-	-	-	-	-	-	3
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.9	その他および詳細不明	17	-	-	-	-	-	-	2	-	-	-
	男 M.	17	-	-	-	-	-	-	2	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923	爆発物による不慮の事故	210	1	3	1	-	1	6	3	1	6	24
	男 M.	162	-	2	1	-	-	3	1	1	4	16
	女 F.	48	1	1	-	-	1	3	2	-	2	8
E923.0	花火	4	-	-	-	-	-	-	-	-	-	-
	男 M.	4	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.1	爆破物	20	-	-	-	-	-	-	-	-	-	-
	男 M.	20	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
13	18	24	18	16	21	20	13	10	11	9	4	-	3	-	-	-	E913
13	14	21	15	14	16	14	11	9	6	6	2	-	1	-	-	-	
-	4	3	3	2	5	6	2	1	5	3	2	-	2	-	-	-	
-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	E913.0
-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13	18	24	18	15	21	20	13	10	10	8	4	-	2	-	-	-	E913.9
13	14	21	15	13	16	14	11	9	5	5	2	-	-	-	-	-	
-	4	3	3	2	5	6	2	1	5	3	2	-	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E914
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	E915
-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
88	134	174	166	142	100	88	66	37	23	8	3	1	-	-	-	-	E916
86	126	151	158	125	89	81	56	35	21	7	3	1	-	-	-	-	
2	8	23	8	17	11	7	10	2	2	1	-	-	-	-	-	-	
18	31	35	51	38	43	36	20	13	14	5	4	-	1	-	-	-	E917
16	29	30	42	28	40	29	16	9	11	2	1	-	-	-	-	-	
2	2	5	9	10	3	7	4	4	3	3	3	-	1	-	-	-	
58	62	76	71	56	41	35	22	17	2	2	3	-	-	-	-	-	E918
57	57	66	66	49	35	29	19	14	1	2	2	-	-	-	-	-	
1	5	10	5	7	6	6	3	3	1	-	1	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E919
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	4	8	7	6	5	9	5	2	1	2	-	1	-	-	-	-	E920
5	4	7	5	6	4	7	4	2	1	1	-	1	-	-	-	-	
-	-	1	2	-	1	2	1	-	-	1	-	-	-	-	-	-	
3	2	4	3	1	1	-	2	-	1	-	-	-	-	-	-	-	E921
3	2	4	3	1	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	
-	3	6	5	4	1	-	1	-	1	1	-	-	-	-	-	-	E922
-	3	6	5	4	1	-	1	-	1	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	E922.0
-	-	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	3	3	3	3	1	-	-	-	1	1	-	-	-	-	-	-	E922.9
-	3	3	3	3	1	-	-	-	1	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	19	23	28	23	25	14	8	3	4	3	-	3	-	-	-	-	E923
14	16	20	26	19	22	9	5	1	4	1	-	-	-	-	-	-	
3	3	3	2	4	3	5	3	2	-	2	-	3	-	-	-	-	
-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	E923.0
-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	2	5	4	3	4	1	-	-	-	-	-	-	-	-	-	-	E923.1
1	2	5	4	3	4	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E923.2	爆発性ガス	157	1	3	1	-	1	6	3	1	6	24
	男 M.	113	-	2	1	-	-	3	1	1	4	16
	女 F.	44	1	1	-	-	1	3	2	-	2	8
E923.8	その他	20	-	-	-	-	-	-	-	-	-	-
	男 M.	18	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-
E923.9	詳細不明	9	-	-	-	-	-	-	-	-	-	-
	男 M.	7	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-
E924	高熱物体，腐食性液体および蒸気による不慮の事故	384	31	75	47	28	14	195	33	4	2	12
	男 M.	236	20	47	24	17	7	115	22	3	2	7
	女 F.	148	11	28	23	11	7	80	11	1	-	5
E925	電気による不慮の事故	293	-	-	-	-	-	-	3	2	20	82
	男 M.	289	-	-	-	-	-	-	3	2	20	82
	女 F.	4	-	-	-	-	-	-	-	-	-	-
E926	放射線による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E927	車による事故，他に分類されないもの	80	-	3	2	-	-	5	1	-	2	5
	男 M.	67	-	3	1	-	-	4	1	-	2	5
	女 F.	13	-	-	1	-	-	1	-	-	-	-
E928	機械による事故，他に分類されないもの	305	-	-	-	-	-	-	-	1	15	59
	男 M.	292	-	-	-	-	-	-	-	1	15	58
	女 F.	13	-	-	-	-	-	-	-	-	-	1
E929	その他および詳細不明の不慮の事故	112	4	2	1	-	1	8	1	-	4	10
	男 M.	89	1	1	1	-	1	4	1	-	4	8
	女 F.	23	3	1	-	-	-	4	-	-	-	2
(E930～E936)	外科的および内科的処置の合併症および事故	16	1	2	-	-	-	3	-	2	-	2
	男 M.	9	1	1	-	-	-	2	-	1	-	-
	女 F.	7	-	1	-	-	-	1	-	1	-	2
E930	手術的処置上の合併症および事故	2	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
E931	その他および詳細不明の治療処置上の合併症および事故	6	-	-	-	-	-	-	-	-	-	1
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	1
E932	診断処置上の合併症および事故	2	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E933	細菌ワクチンによる予防上の合併症および事故	1	1	-	-	-	-	1	-	-	-	-
	男 M.	1	1	-	-	-	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E934	その他の予防的ワクチン使用上の合併症および事故	4	-	2	-	-	-	2	-	2	-	-
	男 M.	2	-	1	-	-	-	1	-	1	-	-
	女 F.	2	-	1	-	-	-	1	-	1	-	-
E935	その他の予防処置の合併症および事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E936	その他の治療操作以外の処置の合併症および事故	1	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
15	14	11	18	14	15	11	7	3	3	3	-	3	-	-	-	-	E923.2
12	11	8	17	12	13	6	4	1	3	1	-	-	-	-	-	-	
3	3	3	1	2	2	5	3	2	-	2	-	3	-	-	-	-	
1	2	5	4	4	3	-	-	-	1	-	-	-	-	-	-	-	E923.8
1	2	5	4	2	3	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	1	2	3	1	1	-	-	-	-	-	-	-	-	-	E923.9
-	1	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
6	11	6	11	7	10	11	10	17	17	15	9	7	1	-	-	-	E924
5	10	6	8	4	7	5	6	8	10	9	5	4	-	-	-	-	
1	1	-	3	3	3	6	4	9	7	6	4	3	1	-	-	-	
33	42	32	37	20	10	6	1	1	3	-	-	-	-	-	-	1	E925
33	42	32	36	19	10	6	1	-	2	-	-	-	-	-	-	1	
-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E926
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	7	14	9	8	8	5	7	3	1	-	-	-	-	-	-	1	E927
4	6	11	8	7	5	5	4	3	1	-	-	-	-	-	-	1	
-	1	3	1	1	3	-	3	-	-	-	-	-	-	-	-	-	
44	40	40	36	29	18	10	4	5	4	-	-	-	-	-	-	-	E928
43	39	38	35	28	16	10	2	4	3	-	-	-	-	-	-	-	
1	1	2	1	1	2	-	2	1	1	-	-	-	-	-	-	-	
4	4	13	11	9	8	6	9	4	4	4	6	5	-	1	-	1	E929
4	4	12	11	7	8	5	6	4	3	3	1	2	-	1	-	1	
-	-	1	-	2	-	1	3	-	1	1	5	3	-	-	-	-	
-	-	2	1	-	2	1	2	-	1	-	-	-	-	-	-	-	(E930～E936)
-	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	E930
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	E931
-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	E932
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E933
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E934
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E935
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E936
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
(E940—E949)	不慮の傷害の後遺症	541	1	1	1	2	-	5	7	5	8	13
	男 M.	386	-	-	-	1	-	1	6	2	6	11
	女 F.	155	1	1	1	1	-	4	1	3	2	2
E940	自動車事故の後遺症	149	1	-	1	-	-	2	4	-	4	8
	男 M.	122	-	-	-	-	-	-	4	-	4	6
	女 F.	27	1	-	1	-	-	2	-	-	-	2
E941	その他の交通機関事故の後遺症	20	-	-	-	-	-	-	-	1	-	-
	男 M.	18	-	-	-	-	-	-	-	1	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-
E942	不慮の中毒の後遺症	30	-	-	-	-	-	-	-	-	-	-
	男 M.	10	-	-	-	-	-	-	-	-	-	-
	女 F.	20	-	-	-	-	-	-	-	-	-	-
E943	不慮の墜落の後遺症	135	-	1	-	-	-	1	1	-	-	2
	男 M.	81	-	-	-	-	-	-	1	-	-	2
	女 F.	54	-	1	-	-	-	1	-	-	-	-
E944	火災による不慮の事故の後遺症	4	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
E945	自然および環境要因による不慮の事故の後遺症	4	-	-	-	-	-	-	-	-	-	-
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
E946	その他の不慮の事故の後遺症	187	-	-	-	1	-	1	2	3	4	3
	男 M.	144	-	-	-	1	-	1	1	1	2	3
	女 F.	43	-	-	-	-	-	-	1	2	2	-
E947	外科的手術の後遺症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E948	放射線照射の後遺症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E949	その他の外科的および内科的処置の後遺症	12	-	-	-	1	-	1	-	1	-	-
	男 M.	7	-	-	-	-	-	-	-	-	-	-
	女 F.	5	-	-	-	1	-	1	-	1	-	-
(E950—E959)	自殺および自傷	18 015	-	-	-	-	-	-	3	83	819	2 168
	男 M.	10 231	-	-	-	-	-	-	2	63	520	1 276
	女 F.	7 784	-	-	-	-	-	-	1	20	299	892
E950	固体または液体による自殺および自為中毒	1 784	-	-	-	-	-	-	-	2	105	290
	男 M.	946	-	-	-	-	-	-	-	1	58	147
	女 F.	838	-	-	-	-	-	-	-	1	47	143
E950.a	バルビツール剤およびその誘導体	23	-	-	-	-	-	-	-	-	2	9
	男 M.	8	-	-	-	-	-	-	-	-	1	3
	女 F.	15	-	-	-	-	-	-	-	-	1	6
E950.b	臭化物	131	-	-	-	-	-	-	-	-	14	36
	男 M.	81	-	-	-	-	-	-	-	-	8	22
	女 F.	50	-	-	-	-	-	-	-	-	6	14
E950.c	その他および詳細不明の鎮静薬および睡眠薬	222	-	-	-	-	-	-	-	-	23	59
	男 M.	117	-	-	-	-	-	-	-	-	15	30
	女 F.	105	-	-	-	-	-	-	-	-	8	29
E950.d	シアン化物	87	-	-	-	-	-	-	-	-	4	14
	男 M.	70	-	-	-	-	-	-	-	-	2	9
	女 F.	17	-	-	-	-	-	-	-	-	2	5

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
16	16	30	34	33	41	41	57	64	73	53	23	16	4	2	-	-	(E940—E949)
14	14	25	32	27	31	32	44	50	52	29	7	3	-	-	-	-	
2	2	5	2	6	10	9	13	14	21	24	16	13	4	2	-	-	
6	6	5	9	10	10	11	14	24	21	11	1	3	-	-	-	-	E940
4	5	4	8	8	10	11	12	19	17	7	1	2	-	-	-	-	
2	1	1	1	2	-	-	2	5	4	4	-	1	-	-	-	-	
3	-	-	2	1	1	3	2	2	2	3	-	-	-	-	-	-	E941
3	-	-	2	1	1	2	2	2	2	2	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
1	1	-	-	2	3	3	3	7	1	6	1	2	-	-	-	-	E942
1	1	-	-	1	-	1	1	2	1	2	-	-	-	-	-	-	
-	-	-	-	1	3	2	2	5	-	4	1	2	-	-	-	-	
1	1	6	7	6	8	9	13	12	19	21	16	9	2	1	-	-	E943
1	1	6	7	6	7	9	9	9	10	8	4	1	-	-	-	-	
-	-	-	-	-	1	-	4	3	9	13	12	8	2	1	-	-	
-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	E944
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	
-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	E945
-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	8	17	15	11	18	12	23	19	26	11	5	1	2	1	-	-	E946
5	7	15	14	9	12	7	18	18	20	9	2	-	-	-	-	-	
-	1	2	1	2	6	5	5	1	6	2	3	1	2	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E947
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E948
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	1	2	-	3	2	-	1	-	-	-	-	-	-	-	E949
-	-	-	1	1	-	2	2	-	1	-	-	-	-	-	-	-	
-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
1 738	1 461	1 361	1 276	1 194	1 010	1 148	1 237	1 265	1 302	954	596	237	51	3	1	108	(F950—E959)
1 065	878	854	818	724	539	615	682	680	634	442	258	79	17	-	1	84	
673	583	507	458	470	471	533	555	585	668	512	338	158	34	3	-	24	
165	166	171	170	135	127	115	97	88	67	50	20	4	1	-	-	11	E950
92	88	91	90	84	71	55	42	52	30	26	10	2	-	-	-	7	
73	78	80	80	51	56	60	55	36	37	24	10	2	1	-	-	4	
2	1	1	4	1	-	1	-	-	1	-	-	-	-	-	-	1	E950.a
-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	1	
15	11	17	6	8	6	2	6	2	5	2	-	1	-	-	-	-	E950.b
11	5	11	5	2	5	2	3	1	4	1	-	1	-	-	-	-	
4	6	6	1	6	1	-	3	1	1	1	-	-	-	-	-	-	
30	29	16	20	9	11	2	5	6	8	1	1	-	-	-	-	2	E950.c
18	16	8	10	6	5	1	1	2	4	-	-	-	-	-	-	1	
12	13	8	10	3	6	1	4	4	4	1	1	-	-	-	-	1	
13	9	10	6	7	12	7	3	2	-	-	-	-	-	-	-	-	E950.d
10	7	8	5	6	11	7	3	2	-	-	-	-	-	-	-	-	
3	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E950.e	農薬	878	-	-	-	-	-	-	-	1	35	92
	男 M.	448	-	-	-	-	-	-	-	-	19	46
	女 F.	430	-	-	-	-	-	-	-	1	16	46
E950.f	その他および詳細不明	443	-	-	-	-	-	-	-	1	27	80
	男 M.	222	-	-	-	-	-	-	-	1	13	37
	女 F.	221	-	-	-	-	-	-	-	-	14	43
E951	家事用ガスによる自殺および自為中毒	1 941	-	-	-	-	-	-	1	7	142	450
	男 M.	818	-	-	-	-	-	-	1	3	64	164
	女 F.	1 123	-	-	-	-	-	-	-	4	78	286
E952	その他のガスによる自殺および自為中毒	326	-	-	-	-	-	-	-	-	24	93
	男 M.	280	-	-	-	-	-	-	-	-	20	76
	女 F.	46	-	-	-	-	-	-	-	-	4	17
E953	縊首，絞首および窒息による自殺および自傷	9 205	-	-	-	-	-	-	1	62	313	667
	男 M.	5 689	-	-	-	-	-	-	-	51	253	479
	女 F.	3 516	-	-	-	-	-	-	1	11	60	188
E954	入水による自殺および自傷	1 828	-	-	-	-	-	-	-	3	51	166
	男 M.	578	-	-	-	-	-	-	-	2	18	74
	女 F.	1 250	-	-	-	-	-	-	-	1	33	92
E955	銃器および爆発物による自殺および自傷	72	-	-	-	-	-	-	-	-	3	10
	男 M.	70	-	-	-	-	-	-	-	-	3	9
	女 F.	2	-	-	-	-	-	-	-	-	-	1
E956	刃器および刺器による自殺および自傷	453	-	-	-	-	-	-	1	-	9	45
	男 M.	325	-	-	-	-	-	-	1	-	7	38
	女 F.	128	-	-	-	-	-	-	-	-	2	7
E957	高所からの墜落による自殺および自傷	696	-	-	-	-	-	-	-	4	36	118
	男 M.	448	-	-	-	-	-	-	-	4	18	76
	女 F.	248	-	-	-	-	-	-	-	-	18	42
E958	その他および詳細不明の手段による自殺および自傷	1 704	-	-	-	-	-	-	-	5	136	328
	男 M.	1 077	-	-	-	-	-	-	-	2	79	213
	女 F.	627	-	-	-	-	-	-	-	3	57	115
E958.a	縊首	1 187	-	-	-	-	-	-	-	3	80	200
	男 M.	729	-	-	-	-	-	-	-	1	36	120
	女 F.	458	-	-	-	-	-	-	-	2	44	80
E958.b	その他	517	-	-	-	-	-	-	-	2	56	128
	男 M.	348	-	-	-	-	-	-	-	1	43	93
	女 F.	169	-	-	-	-	-	-	-	1	13	35
E959	自傷の後遺症	6	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	6	-	-	-	-	-	-	-	-	-	1
(E960—E969)	他殺および他人の加害による傷害	1 372	121	47	57	44	38	307	111	30	28	151
	男 M.	791	56	21	30	27	17	151	48	12	16	79
	女 F.	581	65	26	27	17	21	156	63	18	12	72
E960	格闘，口論，強姦	43	1	-	1	1	-	3	-	-	-	1
	男 M.	34	1	-	-	1	-	2	-	-	-	1
	女 F.	9	-	-	1	-	-	1	-	-	-	-
E961	腐食性物質による加害（中毒を除く）	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E962	中毒による加害	114	14	7	13	10	13	57	44	7	1	1
	男 M.	54	10	3	7	5	5	30	17	4	1	-
	女 F.	60	4	4	6	5	8	27	27	3	-	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
56	65	99	96	77	73	72	58	58	38	36	17	3	1	-	-	1	E950.e
29	33	51	46	45	42	31	23	37	18	18	8	1	-	-	-	1	
27	32	48	50	32	31	41	35	21	20	18	9	2	1	-	-	-	
49	51	28	38	33	25	31	25	20	15	11	2	-	-	-	-	7	E950.f
24	27	13	22	24	8	13	12	10	4	7	2	-	-	-	-	5	
25	24	15	16	9	17	18	13	10	11	4	-	-	-	-	-	2	
307	228	174	128	124	75	84	63	64	49	29	9	3	1	-	-	3	E951
125	85	69	57	62	32	40	34	31	23	19	4	2	1	-	-	2	
182	143	105	71	62	43	44	29	33	26	10	5	1	-	-	-	1	
73	47	29	29	14	4	6	-	2	2	1	1	-	-	-	-	1	E952
66	44	24	25	12	4	5	-	2	-	1	-	-	-	-	-	1	
7	3	5	4	2	-	1	-	-	2	-	1	-	-	-	-	-	
594	576	584	624	599	577	676	818	873	912	659	424	171	34	3	1	37	E953
421	400	416	450	382	333	393	491	498	485	324	199	65	12	-	1	36	
173	176	168	174	217	244	283	327	375	427	335	225	106	22	3	-	1	
181	108	93	119	122	90	120	133	154	170	139	105	47	12	-	-	15	E954
78	46	36	44	44	18	34	40	46	36	29	23	4	2	-	-	4	
103	62	57	75	78	72	86	93	108	134	110	82	43	10	-	-	11	
14	9	12	7	5	1	4	3	-	3	-	1	-	-	-	-	-	E955
14	9	12	7	5	1	4	3	-	3	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
41	53	56	42	46	39	30	27	17	20	13	10	3	-	-	-	1	E956
30	32	43	29	37	28	16	14	15	16	7	9	2	-	-	-	1	
11	21	13	13	9	11	14	13	2	4	6	1	1	-	-	-	-	
92	73	62	42	51	33	51	28	32	30	24	13	4	-	-	-	3	E957
59	48	48	30	33	20	30	19	20	15	15	9	2	-	-	-	2	
33	25	14	12	18	13	21	9	12	15	9	4	2	-	-	-	1	
271	200	179	115	97	63	61	68	35	49	39	13	5	3	-	-	37	E958
180	126	115	86	65	32	38	39	16	26	21	4	2	2	-	-	31	
91	74	64	29	32	31	23	29	19	23	18	9	3	1	-	-	6	
198	156	129	81	70	48	46	45	25	32	32	8	3	2	-	-	29	E958.a
129	96	90	61	47	24	29	24	11	16	16	3	-	2	-	-	24	
69	60	39	20	23	24	17	21	14	16	16	5	3	-	-	-	5	
73	44	50	34	27	15	15	23	10	17	7	5	2	1	-	-	8	E958.b
51	30	25	25	18	8	9	15	5	10	5	1	2	-	-	-	7	
22	14	25	9	9	7	6	8	5	7	2	4	-	1	-	-	1	
-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	E959
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	
138	130	129	86	62	49	34	28	28	22	8	6	3	-	-	-	22	(E960—E969)
101	88	86	59	34	29	21	20	12	13	6	3	2	-	-	-	11	
37	42	43	27	28	20	13	8	16	9	2	3	1	-	-	-	11	
6	8	6	5	-	10	1	1	-	2	-	-	-	-	-	-	-	E960
3	7	4	5	-	8	1	1	-	2	-	-	-	-	-	-	-	
3	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E961
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E962
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
E963	縊首および絞首による加害	287	40	13	15	7	7	82	25	12	8	33	14	23	22	10	10	8	10	5	4	5	3	2	1	-	-	-	10	E963
	男 M.	94	16	7	5	5	2	35	11	2	-	5	5	5	7	3	1	1	4	1	-	2	3	1	1	-	-	-	7	
	女 F.	193	24	6	10	2	5	47	14	10	8	28	9	18	15	7	9	7	6	4	4	3	-	1	-	-	-	-	3	
E964	溺水（溺死）による加害	102	31	11	15	7	11	75	13	-	-	4	3	1	2	-	3	-	-	1	-	-	-	-	-	-	-	-	-	E964
	男 M.	51	13	6	9	4	7	39	4	-	-	1	2	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	51	18	5	6	3	4	36	9	-	-	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
E965	銃器および爆発物による加害	39	-	-	-	-	-	-	3	3	1	6	4	6	4	3	3	-	1	3	1	1	-	-	-	-	-	-	-	E965
	男 M.	31	-	-	-	-	-	-	2	1	1	4	4	4	3	3	3	-	1	3	1	1	-	-	-	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	1	2	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E966	刃器および刺器による加害	508	2	1	3	5	1	12	10	3	13	82	91	73	73	43	32	21	16	9	13	11	1	3	1	-	-	-	1	E966
	男 M.	361	-	1	1	2	-	4	5	2	12	55	73	57	55	32	19	14	11	7	6	6	-	2	-	-	-	-	1	
	女 F.	147	2	-	2	3	1	8	5	1	1	27	18	16	18	11	13	7	5	2	7	5	1	1	1	-	-	-	-	
E967	高所からのつき落しによる加害	8	1	2	-	-	1	4	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	E967
	男 M.	5	1	1	-	-	1	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E968	その他および詳細不明の手段による加害	271	32	13	10	14	5	74	14	5	5	24	18	18	21	23	14	10	6	9	10	3	4	1	1	-	-	-	11	E968
	男 M.	161	15	3	8	10	2	38	8	3	2	13	13	14	15	15	9	6	4	7	5	2	3	-	1	-	-	-	3	
	女 F.	110	17	10	2	4	3	36	6	2	3	11	5	4	6	8	5	4	2	2	5	1	1	1	-	-	-	-	8	
E969	他人による故意の加害による後遺症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E969
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E970—E978)	法的介入	9	-	-	-	-	-	-	-	-	1	-	3	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	(E970—E978)
	男 M.	9	-	-	-	-	-	-	-	-	1	-	3	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E970	法的介入に基づく銃器による傷害	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E970
	男 M.	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E971	法的介入に基づく爆発物による傷害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E971
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E972	法的介入に基づくガスによる傷害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E972
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E973	法的介入に基づく鈍器による傷害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E973
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E974	法的介入に基づく刃器および刺器による傷害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E974
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E975	法的介入に基づくその他の明示された手段による傷害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E975
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E976	法的介入に基づく詳細不明の手段による傷害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E976
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E977	法的介入に基づく傷害の後遺症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E977
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E978	処刑	7	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	E978
	男 M.	7	-	-	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
(E980—E989)	不慮か故意か決定されない傷害	1 268	36	13	10	5	7	71	15	8	49	137
	男 M.	870	22	6	6	4	7	45	10	4	35	88
	女 F.	398	14	7	4	1	-	26	5	4	14	49
E980	不慮か故意か決定されない固体または液体による中毒	84	-	-	-	-	-	-	-	2	3	13
	男 M.	44	-	-	-	-	-	-	-	2	2	5
	女 F.	40	-	-	-	-	-	-	-	-	1	8
E981	不慮か故意か決定されない家事用ガスによる中毒	56	2	-	-	-	-	2	-	2	4	14
	男 M.	29	1	-	-	-	-	1	-	1	2	4
	女 F.	27	1	-	-	-	-	1	-	1	2	10
E982	不慮か故意か決定されないその他のガスによる中毒	20	1	-	-	-	-	1	1	1	4	4
	男 M.	13	1	-	-	-	-	1	-	-	3	4
	女 F.	7	-	-	-	-	-	-	1	1	1	-
E983	不慮か故意か決定されない縊死および絞首または窒息	51	16	1	2	1	-	20	2	-	4	1
	男 M.	35	11	1	1	1	-	14	2	-	3	1
	女 F.	16	5	-	1	-	-	6	-	-	1	-
E984	不慮か故意か決定されない溺水（溺死）	593	7	5	6	3	6	27	7	3	22	59
	男 M.	397	5	2	5	2	6	20	5	1	18	43
	女 F.	196	2	3	1	1	-	7	2	2	4	16
E985	不慮か故意か決定されない銃器および爆発物による傷害	4	-	-	-	-	-	-	-	-	-	1
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	1
E986	不慮か故意か決定されない刃器または刺器による傷害	10	-	-	-	-	-	-	-	-	-	-
	男 M.	7	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
E987	不慮か故意か決定されない高所よりの墜落	74	1	3	1	-	-	5	-	-	4	9
	男 M.	55	1	1	-	-	-	2	-	-	3	7
	女 F.	19	-	2	1	-	-	3	-	-	1	2
E988	不慮か故意か決定されないその他および詳細不明の手段による傷害	367	9	4	1	1	1	16	5	-	7	36
	男 M.	282	3	2	-	1	1	7	3	-	4	24
	女 F.	85	6	2	1	-	-	9	2	-	3	12
E989	不慮か故意か決定されない傷害の後遺症	9	-	-	-	-	-	-	-	-	1	-
	男 M.	5	-	-	-	-	-	-	-	-	-	-
	女 F.	4	-	-	-	-	-	-	-	-	1	-
(E990—E999)	戦争行為による傷害	16	-	-	-	-	-	-	-	-	-	-
	男 M.	14	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-
E990	戦争行為に基づく火事および火災による傷害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E991	戦争行為に基づく小銃弾および破片による傷害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E992	戦争行為に基づく海兵器の爆発による傷害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E993	戦争行為に基づくその他の爆発による傷害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E994	戦争行為に基づく航空機破壊による傷害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
132	95	103	104	71	79	77	62	57	53	42	36	14	4	-	-	59	(E980—E989)
93	71	80	86	51	59	54	44	35	26	23	14	7	2	-	-	43	
39	24	23	18	20	20	23	18	22	27	19	22	7	2	-	-	16	
14	6	8	12	5	4	7	3	2	2	1	1	-	-	-	-	1	E980
8	2	4	7	1	2	4	1	2	1	1	1	-	-	-	-	1	
6	4	4	5	4	2	3	2	-	1	-	-	-	-	-	-	-	
12	3	3	3	6	2	3	-	-	-	1	1	-	-	-	-	-	E981
5	3	2	1	4	2	3	-	-	-	1	-	-	-	-	-	-	
7	-	1	2	2	-	-	-	-	-	-	1	-	-	-	-	-	
-	3	2	-	-	1	1	-	1	-	-	1	-	-	-	-	-	E982
-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	
2	3	1	-	2	4	3	4	-	1	-	1	-	-	-	-	3	E983
2	1	-	-	1	1	3	3	-	-	-	1	-	-	-	-	3	
-	2	1	-	1	3	-	1	-	1	-	-	-	-	-	-	-	
62	44	37	47	34	34	30	26	33	32	25	21	9	2	-	-	39	E984
41	34	30	42	26	24	17	17	19	13	9	9	4	-	-	-	25	
21	10	7	5	8	10	13	9	14	19	16	12	5	2	-	-	14	
-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	E985
-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	E986
1	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
6	7	8	5	1	4	7	7	5	3	-	2	-	-	-	-	1	E987
6	5	8	5	-	3	5	5	3	2	-	1	-	-	-	-	-	
-	2	-	-	1	1	2	2	2	1	-	1	-	-	-	-	1	
34	28	39	34	21	28	25	21	16	14	15	7	5	1	-	-	15	E988
29	23	29	29	18	25	21	17	11	10	12	2	3	1	-	-	14	
5	5	10	5	3	3	4	4	5	4	3	5	2	-	-	-	1	
1	-	1	-	1	-	-	1	-	1	-	2	-	1	-	-	-	E989
1	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	
-	-	-	-	4	3	2	2	1	2	1	-	1	-	-	-	-	(E990—E999)
-	-	-	-	4	3	2	2	-	2	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E990
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E991
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E992
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E993
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E994
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E995	戦争行為に基づくその他および詳細不明の一般兵器による傷害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E996	戦争行為に基づく核兵器による傷害	2	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
E997	戦争行為に基づくその他の非一般的兵器による傷害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E998	戦争行為に基づく交戦状態停止後発生の傷害	2	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E999	戦争行為に基づく傷害の後遺症	12	-	-	-	-	-	-	-	-	-	-
	男 M.	11	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
N XVII	不慮の事故，中毒および暴力（傷害の性質）	63 111	1 246	1 221	886	792	627	4 772	1 890	854	3 706	6 085
	男 M.	43 604	708	687	583	521	416	2 915	1 300	645	3 065	4 597
	女 F.	19 507	538	534	303	271	211	1 857	590	209	641	1 488
(N800—N829)	骨折	17 494	75	204	230	229	193	931	547	256	1 328	1 690
	男 M.	13 151	46	112	147	149	129	583	376	189	1 172	1 450
	女 F.	4 343	29	92	83	80	64	348	171	67	156	240
(N800—N809)	頭蓋，脊柱および体幹の骨折	16 201	75	204	230	228	192	929	540	253	1 295	1 656
	男 M.	12 622	46	112	147	148	129	582	373	187	1 141	1 419
	女 F.	3 579	29	92	83	80	63	347	167	66	154	237
N800	頭蓋穹隆部の骨折	586	8	11	7	14	10	50	28	14	47	51
	男 M.	462	7	8	5	9	7	36	17	11	40	46
	女 F.	124	1	3	2	5	3	14	11	3	7	5
N801	頭蓋底の骨折	3 929	20	44	59	46	58	227	131	71	386	419
	男 M.	3 143	15	24	37	27	40	143	88	50	352	362
	女 F.	786	5	20	22	19	18	84	43	21	34	57
N802	顔面骨の骨折	79	-	-	1	1	1	3	1	-	12	12
	男 M.	71	-	-	1	1	1	3	1	-	9	12
	女 F.	8	-	-	-	-	-	-	-	-	3	-
N802.0 N802.1	鼻骨	7	-	-	-	1	-	1	1	-	1	1
	男 M.	7	-	-	-	1	-	1	1	-	1	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N802.2 N802.3	下顎骨	33	-	-	1	-	1	2	-	-	5	5
	男 M.	30	-	-	1	-	1	2	-	-	4	5
	女 F.	3	-	-	-	-	-	-	-	-	1	-
N802.4 ～N802.9	その他および後遺症，各顔面骨	39	-	-	-	-	-	-	-	-	6	6
	男 M.	34	-	-	-	-	-	-	-	-	4	6
	女 F.	5	-	-	-	-	-	-	-	-	2	-
N803	その他および詳細不明の頭蓋骨折	4 587	41	114	110	96	64	425	198	75	318	436
	男 M.	3 650	21	56	69	67	44	257	145	58	279	365
	女 F.	937	20	58	41	29	20	168	53	17	39	71
N804	その他の骨を含む頭蓋または顔の多発骨折	4 384	5	24	43	50	44	166	123	70	367	486
	男 M.	3 359	2	15	28	31	28	104	79	51	320	411
	女 F.	1 025	3	9	15	19	16	62	44	19	47	75
N805	脊椎の骨折および骨折脱臼（脊髄損傷の記載のないもの）	879	1	7	4	6	6	24	29	12	73	106
	男 M.	670	1	5	2	4	4	16	21	9	60	94
	女 F.	209	-	2	2	2	2	8	8	3	13	12

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E995
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	E996
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E997
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	E998
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	2	3	1	2	-	2	1	-	1	-	-	-	-	E999
-	-	-	-	2	3	1	2	-	2	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
4 451	3 970	4 230	4 290	3 847	3 402	3 654	3 867	3 695	3 794	3 054	2 010	964	291	45	8	232	N XVII
3 411	3 000	3 265	3 363	2 860	2 398	2 489	2 637	2 343	2 193	1 602	878	357	92	12	4	178	
1 040	970	965	927	987	1 004	1 165	1 230	1 352	1 601	1 452	1 132	607	199	33	4	54	
1 136	1 087	1 276	1 258	1 126	1 005	1 039	1 098	921	927	789	569	329	119	21	4	38	(N800—
988	920	1 078	1 073	914	767	788	821	641	577	425	219	103	30	3	1	33	N829)
148	167	198	185	212	238	251	277	280	350	364	350	226	89	18	3	5	
1 119	1 069	1 248	1 230	1 105	979	1 000	1 051	861	808	574	302	115	27	1	1	38	(N800—
971	903	1 053	1 048	895	748	758	795	613	530	361	152	49	11	-	-	33	N809)
148	166	195	182	210	231	242	256	248	278	213	150	66	16	1	1	5	
39	37	36	43	39	46	37	31	37	24	14	10	1	1	-	-	1	N800
36	33	29	38	30	38	28	20	27	16	9	5	1	1	-	-	1	
3	4	7	5	9	8	9	11	10	8	5	5	-	-	-	-	-	
246	237	302	305	258	225	245	265	225	193	114	53	22	3	-	-	2	N801
220	209	253	257	209	178	192	217	157	139	73	28	13	1	-	-	2	
26	28	49	48	49	47	53	48	68	54	41	25	9	2	-	-	-	
9	7	5	7	5	6	3	2	2	3	-	1	1	-	-	-	-	N802
8	7	5	7	5	6	3	2	2	1	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	
-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	N802.0 N802.1
-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	2	3	3	4	2	1	1	2	1	-	-	-	-	-	-	-	N802.2 N802.3
1	2	3	3	4	2	1	1	2	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
7	3	2	4	1	4	1	1	-	2	-	1	1	-	-	-	-	N802.4～ N802.9
7	3	2	4	1	4	1	1	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	
353	299	363	363	299	243	254	295	218	201	138	59	26	8	-	-	16	N803
308	261	314	311	243	204	201	239	171	137	97	33	9	4	-	-	14	
45	38	49	52	56	39	53	56	47	64	41	26	17	4	-	-	2	
306	299	331	309	299	288	290	272	226	235	178	91	24	7	1	-	16	N804
266	243	277	258	245	205	211	188	163	148	112	56	7	2	-	-	13	
40	56	54	51	54	83	79	84	63	87	66	35	17	5	1	-	3	
74	77	75	76	56	47	44	49	41	32	34	14	12	2	-	-	2	N805
56	63	60	63	47	34	35	38	25	21	18	4	4	-	-	-	2	
18	14	15	13	9	13	9	11	16	11	16	10	8	2	-	-	-	

第1表 死　亡　者　数，性・年齢（5才階級）・死因（基本分類）別　昭和47年

TABLE 1　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N805.0 N805.1	頸椎	777	1	7	4	6	6	24	29	12	68	98
	男 M.	597	1	5	2	4	4	16	21	9	56	87
	女 F.	180	-	2	2	2	2	8	8	3	12	11
N805.2 N805.3	胸椎および腰椎	61	-	-	-	-	-	-	-	-	2	5
	男 M.	41	-	-	-	-	-	-	-	-	2	5
	女 F.	20	-	-	-	-	-	-	-	-	-	-
N805.4 N805.5	仙椎および尾椎	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N805.6 ～N805.9	詳細不明および後遺症，各脊椎	41	-	-	-	-	-	-	-	-	3	3
	男 M.	32	-	-	-	-	-	-	-	-	2	2
	女 F.	9	-	-	-	-	-	-	-	-	1	1
N806	脊椎の骨折および骨折脱臼（脊髄損傷を伴うもの）	512	-	1	5	4	5	15	9	6	26	44
	男 M.	419	-	1	5	2	2	10	5	4	26	38
	女 F.	93	-	-	-	2	3	5	4	2	-	6
N806.0 N806.1	頸椎	411	-	1	5	4	5	15	9	5	24	38
	男 M.	335	-	1	5	2	2	10	5	3	24	32
	女 F.	76	-	-	-	2	3	5	4	2	-	6
N806.2 N806.3	胸椎および腰椎	37	-	-	-	-	-	-	-	1	2	3
	男 M.	30	-	-	-	-	-	-	-	1	2	3
	女 F.	7	-	-	-	-	-	-	-	-	-	-
N806.4 N806.5	仙椎および尾椎	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N806.6 ～N806.9	詳細不明および後遺症，各脊椎	64	-	-	-	-	-	-	-	-	-	3
	男 M.	54	-	-	-	-	-	-	-	-	-	3
	女 F.	10	-	-	-	-	-	-	-	-	-	-
N807	肋骨，胸骨および喉頭の骨折	227	-	-	-	-	-	-	-	-	9	16
	男 M.	187	-	-	-	-	-	-	-	-	9	16
	女 F.	40	-	-	-	-	-	-	-	-	-	-
N807.0 N807.1	肋骨	216	-	-	-	-	-	-	-	-	9	16
	男 M.	177	-	-	-	-	-	-	-	-	9	16
	女 F.	39	-	-	-	-	-	-	-	-	-	-
N807.2 N807.3	胸骨	7	-	-	-	-	-	-	-	-	-	-
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
N807.4 N807.5	喉頭	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N807.9	後遺症，肋骨，胸骨または喉頭	3	-	-	-	-	-	-	-	-	-	-
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N808	骨盤の骨折	333	-	2	-	2	4	8	6	3	21	20
	男 M.	209	-	2	-	2	3	7	6	2	15	19
	女 F.	124	-	-	-	-	1	1	-	1	6	1
N809	体幹の多発および不詳の骨折	685	-	1	1	9	-	11	15	2	36	66
	男 M.	452	-	1	-	5	-	6	11	2	31	56
	女 F.	233	-	-	1	4	-	5	4	-	5	10
(N810— N819)	上肢の骨折	77	-	-	-	-	-	-	-	1	2	6
	男 M.	42	-	-	-	-	-	-	-	1	2	6
	女 F.	35	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
67	73	66	72	51	42	38	40	36	18	23	10	8	-	-	-	2	N805.0 N805.1
49	60	53	59	42	32	29	30	22	13	11	3	3	-	-	-	2	
18	13	13	13	9	10	9	10	14	5	12	7	5	-	-	-	-	
5	2	3	3	2	4	2	6	2	9	7	3	4	2	-	-	-	N805.2 N805.3
5	1	3	3	2	1	2	6	1	4	4	1	1	-	-	-	-	
-	1	-	-	-	3	-	-	1	5	3	2	3	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N805.4 N805.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	2	6	1	3	1	4	3	3	5	4	1	-	-	-	-	-	N805.6～ N805.9
2	2	4	1	3	1	4	2	2	4	3	-	-	-	-	-	-	
-	-	2	-	-	-	-	1	1	1	1	-	-	-	-	-	-	
27	38	45	41	53	34	42	39	29	33	18	9	3	1	-	-	-	N806
26	32	41	37	45	26	36	32	25	17	12	4	2	1	-	-	-	
1	6	4	4	8	8	6	7	4	16	6	5	1	-	-	-	-	
25	33	39	36	39	27	37	28	18	20	12	6	-	-	-	-	-	N806.0 N806.1
24	27	36	32	31	21	31	25	14	11	7	2	-	-	-	-	-	
1	6	3	4	8	6	6	3	4	9	5	4	-	-	-	-	-	
-	3	-	2	7	3	-	4	4	1	2	2	3	-	-	-	-	N806.2 N806.3
-	3	-	2	7	2	-	1	4	1	1	1	2	-	-	-	-	
-	-	-	-	-	1	-	3	-	-	1	1	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N806.4 N806.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	2	6	3	7	4	5	7	7	12	4	1	-	1	-	-	-	N806.6～ N806.9
2	2	5	3	7	3	5	6	7	5	4	1	-	1	-	-	-	
-	-	1	-	-	1	-	1	-	7	-	-	-	-	-	-	-	
13	13	18	26	19	16	17	15	14	17	12	12	7	2	-	-	1	N807
12	10	18	22	17	8	14	11	12	14	8	10	4	1	-	-	1	
1	3	-	4	2	8	3	4	2	3	4	2	3	1	-	-	-	
12	12	17	25	17	14	17	15	13	16	11	12	7	2	-	-	1	N807.0 N807.1
11	9	17	21	15	7	14	11	11	13	7	10	4	1	-	-	1	
1	3	-	4	2	7	3	4	2	3	4	2	3	1	-	-	-	
1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	N807.2 N807.3
1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	N807.4 N807.5
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	N807.9
-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	12	16	20	21	22	23	32	27	31	25	22	5	1	-	1	-	N808
12	7	12	16	16	17	13	20	11	18	9	6	3	-	-	-	-	
5	5	4	4	5	5	10	12	16	13	16	16	2	1	-	1	-	
35	50	57	40	56	52	45	51	42	39	41	31	14	2	-	-	-	N809
27	38	44	39	38	32	25	28	20	19	23	6	6	1	-	-	-	
8	12	13	1	18	20	20	23	22	20	18	25	8	1	-	-	-	
1	2	2	3	2	4	2	6	4	5	7	13	12	5	-	-	-	(N810— N819)
1	1	2	3	2	4	1	6	1	3	2	5	2	-	-	-	-	
-	1	-	-	-	-	1	-	3	2	5	8	10	5	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N810	鎖骨骨折	7	-	-	-	-	-	-	-	-	-	1
	男 M.	3	-	-	-	-	-	-	-	-	-	1
	女 F.	4	-	-	-	-	-	-	-	-	-	-
N811	肩甲骨骨折	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N812	上腕骨骨折	31	-	-	-	-	-	-	-	-	-	-
	男 M.	8	-	-	-	-	-	-	-	-	-	-
	女 F.	23	-	-	-	-	-	-	-	-	-	-
N813	橈骨および尺骨の骨折	9	-	-	-	-	-	-	-	1	-	-
	男 M.	5	-	-	-	-	-	-	-	1	-	-
	女 F.	4	-	-	-	-	-	-	-	-	-	-
N814	手根骨骨折	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N815	中手骨骨折	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N816	手指節骨骨折（単発または多発）	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N817	手の骨の多発骨折	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N818	その他，多発および不詳の上肢骨折	3	-	-	-	-	-	-	-	-	-	-
	男 M.	3	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N819	両側上肢および肋骨，胸骨を含む上肢の多発骨折	25	-	-	-	-	-	-	-	-	2	5
	男 M.	21	-	-	-	-	-	-	-	-	2	5
	女 F.	4	-	-	-	-	-	-	-	-	-	-
(N820—N829)	下肢の骨折	1 216	-	-	-	1	1	2	7	2	31	28
	男 M.	487	-	-	-	1	-	1	3	1	29	25
	女 F.	729	-	-	-	-	1	1	4	1	2	3
N820	大腿骨頸骨折	491	-	-	-	-	-	-	1	-	-	1
	男 M.	135	-	-	-	-	-	-	1	-	-	-
	女 F.	356	-	-	-	-	-	-	-	-	-	1
N821	その他および部位不明の大腿骨骨折	423	-	-	-	1	-	1	4	-	11	6
	男 M.	140	-	-	-	1	-	1	1	-	11	6
	女 F.	283	-	-	-	-	-	-	3	-	-	-
N822	膝蓋骨骨折	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N823	頸骨および腓骨骨折	82	-	-	-	-	-	-	-	-	2	3
	男 M.	58	-	-	-	-	-	-	-	-	2	3
	女 F.	24	-	-	-	-	-	-	-	-	-	-
N824	踝部の骨折	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N825	足根骨および中足骨の骨折(単発または多発)	4	-	-	-	-	-	-	-	-	-	1
	男 M.	4	-	-	-	-	-	-	-	-	-	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	-	-	N810
-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	N811
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	1	-	-	1	1	2	2	6	7	7	3	-	-	-	N812
-	-	1	1	-	-	-	1	-	1	2	2	-	-	-	-	-	
-	-	-	-	-	-	1	-	2	1	4	5	7	3	-	-	-	
1	-	1	-	-	1	-	-	-	1	1	1	1	1	-	-	-	N813
1	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N814
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N815
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	N816
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N817
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	N818
-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	2	1	2	1	4	1	1	-	4	1	-	-	-	-	N819
-	-	-	2	1	2	1	4	-	1	-	2	1	-	-	-	-	
-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	
16	16	26	25	19	22	37	41	56	114	208	254	202	87	20	3	-	(N820—N829)
16	16	23	22	17	15	29	20	27	44	62	62	52	19	3	1	-	
-	-	3	3	2	7	8	21	29	70	146	192	150	68	17	2	-	
-	1	1	1	-	2	-	8	14	47	101	139	114	46	13	2	-	N820
-	1	1	1	-	1	-	1	5	13	28	34	34	12	2	1	-	
-	-	-	-	-	1	-	7	9	34	73	105	80	34	11	1	-	
4	3	7	10	3	4	7	9	24	41	76	96	76	34	6	1	-	N821
4	3	6	10	2	1	4	3	8	18	17	22	15	7	1	-	-	
-	-	1	-	1	3	3	6	16	23	59	74	61	27	5	1	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	N822
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	2	7	1	6	2	8	8	6	5	13	8	5	2	-	-	-	N823
4	2	5	1	6	2	8	7	3	4	6	3	2	-	-	-	-	
-	-	2	-	-	-	-	1	3	1	7	5	3	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N824
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	N825
-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
N826	足指節骨骨折（単発または多発）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N826
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N827	その他，多発および不詳の下肢骨折	38	-	-	-	-	-	-	-	-	8	2	2	2	-	2	2	4	4	3	2	4	1	1	1	-	-	-	-	N827
	男 M.	31	-	-	-	-	-	-	-	-	8	2	2	2	-	2	2	4	3	2	1	2	1	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	1	1	2	-	1	1	-	-	-	-	
N828	両側下肢，上肢を含む下肢，肋骨および胸骨を含む下肢の多発骨折	145	-	-	-	-	1	1	1	-	7	11	2	6	8	10	6	8	16	10	10	14	14	9	6	5	1	-	-	N828
	男 M.	93	-	-	-	-	-	-	-	-	6	9	2	6	8	7	5	5	12	5	10	6	9	2	1	-	-	-	-	
	女 F.	52	-	-	-	-	1	1	1	-	1	2	-	-	-	3	1	3	4	5	-	8	5	7	5	5	1	-	-	
N829	詳細不明の骨の骨折	32	-	-	-	-	-	-	1	2	3	4	4	2	3	1	1	1	2	2	-	3	3	-	-	-	-	-	-	N829
	男 M.	25	-	-	-	-	-	-	1	1	2	4	4	2	3	1	1	1	2	1	-	1	1	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	
(N830—N839)	骨折を伴わない関節脱臼	26	-	-	-	2	-	2	2	-	4	1	-	2	-	4	4	3	2	-	-	-	1	-	-	1	-	-	-	(N830—N839)
	男 M.	21	-	-	-	1	-	1	2	-	3	1	-	2	-	4	3	1	2	-	-	-	1	-	-	1	-	-	-	
	女 F.	5	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
N830	顎関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N830
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N831	肩関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N831
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N832	肘関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N832
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N833	手首の関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N833
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N834	手指の関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N834
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N835	股関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N835
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N836	膝関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N836
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N837	足首の関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N837
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N838	足の関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N838
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N839	その他，多発および不詳の関節脱臼	26	-	-	-	2	-	2	2	-	4	1	-	2	-	4	4	3	2	-	-	-	1	-	-	1	-	-	-	N839
	男 M.	21	-	-	-	1	-	1	2	-	3	1	-	2	-	4	3	1	2	-	-	-	1	-	-	1	-	-	-	
	女 F.	5	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	
(N840—N848)	関節の捻挫および隣接筋の過伸展〔Strain〕	6	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	(N840—N848)
	男 M.	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
N840	肩および上腕の捻挫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N840
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表　死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
N841	肘および前腕の捻挫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N841
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N842	手首および手の捻挫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N842
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N843	股および大腿の捻挫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N843
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N844	膝および下腿の捻挫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N844
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N845	足首および足の捻挫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N845
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N846	仙腸部の捻挫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N846
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N847	その他および部位不明の背部の捻挫	5	1	-	-	-	-	1	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	N847
	男 M.	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
N848	その他および不詳の捻挫	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	N848
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N850～N854)	頭蓋内損傷（頭蓋骨折を伴うものを除く）	8 325	72	85	97	142	133	529	296	96	610	624	435	391	495	520	496	520	601	624	586	604	473	248	124	31	4	-	18	(N850～N854)
	男 M.	6 179	48	48	75	94	90	355	184	68	535	526	375	316	412	434	392	409	442	468	397	372	271	136	57	12	2	-	16	
	女 F.	2 146	24	37	22	48	43	174	112	28	75	98	60	75	83	86	104	111	159	156	189	232	202	112	67	19	2	-	2	
N850	脳振盪	52	-	-	-	-	-	-	1	-	5	1	6	3	5	4	2	2	4	2	4	6	2	2	2	-	1	-	-	N850
	男 M.	35	-	-	-	-	-	-	1	-	5	1	4	2	5	3	2	2	3	-	1	4	-	1	1	-	-	-	-	
	女 F.	17	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	2	3	2	2	1	1	-	1	-	-	
N851	脳の裂傷および挫傷	4 227	28	38	49	87	80	282	181	60	344	366	238	199	265	263	261	269	303	328	263	265	194	102	31	7	-	-	6	N851
	男 M.	3 153	17	20	40	56	51	184	108	42	302	307	209	152	220	217	207	208	219	244	185	157	113	59	14	1	-	-	5	
	女 F.	1 074	11	18	9	31	29	98	73	18	42	59	29	47	45	46	54	61	84	84	78	108	81	43	17	6	-	-	1	
N852	損傷に続発するくも膜下、硬膜下および硬膜外出血（脳の裂傷または挫傷の記載のないもの）	351	13	10	7	4	4	38	12	5	14	16	8	16	21	22	26	31	33	17	19	26	29	13	3	2	-	-	-	N852
	男 M.	247	8	4	4	3	2	21	8	4	12	13	4	15	14	20	21	25	24	13	13	15	17	6	2	-	-	-	-	
	女 F.	104	5	6	3	1	2	17	4	1	2	3	4	1	7	2	5	6	9	4	6	11	12	7	1	2	-	-	-	
N853	損傷に続発するその他および詳細不明の頭蓋内出血（脳の裂傷または挫傷の記載のないもの）	1 645	16	23	18	20	21	98	36	11	107	95	64	69	93	106	97	105	137	138	130	144	103	64	35	6	3	-	4	N853
	男 M.	1 188	13	16	13	14	15	71	20	9	97	81	50	57	74	90	77	83	99	104	80	90	55	34	9	3	2	-	3	
	女 F.	457	3	7	5	6	6	27	16	2	10	14	14	12	19	16	20	22	38	34	50	54	48	30	26	3	1	-	1	
N854	その他および詳細不明の頭蓋内損傷	2 050	15	14	23	31	28	111	66	20	140	146	119	104	111	125	110	113	124	139	170	163	145	67	53	16	-	-	8	N854
	男 M.	1 556	10	8	18	21	22	79	47	13	119	124	108	90	99	104	85	91	97	107	118	106	86	36	31	8	-	-	8	
	女 F.	494	5	6	5	10	6	32	19	7	21	22	11	14	12	21	25	22	27	32	52	57	59	31	22	8	-	-	-	
(N860～N869)	胸，腹および骨盤腔の内部損傷	5 009	6	19	37	52	37	151	154	40	342	620	448	464	497	484	391	302	280	277	189	151	111	69	25	2	2	-	10	(N860～N869)
	男 M.	4 060	3	13	22	28	22	88	97	33	308	530	396	400	435	409	322	248	222	209	132	98	67	41	15	2	-	-	8	
	女 F.	949	3	6	15	24	15	63	57	7	34	90	52	64	62	75	69	54	58	68	57	53	44	28	10	-	2	-	2	
N860	外傷性気胸および血胸	227	-	-	1	2	2	5	6	1	18	24	7	19	18	16	18	15	14	19	11	17	11	7	1	-	-	-	-	N860
	男 M.	176	-	-	1	-	-	1	3	1	17	20	3	14	16	14	15	13	12	16	9	12	4	5	1	-	-	-	-	
	女 F.	51	-	-	-	2	2	4	3	-	1	4	4	5	2	2	3	2	2	3	2	5	7	2	-	-	-	-	-	
N861	心臓および肺の損傷	1 181	2	2	9	13	6	32	19	8	89	174	117	101	101	130	85	69	61	73	40	30	25	19	7	-	-	-	1	N861
	男 M.	976	1	2	7	6	4	20	10	7	81	146	109	88	87	115	65	57	49	60	27	21	17	13	4	-	-	-	-	
	女 F.	205	1	-	2	7	2	12	9	1	8	28	8	13	14	15	20	12	12	13	13	9	8	6	3	-	-	-	1	

第1表 死　亡　者　数，性・年齢（5才階級）・死因（基本分類）別

TABLE 1　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
N862	その他および詳細不明の胸腔内臓器の損傷	822	2	3	4	5	4	18	7	6	54	118	92	87	71	75	73	52	55	40	22	20	16	12	3	-	-	-	1	N862
	男 M.	689	1	2	2	3	2	10	2	3	49	105	83	75	58	65	63	45	46	31	19	15	11	7	1	-	-	-	1	
	女 F.	133	1	1	2	2	2	8	5	3	5	13	9	12	13	10	10	7	9	9	3	5	5	5	2	-	-	-	-	
N863	胃腸管の損傷	317	-	-	3	1	2	6	6	3	11	16	24	34	44	42	31	23	20	14	17	9	10	5	2	-	-	-	-	N863
	男 M.	270	-	-	2	1	1	4	5	2	10	14	24	32	41	34	28	19	17	10	12	6	7	3	2	-	-	-	-	
	女 F.	47	-	-	1	-	1	2	1	1	1	2	-	2	3	8	3	4	3	4	5	3	3	2	-	-	-	-	-	
N864	肝臓の損傷	194	-	1	3	2	1	7	11	2	27	24	8	26	28	17	10	12	5	4	6	3	2	1	1	-	-	-	-	N864
	男 M.	157	-	1	2	2	1	6	7	2	26	21	7	21	21	13	9	10	3	3	2	3	1	1	1	-	-	-	-	
	女 F.	37	-	-	1	-	-	1	4	-	1	3	1	5	7	4	1	2	2	1	4	-	1	-	-	-	-	-	-	
N865	脾臓の損傷	38	-	1	-	-	-	1	3	-	1	8	6	3	4	3	1	3	-	2	3	-	-	-	-	-	-	-	-	N865
	男 M.	34	-	1	-	-	-	1	3	-	1	7	6	3	3	3	-	3	-	2	2	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
N866	腎臓の損傷	127	-	-	-	-	1	1	4	-	7	9	6	14	10	11	10	11	10	11	1	8	6	6	2	-	-	-	-	N866
	男 M.	92	-	-	-	-	-	-	3	-	7	9	5	9	9	8	8	7	9	7	-	2	5	3	1	-	-	-	-	
	女 F.	35	-	-	-	-	1	1	1	-	-	-	1	5	1	3	2	4	1	4	1	6	1	3	1	-	-	-	-	
N867	骨盤腔内臓器の損傷	25	-	-	-	-	-	-	-	-	2	4	1	2	2	1	1	-	3	2	3	-	3	1	-	-	-	-	-	N867
	男 M.	21	-	-	-	-	-	-	-	-	1	4	-	2	2	1	1	-	3	2	3	-	2	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
N868	その他および詳細不明の腹腔内臓器の損傷	1 239	-	9	13	18	15	55	71	10	88	132	198	109	131	113	80	68	71	68	51	40	26	11	8	1	1	-	7	N868
	男 M.	980	-	5	6	12	11	34	49	9	77	109	87	96	120	94	64	57	52	45	35	22	13	5	5	1	-	-	6	
	女 F.	259	-	4	7	6	4	21	22	1	11	23	11	13	11	19	16	11	19	23	16	18	13	6	3	-	1	-	1	
N869	詳細不明または胸腔および腹腔内臓器を含む内部損傷	839	2	3	4	11	6	26	27	10	45	111	89	69	88	76	82	49	41	44	35	24	12	7	1	1	1	-	1	N869
	男 M.	665	1	2	2	4	3	12	15	9	39	95	72	60	78	62	69	37	31	33	23	17	7	4	-	1	-	-	1	
	女 F.	174	1	1	2	7	3	14	12	1	6	16	17	9	10	14	13	12	10	11	12	7	5	3	1	-	1	-	-	
（N870～N879）	頭，頸および体幹の裂傷および開放創	690	2	2	3	2	1	10	13	8	21	83	94	72	74	69	65	37	28	35	23	21	12	15	6	1	-	-	3	（N870～N879）
	男 M.	492	-	1	1	1	-	3	7	7	14	58	65	58	59	52	50	27	18	23	13	16	7	10	2	-	-	-	3	
	女 F.	198	2	1	2	1	1	7	6	1	7	25	29	14	15	17	15	10	10	12	10	5	5	5	4	1	-	-	-	
N870	眼および眼窩の開放創	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	N870
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
N871	眼の脱出	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N871
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N872	耳の開放創	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N872
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N873	その他および詳細不明の頭の裂傷	31	-	1	-	-	-	1	2	-	-	3	2	2	2	1	3	2	2	2	3	1	1	4	2	-	-	-	-	N873
	男 M.	21	-	1	-	-	-	1	1	-	-	3	2	2	2	1	3	2	-	1	1	1	1	1	1	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	2	-	-	3	1	-	-	-	-	
N874	頸の開放創	404	-	1	2	-	-	3	7	3	14	45	44	39	44	43	43	24	23	25	15	14	7	7	2	1	-	-	1	N874
	男 M.	281	-	-	1	-	-	1	5	2	8	30	25	31	35	33	33	16	16	15	8	10	4	7	1	-	-	-	1	
	女 F.	123	-	1	1	-	-	2	2	1	6	15	19	8	9	10	10	8	7	10	7	4	3	-	1	1	-	-	-	
N875	胸（壁）の開放創	55	-	-	-	-	-	-	1	1	-	11	9	8	8	7	2	2	1	3	1	1	-	-	-	-	-	-	-	N875
	男 M.	44	-	-	-	-	-	-	-	1	-	8	8	6	8	5	2	1	-	3	1	1	-	-	-	-	-	-	-	
	女 F.	11	-	-	-	-	-	-	1	-	-	3	1	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	
N876	背の開放創	11	-	-	-	-	1	1	-	-	-	-	2	1	1	2	-	-	-	1	-	1	-	2	-	-	-	-	-	N876
	男 M.	8	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	1	-	1	-	-	-	-	-	
	女 F.	3	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
N877	臀の開放創	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N877
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
N878	性器の開放創（外傷性切断を含む）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N878
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N879	その他，多発および詳細不明の頭，頸および体幹の開放創	188	2	-	1	2	-	5	3	4	7	24	37	22	21	16	17	9	2	4	4	4	4	2	1	-	-	-	2	N879
	男 M.	138	-	-	-	1	-	1	1	4	6	17	29	18	15	11	12	8	2	3	3	3	2	1	-	-	-	-	2	
	女 F.	50	2	-	1	1	-	4	2	-	1	7	8	4	6	5	5	1	-	1	1	1	2	1	1	-	-	-	-	
（N880～N887）	上肢の裂傷および開放創	62	-	-	1	-	-	1	-	-	1	9	7	3	7	5	4	9	4	6	3	2	1	-	-	-	-	-	-	（N880～N887）
	男 M.	50	-	-	1	-	-	1	-	-	1	8	6	2	4	4	3	8	2	5	3	2	1	-	-	-	-	-	-	
	女 F.	12	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	
N880	肩および上腕の開放創	4	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	N880
	男 M.	4	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N881	肘，前腕および手首の開放創	34	-	-	1	-	-	1	-	-	1	8	2	2	4	2	1	5	2	2	2	2	-	-	-	-	-	-	-	N881
	男 M.	24	-	-	1	-	-	1	-	-	1	7	1	1	1	2	1	4	-	1	2	2	-	-	-	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	
N882	手の開放創（手指のみを除く）	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	N882
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N883	手指の開放創	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N883
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N884	上肢の多発および詳細不明の開放創	11	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	1	-	1	1	-	-	-	-	-	-	-	-	N884
	男 M.	9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	1	1	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
N885	手母指の外傷性切断（全部）（一部）	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	N885
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N886	その他の指の外傷性切断（全部）（一部）	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	N886
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N887	腕および手の外傷性切断（全部）（一部）	8	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	3	-	1	-	-	-	-	-	-	-	-	-	N887
	男 M.	8	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	3	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
（N890～N897）	下肢の裂傷および開放創	90	-	-	2	-	2	4	-	2	8	4	8	7	7	7	5	8	7	6	6	3	3	3	2	-	-	-	-	（N890～N897）
	男 M.	70	-	-	1	-	1	2	-	2	7	3	6	7	7	5	4	8	5	5	4	3	-	-	2	-	-	-	-	
	女 F.	20	-	-	1	-	1	2	-	-	1	1	2	-	-	2	1	-	2	1	2	-	3	3	-	-	-	-	-	
N890	股および大腿の開放創	41	-	-	-	-	1	1	-	2	4	1	4	2	1	6	3	6	4	4	3	-	-	-	-	-	-	-	-	N890
	男 M.	36	-	-	-	-	-	-	-	2	4	1	4	2	1	4	3	6	3	3	3	-	-	-	-	-	-	-	-	
	女 F.	5	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
N891	膝，脚（大腿を除く）および足首の開放創	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	N891
	男 M.	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N892	足の開放創（足指のみを除く）	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	N892
	男 M.	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N893	足指の開放創	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N893
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N894	下肢の多発および詳細不明の開放創	17	-	-	1	-	1	2	-	-	2	1	2	2	2	-	1	-	1	1	-	1	-	2	-	-	-	-	-	N894
	男 M.	14	-	-	-	-	1	1	-	-	2	1	2	2	2	-	1	-	1	1	-	1	-	2	-	-	-	-	-	
	女 F.	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
N895	足指の外傷性切断（全部）（一部）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N895
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N896	足の外傷性切断（全部）（一部）	4	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	N896
	男 M.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
N897	脚の外傷性切断（全部）（一部）	20	-	-	-	-	-	-	-	-	-	1	2	3	3	-	1	2	2	-	-	1	2	1	2	-	-	-	-	N897
	男 M.	12	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	2	1	-	-	1	-	-	2	-	-	-	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	-	-	2	1	-	-	-	-	-	
（N900～N907）	多箇所にわたる裂傷および開放創	549	2	5	2	7	4	20	8	6	31	82	68	73	51	38	33	20	32	17	15	14	21	13	2	-	-	-	5	（N900～N907）
	男 M.	347	2	2	-	5	3	12	5	5	14	55	49	46	37	30	24	10	18	9	6	9	11	2	-	-	-	-	5	
	女 F.	202	-	3	2	2	1	8	3	1	17	27	19	27	14	8	9	10	14	8	9	5	10	11	2	-	-	-	-	
N900	両側上肢の多発開放創	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	N900
	男 M.	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
N901	両側下肢の多発開放創	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	N901
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N902	下肢を伴う上肢の多発開放創	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	N902
	男 M.	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	
N903	両手の多発開放創	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N903
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N904	体肢を伴う頭の多発開放創	6	-	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	N904
	男 M.	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
N905	体肢を伴う体幹の多発開放創	36	-	-	-	2	1	3	1	1	2	3	7	4	7	2	-	-	4	2	-	-	-	-	-	-	-	-	-	N905
	男 M.	27	-	-	-	2	1	3	1	1	2	2	5	4	5	1	-	-	1	2	-	-	-	-	-	-	-	-	-	
	女 F.	9	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	3	-	-	-	-	-	-	-	-	-	-	
N906	体肢を伴う顔の多発開放創	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	N906
	男 M.	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N907	その他および部位不明の多発開放創	488	2	5	2	5	3	17	7	5	28	75	58	67	44	35	30	19	28	12	14	13	19	12	-	-	-	-	5	N907
	男 M.	304	2	2	-	3	2	9	4	4	11	50	42	41	32	28	22	9	17	5	6	8	9	2	-	-	-	-	5	
	女 F.	184	-	3	2	2	1	8	3	1	17	25	16	26	12	7	8	10	11	7	8	5	10	10	-	-	-	-	-	
（N910～N918）	表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	（N910～N918）
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N910	顔，頸，頭皮の表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N910
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N911	体幹の表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N911
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N912	肩および上腕の表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N912
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N913	肘，前腕および手首の表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N913
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
N914	手の表在損傷（手指のみを除く）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N914
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N915	手指の表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N915
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N916	股，大腿，脚および足首の表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N916
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N917	足および足指の表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N917
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N918	その他，多発および部位不明の表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N918
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N920～N929)	挫傷および破砕(皮膚表面に損傷のないもの)	518	5	3	5	6	3	22	11	6	25	56	35	43	26	27	27	25	26	28	26	29	31	33	23	12	4	1	2	(N920～N929)
	男 M.	344	2	1	3	5	2	13	7	3	21	47	29	36	19	23	22	19	17	16	16	12	16	14	8	2	2	1	1	
	女 F.	174	3	2	2	1	1	9	4	3	4	9	6	7	7	4	5	6	9	12	10	17	15	19	15	10	2	-	1	
N920	顔，頭皮および頸の挫傷（眼を除く）	23	1	-	-	-	-	1	-	-	-	1	-	3	2	1	1	4	1	1	1	1	3	2	1	-	-	-	-	N920
	男 M.	18	1	-	-	-	-	1	-	-	-	-	-	3	2	1	1	3	1	-	1	-	2	2	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	
N921	眼および眼窩の挫傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N921
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N922	体幹の挫傷	159	-	-	-	1	1	2	2	1	10	8	13	12	11	8	11	4	7	6	7	11	10	17	12	4	2	1	-	N922
	男 M.	116	-	-	-	1	1	2	1	-	9	8	12	11	9	8	10	4	6	6	5	4	6	8	4	-	2	1	-	
	女 F.	43	-	-	-	-	-	-	1	1	1	-	1	1	2	-	1	-	1	-	2	7	4	9	8	4	-	-	-	
N923	肩および上腕の挫傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N923
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N924	肘，前腕および手首の挫傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N924
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N925	手の挫傷（手指のみを除く）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N925
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N926	手指の挫傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N926
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N927	股，大腿，脚および足首の挫傷	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	2	1	-	-	N927
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	-	
N928	足および足指の挫傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N928
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N929	その他，多発および部位不明の挫傷	327	4	3	5	5	2	19	9	5	15	47	22	28	13	17	15	17	18	21	18	16	17	12	9	6	1	-	2	N929
	男 M.	208	1	1	3	4	1	10	6	3	12	38	17	22	8	13	11	12	10	10	10	8	8	4	3	2	-	-	1	
	女 F.	119	3	2	2	1	1	9	3	2	3	9	5	6	5	4	4	5	8	11	8	8	9	8	6	4	1	-	1	
(N930～N939)	孔口への異物侵入	1 060	265	51	12	8	6	342	10	3	10	14	10	12	9	18	11	30	36	74	102	130	110	87	28	19	1	2	2	(N930～N939)
	男 M.	721	150	30	9	6	2	197	7	1	6	12	7	8	6	16	8	23	27	59	82	101	82	49	18	8	1	1	2	
	女 F.	339	115	21	3	2	4	145	3	2	4	2	3	4	3	2	3	7	9	15	20	29	28	38	10	11	-	1	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N930	眼および附属器の異物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N931	耳の異物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N932	鼻の異物	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
N933	咽頭および喉頭の異物	889	229	37	6	3	4	279	7	1	10	8
	男 M.	610	130	19	4	3	2	158	6	-	6	7
	女 F.	279	99	18	2	-	2	121	1	1	4	1
N934	気管支および肺の異物	162	36	13	6	5	2	62	2	2	-	6
	男 M.	104	20	10	5	3	-	38	1	1	-	5
	女 F.	58	16	3	1	2	2	24	1	1	-	1
N935	口，食道，胃の異物	7	-	-	-	-	-	-	1	-	-	-
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	1	-	-	-
N936	小腸および結腸の異物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N937	肛門および直腸の異物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N938	詳細不明の消化器系の異物	1	-	1	-	-	-	1	-	-	-	-
	男 M.	1	-	1	-	-	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N939	性尿路の異物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(N940～N949)	熱傷	2 406	73	108	71	57	33	342	90	42	80	176
	男 M.	1 434	37	65	38	31	16	187	54	21	56	108
	女 F.	972	36	43	33	26	17	155	36	21	24	68
N940	眼の熱傷	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N941	顔，頭および頸の熱傷	8	-	-	-	-	-	-	-	-	-	-
	男 M.	5	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-	-
N942	体幹の熱傷	19	-	1	3	1	1	6	1	-	-	1
	男 M.	4	-	1	2	-	-	3	-	-	-	-
	女 F.	15	-	-	1	1	1	3	1	-	-	1
N943	上肢の熱傷（手首および手を除く）	3	-	-	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
N944	手首および手の熱傷	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N945	下肢の熱傷	40	2	1	-	1	-	4	-	-	1	1
	男 M.	23	2	1	-	1	-	4	-	-	-	-
	女 F.	17	-	-	-	-	-	-	-	-	1	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N930
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N931
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	N932
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
8	10	8	14	10	24	32	58	94	112	93	77	23	17	-	2	2	N933
5	7	5	13	7	18	26	48	75	92	69	43	15	7	-	1	2	
3	3	3	1	3	6	6	10	19	20	24	34	8	10	-	1	-	
2	2	1	4	1	5	4	14	7	15	17	10	5	2	1	-	-	N934
2	1	1	3	1	5	1	9	6	6	13	6	3	1	1	-	-	
-	1	-	1	-	-	3	5	1	9	4	4	2	1	-	-	-	
-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	N935
-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N936
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N937
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N938
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N939
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
120	105	101	95	89	77	102	126	160	231	221	129	81	26	6	-	7	(N940～N949)
80	73	68	69	61	53	61	84	93	142	119	59	30	9	2	-	5	
40	32	33	26	28	24	41	42	67	89	102	70	51	17	4	-	2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N940
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	1	4	1	1	-	-	-	-	N941
-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	
-	-	-	-	-	-	1	-	-	2	2	3	3	-	-	-	-	N942
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	1	-	-	2	2	3	2	-	-	-	-	
-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	N943
-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N944
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	2	1	3	5	4	6	6	6	-	-	-	-	N945
-	-	-	-	-	1	1	2	3	2	5	3	2	-	-	-	-	
-	-	-	-	1	1	-	1	2	2	1	3	4	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
N946	体肢を伴う顔，頭および頸の熱傷	28	2	2	-	-	-	4	-	-	-	2	2	1	2	1	-	-	1	1	2	4	3	1	3	-	-	-	1	N946
	男 M.	15	1	2	-	-	-	3	-	-	-	-	1	1	-	1	-	-	-	1	2	2	1	-	3	-	-	-	-	
	女 F.	13	1	-	-	-	-	1	-	-	-	2	1	-	2	-	-	-	1	-	-	2	2	1	-	-	-	-	1	
N947	体肢を伴う体幹の熱傷	228	9	16	10	5	3	43	10	1	2	3	4	6	1	1	4	8	8	12	23	31	29	26	8	5	3	-	-	N947
	男 M.	115	5	10	4	4	1	24	9	-	2	3	4	6	-	1	1	4	3	6	12	13	14	9	2	2	-	-	-	
	女 F.	113	4	6	6	1	2	19	1	1	-	3	-	-	1	-	3	4	5	6	11	18	15	17	6	3	3	-	-	
N948	体幹および体肢を伴う顔，頭，頸の熱傷	1 912	51	82	50	48	29	260	77	38	72	160	112	93	90	82	77	63	84	103	113	174	158	76	53	19	2	-	6	N948
	男 M.	1 166	23	48	27	26	15	139	44	19	51	99	73	61	62	59	54	46	51	70	64	117	87	38	20	6	1	-	5	
	女 F.	746	28	34	23	22	14	121	33	19	21	61	39	32	28	23	23	17	33	33	49	57	71	38	33	13	1	-	1	
N949	その他および部位不明の熱傷	168	9	6	8	2	-	25	2	3	5	9	2	5	8	11	7	3	6	7	16	15	19	15	7	2	1	-	-	N949
	男 M.	104	6	3	5	-	-	14	1	2	3	6	2	5	6	8	6	1	5	5	12	7	10	7	2	1	1	-	-	
	女 F.	64	3	3	3	2	-	11	1	1	2	3	-	-	2	3	1	2	1	2	4	8	9	8	5	1	-	-	-	
(N950～N959)	神経および脊髄の損傷	560	2	1	2	3	1	9	4	1	26	42	28	30	31	42	46	58	54	57	51	43	27	10	1	-	-	-	-	(N950～N959)
	男 M.	473	1	1	1	2	-	5	2	1	24	37	25	27	30	36	34	54	42	48	47	33	21	6	1	-	-	-	-	
	女 F.	87	1	-	1	1	1	4	2	-	2	5	3	3	1	6	12	4	12	9	4	10	6	4	-	-	-	-	-	
N950	視神経損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N950
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N951	その他の脳神経損傷	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N951
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N952	上腕の神経損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N952
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N953	前腕の神経損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N953
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N954	手首および手の神経損傷	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	N954
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
N955	大腿の神経損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N955
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N956	下腿の神経損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N956
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N957	足首および足の神経損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N957
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N958	脊椎骨損傷の形跡のない脊髄損傷	556	2	1	1	3	1	8	3	1	26	42	28	30	31	42	46	58	53	57	51	43	27	9	1	-	-	-	-	N958
	男 M.	472	1	1	1	2	-	5	2	1	24	37	25	27	30	36	34	54	41	48	47	33	21	6	1	-	-	-	-	
	女 F.	84	1	-	-	1	1	3	1	-	2	5	3	3	1	6	12	4	12	9	4	10	6	3	-	-	-	-	-	
N958.0 N958.1	頸神経	368	1	1	1	3	1	7	3	1	23	29	22	22	22	26	34	35	33	40	28	24	15	4	-	-	-	-	-	N958.0 N958.1
	男 M.	315	-	1	1	2	-	4	2	1	21	27	19	20	22	21	23	34	29	34	27	16	12	3	-	-	-	-	-	
	女 F.	53	1	-	-	1	1	3	1	-	2	2	3	2	-	5	11	1	4	6	1	8	3	1	-	-	-	-	-	
N958.2 N958.3	胸神経および腰神経	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	N958.2 N958.3
	男 M.	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	
N958.4 N958.5	仙骨神経	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	N958.4 N958.5
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
N958.6〕～N958.9〕	詳細不明および後遺症，各神経	183	-	-	-	-	-	-	-	-	3	13	6	8	9	16	11	23	19	17	22	19	11	5	1	-	-	-	-	〔N958.6〕～N958.9
	男 M.	154	-	-	-	-	-	-	-	-	3	10	6	7	8	15	10	20	12	14	19	17	9	3	1	-	-	-	-	
	女 F.	29	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	3	7	3	3	2	2	2	-	-	-	-	-	
N959	その他の神経損傷（数箇所の神経損傷を含む）	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	N959
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
（N960～N989）	化学物質の有害作用	5 835	39	25	27	26	23	140	89	42	367	1 023	717	555	498	473	379	294	298	245	249	192	153	70	28	7	-	-	16	（N960～N989）
	男 M.	3 086	21	12	14	15	11	73	41	29	201	506	387	283	262	272	221	156	155	133	130	97	79	33	14	3	-	-	11	
	女 F.	2 749	18	13	13	11	12	67	48	13	166	517	330	272	236	201	158	138	143	112	119	95	74	37	14	4	-	-	5	
（N960～N979）	医薬品の有害作用〔Adverse effect〕	690	-	2	3	2	-	7	4	3	58	164	99	65	54	61	30	33	16	31	22	18	11	6	2	-	-	-	6	（N960～N979）
	男 M.	357	-	-	1	1	-	2	3	2	32	85	59	30	28	36	13	18	7	14	9	9	3	3	1	-	-	-	3	
	女 F.	333	-	2	2	1	-	5	1	1	26	79	40	35	26	25	17	15	9	17	13	9	8	3	1	-	-	-	3	
N960	抗生物質の有害作用	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	N960
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N961	その他の抗感染物質の有害作用	3	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	N961
	男 M.	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N962	ホルモンおよび合成代用薬の有害作用	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	N962
	男 M.	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
N963	主として全身に作用する薬剤の有害作用	3	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N963
	男 M.	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N964	主として血液成分に作用する薬剤の有害作用	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N964
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N965	鎮痛薬および下熱薬の有害作用	29	-	1	-	1	-	2	2	1	7	6	1	1	1	3	1	1	-	2	1	-	-	-	-	-	-	-	-	N965
	男 M.	17	-	-	-	-	-	-	2	1	5	3	-	-	1	1	-	1	-	2	1	-	-	-	-	-	-	-	-	
	女 F.	12	-	1	-	1	-	2	-	-	2	3	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
N965.0	阿片および合成類似体	3	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N965.0
	男 M.	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N965.1	サリチル酸および同属体	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	N965.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
N965.4	アニリン誘導体	8	-	-	-	-	-	-	-	-	1	2	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	N965.4
	男 M.	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
N965.2〕N965.3〕N965.5〕N965.9〕	その他	17	-	1	-	-	-	1	-	1	6	4	1	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	〔N965.2〕N965.3〕N965.5〕N965.9
	男 M.	11	-	-	-	-	-	-	-	1	4	3	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	
	女 F.	6	-	1	-	-	-	1	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
N966	抗けいれん薬の有害作用	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N966
	男 M.	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N967	その他の鎮静薬および睡眠薬の有害作用	454	-	-	1	-	-	1	1	-	41	110	54	44	38	44	21	23	13	19	12	16	7	4	2	-	-	-	4	N967
	男 M.	245	-	-	-	-	-	-	-	-	23	60	36	22	21	27	10	13	5	7	5	9	1	3	1	-	-	-	2	
	女 F.	209	-	-	1	-	-	1	1	-	18	50	18	22	17	17	11	10	8	12	7	7	6	1	1	-	-	-	2	
N967.0	バルビツール剤	28	-	-	-	-	-	-	-	-	4	7	2	1	1	4	1	2	1	-	1	1	1	1	-	-	-	-	1	N967.0
	男 M.	10	-	-	-	-	-	-	-	-	1	3	1	-	-	2	1	-	1	-	-	1	1	1	-	-	-	-	-	
	女 F.	18	-	-	-	-	-	-	-	-	3	4	1	1	1	2	-	2	-	-	1	1	1	-	-	-	-	-	1	

第1表　死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年

1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N967.1	抱水クロラール	2	-	-	-	-	-	-	-	-	1	-
	男 M.	2	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N967.3	臭化物	153	-	-	1	-	-	1	-	-	14	38
	男 M.	92	-	-	-	-	-	-	-	-	8	24
	女 F.	61	-	-	1	-	-	1	-	-	6	14
N967.2 N967.9	その他	271	-	-	-	-	-	-	1	-	22	65
	男 M.	141	-	-	-	-	-	-	-	-	13	33
	女 F.	130	-	-	-	-	-	-	1	-	9	32
N968	その他の中枢神経系抑制薬の有害作用	12	-	-	-	-	-	-	-	-	-	5
	男 M.	6	-	-	-	-	-	-	-	-	-	2
	女 F.	6	-	-	-	-	-	-	-	-	-	3
N969	局所麻酔薬の有害作用	4	-	-	-	-	-	-	-	2	-	-
	男 M.	2	-	-	-	-	-	-	-	1	-	-
	女 F.	2	-	-	-	-	-	-	-	1	-	-
N970	精神治療薬の有害作用	142	-	-	-	-	-	-	-	-	9	35
	男 M.	60	-	-	-	-	-	-	-	-	4	16
	女 F.	82	-	-	-	-	-	-	-	-	5	19
N971	その他の中枢神経系興奮薬の有害作用	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N972	主として自律神経系に作用する薬剤の有害作用	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N973	主として心血管系に作用する薬剤の有害作用	2	-	-	-	-	-	-	1	-	-	-
	男 M.	1	-	-	-	-	-	-	1	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
N974	主として胃腸系に作用する薬物の有害作用	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N975	利尿薬の有害作用	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N976	直接に筋骨格系に作用する薬剤の有害作用	1	-	-	-	-	-	-	-	-	-	1
	男 M.	1	-	-	-	-	-	-	-	-	-	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N977	その他および詳細不明の薬物の有害作用	21	-	-	1	1	-	2	-	-	-	1
	男 M.	11	-	-	1	1	-	2	-	-	-	-
	女 F.	10	-	-	-	-	-	-	-	-	-	1
N978	2種以上の明示された複合医薬品の有害作用	12	-	-	-	-	-	-	-	-	1	4
	男 M.	4	-	-	-	-	-	-	-	-	-	1
	女 F.	8	-	-	-	-	-	-	-	-	1	3
N979	明示された医薬品とアルコールの複合物質の有害作用	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(N980～N989)	薬用を主としない物質の毒作用	5 145	39	23	24	24	23	133	85	39	309	859
	男 M.	2 729	21	12	13	14	11	71	38	27	169	421
	女 F.	2 416	18	11	11	10	12	62	47	12	140	438
N980	アルコールの毒作用	12	-	-	-	-	-	-	1	-	4	1
	男 M.	9	-	-	-	-	-	-	1	-	2	-
	女 F.	3	-	-	-	-	-	-	-	-	2	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N967.1
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
18	12	17	10	9	6	4	8	4	6	4	1	1	-	-	-	-	N967.3
13	5	11	8	3	5	3	3	2	4	1	1	1	-	-	-	-	
5	7	6	2	6	1	1	5	2	2	3	-	-	-	-	-	-	
34	30	20	30	11	15	8	11	7	9	2	2	1	-	-	-	3	N967.2 N967.9
22	16	10	17	6	8	1	4	3	5	-	1	-	-	-	-	2	
12	14	10	13	5	7	7	7	4	4	2	1	1	-	-	-	1	
-	2	-	4	-	-	-	1	-	-	-	-	-	-	-	-	-	N968
-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	N969
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
35	16	12	6	7	5	2	5	6	1	1	1	-	-	-	-	1	N970
18	5	4	3	2	2	2	1	2	-	1	-	-	-	-	-	-	
17	11	8	3	5	3	-	4	4	1	-	1	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N971
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N972
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	N973
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N974
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N975
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N976
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	2	2	-	2	1	3	2	1	2	-	-	-	-	-	1	N977
1	-	1	2	-	1	-	2	-	-	1	-	-	-	-	-	1	
1	-	1	-	-	1	1	1	2	1	1	-	-	-	-	-	-	
4	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	N978
1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N979
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
618	490	444	412	349	261	282	214	227	174	142	64	26	7	-	-	10	(N980～N989)
328	253	234	236	208	138	148	119	121	88	76	30	13	3	-	-	8	
290	237	210	176	141	123	134	95	106	86	66	34	13	4	-	-	2	
-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	N980
-	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第1表　死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
N981	石油製品の毒作用	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	1	1	-	-	-	-	-	-	N981
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	1	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
N982	工業溶媒の毒作用	14	-	-	-	-	-	-	-	-	1	3	-	3	1	1	1	1	1	1	-	1	-	-	-	-	-	-	-	N982
	男 M.	10	-	-	-	-	-	-	-	-	1	3	-	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	
N983	腐食性芳香族，酸およびカセイアルカリの毒作用	150	1	-	-	1	-	2	1	1	2	12	9	10	10	18	8	15	16	14	10	10	8	3	1	-	-	-	-	N983
	男 M.	64	-	-	-	-	-	-	1	1	2	5	2	4	5	7	6	5	7	9	4	1	4	2	-	-	-	-	-	
	女 F.	86	1	-	-	1	-	2	1	-	-	7	7	6	5	11	2	10	9	5	6	9	4	1	1	-	-	-	-	
N983.0	腐食性芳香族	61	-	-	-	1	-	1	1	-	1	6	7	4	6	9	3	7	4	4	1	3	4	-	-	-	-	-	-	N983.0
	男 M.	18	-	-	-	-	-	-	-	-	1	1	-	1	2	3	2	1	2	2	1	1	1	-	-	-	-	-	-	
	女 F.	43	-	-	-	1	-	1	1	-	-	5	7	3	4	6	1	6	2	2	-	2	3	-	-	-	-	-	-	
N983.1	酸	54	1	-	-	-	-	1	-	-	1	4	1	4	3	3	2	4	10	8	3	4	4	2	-	-	-	-	-	N983.1
	男 M.	30	-	-	-	-	-	-	-	-	1	3	1	3	3	-	1	3	3	6	2	-	3	1	-	-	-	-	-	
	女 F.	24	1	-	-	-	-	1	-	-	-	1	-	1	-	3	1	1	7	2	1	4	1	1	-	-	-	-	-	
N983.2	カセイアルカリ	9	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	1	-	1	-	-	-	-	-	-	-	-	N983.2
	男 M.	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	
N983.9	詳細不明の腐食剤	26	-	-	-	-	-	-	-	1	-	1	1	1	1	5	2	1	1	2	5	3	-	1	1	-	-	-	-	N983.9
	男 M.	11	-	-	-	-	-	-	-	1	-	-	1	-	-	3	2	-	1	1	1	-	-	1	1	-	-	-	-	
	女 F.	15	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	1	4	3	-	-	1	-	-	-	-	
N984	鉛およびその化合物の毒作用（煙霧を含む）	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	N984
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N985	その他の薬用を主としない金属の毒作用	26	-	-	-	-	-	-	-	-	3	4	1	2	-	-	1	1	3	2	3	-	3	1	2	-	-	-	-	N985
	男 M.	11	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	1	2	2	-	-	1	-	-	-	-	-	-	
	女 F.	15	-	-	-	-	-	-	-	-	2	2	-	2	-	-	-	-	1	-	3	-	2	1	2	-	-	-	-	
N986	一酸化炭素の毒作用	3 110	32	18	21	21	22	114	72	31	187	573	441	322	253	227	189	125	132	101	113	91	78	34	18	6	-	-	3	N986
	男 M.	1 576	19	10	12	13	11	65	31	21	90	260	226	162	122	130	105	65	65	59	52	50	42	16	10	3	-	-	2	
	女 F.	1 534	13	8	9	8	11	49	41	10	97	313	215	160	131	97	84	60	67	42	61	41	36	18	8	3	-	-	1	
N987	その他のガス，煙霧または蒸気の毒作用	432	2	-	1	-	-	3	4	5	60	112	60	36	34	29	25	11	17	10	8	10	4	2	1	-	-	-	1	N987
	男 M.	285	-	-	-	-	-	-	1	4	46	76	36	19	24	19	16	4	13	9	8	6	2	-	1	-	-	-	1	
	女 F.	147	2	-	1	-	-	3	3	1	14	36	24	17	10	10	9	7	4	1	-	4	2	2	-	-	-	-	-	
N988	有毒食品の毒作用	28	-	-	-	-	-	-	-	-	-	-	-	3	1	5	1	2	3	5	6	2	-	-	-	-	-	-	-	N988
	男 M.	21	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	1	3	4	4	2	-	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-	
N988.0	貝	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N988.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N988.1	きのこ	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	N988.1
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N988.2	その他の食用植物	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N988.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N988.9	その他	27	-	-	-	-	-	-	-	-	-	-	-	3	1	4	1	2	3	5	6	2	-	-	-	-	-	-	-	N988.9
	男 M.	20	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	3	4	4	2	-	-	-	-	-	-	-	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-	
N989	その他の薬用を主としない物質の毒作用	1 361	4	5	2	2	1	14	7	2	52	154	107	114	139	129	122	104	109	80	86	59	48	24	4	1	-	-	6	N989
	男 M.	745	2	2	1	1	-	6	5	1	27	75	63	63	77	73	77	61	56	35	52	29	26	12	2	-	-	-	5	
	女 F.	616	2	3	1	1	1	8	2	1	25	79	44	51	62	56	45	43	53	45	34	30	22	12	2	1	-	-	1	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N989.0	シアン化物	93	-	-	-	-	-	-	-	-	4	17
	男 M.	76	-	-	-	-	-	-	-	-	2	12
	女 F.	17	-	-	-	-	-	-	-	-	2	5
N989.1	ストリキニーネ	8	-	-	-	-	-	-	-	-	-	-
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-
N989.2 N989.3	農薬	1 003	4	4	1	1	1	11	4	1	35	102
	男 M.	512	2	2	-	1	-	5	2	-	19	49
	女 F.	491	2	2	1	-	1	6	2	1	16	53
N989.4 ～N989.9	その他	257	-	1	1	1	-	3	3	1	13	35
	男 M.	151	-	-	1	-	-	1	3	1	6	14
	女 F.	106	-	1	-	1	-	2	-	-	7	21
(N990～N999)	その他の有害作用	20 481	704	718	397	258	191	2 268	666	352	853	1 660
	男 M.	13 172	398	402	271	184	140	1 395	518	286	703	1 255
	女 F.	7 309	306	316	126	74	51	873	148	66	150	405
N990	放射線の作用	9	-	-	-	-	-	-	-	-	-	-
	男 M.	7	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-
N991	低温の作用	554	4	-	1	1	1	7	2	1	23	72
	男 M.	422	2	-	1	1	1	5	1	-	19	50
	女 F.	132	2	-	-	-	-	2	1	1	4	22
N992	熱作用	42	4	1	-	-	-	5	1	2	2	2
	男 M.	25	2	1	-	-	-	3	1	2	2	1
	女 F.	17	2	-	-	-	-	2	-	-	-	1
N993	気圧の作用	6	-	-	-	-	-	-	-	-	-	-
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N993.3	潜函病	6	-	-	-	-	-	-	-	-	-	-
	男 M.	6	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N993.0 ～N993.2	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N994	その他の外因の作用	19 519	690	713	393	256	186	2 238	659	341	810	1 551
	男 M.	12 471	392	399	268	183	137	1 379	512	279	670	1 183
	女 F.	7 048	298	314	125	73	49	859	147	62	140	368
N994.0	雷撃の作用	25	-	-	-	-	-	-	1	2	4	4
	男 M.	18	-	-	-	-	-	-	1	2	4	3
	女 F.	7	-	-	-	-	-	-	-	-	-	1
N994.1	溺死および死に至らない溺水	8 334	117	636	365	229	165	1 512	593	229	415	674
	男 M.	5 453	65	361	256	166	126	974	469	195	348	529
	女 F.	2 881	52	275	109	63	39	538	124	34	67	145
N994.2	飢餓の作用	16	-	-	-	-	-	-	1	1	-	-
	男 M.	9	-	-	-	-	-	-	1	1	-	-
	女 F.	7	-	-	-	-	-	-	-	-	-	-
N994.3	渇の作用	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N994.4	その他の不良環境曝露の作用	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list numder
14	9	11	6	8	12	7	3	2	-	-	-	-	-	-	-	-	N989.0
11	7	9	5	7	11	7	3	2	-	-	-	-	-	-	-	-	
3	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
1	-	2	2	-	1	-	-	1	1	-	-	-	-	-	-	-	N989.1
1	-	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
64	72	114	103	90	78	81	62	68	45	45	22	4	1	-	-	1	N989.2 N989.3
35	34	59	52	54	43	37	26	40	21	23	10	2	-	-	-	1	
29	38	55	51	36	35	44	36	28	24	22	12	2	1	-	-	-	
28	33	12	18	24	13	21	15	15	13	3	2	-	-	-	-	5	N989.4 ～N989.9
16	22	7	15	16	6	12	6	9	8	3	2	-	-	-	-	4	
12	11	5	3	8	7	9	9	6	5	-	-	-	-	-	-	1	
1 345	1 126	1 158	1 249	1 171	1 012	1 145	1 274	1 364	1 447	1 100	764	315	73	7	1	131	(N990～N999)
998	822	848	935	802	614	690	757	779	731	501	309	107	25	2	1	94	
347	304	310	314	369	398	455	517	585	716	599	455	208	48	5	-	37	
-	-	-	-	2	2	-	2	1	1	1	-	-	-	-	-	-	N990
-	-	-	-	2	2	-	2	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
58	36	32	51	32	38	32	38	33	31	18	32	9	2	2	-	5	N991
49	32	24	48	26	30	22	32	26	22	11	12	6	1	1	-	5	
9	4	8	3	6	8	10	6	7	9	7	20	3	1	1	-	-	
-	1	-	1	2	2	4	2	3	1	3	4	4	3	-	-	-	N992
-	1	-	-	2	2	2	1	2	1	1	-	3	1	-	-	-	
-	-	-	1	-	-	2	1	1	-	2	4	1	2	-	-	-	
3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	N993
3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	N993.3
3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N993.0 ～N993.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 262	1 072	1 095	1 176	1 113	957	1 090	1 204	1 310	1 391	1 054	712	297	66	5	1	115	N994
927	774	798	872	752	568	651	699	740	693	478	292	96	23	1	1	83	
335	298	297	304	361	389	439	505	570	698	576	420	201	43	4	-	32	
-	1	1	2	4	2	3	-	-	-	-	-	1	-	-	-	-	N994.0
-	-	1	1	2	1	3	-	-	-	-	-	-	-	-	-	-	
-	1	-	1	2	1	-	-	-	-	-	-	1	-	-	-	-	
563	378	379	453	424	319	345	339	404	444	373	278	121	29	2	-	60	N994.1
415	288	287	344	304	197	215	178	219	191	139	88	27	10	1	-	35	
148	90	92	109	120	122	130	161	185	253	234	190	94	19	1	-	25	
1	1	4	-	1	-	1	1	1	2	1	-	1	-	-	-	-	N994.2
-	1	1	-	1	-	1	1	1	-	-	-	1	-	-	-	-	
1	-	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N994.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	N994.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	

第1表 死　亡　者　数，

TABLE 1　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（基本分類）別

(DETAILED LIST) BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	0才 Year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N994.5	過労	4	-	-	-	-	-	-	-	-	1	1
	男 M.	4	-	-	-	-	-	-	-	-	1	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N994.6	動揺病	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
N994.7	窒息および絞首	10 747	572	77	28	27	21	725	61	107	349	746
	男 M.	6 601	326	38	12	17	11	404	38	79	276	524
	女 F.	4 146	246	39	16	10	10	321	23	28	73	222
N994.8	電撃死および死に至らない電撃傷	389	-	-	-	-	-	-	3	2	41	126
	男 M.	384	-	-	-	-	-	-	3	2	41	126
	女 F.	5	-	-	-	-	-	-	-	-	-	-
N994.9	その他	2	1	-	-	-	-	1	-	-	-	-
	男 M.	2	1	-	-	-	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N995	外傷の早期合併症	120	-	1	1	-	1	3	1	1	8	6
	男 M.	79	-	-	1	-	-	1	1	1	6	4
	女 F.	41	-	1	-	-	1	2	-	-	2	2
N996	その他および詳細不明の損傷	207	5	1	2	-	3	11	3	4	10	28
	男 M.	149	1	1	1	-	2	5	3	3	6	17
	女 F.	58	4	-	1	-	1	6	-	1	4	11
N997	外科的処置に特異な合併症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N998	その他の外科的処置の合併症	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
N999	内科的処置のその他の合併症	24	1	2	-	1	-	4	-	3	-	1
	男 M.	13	1	1	-	-	-	2	-	1	-	-
	女 F.	11	-	1	-	1	-	2	-	2	-	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	N994.5
1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	N994.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
647	644	675	682	664	626	734	862	904	940	680	434	173	37	3	1	53	N994.7
462	437	473	489	426	360	425	519	520	499	339	204	67	13	-	1	46	
185	207	202	193	238	266	309	343	384	441	341	230	106	24	3	-	7	
50	48	36	39	20	10	6	1	1	4	-	-	1	-	-	-	1	N994.8
49	48	36	38	19	10	6	1	-	3	-	-	1	-	-	-	1	
1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	N994.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	3	7	12	11	4	8	8	8	7	13	9	3	2	-	-	-	N995
5	3	6	7	11	4	5	8	6	3	6	1	1	-	-	-	-	
1	-	1	5	-	-	3	-	2	4	7	8	2	2	-	-	-	
16	13	20	8	8	7	7	18	9	14	11	7	2	-	-	-	11	N996
14	11	17	8	7	7	7	13	5	10	5	4	1	-	-	-	6	
2	2	3	-	1	-	-	5	4	4	6	3	1	-	-	-	5	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N997
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	N998
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	3	1	2	2	4	2	-	2	-	-	-	-	-	-	-	N999
-	-	2	-	1	1	3	2	-	1	-	-	-	-	-	-	-	
-	-	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-	

第2表　死　亡　者　数，

TABLE 2　DEATHS FROM CAUSES

性・年齢（5才階級）・死因　（B分類）別

（B LIST）BY SEX AND AGE

昭和47年

1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24
	総数	683 751	23 773	2 993	1 840	1 448	1 212	31 266	3 599	2 316	5 996	10 209
	男 M.	372 833	13 840	1 609	1 090	875	748	18 162	2 268	1 469	4 385	6 777
	女 F.	310 918	9 933	1 384	750	573	464	13 104	1 331	847	1 611	3 432
B 1	コレラ	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
B 2	腸チフス	1	-	-	1	-	-	1	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	1	-	-	1	-	-	-	-
B 3	細菌性赤痢およびアメーバ症	22	4	3	1	-	-	8	1	-	-	-
	男 M.	12	3	-	-	-	-	3	1	-	-	-
	女 F.	10	1	3	1	-	-	5	-	-	-	-
B 4	腸炎およびその他の下痢性疾患	3 929	728	169	31	15	11	954	18	17	15	16
	男 M.	1 756	425	98	20	10	5	558	11	12	7	10
	女 F.	2 173	303	71	11	5	6	396	7	5	8	6
B 5	呼吸器系の結核	11 983	2	4	1	1	-	8	1	5	15	67
	男 M.	8 422	-	1	-	-	-	1	-	3	6	30
	女 F.	3 561	2	3	1	1	-	7	1	2	9	37
B 6	その他の結核（後遺症を含む）	532	8	18	3	6	3	38	5	6	11	18
	男 M.	280	5	7	1	2	3	18	2	1	4	7
	女 F.	302	3	11	2	4	-	20	3	5	7	11
B 7	ペスト	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
B 8	ジフテリア	5	1	-	-	-	-	1	-	-	-	-
	男 M.	3	1	-	-	-	-	1	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-
B 9	百日咳	2	1	-	-	-	1	2	-	-	-	-
	男 M.	1	1	-	-	-	-	1	-	-	-	-
	女 F.	1	-	-	-	-	1	1	-	-	-	-
B10	レンサ球菌性咽頭炎および猩紅熱	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-
B11	髄膜炎菌感染	6	1	-	-	-	-	1	-	-	-	1
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	5	1	-	-	-	-	1	-	-	-	1
B12	急性灰白髄炎	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
B13	痘瘡	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
B14	麻疹	378	149	111	34	22	17	333	34	6	2	1
	男 M.	196	80	52	22	13	6	173	19	1	2	1
	女 F.	182	69	59	12	9	11	160	15	5	-	-
B15	チフスおよびその他のリケッチア症	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
B16	マラリア	5	-	-	-	-	-	-	-	-	-	-
	男 M.	5	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
9 283	10 676	14 788	20 246	24 255	27 877	40 403	58 746	76 329	98 433	100 565	82 180	46 347	16 734	2 980	190	333	
5 911	6 637	9 466	13 288	14 621	15 915	24 047	35 688	46 306	56 458	51 945	36 887	16 850	4 749	697	54	253	
3 372	4 039	5 322	6 958	9 634	11 962	16 356	23 058	30 023	41 975	48 620	45 293	29 497	11 985	2 283	136	80	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	2	-	1	-	1	3	2	-	1	-	2	-	-	-	B 3
-	-	-	2	-	1	-	1	1	1	-	1	-	1	-	-	-	
-	1	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	
19	14	25	26	22	35	67	115	194	347	547	691	544	212	48	3	-	B 4
9	7	14	19	16	15	37	67	91	163	234	251	171	51	13	1	-	
10	7	11	8	6	20	30	48	103	184	313	440	373	161	35	2	-	
109	235	457	715	843	780	1 003	1 409	1 647	1 967	1 507	897	264	43	7	-	4	B 5
61	126	250	468	525	556	738	1 046	1 289	1 444	1 107	581	163	21	4	-	3	
48	109	207	247	318	224	265	363	358	523	400	316	101	22	3	-	1	
31	20	31	40	65	52	56	51	48	46	32	28	3	1	-	-	-	B 6
16	12	17	22	32	25	29	26	20	24	11	13	1	-	-	-	-	
15	8	14	18	33	27	27	25	28	22	21	15	2	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	B 8
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	B10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	B11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B12
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	B14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	B15
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	B16
1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第2表　死　亡　者　数，

TABLE 2　DEATHS FROM CAUSES

性・年齢（5才階級）・死因　（B分類）別　　昭和47年

(B LIST) BY SEX AND AGE　　1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
B17	梅毒および続発症	461	1	-	-	-	-	1	-	-	-	2	4	2	5	17	33	33	59	81	78	72	49	13	11	1	-	-	-	B17
	男 M.	318	-	-	-	-	-	-	-	-	-	1	2	1	2	13	24	22	46	59	58	48	32	8	2	-	-	-	-	
	女 F.	143	1	-	-	-	-	1	-	-	-	1	2	1	3	4	9	11	13	22	20	24	17	5	9	1	-	-	-	
B18	その他の伝染病および寄生虫病	2 396	274	42	30	10	11	367	43	42	64	109	95	109	105	151	141	124	159	213	191	204	113	106	40	15	5	-	-	B18
	男 M.	1 265	164	19	18	3	6	210	23	25	29	48	36	58	54	81	75	70	77	116	103	112	68	54	17	6	3	-	-	
	女 F.	1 131	110	23	12	7	5	157	20	17	35	61	59	51	51	70	66	54	82	97	88	92	45	52	23	9	2	-	-	
B18.a	癩	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	B18.a
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B18.b	破傷風	138	13	2	1	-	-	16	4	8	1	4	2	7	3	9	10	4	8	19	13	15	1	9	2	3	-	-	-	B18.b
	男 M.	84	10	-	-	-	-	10	4	8	1	2	1	3	2	4	5	3	3	11	8	11	-	6	-	2	-	-	-	
	女 F.	54	3	2	1	-	-	6	-	-	-	2	1	4	1	5	5	1	5	8	5	4	1	3	2	1	-	-	-	
B18.c	敗血症	624	180	13	5	4	1	203	7	5	13	20	19	15	14	21	29	18	30	53	45	55	33	30	13	-	1	-	-	B18.c
	男 M.	318	99	5	4	2	1	111	5	2	5	9	4	9	5	8	15	9	14	24	23	27	22	15	10	-	1	-	-	
	女 F.	306	81	8	1	2	-	92	2	3	8	11	15	6	9	13	14	9	16	29	22	28	11	15	3	-	-	-	-	
B18.d	日本脳炎	36	-	-	-	-	-	-	2	1	2	4	1	3	1	2	5	1	2	3	2	5	-	2	-	-	-	-	-	B18.d
	男 M.	16	-	-	-	-	-	-	-	1	2	2	1	2	1	1	1	-	1	1	1	2	-	-	-	-	-	-	-	
	女 F.	20	-	-	-	-	-	-	2	-	-	2	-	1	-	1	4	1	1	2	1	3	-	2	-	-	-	-	-	
B18.e	伝染性肝炎	890	18	2	5	1	2	28	13	12	23	62	46	56	58	70	70	60	89	81	79	73	39	22	6	2	1	-	-	B18.e
	男 M.	442	8	-	3	1	-	12	7	7	10	22	18	30	26	39	37	31	41	45	38	41	22	13	2	-	1	-	-	
	女 F.	448	10	2	2	-	2	16	6	5	13	40	28	26	32	31	33	29	48	36	41	32	17	9	4	2	-	-	-	
B18.f	カンジダ症	52	4	-	3	-	-	7	-	-	2	-	-	-	-	1	3	3	1	12	5	6	6	5	-	-	1	-	-	B18.f
	男 M.	29	3	-	2	-	-	5	-	-	1	-	-	-	-	-	2	1	-	4	5	5	3	3	-	-	-	-	-	
	女 F.	23	1	-	1	-	-	2	-	-	1	-	-	-	-	1	1	2	1	8	-	1	3	2	-	-	1	-	-	
B18.g	日本住血吸虫症	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	3	3	4	3	3	-	-	-	-	-	B18.g
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	1	1	2	1	1	-	-	-	-	-	
	女 F.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	-	-	-	-	
B18.h	糸状虫症	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	2	1	1	-	-	-	B18.h
	男 M.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	2	-	1	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	
B18.i	その他	622	59	25	16	5	8	113	17	16	23	19	27	28	29	45	24	36	26	39	43	46	29	33	18	9	2	-	-	B18.i
	男 M.	355	44	14	9	-	5	72	7	7	10	13	12	14	20	26	15	24	15	27	27	24	19	14	5	3	1	-	-	
	女 F.	267	15	11	7	5	3	41	10	9	13	6	15	14	9	19	9	12	11	12	16	22	10	19	13	6	1	-	-	
B19	悪性新生物（リンパおよび造血組織の新生物を含む）	127 299	131	124	148	141	167	711	481	345	477	841	1 221	1 915	3 115	5 057	7 138	8 877	13 012	17 717	20 379	20 795	14 979	7 367	2 370	444	49	3	6	B19
	男 M.	71 298	73	62	80	76	96	387	280	193	260	442	574	820	1 407	2 489	3 481	4 334	7 277	10 542	12 649	12 585	8 536	3 790	1 060	170	15	2	5	
	女 F.	56 001	58	62	68	65	71	324	201	152	217	399	647	1 095	1 708	2 568	3 657	4 543	5 735	7 175	7 730	8 210	6 443	3 577	1 310	274	34	1	1	
B19.a	食道の悪性新生物	4 921	-	-	-	-	-	-	-	-	-	-	6	8	19	78	143	245	492	790	956	985	701	359	114	24	1	-	-	B19.a
	男 M.	3 739	-	-	-	-	-	-	-	-	-	-	5	7	12	57	119	173	400	650	768	751	497	221	68	10	1	-	-	
	女 F.	1 182	-	-	-	-	-	-	-	-	-	-	1	1	7	21	24	72	92	140	188	234	204	138	46	14	-	-	-	
B19.b	胃の悪性新生物	49 943	1	-	-	2	-	3	-	5	26	174	368	741	1 237	1 946	2 703	3 270	5 068	7 032	8 150	8 685	6 323	3 126	930	139	14	2	1	B19.b
	男 M.	30 380	1	-	-	2	-	3	-	4	11	86	151	318	566	1 063	1 489	1 887	3 134	4 623	5 424	5 608	3 851	1 678	421	54	6	2	1	
	女 F.	19 563	-	-	-	-	-	-	-	1	15	88	217	423	671	883	1 214	1 383	1 934	2 409	2 726	3 077	2 472	1 448	509	85	8	-	-	
B19.c	肝臓の悪性新生物	9 788	13	6	3	4	4	30	6	5	10	24	43	67	162	340	564	784	1 042	1 438	1 630	1 610	1 193	602	194	41	1	-	2	B19.c
	男 M.	6 100	7	4	1	3	3	18	4	4	6	14	32	48	108	254	400	516	711	938	1 000	997	653	300	77	18	-	-	2	
	女 F.	3 688	6	2	2	1	1	12	2	1	4	10	11	19	54	86	164	268	331	500	630	613	540	302	117	23	1	-	-	
B19.d	膵臓の悪性新生物	4 930	-	-	-	-	-	-	-	-	4	7	18	35	78	171	275	391	653	830	881	827	479	217	45	16	2	-	1	B19.d
	男 M.	2 857	-	-	-	-	-	-	-	-	2	2	10	16	40	110	163	231	396	479	522	488	251	119	20	7	-	-	1	
	女 F.	2 073	-	-	-	-	-	-	-	-	2	5	8	19	38	61	112	160	257	351	359	339	228	98	25	9	2	-	-	
B19.e	気管，気管支および肺の悪性新生物	12 290	-	1	-	-	1	2	-	5	1	17	47	67	151	268	444	698	1 220	1 931	2 568	2 468	1 602	609	165	23	3	-	1	B19.e
	男 M.	8 837	-	-	-	-	1	1	-	3	1	10	27	33	89	168	283	441	839	1 428	1 999	1 840	1 155	415	96	9	-	-	-	
	女 F.	3 453	-	1	-	-	-	1	-	2	-	7	20	34	62	100	161	257	381	503	569	628	447	194	69	14	3	-	1	

第2表　死　亡　者　数，

TABLE 2　DEATHS FROM CAUSES

性・年齢（5才階級）・死因　（B分類）別

(B LIST) BY SEX AND AGE

昭和47年

1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24
B19.f	乳房の悪性新生物	2 793	-	-	-	-	-	-	-	-	-	7
	男 M.	31	-	-	-	-	-	-	-	-	-	-
	女 F.	2 762	-	-	-	-	-	-	-	-	-	7
B19.g	子宮の悪性新生物	6 332	-	-	-	-	-	-	-	-	4	16
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	6 332	-	-	-	-	-	-	-	-	4	16
B19.h	白血病	3 808	59	58	68	72	93	350	293	179	202	229
	男 M.	2 073	33	31	33	42	49	188	161	101	115	132
	女 F.	1 735	26	27	35	30	44	162	132	78	87	97
B19.i	その他	32 494	58	59	77	63	69	326	182	151	230	367
	男 M.	17 281	32	27	46	29	43	177	115	81	125	198
	女 F.	15 213	26	32	31	34	26	149	67	70	105	169
B20	良性および性質不詳の新生物	5 755	71	26	29	24	20	170	125	92	97	124
	男 M.	3 138	40	17	12	13	16	98	74	56	54	66
	女 F.	2 617	31	9	17	11	4	72	51	36	43	58
B21	糖尿病	7 875	3	1	1	-	1	6	6	15	18	50
	男 M.	3 821	3	1	1	-	-	5	4	5	9	16
	女 F.	4 054	-	-	-	-	1	1	2	10	9	34
B22	ビタミン欠乏症およびその他の栄養欠乏症	513	70	6	2	1	1	80	-	2	4	4
	男 M.	256	41	2	-	1	-	44	-	-	2	3
	女 F.	257	29	4	2	-	1	36	-	2	2	1
B23	貧血	1 601	19	18	9	12	13	71	36	34	32	58
	男 M.	660	15	5	3	2	6	31	18	10	12	15
	女 F.	941	4	13	6	10	7	40	18	24	20	43
B24	髄膜炎	802	241	28	22	12	7	310	14	18	17	26
	男 M.	457	134	13	12	7	5	171	10	12	9	15
	女 F.	345	107	15	10	5	2	139	4	6	8	11
B25	活動性リウマチ熱	362	-	1	2	-	-	3	6	13	12	12
	男 M.	116	-	-	-	-	-	-	2	5	3	5
	女 F.	246	-	1	2	-	-	3	4	8	9	7
B26	慢性リウマチ性心疾患	3 715	-	-	-	-	-	-	2	9	35	71
	男 M.	1 516	-	-	-	-	-	-	1	5	17	31
	女 F.	2 199	-	-	-	-	-	-	1	4	18	40
B27	高血圧性疾患	17 421	-	-	-	-	-	-	-	3	5	13
	男 M.	7 877	-	-	-	-	-	-	-	1	3	9
	女 F.	9 544	-	-	-	-	-	-	-	2	2	4
B27.a	高血圧性心疾患	12 037	-	-	-	-	-	-	-	1	3	10
	男 M.	5 456	-	-	-	-	-	-	-	-	2	8
	女 F.	6 581	-	-	-	-	-	-	-	1	1	2
B27.b	その他の高血圧性疾患	5 384	-	-	-	-	-	-	-	2	2	3
	男 M.	2 421	-	-	-	-	-	-	-	1	1	1
	女 F.	2 963	-	-	-	-	-	-	-	1	1	2
B28	虚血性心疾患	38 759	-	2	1	-	1	4	2	3	26	62
	男 M.	22 042	-	1	1	-	-	2	2	3	17	49
	女 F.	16 717	-	1	-	-	1	3	2	3	9	13
B29	その他の心疾患	43 411	363	36	25	13	17	454	60	78	178	403
	男 M.	20 634	210	21	16	9	8	264	33	43	124	255
	女 F.	22 777	153	15	9	4	9	190	27	35	54	148
B29.a	心内膜の慢性疾患	3 650	13	1	2	-	-	16	5	3	23	45
	男 M.	1 417	7	-	1	-	-	8	1	2	15	21
	女 F.	2 233	6	1	1	-	-	8	4	1	8	24

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
30	97	171	303	397	418	367	303	226	187	124	90	52	16	5	-	-	B19.f
-	1	-	2	1	1	3	3	6	7	5	2	-	-	-	-	-	
30	96	171	301	396	417	364	300	220	180	119	88	52	16	5	-	-	
36	91	209	394	579	748	794	917	826	810	521	266	90	29	2	-	-	B19.g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
36	91	209	394	579	748	794	917	826	810	521	266	90	29	2	-	-	
218	245	245	283	248	216	258	250	237	190	130	27	8	-	-	-	-	B19.h
114	126	132	165	126	105	145	125	134	115	71	14	4	-	-	-	-	
104	119	113	118	122	111	113	125	103	75	59	13	4	-	-	-	-	
455	564	843	1 274	1 785	2 107	3 118	4 226	4 905	5 033	3 906	2 071	772	156	21	1	1	B19.i
235	271	460	670	900	980	1 649	2 296	2 796	2 779	2 053	1 041	374	72	8	-	1	
220	293	383	604	885	1 127	1 469	1 930	2 109	2 254	1 853	1 030	398	84	13	1	-	
102	150	195	251	301	362	452	609	686	731	691	396	177	41	3	-	-	B20
60	93	103	118	147	187	254	351	419	430	364	186	66	12	-	-	-	
42	57	92	133	154	175	198	258	267	301	327	210	111	29	3	-	-	
56	90	135	199	248	323	622	1 012	1 400	1 631	1 265	585	180	31	3	-	-	B21
21	39	76	123	145	163	316	495	666	776	585	283	81	12	1	-	-	
35	51	59	76	103	160	306	517	734	855	680	302	99	19	2	-	-	
4	8	6	9	20	18	39	34	27	53	57	78	49	17	4	-	-	B22
3	3	3	9	15	8	23	22	15	30	25	31	16	4	-	-	-	
1	5	3	-	5	10	16	12	12	23	32	47	33	13	4	-	-	
43	39	59	69	80	89	112	167	158	201	174	127	38	12	2	-	-	B23
18	13	22	28	22	27	37	71	87	108	69	48	19	5	-	-	-	
25	26	37	41	58	62	75	96	71	93	105	79	19	7	2	-	-	
41	37	31	36	42	36	41	46	46	31	19	8	3	-	-	-	-	B24
23	20	20	22	29	20	25	28	23	16	10	2	2	-	-	-	-	
18	17	11	14	13	16	16	18	23	15	9	6	1	-	-	-	-	
12	11	26	17	21	18	25	37	28	36	36	37	11	1	-	-	-	B25
4	1	14	7	6	5	7	7	11	15	8	13	3	-	-	-	-	
8	10	12	10	15	13	18	30	17	21	28	24	8	1	-	-	-	
87	139	165	248	278	305	327	423	458	451	348	228	108	27	6	-	-	B26
49	61	65	91	101	120	125	175	210	206	136	86	30	7	-	-	-	
38	78	100	157	177	185	202	248	248	245	212	142	78	20	6	-	-	
27	46	115	183	214	317	567	996	1 631	2 900	3 900	3 576	2 200	636	86	6	-	B27
21	35	64	124	115	171	325	568	916	1 479	1 725	1 419	716	163	22	1	-	
6	11	51	59	99	146	242	428	715	1 421	2 175	2 157	1 484	473	64	5	-	
14	25	48	95	110	208	356	718	1 219	2 127	2 775	2 443	1 428	398	57	2	-	B27.a
10	18	30	53	54	104	192	410	675	1 083	1 231	991	480	98	16	1	-	
4	7	18	42	56	104	164	308	544	1 044	1 544	1 452	948	300	41	1	-	
13	21	67	88	104	109	211	278	412	773	1 125	1 133	772	238	29	4	-	B27.b
11	17	34	71	61	67	133	158	241	396	494	428	236	65	6	-	-	
2	4	33	17	43	42	78	120	171	377	631	705	536	173	23	4	-	
99	219	394	668	1 053	1 318	2 382	3 998	5 352	7 064	6 878	5 497	2 781	808	135	12	4	B28
64	164	308	527	766	906	1 621	2 609	3 299	4 093	3 632	2 578	1 100	259	36	4	2	
35	55	86	141	287	412	761	1 389	2 053	2 971	3 246	2 919	1 681	549	99	8	2	
446	568	804	944	1 113	1 259	1 741	2 682	3 879	5 843	7 378	7 604	5 338	2 181	431	21	6	B29
283	356	521	590	610	646	896	1 455	2 146	3 094	3 483	3 299	1 829	597	98	6	6	
163	212	283	354	503	613	845	1 227	1 733	2 749	3 895	4 305	3 509	1 584	333	15	-	
57	83	104	152	192	259	287	352	423	494	480	377	232	56	10	-	-	B29.a
22	31	42	56	64	86	107	156	186	205	186	144	73	12	-	-	-	
35	52	62	96	128	173	180	196	237	289	294	233	159	44	10	-	-	

第2表　死　亡　者　数，

TABLE 2　DEATHS FROM CAUSES

性・年齢（5才階級）・死因　（B分類）別

（B LIST）BY SEX AND AGE

昭和47年
1972

国際50項目分類番号（B表） International B list number	死　因　・　性 Cause of death and sex	総　数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不　詳 Unknown	国際50項目分類番号（B表） International B list number
B29.b	その他の心筋機能不全	31 701	313	31	20	9	16	389	47	55	117	285	303	378	552	620	707	748	1 097	1 751	2 670	4 119	5 444	5 883	4 276	1 860	375	20	5	B29.b
	男 M.	14 944	181	18	14	5	8	226	26	28	84	185	203	253	388	423	414	419	583	975	1 498	2 190	2 546	2 462	1 437	508	85	6	5	
	女 F.	16 757	132	13	6	4	8	163	21	27	33	100	100	125	164	197	293	329	514	776	1 172	1 929	2 898	3 421	2 839	1 352	290	14	-	
B29.c	その他の心疾患	8 060	37	4	3	4	1	49	8	20	38	73	86	107	148	172	214	252	357	579	786	1 230	1 454	1 344	830	265	46	1	1	B29.c
	男 M.	4 273	22	3	1	4	-	30	6	13	25	49	58	72	91	111	132	141	206	324	462	699	751	693	319	77	13	-	1	
	女 F.	3 787	15	1	2	-	1	19	2	7	13	24	28	35	57	61	82	111	151	255	324	531	703	651	511	188	33	1	-	
B30	脳血管疾患	176 228	85	15	5	6	4	115	34	35	80	187	283	570	1 462	2 812	4 011	5 540	9 247	15 393	23 326	33 330	35 744	27 352	12 636	3 548	476	21	26	B30
	男 M.	93 290	46	11	4	3	2	66	16	20	52	105	198	403	1 063	2 050	2 576	3 227	5 565	9 301	13 928	18 761	18 095	12 117	4 606	1 004	108	8	21	
	女 F.	82 938	39	4	1	3	2	49	18	15	28	82	85	167	399	762	1 435	2 313	3 682	6 092	9 398	14 569	17 649	15 235	8 030	2 544	368	13	5	
B30.a	脳出血	75 737	69	9	4	4	2	88	21	12	27	68	111	267	872	1 766	2 610	3 427	5 634	8 559	11 344	14 091	13 199	8 909	3 658	947	106	5	16	B30.a
	男 M.	41 436	37	7	3	3	1	51	12	8	18	41	78	206	677	1 351	1 754	2 045	3 469	5 263	6 712	7 804	6 521	3 834	1 303	251	23	2	13	
	女 F.	34 301	32	2	1	1	1	37	9	4	9	27	33	61	195	415	856	1 382	2 165	3 296	4 632	6 287	6 678	5 075	2 355	696	83	3	3	
B30.b	脳硬塞	62 447	-	1	-	-	-	1	4	3	11	22	25	46	74	175	317	687	1 447	3 452	7 059	12 505	15 192	12 915	6 379	1 857	265	8	3	B30.b
	男 M.	31 914	-	1	-	-	-	1	1	2	4	8	16	29	42	102	158	387	858	2 097	4 328	7 228	7 808	5 875	2 369	532	64	3	2	
	女 F.	30 533	-	-	-	-	-	-	3	1	7	14	9	17	32	73	159	300	589	1 355	2 731	5 277	7 384	7 040	4 010	1 325	201	5	1	
B30.c	その他	38 044	16	5	1	2	2	26	9	20	42	97	147	257	516	871	1 084	1 426	2 166	3 382	4 923	6 734	7 353	5 528	2 599	744	105	8	7	B30.c
	男 M.	19 940	9	3	1	-	1	14	3	10	30	56	104	168	344	597	664	795	1 238	1 941	2 888	3 729	3 766	2 408	934	221	21	3	6	
	女 F.	18 104	7	2	-	2	1	12	6	10	12	41	43	89	172	274	420	631	928	1 441	2 035	3 005	3 587	3 120	1 665	523	84	5	1	
B31	インフルエンザ	856	28	5	4	6	2	45	6	5	4	6	3	7	7	15	17	23	24	48	85	152	160	124	74	39	11	1	-	B31
	男 M.	472	14	3	3	3	2	25	2	4	4	3	3	5	4	10	10	8	13	29	59	94	93	62	34	8	2	-	-	
	女 F.	384	14	2	1	3	-	20	4	1	-	3	-	2	3	5	7	15	11	19	26	58	67	62	40	31	9	1	-	
B32	肺炎	23 204	2 356	315	153	72	48	2 944	139	107	143	189	164	181	174	312	348	427	636	1 176	1 962	3 220	4 129	3 730	2 255	809	138	14	7	B32
	男 M.	12 462	1 320	167	75	35	29	1 626	64	52	85	92	76	86	101	182	199	245	366	739	1 226	1 942	2 268	1 858	906	299	43	1	6	
	女 F.	10 742	1 036	148	78	37	19	1 318	75	55	58	97	88	95	73	130	149	182	270	437	736	1 278	1 861	1 872	1 349	510	95	13	1	
B33	気管支炎，肺気腫および喘息	13 012	107	65	46	25	13	256	66	63	53	82	70	82	109	196	207	262	472	934	1 516	2 257	2 560	2 166	1 218	378	64	1	-	B33
	男 M.	7 925	66	31	25	10	3	135	47	37	34	46	33	37	64	100	118	147	286	626	1 050	1 512	1 651	1 251	578	144	28	1	-	
	女 F.	5 087	41	34	21	15	10	121	19	26	19	36	37	45	45	96	89	115	186	308	466	745	909	915	640	234	36	-	-	
B33.a	気管支炎	4 125	81	22	13	5	3	124	16	13	4	6	7	9	14	29	29	42	82	192	371	593	887	889	572	202	44	-	-	B33.a
	男 M.	2 352	49	8	6	3	2	68	11	7	2	2	6	3	9	15	15	22	47	126	246	376	545	488	267	77	20	-	-	
	女 F.	1 773	32	14	7	2	1	56	5	6	2	4	1	6	5	14	14	20	35	66	125	217	342	401	305	125	24	-	-	
B33.b	肺気腫	1 534	1	3	-	1	-	5	2	-	-	3	2	3	4	10	12	24	61	164	254	368	310	210	81	15	6	-	-	B33.b
	男 M.	1 173	1	3	-	-	-	4	2	-	-	2	2	2	-	8	8	18	42	130	212	290	246	151	45	8	3	-	-	
	女 F.	361	-	-	-	1	-	1	-	-	-	1	-	1	4	2	4	6	19	34	42	78	64	59	36	7	3	-	-	
B33.c	喘息	7 353	25	40	33	19	10	127	48	50	49	73	61	70	91	157	166	196	329	578	891	1 296	1 363	1 067	565	161	14	1	-	B33.c
	男 M.	4 400	16	20	19	7	1	63	34	30	32	42	25	32	55	77	95	107	197	370	592	846	860	612	266	59	5	1	-	
	女 F.	2 953	9	20	14	12	9	64	14	20	17	31	36	38	36	80	71	89	132	208	299	450	503	455	299	102	9	-	-	
B34	消化性潰瘍	7 377	17	2	2	1	-	22	3	2	17	55	54	98	148	232	277	319	415	697	968	1 236	1 260	999	417	139	19	-	-	B34
	男 M.	4 900	7	1	1	1	-	10	2	2	14	43	38	78	129	210	229	250	318	539	704	849	781	500	151	49	4	-	-	
	女 F.	2 477	10	1	1	-	-	12	1	-	3	12	16	20	19	22	48	69	97	158	264	387	479	499	266	90	15	-	-	
B35	虫垂炎	483	7	1	2	3	2	15	12	17	16	20	12	20	13	17	17	22	23	31	54	57	63	41	28	5	-	-	-	B35
	男 M.	274	5	1	-	3	2	11	9	12	9	15	11	13	7	11	11	12	12	24	34	31	28	16	8	-	-	-	-	
	女 F.	209	2	-	2	-	-	4	3	5	7	5	1	7	6	6	6	10	11	7	20	26	35	25	20	5	-	-	-	
B36	腸閉塞およびヘルニア	2 834	336	27	6	4	6	379	16	16	14	35	33	41	65	75	94	104	145	221	303	400	370	319	149	49	6	-	-	B36
	男 M.	1 408	220	14	3	4	2	243	10	14	10	24	14	23	31	45	47	57	67	121	171	214	157	110	36	12	2	-	-	
	女 F.	1 426	116	13	3	-	4	136	6	2	4	11	19	18	34	30	47	47	78	100	132	186	213	209	113	37	4	-	-	
B37	肝硬変	13 587	11	3	-	1	1	16	5	13	14	29	86	229	681	1 124	1 254	1 248	1 558	1 836	1 665	1 601	1 161	745	259	52	6	1	4	B37
	男 M.	9 696	5	2	-	1	1	9	4	10	10	19	61	188	583	996	1 019	909	1 137	1 293	1 130	1 057	697	404	136	25	4	1	4	
	女 F.	3 891	6	1	-	-	-	7	1	3	4	10	25	41	98	128	235	339	421	543	535	544	464	341	123	27	2	-	-	
B38	腎炎およびネフローゼ	7 737	12	6	8	9	10	45	58	81	165	358	374	412	386	455	457	442	517	662	760	837	763	583	294	78	9	-	1	B38
	男 M.	3 959	4	3	7	7	5	26	38	51	90	211	230	237	213	254	218	217	261	343	386	417	355	280	104	27	1	-	-	
	女 F.	3 778	8	3	1	2	5	19	20	30	75	147	144	175	173	201	239	225	256	319	374	420	408	303	190	51	8	-	1	

第2表　死　亡　者　数，

TABLE 2　DEATHS FROM CAUSES

性・年齢（5才階級）・死因　（B分類）別

（B LIST）BY SEX AND AGE

昭和47年

1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24
B38.a	急性腎炎およびネフローゼ	1 503	11	5	7	7	10	40	44	41	57	80
	男 M.	788	4	3	6	5	5	23	31	26	30	41
	女 F.	715	7	2	1	2	5	17	13	15	27	39
B38.b	その他	6 234	1	1	1	2	-	5	14	40	108	278
	男 M.	3 171	-	-	1	2	-	3	7	25	60	170
	女 F.	3 063	1	1	-	-	-	2	7	15	48	108
B39	前立腺肥大症	716	-	-	-	-	-	-	-	-	-	-
	男 M.	716	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
B40	流産	24	-	-	-	-	-	-	-	-	1	5
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	24	-	-	-	-	-	-	-	-	1	5
B41	その他の妊娠，分娩，産褥の合併症および合併症の記載のない分娩	803	-	-	-	-	-	-	-	-	7	120
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	803	-	-	-	-	-	-	-	-	7	120
B42	先天異常	6 164	4 344	398	209	113	104	5 168	211	105	104	110
	男 M.	3 335	2 395	190	111	63	61	2 820	114	57	65	46
	女 F.	2 829	1 949	208	98	50	43	2 348	97	48	39	64
B43	出生時損傷，難産およびその他の無酸素症，低酸素症	3 927	3 927	-	-	-	-	3 927	-	-	-	-
	男 M.	2 429	2 429	-	-	-	-	2 429	-	-	-	-
	女 F.	1 498	1 498	-	-	-	-	1 498	-	-	-	-
B44	その他の周産期の死因	8 003	8 003	-	-	-	-	8 003	-	-	-	-
	男 M.	4 697	4 697	-	-	-	-	4 697	-	-	-	-
	女 F.	3 306	3 306	-	-	-	-	3 306	-	-	-	-
B45	症状およびその他の診断名不明確の状態	42 163	282	97	45	38	31	493	67	50	129	269
	男 M.	17 278	174	56	24	20	21	295	42	36	84	216
	女 F.	24 885	108	41	21	18	10	198	25	14	45	53
B45.a	精神病の記載のない老衰	32 520	-	-	-	-	-	-	-	-	-	-
	男 M.	11 367	-	-	-	-	-	-	-	-	-	-
	女 F.	21 153	-	-	-	-	-	-	-	-	-	-
B45.b	その他	9 643	282	97	45	38	31	493	67	50	129	269
	男 M.	5 911	174	56	24	20	21	295	42	36	84	216
	女 F.	3 732	108	41	21	18	10	198	25	14	45	53
B46	その他のすべての疾患	46 236	945	249	134	121	94	1 543	258	280	535	781
	男 M.	22 312	555	144	68	68	52	887	140	154	305	356
	女 F.	23 924	390	105	66	53	42	656	118	126	230	425
B46.a	精神障害	3 207	3	-	2	1	1	7	2	6	26	67
	男 M.	1 692	1	-	2	-	-	3	1	3	17	31
	女 F.	1 515	2	-	-	1	1	4	1	3	9	36
B46.b	中枢神経系の非炎症性疾患	4 059	188	70	45	53	44	400	122	128	230	234
	男 M.	2 260	112	38	29	30	24	233	69	75	152	148
	女 F.	1 799	76	32	16	23	20	167	53	53	78	86
B46.c	その他の循環器系の疾患	5 810	8	2	2	2	2	16	5	9	14	29
	男 M.	3 081	5	1	1	1	1	9	3	4	7	10
	女 F.	2 729	3	1	1	1	1	7	2	5	7	19
B46.d	急性気管支炎および細気管支炎	2 341	125	24	13	14	3	179	8	10	9	15
	男 M.	1 187	68	15	2	10	3	98	3	3	5	9
	女 F.	1 154	57	9	11	4	-	81	5	7	4	6
B46.e	胃炎，十二指腸炎および慢性胃腸炎	3 573	13	2	1	-	2	18	1	3	10	22
	男 M.	1 427	7	1	1	-	1	10	1	2	8	12
	女 F.	2 146	6	1	-	-	1	8	-	1	2	10

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
55	70	65	79	73	76	73	110	147	175	138	109	60	11	-	-	-	B38.a
30	34	27	47	30	42	44	64	79	96	61	55	22	6	-	-	-	
25	36	38	32	43	34	29	46	68	79	77	54	38	5	-	-	-	
319	342	321	376	384	366	444	552	613	662	625	474	234	67	9	-	1	B38.b
200	203	186	207	188	175	217	279	307	321	294	225	82	21	1	-	-	
119	139	135	169	196	191	227	273	306	341	331	249	152	46	8	-	1	
-	-	-	-	1	3	4	23	55	123	173	196	101	27	10	-	-	B39
-	-	-	-	1	3	4	23	55	123	173	196	101	27	10	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	B40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
274	215	137	46	4	-	-	-	-	-	-	-	-	-	-	-	-	B41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
274	215	137	46	4	-	-	-	-	-	-	-	-	-	-	-	-	
50	50	55	43	49	46	49	27	31	29	20	11	4	1	1	-	-	B42
23	25	25	20	25	25	27	16	15	17	9	5	-	1	-	-	-	
27	25	30	23	24	21	22	11	16	12	11	6	4	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
295	362	474	531	527	455	611	858	1 276	2 792	6 084	10 253	9 982	5 376	1 155	87	37	B45
225	292	391	441	385	306	387	551	744	1 451	2 689	3 949	3 182	1 341	224	22	25	
70	70	83	90	142	149	224	307	532	1 341	3 395	6 304	6 800	4 035	931	65	12	
-	-	-	-	2	-	13	89	420	1 759	5 066	9 388	9 415	5 163	1 120	83	2	B45.a
-	-	-	-	-	-	3	43	211	875	2 165	3 565	2 980	1 283	219	21	2	
-	-	-	-	2	-	10	46	209	884	2 901	5 823	6 435	3 880	901	62	-	
295	362	474	531	525	455	598	769	856	1 033	1 018	865	567	213	35	4	35	B45.b
225	292	391	441	385	306	384	508	533	576	524	384	202	58	5	1	23	
70	70	83	90	140	149	214	261	323	457	494	481	365	155	30	3	12	
727	830	1 172	1 464	1 531	1 635	2 384	3 381	4 428	6 228	7 050	6 411	3 849	1 470	261	12	6	B46
342	439	648	874	814	834	1 282	1 807	2 458	3 173	3 321	2 618	1 375	412	67	3	3	
385	391	524	590	717	801	1 102	1 574	1 970	3 055	3 729	3 793	2 474	1 058	194	9	3	
48	105	189	231	194	171	196	246	272	369	419	356	211	78	12	-	2	B46.a
36	75	136	157	139	103	115	141	159	181	166	137	64	24	2	-	2	
12	30	53	74	55	68	81	105	113	188	253	219	147	54	10	-	-	
143	157	179	186	190	195	257	318	388	365	314	168	72	11	1	-	1	B46.b
82	86	91	97	84	103	147	178	215	206	180	77	32	3	1	-	1	
61	71	88	89	106	92	110	140	173	159	134	91	40	8	-	-	-	
32	59	89	140	114	153	240	349	526	901	1 044	1 101	675	261	48	4	1	B46.c
16	33	55	102	69	91	159	218	360	519	565	519	263	71	8	-	-	
16	26	34	38	45	62	81	131	166	382	479	582	412	190	40	4	1	
8	6	9	14	13	28	37	91	147	252	408	492	389	194	31	1	-	B46.d
5	1	6	10	10	18	23	50	89	143	235	240	148	76	15	-	-	
3	5	3	4	3	10	14	41	58	109	173	252	241	118	16	1	-	
19	20	25	26	41	49	88	130	233	420	709	880	580	260	39	-	-	B46.e
14	9	16	12	19	20	40	66	129	194	304	322	181	60	8	-	-	
5	11	9	14	22	29	48	64	104	226	405	558	399	200	31	-	-	

第2表　死　亡　者　数，性・年齢（5才階級）・死因（B分類）別　昭和47年

TABLE 2　DEATHS FROM CAUSES (B LIST) BY SEX AND AGE　1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24
B46.f	肝臓の疾患（肝硬変を除く）	3 324	57	12	1	2	-	72	6	13	27	51
	男 M.	1 776	37	7	-	2	-	46	3	6	17	27
	女 F.	1 548	20	5	1	-	-	26	3	7	10	24
B46.g	その他	23 922	551	139	70	49	42	851	114	111	219	363
	男 M.	10 889	325	82	33	25	23	488	60	61	99	119
	女 F.	13 033	226	57	37	24	19	363	54	50	120	244
"E"	不慮の事故，中毒および暴力の二重分類（外因）	63 111	1 246	1 221	886	792	627	4 772	1 890	854	3 706	6 085
	男 M.	43 604	708	687	583	521	416	2 915	1 300	645	3 065	4 597
	女 F.	19 507	538	534	303	271	211	1 857	590	209	641	1 488
BE47	自動車事故	20 494	71	169	272	346	315	1 173	799	288	2 071	2 197
	男 M.	15 709	38	87	177	220	210	732	510	204	1 857	1 924
	女 F.	4 785	33	82	95	126	105	441	289	84	214	273
BE48	その他の不慮の事故	21 937	1 018	992	547	397	267	3 221	962	445	738	1 432
	男 M.	15 980	592	573	370	270	182	1 987	730	362	636	1 230
	女 F.	5 957	426	419	177	127	85	1 234	232	83	102	202
BE48.a	自動車以外の交通事故	2 481	2	50	57	33	26	168	131	60	108	169
	男 M.	2 019	2	29	39	25	15	110	102	51	95	145
	女 F.	462	-	21	18	8	11	58	29	9	13	24
BE48.b	不慮の墜落	4 810	58	68	30	31	20	207	42	40	84	239
	男 M.	3 414	45	45	23	22	15	150	32	33	80	213
	女 F.	1 396	13	23	7	9	5	57	10	7	4	26
BE48.c	火災および火焔による不慮の事故	1 731	41	33	28	32	17	151	54	37	35	74
	男 M.	984	20	18	15	16	9	78	30	19	21	45
	女 F.	747	21	15	13	16	8	73	24	18	14	29
BE48.d	天災	444	4	10	2	8	7	31	19	17	13	18
	男 M.	206	2	4	-	-	2	8	9	8	8	12
	女 F.	238	2	6	2	8	5	23	10	9	5	6
BE48.e	不慮の溺死	4 776	78	609	342	213	141	1 383	540	209	269	345
	男 M.	3 523	47	349	241	156	110	903	434	185	246	317
	女 F.	1 253	31	260	101	57	31	480	106	24	23	28
BE48.f	工業性の不慮の事故	3 498	43	92	62	42	33	272	99	27	106	346
	男 M.	3 013	27	60	35	25	18	165	69	25	99	325
	女 F.	485	16	32	27	17	15	107	30	2	7	21
BE48.g	その他	4 197	792	130	26	38	23	1 009	77	55	123	241
	男 M.	2 821	449	68	17	26	13	573	54	41	87	173
	女 F.	1 376	343	62	9	12	10	436	23	14	36	68
BE49	自殺	18 015	-	-	-	-	-	-	3	83	819	2 168
	男 M.	10 231	-	-	-	-	-	-	2	63	520	1 276
	女 F.	7 784	-	-	-	-	-	-	1	20	299	892
BE50	その他の外因	2 665	157	60	67	49	45	378	126	38	78	288
	男 M.	1 684	78	27	36	31	24	196	58	16	52	167
	女 F.	981	79	33	31	18	21	182	68	22	26	121
BE50.a	他殺	1 372	121	47	57	44	38	307	111	30	28	151
	男 M.	791	56	21	30	27	17	151	48	12	16	79
	女 F.	581	65	26	27	17	21	156	63	18	12	72
BE50.b	不慮か故意か決定されない傷害	1 268	36	13	10	5	7	71	15	8	49	137
	男 M.	870	22	6	6	4	7	45	10	4	35	88
	女 F.	398	14	7	4	1	-	26	5	4	14	49
BE50.c	法的介入および戦争行為	25	-	-	-	-	-	-	-	-	1	-
	男 M.	23	-	-	-	-	-	-	-	-	1	-
	女 F.	2	-	-	-	-	-	-	-	-	-	-

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
60	91	121	165	179	178	230	304	365	459	454	334	149	57	8	-	1	B46.f
25	52	74	111	95	99	143	168	204	236	228	153	66	21	2	-	-	
35	39	47	54	84	79	87	136	161	223	226	181	83	36	6	-	1	
417	392	560	702	800	861	1 336	1 943	2 497	3 462	3 702	3 080	1 773	609	122	7	1	B46.g
164	183	270	385	398	400	655	986	1 302	1 694	1 643	1 170	621	157	31	3	-	
253	209	290	317	402	461	681	957	1 195	1 768	2 059	1 910	1 152	452	91	4	1	
4 451	3 970	4 230	4 290	3 847	3 402	3 654	3 867	3 695	3 794	3 054	2 010	964	291	45	8	232	"E"
3 411	3 000	3 265	3 363	2 860	2 398	2 489	2 637	2 343	2 193	1 602	878	357	92	12	4	178	
1 040	970	965	927	987	1 004	1 165	1 230	1 352	1 601	1 452	1 132	607	199	33	4	54	
1 303	1 145	1 334	1 386	1 298	1 194	1 270	1 363	1 193	1 106	789	408	130	28	1	-	18	BE47
1 154	970	1 116	1 127	1 032	905	925	1 000	798	682	474	212	57	14	-	-	16	
149	175	218	259	266	289	345	363	395	424	315	196	73	14	1	-	2	
1 137	1 137	1 303	1 436	1 218	1 067	1 123	1 174	1 151	1 309	1 260	964	579	208	41	7	25	BE48
995	991	1 129	1 271	1 015	863	872	888	818	836	657	391	211	59	12	3	24	
142	146	174	165	203	204	251	286	333	473	603	573	368	149	29	4	1	
165	156	183	215	181	144	167	164	119	122	111	79	28	5	-	-	6	BE48.a
146	137	163	195	161	119	140	138	91	92	72	44	12	1	-	-	5	
19	19	20	20	20	25	27	26	28	30	39	35	16	4	-	-	1	
200	246	281	319	288	257	292	344	297	355	441	402	316	123	25	5	7	BE48.b
188	227	269	301	256	229	243	280	222	208	197	139	103	29	6	2	7	
12	19	12	18	32	28	49	64	75	147	244	263	213	94	19	3	-	
78	70	59	72	51	57	83	101	141	212	214	130	79	27	6	-	-	BE48.c
41	38	34	46	32	38	50	72	86	137	115	61	30	9	2	-	-	
37	32	25	26	19	19	33	29	55	75	99	69	49	18	4	-	-	
16	22	36	40	32	27	41	32	31	32	16	12	4	2	3	-	-	BE48.d
10	16	18	22	17	10	13	12	17	14	6	4	2	-	-	-	-	
6	6	18	18	15	17	28	20	14	18	10	8	2	2	3	-	-	
200	138	142	162	160	134	125	139	180	213	203	146	65	16	1	-	6	BE48.e
192	127	129	145	132	103	103	85	122	117	98	51	19	8	1	-	6	
8	11	13	17	28	31	22	54	58	96	105	95	46	8	-	-	-	
277	352	412	419	330	261	214	145	98	70	35	19	12	2	-	-	2	BE48.f
267	331	365	387	286	228	181	114	76	54	22	11	6	-	-	-	2	
10	21	47	32	44	33	33	31	22	16	13	8	6	2	-	-	-	
201	153	190	209	176	187	201	249	285	305	240	176	75	33	6	2	4	BE48.g
151	115	151	175	131	136	142	187	204	214	147	81	39	12	3	1	4	
50	38	39	34	45	51	59	62	81	91	93	95	36	21	3	1	-	
1 738	1 461	1 361	1 276	1 194	1 010	1 148	1 237	1 265	1 302	954	596	237	51	3	1	108	BE49
1 065	878	854	818	724	539	615	682	680	634	442	258	79	17	-	1	84	
673	583	507	458	470	471	533	555	585	668	512	338	158	34	3	-	24	
273	227	232	192	137	131	113	93	86	77	51	42	18	4	-	-	81	BE50
197	161	166	147	89	91	77	67	47	41	29	17	10	2	-	-	54	
76	66	66	45	48	40	36	26	39	36	22	25	8	2	-	-	27	
138	130	129	86	62	49	34	28	28	22	8	6	3	-	-	-	22	BE50.a
101	88	86	59	34	29	21	20	12	13	6	3	2	-	-	-	11	
37	42	43	27	28	20	13	8	16	9	2	3	1	-	-	-	11	
132	95	103	104	71	79	77	62	57	53	42	36	14	4	-	-	59	BE50.b
93	71	80	86	51	59	54	44	35	26	23	14	7	2	-	-	43	
39	24	23	18	20	20	23	18	22	27	19	22	7	2	-	-	16	
3	2	-	2	4	3	2	3	1	2	1	-	1	-	-	-	-	BE50.c
3	2	-	2	4	3	2	3	-	2	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	

第2表　死　亡　者　数，

TABLE 2　DEATHS FROM CAUSES

性・年齢（5才階級）・死因（B分類）別

(B LIST) BY SEX AND AGE

昭和47年

1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
"N"	不慮の事故，中毒および暴力の二重分類……（傷害の性質）　男 M.	63 111	1 246	1 221	886	792	627	4 772	1 890	854	3 706	6 085	4 451	3 970	4 230	4 290	3 847	3 402	3 654	3 867	3 695	3 794	3 054	2 010	964	291	45	8	232	"N"
	女 F.	43 604	708	687	583	521	416	2 915	1 300	645	3 065	4 597	3 411	3 000	3 265	3 363	2 860	2 398	2 489	2 637	2 343	2 193	1 602	878	357	92	12	4	178	
		19 507	538	534	303	271	211	1 857	590	209	641	1 488	1 040	970	965	927	987	1 004	1 165	1 230	1 352	1 601	1 452	1 132	607	199	33	4	54	
B N47	骨折，頭蓋内および内部損傷…… 男 M.	30 828	153	308	364	423	363	1 611	997	392	2 280	2 934	2 019	1 942	2 268	2 262	2 013	1 827	1 920	1 999	1 696	1 682	1 373	886	478	152	27	4	66	B N47
	女 F.	23 390	97	173	244	271	241	1 026	657	290	2 015	2 506	1 759	1 636	1 925	1 916	1 628	1 424	1 452	1 498	1 170	1 047	763	396	175	44	5	1	57	
		7 438	56	135	120	152	122	585	340	102	265	428	260	306	343	346	385	403	468	501	526	635	610	490	303	108	22	3	9	
B N47.a	頭蓋骨折…… 男 M.	13 565	74	193	220	207	177	871	481	230	1 130	1 404	953	879	1 037	1 027	900	808	829	865	708	656	444	214	74	19	1	－	35	B N47.a
	女 F.	10 685	45	103	140	135	120	543	330	170	1 000	1 196	838	753	878	871	732	631	635	666	520	441	291	122	30	8	－	－	30	
		2 880	29	90	80	72	57	328	151	60	130	208	115	126	159	156	168	177	194	199	188	215	153	92	44	11	1	－	5	
B N47.b	その他の骨の骨折…… 男 M.	3 929	1	11	10	22	16	60	66	26	198	286	183	208	239	231	226	197	210	233	213	271	345	355	255	100	20	4	3	B N47.b
	女 F.	2 466	1	9	7	14	9	40	46	19	172	254	150	167	200	202	182	136	153	155	121	136	134	97	73	22	3	1	3	
		1 463	－	2	3	8	7	20	20	7	26	32	33	41	39	29	44	61	57	78	92	135	211	258	182	78	17	3	－	
B N47.c	頭蓋内損傷（頭蓋骨折を伴うものを除く）… 男 M.	8 325	72	85	97	142	133	529	296	96	610	624	435	391	495	520	496	520	601	624	586	604	473	248	124	31	4	－	18	B N47.c
	女 F.	6 179	48	48	75	94	90	355	184	68	535	526	375	316	412	434	392	409	442	468	397	372	271	136	57	12	2	－	16	
		2 146	24	37	22	48	43	174	112	28	75	98	60	75	83	86	104	111	159	156	189	232	202	112	67	19	2	－	2	
B N47.d	胸，腹および骨盤腔の内部損傷…… 男 M.	5 009	6	19	37	52	37	151	154	40	342	620	448	464	497	484	391	302	280	277	189	151	111	69	25	2	2	－	10	B N47.d
	女 F.	4 060	3	13	22	28	22	88	97	33	308	530	396	400	435	409	322	248	222	209	132	98	67	41	15	2	－	－	8	
		949	3	6	15	24	15	63	57	7	34	90	52	64	62	75	69	54	58	68	57	53	44	28	10	－	2	－	2	
B N48	熱傷…… 男 M.	2 406	73	108	71	57	33	342	90	42	80	176	120	105	101	95	89	77	102	126	160	231	221	129	81	26	6	－	7	B N48
	女 F.	1 434	37	65	38	31	16	187	54	21	56	108	80	73	68	69	61	53	61	84	93	142	119	59	30	9	2	－	5	
		972	36	43	33	26	17	155	36	21	24	68	40	32	33	26	28	24	41	42	67	89	102	70	51	17	4	－	2	
B N49	化学物質の有害作用…… 男 M.	5 835	39	25	27	26	23	140	89	42	367	1 023	717	555	498	473	379	294	298	245	249	192	153	70	28	7	－	－	16	B N49
	女 F.	3 086	21	12	14	15	11	73	41	29	201	506	387	283	262	272	221	156	155	133	130	97	79	33	14	3	－	－	11	
		2 749	18	13	13	11	12	67	48	13	166	517	330	272	236	201	158	138	143	112	119	95	74	37	14	4	－	－	5	
B N50	その他の損傷…… 男 M.	24 042	981	780	424	286	208	2 679	714	378	979	1 952	1 595	1 368	1 363	1 460	1 366	1 204	1 334	1 497	1 590	1 689	1 307	925	377	106	12	4	143	B N50
	女 F.	15 694	553	437	287	204	148	1 629	548	305	793	1 477	1 185	1 008	1 010	1 106	950	765	821	922	950	907	641	390	138	36	5	3	105	
		8 348	428	343	137	82	60	1 050	166	73	186	475	410	360	353	354	416	439	513	575	640	782	666	535	239	70	7	1	38	
B N50.a	裂傷および開放創…… 男 M.	1 391	4	7	8	9	7	35	21	16	61	178	177	155	139	119	107	74	71	64	47	40	37	31	10	1	－	－	8	B N50.a
	女 F.	959	2	3	3	6	4	18	12	14	36	124	126	113	107	91	81	53	43	42	26	30	19	12	4	－	－	－	8	
		432	2	4	5	3	3	17	9	2	25	54	51	42	32	28	26	21	28	22	21	10	18	19	6	1	－	－	－	
B N50.b	溺死…… 男 M.	8 334	117	636	365	229	165	1 512	593	229	415	674	563	378	379	453	424	319	345	339	404	444	373	278	121	29	2	－	60	B N50.b
	女 F.	5 453	65	361	256	166	126	974	469	195	348	529	415	288	287	344	304	197	215	178	219	191	139	88	27	10	1	－	35	
		2 881	52	275	109	63	39	538	124	34	67	145	148	90	92	109	120	122	130	161	185	253	234	190	94	19	1	－	25	
B N50.c	窒息および絞首…… 男 M.	10 747	572	77	28	27	21	725	61	107	349	746	647	644	675	682	664	626	734	862	904	940	680	434	173	37	3	1	53	B N50.c
	女 F.	6 601	326	38	12	17	11	404	38	79	276	524	462	437	473	489	426	360	425	519	520	499	339	204	67	13	－	1	46	
		4 146	246	39	16	10	10	321	23	28	73	222	185	207	202	193	238	266	309	343	384	441	341	230	106	24	3	－	7	
B N50.d	その他…… 男 M.	3 570	288	60	23	21	15	407	39	26	154	354	208	191	170	206	171	185	184	232	235	265	217	182	73	39	7	3	22	B N50.d
	女 F.	2 681	160	35	16	15	7	233	29	17	133	300	182	170	143	182	139	155	138	183	185	187	144	86	40	13	4	2	16	
		889	128	25	7	6	8	174	10	9	21	54	26	21	27	24	32	30	46	49	50	78	73	96	33	26	3	1	6	

第3表　死　亡　者　数，

TABLE 3　DEATHS FROM CAUSES (B LIST)

性・月・死因（B分類）別
BY SEX AND MONTH OF OCCURRENCE

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	国際50項目分類番号（B表） International B list number
	総数	683 751	61 726	61 832	67 582	56 482	54 698	51 664	53 097	53 185	49 565	55 202	56 219	62 499	
	男 M.	372 833	33 580	33 755	36 663	30 570	29 752	28 002	28 563	29 007	27 314	30 401	31 238	33 988	
	女 F.	310 918	28 146	28 077	30 919	25 912	24 946	23 662	24 534	24 178	22 251	24 801	24 981	28 511	
B 1	コレラ	-	-	-	-	-	-	-	-	-	-	-	-	-	B 1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
B 2	腸チフス	1	-	-	-	-	-	-	-	1	-	-	-	-	B 2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	1	-	-	-	-	
B 3	細菌性赤痢およびアメーバ症	22	-	1	1	1	2	4	3	5	2	1	1	1	B 3
	男 M.	12	-	1	-	-	2	1	1	4	1	-	1	1	
	女 F.	10	-	-	1	1	-	3	2	1	1	1	-	-	
B 4	腸炎およびその他の下痢性疾患	3 929	404	413	357	293	267	260	325	424	296	279	265	346	B 4
	男 M.	1 756	199	208	160	116	105	99	140	183	130	133	116	167	
	女 F.	2 173	205	205	197	177	162	161	185	241	166	146	149	179	
B 5	呼吸器系の結核	11 983	1 071	1 154	1 146	1 020	957	903	947	928	879	963	942	1 073	B 5
	男 M.	8 422	748	825	798	723	673	610	673	630	611	698	672	761	
	女 F.	3 561	323	329	348	297	284	293	274	298	268	265	270	312	
B 6	その他の結核（後遺症を含む）	582	53	58	56	52	53	56	49	38	35	47	44	41	B 6
	男 M.	280	29	25	27	27	30	30	19	20	17	21	19	16	
	女 F.	302	24	33	29	25	23	26	30	18	18	26	25	25	
B 7	ペスト	-	-	-	-	-	-	-	-	-	-	-	-	-	B 7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
B 8	ジフテリア	5	-	-	1	2	-	-	-	-	-	-	-	2	B 8
	男 M.	3	-	-	1	-	-	-	-	-	-	-	-	2	
	女 F.	2	-	-	-	2	-	-	-	-	-	-	-	-	
B 9	百日咳	2	-	-	1	-	-	-	-	-	-	-	1	-	B 9
	男 M.	1	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	1	-	
B10	レンサ球菌性咽頭炎および猩紅熱	1	-	-	-	-	-	-	-	1	-	-	-	-	B10
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	1	-	-	-	-	
B11	髄膜炎菌感染	6	-	1	-	1	-	-	1	1	1	1	-	-	B11
	男 M.	1	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	-	-	-	1	-	-	1	1	1	1	-	-	
B12	急性灰白髄炎	1	-	-	-	-	-	-	-	-	-	-	1	-	B12
	男 M.	1	-	-	-	-	-	-	-	-	-	-	1	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
B13	痘瘡	-	-	-	-	-	-	-	-	-	-	-	-	-	B13
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
B14	麻疹	378	54	39	39	37	46	42	35	37	13	12	11	13	B14
	男 M.	196	28	21	18	20	25	23	12	18	6	10	8	7	
	女 F.	182	26	18	21	17	21	19	23	19	7	2	3	6	
B15	チフスおよびその他のリケッチア症	1	-	-	-	-	-	1	-	-	-	-	-	-	B15
	男 M.	1	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
B16	マラリア	5	-	-	-	-	1	-	-	-	1	1	1	1	B16
	男 M.	5	-	-	-	-	1	-	-	-	1	1	1	1	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	

第3表 死　亡　者　数，性・月・死因（B分類）別

TABLE 3　DEATHS FROM CAUSES (B LIST) BY SEX AND MONTH OF OCCURRENCE

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	国際50項目分類番号（B表） International B list number
B17	梅毒および続発症	461	42	47	52	38	27	39	51	33	34	34	23	41	B17
	男 M.	318	32	29	36	20	14	29	40	25	26	21	18	28	
	女 F.	143	10	18	16	18	13	10	11	8	8	13	5	13	
B18	その他の伝染病および寄生虫病	2 396	199	180	178	199	196	188	220	247	214	207	163	205	B18
	男 M.	1 265	106	100	91	102	111	99	101	125	114	121	78	117	
	女 F.	1 131	93	80	87	97	85	89	119	122	100	86	85	88	
B18.a	痲	1	-	-	1	-	-	-	-	-	-	-	-	-	B18.a
	男 M.	1	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
B18.b	破傷風	138	7	11	7	12	14	16	11	16	12	13	9	10	B18.b
	男 M.	84	5	7	4	6	9	11	5	8	10	7	4	8	
	女 F.	54	2	4	3	6	5	5	6	8	2	6	5	2	
B18.c	敗血症	624	41	41	42	51	45	51	63	77	63	51	47	52	B18.c
	男 M.	318	22	25	19	25	23	27	27	37	28	32	21	32	
	女 F.	306	19	16	23	26	22	24	36	40	35	19	26	20	
B18.d	日本脳炎	36	-	-	-	-	-	2	11	12	8	3	-	-	B18.d
	男 M.	16	-	-	-	-	-	2	7	3	3	1	-	-	
	女 F.	20	-	-	-	-	-	-	4	9	5	2	-	-	
B18.e	伝染性肝炎	890	75	75	76	78	93	67	72	66	64	86	63	75	B18.e
	男 M.	442	32	37	37	36	50	33	30	36	36	48	28	39	
	女 F.	448	43	38	39	42	43	34	42	30	28	38	35	36	
B18.f	カンジダ症	52	7	10	3	2	2	1	5	4	6	3	4	5	B18.f
	男 M.	29	5	8	3	-	2	-	-	1	4	1	2	3	
	女 F.	23	2	2	-	2	-	1	5	3	2	2	2	2	
B18.g	日本住血吸虫症	23	-	3	1	1	3	1	1	1	6	2	3	1	B18.g
	男 M.	13	-	2	-	-	3	1	-	1	4	-	2	-	
	女 F.	10	-	1	1	1	-	-	1	-	2	2	1	1	
B18.h	糸状虫症	10	1	-	1	-	1	-	2	1	-	-	2	2	B18.h
	男 M.	7	1	-	1	-	-	-	1	-	-	-	2	2	
	女 F.	3	-	-	-	-	1	-	1	1	-	-	-	-	
B18.i	その他	622	68	40	47	55	38	50	55	70	55	49	35	60	B18.i
	男 M.	355	41	21	26	35	24	25	31	39	29	32	19	33	
	女 F.	267	27	19	21	20	14	25	24	31	26	17	16	27	
B19	悪性新生物（リンパおよび造血組織の新生物を含む）	127 299	10 353	9 894	10 563	10 141	10 496	10 285	10 970	11 003	10 722	11 182	10 753	10 937	B19
	男 M.	71 298	5 760	5 592	5 942	5 661	5 851	5 761	6 122	6 220	5 985	6 307	6 005	6 092	
	女 F.	56 001	4 593	4 302	4 621	4 480	4 645	4 524	4 848	4 783	4 737	4 875	4 748	4 845	
B19.a	食道の悪性新生物	4 921	419	402	408	381	386	390	417	428	405	432	425	428	B19.a
	男 M.	3 739	325	302	311	303	280	295	313	313	294	338	332	333	
	女 F.	1 182	94	100	97	78	106	95	104	115	111	94	93	95	
B19.b	胃の悪性新生物	49 943	4 034	3 855	4 119	4 014	4 163	4 063	4 221	4 320	4 253	4 410	4 277	4 214	B19.b
	男 M.	30 380	2 451	2 402	2 495	2 451	2 534	2 477	2 559	2 649	2 596	2 696	2 547	2 523	
	女 F.	19 563	1 583	1 453	1 624	1 563	1 629	1 586	1 662	1 671	1 657	1 714	1 730	1 691	
B19.c	肝臓の悪性新生物	9 788	811	740	816	784	867	800	880	835	792	829	796	838	B19.c
	男 M.	6 100	505	465	514	484	529	524	562	525	476	509	506	501	
	女 F.	3 688	306	275	302	300	338	276	318	310	316	320	290	337	
B19.d	膵臓の悪性新生物	4 930	369	369	405	429	385	401	394	435	425	429	404	485	B19.d
	男 M.	2 857	231	221	234	242	209	221	245	265	248	232	230	279	
	女 F.	2 073	138	148	171	187	176	180	149	170	177	197	174	206	
B19.e	気管，気管支および肺の悪性新生物	12 290	1 012	966	997	927	997	957	1 060	1 093	1 059	1 136	1 009	1 077	B19.e
	男 M.	8 837	713	691	715	660	724	696	760	796	769	804	734	775	
	女 F.	3 453	299	275	282	267	273	261	300	297	290	332	275	302	

第3表 死　亡　者　数，

TABLE 3　DEATHS FROM CAUSES (B LIST)

性・月・死因（B分類）別

BY SEX AND MONTH OF OCCURRENCE

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	国際50項目分類番号（B表） International B list number
B19.f	乳房の悪性新生物	2 793	248	224	244	227	238	194	248	215	230	223	249	253	B19.f
	男 M.	31	2	-	3	3	3	4	2	2	3	2	2	5	
	女 F.	2 762	246	224	241	224	235	190	246	213	227	221	247	248	
B19.g	子宮の悪性新生物	6 332	595	513	515	513	523	538	531	555	508	510	512	519	B19.g
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	6 332	595	513	515	513	523	538	531	555	508	510	512	519	
B19.h	白血病	3 808	285	287	305	307	301	310	349	376	330	339	294	325	B19.h
	男 M.	2 073	152	163	169	171	156	182	176	208	178	186	159	173	
	女 F.	1 735	133	124	136	136	145	128	173	168	152	153	135	152	
B19.i	その他	32 494	2 580	2 538	2 754	2 559	2 636	2 632	2 870	2 746	2 720	2 874	2 787	2 798	B19.i
	男 M.	17 281	1 381	1 348	1 501	1 347	1 416	1 362	1 505	1 462	1 421	1 540	1 495	1 503	
	女 F.	15 213	1 199	1 190	1 253	1 212	1 220	1 270	1 365	1 284	1 299	1 334	1 292	1 295	
B20	良性および性質不詳の新生物	5 755	480	473	461	473	468	504	486	476	452	508	480	494	B20
	男 M.	3 138	267	264	251	256	252	275	258	257	236	272	265	285	
	女 F.	2 617	213	209	210	217	216	229	228	219	216	236	215	209	
B21	糖尿病	7 875	729	764	792	691	651	575	563	593	515	610	649	743	B21
	男 M.	3 821	352	385	380	327	305	259	261	281	290	294	335	352	
	女 F.	4 054	377	379	412	364	346	316	302	312	225	316	314	391	
B22	ビタミン欠乏症およびその他の栄養欠乏症	513	47	56	60	35	48	32	41	36	38	44	26	50	B22
	男 M.	256	28	26	27	18	27	17	18	17	20	22	15	21	
	女 F.	257	19	30	33	17	21	15	23	19	18	22	11	29	
B23	貧血	1 601	107	163	142	145	125	117	147	129	148	127	127	124	B23
	男 M.	660	41	70	64	57	49	48	59	57	63	51	51	50	
	女 F.	941	66	93	78	88	76	69	88	72	85	76	76	74	
B24	髄膜炎	802	81	49	64	67	80	53	81	65	77	55	52	78	B24
	男 M.	457	53	33	40	36	45	24	46	29	43	36	29	43	
	女 F.	345	28	16	24	31	35	29	35	36	34	19	23	35	
B25	活動性リウマチ熱	362	40	29	39	24	39	33	22	35	21	23	29	28	B25
	男 M.	116	14	9	16	9	9	8	10	8	11	6	7	9	
	女 F.	246	26	20	23	15	30	25	12	27	10	17	22	19	
B26	慢性リウマチ性心疾患	3 715	297	370	403	333	301	316	272	252	262	282	276	351	B26
	男 M.	1 516	111	147	156	135	132	117	113	105	124	121	119	136	
	女 F.	2 199	186	223	247	198	169	199	159	147	138	161	157	215	
B27	高血圧性疾患	17 421	1 663	1 723	1 782	1 473	1 401	1 365	1 223	1 267	1 077	1 327	1 396	1 724	B27
	男 M.	7 877	781	801	793	695	609	623	523	549	503	598	621	781	
	女 F.	9 544	882	922	989	778	792	742	700	718	574	729	775	943	
B27.a	高血圧性心疾患	12 037	1 133	1 214	1 247	1 004	991	948	841	882	729	906	963	1 179	B27.a
	男 M.	5 456	528	571	559	472	428	425	360	378	343	409	439	544	
	女 F.	6 581	605	643	688	532	563	523	481	504	386	497	524	635	
B27.b	その他の高血圧性疾患	5 384	530	509	535	469	410	417	382	385	348	421	433	545	B27.b
	男 M.	2 421	253	230	234	223	181	198	163	171	160	189	182	237	
	女 F.	2 963	277	279	301	246	229	219	219	214	188	232	251	308	
B28	虚血性心疾患	38 759	3 778	3 728	4 074	3 250	3 044	2 806	2 741	2 660	2 568	3 055	3 313	3 742	B28
	男 M.	22 042	2 152	2 129	2 268	1 833	1 728	1 552	1 583	1 589	1 486	1 731	1 948	2 043	
	女 F.	16 717	1 626	1 599	1 806	1 417	1 316	1 254	1 158	1 071	1 082	1 324	1 365	1 699	
B29	その他の心疾患	43 411	4 341	4 333	4 825	3 625	3 429	3 110	2 944	3 018	2 866	3 271	3 521	4 128	B29
	男 M.	20 634	2 071	2 064	2 295	1 717	1 659	1 489	1 377	1 429	1 353	1 570	1 663	1 947	
	女 F.	22 777	2 270	2 269	2 530	1 908	1 770	1 621	1 567	1 589	1 513	1 701	1 858	2 181	
B29.a	心内膜の慢性疾患	3 650	373	364	436	314	326	252	249	256	240	266	275	299	B29.a
	男 M.	1 417	136	157	156	127	123	98	100	103	91	104	105	117	
	女 F.	2 233	237	207	280	187	203	154	149	153	149	162	170	182	

第3表 死　亡　者　数，

TABLE 3　DEATHS FROM CAUSES (B LIST)

性・月・死因（B分類）別
BY SEX AND MONTH OF OCCURRENCE

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	国際50項目分類番号（B表） International B list number
B29.b	その他の心筋機能不全	31 701	3 177	3 115	3 430	2 651	2 432	2 256	2 167	2 208	2 079	2 427	2 648	3 111	B29.b
	男 M.	14 944	1 537	1 468	1 619	1 242	1 154	1 073	1 014	1 049	969	1 164	1 225	1 430	
	女 F.	16 757	1 640	1 647	1 811	1 409	1 278	1 183	1 153	1 159	1 110	1 263	1 423	1 681	
B29.c	その他の心疾患	8 060	791	854	959	660	671	602	528	554	547	578	598	718	B29.c
	男 M.	4 273	398	439	520	348	382	318	263	277	293	302	333	400	
	女 F.	3 787	393	415	439	312	289	284	265	277	254	276	265	318	
B30	脳血管疾患	176 228	16 584	16 495	17 773	14 673	13 938	12 973	12 812	12 806	12 103	14 290	14 927	16 854	B30
	男 M.	93 290	8 881	8 855	9 493	7 726	7 334	6 728	6 465	6 620	6 369	7 564	8 198	9 057	
	女 F.	82 938	7 703	7 640	8 280	6 947	6 604	6 245	6 347	6 186	5 734	6 726	6 729	7 797	
B30.a	脳出血	75 737	7 223	7 275	7 608	6 591	6 301	5 655	5 294	5 149	5 235	6 252	6 256	6 898	B30.a
	男 M.	41 436	4 011	4 024	4 212	3 577	3 435	3 050	2 773	2 787	2 794	3 414	3 579	3 780	
	女 F.	34 301	3 212	3 251	3 396	3 014	2 866	2 605	2 521	2 362	2 441	2 838	2 677	3 118	
B30.b	脳硬塞	62 447	5 897	5 718	6 451	4 966	4 636	4 526	4 698	4 776	4 205	4 928	5 325	6 321	B30.b
	男 M.	31 914	3 034	2 959	3 332	2 509	2 386	2 253	2 271	2 375	2 176	2 508	2 825	3 286	
	女 F.	30 533	2 863	2 759	3 119	2 457	2 250	2 273	2 427	2 401	2 029	2 420	2 500	3 035	
B30.c	その他	38 044	3 464	3 502	3 714	3 116	3 001	2 792	2 820	2 881	2 663	3 110	3 346	3 635	B30.c
	男 M.	19 940	1 836	1 872	1 949	1 640	1 513	1 425	1 421	1 458	1 399	1 642	1 794	1 991	
	女 F.	18 104	1 628	1 630	1 765	1 476	1 488	1 367	1 399	1 423	1 264	1 468	1 552	1 644	
B31	インフルエンザ	856	19	206	474	93	15	9	2	5	5	2	9	17	B31
	男 M.	472	10	113	266	40	10	6	2	2	3	1	6	13	
	女 F.	384	9	93	208	53	5	3	-	3	2	1	3	4	
B32	肺炎	23 204	2 084	2 491	3 311	1 853	1 631	1 668	1 858	1 742	1 403	1 555	1 644	1 964	B32
	男 M.	12 462	1 134	1 407	1 802	991	870	889	917	877	749	854	937	1 035	
	女 F.	10 742	950	1 084	1 509	862	761	779	941	865	654	701	707	929	
B33	気管支炎，肺気腫および喘息	13 012	1 292	1 598	1 742	1 082	997	942	808	718	790	964	939	1 140	B33
	男 M.	7 925	757	984	1 052	668	615	588	491	424	480	584	600	682	
	女 F.	5 087	535	614	690	414	382	354	317	294	310	380	339	458	
B33.a	気管支炎	4 125	401	500	536	357	303	285	252	234	248	298	331	380	B33.a
	男 M.	2 352	215	285	289	206	189	171	146	128	143	165	209	206	
	女 F.	1 773	186	215	247	151	114	114	106	106	105	133	122	174	
B33.b	肺気腫	1 534	150	170	218	104	114	129	96	92	92	121	99	149	B33.b
	男 M.	1 173	109	129	169	81	91	100	72	64	64	101	76	117	
	女 F.	361	41	41	49	23	23	29	24	28	28	20	23	32	
B33.c	喘息	7 353	741	928	988	621	580	528	460	392	450	545	509	611	B33.c
	男 M.	4 400	433	570	594	381	335	317	273	232	273	318	315	359	
	女 F.	2 953	308	358	394	240	245	211	187	160	177	227	194	252	
B34	消化性潰瘍	7 377	685	685	765	614	601	550	513	534	525	590	662	653	B34
	男 M.	4 900	441	449	513	411	391	356	340	347	369	393	462	428	
	女 F.	2 477	244	236	252	203	210	194	173	187	156	197	200	225	
B35	虫垂炎	483	40	40	32	39	40	41	39	68	32	35	36	41	B35
	男 M.	274	25	21	20	22	29	22	18	45	19	18	16	19	
	女 F.	209	15	19	12	17	11	19	21	23	13	17	20	22	
B36	腸閉塞およびヘルニア	2 834	269	261	230	243	251	228	204	244	238	222	211	233	B36
	男 M.	1 408	129	124	115	118	128	119	84	123	124	110	102	132	
	女 F.	1 426	140	137	115	125	123	109	120	121	114	112	109	101	
B37	肝硬変	13 587	1 223	1 147	1 222	1 139	1 108	1 022	1 045	1 026	1 072	1 148	1 140	1 295	B37
	男 M.	9 696	909	833	878	792	767	705	728	733	782	832	831	906	
	女 F.	3 891	314	314	344	347	341	317	317	293	290	316	309	389	
B38	腎炎およびネフローゼ	7 737	721	729	777	639	636	613	557	590	505	660	614	696	B38
	男 M.	3 959	395	366	409	320	319	302	280	281	253	340	324	370	
	女 F.	3 778	326	363	368	319	317	311	277	309	252	320	290	326	

第3表 死　亡　者　数，

TABLE 3　DEATHS FROM CAUSES (B LIST)

性・月・死因（B分類）別

BY SEX AND MONTH OF OCCURRENCE

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	国際50項目分類番号（B表） International B list number
B38.a	急性腎炎およびネフローゼ	1 503	146	150	132	119	115	119	122	115	97	130	117	141	B38.a
	男 M.	788	86	60	71	62	58	68	58	61	48	64	70	82	
	女 F.	715	60	90	61	57	57	51	64	54	49	66	47	59	
B38.b	その他	6 234	575	579	645	520	521	494	435	475	408	530	497	555	B38.b
	男 M.	3 171	309	306	338	258	261	234	222	220	205	276	254	288	
	女 F.	3 063	266	273	307	262	260	260	213	255	203	254	243	267	
B39	前立腺肥大症	716	62	63	60	41	46	52	59	58	54	75	85	61	B39
	男 M.	716	62	63	60	41	46	52	59	58	54	75	85	61	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	
B40	流産	24	1	3	1	2	1	1	2	3	3	1	1	5	B40
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	24	1	3	1	2	1	1	2	3	3	1	1	5	
B41	その他の妊娠，分娩，産褥の合併症および合併症の記載のない分娩	803	65	76	78	64	72	64	78	58	56	61	50	81	B41
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	803	65	76	78	64	72	64	78	58	56	61	50	81	
B42	先天異常	6 164	472	485	535	471	535	533	542	494	499	486	514	598	B42
	男 M.	3 335	261	271	298	266	280	275	276	274	266	261	281	326	
	女 F.	2 829	211	214	237	205	255	258	266	220	233	225	233	272	
B43	出生時損傷，難産およびその他の無酸素症，低酸素症	3 927	305	296	339	320	349	311	375	355	323	304	326	324	B43
	男 M.	2 429	190	170	213	204	211	194	234	222	186	193	197	215	
	女 F.	1 498	115	126	126	116	138	117	141	133	137	111	129	109	
B44	その他の周産期の死因	8 003	696	713	685	651	681	666	704	690	576	631	647	663	B44
	男 M.	4 697	416	426	409	377	409	376	402	404	351	362	363	402	
	女 F.	3 306	280	287	276	274	272	290	302	286	225	269	284	261	
B45	症状およびその他の診断名不明確の状態	42 163	4 308	4 215	4 451	3 535	3 083	2 904	2 914	3 061	2 792	3 225	3 476	4 199	B45
	男 M.	17 278	1 753	1 708	1 776	1 398	1 258	1 226	1 207	1 284	1 169	1 335	1 458	1 706	
	女 F.	24 885	2 555	2 507	2 675	2 137	1 825	1 678	1 707	1 777	1 623	1 890	2 018	2 493	
B45.a	精神病の記載のない老衰	32 520	3 293	3 294	3 541	2 700	2 302	2 126	2 223	2 366	2 130	2 485	2 733	3 327	B45.a
	男 M.	11 367	1 137	1 165	1 232	880	762	711	779	849	775	874	1 009	1 194	
	女 F.	21 153	2 156	2 129	2 309	1 820	1 540	1 415	1 444	1 517	1 355	1 611	1 724	2 133	
B45.b	その他	9 643	1 015	921	910	835	781	778	691	695	662	740	743	872	B45.b
	男 M.	5 911	616	543	544	518	496	515	428	435	394	461	449	512	
	女 F.	3 732	399	378	366	317	285	263	263	260	268	279	294	360	
B46	その他のすべての疾患	46 236	4 202	4 168	4 593	3 741	3 670	3 389	3 662	3 818	3 481	3 610	3 738	4 164	B46
	男 M.	22 312	2 062	2 056	2 224	1 752	1 797	1 611	1 694	1 756	1 680	1 767	1 871	2 042	
	女 F.	23 924	2 140	2 112	2 369	1 989	1 873	1 778	1 968	2 062	1 801	1 843	1 867	2 122	
B46.a	精神障害	3 207	336	303	276	252	214	215	252	239	218	260	292	350	B46.a
	男 M.	1 692	181	166	150	128	109	108	119	120	118	143	163	187	
	女 F.	1 515	155	137	126	124	105	107	133	119	100	117	129	163	
B46.b	中枢神経系の非炎症性疾患	4 059	332	398	336	310	347	294	329	326	316	341	346	384	B46.b
	男 M.	2 260	183	225	183	176	200	166	182	179	180	190	198	198	
	女 F.	1 799	149	173	153	134	147	128	147	147	136	151	148	186	
B46.c	その他の循環器系の疾患	5 810	574	550	608	462	448	389	409	477	423	453	460	557	B46.c
	男 M.	3 081	301	294	304	253	241	202	214	241	223	252	262	294	
	女 F.	2 729	273	256	304	209	207	187	195	236	200	201	198	263	
B46.d	急性気管支炎および細気管支炎	2 341	205	271	372	217	154	152	137	157	146	143	172	215	B46.d
	男 M.	1 187	113	153	190	97	74	72	62	78	73	74	95	106	
	女 F.	1 154	92	118	182	120	80	80	75	79	73	69	77	109	
B46.e	胃炎，十二指腸炎および慢性胃腸炎	3 573	330	330	316	290	255	253	257	284	293	313	336	316	B46.e
	男 M.	1 427	139	128	127	95	100	91	88	118	126	134	134	147	
	女 F.	2 146	191	202	189	195	155	162	169	166	167	179	202	169	

第3表 死　亡　者　数，

TABLE 3　DEATHS FROM CAUSES (B LIST)

性・月・死因（B分類）別
BY SEX AND MONTH OF OCCURRENCE

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	国際50項目分類番号（B表） International B list number
B46.f	肝臓の疾患（肝硬変を除く）	3 324	304	273	294	248	289	261	280	275	285	272	255	288	B46.f
	男 M.	1 776	151	146	156	132	155	144	139	150	144	144	151	164	
	女 F.	1 548	153	127	138	116	134	117	141	125	141	128	104	124	
B46.g	その他	23 922	2 121	2 043	2 391	1 962	1 963	1 825	1 998	2 060	1 800	1 828	1 877	2 054	B46.g
	男 M.	10 889	994	944	1 114	871	918	828	890	870	816	830	868	946	
	女 F.	13 033	1 127	1 099	1 277	1 091	1 045	997	1 108	1 190	984	998	1 009	1 108	
"E"	不慮の事故，中毒および暴力の二重分類（外因）	63 111	4 959	4 686	5 478	5 382	5 413	5 009	5 802	5 666	4 887	5 314	5 126	5 389	"E"
	男 M.	43 604	3 383	3 179	3 771	3 692	3 661	3 488	4 010	4 011	3 440	3 699	3 535	3 735	
	女 F.	19 507	1 576	1 507	1 707	1 690	1 752	1 521	1 792	1 655	1 447	1 615	1 591	1 654	
BE47	自動車事故	20 494	1 627	1 414	1 661	1 651	1 599	1 522	1 708	1 814	1 660	1 944	1 913	1 981	BE47
	男 M.	15 709	1 235	1 072	1 292	1 295	1 219	1 209	1 320	1 379	1 277	1 487	1 450	1 474	
	女 F.	4 785	392	342	369	356	380	313	388	435	383	457	463	507	
BE48	その他の不慮の事故	21 937	1 691	1 726	1 935	1 717	1 831	1 626	2 382	2 086	1 636	1 648	1 715	1 944	BE48
	男 M.	15 980	1 208	1 241	1 387	1 242	1 293	1 202	1 707	1 613	1 226	1 203	1 246	1 412	
	女 F.	5 957	483	485	548	475	538	424	675	473	410	445	469	532	
BE48.a	自動車以外の交通事故	2 481	188	186	272	186	206	187	200	181	194	215	245	221	BE48.a
	男 M.	2 019	154	148	229	156	168	151	159	142	161	174	188	189	
	女 F.	462	34	38	43	30	38	36	41	39	33	41	57	32	
BE48.b	不慮の墜落	4 810	364	343	409	392	429	359	353	390	441	461	428	441	BE48.b
	男 M.	3 414	243	248	297	279	300	259	252	268	322	327	307	312	
	女 F.	1 396	121	95	112	113	129	100	101	122	119	134	121	129	
BE48.c	火災および火焔による不慮の事故	1 731	184	220	249	176	191	80	52	51	56	96	139	237	BE48.c
	男 M.	984	109	121	137	99	80	49	34	29	37	59	79	151	
	女 F.	747	75	99	112	77	111	31	18	22	19	37	60	86	
BE48.d	天災	444	-	-	-	-	-	18	390	2	33	-	1	-	BE48.d
	男 M.	206	-	-	-	-	-	9	177	-	19	-	1	-	
	女 F.	238	-	-	-	-	-	9	213	2	14	-	-	-	
BE48.e	不慮の溺死	4 776	205	232	297	371	403	417	805	912	378	298	218	240	BE48.e
	男 M.	3 523	142	156	204	258	286	304	644	749	282	190	138	170	
	女 F.	1 253	63	76	93	113	117	113	161	163	96	108	80	70	
BE48.f	工業性の不慮の事故	3 498	234	327	276	273	295	276	295	291	269	301	345	316	BE48.f
	男 M.	3 013	196	292	242	235	250	238	253	255	234	262	302	254	
	女 F.	485	38	35	34	38	45	38	42	36	35	39	43	62	
BE48.g	その他	4 197	516	418	432	319	307	289	287	259	265	277	339	489	BE48.g
	男 M.	2 821	364	276	278	215	209	192	188	170	171	191	231	336	
	女 F.	1 376	152	142	154	104	98	97	99	89	94	86	108	153	
BE49	自殺	18 015	1 402	1 321	1 614	1 793	1 769	1 628	1 513	1 540	1 380	1 490	1 321	1 244	BE49
	男 M.	10 231	805	726	922	1 006	1 021	930	847	868	804	861	723	718	
	女 F.	7 784	597	595	692	787	748	698	666	672	576	629	598	526	
BE50	その他の外因	2 665	239	225	268	221	214	233	199	226	211	232	177	220	BE50
	男 M.	1 684	135	140	170	149	128	147	136	151	133	148	116	131	
	女 F.	981	104	85	98	72	86	86	63	75	78	84	61	89	
BE50.a	他殺	1 372	124	110	125	105	114	134	87	115	126	135	84	113	BE50.a
	男 M.	791	64	57	71	61	68	78	53	71	75	80	50	63	
	女 F.	581	60	53	54	44	46	56	34	44	51	55	34	50	
BE50.b	不慮か故意か決定されない傷害	1 268	114	109	139	115	98	97	110	110	83	96	91	106	BE50.b
	男 M.	870	70	78	95	88	58	67	81	79	56	67	64	67	
	女 F.	398	44	31	44	27	40	30	29	31	27	29	27	39	
BE50.c	法的介入および戦争行為	25	1	6	4	1	2	2	2	1	2	1	2	1	BE50.c
	男 M.	23	1	5	4	-	2	2	2	1	2	1	2	1	
	女 F.	2	-	1	-	1	-	-	-	-	-	-	-	-	

第3表 死　亡　者　数，

TABLE 3　DEATHS FROM CAUSES (B LIST)

性・月・死因（B分類）別
BY SEX AND MONTH OF OCCURRENCE

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	国際50項目分類番号（B表） International B list number
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	63 111	4 959	4 686	5 478	5 382	5 413	5 009	5 802	5 666	4 887	5 314	5 126	5 389	"N"
	男 M.	43 604	3 383	3 179	3 771	3 692	3 661	3 488	4 010	4 011	3 440	3 699	3 535	3 735	
	女 F.	19 507	1 576	1 507	1 707	1 690	1 752	1 521	1 792	1 655	1 447	1 615	1 591	1 654	
BN47	骨折，頭蓋内および内部損傷	30 828	2 411	2 270	2 533	2 477	2 525	2 328	2 583	2 592	2 508	2 919	2 779	2 903	BN47
	男 M.	23 390	1 809	1 733	1 963	1 923	1 909	1 817	1 906	1 945	1 903	2 211	2 106	2 165	
	女 F.	7 438	602	537	570	554	616	511	677	647	605	708	673	738	
BN47.a	頭蓋骨折	13 565	1 112	1 015	1 174	1 141	1 093	1 025	1 097	1 096	1 089	1 299	1 151	1 273	BN47.a
	男 M.	10 685	869	807	967	919	852	828	817	836	860	1 029	913	988	
	女 F.	2 880	243	208	207	222	241	197	280	260	229	270	238	285	
BN47.b	その他の骨の骨折	3 929	297	286	337	327	307	280	340	339	314	350	413	339	BN47.b
	男 M.	2 466	183	178	202	217	187	184	208	224	197	222	269	195	
	女 F.	1 463	114	108	135	110	120	96	132	115	117	128	144	144	
BN47.c	頭蓋内損傷（頭蓋骨折を伴うものを除く）	8 325	645	616	661	633	667	577	693	713	672	817	771	860	BN47.c
	男 M.	6 179	474	458	501	477	484	435	534	528	494	599	560	635	
	女 F.	2 146	171	158	160	156	183	142	159	185	178	218	211	225	
BN47.d	胸，腹および骨盤腔の内部損傷	5 009	357	353	361	376	458	446	453	444	433	453	444	431	BN47.d
	男 M.	4 060	283	290	293	310	386	370	347	357	352	361	364	347	
	女 F.	949	74	63	68	66	72	76	106	87	81	92	80	84	
BN48	熱傷	2 406	241	261	307	248	170	161	123	100	126	160	208	301	BN48
	男 M.	1 434	147	148	178	142	89	97	79	58	81	102	129	184	
	女 F.	972	94	113	129	106	81	64	44	42	45	58	79	117	
BN49	化学物質の有害作用	5 835	499	537	513	607	641	443	399	430	387	407	477	495	BN49
	男 M.	3 086	247	281	276	325	331	230	224	228	208	209	253	274	
	女 F.	2 749	252	256	237	282	310	213	175	202	179	198	224	221	
BN50	その他の損傷	24 042	1 808	1 618	2 125	2 050	2 077	2 077	2 697	2 544	1 866	1 828	1 662	1 690	BN50
	男 M.	15 694	1 180	1 017	1 354	1 302	1 332	1 344	1 801	1 780	1 248	1 177	1 047	1 112	
	女 F.	8 348	628	601	771	748	745	733	896	764	618	651	615	578	
BN50.a	裂傷および開放創	1 391	130	93	123	119	112	114	111	136	115	115	116	107	BN50.a
	男 M.	959	85	53	88	77	76	83	87	93	87	78	80	72	
	女 F.	432	45	40	35	42	36	31	24	43	28	37	36	35	
BN50.b	溺死	8 334	492	494	661	658	721	728	1 222	1 236	647	536	473	466	BN50.b
	男 M.	5 453	287	296	399	408	446	470	875	922	440	320	294	296	
	女 F.	2 881	205	198	262	250	275	258	347	314	207	216	179	170	
BN50.c	窒息および絞首	10 747	756	715	991	986	996	1 003	1 102	899	849	905	805	740	BN50.c
	男 M.	6 601	484	442	606	596	633	624	639	555	527	569	474	452	
	女 F.	4 146	272	273	385	390	363	379	463	344	322	336	331	288	
BN50.d	その他	3 570	430	316	350	287	248	232	262	273	255	272	268	377	BN50.d
	男 M.	2 681	324	226	261	221	177	167	200	210	194	210	199	292	
	女 F.	889	106	90	89	66	71	65	62	63	61	62	69	85	

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	国際50項目分類番号（B表） International B list number
	総数 Total	683 751	30 709	9 439	9 830	11 973	9 123	9 578	14 515	16 632	11 964	11 972	21 385	20 295	54 111	25 976	17 816	7 768	7 645	5 806	6 051	
	男 M.	372 833	17 544	5 314	5 517	6 549	5 054	5 232	7 885	9 108	6 429	6 493	11 741	11 112	29 872	14 599	9 454	4 129	4 029	3 010	3 265	
	女 F.	310 918	13 165	4 125	4 313	5 424	4 069	4 346	6 630	7 524	5 535	5 479	9 644	9 183	24 239	11 377	8 362	3 639	3 616	2 796	2 786	
B 1	コレラ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B 2	腸チフス	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B 3	細菌性赤痢およびアメーバ症	22	-	-	-	-	-	1	-	2	-	-	-	1	7	1	-	-	-	-	1	B 3
	男 M.	12	-	-	-	-	-	-	-	1	-	-	-	1	5	1	-	-	-	-	1	
	女 F.	10	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	
B 4	腸炎およびその他の下痢性疾患	3 929	107	70	45	50	49	46	79	103	82	74	126	127	194	115	107	64	54	62	35	B 4
	男 M.	1 756	56	36	22	24	22	22	37	45	40	33	62	55	96	65	38	18	23	22	20	
	女 F.	2 173	51	34	23	26	27	24	42	58	42	41	64	72	98	50	69	46	31	40	15	
B 5	呼吸器系の結核	11 983	577	200	113	117	94	104	177	174	144	106	263	278	1 091	405	153	116	126	84	64	B 5
	男 M.	8 422	393	133	76	84	68	69	123	114	100	71	191	187	772	295	97	83	91	58	43	
	女 F.	3 561	184	67	37	33	26	35	54	60	44	35	72	91	319	110	56	33	35	26	21	
B 6	その他の結核（後遺症を含む）	582	38	29	11	8	7	9	14	11	9	6	20	15	65	21	7	6	5	6	4	B 6
	男 M.	280	16	15	7	4	5	2	6	6	4	5	12	7	26	12	1	3	1	1	1	
	女 F.	302	22	14	4	4	2	7	8	5	5	1	8	8	39	9	6	3	4	5	3	
B 7	ペスト	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B 8	ジフテリア	5	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	B 8
	男 M.	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
B 9	百日咳	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 9
	男 M.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B10	レンサ球菌性咽頭炎および猩紅熱	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B10
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B11	髄膜炎菌感染	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	B11
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
B12	急性灰白髄炎	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B12
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B13	痘瘡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B13
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B14	麻疹	378	28	6	8	5	1	1	15	12	11	10	10	14	34	14	6	2	4	3	8	B14
	男 M.	196	20	4	6	3	-	-	6	5	3	6	6	11	20	6	-	2	2	3	4	
	女 F.	182	8	2	2	2	1	1	9	7	8	4	4	3	14	8	6	-	2	-	4	
B15	チフスおよびその他のリケッチア症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	B15
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B16	マラリア	5	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	B16
	男 M.	5	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島
B17	梅毒および続発症	461	29	4	1	8	12	5	9
	男 M.	318	20	2	1	4	6	4	6
	女 F.	143	9	2	-	4	6	1	3
B18	その他の伝染病および寄生虫病	2 396	119	36	32	51	28	29	45
	男 M.	1 265	66	14	18	30	10	16	25
	女 F.	1 131	53	22	14	21	18	13	20
B18.a	癩	1	-	-	-	1	-	-	-
	男 M.	1	-	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B18.b	破傷風	138	2	-	2	-	2	-	4
	男 M.	84	2	-	2	-	2	-	2
	女 F.	54	-	-	-	-	-	-	2
B18.c	敗血症	624	31	8	7	13	7	7	7
	男 M.	318	19	3	3	3	-	5	3
	女 F.	306	12	5	4	10	7	2	4
B18.d	日本脳炎	36	-	-	-	-	-	-	-
	男 M.	16	-	-	-	-	-	-	-
	女 F.	20	-	-	-	-	-	-	-
B18.e	伝染性肝炎	890	53	13	19	20	12	12	17
	男 M.	442	26	4	10	11	3	7	10
	女 F.	448	27	9	9	9	9	5	7
B18.f	カンジダ症	52	4	2	-	-	-	2	1
	男 M.	29	3	-	-	-	-	-	-
	女 F.	23	1	2	-	-	-	2	1
B18.g	日本住血吸虫症	23	-	-	-	-	-	-	-
	男 M.	13	-	-	-	-	-	-	-
	女 F.	10	-	-	-	-	-	-	-
B18.h	糸状虫症	10	-	-	-	-	-	-	-
	男 M.	7	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-
B18.i	その他	622	29	13	4	17	7	8	16
	男 M.	355	16	7	3	15	5	4	10
	女 F.	267	13	6	1	2	2	4	6
B19	悪性新生物（リンパおよび造血組織の新生物を含む）	127 299	5 876	1 568	1 550	2 369	1 814	1 896	2 631
	男 M.	71 298	3 381	884	858	1 371	1 045	1 091	1 495
	女 F.	56 001	2 495	684	692	998	769	805	1 136
B19.a	食道の悪性新生物	4 921	256	49	42	137	94	91	155
	男 M.	3 739	200	42	30	102	72	72	122
	女 F.	1 182	56	7	12	35	22	19	33
B19.b	胃の悪性新生物	49 943	2 152	584	542	896	813	865	1 084
	男 M.	30 380	1 377	374	311	578	505	553	672
	女 F.	19 563	775	210	231	318	308	312	412
B19.c	肝臓の悪性新生物	9 788	433	83	93	153	104	113	165
	男 M.	6 100	268	59	49	99	51	73	94
	女 F.	3 688	165	24	44	54	53	40	71
B19.d	膵臓の悪性新生物	4 930	285	86	71	104	79	79	97
	男 M.	2 857	168	50	36	55	53	52	55
	女 F.	2 073	117	36	35	49	26	27	42
B19.e	気管，気管支および肺の悪性新生物	12 290	599	144	162	253	162	144	238
	男 M.	8 837	452	105	123	179	120	91	177
	女 F.	3 453	147	39	39	74	42	53	61

08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	国際50項目分類番号（B表） International B list number
12	12	11	7	9	45	16	8	5	1	2	1	B17
9	11	6	5	7	33	8	5	3	1	1	1	
3	1	5	2	2	12	8	3	2	-	1	-	
54	40	50	67	78	201	96	49	16	26	22	37	B18
25	22	29	36	41	107	53	31	9	12	16	13	
29	18	21	31	37	94	43	18	7	14	6	24	
-	-	-	-	-	-	-	-	-	-	-	-	B18.a
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
6	6	4	2	8	6	5	2	-	1	-	1	B18.b
4	2	3	-	6	4	4	1	-	1	-	-	
2	4	1	2	2	2	1	1	-	-	-	1	
11	9	14	16	20	53	26	8	9	6	2	4	B18.c
7	5	7	7	10	24	12	5	4	1	1	2	
4	4	7	9	10	29	14	3	5	5	1	2	
2	-	1	2	-	-	1	-	-	1	-	-	B18.d
-	-	-	1	-	-	1	-	-	-	-	-	
2	-	1	1	-	-	-	-	-	1	-	-	
16	11	20	23	34	77	31	27	3	7	13	11	B18.e
6	6	13	14	16	41	18	16	2	2	11	2	
10	5	7	9	18	36	13	11	1	5	2	9	
1	2	1	2	2	-	3	-	-	2	3	2	B18.f
1	2	-	1	1	-	1	-	-	2	1	1	
-	-	1	1	1	-	2	-	-	-	2	1	
-	-	-	-	-	3	-	-	-	-	-	13	B18.g
-	-	-	-	-	1	-	-	-	-	-	7	
-	-	-	-	-	2	-	-	-	-	-	6	
-	-	-	-	-	-	-	-	-	-	-	-	B18.h
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
18	12	10	22	14	62	30	12	4	9	4	6	B18.i
7	7	6	13	8	37	17	9	3	6	3	1	
11	5	4	9	6	25	13	3	1	3	1	5	
2 806	2 076	2 043	3 832	3 749	11 782	5 422	3 577	1 502	1 437	1 041	1 099	B19
1 528	1 141	1 143	2 072	2 088	6 605	3 058	1 985	835	785	537	621	
1 278	935	900	1 760	1 661	5 177	2 364	1 592	667	652	504	478	
146	100	88	177	158	579	230	141	41	36	25	53	B19.a
116	73	61	133	119	455	177	107	30	26	18	41	
30	27	27	44	39	124	53	34	11	10	7	12	
1 179	915	910	1 655	1 623	4 323	2 045	1 573	663	647	431	419	B19.b
685	557	555	962	995	2 621	1 272	930	397	378	242	246	
494	358	355	693	628	1 702	773	643	266	269	189	173	
185	98	128	257	210	741	360	245	104	115	87	100	B19.c
94	61	73	152	139	488	218	136	64	74	49	64	
91	37	55	105	71	253	142	109	40	41	38	36	
101	85	80	121	150	454	216	119	69	50	45	52	B19.d
59	50	45	68	83	273	117	61	37	25	25	28	
42	35	35	53	67	181	99	58	32	25	20	24	
248	167	138	308	304	1 253	534	312	130	123	91	113	B19.e
183	125	99	213	223	904	374	228	96	80	66	86	
65	42	39	95	81	349	160	84	34	43	25	27	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年

1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島
B19.f	乳房の悪性新生物	2 793	131	37	28	62	25	46	52
	男 M.	31	2	2	1	-	-	-	-
	女 F.	2 762	129	35	27	62	25	46	52
B19.g	子宮の悪性新生物	6 332	267	83	67	93	82	58	111
	男 M.	-	-	-	-	-	-	-	-
	女 F.	6 332	267	83	67	93	82	58	111
B19.h	白血病	3 808	216	57	59	65	49	40	77
	男 M.	2 073	117	35	38	40	30	22	41
	女 F.	1 735	99	22	21	25	19	18	36
B19.i	その他	32 494	1 537	445	486	606	406	460	652
	男 M.	17 281	797	217	270	318	214	228	334
	女 F.	15 213	740	228	216	288	192	232	318
B20	良性および性質不詳の新生物	5 755	317	54	47	76	60	61	45
	男 M.	3 138	175	28	28	41	22	33	22
	女 F.	2 617	142	26	19	35	38	28	23
B21	糖尿病	7 875	383	101	101	141	84	87	132
	男 M.	3 821	179	55	61	73	38	32	55
	女 F.	4 054	204	46	40	68	46	55	77
B22	ビタミン欠乏症およびその他の栄養欠乏症	513	33	6	3	10	5	5	19
	男 M.	256	15	1	2	5	3	3	12
	女 F.	257	18	5	1	5	2	2	7
B23	貧血	1 601	78	24	23	20	17	11	27
	男 M.	660	32	9	9	9	7	5	11
	女 F.	941	46	15	14	11	10	6	16
B24	髄膜炎	802	27	11	10	12	9	4	14
	男 M.	457	11	6	6	7	4	2	4
	女 F.	345	16	5	4	5	5	2	10
B25	活動性リウマチ熱	362	17	6	7	8	-	3	8
	男 M.	116	5	2	1	3	-	1	-
	女 F.	246	12	4	6	5	-	2	8
B26	慢性リウマチ性心疾患	3 715	204	36	67	53	57	49	98
	男 M.	1 516	95	19	32	22	24	24	43
	女 F.	2 199	109	17	35	31	33	25	55
B27	高血圧性疾患	17 421	798	132	242	272	149	200	291
	男 M.	7 877	376	57	130	124	72	89	135
	女 F.	9 544	422	75	112	148	77	111	156
B27.a	高血圧性心疾患	12 037	595	97	164	203	109	130	183
	男 M.	5 456	280	41	86	94	52	57	82
	女 F.	6 581	315	56	78	109	57	73	101
B27.b	その他の高血圧性疾患	5 384	203	35	78	69	40	70	108
	男 M.	2 421	96	16	44	30	20	32	53
	女 F.	2 963	107	19	34	39	20	38	55
B28	虚血性心疾患	38 759	1 997	413	645	723	429	543	865
	男 M.	22 042	1 135	248	376	381	248	299	478
	女 F.	16 717	862	165	269	342	181	244	387
B29	その他の心疾患	43 411	1 992	622	569	681	542	513	821
	男 M.	20 634	1 016	316	265	316	266	245	394
	女 F.	22 777	976	306	304	365	276	268	427
B29.a	心内膜の慢性疾患	3 650	151	58	41	63	48	61	90
	男 M.	1 417	57	28	20	25	20	27	33
	女 F.	2 233	94	30	21	38	28	34	57

*Reported by place of residence.

08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	国際50項目分類番号（B表） International B list number
46	48	33	81	94	366	135	61	23	25	21	20	B19.f
-	1	2	1	1	3	-	1	-	-	-	-	
46	47	31	80	93	363	135	60	23	25	21	20	
132	108	89	170	172	562	266	121	61	69	61	41	B19.g
-	-	-	-	-	-	-	-	-	-	-	-	
132	108	89	170	172	562	266	121	61	69	61	41	
89	60	73	142	125	370	215	85	47	48	26	34	B19.h
54	35	50	72	67	216	128	46	24	26	12	15	
35	25	23	70	58	154	87	39	23	22	14	19	
680	495	504	921	913	3 134	1 421	920	364	324	254	267	B19.i
337	239	258	471	461	1 645	772	476	187	176	125	141	
343	256	246	450	452	1 489	649	444	177	148	129	126	
111	72	91	161	190	505	191	90	85	56	43	45	B20
63	39	53	86	108	267	94	52	53	33	24	21	
48	33	38	75	82	238	97	38	32	23	19	24	
161	106	110	193	231	660	264	187	134	120	99	52	B21
79	52	54	91	122	377	130	81	56	60	47	25	
82	54	56	102	109	283	134	106	78	60	52	27	
5	9	7	19	22	34	18	6	8	-	3	4	B22
3	3	4	7	11	15	10	4	3	-	2	2	
2	6	3	12	11	19	8	2	5	-	1	2	
39	29	25	50	41	136	64	34	20	15	18	11	B23
14	14	9	20	18	60	20	10	6	8	9	4	
25	15	16	30	23	76	44	24	14	7	9	7	
21	14	12	35	25	84	47	15	4	9	8	7	B24
12	9	6	24	15	41	31	7	3	4	2	2	
9	5	6	11	10	43	16	8	1	5	6	5	
12	7	6	19	8	34	9	12	4	4	2	1	B25
3	1	2	9	2	13	2	2	-	1	1	1	
9	6	4	10	6	21	7	10	4	3	1	-	
94	62	61	86	103	346	145	110	45	39	24	47	B26
48	24	18	28	39	140	66	45	14	14	10	23	
46	38	43	58	64	206	79	65	31	25	14	24	
392	227	197	495	613	1 411	609	466	126	191	131	125	B27
163	94	89	232	291	639	274	212	57	84	57	59	
229	133	108	263	322	772	335	254	69	107	74	66	
266	144	147	359	450	1 022	406	284	73	122	88	94	B27.a
107	63	66	170	218	477	174	122	33	50	39	47	
159	81	81	189	232	545	232	162	40	72	49	47	
126	83	50	136	163	389	203	182	53	69	43	31	B27.b
56	31	23	62	73	162	100	90	24	34	18	12	
70	52	27	74	90	227	103	92	29	35	25	19	
838	769	731	1 182	1 054	3 655	1 539	1 019	431	460	292	334	B28
480	423	414	688	625	2 092	913	554	258	265	172	189	
358	346	317	494	429	1 563	626	465	173	195	120	145	
1 066	621	768	1 284	1 286	2 605	1 474	753	471	461	423	383	B29
498	272	353	619	622	1 257	727	361	205	208	198	186	
568	349	415	665	664	1 348	747	392	266	253	225	197	
96	47	65	125	115	263	123	47	46	38	22	29	B29.a
40	17	23	51	54	113	45	24	16	13	7	15	
56	30	42	74	61	150	78	23	30	25	15	14	

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES　(B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	国際50項目分類番号（B表） International B list number
B29.b	その他の心筋機能不全	31 701	1 287	456	327	482	391	350	541	768	395	534	884	952	1 790	1 059	453	372	325	300	268	B29.b
	男 M.	14 944	669	219	140	221	187	168	254	358	167	249	421	451	864	514	205	163	144	151	128	
	女 F.	16 757	618	237	187	261	204	182	287	410	228	285	463	501	926	545	248	209	181	149	140	
B29.c	その他の心疾患	8 060	554	108	201	136	103	102	190	202	179	169	275	219	552	292	253	53	98	101	86	B29.c
	男 M.	4 273	290	69	105	70	59	50	107	100	88	81	147	117	280	168	132	26	51	40	43	
	女 F.	3 787	264	39	96	66	44	52	83	102	91	88	128	102	272	124	121	27	47	61	43	
B30	脳血管疾患	176 228	7 467	2 666	3 214	3 734	2 962	2 942	4 712	4 803	3 538	3 594	5 567	5 132	13 345	6 168	5 400	2 062	1 831	1 418	1 843	B30
	男 M.	93 290	4 115	1 498	1 750	1 969	1 604	1 621	2 414	2 629	1 836	1 888	2 941	2 725	7 106	3 281	2 799	1 079	941	755	934	
	女 F.	82 938	3 352	1 168	1 464	1 765	1 358	1 321	2 298	2 174	1 702	1 706	2 626	2 407	6 239	2 887	2 601	983	890	663	909	
B30.a	脳出血	75 737	3 121	1 232	1 432	1 318	1 202	1 148	1 949	2 468	1 444	1 375	2 744	2 375	5 416	2 685	2 304	809	759	617	720	B30.a
	男 M.	41 436	1 776	712	806	725	685	648	1 047	1 388	777	753	1 534	1 322	3 069	1 508	1 213	429	409	332	396	
	女 F.	34 301	1 345	520	626	593	517	500	902	1 080	667	622	1 210	1 053	2 347	1 177	1 091	380	350	285	324	
B30.b	脳硬塞	62 447	2 573	785	1 229	1 794	1 201	1 117	2 074	1 591	1 457	1 648	1 913	1 672	4 941	2 187	1 991	734	605	467	837	B30.b
	男 M.	31 914	1 381	406	639	913	616	605	1 013	847	714	846	933	830	2 468	1 098	1 018	377	290	249	393	
	女 F.	30 533	1 192	379	590	881	585	512	1 061	744	743	802	980	842	2 473	1 089	973	357	315	218	444	
B30.c	その他	38 044	1 773	649	553	622	559	677	689	744	637	571	910	1 085	2 988	1 296	1 105	519	467	334	286	B30.c
	男 M.	19 940	958	380	305	331	303	368	354	394	345	289	474	573	1 569	675	568	273	242	174	145	
	女 F.	18 104	815	269	248	291	256	309	335	350	292	282	436	512	1 419	621	537	246	225	160	141	
B31	インフルエンザ	856	23	9	5	16	4	11	9	15	12	24	25	13	52	24	37	12	16	9	11	B31
	男 M.	472	11	3	3	5	3	6	5	5	5	10	14	9	31	9	16	9	12	4	5	
	女 F.	384	12	6	2	11	1	5	4	10	7	14	11	4	21	15	21	3	4	5	6	
B32	肺炎	23 204	1 160	365	491	432	323	281	543	517	414	417	760	655	2 226	936	662	257	249	165	189	B32
	男 M.	12 462	620	192	266	225	161	167	301	285	208	203	391	355	1 203	546	326	115	139	83	98	
	女 F.	10 742	540	173	225	207	162	114	242	232	206	214	369	300	1 023	390	336	142	110	82	91	
B33	気管支炎，肺気腫および喘息	13 012	432	138	153	193	105	167	277	372	256	278	404	339	958	453	299	104	125	97	124	B33
	男 M.	7 925	257	93	100	126	66	97	175	254	156	163	235	189	571	273	200	60	85	61	74	
	女 F.	5 087	175	45	53	67	39	70	102	118	100	115	169	150	387	180	99	44	40	36	50	
B33.a	気管支炎	4 125	122	44	34	54	32	40	67	108	78	92	136	127	301	131	106	37	36	38	40	B33.a
	男 M.	2 352	65	27	20	31	19	20	42	71	45	47	76	68	178	70	64	20	25	21	29	
	女 F.	1 773	57	17	14	23	13	20	25	37	33	45	60	59	123	61	42	17	11	17	11	
B33.b	肺気腫	1 534	67	10	17	25	19	19	47	36	19	41	26	36	159	67	29	10	15	10	16	B33.b
	男 M.	1 173	56	6	15	18	13	15	36	32	14	27	18	26	119	50	24	8	12	7	16	
	女 F.	361	11	4	2	7	6	4	11	4	5	14	8	10	40	17	5	2	3	3	-	
B33.c	喘息	7 353	243	84	102	114	54	108	163	228	159	145	242	176	498	255	164	57	74	49	68	B33.c
	男 M.	4 400	136	60	65	77	34	62	97	151	97	89	141	95	274	153	112	32	48	33	29	
	女 F.	2 953	107	24	37	37	20	46	66	77	62	56	101	81	224	102	52	25	26	16	39	
B34	消化性潰瘍	7 377	274	85	130	122	84	88	148	220	154	151	203	262	615	241	137	55	68	46	72	B34
	男 M.	4 900	190	54	89	84	55	60	98	146	105	94	128	168	431	159	103	38	39	25	47	
	女 F.	2 477	84	31	41	38	29	28	50	74	49	57	75	94	184	82	34	17	29	21	25	
B35	虫垂炎	483	31	4	12	10	6	6	9	11	12	8	24	12	40	15	20	-	4	2	6	B35
	男 M.	274	23	-	8	4	4	5	6	5	7	5	13	8	25	10	10	-	1	-	6	
	女 F.	209	8	4	4	6	2	1	3	6	5	3	11	4	15	5	10	-	3	2	-	
B36	腸閉塞およびヘルニア	2 834	170	46	39	47	35	47	45	57	53	35	72	85	267	117	63	34	43	23	14	B36
	男 M.	1 408	79	28	18	26	19	29	28	29	28	15	27	40	135	59	29	16	23	12	9	
	女 F.	1 426	91	18	21	21	16	18	17	28	25	20	45	45	132	58	34	18	20	11	5	
B37	肝硬変	13 587	612	161	114	137	105	89	236	236	201	171	371	265	1 162	585	165	85	102	108	166	B37
	男 M.	9 696	440	121	76	97	77	47	159	165	142	115	260	192	875	435	123	62	65	73	107	
	女 F.	3 891	172	40	38	40	28	42	77	71	59	56	111	73	287	150	42	23	37	35	59	
B38	腎炎およびネフローゼ	7 737	349	98	144	108	89	91	127	169	139	112	231	212	733	294	120	77	88	75	64	B38
	男 M.	3 959	179	52	90	54	52	50	68	84	77	67	135	115	381	163	63	41	34	36	32	
	女 F.	3 778	170	46	54	54	37	41	59	85	62	45	96	97	352	131	57	36	54	39	32	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	国際50項目分類番号（B表） International B list number
B38.a	急性腎炎およびネフローゼ	1 503	79	25	33	24	22	15	27	34	32	13	42	50	101	49	27	12	10	14	13	B38.a
	男 M.	788	47	14	16	14	11	6	14	16	15	9	25	29	52	25	13	9	7	8	9	
	女 F.	715	32	11	17	10	11	9	13	18	17	4	17	21	49	24	14	3	3	6	4	
B38.b	その他	6 234	270	73	111	84	67	76	100	135	107	99	189	162	632	245	93	65	78	61	51	B38.b
	男 M.	3 171	132	38	74	40	41	44	54	68	62	58	110	86	329	138	50	32	27	28	23	
	女 F.	3 063	138	35	37	44	26	32	46	67	45	41	79	76	303	107	43	33	51	33	28	
B39	前立腺肥大症	716	45	14	14	11	5	6	11	16	6	5	16	26	45	18	21	3	9	12	4	B39
	男 M.	716	45	14	14	11	5	6	11	16	6	5	16	26	45	18	21	3	9	12	4	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B40	流産	24	1	-	-	1	2	-	-	-	1	-	-	1	3	1	-	-	-	-	-	B40
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	24	1	-	-	1	2	-	-	-	1	-	-	1	3	1	-	-	-	-	-	
B41	その他の妊娠，分娩，産褥の合併症および合併症の記載のない分娩	803	33	13	10	16	4	3	17	15	11	7	38	34	85	40	17	6	5	5	3	B41
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	803	33	13	10	16	4	3	17	15	11	7	38	34	85	40	17	6	5	5	3	
B42	先天異常	6 164	311	81	64	78	57	60	85	119	94	99	279	185	706	381	133	55	59	38	28	B42
	男 M.	3 335	183	45	36	41	35	33	51	62	52	61	159	99	392	194	67	28	34	12	18	
	女 F.	2 829	128	36	28	37	22	27	34	57	42	38	120	86	314	187	66	27	25	26	10	
B43	出生時損傷，難産およびその他の無酸素症，低酸素症	3 927	235	85	64	64	50	38	43	86	74	65	177	153	400	276	61	38	18	28	19	B43
	男 M.	2 429	141	54	42	41	29	29	27	55	51	36	110	94	233	164	36	21	11	15	9	
	女 F.	1 498	94	31	22	23	21	9	16	31	23	29	67	59	167	112	25	17	7	13	10	
B44	その他の周産期の死因	8 003	366	111	134	130	64	88	152	204	159	136	475	293	801	453	140	98	97	44	38	B44
	男 M.	4 697	202	51	72	77	44	57	93	131	90	81	295	164	439	278	87	58	73	25	21	
	女 F.	3 306	164	60	62	53	20	31	59	73	69	55	180	129	362	175	53	40	24	19	17	
B45	症状およびその他の診断名不明確の状態	42 163	1 227	637	244	549	473	745	784	1 278	624	683	1 229	1 493	1 925	1 310	1 002	489	672	483	325	B45
	男 M.	17 278	562	255	98	201	198	286	346	506	248	307	552	603	740	543	387	197	280	195	131	
	女 F.	24 885	665	382	146	348	275	459	438	772	376	376	677	890	1 185	767	615	292	392	288	194	
B45.a	精神病の記載のない老衰	32 520	869	507	168	427	313	562	611	1 021	436	475	899	1 160	1 549	1 025	812	356	545	367	225	B45.a
	男 M.	11 367	311	170	51	125	104	183	232	352	136	190	328	385	509	377	265	121	199	121	79	
	女 F.	21 153	558	337	117	302	209	379	379	669	300	285	571	775	1 040	648	547	235	346	246	146	
B45.b	その他	9 643	358	130	76	122	160	183	173	257	188	208	330	333	376	285	190	133	127	116	100	B45.b
	男 M.	5 911	251	85	47	76	94	103	114	154	112	117	224	218	231	166	122	76	81	74	52	
	女 F.	3 732	107	45	29	46	66	80	59	103	76	91	106	115	145	119	68	57	46	42	48	
B46	その他のすべての疾患	46 236	1 970	604	557	705	528	585	836	1 114	831	732	1 437	1 305	3 369	1 664	1 234	583	590	515	378	B46
	男 M.	22 312	1 051	283	265	340	237	288	397	525	387	358	691	617	1 660	851	568	257	251	240	196	
	女 F.	23 924	919	321	292	365	291	297	439	589	444	374	746	688	1 709	813	666	326	339	275	182	
B46.a	精神障害	3 207	153	45	31	32	18	37	49	70	45	35	103	96	294	140	75	25	26	24	16	B46.a
	男 M.	1 692	86	25	18	20	12	25	23	43	26	19	46	55	180	79	44	9	9	10	9	
	女 F.	1 515	67	20	13	12	6	12	26	27	19	16	57	41	114	61	31	16	17	14	7	
B46.b	中枢神経系の非炎症性疾患	4 059	177	56	43	75	48	50	79	98	60	53	142	133	300	162	107	33	30	29	37	B46.b
	男 M.	2 260	111	25	22	46	26	29	45	66	44	33	74	75	159	91	60	22	15	22	19	
	女 F.	1 799	66	31	21	29	22	21	34	32	16	20	68	58	141	71	47	11	15	7	18	
B46.c	その他の循環器系の疾患	5 810	252	58	52	67	73	65	108	128	95	67	146	138	452	194	235	117	121	84	42	B46.c
	男 M.	3 081	151	30	25	38	35	31	52	71	52	33	92	77	249	105	112	61	57	46	29	
	女 F.	2 729	101	28	27	29	38	34	56	57	43	34	54	61	203	89	123	56	64	38	13	
B46.d	急性気管支炎および細気管支炎	2 341	127	34	40	43	25	26	52	83	64	49	102	54	156	50	74	30	26	35	27	B46.d
	男 M.	1 187	73	19	22	20	11	12	28	31	25	29	46	23	74	31	40	16	9	15	13	
	女 F.	1 154	54	15	18	23	14	14	24	52	39	20	56	31	82	19	34	14	17	20	14	
B46.e	胃炎，十二指腸炎および慢性胃腸炎	3 573	91	45	64	36	47	55	79	83	86	51	122	109	150	95	104	40	45	49	33	B46.e
	男 M.	1 427	40	17	22	12	16	26	33	31	25	18	45	36	55	36	34	14	14	22	12	
	女 F.	2 146	51	28	42	24	31	29	46	52	61	33	77	73	95	59	70	26	31	27	21	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	国際50項目分類番号（B表） International B list number
B46.f	肝臓の疾患（肝硬変を除く）……	3 324	131	40	33	48	33	41	54	90	53	73	110	93	217	127	62	33	52	42	29	B46.f
	男 M.	1 776	68	23	19	24	13	20	29	46	29	40	59	51	103	70	33	16	28	19	18	
	女 F.	1 548	63	17	14	24	20	21	25	44	24	33	51	42	114	57	29	17	24	23	11	
B46.g	その他……	23 922	1 039	326	294	404	284	311	415	562	428	404	712	682	1 800	896	577	305	290	252	194	B46.g
	男 M.	10 889	522	144	137	180	124	145	187	237	186	186	329	300	840	439	245	119	119	106	96	
	女 F.	13 033	517	182	157	224	160	166	228	325	242	218	383	382	960	457	332	186	171	146	98	
"E"	不慮の事故，中毒および暴力の二重分類（外因）……	63 111	3 382	1 002	966	1 016	870	764	1 189	1 486	1 095	1 147	2 228	1 985	4 489	2 549	1 706	771	661	474	509	"E"
	男 M.	43 604	2 455	741	691	747	625	514	854	1 114	779	790	1 586	1 457	3 039	1 851	1 134	537	440	301	358	
	女 F.	19 507	927	261	275	269	245	250	335	372	316	357	642	528	1 450	698	572	234	221	173	151	
BE47	自動車事故……	20 494	1 015	372	287	368	232	256	450	731	509	478	962	797	1 030	803	579	267	229	157	201	BE47
	男 M.	15 709	769	289	220	296	188	180	358	602	396	362	751	636	805	640	443	198	164	108	160	
	女 F.	4 785	246	83	67	72	44	76	92	129	113	116	211	161	225	163	136	69	65	49	41	
BE48	その他の不慮の事故……	21 937	1 354	359	367	403	329	291	396	411	311	321	617	622	1 440	884	523	293	255	179	170	BE48
	男 M.	15 980	1 094	294	292	309	261	219	299	304	230	229	464	486	1 075	698	372	210	175	123	122	
	女 F.	5 957	260	65	75	94	68	72	97	107	81	92	153	136	365	186	151	83	80	56	48	
BE48.a	自動車以外の交通事故……	2 481	149	49	37	58	29	37	41	51	39	31	59	86	126	90	45	20	20	23	16	BE48.a
	男 M.	2 019	142	43	28	53	25	31	36	45	26	21	47	74	106	77	34	13	13	20	13	
	女 F.	462	7	6	9	5	4	6	5	6	13	10	12	12	20	13	11	7	7	3	3	
BE48.b	不慮の墜落……	4 810	167	58	53	79	49	50	84	80	52	83	130	133	409	223	106	67	73	44	39	BE48.b
	男 M.	3 414	138	47	46	59	36	43	68	66	34	65	96	105	299	176	66	54	50	31	29	
	女 F.	1 396	29	11	7	20	13	7	16	14	18	18	34	28	110	47	40	13	23	13	10	
BE48.c	火災および火焔による不慮の事故…	1 731	122	29	27	25	22	15	35	45	30	37	58	45	150	63	27	8	11	10	13	BE48.c
	男 M.	984	69	17	13	11	13	9	21	25	22	22	27	19	101	43	21	2	4	6	9	
	女 F.	747	53	12	14	14	9	6	14	20	8	15	31	26	49	20	6	6	7	4	4	
BE48.d	天災……	444	5	-	-	-	-	-	-	-	-	-	-	1	1	10	-	-	-	-	1	BE48.d
	男 M.	206	5	-	-	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	1	
	女 F.	238	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	
BE48.e	不慮の溺死……	4 776	243	99	105	113	90	70	108	91	61	55	137	146	253	197	164	80	65	39	38	BE48.e
	男 M.	3 523	190	80	82	88	75	44	70	63	48	37	108	112	221	162	115	61	44	23	25	
	女 F.	1 253	53	19	23	25	15	26	38	28	13	18	29	34	32	35	49	19	21	16	13	
BE48.f	工業性の不慮の事故……	3 498	353	55	78	60	71	60	54	61	63	52	92	97	150	129	81	57	22	30	25	BE48.f
	男 M.	3 013	325	52	72	57	59	48	51	49	55	43	81	85	125	111	61	48	16	23	22	
	女 F.	485	28	3	6	3	12	12	3	12	8	9	11	12	25	18	20	9	6	7	3	
BE48.g	その他……	4 197	315	69	67	68	68	59	74	83	66	63	141	114	351	172	100	61	64	33	38	BE48.g
	男 M.	2 821	225	55	51	41	53	44	53	56	45	41	105	90	222	124	75	32	48	20	23	
	女 F.	1 376	90	14	16	27	15	15	21	27	21	22	36	24	129	48	25	29	16	13	15	
BE49	自殺……	18 015	896	239	295	227	289	194	307	299	252	319	583	500	1 796	718	559	199	161	134	124	BE49
	男 M.	10 231	519	139	168	129	161	98	176	179	137	178	326	289	1 028	425	294	123	91	70	68	
	女 F.	7 784	377	100	127	98	128	96	131	120	115	141	257	211	768	293	265	76	70	64	56	
BE50	その他の外因……	2 665	117	32	17	18	20	23	36	45	23	29	66	66	223	144	45	12	16	4	14	BE50
	男 M.	1 684	73	19	11	13	15	17	21	29	16	21	45	46	131	88	25	6	10	-	8	
	女 F.	981	44	13	6	5	5	6	15	16	7	8	21	20	92	56	20	6	6	4	6	
BE50.a	他殺……	1 372	73	19	8	7	10	14	23	24	15	20	40	42	122	74	33	8	12	4	4	BE50.a
	男 M.	791	38	9	6	4	7	11	13	13	12	13	23	28	61	41	15	3	7	-	1	
	女 F.	581	35	10	2	3	3	3	10	11	3	7	17	14	61	33	18	5	5	4	3	
BE50.b	不慮か故意か決定されない傷害……	1 268	44	12	9	11	10	9	13	21	8	9	25	24	99	70	9	4	3	-	10	BE50.b
	男 M.	870	35	9	5	9	8	6	8	16	4	8	21	18	68	47	7	3	2	-	7	
	女 F.	398	9	3	4	2	2	3	5	5	4	1	4	6	31	23	2	1	1	-	3	
BE50.c	法的介入および戦争行為……	25	-	1	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	-	-	BE50.c
	男 M.	23	-	1	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES　(B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	63 111	3 382	1 002	966	1 016	870	764	1 189
	男 M.	43 604	2 455	741	691	747	625	514	854
	女 F.	19 507	927	261	275	269	245	250	335
B N47	骨折，頭蓋内および内部損傷	30 828	1 512	487	429	516	366	358	624
	男 M.	23 390	1 199	388	343	415	296	260	501
	女 F.	7 438	313	99	86	101	70	98	123
B N47.a	頭蓋骨折	13 565	652	208	207	223	168	166	272
	男 M.	10 685	527	165	167	177	138	126	227
	女 F.	2 880	125	43	40	46	30	40	45
B N47.b	その他の骨の骨折	3 929	225	61	53	77	48	42	79
	男 M.	2 466	167	45	43	61	32	24	58
	女 F.	1 463	58	16	10	16	16	18	21
B N47.c	頭蓋内損傷（頭蓋骨折を伴うものを除く）	8 325	349	127	85	130	93	110	162
	男 M.	6 179	260	103	63	103	76	81	121
	女 F.	2 146	89	24	22	27	17	29	41
B N47.d	胸，腹および骨盤腔の内部損傷	5 009	286	91	84	86	57	40	111
	男 M.	4 060	245	75	70	74	50	29	95
	女 F.	949	41	16	14	12	7	11	16
B N48	熱傷	2 406	120	38	32	33	27	17	48
	男 M.	1 434	69	27	19	19	12	11	30
	女 F.	972	51	11	13	14	15	6	18
B N49	化学物質の有害作用	5 835	346	54	46	66	60	50	95
	男 M.	3 086	205	30	22	38	37	26	53
	女 F.	2 749	141	24	24	28	23	24	42
B N50	その他の損傷	24 042	1 404	423	459	401	417	339	422
	男 M.	15 694	982	296	307	275	280	217	270
	女 F.	8 348	422	127	152	126	137	122	152
B N50.a	裂傷および開放創	1 391	75	15	12	14	21	17	27
	男 M.	959	56	9	8	9	14	7	19
	女 F.	432	19	6	4	5	7	10	8
B N50.b	溺死	8 334	463	162	160	184	129	118	158
	男 M.	5 453	340	120	105	127	94	74	104
	女 F.	2 881	123	42	55	57	35	44	54
B N50.c	窒息および絞首	10 747	630	186	225	135	207	141	179
	男 M.	6 601	408	116	145	85	126	83	100
	女 F.	4 146	222	70	80	50	81	58	79
B N50.d	その他	3 570	236	60	62	68	60	63	58
	男 M.	2 681	178	51	49	54	46	53	47
	女 F.	889	58	9	13	14	14	10	11

08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	国際50項目分類番号（B表） International B list number
1 486	1 095	1 147	2 228	1 985	4 489	2 549	1 706	771	661	474	509	"N"
1 114	779	790	1 586	1 457	3 039	1 851	1 134	537	440	301	358	
372	316	357	642	528	1 450	698	572	234	221	173	151	
885	659	635	1 264	1 085	1 950	1 291	770	393	328	241	271	B N47
725	499	478	974	866	1 495	1 030	571	299	231	167	214	
160	160	157	290	219	455	261	199	94	97	74	57	
371	284	279	598	464	739	563	325	180	166	103	124	B N47.a
307	221	214	475	383	600	468	247	142	123	73	99	
64	63	65	123	81	139	95	78	38	43	30	25	
115	75	74	142	135	248	145	108	49	40	37	29	B N47.b
85	50	49	94	93	144	95	69	31	21	19	24	
30	25	25	48	42	104	50	39	18	19	18	5	
287	202	181	359	313	548	335	228	97	73	67	79	B N47.c
233	148	135	265	246	429	267	170	71	50	50	60	
54	54	46	94	67	119	68	58	26	23	17	19	
112	98	101	165	173	415	248	109	67	49	34	39	B N47.d
100	80	80	140	144	322	200	85	55	37	25	31	
12	18	21	25	29	93	48	24	12	12	9	8	
63	35	56	99	84	229	114	43	12	17	15	19	B N48
36	24	33	49	49	146	67	27	5	8	8	13	
27	11	23	50	35	83	47	16	7	9	7	6	
102	83	82	168	153	680	234	103	42	51	25	48	B N49
60	50	43	102	87	332	130	60	16	32	14	25	
42	33	39	66	66	348	104	43	26	19	11	23	
436	318	374	697	663	1 630	910	790	324	265	193	171	B N50
293	206	236	461	455	1 066	624	476	217	169	112	106	
143	112	138	236	208	564	286	314	107	96	81	65	
32	21	35	59	56	153	63	27	16	9	6	8	B N50.a
26	16	26	39	41	107	43	15	14	4	3	5	
6	5	9	20	15	46	20	12	2	5	3	3	
158	85	92	212	236	446	307	288	114	98	70	70	B N50.b
102	60	57	142	160	328	221	166	72	58	41	42	
56	25	35	70	76	118	86	122	42	40	29	28	
176	161	192	312	267	767	371	378	151	115	102	62	B N50.c
108	95	113	192	172	452	230	220	100	73	57	37	
68	66	79	120	95	315	141	158	51	42	45	25	
70	51	55	114	104	264	169	97	43	43	15	31	B N50.d
57	35	40	88	82	179	130	75	31	34	11	22	
13	16	15	26	22	85	39	22	12	9	4	9	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪
	総数 Total	15 491	12 359	19 658	30 310	12 046	7 012	15 208	40 188
	男 M.	8 238	6 569	10 808	16 332	6 500	3 677	7 947	21 867
	女 F.	7 253	5 790	8 850	13 978	5 546	3 335	7 261	18 321
B 1	コレラ	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B 2	腸チフス	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B 3	細菌性赤痢およびアメーバ症	-	-	-	1	-	-	-	2
	男 M.	-	-	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	2
B 4	腸炎およびその他の下痢性疾患	69	87	108	243	92	62	82	228
	男 M.	34	30	49	112	38	17	38	111
	女 F.	35	57	59	131	54	45	44	117
B 5	呼吸器系の結核	119	241	311	688	204	103	322	1 069
	男 M.	78	163	218	488	127	77	240	760
	女 F.	41	78	93	200	77	26	82	309
B 6	その他の結核（後遺症を含む）	10	7	16	20	15	9	9	45
	男 M.	5	2	9	12	11	6	-	21
	女 F.	5	5	7	8	4	3	9	24
B 7	ペスト	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B 8	ジフテリア	-	-	-	-	1	-	-	-
	男 M.	-	-	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B 9	百日咳	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B10	レンサ球菌性咽頭炎および猩紅熱	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B11	髄膜炎菌感染	-	-	-	1	1	-	-	1
	男 M.	-	-	-	-	1	-	-	-
	女 F.	-	-	-	1	-	-	-	1
B12	急性灰白髄炎	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	1
	女 F.	-	-	-	-	-	-	-	-
B13	痘瘡	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B14	麻疹	7	4	11	23	5	3	3	29
	男 M.	5	3	7	11	5	1	-	13
	女 F.	2	1	4	12	-	2	3	16
B15	チフスおよびその他のリケッチア症	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B16	マラリア	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-

*Reported by place of residence.

28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	国際50項目分類番号（B表） International B list number
29 832	6 601	8 501	4 881	7 233	13 230	17 545	12 346	6 779	7 266	11 741	7 817	
16 177	3 494	4 686	2 606	3 771	7 332	9 534	6 705	3 728	3 840	6 536	4 340	
13 655	3 107	3 815	2 275	3 462	5 898	8 011	5 641	3 051	3 426	5 205	3 477	
-	-	-	-	-	-	-	-	-	-	-	-	B 1
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	B 2
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	1	-	-	-	-	B 3
1	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	1	-	-	-	-	-	-	-	
198	51	51	27	44	70	95	70	48	36	49	53	B 4
86	21	19	10	11	36	36	28	26	17	28	26	
112	30	32	17	33	34	59	42	22	19	21	27	
667	93	171	49	106	224	271	232	131	120	153	119	B 5
472	62	124	38	74	159	192	155	94	80	102	81	
195	31	47	11	32	65	79	77	37	40	51	38	
39	2	5	3	7	7	17	7	3	5	6	4	B 6
23	2	-	1	4	3	8	2	-	3	5	2	
16	-	5	2	3	4	9	5	3	2	1	2	
-	-	-	-	-	-	-	-	-	-	-	-	B 7
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	B 8
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	B 9
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	B10
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	B11
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	B12
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	B13
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
17	3	6	1	2	3	8	3	1	4	5	1	B14
7	1	2	-	1	2	3	2	1	3	-	-	
10	2	4	1	1	1	5	1	-	1	5	1	
-	-	-	-	-	-	-	-	-	-	-	-	B15
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	1	-	B16
2	-	-	-	-	-	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪
B17	梅毒および続発症	7	9	17	32	7	5	15	27
	男 M.	3	6	13	20	5	5	13	17
	女 F.	4	3	4	12	2	-	2	10
B18	その他の伝染病および寄生虫病	45	30	60	108	28	26	48	156
	男 M.	26	15	32	60	13	15	28	74
	女 F.	19	15	28	48	15	11	20	82
B18.a	痲	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B18.b	破傷風	-	1	2	6	1	3	3	3
	男 M.	-	1	1	4	1	2	3	1
	女 F.	-	-	1	2	-	1	-	2
B18.c	敗血症	8	8	13	37	6	5	13	46
	男 M.	5	4	6	20	4	3	8	24
	女 F.	3	4	7	17	2	2	5	22
B18.d	日本脳炎	-	1	-	-	1	4	-	3
	男 M.	-	-	-	-	-	3	-	2
	女 F.	-	1	-	-	1	1	-	1
B18.e	伝染性肝炎	22	12	23	40	9	9	18	63
	男 M.	12	7	12	20	2	3	8	25
	女 F.	10	5	11	20	7	6	10	38
B18.f	カンジダ症	2	-	1	1	1	1	2	5
	男 M.	1	-	-	1	1	1	2	4
	女 F.	1	-	1	-	-	-	-	1
B18.g	日本住血吸虫症	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
B18.h	糸状虫症	-	-	1	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	1	-	-	-	-	-
B18.i	その他	13	8	20	24	10	4	12	36
	男 M.	8	3	13	15	5	3	7	18
	女 F.	5	5	7	9	5	1	5	18
B19	悪性新生物（リンパおよび造血組織の新生物を含む）	2 802	2 119	3 200	5 417	2 095	1 230	2 968	8 222
	男 M.	1 575	1 139	1 790	2 922	1 207	699	1 648	4 575
	女 F.	1 227	980	1 410	2 495	888	531	1 320	3 647
B19.a	食道の悪性新生物	122	49	113	130	57	40	106	313
	男 M.	92	35	89	96	44	26	84	226
	女 F.	30	14	24	34	13	14	22	87
B19.b	胃の悪性新生物	1 147	858	1 176	2 262	860	495	1 153	3 256
	男 M.	723	507	726	1 346	554	295	701	1 943
	女 F.	424	351	450	916	306	200	452	1 313
B19.c	肝臓の悪性新生物	231	197	218	383	166	94	187	652
	男 M.	138	125	133	230	102	57	115	433
	女 F.	93	72	85	153	64	37	72	219
B19.d	膵臓の悪性新生物	139	75	143	176	77	45	136	253
	男 M.	72	38	78	115	42	31	82	143
	女 F.	67	37	65	61	35	14	54	110
B19.e	気管，気管支および肺の悪性新生物	217	167	311	473	200	127	322	867
	男 M.	141	117	220	331	154	95	231	607
	女 F.	76	50	91	142	46	32	91	260

28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	国際50項目分類番号（B表） International B list number
17	6	5	1	2	4	4	4	4	6	7	9	B17
13	4	5	-	2	3	-	2	3	3	4	6	
4	2	-	1	-	1	4	2	1	3	3	3	
87	15	30	23	22	60	73	41	25	23	39	34	B18
45	6	17	13	16	29	29	26	12	13	20	20	
42	9	13	10	6	31	44	15	13	10	19	14	
-	-	-	-	-	-	-	-	-	-	-	-	B18.a
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
5	3	-	4	1	3	1	3	1	1	2	4	B18.b
4	1	-	3	1	-	-	2	1	-	1	1	
1	2	-	1	-	3	1	1	-	1	1	3	
26	6	9	5	3	20	27	14	5	5	18	8	B18.c
17	3	5	3	2	11	7	12	2	4	11	3	
9	3	4	2	1	9	20	2	3	1	7	5	
1	-	1	1	-	-	3	-	2	-	-	3	B18.d
-	-	1	-	-	-	-	-	2	-	-	2	
1	-	-	1	-	-	3	-	-	-	-	1	
26	6	14	11	14	18	19	18	8	6	5	12	B18.e
11	2	8	5	11	4	11	9	1	4	2	9	
15	4	6	6	3	14	8	9	7	2	3	3	
1	-	-	-	-	-	2	-	-	-	1	1	B18.f
-	-	-	-	-	-	-	-	-	-	1	1	
1	-	-	-	-	-	2	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	B18.g
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	B18.h
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
28	-	6	2	4	19	21	6	9	11	13	6	B18.i
13	-	3	2	2	14	11	3	6	5	5	4	
15	-	3	-	2	5	10	3	3	6	8	2	
5 593	1 390	1 653	890	1 104	2 376	3 162	2 173	1 107	1 422	2 058	1 169	B19
3 202	791	933	502	603	1 341	1 817	1 257	608	782	1 191	665	
2 391	599	720	388	501	1 035	1 345	916	499	640	867	504	
191	65	73	12	28	46	116	89	32	40	52	33	B19.a
159	45	50	7	17	30	93	65	21	23	40	26	
32	20	23	5	11	16	23	24	11	17	12	7	
2 151	603	659	363	429	897	1 255	834	466	580	817	442	B19.b
1 325	362	422	217	268	538	759	511	283	339	509	273	
826	241	237	146	161	359	496	323	183	241	308	169	
438	111	124	92	100	184	286	178	132	113	190	82	B19.c
286	75	79	50	60	112	187	114	85	71	129	53	
152	36	45	42	40	72	99	64	47	42	61	29	
216	45	72	32	43	118	110	69	25	36	94	41	B19.d
130	27	42	19	29	71	68	41	13	25	52	24	
86	18	30	13	14	47	42	28	12	11	42	17	
599	132	148	79	105	267	334	247	101	149	191	132	B19.e
446	105	99	66	69	203	245	168	68	107	140	93	
153	27	49	13	36	64	89	79	33	42	51	39	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	国際50項目分類番号（B表） International B list number
B19.f	乳房の悪性新生物	67	52	67	118	42	28	73	209	111	28	39	16	25	51	64	42	21	26	38	24	B19.f
	男 M.	3	-	1	-	-	-	-	2	2	-	-	-	-	-	-	1	-	1	1	1	
	女 F.	64	52	66	118	42	28	73	207	109	28	39	16	25	51	64	41	21	25	37	23	
B19.g	子宮の悪性新生物	95	114	162	319	117	45	157	503	331	62	75	46	54	102	142	101	62	81	102	69	B19.g
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	95	114	162	319	117	45	157	503	331	62	75	46	54	102	142	101	62	81	102	69	
B19.h	白血病	75	62	120	180	41	34	85	203	152	46	47	25	25	67	93	50	20	45	56	43	B19.h
	男 M.	41	33	56	98	20	20	49	107	85	26	23	12	16	36	54	24	9	18	25	18	
	女 F.	34	29	64	82	21	14	36	96	67	20	24	13	9	31	39	26	11	27	31	25	
B19.i	その他	709	545	890	1 376	535	322	749	1 966	1 404	298	416	225	295	644	762	563	248	352	518	303	B19.i
	男 M.	365	284	487	706	291	175	386	1 114	769	151	218	131	144	351	411	333	129	198	295	177	
	女 F.	344	261	403	670	244	147	363	852	635	147	198	94	151	293	351	230	119	154	223	126	
B20	良性および性質不詳の新生物	112	89	140	354	141	71	175	486	290	63	54	28	57	89	172	68	45	66	81	62	B20
	男 M.	62	48	82	208	83	43	105	259	164	32	29	21	26	49	98	35	22	36	39	32	
	女 F.	50	41	58	146	58	28	70	227	126	31	25	7	31	40	74	33	23	30	42	30	
B21	糖尿病	169	155	209	359	187	143	203	530	381	97	118	62	74	126	222	131	103	88	124	83	B21
	男 M.	72	69	103	182	90	70	86	261	184	37	57	30	27	69	107	58	53	35	48	40	
	女 F.	97	86	106	177	97	73	117	269	197	60	61	32	47	57	115	73	50	53	76	43	
B22	ビタミン欠乏症およびその他の栄養欠乏症	3	9	8	24	9	10	4	26	30	3	5	3	3	11	20	14	15	4	6	9	B22
	男 M.	1	6	5	7	2	5	1	13	15	-	2	1	2	3	13	4	12	2	4	5	
	女 F.	2	3	3	17	7	5	3	13	15	3	3	2	1	8	7	10	3	2	2	4	
B23	貧血	36	23	47	72	27	23	34	93	88	14	10	9	15	29	50	29	16	20	30	18	B23
	男 M.	16	14	17	31	8	8	19	39	40	7	3	4	7	13	17	12	9	12	19	8	
	女 F.	20	9	30	41	19	15	15	54	48	7	7	5	8	16	33	17	7	8	11	10	
B24	髄膜炎	16	16	30	38	19	6	14	84	43	5	9	2	6	14	13	12	8	3	10	4	B24
	男 M.	11	11	20	24	12	4	10	54	25	4	4	1	3	8	7	6	2	2	5	3	
	女 F.	5	5	10	14	7	2	4	30	18	1	5	1	3	6	6	6	6	1	5	1	
B25	活動性リウマチ熱	11	9	13	25	-	1	5	16	15	4	2	-	4	4	6	4	4	4	7	2	B25
	男 M.	4	5	5	8	-	1	-	6	7	1	-	-	1	2	1	2	2	2	2	-	
	女 F.	7	4	8	17	-	-	5	10	8	3	2	-	3	2	5	2	2	2	5	2	
B26	慢性リウマチ性心疾患	70	53	129	143	51	27	76	228	154	27	30	25	52	57	60	63	49	45	59	34	B26
	男 M.	28	23	56	52	19	9	35	84	48	12	11	11	21	22	29	23	21	18	22	14	
	女 F.	42	30	73	91	32	18	41	144	106	15	19	14	31	35	31	40	28	27	37	20	
B27	高血圧性疾患	336	346	533	806	330	212	394	1 162	743	181	184	119	237	211	434	331	165	147	246	157	B27
	男 M.	144	149	255	371	148	87	187	508	320	80	90	49	106	105	195	139	76	66	125	70	
	女 F.	192	197	278	435	182	125	207	654	423	101	94	70	131	106	239	192	89	81	121	87	
B27.a	高血圧性心疾患	231	218	365	507	202	140	262	799	518	135	128	80	133	117	326	242	124	95	143	110	B27.a
	男 M.	98	90	174	245	96	60	126	358	217	53	59	36	61	52	149	100	56	45	76	51	
	女 F.	133	128	191	262	106	80	136	441	301	82	69	44	72	65	177	142	68	50	67	59	
B27.b	その他の高血圧性疾患	105	128	168	299	128	72	132	363	225	46	56	39	104	94	108	89	41	52	103	47	B27.b
	男 M.	46	59	81	126	52	27	61	150	103	27	31	13	45	53	46	39	20	21	49	19	
	女 F.	59	69	87	173	76	45	71	213	122	19	25	26	59	41	62	50	21	31	54	28	
B28	虚血性心疾患	1 001	692	1 201	1 474	749	422	945	1 930	1 432	313	351	264	430	650	1 065	735	417	373	576	375	B28
	男 M.	571	374	707	879	421	235	524	1 077	818	163	222	155	239	403	604	414	221	217	341	222	
	女 F.	430	318	494	595	328	187	421	853	614	150	129	109	191	247	461	321	196	156	235	153	
B29	その他の心疾患	963	906	1 261	2 286	778	453	1 101	2 938	2 115	560	645	374	438	843	1 176	744	489	535	866	528	B29
	男 M.	457	442	585	1 075	371	236	511	1 363	1 029	252	318	183	201	389	559	328	239	255	413	251	
	女 F.	506	464	676	1 211	407	217	590	1 575	1 086	308	327	191	237	454	617	416	250	280	453	277	
B29.a	心内膜の慢性疾患	103	78	111	129	50	38	72	216	161	38	57	19	32	80	90	61	45	44	84	45	B29.a
	男 M.	38	34	47	40	16	15	20	79	61	12	21	5	11	27	32	23	21	18	37	21	
	女 F.	65	44	64	89	34	23	52	137	100	26	36	14	21	53	58	38	24	26	47	24	

*Reported by place of residence.

第4表 死　亡　者　数，性・死因（B分類）・都道府県（七大都市再掲）別

昭和47年
1972

TABLE 4　DEATHS FROM CAUSES (B LIST) BY SEX; FOR EACH PREFECTURE*

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪
B29.b	その他の心筋機能不全	673	684	910	1 799	592	277	851	2 313
	男 M.	314	325	413	851	289	130	399	1 055
	女 F.	359	359	497	948	303	147	452	1 258
B29.c	その他の心疾患	187	144	240	358	136	138	178	409
	男 M.	105	83	125	184	66	91	92	229
	女 F.	82	61	115	174	70	47	86	180
B30	脳血管疾患	5 136	3 215	5 115	7 291	3 046	1 713	3 578	7 988
	男 M.	2 640	1 670	2 813	3 840	1 607	834	1 748	4 216
	女 F.	2 496	1 545	2 302	3 451	1 439	879	1 830	3 772
B30.a	脳出血	1 981	1 535	2 239	3 134	1 294	746	1 527	3 493
	男 M.	1 051	792	1 263	1 685	684	364	764	1 920
	女 F.	930	743	976	1 449	610	382	763	1 573
B30.b	脳硬塞	2 190	1 057	1 944	2 502	1 043	580	1 139	2 471
	男 M.	1 122	550	1 067	1 280	543	275	554	1 230
	女 F.	1 068	507	877	1 222	500	305	585	1 241
B30.c	その他	965	623	932	1 655	709	387	912	2 024
	男 M.	467	328	483	875	380	195	430	1 066
	女 F.	498	295	449	780	329	192	482	958
B31	インフルエンザ	16	25	30	36	20	12	15	39
	男 M.	8	14	18	14	13	7	11	23
	女 F.	8	11	12	22	7	5	4	16
B32	肺炎	464	431	701	1 044	305	216	440	1 312
	男 M.	249	226	364	542	180	122	224	688
	女 F.	215	205	337	502	125	94	216	624
B33	気管支炎，肺気腫および喘息	260	239	408	707	261	142	299	720
	男 M.	154	142	264	445	147	85	175	442
	女 F.	106	97	144	262	114	57	124	278
B33.a	気管支炎	91	66	134	238	101	45	95	215
	男 M.	48	40	82	143	56	26	46	117
	女 F.	43	26	52	95	45	19	49	98
B33.b	肺気腫	38	16	42	71	26	18	67	83
	男 M.	32	11	37	56	17	13	55	73
	女 F.	6	5	5	15	9	5	12	10
B33.c	喘息	131	157	232	398	134	79	137	422
	男 M.	74	91	145	246	74	46	74	252
	女 F.	57	66	87	152	60	33	63	170
B34	消化性潰瘍	161	118	189	297	115	87	180	433
	男 M.	94	71	127	202	74	56	121	293
	女 F.	67	47	62	95	41	31	59	140
B35	虫垂炎	8	8	12	16	8	4	11	32
	男 M.	6	7	5	10	3	1	7	18
	女 F.	2	1	7	6	5	3	4	14
B36	腸閉塞およびヘルニア	52	62	83	104	35	26	61	195
	男 M.	32	33	40	57	14	10	28	94
	女 F.	20	29	43	47	21	16	33	101
B37	肝硬変	185	206	404	562	217	105	280	1 219
	男 M.	132	134	311	382	158	66	195	905
	女 F.	53	72	93	180	59	39	85	314
B38	腎炎およびネフローゼ	129	152	257	302	103	61	160	509
	男 M.	55	85	132	166	52	28	86	254
	女 F.	74	67	125	136	51	33	74	255

*Reported by place of residence.

28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	国際50項目分類番号（B表） International B list number
1 599	461	502	303	267	630	939	512	365	421	669	408	B29.b
772	207	242	153	122	286	448	225	181	201	306	194	
827	254	260	150	145	344	491	287	184	220	363	214	
355	61	86	52	139	133	147	171	79	70	113	75	B29.c
196	33	55	25	68	76	79	80	37	36	70	36	
159	28	31	27	71	57	68	91	42	34	43	39	
6 780	1 573	1 993	1 294	2 094	3 568	4 127	3 265	1 622	1 623	2 959	2 270	B30
3 564	792	1 097	657	1 065	1 926	2 136	1 734	889	849	1 647	1 189	
3 216	781	896	637	1 029	1 642	1 991	1 531	733	774	1 312	1 081	
3 084	701	869	491	946	1 462	1 663	1 497	870	689	1 108	833	B30.a
1 685	361	493	259	494	813	902	804	481	372	620	438	
1 399	340	376	232	452	649	761	693	389	317	488	395	
2 133	529	664	483	672	1 353	1 418	1 057	427	579	1 043	894	B30.b
1 082	262	352	248	342	717	695	556	226	297	584	472	
1 051	267	312	235	330	636	723	501	201	282	459	422	
1 563	343	460	320	476	753	1 046	711	325	355	808	543	B30.c
797	169	252	150	229	396	539	374	182	180	443	279	
766	174	208	170	247	357	507	337	143	175	365	264	
39	6	18	7	13	16	24	13	12	8	19	10	B31
21	3	9	5	4	12	16	10	8	3	12	7	
18	3	9	2	9	4	8	3	4	5	7	3	
825	179	225	114	233	421	662	445	254	191	370	254	B32
426	95	122	65	124	259	355	248	145	101	207	132	
399	84	103	49	109	162	307	197	109	90	163	122	
593	167	154	83	148	258	311	234	174	203	223	159	B33
357	91	88	55	108	161	202	130	97	110	126	108	
236	76	66	28	40	97	109	104	77	93	97	51	
205	58	43	22	36	72	107	83	76	69	82	57	B33.a
117	26	20	14	28	40	72	42	39	33	43	35	
88	32	23	8	8	32	35	41	37	36	39	22	
66	19	24	16	14	31	46	29	17	19	17	15	B33.b
46	14	18	11	11	23	32	22	12	15	14	11	
20	5	6	5	3	8	16	7	5	4	3	4	
322	90	87	45	98	155	156	122	81	115	124	87	B33.c
194	51	50	30	69	98	98	66	46	62	69	62	
128	39	37	15	29	57	58	56	35	53	55	25	
339	78	83	50	89	164	175	136	86	88	112	69	B34
213	52	59	35	57	109	111	86	61	47	79	47	
126	26	24	15	32	55	64	50	25	41	33	22	
21	1	6	5	7	10	13	7	3	7	14	6	B35
11	1	1	2	3	5	9	3	1	2	7	4	
10	-	5	3	4	5	4	4	2	5	7	2	
123	19	29	21	26	61	76	44	22	36	44	32	B36
65	10	14	9	10	28	44	27	9	17	24	12	
58	9	15	12	16	33	32	17	13	19	20	20	
740	121	192	102	127	239	430	258	169	125	264	173	B37
522	83	127	73	80	190	311	185	117	74	193	127	
218	38	65	29	47	49	119	73	52	51	71	46	
382	65	84	45	72	149	169	140	114	104	141	106	B38
186	32	49	22	38	74	80	74	55	49	62	43	
196	33	35	23	34	75	89	66	59	55	79	63	

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	国際50項目分類番号（B表） International B list number
B38.a	急性腎炎およびネフローゼ	24	30	35	83	14	9	34	116	82	9	14	11	15	25	28	29	15	22	28	25	B38.a
	男 M.	13	20	15	49	5	4	20	52	41	2	9	5	8	14	13	17	11	9	14	9	
	女 F.	11	10	20	34	9	5	14	64	41	7	5	6	7	11	15	12	4	13	14	16	
B38.b	その他	105	122	222	219	89	52	126	393	300	56	70	34	57	124	141	111	99	82	113	81	B38.b
	男 M.	42	65	117	117	47	24	66	202	145	30	40	17	30	60	67	57	44	40	48	34	
	女 F.	63	57	105	102	42	28	60	191	155	26	30	17	27	64	74	54	55	42	65	47	
B39	前立腺肥大症	21	17	31	36	13	11	11	30	25	6	6	6	14	16	20	12	8	8	17	11	B39
	男 M.	21	17	31	36	13	11	11	30	25	6	6	6	14	16	20	12	8	8	17	11	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B40	流産	1	2	1	-	-	-	2	1	1	1	-	1	-	1	1	-	-	1	-	-	B40
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	2	1	-	-	-	2	1	1	1	-	1	-	1	1	-	-	1	-	-	
B41	その他の妊娠，分娩，産褥の合併症および合併症の記載のない分娩	10	17	35	43	13	7	19	68	33	9	8	3	6	15	25	10	6	7	9	4	B41
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	17	35	43	13	7	19	68	33	9	8	3	6	15	25	10	6	7	9	4	
B42	先天異常	100	98	181	356	88	61	143	537	268	49	72	28	35	102	145	84	54	44	76	55	B42
	男 M.	52	49	94	193	35	27	74	314	143	29	39	15	15	58	73	43	32	20	39	30	
	女 F.	48	49	87	163	53	34	69	223	125	20	33	13	20	44	72	41	22	24	37	25	
B43	出生時損傷，難産およびその他の無酸素症，低酸素症	59	62	100	226	47	35	77	302	165	40	40	16	23	49	97	47	9	33	53	19	B43
	男 M.	33	42	59	131	30	16	47	189	110	28	27	11	12	35	67	32	6	19	32	12	
	女 F.	26	20	41	95	17	19	30	113	55	12	13	5	11	14	30	15	3	14	21	7	
B44	その他の周産期の死因	112	136	220	430	122	80	173	597	305	78	102	37	33	87	215	117	49	73	94	57	B44
	男 M.	67	81	112	235	79	47	103	359	185	47	60	22	16	55	126	55	25	48	55	33	
	女 F.	45	55	108	195	43	33	70	238	120	31	42	15	17	32	89	62	24	25	39	24	
B45	症状およびその他の診断名不明確の状態	869	884	1 422	1 865	882	468	1 108	2 335	2 301	411	845	430	536	1 227	1 297	879	470	542	1 130	562	B45
	男 M.	372	395	591	791	357	171	441	938	893	183	355	169	194	516	530	358	214	219	504	272	
	女 F.	497	489	831	1 074	525	297	667	1 397	1 408	228	490	261	342	711	767	521	256	323	626	290	
B45.a	精神病の記載のない老衰	669	705	1 106	1 451	661	359	865	1 719	1 858	293	654	337	452	968	1 076	721	354	424	933	407	B45.a
	男 M.	253	272	388	527	234	107	296	581	639	116	236	119	149	367	401	260	139	142	378	173	
	女 F.	416	433	718	924	427	252	569	1 138	1 219	177	418	218	303	601	675	461	215	282	555	234	
B45.b	その他	200	179	316	414	221	109	243	616	443	118	191	93	84	259	221	158	116	118	197	155	B45.b
	男 M.	119	123	203	264	123	64	145	357	254	67	119	50	45	149	129	98	75	77	126	99	
	女 F.	81	56	113	150	98	45	98	259	189	51	72	43	39	110	92	60	41	41	71	56	
B46	その他のすべての疾患	1 005	860	1 342	2 076	987	557	1 076	2 714	2 129	482	554	330	508	907	1 196	783	464	590	846	590	B46
	男 M.	478	440	646	976	469	251	484	1 282	1 013	223	287	165	232	464	572	387	231	288	435	299	
	女 F.	527	420	696	1 100	518	306	592	1 432	1 116	259	267	165	276	443	624	396	233	302	411	291	
B46.a	精神障害	66	44	75	128	46	30	47	217	152	32	36	40	40	57	80	57	26	36	53	48	B46.a
	男 M.	28	33	40	59	24	14	23	128	64	14	21	16	16	25	33	24	17	15	30	23	
	女 F.	38	11	35	69	22	16	24	89	88	18	15	24	24	32	47	33	9	21	23	25	
B46.b	中枢神経系の非炎症性疾患	96	84	126	191	76	44	99	247	177	40	46	25	41	82	104	77	41	45	83	46	B46.b
	男 M.	50	45	62	96	48	22	55	119	93	23	29	12	21	53	60	42	26	28	45	29	
	女 F.	46	39	64	95	28	22	44	128	84	17	17	13	20	29	44	35	15	17	38	17	
B46.c	その他の循環器系の疾患	145	115	169	266	209	73	155	361	270	67	60	31	64	101	149	95	53	64	88	66	B46.c
	男 M.	78	63	100	130	100	36	71	187	130	26	38	18	36	52	88	56	31	32	53	39	
	女 F.	67	52	69	136	109	37	84	174	140	41	22	13	28	49	61	39	22	32	35	27	
B46.d	急性気管支炎および細気管支炎	59	54	74	98	43	16	32	96	70	27	11	11	29	34	70	49	26	44	33	25	B46.d
	男 M.	34	23	36	57	22	5	16	42	34	13	4	4	12	20	44	28	17	24	24	8	
	女 F.	25	31	38	41	21	11	16	54	36	14	7	7	17	14	26	21	9	20	9	17	
B46.e	胃炎，十二指腸炎および慢性胃腸炎	79	97	97	209	77	64	76	172	172	45	35	33	53	71	89	71	51	59	57	38	B46.e
	男 M.	31	46	35	96	29	33	32	69	78	20	11	16	19	32	34	32	24	28	29	18	
	女 F.	48	51	62	113	48	31	44	103	94	25	24	17	34	39	55	39	27	31	28	20	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別

BY SEX; FOR EACH PREFECTURE*

昭和47年

1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪
B46.f	肝臓の疾患（肝硬変を除く）……	63	50	84	152	64	33	67	213
	男 M.	33	25	48	69	32	16	34	116
	女 F.	30	25	36	83	32	17	33	97
B46.g	その他……	497	416	717	1 032	472	297	600	1 408
	男 M.	224	205	325	469	214	125	253	621
	女 F.	273	211	392	563	258	172	347	787
"E"	不慮の事故，中毒および暴力の二重分類（外因）…	1 127	1 032	1 833	2 805	1 045	621	1 177	3 884
	男 M.	753	664	1 248	1 849	707	427	747	2 586
	女 F.	374	368	585	956	338	194	430	1 298
BE47	自動車事故……	363	316	674	885	372	247	403	978
	男 M.	275	233	509	663	292	176	304	768
	女 F.	88	83	165	222	80	71	99	210
BE48	その他の不慮の事故……	387	362	614	962	378	199	337	1 196
	男 M.	285	252	427	658	259	143	217	876
	女 F.	102	110	187	304	119	56	120	320
BE48.a	自動車以外の交通事故……	25	25	53	93	48	25	34	119
	男 M.	19	15	37	67	39	22	22	86
	女 F.	6	10	16	26	9	3	12	33
BE48.b	不慮の墜落……	84	76	153	182	111	38	81	290
	男 M.	60	58	96	109	74	28	53	217
	女 F.	24	18	57	73	37	10	28	73
BE48.c	火災および火焔による不慮の事故…	28	28	47	76	29	17	28	185
	男 M.	15	17	28	42	15	11	14	101
	女 F.	13	11	19	34	14	6	14	84
BE48.d	天災……	4	25	3	62	-	-	10	-
	男 M.	2	7	1	30	-	-	3	-
	女 F.	2	18	2	32	-	-	7	-
BE48.e	不慮の溺死……	90	82	147	213	88	42	65	175
	男 M.	64	57	102	157	63	23	48	139
	女 F.	26	25	45	56	25	19	17	36
BE48.f	工業性の不慮の事故……	64	59	81	150	49	44	48	199
	男 M.	63	55	73	129	40	37	34	180
	女 F.	1	4	8	21	9	7	14	19
BE48.g	その他……	92	67	130	186	53	33	71	228
	男 M.	62	43	90	124	28	22	43	153
	女 F.	30	24	40	62	25	11	28	75
BE49	自殺……	354	325	472	865	269	166	393	1 355
	男 M.	182	165	269	473	144	102	199	733
	女 F.	172	160	203	392	125	64	194	622
BE50	その他の外因……	23	29	73	93	26	9	44	355
	男 M.	11	14	43	55	12	6	27	209
	女 F.	12	15	30	38	14	3	17	146
BE50.a	他殺……	12	16	50	63	14	7	28	141
	男 M.	4	6	27	35	9	4	15	83
	女 F.	8	10	23	28	5	3	13	58
BE50.b	不慮か故意か決定されない傷害……	9	13	23	29	12	2	16	212
	男 M.	5	8	16	19	3	2	12	124
	女 F.	4	5	7	10	9	-	4	88
BE50.c	法的介入および戦争行為……	2	-	-	1	-	-	-	2
	男 M.	2	-	-	1	-	-	-	2
	女 F.	-	-	-	-	-	-	-	-

国際50項目分類番号（B表） International B list number	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知
B46.f	158	30	33	18	36	44	93	59	31	47	59	70
	91	18	22	11	17	19	50	34	16	24	40	35
	67	12	11	7	19	25	43	25	15	23	19	35
B46.g	1 130	241	333	172	245	518	611	375	236	295	473	297
	523	109	162	88	111	263	263	171	100	137	214	147
	607	132	171	84	134	255	348	204	136	158	259	150
"E"	2 851	489	761	429	665	1 162	1 714	1 209	633	682	1 047	779
	1 942	344	510	276	455	788	1 167	827	429	440	728	569
	909	145	251	153	210	374	547	382	204	242	319	210
BE47	952	171	286	148	161	432	556	368	212	230	332	225
	713	142	215	111	123	328	421	279	153	161	245	178
	239	29	71	37	38	104	135	89	59	69	87	47
BE48	902	144	233	165	256	419	690	466	224	261	428	368
	663	99	153	98	172	288	467	328	165	171	310	279
	239	45	80	67	84	131	223	138	59	90	118	89
BE48.a	120	16	33	16	24	52	129	83	21	33	57	29
	105	13	26	14	21	40	97	66	18	24	51	21
	15	3	7	2	3	12	32	17	3	9	6	8
BE48.b	238	40	62	34	52	92	176	109	51	54	106	67
	169	27	32	21	29	62	112	69	38	33	71	46
	69	13	30	13	23	30	64	40	13	21	35	21
BE48.c	60	14	27	13	13	23	33	32	13	17	39	20
	37	10	15	7	8	10	21	17	9	9	25	11
	23	4	12	6	5	13	12	15	4	8	14	9
BE48.d	4	-	1	-	23	13	36	16	1	4	4	67
	1	-	1	-	12	6	15	6	-	4	1	56
	3	-	-	-	11	7	21	10	1	-	3	11
BE48.e	175	28	45	41	67	97	123	85	67	70	95	77
	127	18	30	26	48	62	80	60	46	42	65	59
	48	10	15	15	19	35	43	25	21	28	30	18
BE48.f	132	20	33	30	33	70	101	70	43	37	61	62
	115	16	27	16	30	60	85	57	32	30	55	53
	17	4	6	14	3	10	16	13	11	7	6	9
BE48.g	173	26	32	31	44	72	92	71	28	46	66	46
	109	15	22	14	24	48	57	53	22	29	42	33
	64	11	10	17	20	24	35	18	6	17	24	13
BE49	841	150	209	101	222	277	412	335	160	167	244	153
	473	84	120	59	140	152	243	193	86	96	146	92
	368	66	89	42	82	125	169	142	74	71	98	61
BE50	156	24	33	15	26	34	56	40	37	24	43	33
	93	19	22	8	20	20	36	27	25	12	27	20
	63	5	11	7	6	14	20	13	12	12	16	13
BE50.a	78	9	21	9	8	10	27	17	16	9	22	17
	41	8	14	5	6	4	19	10	10	4	15	9
	37	1	7	4	2	6	8	7	6	5	7	8
BE50.b	76	15	12	6	18	23	29	22	21	15	21	16
	51	11	8	3	14	15	17	17	15	8	12	11
	25	4	4	3	4	8	12	5	6	7	9	5
BE50.c	2	-	-	-	-	1	-	1	-	-	-	-
	1	-	-	-	-	1	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	-	-	-	-

*Reported by place of residence.

第4表 死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

国際50項目分類番号（B表） International B list number	死　因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪
"N"	不慮の事故，中毒および暴力の二重…分類（傷害の性質） 男 M.	1 127	1 032	1 833	2 805	1 045	621	1 177	3 884
	女 F.	753	664	1 248	1 849	707	427	747	2 586
		374	368	585	956	338	194	430	1 298
BN47	骨折，頭蓋内および内部損傷…… 男 M.	528	500	953	1 288	548	325	565	1 745
	女 F.	399	363	697	935	410	241	405	1 337
		129	137	256	353	138	84	160	408
BN47.a	頭蓋骨折…… 男 M.	239	217	421	586	250	146	280	814
	女 F.	192	174	334	445	189	120	212	631
		47	43	87	141	61	26	68	183
BN47.b	その他の骨の骨折…… 男 M.	72	60	123	147	74	34	65	186
	女 F.	39	37	77	87	46	22	31	119
		33	23	46	60	28	12	34	67
BN47.c	頭蓋内損傷（頭蓋骨折を伴うもの…を除く） 男 M.	132	127	284	348	154	104	136	437
	女 F.	99	83	192	238	113	71	99	331
		33	44	92	110	41	33	37	106
BN47.d	胸，腹および骨盤腔の内部損傷…… 男 M.	85	96	125	207	70	41	84	308
	女 F.	69	69	94	165	62	28	63	256
		16	27	31	42	8	13	21	52
BN48	熱　傷…… 男 M.	34	37	56	134	38	31	48	155
	女 F.	21	26	37	81	23	23	27	104
		13	11	19	53	15	8	21	51
BN49	化学物質の有害作用…… 男 M.	92	79	188	254	69	27	140	702
	女 F.	53	38	103	143	36	18	63	322
		39	41	85	111	33	9	77	380
BN50	その他の損傷…… 男 M.	473	416	636	1 129	390	238	424	1 282
	女 F.	280	237	411	690	238	145	252	823
		193	179	225	439	152	93	172	459
BN50.a	裂傷および開放創…… 男 M.	21	17	26	40	21	10	28	84
	女 F.	11	14	15	26	14	6	16	60
		10	3	11	14	7	4	12	24
BN50.b	溺　死…… 男 M.	148	135	234	360	149	74	129	379
	女 F.	83	74	144	225	91	38	78	245
		65	61	90	135	58	36	51	134
BN50.c	窒息および絞首…… 男 M.	227	213	254	589	168	127	208	607
	女 F.	130	114	167	335	98	81	114	355
		97	99	87	254	70	46	94	252
BN50.d	そ　の　他…… 男 M.	77	51	122	140	52	27	59	212
	女 F.	56	35	85	104	35	20	44	163
		21	16	37	36	17	7	15	49

*Reported by place of residence.

28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	国際50項目分類番号（B表） International B list number
2 851	489	761	429	665	1 162	1 714	1 209	633	682	1 047	779	"N"
1 942	344	510	276	455	788	1 167	827	429	440	728	569	
909	145	251	153	210	374	547	382	204	242	319	210	
1 465	245	398	213	263	611	907	589	302	337	533	362	BN47
1 095	190	289	150	195	449	666	435	221	237	404	282	
370	55	109	63	68	162	241	154	81	100	129	80	
668	97	185	105	115	271	418	261	154	166	236	151	BN47.a
524	79	143	77	90	212	318	200	116	127	189	117	
144	18	42	28	25	59	100	61	38	39	47	34	
193	34	52	29	37	82	113	82	48	46	73	43	BN47.b
113	17	30	19	20	50	55	49	30	22	40	32	
80	17	22	10	17	32	58	33	18	24	33	11	
379	81	114	44	81	167	244	136	60	78	141	103	BN47.c
283	67	78	27	61	115	184	96	46	47	105	79	
96	14	36	17	20	52	60	40	14	31	36	24	
225	33	47	35	30	91	132	110	40	47	83	65	BN47.d
175	27	38	27	24	72	109	90	29	41	70	54	
50	6	9	8	6	19	23	20	11	6	13	11	
91	17	40	19	17	47	64	53	18	21	45	38	BN48
61	11	24	11	9	26	39	31	12	12	28	22	
30	6	16	8	8	21	25	22	6	9	17	16	
339	53	54	20	38	63	109	95	51	49	86	42	BN49
184	32	32	8	23	35	58	50	30	27	49	19	
155	21	22	12	15	28	51	45	21	22	37	23	
956	174	269	177	347	441	634	472	262	275	383	337	BN50
602	111	165	107	228	278	404	311	166	164	247	246	
354	63	104	70	119	163	230	161	96	111	136	91	
74	9	19	6	12	14	38	28	13	12	14	23	BN50.a
50	9	10	5	8	9	24	20	7	8	12	16	
24	-	9	1	4	5	14	8	6	4	2	7	
348	70	92	72	128	177	222	165	121	120	165	111	BN50.b
218	39	49	42	84	101	137	112	78	62	106	85	
130	31	43	30	44	76	85	53	43	58	59	26	
400	76	123	74	180	186	284	220	97	101	147	162	BN50.c
232	47	80	46	121	116	176	133	58	64	87	113	
168	29	43	28	59	70	108	87	39	37	60	49	
134	19	35	25	27	64	90	59	31	42	57	41	BN50.d
102	16	26	14	15	52	67	46	23	30	42	32	
32	3	9	11	12	12	23	13	8	12	15	9	

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES　(B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別　昭和47年

BY SEX; FOR EACH PREFECTURE*　1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	七大都市（再掲） 7 largest cities (secondary mention) 50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	国際50項目分類番号（B表） International B list number
	総数 Total	27 381	6 819	12 019	13 971	9 854	7 958	15 074	2 043	42 320	10 278	10 278	8 883	17 176	7 728	6 286	
	男 M.	14 889	3 606	6 500	7 484	5 305	4 332	7 951	1 743	23 436	5 811	5 581	4 590	9 523	4 243	3 462	
	女 F.	12 492	3 213	5 519	6 487	4 549	3 626	7 123	300	18 884	4 467	4 697	4 293	7 653	3 485	2 824	
B 1	コレラ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B 2	腸チフス	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B 3	細菌性赤痢およびアメーバ症	-	-	-	1	1	-	1	-	6	-	-	-	-	-	-	B 3
	男 M.	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	
	女 F.	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	
B 4	腸炎およびその他の下痢性疾患	129	38	91	94	58	34	131	2	133	37	67	46	80	35	31	B 4
	男 M.	54	17	37	44	20	14	60	1	66	18	31	19	36	20	12	
	女 F.	75	21	54	50	38	20	71	1	67	19	36	27	44	15	19	
B 5	呼吸器系の結核	639	125	279	314	225	153	347	122	859	189	276	216	544	240	155	B 5
	男 M.	461	91	195	227	164	98	242	112	610	129	200	158	396	174	109	
	女 F.	178	34	84	87	61	55	105	10	249	60	76	58	148	66	46	
B 6	その他の結核（後遺症を含む）	17	2	6	8	2	4	15	1	52	6	6	5	20	18	6	B 6
	男 M.	9	1	3	3	-	2	8	1	22	4	4	-	10	13	4	
	女 F.	8	1	3	5	2	2	7	-	30	2	2	5	10	5	2	
B 7	ペスト	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B 8	ジフテリア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 8
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B 9	百日咳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B 9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B10	レンサ球菌性咽頭炎および猩紅熱	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B10
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B11	髄膜炎菌感染	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	B11
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
B12	急性灰白髄炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B12
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B13	痘瘡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B13
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B14	麻疹	15	5	2	10	1	3	11	-	19	5	6	2	9	6	6	B14
	男 M.	7	2	2	2	-	1	8	-	12	3	-	-	2	2	4	
	女 F.	8	3	-	8	1	2	3	-	7	2	6	2	7	4	2	
B15	チフスおよびその他のリケッチア症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B15
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B16	マラリア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B16
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*Reported by place of residence.

第4表 死　亡　者　数，性・死因（B分類）・都道府県（七大都市再掲）別

TABLE 4　DEATHS FROM CAUSES (B LIST) BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	七大都市（再掲）7 largest cities (secondary mention) 50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	国際50項目分類番号（B表） International B list number
B17	梅毒および続発症	15	4	10	7	6	7	17	10	32	7	8	10	12	8	4	B17
	男 M.	8	3	8	6	5	6	12	10	22	4	4	9	6	7	2	
	女 F.	7	1	2	1	1	1	5	-	10	3	4	1	6	1	2	
B18	その他の伝染病および寄生虫病	112	26	40	45	22	37	62	3	163	35	31	28	69	19	19	B18
	男 M.	56	12	19	27	13	19	34	3	84	19	20	15	34	8	6	
	女 F.	56	14	21	18	9	18	28	-	79	16	11	13	35	11	13	
B18.a	痲	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	B18.a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B18.b	破傷風	4	1	2	5	8	6	14	-	5	2	2	-	3	-	1	B18.b
	男 M.	2	-	1	2	4	6	9	-	3	1	-	-	1	-	-	
	女 F.	2	1	1	3	4	-	5	-	2	1	2	-	2	-	1	
B18.c	敗血症	37	5	10	4	8	9	10	1	43	10	11	8	16	5	9	B18.c
	男 M.	18	4	5	2	5	3	5	1	17	5	8	7	11	5	4	
	女 F.	19	1	5	2	3	6	5	-	26	5	3	1	5	-	5	
B18.d	日本脳炎	2	1	-	-	-	2	4	-	-	-	-	-	2	-	-	B18.d
	男 M.	1	-	-	-	-	1	2	-	-	-	-	-	1	-	-	
	女 F.	1	1	-	-	-	1	2	-	-	-	-	-	1	-	-	
B18.e	伝染性肝炎	37	10	17	23	4	10	16	1	64	12	10	12	29	8	7	B18.e
	男 M.	19	5	8	14	3	2	6	1	36	8	7	3	11	2	2	
	女 F.	18	5	9	9	1	8	10	-	28	4	3	9	18	6	5	
B18.f	カンジダ症	-	1	1	2	-	2	1	-	-	1	-	1	3	-	-	B18.f
	男 M.	-	-	-	2	-	1	1	-	-	-	-	1	2	-	-	
	女 F.	-	1	1	-	-	1	-	-	-	1	-	-	1	-	-	
B18.g	日本住血吸虫症	4	2	1	-	-	-	-	-	3	-	-	-	-	-	-	B18.g
	男 M.	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	
B18.h	糸状虫症	-	-	1	1	-	1	6	-	-	-	-	-	-	-	-	B18.h
	男 M.	-	-	-	-	-	1	6	-	-	-	-	-	-	-	-	
	女 F.	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
B18.i	その他	28	6	8	10	2	7	11	1	48	10	8	7	16	6	2	B18.i
	男 M.	13	2	4	7	1	5	5	1	27	5	5	4	8	1	-	
	女 F.	15	4	4	3	1	2	6	-	21	5	3	3	8	5	2	
B19	悪性新生物（リンパおよび造血組織の新生物を含む）	5 634	1 328	2 207	2 344	1 735	1 380	2 343	108	9 397	2 264	2 045	1 874	3 585	1 571	1 322	B19
	男 M.	3 097	737	1 238	1 311	977	756	1 324	88	5 291	1 280	1 077	996	2 011	912	727	
	女 F.	2 537	591	969	1 033	758	624	1 019	20	4 106	984	968	878	1 574	659	595	
B19.a	食道の悪性新生物	180	50	54	83	49	49	146	5	461	82	56	73	138	83	37	B19.a
	男 M.	146	42	42	55	36	38	111	5	359	61	38	59	107	67	33	
	女 F.	34	8	12	28	13	11	35	-	102	21	18	14	31	16	4	
B19.b	胃の悪性新生物	2 052	518	798	741	622	467	679	44	3 432	841	801	698	1 378	607	479	B19.b
	男 M.	1 221	318	482	439	381	279	412	37	2 084	541	476	406	811	390	274	
	女 F.	831	200	316	302	241	188	267	7	1 348	300	325	292	567	217	205	
B19.c	肝臓の悪性新生物	586	164	229	260	184	157	265	11	586	161	136	111	297	86	110	B19.c
	男 M.	374	92	151	167	111	96	161	9	390	98	78	69	204	58	72	
	女 F.	212	72	78	93	73	61	104	2	196	63	58	42	93	28	38	
B19.d	膵臓の悪性新生物	215	46	75	93	63	58	89	3	372	73	80	85	102	54	45	B19.d
	男 M.	126	23	45	56	38	31	53	3	223	38	55	46	64	29	32	
	女 F.	89	23	30	37	25	27	36	-	149	35	25	39	38	25	13	
B19.e	気管、気管支および肺の悪性新生物	582	91	240	246	176	111	242	11	1 009	220	197	213	390	179	142	B19.e
	男 M.	407	61	161	181	124	80	185	9	734	144	132	151	283	132	99	
	女 F.	175	30	79	65	52	31	57	2	275	76	65	62	107	47	43	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別　昭和47年

BY SEX; FOR EACH PREFECTURE*　1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	七大都市（再掲） 7 largest cities (secondary mention) 50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州
B19.f	乳房の悪性新生物	133	18	44	44	21	21	36	1	290	62	48	47	92	36	35
	男 M.	3	1	-	-	-	-	1	-	1	-	-	-	1	1	-
	女 F.	130	17	44	44	21	21	35	1	289	62	48	47	91	35	35
B19.g	子宮の悪性新生物	326	66	112	143	103	100	126	4	444	122	144	111	213	108	84
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	326	66	112	143	103	100	126	4	444	122	144	111	213	108	84
B19.h	白血病	158	30	52	75	48	37	62	-	278	90	56	51	72	42	42
	男 M.	83	15	25	37	29	20	26	-	159	61	28	28	36	23	23
	女 F.	75	15	27	38	19	17	36	-	119	29	28	23	36	19	19
B19.i	その他	1 402	345	603	659	469	380	698	29	2 525	613	527	485	903	376	348
	男 M.	737	185	332	376	258	212	375	25	1 341	337	270	237	505	212	194
	女 F.	665	160	271	283	211	168	323	4	1 184	276	257	248	398	164	154
B20	良性および性質不詳の新生物	262	54	121	122	19	65	160	9	408	52	136	124	209	75	82
	男 M.	136	32	70	56	9	26	87	7	212	22	88	78	118	42	44
	女 F.	126	22	51	66	10	39	73	2	196	30	48	46	91	33	38
B21	糖尿病	291	60	130	162	80	76	158	8	528	100	155	129	244	101	84
	男 M.	151	27	74	74	39	35	68	8	307	52	81	55	133	54	42
	女 F.	140	33	56	88	41	41	90	-	221	48	74	74	111	47	42
B22	ビタミン欠乏症およびその他の栄養欠乏症	20	5	16	9	4	3	16	8	22	6	5	4	14	4	6
	男 M.	9	2	10	5	3	1	10	8	10	3	2	1	7	1	5
	女 F.	11	3	6	4	1	2	6	-	12	3	3	3	7	3	1
B23	貧血	63	16	27	39	28	27	34	2	104	26	29	20	39	18	18
	男 M.	20	4	10	17	9	9	13	1	46	10	17	12	20	6	8
	女 F.	43	12	17	22	19	18	21	1	58	16	12	8	19	12	10
B24	髄膜炎	26	6	9	10	5	11	13	2	61	24	10	8	25	10	3
	男 M.	15	4	6	4	2	7	6	1	28	15	7	5	15	5	2
	女 F.	11	2	3	6	3	4	7	1	33	9	3	3	10	5	1
B25	活動性リウマチ熱	22	2	7	5	8	1	14	-	21	3	7	4	8	4	2
	男 M.	7	1	2	2	3	-	3	-	7	2	3	-	3	3	2
	女 F.	15	1	5	3	5	1	11	-	14	1	4	4	5	1	-
B26	慢性リウマチ性心疾患	166	41	74	88	49	51	84	4	281	64	61	52	103	34	36
	男 M.	74	12	28	43	18	19	33	3	111	23	24	24	40	14	19
	女 F.	92	29	46	45	31	32	51	1	170	41	37	28	63	20	17
B27	高血圧性疾患	888	225	453	407	338	250	486	33	1 099	259	310	256	569	201	160
	男 M.	385	101	186	193	150	119	213	26	499	131	137	111	267	82	72
	女 F.	503	124	267	214	188	131	273	7	600	128	173	145	302	119	88
B27.a	高血圧性心疾患	692	156	317	286	252	177	321	25	788	169	203	174	402	140	118
	男 M.	298	74	135	131	116	82	141	19	376	76	93	75	193	51	54
	女 F.	394	82	182	155	136	95	180	6	412	93	110	99	209	89	64
B27.b	その他の高血圧性疾患	196	69	136	121	86	73	165	8	311	90	107	82	167	61	42
	男 M.	87	27	51	62	34	37	72	7	123	55	44	36	74	31	18
	女 F.	109	42	85	59	52	36	93	1	188	35	63	46	93	30	24
B28	虚血性心疾患	1 719	395	655	774	733	481	620	68	2 952	655	543	604	888	399	380
	男 M.	920	226	383	427	393	250	346	52	1 716	398	323	325	489	234	190
	女 F.	799	169	272	347	340	231	274	16	1 236	257	220	279	399	165	190
B29	その他の心疾患	1 577	457	699	1 093	572	535	1 036	108	1 869	605	771	633	1 213	527	318
	男 M.	747	196	311	510	267	243	494	85	891	294	369	287	584	256	155
	女 F.	830	261	388	583	305	292	542	23	978	311	402	346	629	271	163
B29.a	心内膜の慢性疾患	122	37	78	88	51	62	126	5	221	45	43	34	94	33	37
	男 M.	53	10	28	31	19	25	42	3	92	16	12	8	34	9	13
	女 F.	69	27	50	57	32	37	84	2	129	29	31	26	60	24	24

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

性・死因（B分類）・都道府県（七大都市再掲）別　昭和47年
BY SEX; FOR EACH PREFECTURE*　1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	七大都市（再掲）7 largest cities (secondary mention) 50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	国際50項目分類番号（B表） International B list number
B29.b	その他の心筋機能不全	1 233	349	482	852	442	376	772	86	1 227	439	624	507	932	394	235	B29.b
	男 M.	581	149	222	399	198	176	365	68	582	210	306	234	436	190	115	
	女 F.	652	200	260	453	244	200	407	18	645	229	318	273	496	204	120	
B29.c	その他の心疾患	222	71	139	153	79	97	138	17	421	121	104	92	187	100	46	B29.c
	男 M.	113	37	61	80	50	42	87	14	217	68	51	45	114	57	27	
	女 F.	109	34	78	73	29	55	51	3	204	53	53	47	73	43	19	
B30	脳血管疾患	6 372	1 673	2 961	3 561	2 640	2 048	3 989	336	10 416	2 301	2 343	1 950	3 414	1 706	1 466	B30
	男 M.	3 353	861	1 578	1 896	1 393	1 105	2 008	298	5 520	1 247	1 234	958	1 853	890	770	
	女 F.	3 019	812	1 383	1 665	1 247	943	1 981	38	4 896	1 054	1 109	992	1 561	816	696	
B30.a	脳出血	2 472	747	1 477	1 643	1 103	877	1 955	183	4 305	1 002	969	814	1 555	775	515	B30.a
	男 M.	1 360	384	801	886	601	468	994	168	2 427	577	522	424	869	425	278	
	女 F.	1 112	363	676	757	502	409	961	15	1 878	425	447	390	686	350	237	
B30.b	脳硬塞	2 232	560	829	1 017	1 014	623	1 122	56	3 842	794	830	611	1 035	524	495	B30.b
	男 M.	1 148	297	414	512	520	317	567	49	1 911	408	417	284	527	259	269	
	女 F.	1 084	263	415	505	494	306	555	7	1 931	386	413	327	508	265	226	
B30.c	その他	1 668	366	655	901	523	548	912	97	2 269	505	544	525	824	407	456	B30.c
	男 M.	845	180	363	498	272	320	447	81	1 182	262	295	250	457	206	223	
	女 F.	823	186	292	403	251	228	465	16	1 087	243	249	275	367	201	233	
B31	インフルエンザ	49	10	15	45	14	3	15	-	44	6	14	8	17	7	13	B31
	男 M.	31	4	8	26	10	-	10	-	28	1	4	7	11	5	10	
	女 F.	18	6	7	19	4	3	5	-	16	5	10	1	6	2	3	
B32	肺炎	815	231	457	394	377	252	474	76	1 728	364	364	249	556	233	169	B32
	男 M.	456	134	247	212	183	150	254	68	946	212	196	124	307	130	100	
	女 F.	359	97	210	182	194	102	220	8	782	152	168	125	249	103	69	
B33	気管支炎，肺気腫および喘息	544	124	256	292	161	191	413	14	759	184	248	176	327	147	119	B33
	男 M.	326	75	149	178	89	121	257	8	456	103	160	100	199	89	78	
	女 F.	218	49	107	114	72	70	156	6	303	81	88	76	128	58	41	
B33.a	気管支炎	147	35	85	105	57	50	122	6	234	63	81	60	97	43	25	B33.a
	男 M.	81	23	49	57	33	31	72	1	139	33	48	26	54	28	13	
	女 F.	66	12	36	48	24	19	50	5	95	30	33	34	43	15	12	
B33.b	肺気腫	66	18	20	22	17	18	29	-	132	20	34	36	36	24	17	B33.b
	男 M.	49	15	10	15	9	16	24	-	99	13	27	30	33	16	13	
		17	3	10	7	8	2	5	-	33	7	7	6	3	8	4	
B33.c	喘息	331	71	151	165	87	123	262	8	393	101	133	78	194	80	77	B33.c
	男 M.	196	37	90	106	47	74	161	7	218	57	85	42	112	45	52	
	女 F.	135	34	61	59	40	49	101	1	175	44	48	36	82	35	25	
B34	消化性潰瘍	283	61	127	200	143	93	227	39	484	99	113	94	195	87	60	B34
	男 M.	192	39	73	145	93	60	157	34	343	70	81	64	126	55	40	
	女 F.	91	22	54	55	50	33	70	5	141	29	32	30	69	32	20	
B35	虫垂炎	14	3	3	9	3	12	7	1	29	8	7	5	14	5	1	B35
	男 M.	7	-	2	6	2	8	2	1	19	5	6	1	8	3	1	
	女 F.	7	3	1	3	1	4	5	-	10	3	1	4	6	2	-	
B36	腸閉塞およびヘルニア	120	41	40	61	44	23	58	4	210	37	32	38	86	27	24	B36
	男 M.	53	23	14	28	21	10	29	4	106	16	15	20	43	13	10	
	女 F.	67	18	26	33	23	13	29	-	104	21	17	18	43	14	14	
B37	肝硬変	782	157	304	274	226	220	315	120	973	262	199	175	606	255	216	B37
	男 M.	572	103	218	189	152	141	211	114	744	193	135	124	450	189	164	
	女 F.	210	54	86	85	74	79	104	6	229	69	64	51	156	66	52	
B38	腎炎およびネフローゼ	302	85	152	185	121	113	205	10	596	113	102	94	219	105	77	B38
	男 M.	146	32	76	91	61	50	100	8	318	54	56	53	120	46	44	
	女 F.	156	53	76	94	60	63	105	2	278	59	46	41	99	59	33	

*Reported by place of residence.

第4表　死　亡　者　数，性・死因（B分類）・都道府県（七大都市再掲）別　昭和47年

TABLE 4　DEATHS FROM CAUSES (B LIST) BY SEX; FOR EACH PREFECTURE*　1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	七大都市（再掲） 7 largest cities (secondary mention) 50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	国際50項目分類番号（B表） International B list number
B38.a	急性腎炎およびネフローゼ……	54	18	37	30	19	22	51	2	79	18	33	22	49	24	10	B38.a
	男 M.	26	6	18	18	10	9	30	2	44	9	21	15	29	11	4	
	女 F.	28	12	19	12	9	13	21	-	35	9	12	7	20	13	6	
B38.b	その他……	248	67	115	155	102	91	154	8	517	95	69	72	170	81	67	B38.b
	男 M.	120	26	58	73	51	41	70	6	274	45	35	38	91	35	40	
	女 F.	128	41	57	82	51	50	84	2	243	50	34	34	79	46	27	
B39	前立腺肥大症……	14	5	14	17	22	5	33	-	41	6	13	8	15	6	4	B39
	男 M.	14	5	14	17	22	5	33	-	41	6	13	8	15	6	4	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B40	流産……	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	B40
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	
B41	その他の妊娠，分娩，産褥の合併症…および合併症の記載のない分娩 男 M	24	10	11	10	8	9	22	-	62	20	16	10	19	9	4	B41
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		24	10	11	10	8	9	22	-	62	20	16	10	19	9	4	
B42	先天異常……	238	31	80	95	74	65	89	4	510	152	125	90	156	79	62	B42
	男 M.	137	19	32	44	45	34	45	3	277	78	63	43	80	43	38	
	女 F.	101	12	48	51	29	31	44	1	233	74	62	47	76	36	24	
B43	出生時損傷，難産およびその他の無酸素症，低酸素症…… 男 M.	184	21	59	48	40	45	55	2	291	99	60	46	96	38	53	B43
	女 F.	107	15	44	34	24	30	38	1	170	62	34	30	56	23	27	
		77	6	15	14	16	15	17	1	121	37	26	16	40	15	26	
B44	その他の周産期の死因……	262	72	106	130	117	90	126	-	597	185	143	93	188	53	95	B44
	男 M.	159	37	70	75	70	61	77	-	315	116	85	50	108	27	59	
	女 F.	103	35	36	55	47	29	49	-	282	69	58	43	80	26	36	
B45	症状およびその他の診断名不明確の状態…… 男 M.	1 445	384	726	931	465	359	1 113	105	1 451	500	466	544	864	457	293	B45
	女 F.	559	138	300	361	176	147	418	81	558	209	211	222	354	177	113	
		886	246	426	570	289	212	695	24	893	291	255	322	510	280	180	
B45.a	精神病の記載のない老衰……	1 066	314	531	752	358	272	879	9	1 166	398	350	417	644	368	210	B45.a
	男 M.	325	102	176	249	114	96	286	4	388	143	135	145	225	130	62	
	女 F.	741	212	355	503	244	176	593	5	778	255	215	272	419	238	148	
B45.b	その他……	379	70	195	179	107	87	234	96	285	102	116	127	220	89	83	B45.b
	男 M.	234	36	124	112	62	51	132	77	170	66	76	77	129	47	51	
	女 F.	145	34	71	67	45	36	102	19	115	36	40	50	91	42	32	
B46	その他のすべての疾患……	1 793	518	908	982	644	533	1 198	127	2 629	635	666	629	1 143	559	386	B46
	男 M.	867	239	405	462	313	267	571	104	1 304	332	316	294	543	262	181	
	女 F.	926	279	503	520	331	266	627	23	1 325	303	350	335	600	297	205	
B46.a	精神障害……	164	50	72	66	53	45	92	41	224	57	48	26	95	47	26	B46.a
	男 M.	77	21	34	38	27	30	47	33	140	29	20	9	57	21	12	
	女 F.	87	29	38	28	26	15	45	8	84	28	28	17	38	26	14	
B46.b	中枢神経系の非炎症性疾患……	152	41	79	81	55	43	111	15	247	50	62	69	98	50	41	B46.b
	男 M.	92	24	42	40	28	19	60	13	136	29	30	39	52	27	29	
	女 F.	60	17	37	41	27	24	51	2	111	21	32	30	46	23	12	
B46.c	その他の循環器系の疾患……	220	47	99	123	65	46	103	12	372	76	84	87	136	73	60	B46.c
	男 M.	108	22	51	61	35	27	58	9	206	42	43	40	76	36	28	
	女 F.	112	25	48	62	30	19	45	3	166	34	41	47	60	37	32	
B46.d	急性気管支炎および細気管支炎……	65	31	52	41	40	35	76	3	113	20	22	19	34	10	6	B46.d
	男 M.	37	14	30	22	23	20	34	3	48	14	13	13	15	6	3	
	女 F.	28	17	22	19	17	15	42	-	65	6	9	6	19	4	3	
B46.e	胃炎，十二指腸炎および慢性胃腸炎……	115	35	75	88	64	41	124	2	113	42	56	32	67	38	23	B46.e
	男 M.	41	17	23	29	28	15	53	1	41	19	27	14	23	16	6	
	女 F.	74	18	52	59	36	26	71	1	72	23	29	18	44	22	17	

*Reported by place of residence.

第4表　死　亡　者　数，性・死因（B分類）・都道府県（七大都市再掲）別　昭和47年

TABLE 4　DEATHS FROM CAUSES (B LIST) BY SEX; FOR EACH PREFECTURE*　1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳
B46.f	肝臓の疾患（肝硬変を除く）……	153	40	84	62	51	57	101	11
	男 M.	90	21	44	35	27	36	55	10
	女 F.	63	19	40	27	24	21	46	1
B46.g	その他……	924	274	447	521	316	266	591	43
	男 M.	422	120	181	237	145	120	264	35
	女 F.	502	154	266	284	171	146	327	8
"E"	不慮の事故，中毒および暴力の二重分類（外因）…	2 543	604	974	1 204	869	779	1 187	717
	男 M.	1 754	414	688	769	579	538	780	613
	女 F.	789	190	286	435	290	241	407	104
BE47	自動車事故……	847	228	206	310	271	228	311	59
	男 M.	647	171	160	230	196	171	226	54
	女 F.	200	57	46	80	75	57	85	5
BE48	その他の不慮の事故……	876	219	459	559	373	309	466	160
	男 M.	621	153	347	338	255	223	326	151
	女 F.	255	66	112	221	118	86	140	9
BE48.a	自動車以外の交通事故……	106	23	88	69	36	41	52	25
	男 M.	79	20	86	54	30	33	46	21
	女 F.	27	3	2	15	6	8	6	4
BE48.b	不慮の墜落……	206	48	91	97	96	57	92	48
	男 M.	140	28	61	67	60	42	57	47
	女 F.	66	20	30	30	36	15	35	1
BE48.c	火災および火焔による不慮の事故…	56	12	29	27	27	18	40	8
	男 M.	31	6	14	7	11	10	21	8
	女 F.	25	6	15	20	16	8	19	-
BE48.d	天災……	7	3	4	122	-	6	11	-
	男 M.	3	-	1	33	-	4	7	-
	女 F.	4	3	3	89	-	2	4	-
BE48.e	不慮の溺死……	176	67	127	88	82	80	100	30
	男 M.	136	46	98	61	56	62	73	27
	女 F.	40	21	29	27	26	18	27	3
BE48.f	工業性の不慮の事故……	145	34	59	75	64	54	76	15
	男 M.	119	31	49	65	53	47	64	15
	女 F.	26	3	10	10	11	7	12	-
BE48.g	その他……	180	32	61	81	68	53	95	34
	男 M.	113	22	38	51	45	25	58	33
	女 F.	67	10	23	30	23	28	37	1
BE49	自殺……	710	140	248	303	204	220	361	268
	男 M.	415	78	136	180	114	133	199	227
	女 F.	295	62	112	123	90	87	162	41
BE50	その他の外因……	110	17	61	32	21	22	49	230
	男 M.	71	12	45	21	14	11	29	181
	女 F.	39	5	16	11	7	11	20	49
BE50.a	他殺……	75	7	40	21	12	17	22	52
	男 M.	47	6	28	17	9	7	12	32
	女 F.	28	1	12	4	3	10	10	20
BE50.b	不慮か故意か決定されない傷害……	33	10	21	11	8	5	25	175
	男 M.	22	6	17	4	4	4	15	146
	女 F.	11	4	4	7	4	1	10	29
BE50.c	法的介入および戦争行為……	2	-	-	-	1	-	2	3
	男 M.	2	-	-	-	1	-	2	3
	女 F.	-	-	-	-	-	-	-	-

七大都市（再掲） 7 largest cities (secondary mention)							国際50項目分類番号（B表） International B list number
50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	
162	56	48	35	88	44	31	B46.f
82	32	18	19	47	25	18	
80	24	30	16	41	19	13	
1 398	334	346	361	625	297	199	B46.g
651	167	165	160	273	131	85	
747	167	181	201	352	166	114	
3 493	969	900	658	1 629	685	612	"E"
2 353	700	585	397	1 079	452	420	
1 140	269	315	261	550	233	192	
746	283	262	222	359	186	171	BE47
590	231	196	161	285	144	127	
156	52	66	61	74	42	44	
1 146	342	264	160	466	198	209	BE48
849	275	177	100	343	136	155	
297	67	87	60	123	62	54	
95	36	17	17	31	16	25	BE48.a
78	32	11	10	24	15	18	
17	4	6	7	7	1	7	
330	87	57	46	121	68	62	BE48.b
244	70	32	26	92	45	46	
86	17	25	20	29	23	16	
130	25	23	12	107	20	9	BE48.c
86	16	11	5	51	12	6	
44	9	12	7	56	8	3	
-	-	-	1	-	2	2	BE48.d
-	-	-	-	-	1	1	
-	-	-	1	-	1	1	
199	76	47	25	57	24	30	BE48.e
173	63	35	20	49	18	26	
26	13	12	5	8	6	4	
121	55	52	20	77	21	35	BE48.f
102	50	44	16	71	17	29	
19	5	8	4	6	4	6	
271	63	68	39	73	47	46	BE48.g
166	44	44	23	56	28	29	
105	19	24	16	17	19	17	
1 409	282	339	247	594	238	194	BE49
800	154	188	117	329	132	118	
609	128	151	130	265	106	76	
192	62	35	29	210	63	38	BE50
114	40	24	19	122	40	20	
78	22	11	10	88	23	18	
103	29	22	18	69	25	26	BE50.a
52	16	14	11	39	14	12	
51	13	8	7	30	11	14	
87	33	12	11	140	36	11	BE50.b
60	24	9	8	82	25	7	
27	9	3	3	58	11	4	
2	-	1	-	1	2	1	BE50.c
2	-	1	-	1	1	1	
-	-	-	-	-	1	-	

*Reported by place of residence.

第4表　死　亡　者　数，

TABLE 4　DEATHS FROM CAUSES (B LIST)

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳
"N"	不慮の事故，中毒および暴力の二重…分類（傷害の性質）	2 543	604	974	1 204	869	779	1 187	717
	男 M.	1 754	414	688	769	579	538	780	613
	女 F.	789	190	286	435	290	241	407	104
BN47	骨折，頭蓋内および内部損傷……	1 271	325	382	564	439	346	499	261
	男 M.	934	242	294	403	313	254	356	243
	女 F.	337	83	88	161	126	92	143	18
BN47.a	頭蓋骨折……	548	137	169	195	188	151	179	126
	男 M.	415	109	139	144	142	115	136	117
	女 F.	133	28	30	51	46	36	43	9
BN47.b	その他の骨の骨折……	150	43	53	94	58	48	90	18
	男 M.	85	24	34	52	32	31	51	18
	女 F.	65	19	19	42	26	17	39	-
BN47.c	頭蓋内損傷（頭蓋骨折を伴うもの…を除く）	361	93	104	162	121	89	152	68
	男 M.	259	64	79	117	80	66	107	62
	女 F.	102	29	25	45	41	23	45	6
BN47.d	胸，腹および骨盤腔の内部損傷……	212	52	56	113	72	58	78	49
	男 M.	175	45	42	90	59	42	62	46
	女 F.	37	7	14	23	13	16	16	3
BN48	熱傷……	83	18	40	31	32	27	55	16
	男 M.	43	8	19	10	13	18	29	14
	女 F.	40	10	21	21	19	9	26	2
BN49	化学物質の有害作用……	306	46	86	98	67	38	114	42
	男 M.	145	23	41	54	32	21	51	34
	女 F.	161	23	45	44	35	17	63	8
BN50	その他の損傷……	883	215	466	511	331	368	519	398
	男 M.	632	141	334	302	221	245	344	322
	女 F.	251	74	132	209	110	123	175	76
BN50.a	裂傷および開放創……	52	8	31	32	21	14	29	29
	男 M.	38	6	17	22	16	6	25	28
	女 F.	14	2	14	10	5	8	4	1
BN50.b	溺死……	295	96	226	193	128	119	157	171
	男 M.	212	53	177	106	83	90	107	121
	女 F.	83	43	49	87	45	29	50	50
BN50.c	窒息および絞首……	386	77	159	215	128	183	261	138
	男 M.	264	55	99	125	82	117	156	124
	女 F.	122	22	60	90	46	66	105	14
BN50.d	その他……	150	34	50	71	54	52	72	60
	男 M.	118	27	41	49	40	32	56	49
	女 F.	32	7	9	22	14	20	16	11

*Reported by place of residence.

性・死因（B分類）・都道府県（七大都市再掲）別　昭和47年

BY SEX; FOR EACH PREFECTURE*　1972

七大都市（再掲） 7 largest cities (secondary mention)							国際50項目分類番号（B表） International B list number
50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	
3 493	969	900	658	1 629	685	612	"N"
2 353	700	585	397	1 079	452	420	
1 140	269	315	261	550	233	192	
1 475	484	391	309	690	321	297	BN47
1 137	398	281	209	538	237	219	
338	86	110	100	152	84	78	
539	194	175	154	328	140	132	BN47.a
435	170	129	114	254	117	99	
104	24	46	40	74	23	33	
177	55	51	39	76	41	40	BN47.b
106	37	31	16	54	18	27	
71	18	20	23	22	23	13	
426	113	111	75	169	77	83	BN47.c
338	92	76	51	132	56	59	
88	21	35	24	37	21	24	
333	122	54	41	117	63	42	BN47.d
258	99	45	28	98	46	34	
75	23	9	13	19	17	8	
192	40	48	28	58	26	20	BN48
123	22	29	16	40	17	11	
69	18	19	12	18	9	9	
584	94	114	107	358	143	87	BN49
279	51	60	47	164	70	41	
305	43	54	60	194	73	46	
1 242	351	347	214	523	195	208	BN50
814	229	215	125	337	128	149	
428	122	132	89	186	67	59	
114	21	12	11	34	17	15	BN50.a
78	14	8	6	26	9	9	
36	7	4	3	8	8	6	
357	123	93	50	149	59	58	BN50.b
264	90	60	30	99	43	44	
93	33	33	20	50	16	14	
565	140	200	116	257	93	93	BN50.c
335	79	116	58	145	57	64	
230	61	84	58	112	36	29	
206	67	42	37	83	26	42	BN50.d
137	46	31	29	67	19	32	
69	21	11	8	16	7	10	

第5表 死　亡　者　数，

TABLE 5　DEATHS FROM CAUSES (B LIST)

性・死亡の場所・死因（B分類）別

BY SEX AND PLACE OF DEATH

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
	総数 Total	683 751	254 630	33 013	366	355 428	40 314
	男 M.	372 833	150 245	19 356	187	176 469	26 576
	女 F.	310 918	104 385	13 657	179	178 959	13 738
B1	コレラ	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B2	腸チフス	1	1	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-
B3	細菌性赤痢およびアメーバ症	22	14	3	-	4	1
	男 M.	12	6	2	-	4	-
	女 F.	10	8	1	-	-	1
B4	腸炎およびその他の下痢性疾患	3 929	823	301	1	2 718	86
	男 M.	1 756	476	164	-	1 084	32
	女 F.	2 173	347	137	1	1 634	54
B5	呼吸器系の結核	11 983	8 558	237	1	3 053	134
	男 M.	8 422	6 039	160	1	2 132	90
	女 F.	3 561	2 519	77	-	921	44
B6	その他の結核（後遺症を含む）	582	428	22	-	126	6
	男 M.	280	208	14	-	54	4
	女 F.	302	220	8	-	72	2
B7	ペスト	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B8	ジフテリア	5	4	-	-	1	-
	男 M.	3	3	-	-	-	-
	女 F.	2	1	-	-	1	-
B9	百日咳	2	1	1	-	-	-
	男 M.	1	1	-	-	-	-
	女 F.	1	-	1	-	-	-
B10	レンサ球菌性咽頭炎および猩紅熱	1	1	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-
B11	髄膜炎菌感染	6	6	-	-	-	-
	男 M.	1	1	-	-	-	-
	女 F.	5	5	-	-	-	-
B12	急性灰白髄炎	1	1	-	-	-	-
	男 M.	1	1	-	-	-	-
	女 F.	-	-	-	-	-	-
B13	痘瘡	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B14	麻疹	378	183	88	-	100	7
	男 M.	196	90	53	-	50	3
	女 F.	182	93	35	-	50	4
B15	チフスおよびその他のリケッチア症	1	-	-	-	1	-
	男 M.	1	-	-	-	1	-
	女 F.	-	-	-	-	-	-
B16	マラリア	5	5	-	-	-	-
	男 M.	5	5	-	-	-	-
	女 F.	-	-	-	-	-	-
B17	梅毒および続発症	461	331	12	-	116	2
	男 M.	318	232	4	-	82	-
	女 F.	143	99	8	-	34	2
B18	その他の伝染病および寄生虫病	2 396	1 856	163	1	357	19
	男 M.	1 265	977	90	1	188	9
	女 F.	1 131	879	73	-	169	10
B18.a	痲	1	-	-	-	-	1
	男 M.	1	-	-	-	-	1
	女 F.	-	-	-	-	-	-
B18.b	破傷風	138	109	18	-	11	-
	男 M.	84	64	12	-	8	-
	女 F.	54	45	6	-	3	-
B18.c	敗血症	624	507	27	-	83	7
	男 M.	318	255	13	-	49	1
	女 F.	306	252	14	-	34	6
B18.d	日本脳炎	36	32	2	-	2	-
	男 M.	16	15	1	-	-	-
	女 F.	20	17	1	-	2	-
B18.e	伝染性肝炎	890	763	64	-	58	5
	男 M.	442	375	35	-	30	2
	女 F.	448	388	29	-	28	3
B18.f	カンジダ症	52	41	-	-	11	-
	男 M.	29	23	-	-	6	-
	女 F.	23	18	-	-	5	-
B18.g	日本住血吸虫症	23	12	3	-	8	-
	男 M.	13	9	2	-	2	-
	女 F.	10	3	1	-	6	-
B18.h	糸状虫症	10	1	-	-	9	-
	男 M.	7	1	-	-	6	-
	女 F.	3	-	-	-	3	-
B18.i	その他	622	391	49	1	175	6
	男 M.	355	235	27	1	87	5
	女 F.	267	156	22	-	88	1
B19	悪性新生物（リンパおよび造血組織の新生物を含む）	127 299	79 419	5 935	27	40 883	1 035
	男 M.	71 298	45 855	3 369	14	21 635	425
	女 F.	56 001	33 564	2 566	13	19 248	610
B19.a	食道の悪性新生物	4 921	2 778	210	1	1 896	36
	男 M.	3 739	2 224	155	1	1 340	19
	女 F.	1 182	554	55	-	556	17
B19.b	胃の悪性新生物	49 943	27 823	2 792	15	18 867	446
	男 M.	30 380	17 524	1 752	8	10 889	207
	女 F.	19 563	10 299	1 040	7	7 978	239
B19.c	肝臓の悪性新生物	9 788	6 137	552	1	3 017	81
	男 M.	6 100	4 114	335	1	1 621	29
	女 F.	3 688	2 023	217	-	1 396	52
B19.d	膵臓の悪性新生物	4 930	3 465	262	1	1 174	28
	男 M.	2 857	2 082	142	1	622	10
	女 F.	2 073	1 383	120	-	552	18
B19.e	気管，気管支および肺の悪性新生物	12 290	8 425	457	1	3 327	80
	男 M.	8 837	6 108	311	-	2 367	51
	女 F.	3 453	2 317	146	1	960	29

第5表 死　亡　者　数，性・死亡の場所・死因（B分類）別

TABLE 5　DEATHS FROM CAUSES (B LIST) BY SEX AND PLACE OF DEATH

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
B19.f	乳房の悪性新生物	2 793	1 866	107	2	788	30
	男 M.	31	21	3	-	7	-
	女 F.	2 762	1 845	104	2	781	30
B19.g	子宮の悪性新生物	6 332	3 747	214	2	2 304	65
	男 M.	-	-	-	-	-	-
	女 F.	6 332	3 747	214	2	2 304	65
B19.h	白血病	3 808	3 494	73	-	227	14
	男 M.	2 073	1 929	27	-	109	8
	女 F.	1 735	1 565	46	-	118	6
B19.i	その他	32 494	21 684	1 268	4	9 283	255
	男 M.	17 281	11 853	644	3	4 680	101
	女 F.	15 213	9 831	624	1	4 603	154
B20	良性および性質不詳の新生物	5 755	3 669	192	4	1 818	72
	男 M.	3 138	2 090	93	2	914	39
	女 F.	2 617	1 579	99	2	904	33
B21	糖尿病	7 875	3 009	388	2	4 347	129
	男 M.	3 821	1 463	190	-	2 108	60
	女 F.	4 054	1 546	198	2	2 239	69
B22	ビタミン欠乏症およびその他の栄養欠乏症	513	152	22	-	323	16
	男 M.	256	85	10	-	149	12
	女 F.	257	67	12	-	174	4
B23	貧血	1 601	1 078	88	2	402	31
	男 M.	660	451	34	1	165	9
	女 F.	941	627	54	1	237	22
B24	髄膜炎	802	685	41	-	72	4
	男 M.	457	392	28	-	34	3
	女 F.	345	293	13	-	38	1
B25	活動性リウマチ熱	362	143	31	-	175	13
	男 M.	116	49	10	-	56	1
	女 F.	246	94	21	-	119	12
B26	慢性リウマチ性心疾患	3 715	1 950	166	1	1 520	78
	男 M.	1 516	847	72	1	563	33
	女 F.	2 199	1 103	94	-	957	45
B27	高血圧性疾患	17 421	3 562	652	1	12 626	580
	男 M.	7 877	1 785	325	-	5 507	260
	女 F.	9 544	1 777	327	1	7 119	320
B27.a	高血圧性心疾患	12 037	2 522	489	1	8 636	389
	男 M.	5 456	1 230	237	-	3 812	177
	女 F.	6 581	1 292	252	1	4 824	212
B27.b	その他の高血圧性疾患	5 384	1 040	163	-	3 990	191
	男 M.	2 421	555	88	-	1 695	83
	女 F.	2 963	485	75	-	2 295	108
B28	虚血性心疾患	38 759	10 589	1 876	6	24 379	1 909
	男 M.	22 042	6 217	1 102	1	13 446	1 276
	女 F.	16 717	4 372	774	5	10 933	633
B29	その他の心疾患	43 411	9 989	1 641	14	29 695	2 072
	男 M.	20 634	5 013	791	6	13 652	1 172
	女 F.	22 777	4 976	850	8	16 043	900
B29.a	心内膜の慢性疾患	3 650	1 023	188	-	2 312	127
	男 M.	1 417	410	71	-	879	57
	女 F.	2 233	613	117	-	1 433	70
B29.b	その他の心筋機能不全	31 701	6 604	1 106	12	22 385	1 594
	男 M.	14 944	3 329	536	5	10 169	905
	女 F.	16 757	3 275	570	7	12 216	689
B29.c	その他の心疾患	8 060	2 362	347	2	4 998	351
	男 M.	4 273	1 274	184	1	2 604	210
	女 F.	3 787	1 088	163	1	2 394	141
B30	脳血管疾患	176 228	41 873	5 732	36	123 375	5 212
	男 M.	93 290	24 304	3 392	13	62 915	2 666
	女 F.	82 938	17 569	2 340	23	60 460	2 546
B30.a	脳出血	75 737	18 212	2 712	15	51 994	2 804
	男 M.	41 436	11 299	1 622	4	26 942	1 569
	女 F.	34 301	6 913	1 090	11	25 052	1 235
B30.b	脳硬塞	62 447	11 942	1 698	13	47 467	1 327
	男 M.	31 914	6 473	985	7	23 898	551
	女 F.	30 533	5 469	713	6	23 569	776
B30.c	その他	38 044	11 719	1 322	8	23 914	1 081
	男 M.	19 940	6 532	785	2	12 075	546
	女 F.	18 104	5 187	537	6	11 839	535
B31	インフルエンザ	856	111	46	2	670	27
	男 M.	472	73	20	1	369	9
	女 F.	384	38	26	1	301	18
B32	肺炎	23 204	8 187	1 414	12	12 968	623
	男 M.	12 462	4 696	808	10	6 643	305
	女 F.	10 742	3 491	606	2	6 325	318
B33	気管支炎，肺気腫および喘息	13 012	3 010	633	4	9 030	335
	男 M.	7 925	1 930	385	2	5 450	158
	女 F.	5 087	1 080	248	2	3 580	177
B33.a	気管支炎	4 125	663	128	1	3 226	107
	男 M.	2 352	401	82	1	1 827	41
	女 F.	1 773	262	46	-	1 399	66
B33.b	肺気腫	1 534	616	61	-	833	24
	男 M.	1 173	472	47	-	640	14
	女 F.	361	144	14	-	193	10
B33.c	喘息	7 353	1 731	444	3	4 971	204
	男 M.	4 400	1 057	256	1	2 983	103
	女 F.	2 953	674	188	2	1 988	101
B34	消化性潰瘍	7 377	3 422	563	-	3 222	170
	男 M.	4 900	2 497	401	-	1 890	112
	女 F.	2 477	925	162	-	1 332	58
B35	虫垂炎	483	323	96	-	63	1
	男 M.	274	190	64	-	19	1
	女 F.	209	133	32	-	44	-
B36	腸閉塞およびヘルニア	2 834	1 984	284	1	538	27
	男 M.	1 408	1 025	152	1	214	16
	女 F.	1 426	959	132	-	324	11
B37	肝硬変	13 587	8 374	910	2	4 142	159
	男 M.	9 696	6 166	645	1	2 771	113
	女 F.	3 891	2 208	265	1	1 371	46
B38	腎炎およびネフローゼ	7 737	4 494	420	2	2 736	85
	男 M.	3 959	2 464	200	-	1 254	41
	女 F.	3 778	2 030	220	2	1 482	44

第5表 死　亡　者　数，

TABLE 5　DEATHS FROM CAUSES (B LIST)

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
B38.a	急性腎炎およびネフローゼ	1 503	877	93	1	515	17
	男 M.	788	501	44	-	238	5
	女 F.	715	376	49	1	277	12
B38.b	その他	6 234	3 617	327	1	2 221	68
	男 M.	3 171	1 963	156	-	1 016	36
	女 F.	3 063	1 654	171	1	1 205	32
B39	前立腺肥大症	716	304	43	-	361	8
	男 M.	716	304	43	-	361	8
	女 F.	-	-	-	-	-	-
B40	流産	24	13	9	-	2	-
	男 M.	-	-	-	-	-	-
	女 F.	24	13	9	-	2	-
B41	その他の妊娠，分娩，産褥の合併症および合併症の記載のない分娩	803	437	302	19	36	9
	男 M.	-	-	-	-	-	-
	女 F.	803	437	302	19	36	9
B42	先天異常	6 164	4 901	562	25	624	52
	男 M.	3 335	2 665	310	13	328	19
	女 F.	2 829	2 236	252	12	296	33
B43	出生時損傷，難産およびその他の無酸素症，低酸素症	3 927	2 915	839	56	85	32
	男 M.	2 429	1 803	535	33	41	17
	女 F.	1 498	1 112	304	23	44	15
B44	その他の周産期の死因	8 003	5 342	2 284	111	226	40
	男 M.	4 697	3 092	1 393	70	120	22
	女 F.	3 306	2 250	891	41	106	18
B45	症状およびその他の診断名不明確の状態	42 163	2 912	690	10	36 234	2 317
	男 M.	17 278	1 586	340	4	14 050	1 298
	女 F.	24 885	1 326	350	6	22 184	1 019
B45.a	精神病の記載のない老衰	32 520	924	353	4	30 249	990
	男 M.	11 367	375	138	-	10 585	269
	女 F.	21 153	549	215	4	19 664	721
B45.b	その他	9 643	1 988	337	6	5 985	1 327
	男 M.	5 911	1 211	202	4	3 465	1 029
	女 F.	3 732	777	135	2	2 520	298
B46	その他のすべての疾患	46 236	18 986	2 118	8	23 997	1 127
	男 M.	22 312	10 070	1 067	6	10 642	527
	女 F.	23 924	8 916	1 051	2	13 355	600
B46.a	精神障害	3 207	1 742	50	-	1 256	159
	男 M.	1 692	890	35	-	650	117
	女 F.	1 515	852	15	-	606	42
B46.b	中枢神経系の非炎症性疾患	4 059	1 532	127	1	2 177	222
	男 M.	2 260	896	71	-	1 170	123
	女 F.	1 799	636	56	1	1 007	99
B46.c	その他の循環器系の疾患	5 810	2 022	200	-	3 423	165
	男 M.	3 081	1 253	107	-	1 648	73
	女 F.	2 729	769	93	-	1 775	92
B46.d	急性気管支炎および細気管支炎	2 341	201	66	-	2 025	49
	男 M.	1 187	107	41	-	1 023	16
	女 F.	1 154	94	25	-	1 002	33
B46.e	胃炎，十二指腸炎および慢性胃腸炎	3 573	408	87	1	3 001	76
	男 M.	1 427	205	33	1	1 162	26
	女 F.	2 146	203	54	-	1 839	50

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
B46.f	肝臓の疾患（肝硬変を除く）	3 324	1 722	298	3	1 259	42
	男 M.	1 776	931	166	2	658	19
	女 F.	1 548	791	132	1	601	23
B46.g	その他	23 922	11 359	1 290	3	10 856	414
	男 M.	10 889	5 788	614	3	4 331	153
	女 F.	13 033	5 571	676	-	6 525	261
"E"	不慮の事故，中毒および暴力の二重分類（外因）	63 111	20 585	4 209	18	14 403	23 896
	男 M.	43 604	15 094	3 090	6	7 578	17 836
	女 F.	19 507	5 491	1 119	12	6 825	6 060
BE47	自動車事故	20 494	11 103	2 553	5	155	6 678
	男 M.	15 709	8 371	1 918	2	116	5 302
	女 F.	4 785	2 732	635	3	39	1 376
BE48	その他の不慮の事故	21 937	6 737	1 305	10	4 692	9 193
	男 M.	15 980	5 014	978	2	2 472	7 514
	女 F.	5 957	1 723	327	8	2 220	1 679
BE48.a	自動車以外の交通事故	2 481	549	112	-	30	1 790
	男 M.	2 019	423	89	-	25	1 482
	女 F.	462	126	23	-	5	308
BE48.b	不慮の墜落	4 810	2 602	446	2	840	920
	男 M.	3 414	1 975	329	-	328	782
	女 F.	1 396	627	117	2	512	138
BE48.c	火災および火焔による不慮の事故	1 731	499	114	-	860	258
	男 M.	984	293	57	-	483	151
	女 F.	747	206	57	-	377	107
BE48.d	天災	444	21	2	-	198	223
	男 M.	206	9	-	-	76	121
	女 F.	238	12	2	-	122	102
BE48.e	不慮の溺死	4 776	390	90	1	727	3 568
	男 M.	3 523	274	69	-	338	2 842
	女 F.	1 253	116	21	1	389	726
BE48.f	工業性の不慮の事故	3 498	1 563	328	-	140	1 467
	男 M.	3 013	1 299	274	-	85	1 355
	女 F.	485	264	54	-	55	112
BE48.g	その他	4 197	1 113	213	7	1 897	967
	男 M.	2 821	741	160	2	1 137	781
	女 F.	1 376	372	53	5	760	186
BE49	自殺	18 015	2 239	286	3	8 827	6 660
	男 M.	10 231	1 319	149	2	4 665	4 096
	女 F.	7 784	920	137	1	4 162	2 564
BE50	その他の外因	2 665	506	65	-	729	1 365
	男 M.	1 684	390	45	-	325	924
	女 F.	981	116	20	-	404	441
BE50.a	他殺	1 372	302	48	-	513	509
	男 M.	791	233	34	-	214	310
	女 F.	581	69	14	-	299	199
BE50.b	不慮か故意か決定されない傷害	1 268	197	17	-	207	847
	男 M.	870	151	11	-	103	605
	女 F.	398	46	6	-	104	242
BE50.c	法的介入および戦争行為	25	7	-	-	9	9
	男 M.	23	6	-	-	8	9
	女 F.	2	1	-	-	1	-

5表（4－4）　第5表　死亡者数，性・死亡の場所・死因（B分類）別

TABLE 5　DEATHS FROM CAUSES (B LIST) BY SEX AND PLACE OF DEATH　昭和47年 1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	63 111	20 585	4 209	18	14 403	23 896
	男 M.	43 604	15 094	3 090	6	7 578	17 836
	女 F.	19 507	5 491	1 119	12	6 825	6 060
BN47	骨折，頭蓋内および内部損傷	30 828	15 700	3 292	7	1 535	10 294
	男 M.	23 390	11 967	2 501	2	781	8 139
	女 F.	7 438	3 733	791	5	754	2 155
BN47.a	頭蓋骨折	13 565	6 020	1 363	1	245	5 936
	男 M.	10 685	4 790	1 090	-	153	4 652
	女 F.	2 880	1 230	273	1	92	1 284
BN47.b	その他の骨の骨折	3 929	1 792	399	3	554	1 181
	男 M.	2 466	1 105	266	1	176	918
	女 F.	1 463	687	133	2	378	263
BN47.c	頭蓋内損傷（頭蓋骨折を伴うものを除く）	8 325	5 264	1 042	3	461	1 555
	男 M.	6 179	3 922	752	1	287	1 217
	女 F.	2 146	1 342	290	2	174	338
BN47.d	胸，腹および骨盤腔の内部損傷	5 009	2 624	488	-	275	1 622
	男 M.	4 060	2 150	393	-	165	1 352
	女 F.	949	474	95	-	110	270
BN48	熱傷	2 406	943	222	-	876	365
	男 M.	1 434	571	128	-	464	271
	女 F.	972	372	94	-	412	94
BN49	化学物質の有害作用	5 835	1 316	251	-	2 882	1 386
	男 M.	3 086	655	126	-	1 365	940
	女 F.	2 749	661	125	-	1 517	446
BN50	その他の損傷	24 042	2 626	444	11	9 110	11 851
	男 M.	15 694	1 901	335	4	4 968	8 486
	女 F.	8 348	725	109	7	4 142	3 365
BN50.a	裂傷および開放創	1 391	240	71	-	247	833
	男 M.	959	193	55	-	148	563
	女 F.	432	47	16	-	99	270
BN50.b	溺死	8 334	465	104	1	947	6 817
	男 M.	5 453	322	80	-	399	4 652
	女 F.	2 881	143	24	1	548	2 165
BN50.c	窒息および絞首	10 747	833	64	5	6 933	2 912
	男 M.	6 601	540	38	1	3 779	2 243
	女 F.	4 146	293	26	4	3 154	669
BN50.d	その他	3 570	1 088	205	5	983	1 289
	男 M.	2 681	846	162	3	642	1 028
	女 F.	889	242	43	2	341	261

第6表　特定死因の死亡者数，

性・年齢（5才階級）・死亡当時の世帯のおもな仕事別

TABLE 6　DEATHS BY CERTAIN SELECTED CAUSES, BY SEX AND AGE AND OCCUPATIONAL TYPE OF HOUSEHOLD

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34
B4, B46. e	胃腸炎	7 502	741	171	32	15	13	972	19	20	25	38	38	34
	男 M.	3 183	432	99	21	10	6	568	12	14	15	22	23	16
	女 F.	4 319	309	72	11	5	7	404	7	6	10	16	15	18
B5, B6	結核	12 565	10	22	4	7	3	46	6	11	26	85	140	255
	男 M.	8 702	5	8	1	2	3	19	2	4	10	37	77	138
	女 F.	3 863	5	14	3	5	-	27	4	7	16	48	63	117
B19	悪性新生物	127 299	131	124	148	141	167	711	481	345	477	841	1 221	1 915
	男 M.	71 298	73	62	80	76	96	387	280	193	260	442	574	820
	女 F.	56 001	58	62	68	65	71	324	201	152	217	399	647	1 095
B19. b	胃	49 943	1	-	-	2	-	3	-	5	26	174	368	741
	男 M.	30 380	1	-	-	2	-	3	-	4	11	86	151	318
	女 F.	19 563	-	-	-	-	-	-	-	1	15	88	217	423
B19. e	気管・気管支および肺	12 290	-	1	-	-	1	2	-	5	1	17	47	67
	男 M.	8 837	-	-	-	-	1	1	-	3	1	10	27	33
	女 F.	3 453	-	1	-	-	-	1	-	2	-	7	20	34
B19. f	乳房	2 793	-	-	-	-	-	-	-	-	-	7	30	97
	男 M.	31	-	-	-	-	-	-	-	-	-	-	-	1
	女 F.	2 762	-	-	-	-	-	-	-	-	-	7	30	96
B19. g	子宮	6 332	-	-	-	-	-	-	-	-	4	16	36	91
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	6 332	-	-	-	-	-	-	-	-	4	16	36	91
B19. h	白血病	3 808	59	58	68	72	93	350	293	179	202	229	218	245
	男 M.	2 073	33	31	33	42	49	188	161	101	115	132	114	126
	女 F.	1 735	26	27	35	30	44	162	132	78	87	97	104	119
B21	糖尿病	7 875	3	1	1	-	1	6	6	15	18	50	56	90
	男 M.	3 821	3	1	1	-	-	5	4	5	9	16	21	39
	女 F.	4 054	-	-	-	-	1	1	2	10	9	34	35	51
B26, B28, B29	心疾患	85 885	363	38	26	13	18	458	64	90	239	536	632	926
	男 M.	44 192	210	22	17	9	9	267	36	51	158	335	396	581
	女 F.	41 693	153	16	9	4	9	191	28	39	81	201	236	345
B28	虚血性心疾患	38 759	-	2	1	-	1	4	2	3	26	62	99	219
	男 M.	22 042	-	1	1	-	1	3	2	3	17	49	64	164
	女 F.	16 717	-	1	-	-	-	1	-	-	9	13	35	55
B26, B29. a	慢性リウマチ性心疾患および心内膜の慢性疾患	7 365	13	1	2	-	-	16	7	12	58	116	144	222
	男 M.	2 933	7	-	1	-	-	8	2	7	32	52	71	92
	女 F.	4 432	6	1	1	-	-	8	5	5	26	64	73	130
B27	高血圧性疾患	17 421	-	-	-	-	-	-	-	3	5	13	27	46
	男 M.	7 877	-	-	-	-	-	-	-	1	3	9	21	35
	女 F.	9 544	-	-	-	-	-	-	-	2	2	4	6	11
B30	脳血管疾患	176 228	85	15	5	6	4	115	34	35	80	187	283	570
	男 M.	93 290	46	11	4	3	2	66	16	20	52	105	198	403
	女 F.	82 938	39	4	1	3	2	49	18	15	28	82	85	167
B32, B33. a, B46. d	肺炎および気管支炎	29 670	2 562	361	179	91	54	3 247	163	130	156	210	179	196
	男 M.	16 001	1 437	190	83	48	34	1 792	78	62	92	103	87	90
	女 F.	13 669	1 125	171	96	43	20	1 455	85	68	64	107	92	106
B34	消化性潰瘍	7 377	17	2	2	1	-	22	3	2	17	55	54	98
	男 M.	4 900	7	1	1	1	-	10	2	2	14	43	38	78
	女 F.	2 477	10	1	1	-	-	12	1	-	3	12	16	20
B37	肝硬変	13 587	11	3	-	1	1	16	5	13	14	29	86	229
	男 M.	9 696	5	2	-	1	1	9	4	10	10	19	61	188
	女 F.	3 891	6	1	-	-	-	7	1	3	4	10	25	41
B38	腎炎およびネフローゼ	7 737	12	6	8	9	10	45	58	81	165	358	374	412
	男 M.	3 959	4	3	7	7	5	26	38	51	90	211	230	237
	女 F.	3 778	8	3	1	2	5	19	20	30	75	147	144	175
B45. a	精神病の記載のない老衰	32 520	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	11 367	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	21 153	-	-	-	-	-	-	-	-	-	-	-	-
B E47, B E48	不慮の事故	42 431	1 089	1 161	819	743	582	4 394	1 761	733	2 809	3 629	2 440	2 282
	男 M.	31 689	630	660	547	490	392	2 719	1 240	566	2 493	3 154	2 149	1 961
	女 F.	10 742	459	501	272	253	190	1 675	521	167	316	475	291	321
B E47	自動車事故	20 494	71	169	272	346	315	1 173	799	288	2 071	2 197	1 303	1 145
	男 M.	15 709	38	87	177	220	210	732	510	204	1 857	1 924	1 154	970
	女 F.	4 785	33	82	95	126	105	441	289	84	214	273	149	175
B E49	自殺	18 015	-	-	-	-	-	-	3	83	819	2 168	1 738	1 461
	男 M.	10 231	-	-	-	-	-	-	2	63	520	1 276	1 065	878
	女 F.	7 784	-	-	-	-	-	-	1	20	299	892	673	583

35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
50	52	63	84	155	245	427	767	1 256	1 571	1 124	472	87	3	-	B4, B46. e
30	30	35	35	77	133	220	357	538	573	352	111	21	1	-	
20	22	28	49	78	112	207	410	718	998	772	361	66	2	-	
488	755	908	832	1 059	1 460	1 695	2 013	1 539	925	267	44	7	-	4	B5, B6
267	490	557	581	767	1 072	1 309	1 468	1 118	594	164	21	4	-	3	
221	265	351	251	292	388	386	545	421	331	103	23	3	-	1	
3 115	5 057	7 138	8 877	13 012	17 717	20 379	20 795	14 979	7 367	2 370	444	49	3	6	B19
1 407	2 489	3 481	4 334	7 277	10 542	12 649	12 585	8 536	3 790	1 060	170	15	2	5	
1 708	2 568	3 657	4 543	5 735	7 175	7 730	8 210	6 443	3 577	1 310	274	34	1	1	
1 237	1 946	2 703	3 270	5 068	7 032	8 150	8 695	6 323	3 126	930	139	14	2	1	B19. b
566	1 063	1 489	1 887	3 134	4 623	5 424	5 608	3 851	1 678	421	54	6	2	1	
671	883	1 214	1 383	1 934	2 409	2 726	3 077	2 472	1 448	509	85	8	-	-	
151	268	444	698	1 220	1 931	2 568	2 468	1 602	609	165	23	3	-	1	B19. e
89	168	283	441	839	1 428	1 999	1 840	1 135	415	96	9	-	-	-	
62	100	161	257	381	503	569	628	447	194	69	14	3	-	1	
171	303	397	418	367	303	226	187	124	90	52	16	5	-	-	B19. f
-	2	1	1	3	3	6	7	5	2	-	-	-	-	-	
171	301	396	417	364	300	220	180	119	88	52	16	5	-	-	
209	394	579	748	794	917	826	810	521	266	90	29	2	-	-	B19. g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
209	394	579	748	794	917	826	810	521	266	90	29	2	-	-	
245	283	248	216	258	250	237	190	130	27	8	-	-	-	-	B19. h
132	165	126	105	145	125	134	115	71	14	4	-	-	-	-	
113	118	122	111	113	125	103	75	59	13	4	-	-	-	-	
135	199	248	323	622	1 012	1 400	1 631	1 265	585	180	31	3	-	-	B21
76	123	145	163	316	495	666	776	585	283	81	12	1	-	-	
59	76	103	160	306	517	734	855	680	302	99	19	2	-	-	
1 363	1 860	2 444	2 882	4 450	7 103	9 689	13 358	14 604	13 329	8 227	3 016	572	33	10	B26, B28, B29
894	1 208	1 477	1 672	2 642	4 239	5 655	7 393	7 251	5 963	2 959	863	134	10	8	
469	652	967	1 210	1 808	2 864	4 034	5 965	7 353	7 366	5 268	2 153	438	23	2	
394	668	1 053	1 318	2 382	3 998	5 352	7 064	6 878	5 497	2 781	808	135	12	4	B28
308	527	766	906	1 621	2 609	3 299	4 093	3 632	2 578	1 100	259	36	4	2	
86	141	287	412	761	1 389	2 053	2 971	3 246	2 919	1 681	549	99	8	2	
269	400	470	564	614	775	881	945	828	605	340	83	16	-	-	B26, B29. a
107	147	165	206	232	331	396	411	322	230	103	19	-	-	-	
162	253	305	358	382	444	485	534	506	375	237	64	16	-	-	
115	183	214	317	567	996	1 631	2 900	3 900	3 576	2 200	636	86	6	-	B27
64	124	115	171	325	568	916	1 479	1 725	1 419	716	163	22	1	-	
51	59	99	146	242	428	715	1 421	2 175	2 157	1 484	473	64	5	-	
1 462	2 812	4 011	5 540	9 247	15 393	23 326	33 330	35 744	27 352	12 636	3 548	476	21	26	B30
1 063	2 050	2 576	3 227	5 565	9 301	13 928	18 761	18 095	12 117	4 606	1 004	108	8	21	
399	762	1 435	2 313	3 682	6 092	9 398	14 569	17 649	15 235	8 030	2 544	368	13	5	
197	355	390	497	755	1 459	2 480	4 065	5 424	5 111	3 216	1 205	213	15	7	B32, B33. a, B46. d
116	207	224	285	436	915	1 561	2 461	3 048	2 586	1 321	452	78	1	6	
81	148	166	212	319	544	919	1 604	2 376	2 525	1 895	753	135	14	1	
148	232	277	319	415	697	968	1 236	1 260	999	417	139	19	-	-	B34
129	210	229	250	318	539	704	849	781	500	151	49	4	-	-	
19	22	48	69	97	158	264	387	479	499	266	90	15	-	-	
681	1 124	1 254	1 248	1 558	1 836	1 665	1 601	1 161	745	259	52	6	1	4	B37
583	996	1 019	909	1 137	1 293	1 130	1 057	697	404	136	25	4	1	4	
98	128	235	339	421	543	535	544	464	341	123	27	2	-	-	
386	455	457	442	517	662	760	837	763	583	294	78	9	-	1	B38
213	254	218	217	261	343	386	417	355	280	104	27	1	-	-	
173	201	239	225	256	319	374	420	408	303	190	51	8	-	1	
-	-	2	-	13	89	420	1 759	5 066	9 388	9 415	5 163	1 120	83	2	B45. a
-	-	-	-	3	43	211	875	2 165	3 565	2 980	1 283	219	21	2	
-	-	2	-	10	46	209	884	2 901	5 823	6 435	3 880	901	62	-	
2 637	2 822	2 516	2 261	2 393	2 537	2 344	2 415	2 049	1 372	709	236	42	7	43	B E47, B E48
2 245	2 398	2 047	1 768	1 797	1 888	1 616	1 518	1 131	603	268	73	12	3	40	
392	424	469	493	596	649	728	897	918	769	441	163	30	4	3	
1 334	1 386	1 298	1 194	1 270	1 363	1 193	1 106	789	408	130	28	1	-	18	B E47
1 116	1 127	1 032	905	925	1 000	798	682	474	212	57	14	-	-	16	
218	259	266	289	345	363	395	424	315	196	73	14	1	-	2	
1 361	1 276	1 194	1 010	1 148	1 237	1 265	1 302	954	596	237	51	3	1	108	B E49
854	818	724	539	615	682	680	634	442	258	79	17	-	1	84	
507	458	470	471	533	555	585	668	512	338	158	34	3	-	24	

総数[1)] Total

注：1）世帯業態不詳を含む

Note: 1) Includus occupational type of household unknown.

第6表　特定死因の死亡者数，性・年齢（5才階級）・死亡当時の世帯のおもな仕事別

専業農家世帯
Agriculture only

TABLE 6　DEATHS BY CERTAIN SELECTED CAUSES, BY SEX AND AGE AND OCCUPATIONAL TYPE OF HOUSEHOLD

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34
B4, B46. e	胃腸炎	1 772	67	14	4	2	2	89	3	5	8	7	6	9
	男 M.	723	33	10	3	-	2	48	2	4	4	2	4	6
	女 F.	1 049	34	4	1	2	-	41	1	1	4	5	2	3
B5, B6	結核	1 506	1	-	-	-	-	1	-	4	5	9	13	13
	男 M.	1 053	-	-	-	-	-	-	-	1	2	4	6	6
	女 F.	453	1	-	-	-	-	1	-	3	3	5	7	7
B19	悪性新生物	21 117	5	12	13	10	12	52	41	54	79	77	85	111
	男 M.	12 263	3	5	6	8	6	28	25	34	44	36	39	41
	女 F.	8 854	2	7	7	2	6	24	16	20	35	41	46	70
B19. b	胃	9 095	-	-	-	-	-	-	-	1	3	14	27	41
	男 M.	5 735	-	-	-	-	-	-	-	1	1	7	11	13
	女 F.	3 360	-	-	-	-	-	-	-	-	2	7	16	28
B19. e	気管・気管支および肺	1 822	-	-	-	-	-	-	-	1	-	1	2	5
	男 M.	1 373	-	-	-	-	-	-	-	1	-	-	2	3
	女 F.	449	-	-	-	-	-	-	-	-	-	1	-	2
B19. f	乳房	280	-	-	-	-	-	-	-	-	-	1	3	2
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	275	-	-	-	-	-	-	-	-	-	1	3	2
B19. g	子宮	826	-	-	-	-	-	-	-	-	-	3	2	6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	826	-	-	-	-	-	-	-	-	-	3	2	6
B19. h	白血病	472	2	7	8	7	7	31	27	24	33	22	19	19
	男 M.	250	1	2	3	6	4	16	15	14	20	12	7	9
	女 F.	222	1	5	5	1	3	15	12	10	13	10	12	10
B21	糖尿病	1 273	-	-	-	-	-	-	-	1	3	9	13	13
	男 M.	601	-	-	-	-	-	-	-	-	1	4	4	6
	女 F.	672	-	-	-	-	-	-	-	1	2	5	9	7
B26, B28, B29	心疾患	16 299	21	3	2	3	2	31	4	18	44	69	67	79
	男 M.	8 324	11	-	2	3	2	18	-	11	30	38	41	49
	女 F.	7 975	10	3	-	-	-	13	4	7	14	31	26	30
B28	虚血性心疾患	6 755	-	-	-	-	-	-	-	-	4	9	12	28
	男 M.	3 769	-	-	-	-	-	-	-	-	3	8	10	20
	女 F.	2 986	-	-	-	-	-	-	-	-	1	1	2	8
B26, B29. a	慢性リウマチ性心疾患および心内膜の慢性疾患	1 399	-	-	-	-	-	-	-	6	12	16	13	13
	男 M.	597	-	-	-	-	-	-	-	4	7	9	5	7
	女 F.	802	-	-	-	-	-	-	-	2	5	7	8	6
B27	高血圧性疾患	3 243	-	-	-	-	-	-	-	-	1	3	2	2
	男 M.	1 505	-	-	-	-	-	-	-	-	-	2	1	-
	女 F.	1 738	-	-	-	-	-	-	-	-	1	1	1	2
B30	脳血管疾患	39 081	4	-	-	-	1	5	4	4	12	21	22	44
	男 M.	20 910	2	-	-	-	-	2	2	1	9	13	18	34
	女 F.	18 171	2	-	-	-	1	3	2	3	3	8	4	10
B32, B33. a, B46. d	肺炎および気管支炎	5 809	238	31	19	10	6	304	12	18	40	31	21	40
	男 M.	3 141	117	18	8	5	3	151	4	11	24	17	11	15
	女 F.	2 668	121	13	11	5	3	153	8	7	16	14	10	25
B34	消化性潰瘍	1 481	-	-	-	-	-	-	-	-	1	3	6	6	14
	男 M.	958	-	-	-	-	-	-	-	-	1	3	4	4	11
	女 F.	523	-	-	-	-	-	-	-	-	-	-	2	2	3
B37	肝硬変	1 748	-	-	-	-	-	-	-	-	2	2	5	9	22
	男 M.	1 140	-	-	-	-	-	-	-	-	2	1	2	8	16
	女 F.	608	-	-	-	-	-	-	-	-	-	1	3	1	6
B38	腎炎およびネフローゼ	1 223	2	2	-	-	-	4	5	19	29	44	42	34
	男 M.	612	-	1	-	-	-	1	2	10	16	24	24	23
	女 F.	611	2	1	-	-	-	3	3	9	13	20	18	11
B45. a	精神病の記載のない老衰	7 800	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	2 814	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	4 986	-	-	-	-	-	-	-	-	-	-	-	-
B E47, B E48	不慮の事故	6 126	95	150	84	71	59	459	216	139	481	394	166	168
	男 M.	4 400	61	84	65	42	42	294	151	107	440	341	144	138
	女 F.	1 726	34	66	19	29	17	165	65	32	41	53	22	30
B E47	自動車事故	3 029	3	17	24	37	32	113	88	66	391	253	93	89
	男 M.	2 279	2	10	18	23	20	73	50	47	359	223	78	75
	女 F.	750	1	7	6	14	12	40	38	19	32	30	15	14
B E49	自殺	2 796	-	-	-	-	-	-	-	14	106	235	177	124
	男 M.	1 546	-	-	-	-	-	-	-	11	59	152	112	75
	女 F.	1 250	-	-	-	-	-	-	-	3	47	83	65	49

35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
7	5	11	13	37	47	87	187	301	425	350	148	27	-	-	B4, B46. e
4	3	6	7	21	24	46	85	129	170	111	40	7	-	-	
3	2	5	6	16	23	41	102	172	255	239	108	20	-	-	
34	38	88	87	111	163	224	307	208	152	38	9	2	-	-	B5, B6
21	27	58	59	88	118	171	218	150	93	24	5	2	-	-	
13	11	30	28	23	45	53	89	58	59	14	4	-	-	-	
289	558	930	1 138	1 950	2 843	3 597	4 048	3 110	1 545	504	99	7	-	-	B19
123	272	456	588	1 121	1 631	2 259	2 531	1 884	850	250	47	4	-	-	
166	286	474	550	829	1 212	1 338	1 517	1 226	695	254	52	3	-	-	B19. b
127	246	396	499	876	1 236	1 563	1 796	1 402	655	191	20	2	-	-	
57	131	204	293	561	785	1 050	1 196	917	397	100	9	2	-	-	B19. e
70	115	192	206	315	451	513	600	485	258	91	11	-	-	-	
14	34	49	74	163	260	381	410	304	90	26	7	1	-	-	B19. f
6	25	30	48	110	194	306	316	239	72	17	4	-	-	-	
8	9	19	26	53	66	75	94	65	18	9	3	1	-	-	B19. g
15	24	37	35	29	30	35	27	17	15	10	1	-	-	-	
-	-	-	-	-	-	1	-	3	1	-	-	-	-	-	B19. h
15	24	37	35	29	30	34	27	14	14	10	1	-	-	-	
17	34	61	68	99	126	111	126	94	54	17	7	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
17	34	61	68	99	126	111	126	94	54	17	7	1	-	-	
18	27	34	30	39	29	50	35	29	4	2	-	-	-	-	
7	16	19	13	20	11	24	23	20	2	2	-	-	-	-	
11	11	15	17	19	18	26	12	9	2	-	-	-	-	-	
13	16	25	35	72	145	240	282	242	116	40	7	1	-	-	B21
8	10	12	15	38	53	114	135	115	59	24	3	-	-	-	
5	6	13	20	34	92	126	147	127	57	16	4	1	-	-	
134	210	300	406	613	1 150	1 677	2 605	3 088	2 898	1 974	778	149	5	-	B26, B28, B29
82	123	197	235	341	654	966	1 503	1 626	1 346	766	254	44	-	-	
52	87	103	171	272	496	711	1 102	1 462	1 552	1 208	524	105	5	-	B28
30	78	136	167	295	588	847	1 316	1 361	1 046	623	188	25	2	-	
22	58	97	108	187	370	505	788	759	499	263	64	8	-	-	B26, B29. a
8	20	39	59	108	218	342	528	602	547	360	124	17	2	-	
28	47	60	79	100	152	198	213	194	158	86	20	4	-	-	
14	15	29	34	39	57	86	104	82	66	32	7	-	-	-	B27
14	32	31	45	61	95	112	109	112	92	54	13	4	-	-	
13	26	24	45	73	147	269	496	729	755	478	146	31	3	-	B30
8	20	18	24	39	86	152	271	307	333	186	45	12	1	-	
5	6	6	21	34	61	117	225	422	422	292	101	19	2	-	
143	322	537	863	1 628	3 045	5 081	7 742	8 590	6 686	3 267	946	112	6	1	B32, B33. a, B46. d
99	237	353	498	942	1 814	3 040	4 528	4 517	3 202	1 275	293	30	3	-	
44	85	184	365	686	1 231	2 041	3 214	4 073	3 484	1 992	653	82	3	1	
28	44	52	72	126	242	467	786	1 185	1 137	814	341	46	3	-	B34
18	26	28	31	68	156	291	496	717	593	343	128	13	-	-	
10	18	24	41	58	86	176	290	468	544	471	213	33	3	-	B37
15	20	34	41	52	107	185	271	307	259	118	35	7	-	-	
13	20	28	30	40	80	142	190	198	135	46	11	2	-	-	B38
2	-	6	11	12	27	43	81	109	124	72	24	5	-	-	
42	78	114	118	157	233	235	286	223	147	62	12	-	1	-	B45. a
34	66	90	82	98	146	155	178	141	81	32	7	-	1	-	
8	12	24	36	59	87	80	108	82	66	30	5	-	-	-	B E47, B E48
45	64	57	68	83	90	118	150	152	128	69	21	1	-	-	
20	30	27	36	36	47	69	72	73	63	28	10	1	-	-	B E47
25	34	30	32	47	43	49	78	79	65	41	11	-	-	-	
-	-	-	-	1	19	67	320	1 126	2 213	2 413	1 339	284	18	-	B E49
-	-	-	-	-	9	35	170	501	877	793	359	67	3	-	
-	-	-	-	1	10	32	150	625	1 336	1 620	980	217	15	-	
245	332	343	310	395	443	470	540	474	304	175	58	13	1	-	
182	264	275	234	276	320	328	352	307	149	75	18	4	1	-	
63	68	68	76	119	123	142	188	167	155	100	40	9	-	-	
121	180	209	175	218	239	251	245	179	86	28	5	-	-	-	
87	138	173	132	151	171	176	162	120	50	12	2	-	-	-	
34	42	36	43	67	68	75	83	59	36	16	3	-	-	-	
166	178	182	156	200	249	268	301	222	136	68	13	1	-	-	
99	117	107	81	105	136	161	143	107	57	23	1	-	-	-	
67	61	75	75	95	113	107	158	115	79	45	12	1	-	-	

第6表　特定死因の死亡者数，

兼業農家世帯
Agriculture with other works

TABLE 6　DEATHS BY CERTAIN SELECTED CAUSES, BY

性・年齢（5才階級）・死亡当時の世帯のおもな仕事別
SEX AND AGE AND OCCUPATIONAL TYPE OF HOUSEHOLD

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
B4，B46. e	胃腸炎	1 246	60	13	4	-	1	78	2	2	5	5	4	4	5	3	5	9	19	40	66	111	224	330	209	104	21	-	-	B4，B46. e
	男 M.	492	36	8	4	-	-	48	1	2	4	4	2	1	3	-	3	4	5	17	32	46	96	123	68	29	4	-	-	
	女 F.	754	24	5	-	-	1	30	1	-	1	1	2	3	2	3	2	5	14	23	34	65	128	207	141	75	17	-	-	
B5，B6	結核	940	1	-	-	-	-	1	-	1	3	2	7	14	18	34	49	48	74	97	143	171	141	107	25	5	-	-	B5，B6
	男 M.	648	1	-	-	-	-	1	-	1	1	-	4	9	6	19	31	32	47	77	109	115	109	68	17	2	-	-	
	女 F.	292	-	-	-	-	-	-	-	-	2	2	3	5	12	15	18	16	27	20	34	56	32	39	8	3	-	-	
B19	悪性新生物	14 112	12	13	6	8	7	46	38	37	45	93	84	115	189	422	649	890	1 305	1 873	2 297	2 626	1 972	1 024	342	55	10	-	-	B19
	男 M.	8 026	7	5	3	3	3	21	26	23	25	48	48	34	95	221	336	472	730	1 082	1 440	1 590	1 140	528	149	14	4	-	-	
	女 F.	6 086	5	8	3	5	4	25	12	14	20	45	36	81	94	201	313	418	575	791	857	1 036	832	496	193	41	6	-	-	
B19. b	胃	6 097	1	-	-	-	-	1	-	-	-	18	25	56	69	198	285	387	582	813	980	1 188	879	456	141	18	1	-	-	B19. b
	男 M.	3 743	1	-	-	-	-	1	-	-	-	10	13	17	36	115	168	230	356	522	666	778	544	228	55	4	-	-	-	
	女 F.	2 354	-	-	-	-	-	-	-	-	-	8	12	39	33	83	117	157	226	291	314	410	335	228	86	14	1	-	-	
B19. e	気管・気管支および肺	1 226	-	-	-	-	-	-	-	1	-	2	1	2	12	14	44	50	103	201	248	283	169	73	21	2	-	-	-	B19. e
	男 M.	882	-	-	-	-	-	-	-	1	-	1	-	1	8	7	24	38	66	143	197	206	123	51	16	-	-	-	-	
	女 F.	344	-	-	-	-	-	-	-	-	-	1	1	1	4	7	20	12	37	58	51	77	46	22	5	2	-	-	-	
B19. f	乳房	223	-	-	-	-	-	-	-	-	-	-	2	4	8	20	30	29	24	24	29	17	15	9	9	2	1	-	-	B19. f
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	
	女 F.	220	-	-	-	-	-	-	-	-	-	-	2	4	8	20	30	29	24	24	28	15	15	9	9	2	1	-	-	
B19. g	子宮	572	-	-	-	-	-	-	-	1	2	3	8	8	12	18	31	53	62	91	94	94	58	29	13	3	-	-	-	B19. g
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	572	-	-	-	-	-	-	-	1	2	3	8	8	12	18	31	53	62	91	94	94	58	29	13	3	-	-	-	
B19. h	白血病	375	6	6	3	5	3	23	24	15	24	23	14	15	20	22	28	26	34	33	36	27	8	2	1	-	-	-	-	B19. h
	男 M.	207	4	2	2	2	1	11	17	8	16	15	9	3	11	10	17	14	20	14	23	12	5	1	1	-	-	-	-	
	女 F.	168	2	4	1	3	2	12	7	7	8	8	5	12	9	12	11	12	14	19	13	15	3	1	-	-	-	-	-	
B21	糖尿病	956	-	-	-	-	1	1	-	2	1	6	4	4	8	10	17	28	45	107	168	233	195	89	30	7	1	-	-	B21
	男 M.	425	-	-	-	-	-	-	-	-	1	2	2	1	4	5	8	13	22	52	65	98	88	46	14	4	-	-	-	
	女 F.	531	-	-	-	-	1	1	-	2	-	4	2	3	4	5	9	15	23	55	103	135	107	43	16	3	1	-	-	
B26，B28，B29	心疾患	11 259	26	3	1	-	2	32	2	11	34	53	47	70	128	153	216	271	412	714	1 107	1 723	2 053	2 132	1 417	572	100	12	-	B26，B28，B29
	男 M.	5 734	15	2	1	-	1	19	-	6	23	33	23	42	80	98	138	158	229	453	647	983	1 021	1 021	556	170	31	3	-	
	女 F.	5 525	11	1	-	-	1	13	2	5	11	20	24	28	48	55	78	113	183	261	460	740	1 032	1 111	861	402	69	9	-	
B28	虚血性心疾患	4 738	-	-	-	-	-	-	-	-	4	10	8	20	45	68	94	119	217	396	559	834	919	843	429	143	24	6	-	B28
	男 M.	2 637	-	-	-	-	-	-	-	-	3	7	6	15	34	55	73	79	137	276	338	490	480	416	175	41	11	1	-	
	女 F.	2 101	-	-	-	-	-	-	-	-	1	3	2	5	11	13	21	40	80	120	221	344	439	427	254	102	13	5	-	
B26，B29. a	慢性リウマチ性心疾患および心内膜の慢性疾患	904	2	1	-	-	-	3	-	-	5	12	11	14	28	31	33	59	62	75	121	140	143	97	55	14	1	-	-	B26，B29. a
	男 M.	365	2	-	-	-	-	2	-	-	3	5	3	5	11	11	8	28	26	36	55	58	57	31	23	3	-	-	-	
	女 F.	539	-	1	-	-	-	1	-	-	2	7	8	9	17	20	25	31	36	39	66	82	86	66	32	11	1	-	-	
B27	高血圧性疾患	2 307	-	-	-	-	-	-	-	-	-	2	-	4	8	17	21	21	52	101	162	385	553	542	335	95	9	-	-	B27
	男 M.	1 072	-	-	-	-	-	-	-	-	-	2	-	4	4	11	12	15	32	59	90	194	267	237	117	25	3	-	-	
	女 F.	1 235	-	-	-	-	-	-	-	-	-	-	-	-	4	6	9	6	20	42	72	191	286	305	218	70	6	-	-	
B30	脳血管疾患	25 919	2	-	-	1	1	4	2	2	11	17	17	42	106	247	398	625	1 068	1 888	3 243	4 998	5 791	4 599	2 155	614	89	3	-	B30
	男 M.	13 519	1	-	-	-	1	2	1	1	9	8	12	33	78	188	263	363	652	1 083	1 919	2 833	2 911	2 142	800	201	18	2	-	
	女 F.	12 400	1	-	-	1	-	2	1	1	2	9	5	9	28	59	135	262	416	805	1 324	2 165	2 880	2 457	1 355	413	71	1	-	
B32，B33. a，B46. d	肺炎および気管支炎	3 909	218	26	12	9	4	269	15	19	23	26	19	17	18	28	29	64	58	165	283	548	772	808	516	209	21	2	-	B32，B33. a，B46. d
	男 M.	2 139	116	15	4	6	3	144	9	8	13	10	12	10	8	12	13	41	30	105	170	340	473	427	218	88	8	-	-	
	女 F.	1 770	102	11	8	3	1	125	6	11	10	16	7	7	10	16	16	23	28	60	113	208	299	381	298	121	13	2	-	
B34	消化性潰瘍	993	4	-	1	-	-	5	-	-	2	7	5	11	8	19	23	27	38	78	129	167	204	170	66	32	2	-	-	B34
	男 M.	657	2	-	-	-	-	2	-	-	1	5	3	11	7	18	17	24	31	67	97	118	122	92	28	13	1	-	-	
	女 F.	336	2	-	1	-	-	3	-	-	1	2	2	-	1	1	6	3	7	11	32	49	82	78	38	19	1	-	-	
B37	肝硬変	1 247	-	-	-	-	-	-	1	4	3	-	6	15	31	53	97	83	113	146	174	189	162	114	48	7	1	-	-	B37
	男 M.	836	-	-	-	-	-	-	-	3	2	-	6	10	24	40	81	55	82	96	119	129	98	70	18	2	1	-	-	
	女 F.	411	-	-	-	-	-	-	1	1	1	-	-	5	7	13	16	28	31	50	55	60	64	44	30	5	-	-	-	
B38	腎炎およびネフローゼ	849	1	-	-	3	-	4	3	4	23	40	28	23	32	43	38	44	43	76	84	100	111	87	51	13	2	-	-	B38
	男 M.	421	1	-	-	1	-	2	2	3	9	20	18	18	20	21	17	18	17	40	40	50	57	45	20	4	-	-	-	
	女 F.	428	-	-	-	2	-	2	1	1	14	20	10	5	12	22	21	26	26	36	44	50	54	42	31	9	2	-	-	
B45. a	精神病の記載のない老衰	5 619	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	11	58	247	800	1 635	1 667	975	207	17	-	B45. a
	男 M.	2 068	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	28	129	333	659	594	269	44	6	-	
	女 F.	3 551	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	30	118	467	976	1 073	706	163	11	-	
B E47，B E48	不慮の事故	6 182	94	152	77	98	68	489	200	98	463	485	239	245	371	428	440	420	406	412	394	391	320	228	108	35	10	-	-	B E47，B E48
	男 M.	4 572	47	86	45	61	44	283	141	71	421	415	216	209	308	353	358	338	318	306	272	240	177	88	45	11	2	-	-	
	女 F.	1 610	47	66	32	37	24	206	59	27	42	70	23	36	63	75	82	82	88	106	122	151	143	140	63	24	8	-	-	
B E47	自動車事故	3 100	7	15	23	45	35	125	84	40	378	318	150	131	187	227	229	221	186	229	195	191	124	61	21	2	1	-	-	B E47
	男 M.	2 387	3	9	17	30	23	82	52	26	346	270	135	111	153	180	180	176	141	174	128	121	76	29	6	1	-	-	-	
	女 F.	713	4	6	6	15	12	43	32	14	32	48	15	20	34	47	49	45	45	55	67	70	48	32	15	1	1	-	-	
B E49	自殺	2 016	-	-	-	-	-	-	1	11	113	218	146	100	101	117	111	101	126	148	175	197	181	112	47	11	-	-	-	B E49
	男 M.	1 101	-	-	-	-	-	-	-	7	79	130	102	55	68	73	55	50	68	82	83	96	83	54	11	5	-	-	-	
	女 F.	915	-	-	-	-	-	-	1	4	34	88	44	45	33	44	56	51	58	66	92	101	98	58	36	6	-	-	-	

第6表　特定死因の死亡者数，性・年齢（5才階級）・死亡当時の世帯のおもな仕事別

自営業世帯
Self-employed

TABLE 6　DEATHS BY CERTAIN SELECTED CAUSES, BY SEX AND AGE AND OCCUPATIONAL TYPE OF HOUSEHOLD

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34
B4, B46. e	胃腸炎	785	73	25	1	2	1	102	6	5	1	6	5	2
	男 M.	346	43	15	-	1	-	59	4	5	1	3	2	1
	女 F.	439	30	10	1	1	1	43	2	-	-	1	3	1
B5, B6	結核	1 516	-	5	-	1	1	7	2	1	5	12	19	26
	男 M.	1 109	-	2	-	-	1	3	-	1	2	7	8	13
	女 F.	407	-	3	-	1	-	4	2	-	3	5	11	13
B19	悪性新生物	18 986	11	19	18	14	29	91	64	55	59	121	156	259
	男 M.	11 292	6	6	7	8	16	43	37	28	32	60	66	113
	女 F.	7 694	5	13	11	6	13	48	27	27	27	61	90	146
B19. b	胃	7 183	-	-	-	-	-	-	-	-	2	31	48	88
	男 M.	4 583	-	-	-	-	-	-	-	-	-	13	15	36
	女 F.	2 600	-	-	-	-	-	-	-	-	2	18	33	52
B19. e	気管・気管支および肺	1 953	-	-	-	-	-	-	-	1	-	4	7	8
	男 M.	1 495	-	-	-	-	-	-	-	-	-	3	3	3
	女 F.	458	-	-	-	-	-	-	-	-	-	1	4	5
B19. f	乳房	412	-	-	-	-	-	-	-	-	-	3	9	9
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	406	-	-	-	-	-	-	-	-	-	3	9	9
B19. g	子宮	901	-	-	-	-	-	-	-	-	1	2	8	16
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	901	-	-	-	-	-	-	-	-	1	2	8	16
B19. h	白血病	541	5	9	11	5	19	49	39	29	21	28	23	43
	男 M.	297	4	3	4	3	9	23	21	17	11	14	13	24
	女 F.	244	1	6	7	2	10	26	18	12	10	14	10	19
B21	糖尿病	1 351	1	1	-	-	-	2	1	2	1	9	3	11
	男 M.	748	1	1	-	-	-	2	1	1	-	2	1	4
	女 F.	603	-	-	-	-	-	-	-	1	1	7	2	7
B26, B28, B29	心疾患	11 202	38	3	3	2	3	49	6	12	24	52	91	149
	男 M.	6 207	20	2	2	2	2	28	5	7	15	29	65	94
	女 F.	4 995	18	1	1	-	-	21	1	5	9	23	26	55
B28	虚血性心疾患	5 717	-	-	-	-	1	1	-	1	2	5	15	37
	男 M.	3 575	-	-	-	-	1	1	-	1	1	5	10	26
	女 F.	2 142	-	-	-	-	-	-	-	-	1	-	5	11
B26, B29. a	慢性リウマチ性心疾患および心内膜の慢性疾患	929	-	-	-	-	-	-	-	-	1	7	12	23
	男 M.	384	-	-	-	-	-	-	-	1	4	4	14	17
	女 F.	545	-	-	-	-	-	-	-	-	3	8	9	22
B27	高血圧性疾患	2 164	-	-	-	-	-	-	-	1	1	3	5	9
	男 M.	1 018	-	-	-	-	-	-	-	-	1	1	2	6
	女 F.	1 146	-	-	-	-	-	-	-	-	-	2	4	6
B30	脳血管疾患	22 069	7	2	1	1	-	11	2	5	11	16	33	73
	男 M.	12 010	5	2	1	1	-	9	1	4	6	11	21	49
	女 F.	10 059	2	-	-	-	-	2	1	1	5	5	12	24
B32, B33. a, B46. d	肺炎および気管支炎	3 482	280	49	18	15	6	368	28	23	14	21	27	29
	男 M.	1 916	159	25	10	6	5	205	17	15	10	12	9	15
	女 F.	1 566	121	24	8	9	1	163	11	8	4	9	18	14
B34	消化性潰瘍	936	3	-	-	-	-	3	-	-	1	9	10	5
	男 M.	638	-	-	-	-	-	-	-	-	-	7	8	5
	女 F.	298	3	-	-	-	-	3	-	-	1	2	2	-
B37	肝硬変	2 158	2	-	-	-	-	2	-	1	1	2	10	25
	男 M.	1 661	2	-	-	-	-	2	-	1	-	-	8	22
	女 F.	497	-	-	-	-	-	-	-	-	1	2	2	3
B38	腎炎およびネフローゼ	1 095	1	1	2	1	4	9	7	10	20	41	54	64
	男 M.	593	-	-	1	1	1	3	6	6	11	31	36	36
	女 F.	502	1	1	1	-	3	6	1	4	9	10	18	28
B45. a	精神病の記載のない老衰	3 758	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	1 245	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2 513	-	-	-	-	-	-	-	-	-	-	-	-
B E47, B E48	不慮の事故	5 287	171	181	151	127	105	735	257	92	321	415	286	253
	男 M.	3 873	100	102	99	87	65	453	184	76	291	354	233	212
	女 F.	1 414	71	79	52	40	40	282	73	16	30	61	53	41
B E47	自動車事故	2 804	14	38	54	65	58	229	118	32	241	253	166	151
	男 M.	2 151	7	18	33	40	35	133	89	24	224	220	139	125
	女 F.	653	7	20	21	25	23	96	29	8	17	33	27	26
B E49	自殺	2 202	-	-	-	-	-	-	-	8	99	247	227	183
	男 M.	1 228	-	-	-	-	-	-	-	7	65	143	124	102
	女 F.	974	-	-	-	-	-	-	-	1	34	104	103	81

35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
8	5	2	14	19	22	48	84	146	153	105	43	9	-	-	B4, B46. e
4	3	2	7	12	14	22	44	63	50	35	12	1	-	-	
4	2	-	7	7	8	26	40	83	103	70	31	8	-	-	
59	100	120	107	138	177	201	217	179	121	22	3	-	-	-	B5, B6
29	68	82	75	101	139	160	180	142	87	12	-	-	-	-	
30	32	38	32	37	38	41	37	37	34	10	3	-	-	-	
476	722	1 016	1 380	2 223	2 962	3 237	2 898	1 951	931	322	58	5	-	-	B19
217	345	490	699	1 322	1 925	2 168	1 928	1 160	489	147	22	1	-	-	
259	377	526	681	901	1 037	1 069	970	791	442	175	36	4	-	-	
195	270	386	495	820	1 169	1 228	1 120	792	386	129	22	2	-	-	B19. b
89	145	209	300	538	821	873	777	491	207	60	9	-	-	-	
106	125	177	195	282	348	355	343	301	179	69	13	2	-	-	B19. e
24	32	64	113	219	323	451	368	228	82	26	3	-	-	-	
15	19	45	72	161	250	357	313	174	61	17	2	-	-	-	
9	13	19	41	58	73	94	55	54	21	9	1	-	-	-	B19. f
28	38	65	66	67	39	29	25	15	9	9	1	-	-	-	
-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	
28	38	64	66	66	38	28	24	14	9	9	1	-	-	-	B19. g
26	55	92	126	116	127	137	89	70	25	9	2	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
26	55	92	126	116	127	137	89	70	25	9	2	-	-	-	
28	42	41	28	45	39	33	31	16	4	2	-	-	-	-	B19. h
15	18	21	15	27	21	23	23	9	1	1	-	-	-	-	
13	24	20	13	18	18	10	8	7	3	1	-	-	-	-	
17	25	35	55	141	195	245	315	190	80	22	1	1	-	-	B21
10	17	20	28	82	120	138	176	100	38	7	-	1	-	-	
7	8	15	27	59	75	107	139	90	42	15	1	-	-	-	
202	234	364	459	788	1 121	1 417	1 727	1 718	1 489	925	324	49	1	1	B26, B28, B29
144	148	238	268	508	726	908	1 027	918	672	318	77	10	1	1	
58	86	126	191	280	395	509	700	800	817	607	247	39	-	-	
64	95	174	227	485	698	912	1 017	887	672	321	86	17	-	1	B28
53	78	134	164	360	471	611	629	513	349	131	34	3	-	1	
11	17	40	63	125	227	301	388	374	323	190	52	14	-	-	
34	53	67	85	105	108	109	105	79	58	36	6	2	-	-	B26, B29. a
13	15	29	27	39	57	56	51	33	15	8	1	-	-	-	
21	38	38	58	66	51	53	54	46	43	28	5	2	-	-	
12	21	33	47	82	125	213	357	499	412	271	68	5	-	-	B27
9	14	22	27	46	71	131	180	235	163	90	15	1	-	-	
3	7	11	20	36	54	82	177	264	249	181	53	4	-	-	
242	400	638	840	1 386	2 261	3 060	4 085	3 989	3 201	1 397	358	59	2	-	B30
166	294	403	522	896	1 445	1 870	2 366	2 002	1 367	483	83	11	1	-	
76	106	235	318	490	816	1 190	1 719	1 987	1 834	914	275	48	1	-	
16	40	42	57	106	197	318	504	597	590	356	120	27	2	-	B32, B33. a, B46. d
9	20	24	34	64	124	210	329	336	303	126	47	7	-	-	
7	20	18	23	42	73	108	175	261	287	230	73	20	2	-	
25	25	40	57	70	122	110	164	150	92	42	8	3	-	-	B34
21	25	31	43	53	96	85	115	88	42	17	1	1	-	-	
4	-	9	14	17	26	25	49	62	50	25	7	2	-	-	
106	164	182	228	296	350	256	240	159	93	32	10	1	-	-	B37
92	152	156	186	245	271	185	163	100	54	21	3	-	-	-	
14	12	26	42	51	79	71	77	59	39	11	7	1	-	-	
58	66	76	63	89	114	126	95	95	70	34	4	-	-	-	B38
28	44	38	22	57	73	68	48	37	36	13	-	-	-	-	
30	22	38	41	32	41	58	47	58	34	21	4	-	-	-	
-	-	-	-	1	6	44	192	587	1 080	1 126	581	134	6	1	B45. a
-	-	-	-	-	5	18	101	248	394	306	150	22	-	1	
-	-	-	-	1	1	26	91	339	686	820	431	112	6	-	
258	298	273	282	340	361	312	275	240	160	94	31	2	2	-	B E47, B E48
216	251	221	204	250	282	228	174	129	73	32	10	-	-	-	
42	47	52	78	90	79	84	101	111	87	62	21	2	2	-	
169	164	160	169	208	229	189	143	104	50	22	7	-	-	-	B E47
145	135	133	121	155	179	134	91	64	26	11	3	-	-	-	
24	29	27	48	53	50	55	52	40	24	11	4	-	-	-	
182	151	154	158	153	164	153	145	94	63	20	1	-	-	-	B E49
103	92	97	93	84	95	80	68	45	25	5	-	-	-	-	
79	59	57	65	69	69	73	77	49	38	15	1	-	-	-	

第6表　特定死因の死亡者数，性・年齢（5才階級）・死亡当時の世帯のおもな仕事別

昭和47年

動労者世帯　I

Employee (white colour)

TABLE 6　DEATHS BY CERTAIN SELECTED CAUSES, BY SEX AND AGE AND OCCUPATIONAL TYPE OF HOUSEHOLD

1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
B4, B46.e	胃腸炎	902	157	41	9	3	1	211	2	1	5	7	7	6	10	15	16	7	16	29	36	86	134	164	113	32	5	－	－	B4, B46.e
	男 M.	376	93	26	3	2	1	125	2	1	1	4	5	2	6	10	8	4	8	20	15	33	51	49	28	4	－	－	－	
	女 F.	526	64	15	6	1	－	86	－	－	4	3	2	4	4	5	8	3	8	9	21	53	83	115	85	28	5	－	－	
B5, B6	結核	1 612	3	9	－	3	2	17	－	3	2	16	25	29	57	120	153	131	154	181	177	254	169	89	32	3	－	－	－	B5, B6
	男 M.	1 039	2	3	－	2	2	9	－	1	－	7	15	18	29	68	89	91	111	140	113	174	99	57	16	2	－	－	－	
	女 F.	573	1	6	－	1	－	8	－	2	2	9	10	11	28	52	64	40	43	41	64	80	70	32	16	1	－	－	－	
B19	悪性新生物	21 794	45	37	52	48	52	234	160	77	109	220	398	591	884	1 388	1 858	2 037	2 434	2 743	2 792	2 671	1 885	981	275	49	8	－	－	B19
	男 M.	12 064	25	21	29	27	32	134	92	37	63	118	189	270	383	678	1 012	1 111	1 542	1 704	1 721	1 495	934	456	107	17	1	－	－	
	女 F.	9 730	20	16	23	21	20	100	68	40	46	102	209	321	501	710	846	926	892	1 039	1 071	1 176	951	525	168	32	7	－	－	
B19.b	胃	7 907	－	－	－	1	－	1	－	1	5	31	122	231	325	496	673	699	906	992	1 032	1 089	769	410	104	17	4	－	－	B19.b
	男 M.	4 671	－	－	－	1	－	1	－	1	3	16	53	109	139	248	410	433	606	683	684	632	411	197	39	5	1	－	－	
	女 F.	3 236	－	－	－	－	－	－	－	－	2	15	69	122	186	248	263	266	300	309	348	457	358	213	65	12	3	－	－	
B19.e	気管・気管支および肺	2 131	－	－	－	－	1	1	－	－	－	3	15	22	43	84	136	212	266	344	372	332	211	69	19	2	－	－	－	B19.e
	男 M.	1 529	－	－	－	－	1	1	－	－	－	2	7	13	26	53	93	139	207	263	291	247	132	45	9	1	－	－	－	
	女 F.	602	－	－	－	－	－	－	－	－	－	1	8	9	17	31	43	73	59	81	81	85	79	24	10	1	－	－	－	
B19.f	乳房	611	－	－	－	－	－	－	－	－	－	1	5	42	56	81	92	101	68	50	31	32	22	19	8	2	1	－	－	B19.f
	男 M.	8	－	－	－	－	－	－	－	－	－	1	－	1	－	2	－	1	1	2	－	1	－	－	－	－	－	－	－	
	女 F.	603	－	－	－	－	－	－	－	－	－	1	5	41	56	79	92	100	67	48	31	31	22	19	8	2	1	－	－	
B19.g	子宮	1 054	－	－	－	－	－	－	－	－	－	2	8	14	53	105	130	133	122	132	120	101	77	41	13	3	－	－	－	B19.g
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	1 054	－	－	－	－	－	－	－	－	－	2	8	14	53	105	130	133	122	132	120	101	77	41	13	3	－	－	－	
B19.h	白血病	991	19	14	22	22	28	105	102	47	45	80	74	68	80	96	61	47	57	47	31	25	20	6	－	－	－	－	－	B19.h
	男 M.	585	10	11	14	14	15	64	54	23	27	46	42	40	46	66	33	30	38	31	19	15	7	4	－	－	－	－	－	
	女 F.	406	9	3	8	8	13	41	48	24	18	34	32	28	34	30	28	17	19	16	12	10	13	2	－	－	－	－	－	
B21	糖尿病	1 036	1	－	－	－	－	1	1	4	6	6	8	18	18	38	56	59	71	121	164	187	167	88	19	4	－	－	－	B21
	男 M.	515	1	－	－	－	－	1	－	2	5	2	7	12	12	21	40	37	49	49	84	91	60	34	8	1	－	－	－	
	女 F.	521	－	－	－	－	－	－	1	2	1	4	1	6	6	17	16	22	22	72	80	96	107	54	11	3	－	－	－	
B26, B28, B29	心疾患	11 842	109	10	9	4	4	136	23	17	56	114	159	217	308	409	558	604	793	950	1 136	1 525	1 786	1 685	983	314	65	4	－	B26, B28, B29
	男 M.	6 046	67	6	6	2	－	81	13	8	39	68	104	139	210	291	348	389	529	620	670	725	734	666	317	83	9	3	－	
	女 F.	5 796	42	4	3	2	4	55	10	9	17	46	55	78	98	118	210	215	264	330	466	800	1 052	1 019	666	231	56	1	－	
B28	虚血性心疾患	5 613	－	1	－	－	－	1	1	1	10	11	24	52	101	165	255	325	453	617	662	857	876	734	353	93	19	3	－	B28
	男 M.	3 263	－	1	－	－	－	1	1	1	7	8	15	41	86	139	197	241	345	438	427	449	380	321	130	29	4	3	－	
	女 F.	2 350	－	－	－	－	－	－	－	－	3	3	9	11	15	26	58	84	108	179	235	408	496	413	223	64	15	－	－	
B26, B29.a	慢性リウマチ性心疾患および心内膜の慢性疾患	1 104	4	－	1	－	－	5	3	－	12	22	39	57	64	90	113	106	102	89	100	95	79	80	36	10	2	－	－	B26, B29.a
	男 M.	433	3	－	1	－	－	4	－	－	7	8	20	28	22	36	36	42	48	40	39	35	29	25	12	2	－	－	－	
	女 F.	671	1	－	－	－	－	1	3	－	5	14	19	29	42	54	77	64	54	49	61	60	50	55	24	8	2	－	－	
B27	高血圧性疾患	2 223	－	－	－	－	－	－	－	1	1	2	7	13	21	37	35	54	76	126	198	365	520	414	267	78	6	2	－	B27
	男 M.	902	－	－	－	－	－	－	－	－	1	－	6	11	10	26	18	30	48	69	109	171	191	135	62	14	1	－	－	
	女 F.	1 321	－	－	－	－	－	－	－	1	－	2	1	2	11	11	17	24	28	57	89	194	329	279	205	64	5	2	－	
B30	脳血管疾患	21 498	33	5	3	2	1	44	14	8	14	54	74	138	316	585	791	931	1 266	1 652	2 536	3 640	4 177	3 257	1 538	397	61	5	－	B30
	男 M.	10 522	17	4	2	1	－	24	8	3	9	30	54	95	233	432	526	581	779	973	1 378	1 760	1 851	1 165	503	105	12	1	－	
	女 F.	10 976	16	1	1	1	1	20	6	5	5	24	20	43	83	153	265	350	487	679	1 158	1 880	2 326	2 092	1 035	292	49	4	－	
B32, B33.a, B46.d	肺炎および気管支炎	4 082	692	100	53	17	15	877	47	25	27	43	36	34	33	56	70	77	87	164	249	472	656	607	381	116	24	1	－	B32, B33.a, B46.d
	男 M.	2 088	386	53	25	8	8	480	19	10	11	20	20	17	18	39	47	50	54	101	139	268	327	280	138	40	10	－	－	
	女 F.	1 994	306	47	28	9	7	397	28	15	16	23	16	17	15	17	23	27	33	63	110	204	329	327	243	76	14	1	－	
B34	消化性潰瘍	970	6	－	1	1	－	8	1	1	6	8	10	20	30	43	49	56	89	95	126	136	129	111	40	10	2	－	－	B34
	男 M.	681	2	－	1	1	－	4	1	1	5	8	9	15	27	41	44	51	75	75	91	86	74	58	13	3	－	－	－	
	女 F.	289	4	－	－	－	－	4	－	－	1	－	1	5	3	2	5	5	14	20	35	50	55	53	27	7	2	－	－	
B37	肝硬変	1 982	3	1	－	1	－	5	3	1	1	8	22	42	103	181	248	232	260	251	190	184	127	86	29	9	－	－	－	B37
	男 M.	1 419	－	1	－	1	－	2	3	－	1	6	13	37	84	161	206	178	198	172	115	122	62	39	13	7	－	－	－	
	女 F.	563	3	－	－	－	－	3	－	1	－	2	9	5	19	20	42	54	62	79	75	62	65	47	16	2	－	－	－	
B38	腎炎およびネフローゼ	1 304	5	1	2	2	3	13	16	25	26	80	115	86	85	115	109	81	85	87	90	104	91	54	33	8	1	－	－	B38
	男 M.	692	3	1	2	2	1	9	10	17	12	44	75	54	48	67	58	47	46	41	44	50	37	21	9	3	－	－	－	
	女 F.	612	2	－	－	－	2	4	6	8	14	36	40	32	37	48	51	34	39	46	46	54	54	33	24	5	1	－	－	
B45.a	精神病の記載のない老衰	3 772	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	3	10	46	213	604	1 118	1 078	575	109	16	－	B45.a
	男 M.	1 146	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	5	25	94	224	351	313	108	20	6	－	
	女 F.	2 626	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	3	5	21	119	380	767	765	467	89	10	－	
B E47, B E48	不慮の事故	6 640	262	249	173	143	129	956	380	130	427	717	542	440	374	493	390	312	323	275	197	221	211	166	60	23	3	－	－	B E47, B E48
	男 M.	5 015	161	135	118	94	93	601	271	103	349	586	479	367	307	419	328	255	254	215	136	138	103	71	21	11	1	－	－	
	女 F.	1 625	101	114	55	49	36	355	109	27	78	131	63	73	67	74	62	57	69	60	61	83	108	95	39	12	2	－	－	
B E47	自動車事故	3 437	20	32	62	56	71	241	183	53	296	430	303	248	240	302	219	203	199	165	114	92	85	50	9	5	－	－	－	B E47
	男 M.	2 674	10	13	35	33	53	144	118	37	246	358	273	207	200	255	182	162	155	124	80	57	46	24	3	3	－	－	－	
	女 F.	763	10	19	27	23	18	97	65	16	50	72	30	41	40	47	37	41	44	41	34	35	39	26	6	2	－	－	－	
B E49	自殺	3 282	－	－	－	－	－	－	1	17	166	565	392	339	301	273	237	180	175	139	145	148	100	67	30	7	－	－	－	B E49
	男 M.	1 806	－	－	－	－	－	－	1	10	110	303	239	199	169	167	141	96	93	75	60	65	39	23	12	4	－	－	－	
	女 F.	1 476	－	－	－	－	－	－	－	7	56	262	153	140	132	106	96	84	82	64	85	83	61	44	18	3	－	－	－	

第6表　特定死因の死亡者数，性・年齢（5才階級）・死亡当時の世帯のおもな仕事別

昭和47年
1972

勤労者世帯　II
Employee (blue colour)

TABLE 6　DEATHS BY CERTAIN SELECTED CAUSES, BY SEX AND AGE AND OCCUPATIONAL TYPE OF HOUSEHOLD

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34
B4，B46.e	胃腸炎	1 232	288	56	7	7	6	364	4	4	2	11	5	6
	男 M.	537	171	30	5	6	2	214	3	1	2	7	3	3
	女 F.	695	117	26	2	1	4	150	1	3	-	4	2	3
B5，B6	結核	2 037	3	5	3	1	-	12	4	1	8	33	20	61
	男 M.	1 330	1	-	1	-	-	2	2	-	4	19	6	33
	女 F.	707	2	5	2	1	-	10	2	1	4	14	14	28
B19	悪性新生物	21 394	40	33	44	46	50	213	120	83	104	310	225	554
	男 M.	11 751	22	20	28	22	30	122	73	50	55	155	131	247
	女 F.	9 643	18	13	16	24	20	91	47	33	49	155	94	307
B19.b	胃	8 397	-	-	-	1	-	1	-	2	11	84	57	226
	男 M.	4 976	-	-	-	1	-	1	-	1	6	42	33	97
	女 F.	3 421	-	-	-	-	-	-	-	1	5	42	24	129
B19.e	気管・気管支および肺	1 969	-	-	-	-	-	-	-	2	-	15	3	20
	男 M.	1 388	-	-	-	-	-	-	-	1	-	11	2	11
	女 F.	581	-	-	-	-	-	-	-	1	-	4	1	9
B19.f	乳房	543	-	-	-	-	-	-	-	-	-	8	1	29
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	539	-	-	-	-	-	-	-	-	-	8	1	29
B19.g	子宮	1 207	-	-	-	-	-	-	-	-	1	8	6	26
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1 207	-	-	-	-	-	-	-	-	1	8	6	26
B19.h	白血病	810	19	16	15	25	28	103	70	44	43	56	51	66
	男 M.	446	9	9	8	13	18	57	40	28	21	29	34	32
	女 F.	364	10	7	7	12	10	46	30	16	22	27	17	34
B21	糖尿病	1 183	1	-	1	-	-	2	2	4	3	18	13	19
	男 M.	523	1	-	1	-	-	2	2	2	1	6	5	8
	女 F.	660	-	-	-	-	-	-	-	2	2	12	8	11
B26，B28，B29	心疾患	12 892	125	17	8	2	6	158	20	19	58	170	145	256
	男 M.	6 598	69	10	5	-	4	88	13	10	35	108	103	164
	女 F.	6 294	56	7	3	2	2	70	7	9	23	62	42	92
B28	虚血性心疾患	5 604	-	1	1	-	-	2	1	1	4	24	12	56
	男 M.	3 187	-	-	1	-	-	1	1	1	1	15	8	43
	女 F.	2 417	-	1	-	-	-	1	-	-	3	9	4	13
B26，B29.a	慢性リウマチ性心疾患および心内膜の慢性疾患	1 206	5	-	1	-	-	6	3	2	15	39	30	53
	男 M.	449	1	-	-	-	-	1	1	1	7	19	17	17
	女 F.	757	4	-	1	-	-	5	2	1	8	20	13	36
B27	高血圧性疾患	2 449	-	-	-	-	-	-	-	1	1	10	2	13
	男 M.	1 076	-	-	-	-	-	-	-	-	-	9	2	11
	女 F.	1 373	-	-	-	-	-	-	-	1	1	1	-	2
B30	脳血管疾患	25 226	26	4	-	1	-	31	12	11	20	83	53	181
	男 M.	13 581	12	3	-	1	-	16	4	8	13	56	31	133
	女 F.	11 645	14	1	-	-	-	15	8	3	7	27	22	48
B32，B33.a，B46.d	肺炎および気管支炎	4 611	843	119	61	31	15	1 069	33	29	30	40	46	41
	男 M.	2 459	482	60	27	18	9	596	17	10	19	19	22	19
	女 F.	2 152	361	59	34	13	6	473	16	19	11	21	24	22
B34	消化性潰瘍	1 051	3	2	-	-	-	5	2	-	3	15	14	28
	男 M.	704	3	1	-	-	-	4	1	-	3	12	13	19
	女 F.	347	-	1	-	-	-	1	1	-	-	3	1	9
B37	肝硬変	2 471	4	2	-	-	1	7	-	2	4	19	10	61
	男 M.	1 847	3	1	-	-	1	5	-	1	3	9	9	53
	女 F.	624	1	1	-	-	-	2	-	1	1	10	1	8
B38	腎炎およびネフローゼ	1 404	3	2	2	2	2	11	14	15	38	82	92	120
	男 M.	719	-	1	2	2	2	7	10	11	24	48	59	55
	女 F.	685	3	1	-	-	-	4	4	4	14	34	33	65
B45.a	精神病の記載のない老衰	4 252	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	1 402	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2 850	-	-	-	-	-	-	-	-	-	-	-	-
BE47，BE48	不慮の事故	11 100	332	296	238	220	160	1 246	496	167	754	932	1 200	840
	男 M.	8 942	185	178	151	150	105	769	348	124	675	844	1 098	761
	女 F.	2 158	147	118	87	70	55	477	148	43	79	88	102	79
BE47	自動車事故	5 255	23	41	73	105	90	332	228	68	519	484	712	376
	男 M.	4 237	13	21	46	69	59	208	143	48	465	436	654	335
	女 F.	1 018	10	20	27	36	31	124	85	20	54	48	58	41
BE49	自殺	3 559	-	-	-	-	-	-	-	16	188	448	500	366
	男 M.	2 193	-	-	-	-	-	-	-	14	114	290	310	244
	女 F.	1 366	-	-	-	-	-	-	-	2	74	158	190	122

35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
14	10	14	19	30	41	66	101	153	187	130	63	8	-	-	B4，B46.e
9	5	8	5	17	22	35	40	64	58	28	10	3	-	-	
5	5	6	14	13	19	31	61	89	129	102	53	5	-	-	
88	128	171	154	183	257	262	282	210	124	30	5	2	-	2	B5，B6
42	75	96	102	134	184	202	194	143	72	16	1	1	-	2	
46	53	75	52	49	73	60	88	67	52	14	4	1	-	-	
788	1 206	1 558	1 904	2 445	2 993	3 073	2 802	1 822	880	249	61	3	1	-	B19
381	644	760	920	1 350	1 864	1 902	1 626	935	406	106	21	2	1	-	
407	562	798	984	1 095	1 129	1 171	1 176	887	474	143	40	1	-	-	
347	487	575	711	950	1 213	1 282	1 191	746	400	92	19	2	1	-	B19.b
167	287	323	405	575	810	825	747	413	193	43	5	2	1	-	
180	200	252	306	375	403	457	444	333	207	49	14	-	-	-	
41	60	95	148	212	346	410	327	189	76	22	3	-	-	-	B19.e
25	39	63	91	151	256	327	225	127	50	9	-	-	-	-	
16	21	32	57	61	90	83	102	62	26	13	3	-	-	-	
38	82	85	78	69	53	36	27	18	13	3	2	1	-	-	B19.f
-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	
38	82	85	78	68	53	34	26	18	13	3	2	1	-	-	
57	93	141	167	167	163	125	130	71	42	6	4	-	-	-	B19.g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
57	93	141	167	167	163	125	130	71	42	6	4	-	-	-	
59	63	52	55	41	37	36	16	16	1	1	-	-	-	-	B19.h
36	38	26	22	22	19	22	12	8	-	-	-	-	-	-	
23	25	26	33	19	18	14	4	8	1	1	-	-	-	-	
33	64	51	72	118	168	187	201	150	61	15	2	-	-	-	B21
19	40	26	42	42	79	81	82	53	28	5	-	-	-	-	
14	24	25	30	76	89	106	119	97	33	10	2	-	-	-	
345	448	545	562	836	1 197	1 458	1 842	1 900	1 623	933	308	66	3	-	B26，B28，B29
228	294	308	329	513	708	836	971	895	635	281	72	7	-	-	
117	154	237	233	323	489	622	871	1 005	988	652	236	59	3	-	
101	155	231	266	442	660	799	946	850	627	331	80	15	1	-	B28
75	122	160	184	303	441	507	525	409	252	116	20	3	-	-	
26	33	71	82	139	219	292	421	441	375	215	60	12	1	-	
70	77	105	112	99	127	127	124	96	73	40	7	1	-	-	B26，B29.a
27	28	29	38	39	47	49	47	46	27	8	1	-	-	-	
43	49	76	74	60	80	78	77	50	46	32	6	1	-	-	
32	45	51	68	121	191	244	396	486	442	266	74	6	-	-	B27
14	32	25	29	74	105	134	196	196	157	72	18	2	-	-	
18	13	26	39	47	86	110	200	290	285	194	56	4	-	-	
425	778	924	1 238	1 890	2 659	3 472	4 312	4 267	3 139	1 315	369	43	-	4	B30
316	571	596	730	1 198	1 667	2 091	2 334	2 032	1 255	424	95	8	-	3	
109	207	328	508	692	992	1 381	1 978	2 235	1 884	891	274	35	-	1	
51	78	78	85	155	226	378	523	685	567	335	137	21	3	1	B32，B33.a，B46.d
32	39	46	50	96	143	245	299	358	259	133	45	10	1	1	
19	39	32	35	59	83	133	224	327	308	202	92	11	2	-	
37	74	60	59	64	107	139	145	133	106	41	18	1	-	-	B34
33	62	50	43	42	86	97	107	77	41	10	4	-	-	-	
4	12	10	16	22	21	42	38	56	65	31	14	1	-	-	
176	287	302	285	306	292	254	226	131	83	22	2	2	-	-	B37
151	252	246	220	226	211	181	151	78	36	12	1	2	-	-	
25	35	56	65	80	81	73	75	53	47	10	1	-	-	-	
78	85	76	94	105	116	125	138	98	75	30	11	1	-	-	B38
45	49	37	44	58	59	57	68	41	37	7	3	-	-	-	
33	36	39	50	47	57	68	70	57	38	23	8	1	-	-	
-	-	1	-	2	18	56	311	775	1 262	1 128	577	117	5	-	B45.a
-	-	-	-	2	2	19	142	328	439	324	125	20	1	-	
-	-	1	-	-	16	37	169	447	823	804	452	97	4	-	
1 995	890	743	583	517	499	403	323	247	154	77	26	3	2	3	BE47，BE48
905	785	620	482	412	384	294	215	132	63	21	5	1	1	3	
90	105	123	101	105	115	109	108	115	91	56	21	2	1	-	
456	367	341	284	284	262	204	164	103	56	11	4	-	-	-	BE47
404	299	265	220	212	196	144	110	60	29	7	2	-	-	-	
52	68	76	64	72	66	60	54	43	27	4	2	-	-	-	
319	282	251	205	199	201	170	169	131	79	30	3	-	1	1	BE49
221	191	164	122	121	118	92	89	50	40	10	1	-	1	1	
98	91	87	83	78	83	78	80	81	39	20	2	-	-	-	

第6表　特定死因の死亡者数，

その他の世帯
Other

TABLE 6　DEATHS BY CERTAIN SELECTED CAUSES, BY

性・年齢（5才階級）・死亡当時の世帯のおもな仕事別

SEX AND AGE AND OCCUPATIONAL TYPE OF HOUSEHOLD

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	総数 Total	0才 Year	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際50項目分類番号（B表） International B list number
B4，B46.e	胃腸炎	1 555	95	21	7	1	2	126	2	3	4	8	5	7	6	14	15	21	34	65	123	196	296	311	217	82	17	3	-	B4，B46.e
	男 M.	705	56	9	6	1	1	73	-	1	3	4	3	3	4	9	8	8	14	35	69	109	134	123	82	16	6	1	-	
	女 F.	850	39	12	1	-	1	53	2	2	1	4	2	4	2	5	7	13	20	30	54	87	162	188	135	66	11	2	-	
B5，B6	結核	4 904	2	3	1	2	-	8	-	1	3	26	43	107	227	326	320	304	393	580	683	777	631	332	120	19	3	-	1	B5，B6
	男 M.	3 481	1	3	-	-	-	4	-	-	1	13	25	54	136	226	197	221	281	410	549	582	474	217	79	11	1	-	-	
	女 F.	1 423	1	-	1	2	-	4	-	1	2	13	18	53	91	100	123	83	112	170	134	195	157	115	41	8	2	-	1	
B19	悪性新生物	29 648	18	10	14	14	16	72	56	38	81	104	184	277	479	753	1 107	1 505	2 630	4 271	5 346	5 714	4 214	1 998	676	122	16	2	3	B19
	男 M.	15 755	10	5	7	7	8	37	26	20	41	48	75	110	203	324	416	531	1 207	2 317	3 135	3 388	2 465	1 056	301	49	3	1	2	
	女 F.	13 893	8	5	7	7	8	35	30	18	40	56	109	167	276	429	691	974	1 423	1 954	2 211	2 326	1 749	942	375	73	13	1	1	
B19.b	胃	11 169	-	-	-	-	-	-	-	1	5	23	61	98	171	247	383	470	922	1 594	2 050	2 285	1 723	816	273	43	3	1	-	B19.b
	男 M.	6 614	-	-	-	-	-	-	-	-	1	6	44	52	95	111	209	250	427	601	734	819	658	363	149	21	2	-	-	
	女 F.	4 555	-	-	-	-	-	-	-	1	4	17	17	46	76	136	174	220	495	993	1 316	1 466	1 065	453	124	22	1	1	-	
B19.e	気管・気管支および肺	3 160	-	1	-	-	-	1	-	-	4	16	44	52	16	43	54	99	255	456	698	742	497	218	51	6	2	-	1	B19.e
	男 M.	2 154	-	-	-	-	-	-	-	-	1	4	6	10	9	24	26	51	143	322	518	530	357	136	28	2	-	-	-	
	女 F.	1 006	-	1	-	-	-	1	-	-	1	2	3	2	7	19	28	48	112	134	180	212	140	82	23	4	2	-	1	
B19.f	乳房	718	-	-	-	-	-	-	-	-	-	2	3	8	25	58	88	107	109	106	65	59	37	25	13	8	2	-	-	B19.f
	男 M.	5	-	-	-	-	-	-	-	-	-	2	3	11	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	
	女 F.	713	-	-	-	-	-	-	-	-	-	-	-	-	25	58	88	107	109	106	64	57	36	24	13	8	2	-	-	B19.g
B19.g	子宮	1 762	-	-	-	-	-	-	-	-	1	2	3	11	43	88	123	199	225	278	239	270	150	75	31	10	1	-	-	
	男 M.	-	-	-	-	-	-	-	-	-	-	1	7	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1 762	-	-	-	-	-	-	-	-	1	1	7	21	43	88	123	199	225	278	239	270	150	75	31	10	1	-	-	B19.h
B19.h	白血病	608	8	6	9	7	8	38	29	19	36	25	31	32	39	33	31	29	42	65	50	56	41	10	2	-	-	-	-	
	男 M.	281	5	4	2	3	2	16	13	10	20	11	13	17	16	17	10	11	18	29	22	30	22	6	-	-	-	-	-	
	女 F.	327	3	2	7	4	6	22	16	9	16	14	18	15	23	16	21	18	24	36	28	26	19	4	2	-	-	-	-	
B21	糖尿病	2 058	-	-	-	-	-	-	2	2	4	7	10	23	46	46	63	74	171	270	394	413	320	149	54	10	-	-	-	B21
	男 M.	1 001	-	-	-	-	-	-	1	-	1	1	1	8	23	30	39	28	81	138	184	194	169	76	23	4	-	-	-	
	女 F.	1 057	-	-	-	-	-	-	1	2	3	6	9	15	23	16	24	46	90	132	210	219	151	73	31	6	-	-	-	
B26，B28，B29	心疾患	22 225	44	2	3	2	1	52	8	12	23	101	98	151	237	395	452	566	1 000	1 957	2 871	3 916	4 044	3 485	1 988	717	143	8	1	B26，B28，B29
	男 M.	11 175	28	2	1	2	-	33	4	8	16	63	55	90	141	245	241	283	516	1 067	1 616	2 172	2 048	1 617	717	206	33	3	1	
B28	虚血性心疾患	11 050	16	-	2	-	1	19	4	4	7	38	43	61	96	150	211	283	484	890	1 255	1 744	1 996	1 868	1 271	511	110	5	-	B28
	男 M.	10 259	-	-	-	-	-	-	-	-	2	15	16	26	50	104	158	208	487	1 028	1 564	2 080	1 976	1 570	722	218	35	-	-	
	女 F.	5 560	-	-	-	-	-	-	-	-	2	13	8	19	35	72	100	125	286	604	906	1 204	1 086	738	284	71	7	-	-	
B26，B29.a	慢性リウマチ性心疾患および心内膜の慢性疾患	1 809	2	-	-	-	-	2	1	2	7	23	19	45	15	32	58	83	201	424	658	876	890	832	438	147	28	-	-	B26，B29.a
	男 M.	699	1	-	-	-	-	1	1	-	4	9	10	18	44	101	91	121	145	223	225	267	237	138	87	25	6	-	-	
	女 F.	1 110	1	-	-	-	-	1	-	2	3	14	9	27	19	42	34	36	41	94	110	115	75	65	20	5	-	-	-	
B27	高血圧性疾患	5 011	-	-	-	-	-	-	-	-	1	1	3	4	25	59	57	85	104	129	115	152	162	73	67	20	6	-	-	B27
	男 M.	2 293	-	-	-	-	-	-	-	-	1	1	1	2	29	35	49	82	163	305	543	897	1 110	1 007	581	171	29	1	-	
	女 F.	2 718	-	-	-	-	-	-	-	-	-	-	2	2	19	20	19	46	86	177	300	465	528	392	189	44	3	-	-	
B30	脳血管疾患	42 142	13	4	1	1	1	20	-	5	12	26	52	90	10	15	30	36	77	128	243	432	582	615	392	127	26	1	-	
	男 M.	22 564	9	2	1	-	1	13	-	3	6	12	35	57	224	467	713	1 027	1 982	3 853	5 898	8 503	8 890	6 440	2 954	857	112	5	12	B30
	女 F.	19 578	4	2	-	1	-	7	-	2	6	14	17	33	165	318	428	525	1 081	2 297	3 608	4 906	4 758	2 973	1 115	225	29	1	9	
B32，B33.a，B46.d	肺炎および気管支炎	7 732	290	36	16	9	8	359	28	16	21	43	36	35	59	149	285	502	901	1 556	2 290	3 597	4 132	3 467	1 839	632	83	4	3	
	男 M.	4 226	176	19	9	5	6	215	12	8	15	22	16	14	51	107	116	140	223	462	779	1 229	1 522	1 395	810	279	74	4	3	B32，B33.a，B46.d
	女 F.	3 506	114	17	7	4	2	144	16	8	6	21	20	21	31	69	63	77	124	283	501	727	833	720	361	103	30	-	2	
B34	消化性潰瘍	1 938	1	-	-	-	-	1	-	-	2	11	8	20	20	38	53	63	99	179	278	502	689	675	449	176	44	4	1	
	男 M.	1 256	-	-	-	-	-	-	-	-	2	6	2	17	33	51	71	79	101	187	276	352	335	261	110	36	4	-	-	B34
	女 F.	682	1	-	-	-	-	1	-	-	-	5	6	3	28	44	59	59	76	134	190	233	220	132	37	17	-	-	-	
B37	肝硬変	3 947	2	-	-	-	-	2	1	3	3	4	20	63	5	7	12	20	25	53	86	119	115	129	73	19	4	-	-	
	男 M.	2 763	-	-	-	-	-	-	1	3	3	2	17	49	221	353	304	299	425	558	555	474	358	222	66	12	2	-	2	B37
	女 F.	1 184	2	-	-	-	-	2	-	-	-	2	3	14	196	317	233	185	287	392	375	313	218	124	40	5	1	-	2	
B38	腎炎およびネフローゼ	1 847	-	-	2	1	1	4	12	7	29	61	52	85	25	36	71	114	138	166	180	161	140	98	26	7	1	-	-	
	男 M.	915	-	-	2	1	1	4	7	3	18	33	29	51	86	82	100	91	111	179	216	249	214	168	76	20	4	-	1	B38
	女 F.	932	-	-	-	-	-	-	5	4	11	28	23	34	51	43	40	49	47	83	108	129	109	78	26	7	-	-	-	
B45.a	精神病の記載のない老衰	7 284	-	-	-	-	-	-	-	-	-	-	-	-	35	39	60	42	64	96	108	120	105	90	50	13	4	-	1	
	男 M.	2 678	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	25	149	471	1 168	2 072	1 992	1 111	269	21	1	B45.a
	女 F.	4 606	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17	86	237	528	840	649	269	46	5	1	
BE47，BE48	不慮の事故	6 900	131	131	95	83	61	501	211	107	360	408	263	322	-	-	-	1	-	4	8	63	234	640	1 232	1 343	842	223	16	-	
	男 M.	4 716	74	73	68	55	43	313	145	85	314	353	222	262	-	-	-	1	-	4	8	63	234	640	1 232	1 343	842	223	16	9	BE47，BE48
	女 F.	2 184	57	58	27	28	18	188	66	22	46	55	41	60	371	362	316	338	402	530	559	659	554	358	194	63	11	2	8	
BE47	自動車事故	2 803	4	26	35	38	29	132	97	29	244	226	103	149	304	308	236	242	278	365	350	396	281	158	73	18	4	1	1	
	男 M.	1 925	3	16	27	25	20	91	58	22	215	195	89	116	67	54	80	96	124	165	209	263	273	200	121	45	7	1	-	BE47
	女 F.	878	1	10	8	13	9	41	39	7	29	31	14	33	156	142	136	139	171	232	234	270	191	104	38	5	-	-	5	
BE49	自殺	3 924	-	-	-	-	-	-	1	17	146	386	327	329	122	116	97	92	108	150	131	140	106	53	17	3	-	-	4	
	男 M.	2 178	-	-	-	-	-	-	1	14	93	226	180	189	34	26	39	47	63	82	103	130	85	51	21	2	-	-	1	
	女 F.	1 746	-	-	-	-	-	-	-	3	53	160	147	140	283	263	243	200	289	327	346	336	225	135	42	16	2	-	11	BE49
															185	169	148	88	139	169	197	170	117	59	18	6	-	-	10	
															98	94	95	112	150	158	149	166	108	76	24	10	2	-	1	

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

総　数[1)]
Total

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	18 899	7 041	377	424	2 922	345	551	754	474	5 978	33
	男 M.	13 566	3 798	264	412	2 745	296	429	588	294	4 715	25
	女 F.	5 333	3 243	113	12	177	49	122	166	180	1 263	8
(E850～E859)	薬物および医薬品による不慮の中毒	167	110	－	－	1	1	2	5	15	33	－
	男 M.	86	54	－	－	1	1	2	3	7	18	－
	女 F.	81	56	－	－	－	－	－	2	8	15	－
E850	抗生物質およびその他の抗感染物質による不慮の中毒	4	2	－	－	－	－	－	－	2	－	－
	男 M.	3	1	－	－	－	－	－	－	2	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E851	ホルモンおよび合成代用薬による不慮の中毒	2	1	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E852	その他の主として全身および血液に作用する薬剤	1	1	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E853	鎮痛薬および下熱薬による不慮の中毒	16	9	－	－	－	－	－	－	1	6	－
	男 M.	10	5	－	－	－	－	－	－	1	4	－
	女 F.	6	4	－	－	－	－	－	－	－	2	－
E853.0	阿片および合成類似体	3	3	－	－	－	－	－	－	－	－	－
	男 M.	2	2	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E853.1	サリチル酸および同属体	2	1	－	－	－	－	－	－	1	－	－
	男 M.	1	－	－	－	－	－	－	－	1	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E853.4	アニリン誘導体	3	1	－	－	－	－	－	－	－	2	－
	男 M.	2	－	－	－	－	－	－	－	－	2	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E853.2 E853.3 E853.5 E853.9	その他	8	4	－	－	－	－	－	－	－	4	－
	男 M.	5	3	－	－	－	－	－	－	－	2	－
	女 F.	3	1	－	－	－	－	－	－	－	2	－
E854	その他の鎮静薬および睡眠薬による不慮の中毒	79	60	－	－	－	1	－	2	4	12	－
	男 M.	43	33	－	－	－	1	－	2	1	6	－
	女 F.	36	27	－	－	－	－	－	－	3	6	－
E854.0	バルビツール剤	13	7	－	－	－	1	－	1	1	2	－
	男 M.	4	1	－	－	－	1	－	1	－	－	－
	女 F.	9	6	－	－	－	－	－	－	1	2	－
E854.1	抱水クロラール	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E854.3	臭化物	20	18	－	－	－	－	－	－	－	2	－
	男 M.	11	10	－	－	－	－	－	－	－	1	－
	女 F.	9	8	－	－	－	－	－	－	－	1	－
E854.2 E854.9	その他	46	34	－	－	－	－	－	1	3	8	－
	男 M.	28	21	－	－	－	－	－	1	1	5	－
	女 F.	18	13	－	－	－	－	－	－	2	3	－
E855	自律神経系および精神治療薬による不慮の中毒	36	24	－	－	－	－	1	2	4	5	－
	男 M.	14	7	－	－	－	－	1	－	2	4	－
	女 F.	22	17	－	－	－	－	－	2	2	1	－
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	5	2	－	－	1	－	－	－	1	1	－
	男 M.	3	1	－	－	1	－	－	－	－	1	－
	女 F.	2	1	－	－	－	－	－	－	1	－	－
E857	心臓血管薬による不慮の中毒	2	1	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E858	胃腸薬による不慮の中毒	1	－	－	－	－	－	1	－	－	－	－
	男 M.	1	－	－	－	－	－	1	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	21	10	－	－	－	－	－	1	3	7	－
	男 M.	10	7	－	－	－	－	－	1	1	1	－
	女 F.	11	3	－	－	－	－	－	－	2	6	－
(E860～E869)	その他の固体および液体物質による不慮の中毒	185	130	6	－	2	－	－	9	6	31	1
	男 M.	108	70	4	－	2	－	－	5	4	22	1
	女 F.	77	60	2	－	－	－	－	4	2	9	－
E860	アルコールによる不慮の中毒	2	1	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E861	清浄剤および研磨剤による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E862	消毒薬による不慮の中毒	12	7	－	－	－	－	－	1	3	1	－
	男 M.	8	5	－	－	－	－	－	－	2	1	－
	女 F.	4	2	－	－	－	－	－	1	1	－	－
E863	塗料，ワニスによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E864	石油製品およびその他の溶媒による不慮の中毒	5	2	－	－	－	－	－	1	－	2	－
	男 M.	5	2	－	－	－	－	－	1	－	2	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	98	77	6	－	－	－	－	1	－	14	－
	男 M.	50	37	4	－	－	－	－	1	－	8	－
	女 F.	48	40	2	－	－	－	－	－	－	6	－
E865.a	農薬	98	77	6	－	－	－	－	1	－	14	－
	男 M.	50	37	4	－	－	－	－	1	－	8	－
	女 F.	48	40	2	－	－	－	－	－	－	6	－
E865.b	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E866	重金属およびその煙霧による不慮の中毒	5	3	－	－	－	－	－	－	－	2	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	4	3	－	－	－	－	－	－	－	1	－
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	19	13	－	－	2	－	－	1	2	1	－
	男 M.	10	5	－	－	2	－	－	1	1	1	－
	女 F.	9	8	－	－	－	－	－	－	1	－	－
E868	有毒食品および有毒植物による不慮の中毒	28	19	－	－	－	－	－	3	1	5	－
	男 M.	21	14	－	－	－	－	－	1	1	5	－
	女 F.	7	5	－	－	－	－	－	2	－	－	－
E869	その他および詳細不明の固体および液体による不慮の中毒	16	8	－	－	－	－	－	2	－	5	1
	男 M.	12	7	－	－	－	－	－	1	－	3	1
	女 F.	4	1	－	－	－	－	－	1	－	2	－
(E870～E877)	ガスおよび蒸気による不慮の中毒	692	495	2	9	62	1	6	33	17	67	－
	男 M.	431	258	2	9	61	1	5	28	12	55	－
	女 F.	261	237	－	－	1	－	1	5	5	12	－
E870	配管式ガスによる不慮の中毒	257	219	－	－	1	－	1	18	13	5	－
	男 M.	133	103	－	－	1	－	1	15	10	3	－
	女 F.	124	116	－	－	－	－	－	3	3	2	－
E871	ボンベ入り液化石油ガスによる不慮の中毒	28	26	－	－	1	－	－	1	－	－	－
	男 M.	17	15	－	－	1	－	－	1	－	－	－
	女 F.	11	11	－	－	－	－	－	－	－	－	－

注：1）　年齢不詳 19 を含む。

Note: 1)　Includes age unknown 19.

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

総　数[1]
Total

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E873	自動車排気ガスによる不慮の中毒	37	8	－	－	3	－	3	8	－	15	－
	男 M.	29	7	－	－	3	－	2	6	－	11	－
	女 F.	8	1	－	－	－	－	1	2	－	4	－
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	245	207	1	1	5	－	1	3	3	24	－
	男 M.	131	99	1	1	5	－	1	3	1	20	－
	女 F.	114	108	－	－	－	－	－	－	2	4	－
E875	その他の一酸化炭素による不慮の中毒	15	1	－	－	9	－	－	－	－	5	－
	男 M.	14	1	－	－	8	－	－	－	－	5	－
	女 F.	1	－	－	－	1	－	－	－	－	－	－
E876	その他のガスおよび蒸気による不慮の中毒	102	33	1	8	38	1	1	3	1	16	－
	男 M.	101	32	1	8	38	1	1	3	1	16	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E877	詳細不明のガスおよび蒸気による不慮の中毒	8	1	－	－	5	－	－	－	－	2	－
	男 M.	6	1	－	－	5	－	－	－	－	－	－
	女 F.	2	－	－	－	－	－	－	－	－	2	－
(E880～E887)	不慮の墜落	4 810	1 761	71	34	998	53	330	346	222	983	12
	男 M.	3 414	874	47	33	977	48	234	307	116	771	7
	女 F.	1 396	887	24	1	21	5	96	39	106	212	5
E880	階段からの墜落または上での転倒	616	358	－	1	38	1	9	131	41	37	－
	男 M.	405	188	－	1	36	1	5	113	34	27	－
	女 F.	211	170	－	－	2	－	4	18	7	10	－
E881	はしごまたは足場からの墜落または上での転倒	337	69	4	3	227	1	7	12	1	13	－
	男 M.	315	52	2	3	225	1	7	12	1	12	－
	女 F.	22	17	2	－	2	－	－	－	－	1	－
E882	建物またはその他の建造物からの墜落	894	326	－	－	319	7	21	111	32	78	－
	男 M.	766	238	－	－	315	5	15	103	24	66	－
	女 F.	128	88	－	－	4	2	6	8	8	12	－
E883	地表面の穴またはその他の開口部への墜落	120	9	3	6	30	1	18	4	－	49	－
	男 M.	94	3	1	6	29	－	12	4	－	39	－
	女 F.	26	6	2	－	1	1	6	－	－	10	－
E884	その他の墜落	1 573	259	51	24	356	23	65	45	50	679	1
	男 M.	1 261	144	34	23	349	22	49	41	16	562	1
	女 F.	312	115	17	1	7	1	16	4	34	117	－
E885	スリップ，つまづきによる同一面上での転倒	1 213	737	13	－	26	13	185	39	97	101	2
	男 M.	543	248	10	－	23	12	122	30	41	56	1
	女 F.	670	489	3	－	3	1	63	9	56	45	1
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	16	1	－	－	1	7	2	4	－	1	－
	男 M.	14	－	－	－	－	7	2	4	－	1	－
	女 F.	2	1	－	－	1	－	－	－	－	－	－
E887	その他および詳細不明の墜落	41	2	－	－	1	－	3	－	1	25	9
	男 M.	16	1	－	－	－	－	2	－	－	8	5
	女 F.	25	1	－	－	1	－	1	－	1	17	4
(E890～E899)	火災および火焔による不慮の事故	1 731	1 332	31	2	52	－	3	141	46	122	2
	男 M.	984	739	18	2	41	－	2	63	37	80	2
	女 F.	747	593	13	－	11	－	1	78	9	42	－
E890	住宅の火災による不慮の事故	816	784	2	－	2	－	－	5	17	6	－
	男 M.	471	448	1	－	2	－	－	2	14	4	－
	女 F.	345	336	1	－	－	－	－	3	3	2	－
E891	その他の建物または建造物の火災による不慮の事故	163	3	－	－	24	－	－	124	10	2	－
	男 M.	78	1	－	－	16	－	－	53	7	1	－
	女 F.	85	2	－	－	8	－	－	71	3	1	－
E892	建物または建造物の外における火災による不慮の事故	34	1	7	1	－	－	－	－	－	25	－
	男 M.	24	－	6	1	－	－	－	－	－	17	－
	女 F.	10	1	1	－	－	－	－	－	－	8	－
E893	着衣の引火による不慮の事故	451	358	18	－	11	－	1	6	9	48	－
	男 M.	241	176	9	－	10	－	1	4	7	34	－
	女 F.	210	182	9	－	1	－	－	2	2	14	－
E894	高可燃物の引火による不慮の事故	47	25	－	1	10	－	－	1	2	8	－
	男 M.	35	17	－	1	9	－	－	－	1	7	－
	女 F.	12	8	－	－	1	－	－	1	1	1	－
E895	住宅内で使用されている火による不慮の事故	73	70	－	－	1	－	－	－	2	－	－
	男 M.	38	35	－	－	1	－	－	－	2	－	－
	女 F.	35	35	－	－	－	－	－	－	－	－	－
E896	その他の建物または建造物の内で使用されている火による不慮の事故	4	2	－	－	1	－	－	－	1	－	－
	男 M.	4	2	－	－	1	－	－	－	1	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E897	建物または建造物の外で使用されている火による不慮の事故	21	4	1	－	2	－	－	－	－	14	－
	男 M.	14	3	－	－	1	－	－	－	－	10	－
	女 F.	7	1	1	－	1	－	－	－	－	4	－
E898	その他の明示された火または火焔による不慮の事故	99	80	2	－	－	－	2	4	5	6	－
	男 M.	68	53	2	－	－	－	1	3	5	4	－
	女 F.	31	27	－	－	－	－	1	1	－	2	－
E899	詳細不明の火による不慮の事故	23	5	1	－	1	－	－	1	－	13	2
	男 M.	11	4	－	－	1	－	－	1	－	3	2
	女 F.	12	1	1	－	－	－	－	－	－	10	－
(E900～E909)	自然および環境要因による不慮の事故	1 010	346	68	2	18	17	46	5	－	508	－
	男 M.	636	152	42	2	14	16	42	4	－	364	－
	女 F.	374	194	26	－	4	1	4	1	－	144	－
E900	過度の高温	44	10	3	－	2	1	1	2	－	25	－
	男 M.	25	6	1	－	2	1	1	1	－	13	－
	女 F.	19	4	2	－	－	－	－	1	－	12	－
E901	過度の低温	369	49	36	1	5	5	30	3	－	240	－
	男 M.	289	32	31	1	5	5	28	3	－	184	－
	女 F.	80	17	5	－	－	－	2	－	－	56	－
E902	高圧および低圧	8	－	－	－	－	－	－	－	－	8	－
	男 M.	8	－	－	－	－	－	－	－	－	8	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E903	旅行および身体動揺による障害	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E904	飢餓，渇，不良環境曝露および放置	15	2	－	－	－	－	－	－	－	13	－
	男 M.	9	1	－	－	－	－	－	－	－	8	－
	女 F.	6	1	－	－	－	－	－	－	－	5	－
E905	有毒動物および有毒昆虫の咬傷および刺傷	29	8	6	1	1	－	1	－	－	12	－
	男 M.	18	5	2	1	1	－	1	－	－	8	－
	女 F.	11	3	4	－	－	－	－	－	－	4	－
E906	その他の動物による不慮の事故	51	16	4	－	1	8	9	－	－	13	－
	男 M.	38	10	3	－	1	7	7	－	－	10	－
	女 F.	13	6	1	－	－	1	2	－	－	3	－
E907	雷撃	25	2	7	－	－	3	3	－	－	10	－
	男 M.	18	1	1	－	－	3	3	－	－	10	－
	女 F.	7	1	6	－	－	－	－	－	－	－	－
E908	天災	444	259	12	－	9	－	2	－	－	162	－
	男 M.	206	97	4	－	5	－	2	－	－	98	－
	女 F.	238	162	8	－	4	－	－	－	－	64	－

注：1）　年齢不詳 19 を含む。

Note: 1)　Includes age unknown 19.

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・総　数[1]

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT, ACCORDING TO THE PLACE OF OCCURRENCE

Total

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908.a	地震	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E908.b	暴風雨および洪水	443	259	12	－	9	－	2	－	－	161	－
	男 M.	205	97	4	－	5	－	2	－	－	97	－
	女 F.	238	162	8	－	4	－	－	－	－	64	－
E908.c	その他	1	－	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E909	その他の自然および環境要因による不慮の事故	25	－	－	－	－	－	－	－	－	25	－
	男 M.	25	－	－	－	－	－	－	－	－	25	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E910～E929)	その他の不慮の事故	10 304	2 867	199	377	1 789	273	164	215	168	4 234	18
	男 M.	7 907	1 651	151	366	1 649	230	144	178	118	3 405	15
	女 F.	2 397	1 216	48	11	140	43	20	37	50	829	3
E910	不慮の溺死および溺水	4 776	942	79	6	44	241	3	101	17	3 342	1
	男 M.	3 523	469	57	6	42	202	3	85	14	2 644	1
	女 F.	1 253	473	22	－	2	39	－	16	3	698	－
E910.0	・レクリエーション中	1 767	106	6	2	1	211	－	14	1	1 426	－
	男 M.	1 528	68	6	2	1	180	－	10	－	1 261	－
	女 F.	239	38	－	－	－	31	－	4	1	165	－
E910.9	その他および詳細不明	3 009	836	73	4	43	30	3	87	16	1 916	1
	男 M.	1 995	401	51	4	41	22	3	75	14	1 383	1
	女 F.	1 014	435	22	－	2	8	－	12	2	533	－
E911	食物の吸入または嚥下による閉塞および窒息	1 003	778	2	－	3	1	2	16	113	87	1
	男 M.	686	523	2	－	3	1	1	13	79	63	1
	女 F.	317	255	－	－	－	－	1	3	34	24	－
E912	その他の物体の吸入または嚥下による閉塞および窒息	43	22	－	－	－	－	－	1	3	17	－
	男 M.	25	14	－	－	－	－	－	1	3	7	－
	女 F.	18	8	－	－	－	－	－	－	－	10	－
E913	不慮の機械的窒息	835	598	22	43	56	4	9	4	12	87	－
	男 M.	537	341	13	41	51	4	7	3	9	68	－
	女 F.	298	257	9	2	5	－	2	1	3	19	－
E913.0	寝台または揺籃	388	374	1	－	1	－	－	1	6	5	－
	男 M.	230	219	1	－	1	－	－	1	5	3	－
	女 F.	158	155	－	－	－	－	－	－	1	2	－
E913.9	その他および詳細不明	447	224	21	43	55	4	9	3	6	82	－
	男 M.	307	122	12	41	50	4	7	2	4	65	－
	女 F.	140	102	9	2	5	－	2	1	2	17	－
E914	眼および附属器への不慮の異物侵入	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E915	その他の孔口への不慮の異物侵入	10	4	－	－	－	－	－	－	1	5	－
	男 M.	7	4	－	－	－	－	－	－	1	2	－
	女 F.	3	－	－	－	－	－	－	－	－	3	－
E916	落下物による不慮の打撲	1 191	45	12	166	632	5	48	26	2	254	1
	男 M.	1 072	28	9	160	579	4	42	21	1	227	1
	女 F.	119	17	3	6	53	1	6	5	1	27	－
E917	物体との衝突または物体による不慮の打撲	380	35	8	19	181	10	16	10	4	97	－
	男 M.	314	19	5	18	159	9	12	7	4	81	－
	女 F.	66	16	3	1	22	1	4	3	－	16	－
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	555	17	31	41	350	3	27	11	2	73	－
	男 M.	499	11	25	40	319	2	23	8	1	70	－
	女 F.	56	6	6	1	31	1	4	3	1	3	－

注：1）　年齢不詳 19 を含む。

事故（E850－E929）死亡者数，死因（基本分類）別　－従業中（再掲）－

BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT, —At work (secondary mention)—

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E919	過労および激動	3	－	－	－	－	－	1	－	－	2	－
	男 M.	3	－	－	－	－	－	1	－	－	2	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E920	刃器および刺器による不慮の事故	77	22	5	－	31	－	1	6	2	10	－
	男 M.	62	17	3	－	28	－	1	5	1	7	－
	女 F.	15	5	2	－	3	－	－	1	1	3	－
E921	高圧機関の爆発による不慮の事故	20	－	－	－	14	－	1	2	2	1	－
	男 M.	17	－	－	－	13	－	1	2	－	1	－
	女 F.	3	－	－	－	1	－	－	－	2	－	－
E922	銃器による不慮の事故	27	1	3	－	1	－	2	2	－	18	－
	男 M.	27	1	3	－	1	－	2	2	－	18	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.0	不慮の自傷	10	1	1	－	1	－	1	2	－	4	－
	男 M.	10	1	1	－	1	－	1	2	－	4	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.9	その他および詳細不明	17	－	2	－	－	－	1	－	－	14	－
	男 M.	17	－	2	－	－	－	1	－	－	14	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923	爆発物による不慮の事故	210	67	1	56	64	－	－	8	4	10	－
	男 M.	162	29	1	56	59	－	－	7	1	9	－
	女 F.	48	38	－	－	5	－	－	1	3	1	－
E923.0	花火	4	－	－	－	1	－	－	1	1	1	－
	男 M.	4	－	－	－	1	－	－	1	1	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.1	爆破物	20	－	－	14	4	－	－	－	－	2	－
	男 M.	20	－	－	14	4	－	－	－	－	2	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.2	爆発性ガス	157	65	1	41	36	－	－	6	3	5	－
	男 M.	113	27	1	41	35	－	－	5	－	4	－
	女 F.	44	38	－	－	1	－	－	1	3	1	－
E923.8	その他	20	－	－	1	16	－	－	1	－	2	－
	男 M.	18	－	－	1	14	－	－	1	－	2	－
	女 F.	2	－	－	－	2	－	－	－	－	－	－
E923.9	詳細不明	9	2	－	－	7	－	－	－	－	－	－
	男 M.	7	2	－	－	5	－	－	－	－	－	－
	女 F.	2	－	－	－	2	－	－	－	－	－	－
E924	高熱物体，腐食性液体および蒸気による不慮の事故	384	304	－	－	53	－	1	9	3	14	－
	男 M.	236	169	－	－	50	－	1	6	1	9	－
	女 F.	148	135	－	－	3	－	－	3	2	5	－
E925	電気による不慮の事故	293	17	8	1	156	3	19	15	2	72	－
	男 M.	289	16	6	1	156	3	18	15	2	72	－
	女 F.	4	1	2	－	－	－	1	－	－	－	－
E926	放射線による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E927	車による事故，他に分類されないもの	80	2	1	13	42	1	3	2	1	15	－
	男 M.	67	2	1	13	35	1	3	1	1	10	－
	女 F.	13	－	－	－	7	－	－	1	－	5	－
E928	機械による事故，他に分類されないもの	305	1	27	31	152	1	17	2	－	73	1
	男 M.	292	1	26	30	145	－	16	2	－	71	1
	女 F.	13	－	1	1	7	1	1	－	－	2	－
E929	その他および詳細不明の不慮の事故	112	12	－	1	10	4	14	－	－	57	14
	男 M.	89	7	－	1	9	4	13	－	－	44	11
	女 F.	23	5	－	－	1	－	1	－	－	13	3

Note: 1) Includes age unknowr 19.

死　因
7表（33－4）

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

0　才
year

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT, —At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	1 014	921	1	－	3	1	－	5	24	59	－
	男 M.	589	532	1	－	3	1	－	5	16	31	－
	女 F.	425	389	－	－	－	－	－	－	8	28	－
（E850～E859）	薬物および医薬品による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E850	抗生物質およびその他の抗感染物質による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E851	ホルモンおよび合成代用薬による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E852	その他の主として全身および血液に作用する薬剤	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E853	鎮痛薬および下熱薬による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E853.0	阿片および合成類似体	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E853.1	サリチル酸および同属体	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E853.4	アニリン誘導体	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E853.2 E853.3 E853.5 E853.9	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E854	その他の鎮静薬および睡眠薬による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E854.0	バルビツール剤	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E854.1	抱水クロラール	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E854.3	臭化物	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E854.2 E854.9	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E855	自律神経系および精神治療薬による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E857	心臓血管薬による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E858	胃腸薬による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
（E860～E869）	その他の固体および液体物質による不慮の中毒	1	1	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E860	アルコールによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E861	清浄剤および研磨剤による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E862	消毒薬による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E863	塗料，ワニスによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E864	石油製品およびその他の溶媒による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E865.a	農薬	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E865.b	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E866	重金属およびその煙霧による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	1	1	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E868	有毒食品および有毒植物による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E869	その他および詳細不明の固体および液体による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
（E870～E877）	ガスおよび蒸気による不慮の中毒	13	12	－	－	－	－	－	－	1	－	－
	男 M.	4	3	－	－	－	－	－	－	1	－	－
	女 F.	9	9	－	－	－	－	－	－	－	－	－
E870	配管式ガスによる不慮の中毒	4	3	－	－	－	－	－	－	1	－	－
	男 M.	2	1	－	－	－	－	－	－	1	－	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－
E871	ボンベ入り液化石油ガスによる不慮の中毒	1	1	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

0　才
year

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E873	自動車排気ガスによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	8	8	－	－	－	－	－	－	－	－	－
	男 M.	2	2	－	－	－	－	－	－	－	－	－
	女 F.	6	6	－	－	－	－	－	－	－	－	－
E875	その他の一酸化炭素による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E876	その他のガスおよび蒸気による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E877	詳細不明のガスおよび蒸気による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
（E880～E887）	不慮の墜落	58	53	－	－	－	1	－	1	1	2	－
	男 M.	45	41	－	－	－	1	－	1	－	2	－
	女 F.	13	12	－	－	－	－	－	－	1	－	－
E880	階段からの墜落または上での転倒	8	8	－	－	－	－	－	－	－	－	－
	男 M.	6	6	－	－	－	－	－	－	－	－	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－
E881	はしごまたは足場からの墜落または上での転倒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E882	建物またはその他の建造物からの墜落	4	4	－	－	－	－	－	－	－	－	－
	男 M.	3	3	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E883	地表面の穴またはその他の開口部への墜落	2	2	－	－	－	－	－	－	－	－	－
	男 M.	1	1	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E884	その他の墜落	33	30	－	－	－	－	－	1	1	1	－
	男 M.	26	24	－	－	－	－	－	1	－	1	－
	女 F.	7	6	－	－	－	－	－	－	1	－	－
E885	スリップ，つまづきによる同一面上での転倒	11	9	－	－	－	1	－	－	－	1	－
	男 M.	9	7	－	－	－	1	－	－	－	1	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E887	その他および詳細不明の墜落	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
（E890～E899）	火災および火焔による不慮の事故	41	41	－	－	－	－	－	－	－	－	－
	男 M.	20	20	－	－	－	－	－	－	－	－	－
	女 F.	21	21	－	－	－	－	－	－	－	－	－
E890	住宅の火災による不慮の事故	29	29	－	－	－	－	－	－	－	－	－
	男 M.	14	14	－	－	－	－	－	－	－	－	－
	女 F.	15	15	－	－	－	－	－	－	－	－	－
E891	その他の建物または建造物の火災による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E892	建物または建造物の外における火災による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E893	着衣の引火による不慮の事故	3	3	－	－	－	－	－	－	－	－	－
	男 M.	3	3	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E894	高可燃物の引火による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E895	住宅内で使用されている火による不慮の事故	9	9	－	－	－	－	－	－	－	－	－
	男 M.	3	3	－	－	－	－	－	－	－	－	－
	女 F.	6	6	－	－	－	－	－	－	－	－	－
E896	その他の建物または建造物の内で使用されている火による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E897	建物または建造物の外で使用されている火による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E898	その他の明示された火または火焔による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E899	詳細不明の火による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
（E900～E909）	自然および環境要因による不慮の事故	12	9	－	－	1	－	－	－	－	2	－
	男 M.	5	3	－	－	1	－	－	－	－	1	－
	女 F.	7	6	－	－	－	－	－	－	－	1	－
E900	過度の高温	4	4	－	－	－	－	－	－	－	－	－
	男 M.	2	2	－	－	－	－	－	－	－	－	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－
E901	過度の低温	2	2	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－
E902	高圧および低圧	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E903	旅行および身体動揺による障害	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E904	飢餓，渇，不良環境曝露および放置	1	－	－	－	－	－	－	－	－	1	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	－	－	－	－	－	－	－	－	1	－
E905	有毒動物および有毒昆虫の咬傷および刺傷	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E906	その他の動物による不慮の事故	1	1	－	－	－	－	－	－	－	－	－
	男 M.	1	1	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E907	雷撃	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E908	天災	4	2	－	－	1	－	－	－	－	1	－
	男 M.	2	－	－	－	1	－	－	－	－	1	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT, —At work (secondary mention)—

0　才
year

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908.a	地震	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E908.b	暴風雨および洪水	4	2	－	－	1	－	－	－	－	1	－
	男 M.	2	－	－	－	1	－	－	－	－	1	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－
E908.c	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E909	その他の自然および環境要因による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E910～E929)	その他の不慮の事故	889	805	1	－	2	－	－	4	22	55	－
	男 M.	515	465	1	－	2	－	－	4	15	28	－
	女 F.	374	340	－	－	－	－	－	－	7	27	－
E910	不慮の溺死および溺水	78	69	－	－	－	－	－	－	－	9	－
	男 M.	47	42	－	－	－	－	－	－	－	5	－
	女 F.	31	27	－	－	－	－	－	－	－	4	－
E910.0	レクリエーション中	8	8	－	－	－	－	－	－	－	－	－
	男 M.	5	5	－	－	－	－	－	－	－	－	－
	女 F.	3	3	－	－	－	－	－	－	－	－	－
E910.9	その他および詳細不明	70	61	－	－	－	－	－	－	－	9	－
	男 M.	42	37	－	－	－	－	－	－	－	5	－
	女 F.	28	24	－	－	－	－	－	－	－	4	－
E911	食物の吸入または嚥下による閉塞および窒息	252	201	1	－	－	－	－	1	15	34	－
	男 M.	140	110	1	－	－	－	－	1	10	18	－
	女 F.	112	91	－	－	－	－	－	－	5	16	－
E912	その他の物体の吸入または嚥下による閉塞および窒息	11	10	－	－	－	－	－	1	－	－	－
	男 M.	8	7	－	－	－	－	－	1	－	－	－
	女 F.	3	3	－	－	－	－	－	－	－	－	－
E913	不慮の機械的窒息	499	479	－	－	1	－	－	2	7	10	－
	男 M.	290	278	－	－	1	－	－	2	5	4	－
	女 F.	209	201	－	－	－	－	－	－	2	6	－
E913.0	寝台または揺籃	361	349	－	－	1	－	－	1	5	5	－
	男 M.	214	205	－	－	1	－	－	1	4	3	－
	女 F.	147	144	－	－	－	－	－	－	1	2	－
E913.9	その他および詳細不明	138	130	－	－	－	－	－	1	2	5	－
	男 M.	76	73	－	－	－	－	－	1	1	1	－
	女 F.	62	57	－	－	－	－	－	－	1	4	－
E914	眼および附属器への不慮の異物侵入	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E915	その他の孔口への不慮の異物侵入	2	2	－	－	－	－	－	－	－	－	－
	男 M.	2	2	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E916	落下物による不慮の打撲	2	2	－	－	－	－	－	－	－	－	－
	男 M.	1	1	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E917	物体との衝突または物体による不慮の打撲	6	6	－	－	－	－	－	－	－	－	－
	男 M.	4	4	－	－	－	－	－	－	－	－	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	3	2	－	－	1	－	－	－	－	－	－
	男 M.	2	1	－	－	1	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E919	過労および激動	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E920	刃器および刺器による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E921	高圧機関の爆発による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922	銃器による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.0	不慮の自傷	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.9	その他および詳細不明	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923	爆発物による不慮の事故	1	1	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E923.0	花火	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.1	爆破物	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.2	爆発性ガス	1	1	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E923.8	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.9	詳細不明	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E924	高熱物体，腐食性液体および蒸気による不慮の事故	31	29	－	－	－	－	－	－	－	2	－
	男 M.	20	19	－	－	－	－	－	－	－	1	－
	女 F.	11	10	－	－	－	－	－	－	－	1	－
E925	電気による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E926	放射線による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E927	車による事故，他に分類されないもの	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E928	機械による事故，他に分類されないもの	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E929	その他および詳細不明の不慮の事故	4	4	－	－	－	－	－	－	－	－	－
	男 M.	1	1	－	－	－	－	－	－	－	－	－
	女 F.	3	3	－	－	－	－	－	－	－	－	－

第7表　交通事故以外の不慮の事故(E850－E929)死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別　－従業中(再掲)－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

1～4才
years

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	2 031	1 011	36	3	23	32	12	36	21	856	1
	男 M.	1 285	574	30	3	18	22	7	24	13	593	1
	女 F.	746	437	6	-	5	10	5	12	8	263	-
(E850～E859)	薬物および医薬品による不慮の中毒	6	6	-	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	4	4	-	-	-	-	-	-	-	-	-
E850	抗生物質およびその他の抗感染物質による不慮の中毒	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E851	ホルモンおよび合成代用薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E852	その他の主として全身および血液に作用する薬剤	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E853	鎮痛薬および下熱薬による不慮の中毒	2	2	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E853.0	阿片および合成類似体	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E853.1	サリチル酸および同属体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.4	アニリン誘導体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.2 E853.3 E853.5 E853.9	その他	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E854	その他の鎮静薬および睡眠薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.0	バルビツール剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.3	臭化物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.2 E854.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E855	自律神経系および精神治療薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E857	心臓血管薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E858	胃腸薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	2	2	-	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E860～E869)	その他の固体および液体物質による不慮の中毒	5	3	-	-	-	-	-	-	1	1	-
	男 M.	2	1	-	-	-	-	-	-	-	1	-
	女 F.	3	2	-	-	-	-	-	-	1	-	-
E860	アルコールによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E862	消毒薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E864	石油製品およびその他の溶媒による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	3	2	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E865.a	農薬	3	2	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E865.b	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E866	重金属およびその煙霧による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	1	-	-	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E868	有毒食品および有毒植物による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E869	その他および詳細不明の固体および液体による不慮の中毒	1	1	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E870～E877)	ガスおよび蒸気による不慮の中毒	25	24	-	-	-	-	-	-	1	-	-
	男 M.	16	15	-	-	-	-	-	-	1	-	-
	女 F.	9	9	-	-	-	-	-	-	-	-	-
E870	配管式ガスによる不慮の中毒	10	9	-	-	-	-	-	-	1	-	-
	男 M.	7	6	-	-	-	-	-	-	1	-	-
	女 F.	3	3	-	-	-	-	-	-	-	-	-
E871	ボンベ入り液化石油ガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

1～4才
years

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E873	自動車排気ガスによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	15	15	－	－	－	－	－	－	－	－	－
	男 M.	9	9	－	－	－	－	－	－	－	－	－
	女 F.	6	6	－	－	－	－	－	－	－	－	－
E875	その他の一酸化炭素による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E876	その他のガスおよび蒸気による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E877	詳細不明のガスおよび蒸気による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E880～E887)	不慮の墜落	149	107	3	－	1	8	5	9	1	15	－
	男 M.	105	70	3	－	1	6	3	7	1	14	－
	女 F.	44	37	－	－	－	2	2	2	－	1	－
E880	階段からの墜落または上での転倒	18	16	－	－	－	－	－	2	－	－	－
	男 M.	8	8	－	－	－	－	－	－	－	－	－
	女 F.	10	8	－	－	－	－	－	2	－	－	－
E881	はしごまたは足場からの墜落または上での転倒	1	1	－	－	－	－	－	－	－	－	－
	男 M.	1	1	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E882	建物またはその他の建造物からの墜落	66	56	－	－	－	3	1	5	1	－	－
	男 M.	46	38	－	－	－	2	－	5	1	－	－
	女 F.	20	18	－	－	－	1	1	－	－	－	－
E883	地表面の穴またはその他の開口部への墜落	7	1	－	－	－	1	1	1	－	3	－
	男 M.	5	－	－	－	－	－	1	1	－	3	－
	女 F.	2	1	－	－	－	1	－	－	－	－	－
E884	その他の墜落	39	21	1	－	1	4	2	1	－	9	－
	男 M.	32	15	1	－	1	4	1	1	－	9	－
	女 F.	7	6	－	－	－	－	1	－	－	－	－
E885	スリップ，つまづきによる同一面上での転倒	18	12	2	－	－	－	1	－	－	3	－
	男 M.	13	8	2	－	－	－	1	－	－	2	－
	女 F.	5	4	－	－	－	－	－	－	－	1	－
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E887	その他および詳細不明の墜落	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E890～E899)	火災および火焔による不慮の事故	110	96	－	－	1	－	2	1	1	9	－
	男 M.	58	51	－	－	－	－	1	－	1	5	－
	女 F.	52	45	－	－	1	－	1	1	－	4	－
E890	住宅の火災による不慮の事故	87	86	－	－	－	－	－	1	－	－	－
	男 M.	45	45	－	－	－	－	－	－	－	－	－
	女 F.	42	41	－	－	－	－	－	1	－	－	－
E891	その他の建物または建造物の火災による不慮の事故	2	－	－	－	1	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	1	－	－	－	1	－	－	－	－	－	－
E892	建物または建造物の外における火災による不慮の事故	1	－	－	－	－	－	－	－	－	1	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	－	－	－	－	－	－	－	－	1	－
E893	着衣の引火による不慮の事故	6	6	－	－	－	－	－	－	－	－	－
	男 M.	5	5	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E894	高可燃物の引火による不慮の事故	2	1	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E895	住宅内で使用されている火による不慮の事故	3	2	－	－	－	－	－	－	1	－	－
	男 M.	1	－	－	－	－	－	－	－	1	－	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－
E896	その他の建物または建造物の内で使用されている火による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E897	建物または建造物の外で使用されている火による不慮の事故	3	－	－	－	－	－	－	－	－	3	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	2	－	－	－	－	－	－	－	－	2	－
E898	その他の明示された火または火焔による不慮の事故	4	－	－	－	－	－	2	－	－	2	－
	男 M.	2	－	－	－	－	－	1	－	－	1	－
	女 F.	2	－	－	－	－	－	1	－	－	1	－
E899	詳細不明の火による不慮の事故	2	1	－	－	－	－	－	－	－	1	－
	男 M.	2	1	－	－	－	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E900～E909)	自然および環境要因による不慮の事故	32	20	1	－	1	－	－	－	－	10	－
	男 M.	10	3	1	－	－	－	－	－	－	6	－
	女 F.	22	17	－	－	1	－	－	－	－	4	－
E900	過度の高温	1	－	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E901	過度の低温	1	－	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E902	高圧および低圧	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E903	旅行および身体動揺による障害	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E904	飢餓，渇，不良環境曝露および放置	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E905	有毒動物および有毒昆虫の咬傷および刺傷	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E906	その他の動物による不慮の事故	3	2	－	－	－	－	－	－	－	1	－
	男 M.	2	1	－	－	－	－	－	－	－	1	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E907	雷撃	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E908	天災	27	18	1	－	1	－	－	－	－	7	－
	男 M.	6	2	1	－	－	－	－	－	－	3	－
	女 F.	21	16	－	－	1	－	－	－	－	4	－

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　—従業中（再掲）—

1～4才
years

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908.a	地震	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E908.b	暴風雨および洪水	27	18	1	-	1	-	-	-	-	7	-
	男 M.	6	2	1	-	-	-	-	-	-	3	-
	女 F.	21	16	-	-	1	-	-	-	-	4	-
E908.c	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E909	その他の自然および環境要因による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E910～E929)	その他の不慮の事故	1 704	755	32	3	20	24	5	26	17	821	1
	男 M.	1 092	432	26	3	17	16	3	17	10	567	1
	女 F.	612	323	6	-	3	8	2	9	7	254	-
E910	不慮の溺死および溺水	1 305	432	26	1	3	21	1	22	6	793	-
	男 M.	856	250	22	1	3	13	1	15	3	548	-
	女 F.	449	182	4	-	-	8	-	7	3	245	-
E910.0	レクリエーション中	410	95	4	-	-	6	-	9	1	295	-
	男 M.	288	60	4	-	-	5	-	6	-	213	-
	女 F.	122	35	-	-	-	1	-	3	1	82	-
E910.9	その他および詳細不明	895	337	22	1	3	15	1	13	5	498	-
	男 M.	568	190	18	1	3	8	1	9	3	335	-
	女 F.	327	147	4	-	-	7	-	4	2	163	-
E911	食物の吸入はたは嚥下による閉塞および窒息	66	56	-	-	-	-	-	-	6	4	-
	男 M.	40	33	-	-	-	-	-	-	4	3	-
	女 F.	26	23	-	-	-	-	-	-	2	1	-
E912	その他の物体の吸入または嚥下による閉塞および窒息	8	6	-	-	-	-	-	-	-	2	-
	男 M.	5	5	-	-	-	-	-	-	-	-	-
	女 F.	3	1	-	-	-	-	-	-	-	2	-
E913	不慮の機械的窒息	89	74	3	1	3	2	-	1	3	2	-
	男 M.	48	35	2	1	3	2	-	-	3	2	-
	女 F.	41	39	1	-	-	-	-	1	-	-	-
E913.0	寝台または揺籃	20	19	-	-	-	-	-	-	1	-	-
	男 M.	12	11	-	-	-	-	-	-	1	-	-
	女 F.	8	8	-	-	-	-	-	-	-	-	-
E913.9	その他および詳細不明	69	55	3	1	3	2	-	1	2	2	-
	男 M.	36	24	2	1	3	2	-	-	2	2	-
	女 F.	33	31	1	-	-	-	-	1	-	-	-
E914	眼および附属器への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E915	その他の孔口への不慮の異物侵入	3	-	-	-	-	-	-	-	-	3	-
	男 M.	2	-	-	-	-	-	-	-	-	2	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E916	落下物による不慮の打撲	26	14	-	-	3	-	1	-	1	7	-
	男 M.	15	8	-	-	2	-	-	-	-	5	-
	女 F.	11	6	-	-	1	-	1	-	1	2	-
E917	物体との衝突または物体による不慮の打撲	11	3	-	1	1	1	2	-	-	3	-
	男 M.	9	2	-	1	1	1	2	-	-	2	-
	女 F.	2	1	-	-	-	-	-	-	-	1	-
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	12	2	3	-	5	-	1	-	-	1	-
	男 M.	9	1	2	-	5	-	-	-	-	1	-
	女 F.	3	1	1	-	-	-	1	-	-	-	-
E919	過労および激動	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E920	刃器および刺器による不慮の事故	6	3	-	-	1	-	-	-	-	2	-
	男 M.	3	1	-	-	1	-	-	-	-	1	-
	女 F.	3	2	-	-	-	-	-	-	-	1	-
E921	高圧機関の爆発による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922	銃器による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.0	不慮の自傷	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.9	その他および詳細不明	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923	爆発物による不慮の事故	5	5	-	-	-	-	-	-	-	-	-
	男 M.	3	3	-	-	-	-	-	-	-	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E923.0	花火	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.1	爆破物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.2	爆発性ガス	5	5	-	-	-	-	-	-	-	-	-
	男 M.	3	3	-	-	-	-	-	-	-	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E923.8	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.9	詳細不明	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E924	高熱物体，腐食性液体および蒸気による不慮の事故	164	155	-	-	1	-	-	3	1	4	-
	男 M.	95	90	-	-	-	-	-	2	-	3	-
	女 F.	69	65	-	-	1	-	-	1	1	1	-
E925	電気による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E926	放射線による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E927	車による事故，他に分類されないもの	5	2	-	-	3	-	-	-	-	-	-
	男 M.	4	2	-	-	2	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E928	機械による事故，他に分類されないもの	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E929	その他および詳細不明の不慮の事故	4	3	-	-	-	-	-	-	-	-	1
	男 M.	3	2	-	-	-	-	-	-	-	-	1
	女 F.	1	1	-	-	-	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE AND SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT, －At work (secondary mention)－

5～14才 years

昭和47年 1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	1 202	261	9	7	24	103	13	41	9	735	-
	男 M.	930	158	7	7	20	80	10	33	5	610	-
	女 F.	272	103	2	-	4	23	3	8	4	125	-
(E850～E859)	薬物および医薬品による不慮の中毒	5	3	-	-	-	-	-	-	-	2	-
	男 M.	4	3	-	-	-	-	-	-	-	1	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E850	抗生物質およびその他の抗感染物質による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E851	ホルモンおよび合成代用薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E852	その他の主として全身および血液に作用する薬剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853	鎮痛薬および下熱薬による不慮の中毒	3	3	-	-	-	-	-	-	-	-	-
	男 M.	3	3	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.0	阿片および合成類似体	2	2	-	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.1	サリチル酸および同属体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.4	アニリン誘導体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.2 E853.3 E853.5 E853.9	その他	1	1	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854	その他の鎮静薬および睡眠薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.0	バルビツール剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.3	臭化物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.2 E854.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E855	自律神経系および精神治療薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E857	心臓血管薬による不慮の中毒	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E858	胃腸薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	1	-	-	-	-	-	-	-	-	1	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
(E860～E869)	その他の固体および液体物質による不慮の中毒	2	-	-	-	-	-	-	-	1	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E860	アルコールによる不慮の中毒	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E862	消毒薬による不慮の中毒	1	-	-	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E864	石油製品およびその他の溶媒による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865.a	農薬	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865.b	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E866	重金属およびその煙霧による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E868	有毒食品および有毒植物による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E869	その他および詳細不明の固体および液体による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E870～E877)	ガスおよび蒸気による不慮の中毒	40	38	-	-	-	1	-	-	-	1	-
	男 M.	25	23	-	-	-	1	-	-	-	1	-
	女 F.	15	15	-	-	-	-	-	-	-	-	-
E870	配管式ガスによる不慮の中毒	12	12	-	-	-	-	-	-	-	-	-
	男 M.	8	8	-	-	-	-	-	-	-	-	-
	女 F.	4	4	-	-	-	-	-	-	-	-	-
E871	ボンベ入り液化石油ガスによる不慮の中毒	2	2	-	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・従業中（再掲）

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT, —At work (secondary mention)—

昭和47年
1972

5～14才
years

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E873	自動車排気ガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	22	22	-	-	-	-	-	-	-	-	-
	男 M.	11	11	-	-	-	-	-	-	-	-	-
	女 F.	11	11	-	-	-	-	-	-	-	-	-
E875	その他の一酸化炭素による不慮の中毒	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E876	その他のガスおよび蒸気による不慮の中毒	3	2	-	-	-	1	-	-	-	-	-
	男 M.	3	2	-	-	-	1	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E877	詳細不明のガスおよび蒸気による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E880～E887)	不慮の墜落	82	14	1	-	4	9	7	19	4	24	-
	男 M.	65	9	-	-	4	8	6	14	3	21	-
	女 F.	17	5	1	-	-	1	1	5	1	3	-
E880	階段からの墜落または上での転倒	4	1	-	-	-	-	-	3	-	-	-
	男 M.	4	1	-	-	-	-	-	3	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E881	はしごまたは足場からの墜落または上での転倒	1	1	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E882	建物またはその他の建造物からの墜落	27	7	-	-	2	-	1	12	2	3	-
	男 M.	19	4	-	-	2	-	-	8	2	3	-
	女 F.	8	3	-	-	-	-	1	4	-	-	-
E883	地表面の穴またはその他の開口部への墜落	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E884	その他の墜落	38	5	1	-	2	5	3	2	1	19	-
	男 M.	30	3	-	-	2	4	3	1	1	16	-
	女 F.	8	2	1	-	-	1	-	1	-	3	-
E885	スリップ，つまづきによる同一面上での転倒	9	-	-	-	-	2	3	2	1	1	-
	男 M.	8	-	-	-	-	2	3	2	-	1	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	2	-	-	-	-	2	-	-	-	-	-
	男 M.	2	-	-	-	-	2	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E887	その他および詳細不明の墜落	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E890～E899)	火災および火焔による不慮の事故	91	83	-	-	-	-	-	2	-	6	-
	男 M.	49	44	-	-	-	-	-	-	-	3	-
	女 F.	42	39	-	-	-	-	-	2	-	3	-
E890	住宅の火災による不慮の事故	76	76	-	-	-	-	-	-	-	-	-
	男 M.	41	41	-	-	-	-	-	-	-	-	-
	女 F.	35	35	-	-	-	-	-	-	-	-	-
E891	その他の建物または建造物の火災による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E892	建物または建造物の外における火災による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E893	着衣の引火による不慮の事故	5	3	-	-	-	-	-	-	-	2	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	4	3	-	-	-	-	-	-	-	1	-
E894	高可燃物の引火による不慮の事故	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E895	住宅内で使用されている火による不慮の事故	3	3	-	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E896	その他の建物または建造物の内で使用されている火による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E897	建物または建造物の外で使用されている火による不慮の事故	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E898	その他の明示された火または火焔による不慮の事故	3	1	-	-	-	-	-	-	2	-	-
	男 M.	3	1	-	-	-	-	-	-	2	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E899	詳細不明の火による不慮の事故	2	-	-	-	-	-	-	-	-	2	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	2	-
(E900～E909)	自然および環境要因による不慮の事故	51	30	1	-	-	-	4	-	-	16	-
	男 M.	28	16	-	-	-	-	3	-	-	9	-
	女 F.	23	14	1	-	-	-	1	-	-	7	-
E900	過度の高温	3	1	-	-	-	-	1	-	-	1	-
	男 M.	3	1	-	-	-	-	1	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E901	過度の低温	2	-	-	-	-	-	-	-	-	2	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	2	-
E902	高圧および低圧	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E903	旅行および身体動揺による障害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E904	飢餓，渇，不良環境曝露および放置	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E905	有毒動物および有毒昆虫の咬傷および刺傷	2	-	-	-	-	-	-	-	-	2	-
	男 M.	2	-	-	-	-	-	-	-	-	2	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E906	その他の動物による不慮の事故	3	2	-	-	-	-	1	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	2	1	-	-	-	-	1	-	-	-	-
E907	雷撃	3	-	-	-	-	-	1	-	-	2	-
	男 M.	3	-	-	-	-	-	1	-	-	2	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E908	天災	36	27	1	-	-	-	1	-	-	7	-
	男 M.	17	14	-	-	-	-	1	-	-	2	-
	女 F.	19	13	1	-	-	-	-	-	-	5	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

5～14才 years

昭和47年 1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908. a	地震	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E908. b	暴風雨および洪水	36	27	1	－	－	－	1	－	－	7	－
	男 M.	17	14	－	－	－	－	1	－	－	2	－
	女 F.	19	13	1	－	－	－	－	－	－	5	－
E908. c	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E909	その他の自然および環境要因による不慮の事故	1	－	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E910～E929)	その他の不慮の事故	931	93	7	7	20	93	2	19	5	685	－
	男 M.	758	63	7	7	16	71	1	17	2	574	－
	女 F.	173	30	－	－	4	22	1	2	3	111	－
E910	不慮の溺死および溺水	749	19	3	2	3	85	－	6	－	631	－
	男 M.	619	13	3	2	3	63	－	5	－	530	－
	女 F.	130	6	－	－	－	22	－	1	－	101	－
E910.0	レクリエーション中	478	3	2	2	1	78	－	4	－	388	－
	男 M.	403	3	2	2	1	57	－	3	－	335	－
	女 F.	75	－	－	－	－	21	－	1	－	53	－
E910.9	その他および詳細不明	271	16	1	－	2	7	－	2	－	243	－
	男 M.	216	10	1	－	2	6	－	2	－	195	－
	女 F.	55	6	－	－	－	1	－	－	－	48	－
E911	食物の吸入はたは嚥下による閉塞および窒息	12	10	－	－	－	－	－	－	2	－	－
	男 M.	8	8	－	－	－	－	－	－	－	－	－
	女 F.	4	2	－	－	－	－	－	－	2	－	－
E912	その他の物体の吸入または嚥下による閉塞および窒息	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E913	不慮の機械的窒息	40	16	－	3	1	2	－	1	－	17	－
	男 M.	34	11	－	3	1	2	－	1	－	16	－
	女 F.	6	5	－	－	－	－	－	－	－	1	－
E913.0	寝台または揺籃	2	2	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	2	2	－	－	－	－	－	－	－	－	－
E913.9	その他および詳細不明	38	14	－	3	1	2	－	1	－	17	－
	男 M.	34	11	－	3	1	2	－	1	－	16	－
	女 F.	4	3	－	－	－	－	－	－	－	1	－
E914	眼および附属器への不慮の異物侵入	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E915	その他の孔口への不慮の異物侵入	1	－	－	－	－	－	－	－	－	1	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	－	－	－	－	－	－	－	－	1	－
E916	落下物による不慮の打撲	42	4	2	2	6	3	1	8	－	16	－
	男 M.	30	1	2	2	4	3	－	7	－	11	－
	女 F.	12	3	－	－	2	－	1	1	－	5	－
E917	物体との衝突または物体による不慮の打撲	18	4	－	－	2	1	－	3	1	7	－
	男 M.	14	4	－	－	1	1	－	3	1	4	－
	女 F.	4	－	－	－	1	－	－	－	－	3	－
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	14	1	2	－	5	2	－	－	1	3	－
	男 M.	13	－	2	－	5	2	－	－	1	3	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E919	過労および激動	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E920	刃器および刺器による不慮の事故	4	2	－	－	－	－	－	－	－	2	－
	男 M.	3	1	－	－	－	－	－	－	－	2	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E921	高圧機関の爆発による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922	銃器による不慮の事故	2	－	－	－	－	－	－	－	－	2	－
	男 M.	2	－	－	－	－	－	－	－	－	2	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.0	不慮の自傷	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.9	その他および詳細不明	2	－	－	－	－	－	－	－	－	2	－
	男 M.	2	－	－	－	－	－	－	－	－	2	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923	爆発物による不慮の事故	4	3	－	－	－	－	－	－	1	－	－
	男 M.	2	2	－	－	－	－	－	－	－	－	－
	女 F.	2	1	－	－	－	－	－	－	1	－	－
E923.0	花火	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.1	爆破物	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.2	爆発性ガス	4	3	－	－	－	－	－	－	1	－	－
	男 M.	2	2	－	－	－	－	－	－	－	－	－
	女 F.	2	1	－	－	－	－	－	－	1	－	－
E923.8	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.9	詳細不明	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E924	高熱物体，腐食性液体および蒸気による不慮の事故	37	34	－	－	1	－	－	－	－	2	－
	男 M.	25	23	－	－	－	－	－	－	－	2	－
	女 F.	12	11	－	－	1	－	－	－	－	－	－
E925	電気による不慮の事故	5	－	－	－	1	－	1	1	－	2	－
	男 M.	5	－	－	－	1	－	1	1	－	2	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E926	放射線による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E927	車による事故，他に分類されないもの	1	－	－	－	1	－	－	－	－	－	－
	男 M.	1	－	－	－	1	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E928	機械による事故，他に分類されないもの	1	－	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E929	その他および詳細不明の不慮の事故	1	－	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　—従業中（再掲）—

15～44才
years

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	6 065	941	102	249	1 768	188	194	350	134	2 129	10
	男 M.	5 267	573	79	244	1 699	175	182	267	100	1 939	9
	女 F.	798	368	23	5	69	13	12	83	34	190	1
（E850～E859）	薬物および医薬品による不慮の中毒	88	56	-	-	-	-	1	4	8	19	-
	男 M.	49	32	-	-	-	-	1	2	4	10	-
	女 F.	39	24	-	-	-	-	-	2	4	9	-
E850	抗生物質およびその他の抗感染物質による不慮の中毒	1	1	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E851	ホルモンおよび合成代用薬による不慮の中毒	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E852	その他の主として全身および血液に作用する薬剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853	鎮痛薬および下熱薬による不慮の中毒	5	2	-	-	-	-	-	-	-	3	-
	男 M.	2	1	-	-	-	-	-	-	-	1	-
	女 F.	3	1	-	-	-	-	-	-	-	2	-
E853.0	阿片および合成類似体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.1	サリチル酸および同属体	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E853.4	アニリン誘導体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.2, E853.3, E853.5, E853.9	その他	4	1	-	-	-	-	-	-	-	3	-
	男 M.	2	1	-	-	-	-	-	-	-	1	-
	女 F.	2	-	-	-	-	-	-	-	-	2	-
E854	その他の鎮静薬および睡眠薬による不慮の中毒	45	32	-	-	-	-	-	1	4	8	-
	男 M.	28	22	-	-	-	-	-	1	1	4	-
	女 F.	17	10	-	-	-	-	-	-	3	4	-
E854.0	バルビツール剤	7	3	-	-	-	-	-	1	1	2	-
	男 M.	3	2	-	-	-	-	-	1	-	-	-
	女 F.	4	1	-	-	-	-	-	-	1	2	-
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.3	臭化物	10	9	-	-	-	-	-	-	-	1	-
	男 M.	7	6	-	-	-	-	-	-	-	1	-
	女 F.	3	3	-	-	-	-	-	-	-	-	-
E854.2, E854.9	その他	28	20	-	-	-	-	-	-	3	5	-
	男 M.	18	14	-	-	-	-	-	-	1	3	-
	女 F.	10	6	-	-	-	-	-	-	2	2	-
E855	自律神経系および精神治療薬による不慮の中毒	26	16	-	-	-	-	1	2	2	5	-
	男 M.	13	6	-	-	-	-	1	-	2	4	-
	女 F.	13	10	-	-	-	-	-	2	-	1	-
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	4	2	-	-	-	-	-	-	1	1	-
	男 M.	2	1	-	-	-	-	-	-	-	1	-
	女 F.	2	1	-	-	-	-	-	-	1	-	-
E857	心臓血管薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E858	胃腸薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	6	2	-	-	-	-	-	1	1	2	-
	男 M.	3	1	-	-	-	-	-	1	1	-	-
	女 F.	3	1	-	-	-	-	-	-	-	2	-
（E860～E869）	その他の固体および液体物質による不慮の中毒	70	45	3	-	-	-	-	4	5	13	-
	男 M.	44	25	2	-	-	-	-	4	4	9	-
	女 F.	26	20	1	-	-	-	-	-	1	4	-
E860	アルコールによる不慮の中毒	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E862	消毒薬による不慮の中毒	4	1	-	-	-	-	-	-	-	3	-
	男 M.	3	1	-	-	-	-	-	-	-	2	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E864	石油製品およびその他の溶媒による不慮の中毒	4	1	-	-	-	-	-	1	-	2	-
	男 M.	4	1	-	-	-	-	-	1	-	2	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	39	29	3	-	-	-	-	1	-	6	-
	男 M.	21	15	2	-	-	-	-	1	-	3	-
	女 F.	18	14	1	-	-	-	-	-	-	3	-
E865.a	農薬	39	29	3	-	-	-	-	1	-	6	-
	男 M.	21	15	2	-	-	-	-	1	-	3	-
	女 F.	18	14	1	-	-	-	-	-	-	3	-
E865.b	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E866	重金属およびその煙霧による不慮の中毒	2	1	-	-	-	-	-	-	-	1	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	1	-	-	-	-	-	-	-	1	-
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	5	3	-	-	-	-	-	1	1	-	-
	男 M.	4	2	-	-	-	-	-	1	1	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E868	有毒食品および有毒植物による不慮の中毒	9	5	-	-	-	-	-	-	1	3	-
	男 M.	7	3	-	-	-	-	-	-	1	3	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E869	その他および詳細不明の固体および液体による不慮の中毒	6	4	-	-	-	-	-	1	-	1	-
	男 M.	5	3	-	-	-	-	-	1	-	1	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
（E870～E877）	ガスおよび蒸気による不慮の中毒	372	229	1	8	45	-	6	22	14	47	-
	男 M.	255	131	1	8	44	-	5	19	9	38	-
	女 F.	117	98	-	-	1	-	1	3	5	9	-
E870	配管式ガスによる不慮の中毒	146	120	-	-	1	-	1	11	10	3	-
	男 M.	77	57	-	-	1	-	1	10	7	1	-
	女 F.	69	63	-	-	-	-	-	1	3	2	-
E871	ボンベ入り液化石油ガスによる不慮の中毒	18	17	-	-	1	-	-	-	-	-	-
	男 M.	12	11	-	-	1	-	-	-	-	-	-
	女 F.	6	6	-	-	-	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　—従業中（再掲）—

15～44才
years

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE, BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT, —At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E873	自動車排気ガスによる不慮の中毒	29	7	-	-	2	-	3	7	-	10	-
	男 M.	22	6	-	-	2	-	2	5	-	7	-
	女 F.	7	1	-	-	-	-	1	2	-	3	-
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	85	58	-	-	4	-	1	1	3	18	-
	男 M.	53	31	-	-	4	-	1	1	1	15	-
	女 F.	32	27	-	-	-	-	-	-	2	3	-
E875	その他の一酸化炭素による不慮の中毒	8	-	-	-	5	-	-	-	-	3	-
	男 M.	7	-	-	-	4	-	-	-	-	3	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E876	その他のガスおよび蒸気による不慮の中毒	83	27	1	8	30	-	1	3	1	12	-
	男 M.	82	26	1	8	30	-	1	3	1	12	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E877	詳細不明のガスおよび蒸気による不慮の中毒	3	-	-	-	2	-	-	-	-	1	-
	男 M.	2	-	-	-	2	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
(E880～E887)	不慮の墜落	1 369	148	11	11	552	31	83	149	46	337	1
	男 M.	1 278	114	9	11	548	31	75	143	36	310	1
	女 F.	91	34	2	-	4	-	8	6	10	27	-
E880	階段からの墜落または上での転倒	137	55	-	-	12	-	1	43	16	10	-
	男 M.	124	46	-	-	12	-	1	40	15	10	-
	女 F.	13	9	-	-	-	-	-	3	1	-	-
E881	はしごまたは足場からの墜落または上での転倒	149	12	2	2	117	1	1	8	1	5	-
	男 M.	145	11	-	2	116	1	1	8	1	5	-
	女 F.	4	1	2	-	1	-	-	-	-	-	-
E882	建物またはその他の建造物からの墜落	378	55	-	-	184	3	13	63	17	43	-
	男 M.	353	40	-	-	183	3	11	61	14	41	-
	女 F.	25	15	-	-	1	-	2	2	3	2	-
E883	地表面の穴またはその他の開口部への墜落	28	-	1	-	14	-	2	2	-	9	-
	男 M.	27	-	1	-	14	-	1	2	-	9	-
	女 F.	1	-	-	-	-	-	1	-	-	-	-
E884	その他の墜落	571	15	8	9	220	13	30	21	6	249	-
	男 M.	536	10	8	9	218	13	28	20	2	228	-
	女 F.	35	5	-	-	2	-	2	1	4	21	-
E885	スリップ，つまづきによる同一面上での転倒	90	11	-	-	5	9	33	8	6	18	-
	男 M.	78	7	-	-	5	9	31	8	4	14	-
	女 F.	12	4	-	-	-	-	2	-	2	4	-
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	10	-	-	-	-	5	-	4	-	1	-
	男 M.	10	-	-	-	-	5	-	4	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E887	その他および詳細不明の墜落	6	-	-	-	-	-	3	-	-	2	1
	男 M.	5	-	-	-	-	-	2	-	-	2	1
	女 F.	1	-	-	-	-	-	1	-	-	-	-
(E890～E899)	火災および火焔による不慮の事故	388	203	2	1	30	-	1	105	22	23	1
	男 M.	225	115	2	1	29	-	1	42	18	16	1
	女 F.	163	88	-	-	1	-	-	63	4	7	-
E890	住宅の火災による不慮の事故	180	157	-	-	2	-	-	2	15	4	-
	男 M.	99	83	-	-	2	-	-	-	12	2	-
	女 F.	81	74	-	-	-	-	-	2	3	2	-
E891	その他の建物または建造物の火災による不慮の事故	119	3	-	-	12	-	-	99	5	-	-
	男 M.	56	1	-	-	11	-	-	40	4	-	-
	女 F.	63	2	-	-	1	-	-	59	1	-	-
E892	建物または建造物の外における火災による不慮の事故	3	-	-	-	-	-	-	-	-	3	-
	男 M.	3	-	-	-	-	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E893	着衣の引火による不慮の事故	37	18	2	-	8	-	1	1	-	7	-
	男 M.	29	12	2	-	8	-	1	1	-	5	-
	女 F.	8	6	-	-	-	-	-	-	-	2	-
E894	高可燃物の引火による不慮の事故	28	15	-	1	7	-	-	1	-	4	-
	男 M.	24	13	-	1	7	-	-	-	-	3	-
	女 F.	4	2	-	-	-	-	-	1	-	1	-
E895	住宅内で使用されている火による不慮の事故	7	6	-	-	-	-	-	-	1	-	-
	男 M.	4	3	-	-	-	-	-	-	1	-	-
	女 F.	3	3	-	-	-	-	-	-	-	-	-
E896	その他の建物または建造物の内で使用されている火による不慮の事故	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E897	建物または建造物の外で使用されている火による不慮の事故	2	-	-	-	-	-	-	-	-	2	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E898	その他の明示された火または火焔による不慮の事故	8	3	-	-	-	-	-	-	2	2	-
	男 M.	6	2	-	-	-	-	-	-	1	2	-
	女 F.	2	1	-	-	-	-	-	-	1	-	-
E899	詳細不明の火による不慮の事故	3	1	-	-	-	-	-	-	-	1	1
	男 M.	2	1	-	-	-	-	-	-	-	1	1
	女 F.	1	-	-	-	-	-	-	-	-	1	-
(E900～E909)	自然および環境要因による不慮の事故	375	79	23	2	10	14	16	1	-	230	-
	男 M.	286	42	15	2	7	13	15	-	-	192	-
	女 F.	89	37	8	-	3	1	1	1	-	38	-
E900	過度の高温	8	1	1	-	-	1	-	1	-	4	-
	男 M.	4	-	-	-	-	1	-	-	-	3	-
	女 F.	4	1	1	-	-	-	-	1	-	1	-
E901	過度の低温	159	15	11	1	3	4	13	-	-	112	-
	男 M.	141	13	11	1	3	4	12	-	-	97	-
	女 F.	18	2	-	-	-	-	1	-	-	15	-
E902	高圧および低圧	7	-	-	-	-	-	-	-	-	7	-
	男 M.	7	-	-	-	-	-	-	-	-	7	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E903	旅行および身体動揺による障害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E904	飢餓，渇，不良環境曝露および放置	3	-	-	-	-	-	-	-	-	3	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	2	-	-	-	-	-	-	-	-	2	-
E905	有毒動物および有毒昆虫の咬傷および刺傷	5	2	-	1	-	-	1	-	-	1	-
	男 M.	4	1	-	1	-	-	1	-	-	1	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E906	その他の動物による不慮の事故	13	1	1	-	-	6	2	-	-	3	-
	男 M.	11	1	1	-	-	5	2	-	-	2	-
	女 F.	2	-	-	-	-	1	-	-	-	1	-
E907	雷撃	12	-	4	-	-	3	-	-	-	5	-
	男 M.	9	-	1	-	-	3	-	-	-	5	-
	女 F.	3	-	3	-	-	-	-	-	-	-	-
E908	天災	145	60	6	-	7	-	-	-	-	72	-
	男 M.	86	27	2	-	4	-	-	-	-	53	-
	女 F.	59	33	4	-	3	-	-	-	-	19	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE

15～44才
years

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908. a	地震	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E908. b	暴風雨および洪水	144	60	6	-	7	-	-	-	-	71	-
	男 M.	85	27	2	-	4	-	-	-	-	52	-
	女 F.	59	33	4	-	3	-	-	-	-	19	-
E908. c	その他	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E909	その他の自然および環境要因による不慮の事故	23	-	-	-	-	-	-	-	-	23	-
	男 M.	23	-	-	-	-	-	-	-	-	23	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E910～E929)	その他の不慮の事故	3 403	181	62	227	1 131	143	87	65	39	1 460	8
	男 M.	3 130	114	50	222	1 071	131	85	57	29	1 364	7
	女 F.	273	67	12	5	60	12	2	8	10	96	1
E910	不慮の溺死および溺水	1 256	46	7	-	22	125	-	18	7	1 030	1
	男 M.	1 156	23	4	-	21	116	-	17	7	967	1
	女 F.	100	23	3	-	1	9	-	1	-	63	-
E910.0	レクリエーション中	717	-	-	-	-	120	-	1	-	596	-
	男 M.	688	-	-	-	-	111	-	1	-	576	-
	女 F.	29	-	-	-	-	9	-	-	-	20	-
E910.9	その他および詳細不明	539	46	7	-	22	5	-	17	7	434	1
	男 M.	468	23	4	-	21	5	-	16	7	391	1
	女 F.	71	23	3	-	1	-	-	1	-	43	-
E911	食物の吸入はたは嚥下による閉塞および窒息	69	36	1	-	3	-	-	2	17	10	-
	男 M.	52	26	1	-	3	-	-	1	12	9	-
	女 F.	17	10	-	-	-	-	-	1	5	1	-
E912	その他の物体の吸入または嚥下による閉塞および窒息	3	-	-	-	-	-	-	-	1	2	-
	男 M.	2	-	-	-	-	-	-	-	1	1	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E913	不慮の機械的窒息	100	10	5	22	31	-	5	-	1	26	-
	男 M.	86	7	3	20	29	-	5	-	-	22	-
	女 F.	14	3	2	2	2	-	-	-	1	4	-
E913.0	寝台または揺籃	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E913.9	その他および詳細不明	99	9	5	22	31	-	5	-	1	26	-
	男 M.	86	7	3	20	29	-	5	-	-	22	-
	女 F.	13	2	2	2	2	-	-	-	1	4	-
E914	眼および附属器への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E915	その他の孔口への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E916	落下物による不慮の打撲	653	9	3	104	373	2	24	8	1	128	1
	男 M.	608	7	3	101	348	1	22	7	1	117	1
	女 F.	45	2	-	3	25	1	2	1	-	11	-
E917	物体との衝突または物体による不慮の打撲	171	7	3	9	90	7	5	1	3	46	-
	男 M.	151	5	3	9	81	6	5	1	3	38	-
	女 F.	20	2	-	-	9	1	-	-	-	8	-
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	348	5	16	25	236	-	15	8	1	42	-
	男 M.	324	4	12	25	221	-	15	7	-	40	-
	女 F.	24	1	4	-	15	-	-	1	1	2	-

事故（E850－E929）死亡者数，

死因（基本分類）別　—従業中（再掲）—

BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT,　—At work (secondary mention)—

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E919	過労および激動	3	-	-	-	-	-	1	-	-	2	-
	男 M.	3	-	-	-	-	-	1	-	-	2	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E920	刃器および刺器による不慮の事故	36	8	1	-	15	-	1	5	2	4	-
	男 M.	30	7	-	-	14	-	1	4	1	3	-
	女 F.	6	1	1	-	1	-	-	1	1	1	-
E921	高圧機関の爆発による不慮の事故	15	-	-	-	13	-	-	1	-	1	-
	男 M.	15	-	-	-	13	-	-	1	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922	銃器による不慮の事故	17	1	2	-	1	-	-	2	-	11	-
	男 M.	17	1	2	-	1	-	-	2	-	11	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.0	不慮の自傷	8	1	1	-	1	-	-	2	-	3	-
	男 M.	8	1	1	-	1	-	-	2	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.9	その他および詳細不明	9	-	1	-	-	-	-	-	-	8	-
	男 M.	9	-	1	-	-	-	-	-	-	8	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923	爆発物による不慮の事故	117	33	-	31	42	-	-	2	2	7	-
	男 M.	96	15	-	31	41	-	-	2	1	6	-
	女 F.	21	18	-	-	1	-	-	-	1	1	-
E923.0	花火	3	-	-	-	1	-	-	-	1	1	-
	男 M.	3	-	-	-	1	-	-	-	1	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.1	爆破物	12	-	-	7	3	-	-	-	-	2	-
	男 M.	12	-	-	7	3	-	-	-	-	2	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.2	爆発性ガス	88	32	-	24	26	-	-	1	1	4	-
	男 M.	68	14	-	24	26	-	-	1	-	3	-
	女 F.	20	18	-	-	-	-	-	-	1	1	-
E923.8	その他	12	-	-	-	11	-	-	1	-	-	-
	男 M.	12	-	-	-	11	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.9	詳細不明	2	1	-	-	1	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E924	高熱物体，腐食性液体および蒸気による不慮の事故	48	10	-	-	32	-	1	2	2	1	-
	男 M.	38	3	-	-	32	-	1	-	1	1	-
	女 F.	10	7	-	-	-	-	-	2	1	-	-
E925	電気による不慮の事故	246	12	7	1	130	3	17	14	2	60	-
	男 M.	245	12	6	1	130	3	17	14	2	60	-
	女 F.	1	-	1	-	-	-	-	-	-	-	-
E926	放射線による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E927	車による事故，他に分類されないもの	41	-	-	7	21	1	1	1	-	10	-
	男 M.	36	-	-	7	19	1	1	-	-	8	-
	女 F.	5	-	-	-	2	-	-	1	-	2	-
E928	機械による事故，他に分類されないもの	234	1	17	27	117	1	11	1	-	58	1
	男 M.	228	1	16	27	113	-	11	1	-	58	1
	女 F.	6	-	1	-	4	1	-	-	-	-	-
E929	その他および詳細不明の不慮の事故	46	3	-	1	5	4	6	-	-	22	5
	男 M.	43	3	-	1	5	4	6	-	-	20	4
	女 F.	3	-	-	-	-	-	-	-	-	2	1

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　—従業中（再掲）—

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT, —At work (secondary mention)—

45～64才 years

昭和47年 1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	3 749	1 010	104	160	930	12	169	185	93	1 079	7
	男 M.	2 942	617	78	153	841	10	148	150	66	872	7
	女 F.	807	393	26	7	89	2	21	35	27	207	-
(E850～E859)	薬物および医薬品による不慮の中毒	43	28	-	-	1	-	-	1	4	9	-
	男 M.	21	12	-	-	1	-	-	1	2	5	-
	女 F.	22	16	-	-	-	-	-	-	2	4	-
E850	抗生物質およびその他の抗感染物質による不慮の中毒	2	-	-	-	-	-	-	-	2	-	-
	男 M.	2	-	-	-	-	-	-	-	2	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E851	ホルモンおよび合成代用薬による不慮の中毒	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E852	その他の主として全身および血液に作用する薬剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853	鎮痛薬および下熱薬による不慮の中毒	4	2	-	-	-	-	-	-	-	2	-
	男 M.	3	1	-	-	-	-	-	-	-	2	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E853.0	阿片および合成類似体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.1	サリチル酸および同属体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.4	アニリン誘導体	2	1	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E853.2 E853.3 E853.5 E853.9	その他	2	1	-	-	-	-	-	-	-	1	-
	男 M.	2	1	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854	その他の鎮静薬および睡眠薬による不慮の中毒	22	19	-	-	-	-	-	1	-	2	-
	男 M.	10	8	-	-	-	-	-	1	-	1	-
	女 F.	12	11	-	-	-	-	-	-	-	1	-
E854.0	バルビツール剤	3	3	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	3	3	-	-	-	-	-	-	-	-	-
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.3	臭化物	5	5	-	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	3	3	-	-	-	-	-	-	-	-	-
E854.2 E854.9	その他	14	11	-	-	-	-	-	1	-	2	-
	男 M.	8	6	-	-	-	-	-	1	-	1	-
	女 F.	6	5	-	-	-	-	-	-	-	1	-
E855	自律神経系および精神治療薬による不慮の中毒	6	5	-	-	-	-	-	-	1	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	5	4	-	-	-	-	-	-	1	-	-
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E857	心臓血管薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E858	胃腸薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	7	2	-	-	-	-	-	-	1	4	-
	男 M.	3	2	-	-	-	-	-	-	-	1	-
	女 F.	4	-	-	-	-	-	-	-	1	3	-
(E860～E869)	その他の固体および液体物質による不慮の中毒	55	40	2	-	2	-	-	3	-	7	1
	男 M.	37	27	1	-	2	-	-	1	-	5	1
	女 F.	18	13	1	-	-	-	-	2	-	2	-
E860	アルコールによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E862	消毒薬による不慮の中毒	3	3	-	-	-	-	-	-	-	-	-
	男 M.	3	3	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E864	石油製品およびその他の溶媒による不慮の中毒	1	1	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	26	22	2	-	-	-	-	-	-	2	-
	男 M.	15	12	1	-	-	-	-	-	-	2	-
	女 F.	11	10	1	-	-	-	-	-	-	-	-
E865.a	農薬	26	22	2	-	-	-	-	-	-	2	-
	男 M.	15	12	1	-	-	-	-	-	-	2	-
	女 F.	11	10	1	-	-	-	-	-	-	-	-
E865.b	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E866	重金属およびその煙霧による不慮の中毒	2	1	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	7	4	-	-	2	-	-	-	-	1	-
	男 M.	6	3	-	-	2	-	-	-	-	1	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E868	有毒食品および有毒植物による不慮の中毒	11	7	-	-	-	-	-	3	-	1	-
	男 M.	8	6	-	-	-	-	-	1	-	1	-
	女 F.	3	1	-	-	-	-	-	2	-	-	-
E869	その他および詳細不明の固体および液体による不慮の中毒	5	2	-	-	-	-	-	-	-	2	1
	男 M.	3	2	-	-	-	-	-	-	-	-	1
	女 F.	2	-	-	-	-	-	-	-	-	2	-
(E870～E877)	ガスおよび蒸気による不慮の中毒	128	91	-	-	12	-	-	9	1	15	-
	男 M.	79	46	-	-	12	-	-	7	1	13	-
	女 F.	49	45	-	-	-	-	-	2	-	2	-
E870	配管式ガスによる不慮の中毒	46	39	-	-	-	-	-	5	1	1	-
	男 M.	20	15	-	-	-	-	-	3	1	1	-
	女 F.	26	24	-	-	-	-	-	2	-	-	-
E871	ボンベ入り液化石油ガスによる不慮の中毒	4	3	-	-	-	-	-	1	-	-	-
	男 M.	2	1	-	-	-	-	-	1	-	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT, －At work (secondary mention)－

昭和47年
1972

45～64才
years

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E873	自動車排気ガスによる不慮の中毒	8	1	-	-	1	-	-	1	-	5	-
	男 M.	7	1	-	-	1	-	-	1	-	4	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	51	43	-	-	-	-	-	2	-	6	-
	男 M.	31	24	-	-	-	-	-	2	-	5	-
	女 F.	20	19	-	-	-	-	-	-	-	1	-
E875	その他の一酸化炭素による不慮の中毒	4	1	-	-	3	-	-	-	-	-	-
	男 M.	4	1	-	-	3	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E876	その他のガスおよび蒸気による不慮の中毒	11	3	-	-	5	-	-	-	-	3	-
	男 M.	11	3	-	-	5	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E877	詳細不明のガスおよび蒸気による不慮の中毒	4	1	-	-	3	-	-	-	-	-	-
	男 M.	4	1	-	-	3	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E880～E887)	不慮の墜落	1 181	284	20	23	350	3	99	98	47	255	2
	男 M.	1 008	206	17	22	335	2	86	90	34	214	2
	女 F.	173	78	3	1	15	1	13	8	13	41	-
E880	階段からの墜落または上での転倒	175	80	-	1	15	1	3	49	15	11	-
	男 M.	131	49	-	1	13	1	3	43	14	7	-
	女 F.	44	31	-	-	2	-	-	6	1	4	-
E881	はしごまたは足場からの墜落または上での転倒	127	23	2	1	88	-	6	4	-	3	-
	男 M.	117	14	2	1	87	-	6	4	-	3	-
	女 F.	10	9	-	-	1	-	-	-	-	-	-
E882	建物またはその他の建造物からの墜落	246	84	-	-	109	-	4	24	8	17	-
	男 M.	226	74	-	-	106	-	4	23	6	13	-
	女 F.	20	10	-	-	3	-	-	1	2	4	-
E883	地表面の穴またはその他の開口部への墜落	41	1	-	6	12	-	5	1	-	16	-
	男 M.	36	-	-	6	11	-	5	1	-	13	-
	女 F.	5	1	-	-	1	-	-	-	-	3	-
E884	その他の墜落	421	46	13	15	113	1	27	10	6	190	-
	男 M.	367	37	11	14	108	1	22	9	3	162	-
	女 F.	54	9	2	1	5	-	5	1	3	28	-
E885	スリップ，つまづきによる同一面上での転倒	165	49	5	-	12	1	53	10	18	17	-
	男 M.	127	32	4	-	10	-	45	10	11	15	-
	女 F.	38	17	1	-	2	1	8	-	7	2	-
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	2	-	-	-	1	-	1	-	-	-	-
	男 M.	1	-	-	-	-	-	1	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E887	その他および詳細不明の墜落	4	1	-	-	-	-	-	-	-	1	2
	男 M.	3	-	-	-	-	-	-	-	-	1	2
	女 F.	1	1	-	-	-	-	-	-	-	-	-
(E890～E899)	火災および火焔による不慮の事故	292	218	4	1	16	-	-	26	8	19	-
	男 M.	192	145	3	1	10	-	-	14	6	13	-
	女 F.	100	73	1	-	6	-	-	12	2	6	-
E890	住宅の火災による不慮の事故	143	138	1	-	-	-	-	-	2	2	-
	男 M.	97	92	1	-	-	-	-	-	2	2	-
	女 F.	46	46	-	-	-	-	-	-	-	-	-
E891	その他の建物または建造物の火災による不慮の事故	34	-	-	-	8	-	-	23	2	1	-
	男 M.	16	-	-	-	4	-	-	11	1	-	-
	女 F.	18	-	-	-	4	-	-	12	1	1	-
E892	建物または建造物の外における火災による不慮の事故	5	1	2	1	-	-	-	-	-	1	-
	男 M.	3	-	2	1	-	-	-	-	-	-	-
	女 F.	2	1	-	-	-	-	-	-	-	1	-
E893	着衣の引火による不慮の事故	60	48	-	-	3	-	-	2	-	7	-
	男 M.	36	27	-	-	2	-	-	2	-	5	-
	女 F.	24	21	-	-	1	-	-	-	-	2	-
E894	高可燃物の引火による不慮の事故	10	4	-	-	3	-	-	-	1	2	-
	男 M.	7	3	-	-	2	-	-	-	-	2	-
	女 F.	3	1	-	-	1	-	-	-	1	-	-
E895	住宅内で使用されている火による不慮の事故	9	9	-	-	-	-	-	-	-	-	-
	男 M.	7	7	-	-	-	-	-	-	-	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E896	その他の建物または建造物の内で使用されている火による不慮の事故	2	1	-	-	-	-	-	-	1	-	-
	男 M.	2	1	-	-	-	-	-	-	1	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E897	建物または建造物の外で使用されている火による不慮の事故	5	1	-	-	1	-	-	-	-	3	-
	男 M.	5	1	-	-	1	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E898	その他の明示された火または火焔による不慮の事故	18	16	-	-	-	-	-	-	2	-	-
	男 M.	16	14	-	-	-	-	-	-	2	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E899	詳細不明の火による不慮の事故	6	-	1	-	1	-	-	1	-	3	-
	男 M.	3	-	-	-	1	-	-	1	-	1	-
	女 F.	3	-	1	-	-	-	-	-	-	2	-
(E900～E909)	自然および環境要因による不慮の事故	284	105	28	-	6	2	19	2	-	122	-
	男 M.	169	40	19	-	6	2	18	2	-	82	-
	女 F.	115	65	9	-	-	-	1	-	-	40	-
E900	過度の高温	10	1	-	-	2	-	-	1	-	6	-
	男 M.	7	1	-	-	2	-	-	1	-	3	-
	女 F.	3	-	-	-	-	-	-	-	-	3	-
E901	過度の低温	104	14	19	-	2	1	13	1	-	54	-
	男 M.	83	8	16	-	2	1	12	1	-	43	-
	女 F.	21	6	3	-	-	-	1	-	-	11	-
E902	高圧および低圧	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E903	旅行および身体動揺による障害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E904	飢餓，渇，不良環境曝露および放置	4	1	-	-	-	-	-	-	-	3	-
	男 M.	4	1	-	-	-	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E905	有毒動物および有毒昆虫の咬傷および刺傷	11	4	2	-	1	-	-	-	-	4	-
	男 M.	6	2	1	-	1	-	-	-	-	2	-
	女 F.	5	2	1	-	-	-	-	-	-	2	-
E906	その他の動物による不慮の事故	12	2	3	-	1	1	3	-	-	2	-
	男 M.	9	-	2	-	1	1	3	-	-	2	-
	女 F.	3	2	1	-	-	-	-	-	-	-	-
E907	雷撃	9	1	3	-	-	-	2	-	-	3	-
	男 M.	6	1	-	-	-	-	2	-	-	3	-
	女 F.	3	-	3	-	-	-	-	-	-	-	-
E908	天災	132	82	1	-	-	-	1	-	-	48	-
	男 M.	52	27	-	-	-	-	1	-	-	24	-
	女 F.	80	55	1	-	-	-	-	-	-	24	-

死　因
7表 (33—18)

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　—従業中（再掲）—

45～64才
years

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE AND SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT, —At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908.a	地震	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E908.b	暴風雨および洪水	132	82	1	-	-	-	1	-	-	48	-
	男 M.	52	27	-	-	-	-	1	-	-	24	-
	女 F.	80	55	1	-	-	-	-	-	-	24	-
E908.c	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E909	その他の自然および環境要因による不慮の事故	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E910～E929)	その他の不慮の事故	1 766	244	50	136	543	7	51	46	33	652	4
	男 M.	1 436	141	38	130	475	6	44	35	23	540	4
	女 F.	330	103	12	6	68	1	7	11	10	112	-
E910	不慮の溺死および溺水	558	75	14	2	14	5	1	16	1	430	-
	男 M.	423	26	11	2	13	5	1	14	1	350	-
	女 F.	135	49	3	-	1	-	-	2	-	80	-
E910.0	レクリエーション中	113	-	-	-	-	4	-	-	-	109	-
	男 M.	107	-	-	-	-	4	-	-	-	103	-
	女 F.	6	-	-	-	-	-	-	-	-	6	-
E910.9	その他および詳細不明	445	75	14	2	14	1	1	16	1	321	-
	男 M.	316	26	11	2	13	1	1	14	1	247	-
	女 F.	129	49	3	-	1	-	-	2	-	74	-
E911	食物の吸入はたは嚥下による閉塞および窒息	143	97	-	-	-	-	1	4	29	11	1
	男 M.	114	78	-	-	-	-	1	3	21	10	1
	女 F.	29	19	-	-	-	-	-	1	8	1	-
E912	その他の物体の吸入または嚥下による閉塞および窒息	7	1	-	-	-	-	-	-	-	6	-
	男 M.	3	-	-	-	-	-	-	-	-	3	-
	女 F.	4	1	-	-	-	-	-	-	-	3	-
E913	不慮の機械的窒息	70	6	5	17	19	-	3	-	1	19	-
	男 M.	55	3	2	17	16	-	2	-	1	14	-
	女 F.	15	3	3	-	3	-	1	-	-	5	-
E913.0	寝台または揺籃	1	1	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E913.9	その他および詳細不明	69	5	5	17	19	-	3	-	1	19	-
	男 M.	54	2	2	17	16	-	2	-	1	14	-
	女 F.	15	3	3	-	3	-	1	-	-	5	-
E914	眼および附属器への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E915	その他の孔口への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E916	落下物による不慮の打撲	396	10	4	57	218	-	18	9	-	80	-
	男 M.	351	6	2	54	194	-	17	6	-	72	-
	女 F.	45	4	2	3	24	-	1	3	-	8	-
E917	物体との衝突または物体による不慮の打撲	137	4	4	9	76	1	4	4	-	35	-
	男 M.	113	3	2	8	64	1	3	1	-	31	-
	女 F.	24	1	2	1	12	-	1	3	-	4	-
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	154	6	8	16	91	1	10	2	-	20	-
	男 M.	132	4	7	15	78	-	8	1	-	19	-
	女 F.	22	2	1	1	13	1	2	1	-	1	-
E919	過労および激動	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E920	刃器および刺器による不慮の事故	25	4	4	-	15	-	-	1	-	1	-
	男 M.	21	4	3	-	13	-	-	1	-	-	-
	女 F.	4	-	1	-	2	-	-	-	-	1	-
E921	高圧機関の爆発による不慮の事故	4	-	-	-	1	-	1	1	1	-	-
	男 M.	2	-	-	-	-	-	1	-	-	-	-
	女 F.	2	-	-	-	1	-	-	-	1	-	-
E922	銃器による不慮の事故	6	-	1	-	-	-	1	-	-	4	-
	男 M.	6	-	1	-	-	-	1	-	-	4	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.0	不慮の自傷	2	-	-	-	-	-	1	-	-	1	-
	男 M.	2	-	-	-	-	-	1	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.9	その他および詳細不明	4	-	1	-	-	-	-	-	-	3	-
	男 M.	4	-	1	-	-	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923	爆発物による不慮の事故	70	16	1	25	20	-	-	5	1	2	-
	男 M.	55	6	1	25	17	-	-	4	-	2	-
	女 F.	15	10	-	-	3	-	-	1	1	-	-
E923.0	花火	1	-	-	-	-	-	-	1	-	-	-
	男 M.	1	-	-	-	-	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.1	爆破物	8	-	-	7	1	-	-	-	-	-	-
	男 M.	8	-	-	7	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.2	爆発性ガス	47	15	1	17	8	-	-	4	1	1	-
	男 M.	35	5	1	17	8	-	-	3	-	1	-
	女 F.	12	10	-	-	-	-	-	1	1	-	-
E923.8	その他	7	-	-	1	5	-	-	-	-	1	-
	男 M.	5	-	-	1	3	-	-	-	-	1	-
	女 F.	2	-	-	-	2	-	-	-	-	-	-
E923.9	詳細不明	7	1	-	-	6	-	-	-	-	-	-
	男 M.	6	1	-	-	5	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E924	高熱物体，腐食性液体および蒸気による不慮の事故	38	20	-	-	14	-	-	2	-	2	-
	男 M.	22	7	-	-	13	-	-	2	-	-	-
	女 F.	16	13	-	-	1	-	-	-	-	2	-
E925	電気による不慮の事故	37	3	-	-	24	-	1	-	-	9	-
	男 M.	36	3	-	-	24	-	-	-	-	9	-
	女 F.	1	-	-	-	-	-	1	-	-	-	-
E926	放射線による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E927	車による事故，他に分類されないもの	28	-	-	6	15	-	1	1	-	5	-
	男 M.	21	-	-	6	11	-	1	1	-	2	-
	女 F.	7	-	-	-	4	-	-	-	-	3	-
E928	機械による事故，他に分類されないもの	61	-	9	4	31	-	5	1	-	11	-
	男 M.	56	-	9	3	28	-	4	1	-	11	-
	女 F.	5	-	-	1	3	-	1	-	-	-	-
E929	その他および詳細不明の不慮の事故	32	2	-	-	5	-	5	-	-	17	3
	男 M.	26	1	-	-	4	-	5	-	-	13	3
	女 F.	6	1	-	-	1	-	-	-	-	4	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　—従業中（再掲）—

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

65才～
years and over

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	4 819	2 897	124	5	171	8	160	135	193	1 111	15
	男 M.	2 534	1 344	68	5	161	7	79	107	94	661	8
	女 F.	2 285	1 553	56	-	10	1	81	28	99	450	7
(E850～E859)	薬物および医薬品による不慮の中毒	25	17	-	-	-	1	1	-	3	3	-
	男 M.	10	5	-	-	-	1	1	-	1	2	-
	女 F.	15	12	-	-	-	-	-	-	2	1	-
E850	抗生物質およびその他の抗感染物質による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E851	ホルモンおよび合成代用薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E852	その他の主として全身および血液に作用する薬剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853	鎮痛薬および下熱薬による不慮の中毒	2	-	-	-	-	-	-	-	1	1	-
	男 M.	2	-	-	-	-	-	-	-	1	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.0	阿片および合成類似体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.1	サリチル酸および同属体	1	-	-	-	-	-	-	-	1	-	-
	男 M.	1	-	-	-	-	-	-	-	1	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.4	アニリン誘導体	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.2 E853.3 E853.5 E853.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854	その他の鎮静薬および睡眠薬による不慮の中毒	12	9	-	-	-	1	-	-	-	2	-
	男 M.	5	3	-	-	-	1	-	-	-	1	-
	女 F.	7	6	-	-	-	-	-	-	-	1	-
E854.0	バルビツール剤	3	2	-	-	-	1	-	-	-	-	-
	男 M.	1	-	-	-	-	1	-	-	-	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.3	臭化物	5	4	-	-	-	-	-	-	-	1	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	3	2	-	-	-	-	-	-	-	1	-
E854.2 E854.9	その他	4	3	-	-	-	-	-	-	-	1	-
	男 M.	2	1	-	-	-	-	-	-	-	1	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E855	自律神経系および精神治療薬による不慮の中毒	4	3	-	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	4	3	-	-	-	-	-	-	1	-	-
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E857	心臓血管薬による不慮の中毒	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E858	胃腸薬による不慮の中毒	1	-	-	-	-	-	1	-	-	-	-
	男 M.	1	-	-	-	-	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	5	4	-	-	-	-	-	-	1	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	3	2	-	-	-	-	-	-	1	-	-
(E860～E869)	その他の固体および液体物質による不慮の中毒	52	41	1	-	-	-	-	1	-	9	-
	男 M.	24	17	1	-	-	-	-	-	-	6	-
	女 F.	28	24	-	-	-	-	-	1	-	3	-
E860	アルコールによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E862	消毒薬による不慮の中毒	4	3	-	-	-	-	-	-	-	1	-
	男 M.	2	1	-	-	-	-	-	-	-	1	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E864	石油製品およびその他の溶媒による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	30	24	1	-	-	-	-	-	-	5	-
	男 M.	13	10	1	-	-	-	-	-	-	2	-
	女 F.	17	14	-	-	-	-	-	-	-	3	-
E865.a	農薬	30	24	1	-	-	-	-	-	-	5	-
	男 M.	13	10	1	-	-	-	-	-	-	2	-
	女 F.	17	14	-	-	-	-	-	-	-	3	-
E865.b	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E866	重金属およびその煙霧による不慮の中毒	1	1	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	5	5	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	5	5	-	-	-	-	-	-	-	-	-
E868	有毒食品および有毒植物による不慮の中毒	8	7	-	-	-	-	-	-	-	1	-
	男 M.	6	5	-	-	-	-	-	-	-	1	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E869	その他および詳細不明の固体および液体による不慮の中毒	4	1	-	-	-	-	-	1	-	2	-
	男 M.	3	1	-	-	-	-	-	-	-	2	-
	女 F.	1	-	-	-	-	-	-	1	-	-	-
(E870～E877)	ガスおよび蒸気による不慮の中毒	114	101	1	1	5	-	-	2	-	4	-
	男 M.	52	40	1	1	5	-	-	2	-	3	-
	女 F.	62	61	-	-	-	-	-	-	-	1	-
E870	配管式ガスによる不慮の中毒	39	36	-	-	-	-	-	2	-	1	-
	男 M.	19	16	-	-	-	-	-	2	-	1	-
	女 F.	20	20	-	-	-	-	-	-	-	-	-
E871	ボンベ入り液化石油ガスによる不慮の中毒	3	3	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

65才～
years and over

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT, —At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E873	自動車排気ガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	64	61	1	1	1	-	-	-	-	-	-
	男 M.	25	22	1	1	1	-	-	-	-	-	-
	女 F.	39	39	-	-	-	-	-	-	-	-	-
E875	その他の一酸化炭素による不慮の中毒	2	-	-	-	1	-	-	-	-	1	-
	男 M.	2	-	-	-	1	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E876	その他のガスおよび蒸気による不慮の中毒	5	1	-	-	3	-	-	-	-	1	-
	男 M.	5	1	-	-	3	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E877	詳細不明のガスおよび蒸気による不慮の中毒	1	-	-	-	-	-	-	-	-	1	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
(E880～E887)	不慮の墜落	1 964	1 155	36	-	89	1	135	68	123	348	9
	男 M.	906	434	18	-	87	-	63	50	42	208	4
	女 F.	1 058	721	18	-	2	1	72	18	81	140	5
E880	階段からの墜落または上での転倒	274	198	-	-	11	-	5	34	10	16	-
	男 M.	132	78	-	-	11	-	1	27	5	10	-
	女 F.	142	120	-	-	-	-	4	7	5	6	-
E881	はしごまたは足場からの墜落または上での転倒	58	32	-	-	21	-	-	-	-	5	-
	男 M.	50	25	-	-	21	-	-	-	-	4	-
	女 F.	8	7	-	-	-	-	-	-	-	1	-
E882	建物またはその他の建造物からの墜落	172	120	-	-	24	1	2	6	4	15	-
	男 M.	118	79	-	-	24	-	-	5	1	9	-
	女 F.	54	41	-	-	-	1	2	1	3	6	-
E883	地表面の穴またはその他の開口部への墜落	41	5	2	-	4	-	10	-	-	20	-
	男 M.	24	2	-	-	4	-	5	-	-	13	-
	女 F.	17	3	2	-	-	-	5	-	-	7	-
E884	その他の墜落	467	142	28	-	19	-	23	9	36	209	1
	男 M.	266	55	14	-	19	-	15	8	10	144	1
	女 F.	201	87	14	-	-	-	8	1	26	65	-
E885	スリップ，つまづきによる同一面上での転倒	919	656	6	-	9	-	94	19	72	61	2
	男 M.	307	194	4	-	8	-	41	10	26	23	1
	女 F.	612	462	2	-	1	-	53	9	46	38	1
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	2	1	-	-	-	-	1	-	-	-	-
	男 M.	1	-	-	-	-	-	1	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E887	その他および詳細不明の墜落	31	1	-	-	1	-	-	-	1	22	6
	男 M.	8	1	-	-	-	-	-	-	-	5	2
	女 F.	23	-	-	-	1	-	-	-	1	17	4
(E890～E899)	火災および火焔による不慮の事故	1 809	691	25	-	5	-	-	7	15	65	1
	男 M.	440	364	13	-	2	-	-	5	12	43	1
	女 F.	369	327	12	-	3	-	-	2	3	22	-
E890	住宅の火災による不慮の事故	301	298	1	-	-	-	-	2	-	-	-
	男 M.	175	173	-	-	-	-	-	2	-	-	-
	女 F.	126	125	1	-	-	-	-	-	-	-	-
E891	その他の建物または建造物の火災による不慮の事故	8	-	-	-	3	-	-	2	3	-	-
	男 M.	5	-	-	-	1	-	-	2	2	-	-
	女 F.	3	-	-	-	2	-	-	-	1	-	-
E892	建物または建造物の外における火災による不慮の事故	25	-	5	-	-	-	-	-	-	20	-
	男 M.	18	-	4	-	-	-	-	-	-	14	-
	女 F.	7	-	1	-	-	-	-	-	-	6	-
E893	着衣の引火による不慮の事故	340	280	16	-	-	-	-	-	3	9	32	-
	男 M.	167	129	7	-	-	-	-	-	1	7	23	-
	女 F.	173	151	9	-	-	-	-	-	2	2	9	-
E894	高可燃物の引火による不慮の事故	6	5	-	-	-	-	-	-	-	1	-	-
	男 M.	2	1	-	-	-	-	-	-	-	1	-	-
	女 F.	4	4	-	-	-	-	-	-	-	-	-	-
E895	住宅内で使用されている火による不慮の事故	42	41	-	-	1	-	-	-	-	-	-	-
	男 M.	21	20	-	-	1	-	-	-	-	-	-	-
	女 F.	21	21	-	-	-	-	-	-	-	-	-	-
E896	その他の建物または建造物の内で使用されている火による不慮の事故	1	1	-	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E897	建物または建造物の外で使用されている火による不慮の事故	10	3	1	-	1	-	-	-	-	5	-	-
	男 M.	6	2	-	-	-	-	-	-	-	4	-	-
	女 F.	4	1	1	-	1	-	-	-	-	1	-	-
E898	その他の明示された火または火焔による不慮の事故	66	60	2	-	-	-	-	-	2	2	-	-
	男 M.	41	36	2	-	-	-	-	-	2	1	-	-
	女 F.	25	24	-	-	-	-	-	-	-	1	-	-
E899	詳細不明の火による不慮の事故	10	3	-	-	-	-	-	-	-	6	1	-
	男 M.	4	2	-	-	-	-	-	-	-	1	1	-
	女 F.	6	1	-	-	-	-	-	-	-	5	-	-
(E900～E909)	自然および環境要因による不慮の事故	253	103	14	-	-	1	6	2	-	127	-	-
	男 M.	135	48	6	-	-	1	5	2	-	73	-	-
	女 F.	118	55	8	-	-	-	1	-	-	54	-	-
E900	過度の高温	18	3	2	-	-	-	-	-	-	13	-	-
	男 M.	8	2	1	-	-	-	-	-	-	5	-	-
	女 F.	10	1	1	-	-	-	-	-	-	8	-	-
E901	過度の低温	99	18	5	-	-	-	3	2	-	71	-	-
	男 M.	62	11	3	-	-	-	3	2	-	43	-	-
	女 F.	37	7	2	-	-	-	-	-	-	28	-	-
E902	高圧および低圧	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E903	旅行および身体動揺による障害	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E904	飢餓，渇，不良環境曝露および放置	5	1	-	-	-	-	-	-	-	4	-	-
	男 M.	2	-	-	-	-	-	-	-	-	2	-	-
	女 F.	3	1	-	-	-	-	-	-	-	2	-	-
E905	有毒動物および有毒昆虫の咬傷および刺傷	11	2	4	-	-	-	-	-	-	5	-	-
	男 M.	6	2	1	-	-	-	-	-	-	3	-	-
	女 F.	5	-	3	-	-	-	-	-	-	2	-	-
E906	その他の動物による不慮の事故	19	8	-	-	-	1	3	-	-	7	-	-
	男 M.	14	6	-	-	-	1	2	-	-	5	-	-
	女 F.	5	2	-	-	-	-	1	-	-	2	-	-
E907	雷撃	1	1	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-	-
E908	天災	100	70	3	-	-	-	-	-	-	27	-	-
	男 M.	43	27	1	-	-	-	-	-	-	15	-	-
	女 F.	57	43	2	-	-	-	-	-	-	12	-	-

第7表　交通事故以外の不慮の事故（E850—E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　—従業中（再掲）—

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850—E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

65才～
years and over

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908.a	地震	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E908.b	暴風雨および洪水	100	70	3	-	-	-	-	-	-	27	-
	男 M.	43	27	1	-	-	-	-	-	-	15	-
	女 F.	57	43	2	-	-	-	-	-	-	12	-
E908.c	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E909	その他の自然および環境要因による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E910～E929)	その他の不慮の事故	1 602	789	47	4	72	5	18	55	52	555	5
	男 M.	967	436	29	4	67	5	10	48	39	326	3
	女 F.	635	353	18	-	5	-	8	7	13	229	2
E910	不慮の溺死および溺水	824	301	29	1	2	4	1	39	3	444	-
	男 M.	416	115	17	1	2	4	1	34	3	239	-
	女 F.	408	186	12	-	-	-	-	5	-	205	-
E910.0	レクリエーション中	39	-	-	-	-	2	-	-	-	37	-
	男 M.	35	-	-	-	-	2	-	-	-	33	-
	女 F.	4	-	-	-	-	-	-	-	-	4	-
E910.9	その他および詳細不明	785	301	29	1	2	2	1	39	3	407	-
	男 M.	381	115	17	1	2	2	1	34	3	206	-
	女 F.	404	186	12	-	-	-	-	5	-	201	-
E911	食物の吸入はたは嚥下による閉塞および窒息	461	378	-	-	-	1	1	9	44	28	-
	男 M.	332	268	-	-	-	1	-	8	32	23	-
	女 F.	129	110	-	-	-	-	1	1	12	5	-
E912	その他の物体の吸入または嚥下による閉塞および窒息	14	5	-	-	-	-	-	-	2	7	-
	男 M.	7	2	-	-	-	-	-	-	2	3	-
	女 F.	7	3	-	-	-	-	-	-	-	4	-
E913	不慮の機械的窒息	37	13	9	-	1	-	1	-	-	13	-
	男 M.	24	7	6	-	1	-	-	-	-	10	-
	女 F.	13	6	3	-	-	-	1	-	-	3	-
E913.0	寝台または揺籃	3	2	1	-	-	-	-	-	-	-	-
	男 M.	3	2	1	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E913.9	その他および詳細不明	34	11	8	-	1	-	1	-	-	13	-
	男 M.	21	5	5	-	1	-	-	-	-	10	-
	女 F.	13	6	3	-	-	-	1	-	-	3	-
E914	眼および附属器への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E915	その他の孔口への不慮の異物侵入	4	2	-	-	-	-	-	-	1	1	-
	男 M.	3	2	-	-	-	-	-	-	1	-	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E916	落下物による不慮の打撲	72	6	3	3	32	-	4	1	-	23	-
	男 M.	67	5	2	3	31	-	3	1	-	22	-
	女 F.	5	1	1	-	1	-	1	-	-	1	-
E917	物体との衝突または物体による不慮の打撲	37	11	1	-	12	-	5	2	-	6	-
	男 M.	23	1	-	-	12	-	2	2	-	6	-
	女 F.	14	10	1	-	-	-	3	-	-	-	-
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	24	1	2	-	12	-	1	1	-	7	-
	男 M.	19	1	2	-	9	-	-	-	-	7	-
	女 F.	5	-	-	-	3	-	1	1	-	-	-
E919	過労および激動	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E920	刃器および刺器による不慮の事故	6	5	-	-	-	-	-	-	-	1	-
	男 M.	5	4	-	-	-	-	-	-	-	1	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E921	高圧機関の爆発による不慮の事故	1	-	-	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E922	銃器による不慮の事故	2	-	-	-	-	-	1	-	-	1	-
	男 M.	2	-	-	-	-	-	1	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.0	不慮の自傷	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.9	その他および詳細不明	2	-	-	-	-	-	1	-	-	1	-
	男 M.	2	-	-	-	-	-	1	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923	爆発物による不慮の事故	13	9	-	-	2	-	-	1	-	1	-
	男 M.	6	3	-	-	1	-	-	1	-	1	-
	女 F.	7	6	-	-	1	-	-	-	-	-	-
E923.0	花火	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.1	爆破物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.2	爆発性ガス	12	9	-	-	2	-	-	1	-	-	-
	男 M.	5	3	-	-	1	-	-	1	-	-	-
	女 F.	7	6	-	-	1	-	-	-	-	-	-
E923.8	その他	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.9	詳細不明	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E924	高熱物体，腐食性液体および蒸気による不慮の事故	66	56	-	-	5	-	-	2	-	3	-
	男 M.	36	27	-	-	5	-	-	2	-	2	-
	女 F.	30	29	-	-	-	-	-	-	-	1	-
E925	電気による不慮の事故	4	2	1	-	-	-	-	-	-	1	-
	男 M.	2	1	-	-	-	-	-	-	-	1	-
	女 F.	2	1	1	-	-	-	-	-	-	-	-
E926	放射線による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E927	車による事故，他に分類されないもの	4	-	1	-	2	-	-	-	1	-	-
	男 M.	4	-	1	-	2	-	-	-	1	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E928	機械による事故，他に分類されないもの	9	-	1	-	4	-	1	-	-	3	-
	男 M.	7	-	1	-	4	-	1	-	-	1	-
	女 F.	2	-	-	-	-	-	-	-	-	2	-
E929	その他および詳細不明の不慮の事故	24	-	-	-	-	-	3	-	-	16	5
	男 M.	14	-	-	-	-	-	2	-	-	9	3
	女 F.	10	-	-	-	-	-	1	-	-	7	2

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・従業中（再掲）別

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE AND SEX AND AGE (DETAILED LIST) OF THE ACCIDENT, —At work (secondary mention)—

昭和47年
1972

従業中 1)（再掲）
At work (secondary mention)

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	4 923	184	150	401	2 705	23	170	244	18	1 027	1
	男 M.	4 477	152	111	391	2 552	20	156	158	11	925	1
	女 F.	446	32	39	10	153	3	14	86	7	102	-
(E850～E859)	薬物および医薬品による不慮の中毒	2	-	-	-	1	-	-	-	1	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E850	抗生物質およびその他の抗感染物質による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E851	ホルモンおよび合成代用薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E852	その他の主として全身および血液に作用する薬剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853	鎮痛薬および下熱薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.0	阿片および合成類似体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.1	サリチル酸および同属体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.4	アニリン誘導体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.2 E853.3 E853.5 E853.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854	その他の鎮静薬および睡眠薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.0	バルビツール剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.3	臭化物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.2 E854.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E855	自律神経系および精神治療薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	2	-	-	-	1	-	-	-	1	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E857	心臓血管薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

注：1） 年齢不詳 5 を含む。

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E858	胃腸薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E860～E869)	その他の固体および液体物質による不慮の中毒	13	4	4	-	2	-	-	2	-	1	-
	男 M.	10	2	3	-	2	-	-	2	-	1	-
	女 F.	3	2	1	-	-	-	-	-	-	-	-
E860	アルコールによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E862	消毒薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E864	石油製品およびその他の溶媒による不慮の中毒	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	9	4	4	-	-	-	-	1	-	-	-
	男 M.	6	2	3	-	-	-	-	1	-	-	-
	女 F.	3	2	1	-	-	-	-	-	-	-	-
E865.a	農薬	9	4	4	-	-	-	-	1	-	-	-
	男 M.	6	2	3	-	-	-	-	1	-	-	-
	女 F.	3	2	1	-	-	-	-	-	-	-	-
E865.b	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E866	重金属およびその煙霧による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	3	-	-	-	2	-	-	1	-	-	-
	男 M.	3	-	-	-	2	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E868	有毒食品および有毒植物による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E869	その他および詳細不明の固体および液体による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E870～E877)	ガスおよび蒸気による不慮の中毒	91	10	1	8	50	-	1	4	1	16	-
	男 M.	83	4	1	8	49	-	1	4	1	15	-
	女 F.	8	6	-	-	1	-	-	-	-	1	-
E870	配管式ガスによる不慮の中毒	9	4	-	-	-	-	1	3	1	-	-
	男 M.	8	3	-	-	-	-	1	3	1	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E871	ボンベ入り液化石油ガスによる不慮の中毒	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

Note: 1) Includes age unknown 5 .

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・従業中[1]（再掲）

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE —At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒 男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E873	自動車排気ガスによる不慮の中毒	3	-	-	-	-	-	-	-	-	3	-
	男 M.	2	-	-	-	-	-	-	-	-	2	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	7	5	-	-	1	-	-	-	-	1	-
	男 M.	2	-	-	-	1	-	-	-	-	1	-
	女 F.	5	5	-	-	-	-	-	-	-	-	-
E875	その他の一酸化炭素による不慮の中毒	10	-	-	-	9	-	-	-	-	1	-
	男 M.	9	-	-	-	8	-	-	-	-	1	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E876	その他のガスおよび蒸気による不慮の中毒	56	1	1	8	34	-	-	1	-	11	-
	男 M.	56	1	1	8	34	-	-	1	-	11	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E877	詳細不明のガスおよび蒸気による不慮の中毒	5	-	-	-	5	-	-	-	-	-	-
	男 M.	5	-	-	-	5	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E880～E887)	不慮の墜落	1 463	100	20	33	919	6	60	90	8	227	-
	男 M.	1 394	92	18	32	902	5	51	83	6	205	-
	女 F.	69	8	2	1	17	1	9	7	2	22	-
E880	階段からの墜落または上での転倒	40	6	-	1	15	-	-	15	1	2	-
	男 M.	31	4	-	1	14	-	-	10	1	1	-
	女 F.	9	2	-	-	1	-	-	5	-	1	-
E881	はしごまたは足場からの墜落または上での転倒	267	17	3	3	221	1	5	10	1	6	-
	男 M.	262	15	2	3	219	1	5	10	1	6	-
	女 F.	5	2	1	-	2	-	-	-	-	-	-
E882	建物またはその他の建造物からの墜落	422	48	-	-	295	3	9	35	4	28	-
	男 M.	415	46	-	-	292	2	9	34	4	28	-
	女 F.	7	2	-	-	3	1	-	1	-	-	-
E883	地表面の穴またはその他の開口部への墜落	42	-	1	6	26	-	-	3	-	6	-
	男 M.	38	-	-	6	25	-	-	3	-	4	-
	女 F.	4	-	1	-	1	-	-	-	-	2	-
E884	その他の墜落	639	23	13	23	337	2	39	21	1	180	-
	男 M.	605	22	13	22	331	2	33	20	-	162	-
	女 F.	34	1	-	1	6	-	6	1	1	18	-
E885	スリップ，つまづきによる同一面上での転倒	50	6	3	-	23	-	6	6	1	5	-
	男 M.	42	5	3	-	21	-	3	6	-	4	-
	女 F.	8	1	-	-	2	-	3	-	1	1	-
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	1	-	-	-	1	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E887	その他および詳細不明の墜落	2	-	-	-	1	-	1	-	-	-	-
	男 M.	1	-	-	-	-	-	1	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
(E890～E899)	火災および火焔による不慮の事故	181	13	12	1	41	-	1	90	-	23	-
	男 M.	89	10	6	1	33	-	1	21	-	17	-
	女 F.	92	3	6	-	8	-	-	69	-	6	-
E890	住宅の火災による不慮の事故	3	3	-	-	-	-	-	-	-	-	-
	男 M.	3	3	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E891	その他の建物または建造物の火災による不慮の事故	103	-	-	-	17	-	-	86	-	-	-
	男 M.	30	-	-	-	12	-	-	18	-	-	-
	女 F.	73	-	-	-	5	-	-	68	-	-	-

注：1）年齢不詳 5 を含む。

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E892	建物または建造物の外における火災による不慮の事故	15	-	5	1	-	-	-	-	-	9	-
	男 M.	12	-	4	1	-	-	-	-	-	7	-
	女 F.	3	-	1	-	-	-	-	-	-	2	-
E893	着衣の引火による不慮の事故	38	6	7	-	10	-	1	4	-	10	-
	男 M.	24	3	2	-	9	-	1	3	-	6	-
	女 F.	14	3	5	-	1	-	-	1	-	4	-
E894	高可燃物の引火による不慮の事故	13	3	-	-	9	-	-	-	-	1	-
	男 M.	12	3	-	-	8	-	-	-	-	1	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E895	住宅内で使用されている火による不慮の事故	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E896	その他の建物または建造物の内で使用されている火による不慮の事故	2	1	-	-	1	-	-	-	-	-	-
	男 M.	2	1	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E897	建物または建造物の外で使用されている火による不慮の事故	4	-	-	-	2	-	-	-	-	2	-
	男 M.	3	-	-	-	1	-	-	-	-	2	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E898	その他の明示された火または火焔による不慮の事故	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E899	詳細不明の火による不慮の事故	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E900～E909)	自然および環境要因による不慮の事故	125	9	18	1	11	7	6	-	-	73	-
	男 M.	103	5	7	1	8	7	6	-	-	69	-
	女 F.	22	4	11	-	3	-	-	-	-	4	-
E900	過度の高温	4	-	2	-	2	-	-	-	-	-	-
	男 M.	3	-	1	-	2	-	-	-	-	-	-
	女 F.	1	-	1	-	-	-	-	-	-	-	-
E901	過度の低温	5	-	-	-	-	-	2	-	-	3	-
	男 M.	4	-	-	-	-	-	2	-	-	2	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E902	高圧および低圧	3	-	-	-	-	-	-	-	-	3	-
	男 M.	3	-	-	-	-	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E903	旅行および身体動揺による障害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E904	飢餓，渇，不良環境曝露および放置	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E905	有毒動物および有毒昆虫の咬傷および刺傷	10	-	4	1	1	-	1	-	-	3	-
	男 M.	7	-	1	1	1	-	1	-	-	3	-
	女 F.	3	-	3	-	-	-	-	-	-	-	-
E906	その他の動物による不慮の事故	24	5	4	-	1	6	3	-	-	5	-
	男 M.	19	2	3	-	1	6	3	-	-	4	-
	女 F.	5	3	1	-	-	-	-	-	-	1	-
E907	雷撃	12	1	5	-	-	1	-	-	-	5	-
	男 M.	7	1	-	-	-	1	-	-	-	5	-
	女 F.	5	-	5	-	-	-	-	-	-	-	-
E908	天災	67	3	3	-	7	-	-	-	-	54	-
	男 M.	60	2	2	-	4	-	-	-	-	52	-
	女 F.	7	1	1	-	3	-	-	-	-	2	-

Note: 1) Includes age unknown 5 .

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・従業中[1]（再掲）

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT, —At work (secondary mention)—

死因（基本分類）別　—従業中（再掲）—

At work (secondary mention)

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908. a	地震	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E908. b	暴風雨および洪水	67	3	3	－	7	－	－	－	－	54	－
	男 M.	60	2	2	－	4	－	－	－	－	52	－
	女 F.	7	1	1	－	3	－	－	－	－	2	－
E908. c	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E909	その他の自然および環境要因による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E910～E929)	その他の不慮の事故	3 048	48	95	358	1 681	10	102	58	8	687	1
	男 M.	2 797	39	76	349	1 557	8	97	48	4	618	1
	女 F.	251	9	19	9	124	2	5	10	4	69	－
E910	不慮の溺死および溺水	216	3	14	2	29	1	－	－	－	167	－
	男 M.	178	3	9	2	27	1	－	－	－	136	－
	女 F.	38	－	5	－	2	－	－	－	－	31	－
E910.0	レクリエーション中	8	－	－	－	－	－	－	－	－	8	－
	男 M.	7	－	－	－	－	－	－	－	－	7	－
	女 F.	1	－	－	－	－	－	－	－	－	1	－
E910.9	その他および詳細不明	208	3	14	2	29	1	－	－	－	159	－
	男 M.	171	3	9	2	27	1	－	－	－	129	－
	女 F.	37	－	5	－	2	－	－	－	－	30	－
E911	食物の吸入または嚥下による閉塞および窒息	6	3	－	－	1	－	－	－	1	1	－
	男 M.	6	3	－	－	1	－	－	－	1	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E912	その他の物体の吸入または嚥下による閉塞および窒息	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E913	不慮の機械的窒息	129	4	4	37	51	－	4	－	－	29	－
	男 M.	116	3	2	36	46	－	4	－	－	25	－
	女 F.	13	1	2	1	5	－	－	－	－	4	－
E913.0	寝台または揺籃	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E913.9	その他および詳細不明	129	4	4	37	51	－	4	－	－	29	－
	男 M.	116	3	2	36	46	－	4	－	－	25	－
	女 F.	13	1	2	1	5	－	－	－	－	4	－
E914	眼および附属器への不慮の異物侵入	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E915	その他の孔口への不慮の異物侵入	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E916	落下物による不慮の打撲	1 042	12	9	162	608	2	37	15	－	197	－
	男 M.	965	10	7	157	560	1	36	13	－	181	－
	女 F.	77	2	2	5	48	1	1	2	－	16	－
E917	物体との衝突または物体による不慮の打撲	290	3	6	17	172	3	9	5	－	75	－
	男 M.	255	3	4	16	153	3	7	2	－	67	－
	女 F.	35	－	2	1	19	－	2	3	－	8	－
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	491	10	23	41	326	1	20	10	1	59	－
	男 M.	448	7	19	40	300	－	18	8	－	56	－
	女 F.	43	3	4	1	26	1	2	2	1	3	－

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E919	過労および激動	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E920	刃器および刺器による不慮の事故	39	2	4	－	29	－	－	－	1	3	－
	男 M.	34	1	3	－	26	－	－	－	1	3	－
	女 F.	5	1	1	－	3	－	－	－	－	－	－
E921	高圧機関の爆発による不慮の事故	20	－	－	－	14	－	1	2	2	1	－
	男 M.	17	－	－	－	13	－	1	2	－	1	－
	女 F.	3	－	－	－	1	－	－	－	2	－	－
E922	銃器による不慮の事故	7	－	－	－	1	－	－	2	－	4	－
	男 M.	7	－	－	－	1	－	－	2	－	4	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.0	不慮の自傷	3	－	－	－	1	－	－	2	－	－	－
	男 M.	3	－	－	－	1	－	－	2	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.9	その他および詳細不明	4	－	－	－	－	－	－	－	－	4	－
	男 M.	4	－	－	－	－	－	－	－	－	4	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923	爆発物による不慮の事故	130	2	1	54	61	－	－	4	2	6	－
	男 M.	123	1	1	54	56	－	－	4	1	6	－
	女 F.	7	1	－	－	5	－	－	－	1	－	－
E923.0	花火	3	－	－	－	1	－	－	1	1	－	－
	男 M.	3	－	－	－	1	－	－	1	1	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.1	爆破物	19	－	－	13	4	－	－	－	－	2	－
	男 M.	19	－	－	13	4	－	－	－	－	2	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.2	爆発性ガス	84	1	1	40	35	－	－	2	1	4	－
	男 M.	81	－	1	40	34	－	－	2	－	4	－
	女 F.	3	1	－	－	1	－	－	－	1	－	－
E923.8	その他	16	－	－	1	14	－	－	1	－	－	－
	男 M.	14	－	－	1	12	－	－	1	－	－	－
	女 F.	2	－	－	－	2	－	－	－	－	－	－
E923.9	詳細不明	8	1	－	－	7	－	－	－	－	－	－
	男 M.	6	1	－	－	5	－	－	－	－	－	－
	女 F.	2	－	－	－	2	－	－	－	－	－	－
E924	高熱物体，腐食性液体および蒸気による不慮の事故	54	2	－	－	49	－	－	2	－	1	－
	男 M.	50	1	－	－	48	－	－	－	－	1	－
	女 F.	4	1	－	－	1	－	－	2	－	－	－
E925	電気による不慮の事故	249	6	7	1	145	3	17	14	1	55	－
	男 M.	247	6	5	1	145	3	17	14	1	55	－
	女 F.	2	－	2	－	－	－	－	－	－	－	－
E926	放射線による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E927	車による事故，他に分類されないもの	67	－	1	12	37	－	1	2	－	14	－
	男 M.	55	－	1	12	31	－	1	1	－	9	－
	女 F.	12	－	－	－	6	－	－	1	－	5	－
E928	機械による事故，他に分類されないもの	290	1	26	31	150	－	13	2	－	66	1
	男 M.	279	1	25	30	143	－	13	2	－	64	1
	女 F.	11	－	1	1	7	－	－	－	－	2	－
E929	その他および詳細不明の不慮の事故	18	－	－	1	8	－	－	－	－	9	－
	男 M.	17	－	－	1	7	－	－	－	－	9	－
	女 F.	1	－	－	－	1	－	－	－	－	－	－

注：1）　年齢不詳　5　を含む。

Note: 1)　Includes age unknown 5.

死　因
7表 (33－25)

従業中 15～44才
years

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	2 879	51	62	240	1 678	18	98	167	9	555	1
	男 M.	2 699	45	52	237	1 616	17	97	104	6	524	1
	女 F.	180	6	10	3	62	1	1	63	3	31	-
(E850～E859)	薬物および医薬品による不慮の中毒	1	-	-	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E850	抗生物質およびその他の抗感染物質による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E851	ホルモンおよび合成代用薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E852	その他の主として全身および血液に作用する薬剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853	鎮痛薬および下熱薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.0	阿片および合成類似体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.1	サリチル酸および同属体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.4	アニリン誘導体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.2 E853.3 E853.5 E853.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854	その他の鎮静薬および睡眠薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.0	バルビツール剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.3	臭化物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.2 E854.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E855	自律神経系および精神治療薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	1	-	-	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E857	心臓血管薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E858	胃腸薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E860～E869)	その他の固体および液体物質による不慮の中毒	6	1	2	-	-	-	-	-	2	-	1	-
	男 M.	5	-	2	-	-	-	-	-	2	-	1	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-	-
E860	アルコールによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E862	消毒薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E864	石油製品およびその他の溶媒による不慮の中毒	1	-	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	4	1	2	-	-	-	-	-	1	-	-	-
	男 M.	3	-	2	-	-	-	-	-	1	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-	-
E865.a	農薬	4	1	2	-	-	-	-	-	1	-	-	-
	男 M.	3	-	2	-	-	-	-	-	1	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-	-
E865.b	その他	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E866	重金属およびその煙霧による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	1	-	-	-	-	-	-	-	1	-	-	-
	男 M.	1	-	-	-	-	-	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E868	有毒食品および有毒植物による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
E869	その他および詳細不明の固体および液体による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
(E870～E877)	ガスおよび蒸気による不慮の中毒	65	5	1	8	35	-	1	3	-	12	-
	男 M.	61	3	1	8	34	-	1	3	-	11	-
	女 F.	4	2	-	-	1	-	-	-	-	1	-
E870	配管式ガスによる不慮の中毒	5	2	-	-	-	-	1	2	-	-	-
	男 M.	5	2	-	-	-	-	1	2	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E871	ボンベ入り液化石油ガスによる不慮の中毒	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

従業中 15～44才
years

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E873	自動車排気ガスによる不慮の中毒	3	-	-	-	-	-	-	-	-	3	-
	男 M.	2	-	-	-	-	-	-	-	-	2	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	3	2	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	2	2	-	-	-	-	-	-	-	-	-
E875	その他の一酸化炭素による不慮の中毒	6	-	-	-	5	-	-	-	-	1	-
	男 M.	5	-	-	-	4	-	-	-	-	1	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E876	その他のガスおよび蒸気による不慮の中毒	45	1	1	8	26	-	-	1	-	8	-
	男 M.	45	1	1	8	26	-	-	1	-	8	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E877	詳細不明のガスおよび蒸気による不慮の中毒	2	-	-	-	2	-	-	-	-	-	-
	男 M.	2	-	-	-	2	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E880～E887)	不慮の墜落	741	22	7	10	521	5	28	52	4	92	-
	男 M.	732	22	6	10	516	5	27	51	3	90	-
	女 F.	9	-	1	-	3	-	1	1	1	2	-
E880	階段からの墜落または上での転倒	14	1	-	-	4	-	-	8	1	-	-
	男 M.	13	1	-	-	4	-	-	7	1	-	-
	女 F.	1	-	-	-	-	-	-	1	-	-	-
E881	はしごまたは足場からの墜落または上での転倒	139	6	1	2	115	1	1	8	1	4	-
	男 M.	137	6	-	2	114	1	1	8	1	4	-
	女 F.	2	-	1	-	1	-	-	-	-	-	-
E882	建物またはその他の建造物からの墜落	236	10	-	-	173	2	5	24	1	21	-
	男 M.	236	10	-	-	173	2	5	24	1	21	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E883	地表面の穴またはその他の開口部への墜落	17	-	-	-	13	-	-	2	-	2	-
	男 M.	17	-	-	-	13	-	-	2	-	2	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E884	その他の墜落	325	4	6	8	212	2	20	9	-	64	-
	男 M.	320	4	6	8	210	2	19	9	-	62	-
	女 F.	5	-	-	-	2	-	1	-	-	2	-
E885	スリップ，つまづきによる同一面上での転倒	9	1	-	-	4	-	1	1	1	1	-
	男 M.	8	1	-	-	4	-	1	1	-	1	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E887	その他および詳細不明の墜落	1	-	-	-	-	-	1	-	-	-	-
	男 M.	1	-	-	-	-	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E890～E899)	火災および火焔による不慮の事故	100	2	-	-	23	-	1	72	-	2	-
	男 M.	42	2	-	-	23	-	1	14	-	2	-
	女 F.	58	-	-	-	-	-	-	58	-	-	-
E890	住宅の火災による不慮の事故	1	1	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E891	その他の建物または建造物の火災による不慮の事故	79	-	-	-	8	-	-	71	-	-	-
	男 M.	21	-	-	-	8	-	-	13	-	-	-
	女 F.	58	-	-	-	-	-	-	58	-	-	-
E892	建物または建造物の外における火災による不慮の事故	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E893	着衣の引火による不慮の事故	10	-	-	-	8	-	1	1	-	-	-
	男 M.	10	-	-	-	8	-	1	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E894	高可燃物の引火による不慮の事故	7	1	-	-	6	-	-	-	-	-	-
	男 M.	7	1	-	-	6	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E895	住宅内で使用されている火による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E896	その他の建物または建造物の内で使用されている火による不慮の事故	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E897	建物または建造物の外で使用されている火による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E898	その他の明示された火または火焔による不慮の事故	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E899	詳細不明の火による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E900～E909)	自然および環境要因による不慮の事故	64	2	5	1	7	5	2	-	-	42	-
	男 M.	57	2	2	1	4	5	2	-	-	41	-
	女 F.	7	-	3	-	3	-	-	-	-	1	-
E900	過度の高温	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E901	過度の低温	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E902	高圧および低圧	3	-	-	-	-	-	-	-	-	3	-
	男 M.	3	-	-	-	-	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E903	旅行および身体動揺による障害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E904	飢餓，渇，不良環境曝露および放置	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E905	有毒動物および有毒昆虫の咬傷および刺傷	3	-	-	1	-	-	1	-	-	1	-
	男 M.	3	-	-	1	-	-	1	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E906	その他の動物による不慮の事故	7	1	1	-	-	4	1	-	-	-	-
	男 M.	7	1	1	-	-	4	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E907	雷撃	7	-	3	-	-	1	-	-	-	3	-
	男 M.	4	-	-	-	-	1	-	-	-	3	-
	女 F.	3	-	3	-	-	-	-	-	-	-	-
E908	天災	44	1	1	-	7	-	-	-	-	35	-
	男 M.	40	1	1	-	4	-	-	-	-	34	-
	女 F.	4	-	-	-	3	-	-	-	-	1	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・従業中 15～44才

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE

years

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908.a	地震	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E908.b	暴風雨および洪水	44	1	1	－	7	－	－	－	－	35	－
	男 M.	40	1	1	－	4	－	－	－	－	34	－
	女 F.	4	－	－	－	3	－	－	－	－	1	－
E908.c	その他	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E909	その他の自然および環境要因による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E910～E929)	その他の不慮の事故	1 902	19	47	221	1 092	8	66	38	4	406	1
	男 M.	1 802	16	41	218	1 037	7	66	34	3	379	1
	女 F.	100	3	6	3	55	1	－	4	1	27	－
E910	不慮の溺死および溺水	102	－	3	－	18	1	－	－	－	80	－
	男 M.	94	－	2	－	17	1	－	－	－	74	－
	女 F.	8	－	1	－	1	－	－	－	－	6	－
E910.0	レクリエーション中	6	－	－	－	－	－	－	－	－	6	－
	男 M.	6	－	－	－	－	－	－	－	－	6	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E910.9	その他および詳細不明	96	－	3	－	18	1	－	－	－	74	－
	男 M.	88	－	2	－	17	1	－	－	－	68	－
	女 F.	8	－	1	－	1	－	－	－	－	6	－
E911	食物の吸入はたは嚥下による閉塞および窒息	1	－	－	－	1	－	－	－	－	－	－
	男 M.	1	－	－	－	1	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E912	その他の物体の吸入または嚥下による閉塞および窒息	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E913	不慮の機械的窒息	72	1	1	21	31	－	4	－	－	14	－
	男 M.	66	－	1	20	29	－	4	－	－	12	－
	女 F.	6	1	－	1	2	－	－	－	－	2	－
E913.0	寝台または揺籃	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E913.9	その他および詳細不明	72	1	1	21	31	－	4	－	－	14	－
	男 M.	66	－	1	20	29	－	4	－	－	12	－
	女 F.	6	1	－	1	2	－	－	－	－	2	－
E914	眼および附属器への不慮の異物侵入	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E915	その他の孔口への不慮の異物侵入	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E916	落下物による不慮の打撲	615	3	3	102	366	2	19	7	－	113	－
	男 M.	577	3	3	100	341	1	19	7	－	103	－
	女 F.	38	－	－	2	25	1	－	－	－	10	－
E917	物体との衝突または物体による不慮の打撲	142	3	3	8	86	2	3	－	－	37	－
	男 M.	130	3	3	8	79	2	3	－	－	32	－
	女 F.	12	－	－	－	7	－	－	－	－	5	－
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	328	4	15	25	227	－	12	8	1	36	－
	男 M.	308	3	12	25	215	－	12	7	－	34	－
	女 F.	20	1	3	－	12	－	－	1	1	2	－

事故（E850－E929）死亡者数，死因（基本分類）別　－従業中（再掲）－

BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT,　—At work (secondary mention)—

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E919	過労および激動	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E920	刃器および刺器による不慮の事故	19	1	－	－	15	－	－	－	1	2	－
	男 M.	17	－	－	－	14	－	－	－	1	2	－
	女 F.	2	1	－	－	1	－	－	－	－	－	－
E921	高圧機関の爆発による不慮の事故	15	－	－	－	13	－	－	1	－	1	－
	男 M.	15	－	－	－	13	－	－	1	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922	銃器による不慮の事故	6	－	－	－	1	－	－	2	－	3	－
	男 M.	6	－	－	－	1	－	－	2	－	3	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.0	不慮の自傷	3	－	－	－	1	－	－	2	－	－	－
	男 M.	3	－	－	－	1	－	－	2	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E922.9	その他および詳細不明	3	－	－	－	－	－	－	－	－	3	－
	男 M.	3	－	－	－	－	－	－	－	－	3	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923	爆発物による不慮の事故	78	1	－	29	40	－	－	2	1	5	－
	男 M.	77	1	－	29	39	－	－	2	1	5	－
	女 F.	1	－	－	－	1	－	－	－	－	－	－
E923.0	花火	2	－	－	－	1	－	－	－	1	－	－
	男 M.	2	－	－	－	1	－	－	－	1	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.1	爆破物	11	－	－	6	3	－	－	－	－	2	－
	男 M.	11	－	－	6	3	－	－	－	－	2	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.2	爆発性ガス	53	－	－	23	26	－	－	1	－	3	－
	男 M.	53	－	－	23	26	－	－	1	－	3	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.8	その他	10	－	－	－	9	－	－	1	－	－	－
	男 M.	10	－	－	－	9	－	－	1	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E923.9	詳細不明	2	1	－	－	1	－	－	－	－	－	－
	男 M.	1	1	－	－	－	－	－	－	－	－	－
	女 F.	1	－	－	－	1	－	－	－	－	－	－
E924	高熱物体，腐食性液体および蒸気による不慮の事故	32	－	－	－	30	－	－	2	－	－	－
	男 M.	30	－	－	－	30	－	－	2	－	－	－
	女 F.	2	－	－	－	－	－	－	－	－	－	－
E925	電気による不慮の事故	217	5	6	1	123	3	17	14	1	47	－
	男 M.	216	5	5	1	123	3	17	14	1	47	－
	女 F.	1	－	1	－	－	－	－	－	－	－	－
E926	放射線による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E927	車による事故，他に分類されないもの	38	－	－	7	20	－	－	1	－	10	－
	男 M.	33	－	－	7	18	－	－	－	－	8	－
	女 F.	5	－	－	－	2	－	－	1	－	2	－
E928	機械による事故，他に分類されないもの	226	1	16	27	117	－	11	1	－	52	1
	男 M.	221	1	15	27	113	－	11	1	－	52	1
	女 F.	5	－	1	－	4	－	－	－	－	－	－
E929	その他および詳細不明の不慮の事故	11	－	－	1	4	－	－	－	－	6	－
	男 M.	11	－	－	1	4	－	－	－	－	6	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　—従業中（再掲）—

従業中 45～64才 years

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT, —At work (secondary mention)—

昭和47年 1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	1 629	86	48	158	881	3	60	56	7	330	-
	男 M.	1 429	69	34	151	796	2	50	36	4	287	-
	女 F.	200	17	14	7	85	1	10	20	3	43	-
（E850～E859）	薬物および医薬品による不慮の中毒	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E850	抗生物質およびその他の抗感染物質による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E851	ホルモンおよび合成代用薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E852	その他の主として全身および血液に作用する薬剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853	鎮痛薬および下熱薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.0	阿片および合成類似体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.1	サリチル酸および同属体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.4	アニリン誘導体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.2 E853.3 E853.5 E853.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854	その他の鎮静薬および睡眠薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.0	バルビツール剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.3	臭化物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.2 E854.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E855	自律神経系および精神治療薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E857	心臓血管薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E858	胃腸薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
（E860～E869）	その他の固体および液体物質による不慮の中毒	5	2	1	-	2	-	-	-	-	-	-
	男 M.	3	1	-	-	2	-	-	-	-	-	-
	女 F.	2	1	1	-	-	-	-	-	-	-	-
E860	アルコールによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E862	消毒薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E864	石油製品およびその他の溶媒による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	3	2	1	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	2	1	1	-	-	-	-	-	-	-	-
E865.a	農薬	3	2	1	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	2	1	1	-	-	-	-	-	-	-	-
E865.b	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E866	重金属およびその煙霧による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	2	-	-	-	2	-	-	-	-	-	-
	男 M.	2	-	-	-	2	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E868	有毒食品および有毒植物による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E869	その他および詳細不明の固体および液体による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
（E870～E877）	ガスおよび蒸気による不慮の中毒	19	4	-	-	11	-	-	-	1	3	-
	男 M.	16	1	-	-	11	-	-	-	1	3	-
	女 F.	3	3	-	-	-	-	-	-	-	-	-
E870	配管式ガスによる不慮の中毒	3	2	-	-	-	-	-	-	1	-	-
	男 M.	2	1	-	-	-	-	-	-	1	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E871	ボンベ入り液化石油ガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・従業中（再掲）

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT, —At work (secondary mention)—

従業中 45～64才
years

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E873	自動車排気ガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	3	2	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	-	-
	女 F.	2	2	-	-	-	-	-	-	-	1	-
E875	その他の一酸化炭素による不慮の中毒	3	-	-	-	3	-	-	-	-	-	-
	男 M.	3	-	-	-	3	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E876	その他のガスおよび蒸気による不慮の中毒	7	-	-	-	5	-	-	-	-	2	-
	男 M.	7	-	-	-	5	-	-	-	-	2	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E877	詳細不明のガスおよび蒸気による不慮の中毒	3	-	-	-	3	-	-	-	-	-	-
	男 M.	3	-	-	-	3	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E880～E887)	不慮の墜落	544	51	5	23	326	-	24	23	4	88	-
	男 M.	501	45	5	22	313	-	18	19	3	76	-
	女 F.	43	6	-	1	13	-	6	4	1	12	-
E880	階段からの墜落または上での転倒	17	4	-	1	8	-	-	2	-	2	-
	男 M.	11	2	-	1	7	-	-	-	-	1	-
	女 F.	6	2	-	-	1	-	-	2	-	1	-
E881	はしごまたは足場からの墜落または上での転倒	101	5	2	1	86	-	4	2	-	1	-
	男 M.	98	3	2	1	85	-	4	2	-	1	-
	女 F.	3	2	-	-	1	-	-	-	-	-	-
E882	建物またはその他の建造物からの墜落	150	29	-	-	101	-	4	8	3	5	-
	男 M.	144	27	-	-	98	-	4	7	3	5	-
	女 F.	6	2	-	-	3	-	-	1	-	-	-
E883	地表面の穴またはその他の開口部への墜落	20	-	-	6	11	-	-	1	-	2	-
	男 M.	18	-	-	6	10	-	-	1	-	1	-
	女 F.	2	-	-	-	1	-	-	-	-	1	-
E884	その他の墜落	233	11	2	15	107	-	14	7	1	76	-
	男 M.	211	11	2	14	103	-	9	6	-	66	-
	女 F.	22	-	-	1	4	-	5	1	1	10	-
E885	スリップ，つまづきによる同一面上での転倒	22	2	1	-	12	-	2	3	-	2	-
	男 M.	19	2	1	-	10	-	1	3	-	2	-
	女 F.	3	-	-	-	2	-	1	-	-	-	-
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	1	-	-	-	1	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E887	その他および詳細不明の墜落	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E890～E899)	火災および火焔による不慮の事故	42	7	2	1	14	-	-	15	-	3	-
	男 M.	25	7	2	1	8	-	-	5	-	2	-
	女 F.	17	-	-	-	6	-	-	10	-	1	-
E890	住宅の火災による不慮の事故	2	2	-	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E891	その他の建物または建造物の火災による不慮の事故	21	-	-	-	7	-	-	14	-	-	-
	男 M.	7	-	-	-	3	-	-	4	-	-	-
	女 F.	14	-	-	-	4	-	-	10	-	-	-
E892	建物または建造物の外における火災による不慮の事故	4	-	2	1	-	-	-	-	-	1	-
	男 M.	3	-	2	1	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E893	着衣の引火による不慮の事故	5	2	-	-	2	-	-	1	-	-	-
	男 M.	4	2	-	-	1	-	-	1	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E894	高可燃物の引火による不慮の事故	6	2	-	-	3	-	-	-	-	1	-
	男 M.	5	2	-	-	2	-	-	-	-	1	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E895	住宅内で使用されている火による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E896	その他の建物または建造物の内で使用されている火による不慮の事故	1	1	-	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E897	建物または建造物の外で使用されている火による不慮の事故	2	-	-	-	1	-	-	-	-	1	-
	男 M.	2	-	-	-	1	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E898	その他の明示された火または火焔による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E899	詳細不明の火による不慮の事故	1	-	-	-	1	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E900～E909)	自然および環境要因による不慮の事故	43	4	7	-	4	1	4	-	-	23	-
	男 M.	33	1	2	-	4	1	4	-	-	21	-
	女 F.	10	3	5	-	-	-	-	-	-	2	-
E900	過度の高温	2	-	-	-	2	-	-	-	-	-	-
	男 M.	2	-	-	-	2	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E901	過度の低温	4	-	-	-	-	-	2	-	-	2	-
	男 M.	3	-	-	-	-	-	2	-	-	1	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E902	高圧および低圧	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E903	旅行および身体動揺による障害	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E904	飢餓，渇，不良環境曝露および放置	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E905	有毒動物および有毒昆虫の咬傷および刺傷	3	-	1	-	1	-	-	-	-	1	-
	男 M.	2	-	-	-	1	-	-	-	-	1	-
	女 F.	1	-	1	-	-	-	-	-	-	-	-
E906	その他の動物による不慮の事故	11	2	3	-	1	1	2	-	-	2	-
	男 M.	8	-	2	-	1	1	2	-	-	2	-
	女 F.	3	2	1	-	-	-	-	-	-	-	-
E907	雷撃	5	1	2	-	-	-	-	-	-	2	-
	男 M.	3	1	-	-	-	-	-	-	-	2	-
	女 F.	2	-	2	-	-	-	-	-	-	-	-
E908	天災	18	1	1	-	-	-	-	-	-	16	-
	男 M.	15	-	-	-	-	-	-	-	-	15	-
	女 F.	3	1	1	-	-	-	-	-	-	1	-

死　因
7表 (33－30)

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・従業中

従業中 45～64才
years

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE, SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908. a	地震	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E908. b	暴風雨および洪水	18	1	1	-	-	-	-	-	-	16	-
	男 M.	15	-	-	-	-	-	-	-	-	15	-
	女 F.	3	1	1	-	-	-	-	-	-	1	-
E908. c	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E909	その他の自然および環境要因による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E910～E929)	その他の不慮の事故	975	18	33	134	523	2	32	18	2	213	-
	男 M.	850	14	25	128	457	1	28	12	-	185	-
	女 F.	125	4	8	6	66	1	4	6	2	28	-
E910	不慮の溺死および溺水	69	-	4	2	10	-	-	-	-	53	-
	男 M.	54	-	3	2	9	-	-	-	-	40	-
	女 F.	15	-	1	-	1	-	-	-	-	13	-
E910.0	レクリエーション中	2	-	-	-	-	-	-	-	-	2	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-
E910.9	その他および詳細不明	67	-	4	2	10	-	-	-	-	51	-
	男 M.	53	-	3	2	9	-	-	-	-	39	-
	女 F.	14	-	1	-	1	-	-	-	-	12	-
E911	食物の吸入はたは嚥下による閉塞および窒息	2	2	-	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E912	その他の物体の吸入または嚥下による閉塞および窒息	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E913	不慮の機械的窒息	49	-	2	16	19	-	-	-	-	12	-
	男 M.	42	-	-	16	16	-	-	-	-	10	-
	女 F.	7	-	2	-	3	-	-	-	-	2	-
E913.0	寝台または揺籃	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E913.9	その他および詳細不明	49	-	2	16	19	-	-	-	-	12	-
	男 M.	42	-	-	16	16	-	-	-	-	10	-
	女 F.	7	-	2	-	3	-	-	-	-	2	-
E914	眼および附属器への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E915	その他の孔口への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E916	落下物による不慮の打撲	375	6	4	57	214	-	17	7	-	70	-
	男 M.	337	5	2	54	191	-	16	5	-	64	-
	女 F.	38	1	2	3	23	-	1	2	-	6	-
E917	物体との衝突または物体による不慮の打撲	126	-	2	9	74	1	4	4	-	32	-
	男 M.	105	-	1	8	62	1	3	1	-	29	-
	女 F.	21	-	1	1	12	-	1	3	-	3	-
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	147	6	7	16	88	1	8	2	-	19	-
	男 M.	126	4	6	15	76	-	6	1	-	18	-
	女 F.	21	2	1	1	12	1	2	1	-	1	-

事故（E850－E929）死亡者数，

死因（基本分類）別　－従業中（再掲）－

BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT,　—At work (secondary mention)—

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E919	過労および激動	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E920	刃器および刺器による不慮の事故	19	1	4	-	14	-	-	-	-	-	-
	男 M.	16	1	3	-	12	-	-	-	-	-	-
	女 F.	3	-	1	-	2	-	-	-	-	-	-
E921	高圧機関の爆発による不慮の事故	4	-	-	-	1	-	1	1	1	-	-
	男 M.	2	-	-	-	-	-	1	1	-	-	-
	女 F.	2	-	-	-	1	-	-	-	1	-	-
E922	銃器による不慮の事故	1	-	-	-	-	-	-	-	1	-	-
	男 M.	1	-	-	-	-	-	-	-	1	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.0	不慮の自傷	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.9	その他および詳細不明	1	-	-	-	-	-	-	-	1	-	-
	男 M.	1	-	-	-	-	-	-	-	1	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923	爆発物による不慮の事故	50	1	1	25	19	-	-	2	1	1	-
	男 M.	45	-	1	25	16	-	-	2	-	1	-
	女 F.	5	1	-	-	3	-	-	-	1	-	-
E923.0	花火	1	-	-	-	-	-	-	1	-	-	-
	男 M.	1	-	-	-	-	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.1	爆破物	8	-	-	7	1	-	-	-	-	-	-
	男 M.	8	-	-	7	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.2	爆発性ガス	29	1	1	17	7	-	-	1	1	1	-
	男 M.	27	-	1	17	7	-	-	1	-	1	-
	女 F.	2	1	-	-	-	-	-	-	1	-	-
E923.8	その他	6	-	-	1	5	-	-	-	-	-	-
	男 M.	4	-	-	1	3	-	-	-	-	-	-
	女 F.	2	-	-	-	2	-	-	-	-	-	-
E923.9	詳細不明	6	-	-	-	6	-	-	-	-	-	-
	男 M.	5	-	-	-	5	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E924	高熱物体，腐食性液体および蒸気による不慮の事故	15	1	-	-	14	-	-	-	-	-	-
	男 M.	14	1	-	-	13	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E925	電気による不慮の事故	31	1	-	-	22	-	-	-	-	8	-
	男 M.	31	1	-	-	22	-	-	-	-	8	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E926	放射線による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E927	車による事故，他に分類されないもの	25	-	-	5	15	-	-	1	-	4	-
	男 M.	18	-	-	5	11	-	-	1	-	1	-
	女 F.	7	-	-	-	4	-	-	-	-	3	-
E928	機械による事故，他に分類されないもの	56	-	9	4	29	-	2	1	-	11	-
	男 M.	52	-	9	3	26	-	2	1	-	11	-
	女 F.	4	-	-	1	3	-	-	-	-	-	-
E929	その他および詳細不明の不慮の事故	6	-	-	-	4	-	-	-	-	2	-
	男 M.	5	-	-	-	3	-	-	-	-	2	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　－従業中（再掲）－

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

従業中 65才～
years and over

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数 Total	410	47	40	3	144	2	11	20	2	141	-
	男 M.	344	38	25	3	138	1	8	17	1	113	-
	女 F.	66	9	15	-	6	1	3	3	1	28	-
(E850～E859)	薬物および医薬品による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E850	抗生物質およびその他の抗感染物質による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E851	ホルモンおよび合成代用薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E852	その他の主として全身および血液に作用する薬剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853	鎮痛薬および下熱薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.0	阿片および合成類似体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.1	サリチル酸および同属体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.4	アニリン誘導体	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E853.2 E853.3 E853.5 E853.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854	その他の鎮静薬および睡眠薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.0	バルビツール剤	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.1	抱水クロラール	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.3	臭化物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E854.2 E854.9	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E855	自律神経系および精神治療薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E856	その他の中枢神経系抑制薬および興奮薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E857	心臓血管薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E858	胃腸薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E859	その他および詳細不明の薬物および医薬品による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E860～E869)	その他の固体および液体物質による不慮の中毒	2	1	1	-	-	-	-	-	-	-	-
	男 M.	2	1	1	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E860	アルコールによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E861	清浄剤および研磨剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E862	消毒薬による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E863	塗料，ワニスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E864	石油製品およびその他の溶媒による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865	殺虫剤，肥料，またはその他の農業薬品による不慮の中毒	2	1	1	-	-	-	-	-	-	-	-
	男 M.	2	1	1	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865.a	農薬	2	1	1	-	-	-	-	-	-	-	-
	男 M.	2	1	1	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E865.b	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E866	重金属およびその煙霧による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E867	他に分類されない腐食剤および侵食剤による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E868	有毒食品および有毒植物による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E869	その他および詳細不明の固体および液体による不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E870～E877)	ガスおよび蒸気による不慮の中毒	7	1	-	-	4	-	-	1	-	1	-
	男 M.	6	-	-	-	4	-	-	1	-	1	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E870	配管式ガスによる不慮の中毒	1	-	-	-	-	-	-	1	-	-	-
	男 M.	1	-	-	-	-	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E871	ボンベ入り液化石油ガスによる不慮の中毒	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・従業中 65才～

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) ACCORDING TO THE PLACE OF OCCURRENCE, BY SEX AND AGE AND CAUSES (DETAILED LIST) OF THE ACCIDENT, —At work (secondary mention)—

years and over

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E872	その他のユーティリティガスによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E873	自動車排気ガスによる不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E874	家庭用燃料の不完全燃焼による一酸化炭素による不慮の中毒	1	1	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	－	－	－
E875	その他の一酸化炭素による不慮の中毒	1	－	－	－	1	－	－	－	－	－	－
	男 M.	1	－	－	－	1	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E876	その他のガスおよび蒸気による不慮の中毒	4	－	－	－	3	－	－	－	－	1	－
	男 M.	4	－	－	－	3	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E877	詳細不明のガスおよび蒸気による不慮の中毒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E880～E887)	不慮の墜落	175	27	8	－	70	1	8	14	－	47	－
	男 M.	158	25	7	－	69	－	6	12	－	39	－
	女 F.	17	2	1	－	1	1	2	2	－	8	－
E880	階段からの墜落または上での転倒	9	1	－	－	3	－	－	5	－	－	－
	男 M.	7	1	－	－	3	－	－	3	－	－	－
	女 F.	2	－	－	－	－	－	－	2	－	－	－
E881	はしごまたは足場からの墜落または上での転倒	26	6	－	－	19	－	－	－	－	1	－
	男 M.	26	6	－	－	19	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E882	建物またはその他の建造物からの墜落	35	9	－	－	21	1	－	2	－	2	－
	男 M.	34	9	－	－	21	－	－	2	－	2	－
	女 F.	1	－	－	－	－	1	－	－	－	－	－
E883	地表面の穴またはその他の開口部への墜落	5	－	1	－	2	－	－	－	－	2	－
	男 M.	3	－	－	－	2	－	－	－	－	1	－
	女 F.	2	－	1	－	－	－	－	－	－	1	－
E884	その他の墜落	80	8	5	－	17	－	5	5	－	40	－
	男 M.	73	7	5	－	17	－	5	5	－	34	－
	女 F.	7	1	－	－	－	－	－	－	－	6	－
E885	スリップ，つまづきによる同一面上での転倒	19	3	2	－	7	－	3	2	－	2	－
	男 M.	15	2	2	－	7	－	1	2	－	1	－
	女 F.	4	1	－	－	－	－	2	－	－	1	－
E886	他人によるまたは他人を伴う衝突，押し合いによる同一面上での転倒	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E887	その他および詳細不明の墜落	1	－	－	－	1	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	－	－	－	1	－	－	－	－	－	－
(E890～E899)	火災および火焔による不慮の事故	39	4	10	－	4	－	－	3	－	18	－
	男 M.	22	1	4	－	2	－	－	2	－	13	－
	女 F.	17	3	6	－	2	－	－	1	－	5	－
E890	住宅の火災による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E891	その他の建物または建造物の火災による不慮の事故	3	－	－	－	2	－	－	1	－	－	－
	男 M.	2	－	－	－	1	－	－	1	－	－	－
	女 F.	1	－	－	－	1	－	－	－	－	－	－
E892	建物または建造物の外における火災による不慮の事故	10	－	3	－	－	－	－	－	－	7	－
	男 M.	8	－	2	－	－	－	－	－	－	6	－
	女 F.	2	－	1	－	－	－	－	－	－	1	－
E893	着衣の引火による不慮の事故	23	4	7	－	－	－	－	－	2	－	10	－
	男 M.	10	1	2	－	－	－	－	－	1	－	6	－
	女 F.	13	3	5	－	－	－	－	－	1	－	4	－
E894	高可燃物の引火による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E895	住宅内で使用されている火による不慮の事故	1	－	－	－	1	－	－	－	－	－	－
	男 M.	1	－	－	－	1	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E896	その他の建物または建造物の内で使用されている火による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E897	建物または建造物の外で使用されている火による不慮の事故	2	－	－	－	1	－	－	－	－	－	1
	男 M.	1	－	－	－	－	－	－	－	－	－	1
	女 F.	1	－	－	－	1	－	－	－	－	－	－
E898	その他の明示された火または火焔による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E899	詳細不明の火による不慮の事故	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
(E900～E909)	自然および環境要因による不慮の事故	18	3	6	－	－	1	－	－	－	8	－
	男 M.	13	2	3	－	－	1	－	－	－	7	－
	女 F.	5	1	3	－	－	－	－	－	－	1	－
E900	過度の高温	2	－	2	－	－	－	－	－	－	－	－
	男 M.	1	－	1	－	－	－	－	－	－	－	－
	女 F.	1	－	1	－	－	－	－	－	－	－	－
E901	過度の低温	1	－	－	－	－	－	－	－	－	1	－
	男 M.	1	－	－	－	－	－	－	－	－	1	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E902	高圧および低圧	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E903	旅行および身体動揺による障害	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E904	飢餓，渇，不良環境曝露および放置	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E905	有毒動物および有毒昆虫の咬傷および刺傷	4	－	3	－	－	－	－	－	－	1	－
	男 M.	2	－	1	－	－	－	－	－	－	1	－
	女 F.	2	－	2	－	－	－	－	－	－	－	－
E906	その他の動物による不慮の事故	6	2	－	－	－	1	－	－	－	3	－
	男 M.	4	1	－	－	－	1	－	－	－	2	－
	女 F.	2	1	－	－	－	－	－	－	－	1	－
E907	雷撃	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
E908	天災	5	1	1	－	－	－	－	－	－	3	－
	男 M.	5	1	1	－	－	－	－	－	－	3	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－

第7表　交通事故以外の不慮の事故（E850－E929）死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別　—従業中（再掲）—

TABLE 7　NON-TRANSPORT ACCIDENTAL DEATHS (E850－E929) BY SEX AND AGE AND CAUSES (DETAILED LIST) ACCORDING TO THE PLACE OF OCCURRENCE OF THE ACCIDENT,　—At work (secondary mention)—

従業中 65才～
years and over

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E908.a	地震	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E908.b	暴風雨および洪水	5	1	1	-	-	-	-	-	-	3	-
	男 M.	5	1	1	-	-	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E908.c	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E909	その他の自然および環境要因による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
(E910～E929)	その他の不慮の事故	169	11	15	3	66	-	3	2	2	67	-
	男 M.	143	9	10	3	63	-	2	2	1	53	-
	女 F.	26	2	5	-	3	-	1	-	1	14	-
E910	不慮の溺死および溺水	45	3	7	-	1	-	-	-	-	34	-
	男 M.	30	3	4	-	1	-	-	-	-	22	-
	女 F.	15	-	3	-	-	-	-	-	-	12	-
E910.0	レクリエーション中	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E910.9	その他および詳細不明	45	3	7	-	1	-	-	-	-	34	-
	男 M.	30	3	4	-	1	-	-	-	-	22	-
	女 F.	15	-	3	-	-	-	-	-	-	12	-
E911	食物の吸入はたは嚥下による閉塞および窒息	3	1	-	-	-	-	-	-	1	1	-
	男 M.	3	1	-	-	-	-	-	-	1	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E912	その他の物体の吸入または嚥下による閉塞および窒息	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E913	不慮の機械的窒息	8	3	1	-	1	-	-	-	-	3	-
	男 M.	8	3	1	-	1	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E913.0	寝台または揺籃	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E913.9	その他および詳細不明	8	3	1	-	1	-	-	-	-	3	-
	男 M.	8	3	1	-	1	-	-	-	-	3	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E914	眼および附属器への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E915	その他の孔口への不慮の異物侵入	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E916	落下物による不慮の打撲	52	3	2	3	28	-	1	1	-	14	-
	男 M.	51	2	2	3	28	-	1	1	-	14	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E917	物体との衝突または物体による不慮の打撲	22	-	1	-	12	-	2	1	-	6	-
	男 M.	20	-	-	-	12	-	1	1	-	6	-
	女 F.	2	-	1	-	-	-	1	-	-	-	-
E918	物体間または物体内にはさまった，ひっかかった不慮の事故	16	-	1	-	11	-	-	-	-	4	-
	男 M.	14	-	1	-	9	-	-	-	-	4	-
	女 F.	2	-	-	-	2	-	-	-	-	-	-
E919	過労および激動	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E920	刃器および刺器による不慮の事故	1	-	-	-	-	-	-	-	-	1	-
	男 M.	1	-	-	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E921	高圧機関の爆発による不慮の事故	1	-	-	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-
E922	銃器による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.0	不慮の自傷	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E922.9	その他および詳細不明	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923	爆発物による不慮の事故	2	-	-	-	2	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E923.0	花火	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.1	爆破物	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.2	爆発性ガス	2	-	-	-	2	-	-	-	-	-	-
	男 M.	1	-	-	-	1	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-
E923.8	その他	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E923.9	詳細不明	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E924	高熱物体，腐食性液体および蒸気による不慮の事故	7	1	-	-	5	-	-	-	-	1	-
	男 M.	6	-	-	-	5	-	-	-	-	1	-
	女 F.	1	1	-	-	-	-	-	-	-	-	-
E925	電気による不慮の事故	1	-	1	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	1	-	-	-	-	-	-	-	-
E926	放射線による不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E927	車による事故，他に分類されないもの	3	-	1	-	2	-	-	-	-	-	-
	男 M.	3	-	1	-	2	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-
E928	機械による事故，他に分類されないもの	8	-	1	-	4	-	-	-	-	3	-
	男 M.	6	-	1	-	4	-	-	-	-	1	-
	女 F.	2	-	-	-	-	-	-	-	-	2	-
E929	その他および詳細不明の不慮の事故	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-

第8表　外因による死亡者数，性・年齢(特定階級)・外因・傷害の性質・死因(B分類)別　昭和47年

総　数
Total

TABLE 8　DEATHS FROM EXTERNAL CAUSES BY SEX AND AGE CROSS-CLASSIFIED BY E AND N CLASSIFICATION　1972

0　才　year

国際50項目分類番号（B表） International B list number	死　因・性 Cause of death and sex	"N"不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭蓋内および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭蓋内損傷（頭蓋骨折を伴うものを除く）	BN47.d 胸，腹および骨盤の内部損傷	BN48 熱傷	BN49 化学物質の有害作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力の二重分類（外因） 男 M.	1 246	153	74	1	72	6	73	39	981	4	117	572	288
	女 F.	708	97	45	1	48	3	37	21	553	2	65	326	160
		538	56	29	-	24	3	36	18	428	2	52	246	128
BE47	自動車事故 男 M.	71	66	46	-	18	2	-	-	5	-	1	1	3
	女 F.	38	38	27	-	9	2	-	-	-	-	-	-	-
		33	28	19	-	9	-	-	-	5	-	1	1	3
BE48	その他の不慮の事故 男 M.	1 018	68	18	1	46	3	67	21	862	-	81	502	279
	女 F.	592	49	13	1	34	1	36	9	498	-	49	291	158
		426	19	5	-	12	2	31	12	364	-	32	211	121
BE48.a	自動車以外の交通事故 男 M.	2	1	-	-	1	-	-	1	-	-	-	-	-
	女 F.	2	1	-	-	1	-	-	1	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-
BE48.b	不慮の墜落 男 M.	58	51	12	1	38	-	-	-	7	-	-	3	4
	女 F.	45	40	10	1	29	-	-	-	5	-	-	2	3
		13	11	2	-	9	-	-	-	2	-	-	1	1
BE48.c	火災および火焔による不慮の事故 男 M.	41	-	-	-	-	-	35	6	-	-	-	-	-
	女 F.	20	-	-	-	-	-	16	4	-	-	-	-	-
		21	-	-	-	-	-	19	2	-	-	-	-	-
BE48.d	天災 男 M.	4	1	-	-	-	1	-	-	3	-	1	1	1
	女 F.	2	-	-	-	-	-	-	-	2	-	1	-	1
		2	1	-	-	-	1	-	-	1	-	-	1	-
BE48.e	不慮の溺死 男 M.	78	-	-	-	-	-	-	-	78	-	78	-	-
	女 F.	47	-	-	-	-	-	-	-	47	-	47	-	-
		31	-	-	-	-	-	-	-	31	-	31	-	-
BE48.f	工業性の不慮の事故 男 M.	43	9	3	-	5	1	32	-	2	-	-	-	2
	女 F.	27	6	2	-	3	1	20	-	1	-	-	-	1
		16	3	1	-	2	-	12	-	1	-	-	-	1
BE48.g	その他 男 M.	792	6	3	-	2	1	-	14	772	-	2	498	272
	女 F.	449	2	1	-	1	-	-	4	443	-	1	289	153
		343	4	2	-	1	1	-	10	329	-	1	209	119
BE49	自殺 男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-
BE50	その他の外因 男 M.	157	19	10	-	8	1	6	18	114	4	35	69	6
	女 F.	78	10	5	-	5	-	1	12	55	2	16	35	2
		79	9	5	-	3	1	5	6	59	2	19	34	4
BE50.a	他殺 男 M.	121	15	8	-	6	1	2	15	89	4	30	50	5
	女 F.	56	7	4	-	3	-	-	10	39	2	13	22	2
		65	8	4	-	3	1	2	5	50	2	17	28	3
BE50.b	不慮か故意か決定されない傷害 男 M.	36	4	2	-	2	-	4	3	25	-	5	19	1
	女 F.	22	3	1	-	2	-	1	2	16	-	3	13	-
		14	1	1	-	-	-	3	1	9	-	2	6	1
BE50.c	法的介入および戦争行為 男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-

国際50項目分類番号（B表） International B list number	死　因・性 Cause of death and sex	"N"不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭蓋内および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭蓋内損傷（頭蓋骨折を伴うものを除く）	BN47.d 胸，腹および骨盤の内部損傷	BN48 熱傷	BN49 化学物質の有害作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力の二重分類（外因） 男 M.	63 111	30 828	13 565	3 929	8 325	5 009	2 406	5 835	24 042	1 391	8 334	10 747	3 570
	女 F.	43 604	23 390	10 685	2 466	6 179	4 060	1 434	3 086	15 694	959	5 453	6 601	2 681
		19 507	7 438	2 880	1 463	2 146	949	972	2 749	8 348	432	2 881	4 146	889
BE47	自動車事故 男 M.	20 494	19 338	8 949	1 919	5 646	2 824	94	1	1 061	156	280	39	586
	女 F.	15 709	14 797	7 013	1 363	4 151	2 270	84	1	827	112	231	33	451
		4 785	4 541	1 936	556	1 495	554	10	-	234	44	49	6	135
BE48	その他の不慮の事故 男 M.	21 937	8 974	3 489	1 831	2 246	1 408	1 954	1 484	9 525	280	5 525	1 154	2 566
	女 F.	15 980	6 856	2 912	991	1 731	1 222	1 149	893	7 082	215	4 186	749	1 932
		5 957	2 118	577	840	515	186	805	591	2 443	65	1 339	405	634
BE48.a	自動車以外の交通事故 男 M.	2 481	1 496	960	98	290	148	16	54	915	120	671	18	106
	女 F.	2 019	1 136	706	81	224	125	15	38	830	88	632	16	94
		462	360	254	17	66	23	1	16	85	32	39	2	12
BE48.b	不慮の墜落 男 M.	4 810	4 423	1 497	1 208	1 432	286	-	-	387	25	4	21	337
	女 F.	3 414	3 149	1 316	505	1 083	245	-	-	265	17	3	15	230
		1 396	1 274	181	703	349	41	-	-	122	8	1	6	107
BE48.c	火災および火焔による不慮の事故 男 M.	1 731	20	9	5	2	4	1 416	291	4	1	-	3	-
	女 F.	984	5	4	-	-	1	812	165	2	-	-	2	-
		747	15	5	5	2	3	604	126	2	1	-	1	-
BE48.d	天災 男 M.	444	140	42	20	13	65	8	-	296	2	79	192	23
	女 F.	206	53	12	5	8	28	5	-	148	-	30	107	11
		238	87	30	15	5	37	3	-	148	2	49	85	12
BE48.e	不慮の溺死 男 M.	4 776	2	-	-	-	2	-	-	4 774	-	4 759	3	12
	女 F.	3 523	1	-	-	-	1	-	-	3 522	-	3 511	3	8
		1 253	1	-	-	-	1	-	-	1 252	-	1 248	-	4
BE48.f	工業性の不慮の事故 男 M.	3 498	2 369	912	340	278	839	502	37	590	116	8	81	385
	女 F.	3 013	2 120	813	303	238	766	312	37	544	98	8	67	371
		485	249	99	37	40	73	190	-	46	18	-	14	14
BE48.g	その他 男 M.	4 197	524	69	160	231	64	12	1 102	2 559	16	4	836	1 703
	女 F.	2 821	392	61	97	178	56	5	653	1 771	12	2	539	1 218
		1 376	132	8	63	53	8	7	449	788	4	2	297	485
BE49	自殺 男 M.	18 015	1 632	887	146	212	387	292	4 069	12 022	729	1 830	9 198	265
	女 F.	10 231	1 078	584	84	135	275	167	2 050	6 936	473	583	5 684	196
		7 784	554	303	62	77	112	125	2 019	5 086	256	1 247	3 514	69
BE50	その他の外因 男 M.	2 665	884	240	33	221	390	66	281	1 434	226	699	356	153
	女 F.	1 684	659	176	28	162	293	34	142	849	159	453	135	102
		981	225	64	5	59	97	32	139	585	67	246	221	51
BE50.a	他殺 男 M.	1 372	591	112	5	119	355	20	118	643	191	100	302	50
	女 F.	791	418	74	3	79	262	8	55	310	133	51	99	27
		581	173	38	2	40	93	12	63	333	58	49	203	23
BE50.b	不慮か故意か決定されない傷害 男 M.	1 268	284	128	21	101	34	46	163	775	32	597	54	92
	女 F.	870	232	102	18	82	30	26	87	525	23	400	36	66
		398	52	26	3	19	4	20	76	250	9	197	18	26
BE50.c	法的介入および戦争行為 男 M.	25	9	-	7	1	1	-	-	16	3	2	-	11
	女 F.	23	9	-	7	1	1	-	-	14	3	2	-	9
		2	-	-	-	-	-	-	-	2	-	-	-	2

第8表　外因による死亡者数，性・年齢(特定階級)・外因・傷害の性質・死因(B分類)別　昭和47年

TABLE 8　DEATHS FROM EXTERNAL CAUSES BY SEX AND AGE CROSS-CLASSIFIED BY E AND N CLASSIFICATION　1972

1～4才　years

国際50項目分類番号(B表) International B list number	死因・性 Cause of death and sex	"N"不慮の事故，中毒および暴力の二重分類の分類番号(傷害の性質)	BN47 骨折，頭蓋内および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭蓋内損傷(頭蓋骨折を伴うものを除く)	BN47.d 胸，腹および骨盤内臓の損傷	BN48 熱傷	BN49 化学物質の有害作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力…の二重分類（外因） 男 M.	3 526	1 458	797	59	457	145	269	101	1 698	31	1 395	153	119
	女 F.	2 207	929	498	39	307	85	150	52	1 076	16	909	78	73
		1 319	529	299	20	150	60	119	49	622	15	486	75	46
BE47	自動車事故…… 男 M.	1 102	1 056	556	52	341	107	2	-	44	11	10	-	23
	女 F.	694	668	337	35	230	66	2	-	24	5	5	-	14
		408	388	219	17	111	41	-	-	20	6	5	-	9
BE48	その他の不慮の事故…… 男 M.	2 203	355	221	7	98	29	259	57	1 532	11	1 321	107	93
	女 F.	1 395	236	150	4	67	15	144	32	983	6	863	56	58
		808	119	71	3	31	14	115	25	549	5	458	51	35
BE48.a	自動車以外の交通事故…… 男 M.	166	150	124	4	18	4	-	1	15	4	10	-	1
	女 F.	108	99	82	4	11	2	-	-	9	3	5	-	1
		58	51	42	-	7	2	-	1	6	1	5	-	-
BE48.b	不慮の墜落…… 男 M.	149	138	66	1	66	5	-	-	11	-	1	3	7
	女 F.	105	97	46	-	47	4	-	-	8	-	1	2	5
		44	41	20	1	19	1	-	-	3	-	-	1	2
BE48.c	火災および火焔による不慮の事故… 男 M.	110	-	-	-	-	-	90	20	-	-	-	-	-
	女 F.	58	-	-	-	-	-	46	12	-	-	-	-	-
		52	-	-	-	-	-	44	8	-	-	-	-	-
BE48.d	天災…… 男 M.	27	10	3	1	-	6	-	-	17	-	6	10	1
	女 F.	6	1	-	-	-	1	-	-	5	-	2	3	-
		21	9	3	1	-	5	-	-	12	-	4	7	1
BE48.e	不慮の溺死…… 男 M.	1 305	-	-	-	-	-	-	-	1 305	-	1 304	1	-
	女 F.	856	-	-	-	-	-	-	-	856	-	855	1	-
		449	-	-	-	-	-	-	-	449	-	449	-	-
BE48.f	工業性の不慮の事故…… 男 M.	229	49	28	1	6	14	169	-	11	5	-	4	2
	女 F.	138	34	22	-	4	8	98	-	6	2	-	2	2
		91	15	6	1	2	6	71	-	5	3	-	2	-
BE48.g	その他…… 男 M.	217	8	-	-	8	-	-	36	173	2	-	89	82
	女 F.	124	5	-	-	5	-	-	20	99	1	-	48	50
		93	3	-	-	3	-	-	16	74	1	-	41	32
BE49	自殺…… 男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-
BE50	その他の外因…… 男 M.	221	47	20	-	18	9	8	44	122	9	64	46	3
	女 F.	118	25	11	-	10	4	4	20	69	5	41	22	1
		103	22	9	-	8	5	4	24	53	4	23	24	2
BE50.a	他殺…… 男 M.	186	39	16	-	14	9	6	44	97	9	44	42	2
	女 F.	95	22	10	-	8	4	2	20	51	5	26	19	1
		91	17	6	-	6	5	4	24	46	4	18	23	1
BE50.b	不慮か故意か決定されない傷害… 男 M.	35	8	4	-	4	-	2	-	25	-	20	4	1
	女 F.	23	3	1	-	2	-	2	-	18	-	15	3	-
		12	5	3	-	2	-	-	-	7	-	5	1	1
BE50.c	法的介入および戦争行為…… 男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-

5～14才　years

国際50項目分類番号(B表) International B list number	死因・性 Cause of death and sex	"N"不慮の事故，中毒および暴力の二重分類の分類番号(傷害の性質)	BN47 骨折，頭蓋内および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭蓋内損傷(頭蓋骨折を伴うものを除く)	BN47.d 胸，腹および骨盤内臓の損傷	BN48 熱傷	BN49 化学物質の有害作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力…の二重分類（外因） 男 M.	2 744	1 389	711	92	392	194	132	131	1 092	37	822	168	65
	女 F.	1 945	947	500	65	252	130	75	70	853	26	664	117	46
		799	442	211	27	140	64	57	61	239	11	158	51	19
BE47	自動車事故…… 男 M.	1 087	1 048	511	80	313	144	1	-	38	6	6	2	24
	女 F.	714	693	346	56	196	95	1	-	20	3	-	2	15
		373	355	165	24	117	49	-	-	18	3	6	-	9
BE48	その他の不慮の事故…… 男 M.	1 407	316	190	11	73	42	120	64	907	16	790	64	37
	女 F.	1 092	239	146	9	52	32	69	41	743	14	652	49	28
		315	77	44	2	21	10	51	23	164	2	138	15	9
BE48.a	自動車以外の交通事故…… 男 M.	191	143	109	3	23	8	-	-	48	10	37	-	1
	女 F.	153	110	83	3	17	7	-	-	43	10	32	-	1
		38	33	26	-	6	1	-	-	5	-	5	-	-
BE48.b	不慮の墜落…… 男 M.	82	79	41	4	25	9	-	-	3	-	-	1	2
	女 F.	65	62	36	3	17	6	-	-	3	-	-	1	2
		17	17	5	1	8	3	-	-	-	-	-	-	-
BE48.c	火災および火焔による不慮の事故… 男 M.	91	-	-	-	-	-	76	15	-	-	-	-	-
	女 F.	49	-	-	-	-	-	40	9	-	-	-	-	-
		42	-	-	-	-	-	36	6	-	-	-	-	-
BE48.d	天災…… 男 M.	36	12	3	2	2	5	2	-	22	-	5	17	-
	女 F.	17	5	1	1	1	2	1	-	11	-	2	9	-
		19	7	2	1	1	3	1	-	11	-	3	8	-
BE48.e	不慮の溺死…… 男 M.	749	-	-	-	-	-	-	-	749	-	748	-	1
	女 F.	619	-	-	-	-	-	-	-	619	-	618	-	1
		130	-	-	-	-	-	-	-	130	-	130	-	-
BE48.f	工業性の不慮の事故…… 男 M.	126	67	36	2	11	18	41	1	17	5	-	6	6
	女 F.	94	51	25	2	9	15	27	1	15	4	-	5	6
		32	16	11	-	2	3	14	-	2	1	-	1	-
BE48.g	その他…… 男 M.	132	15	1	-	12	2	1	48	68	1	-	40	27
	女 F.	95	11	1	-	8	2	1	31	52	-	-	34	18
		37	4	-	-	4	-	-	17	16	1	-	6	9
BE49	自殺…… 男 M.	86	7	4	-	2	1	1	10	68	2	3	63	-
	女 F.	65	6	4	-	2	-	-	5	54	1	2	51	-
		21	1	-	-	-	1	1	5	14	1	1	12	-
BE50	その他の外因…… 男 M.	164	18	6	1	4	7	10	57	79	13	23	39	4
	女 F.	74	9	4	-	2	3	5	24	36	8	10	15	3
		90	9	2	1	2	4	5	33	43	5	13	24	1
BE50.a	他殺…… 男 M.	141	15	5	1	2	7	9	51	66	13	13	37	3
	女 F.	60	7	3	-	1	3	5	21	27	8	4	13	2
		81	8	2	1	1	4	4	30	39	5	9	24	1
BE50.b	不慮か故意か決定されない傷害… 男 M.	23	3	1	-	2	-	1	6	13	-	10	2	1
	女 F.	14	2	1	-	1	-	-	3	9	-	6	2	1
		9	1	-	-	1	-	1	3	4	-	4	-	-
BE50.c	法的介入および戦争行為…… 男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-

第8表　外因による死亡者数，性・年齢(特定階級)・外因・傷害の性質・死因(B分類)別　昭和47年

TABLE 8　DEATHS FROM EXTERNAL CAUSES BY SEX AND AGE CROSS-CLASSIFIED BY E AND N CLASSIFICATION　1972

15～44才 years

国際50項目分類番号(B表) International B list number	死因・性 Cause of death and sex	"N"不慮の事故，中毒および暴力の二重分類(傷害の性質)	BN47 骨折，頭蓋内および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭蓋内損傷(頭蓋骨折を伴うものを除く)	BN47.d 胸，腹および骨盤の内部損傷	BN48 熱傷	BN49 化学物質の有害作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力の二重分類(外因) 男 M.	26 732	13 705	6 430	1 345	3 075	2 855	677	3 633	8 717	829	2 862	3 743	1 283
	女 F.	20 701	11 757	5 536	1 145	2 598	2 478	454	1 911	6 579	597	2 211	2 661	1 110
		6 031	1 948	894	200	477	377	223	1 722	2 138	232	651	1 082	173
BE47	自動車事故 男 M.	9 436	8 801	4 219	852	2 156	1 574	76	1	558	72	186	24	276
	女 F.	8 148	7 608	3 679	724	1 822	1 383	66	1	473	56	155	19	243
		1 288	1 193	540	128	334	191	10	-	85	16	31	5	33
BE48	その他の不慮の事故 男 M.	7 183	3 319	1 506	383	682	748	380	712	2 772	131	1 668	241	732
	女 F.	6 252	3 029	1 377	347	615	690	262	461	2 500	109	1 539	194	658
		931	290	129	36	67	58	118	251	272	22	129	47	74
BE48.a	自動車以外の交通事故 男 M.	996	468	282	36	82	68	13	30	485	53	386	5	41
	女 F.	881	398	238	33	64	63	12	24	447	41	368	4	34
		115	70	44	3	18	5	1	6	38	12	18	1	7
BE48.b	不慮の墜落 男 M.	1 369	1 283	628	126	397	132	-	-	86	11	1	5	69
	女 F.	1 278	1 200	591	117	370	122	-	-	78	9	1	5	63
		91	83	37	9	27	10	-	-	8	2	-	-	6
BE48.c	火災および火焔による不慮の事故 男 M.	388	17	8	4	2	3	243	125	3	1	-	2	-
	女 F.	225	3	3	-	-	-	158	63	1	-	-	1	-
		163	14	5	4	2	3	85	62	2	1	-	1	-
BE48.d	天災 男 M.	145	35	9	4	7	15	3	-	107	-	20	74	13
	女 F.	86	16	5	1	4	6	3	-	67	-	9	50	8
		59	19	4	3	3	9	-	-	40	-	11	24	5
BE48.e	不慮の溺死 男 M.	1 256	-	-	-	-	-	-	-	1 256	-	1 252	1	3
	女 F.	1 156	-	-	-	-	-	-	-	1 156	-	1 153	1	2
		100	-	-	-	-	-	-	-	100	-	99	-	1
BE48.f	工業性の不慮の事故 男 M.	1 912	1 363	546	187	132	498	116	22	411	60	7	50	294
	女 F.	1 774	1 274	508	173	124	469	86	22	392	53	7	43	289
		138	89	38	14	8	29	30	-	19	7	-	7	5
BE48.g	その他 男 M.	1 117	153	33	26	62	32	5	535	424	6	2	104	312
	女 F.	852	138	32	23	53	30	3	352	359	6	1	90	262
		265	15	1	3	9	2	2	183	65	-	1	14	50
BE49	自殺 男 M.	8 823	1 066	589	89	136	252	198	2 802	4 757	481	723	3 354	199
	女 F.	5 411	715	392	55	83	185	115	1 389	3 192	321	300	2 416	155
		3 412	351	197	34	53	67	83	1 413	1 565	160	423	938	44
BE50	その他の外因 男 M.	1 290	519	116	21	101	281	23	118	630	145	285	124	76
	女 F.	890	405	88	19	78	220	11	60	414	111	217	32	54
		400	114	28	2	23	61	12	58	216	34	68	92	22
BE50.a	他殺 男 M.	662	375	53	4	52	266	2	7	278	128	10	112	28
	女 F.	429	283	37	3	38	205	1	3	142	96	6	24	16
		233	92	16	1	14	61	1	4	136	32	4	88	12
BE50.b	不慮か故意か決定されない傷害 男 M.	620	137	63	11	49	14	21	111	351	16	275	12	48
	女 F.	453	115	51	10	40	14	10	57	271	14	211	8	38
		167	22	12	1	9	-	11	54	80	2	64	4	10
BE50.c	法的介入および戦争行為 男 M.	8	7	-	6	-	1	-	-	1	1	-	-	-
	女 F.	8	7	-	6	-	1	-	-	1	1	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-

45～64才 years

国際50項目分類番号(B表) International B list number	死因・性 Cause of death and sex	"N"不慮の事故，中毒および暴力の二重分類(傷害の性質)	BN47 骨折，頭蓋内および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭蓋内損傷(頭蓋骨折を伴うものを除く)	BN47.d 胸，腹および骨盤の内部損傷	BN48 熱傷	BN49 化学物質の有害作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力の二重分類(外因) 男 M.	14 770	7 759	3 402	866	2 241	1 250	394	1 216	5 401	316	1 427	2 886	772
	女 F.	10 384	6 002	2 664	626	1 711	1 001	259	665	3 498	219	894	1 730	615
		4 386	1 757	738	240	530	249	135	551	1 943	97	533	1 156	157
BE47	自動車事故 男 M.	5 125	4 826	2 190	493	1 486	657	14	-	285	41	71	10	163
	女 F.	3 862	3 613	1 664	335	1 090	524	14	-	235	35	66	10	124
		1 263	1 213	526	158	396	133	-	-	50	6	5	-	39
BE48	その他の不慮の事故 男 M.	4 582	2 394	970	329	659	436	313	333	1 542	77	763	160	542
	女 F.	3 638	2 010	825	265	548	372	205	204	1 219	64	602	109	444
		944	384	145	64	111	64	108	129	323	13	161	51	98
BE48.a	自動車以外の交通事故 男 M.	656	373	210	20	94	49	3	19	261	27	185	10	39
	女 F.	558	300	163	18	78	41	3	12	243	22	176	10	35
		98	73	47	2	16	8	-	7	18	5	9	-	4
BE48.b	不慮の墜落 男 M.	1 181	1 087	462	143	397	85	-	-	94	6	1	3	84
	女 F.	1 008	930	416	108	334	72	-	-	78	5	1	2	70
		173	157	46	35	63	13	-	-	16	1	-	1	14
BE48.c	火災および火焔による不慮の事故 男 M.	292	3	1	1	-	1	239	50	-	-	-	-	-
	女 F.	192	2	1	-	-	1	161	29	-	-	-	-	-
		100	1	-	1	-	-	78	21	-	-	-	-	-
BE48.d	天災 男 M.	132	39	13	8	2	16	2	-	91	1	24	62	4
	女 F.	52	13	2	2	1	8	1	-	38	-	6	30	2
		80	26	11	6	1	8	1	-	53	1	18	32	2
BE48.e	不慮の溺死 男 M.	558	2	-	-	-	2	-	-	556	-	552	1	3
	女 F.	423	1	-	-	-	1	-	-	422	-	418	1	3
		135	1	-	-	-	1	-	-	134	-	134	-	-
BE48.f	工業性の不慮の事故 男 M.	950	743	266	123	91	263	68	14	125	40	1	16	68
	女 F.	809	643	227	105	78	233	40	14	112	34	1	12	65
		141	100	39	18	13	30	28	-	13	6	-	4	3
BE48.g	その他 男 M.	813	147	18	34	75	20	1	250	415	3	-	68	344
	女 F.	596	121	16	32	57	16	-	149	326	3	-	54	269
		217	26	2	2	18	4	1	101	89	-	-	14	75
BE49	自殺 男 M.	4 589	341	184	39	38	80	60	850	3 338	168	461	2 671	38
	女 F.	2 560	226	126	21	29	50	35	442	1 857	99	136	1 598	24
		2 029	115	58	18	9	30	25	408	1 481	69	325	1 073	14
BE50	その他の外因 男 M.	474	198	58	5	58	77	7	33	236	30	132	45	29
	女 F.	324	153	49	5	44	55	5	19	147	21	90	13	23
		150	45	9	-	14	22	2	14	89	9	42	32	6
BE50.a	他殺 男 M.	173	110	17	-	33	60	-	1	62	23	3	33	3
	女 F.	104	76	13	-	21	42	-	1	27	16	2	7	2
		69	34	4	-	12	18	-	-	35	7	1	26	1
BE50.b	不慮か故意か決定されない傷害 男 M.	289	86	41	4	24	17	7	32	164	7	127	12	18
	女 F.	208	75	36	4	22	13	5	18	110	5	86	6	13
		81	11	5	-	2	4	2	14	54	2	41	6	5
BE50.c	法的介入および戦争行為 男 M.	12	2	-	1	1	-	-	-	10	-	2	-	8
	女 F.	12	2	-	1	1	-	-	-	10	-	2	-	8
		-	-	-	-	-	-	-	-	-	-	-	-	-

第8表　外因による死亡者数，

性・年齢(特定階級)・外因・傷害の性質・死因(B分類)別

昭和47年

TABLE 8　DEATHS FROM EXTERNAL CAUSES BY SEX AND AGE CROSS-CLASSIFIED BY E AND N CLASSIFICATION

1972

65才～ years and over

不詳　age unknown

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	"N"不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭蓋内および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭蓋内損傷（頭蓋骨折を伴うものを除く）	BN47.d 胸，腹および盤腔部の内臓の損傷	BN48 熱傷	BN49 化学物質の有害作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力の二重分類（外因） 男 M.	13 861	6 298	2 116	1 563	2 070	549	854	699	6 010	166	1 651	3 172	1 021
	女 F.	7 481	3 601	1 412	587	1 247	355	454	356	3 070	91	675	1 643	661
		6 380	2 697	704	976	823	194	400	343	2 940	75	976	1 529	360
BE47	自動車事故 男 M.	3 655	3 523	1 420	441	1 326	336	1	-	131	26	6	2	97
	女 F.	2 237	2 161	953	212	799	197	1	-	75	13	5	2	55
		1 418	1 362	467	229	527	139	-	-	56	13	1	-	42
BE48	その他の不慮の事故 男 M.	5 519	2 508	576	1 100	682	150	815	297	1 899	45	896	80	878
	女 F.	2 987	1 280	393	365	410	112	433	146	1 128	22	475	50	581
		2 532	1 228	183	735	272	38	382	151	771	23	421	30	297
BE48.a	自動車以外の交通事故 男 M.	464	355	232	35	69	19	-	3	106	26	53	3	24
	女 F.	312	223	137	23	51	12	-	1	88	12	51	2	23
		152	132	95	12	18	7	-	2	18	14	2	1	1
BE48.b	不慮の墜落 男 M.	1 964	1 779	285	933	506	55	-	-	185	8	1	6	170
	女 F.	906	814	214	276	283	41	-	-	92	3	-	3	86
		1 058	965	71	657	223	14	-	-	93	5	1	3	84
BE48.c	火災および火焔による不慮の事故 男 M.	809	-	-	-	-	-	733	75	1	-	-	1	-
	女 F.	440	-	-	-	-	-	391	48	1	-	-	1	-
		369	-	-	-	-	-	342	27	-	-	-	-	-
BE48.d	天災 男 M.	100	43	14	5	2	22	1	-	56	1	23	28	4
	女 F.	43	18	4	1	2	11	-	-	25	-	10	15	-
		57	25	10	4	-	11	1	-	31	1	13	13	4
BE48.e	不慮の溺死 男 M.	824	-	-	-	-	-	-	-	824	-	819	-	5
	女 F.	416	-	-	-	-	-	-	-	416	-	414	-	2
		408	-	-	-	-	-	-	-	408	-	405	-	3
BE48.f	工業性の不慮の事故 男 M.	236	137	32	27	33	45	76	-	23	6	-	5	12
	女 F.	169	111	28	23	20	40	41	-	17	5	-	5	7
		67	26	4	4	13	5	35	-	6	1	-	-	5
BE48.g	その他 男 M.	1 122	194	13	100	72	9	5	219	704	4	-	37	663
	女 F.	701	114	10	42	54	8	1	97	489	2	-	24	463
		421	80	3	58	18	1	4	122	215	2	-	13	200
BE49	自殺 男 M.	4 409	193	92	17	34	50	29	392	3 795	71	628	3 073	23
	女 F.	2 111	111	48	7	19	37	14	204	1 782	45	141	1 583	13
		2 298	82	44	10	15	13	15	188	2 013	26	487	1 490	10
BE50	その他の外因 男 M.	278	74	28	5	28	13	9	10	185	24	121	17	23
	女 F.	146	49	18	3	19	9	6	6	85	11	54	8	12
		132	25	10	2	9	4	3	4	100	13	67	9	11
BE50.a	他殺 男 M.	67	36	13	-	12	11	-	-	31	14	-	15	2
	女 F.	36	22	7	-	8	7	-	-	14	6	-	7	1
		31	14	6	-	4	4	-	-	17	8	-	8	1
BE50.b	不慮か故意か決定されない傷害 男 M.	206	38	15	5	16	2	9	10	149	8	121	2	18
	女 F.	107	27	11	3	11	2	6	6	68	3	54	1	10
		99	11	4	2	5	-	3	4	81	5	67	1	8
BE50.c	法的介入および戦争行為 男 M.	5	-	-	-	-	-	-	-	5	2	-	-	3
	女 F.	3	-	-	-	-	-	-	-	3	2	-	-	1
		2	-	-	-	-	-	-	-	2	-	-	-	2
BE48	その他の不慮の事故 男 M.	232	66	35	3	18	10	7	16	143	8	60	53	22
	女 F.	178	57	30	3	16	8	5	11	105	8	35	46	16
		54	9	5	-	2	2	2	5	38	-	25	7	6
BE47	自動車事故 男 M.	18	18	7	1	6	4	-	-	-	-	-	-	-
	女 F.	16	16	7	1	5	3	-	-	-	-	-	-	-
		2	2	-	-	1	1	-	-	-	-	-	-	-
BE48	その他の不慮の事故 男 M.	25	14	8	-	6	-	-	-	11	-	6	-	5
	女 F.	24	13	8	-	5	-	-	-	11	-	6	-	5
		1	1	-	-	1	-	-	-	-	-	-	-	-
BE48.a	自動車以外の交通事故 男 M.	6	6	3	-	3	-	-	-	-	-	-	-	-
	女 F.	5	5	3	-	2	-	-	-	-	-	-	-	-
		1	1	-	-	1	-	-	-	-	-	-	-	-
BE48.b	不慮の墜落 男 M.	7	6	3	-	3	-	-	-	1	-	-	-	1
	女 F.	7	6	3	-	3	-	-	-	1	-	-	-	1
		-	-	-	-	-	-	-	-	-	-	-	-	-
BE48.c	火災および火焔による不慮の事故 男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-
BE48.d	天災 男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-
BE48.e	不慮の溺死 男 M.	6	-	-	-	-	-	-	-	6	-	6	-	-
	女 F.	6	-	-	-	-	-	-	-	6	-	6	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-
BE48.f	工業性の不慮の事故 男 M.	2	1	1	-	-	-	-	-	1	-	-	-	1
	女 F.	2	1	1	-	-	-	-	-	1	-	-	-	1
		-	-	-	-	-	-	-	-	-	-	-	-	-
BE48.g	その他 男 M.	4	1	1	-	-	-	-	-	3	-	-	-	3
	女 F.	4	1	1	-	-	-	-	-	3	-	-	-	3
		-	-	-	-	-	-	-	-	-	-	-	-	-
BE49	自殺 男 M.	108	25	18	1	2	4	4	15	64	7	15	37	5
	女 F.	84	20	14	1	2	3	3	10	51	7	4	36	4
		24	5	4	-	-	1	1	5	13	-	11	1	1
BE50	その他の外因 男 M.	81	9	2	1	4	2	3	1	68	1	39	16	12
	女 F.	54	8	1	1	4	2	2	1	43	1	25	10	7
		27	1	1	-	-	-	1	-	25	-	14	6	5
BE50.a	他殺 男 M.	22	1	-	-	-	1	1	-	20	-	-	13	7
	女 F.	11	1	-	-	-	1	-	-	10	-	-	7	3
		11	-	-	-	-	-	1	-	10	-	-	6	4
BE50.b	不慮か故意か決定されない傷害 男 M.	59	8	2	1	4	1	2	1	48	1	39	3	5
	女 F.	43	7	1	1	4	1	2	1	33	1	25	3	4
		16	1	1	-	-	-	-	-	15	-	14	-	1
BE50.c	法的介入および戦争行為 男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-

死因
9表（3－1）

第9表　自動車事故死亡者数，

性・年齢（特定階級）・傷害発生地による都道府県・市部－郡部（七大都市再掲）別

総数
Total

TABLE 9 MOTOR VEHICLE ACCIDENTAL DEATHS (E810－E823),

BY SEX AND AGE;FOR URBAN AND RURAL IN EACH PREFECTURE **

昭和47年
1972

都道府県 Prefecture	総数 Total			0～4才 Years			5～14才			15～24才			25～44才			45～64才			65才～			不詳 Unknown		
	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female
全国	**20 494**	**15 709**	**4 785**	**1 173**	**732**	**441**	**1 087**	**714**	**373**	**4 268**	**3 781**	**487**	**5 168**	**4 367**	**801**	**5 125**	**3 862**	**1 263**	**3 655**	**2 237**	**1 418**	**18**	**16**	**2**
01 北海道	996	748	248	72	45	27	62	35	27	200	159	41	261	223	38	247	195	52	154	91	63	－	－	－
02 青森	338	256	82	32	18	14	23	16	7	80	75	5	66	52	14	83	65	18	54	30	24	－	－	－
03 岩手	257	191	66	18	10	8	23	10	13	55	50	5	72	63	9	49	34	15	40	24	16	－	－	－
04 宮城	383	311	72	24	17	7	18	13	5	75	68	7	120	106	14	100	82	18	46	25	21	－	－	－
05 秋田	209	160	49	14	7	7	9	6	3	37	33	4	37	32	5	68	58	10	44	24	20	－	－	－
06 山形	255	182	73	14	9	5	13	8	5	45	37	8	62	53	9	63	39	24	58	36	22	－	－	－
07 福島	473	376	97	30	16	14	29	17	12	118	110	8	108	94	14	109	87	22	79	52	27	－	－	－
08 茨城	764	632	132	36	20	16	48	36	12	186	166	20	199	181	18	200	167	33	95	62	33	－	－	－
09 栃木	549	430	119	23	15	8	26	17	9	130	115	15	155	127	28	134	100	34	81	56	25	－	－	－
10 群馬	464	351	113	30	15	15	26	15	11	90	82	8	89	70	19	133	104	29	96	65	31	－	－	－
11 埼玉	1 047	820	227	67	40	27	63	39	24	200	175	25	299	262	37	248	193	55	167	108	59	3	3	－
12 千葉	852	691	161	39	24	15	52	39	13	182	164	18	254	222	32	200	166	34	122	74	48	3	2	1
13 東京	774	606	168	65	44	21	54	42	12	165	151	14	191	163	28	166	124	42	133	82	51	－	－	－
14 神奈川	820	649	171	44	29	15	51	32	19	197	179	18	261	222	39	157	118	39	109	68	41	1	1	－
15 新潟	566	436	130	29	21	8	31	23	8	136	126	10	121	105	16	158	114	44	91	47	44	－	－	－
16 富山	254	189	65	22	17	5	13	9	4	35	27	8	54	46	8	74	53	21	56	37	19	－	－	－
17 石川	230	164	66	13	9	4	14	11	3	42	41	1	52	39	13	59	40	19	50	24	26	－	－	－
18 福井	173	120	53	12	5	7	14	7	7	37	33	4	28	23	5	32	25	7	50	27	23	－	－	－
19 山梨	233	188	45	11	9	2	10	9	1	60	56	4	55	48	7	59	42	17	38	24	14	－	－	－
20 長野	414	306	108	25	17	8	14	9	5	89	71	18	106	88	18	94	72	22	86	49	37	－	－	－
21 岐阜	373	268	105	29	15	14	18	12	6	70	50	20	80	68	12	102	71	31	74	52	22	－	－	－
22 静岡	779	592	187	50	31	19	46	27	19	175	158	17	197	167	30	178	130	48	131	77	54	2	2	－
23 愛知	814	624	190	56	41	15	45	31	14	161	141	20	185	160	25	213	156	57	153	94	59	1	1	－
24 三重	394	312	82	12	7	5	14	13	1	79	74	5	109	94	15	107	82	25	73	42	31	－	－	－
25 滋賀	292	217	75	13	5	8	14	7	7	58	52	6	83	66	17	72	54	18	52	33	19	－	－	－
26 京都	439	338	101	16	12	4	10	5	5	96	85	11	107	92	15	112	86	26	98	58	40	－	－	－
27 大阪	882	692	190	62	39	23	60	45	15	160	144	16	257	222	35	194	141	53	141	94	47	8	7	1
28 兵庫	954	720	234	63	42	21	47	33	14	181	159	22	227	188	39	238	182	56	198	116	82	－	－	－
29 奈良	163	133	30	9	7	2	7	6	1	40	38	2	49	42	7	30	23	7	28	17	11	－	－	－
30 和歌山	293	221	72	9	4	5	9	6	3	81	72	9	71	60	11	66	49	17	57	30	27	－	－	－
31 鳥取	150	112	38	4	2	2	6	4	2	28	25	3	35	24	11	41	34	7	36	23	13	－	－	－
32 島根	167	127	40	9	6	3	5	4	1	37	34	3	36	30	6	48	34	14	32	19	13	－	－	－
33 岡山	459	349	110	13	8	5	19	13	6	100	91	9	106	87	19	119	90	29	102	60	42	－	－	－
34 広島	581	449	132	25	14	11	18	15	3	128	111	17	143	124	19	149	110	39	118	75	43	－	－	－
35 山口	364	276	88	18	14	4	11	4	7	64	56	8	108	88	20	95	75	20	68	39	29	－	－	－
36 徳島	209	147	62	10	7	3	7	5	2	32	28	4	56	47	9	60	36	24	44	24	20	－	－	－
37 香川	235	163	72	10	6	4	8	2	6	46	41	5	57	43	14	56	35	21	58	36	22	－	－	－
38 愛媛	340	252	88	19	10	9	12	6	6	61	51	10	76	62	14	100	78	22	72	45	27	－	－	－
39 高知	225	177	48	5	3	2	7	3	4	56	51	5	51	41	10	68	54	14	38	25	13	－	－	－
40 福岡	797	608	189	31	19	12	38	28	10	157	139	18	195	160	35	227	164	63	149	98	51	－	－	－
41 佐賀	224	167	57	15	7	8	15	7	8	41	38	3	51	44	7	58	43	15	44	28	16	－	－	－
42 長崎	187	142	45	8	6	2	10	8	2	34	31	3	49	38	11	53	35	18	33	24	9	－	－	－
43 熊本	319	233	86	22	14	8	18	12	6	63	55	8	65	55	10	88	61	27	63	36	27	－	－	－
44 大分	281	207	74	17	10	7	22	16	6	53	45	8	83	67	16	71	52	19	35	17	18	－	－	－
45 宮崎	217	161	56	13	8	5	8	2	6	51	47	4	44	34	10	60	44	16	41	26	15	－	－	－
46 鹿児島	303	215	88	15	8	7	20	7	13	56	46	10	58	45	13	87	65	22	67	44	23	－	－	－
47 沖縄	2	1	1	－	－	－	－	－	－	1	1	－	－	－	－	－	－	－	1	－	1	－	－	－
七大都市（再掲） 7 largest cities (secondary mention)																								
50 東京都の区部	563	447	116	46	35	11	42	33	9	115	106	9	144	124	20	119	88	31	97	61	36	－	－	－
51 横浜	251	201	50	13	10	3	21	15	6	51	46	5	78	70	8	54	42	12	34	18	16	－	－	－
52 名古屋	217	169	48	12	10	2	13	10	3	42	39	3	47	40	7	59	43	16	43	26	17	1	1	－
53 京都	230	170	60	9	5	4	3	2	1	39	34	5	53	43	10	65	48	17	61	38	23	－	－	－
54 大阪	294	230	64	18	13	5	21	15	6	40	36	4	77	64	13	79	62	17	57	38	19	2	2	－
55 神戸	206	162	44	12	8	4	9	7	2	53	50	3	57	53	4	45	30	15	30	14	16	－	－	－
56 北九州	143	104	39	4	2	2	6	6	－	31	29	2	39	25	14	27	20	7	36	22	14	－	－	－

** Reported dy place of occurrence.

第9表　自動車事故死亡者数，

市　部
URBAN

TABLE 9 MOTOR VEHICLE ACCIDENTAL DEATHS (E810－E823),

性・年齢（特定階級）・傷害発生地による都道府県・市部－郡部（七大都市再掲）別

BY SEX AND AGE; FOR URBAN AND RURAL IN EACH PREFECTURE **

昭和47年
1972

都道府県 Prefecture	総数 Total			0～4才 Years			5～14才			15～24才			25～44才			45～64才			65才～			不詳 Unknown		
	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female
全国	**17 487**	**13 413**	**4 074**	**1 008**	**633**	**375**	**921**	**616**	**305**	**3 590**	**3 171**	**419**	**4 437**	**3 762**	**675**	**4 384**	**3 312**	**1 072**	**3 129**	**1 903**	**1 226**	**18**	**16**	**2**
01 北海道	883	662	221	62	38	24	50	30	20	172	133	39	238	205	33	222	175	47	139	81	58	－	－	－
02 青森	252	187	65	25	15	10	15	9	6	61	56	5	45	35	10	68	53	15	38	19	19	－	－	－
03 岩手	181	141	40	12	8	4	13	6	7	38	35	3	52	48	4	36	27	9	30	17	13	－	－	－
04 宮城	345	282	63	21	15	6	14	12	2	63	58	5	112	99	13	93	77	16	42	21	21	－	－	－
05 秋田	159	120	39	10	5	5	6	3	3	24	21	3	29	27	2	56	46	10	34	18	16	－	－	－
06 山形	214	157	57	10	6	4	10	6	4	34	31	3	57	48	9	56	36	20	47	30	17	－	－	－
07 福島	425	341	84	26	14	12	23	14	9	109	102	7	101	89	12	99	79	20	67	43	24	－	－	－
08 茨城	648	543	105	31	17	14	44	33	11	162	146	16	165	152	13	167	143	24	79	52	27	－	－	－
09 栃木	409	324	85	21	13	8	17	12	5	92	83	9	115	93	22	105	81	24	59	42	17	－	－	－
10 群馬	394	294	100	26	14	12	22	13	9	76	69	7	76	59	17	114	88	26	80	51	29	－	－	－
11 埼玉	899	701	198	56	34	22	56	33	23	163	140	23	265	236	29	215	165	30	141	90	51	3	3	－
12 千葉	747	605	142	34	22	12	45	35	10	156	140	16	233	202	31	173	141	32	103	63	40	3	2	1
13 東京	750	588	162	65	44	21	53	41	12	159	146	13	183	155	28	160	120	40	130	82	48	－	－	－
14 神奈川	758	600	158	43	29	14	50	32	18	180	162	18	235	201	34	147	112	35	102	63	39	1	1	－
15 新潟	480	368	112	22	16	6	27	20	7	115	106	9	104	90	14	134	97	37	78	39	39	－	－	－
16 富山	189	138	51	16	12	4	8	4	4	27	21	6	40	36	4	53	35	18	45	30	15	－	－	－
17 石川	180	128	52	10	7	3	11	9	2	33	33	－	39	29	10	47	31	16	40	19	21	－	－	－
18 福井	140	96	44	10	4	6	12	6	6	32	28	4	24	21	3	21	17	4	41	20	21	－	－	－
19 山梨	157	122	35	9	7	2	7	7	－	37	34	3	39	32	7	36	25	11	29	17	12	－	－	－
20 長野	346	258	88	19	12	7	11	8	3	78	62	16	86	70	16	81	63	18	71	43	28	－	－	－
21 岐阜	320	233	87	27	14	13	18	12	6	58	43	15	67	57	10	87	62	25	63	45	18	－	－	－
22 静岡	684	523	161	46	27	19	42	24	18	147	134	13	175	149	26	159	117	42	113	70	43	2	2	－
23 愛知	774	597	177	53	39	14	41	28	13	153	134	19	176	153	23	203	151	52	147	91	56	1	1	－
24 三重	343	271	72	11	7	4	11	10	1	70	65	5	99	85	14	89	67	22	63	37	26	－	－	－
25 滋賀	201	153	48	9	4	5	8	5	3	40	35	5	53	42	11	55	43	12	36	24	12	－	－	－
26 京都	388	293	95	15	11	4	9	5	4	80	70	10	85	71	14	107	83	24	92	53	39	－	－	－
27 大阪	846	663	183	57	34	23	58	43	15	155	140	15	251	217	34	186	134	52	131	88	43	8	7	1
28 兵庫	913	688	225	61	41	20	46	33	13	167	148	19	222	183	39	228	174	54	189	109	80	－	－	－
29 奈良	133	109	24	8	6	2	5	5	－	35	33	2	39	33	6	24	19	5	22	13	9	－	－	－
30 和歌山	204	154	50	5	2	3	4	3	1	65	57	8	47	40	7	38	28	10	45	24	21	－	－	－
31 鳥取	78	56	22	2	－	2	3	3	－	10	8	2	23	16	7	19	17	2	21	12	9	－	－	－
32 島根	137	101	36	8	5	3	5	4	1	29	26	3	29	24	5	37	24	13	29	18	11	－	－	－
33 岡山	412	312	100	11	7	4	18	12	6	87	78	9	96	79	17	107	81	26	93	55	38	－	－	－
34 広島	454	348	106	23	13	10	14	11	3	93	81	12	114	98	16	114	85	29	96	60	36	－	－	－
35 山口	333	252	80	18	14	4	8	4	4	61	53	8	95	78	17	88	68	20	63	36	27	－	－	－
36 徳島	171	122	49	8	7	1	7	5	2	26	22	4	45	38	7	51	31	20	34	19	15	－	－	－
37 香川	172	119	53	8	6	2	6	2	4	35	30	5	39	27	12	43	27	16	41	27	14	－	－	－
38 愛媛	273	202	71	14	6	8	11	6	5	49	40	9	56	47	9	85	67	18	58	36	22	－	－	－
39 高知	166	133	33	4	3	1	5	2	3	50	45	5	27	23	4	50	40	10	30	20	10	－	－	－
40 福岡	707	536	171	26	15	11	35	27	8	135	120	15	177	144	33	198	143	55	136	87	49	－	－	－
41 佐賀	160	118	42	9	6	3	10	4	6	28	26	2	39	35	4	42	30	12	32	17	15	－	－	－
42 長崎	124	94	30	5	4	1	3	3	－	24	21	3	30	23	7	36	25	11	26	18	8	－	－	－
43 熊本	261	190	71	14	9	5	15	10	5	51	43	8	57	47	10	70	51	19	54	30	24	－	－	－
44 大分	237	175	62	14	8	6	22	16	6	44	37	7	68	56	12	62	45	17	27	13	14	－	－	－
45 宮崎	179	132	47	10	5	5	6	2	4	42	40	2	37	28	9	51	36	15	33	21	12	－	－	－
46 鹿児島	261	183	78	14	8	6	17	4	13	45	36	9	53	42	11	72	53	19	60	40	20	－	－	－
47 沖縄	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
七大都市（再掲） 7 largest cities (secondary mention)																								
50 東京都の区部	563	447	116	46	35	11	42	33	9	115	106	9	144	124	20	119	88	31	97	61	36	－	－	－
51 横浜	251	201	50	13	10	3	21	15	6	51	46	5	78	70	8	54	42	12	34	18	16	－	－	－
52 名古屋	217	169	48	12	10	2	13	10	3	42	39	3	47	40	7	59	43	16	43	26	17	1	1	－
53 京都	230	170	60	9	5	4	3	2	1	39	34	5	53	43	10	65	48	17	61	38	23	－	－	－
54 大阪	294	230	64	18	13	5	21	15	6	40	36	4	77	64	13	79	62	17	57	38	19	2	2	－
55 神戸	206	162	44	12	8	4	9	7	2	53	50	3	57	53	4	45	30	15	30	14	16	－	－	－
56 北九州	143	104	39	4	2	2	6	6	－	31	29	2	39	25	14	27	20	7	36	22	14	－	－	－

**Repored dy place of occurrence.

第9表　自動車事故死亡者数，

性・年齢（特定階級）・傷害発生地による都道府県・市部－郡部（七大都市再掲）別

昭和47年
1972

郡　部
RURAL

TABLE 9 MOTOR VEHICLE ACCIDENTAL DEATHS (E810－E823),

BY SEX AND AGE; FOR URBAN AND RURAL IN EACH PREFECTURE **

都道府県 Prefecture	総数 Total			0～4才 Years			5～14才			15～24才			25～44才			45～64才			65才～			不詳 Unknown		
	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female
全国	**3 007**	**2 296**	**711**	**165**	**99**	**66**	**166**	**98**	**68**	**678**	**610**	**68**	**731**	**605**	**126**	**741**	**550**	**191**	**526**	**334**	**192**	－	－	－
01 北海道	113	86	27	10	7	3	12	5	7	28	26	2	23	18	5	25	20	5	15	10	5	－	－	－
02 青森	86	69	17	7	3	4	8	7	1	19	19	－	21	17	4	15	12	3	16	11	5	－	－	－
03 岩手	76	50	26	6	2	4	10	4	6	17	15	2	20	15	5	13	7	6	10	7	3	－	－	－
04 宮城	38	29	9	3	2	1	4	1	3	12	10	2	8	7	1	7	5	2	4	4	－	－	－	－
05 秋田	50	40	10	4	2	2	3	3	－	13	12	1	8	5	3	12	12	－	10	6	4	－	－	－
06 山形	41	25	16	4	3	1	3	2	1	11	6	5	5	5	－	7	3	4	11	6	5	－	－	－
07 福島	48	35	13	4	2	2	6	3	3	9	8	1	7	5	2	10	8	2	12	9	3	－	－	－
08 茨城	116	89	27	5	3	2	4	3	1	24	20	4	34	29	5	33	24	9	16	10	6	－	－	－
09 栃木	140	106	34	2	2	－	9	5	4	38	32	6	40	34	6	29	19	10	22	14	8	－	－	－
10 群馬	70	57	13	4	1	3	4	2	2	14	13	1	13	11	2	19	16	3	16	14	2	－	－	－
11 埼玉	148	119	29	11	6	5	7	6	1	37	35	2	34	26	8	33	28	5	26	18	8	－	－	－
12 千葉	105	86	19	5	2	3	7	4	3	26	24	2	21	20	1	27	25	2	19	11	8	－	－	－
13 東京	24	18	6	－	－	－	1	1	－	6	5	1	8	8	－	6	4	2	3	－	3	－	－	－
14 神奈川	62	49	13	1	－	1	1	－	1	17	17	－	26	21	5	10	6	4	7	5	2	－	－	－
15 新潟	86	68	18	7	5	2	4	3	1	21	20	1	17	15	2	24	17	7	13	8	5	－	－	－
16 富山	65	51	14	6	5	1	5	5	－	8	6	2	14	10	4	21	18	3	11	7	4	－	－	－
17 石川	50	36	14	3	2	1	3	2	1	9	8	1	13	10	3	12	9	3	10	5	5	－	－	－
18 福井	33	24	9	2	1	1	2	1	1	5	5	－	4	2	2	11	8	3	9	7	2	－	－	－
19 山梨	76	66	10	2	2	－	3	2	1	23	22	1	16	16	－	23	17	6	9	7	2	－	－	－
20 長野	68	48	20	6	5	1	3	1	2	11	9	2	20	18	2	13	9	4	15	6	9	－	－	－
21 岐阜	53	35	18	2	1	1	－	－	－	12	7	5	13	11	2	15	9	6	11	7	4	－	－	－
22 静岡	95	69	26	4	4	－	4	3	1	28	24	4	22	18	4	19	13	6	18	7	11	－	－	－
23 愛知	40	27	13	3	2	1	4	3	1	8	7	1	9	7	2	10	5	5	6	3	3	－	－	－
24 三重	51	41	10	1	－	1	3	3	－	9	9	－	10	9	1	18	15	3	10	5	5	－	－	－
25 滋賀	91	64	27	4	1	3	6	2	4	18	17	1	30	24	6	17	11	6	16	9	7	－	－	－
26 京都	51	45	6	1	1	－	1	－	1	16	15	1	22	21	1	5	3	2	6	5	1	－	－	－
27 大阪	36	29	7	5	5	－	2	2	－	5	4	1	6	5	1	8	7	1	10	6	4	－	－	－
28 兵庫	41	32	9	2	1	1	1	－	1	14	11	3	5	5	－	10	8	2	9	7	2	－	－	－
29 奈良	30	24	6	1	1	－	2	1	1	5	5	－	10	9	1	6	4	2	6	4	2	－	－	－
30 和歌山	89	67	22	4	2	2	5	3	2	16	15	1	24	20	4	28	21	7	12	6	6	－	－	－
31 鳥取	72	56	16	2	2	－	3	1	2	18	17	1	12	8	4	22	17	5	15	11	4	－	－	－
32 島根	30	26	4	1	1	－	－	－	－	8	8	－	7	6	1	11	10	1	3	1	2	－	－	－
33 岡山	47	37	10	2	1	1	1	1	－	13	13	－	10	8	2	12	9	3	9	5	4	－	－	－
34 広島	127	101	26	2	1	1	4	4	－	35	30	5	29	26	3	35	25	10	22	15	7	－	－	－
35 山口	31	23	8	－	－	－	3	－	3	3	3	－	13	10	3	7	7	－	5	3	2	－	－	－
36 徳島	38	25	13	2	－	2	－	－	－	6	6	－	11	9	2	9	5	4	10	5	5	－	－	－
37 香川	63	44	19	2	－	2	2	－	2	11	11	－	18	16	2	13	8	5	17	9	8	－	－	－
38 愛媛	67	50	17	5	4	1	1	－	1	12	11	1	20	15	5	15	11	4	14	9	5	－	－	－
39 高知	59	44	15	1	－	1	2	1	1	6	6	－	24	18	6	18	14	4	8	5	3	－	－	－
40 福岡	90	72	18	5	4	1	3	1	2	22	19	3	18	16	2	29	21	8	13	11	2	－	－	－
41 佐賀	64	49	15	6	1	5	5	3	2	13	12	1	12	9	3	16	13	3	12	11	1	－	－	－
42 長崎	63	48	15	3	2	1	7	5	2	10	10	－	19	15	4	17	10	7	7	6	1	－	－	－
43 熊本	58	43	15	8	5	3	3	2	1	12	12	－	8	8	－	18	10	8	9	6	3	－	－	－
44 大分	44	32	12	3	2	1	－	－	－	9	8	1	15	11	4	9	7	2	8	4	4	－	－	－
45 宮崎	38	29	9	3	3	－	2	－	2	9	7	2	7	6	1	9	8	1	8	5	3	－	－	－
46 鹿児島	42	32	10	1	－	1	3	3	－	11	10	1	5	3	2	15	12	3	7	4	3	－	－	－
47 沖縄	2	1	1	－	－	－	－	－	－	1	1	－	－	－	－	－	－	－	1	－	1	－	－	－
七大都市（再掲） 7 largest cities (secondary mention)																								
50 東京都の区部	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
51 横浜	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
52 名古屋	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
53 京都	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
54 大阪	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
55 神戸	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
56 北九州	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－

** Reported dy place of occurrence.

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
	総数 Total	23 773	15 817	12 425	4 374	3 041	2 113	1 051	689	639	518	1 878	910	604	1 768	979	815	807	711	623	524	485	409	417	418	
	男 M.	13 840	9 439	7 518	2 653	1 896	1 279	596	416	373	305	1 062	515	344	971	568	445	446	386	340	286	277	218	234	230	
	女 F.	9 933	6 378	4 907	1 721	1 145	834	455	273	266	213	816	395	260	797	411	370	361	325	283	238	208	191	189	188	
I	伝染病および寄生虫病	1 169	163	39	1	3	6	2	9	7	11	62	35	27	142	83	72	59	82	99	108	100	102	89	70	I
	男 M.	679	84	23	-	1	2	1	5	5	9	28	19	14	80	54	41	40	43	61	65	57	55	58	41	
	女 F.	490	79	16	1	2	4	1	4	2	2	34	16	13	62	29	31	19	39	38	43	43	47	31	29	
(000～009)	腸管伝染病	735	47	4	-	1	-	-	1	1	1	19	13	11	95	56	53	50	56	71	74	62	68	57	46	(000～009)
	男 M.	431	20	1	-	-	-	-	-	1	-	7	6	6	53	38	30	33	27	46	45	35	36	40	28	
	女 F.	304	27	3	-	1	-	-	1	-	1	12	7	5	42	18	23	17	29	25	29	27	32	17	18	
004	細菌性赤痢	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	004
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
008	その他の明示された病原体による腸炎	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	008
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
009	下痢性疾患	725	46	4	-	1	-	-	1	1	1	18	13	11	94	56	53	48	54	70	73	62	67	56	46	009
	男 M.	424	20	1	-	-	-	-	-	1	-	7	6	6	53	38	30	32	25	45	44	35	35	39	28	
	女 F.	301	26	3	-	1	-	-	1	-	1	11	7	5	41	18	23	16	29	25	29	27	32	17	18	
009.1	下痢	97	2	-	-	-	-	-	-	-	-	1	-	1	11	5	8	5	5	11	10	9	16	7	8	009.1
	男 M.	54	1	-	-	-	-	-	-	-	-	-	-	1	7	4	5	4	-	6	5	5	8	5	4	
	女 F.	43	1	-	-	-	-	-	-	-	-	1	-	-	4	1	3	1	5	5	5	4	8	2	4	
009.2	胃腸炎および大腸炎	628	44	4	-	1	-	-	1	1	1	17	13	10	83	51	45	43	49	59	63	53	51	49	38	009.2
	男 M.	370	19	1	-	-	-	-	-	1	-	7	6	5	46	34	25	28	25	39	39	30	27	34	24	
	女 F.	258	25	3	-	1	-	-	1	-	1	10	7	5	37	17	20	15	24	20	24	23	24	15	14	
(010～019)	結核	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	-	(010～019)
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	
011	肺結核	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	011
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
013	髄膜および中枢神経系の結核	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	013
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
014	腸，腹膜および腸間膜リンパ節の結核	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	014
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
015	骨および関節の結核	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	015
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
018	播種結核	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	018
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(020～027)	動物媒介の細菌性疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(020～027)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(030～039)	その他の細菌性疾患	211	109	34	1	2	5	2	8	6	10	40	21	14	42	21	11	4	6	3	2	4	6	-	3	(030～039)
	男 M.	118	59	21	-	1	1	1	5	4	9	19	12	7	24	13	5	3	4	1	2	2	3	-	2	
	女 F.	93	50	13	1	1	4	1	3	2	1	21	9	7	18	8	6	1	2	2	-	2	3	-	1	
032	ジフテリア	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	032
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
033	百日咳	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	033
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
034	レンサ球菌性咽頭炎および猩紅熱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	034
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
035	丹毒	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	035
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
036	髄膜炎菌感染	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	036
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
037	破傷風	13	11	2	-	-	-	-	-	1	1	6	2	1	2	-	-	-	-	-	-	-	-	-	037
	男 M.	10	8	1	-	-	-	-	-	-	1	6	1	-	2	-	-	-	-	-	-	-	-	-	
	女 F.	3	3	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
038	敗血症	180	92	29	1	2	5	2	7	3	9	32	18	13	35	18	9	4	6	3	2	3	6	-	2	038
	男 M.	99	49	19	-	1	1	1	5	3	8	13	10	7	20	11	4	3	4	1	2	1	3	-	1	
	女 F.	81	43	10	1	1	4	1	2	-	1	19	8	6	15	7	5	1	2	2	-	2	3	-	1	
(040～046)	灰白髄炎およびその他の中枢神経系の腸内ウイルス疾患	13	3	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	2	-	-	1	-	-	2	(040～046)
	男 M.	11	2	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	2	-	-	1	-	-	1	
	女 F.	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
040～043	灰白髄炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	040～043
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
045	腸内ウイルスによる無菌性髄膜炎	11	2	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	2	-	-	1	-	-	2	045
	男 M.	9	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	-	1	-	-	1	
	女 F.	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
045.0	コクサキーウイルス	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	045.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
045.1	エコーウイルス	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	045.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
045.9	詳細不明の無菌性髄膜炎	11	2	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	2	-	-	1	-	-	2	045.9
	男 M.	9	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	-	1	-	-	1	
	女 F.	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
(050～057)	発疹を伴うウイルス疾患	156	2	1	-	-	1	-	-	-	-	1	-	-	1	1	1	2	9	20	22	29	23	27	19	(050～057)
	男 M.	87	2	1	-	-	1	-	-	-	-	1	-	-	1	-	1	1	4	13	12	16	13	14	10	
	女 F.	69	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	7	10	13	10	13	9	
052	水痘	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	052
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
055	麻疹	149	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	8	20	21	28	23	27	19	055
	男 M.	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	13	11	15	13	14	10	
	女 F.	69	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	7	10	13	10	13	9	
056	風疹	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	056
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
057	その他のウイルス性発疹	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	057
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks									1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
		総数 Total	1週未満 Under 1 week																						
			総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日																
(060～068)	節足動物媒介のウイルス疾患	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	1	-	1	-	(060～068)
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-	1	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	
062.0	日本脳炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	062.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
065	詳細不明のウイルス脳炎	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	1	-	1	-	065
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	-	1	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	
(070～079)	その他のウイルス疾患	26	1	-	-	-	-	-	-	-	-	1	-	-	2	2	4	-	6	3	3	2	2	1	-	(070～079)
	男 M.	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	1	2	2	1	1	-	
	女 F.	11	1	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	2	2	1	-	1	-	-	
070	伝染性肝炎	18	1	-	-	-	-	-	-	-	-	1	-	-	2	2	2	-	5	2	2	-	2	-	-	070
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	-	1	-	-	
	女 F.	10	1	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	2	1	1	-	1	-	-	
072	おたふくかぜ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	072
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
074	コクサキーウイルスによる特殊疾患	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	074
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(080～089)	リケッチア症およびその他の節足動物媒介の伝染病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(080～089)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(090～099)	梅毒およびその他の性病	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	(090～099)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
090～097	梅毒および続発性	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	090～097
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
098,099	その他の性病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	098,099
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(100～104)	その他のスピロヘータ症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(100～104)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(110～117)	真菌症	4	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	(110～117)
	男 M.	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
112	カンジダ症	4	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	112
	男 M.	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
(120～129)	蠕虫症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(120～129)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(130～136)	その他の伝染病および寄生虫病	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	(130～136)
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
II	新生物	202	38	18	3	2	3	2	2	6	-	8	8	4	25	19	10	18	15	8	15	13	11	16	14	II
	男 M.	113	21	9	1	2	2	-	1	4	-	6	5	1	14	13	6	9	9	2	10	7	6	8	8	
	女 F.	89	17	9	2	-	1	2	1	2	-	2	3	3	11	6	4	9	6	6	5	6	5	8	6	

第10表　乳児（1才未満）死亡者数，性・日齢―月齢・死因（基本分類）別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks									4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
			総数 Total	1週未満 Under 1 week																			
				総数 Total	1日（24時間）未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満									
(140～149)	口腔および咽頭の悪性新生物	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(140～149)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(150～159)	消化器および腹膜の悪性新生物	8	1	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	1	(150～159)
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	2
	女 F.	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1
155	原発と明示された肝臓および肝内胆管の悪性新生物	6	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	155
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2
	女 F.	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1
(160～163)	呼吸器系の悪性新生物	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(160～163)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(170～174)	骨，結合織，皮膚および乳房の悪性新生物	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	(170～174)
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
(180～189)	性尿器の悪性新生物	14	1	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	3	-	2	(180～189)
	男 M.	7	1	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	
	女 F.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	
189.0	胃　　識（胃壁を除く）	12	1	1	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	3	-	1	189.0
	男 M.	6	1	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	
(190～199)	その他および部位不明の悪性新生物	39	6	3	-	-	-	-	1	2	-	2	1	-	4	5	-	3	-	1	5	3	(190～199)
	男 M.	22	4	2	-	-	-	-	1	1	-	2	-	-	2	2	-	1	-	-	4	-	4
	女 F.	17	2	1	-	-	-	-	-	1	-	-	1	-	2	3	-	2	-	1	1	3	2
190	眼の悪性新生物	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	190
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
191	脳の悪性新生物	7	1	1	-	-	-	-	1	-	-	-	-	-	2	1	-	1	-	-	-	-	191
	男 M.	5	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
192	その他の神経系の悪性新生物	17	2	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	-	1	2	2	192
	男 M.	11	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	2	-	
	女 F.	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	2	
193,194	内分泌腺の悪性新生物	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	193,194
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
197.7	肝（続発と明示されたもの）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197.7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
197.8	肝（原発，続発別不明）	7	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	2	-	197.8
	男 M.	4	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
(200～209)	リンパ組織および造血組織の新生物	66	8	3	-	1	-	1	-	1	-	2	2	1	8	6	5	7	10	1	3	5	(200～209)
	男 M.	36	6	2	-	1	-	-	-	1	-	1	2	1	4	5	2	3	5	1	2	3	5
	女 F.	30	2	1	-	-	-	1	-	-	-	1	-	-	4	1	3	4	5	-	1	2	2
200	リンパ肉腫および細網肉腫	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	200
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
204	リンパ性白血病	6	1	1	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	1	1	204
	男 M.	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	

第10表　乳児（1才未満）死亡者数，性・日齢－月齢・死因（基本分類）別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks										4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
			総数 Total	1週未満 1 week & over, less than 2 weeks																				
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	2～3週未満	3～4週未満											
204.0	急性	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	1	-	-	204.0
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	
205	骨髄性白血病	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	1	-	-	-	2	1	205
	男 M.	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	1	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	2	-	
205.0	急性	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	2	1	205.0
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	
206	単球性白血病	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	206
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
206.0	急性	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	206.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
207	その他および詳細不明の白血病	40	6	2	-	1	-	1	-	-	-	2	1	1	6	6	2	3	4	-	2	3	4	2	2	207
	男 M.	21	4	1	-	1	-	-	-	-	-	1	1	1	4	5	-	-	-	-	2	2	3	-	1	
	女 F.	19	2	1	-	-	-	1	-	-	-	1	-	-	2	1	2	3	4	-	-	1	1	2	1	
207.0	急性白血病	23	1	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	4	-	2	3	4	2	2	207.0
	男 M.	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	2	3	-	1	
	女 F.	11	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	-	-	1	1	2	-	
207.9	詳細不明の白血病	17	5	2	-	1	-	1	-	-	-	1	1	1	4	4	2	2	-	-	-	-	-	-	-	207.9
	男 M.	9	4	1	-	1	-	-	-	-	-	1	1	1	2	3	-	-	-	-	-	-	-	-	-	
	女 F.	8	1	1	-	-	-	1	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-	-	-	
(210～228)	良性新生物	20	9	4	1	1	-	1	-	1	-	2	1	2	1	3	2	1	-	1	2	-	-	1	-	(210～228)
	男 M.	11	4	2	1	1	-	-	-	-	-	1	1	-	1	2	2	-	-	-	1	-	-	1	-	
	女 F.	9	5	2	-	-	-	1	-	1	-	1	-	2	-	1	-	1	-	1	1	-	-	-	-	
211.5	肝および胆路	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	211.5
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
224	眼の良性新生物	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	224
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
225	脳およびその他の神経系の良性新生物	3	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	225
	男 M.	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
225.0	脳	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	225.0
	男 M.	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
227	血管腫およびリンパ管腫	8	3	2	1	-	-	-	-	1	-	-	-	1	-	3	1	-	-	-	1	-	-	-	-	227
	男 M.	4	1	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	
	女 F.	4	2	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	
(230～239)	性質不詳の新生物	51	12	7	2	-	2	-	1	2	-	2	3	-	9	4	1	5	4	2	5	2	2	3	2	(230～239)
	男 M.	29	6	2	-	-	-	-	-	2	-	2	2	-	4	3	-	4	4	1	3	1	-	2	1	
	女 F.	22	6	5	2	-	2	-	1	-	-	-	1	-	5	1	1	1	-	1	2	1	2	1	1	
230.5	肝および胆路	7	1	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	2	-	230.5
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	
	女 F.	4	1	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	
238	眼，脳およびその他の神経系の性質不詳の新生物	14	1	1	-	-	1	-	-	-	-	-	-	-	2	-	-	1	2	-	4	2	-	-	2	238
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	1	-	-	1	
	女 F.	6	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
238.0	眼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	238.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
238.1	脳	14	1	1	-	-	1	-	-	-	-	-	-	-	-	2	-	1	2	-	4	2	-	-	2	238.1
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	1	-	-	1	
	女 F.	6	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	1	
III	内分泌，栄養および代謝の疾患	175	66	35	4	7	9	4	3	3	5	11	10	10	32	17	8	9	7	7	6	9	3	6	5	III
	男 M.	108	45	26	2	5	8	3	3	2	3	7	6	6	19	11	6	6	3	4	4	3	1	3	4	
	女 F.	67	21	9	2	2	1	1	-	1	2	4	4	4	13	6	2	3	4	3	2	6	2	3	1	
(240～246)	甲状腺の疾患	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(240～246)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(250～258)	その他の内分泌腺の疾患	48	32	24	3	7	7	4	2	1	-	5	3	-	6	2	-	3	1	1	-	2	-	-	1	(250～258)
	男 M.	34	25	19	2	5	6	3	2	1	-	4	2	-	4	1	-	2	1	-	-	-	-	-	1	
	女 F.	14	7	5	1	2	1	1	-	-	-	1	1	-	2	1	-	1	-	1	-	2	-	-	-	
250	糖尿病	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	250
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
251	糖尿病以外の膵臓性内分泌障害	29	26	20	2	7	5	3	2	1	-	5	1	-	1	-	-	-	1	-	-	1	-	-	-	251
	男 M.	24	22	17	1	5	5	3	2	1	-	4	1	-	1	-	-	-	1	-	-	1	-	-	-	
	女 F.	5	4	3	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
(260～269)	ビタミン欠乏症およびその他の栄養欠乏症	70	25	5	-	-	-	-	-	2	3	5	7	8	20	7	4	2	2	2	2	3	-	3	-	(260～269)
	男 M.	41	15	3	-	-	-	-	-	1	2	3	4	5	11	4	3	1	1	2	1	2	-	1	-	
	女 F.	29	10	2	-	-	-	-	-	1	1	2	3	3	9	3	1	1	1	-	1	1	-	2	-	
261	ビタミンB_1欠乏症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	261
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
265	ビタミンD欠乏症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	265
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
268	栄養性消耗症	12	3	1	-	-	-	-	-	1	-	1	-	1	5	1	-	1	1	-	1	-	-	-	-	268
	男 M.	7	2	1	-	-	-	-	-	-	-	-	-	1	3	1	-	-	1	-	-	-	-	-	-	
	女 F.	5	1	-	-	-	-	-	-	1	-	1	-	-	2	-	-	1	-	-	1	-	-	-	-	
269.9a	栄養失調症	36	16	2	-	-	-	-	-	1	1	3	6	5	6	4	3	1	-	2	-	3	-	1	-	269.9a
	男 M.	23	11	1	-	-	-	-	-	-	1	2	4	4	3	1	3	1	-	2	-	2	-	-	-	
	女 F.	13	5	1	-	-	-	-	-	1	-	1	2	1	3	3	-	-	-	-	-	1	-	1	-	
(270～279)	その他の代謝疾患	56	8	5	-	-	2	-	1	-	2	1	-	2	6	8	4	4	4	4	4	4	3	3	4	(270～279)
	男 M.	33	5	4	-	-	2	-	1	-	1	-	-	1	4	6	3	3	1	1	3	1	1	2	3	
	女 F.	23	3	1	-	-	-	-	-	-	1	1	-	1	2	2	1	1	3	3	1	3	2	1	1	
IV	血液および造血器の疾患	66	13	9	-	2	3	1	-	2	1	1	1	2	19	4	7	1	4	3	2	2	2	1	8	IV
	男 M.	42	9	7	-	1	3	1	-	1	1	1	1	-	12	2	4	1	2	2	1	1	2	1	5	
	女 F.	24	4	2	-	1	-	-	-	1	-	-	-	2	7	2	3	-	2	1	1	1	-	-	3	
280,285	貧血	6	3	3	-	-	2	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	280,285
	男 M.	6	3	3	-	-	2	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
286.0	血友病	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	286.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
287	紫斑病およびその他の出血性病態	29	6	3	-	1	1	-	-	1	-	1	1	-	9	3	2	-	1	2	-	2	2	-	2	287
	男 M.	17	4	2	-	1	1	-	-	-	-	1	-	-	5	1	1	-	-	1	-	1	2	-	2	
	女 F.	12	2	1	-	-	-	-	-	1	-	-	1	-	4	2	1	-	1	1	-	1	-	-	-	

第10表　乳児（1才未満）死亡者数，

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM

性・日齢—月齢・死因（基本分類）別

CAUSES (DETAILED LIST), BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日（24時間）未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
287.0	アレルギー性紫斑病	9	2	1	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	2	1	-	2	287.0
	男 M.	6	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	
	女 F.	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	
287.1	栓球減少症	5	1	1	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	287.1
	男 M.	3	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
V	精神障害	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	V
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
(290～299)	精神病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(290～299)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(300～309)	神経症，人格異常およびその他の非精神病性精神障害	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	(300～309)
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
(310～315)	精神薄弱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(310～315)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI	神経系および感覚器の疾患	464	150	31	-	3	3	4	9	5	7	61	35	23	86	33	25	18	21	25	16	22	21	24	23	VI
	男 M.	265	103	21	-	3	1	3	8	4	2	52	18	12	37	18	17	8	9	17	7	12	9	15	13	
	女 F.	199	47	10	-	-	2	1	1	1	5	9	17	11	49	15	8	10	12	8	9	10	12	9	10	
(320～324)	中枢神経系の炎症性疾患	269	88	24	-	2	1	3	9	4	5	28	24	12	60	18	15	10	13	12	10	10	10	13	10	(320～324)
	男 M.	149	62	17	-	2	-	3	8	3	1	24	13	8	21	8	10	6	6	8	6	5	3	8	6	
	女 F.	120	26	7	-	-	1	-	1	1	4	4	11	4	39	10	5	4	7	4	4	5	7	5	4	
320	髄膜炎	241	88	24	-	2	1	3	9	4	5	28	24	12	56	17	11	8	12	10	7	8	7	11	6	320
	男 M.	134	62	17	-	2	-	3	8	3	1	24	13	8	19	8	6	5	6	8	5	4	1	7	3	
	女 F.	107	26	7	-	-	1	-	1	1	4	4	11	4	37	9	5	3	6	2	2	4	6	4	3	
323	脳炎，脊髄炎および脳脊髄炎	23	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	1	1	2	3	2	3	1	2	323
	男 M.	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	-	-	1	1	2	1	2	
	女 F.	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	2	1	1	-	-	
(330～333)	神経系の遺伝性および家族性疾患	9	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	-	1	-	-	-	-	-	-	(330～333)
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	1	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
(340～349)	その他の中枢神経系の疾患	179	61	7	-	1	2	1	-	1	2	33	10	11	23	8	7	8	7	13	6	11	11	11	13	(340～349)
	男 M.	104	40	4	-	1	1	-	-	1	1	28	4	4	13	6	4	2	2	9	1	7	6	7	7	
	女 F.	75	21	3	-	-	1	1	-	-	1	5	6	7	10	2	3	6	5	4	5	4	5	4	6	
343	脳性けい性小児麻痺	138	56	6	-	1	2	-	-	1	2	30	10	10	20	7	5	4	5	11	3	8	8	4	7	343
	男 M.	85	37	4	-	1	1	-	-	1	1	25	4	4	11	5	3	1	2	7	-	7	4	3	5	
	女 F.	53	19	2	-	-	1	-	-	-	1	5	6	6	9	2	2	3	3	4	3	1	4	1	2	
(350～358)	神経および末梢神経節の疾患	3	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	(350～358)
	男 M.	3	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(360～369)	眼の炎症性疾患	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	(360～369)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	
(370～379)	その他の眼の疾患および病態	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(370～379)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(380～389)	耳および乳様突起の疾患	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	(380～389)
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	

第10表　乳児（1才未満）死亡者数，性・日齢—月齢・死因（基本分類）別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日
VII	循環器系の疾患	456	187	65	21	19	10	3	3	3	6
	男 M.	261	100	38	10	14	7	2	1	1	3
	女 F.	195	87	27	11	5	3	1	2	2	3
(390～392)	活動性リウマチ熱	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(393～398)	慢性リウマチ性心疾患	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(400～404)	高血圧性疾患	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(410～414)	虚血性心疾患	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(420～429)	その他の心疾患	363	166	64	21	18	10	3	3	3	6
	男 M.	210	90	37	10	13	7	2	1	1	3
	女 F.	153	76	27	11	5	3	1	2	2	3
427	症候性心疾患	13	1	-	-	-	-	-	-	-	-
	男 M.	10	1	-	-	-	-	-	-	-	-
	女 F.	3	-	-	-	-	-	-	-	-	-
428	その他の心筋機能不全	313	155	60	21	16	9	3	3	2	6
	男 M.	181	83	34	10	11	6	2	1	1	3
	女 F.	132	72	26	11	5	3	1	2	1	3
(430～438)	脳血管疾患	85	20	1	-	1	-	-	-	-	-
	男 M.	46	10	1	-	1	-	-	-	-	-
	女 F.	39	10	-	-	-	-	-	-	-	-
431	脳出血	69	17	-	-	-	-	-	-	-	-
	男 M.	37	7	-	-	-	-	-	-	-	-
	女 F.	32	10	-	-	-	-	-	-	-	-
(440～448)	動脈，小動脈および毛細管の疾患	5	-	-	-	-	-	-	-	-	-
	男 M.	3	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	-	-
(450～458)	静脈およびリンパ系の疾患ならびにその他の循環器系の疾患	3	1	-	-	-	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	-	-
VIII	呼吸器系の疾患	2 831	870	339	38	92	60	47	38	37	27
	男 M.	1 588	510	200	23	60	34	29	20	21	13
	女 F.	1 243	360	139	15	32	26	18	18	16	14
(460～466)	急性呼吸器系感染（インフルエンザを除く）	262	39	5	-	1	1	1	-	1	1
	男 M.	142	22	3	-	1	-	1	-	1	-
	女 F.	120	17	2	-	-	1	-	-	-	1
460	急性鼻咽頭炎（かぜ）	79	14	2	-	-	1	-	-	1	-
	男 M.	43	9	1	-	-	-	-	-	1	-
	女 F.	36	5	1	-	-	1	-	-	-	-
466	急性気管支炎および細気管支炎	125	16	3	-	1	-	1	-	-	1
	男 M.	68	9	2	-	1	-	1	-	-	-
	女 F.	57	7	1	-	-	-	-	-	-	1
(470～474)	インフルエンザ	28	3	1	-	-	-	-	-	-	1
	男 M.	14	-	-	-	-	-	-	-	-	-
	女 F.	14	3	1	-	-	-	-	-	-	1

Under 4 weeks 1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
65	35	22	103	30	21	24	24	16	8	12	11	12	8	VII
34	21	7	59	21	12	15	11	10	4	9	6	9	5	
31	14	15	44	9	9	9	13	6	4	3	5	3	3	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(390～392)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(393～398)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(400～404)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(410～414)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	31	18	62	26	18	21	19	16	7	12	6	5	5	(420～429)
28	20	5	36	19	11	13	10	10	3	9	3	3	3	
25	11	13	26	7	7	8	9	6	4	3	3	2	2	
1	-	-	3	1	2	-	2	2	-	-	1	-	1	427
1	-	-	1	1	2	-	2	2	-	-	-	-	1	
-	-	-	2	-	-	-	-	-	-	-	1	-	-	
49	29	17	52	20	14	19	16	9	6	9	5	5	3	428
26	18	5	32	15	8	12	8	5	2	8	3	3	2	
23	11	12	20	5	6	7	8	4	4	1	2	2	1	
12	3	4	39	3	2	2	4	-	1	-	4	7	3	(430～438)
6	1	2	21	2	-	1	1	-	1	-	2	6	2	
6	2	2	18	1	2	1	3	-	-	-	2	1	1	
11	3	3	30	3	1	2	2	-	1	-	4	7	2	431
5	1	1	16	2	-	1	1	-	1	-	2	6	1	
6	2	2	14	1	1	1	1	-	-	-	2	1	1	
-	-	-	2	1	-	1	1	-	-	-	-	-	-	(440～448)
-	-	-	2	-	-	1	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	1	-	-	-	-	-	-	
-	1	-	-	-	1	-	-	-	-	-	1	-	-	(450～458)
-	-	-	-	-	1	-	-	-	-	-	1	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	
231	179	121	401	265	230	213	175	168	128	117	87	83	94	VIII
140	100	70	225	156	132	118	97	77	69	66	49	44	45	
91	79	51	176	109	98	95	78	91	59	51	38	39	49	
13	11	10	43	26	21	25	24	12	19	22	12	10	9	(460～466)
9	5	5	23	11	12	16	16	6	12	9	5	6	4	
4	6	5	20	15	9	9	8	6	7	13	7	4	5	
5	4	3	16	12	8	6	3	1	8	6	3	1	1	460
4	2	2	7	4	6	2	2	-	6	3	2	1	-	
1	2	1	9	8	2	4	1	1	2	3	1	-	-	
6	3	4	23	11	8	15	15	6	6	12	4	4	5	466
4	1	2	13	6	3	11	10	3	3	6	3	2	1	
2	2	2	10	5	5	4	5	3	3				4	
-	-	2	2	4	2	2	2	5	3	1	1	2	1	(470～474)
-	-	-	-	3	2	-	-	3	3	1	1	1	-	
-	-	2	2	1	-	2	2	2	-	-	-	-	1	

第10表　乳児(1才未満)死亡者数，性・日齢－月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
471	肺炎を伴うインフルエンザ	9	2	1	-	-	-	-	-	-	1	-	-	1	2	1	-	-	1	1	1	-	-	-	1	471
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
	女 F.	7	2	1	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	1	
(480～486)	肺炎	2 396	800	322	37	86	57	48	36	36	25	212	162	104	339	212	185	170	135	134	97	81	64	66	73	(480～486)
	男 M.	1 320	470	190	23	54	33	27	20	20	13	128	91	61	191	125	103	91	75	61	49	49	35	34	37	
	女 F.	1 036	330	132	14	32	24	18	16	16	12	84	71	43	148	87	82	79	60	73	48	32	29	32	36	
480	ウイルス肺炎	5	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	480
	男 M.	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	
481	肺炎球菌性肺炎	29	6	1	-	-	-	-	-	-	1	2	1	2	7	1	3	2	1	2	3	-	-	2	2	481
	男 M.	15	2	-	-	-	-	-	-	-	1	1	-	1	4	1	3	1	1	1	1	-	-	-	1	
	女 F.	14	4	1	-	-	-	-	-	-	-	1	1	1	3	-	-	1	-	1	2	-	-	2	1	
485	詳細不明の気管支肺炎	404	61	12	1	1	2	1	-	4	3	24	15	10	64	42	39	39	40	37	18	18	17	15	14	485
	男 M.	226	30	7	-	-	2	-	-	3	2	10	5	8	43	21	23	21	22	17	10	11	8	10	10	
	女 F.	178	31	5	1	1	-	1	-	1	1	14	10	2	21	21	16	18	18	20	8	7	9	5	4	
486	詳細不明の肺炎	1 906	729	308	36	84	55	44	36	32	21	186	145	90	268	167	142	127	94	93	73	63	45	49	56	486
	男 M.	1 070	436	182	23	53	31	27	20	17	11	117	86	51	144	101	76	67	52	42	37	38	27	24	26	
	女 F.	836	293	126	13	31	24	17	16	15	10	69	59	39	124	66	66	60	42	51	36	25	18	25	30	
(490～493)	気管支炎，肺気腫および喘息	107	7	1	-	1	-	-	-	-	-	3	1	2	6	13	12	8	9	14	8	10	8	5	7	(490～493)
	男 M.	66	5	1	-	1	-	-	-	-	-	2	1	1	3	11	9	6	5	6	5	6	3	3	1	
	女 F.	41	2	-	-	-	-	-	-	-	-	1	-	1	3	2	3	2	4	8	3	4	2	2	6	
490	詳細不明の気管支炎	79	7	1	-	1	-	-	-	-	-	3	1	2	6	10	8	8	7	10	4	8	4	3	4	490
	男 M.	47	5	1	-	1	-	-	-	-	-	2	1	1	3	8	5	6	4	3	3	5	3	1	1	
	女 F.	32	2	-	-	-	-	-	-	-	-	1	-	1	3	2	3	2	3	7	1	3	1	2	3	
491	慢性気管支炎	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	491
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
493	喘息	25	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	4	4	2	4	2	3	493
	男 M.	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	3	2	1	3	2	-	
	女 F.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	3	
(500～508)	その他の上気道の疾患	5	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	1	-	-	(500～508)
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	
	女 F.	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	
(510～519)	その他の呼吸器系の疾患	73	20	10	1	4	2	1	2	-	-	3	4	3	10	9	10	8	4	3	1	3	1	-	4	(510～519)
	男 M.	43	13	6	-	4	1	1	-	-	-	1	3	3	7	5	6	5	1	1	-	1	1	-	3	
	女 F.	30	7	4	1	-	1	-	2	-	-	2	1	-	3	4	4	3	3	2	1	2	-	-	1	
510	臍	27	2	-	-	-	-	-	-	-	-	1	1	-	4	4	4	2	2	2	1	2	1	-	3	510
	男 M.	15	1	-	-	-	-	-	-	-	-	1	-	-	4	2	2	-	-	1	-	1	1	-	3	
	女 F.	12	1	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	2	1	1	1	-	-	-	
IX	消化器系の疾患	532	184	86	16	9	15	17	7	12	10	43	34	21	77	40	41	40	36	27	23	15	18	17	14	IX
	男 M.	340	127	61	11	5	10	14	4	9	8	27	26	13	46	22	29	26	20	17	15	11	9	11	7	
	女 F.	192	57	25	5	4	5	3	3	3	2	16	8	8	31	18	12	14	16	10	8	4	9	6	7	
(520～529)	口腔，唾液腺および顎の疾患	9	6	1	-	1	-	-	-	-	-	3	1	1	2	-	-	-	1	-	-	-	-	-	-	(520～529)
	男 M.	7	5	1	-	1	-	-	-	-	-	2	1	1	1	-	-	-	1	-	-	-	-	-	-	
	女 F.	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
(530～537, 561～563)	食道，胃および十二指腸の疾患	41	22	13	-	-	3	3	2	3	2	3	3	2	7	1	4	3	2	-	-	1	-	1	-	(530～537, 561～563)
	男 M.	21	10	5	-	-	1	2	-	1	1	1	2	1	3	-	3	3	1	-	-	1	-	-	-	
	女 F.	20	12	8	-	-	2	1	2	2	1	2	1	1	4	1	1	-	1	-	-	-	-	1	-	
531	胃潰瘍	13	11	8	-	-	3	2	2	-	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-	531
	男 M.	4	3	2	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	9	8	6	-	-	2	1	2	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	1	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks								4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
			総数 Total	1週未満 Under 1 week																		
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満									
535, 561～563	胃炎，十二指腸炎および慢性胃腸炎	13	2	-	-	-	-	-	-	-	-	1	1	-	5	-	3	2	-	-	-	1	-	535, 561～563
	男 M.	7	2	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	1	-	
(540～543)	虫垂炎	7	5	2	-	-	-	-	1	-	1	1	1	1	-	-	-	1	-	-	-	-	-	(540～543)
	男 M.	5	3	2	-	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	
	女 F.	2	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	
(550～553)	腹腔ヘルニア	68	41	32	15	5	6	1	-	3	2	2	3	4	9	5	3	2	2	-	1	5	-	(550～553)
	男 M.	47	30	24	11	4	4	1	-	2	2	2	2	2	6	3	2	1	2	-	-	3	-	
	女 F.	21	11	8	4	1	2	-	-	1	2	-	1	2	3	2	1	1	-	-	1	2	-	
550	閉塞の記載のないそけいヘルニア	4	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	550
	男 M.	3	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
551	その他の閉塞の記載のない腹腔ヘルニア	46	36	28	15	4	4	1	-	3	1	1	3	4	5	1	2	-	-	-	-	2	-	551
	男 M.	31	27	22	11	4	3	1	-	2	1	1	2	2	3	-	1	-	-	-	-	-	-	
	女 F.	15	9	6	4	-	1	-	-	1	-	-	1	2	2	1	1	-	-	-	-	2	-	
551.0	股ヘルニア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	551.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
551.1	臍ヘルニア	31	25	19	7	4	3	1	-	3	1	1	3	2	4	1	-	-	-	-	-	1	-	551.1
	男 M.	22	19	15	5	4	2	1	-	2	1	1	2	1	3	-	-	-	-	-	-	-	-	
	女 F.	9	6	4	2	-	1	-	-	1	-	-	1	1	1	1	-	-	-	-	-	1	-	
551.2	腹壁ヘルニア(切開後)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	551.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
551.3	横隔膜ヘルニア	12	8	8	7	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	551.3
	男 M.	7	6	6	5	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	5	2	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	
551.8	その他の部位のヘルニア	2	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	551.8
	男 M.	2	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
551.9	部位不明のヘルニア	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	551.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
552	閉塞を伴うそけいヘルニア	10	1	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	1	-	-	1	3	-	552
	男 M.	8	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	3	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
553	その他の閉塞を伴う腹腔ヘルニア	8	3	3	-	1	2	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	553
	男 M.	5	1	1	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	
	女 F.	3	2	2	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
553.1	臍ヘルニア	3	2	2	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	553.1
	男 M.	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
553.3	横隔膜ヘルニア	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	553.3
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(560, 564～569)	その他の腸および腹膜の疾患	330	93	36	1	2	6	13	3	6	5	28	19	10	44	26	27	32	30	22	20	9	9	10	8	(560, 564～569)
	男 M.	214	65	28	-	-	5	11	2	6	4	18	13	6	25	17	19	20	15	15	14	7	3	8	6	
	女 F.	116	28	8	1	2	1	2	1	-	1	10	6	4	19	9	8	12	15	7	6	2	6	2	2	
560	腸閉塞(ヘルニアの記載のないもの)	268	60	24	-	1	6	7	2	5	3	17	12	7	32	17	23	31	30	20	20	9	9	9	8	560
	男 M.	173	42	20	-	-	5	6	1	5	3	10	9	3	17	12	17	19	15	14	14	7	3	7	6	
	女 F.	95	18	4	-	1	1	1	1	-	-	7	3	4	15	5	6	12	15	6	6	2	6	2	2	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 2 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
560.0	重積	136	2	1	-	-	1	-	-	-	-	1	-	-	4	6	16	24	22	19	13	7	7	8	8	560.0
	男 M.	87	1	1	-	-	1	-	-	-	-	-	-	-	2	4	12	15	10	14	10	5	2	6	6	
	女 F.	49	1	-	-	-	-	-	-	-	-	1	-	-	2	2	4	9	12	5	3	2	5	2	2	
560.1	麻痺性イレウス	34	15	6	-	-	3	1	1	-	1	2	4	3	9	4	-	3	-	1	1	-	1	-	-	560.1
	男 M.	23	10	3	-	-	2	-	-	-	-	2	4	1	7	4	-	2	-	-	-	-	-	-	-	
	女 F.	11	5	3	-	-	1	1	1	-	1	-	-	2	2	-	-	1	-	1	1	-	1	-	-	
560.2	軸捻	18	5	1	-	-	-	1	-	-	-	3	1	-	5	2	2	1	1	-	1	-	-	-	-	560.2
	男 M.	8	2	1	-	-	-	1	-	-	-	1	-	-	4	1	-	-	-	-	1	-	-	-	-	
	女 F.	10	3	-	-	-	-	-	-	-	-	2	1	-	2	1	2	1	1	-	-	-	-	-	-	
567	腹膜炎	19	12	4	-	-	-	2	1	-	1	5	2	1	3	2	1	-	-	1	-	-	-	-	-	567
	男 M.	12	6	2	-	-	-	1	1	-	-	2	1	1	3	1	1	-	-	1	-	-	-	-	-	
	女 F.	7	6	2	-	-	-	1	-	-	1	3	1	-	-	1	-	-	-	-	-	-	-	-	-	
(570～577)	肝臓，胆嚢および膵臓の疾患	77	17	2	-	1	-	-	1	-	-	6	7	2	15	8	7	2	1	5	3	3	4	6	6	(570～577)
	男 M.	46	14	1	-	-	-	-	1	-	-	4	7	2	11	2	5	1	1	2	1	2	3	3	1	
	女 F.	31	3	1	-	1	-	-	-	-	-	2	-	-	4	6	2	1	-	3	2	1	1	3	5	
570	急性および亜急性肝臓壊死	24	11	1	-	1	-	-	-	-	-	5	4	1	2	2	1	1	1	1	-	2	-	1	2	570
	男 M.	15	9	-	-	-	-	-	-	-	-	4	4	1	-	1	1	-	1	1	-	1	-	1	-	
	女 F.	9	2	1	-	1	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	1	-	-	2	
571	肝硬変	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	4	2	1	571
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	
572,573	その他の肝臓の疾患	33	5	1	-	-	-	-	1	-	-	1	2	1	10	3	5	1	-	2	3	-	-	1	3	572,573
	男 M.	22	4	1	-	-	-	-	1	-	-	-	2	1	9	1	3	1	-	1	1	-	-	1	1	
	女 F.	11	1	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-	1	2	-	-	-	2	
X	性尿器系の疾患	20	4	-	-	-	-	-	-	-	-	2	1	1	2	4	1	-	2	1	1	1	2	2	-	X
	男 M.	9	2	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1	1	-	-	2	-	
	女 F.	11	2	-	-	-	-	-	-	-	-	1	-	1	-	3	1	-	2	-	-	1	2	-	-	
(580～584)	腎炎およびネフローゼ	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	1	-	1	2	2	-	(580～584)
	男 M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	
	女 F.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	1	2	-	-	
(590～599)	その他の泌尿器系の疾患	7	3	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	1	-	-	-	-	(590～599)
	男 M.	4	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	
	女 F.	3	2	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	
(600～607)	男性性器の疾患	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	(600～607)
	男 M.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(610～616)	乳房，卵巣，卵管および子宮旁結合織の疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(610～616)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(620～629)	子宮およびその他の女性性器の疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(620～629)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XI	妊娠，分娩および産褥の合併症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	XI
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII	皮膚および皮下組織の疾患	44	10	-	-	-	-	-	-	-	-	1	5	4	5	3	4	5	1	2	2	1	3	5	3	XII
	男 M.	25	5	-	-	-	-	-	-	-	-	-	3	2	3	2	1	3	1	2	1	1	2	2	2	
	女 F.	19	5	-	-	-	-	-	-	-	-	1	2	2	2	1	3	2	-	-	1	-	1	3	1	
(680～686)	皮膚および皮下組織の感染	22	5	-	-	-	-	-	-	-	-	-	2	3	4	3	2	2	-	2	-	1	-	3	-	(680～686)
	男 M.	13	3	-	-	-	-	-	-	-	-	-	1	2	2	2	1	1	-	2	-	1	-	1	-	
	女 F.	9	2	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-	-	2	-	

第10表　乳児(1才未満)死亡者数，

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日
(690～698)	その他の皮膚および皮下組織の炎症性病態…	22	5	-	-	-	-	-	-	-	-
	男 M.	12	2	-	-	-	-	-	-	-	-
	女 F.	10	3	-	-	-	-	-	-	-	-
695.9a	リッター新生児剝脱状皮膚炎……	6	5	-	-	-	-	-	-	-	-
	男 M.	2	2	-	-	-	-	-	-	-	-
	女 F.	4	3	-	-	-	-	-	-	-	-
(700～709)	その他の皮膚および皮下組織の疾患……	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
XIII	筋骨格系および結合織の疾患……	9	3	1	1	-	-	-	-	-	-
	男 M.	6	2	1	1	-	-	-	-	-	-
	女 F.	3	1	-	-	-	-	-	-	-	-
(710～718)	関節炎およびリウマチ(リウマチ熱を除く)…	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(720～729)	骨髄炎およびその他の骨および関節の疾患…	1	1	-	-	-	-	-	-	-	-
	男 M.	1	1	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
(730～738)	その他の筋骨格系の疾患……	8	2	1	1	-	-	-	-	-	-
	男 M.	5	1	1	1	-	-	-	-	-	-
	女 F.	3	1	-	-	-	-	-	-	-	-
XIV	先天異常……	4 344	2 168	1 304	310	275	204	166	122	125	102
	男 M.	2 395	1 276	783	180	164	127	94	80	74	64
	女 F.	1 949	892	521	130	111	77	72	42	51	38
740	無脳症……	66	64	62	34	15	8	3	1	-	1
	男 M.	34	32	31	17	9	4	1	-	-	-
	女 F.	32	32	31	17	6	4	2	1	-	1
741	二分脊椎……	94	54	28	5	7	3	6	3	3	1
	男 M.	33	24	14	2	2	2	3	3	2	-
	女 F.	61	30	14	3	5	1	3	-	1	1
741.0	水頭症を伴うもの……	41	15	5	3	1	-	1	-	-	-
	男 M.	10	6	1	-	1	-	-	-	-	-
	女 F.	31	9	4	3	-	-	1	-	-	-
741.9	水頭症の記載のないもの……	53	39	23	2	6	3	5	3	3	1
	男 M.	23	18	13	2	1	2	3	3	2	-
	女 F.	30	21	10	-	5	1	2	-	1	1
742	先天性水頭症……	139	54	33	9	10	7	3	-	1	3
	男 M.	66	28	18	6	5	3	3	-	-	1
	女 F.	73	26	15	3	5	4	-	-	1	2
743	その他の神経系の先天異常……	73	39	24	9	3	5	-	4	2	1
	男 M.	42	24	16	6	2	2	-	3	2	1
	女 F.	31	15	8	3	1	3	-	1	-	-
743.0	脳瘤……	20	15	10	5	1	2	-	1	-	1
	男 M.	9	7	5	2	1	-	-	1	-	1
	女 F.	11	8	5	3	-	2	-	-	-	-
743.1	小頭症……	23	7	2	-	1	1	-	-	-	-
	男 M.	11	3	1	-	1	-	-	-	-	-
	女 F.	12	4	1	-	-	1	-	-	-	-
743.2	その他の脳の明示された異常……	12	4	2	-	-	1	-	1	-	-
	男 M.	8	2	1	-	-	1	-	-	-	-
	女 F.	4	2	1	-	-	-	-	1	-	-

Under 4 weeks 1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
1	3	1	1	-	2	3	1	-	2	-	3	2	3	(690～698)
-	2	-	1	-	-	2	1	-	1	-	2	1	2	
1	1	1	-	-	2	1	-	-	1	-	1	1	1	
1	3	1	-	-	1	-	-	-	-	-	-	-	-	695.9a
-	2	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	1	-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(700～709)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	1	1	1	1	-	-	-	-	1	-	1	XIII
-	-	1	1	-	1	1	-	-	-	-	-	-	-	
1	-	-	-	1	-	-	-	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	(710～718)
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	-	-	-	(720～729)
-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	1	1	1	1	-	-	-	-	1	-	1	(730～738)
-	-	-	1	-	1	1	-	-	-	-	-	-	1	
1	-	-	-	1	-	-	-	-	-	-	1	-	-	
400	258	206	580	326	274	222	187	152	115	96	79	73	72	XIV
218	155	120	324	183	129	109	105	76	44	45	36	31	37	
182	103	86	256	143	145	113	82	76	71	51	43	42	35	
2	-	-	-	1	1	-	-	-	-	-	-	-	-	740
1	-	-	-	1	1	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
15	4	7	15	4	7	4	2	1	1	1	3	2	-	741
5	2	3	4	2	1	1	-	-	-	-	-	1	-	
10	2	4	11	2	6	3	2	1	1	1	3	1	-	
6	1	3	5	3	5	4	2	1	1	1	3	1	-	741.0
3	1	1	1	2	-	1	-	-	-	-	-	-	-	
3	-	2	4	1	5	3	2	1	1	1	3	1	-	
9	3	4	10	1	2	-	-	-	-	-	-	1	-	741.9
2	1	2	3	-	1	-	-	-	-	-	-	1	-	
7	2	2	7	1	1	-	-	-	-	-	-	-	-	
7	8	6	16	13	8	8	6	7	7	6	4	5	5	742
5	4	1	9	5	2	4	4	2	2	4	2	2	2	
2	4	5	7	8	6	4	2	5	5	2	2	3	3	
7	5	3	3	6	4	3	6	3	1	1	3	2	2	743
3	3	2	-	4	2	2	3	2	1	1	1	-	2	
4	2	1	3	2	2	1	3	1	-	-	2	2	-	
3	2	-	2	-	-	1	-	-	-	-	-	-	2	743.0
1	1	-	-	-	-	-	-	-	-	-	-	-	2	
2	1	-	2	-	-	1	-	-	-	-	-	-	-	
3	1	1	-	4	3	-	2	3	-	-	3	1	-	743.1
1	1	-	-	2	2	-	1	2	-	-	1	-	-	
2	-	1	-	2	1	-	1	1	-	-	2	1	-	
-	1	1	-	1	-	2	2	-	1	1	-	1	-	743.2
-	-	1	-	1	-	2	1	-	1	1	-	-	1	
-	1	-	-	-	-	-	1	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks									4週～2か月未満 1 week & over, less than 2 weeks	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
			総数 Total	1週未満 Under 1 week																			
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months								
743.3	その他の脊髄の明示された異常	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.3
	男 M.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
743.4	神経線維腫症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
743.8	その他の神経系の異常	3	2	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	743.8
	男 M.	2	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
743.9	詳細不明の脳，脊髄および神経系の異常	14	10	8	2	1	1	-	2	2	-	1	1	-	1	1	-	-	2	-	-	-	743.9
	男 M.	11	9	7	2	-	1	-	2	2	-	1	1	-	-	1	-	-	1	-	-	-	
	女 F.	3	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
744	眼の先天異常	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
744.0	無眼球症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
744.1	小眼球症	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
744.2	牛眼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
744.3	先天性白内障	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
744.4	コロボーマ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
744.5	無虹彩	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
744.8	その他の明示された眼の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.8
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
744.9	詳細不明の眼の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
745	耳，顔および頸の先天異常	4	2	2	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	745
	男 M.	3	2	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
745.0	聴覚障害の原因となった耳の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
745.1	副耳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
745.2	その他の明示された耳の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
745.3	詳細不明の耳の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
745.4	鰓裂，鰓嚢胞または鰓瘻，前耳洞	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
745.5	頸　　嚢	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	745.5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
745.8	その他の明示された顔および頸の異常	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	745.8
	男 M.	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
745.9	詳細不明の顔および頸の異常	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	745.9
	男 M.	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
746	心臓の先天異常	2 214	920	509	126	135	87	59	44	32	26	169	136	106	309	199	170	145	118	95	76	56	45	41	40	746
	男 M.	1 238	541	302	74	82	57	27	29	17	16	91	81	67	182	118	89	80	64	50	28	26	20	20	20	
	女 F.	976	379	207	52	53	30	32	15	15	10	78	55	39	127	81	81	65	54	45	48	30	25	21	20	
746.0	総動脈幹残遺	25	10	6	1	3	-	1	-	1	-	2	1	1	2	3	2	2	1	2	2	-	-	-	1	746.0
	男 M.	10	5	3	1	1	-	1	-	-	-	1	1	-	1	1	-	2	-	-	-	-	-	-	1	
	女 F.	15	5	3	-	2	-	-	-	1	-	1	-	1	1	2	2	-	1	2	2	-	-	-	-	
746.1	大血管の転位	111	27	7	1	3	-	-	1	1	1	5	8	7	26	16	10	7	4	5	5	3	2	3	3	746.1
	男 M.	75	19	6	1	2	-	-	1	1	1	3	6	4	17	11	7	5	3	4	3	3	-	2	1	
	女 F.	36	8	1	-	1	-	-	-	-	-	2	2	3	9	5	3	2	1	1	2	-	2	1	2	
746.2	ファローの四徴	81	14	3	-	-	-	2	1	-	-	3	6	2	13	7	7	4	9	4	3	5	4	7	4	746.2
	男 M.	50	9	1	-	-	-	1	-	-	-	1	5	2	10	5	5	1	5	2	1	3	2	5	2	
	女 F.	31	5	2	-	-	-	1	1	-	-	2	1	-	3	2	2	3	4	2	2	2	2	2	2	
746.3	心室中隔欠損	293	45	24	6	6	4	2	1	4	1	10	7	4	34	21	37	40	25	23	19	17	16	9	7	746.3
	男 M.	153	28	16	5	4	2	1	1	3	-	5	3	4	19	10	19	21	14	14	8	8	9	2	1	
	女 F.	140	17	8	1	2	2	1	-	1	1	5	4	-	15	11	18	19	11	9	11	9	7	7	6	
746.4	心房中隔欠損	72	32	20	2	2	8	4	-	1	3	6	3	3	4	6	5	6	6	3	3	1	1	3	2	746.4
	男 M.	34	12	8	-	-	6	-	-	1	1	1	1	2	3	3	3	4	4	2	-	1	-	2	-	
	女 F.	38	20	12	2	2	2	4	-	-	2	5	2	1	1	3	2	2	2	1	3	-	1	1	2	
746.5	共房室口	38	4	2	-	-	1	-	1	-	-	1	1	-	2	6	3	3	6	5	-	2	1	1	5	746.5
	男 M.	19	1	-	-	-	-	-	-	-	-	1	-	-	1	5	1	3	3	3	-	-	-	-	2	
	女 F.	19	3	2	-	-	1	-	1	-	-	-	1	-	1	1	2	-	3	2	-	2	1	1	3	
746.6	心臓弁膜の異常	142	70	42	11	13	5	5	5	1	2	12	7	9	15	10	8	7	5	5	7	5	5	3	2	746.6
	男 M.	75	43	26	5	8	4	3	3	1	2	7	6	4	8	4	3	3	2	3	1	2	4	-	2	
	女 F.	67	27	16	6	5	1	2	2	-	-	5	1	5	7	6	5	4	3	2	6	3	1	3	-	
746.7	心内膜線維弾性症	28	2	2	1	-	1	-	-	-	-	-	-	-	2	1	3	4	3	3	2	1	2	2	3	746.7
	男 M.	13	2	2	1	-	1	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	1	1	3	
	女 F.	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	2	2	1	1	1	-	
746.8	その他の明示された心臓の異常	91	45	25	7	9	2	3	3	1	-	12	7	1	12	8	7	3	5	3	4	1	2	1	-	746.8
	男 M.	45	24	16	4	7	1	1	3	-	-	2	5	1	5	4	3	2	2	2	1	1	-	1	-	
	女 F.	46	21	9	3	2	1	2	-	1	-	10	2	-	7	4	4	1	3	1	3	-	2	-	-	
746.9	詳細不明の心臓の異常	1 333	671	378	97	99	66	42	32	23	19	118	96	79	199	121	88	69	54	42	31	21	12	12	13	746.9
	男 M.	764	398	224	57	60	43	20	21	11	12	70	54	50	117	74	47	38	30	19	14	8	4	7	8	
	女 F.	569	273	154	40	39	23	22	11	12	7	48	42	29	82	47	41	31	24	23	17	13	8	5	5	
747	その他の循環器系の先天異常	134	52	42	10	11	12	6	-	2	1	3	2	5	13	14	14	7	11	8	4	5	1	2	3	747
	男 M.	69	28	22	3	7	7	5	-	-	-	1	2	3	9	9	3	4	7	4	-	3	1	-	1	
	女 F.	65	24	20	7	4	5	1	-	2	1	2	-	2	4	5	11	3	4	4	4	2	-	2	2	

第10表　乳児(1才未満)死亡者数，

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM

性・日齢—月齢・死因（基本分類）別

CAUSES (DETAILED LIST), BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
747.0	動脈管開存	51	27	23	7	7	5	2	-	1	1	1	1	2	4	6	3	1	3	2	1	1	-	1	2	747.0
	男 M.	26	13	11	2	4	3	2	-	-	-	-	1	1	4	4	1	-	1	1	-	1	-	-	1	
	女 F.	25	14	12	5	3	2	-	-	1	1	1	-	1	-	2	2	1	2	1	1	-	-	1	1	
747.1	大動脈縮窄	14	2	2	-	-	2	-	-	-	-	-	-	-	3	1	3	-	2	1	1	1	-	-	-	747.1
	男 M.	4	1	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	
	女 F.	10	1	1	-	-	1	-	-	-	-	-	-	-	1	1	3	-	1	1	1	1	-	-	-	
747.2	その他の大動脈の異常	12	5	5	-	1	2	2	-	-	-	-	-	-	1	3	1	2	-	-	-	-	-	-	-	747.2
	男 M.	7	3	3	-	1	1	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	
	女 F.	5	2	2	-	-	1	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	
747.3	肺動脈の狭窄または閉鎖	22	8	6	1	1	2	1	-	1	-	-	1	1	3	1	1	2	3	1	-	2	-	-	1	747.3
	男 M.	12	5	3	-	1	1	1	-	-	-	-	1	1	-	-	-	1	3	1	-	2	-	-	-	
	女 F.	10	3	3	1	-	1	-	-	1	-	-	-	-	3	1	1	1	-	-	-	-	-	-	1	
747.4	大静脈の異常	26	4	3	1	1	-	1	-	-	-	-	-	1	2	3	5	2	3	3	2	-	1	1	-	747.4
	男 M.	15	2	2	1	-	-	1	-	-	-	-	-	-	2	3	1	2	2	2	-	-	1	-	-	
	女 F.	11	2	1	-	1	-	-	-	-	-	-	-	1	-	-	4	-	1	1	2	-	-	1	-	
747.5	臍動脈の欠如または減形成	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	747.5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
747.6	その他の末梢血管系の異常	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	747.6
	男 M.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
747.8	その他の明示された循環器系の異常	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	747.8
	男 M.	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
747.9	詳細不明の循環器系の異常	3	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	747.9
	男 M.	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
748	呼吸器系の先天異常	75	46	38	16	12	4	2	1	3	-	2	6	-	6	3	7	3	2	2	-	-	3	2	1	748
	男 M.	45	30	27	11	8	3	2	1	2	-	1	2	-	4	1	3	-	-	2	-	-	2	2	1	
	女 F.	30	16	11	5	4	1	-	-	1	-	1	4	-	2	2	4	3	2	-	-	-	1	-	-	
748.0	後鼻孔閉鎖症	4	3	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	748.0
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	3	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
748.1	その他の鼻の異常	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
748.2	喉頭のウェブ(web)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
748.3	その他の喉頭，気管および気管支の異常	29	12	9	3	4	-	-	1	1	-	2	1	-	5	2	5	1	1	1	-	-	1	1	-	748.3
	男 M.	15	8	7	2	3	-	-	1	1	-	1	-	-	3	-	1	-	-	1	-	-	1	1	-	
	女 F.	14	4	2	1	1	-	-	-	-	-	1	1	-	2	2	4	1	1	-	-	-	-	-	-	
748.4	先天性嚢胞肺	4	2	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	748.4
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	
	女 F.	2	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
748.5	肺の無発生	4	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	748.5
	男 M.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	
748.6	その他の肺の異常	29	22	20	9	4	4	2	-	1	-	-	2	-	1	1	-	1	-	1	-	-	2	1	-	748.6
	男 M.	22	17	16	7	3	3	2	-	1	-	-	1	-	1	1	-	-	-	1	-	-	1	1	-	
	女 F.	7	5	4	2	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks									4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
			総数 Total	1週未満 1 week & over, less than 2 weeks																			
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満	2～3週未満	3～4週未満									
748.8	その他の明示された呼吸器系の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748.8
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
748.9	詳細不明の呼吸器系の異常	4	4	3	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	748.9
	男 M.	4	4	3	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
749	口蓋裂および唇裂	144	100	48	12	9	10	4	3	5	5	27	17	8	30	5	1	1	3	2	1	1	-	-	-	749
	男 M.	71	49	20	5	4	5	1	-	2	3	12	11	6	14	3	1	-	3	1	-	-	-	-	-	
	女 F.	73	51	28	7	5	5	3	3	3	2	15	6	2	16	2	-	1	-	1	1	1	-	-	-	
749.0	口蓋裂	67	51	24	7	5	3	2	3	2	2	15	8	4	11	1	-	-	1	1	1	1	-	-	-	749.0
	男 M.	30	25	10	1	3	3	-	-	2	1	6	5	4	4	-	-	-	1	-	-	-	-	-	-	
	女 F.	37	26	14	6	2	-	2	3	-	1	9	3	-	7	1	-	-	-	1	1	1	-	-	-	
749.1	唇裂	24	13	4	2	1	-	-	-	1	-	4	5	-	8	1	1	-	1	-	-	-	-	-	-	749.1
	男 M.	17	9	2	2	-	-	-	-	-	-	3	4	-	5	1	1	-	1	-	-	-	-	-	-	
	女 F.	7	4	2	-	1	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	
749.2	唇裂を伴う口蓋裂	53	36	20	3	3	7	2	-	2	3	8	4	4	11	3	-	1	1	1	-	-	-	-	-	749.2
	男 M.	24	15	8	2	1	2	1	-	-	2	3	2	2	5	2	-	-	1	1	-	-	-	-	-	
	女 F.	29	21	12	1	2	5	1	-	2	1	5	2	2	6	1	-	1	-	-	-	-	-	-	-	
750	その他の上部消化管の先天異常	257	193	135	3	7	11	22	27	36	29	40	9	9	40	12	5	3	1	1	1	-	-	1	-	750
	男 M.	158	124	89	2	4	5	15	18	26	19	27	5	3	26	6	1	-	1	-	-	-	-	-	-	
	女 F.	99	69	46	1	3	6	7	9	10	10	13	4	6	14	6	4	3	-	1	1	-	-	1	-	
750.0	舌の異常	3	1	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	750.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	1	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	
750.1	幽門狭窄	50	19	6	-	-	-	-	2	2	2	6	4	3	23	6	2	-	-	-	-	-	-	-	-	750.1
	男 M.	32	11	3	-	-	-	-	1	1	1	4	3	1	16	4	1	-	-	-	-	-	-	-	-	
	女 F.	18	8	3	-	-	-	-	1	1	1	2	1	2	7	2	1	-	-	-	-	-	-	-	-	
750.2	気管食道瘻，食道閉鎖および狭窄	86	62	35	2	3	7	4	6	5	8	19	3	5	13	3	1	3	1	1	1	-	-	1	-	750.2
	男 M.	44	34	19	1	1	3	2	5	2	5	12	1	2	8	1	-	-	1	-	-	-	-	-	-	
	女 F.	42	28	16	1	2	4	2	1	3	3	7	2	3	5	2	1	3	-	1	1	-	-	1	-	
750.8	その他の明示された上部消化管の異常	114	108	92	1	4	4	17	18	29	19	13	2	1	4	2	-	-	-	-	-	-	-	-	-	750.8
	男 M.	81	78	67	1	3	2	13	12	23	13	10	1	-	2	1	-	-	-	-	-	-	-	-	-	
	女 F.	33	30	25	-	1	2	4	6	6	6	3	1	1	2	1	-	-	-	-	-	-	-	-	-	
750.9	詳細不明の上部消化管の異常	4	3	1	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	750.9
	男 M.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	2	1	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
751	その他の消化器系の先天異常	614	335	161	11	15	32	30	25	25	23	84	49	41	88	38	29	19	21	19	19	14	10	9	13	751
	男 M.	348	214	111	7	9	22	22	19	17	15	52	29	22	50	17	12	7	12	10	9	3	5	3	6	
	女 F.	266	121	50	4	6	10	8	6	8	8	32	20	19	38	21	17	12	9	9	10	11	5	6	7	
751.0	メッケル憩室	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	751.0
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
751.1	小腸の閉鎖および狭窄	142	107	34	-	5	5	10	6	5	3	31	20	22	28	5	1	1	-	-	-	-	-	-	-	751.1
	男 M.	64	51	16	-	2	3	6	3	1	1	12	11	12	11	1	-	1	-	-	-	-	-	-	-	
	女 F.	78	56	18	-	3	2	4	3	4	2	19	9	10	17	4	1	-	-	-	-	-	-	-	-	
751.2	直腸および肛門の閉鎖および狭窄	71	57	40	3	5	13	4	6	7	2	12	2	3	7	3	1	-	-	-	3	-	-	-	-	751.2
	男 M.	53	45	34	1	3	12	4	6	6	2	8	1	2	4	1	1	-	-	-	2	-	-	-	-	
	女 F.	18	12	6	2	2	1	-	-	1	-	4	1	1	3	2	-	-	-	-	1	-	-	-	-	
751.3	ヒルシュスプルング病	63	32	10	-	-	2	-	3	2	3	12	5	5	18	3	2	1	1	2	1	1	-	1	1	751.3
	男 M.	51	28	9	-	-	1	-	3	2	3	11	4	4	13	2	1	1	1	1	1	-	-	1	1	
	女 F.	12	4	1	-	-	1	-	-	-	-	1	1	1	5	1	1	-	-	1	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
751.4	腸固定の異常	41	23	12	2	2	3	2	-	1	2	4	4	3	11	1	3	-	1	-	1	-	1	-	-	751.4
	男 M.	28	17	8	1	2	1	2	-	1	1	6	3	2	8	-	1	-	1	-	-	-	1	-	1	
	女 F.	13	6	4	1	-	2	-	-	-	1	-	1	1	3	1	2	-	-	-	1	-	-	-	-	
751.5	その他の腸の異常	104	89	54	3	3	9	12	8	8	11	17	11	7	10	2	1	1	1	-	-	-	-	-	-	751.5
	男 M.	66	57	38	3	2	5	9	5	7	7	12	5	2	6	1	-	1	1	-	-	-	-	-	-	
	女 F.	38	32	16	-	1	4	3	3	1	4	5	6	5	4	1	1	-	-	-	-	-	-	-	-	
751.6	胆嚢，胆管および肝臓の異常	166	10	4	1	-	-	-	-	2	1	3	2	1	10	22	20	15	18	16	14	13	9	8	11	751.6
	男 M.	69	5	2	1	-	-	-	-	-	1	2	1	-	5	11	9	4	9	8	6	2	4	2	4	
	女 F.	97	5	2	-	-	-	-	-	2	-	1	1	1	5	11	11	11	9	8	8	11	5	6	7	
751.7	膵臓の異常	6	3	1	-	-	-	1	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	751.7
	男 M.	4	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
751.8	その他の明示された消化器系の異常	10	9	5	2	-	-	1	1	-	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	751.8
	男 M.	5	5	3	1	-	-	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	5	4	2	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
751.9	詳細不明の消化器系の異常	9	5	1	-	-	-	-	1	-	-	2	2	-	2	1	-	-	-	1	-	-	-	-	-	751.9
	男 M.	7	5	1	-	-	-	-	1	-	-	2	2	-	1	-	-	-	-	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
752	性器の先天異常	5	5	1	1	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	752
	男 M.	3	3	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
752.0	性不確定	2	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	752.0
	男 M.	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
752.1	停留睾丸	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
752.2	尿道下裂	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	752.2
	男 M.	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
752.3	尿道上裂	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
752.4	先天性陰嚢水瘤	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
752.5	卵巣，卵管および子宮の異常	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
752.6	腟および女性外性器の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
752.7	偽半陰陽	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	752.7
	男 M.	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
752.8	その他の明示された性器の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.8
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
752.9	詳細不明の性器の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数,

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
753	泌尿器系の先天異常	28	16	10	5	2	-	2	-	-	1	1	3	2	3	3	1	2	1	-	-	1	-	1	-	753
	男 M.	17	10	6	3	1	-	1	-	-	1	-	2	2	3	3	1	-	-	-	-	-	-	-	-	
	女 F.	11	6	4	2	1	-	1	-	-	-	1	1	-	-	-	-	2	1	-	-	1	-	1	-	
753.0	腎無発生	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	753.0
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
753.1	嚢胞性腎疾患	6	3	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	753.1
	男 M.	4	3	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	
753.2	尿路の閉塞性異常	6	3	1	1	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	1	-	753.2
	男 M.	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	
	女 F.	3	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
753.3	その他の明示された腎臓の異常	5	4	1	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	753.3
	男 M.	4	3	1	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
753.4	その他の明示された尿管の異常	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	753.4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
753.5	膀胱の外反	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	753.5
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
753.6	尿道および膀胱頸部の閉鎖および狭窄	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.6
	男 M.	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
753.8	その他の明示された膀胱および尿道の異常	3	2	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	753.8
	男 M.	3	2	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
753.9	詳細不明の泌尿器系の異常	4	3	3	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	753.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	3	3	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
754	内反足(先天性)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
755	その他の体肢の先天異常	13	9	8	2	3	-	2	-	1	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-	755
	男 M.	6	5	4	1	2	-	2	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	
	女 F.	7	4	4	1	1	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	
755.0	多指症	2	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.0
	男 M.	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
755.1	合指症	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
755.2	上肢の減奇形	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.2
	男 M.	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
755.3	下肢の減奇形	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
755.4	詳細不明の肢の減奇形	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	755.4
	男 M.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 2 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
755.5	その他の上肢の異常（肩甲帯を含む）……	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
755.6	先天性股関節脱臼……	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	755.6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
755.7	その他の下肢の異常（骨盤帯を含む）……	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	755.7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
755.8	肢の関節の多発生屈曲拘縮……	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	755.8
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
755.9	その他および詳細不明の上下不詳の肢の異常	4	3	3	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	755.9
	男 M.	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
756	その他の筋骨格系の先天異常……	154	94	73	25	17	10	8	5	5	3	13	5	3	16	11	7	10	4	1	2	3	1	3	2	756
	男 M.	90	60	47	16	12	7	4	4	2	2	6	5	2	6	7	3	2	4	1	-	2	-	1	2	
	女 F.	64	34	26	9	5	3	4	1	3	1	7	-	1	10	4	4	8	-	-	-	1	1	2	-	
756.0	頭蓋および顔面骨の異常……	54	22	14	5	5	1	3	-	-	-	3	2	3	9	4	6	4	2	1	-	1	1	2	2	756.0
	男 M.	31	16	11	5	3	1	2	-	-	-	1	2	2	3	2	3	1	2	1	-	1	-	-	2	
	女 F.	23	6	3	-	2	-	1	-	-	-	2	-	1	6	2	3	3	-	-	-	-	1	2	-	
756.1	脊柱の異常……	2	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	756.1
	男 M.	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
756.2	頸肋……	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
756.3	その他の肋骨および胸骨の異常……	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756.3
	男 M.	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
756.4	軟骨異栄養症……	6	4	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	756.4
	男 M.	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
	女 F.	3	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
756.5	骨形成不全症……	5	4	3	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	756.5
	男 M.	2	2	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	2	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
756.6	その他の広汎性骨格異常……	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756.6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
756.8	その他の明示された筋，腱および筋膜の異常	79	57	48	18	10	9	2	4	4	1	7	2	-	6	7	1	3	2	-	2	-	-	1	-	756.8
	男 M.	49	35	29	9	8	6	1	3	1	1	4	2	-	3	5	-	1	2	-	2	-	-	1	-	
	女 F.	30	22	19	9	2	3	1	1	3	-	3	-	-	3	2	1	2	-	-	-	-	-	-	-	
756.9	詳細不明の筋骨格系の異常……	7	4	2	-	1	-	-	-	-	1	1	1	-	-	-	-	3	-	-	-	-	-	-	-	756.9
	男 M.	3	3	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	
757	皮膚，毛髪および爪の先天異常……	8	2	2	-	-	1	-	1	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	1	757
	男 M.	4	2	2	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	
757.0	脚の遺伝性浮腫……	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
757.1	色素性母斑	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
757.2	その他の明示された皮膚の異常	8	2	2	-	-	1	-	1	-	-	-	-	-	2	1	1	1	-	-	-	-	-	1	757.2
	男 M.	4	2	2	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	
757.3	明示された毛髪の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
757.4	明示された爪の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
757.9	詳細不明の皮膚，毛髪および爪の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
758	その他および詳細不明の先天異常	137	120	87	27	21	11	13	3	7	5	17	7	9	10	2	2	1	-	1	-	-	-	1	758
	男 M.	75	68	52	20	13	7	5	-	4	3	7	4	5	5	1	1	1	-	-	-	-	-	-	
	女 F.	62	52	35	7	8	4	8	3	3	2	10	3	4	5	2	1	-	-	1	-	-	-	1	
758.0	脾の異常	4	2	1	-	-	-	1	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	758.0
	男 M.	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
	女 F.	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
758.1	副腎の異常	2	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	758.1
	男 M.	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
758.2	甲状腺の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	758.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
758.3	その他の内分泌腺の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	758.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
758.8	その他の明示された先天異常	94	87	63	21	13	6	11	3	5	4	14	5	5	5	1	-	-	-	1	-	-	-	-	758.8
	男 M.	54	51	40	16	10	5	4	-	3	2	5	3	3	3	-	-	-	-	-	-	-	-	-	
	女 F.	40	36	23	5	3	1	7	3	2	2	9	2	2	2	1	-	-	-	1	-	-	-	-	
758.9	詳細不明の先天異常	37	29	22	6	8	4	1	-	2	1	2	1	4	5	1	-	1	-	-	-	-	-	1	758.9
	男 M.	18	15	12	4	3	2	1	-	1	1	1	-	2	2	-	-	1	-	-	-	-	-	-	
	女 F.	19	14	10	2	5	2	-	-	1	-	1	1	2	3	1	-	-	-	-	-	-	-	1	
759	多系統におよぶ先天性症候群	184	62	40	15	7	3	6	4	3	2	11	6	5	26	13	16	15	12	11	3	8	9	4	5	759
	男 M.	93	32	20	7	4	2	4	1	-	2	5	5	2	12	5	8	8	7	4	2	6	5	2	2	
	女 F.	91	30	20	8	3	1	2	3	3	-	6	1	3	14	8	8	7	5	7	1	2	4	2	3	
759.0	内臓転位	9	4	1	1	-	-	-	-	-	-	1	1	1	-	-	-	3	1	-	-	-	1	-	-	759.0
	男 M.	6	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	1	-	-	
	女 F.	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
759.1	癒合双胎	4	4	3	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	759.1
	男 M.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	3	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
759.2	その他の怪奇形	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	759.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
759.3	ダウン病	108	28	18	6	4	1	3	1	2	1	5	4	1	13	9	11	9	8	9	2	6	6	3	4	759.3
	男 M.	58	15	9	2	1	1	3	1	-	1	2	3	1	7	4	5	6	6	2	2	4	4	2	1	
	女 F.	50	13	9	4	3	-	-	-	2	-	3	1	-	6	5	6	3	2	7	-	2	2	1	3	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
759.4	その他の染色体異常による症候群	33	13	9	3	1	1	2	1	1	-	-	1	3	9	3	3	1	1	1	-	-	-	1	1	759.4
	男 M.	11	5	4	2	1	-	-	-	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	1	
	女 F.	22	8	5	1	-	-	2	1	1	-	-	1	3	6	3	2	1	1	-	-	-	-	1	-	
759.5	性染色体異常による症候群	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	759.5
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
759.6	結節硬化	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	759.6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	
759.8	その他の明示された症候群	13	2	1	-	-	-	-	1	-	-	1	-	-	3	-	2	1	1	1	1	1	1	-	-	759.8
	男 M.	7	1	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	1	-	1	-	-	-	
	女 F.	6	1	1	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	1	-	1	-	-	
759.9	詳細不明の多発先天異常	14	11	8	2	2	1	1	1	-	1	3	-	-	1	-	-	-	1	-	-	1	-	-	-	759.9
	男 M.	9	7	6	2	2	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	
	女 F.	5	4	2	-	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	
XV	周産期疾病および死亡の主要原因	11 930	11 751	10 382	3 911	2 610	1 791	799	490	434	347	1 965	278	126	129	18	5	9	7	1	5	1	-	3	1	XV
	男 M.	7 126	7 031	6 281	2 388	1 627	1 079	447	291	248	201	535	140	75	64	10	2	9	5	-	2	1	-	1	1	
	女 F.	4 804	4 720	4 101	1 523	983	712	352	199	186	146	430	138	51	65	8	3	-	2	1	3	-	-	2	-	
760	母体の慢性循環器疾患および慢性性尿器疾患	33	33	31	12	9	5	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	760
	男 M.	23	23	21	10	6	4	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	10	10	2	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760.0	慢性リウマチ性心疾患	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760.0
	男 M.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760.1	先天性心疾患	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760.2	慢性高血圧症	9	9	9	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760.2
	女 M.	7	7	7	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	男 F.	2	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760.3	その他の慢性循環器系疾患	12	12	11	5	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	760.3
	男 M.	7	7	6	3	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	5	5	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760.3a	その他の心疾患	7	7	6	4	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	760.3a
	男 M.	4	4	3	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	3	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760.3b	その他	5	5	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760.3b
	男 M.	3	3	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760.4	慢性腎炎	5	5	5	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	760.4
	男 M.	3	3	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760.5	その他の慢性性尿器系疾患	6	6	5	2	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	760.5
	男 M.	5	5	4	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
761	その他の妊娠に関連のない母体側の状態	149	149	143	68	27	23	9	6	5	5	5	-	1	-	-	-	-	-	-	-	-	-	-	-	761
	男 M.	91	91	87	39	18	14	5	4	3	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	58	58	56	29	9	9	4	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
761.0	梅毒	8	8	8	3	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.0
	男 M.	3	3	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	5	5	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日
761.1	糖尿病	18	18	17	7	5	2	1	-	1	1
	男 M.	10	10	9	3	3	1	1	-	-	1
	女 F.	8	8	8	4	2	1	-	-	1	-
761.2	インフルエンザ	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
761.3	風疹	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
761.4	トキソプラスマ症	1	1	1	1	-	-	-	-	-	-
	男 M.	1	1	1	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
761.5	損傷	6	6	6	2	1	2	-	1	-	-
	男 M.	3	3	3	1	-	1	-	1	-	-
	女 F.	3	3	3	1	1	1	-	-	-	-
761.6	手術	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
761.7	胎盤通過性化学物質の作用	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
761.9	その他の母体側の原因	116	116	111	55	21	16	8	4	4	3
	男 M.	74	74	71	33	15	11	4	2	3	3
	女 F.	42	42	40	22	6	5	4	2	1	-
761.9a	結核	4	4	4	3	-	1	-	-	-	-
	男 M.	4	4	4	3	-	1	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
761.9b	悪性新生物	4	4	4	4	-	-	-	-	-	-
	男 M.	4	4	4	4	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
761.9c	良性および性質不詳の新生物	14	14	14	6	3	4	1	-	-	-
	男 M.	9	9	9	4	2	2	1	-	-	-
	女 F.	5	5	5	2	1	2	-	-	-	-
761.9d	精神障害	1	1	1	1	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	1	1	-	-	-	-	-	-
761.9e	呼吸器系の疾患	11	11	10	5	2	3	-	-	-	-
	男 M.	6	6	5	2	2	1	-	-	-	-
	女 F.	5	5	5	3	-	2	-	-	-	-
761.9f	消化器系の疾患	9	9	9	5	1	1	-	-	1	1
	男 M.	6	6	6	3	-	1	-	-	1	1
	女 F.	3	3	3	2	1	-	-	-	-	-
761.9g	その他の母体側の疾患	44	44	41	17	10	5	3	2	2	2
	男 M.	29	29	27	10	8	4	1	1	1	2
	女 F.	15	15	14	7	2	1	2	1	1	-
761.9h	習慣性流早死産	22	22	21	9	4	2	4	2	-	-
	男 M.	12	12	12	5	2	2	2	1	-	-
	女 F.	10	10	9	4	2	-	2	1	-	-
761.9i	過労	5	5	5	3	1	-	-	-	1	-
	男 M.	3	3	3	1	1	-	-	-	1	-
	女 F.	2	2	2	2	-	-	-	-	-	-

Under 4 weeks 1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
-	-	1	-	-	-	-	-	-	-	-	-	-	-	761.1
-	-	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9
3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9d
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9e
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9f
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9g
2	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9h
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9i
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 1 week 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日
761.9j	その他の母体側の診断名不明確の状態…	2	2	2	2	-	-	-	-	-	-
	男 M.	1	1	1	1	-	-	-	-	-	-
	女 F.	1	1	1	1	-	-	-	-	-	-
762	妊娠中毒症	846	844	821	228	196	227	81	49	20	20
	男 M.	517	517	506	131	131	150	45	26	9	14
	女 F.	329	327	315	97	65	77	36	23	11	6
762.0	妊娠時に起きた腎疾患	87	87	87	28	23	22	6	5	1	2
	男 M.	48	48	48	16	14	12	3	1	-	2
	女 F.	39	39	39	12	9	10	3	4	1	-
762.1	子癇前症	138	138	132	30	29	35	17	11	3	7
	男 M.	83	83	81	16	16	26	10	7	2	4
	女 F.	55	55	51	14	13	9	7	4	1	3
762.2	子癇	24	24	23	5	8	7	3	-	-	-
	男 M.	15	15	14	2	5	5	2	-	-	-
	女 F.	9	9	9	3	3	2	1	-	-	-
762.3	詳細不明の妊娠中毒症	582	580	565	160	134	159	52	33	16	11
	男 M.	364	364	356	96	94	106	27	18	7	8
	女 F.	218	216	209	64	40	53	25	15	9	3
762.4	妊娠悪阻	5	5	5	2	-	2	1	-	-	-
	男 M.	3	3	3	1	-	1	1	-	-	-
	女 F.	2	2	2	1	-	1	-	-	-	-
762.5	妊娠時に起きた急性および亜急性肝臓壊死	2	2	2	1	1	-	-	-	-	-
	男 M.	1	1	1	-	1	-	-	-	-	-
	女 F.	1	1	1	1	-	-	-	-	-	-
762.9	その他の妊娠中毒症	8	8	7	2	1	2	2	-	-	-
	男 M.	3	3	3	-	1	-	2	-	-	-
	女 F.	5	5	4	2	-	2	-	-	-	-
763	母体の分娩前および分娩時の感染	75	75	72	35	17	10	6	1	1	2
	男 M.	47	47	44	18	15	5	4	-	-	2
	女 F.	28	28	28	17	2	5	2	1	1	-
763.0	妊娠時の腎盂炎および腎盂腎炎	7	7	7	5	-	2	-	-	-	-
	男 M.	4	4	4	3	-	1	-	-	-	-
	女 F.	3	3	3	2	-	1	-	-	-	-
763.1	その他の妊娠時の性尿器の感染	4	4	3	2	-	-	1	-	-	-
	男 M.	3	3	2	2	-	-	-	-	-	-
	女 F.	1	1	1	-	-	-	1	-	-	-
763.9	その他	64	64	62	28	17	8	5	1	1	2
	男 M.	40	40	38	13	15	4	4	-	-	2
	女 F.	24	24	24	15	2	4	1	1	1	-
764	骨盤の骨，臓器または組織の異常を伴う難産	132	132	129	50	41	23	9	2	2	2
	男 M.	80	80	77	36	18	12	5	2	2	2
	女 F.	52	52	52	14	23	11	4	-	-	-
764.0	脳の出生時損傷を伴うもの	53	53	51	15	14	13	5	2	1	1
	男 M.	37	37	35	12	10	6	3	2	1	1
	女 F.	16	16	16	3	4	7	2	-	-	-
764.0a	骨盤骨の異常を伴うもの	25	25	24	7	7	5	3	1	-	1
	男 M.	17	17	16	6	5	2	1	1	-	1
	女 F.	8	8	8	1	2	3	2	-	-	-
764.0b	骨盤の臓器または組織の異常を伴うもの	28	28	27	8	7	8	2	1	1	-
	男 M.	20	20	19	6	5	4	2	1	1	-
	女 F.	8	8	8	2	2	4	-	-	-	-

Under 4 weeks 1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.9j
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
21	1	1	1	1	-	-	-	-	-	-	-	-	-	762
10	-	1	-	-	-	-	-	-	-	-	-	-	-	
11	1	-	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	762.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	1	-	-	-	-	-	-	-	-	-	-	-	-	762.1
2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	762.2
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
14	-	1	1	1	-	-	-	-	-	-	-	-	-	762.3
7	-	1	-	-	-	-	-	-	-	-	-	-	-	
7	-	-	1	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	762.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	762.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	762.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	-	-	-	-	-	-	-	-	-	763
3	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	763.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	763.1
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	763.9
2	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	1	-	-	-	-	-	-	-	-	-	-	-	-	764
2	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	764.0
1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	764.0a
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	1	-	-	-	-	-	-	-	-	-	-	-	-	764.0b
-	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
764.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.1a	骨盤骨の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.1a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.1b	骨盤の臓器または組織の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.1b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.2	骨または神経の出生時損傷を伴うもの	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.2
	男 M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.2a	骨盤骨の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.2a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.2b	骨盤の臓器または組織の異常を伴うもの	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.2b
	男 M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.3	その他または詳細不明の出生時損傷を伴うもの	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.3a	骨盤骨の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.3a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.3b	骨盤の臓器または組織の異常を伴うもの	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.3b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.4	仮死，無酸素症または低酸素症を伴うもの	61	61	61	29	20	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.4
	男 M.	34	34	34	19	7	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	27	27	27	10	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.4a	骨盤骨の異常を伴うもの	20	20	20	10	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.4a
	男 M.	12	12	12	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	8	8	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.4b	骨盤の臓器または組織の異常を伴うもの	41	41	41	19	14	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.4b
	男 M.	22	22	22	11	5	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	19	19	19	8	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	15	15	15	6	6	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.9
	男 M.	8	8	8	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	7	7	7	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.9a	骨盤骨の異常を伴うもの	8	8	8	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.9a
	男 M.	3	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	5	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
764.9b	骨盤の臓器または組織の異常を伴うもの	7	7	7	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.9b
	男 M.	5	5	5	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
765	胎児骨盤不適合を伴う難産，骨盤異常の記載のないもの	75	75	74	38	15	9	3	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	765
	男 M.	50	50	50	31	10	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	25	25	24	7	5	4	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
765.0	脳の出生時損傷を伴うもの	21	21	21	8	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765.0
	男 M.	13	13	13	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	8	8	-	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks										4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
			総数 Total	1週未満 Under 1 week																				
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満										
765.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
765.2	骨または神経の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
765.3	その他または詳細不明の出生時損傷を伴うもの	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
765.4	仮死，無酸素症または低酸素症を伴うもの	39	39	38	22	7	4	1	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	765.4
	男 M.	31	31	31	18	7	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	8	7	4	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
765.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	14	14	14	8	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	765.9
	男 M.	6	6	6	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	8	8	8	3	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
766	胎児の位置異常を伴う難産	406	406	399	213	88	48	18	15	11	6	6	1	-	-	-	-	-	-	-	-	-	-	766
	男 M.	249	249	243	132	57	30	7	8	6	3	5	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	157	157	156	81	31	18	11	7	5	3	1	-	-	-	-	-	-	-	-	-	-	-	
766.0	脳の出生時損傷を伴うもの	62	62	62	21	14	14	3	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	766.0
	男 M.	46	46	46	14	12	13	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	16	16	16	7	2	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.0a	骨盤位	32	32	32	14	3	7	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	766.0a
	男 M.	22	22	22	8	3	7	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	10	10	6	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.0b	その他	30	30	30	7	11	7	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	766.0b
	男 M.	24	24	24	6	9	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	6	6	6	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.1a	骨盤位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.1a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.1b	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.1b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.2	骨または神経の出生時損傷を伴うもの	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.2a	骨盤位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.2a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.2b	その他	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.2b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.3	その他または詳細不明の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.3a	骨盤位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.3a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
766.3b	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.3b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.4	仮死，無酸素症または低酸素症を伴うもの	234	234	231	142	49	19	10	4	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	766.4
	男 M.	145	145	142	94	29	8	4	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	89	89	89	48	20	11	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.4a	骨盤位	155	155	152	90	36	12	7	4	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	766.4a
	男 M.	90	90	87	57	21	4	2	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	65	65	65	33	15	8	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.4b	その他	79	79	79	52	13	7	3	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.4b
	男 M.	55	55	55	37	8	4	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	24	24	24	15	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	109	109	105	49	25	15	5	5	4	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	766.9
	男 M.	58	58	55	24	16	9	2	2	2	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	51	51	50	25	9	6	3	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
766.9a	骨盤位	75	75	72	32	15	12	5	4	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	766.9a
	男 M.	38	38	35	14	10	7	2	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	37	37	37	18	5	5	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
766.9b	その他	34	34	33	17	10	3	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	766.9b
	男 M.	20	20	20	10	6	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	14	14	13	7	4	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
767	娩出力異常を伴う難産	175	175	174	123	26	16	4	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	767
	男 M.	102	102	101	66	19	10	4	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	73	73	73	57	7	6	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
767.0	脳の出生時損傷を伴うもの	30	30	30	13	8	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.0
	男 M.	20	20	20	9	5	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	10	10	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
767.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
767.2	骨または神経の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.2
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
767.3	その他または詳細不明の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
767.4	仮死，無酸素症または低酸素症を伴うもの	114	114	113	89	15	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	767.4
	男 M.	63	63	62	44	12	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	51	51	51	45	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
767.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	31	31	31	21	3	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.9
	男 M.	19	19	19	13	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	12	12	12	8	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
768	その他および詳細不明の合併症を伴う難産	80	80	78	32	26	8	4	2	6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	768
	男 M.	50	50	49	20	15	6	3	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	30	30	29	12	11	2	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
768.0	脳の出生時損傷を伴うもの	34	34	33	8	12	5	3	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	768.0
	男 M.	22	22	21	5	6	4	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	12	12	12	3	6	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
768.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日
768.2	骨または神経の出生時損傷を伴うもの……	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
768.3	その他または詳細不明の出生時損傷を伴うもの	2	2	2	1	1	-	-	-	-	-
	男 M.	1	1	1	-	1	-	-	-	-	-
	女 F.	1	1	1	1	-	-	-	-	-	-
768.4	仮死，無酸素症または低酸素症を伴うもの	36	36	35	21	9	3	1	-	1	-
	男 M.	20	20	20	13	5	2	-	-	-	-
	女 F.	16	16	15	8	4	1	1	-	1	-
768.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	8	8	8	2	4	-	-	-	2	-
	男 M.	7	7	7	2	3	-	-	-	2	-
	女 F.	1	1	1	-	1	-	-	-	-	-
769	その他の妊娠および分娩の合併症……	1 147	1 147	1 076	446	248	157	85	59	46	35
	男 M.	670	670	632	269	148	101	46	27	24	17
	女 F.	477	477	444	177	100	56	39	32	22	18
769.0	頸管無力症……	157	157	155	67	39	20	14	6	6	3
	男 M.	96	96	95	42	26	13	8	1	3	2
	女 F.	61	61	60	25	13	7	6	5	3	1
769.1	早期破水……	366	366	344	144	78	42	28	22	16	14
	男 M.	226	226	214	92	48	30	14	13	10	7
	女 F.	140	140	130	52	30	12	14	9	6	7
769.2	羊水過多症……	101	101	96	48	19	14	6	3	5	1
	男 M.	53	53	50	28	9	6	3	2	2	-
	女 F.	48	48	46	20	10	8	3	1	3	1
769.3	子宮外妊娠……	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
769.4	多胎妊娠……	323	323	289	103	67	60	21	15	12	11
	男 M.	176	176	157	53	37	38	14	5	5	5
	女 F.	147	147	132	50	30	22	7	10	7	6
769.5	詳細不明の母体死亡……	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
769.9	その他……	200	200	192	84	45	21	16	13	7	6
	男 M.	119	119	116	54	28	14	7	6	4	3
	女 F.	81	81	76	30	17	7	9	7	3	3
769.9a	胎盤状況の記載のない出血……	19	19	19	9	7	-	1	1	-	1
	男 M.	11	11	11	7	3	-	1	-	-	-
	女 F.	8	8	8	2	4	-	-	1	-	1
769.9b	羊水過少症……	2	2	2	2	-	-	-	-	-	-
	男 M.	1	1	1	1	-	-	-	-	-	-
	女 F.	1	1	1	1	-	-	-	-	-	-
769.9c	その他……	179	179	171	73	38	21	15	12	7	5
	男 M.	107	107	104	46	25	14	6	6	4	3
	女 F.	72	72	67	27	13	7	9	6	3	2
770	胎盤異常……	611	611	593	313	159	75	28	8	8	2
	男 M.	366	366	356	190	90	50	16	4	5	1
	女 F.	245	245	237	123	69	25	12	4	3	1
770.0	前置胎盤……	435	435	425	234	109	53	19	5	3	2
	男 M.	268	268	264	145	66	36	12	2	2	1
	女 F.	167	167	161	89	43	17	7	3	1	1

Under 4 weeks 1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	768.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
61	8	2	-	-	-	-	-	-	-	-	-	-	-	769
32	5	1	-	-	-	-	-	-	-	-	-	-	-	
29	3	1	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	769.0
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
22	-	-	-	-	-	-	-	-	-	-	-	-	-	769.1
12	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	2	-	-	-	-	-	-	-	-	-	-	-	-	769.2
2	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	769.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	5	2	-	-	-	-	-	-	-	-	-	-	-	769.4
15	3	1	-	-	-	-	-	-	-	-	-	-	-	
12	2	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	769.5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	1	-	-	-	-	-	-	-	-	-	-	-	-	769.9
2	1	-	-	-	-	-	-	-	-	-	-	-	-	
5	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	769.9a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	769.9b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	1	-	-	-	-	-	-	-	-	-	-	-	-	769.9c
2	1	-	-	-	-	-	-	-	-	-	-	-	-	
5	-	-	-	-	-	-	-	-	-	-	-	-	-	
16	1	1	-	-	-	-	-	-	-	-	-	-	-	770
10	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	1	1	-	-	-	-	-	-	-	-	-	-	-	
8	1	1	-	-	-	-	-	-	-	-	-	-	-	770.0
4	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	1	1	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日
770.1	胎盤早期剝離	78	78	75	35	21	10	4	3	2	-
	男 M.	51	51	48	23	12	7	2	2	2	-
	女 F.	27	27	27	12	9	3	2	1	-	-
770.2	胎盤硬塞	1	1	1	1	-	-	-	-	-	-
	男 M.	1	1	1	1	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
770.8	その他	22	22	22	12	5	2	2	-	1	-
	男 M.	8	8	8	4	2	1	-	-	1	-
	女 F.	14	14	14	8	3	1	2	-	-	-
770.9	詳細不明	75	75	70	31	24	10	3	-	2	-
	男 M.	38	38	35	17	10	6	2	-	-	-
	女 F.	37	37	35	14	14	4	1	-	2	-
771	臍帯異常	182	182	178	103	39	20	8	5	1	2
	男 M.	124	124	122	71	26	13	7	3	1	1
	女 F.	58	58	56	32	13	7	1	2	-	1
771.0	臍帯圧迫	9	9	9	4	2	1	1	-	-	1
	男 M.	7	7	7	2	2	1	1	-	-	1
	女 F.	2	2	2	2	-	-	-	-	-	-
771.1	臍帯圧迫の記載のない臍帯脱出	28	28	25	17	4	1	-	2	-	1
	男 M.	17	17	15	12	2	-	-	1	-	-
	女 F.	11	11	10	5	2	1	-	1	-	1
771.9	その他	145	145	144	82	33	18	7	3	1	-
	男 M.	100	100	100	57	22	12	6	2	1	-
	女 F.	45	45	44	25	11	6	1	1	-	-
771.9 a	臍帯巻絡	112	112	111	69	21	13	4	3	1	-
	男 M.	77	77	77	47	15	9	3	2	1	-
	女 F.	35	35	34	22	6	4	1	1	-	-
771.9 b	その他	33	33	33	13	12	5	3	-	-	-
	男 M.	23	23	23	10	7	3	3	-	-	-
	女 F.	10	10	10	3	5	2	-	-	-	-
772	原因の記載のない出生時損傷	571	569	534	120	152	138	51	40	25	8
	男 M.	346	344	321	68	99	78	26	26	20	4
	女 F.	225	225	213	52	53	60	25	14	5	4
772.0	脳	543	543	509	112	146	132	48	38	25	8
	男 M.	327	327	305	63	97	73	24	24	20	4
	女 F.	216	216	204	49	49	59	24	14	5	4
772.1	脊髄	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
772.2	骨または神経	3	1	1	-	1	-	-	-	-	-
	男 M.	2	-	-	-	-	-	-	-	-	-
	女 F.	1	1	1	-	1	-	-	-	-	-
772.9	その他および詳細不明	25	25	24	8	5	6	3	2	-	-
	男 M.	17	17	16	5	2	5	2	2	-	-
	女 F.	8	8	8	3	3	1	1	-	-	-
773	妊娠の中絶	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-
773. a	経済的理由による人工妊娠中絶	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-

Under 4 weeks 1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 2 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
3	-	-	-	-	-	-	-	-	-	-	-	-	-	770.1
3	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	770.2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	770.8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	-	-	-	-	-	-	-	-	-	-	-	-	-	770.9
3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	1	-	-	-	-	-	-	-	-	-	-	-	-	771
1	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	771.0
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	1	-	-	-	-	-	-	-	-	-	-	-	-	771.1
1	1	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	771.9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	771.9 a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	771.9 b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
27	5	3	2	-	-	-	-	-	-	-	-	-	-	772
19	2	2	2	-	-	-	-	-	-	-	-	-	-	
8	3	1	-	-	-	-	-	-	-	-	-	-	-	
26	5	3	-	-	-	-	-	-	-	-	-	-	-	772.0
18	2	2	-	-	-	-	-	-	-	-	-	-	-	
8	3	1	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	772.1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	2	-	-	-	-	-	-	-	-	-	-	772.2
-	-	-	2	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	772.9
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	773
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	773. a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
773. b	父または近親者の疾患による人工妊娠中絶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773. b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
773. c	その他の人工妊娠中絶	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773. c
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
773. d	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	773. d
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
774	核黄疸を伴う新生児溶血性疾患	40	39	24	1	-	-	5	5	6	7	13	1	1	1	-	-	-	-	-	-	-	-	-	774
	男 M.	29	29	19	-	-	-	4	5	5	5	8	1	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	11	10	5	1	-	-	1	-	1	2	5	-	-	1	-	-	-	-	-	-	-	-	-	
774.0	Rh因子不適合を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
774.1	ABO因子不適合を伴うもの	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	774.1
	男 M.	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
774.2	その他または詳細不明の血液型不適合を伴うもの	6	6	4	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	774.2
	男 M.	5	5	3	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
774.9	原因の記載のないもの	33	32	19	-	-	-	4	5	5	5	12	-	1	1	-	-	-	-	-	-	-	-	-	774.9
	男 M.	23	23	15	-	-	-	3	5	4	3	7	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	10	9	4	-	-	-	1	-	1	2	5	-	-	1	-	-	-	-	-	-	-	-	-	
775	核黄疸の記載のない新生児溶血性疾患	147	144	93	8	11	14	17	12	19	12	40	5	6	3	-	-	-	-	-	-	-	-	-	775
	男 M.	95	93	61	5	9	10	11	9	13	4	28	3	1	2	-	-	-	-	-	-	-	-	-	
	女 F.	52	51	32	3	2	4	6	3	6	8	12	2	5	1	-	-	-	-	-	-	-	-	-	
775.0	Rh因子不適合を伴うもの	5	5	5	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	775.0
	男 M.	3	3	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
775.1	ABO因子不適合を伴うもの	2	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	775.1
	男 M.	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
775.2	その他および詳細不明の血液型不適合を伴うもの	10	10	9	1	2	2	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	775.2
	男 M.	8	8	7	1	1	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
775.9	原因の記載のないもの	130	127	78	4	8	12	16	9	17	12	38	5	6	3	-	-	-	-	-	-	-	-	-	775.9
	男 M.	83	81	50	2	8	9	10	6	11	4	27	3	1	2	-	-	-	-	-	-	-	-	-	
	女 F.	47	46	28	2	-	3	6	3	6	8	11	2	5	1	-	-	-	-	-	-	-	-	-	
776	他に分類されない無酸素症および低酸素症	2 488	2 472	2 338	975	682	364	134	70	68	45	103	13	18	10	-	-	4	1	-	-	1	-	-	776
	男 M.	1 552	1 539	1 453	611	435	221	76	44	36	30	66	7	13	7	-	-	4	1	-	-	1	-	-	
	女 F.	936	933	885	364	247	143	58	26	32	15	37	6	5	3	-	-	-	-	-	-	-	-	-	
776.0	産道内容の吸引	46	46	44	22	14	6	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	776.0
	男 M.	27	27	25	12	7	4	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	19	19	19	10	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
776.1	硝子様膜症	89	88	83	42	23	4	4	4	4	2	5	-	-	1	-	-	-	-	-	-	-	-	-	776.1
	男 M.	59	58	54	28	15	4	3	1	2	1	4	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	30	30	29	14	8	-	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
776.2	呼吸窮迫症候群	763	756	708	257	228	126	40	26	19	12	35	7	6	2	-	-	4	1	-	-	-	-	-	776.2
	男 M.	498	491	456	173	149	76	25	16	10	7	27	3	5	2	-	-	4	1	-	-	-	-	-	
	女 F.	265	265	252	84	79	50	15	10	9	5	8	4	1	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
776.3	胎児側弯迫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	776.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
776.4	子宮内無酸素症	3	3	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	776.4
	男 M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
776.9	詳細不明の新生児仮死	1 587	1 579	1 501	654	415	228	89	39	45	31	61	6	11	7	-	-	-	-	-	-	1	-	-	-	776.9
	男 M.	967	962	918	398	264	137	47	26	24	22	33	4	7	4	-	-	-	-	-	-	1	-	-	-	
	女 F.	620	617	583	256	151	91	42	13	21	9	28	2	4	3	-	-	-	-	-	-	-	-	-	-	
777	詳細不明の未熟児	2 102	2 012	1 344	490	341	219	92	63	57	82	434	163	71	68	9	1	4	2	1	2	-	-	2	1	777
	男 M.	1 151	1 103	765	289	202	120	49	32	30	43	218	77	43	34	5	1	4	2	-	-	-	-	1	1	
	女 F.	951	909	579	201	139	99	43	31	27	39	216	86	28	34	4	-	-	-	1	2	-	-	1	-	
778	その他の胎児または新生児の異常	2 671	2 606	2 281	656	533	435	243	142	155	117	227	76	22	44	8	4	1	4	-	3	-	-	1	-	778
	男 M.	1 584	1 554	1 374	402	329	250	138	95	90	70	128	40	12	19	5	1	1	2	-	2	-	-	-	-	
	女 F.	1 087	1 052	907	254	204	185	105	47	65	47	99	36	10	25	3	3	-	2	-	1	-	-	1	-	
778.0	出生前の胎児の血液喪失	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
778.1	過熟児	3	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.1
	男 M.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
778.2	新生児の出血性疾患	863	849	661	118	137	162	80	47	61	56	132	45	11	11	2	1	-	-	-	-	-	-	-	-	778.2
	男 M.	530	524	417	70	86	107	50	32	33	39	77	24	6	4	2	-	-	-	-	-	-	-	-	-	
	女 F.	333	325	244	48	51	55	30	15	28	17	55	21	5	7	-	1	-	-	-	-	-	-	-	-	
778.3	寒冷傷害症候群	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
778.9	その他	1 805	1 754	1 617	535	396	273	163	95	94	61	95	31	11	33	6	3	1	4	-	3	-	-	1	-	778.9
	男 M.	1 053	1 029	956	331	243	143	88	63	57	31	51	16	6	15	3	1	1	2	-	2	-	-	-	-	
	女 F.	752	725	661	204	153	130	75	32	37	30	44	15	5	18	3	2	-	2	-	1	-	-	1	-	
778.9 a	新生児の黄疸	57	46	30	1	1	7	6	3	6	6	14	2	-	3	2	1	1	2	-	2	-	-	-	-	778.9 a
	男 M.	38	32	22	1	-	5	6	3	4	3	8	2	-	2	-	1	1	1	-	1	-	-	-	-	
	女 F.	19	14	8	-	1	2	-	-	2	3	6	-	-	1	2	-	-	1	-	1	-	-	-	-	
778.9 b	その他	1 748	1 708	1 587	534	395	266	157	92	88	55	81	29	11	30	4	2	-	2	-	1	-	-	1	-	778.9 b
	男 M.	1 015	997	934	330	243	138	82	60	53	28	43	14	6	13	3	-	-	1	-	1	-	-	-	-	
	女 F.	733	711	653	204	152	128	75	32	35	27	38	15	5	17	1	2	-	1	-	-	-	-	1	-	
779	原因不明の胎児死亡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	779
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
779.0	浸軟児	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.0
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
779.9	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
779.9 a	子宮内胎児死亡	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.9 a
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
779.9 b	原因不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	779.9 b
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
XVI	症状および診断名不明確の状態	282	75	44	20	12	4	1	4	2	1	11	12	8	30	34	16	18	21	16	15	14	13	15	15	XVI
	男 M.	174	49	29	10	11	3	1	2	2	-	6	7	7	18	23	8	10	13	10	11	11	7	7	7	
	女 F.	108	26	15	10	1	1	-	2	-	1	5	5	1	12	11	8	8	8	6	4	3	6	8	8	
(780～789)	系統または器管に関する症状	191	49	26	7	11	2	1	3	2	-	7	10	6	21	24	8	11	17	12	6	14	9	8	12	(780～789)
	男 M.	116	35	21	4	10	2	1	2	2	-	4	5	5	13	16	1	7	10	7	4	11	4	2	6	
	女 F.	75	14	5	3	1	-	-	1	-	-	3	5	1	8	8	7	4	7	5	2	3	5	6	6	
780.2	全身けいれん	26	9	7	-	4	-	-	2	1	-	-	1	1	4	2	2	-	3	-	2	1	1	1	1	780.2
	男 M.	18	8	6	-	4	-	-	1	1	-	-	1	1	4	2	-	-	1	-	1	1	1	-	-	
	女 F.	8	1	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	2	-	1	-	-	1	1	
781.7	脳症	35	4	-	-	-	-	-	-	-	-	1	3	-	3	4	2	2	3	4	1	3	3	2	4	781.7
	男 M.	19	2	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	3	3	1	2	1	1	2	
	女 F.	16	2	-	-	-	-	-	-	-	-	-	2	-	2	3	2	-	-	1	-	1	2	1	2	
782.4	心臓麻痺	75	28	16	6	6	2	1	-	1	-	5	4	3	8	10	2	5	6	1	1	8	1	2	3	782.4
	男 M.	55	20	13	4	5	2	1	-	1	-	3	2	2	4	9	-	4	6	1	-	6	1	1	3	
	女 F.	20	8	3	2	1	-	-	-	-	-	2	2	1	4	1	2	1	-	-	1	2	-	1	-	
783	呼吸器系に関する症状	6	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	1	783
	男 M.	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	
784	上部消化管に関する症状	9	3	1	-	1	-	-	-	-	-	-	2	-	1	-	1	-	1	1	1	-	1	-	-	784
	男 M.	6	2	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	-	1	-	-	
	女 F.	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	
785	腹部および下部消化管に関する症状	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	1	785
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	
788.0	脱水	10	1	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	2	1	-	788.0
	男 M.	5	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	1	-	
788.8	原因不明の発熱	21	2	1	-	-	-	-	1	-	-	1	-	-	-	3	-	3	3	5	-	2	1	1	1	788.8
	男 M.	8	1	1	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	2	-	2	-	-	-	
	女 F.	13	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	3	3	-	-	1	1	1	
(790～796)	診断名不明確の状態	91	26	18	13	1	2	-	1	-	1	4	2	2	9	10	8	7	4	4	9	-	4	7	3	(790～796)
	男 M.	58	14	8	6	1	1	-	-	-	-	2	2	2	5	7	7	3	3	3	7	-	3	5	1	
	女 F.	33	12	10	7	-	1	-	1	-	1	2	-	-	4	3	1	4	1	1	2	-	1	2	2	
796.0	その他の診断名不明確の状態	34	2	1	-	1	-	-	-	-	-	-	1	-	-	2	5	3	2	3	5	-	4	5	3	796.0
	男 M.	25	2	1	-	1	-	-	-	-	-	-	1	-	-	2	5	1	2	2	3	-	3	4	1	
	女 F.	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	1	1	2	
796.9	その他の不明および原因不詳	47	22	15	12	-	1	-	1	-	1	4	1	2	5	6	3	2	2	1	4	-	-	2	-	796.9
	男 M.	28	12	7	6	-	1	-	-	-	-	2	1	2	2	4	2	1	1	1	4	-	-	1	-	
	女 F.	19	10	8	6	-	-	-	1	-	1	2	-	-	3	2	1	1	1	-	-	-	-	1	-	
XVII	不慮の事故，中毒および暴力																									XVII
	男 M.																									
	女 F.																									
EXVII	不慮の事故，中毒および暴力(外因)	1 246	135	72	49	7	5	5	2	3	1	16	19	28	136	101	100	170	129	97	80	81	56	71	90	EXVII
	男 M.	708	75	39	27	3	4	1	1	2	1	7	13	16	67	52	57	91	68	62	52	52	36	42	54	
	女 F.	538	60	33	22	4	1	4	1	1	-	9	6	12	69	49	43	79	61	35	28	29	20	29	36	
(E800～E807)	鉄道事故	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	(E800～E807)
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E810～E819)	自動車交通事故	71	-	-	-	-	-	-	-	-	-	-	-	-	6	8	6	10	7	6	5	6	7	7	3	(E810～E819)
	男 M.	38	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	7	5	3	3	3	4	2	3	
	女 F.	33	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	3	2	3	2	3	3	5	-	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks									4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
			総数 Total	1週未満 Under 1 week																			
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満									
E812	他の自動車との衝突による自動車交通事故…	32	-	-	-	-	-	-	-	-	-	2	4	2	5	4	2	1	3	4	4	1	E812
	男 M.	16	-	-	-	-	-	-	-	-	-	1	1	1	3	3	2	1	1	2	-	1	
	女 F.	16	-	-	-	-	-	-	-	-	-	1	3	1	2	1	-	-	2	2	4	-	
E814	歩行者との衝突による自動車交通事故……	23	-	-	-	-	-	-	-	-	-	-	3	2	2	1	3	3	2	3	3	1	E814
	男 M.	13	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	2	1	2	1	
	女 F.	10	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2	-	1	1	-	
(E820～E823)	自動車非交通事故……	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E820～E823)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E825～E827)	その他の道路交通機関事故……	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E825～E827)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E830～E838)	水上交通機関事故……	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E830～E838)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E840～E845)	航空機および宇宙交通機関事故……	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E840～E845)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E850～E859)	薬物および医薬品による不慮の中毒……	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E850～E859)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E860～E869)	その他の固体および液体物質による不慮の…中毒	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	(E860～E869)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
(E870～E877)	ガスおよび蒸気による不慮の中毒……	13	3	-	-	-	-	-	-	-	-	1	-	2	3	3	-	-	1	1	-	1	(E870～E877)
	男 M.	4	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	
	女 F.	9	2	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	1	-	-	1	
(E880～E887)	不慮の墜落……	58	2	1	-	-	-	1	-	-	-	-	-	1	2	1	1	5	1	9	10	7	(E880～E887)
	男 M.	45	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	5	1	6	9	4	
	女 F.	13	1	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	3	1	3	
(E890～E899)	火災および火焔による不慮の事故……	41	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	4	2	5	4	7	(E890～E899)
	男 M.	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	4	3	4	
	女 F.	21	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	2	1	1	3	
(E900～E909)	自然および環境要因による不慮の事故……	12	1	1	1	-	-	-	-	-	-	-	-	-	2	1	3	1	-	1	1	1	(E900～E909)
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	
	女 F.	7	1	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	
E900	過度の高温……	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	E900
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	
E901	過度の低温……	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	E901
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	
E904	飢餓，渇，不良環境曝露および放置……	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E904
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E910～E929)	その他の不慮の事故……	889	73	19	1	7	3	2	2	3	1	12	19	23	109	72	78	137	109	68	51	52	(E910～E929)
	男 M.	515	45	12	1	3	3	1	1	2	1	6	13	14	57	38	46	72	60	44	33	33	
	女 F.	374	28	7	-	4	-	1	1	1	-	6	6	9	52	34	32	65	49	24	18	19	
E910	不慮の溺死および溺水……	78	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	3	8	E910
	男 M.	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	
	女 F.	31	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	2	

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
E812	他の自動車との衝突による自動車交通事故…	5	2	1	3	4	4	1	E812
	男 M.	3	2	1	1	2	-	1	
	女 F.	2	-	-	2	2	4	-	
E814	歩行者との衝突による自動車交通事故……	2	3	3	2	3	3	1	E814
	男 M.	2	1	1	1	2	2	1	
	女 F.	-	2	2	1	1	1	-	
(E820～E823)	自動車非交通事故……	-	-	-	-	-	-	-	(E820～E823)
	男 M.	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	
(E825～E827)	その他の道路交通機関事故……	-	-	-	-	-	-	-	(E825～E827)
	男 M.	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	
(E830～E838)	水上交通機関事故……	-	-	-	-	-	-	-	(E830～E838)
	男 M.	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	
(E840～E845)	航空機および宇宙交通機関事故……	-	-	-	-	-	-	-	(E840～E845)
	男 M.	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	
(E850～E859)	薬物および医薬品による不慮の中毒……	-	-	-	-	-	-	-	(E850～E859)
	男 M.	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	
(E860～E869)	その他の固体および液体物質による不慮の…中毒	-	-	-	-	-	-	-	(E860～E869)
	男 M.	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	
(E870～E877)	ガスおよび蒸気による不慮の中毒……	-	1	1	-	1	-	1	(E870～E877)
	男 M.	-	-	1	-	-	-	1	
	女 F.	-	1	-	-	1	-	-	
(E880～E887)	不慮の墜落……	5	1	9	10	7	7	5	8 (E880～E887)
	男 M.	5	1	6	9	4	5	5	7
	女 F.	-	-	3	1	3	2	-	1
(E890～E899)	火災および火焔による不慮の事故……	2	4	2	5	4	7	1	5 (E890～E899)
	男 M.	1	-	4	3	4	-	1	2
	女 F.	1	4	2	1	1	3	1	4 2
(E900～E909)	自然および環境要因による不慮の事故……	-	1	1	1	-	-	-	1 (E900～E909)
	男 M.	-	1	-	1	-	-	-	-
	女 F.	-	-	1	-	-	-	-	1
E900	過度の高温……	1	-	-	1	-	-	-	- E900
	男 M.	1	-	-	-	-	-	-	-
	女 F.	-	-	-	1	-	-	-	-
E901	過度の低温……	-	-	-	-	-	-	-	- E901
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
E904	飢餓，渇，不良環境曝露および放置……	-	-	-	-	-	-	-	- E904
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
(E910～E929)	その他の不慮の事故……	137	109	68	51	52	35	43	62 (E910～E929)
	男 M.	72	60	44	33	33	24	25	38
	女 F.	65	49	24	18	19	11	18	24
E910	不慮の溺死および溺水……	-	-	2	3	8	6	19	38 E910
	男 M.	-	-	2	2	6	4	10	23
	女 F.	-	-	-	1	2	2	9	15

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
E911	食物の吸入または嚥下による閉塞および窒息	252	45	15	1	7	2	1	1	2	1	7	12	11	44	34	26	36	18	17	10	3	4	6	9	E911
	男 M.	140	30	11	1	3	2	1	1	2	1	4	8	7	24	18	15	10	11	12	3	3	4	3	7	
	女 F.	112	15	4	-	4	-	-	-	-	-	3	4	4	20	16	11	26	7	5	7	-	-	3	2	
E912	その他の物体の吸入または嚥下による閉塞および窒息	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	2	-	1	1	-	E912
	男 M.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	-	1	1	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	
E913	不慮の機械的窒息	499	26	4	-	-	1	1	1	1	-	5	6	11	63	33	49	99	89	38	33	34	17	10	8	E913
	男 M.	290	14	1	-	-	1	-	-	-	-	2	4	7	32	18	28	61	49	24	25	20	10	6	3	
	女 F.	209	12	3	-	-	-	1	1	1	-	3	2	4	31	15	21	38	40	14	8	14	7	4	5	
E913.0	寝台または揺籃	361	17	3	-	-	1	1	-	1	-	3	3	8	30	19	32	79	80	29	23	25	16	6	5	E913.0
	男 M.	214	9	1	-	-	1	-	-	-	-	2	2	4	16	10	18	51	45	20	18	13	9	3	2	
	女 F.	147	8	2	-	-	-	1	-	1	-	1	1	4	14	9	14	28	35	9	5	12	7	3	3	
E913.9	その他および詳細不明	138	9	1	-	-	-	-	1	-	-	2	3	3	33	14	17	20	9	9	10	9	1	4	3	E913.9
	男 M.	76	5	-	-	-	-	-	-	-	-	-	2	3	16	8	10	10	4	4	7	7	1	3	1	
	女 F.	62	4	1	-	-	-	-	1	-	-	2	1	-	17	6	7	10	5	5	3	2	-	1	2	
E924	高熱物体，腐食性液体および蒸気による不慮の事故	31	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	2	5	6	6	6	E924
	男 M.	20	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	2	4	5	4	
	女 F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	1	2	
(E930～E936)	外科的および内科的処置の合併症および事故	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	(E930～E936)
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E940～E949)	不慮の傷害の後遺症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	(E940～E949)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
(E950～E959)	自殺および自傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E950～E959)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E960～E969)	他殺および他人の加害による傷害	121	48	43	39	-	2	2	-	-	-	3	-	2	8	7	8	10	8	3	7	3	5	6	8	(E960～E969)
	男 M.	56	23	22	21	-	1	-	-	-	-	-	-	1	2	5	5	2	2	1	3	3	2	5	3	
	女 F.	65	25	21	18	-	1	2	-	-	-	3	-	1	6	2	3	8	6	2	4	-	3	1	5	
E962	中毒による加害	14	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	2	1	-	1	1	2	E962
	男 M.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	1	1	2	
	女 F.	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	
E963	絞首および絞首による加害	40	28	26	24	-	2	-	-	-	-	1	-	1	2	-	1	3	1	-	2	-	1	1	1	E963
	男 M.	16	15	14	13	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	
	女 F.	24	13	12	11	-	1	-	-	-	-	1	-	-	2	-	1	3	1	-	2	-	1	-	1	
E964	溺水（溺死）による加害	31	6	5	5	-	-	-	-	-	-	-	-	1	2	2	3	4	1	1	2	1	2	4	3	E964
	男 M.	13	1	1	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	-	3	1	
	女 F.	18	5	4	4	-	-	-	-	-	-	-	-	1	2	1	1	3	-	-	1	-	2	1	2	
(E970～E978)	法的介入	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E970～E978)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(E980～E989)	不慮か故意か決定されない傷害	36	8	8	8	-	-	-	-	-	-	-	-	-	3	5	1	3	1	4	2	3	1	2	3	(E980～E989)
	男 M.	22	5	5	5	-	-	-	-	-	-	-	-	-	1	3	1	3	-	2	1	3	1	1	1	
	女 F.	14	3	3	3	-	-	-	-	-	-	-	-	-	2	2	-	-	1	2	1	-	-	1	2	
(E990～E999)	戦争行為による傷害	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(E990～E999)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NXVII	不慮の事故，中毒および暴力(傷害の性質)	1 246	135	72	49	7	5	5	2	3	1	16	19	28	136	101	100	170	129	97	80	81	56	71	90	NXVII
	男 M.	708	75	39	27	3	4	1	1	2	1	7	13	16	67	52	57	91	68	62	52	52	36	42	54	
	女 F.	538	60	33	22	4	1	4	1	1	-	9	6	12	69	49	43	79	61	35	28	29	20	29	36	

第10表　乳児(1才未満)死亡者数，性・日齢—月齢・死因(基本分類)別　昭和47年

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (DETAILED LIST), BY SEX AND AGE　1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
(N800～N809)	頭蓋，脊柱および体幹の骨折	75	3	2	2	-	-	-	-	-	-	-	-	1	4	11	6	11	6	7	8	8	3	5	3	(N800～N809)
	男 M.	46	2	1	1	-	-	-	-	-	-	-	-	1	1	6	3	8	5	5	5	4	2	2	3	
	女 F.	29	1	1	1	-	-	-	-	-	-	-	-	-	3	5	3	3	1	2	3	4	1	3	-	
N800～N804	頭蓋骨折	74	3	2	2	-	-	-	-	-	-	-	-	1	4	11	6	11	6	7	7	8	3	5	3	N800～N804
	男 M.	45	2	1	1	-	-	-	-	-	-	-	-	1	1	6	3	8	5	5	4	4	2	2	3	
	女 F.	29	1	1	1	-	-	-	-	-	-	-	-	-	3	5	3	3	1	2	3	4	1	3	-	
N805～N809	脊椎および体幹の骨折	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	N805～N809
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N810～N819)	上肢の骨折	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(N810～N819)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N820～N829)	下肢の骨折	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(N820～N829)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N830～N839)	骨折を伴わない関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(N830～N839)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N840～N848)	関節の捻挫および隣接筋の過伸展	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(N840～N848)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
(N850～N854)	頭蓋内損傷(頭蓋骨折を伴うものを除く)	72	2	1	-	-	-	1	-	-	-	-	-	-	1	2	3	5	5	3	8	9	9	11	9	6	(N850～N854)
	男 M.	48	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	-	4	8	7	7	7	5	
	女 F.	24	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	3	2	3	4	1	2	4	2	1	
(N860～N869)	胸，腹および骨盤腔の内部損傷	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	3	(N860～N869)
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	
(N870～N879)	頭，頸および体幹の裂傷および開放創	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	(N870～N879)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
(N880～N887)	上肢の裂傷および開放創	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(N880～N887)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N890～N897)	下肢の裂傷および開放創	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(N890～N897)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N900～N907)	多箇所にわたる裂傷および開放創	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	(N900～N907)
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N910～N918)	表在損傷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(N910～N918)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N920～N929)	挫傷および破砕(皮膚表面に損傷のないもの)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	(N920～N929)
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	
(N930～N939)	孔口への異物侵入	265	45	15	1	7	2	1	1	2	1	7	12	11	45	35	27	37	18	21	12	3	6	7	9	(N930～N939)
	男 M.	150	30	11	1	3	2	1	1	2	1	4	8	7	25	19	16	11	11	15	3	3	6	4	7	
	女 F.	115	15	4	-	4	-	-	-	-	-	3	4	4	20	16	11	26	7	6	9	-	-	3	2	
N933	咽頭および喉頭の異物	229	38	12	1	7	1	-	1	1	1	5	12	9	36	29	24	35	17	19	11	3	5	5	7	N933
	男 M.	130	25	8	1	3	1	-	1	1	-	2	8	7	21	15	15	11	10	14	3	3	5	2	6	
	女 F.	99	13	4	-	4	-	-	-	-	-	3	4	2	15	14	9	24	7	5	8	-	-	3	1	

第10表　乳児(1才未満)死亡者数,

TABLE 10　INFANT DEATHS (UNDER 1 YEAR), FROM

性・日齢—月齢・死因(基本分類)別

CAUSES (DETAILED LIST), BY SEX AND AGE

昭和47年
1972

国際基本分類番号 International detailed list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 1 week								1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	国際基本分類番号 International detailed list number
			総数 Total	1週																				
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日													
N934	気管支および肺の異物	36	7	3	-	-	1	1	-	1	-	2	-	2	9	6	3	2	1	2	1	-	1	2	2	N934
	男 M.	20	5	3	-	-	1	1	-	1	-	2	-	-	4	4	1	-	1	1	-	-	1	2	1	
	女 F.	16	2	-	-	-	-	-	-	-	-	-	-	2	5	2	2	2	-	1	1	-	-	-	1	
(N940～N949)	熱傷	73	2	-	-	-	-	-	-	-	-	1	1	-	3	4	2	4	4	11	5	10	7	10	11	(N940～N949)
	男 M.	37	1	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	6	4	5	4	6	6	
	女 F.	36	1	-	-	-	-	-	-	-	-	1	-	-	2	3	-	3	4	5	1	5	3	4	5	
(N950～N959)	神経および脊髄の損傷	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	(N950～N959)
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
(N960～N979)	医薬品の有害作用 (Adverse effect)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(N960～N979)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(N980～N989)	薬用を主としない物質の毒作用	39	3	-	-	-	-	-	-	-	-	1	-	2	5	6	2	2	3	4	2	5	2	3	2	(N980～N989)
	男 M.	21	1	-	-	-	-	-	-	-	-	1	-	-	2	2	1	2	1	1	2	3	2	2	2	
	女 F.	18	2	-	-	-	-	-	-	-	-	-	-	2	3	4	1	-	2	3	-	2	-	1	-	
N986	一酸化炭素の毒作用	32	2	-	-	-	-	-	-	-	-	1	-	1	5	5	1	1	3	2	1	5	2	3	2	N986
	男 M.	19	1	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	1	1	1	3	2	2	2	
	女 F.	13	1	-	-	-	-	-	-	-	-	-	-	1	3	3	-	-	2	1	-	2	-	1	-	
(N990～N999)	その他の有害作用	704	80	54	46	-	3	3	1	1	-	7	6	13	75	40	56	110	91	45	43	46	27	36	55	(N990～N999)
	男 M.	398	41	27	25	-	2	-	-	-	-	2	4	8	35	20	31	66	50	30	29	30	15	21	30	
	女 F.	306	39	27	21	-	1	3	1	1	-	5	2	5	40	20	25	44	41	15	14	16	12	15	25	
N994.1	溺死および死に至らない溺水	117	6	5	5	-	-	-	-	-	-	-	-	1	4	5	3	4	2	4	5	10	8	23	43	N994.1
	男 M.	65	1	1	1	-	-	-	-	-	-	-	-	-	-	2	2	1	2	4	3	8	4	13	25	
	女 F.	52	5	4	4	-	-	-	-	-	-	-	-	1	4	3	1	3	-	-	2	2	4	10	18	
N994.7	窒息および絞首	572	69	45	38	-	3	2	1	1	-	6	6	12	68	34	52	105	89	41	37	35	19	12	11	N994.7
	男 M.	326	38	24	22	-	2	-	-	-	-	2	4	8	34	18	29	64	48	26	26	21	11	7	4	
	女 F.	246	31	21	16	-	1	2	1	1	-	4	2	4	34	16	23	41	41	15	11	14	8	5	7	

第11表　乳児(1才未満)死亡者数，性・日齢—月齢・死因（乳児簡単分類(S)）別

TABLE 11　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (S LIST), BY SEX AND AGE

乳児簡単分類番号（S表） Infant S list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	乳児簡単分類番号（S表） Infant S list number
	総数 Total	23 773	15 817	12 425	4 374	3 041	2 113	1 051	689	639	518	1 878	910	604	1 768	979	815	807	711	623	524	485	409	417	418	
	男 M.	13 840	9 439	7 518	2 653	1 896	1 279	596	416	373	305	1 062	515	344	971	568	445	446	386	340	286	277	218	234	230	
	女 F.	9 933	6 378	4 907	1 721	1 145	834	455	273	266	213	816	395	260	797	411	370	361	325	283	238	208	191	183	188	
S 1	細菌性赤痢およびアメーバ症	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	S 1
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
S 2	腸炎およびその他の下痢性疾患	728	47	4	-	1	-	-	1	1	1	19	13	11	95	56	53	48	54	71	73	62	67	56	46	S 2
	男 M.	425	20	1	-	-	-	-	-	1	-	7	6	6	53	38	30	32	25	46	44	35	35	39	28	
	女 F.	303	27	3	-	1	-	-	1	-	1	12	7	5	42	18	23	16	29	25	29	27	32	17	18	
S 3	結核	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	-	S 3
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	
S 4	ジフテリア	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	S 4
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 5	百日咳	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	S 5
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 6	丹毒	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 7	破傷風	13	11	2	-	-	-	-	-	1	1	6	2	1	2	-	-	-	-	-	-	-	-	-	-	S 7
	男 M.	10	8	1	-	-	-	-	-	-	1	6	1	-	2	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	3	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
S 8	敗血症	180	92	29	1	2	5	2	7	3	9	32	18	13	35	18	9	4	6	3	2	3	6	-	2	S 8
	男 M.	99	49	19	-	1	1	1	5	3	8	13	10	7	20	11	4	3	4	1	2	1	3	-	1	
	女 F.	81	43	10	1	1	4	1	2	-	1	19	8	6	15	7	5	1	2	2	-	2	3	-	1	
S 9	急性灰白髄炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 10	麻疹	149	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	8	20	21	28	23	27	19	S 10
	男 M.	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	13	11	15	13	14	10	
	女 F.	69	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	7	10	13	10	13	9	
S 11	日本脳炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 11
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 12	梅毒およびその続発症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	S 12
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
S 13	その他の伝染病および寄生虫病	81	12	3	-	-	1	-	-	2	-	5	2	2	9	8	10	3	13	4	8	6	3	3	2	S 13
	男 M.	55	7	2	-	-	1	-	-	1	-	2	2	1	4	5	7	3	10	1	6	6	2	3	1	
	女 F.	26	5	1	-	-	-	-	-	1	-	3	-	1	5	3	3	-	3	3	2	-	1	-	1	
S 14	悪性新生物（リンパおよび造血組織の新生物を含む）	131	17	7	-	1	1	1	1	3	-	4	4	2	15	12	7	12	11	5	8	11	9	12	12	S 14
	男 M.	73	11	5	-	1	1	-	1	2	-	3	2	1	9	8	4	5	5	1	6	6	6	5	7	
	女 F.	58	6	2	-	-	-	1	-	1	-	1	2	1	6	4	3	7	6	4	2	5	3	7	5	
S 14.a	白血病	59	7	3	-	1	-	1	-	1	-	2	1	1	8	6	5	6	8	1	3	4	4	4	3	S 14.a
	男 M.	33	5	2	-	1	-	-	-	1	-	1	1	1	4	5	2	3	3	1	2	3	3	-	2	
	女 F.	26	2	1	-	-	-	1	-	-	-	1	-	-	4	1	3	3	5	-	1	1	1	4	1	
S 14.b	その他	72	10	4	-	-	1	-	1	2	-	2	3	1	7	6	2	6	3	4	5	7	5	8	9	S 14.b
	男 M.	40	6	3	-	-	1	-	1	1	-	2	1	-	5	3	2	2	2	-	4	3	3	5	5	
	女 F.	32	4	1	-	-	-	-	-	1	-	-	2	1	2	3	-	4	1	4	1	4	2	3	4	

第11表　乳児(1才未満)死亡者数，性・日齢—月齢・死因（乳児簡単分類(S)）別

TABLE 11　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES (S LIST), BY SEX AND AGE

乳児簡単分類番号（S表） Infant S list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 Under 4 weeks 総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	乳児簡単分類番号（S表） Infant S list number
S 15	良性および性質不詳の新生物	71	21	11	3	1	2	1	1	3	-	4	4	2	10	7	3	6	4	3	7	2	2	4	2	S 15
	男 M.	40	10	4	1	1	-	-	-	2	-	3	3	-	5	5	2	4	4	1	4	1	-	3	1	
	女 F.	31	11	7	2	-	2	1	1	1	-	1	1	2	5	2	1	2	-	2	3	1	2	1	1	
S 16	栄養失調症	36	16	2	-	-	-	-	-	1	1	3	6	5	6	4	3	1	-	2	-	3	-	1	-	S 16
	男 M.	23	11	1	-	-	-	-	-	-	1	2	4	4	3	1	3	1	-	2	-	2	-	-	-	
	女 F.	13	5	1	-	-	-	-	-	1	-	1	2	1	3	3	-	-	-	-	-	1	-	1	-	
S 17	髄膜炎	241	88	24	-	2	1	3	9	4	5	28	24	12	56	17	11	8	12	10	7	8	7	11	6	S 17
	男 M.	134	62	17	-	2	-	3	8	3	1	24	13	8	19	8	6	5	6	8	5	4	1	7	3	
	女 F.	107	26	7	-	-	1	-	1	1	4	4	11	4	37	9	5	3	6	2	2	4	6	4	3	
S 18	脳性けい性小児麻痺	138	56	6	-	1	2	-	-	1	2	30	10	10	20	7	5	4	5	11	3	8	8	4	7	S 18
	男 M.	85	37	4	-	1	1	-	-	1	1	25	4	4	11	5	3	1	2	7	-	7	4	3	5	
	女 F.	53	19	2	-	-	1	-	-	-	1	5	6	6	9	2	2	3	3	4	3	1	4	1	2	
S 19	心疾患	363	166	64	21	18	10	3	3	3	6	53	31	18	62	26	18	21	19	16	7	12	6	5	5	S 19
	男 M.	210	90	37	10	13	7	2	1	2	3	28	20	5	36	19	11	13	10	10	3	9	3	3	3	
	女 F.	153	76	27	11	5	3	1	2	2	3	25	11	13	26	7	7	8	9	6	4	3	3	2	2	
S 20	インフルエンザ	28	3	1	-	-	-	-	-	-	1	-	-	2	2	4	2	2	2	5	3	1	1	2	1	S 20
	男 M.	14	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	3	3	1	1	1	-	
	女 F.	14	3	1	-	-	-	-	-	-	1	-	-	2	2	1	-	2	2	2	-	-	-	1	1	
S 21	肺炎	2 356	800	322	37	86	57	45	36	36	25	212	162	104	339	212	185	170	135	134	97	81	64	66	73	S 21
	男 M.	1 320	470	190	23	54	33	27	20	20	13	128	91	61	191	125	103	91	75	61	49	49	35	34	37	
	女 F.	1 036	330	132	14	32	24	18	16	16	12	84	71	43	148	87	82	79	60	73	48	32	29	32	36	
S 22	気管支炎	206	23	4	-	2	-	1	-	-	1	9	4	6	29	21	18	23	22	16	10	20	8	7	9	S 22
	男 M.	117	14	3	-	2	-	1	-	-	-	6	2	3	16	14	10	17	14	6	6	11	4	3	2	
	女 F.	89	9	1	-	-	-	-	-	-	1	3	2	3	13	7	8	6	8	10	4	9	4	4	7	
S 23	腸閉塞およびヘルニア	336	101	56	15	6	12	8	2	8	5	19	15	11	41	22	26	33	32	20	20	10	14	9	8	S 23
	男 M.	220	72	44	11	4	9	7	1	7	5	12	11	5	23	15	19	20	17	14	14	7	6	7	6	
	女 F.	116	29	12	4	2	3	1	1	1	-	7	4	6	18	7	7	13	15	6	6	3	8	2	2	
S 24	胃炎，十二指腸炎および慢性胃腸炎	13	2	-	-	-	-	-	-	-	-	1	1	-	5	-	3	2	-	-	-	-	-	1	-	S 24
	男 M.	7	2	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	-	-	-	-	-	-	-	
	女 F.	6	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	1	-	
S 25	先天異常	4 344	2 168	1 304	310	275	204	166	122	125	102	400	258	206	580	326	274	222	187	152	115	96	79	73	72	S 25
	男 M.	2 395	1 276	783	180	164	127	94	80	74	64	218	155	120	324	183	129	109	105	76	44	45	36	31	37	
	女 F.	1 949	892	521	130	111	77	72	42	51	38	182	103	86	256	143	145	113	82	76	71	51	43	42	35	
S 25.a	心臓の先天異常	2 214	920	509	126	135	87	59	44	32	26	169	136	106	309	199	170	145	118	95	76	56	45	41	40	S 25.a
	男 M.	1 238	541	302	74	82	57	27	29	17	16	91	81	67	182	118	89	80	64	50	28	26	20	20	20	
	女 F.	976	379	207	52	53	30	32	15	15	10	78	55	39	127	81	81	65	54	45	48	30	25	21	20	
S 25.b	その他の循環器系の先天異常	134	52	42	10	11	12	6	-	2	1	3	2	5	13	14	14	7	11	8	4	5	1	2	3	S 25.b
	男 M.	69	28	22	3	7	7	5	-	-	-	1	2	3	9	9	3	4	7	4	-	3	1	-	1	
	女 F.	65	24	20	7	4	5	1	-	2	1	2	-	2	4	5	11	3	4	4	4	2	-	2	2	
S 25.c	消化器系の先天異常	1 015	628	344	26	31	53	56	55	66	57	151	75	58	158	55	35	23	25	22	21	15	10	10	13	S 25.c
	男 M.	577	387	220	14	17	32	38	37	45	37	91	45	31	90	26	14	7	16	11	9	3	5	3	6	
	女 F.	438	241	124	12	14	21	18	18	21	20	60	30	27	68	29	21	16	9	11	12	12	5	7	7	
S 25.d	その他	981	568	409	148	98	52	45	23	25	18	77	45	37	100	58	55	47	33	27	14	20	23	20	16	S 25.d
	男 M.	511	320	239	89	58	31	24	14	12	11	35	27	19	43	30	23	18	18	11	7	13	10	8	10	
	女 F.	470	248	170	59	40	21	21	9	13	7	42	18	18	57	28	32	29	15	16	7	7	13	12	6	
S 26	出生時損傷，難産およびその他の無酸素症，低酸素症	3 927	3 909	3 726	1 551	1 030	606	223	138	115	63	141	21	21	12	-	-	4	1	-	-	1	-	-	-	S 26
	男 M.	2 429	2 414	2 294	964	653	362	122	85	68	40	93	12	15	9	-	-	4	1	-	-	1	-	-	-	
	女 F.	1 498	1 495	1 432	587	377	244	101	53	47	23	48	9	6	3	-	-	-	-	-	-	-	-	-	-	
S 26.a	脳および脊髄の出生時損傷を伴う難産	743	743	706	177	202	173	61	50	32	11	27	7	3	-	-	-	-	-	-	-	-	-	-	-	S 26.a
	男 M.	465	465	440	111	133	101	32	33	23	7	19	4	2	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	278	278	266	66	69	72	29	17	9	4	8	3	1	-	-	-	-	-	-	-	-	-	-	-	

第11表　乳児(1才未満)死亡者数，性・日齢—月齢・死因（乳児簡単分類(S)）別

TABLE 11　INFANT DEATHS (UNDER 1 YEAR), FROM CAUSES ($\bar{S}$ LIST), BY SEX AND AGE

昭和47年
1972

乳児簡単分類番号（S表） Infant S list number	死因・性 Cause of death and sex	1年未満総数 Total of infant deaths under 1 year	4週未満 総数 Total	4週未満 1週未満 総数 Total	4週未満 1週未満 1日(24時間)未満 Under 1 day (24 hours)	4週未満 1週未満 1日 day	4週未満 1週未満 2日	4週未満 1週未満 3日	4週未満 1週未満 4日	4週未満 1週未満 5日	4週未満 1週未満 6日
S 26.b	その他および詳細不明の出生時損傷を伴う難産	35	33	31	10	8	7	3	3	-	-
	男 M.	21	19	17	5	3	5	2	2	-	-
	女 F.	14	14	14	5	5	2	1	1	-	-
S 26.c	出生時損傷，仮死，無酸素症または低酸素症の記載のない難産	177	177	173	86	38	23	8	6	8	4
	男 M.	98	98	95	49	22	13	4	2	4	1
	女 F.	79	79	78	37	16	10	4	4	4	3
S 26.d	仮死，無酸素症または低酸素症	2 972	2 956	2 816	1 278	782	403	151	79	75	48
	男 M.	1 845	1 832	1 742	799	495	243	84	48	41	32
	女 F.	1 127	1 124	1 074	479	287	160	67	31	34	16
S 27	母体の妊娠時の疾患による新生児の障害	1 103	1 101	1 067	343	249	265	98	58	27	27
	男 M.	678	678	658	198	170	173	54	31	12	20
	女 F.	425	423	409	145	79	92	44	27	15	7
S 28	新生児溶血性疾患	187	183	117	9	11	14	22	17	25	19
	男 M.	124	122	80	5	9	10	15	14	18	9
	女 F.	63	61	37	4	2	4	7	3	7	10
S 29	詳細不明の未熟児	2 102	2 012	1 344	490	341	219	92	63	57	82
	男 M.	1 151	1 103	765	289	202	120	49	32	30	43
	女 F.	951	909	579	201	139	99	43	31	27	39
S 30	新生児の出血性疾患	863	849	661	118	137	162	80	47	61	56
	男 M.	530	524	417	70	86	107	50	32	33	39
	女 F.	333	325	244	48	51	55	30	15	28	17
S 31	新生児の黄疸	57	46	30	1	1	7	6	3	6	6
	男 M.	38	32	22	1	-	5	6	3	4	3
	女 F.	19	14	8	-	1	2	-	-	2	3
S 32	その他の新生児の異常	1 751	1 711	1 590	537	395	266	157	92	88	55
	男 M.	1 016	998	935	331	243	138	82	60	53	28
	女 F.	735	713	655	206	152	128	75	32	35	27
S 33	その他のすべての疾患	3 105	2 247	1 978	889	475	274	138	86	66	50
	男 M.	1 849	1 354	1 197	543	287	180	82	42	38	25
	女 F.	1 256	893	781	346	188	94	56	44	28	25
S 34	不慮の事故	1 089	79	21	2	7	3	3	2	3	1
	男 M.	630	47	12	1	3	3	1	1	2	1
	女 F.	459	32	9	1	4	-	2	1	1	-
S 34.a	食物の吸入または嚥下による閉塞および窒息	252	45	15	1	7	2	1	1	2	1
	男 M.	140	30	11	1	3	2	1	1	2	1
	女 F.	112	15	4	-	4	-	-	-	-	-
S 34.b	不慮の機械的窒息	499	26	4	-	-	1	1	1	1	-
	男 M.	290	14	1	-	-	1	-	-	-	-
	女 F.	209	12	3	-	-	-	1	1	1	-
S 34.c	その他	338	8	2	1	-	-	1	-	-	-
	男 M.	200	3	-	-	-	-	-	-	-	-
	女 F.	138	5	2	1	-	-	1	-	-	-
S 35	その他の外因死	157	56	51	47	-	2	2	-	-	-
	男 M.	78	28	27	26	-	1	-	-	-	-
	女 F.	79	28	24	21	-	1	2	-	-	-

Under 4 weeks 1～2週未満 1 week & over, less than 2 weeks	Under 4 weeks 2～3週未満	Under 4 weeks 3～4週未満	4週～2か月未満 4 weeks & over, less than 2 months	2か月 2 months	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	乳児簡単分類番号（S表） Infant S list number
2	-	-	2	-	-	-	-	-	-	-	-	-	-	S 26.b
2	-	-	2	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	-	-	-	-	-	-	-	-	-	-	-	-	-	S 26.c
3	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	-	-	-	-	-	-	-	-	
108	14	18	10	-	-	4	1	-	-	1	-	-	-	S 26.d
69	8	13	7	-	-	4	1	-	-	1	-	-	-	
39	6	5	3	-	-	-	-	-	-	-	-	-	-	
30	2	2	1	1	-	-	-	-	-	-	-	-	-	S 27
17	1	2	-	-	-	-	-	-	-	-	-	-	-	
13	1	-	1	1	-	-	-	-	-	-	-	-	-	
53	6	7	4	-	-	-	-	-	-	-	-	-	-	S 28
36	4	2	2	-	-	-	-	-	-	-	-	-	-	
17	2	5	2	-	-	-	-	-	-	-	-	-	-	
434	163	71	68	9	1	4	2	1	2	-	-	2	1	S 29
218	77	43	34	5	1	4	2	-	-	-	-	1	1	
216	86	28	34	4	-	-	-	1	2	-	-	1	-	
132	45	11	11	2	1	-	-	-	-	-	-	-	-	S 30
77	24	6	4	2	-	-	-	-	-	-	-	-	-	
55	21	5	7	-	1	-	-	-	-	-	-	-	-	
14	2	-	3	2	1	1	2	-	2	-	-	-	-	S 31
8	2	-	2	-	1	1	1	-	1	-	-	-	-	
6	-	-	1	2	-	-	1	-	1	-	-	-	-	
81	29	11	30	4	2	-	2	-	1	-	-	1	-	S 32
43	14	6	13	3	-	-	1	-	1	-	-	-	-	
38	15	5	17	1	2	-	1	-	-	-	-	1	-	
152	69	48	196	119	83	65	64	52	54	51	53	59	62	S 33
85	43	29	122	66	51	38	32	28	33	25	31	36	33	
67	26	19	74	53	32	27	32	24	21	26	22	23	29	
13	19	26	125	89	91	157	120	90	71	75	50	63	79	S 34
7	13	15	64	44	51	86	66	59	48	46	33	36	50	
6	6	11	61	45	40	71	54	31	23	29	17	27	29	
7	12	11	44	34	26	36	18	17	10	3	4	6	9	S 34.a
4	8	7	24	18	15	10	11	12	3	3	4	3	7	
3	4	4	20	16	11	26	7	5	7	-	-	3	2	
5	6	11	63	33	49	99	89	38	33	34	17	10	8	S 34.b
2	4	7	32	18	28	61	49	24	25	20	10	6	3	
3	2	4	31	15	21	38	40	14	8	14	7	4	5	
1	1	4	18	22	16	22	13	35	28	38	29	47	62	S 34.c
1	1	1	8	8	8	15	6	23	20	23	19	27	40	
-	-	3	10	14	8	7	7	12	8	15	10	20	22	
3	-	2	11	12	9	13	9	7	9	6	6	8	11	S 35
-	-	1	3	8	6	5	2	3	4	6	3	6	4	
3	-	1	8	4	3	8	7	4	5	-	3	2	7	

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S LIST) BY SEX; AND NEONATAL DEATHS (UNDER 4 WEEKS) FOR EACH PREFECTURE*

昭和47年
1972

乳児(1才未満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	乳児簡単分類番号(S表) Infant S list number
	総数 Total	23 773	1 230	364	333	370	219	213	416	576	442	391	1 287	868	2 360	1 436	428	244	236	137	136	
	男 M.	13 840	714	206	195	213	139	140	249	350	264	234	763	502	1 326	846	244	128	151	68	79	
	女 F.	9 933	516	158	138	157	80	73	167	226	178	157	524	366	1 034	590	184	116	85	69	57	
S1	細菌性赤痢およびアメーバ症	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	S1
	男 M.	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S2	腸炎およびその他の下痢性疾患	728	35	17	6	10	5	3	21	27	17	8	41	31	57	39	22	-	14	5	5	S2
	男 M.	425	20	12	3	5	3	1	15	17	13	7	26	17	30	24	12	-	7	3	5	
	女 F.	303	15	5	3	5	2	2	6	10	4	1	15	14	27	15	10	-	7	2	-	
S3	結核	10	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	S3
	男 M.	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
S4	ジフテリア	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	S4
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S5	百日咳	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S5
	男 M.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S6	丹毒	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	S6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
S7	破傷風	13	-	-	1	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	S7
	男 M.	10	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
S8	敗血症	180	5	1	-	6	-	1	1	3	4	4	6	3	19	13	1	3	-	-	2	S8
	男 M.	99	2	-	-	1	-	1	1	2	1	3	3	2	8	7	-	2	-	-	2	
	女 F.	81	3	1	-	5	-	-	-	1	3	1	3	1	11	6	1	1	-	-	-	
S9	急性灰白髄炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S10	麻疹	149	14	5	4	2	-	1	7	2	6	6	1	5	14	3	1	1	-	-	6	S10
	男 M.	80	10	3	3	1	-	-	3	1	2	4	-	3	7	2	-	1	-	-	4	
	女 F.	69	4	2	1	1	-	1	4	1	4	2	1	2	7	1	1	-	-	-	2	
S11	日本脳炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S11
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S12	梅毒およびその続発症	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S12
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S13	その他の伝染病および寄生虫病	81	3	4	-	3	-	1	2	2	3	2	5	-	5	7	1	-	-	-	-	S13
	男 M.	55	3	3	-	2	-	1	1	2	3	1	3	-	4	4	1	-	-	-	-	
	女 F.	26	-	1	-	1	-	-	1	-	-	1	2	-	1	3	-	-	-	-	-	
S14	悪性新生物(リンパおよび造血組織の新生物を含む)	131	7	1	1	3	1	1	3	1	2	3	11	3	13	13	4	-	-	-	-	S14
	男 M.	73	3	-	-	2	1	-	2	-	2	-	5	2	5	10	2	-	-	-	-	
	女 F.	58	4	1	1	1	-	1	1	1	-	3	6	1	8	3	2	-	-	-	-	
S14.a	白血病	59	5	-	-	-	1	-	1	1	1	2	4	-	5	8	1	-	-	-	-	S14.a
	男 M.	33	3	-	-	-	1	-	-	-	1	-	3	-	3	5	-	-	-	-	-	
	女 F.	26	2	-	-	-	-	-	1	1	-	2	1	-	2	3	1	-	-	-	-	
S14.b	その他	72	2	1	1	3	-	1	2	-	1	1	7	3	8	5	3	-	-	-	-	S14.b
	男 M.	40	-	-	-	2	-	-	2	-	1	-	2	2	2	5	2	-	-	-	-	
	女 F.	32	2	1	1	1	-	1	-	-	-	1	5	1	6	-	1	-	-	-	-	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S LIST) BY SEX;

乳　児(1 才 未 満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島
S 15	良性および性質不詳の新生物	71	4	-	3	-	2	-	-
	男 M.	40	2	-	1	-	1	-	-
	女 F.	31	2	-	2	-	1	-	-
S 16	栄養失調症	36	1	-	-	-	-	1	1
	男 M.	23	1	-	-	-	-	1	1
	女 F.	13	-	-	-	-	-	-	-
S 17	髄膜炎	241	10	2	1	6	6	1	6
	男 M.	134	4	2	1	5	3	-	2
	女 F.	107	6	-	-	1	3	1	4
S 18	脳性けい性小児麻痺	138	6	-	3	3	2	1	3
	男 M.	85	3	-	1	3	2	1	1
	女 F.	53	3	-	2	-	-	-	2
S 19	心疾患	363	25	4	1	4	1	6	4
	男 M.	210	18	2	-	3	1	3	2
	女 F.	153	7	2	1	1	-	3	2
S 20	インフルエンザ	28	1	-	-	-	-	-	-
	男 M.	14	-	-	-	-	-	-	-
	女 F.	14	1	-	-	-	-	-	-
S 21	肺炎	2 356	105	41	42	39	23	8	67
	男 M.	1 320	61	25	28	21	12	4	35
	女 F.	1 036	44	16	14	18	11	4	32
S 22	気管支炎	206	14	-	2	4	2	-	2
	男 M.	117	9	-	1	2	-	-	1
	女 F.	89	5	-	1	2	2	-	1
S 23	腸閉塞およびヘルニア	336	22	7	3	4	2	3	2
	男 M.	220	12	4	3	4	2	2	1
	女 F.	116	10	3	-	-	-	1	1
S 24	胃炎，十二指腸炎および慢性胃腸炎	13	-	-	-	-	-	-	-
	男 M.	7	-	-	-	-	-	-	-
	女 F.	6	-	-	-	-	-	-	-
S 25	先天異常	4 344	228	49	38	64	37	40	55
	男 M.	2 395	143	29	23	33	25	27	35
	女 F.	1 949	85	20	15	31	12	13	20
S 25.a	心臓の先天異常	2 214	110	25	22	41	16	24	22
	男 M.	1 238	69	17	13	22	11	17	17
	女 F.	976	41	8	9	19	5	7	5
S 25.b	その他の循環器系の先天異常	134	9	1	1	1	2	-	2
	男 M.	69	4	1	-	-	2	-	-
	女 F.	65	5	-	1	1	-	-	2
S 25.c	消化器系の先天異常	1 015	47	9	8	13	8	9	19
	男 M.	577	31	3	5	9	5	6	11
	女 F.	438	16	6	3	4	3	3	8
S 25.d	その他	981	62	14	7	9	11	7	12
	男 M.	511	39	8	5	2	7	4	7
	女 F.	470	23	6	2	7	4	3	5
S 26	出生時損傷，難産およびその他の無酸素症，低酸素症	3 927	235	85	64	64	50	38	43
	男 M.	2 429	141	54	42	41	29	29	27
	女 F.	1 498	94	31	22	23	21	9	16
S 26.a	脳および脊髄の出生時損傷を伴う難産	743	30	8	5	7	9	8	3
	男 M.	465	20	4	4	6	5	5	2
	女 F.	278	10	4	1	1	4	3	1

*Reported by place of residence.

新生児(生後4週未満)死亡者数，都道府県(七大都市再掲)別

AND NEONATAL DEATHS (UNDER 4 WEEKS) FOR EACH PREFECTURE*

昭和47年
1972

08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	乳児簡単分類番号(S表) Infant S list number
3	1	1	6	3	8	1	-	-	1	1	1	S 15
1	1	1	2	3	5	-	-	-	-	1	1	
2	-	-	4	-	3	1	-	-	1	-	-	
1	1	-	2	1	2	3	2	-	-	-	-	S 16
1	-	-	1	1	1	3	2	-	-	-	-	
-	1	-	1	-	1	-	-	-	-	-	-	
6	4	2	11	13	32	17	5	1	2	-	3	S 17
2	3	-	7	6	17	11	-	1	-	-	1	
4	1	2	4	7	15	6	5	-	2	-	2	
3	-	1	15	2	14	9	1	-	1	2	-	S 18
2	-	1	8	1	9	6	1	-	-	2	-	
1	-	-	7	1	5	3	-	-	1	-	-	
5	4	2	24	12	22	28	11	4	4	1	2	S 19
3	3	2	13	6	13	17	7	1	3	-	1	
2	1	-	11	6	9	11	4	3	1	1	1	
3	-	1	2	-	1	1	-	1	-	-	-	S 20
-	-	1	-	-	1	-	-	1	-	-	-	
3	-	-	2	-	-	1	-	-	-	-	-	
83	46	41	143	99	216	113	46	23	21	8	24	S 21
49	24	22	77	58	124	72	21	9	12	2	14	
34	22	19	66	41	92	41	25	14	9	6	10	
3	5	2	14	3	12	9	5	-	3	2	1	S 22
2	4	-	7	-	5	6	5	-	2	-	1	
1	1	2	7	3	7	3	-	-	1	2	-	
9	8	2	13	13	23	18	10	5	5	2	2	S 23
6	6	1	8	7	17	9	9	5	4	-	1	
3	2	1	5	6	6	9	1	-	1	2	1	
-	-	-	1	-	-	1	-	1	1	-	1	S 24
-	-	-	-	-	-	-	-	-	1	-	-	
-	-	-	1	-	-	1	-	1	-	-	1	
80	74	74	209	147	510	283	87	40	43	26	16	S 25
43	41	46	119	83	287	140	44	19	25	12	9	
37	33	28	90	64	223	143	43	21	18	14	7	
46	33	43	94	62	240	143	48	18	16	10	9	S 25.a
26	19	24	55	36	140	72	27	10	9	3	6	
20	14	19	39	26	100	71	21	8	7	7	3	
1	3	-	5	6	33	18	1	1	1	3	-	S 25.b
1	1	-	4	2	18	6	-	-	-	3	-	
-	2	-	1	4	15	12	1	1	1	-	-	
17	18	20	60	48	111	50	25	5	13	6	5	S 25.c
8	11	13	37	29	63	23	13	3	8	2	2	
9	7	7	23	19	48	27	12	2	5	4	3	
16	20	11	50	31	126	72	13	16	13	7	2	S 25.d
8	10	9	23	16	66	39	4	6	8	4	1	
8	10	2	27	15	60	33	9	10	5	3	1	
86	74	65	177	153	400	276	61	38	18	28	19	S 26
55	51	36	110	94	233	164	36	21	11	15	9	
31	23	29	67	59	167	112	25	17	7	13	10	
14	21	12	41	24	88	65	8	6	1	2	4	S 26.a
10	14	5	27	14	51	30	6	4	1	1	2	
4	7	7	14	10	37	35	2	2	-	1	2	

第12表　乳児(1才未満)死亡者数・新生児(生後4週未満)死亡者数，性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

乳児(1才未満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	乳児簡単分類番号(S表) Infant S list number
S 26.b	その他および詳細不明の出生時損傷を伴う難産	35	1	1	-	-	-	2	-	-	-	2	2	-	4	2	1	1	-	-	-	S 26.b
	男 M.	21	-	1	-	-	-	2	-	-	-	2	1	-	1	1	-	-	-	-	-	
	女 F.	14	1	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	-	
S 26.c	出生時損傷，仮死，無酸素症または低酸素症の記載のない難産	177	9	-	4	2	5	1	4	6	4	4	9	7	26	11	4	1	1	1	-	S 26.c
	男 M.	98	5	-	2	2	1	1	1	4	3	2	3	2	15	9	1	1	1	1	-	
	女 F.	79	4	-	2	-	4	-	3	2	1	2	6	5	11	2	3	-	-	-	-	
S 26.d	仮死，無酸素症または低酸素症	2 972	195	76	55	55	36	27	36	66	49	47	125	122	282	198	48	30	16	25	15	S 26.d
	男 M.	1 845	116	49	36	33	23	21	24	41	34	27	79	78	166	124	29	16	9	13	7	
	女 F.	1 127	79	27	19	22	13	6	12	25	15	20	46	44	116	74	19	14	7	12	8	
S 27	母体の妊娠時の疾患による新生児の障害	1 103	42	15	33	32	17	21	29	34	18	27	65	33	105	63	32	14	21	6	2	S 27
	男 M.	678	25	8	16	19	13	16	17	22	10	19	43	19	64	40	20	9	14	4	-	
	女 F.	425	17	7	17	13	4	5	12	12	8	8	22	14	41	23	12	5	7	2	2	
S 28	新生児溶血性疾患	187	10	4	8	-	1	-	5	8	2	1	10	5	15	10	2	2	3	-	4	S 28
	男 M.	124	9	2	6	-	1	-	1	3	2	1	8	2	12	7	2	-	2	-	2	
	女 F.	63	1	2	2	-	-	-	4	5	-	-	2	3	3	3	-	2	1	-	2	
S 29	詳細不明の未熟児	2 102	88	27	23	28	13	21	43	44	50	31	130	62	220	125	29	13	16	10	15	S 29
	男 M.	1 151	43	10	8	18	8	13	29	27	31	19	75	28	112	67	17	7	10	5	12	
	女 F.	951	45	17	15	10	5	8	14	17	19	12	55	34	108	58	12	6	6	5	3	
S 30	新生児の出血性疾患	863	54	8	17	21	6	8	17	25	14	7	45	34	57	41	10	11	8	3	4	S 30
	男 M.	530	28	4	10	15	4	5	11	15	6	4	30	20	30	26	7	10	7	2	1	
	女 F.	333	26	4	7	6	2	3	6	10	8	3	15	14	27	15	3	1	1	1	3	
S 31	新生児の黄疸	57	3	-	1	-	-	1	-	3	-	2	2	3	3	3	-	-	1	-	3	S 31
	男 M.	38	2	-	1	-	-	-	-	2	-	1	2	1	2	3	-	-	1	-	2	
	女 F.	19	1	-	-	-	-	1	-	1	-	1	-	2	1	-	-	-	-	-	1	
S 32	その他の新生児の異常	1 751	80	24	18	20	6	13	31	43	42	25	116	87	222	95	16	26	21	14	6	S 32
	男 M.	1 016	49	11	12	10	3	7	16	28	22	12	70	54	124	60	10	11	14	10	3	
	女 F.	735	31	13	6	10	3	6	15	15	20	13	46	33	98	35	6	15	7	4	3	
S 33	その他のすべての疾患	3 105	157	48	51	37	29	32	51	77	51	64	174	118	278	200	68	41	35	19	12	S 33
	男 M.	1 849	88	24	28	19	19	20	34	52	31	38	107	69	151	127	43	24	29	7	6	
	女 F.	1 256	69	24	23	18	10	12	17	25	20	26	67	49	127	73	25	17	6	12	6	
S 34	不慮の事故	1 089	73	19	13	18	13	9	20	20	16	17	57	34	96	59	9	17	17	9	8	S 34
	男 M.	630	35	12	7	8	10	6	13	11	8	13	35	24	57	37	5	7	9	5	5	
	女 F.	459	38	7	6	10	3	3	7	9	8	4	22	10	39	22	4	10	8	4	3	
S 34.a	食物の吸入または嚥下による閉塞および窒息	252	13	7	2	2	2	2	4	2	4	2	14	6	35	19	2	2	3	-	2	S 34.a
	男 M.	140	7	4	1	1	2	-	3	2	2	2	9	3	16	13	1	1	1	-	1	
	女 F.	112	6	3	1	1	-	2	1	-	2	-	5	3	19	6	1	1	2	-	1	
S 34.b	不慮の機械的窒息	499	45	7	6	6	7	4	9	11	9	6	22	15	36	23	4	8	13	7	2	S 34.b
	男 M.	290	22	5	4	1	5	3	5	5	4	4	15	13	26	12	2	4	8	4	1	
	女 F.	209	23	2	2	5	2	1	4	6	5	2	7	2	10	11	2	4	5	3	1	
S 34.c	その他	338	15	5	5	10	4	3	7	7	3	9	21	13	25	17	3	7	1	2	4	S 34.c
	男 M.	200	6	3	2	6	3	3	5	4	2	7	11	8	15	12	2	2	-	1	3	
	女 F.	138	9	2	3	4	1	-	2	3	1	2	10	5	10	5	1	5	1	1	1	
S 35	その他の外因死	157	7	1	-	2	2	3	3	4	-	1	6	3	13	6	4	3	1	1	-	S 35
	男 M.	78	3	-	-	1	1	3	1	3	-	-	4	1	6	4	-	-	-	-	-	
	女 F.	79	4	1	-	1	1	-	2	1	-	1	2	2	7	2	4	3	1	1	-	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・新生児(生後4週未満)死亡者数，性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

乳　児(1 才 未 満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪
	総数 Total	330	435	646	1 377	316	215	454	1 954
	男 M.	189	258	349	791	184	113	270	1 156
	女 F.	141	177	297	586	132	102	184	798
S 1	細菌性赤痢およびアメーバ症	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	1
S 2	腸炎およびその他の下痢性疾患	9	24	17	59	10	1	7	61
	男 M.	7	12	10	35	7	1	4	37
	女 F.	2	12	7	24	3	-	3	24
S 3	結核	-	1	-	-	-	-	-	3
	男 M.	-	-	-	-	-	-	-	2
	女 F.	-	1	-	-	-	-	-	1
S 4	ジフテリア	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 5	百日咳	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 6	丹毒	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 7	破傷風	-	-	1	3	-	-	-	-
	男 M.	-	-	1	2	-	-	-	-
	女 F.	-	-	-	1	-	-	-	-
S 8	敗血症	2	4	2	17	1	2	2	20
	男 M.	2	2	-	10	-	1	2	11
	女 F.	-	2	2	7	1	1	-	9
S 9	急性灰白髄炎	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 10	麻疹	2	3	6	8	2	-	1	11
	男 M.	2	2	4	6	2	-	-	4
	女 F.	-	1	2	2	-	-	1	7
S 11	日本脳炎	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 12	梅毒およびその続発症	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 13	その他の伝染病および寄生虫病	2	-	1	7	1	-	2	9
	男 M.	2	-	1	5	-	-	2	5
	女 F.	-	-	-	2	1	-	-	4
S 14	悪性新生物(リンパおよび造血組織の新生物を含む)	1	4	3	11	2	1	-	7
	男 M.	1	3	1	7	1	-	-	5
	女 F.	-	1	2	4	1	1	-	2
S 14.a	白血病	-	2	1	5	2	-	-	4
	男 M.	-	1	-	2	1	-	-	3
	女 F.	-	1	1	3	1	-	-	1
S 14.b	その他	1	2	2	6	-	1	-	3
	男 M.	1	2	1	5	-	-	-	2
	女 F.	-	-	1	1	-	1	-	1

乳児簡単分類番号(S表) Infant S list number	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知
	1 011	230	259	99	116	293	594	317	150	206	286	168
	604	137	153	56	56	184	351	174	81	122	162	94
	407	93	106	43	60	109	243	143	69	84	124	74
S 1	1	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
S 2	25	7	9	4	6	8	14	8	5	3	5	4
	16	6	6	1	2	4	4	5	4	2	4	1
	9	1	3	3	4	4	10	3	1	1	1	3
S 3	1	1	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
S 4	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
S 5	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
S 6	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
S 7	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
S 8	9	4	3	2	-	2	7	5	2	-	2	-
	6	2	1	2	-	1	3	4	1	-	2	-
	3	2	2	-	-	1	4	1	1	-	-	-
S 9	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
S 10	7	-	3	-	-	2	3	1	-	2	2	1
	2	-	-	-	-	2	2	1	-	1	-	-
	5	-	3	-	-	-	1	-	-	1	2	1
S 11	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
S 12	-	-	-	-	-	-	-	-	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-
S 13	3	-	-	1	-	2	4	1	1	-	1	-
	1	-	-	-	-	2	2	1	-	-	-	-
	2	-	-	1	-	-	2	-	1	-	1	-
S 14	4	5	2	1	-	2	1	1	1	1	2	3
	3	2	1	1	-	2	-	1	-	-	1	2
	1	3	1	-	-	-	1	-	1	1	1	1
S 14.a	3	3	1	-	-	1	-	-	-	1	2	2
	2	2	-	-	-	1	-	-	-	-	1	2
	1	1	1	-	-	-	-	-	-	1	1	-
S 14.b	1	2	1	1	-	1	1	1	1	-	-	1
	1	-	1	1	-	1	-	1	1	-	-	-
	-	2	-	-	-	-	1	-	1	-	-	1

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・新生児(生後4週未満)死亡者数，性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

乳児(1才未満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	乳児簡単分類番号(S表) Infant S list number
S 15	良性および性質不詳の新生物	1	2	1	2	1	-	1	9	6	1	-	-	-	1	4	-	-	-	1	-	S 15
	男 M.	1	1	-	2	1	-	-	5	6	-	-	-	-	-	1	-	-	-	1	-	
	女 F.	-	1	1	-	-	-	1	4	-	1	-	-	-	1	3	-	-	-	-	-	
S 16	栄養失調症	1	1	-	2	-	-	-	2	2	1	-	1	-	2	1	-	1	-	-	1	S 16
	男 M.	1	1	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	1	
	女 F.	-	-	-	2	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	
S 17	髄膜炎	4	7	7	11	4	1	5	27	11	1	4	-	-	2	4	2	-	-	-	1	S 17
	男 M.	3	6	4	7	2	1	4	20	4	-	1	-	-	1	2	1	-	-	-	1	
	女 F.	1	1	3	4	2	-	1	7	7	1	3	-	-	1	2	1	-	-	-	-	
S 18	脳性けい性小児麻痺	1	5	8	6	3	2	2	6	9	-	2	1	1	2	5	4	-	-	-	1	S 18
	男 M.	1	3	2	4	2	1	2	3	4	-	2	-	1	2	5	2	-	-	-	-	
	女 F.	-	2	6	2	1	1	-	3	5	-	-	1	-	-	-	2	-	-	-	1	
S 19	心疾患	6	7	13	18	2	3	5	47	11	2	7	2	2	5	12	6	-	3	1	2	S 19
	男 M.	3	2	4	10	1	1	3	31	6	1	5	2	1	1	7	3	-	3	1	2	
	女 F.	3	5	9	8	1	2	2	16	5	1	2	-	1	4	5	3	-	-	-	-	
S 20	インフルエンザ	-	2	3	1	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-	S 20
	男 M.	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	
	女 F.	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
S 21	肺炎	25	51	63	151	32	25	25	202	106	27	25	6	10	17	53	35	28	21	26	15	S 21
	男 M.	9	31	36	83	19	14	15	110	58	13	14	4	5	13	30	18	15	9	15	8	
	女 F.	16	20	27	68	13	11	10	92	48	14	11	2	5	4	23	17	13	12	11	7	
S 22	気管支炎	1	4	3	21	3	3	2	26	13	1	2	-	-	2	6	3	1	6	4	2	S 22
	男 M.	1	3	2	16	3	3	-	12	9	-	-	-	-	-	4	2	1	4	1	1	
	女 F.	-	1	1	5	-	-	2	14	4	1	2	-	-	2	2	1	-	2	3	1	
S 23	腸閉塞およびヘルニア	7	8	11	20	3	1	3	33	20	1	2	1	-	5	9	4	3	9	6	5	S 23
	男 M.	5	4	10	15	-	1	2	18	13	1	1	1	-	3	9	2	2	5	5	2	
	女 F.	2	4	1	5	3	-	1	15	7	-	1	-	-	2	-	2	1	4	1	3	
S 24	胃炎，十二指腸炎および慢性胃腸炎	-	-	1	-	-	-	-	1	2	-	-	-	-	1	-	-	1	-	-	-	S 24
	男 M.	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
S 25	先天異常	64	68	117	258	57	43	104	394	204	33	44	16	24	71	94	54	28	34	48	39	S 25
	男 M.	35	37	62	140	20	16	60	231	114	19	27	7	8	41	46	30	14	17	24	20	
	女 F.	29	31	55	118	37	27	44	163	90	14	17	9	16	30	48	24	14	17	24	19	
S 25.a	心臓の先天異常	32	41	69	130	29	21	49	201	103	16	22	6	15	52	54	34	14	14	29	23	S 25.a
	男 M.	14	25	36	77	8	9	27	123	54	10	11	-	5	31	25	17	9	7	13	11	
	女 F.	18	16	33	53	21	12	22	78	49	6	11	6	10	21	29	17	5	7	16	12	
S 25.b	その他の循環器系の先天異常	5	-	1	8	3	-	3	5	12	-	-	1	-	-	1	-	-	-	2	-	S 25.b
	男 M.	3	-	1	4	2	-	2	3	8	-	-	1	-	-	1	-	-	-	1	-	
	女 F.	2	-	-	4	1	-	1	2	4	-	-	-	-	-	-	-	-	-	1	-	
S 25.c	消化器系の先天異常	14	11	27	59	11	7	26	105	48	9	10	4	5	8	19	13	7	13	9	9	S 25.c
	男 M.	7	4	17	36	3	1	15	60	27	5	9	2	2	5	7	9	4	5	6	6	
	女 F.	7	7	10	23	8	6	11	45	21	4	1	2	3	3	12	4	3	8	3	3	
S 25.d	その他	13	16	20	61	14	15	26	83	41	8	12	5	4	11	20	7	7	7	8	7	S 25.d
	男 M.	11	8	8	23	7	6	16	45	25	4	7	4	1	5	13	4	1	5	4	3	
	女 F.	2	8	12	38	7	9	10	38	16	4	5	1	3	6	7	3	6	2	4	4	
S 26	出生時損傷，難産およびその他の無酸素症，低酸素症	59	62	100	226	47	35	77	302	165	40	40	16	23	49	97	47	9	33	53	19	S 26
	男 M.	33	42	59	131	30	16	47	189	110	28	27	11	12	35	67	32	6	19	32	12	
	女 F.	26	20	41	95	17	19	30	113	55	12	13	5	11	14	30	15	3	14	21	7	
S 26.a	脳および脊髄の出生時損傷を伴う難産	13	16	18	37	12	3	9	51	43	9	10	3	-	11	16	12	1	5	7	2	S 26.a
	男 M.	10	13	11	19	6	2	7	35	24	7	6	3	-	8	10	7	-	2	5	1	
	女 F.	3	3	7	18	6	1	2	16	19	2	4	-	-	3	6	5	1	3	2	1	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S LIST) BY SEX; AND NEONATAL DEATHS (UNDER 4 WEEKS) FOR EACH PREFECTURE*

昭和47年
1972

乳　児(1 才 未 満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪
S 26.b	その他および詳細不明の出生時損傷を伴う……	2	2	3	2	1	1	-	2
	難産 男 M.	2	1	2	2	-	1	-	1
	女 F.	-	1	1	-	1	-	-	1
S 26.c	出生時損傷，仮死，無酸素症または低酸……	5	2	5	6	-	2	4	14
	素症の記載のない難産 男 M.	2	1	2	4	-	1	2	7
	女 F.	3	1	3	2	-	1	2	7
S 26.d	仮死，無酸素症または低酸素症……	39	42	74	181	34	29	64	235
	男 M.	19	27	44	106	24	12	38	146
	女 F.	20	15	30	75	10	17	26	89
S 27	母体の妊娠時の疾患による新生児の障害……	20	18	29	50	18	11	18	60
	男 M.	16	10	10	20	12	7	13	38
	女 F.	4	8	19	30	6	4	5	22
S 28	新生児溶血性疾患……	3	-	4	11	3	1	4	17
	男 M.	1	-	1	8	2	1	3	10
	女 F.	2	-	3	3	1	-	1	7
S 29	詳細不明の未熟児……	24	36	51	129	20	24	50	152
	男 M.	14	21	24	64	9	15	28	90
	女 F.	10	15	27	65	11	9	22	62
S 30	新生児の出血性疾患……	10	13	33	53	14	9	17	58
	男 M.	8	11	21	39	11	5	13	36
	女 F.	2	2	12	14	3	4	4	22
S 31	新生児の黄疸……	5	1	3	3	-	-	1	2
	男 M.	4	-	-	1	-	-	1	1
	女 F.	1	1	3	2	-	-	-	1
S 32	その他の新生児の異常……	25	48	38	78	31	18	29	175
	男 M.	14	28	20	40	24	8	15	106
	女 F.	11	20	18	38	7	10	14	69
S 33	その他のすべての疾患……	45	38	94	152	50	27	75	234
	男 M.	19	22	55	94	32	18	46	132
	女 F.	26	16	39	58	18	9	29	102
S 34	不慮の事故……	12	26	26	73	11	8	20	73
	男 M.	7	15	15	47	5	4	7	46
	女 F.	5	11	11	26	6	4	13	27
S 34.a	食物の吸入または嚥下による閉塞および……	-	9	6	17	3	1	5	28
	窒息 男 M.	-	7	3	12	1	1	2	13
	女 F.	-	2	3	5	2	-	3	15
S 34.b	不慮の機械的窒息……	6	11	13	37	5	5	6	31
	男 M.	4	6	8	22	2	3	2	22
	女 F.	2	5	5	15	3	2	4	9
S 34.c	そ の 他……	6	6	7	19	3	2	9	14
	男 M.	3	2	4	13	2	-	3	11
	女 F.	3	4	3	6	1	2	6	3
S 35	その他の外因死……	1	2	11	7	1	-	4	20
	男 M.	-	-	6	5	1	-	3	11
	女 F.	1	2	5	2	-	-	1	9

28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	乳児簡単分類番号(S表) Infant S list number
-	-	-	-	-	1	-	-	-	-	1	-	S 26.b
-	-	-	-	-	1	-	-	-	-	1	-	
-	-	-	-	-	-	-	-	-	-	-	-	
6	1	1	-	-	2	6	3	-	1	-	1	S 26.c
2	1	1	-	-	2	3	1	-	-	-	1	
4	-	-	-	-	-	3	2	-	1	-	-	
116	30	29	13	23	35	75	32	8	27	45	16	S 26.d
84	20	20	8	12	24	54	24	6	17	26	10	
32	10	9	5	11	11	21	8	2	10	19	6	
35	6	17	8	3	11	30	8	6	8	11	5	S 27
20	4	11	3	3	8	19	3	5	5	8	4	
15	2	6	5	-	3	11	5	1	3	3	1	
10	-	4	1	-	3	4	2	2	1	1	1	S 28
7	-	3	1	-	2	1	1	1	1	-	1	
3	-	1	-	-	1	3	1	1	-	1	-	
80	14	28	6	5	34	52	41	11	16	27	25	S 29
47	7	14	4	1	24	30	17	4	8	17	16	
33	7	14	2	4	10	22	24	7	8	10	9	
48	9	3	8	3	13	20	11	3	11	11	2	S 30
29	4	2	3	2	10	9	6	2	8	6	-	
19	5	1	5	1	3	11	5	1	3	5	2	
3	-	-	-	-	1	2	1	3	-	-	1	S 31
2	-	-	-	-	1	2	1	2	-	-	1	
1	-	-	-	-	-	-	-	1	-	-	-	
49	29	24	4	14	8	46	14	17	14	28	10	S 32
34	19	12	3	6	4	24	9	7	8	14	4	
15	10	12	1	8	4	22	5	10	6	14	6	
133	35	33	11	13	31	94	54	16	32	33	23	S 33
78	23	23	8	7	14	66	25	7	26	19	15	
55	12	10	3	6	17	28	29	9	6	14	8	
53	11	7	9	10	18	27	12	7	10	19	6	S 34
29	5	3	4	7	12	17	8	4	6	8	3	
24	6	4	5	3	6	10	4	3	4	11	3	
10	2	1	3	-	-	8	-	1	4	5	2	S 34.a
3	1	-	1	-	-	5	-	-	3	3	1	
7	1	1	2	-	-	3	-	1	1	2	1	
27	4	3	3	6	15	9	5	2	4	6	3	S 34.b
15	1	1	1	3	10	6	2	2	2	1	2	
12	3	2	2	3	5	3	3	-	2	5	1	
16	5	3	3	4	3	10	7	4	2	8	1	S 34.c
11	3	2	2	4	2	6	6	2	1	4	-	
5	2	1	1	-	1	4	1	2	1	4	1	
1	1	-	1	2	1	5	2	5	1	5	2	S 35
1	1	-	-	1	1	1	1	4	-	4	-	
-	-	-	1	1	-	4	1	1	1	1	2	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S LIST) BY SEX; AND NEONATAL DEATHS (UNDER 4 WEEKS) FOR EACH PREFECTURE*

昭和47年
1972

乳　児(1　才　未　満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳
	総数 Total	855	192	332	342	283	225	377	25
	男 M.	505	106	197	199	163	135	229	11
	女 F.	350	86	135	143	120	90	148	14
S 1	細菌性赤痢およびアメーバ症	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 2	腸炎およびその他の下痢性疾患	17	6	13	8	9	5	20	1
	男 M.	9	4	5	4	5	2	8	-
	女 F.	8	2	8	4	4	3	12	1
S 3	結核	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 4	ジフテリア	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 5	百日咳	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 6	丹毒	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 7	破傷風	1	-	1	1	1	-	-	-
	男 M.	1	-	-	1	1	-	-	-
	女 F.	-	-	1	-	-	-	-	-
S 8	敗血症	12	1	2	-	2	2	3	-
	男 M.	7	1	1	-	2	2	1	-
	女 F.	5	-	1	-	-	-	2	-
S 9	急性灰白髄炎	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 10	麻疹	5	2	-	4	1	-	5	-
	男 M.	2	1	-	1	-	-	4	-
	女 F.	3	1	-	3	1	-	1	-
S 11	日本脳炎	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 12	梅毒およびその続発症	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 13	その他の伝染病および寄生虫病	2	2	3	1	-	-	-	-
	男 M.	1	2	2	1	-	-	-	-
	女 F.	1	-	1	-	-	-	-	-
S 14	悪性新生物(リンパおよび造血組織の新生物を含む)	4	4	-	1	2	1	-	-
	男 M.	3	2	-	1	1	1	-	-
	女 F.	1	2	-	-	1	-	-	-
S 14.a	白血病	1	1	-	1	-	-	-	-
	男 M.	1	-	-	1	-	-	-	-
	女 F.	-	1	-	-	-	-	-	-
S 14.b	その他	3	3	-	-	2	1	-	-
	男 M.	2	2	-	-	1	1	-	-
	女 F.	1	1	-	-	1	-	-	-

*Reported by place of residence.

七大都市(再掲) 7 largest cities (secondary mention)

50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	乳児簡単分類番号(S表) Infant S list number
1 700	556	419	264	580	217	258	
942	330	241	151	336	129	152	
758	226	178	113	244	88	106	
2	-	-	-	-	-	-	S 1
2	-	-	-	-	-	-	
-	-	-	-	-	-	-	
32	15	16	4	13	4	7	S 2
17	7	9	2	8	4	3	
15	8	7	2	5	-	4	
1	-	-	-	3	1	-	S 3
-	-	-	-	2	1	-	
1	-	-	-	1	-	-	
-	-	-	-	-	-	-	S 4
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	S 5
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	S 6
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	1	-	-	-	-	S 7
-	-	-	-	-	-	-	
-	-	1	-	-	-	-	
15	5	6	1	6	3	5	S 8
5	3	5	1	4	3	2	
10	2	1	-	2	-	3	
-	-	-	-	-	-	-	S 9
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
8	1	1	1	3	2	2	S 10
4	1	-	-	1	-	1	
4	-	1	1	2	2	1	
-	-	-	-	-	-	-	S 11
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	S 12
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
4	2	4	1	3	-	1	S 13
3	2	4	1	1	-	-	
1	-	-	-	2	-	1	
10	5	2	-	2	1	1	S 14
4	4	2	-	2	1	1	
6	1	-	-	-	-	-	
4	3	1	-	2	1	-	S 14.a
3	2	1	-	2	1	-	
1	1	-	-	-	-	-	
6	2	1	-	-	-	1	S 14.b
1	2	1	-	-	-	1	
5	-	-	-	-	-	-	

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S LIST) BY SEX; AND NEONATAL DEATHS (UNDER 4 WEEKS) FOR EACH PREFECTURE*

昭和47年
1972

乳児(1才未満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳
S 15	良性および性質不詳の新生物	2	-	3	-	1	-	-	-
	男 M.	1	-	2	-	-	-	-	-
	女 F.	1	-	1	-	1	-	-	-
S 16	栄養失調症	1	-	-	2	-	1	2	-
	男 M.	-	-	-	1	-	1	1	-
	女 F.	1	-	-	1	-	-	1	-
S 17	髄膜炎	8	1	3	2	1	3	4	-
	男 M.	4	-	2	2	-	2	2	-
	女 F.	4	1	1	-	1	1	2	-
S 18	脳性けい性小児麻痺	5	1	3	1	1	-	3	-
	男 M.	5	1	1	1	-	-	2	-
	女 F.	-	-	2	-	1	-	1	-
S 19	心疾患	17	5	3	5	3	3	9	-
	男 M.	8	2	2	2	2	1	8	-
	女 F.	9	3	1	3	1	2	1	-
S 20	インフルエンザ	3	-	-	1	2	-	2	-
	男 M.	3	-	-	1	1	-	1	-
	女 F.	-	-	-	-	1	-	1	-
S 21	肺炎	65	27	36	33	21	12	31	-
	男 M.	37	13	21	19	12	7	22	-
	女 F.	28	14	15	14	9	5	9	-
S 22	気管支炎	5	-	3	3	3	1	5	-
	男 M.	2	-	2	2	1	-	3	-
	女 F.	3	-	1	1	2	1	2	-
S 23	腸閉塞およびヘルニア	10	4	6	1	3	-	8	-
	男 M.	8	1	3	1	3	-	4	-
	女 F.	2	3	3	-	-	-	4	-
S 24	胃炎，十二指腸炎および慢性胃腸炎	-	-	-	1	-	-	1	-
	男 M.	-	-	-	-	-	-	1	-
	女 F.	-	-	-	1	-	-	-	-
S 25	先天異常	165	23	54	68	48	36	54	2
	男 M.	99	15	24	32	27	19	27	1
	女 F.	66	8	30	36	21	17	27	1
S 25.a	心臓の先天異常	97	11	29	37	21	18	23	2
	男 M.	60	6	15	15	12	10	14	1
	女 F.	37	5	14	22	9	8	9	1
S 25.b	その他の循環器系の先天異常	2	-	1	-	2	-	-	-
	男 M.	-	-	1	-	-	-	-	-
	女 F.	2	-	-	-	2	-	-	-
S 25.c	消化器系の先天異常	38	8	14	17	14	9	10	-
	男 M.	24	7	5	11	9	5	4	-
	女 F.	14	1	9	6	5	4	6	-
S 25.d	その他	28	4	10	14	11	9	21	-
	男 M.	15	2	3	6	6	4	9	-
	女 F.	13	2	7	8	5	5	12	-
S 26	出生時損傷，難産およびその他の無酸素症，低酸素症	184	21	59	48	40	45	55	2
	男 M.	107	15	44	34	24	30	38	1
	女 F.	77	6	15	14	16	15	17	1
S 26.a	脳および脊髄の出生時損傷を伴う難産	36	4	16	8	11	20	14	-
	男 M.	20	3	12	7	7	16	13	-
	女 F.	16	1	4	1	4	4	1	-

七大都市(再掲) 7 largest cities (secondary mention)

50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	乳児簡単分類番号(S表) Infant S list number
7	1	-	1	2	1	-	S 15
4	-	-	-	1	1	-	
3	1	-	1	1	-	-	
1	1	1	-	-	-	-	S 16
-	1	-	-	-	-	-	
1	-	1	-	-	-	-	
23	7	3	3	4	2	-	S 17
11	3	2	2	3	1	-	
12	4	1	1	1	1	-	
10	3	3	-	2	2	1	S 18
7	3	2	-	1	1	1	
3	-	1	-	1	1	-	
14	17	4	3	13	1	3	S 19
8	10	3	2	7	-	2	
6	7	1	1	6	1	1	
1	-	1	-	1	-	2	S 20
1	-	-	-	1	-	2	
-	-	1	-	-	-	-	
152	40	37	14	60	19	14	S 21
89	26	22	9	38	14	9	
63	14	15	5	22	5	5	
8	5	2	2	9	4	-	S 22
4	3	2	-	4	3	-	
4	2	-	2	5	1	-	
18	6	6	3	10	1	2	S 23
12	1	5	2	7	-	2	
6	5	1	1	3	1	-	
-	1	-	-	-	-	-	S 24
-	-	-	-	-	-	-	
-	1	-	-	-	-	-	
363	112	90	65	111	61	47	S 25
198	56	44	35	59	34	32	
165	56	46	30	52	27	15	
163	59	50	26	58	33	27	S 25.a
93	31	27	13	34	15	17	
70	28	23	13	24	18	10	
29	9	2	3	2	4	1	S 25.b
17	2	1	2	2	1	-	
12	7	1	1	-	3	1	
81	17	15	18	30	8	9	S 25.c
46	9	10	10	14	6	8	
35	8	5	8	16	2	1	
90	27	23	18	21	16	10	S 25.d
42	14	6	10	9	12	7	
48	13	17	8	12	4	3	
291	99	60	46	96	38	53	S 26
170	62	34	30	56	23	27	
121	37	26	16	40	15	26	
68	25	11	4	13	13	13	S 26.a
40	14	6	4	7	5	7	
28	11	5	-	6	8	6	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・七大都市(再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S LIST) BY SEX; AND NEONATAL DEATHS (UNDER 4 WEEKS) FOR EACH PREFECTURE*

昭和47年
1972

乳　児(1才未満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳
S 26.b	その他および詳細不明の出生時損傷を伴う難産	1	-	-	1	2	-	-	-
	男 M.	-	-	-	1	1	-	-	-
	女 F.	1	-	-	-	1	-	-	-
S 26.c	出生時損傷，仮死，無酸素症または低酸素症の記載のない難産	3	-	-	5	3	2	6	-
	男 M.	1	-	-	4	2	2	5	-
	女 F.	2	-	-	1	1	-	1	-
S 26.d	仮死，無酸素症または低酸素症	144	17	43	34	24	23	35	2
	男 M.	86	12	32	22	14	12	20	1
	女 F.	58	5	11	12	10	11	15	1
S 27	母体の妊娠時の疾患による新生児の障害	26	8	18	18	24	12	16	-
	男 M.	15	5	12	11	18	7	13	-
	女 F.	11	3	6	7	6	5	3	-
S 28	新生児溶血性疾患	4	3	5	6	-	4	3	-
	男 M.	4	2	4	5	-	3	2	-
	女 F.	-	1	1	1	-	1	1	-
S 29	詳細不明の未熟児	107	18	24	34	30	35	41	-
	男 M.	61	6	13	17	13	25	23	-
	女 F.	46	12	11	17	17	10	18	-
S 30	新生児の出血性疾患	32	8	19	13	17	9	26	-
	男 M.	18	3	12	6	10	5	16	-
	女 F.	14	5	7	7	7	4	10	-
S 31	新生児の黄疸	1	-	2	1	-	-	2	-
	男 M.	-	-	2	1	-	-	2	-
	女 F.	1	-	-	-	-	-	-	-
S 32	その他の新生児の異常	28	16	18	28	23	8	26	-
	男 M.	19	9	11	16	14	8	14	-
	女 F.	9	7	7	12	9	-	12	-
S 33	その他のすべての疾患	111	30	40	44	36	35	39	5
	男 M.	69	17	25	29	21	15	26	2
	女 F.	42	13	15	15	15	20	13	3
S 34	不慮の事故	38	11	14	18	13	13	19	1
	男 M.	21	7	7	11	7	7	10	1
	女 F.	17	4	7	7	6	6	9	-
S 34.a	食物の吸入または嚥下による閉塞および窒息	9	2	3	4	2	3	1	-
	男 M.	6	2	1	3	2	-	1	-
	女 F.	3	-	2	1	-	3	-	-
S 34.b	不慮の機械的窒息	17	5	7	8	6	6	9	-
	男 M.	10	3	4	5	4	4	2	-
	女 F.	7	2	3	3	2	2	7	-
S 34.c	その他	12	4	4	6	5	4	9	1
	男 M.	5	2	2	3	1	3	7	1
	女 F.	7	2	2	3	4	1	2	-
S 35	その他の外因死	2	1	3	-	2	-	3	14
	男 M.	1	-	2	-	1	-	1	6
	女 F.	1	1	1	-	1	-	2	8

七大都市(再掲) 7 largest cities (secondary mention)							乳児簡単分類番号(S表) Infant S list number
50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	
2	2	1	-	-	-	-	S 26.b
-	1	1	-	-	-	-	
2	1	-	-	-	-	-	
22	7	2	2	6	1	1	S 26.c
13	6	1	1	4	-	-	
9	1	1	1	2	1	1	
199	65	46	40	77	24	39	S 26.d
117	41	26	25	45	18	20	
82	24	20	15	32	6	19	
74	35	9	9	20	7	14	S 27
43	19	2	6	13	2	9	
31	16	7	3	7	5	5	
12	3	2	2	7	1	1	S 28
9	2	1	2	4	1	1	
3	1	1	-	3	-	-	
174	53	42	29	40	14	34	S 29
85	32	23	13	25	8	17	
89	21	19	16	15	6	17	
39	19	21	8	15	11	6	S 30
20	13	17	6	11	5	4	
19	6	4	2	4	6	2	
2	-	-	-	1	1	-	S 31
1	-	-	-	-	-	-	
1	-	-	-	1	1	-	
168	29	29	17	57	11	10	S 32
90	19	18	9	34	6	7	
78	10	11	8	23	5	3	
196	71	55	40	75	18	44	S 33
108	47	32	22	35	12	27	
88	24	23	18	40	6	17	
68	22	23	13	19	13	11	S 34
43	13	13	7	13	8	5	
25	9	10	6	6	5	6	
27	6	7	3	10	3	2	S 34.a
12	5	4	2	6	1	1	
15	1	3	1	4	2	1	
22	11	9	4	6	9	8	S 34.b
18	4	4	2	5	6	4	
4	7	5	2	1	3	4	
19	5	7	6	3	1	1	S 34.c
13	4	5	3	2	1	-	
6	1	2	3	1	-	1	
7	4	1	2	8	1	-	S 35
4	3	1	2	6	1	-	
3	1	-	-	2	-	-	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・新生児(生後4週未満)死亡者数，性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

新生児(生後4週未満)死亡者数
Neonatal deaths(Under 4 weeks)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	乳児簡単分類番号(S表) Infant S list number
	総数 Total	15 817	811	245	239	267	153	155	248	378	298	257	855	577	1 618	1 005	280	175	147	90	83	
	男 M.	9 439	478	134	141	159	101	107	152	239	179	155	528	348	913	598	166	99	109	51	47	
	女 F.	6 378	333	111	98	108	52	48	96	139	119	102	327	229	705	407	114	76	38	39	36	
S 1	細菌性赤痢およびアメーバ症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 2	腸炎およびその他の下痢性疾患	47	2	-	-	-	1	-	1	3	-	-	2	-	3	3	4	-	1	-	1	S 2
	男 M.	20	-	-	-	-	1	-	1	2	-	-	1	-	1	2	2	-	-	-	1	
	女 F.	27	2	-	-	-	-	-	-	1	-	-	1	-	2	1	2	-	1	-	-	
S 3	結核	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 4	ジフテリア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 5	百日咳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 6	丹毒	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	S 6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
S 7	破傷風	11	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	S 7
	男 M.	8	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
S 8	敗血症	92	3	1	-	2	-	1	1	1	3	3	1	1	14	9	1	-	-	-	1	S 8
	男 M.	49	1	-	-	1	-	1	1	-	-	2	1	1	6	5	-	-	-	-	1	
	女 F.	43	2	1	-	1	-	-	-	1	3	1	-	-	8	4	1	-	-	-	-	
S 9	急性灰白髄炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 10	麻疹	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 10
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 11	日本脳炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 11
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 12	梅毒およびその続発症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 12
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 13	その他の伝染病および寄生虫病	12	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	S 13
	男 M.	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
S 14	悪性新生物(リンパおよび造血組織の新生物を含む)	17	-	-	1	-	-	1	-	-	-	-	1	-	2	1	2	-	-	-	-	S 14
	男 M.	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	
	女 F.	6	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	
S 14.a	白血病	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	S 14.a
	男 M.	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
	女 F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 14.b	その他	10	-	-	1	-	-	1	-	-	-	-	1	-	1	-	2	-	-	-	-	S 14.b
	男 M.	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
	女 F.	4	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・新生児(生後4週未満)死亡者数
TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S LIST) BY SEX; AND NEONATAL DEATHS (UNDER 4 WEEKS)

新生児(生後4週未満)死亡者数
Neonatal deaths(Under 4 weeks)

都道府県(七大都市再掲)別
FOR EACH PREFECTURE*

昭和47年
1972

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	乳児簡単分類番号(S表) Infant S list number
S 15	良性および性質不詳の新生物	21	-	-	3	-	1	-	-	-	-	-	2	-	2	-	-	-	-	-	1	S 15
	男 M.	10	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
	女 F.	11	-	-	2	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	
S 16	栄養失調症	16	1	-	-	-	-	-	1	1	-	-	1	1	1	2	2	-	-	-	-	S 16
	男 M.	11	1	-	-	-	-	-	1	1	-	-	-	1	-	2	2	-	-	-	-	
	女 F.	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	
S 17	髄膜炎	88	5	1	-	3	4	-	1	2	1	-	4	4	14	5	1	1	-	-	1	S 17
	男 M.	62	2	1	-	3	2	-	1	1	2	-	4	2	9	3	-	1	-	-	1	
	女 F.	26	3	-	-	-	2	-	-	1	-	1	-	2	5	2	1	-	-	-	-	
S 18	脳性けい性小児麻痺	56	2	-	1	1	-	-	-	1	-	1	3	-	6	5	-	-	-	-	-	S 18
	男 M.	37	1	-	1	1	-	-	-	1	-	1	2	-	4	3	-	-	-	-	-	
	女 F.	19	1	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	
S 19	心疾患	166	12	2	-	2	-	4	1	3	1	-	11	6	12	15	2	1	2	1	1	S 19
	男 M.	90	8	1	-	1	-	2	-	1	1	-	5	3	5	10	1	1	1	-	1	
	女 F.	76	4	1	-	1	-	2	1	2	-	-	6	3	7	5	1	-	1	1	-	
S 20	インフルエンザ	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	S 20
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
S 21	肺炎	800	30	13	11	19	10	3	27	25	19	11	41	40	69	46	15	7	3	2	11	S 21
	男 M.	470	16	6	9	12	6	1	14	17	10	6	26	27	42	26	7	5	2	1	6	
	女 F.	330	14	7	2	7	4	2	13	8	9	5	15	13	27	20	8	2	1	1	5	
S 22	気管支炎	23	3	-	-	-	-	-	-	2	1	-	2	-	1	-	1	-	-	-	-	S 22
	男 M.	14	2	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	
	女 F.	9	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	
S 23	腸閉塞およびヘルニア	101	4	1	1	3	1	1	1	3	2	-	3	3	6	4	4	2	2	-	2	S 23
	男 M.	72	4	1	1	3	1	1	-	1	1	-	2	2	5	2	3	2	2	-	1	
	女 F.	29	-	-	-	-	-	-	1	2	1	-	1	1	1	2	1	-	-	-	1	
S 24	胃炎，十二指腸炎および慢性胃腸炎	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S 24
	男 M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 25	先天異常	2 188	121	22	19	45	20	18	18	43	33	30	115	74	273	155	42	22	24	14	6	S 25
	男 M.	1 276	81	14	11	20	16	14	12	24	21	22	71	52	159	84	24	9	18	9	4	
	女 F.	892	40	8	8	25	4	4	6	19	12	8	44	22	114	71	18	13	6	5	2	
S 25.a	心臓の先天異常	920	44	8	10	29	10	10	6	22	14	14	41	25	118	77	19	8	6	2	3	S 25.a
	男 M.	541	29	7	7	13	8	9	5	12	8	9	31	19	69	45	11	4	4	1	2	
	女 F.	379	15	1	3	16	2	1	1	10	6	5	10	6	49	32	8	4	2	1	1	
S 25.b	その他の循環器系の先天異常	52	3	-	1	-	-	-	-	-	1	-	-	1	12	7	-	1	1	3	-	S 25.b
	男 M.	28	2	-	-	-	-	-	-	-	1	-	-	1	7	3	-	-	-	3	-	
	女 F.	24	1	-	1	-	-	-	-	-	-	-	-	-	5	4	-	1	1	-	-	
S 25.c	消化器系の先天異常	628	32	4	4	9	4	5	10	12	11	10	44	29	69	28	19	2	9	4	3	S 25.c
	男 M.	387	22	1	2	5	3	4	7	6	8	7	25	22	41	13	11	1	7	1	2	
	女 F.	241	10	3	2	4	1	1	3	6	3	3	19	7	28	15	8	1	2	3	1	
S 25.d	その他	568	42	10	4	7	6	3	2	9	7	6	30	19	74	43	4	11	8	5	-	S 25.d
	男 M.	320	28	6	2	2	5	1	-	6	4	6	15	10	42	23	2	4	7	4	-	
	女 F.	248	14	4	2	5	1	2	2	3	3	-	15	9	32	20	2	7	1	1	-	
S 26	出生時損傷，難産およびその他の無酸素症，低酸素症	3 909	234	85	64	63	50	37	43	86	74	64	177	152	398	275	61	38	18	28	19	S 26
	男 M.	2 414	140	54	42	41	29	28	27	55	51	35	110	93	232	163	36	21	11	15	9	
	女 F.	1 495	94	31	22	22	21	9	16	31	23	29	67	59	166	112	25	17	7	13	10	
S 26.a	脳および脊髄の出生時損傷を伴う難産	743	30	8	5	7	9	8	3	14	21	12	41	24	88	65	8	6	1	2	4	S 26.a
	男 M.	465	20	4	4	6	5	5	2	10	14	5	27	14	51	30	6	4	1	1	2	
	女 F.	278	10	4	1	1	4	3	1	4	7	7	14	10	37	35	2	2	-	1	2	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・新生児(生後4週未満)死亡者数
TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S LIST) BY SEX; AND NEONATAL DEATHS (UNDER 4 WEEKS)

新生児(生後4週未満)死亡者数
Neonatal deaths(Under 4 weeks)

都道府県(七大都市再掲)別
FOR EACH PREFECTURE*

昭和47年
1972

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	乳児簡単分類番号(S表) Infant S list number
S 26.b	その他および詳細不明の出生時損傷を伴う… 難産 男 M.	33	1	1	-	-	-	2	-	-	-	2	2	-	4	2	1	1	-	-	-	S 26.b
	女 F.	19	-	1	-	-	-	2	-	-	-	2	1	-	1	1	-	-	-	-	-	
		14	1	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	-	-	-	
S 26.c	出生時損傷，仮死，無酸素症または低酸… 素症の記載のない難産 男 M.	177	9	-	4	2	5	1	4	6	4	4	9	7	26	11	4	1	1	1	-	S 26.c
	女 F.	98	5	-	2	2	1	1	1	4	3	2	3	2	15	9	1	1	1	1	-	
		79	4	-	2	-	4	-	3	2	1	2	6	5	11	2	3	-	-	-	-	
S 26.d	仮死，無酸素症または低酸素症…… 男 M.	2 956	194	76	55	54	36	26	36	66	49	46	125	121	280	197	48	30	16	25	15	S 26.d
	女 F.	1 832	115	49	36	33	23	20	24	41	34	26	79	77	165	123	29	16	9	13	7	
		1 124	79	27	19	21	13	6	12	25	15	20	46	44	115	74	19	14	7	12	8	
S 27	母体の妊娠時の疾患による新生児の障害…… 男 M.	1 101	42	15	33	31	17	21	29	34	18	27	65	33	105	63	32	14	21	6	2	S 27
	女 F.	678	25	8	16	19	13	16	17	22	10	19	43	19	64	40	20	9	14	4	-	
		423	17	7	17	12	4	5	12	12	8	8	22	14	41	23	12	5	7	2	2	
S 28	新生児溶血性疾患…… 男 M.	183	10	4	8	-	1	-	5	7	2	1	9	5	15	10	2	2	3	-	4	S 28
	女 F.	122	9	2	6	-	1	-	1	3	2	1	7	2	12	7	2	-	2	-	2	
		61	1	2	2	-	-	-	4	4	-	-	2	3	3	3	-	2	1	-	2	
S 29	詳細不明の未熟児…… 男 M.	2 012	87	27	23	27	13	21	40	42	48	31	124	58	208	121	28	13	14	9	15	S 29
	女 F.	1 103	43	10	8	17	8	13	27	26	29	19	71	27	105	66	16	7	10	4	12	
		909	44	17	15	10	5	8	13	16	19	12	53	31	103	55	12	6	4	5	3	
S 30	新生児の出血性疾患…… 男 M.	849	52	8	17	21	6	8	16	25	14	7	43	34	56	41	10	11	8	3	4	S 30
	女 F.	524	28	4	10	15	4	5	10	15	6	4	30	20	29	26	7	10	7	2	1	
		325	24	4	7	6	2	3	6	10	8	3	13	14	27	15	3	1	1	1	3	
S 31	新生児の黄疸…… 男 M.	46	2	-	1	-	-	1	-	3	-	2	2	2	3	3	-	-	1	-	3	S 31
	女 F.	32	2	-	1	-	-	-	-	2	-	1	2	1	2	3	-	-	1	-	2	
		14	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	1	
S 32	その他の新生児の異常…… 男 M.	1 711	80	24	18	19	6	12	30	41	41	25	111	85	220	93	15	25	19	14	6	S 32
	女 F.	998	49	11	12	10	3	7	16	26	21	12	67	53	123	58	9	11	14	10	3	
		713	31	13	6	9	3	5	14	15	20	13	44	32	97	35	6	14	5	4	3	
S 33	その他のすべての疾患…… 男 M.	2 247	109	37	38	30	21	26	30	54	37	49	129	77	204	147	56	34	31	13	6	S 33
	女 F.	1 354	60	19	22	16	15	18	22	39	23	29	80	44	110	94	34	22	27	6	2	
		893	49	18	16	14	6	8	8	15	14	20	49	33	94	53	22	12	4	7	4	
S 34	不慮の事故…… 男 M.	79	8	4	-	-	2	-	2	1	3	2	6	1	4	3	1	3	-	-	-	S 34
	女 F.	47	4	3	-	-	2	-	1	-	2	2	3	-	2	1	1	1	-	-	-	
		32	4	1	-	-	-	-	1	1	1	-	3	1	2	2	-	2	-	-	-	
S 34.a	食物の吸入または嚥下による閉塞および… 窒息 男 M.	45	2	2	-	-	2	-	1	-	2	1	4	-	2	2	1	1	-	-	-	S 34.a
	女 F.	30	1	1	-	-	2	-	-	-	2	1	2	-	-	1	1	-	-	-	-	
		15	1	1	-	-	-	-	1	-	-	-	2	-	2	1	-	1	-	-	-	
S 34.b	不慮の機械的窒息…… 男 M.	26	4	2	-	-	-	-	1	1	1	1	2	-	2	1	-	1	-	-	-	S 34.b
	女 F.	14	3	2	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	
		12	1	-	-	-	-	-	-	1	1	-	1	-	-	1	-	1	-	-	-	
S 34.c	その他…… 男 M.	8	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	S 34.c
	女 F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
		5	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
S 35	その他の外因死…… 男 M.	56	4	1	-	1	-	1	2	1	-	1	2	1	1	2	-	2	-	-	-	S 35
	女 F.	28	2	-	-	-	-	1	1	1	-	-	2	1	-	1	-	-	-	-	-	
		28	2	1	-	1	-	-	1	-	-	1	-	-	1	1	-	2	-	-	-	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・新生児(生後4週未満)死亡者数，性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

新生児(生後4週未満)死亡者数
Neonatal deaths(Under 4 weeks)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪
	総数 Total	226	274	425	887	218	152	323	1 249
	男 M.	137	160	232	513	135	79	194	749
	女 F.	89	114	193	374	83	73	129	500
S 1	細菌性赤痢およびアメーバ症	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 2	腸炎およびその他の下痢性疾患	1	-	1	6	-	-	1	2
	男 M.	1	-	-	1	-	-	-	-
	女 F.	-	-	1	5	-	-	1	2
S 3	結核	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 4	ジフテリア	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 5	百日咳	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 6	丹毒	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 7	破傷風	-	-	1	3	-	-	-	-
	男 M.	-	-	1	2	-	-	-	-
	女 F.	-	-	-	1	-	-	-	-
S 8	敗血症	2	1	1	7	-	1	-	9
	男 M.	2	-	-	4	-	-	-	5
	女 F.	-	1	1	3	-	1	-	4
S 9	急性灰白髄炎	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 10	麻疹	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 11	日本脳炎	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 12	梅毒およびその続発症	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 13	その他の伝染病および寄生虫病	1	-	-	1	-	-	-	2
	男 M.	1	-	-	1	-	-	-	1
	女 F.	-	-	-	-	-	-	-	1
S 14	悪性新生物(リンパおよび造血組織の新生物を含む)	-	-	-	-	-	-	-	3
	男 M.	-	-	-	-	-	-	-	3
	女 F.	-	-	-	-	-	-	-	-
S 14.a	白血病	-	-	-	-	-	-	-	2
	男 M.	-	-	-	-	-	-	-	2
	女 F.	-	-	-	-	-	-	-	-
S 14.b	その他	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	1
	女 F.	-	-	-	-	-	-	-	-

28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	乳児簡単分類番号(S表) Infant S list number
639	160	183	69	75	182	403	208	79	143	188	101	
395	99	113	43	37	117	250	111	43	88	120	58	
244	61	70	26	38	65	153	97	36	55	68	43	
-	-	-	-	-	-	-	-	-	-	-	-	S 1
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
1	2	1	-	1	3	2	-	1	1	-	-	S 2
-	2	-	-	1	1	1	-	-	1	-	-	
1	-	1	-	-	2	1	-	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	S 3
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	S 4
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	S 5
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	S 6
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	S 7
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
4	2	2	1	-	1	4	2	-	-	1	-	S 8
4	1	-	1	-	1	2	1	-	-	1	-	
-	1	2	-	-	-	2	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	S 9
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	S 10
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	S 11
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	S 12
-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	
1	-	-	-	-	-	2	-	-	-	-	-	S 13
-	-	-	-	-	-	1	-	-	-	-	-	
1	-	-	-	-	-	1	-	-	-	-	-	
2	-	1	-	-	-	-	1	-	-	-	-	S 14
1	-	-	-	-	-	-	1	-	-	-	-	
1	-	1	-	-	-	-	-	-	-	-	-	
2	-	1	-	-	-	-	-	-	-	-	-	S 14.a
1	-	-	-	-	-	-	-	-	-	-	-	
1	-	1	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	1	-	-	-	-	S 14.b
-	-	-	-	-	-	-	1	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・新生児(生後4週未満)死亡者数，性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

新生児(生後4週未満)死亡者数
Neonatal deaths(Under 4 weeks)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	乳児簡単分類番号(S表) Infant S list number
S 15	良性および性質不詳の新生物	1	-	-	-	-	-	1	3	1	1	-	-	-	-	2	-	-	-	1	-	S 15
	男 M.	1	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	1	-	
	女 F.	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	
S 16	栄養失調症	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	S 16
	男 M.	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
S 17	髄膜炎	2	2	1	6	1	1	4	8	4	-	1	-	-	-	1	-	-	-	-	-	S 17
	男 M.	2	2	1	4	-	1	3	8	2	-	1	-	-	-	1	-	-	-	-	-	
	女 F.	-	-	-	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
S 18	脳性けい性小児麻痺	1	4	1	3	2	2	-	3	4	-	2	-	1	1	2	4	-	-	-	-	S 18
	男 M.	1	3	-	2	1	1	-	1	1	-	2	-	1	1	2	2	-	-	-	-	
	女 F.	-	1	1	1	1	1	-	2	3	-	-	-	-	-	-	2	-	-	-	-	
S 19	心疾患	5	4	4	9	1	2	1	23	4	2	2	1	2	-	5	3	-	2	-	-	S 19
	男 M.	2	-	1	6	1	1	1	15	2	1	2	1	1	-	3	2	-	2	-	-	
	女 F.	3	4	3	3	-	1	-	8	2	1	-	-	1	-	2	1	-	-	-	-	
S 20	インフルエンザ	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	S 20
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
S 21	肺炎	8	24	21	50	18	7	9	64	29	15	4	2	3	6	16	11	10	7	12	5	S 21
	男 M.	4	13	13	33	10	3	6	37	14	7	2	2	1	5	11	6	5	3	8	3	
	女 F.	4	11	8	17	8	4	3	27	15	8	2	-	2	1	5	5	5	4	4	2	
S 22	気管支炎	-	-	1	2	1	1	1	2	2	-	-	-	-	1	-	-	-	-	1	-	S 22
	男 M.	-	-	1	2	1	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	
	女 F.	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	
S 23	腸閉塞およびヘルニア	5	3	6	7	1	1	3	6	5	1	1	1	-	-	2	1	1	3	1	1	S 23
	男 M.	4	1	5	5	-	1	2	4	3	1	-	1	-	-	2	1	1	2	1	1	
	女 F.	1	2	1	2	1	-	1	2	2	-	1	-	-	-	-	-	-	1	-	-	
S 24	胃炎，十二指腸炎および慢性胃腸炎	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	S 24
	男 M.	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 25	先天異常	29	30	58	140	21	21	49	196	96	19	25	11	10	34	45	19	8	18	22	15	S 25
	男 M.	21	14	31	83	11	8	29	114	59	12	17	5	3	20	26	9	4	9	16	7	
	女 F.	8	16	27	57	10	13	20	82	37	7	8	6	7	14	19	10	4	9	6	8	
S 25.a	心臓の先天異常	12	11	28	62	11	6	18	84	36	7	9	4	3	22	18	10	4	6	12	5	S 25.a
	男 M.	8	6	14	38	4	3	10	51	20	5	4	-	1	12	9	4	2	3	8	2	
	女 F.	4	5	14	24	7	3	8	33	16	2	5	4	2	10	9	6	2	3	4	3	
S 25.b	その他の循環器系の先天異常	1	-	-	4	-	-	-	1	10	-	-	1	-	-	1	-	-	-	-	-	S 25.b
	男 M.	1	-	-	-	-	-	-	-	7	-	-	1	-	-	1	-	-	-	-	-	
	女 F.	-	-	-	4	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	
S 25.c	消化器系の先天異常	9	7	15	40	4	3	17	61	31	6	10	2	3	4	14	6	4	8	5	6	S 25.c
	男 M.	6	2	12	29	2	-	9	37	19	4	9	1	1	4	7	3	2	3	5	4	
	女 F.	3	5	3	11	2	3	8	24	12	2	1	1	2	-	7	3	2	5	-	2	
S 25.d	その他	7	12	15	34	6	12	14	50	19	6	6	4	4	8	12	3	-	4	5	4	S 25.d
	男 M.	6	6	5	16	5	5	10	26	13	3	4	3	1	4	9	2	-	3	3	1	
	女 F.	1	6	10	18	1	7	4	24	6	3	2	1	3	4	3	1	-	1	2	3	
S 26	出生時損傷，難産およびその他の無酸素症，低酸素症	58	62	100	224	47	35	77	300	164	40	40	16	23	48	97	47	9	33	51	19	S 26
	男 M.	32	42	59	129	30	16	47	187	109	28	27	11	12	34	67	32	6	19	31	12	
	女 F.	26	20	41	95	17	19	30	113	55	12	13	5	11	14	30	15	3	14	20	7	
S 26.a	脳および脊髄の出生時損傷を伴う難産	13	16	18	37	12	3	9	51	43	9	10	3	-	11	16	12	1	5	7	2	S 26.a
	男 M.	10	13	11	19	6	2	7	35	24	7	6	3	-	8	10	7	-	2	5	1	
	女 F.	3	3	7	18	6	1	2	16	19	2	4	-	-	3	6	5	1	3	2	1	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・新生児(生後4週未満)死亡者数，性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

新生児(生後4週未満)死亡者数
Neonatal deaths(Under 4 weeks)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	乳児簡単分類番号(S表) Infant S list number
S 26.b	その他および詳細不明の出生時損傷を伴う…	1	2	3	1	1	1	-	2	-	-	-	-	-	1	-	-	-	-	1	-	S 26.b
	男 M.	1	1	2	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	
	女 F.	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
S 26.c	出生時損傷，仮死，無酸素症または低酸素症の記載のない雌産	5	2	5	6	-	2	4	14	6	1	1	-	-	2	6	3	-	1	-	1	S 26.c
	男 M.	2	1	2	4	-	1	2	7	2	1	1	-	-	2	3	1	-	-	-	1	
	女 F.	3	1	3	2	-	1	2	7	4	-	-	-	-	-	3	2	-	1	-	-	
S 26.d	仮死，無酸素症または低酸素症	39	42	74	180	34	29	64	233	115	30	29	13	23	34	75	32	8	27	43	16	S 26.d
	男 M.	19	27	44	105	24	12	38	144	83	20	20	8	12	23	54	24	6	17	25	10	
	女 F.	20	15	30	75	10	17	26	89	32	10	9	5	11	11	21	8	2	10	18	6	
S 27	母体の妊娠時の疾患による新生児の障害	20	18	29	49	18	11	18	60	35	6	17	8	3	11	30	8	6	8	11	5	S 27
	男 M.	16	10	10	20	12	7	13	38	20	4	11	3	3	8	19	3	5	5	8	4	
	女 F.	4	8	19	29	6	4	5	22	15	2	6	5	-	3	11	5	1	3	3	1	
S 28	新生児溶血性疾患	3	-	3	11	3	1	4	17	10	-	4	1	-	3	4	2	2	1	1	1	S 28
	男 M.	1	-	1	8	2	1	3	10	7	-	3	1	-	2	1	1	1	1	-	1	
	女 F.	2	-	2	3	1	-	1	7	3	-	1	-	-	1	3	1	1	-	1	-	
S 29	詳細不明の未熟児	22	36	50	116	20	23	47	148	77	11	28	6	5	32	51	38	10	16	26	25	S 29
	男 M.	12	21	24	59	9	14	26	86	46	5	14	4	1	23	29	16	4	8	17	16	
	女 F.	10	15	26	57	11	9	21	62	31	6	14	2	4	9	22	22	6	8	9	9	
S 30	新生児の出血性疾患	10	12	33	53	14	9	17	57	47	9	3	8	3	13	20	11	3	11	11	2	S 30
	男 M.	8	10	21	39	11	5	13	36	28	4	2	3	2	10	9	6	2	8	6	-	
	女 F.	2	2	12	14	3	4	4	21	19	5	1	5	1	3	11	5	1	3	5	2	
S 31	新生児の貧血	4	1	3	2	-	-	1	2	1	-	-	-	-	1	1	1	2	-	-	-	S 31
	男 M.	3	-	-	1	-	-	1	1	-	-	-	-	-	1	1	1	2	-	-	-	
	女 F.	1	1	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
S 32	その他の新生児の異常	24	48	36	75	31	18	29	173	48	29	23	3	14	7	45	14	16	14	28	10	S 32
	男 M.	13	28	20	40	24	8	15	105	33	19	12	2	6	3	24	9	7	8	14	4	
	女 F.	11	20	16	35	7	10	14	68	15	10	11	1	8	4	21	5	9	6	14	6	
S 33	その他のすべての疾患	30	26	71	117	39	19	57	158	99	22	29	10	9	19	71	44	11	26	20	16	S 33
	男 M.	13	14	41	70	23	12	32	90	58	15	20	8	5	7	48	21	6	20	14	10	
	女 F.	17	12	30	47	16	7	25	68	41	7	9	2	4	12	23	23	5	6	6	6	
S 34	不慮の事故	-	2	1	2	1	-	2	5	4	-	-	1	-	2	2	1	-	1	1	1	S 34
	男 M.	-	2	1	2	-	-	1	3	4	-	-	1	-	1	1	-	-	1	1	-	
	女 F.	-	-	-	-	1	-	1	2	-	-	-	-	-	1	1	1	-	-	-	1	
S 34.a	食物の吸入または嚥下による閉塞および窒息	-	2	1	2	-	-	1	4	1	-	-	1	-	-	2	-	-	1	1	1	S 34.a
	男 M.	-	2	1	2	-	-	1	2	1	-	-	1	-	-	1	-	-	1	1	-	
	女 F.	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	
S 34.b	不慮の機械的窒息	-	-	-	-	1	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	S 34.b
	男 M.	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
S 34.c	その他	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	S 34.c
	男 M.	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
S 35	その他の外因死	-	1	3	3	-	-	2	5	-	-	-	1	-	1	1	-	1	2	1	S 35	
	男 M.	-	-	2	2	-	-	2	2	-	-	-	1	-	1	1	-	-	2	-		
	女 F.	-	1	1	1	-	-	-	3	-	-	-	-	-	-	-	1	-	-	1		

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・新生児(生後4週未満)死亡者数，性・死因(乳児簡単分類(S))・都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX; FOR EACH PREFECTURE*

昭和47年
1972

新生児(生後4週未満)死亡者数
Neonatal deaths(Under 4 weeks)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	乳児簡単分類番号(S表) Infant S list number
	総数 Total	575	119	217	226	205	167	225	18	1 168	390	281	188	377	132	185	
	男 M.	343	67	136	137	123	108	141	7	646	239	169	111	218	80	110	
	女 F.	232	52	81	89	82	59	84	11	522	151	112	77	159	52	75	
S1	細菌性赤痢およびアメーバ症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S2	腸炎およびその他の下痢性疾患	-	-	1	-	-	-	2	-	2	1	2	-	1	-	-	S2
	男 M.	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	
	女 F.	-	-	1	-	-	-	1	-	1	1	1	-	1	-	-	
S3	結核	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S3
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S4	ジフテリア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S4
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S5	百日咳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S5
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S6	丹毒	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S6
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S7	破傷風	1	-	1	1	1	-	-	-	-	-	1	-	-	-	-	S7
	男 M.	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	
S8	敗血症	8	-	2	-	1	-	1	-	10	2	1	-	4	1	3	S8
	男 M.	5	-	1	-	1	-	-	-	3	2	1	-	2	1	1	
	女 F.	3	-	1	-	-	-	1	-	7	-	-	-	2	-	2	
S9	急性灰白髄炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S10	麻疹	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S10
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S11	日本脳炎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S11
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S12	梅毒およびその続発症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S12
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S13	その他の伝染病および寄生虫病	1	-	1	-	-	-	-	-	1	1	1	-	1	-	1	S13
	男 M.	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	
	女 F.	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	
S14	悪性新生物(リンパおよび造血組織の新生物を含む)	-	1	-	-	1	-	-	-	2	-	-	-	1	1	-	S14
	男 M.	-	1	-	-	1	-	-	-	2	-	-	-	1	1	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S14.a	白血病	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	S14.a
	男 M.	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
S14.b	その他	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	S14.b
	男 M.	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

七大都市(再掲) 7 largest cities (secondary mention)

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・新生児(生後4週未満)死亡者数，都道府県(七大都市再掲)別

TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S. LIST) BY SEX; AND NEONATAL DEATHS (UNDER 4 WEEKS) FOR EACH PREFECTURE*

昭和47年
1972

新生児(生後4週未満)死亡者数
Neonatal deaths(Under 4 weeks)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳
S 15	良性および性質不詳の新生物	1	-	1	-	-	-	-	-
	男 M.	-	-	1	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-
S 16	栄養失調症	-	-	-	-	-	1	1	-
	男 M.	-	-	-	-	-	1	1	-
	女 F.	-	-	-	-	-	-	-	-
S 17	髄膜炎	3	-	2	1	1	1	-	-
	男 M.	2	-	1	1	-	1	-	-
	女 F.	1	-	1	-	1	-	-	-
S 18	脳性けい性小児麻痺	3	-	2	-	-	-	1	-
	男 M.	3	-	1	-	-	-	1	-
	女 F.	-	-	1	-	-	-	-	-
S 19	心疾患	8	2	1	3	3	1	2	-
	男 M.	3	-	-	2	2	-	1	-
	女 F.	5	2	1	1	1	1	1	-
S 20	インフルエンザ	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
S 21	肺炎	22	11	8	14	7	8	7	-
	男 M.	13	5	5	7	6	5	4	-
	女 F.	9	6	3	7	1	3	3	-
S 22	気管支炎	-	-	-	-	-	1	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	1	-	-
S 23	腸閉塞およびヘルニア	4	1	-	-	1	-	3	-
	男 M.	3	-	-	-	1	-	1	-
	女 F.	1	1	-	-	-	-	2	-
S 24	胃炎，十二指腸炎および慢性胃腸炎	-	-	-	-	-	-	1	-
	男 M.	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-
S 25	先天異常	69	12	26	27	32	21	21	-
	男 M.	41	8	10	16	17	11	10	-
	女 F.	28	4	16	11	15	10	11	-
S 25.a	心臓の先天異常	32	2	13	12	9	9	9	-
	男 M.	18	1	6	6	3	5	5	-
	女 F.	14	1	7	6	6	4	4	-
S 25.b	その他の循環器系の先天異常	1	-	1	-	2	-	-	-
	男 M.	-	-	1	-	-	-	-	-
	女 F.	1	-	-	-	2	-	-	-
S 25.c	消化器系の先天異常	23	7	5	10	13	4	3	-
	男 M.	14	6	1	8	8	2	1	-
	女 F.	9	1	4	2	5	2	2	-
S 25.d	その他	13	3	7	5	8	8	9	-
	男 M.	9	1	2	2	6	4	4	-
	女 F.	4	2	5	3	2	4	5	-
S 26	出生時損傷，難産およびその他の無酸素症，低酸素症	183	21	59	48	40	45	55	2
	男 M.	106	15	44	34	24	30	38	1
	女 F.	77	6	15	14	16	15	17	1
S 26.a	脳および脊髄の出生時損傷を伴う難産	36	4	16	8	11	20	14	-
	男 M.	20	3	12	7	7	16	13	-
	女 F.	16	1	4	1	4	4	1	-

七大都市(再掲) 7 largest cities (secondary mention)							乳児簡単分類番号(S表) Infant S list number
50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	
2	-	-	1	1	-	-	S 15
1	-	-	-	1	-	-	
1	-	-	1	-	-	-	
1	1	-	-	-	-	-	S 16
-	1	-	-	-	-	-	
1	-	-	-	-	-	-	
8	2	3	3	1	-	-	S 17
5	1	2	2	1	-	-	
3	1	1	1	-	-	-	
3	1	1	-	-	2	1	S 18
2	1	1	-	-	1	1	
1	-	-	-	-	1	-	
8	9	1	-	8	-	1	S 19
3	7	1	-	5	-	-	
5	2	-	-	3	-	1	
-	-	-	-	-	-	-	S 20
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
47	19	13	6	20	6	3	S 21
33	11	7	5	16	3	2	
14	8	6	1	4	3	1	
1	-	-	1	1	-	-	S 22
-	-	-	-	-	-	-	
1	-	-	1	1	-	-	
4	3	3	3	1	-	1	S 23
3	1	3	2	1	-	1	
1	2	-	1	-	-	-	
-	-	-	-	-	-	-	S 24
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
179	57	52	36	49	28	22	S 25
101	28	31	20	23	21	16	
78	29	21	16	26	7	6	
77	33	28	10	17	11	11	S 25.a
43	19	17	6	10	4	7	
34	14	11	4	7	3	4	
10	4	1	-	-	3	-	S 25.b
7	1	-	-	-	1	-	
3	3	1	-	-	2	-	
44	9	11	12	19	7	5	S 25.c
27	4	8	7	9	6	4	
17	5	3	5	10	1	1	
48	11	12	13	13	7	6	S 25.d
24	4	6	7	4	6	5	
24	7	6	6	9	1	1	
290	99	59	46	95	38	54	S 26
169	62	33	30	55	23	27	
121	37	26	16	40	15	26	
68	25	11	4	13	13	13	S 26.a
40	14	6	4	7	5	7	
28	11	5	-	6	8	6	

*Reported by place of residence.

第12表　乳児(1才未満)死亡者数・性・死因(乳児簡単分類(S))・新生児(生後4週未満)死亡者数
TABLE 12　INFANT DEATHS (UNDER 1 YEAR) FROM CAUSES (S LIST) BY SEX; AND NEONATAL DEATHS (UNDER 4 WEEKS)

都道府県(七大都市再掲)別
FOR EACH PREFECTURE*

昭和47年
1972

新生児(生後4週未満)死亡者数
Neonatal deaths(Under 4 weeks)

乳児簡単分類番号(S表) Infant S list number	死因・性 Cause of death and sex	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳
S 26.b	その他および詳細不明の出生時損傷を伴う難産	1	-	-	1	2	-	-	-
	男 M.	-	-	-	1	1	-	-	-
	女 F.	1	-	-	-	1	-	-	-
S 26.c	出生時損傷，仮死，無酸素症または低酸素症の記載のない難産	3	-	-	5	3	2	6	-
	男 M.	1	-	-	4	2	2	5	-
	女 F.	2	-	-	1	1	-	1	-
S 26.d	仮死，無酸素症または低酸素症	143	17	43	34	24	23	35	2
	男 M.	85	12	32	22	14	12	20	1
	女 F.	58	5	11	12	10	11	15	1
S 27	母体の妊娠時の疾患による新生児の障害	26	8	18	18	24	12	16	-
	男 M.	15	5	12	11	18	7	13	-
	女 F.	11	3	6	7	6	5	3	-
S 28	新生児溶血性疾患	4	3	5	6	-	3	3	-
	男 M.	4	2	4	5	-	2	2	-
	女 F.	-	1	1	1	-	1	1	-
S 29	詳細不明の未熟児	102	17	24	31	30	33	39	-
	男 M.	56	6	13	16	13	24	23	-
	女 F.	46	11	11	15	17	9	16	-
S 30	新生児の出血性疾患	31	6	19	13	17	7	26	-
	男 M.	18	1	12	6	10	5	16	-
	女 F.	13	5	7	7	7	2	10	-
S 31	新生児の黄疸	-	-	1	1	-	-	2	-
	男 M.	-	-	1	1	-	-	2	-
	女 F.	-	-	-	-	-	-	-	-
S 32	その他の新生児の異常	27	14	18	28	23	8	24	-
	男 M.	18	9	11	16	14	8	13	-
	女 F.	9	5	7	12	9	-	11	-
S 33	その他のすべての疾患	78	22	25	33	23	24	17	4
	男 M.	52	14	18	20	15	14	11	1
	女 F.	26	8	7	13	8	10	6	3
S 34	不慮の事故	4	1	2	2	-	2	2	-
	男 M.	3	1	-	1	-	-	2	-
	女 F.	1	-	2	1	-	2	-	-
S 34.a	食物の吸入または嚥下による閉塞および窒息	3	1	-	1	-	2	1	-
	男 M.	3	1	-	1	-	-	1	-
	女 F.	-	-	-	-	-	2	-	-
S 34.b	不慮の機械的窒息	1	-	2	1	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	1	-	2	1	-	-	-	-
S 34.c	その他	-	-	-	-	-	-	1	-
	男 M.	-	-	-	-	-	-	1	-
	女 F.	-	-	-	-	-	-	-	-
S 35	その他の外因死	-	-	1	-	1	-	2	12
	男 M.	-	-	1	-	-	-	1	5
	女 F.	-	-	-	-	1	-	1	7

七大都市(再掲) 7 largest cities (secondary mention)							乳児簡単分類番号(S表) Infant S list number
50 東京都の区部	51 横浜	52 名古屋	53 京都	54 大阪	55 神戸	56 北九州	
2	2	-	-	-	-	-	S 26.b
-	1	-	-	-	-	-	
2	1	-	-	-	-	-	
22	7	2	2	6	1	1	S 26.c
13	6	1	1	4	-	-	
9	1	1	1	2	1	1	
198	65	46	40	76	24	39	S 26.d
116	41	26	25	44	18	20	
82	24	20	15	32	6	19	
74	35	9	9	20	7	14	S 27
43	19	2	6	13	2	9	
31	16	7	3	7	5	5	
12	3	2	2	7	1	1	S 28
9	2	1	2	4	1	1	
3	1	1	-	3	-	-	
168	50	39	27	39	13	32	S 29
81	31	23	12	24	7	15	
87	19	16	15	15	6	17	
39	19	21	8	15	11	6	S 30
20	13	17	6	11	5	4	
19	6	4	2	4	6	2	
2	-	-	-	1	1	-	S 31
1	-	-	-	-	-	-	
1	-	-	-	1	1	-	
168	29	28	17	57	11	10	S 32
90	19	18	9	34	6	7	
78	10	10	8	23	5	3	
144	56	44	30	52	10	36	S 33
77	38	26	15	25	7	25	
67	18	18	15	27	3	11	
3	1	-	2	2	2	1	S 34
2	1	-	1	1	2	1	
1	-	-	1	1	-	-	
1	1	-	1	2	1	1	S 34.a
-	1	-	-	1	1	1	
1	-	-	-	1	-	-	
2	-	-	1	-	1	-	S 34.b
2	-	-	-	-	1	-	
-	-	-	1	-	-	-	
-	-	-	-	-	-	-	S 34.c
-	-	-	-	-	-	-	
-	-	-	-	-	-	-	
-	2	1	1	1	-	-	S 35
-	1	1	1	1	-	-	
-	1	-	-	-	-	-	

*Reported by place of residence.

第13表　乳児（1才未満）死亡者数・新生児（生後4週未満）死亡者数，性・月・死因（乳児簡単分類（S））別

TABLE 13　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX AND MONTH OF OCCURRENCE

昭和47年
1972

乳　児（1　才　未　満）死亡者数
Infant deaths (Under 1 year)

乳児簡単分類番号（S表）Infant S list number	死因・性 Cause of death and sex	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sep.	10月 Oct.	11月 Nov.	12月 Dec.
	総数 Total	23 773	2 136	2 037	2 086	1 842	2 034	1 944	2 151	2 000	1 816	1 770	1 833	2 124
	男 M.	13 840	1 252	1 207	1 226	1 081	1 199	1 104	1 202	1 161	1 054	1 041	1 049	1 264
	女 F.	9 933	884	830	860	761	835	840	949	839	762	729	784	860
S 1	細菌性赤痢およびアメーバ症	4	-	-	-	-	1	1	-	2	-	-	-	-
	男 M.	3	-	-	-	-	1	-	-	2	-	-	-	-
	女 F.	1	-	-	-	-	-	1	-	-	-	-	-	-
S 2	腸炎およびその他の下痢性疾患	728	115	120	72	44	48	38	48	47	42	27	40	87
	男 M.	425	71	76	43	20	29	19	25	25	24	12	24	57
	女 F.	303	44	44	29	24	19	19	23	22	18	15	16	30
S 3	結核	10	1	1	-	3	3	-	-	1	-	-	-	1
	男 M.	5	-	-	-	3	1	-	-	1	-	-	-	-
	女 F.	5	1	1	-	-	2	-	-	-	-	-	-	1
S 4	ジフテリア	1	-	-	-	-	-	-	-	-	-	-	-	1
	男 M.	1	-	-	-	-	-	-	-	-	-	-	-	1
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S 5	百日咳	1	-	-	1	-	-	-	-	-	-	-	-	-
	男 M.	1	-	-	1	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S 6	丹毒	1	-	-	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	1
S 7	破傷風	13	-	2	1	1	1	-	1	-	3	3	-	1
	男 M.	10	-	2	1	1	1	-	-	-	2	2	-	1
	女 F.	3	-	-	-	-	-	-	1	-	1	1	-	-
S 8	敗血症	180	13	9	16	11	12	21	20	17	22	11	11	17
	男 M.	99	5	5	6	6	9	11	9	9	11	8	8	12
	女 F.	81	8	4	10	5	3	10	11	8	11	3	3	5
S 9	急性灰白髄炎	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S10	麻疹	149	24	17	14	11	19	17	16	17	3	4	4	3
	男 M.	80	13	11	5	7	13	6	5	10	1	3	3	3
	女 F.	69	11	6	9	4	6	11	11	7	2	1	1	-
S11	日本脳炎	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S12	梅毒およびその続発症	1	-	-	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	1
S13	その他の伝染病および寄生虫病	81	7	6	5	7	6	4	6	12	11	3	6	8
	男 M.	55	6	5	4	4	4	1	2	10	9	1	4	5
	女 F.	26	1	1	1	3	2	3	4	2	2	2	2	3
S14	悪性新生物（リンパおよび造血組織の新生物を含む）	131	5	13	12	8	9	11	15	13	12	11	12	10
	男 M.	73	4	7	8	4	7	8	4	6	6	8	7	4
	女 F.	58	1	6	4	4	2	3	11	7	6	3	5	6
S14.a	白血病	59	3	4	3	4	8	4	8	10	3	7	3	2
	男 M.	33	2	1	2	2	6	3	3	5	-	6	2	1
	女 F.	26	1	3	1	2	2	1	5	5	3	1	1	1
S14.b	その他	72	2	9	9	4	1	7	7	3	9	4	9	8
	男 M.	40	2	6	6	2	1	5	1	1	6	2	5	3
	女 F.	32	-	3	3	2	-	2	6	2	3	2	4	5
S15	良性および性質不詳の新生物	71	8	9	3	4	5	4	4	11	4	10	5	4
	男 M.	40	4	4	3	3	3	2	3	3	3	6	3	3
	女 F.	31	4	5	-	1	2	2	1	8	1	4	2	1
S16	栄養失調症	36	3	4	4	2	3	2	4	4	3	5	1	1
	男 M.	23	3	2	3	2	2	2	3	1	2	2	1	-
	女 F.	13	-	2	1	-	1	-	1	3	1	3	-	1
S17	髄膜炎	241	25	14	17	18	26	11	19	23	19	23	24	22
	男 M.	134	14	8	11	10	14	5	12	11	10	14	13	12
	女 F.	107	11	6	6	8	12	6	7	12	9	9	11	10
S18	脳性けい性小児麻痺	138	7	14	10	15	11	14	7	13	12	12	10	13
	男 M.	85	6	8	5	10	6	12	2	7	6	9	8	6
	女 F.	53	1	6	5	5	5	2	5	6	6	5	2	7
S19	心疾患	363	30	38	30	21	24	35	35	36	33	32	17	32
	男 M.	210	13	25	15	15	16	15	20	20	22	21	8	20
	女 F.	153	17	13	15	6	8	20	15	16	11	11	9	12
S20	インフルエンザ	28	3	5	6	4	1	-	-	2	2	-	3	2
	男 M.	14	-	2	2	3	1	-	-	1	-	-	3	2
	女 F.	14	3	3	4	1	-	-	-	1	2	-	-	-
S21	肺炎	2 356	264	211	258	177	191	171	231	157	127	153	181	235
	男 M.	1 320	150	122	143	103	109	96	128	89	66	81	103	130
	女 F.	1 036	114	89	115	74	82	75	103	68	61	72	78	105
S22	気管支炎	206	25	11	21	18	17	19	10	18	19	12	16	20
	男 M.	117	12	8	9	11	6	12	5	12	13	9	9	11
	女 F.	89	13	3	12	7	11	7	5	6	6	3	7	9
S23	腸閉塞およびヘルニア	336	34	32	33	28	37	31	25	35	25	20	16	20
	男 M.	220	25	24	23	16	22	22	14	21	16	16	9	12
	女 F.	116	9	8	10	12	15	9	11	14	9	4	7	8
S24	胃炎，十二指腸炎および慢性胃腸炎	13	1	-	1	2	-	2	3	-	1	2	1	-
	男 M.	7	-	-	1	1	-	2	1	-	-	2	-	-
	女 F.	6	1	-	-	1	-	-	2	-	1	-	1	-
S25	先天異常	4 344	326	326	354	330	373	367	395	361	375	345	353	439
	男 M.	2 395	185	193	201	192	199	183	207	199	209	191	194	242
	女 F.	1 949	141	133	153	138	174	184	188	162	166	154	159	197
S25.a	心臓の先天異常	2 214	174	180	182	185	179	189	183	175	188	172	176	231
	男 M.	1 238	103	112	104	105	94	107	99	93	101	97	103	120
	女 F.	976	71	68	78	80	85	82	84	82	87	75	73	111
S25.b	その他の循環器系の先天異常	134	11	9	12	12	15	8	11	3	13	10	13	17
	男 M.	69	6	6	8	7	9	2	5	3	7	2	6	8
	女 F.	65	5	3	4	5	6	6	6	-	6	8	7	9
S25.c	消化器系の先天異常	1 015	61	81	78	72	93	89	104	101	85	83	80	88
	男 M.	577	36	54	40	49	55	42	52	55	49	50	43	52
	女 F.	438	25	27	38	23	38	47	52	46	36	33	37	36
S25.d	その他	981	80	56	82	61	86	81	97	82	89	80	84	103
	男 M.	511	40	21	49	31	41	32	51	48	52	42	42	62
	女 F.	470	40	35	33	30	45	49	46	34	37	38	42	41
S26	出生時損傷，難産およびその他の無酸素症，低酸素症	3 927	305	296	339	320	349	311	375	355	323	304	326	324
	男 M.	2 429	190	170	213	204	211	194	234	222	186	193	197	215
	女 F.	1 498	115	126	126	116	138	117	141	133	137	111	129	109
S26.a	脳および脊髄の出生時損傷を伴う難産	743	63	68	58	69	68	61	76	64	56	47	58	55
	男 M.	465	36	38	37	43	44	44	48	38	30	31	41	35
	女 F.	278	27	30	21	26	24	17	28	26	26	16	17	20

13表（3－2）

第13表　乳児(1才未満)死亡者数・性・月・死因（乳児簡

TABLE 13　INFANT DEATHS (UNDER 1 YEAR) AND CAUSES (S LIST) BY SEX AND MONTH

乳　児(1 才 未 満)死亡者数
Infant deaths(Under 1 year)

乳児簡単分類番号（S表） Infant S list number	死　因・性 Cause of death and sex	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sep.	10月 Oct.	11月 Nov.	12月 Dec.
S 26.b	その他および詳細不明の出…	35	1	2	2	3	6	1	4	2	5	-	4	5
	生時損傷を伴う難産 男 M.	21	-	1	1	1	3	-	4	1	4	-	2	4
	女 F.	14	1	1	1	2	3	1	-	1	1	-	2	1
S 26.c	出生時損傷，仮死，無酸素…	177	26	14	13	14	11	11	13	14	19	15	11	16
	症または低酸素症の 男 M.	98	18	7	6	7	7	8	8	8	5	9	6	9
	記載のない難産 女 F.	79	8	7	7	7	4	3	5	6	14	6	5	7
S 26.d	仮死，無酸素症または低酸…	2 972	215	212	266	234	264	238	282	275	243	242	253	248
	素症 男 M.	1 845	136	124	169	153	157	142	174	175	147	153	148	167
	女 F.	1 127	79	88	97	81	107	96	108	100	96	89	105	81
S27	母体の妊娠時の疾患による新…	1 103	98	109	113	96	83	86	82	103	66	94	80	93
	生児の障害 男 M.	678	61	63	68	63	55	53	50	73	40	55	43	54
	女 F.	425	37	46	45	33	28	33	32	30	26	39	37	39
S28	新生児溶血性疾患……	187	16	20	19	17	21	19	13	15	15	10	11	11
	男 M.	124	10	14	16	12	15	13	6	7	8	6	8	9
	女 F.	63	6	6	3	5	6	6	7	8	7	4	3	2
S29	詳細不明の未熟児……	2 102	172	188	167	190	180	193	193	178	142	142	183	174
	男 M.	1 151	89	110	98	98	94	102	102	95	90	85	99	89
	女 F.	951	83	78	69	92	86	91	91	83	52	57	84	85
S30	新生児の出血性疾患……	863	90	77	67	70	74	58	85	66	60	76	70	70
	男 M.	530	55	47	46	40	47	29	55	37	33	49	43	49
	女 F.	333	35	30	21	30	27	29	30	29	27	27	27	21
S31	新生児の黄疸……	57	8	6	2	6	5	5	5	7	3	1	4	5
	男 M.	38	3	4	2	5	3	5	3	4	1	1	4	3
	女 F.	19	5	2	-	1	2	-	2	3	2	-	-	2
S32	その他の新生児の異常……	1 751	161	159	151	128	148	137	142	155	125	166	136	143
	男 M.	1 016	97	84	87	78	88	86	78	93	77	89	71	88
	女 F.	735	64	75	64	50	60	51	64	62	48	77	65	55
S33	その他のすべての疾患……	3 105	287	259	273	224	274	252	290	262	264	220	230	270
	男 M.	1 849	173	164	156	127	173	144	168	150	162	128	134	170
	女 F.	1 256	114	95	117	97	101	108	122	112	102	92	96	100
S34	不慮の事故……	1 089	94	78	85	72	102	118	115	80	89	74	78	104
	男 M.	630	56	43	46	34	63	74	62	48	50	45	46	63
	女 F.	459	38	35	39	38	39	44	53	32	39	29	32	41
S34.a	食物の吸入または嚥下によ…	252	30	15	31	13	19	24	19	13	20	21	16	31
	る閉塞および窒息 男 M.	140	18	8	17	6	15	10	9	6	10	13	8	20
	女 F.	112	12	7	14	7	4	14	10	7	10	8	8	11
S34.b	不慮の機械的窒息……	499	37	37	32	28	52	60	62	37	42	33	36	43
	男 M.	290	23	17	15	15	31	41	33	23	25	22	19	26
	女 F.	209	14	20	17	13	21	19	29	14	17	11	17	17
S34.c	そ　の　他……	338	27	26	22	31	31	34	34	30	27	20	26	30
	男 M.	200	15	18	14	13	17	23	20	19	15	10	19	17
	女 F.	138	12	8	8	18	14	11	14	11	12	10	7	13
S35	その他の外因死……	157	14	13	12	15	11	17	12	10	16	10	15	12
	男 M.	78	7	6	10	9	7	8	4	5	7	5	7	3
	女 F.	79	7	7	2	6	4	9	8	5	9	5	8	9

新生児(生後4週未満)死亡者数，単分類(S))別

NEONATAL DEATHS (UNDER 4 WEEKS) FROM OF OCCURRENCE

昭和47年
1972

新生児(生後4週未満)死亡者数　Neonatal deaths(Under 4 weeks)

乳児簡単分類番号（S表） Infant S list number	死　因・性 Cause of death and sex	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sep.	10月 Oct.	11月 Nov.	12月 Dec.
	総数 Total	15 817	1 349	1 319	1 385	1 260	1 370	1 280	1 429	1 362	1 223	1 233	1 281	1 326
	男 M.	9 439	816	781	837	756	831	736	834	817	732	747	723	829
	女 F.	6 378	533	538	548	504	539	544	595	545	491	486	558	497
S 1	細菌性赤痢およびアメーバ症…	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S 2	腸炎およびその他の下痢性…	47	2	6	5	1	5	4	3	2	4	3	7	5
	疾患 男 M.	20	1	3	1	-	3	1	-	1	1	1	4	4
	女 F.	27	1	3	4	1	2	3	3	1	3	2	3	1
S 3	結　　核……	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S 4	ジフテリア……	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S 5	百　日　咳……	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S 6	丹　　毒……	1	-	-	-	-	-	-	-	-	-	-	-	1
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	-	-	-	1
S 7	破　傷　風……	11	-	1	1	1	1	-	1	-	2	3	-	1
	男 M.	8	-	1	1	1	1	-	-	-	1	2	-	1
	女 F.	3	-	-	-	-	-	-	1	-	1	1	-	-
S 8	敗　血　症……	92	8	5	10	6	4	11	13	10	7	4	5	9
	男 M.	49	4	2	3	3	3	6	8	6	1	3	2	8
	女 F.	43	4	3	7	3	1	5	5	4	6	1	3	1
S 9	急性灰白髄炎……	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S10	麻　　疹……	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S11	日本脳炎……	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S12	梅毒およびその続発症……	-	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S13	その他の伝染病および寄生…	12	1	1	-	1	1	1	-	2	2	1	1	1
	虫病 男 M.	7	1	1	-	-	1	-	-	1	2	-	1	-
	女 F.	5	-	-	-	1	-	1	-	1	-	1	-	1
S14	悪性新生物（リンパおよび造…	17	2	2	4	1	1	-	2	2	1	-	1	1
	血組織の新生物を含む）男 M.	11	2	1	3	1	1	-	2	-	-	-	-	1
	女 F.	6	-	1	1	-	-	-	-	2	1	-	1	-
S14.a	白　血　病……	7	1	-	1	1	1	-	1	1	-	-	1	-
	男 M.	5	1	-	1	1	1	-	1	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	1	-	-	1	-
S14.b	そ　の　他……	10	1	2	3	-	-	-	1	1	1	-	-	1
	男 M.	6	1	1	2	-	-	-	1	-	-	-	-	1
	女 F.	4	-	1	1	-	-	-	-	1	1	-	-	-

第13表　乳児（1才未満）死亡者数・新生児（生後4週未満）死亡者数，性・月・死因（乳児簡単分類（S））別

新生児（生後4週未満）死亡者数
Neonatal deaths (Under 4 weeks)

TABLE 13　INFANT DEATHS (UNDER 1 YEAR) AND NEONATAL DEATHS (UNDER 4 WEEKS) FROM CAUSES (S LIST) BY SEX AND MONTH OF OCCURRENCE

昭和47年
1972

乳児簡単分類番号（S表） Infant S list number	死因・性 Cause of death and sex	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sep.	10月 Oct.	11月 Nov.	12月 Dec.
S 15	良性および性質不詳の新生物…	21	3	3	1	1	1	2	-	4	1	2	2	1
	男 M.	10	1	1	1	1	1	1	-	-	1	1	1	1
	女 F.	11	2	2	-	-	-	1	-	4	-	1	1	-
S 16	栄養失調症……	16	2	3	3	2	-	2	1	1	1	1	-	-
	男 M.	11	2	2	2	2	-	2	1	-	-	-	-	-
	女 F.	5	-	1	1	-	-	-	-	1	1	1	-	-
S 17	髄膜炎……	88	6	8	7	4	12	4	6	6	7	10	11	7
	男 M.	62	5	4	5	2	10	3	5	5	4	8	6	5
	女 F.	26	1	4	2	2	2	1	1	1	3	2	5	2
S 18	脳性けい性小児麻痺……	56	4	5	7	5	2	8	-	6	7	6	3	3
	男 M.	37	4	2	4	3	2	6	-	2	4	6	3	1
	女 F.	19	-	3	3	2	-	2	-	4	3	-	-	2
S 19	心疾患……	166	14	18	12	8	11	16	11	21	18	14	10	13
	男 M.	90	5	11	7	6	7	6	7	12	12	7	3	7
	女 F.	76	9	7	5	2	4	10	4	9	6	7	7	6
S 20	インフルエンザ……	3	-	-	2	-	-	-	-	-	1	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	3	-	-	2	-	-	-	-	-	1	-	-	-
S 21	肺炎……	800	91	71	86	53	54	57	76	48	41	72	75	76
	男 M.	470	56	43	47	32	35	32	39	33	24	45	41	43
	女 F.	330	35	28	39	21	19	25	37	15	17	27	34	33
S 22	気管支炎……	23	2	3	1	1	3	2	-	2	1	1	4	3
	男 M.	14	1	3	1	-	1	2	-	1	1	-	1	3
	女 F.	9	1	-	-	1	2	-	-	1	-	1	3	-
S 23	腸閉塞およびヘルニア……	101	12	15	13	11	13	8	5	9	3	6	3	3
	男 M.	72	10	12	12	6	10	5	4	4	1	6	-	2
	女 F.	29	2	3	1	5	3	3	1	5	2	-	3	1
S 24	胃炎，十二指腸炎および慢性胃腸炎	2	-	-	-	-	-	-	1	-	-	1	-	-
	男 M.	2	-	-	-	-	-	-	1	-	-	1	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-
S 25	先天異常……	2 168	156	155	179	181	198	176	207	191	196	158	167	204
	男 M.	1 276	94	91	112	109	114	92	121	112	119	98	91	123
	女 F.	892	62	64	67	72	84	84	86	79	77	60	76	81
S 25.a	心臓の先天異常……	920	72	78	78	89	80	79	85	72	74	63	63	87
	男 M.	541	49	43	51	51	46	42	51	41	43	37	38	49
	女 F.	379	23	35	27	38	34	37	34	31	31	26	25	38
S 25.b	その他の循環器系の先天異常	52	4	2	5	5	7	1	6	-	8	3	7	4
	男 M.	28	3	1	2	3	5	1	4	-	4	1	3	1
	女 F.	24	1	1	3	2	2	-	2	-	4	2	4	3
S 25.c	消化器系の先天異常……	628	38	52	47	47	54	53	60	64	58	44	52	59
	男 M.	387	21	39	27	33	34	28	33	39	37	32	27	37
	女 F.	241	17	13	20	14	20	25	27	25	21	12	25	22
S 25.d	その他……	568	42	23	49	40	57	43	56	55	56	48	45	54
	男 M.	320	21	8	32	22	29	21	33	32	35	28	23	36
	女 F.	248	21	15	17	18	28	22	23	23	21	20	22	18
S 26	出生時損傷，娩産およびその他の無酸素症，低酸素症	3 909	304	295	339	319	348	311	372	353	319	304	323	322
	男 M.	2 414	189	169	213	203	210	194	231	220	183	193	194	215
	女 F.	1 495	115	126	126	116	138	117	141	133	136	111	129	107
S 26.a	脳および脊髄の出生時損傷を伴う娩産	743	63	68	58	69	68	61	76	64	56	47	58	55
	男 M.	465	36	38	37	43	44	44	48	38	30	31	41	35
	女 F.	278	27	30	21	26	24	17	28	26	26	16	17	20
S 26.b	その他および詳細不明の出生時損傷を伴う難産	33	1	2	2	3	6	1	2	2	5	-	4	5
	男 M.	19	-	1	1	1	3	-	2	1	4	-	2	4
	女 F.	14	1	1	1	2	3	1	-	1	1	-	2	1
S 26.c	出生時損傷，仮死，無酸素症または低酸素症の記載のない難産	177	26	14	13	14	11	11	13	14	19	15	11	16
	男 M.	98	18	7	6	7	7	8	8	8	5	9	6	9
	女 F.	79	8	7	7	7	4	3	5	6	14	6	5	7
S 26.d	仮死，無酸素症または低酸素症	2 956	214	211	266	233	263	238	281	273	239	242	250	246
	男 M.	1 832	135	123	169	152	156	142	173	173	144	153	145	167
	女 F.	1 124	79	88	97	81	107	96	108	100	95	89	105	79
S 27	母体の妊娠時の疾患による新生児の障害	1 101	98	109	113	96	83	86	81	103	66	93	80	93
	男 M.	678	61	63	68	63	55	53	50	73	40	55	43	54
	女 F.	423	37	46	45	33	28	33	31	30	26	38	37	39
S 28	新生児溶血性疾患……	183	15	20	17	17	21	19	13	14	15	10	11	11
	男 M.	122	9	14	15	12	15	13	6	7	8	6	8	9
	女 F.	61	6	6	2	5	6	6	7	7	7	4	3	2
S 29	詳細不明の未熟児……	2 012	163	176	160	178	175	186	188	173	138	137	177	161
	男 M.	1 103	83	102	92	90	93	99	99	94	87	82	97	85
	女 F.	909	80	74	68	88	82	87	89	79	51	55	80	76
S 30	新生児の出血性疾患……	849	90	76	66	68	74	58	81	65	59	75	70	67
	男 M.	524	55	46	45	39	47	29	53	37	33	49	43	48
	女 F.	325	35	30	21	29	27	29	28	28	26	26	27	19
S 31	新生児の黄疸……	46	7	5	1	6	2	5	4	5	2	1	3	5
	男 M.	32	3	3	1	5	1	5	2	4	1	1	3	3
	女 F.	14	4	2	-	1	1	-	2	1	1	-	-	2
S 32	その他の新生児の異常……	1 711	159	151	148	124	143	134	140	154	123	159	134	142
	男 M.	998	96	82	86	75	85	85	77	93	77	86	69	87
	女 F.	713	63	69	62	49	58	49	63	61	46	73	65	55
S 33	その他のすべての疾患……	2 247	192	182	200	164	202	184	214	186	198	162	182	181
	男 M.	1 354	124	119	110	96	126	101	127	108	126	90	108	119
	女 F.	893	68	63	90	68	76	83	87	78	72	72	74	62
S 34	不慮の事故……	79	13	8	6	2	12	2	4	1	5	8	7	11
	男 M.	47	6	5	5	1	7	-	-	1	3	7	4	8
	女 F.	32	7	3	1	1	5	2	4	-	2	1	3	3
S 34.a	食物の吸入または嚥下による閉塞および窒息	45	8	3	6	-	7	1	3	1	4	6	2	4
	男 M.	30	4	2	5	-	5	-	-	1	2	6	2	3
	女 F.	15	4	1	1	-	2	1	3	-	2	-	-	1
S 34.b	不慮の機械的窒息……	26	4	4	-	2	5	-	-	-	1	1	4	5
	男 M.	14	2	2	-	1	2	-	-	-	1	1	1	4
	女 F.	12	2	2	-	1	3	-	-	-	-	-	3	1
S 34.c	その他……	8	1	1	-	-	-	1	1	-	-	1	1	2
	男 M.	3	-	1	-	-	-	-	-	-	-	-	1	1
	女 F.	5	1	-	-	-	-	1	1	-	-	1	-	1
S 35	その他の外因死……	56	5	1	4	10	4	4	6	4	6	2	5	5
	男 M.	28	4	1	3	6	3	1	1	3	3	-	1	2
	女 F.	28	1	-	1	4	1	3	5	1	3	2	4	3

第14表　医師の立会による死産胎数，自然－人工・妊娠期間・原因（基本分類）別

TABLE 14　FOETAL DEATHS ATTENDED BY PHYSICIAN FROM CAUSES (DETAILED LIST) BY PERIOD OF GESTATION, AND TYPE (SPONTANEOUS OR ARTIFICIAL)

昭和47年
1972

国際基本分類番号 International detailed list number	死産原因 Cause of foetal death	総数 Total					自然死産 Spontaneous					人工死産 Artificial					国際基本分類番号 International detailed list number
		総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	
	総数 Total	122 273	54 894	42 858	24 481	40	78 873	28 746	25 999	24 099	29	43 400	26 148	16 859	382	11	
XIV	先天異常	2 476	29	178	2 269	-	2 392	27	166	2 199	-	84	2	12	70	-	XIV
740	無脳症	877	6	34	837	-	821	6	29	786	-	56	-	5	51	-	740
741	二分脊椎	55	-	4	51	-	55	-	4	51	-	-	-	-	-	-	741
741.0	水頭症を伴うもの	21	-	1	20	-	21	-	1	20	-	-	-	-	-	-	741.0
741.9	水頭症の記載のないもの	34	-	3	31	-	34	-	3	31	-	-	-	-	-	-	741.9
742	先天性水頭症	311	1	23	287	-	300	1	22	277	-	11	-	1	10	-	742
743	その他の神経系の先天異常	90	1	10	79	-	89	1	10	78	-	1	-	-	1	-	743
743.0	脳瘤	55	1	9	45	-	54	1	9	44	-	1	-	-	1	-	743.0
743.1	小頭症	13	-	-	13	-	13	-	-	13	-	-	-	-	-	-	743.1
743.2	その他の脳の明示された異常	10	-	1	9	-	10	-	1	9	-	-	-	-	-	-	743.2
743.3	その他の脊髄の明示された異常	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	743.3
743.4	神経線維腫症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	743.4
743.8	その他の神経系の異常	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	743.8
743.9	詳細不明の脳，脊髄および神経系の異常	10	-	-	10	-	10	-	-	10	-	-	-	-	-	-	743.9
744	眼の先天異常	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	744
744.0	無眼球症	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	744.0
744.1	小眼球症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.1
744.2	牛眼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.2
744.3	先天性白内障	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.3
744.4	コロボーマ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.4
744.5	無虹彩	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.5
744.8	その他の明示された眼の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	744.8
744.9	詳細不明の眼の異常	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	744.9
745	耳，顔および頸の先天異常	7	-	2	5	-	7	-	2	5	-	-	-	-	-	-	745
745.0	聴覚障害の原因となった耳の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.0
745.1	副耳	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.1
745.2	その他の明示された耳の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.2
745.3	詳細不明の耳の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.3
745.4	鰓裂，鰓嚢胞または鰓瘻，前耳洞	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	745.4
745.5	頸翼	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	745.5
745.8	その他の明示された顔および頸の異常	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	745.8
745.9	詳細不明の顔および頸の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	745.9
746	心臓の先天異常	4	-	2	2	-	4	-	2	2	-	-	-	-	-	-	746
746.0	総動脈幹残遺	214	1	-	213	-	214	1	-	213	-	-	-	-	-	-	746.0
746.1	大血管の転位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	746.1
746.2	ファローの四徴	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	746.2
746.3	心室中隔欠損	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	746.3
746.4	心房中隔欠損	4	-	-	4	-	4	-	-	4	-	-	-	-	-	-	746.4
746.5	共房室口	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	746.5
746.6	心臓弁膜の異常	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	746.6
746.7	心内膜線維弾性症	10	-	-	10	-	10	-	-	10	-	-	-	-	-	-	746.7
746.8	その他の明示された心臓の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	646.8
746.9	詳細不明の心臓の異常	17	-	-	17	-	17	-	-	17	-	-	-	-	-	-	746.9
747	その他の循環器系の先天異常	177	1	-	176	-	177	1	-	176	-	-	-	-	-	-	747
747.0	動脈管開存	5	-	1	4	-	5	-	1	4	-	-	-	-	-	-	747.0
747.1	大動脈縮窄	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	747.1
747.2	その他の大動脈の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	747.2
747.3	肺動脈の狭窄または閉鎖	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	747.3
747.4	大静脈の異常	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	747.4
747.5	臍動脈の欠如または減形成	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	747.5
747.6	その他の末梢血管系の異常	2	-	1	1	-	2	-	1	1	-	-	-	-	-	-	747.6
747.8	その他の明示された循環器系の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	747.8
747.9	詳細不明の循環器系の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	747.9
748	呼吸器系の先天異常	16	-	-	16	-	16	-	-	16	-	-	-	-	-	-	748
748.0	後鼻孔閉鎖症	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	748.0
748.1	その他の鼻の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748.1
748.2	喉頭のウェブ〔web〕	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748.2
748.3	その他の喉頭，気管および気管支の異常	6	-	-	6	-	6	-	-	6	-	-	-	-	-	-	748.3
748.4	先天性嚢胞肺	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748.4
748.5	肺の無発生	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748.5
748.6	その他の肺の異常	7	-	-	7	-	7	-	-	7	-	-	-	-	-	-	748.6
748.8	その他の明示された呼吸器系の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	748.8
748.9	詳細不明の呼吸器系の異常	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	748.9
749	口蓋裂および唇裂	59	-	4	55	-	59	-	4	55	-	-	-	-	-	-	749
749.0	口蓋裂	23	-	2	21	-	23	-	2	21	-	-	-	-	-	-	749.0
749.1	唇裂	11	-	1	10	-	11	-	1	10	-	-	-	-	-	-	749.1
749.2	唇裂を伴う口蓋裂	25	-	1	24	-	25	-	1	24	-	-	-	-	-	-	749.2

第14表　医師の立会による死産胎数，自然－人工・妊娠期間・原因（基本分類）別

TABLE 14　FOETAL DEATHS ATTENDED BY PHYSICIAN FROM AND TYPE (SPONTANEOUS OR ARTIFICIAL)

CAUSES (DETAILED LIST) BY PERIOD OF GESTATION,

昭和47年
1972

国際基本分類番号 International detailed list number	死産原因 Cause of foetal death	総数 Total! 総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	自然死産 Spontaneous 総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	人工死産 Artificial 総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	国際基本分類番号 International detailed list number
750	その他の上部消化管の先天異常	9	-	1	8	-	9	-	1	8	-	-	-	-	-	-	750
750.0	舌の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	750.0
750.1	幽門狭窄	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	750.1
750.2	気管食道瘻，食道閉鎖および狭窄	3	-	-	3	-	3	-	-	3	-	-	-	-	-	-	750.2
750.8	その他の明示された上部消化管の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	750.8
750.9	詳細不明の上部消化管の異常	6	-	1	5	-	6	-	1	5	-	-	-	-	-	-	750.9
751	その他の消化器系の先天異常	46	-	4	42	-	46	-	4	42	-	-	-	-	-	-	751
751.0	メッケル憩室	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.0
751.1	小腸の閉鎖および狭窄	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.1
751.2	直腸および肛門の閉鎖および狭窄	23	-	1	22	-	23	-	1	22	-	-	-	-	-	-	751.2
751.3	ヒルシュスプルング病	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	753.3
751.4	腸固定の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.4
751.5	その他の腸の異常	7	-	-	7	-	7	-	-	7	-	-	-	-	-	-	751.5
751.6	胆嚢，胆管および肝臓の異常	5	-	-	5	-	5	-	-	5	-	-	-	-	-	-	751.6
751.7	膵臓の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	751.7
751.8	その他の明示された消化器系の異常	4	-	-	4	-	4	-	-	4	-	-	-	-	-	-	751.8
751.9	詳細不明の消化器系の異常	5	-	3	2	-	5	-	3	2	-	-	-	-	-	-	751.9
752	性器の先天異常	4	-	-	4	-	4	-	-	4	-	-	-	-	-	-	752
752.0	性不確定	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	752.0
752.1	停留睾丸	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	752.1
752.2	尿道下裂	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.2
752.3	尿道上裂	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.3
752.4	先天性陰嚢水瘤	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.4
752.5	卵巣，卵管および子宮の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.5
752.6	膣および女性外性器の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.6
752.7	偽半陰陽	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.7
752.8	その他の明示された性器の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	752.8
752.9	詳細不明の性器の異常	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	752.9
753	泌尿器系の先天異常	6	-	-	6	-	6	-	-	6	-	-	-	-	-	-	753
753.0	腎無発生	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.0
753.1	嚢胞性腎疾患	4	-	-	4	-	4	-	-	4	-	-	-	-	-	-	753.1
753.2	尿路の閉塞性異常	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	753.2
753.3	その他の明示された腎臓の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.3
753.4	その他の明示された尿管の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.4
753.5	膀胱の外反	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.5
753.6	尿道および膀胱頸部の閉鎖および狭窄	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.6
753.8	その他の明示された膀胱および尿道の異常	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	753.8
753.9	詳細不明の泌尿器系の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	753.9
754	内反足（先天性）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	754
755	その他の体肢の先天異常	15	-	2	13	-	14	-	2	12	-	1	-	-	1	-	755
755.0	多指症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.0
755.1	合指症	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.1
755.2	上肢の減奇形	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.2
755.3	下肢の減奇形	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	755.3
755.4	詳細不明の肢の減奇形	5	-	1	4	-	5	-	1	4	-	1	-	-	1	-	755.4
755.5	その他の上肢の異常（肩甲帯を含む）	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	755.5
755.6	先天性股関節脱臼	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.6
755.7	その他の下肢の異常（骨盤帯を含む）	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	755.7
755.8	肢の関節の多発性屈曲拘縮	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	755.8
755.9	その他および詳細不明の上下不詳の肢の異常	7	-	1	6	-	7	-	1	6	-	-	-	-	-	-	755.9
756	その他の筋骨格系の先天異常	109	1	8	100	-	107	1	8	98	-	2	-	-	2	-	756
756.0	頭蓋および顔面骨の異常	52	-	6	46	-	52	-	6	46	-	-	-	-	-	-	756.0
756.1	脊柱の異常	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	756.1
756.2	頸肋	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756.2
756.3	その他の肋骨および胸骨の異常	6	-	-	6	-	6	-	-	6	-	-	-	-	-	-	756.3
756.4	軟骨異栄養症	15	-	1	14	-	15	-	1	14	-	-	-	-	-	-	756.4
756.5	骨形成不全症	9	1	-	8	-	8	1	-	7	-	1	-	-	1	-	756.5
756.6	その他の広汎性骨格異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	756.6
756.8	その他の明示された筋腱および筋膜の異常	18	-	-	18	-	17	-	-	17	-	1	-	-	1	-	756.8
756.9	詳細不明の筋骨格系の異常	7	-	1	6	-	7	-	1	6	-	-	-	-	-	-	756.9
757	皮膚，毛髪および爪の先天異常	3	-	1	2	-	3	-	1	2	-	-	-	-	-	-	757
757.0	脚の遺伝性浮腫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.0
757.1	色素性母斑	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.1
757.2	その他の明示された皮膚の異常	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	757.2
757.3	明示された毛髪の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.3
757.4	明示された爪の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	757.4
757.9	詳細不明の皮膚，毛髪および爪の異常	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	757.9
758	その他および詳細不明の先天異常	587	18	79	490	-	574	17	73	486	-	11	1	6	4	-	758
758.0	脾の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	758.0
758.1	副腎の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	758.1
758.2	甲状腺の異常	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	758.2
758.3	その他の内分泌腺の異常	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	758.3
758.8	その他の明示された先天異常	205	5	20	180	-	204	5	20	179	-	1	-	-	1	-	758.8

第14表　医師の立会による死産胎数，自然－人工・妊娠期間・原因（基本分類）別

TABLE 14　FOETAL DEATHS ATTENDED BY PHYSICIAN FROM CAUSES (DETAILED LIST) BY PERIOD OF GESTATION, AND TYPE (SPONTANEOUS OR ARTIFICIAL)

昭和47年
1972

国際基本分類番号 International detailed list number	死産原因 Cause of foetal death	総数 Total					自然死産 Spontaneous					人工死産 Artificial					国際基本分類番号 International detailed list number
		総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	
758.9	詳細不明の先天異常	380	13	59	308	-	370	12	53	305	-	10	1	6	3	-	758.9
759	多系統におよぶ先天性症候群	61	1	5	55	-	59	-	5	54	-	2	1	-	1	-	759
759.0	内臓転位	3	-	-	3	-	3	-	-	3	-	-	-	-	-	-	759.0
759.1	癒合双胎	13	-	1	12	-	12	-	1	11	-	1	-	-	1	-	759.1
759.2	その他の怪奇形	5	-	-	5	-	5	-	-	5	-	-	-	-	-	-	759.2
759.3	ダウン病	12	-	-	12	-	12	-	-	12	-	-	-	-	-	-	759.3
759.4	その他の染色体異常による症候群	2	1	-	1	-	1	-	-	1	-	1	1	-	-	-	759.4
759.5	性染色体異常による症候群	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	759.5
759.6	結節硬化	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	759.6
759.8	その他の明示された症候群	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	759.8
759.9	詳細不明の多発先天異常	26	-	4	22	-	26	-	4	22	-	-	-	-	-	-	759.9
XV	周産期疾病および死亡の主要原因	119 720	54 863	42 673	22 144	40	76 407	28 717	25 828	21 833	29	43 313	26 146	16 845	311	11	XV
760	母体の慢性循環器疾患および慢性性尿器疾患	6 702	4 058	2 539	101	4	365	166	111	88	-	6 337	3 892	2 428	13	4	760
760.0	慢性リウマチ性心疾患	54	26	26	2	-	3	1	1	1	-	51	25	25	1	-	760.0
760.1	先天性心疾患	59	20	16	3	-	6	-	3	3	-	33	20	13	-	-	760.1
760.2	慢性高血圧症	503	322	164	17	-	36	11	10	15	-	467	311	154	2	-	760.2
760.3	その他の慢性循環器系疾患	2 172	1 314	811	45	2	108	37	30	41	-	2 064	1 277	781	4	2	760.3
760.3a	その他の心疾患	1 941	1 152	750	37	2	89	31	24	34	-	1 852	1 121	726	3	2	760.3a
760.3b	その他	231	162	61	8	-	19	6	6	7	-	212	156	55	1	-	760.3b
760.4	慢性腎炎	3 775	2 269	1 472	32	2	152	75	51	26	-	3 623	2 194	1 421	6	2	760.4
760.5	その他の慢性性尿器系疾患	159	107	50	2	-	60	42	16	2	-	99	65	34	-	-	760.5
761	その他の妊娠に関連のない母体側の状態	11 534	6 793	4 636	497	8	3 569	1 686	1 420	459	4	7 965	5 107	2 816	38	4	761
761.0	梅毒	92	37	39	16	-	42	7	19	16	-	50	30	20	-	-	761.0
761.1	糖尿病	247	96	61	90	-	103	2	12	89	-	144	94	49	1	-	761.1
761.2	インフルエンザ	14	7	6	1	-	13	6	6	1	-	1	1	-	-	-	761.2
761.3	風疹	25	18	7	-	-	5	4	1	-	-	20	14	6	-	-	761.3
761.4	トキソプラスマ症	8	3	4	1	-	4	2	1	1	-	4	1	3	-	-	761.4
761.5	損傷	901	406	392	101	2	763	319	347	95	2	138	87	45	6	-	761.5
761.6	手術	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	761.6
761.7	胎盤通過性化学物質の作用	85	49	32	4	-	14	6	4	4	-	71	43	28	-	-	761.7
761.9	その他の母体側の原因	10 162	6 177	3 695	284	6	2 625	1 340	1 030	253	2	7 537	4 837	2 665	31	4	761.9
761.9a	結核	437	263	164	10	-	18	5	8	5	-	419	258	156	5	-	761.9a
761.9b	悪性新生物	82	43	34	5	-	17	5	8	4	-	65	38	26	1	-	761.9b
761.9c	良性および性質不詳の新生物	425	291	118	11	-	240	154	75	11	-	180	137	43	-	-	761.9c
761.9d	精神障害	673	347	313	13	-	23	7	13	3	-	650	340	300	10	-	761.9d
761.9e	呼吸器系の疾患	413	241	144	28	-	135	68	43	24	-	278	173	101	4	-	761.9e
761.9f	消化器系の疾患	1 443	972	484	27	-	113	40	46	27	-	1 330	932	438	-	-	761.9f
761.9g	その他の母体側の疾患	3 666	2 228	1 359	75	4	402	197	139	66	-	3 264	2 031	1 220	9	4	761.9g
761.9h	習慣性流早死産	351	159	162	30	-	348	156	162	30	-	3	3	-	-	-	761.9h
761.9i	過労	1 257	672	517	66	2	1 255	670	517	66	2	2	2	-	-	-	761.9i
761.9j	その他の母体側の診断名不明確の状態	1 380	961	400	19	-	74	38	19	17	-	1 306	923	381	2	-	761.9j
762	妊娠中毒症	17 168	9 805	6 163	2 997	3	3 946	354	741	2 850	1	13 222	7 651	5 422	147	2	762
762.0	妊娠時に起きた腎疾患	7 904	3 963	3 560	381	-	702	156	239	307	-	7 202	3 827	3 321	54	-	762.0
762.1	子癇前症	777	122	276	379	-	429	12	74	343	-	348	110	202	36	-	762.1
762.2	子癇	123	1	24	97	-	109	-	14	94	-	14	1	10	3	-	762.2
762.3	詳細不明の妊娠中毒症	5 866	1 749	1 983	2 134	1	2 621	139	402	2 080	1	3 245	1 610	1 581	54	-	762.3
762.4	妊娠悪阻	2 100	1 944	154	2	2	48	42	4	2	-	2 052	1 902	150	-	2	762.4
762.5	妊娠時に起きた急性および亜急性肝臓壊死	198	118	68	12	-	22	4	6	12	-	176	114	62	-	-	762.5
762.9	その他の妊娠中毒症	194	88	94	12	-	15	1	2	12	-	179	87	92	-	-	762.9
763	母体の分娩前および分娩時の感染	683	309	233	139	2	480	184	157	137	2	203	125	76	2	-	763
763.0	妊娠時の腎盂炎および腎盂腎炎	271	145	112	14	-	111	52	45	14	-	160	93	67	-	-	763.0
763.1	その他の妊娠時の性尿器の感染	86	57	22	7	-	68	40	21	7	-	18	17	1	-	-	763.1
763.9	その他	326	107	99	118	2	301	92	91	116	2	25	15	8	2	-	763.9
764	骨盤の骨，臓器または組織の異常を伴う難産	452	10	18	424	-	425	3	7	415	-	27	7	11	9	-	764
764.0	脳の出生時損傷を伴うもの	52	-	-	52	-	52	-	-	52	-	-	-	-	-	-	764.0
764.0a	骨盤骨の異常を伴うもの	20	-	-	20	-	20	-	-	20	-	-	-	-	-	-	764.0a
764.0b	骨盤の臓器または組織の異常を伴うもの	32	-	-	32	-	32	-	-	32	-	-	-	-	-	-	764.0b
764.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.1
764.1a	骨盤骨の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.1a
764.1b	骨盤の臓器または組織の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.1b
764.2	骨または神経の出生時損傷を伴うもの	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	764.2
764.2a	骨盤骨の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.2a
764.2b	骨盤の臓器または組織の異常を伴うもの	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	764.2b
764.3	その他または詳細不明の出生時損傷を伴うもの	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	764.3
764.3a	骨盤骨の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	764.3a
764.3b	骨盤の臓器または組織の異常を伴うもの	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	764.3b
764.4	仮死，無酸素症または低酸素症を伴うもの	106	-	2	104	-	104	-	1	103	-	2	-	1	1	-	764.4

第14表　医師の立会による死産胎数，自然－人工・妊娠期間・原因（基本分類）別

TABLE 14　FOETAL DEATHS ATTENDED BY PHYSICIAN FROM CAUSES (DETAILED LIST) BY PERIOD OF GESTATION, AND TYPE (SPONTANEOUS OR ARTIFICIAL)

国際基本分類番号 International detailed list number	死産原因 Cause of foetal death	総数 Total					自然死産 Spontaneous					人工死産 Artificial					国際基本分類番号 International detailed list number
		総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	
764.4a	骨盤骨の異常を伴うもの	28	-	-	28	-	27	-	-	27	-	1	-	-	1	-	764.4a
764.4b	骨盤の臓器または組織の異常を伴うもの	78	-	2	76	-	77	-	1	76	-	1	-	1	-	-	764.4b
764.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	291	10	16	265	-	266	3	6	257	-	25	7	10	8	-	764.9
764.9a	骨盤骨の異常を伴うもの	119	7	7	105	-	99	1	-	98	-	20	6	7	7	-	764.9a
764.9b	骨盤の臓器または組織の異常を伴うもの	172	3	9	160	-	167	2	6	159	-	5	1	3	1	-	764.9b
765	胎児骨盤不適合を伴う難産，骨盤異常の記載のないもの	245	-	-	245	-	239	-	-	239	-	6	-	-	6	-	765
765.0	脳の出生時損傷を伴うもの	20	-	-	20	-	20	-	-	20	-	-	-	-	-	-	765.0
765.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765.1
765.2	骨または神経の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765.2
765.3	その他または詳細不明の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	765.3
765.4	仮死，無酸素症または低酸素症を伴うもの	73	-	-	73	-	73	-	-	73	-	-	-	-	-	-	765.4
765.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	152	-	-	152	-	146	-	-	146	-	6	-	-	6	-	765.9
766	胎児の位置異常を伴う難産	1 469	1	55	1 412	1	1 449	1	52	1 395	1	20	-	3	17	-	766
766.0	脳の出生時損傷を伴うもの	33	-	-	33	-	33	-	-	33	-	-	-	-	-	-	766.0
766.0a	骨盤位	9	-	-	9	-	9	-	-	9	-	-	-	-	-	-	766.0a
766.0b	その他	24	-	-	24	-	24	-	-	24	-	-	-	-	-	-	766.0b
766.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.1
766.1a	骨盤位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.1a
766.1b	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.1b
766.2	骨または神経の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.2
766.2a	骨盤位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.2a
766.2b	その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.2b
766.3	その他または詳細不明の出生時損傷を伴うもの	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	766.3
766.3a	骨盤位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	766.3a
766.3b	その他	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	766.3b
766.4	仮死，無酸素症または低酸素症を伴うもの	359	-	8	351	-	353	-	8	345	-	6	-	-	6	-	766.4
766.4a	骨盤位	242	-	7	235	-	239	-	7	232	-	3	-	-	3	-	766.4a
766.4b	その他	117	-	1	116	-	114	-	1	113	-	3	-	-	3	-	766.4b
766.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	1 075	1	47	1 026	1	1 061	1	44	1 015	1	14	-	3	11	-	766.9
766.9a	骨盤位	588	-	26	561	1	583	-	25	557	1	5	-	1	4	-	766.9a
766.9b	その他	487	1	21	465	-	478	1	19	458	-	9	-	2	7	-	766.9b
767	娩出力異常を伴う難産	313	-	4	308	1	311	-	4	306	1	2	-	-	2	-	767
767.0	脳の出生時損傷を伴うもの	23	-	-	23	-	23	-	-	23	-	-	-	-	-	-	767.0
767.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.1
767.2	骨または神経の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	767.2
767.3	その他または詳細不明の出生時損傷を伴うもの	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	767.3
767.4	仮死，無酸素症または低酸素症を伴うもの	100	-	2	98	-	99	-	2	97	-	1	-	-	1	-	767.4
767.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	189	-	2	186	1	188	-	2	185	1	1	-	-	1	-	767.9
768	その他および詳細不明の合併症を伴う難産	326	-	1	325	-	323	-	1	322	-	3	-	-	3	-	768
768.0	脳の出生時損傷を伴うもの	19	-	-	19	-	19	-	-	19	-	-	-	-	-	-	768.0
768.1	脊髄の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.1
768.2	骨または神経の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.2
768.3	その他または詳細不明の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	768.3
768.4	仮死，無酸素症または低酸素症を伴うもの	85	-	-	85	-	85	-	-	85	-	-	-	-	-	-	768.4
768.9	出生時損傷，仮死，無酸素症または低酸素症の記載のないもの	222	-	1	221	-	219	-	1	218	-	3	-	-	3	-	768.9
769	その他の妊娠および分娩の合併症	18 700	7 825	9 071	1 794	10	17 831	7 324	8 721	1 776	10	869	501	350	18	-	769
769.0	頸管無力症	5 776	2 187	3 272	315	2	5 694	2 146	3 233	313	2	82	41	39	2	-	769.0
769.1	早期破水	7 366	2 668	3 910	781	7	7 265	2 625	3 857	776	7	101	43	53	5	-	769.1
769.2	羊水過多症	823	93	360	370	-	640	46	232	362	-	183	47	128	8	-	769.2
769.3	子宮外妊娠	59	47	8	4	-	54	43	7	4	-	5	4	1	-	-	769.3
769.4	多胎妊娠	347	30	148	169	-	347	30	148	169	-	-	-	-	-	-	769.4
769.5	詳細不明の母体死亡	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	769.5
769.9	その他	4 327	2 800	1 373	153	1	3 829	2 434	1 244	150	1	498	366	129	3	-	769.9
769.9a	胎盤状況の記載のない出血	379	262	105	12	-	334	228	95	11	-	45	34	10	1	-	769.9a
769.9b	羊水過少症	11	1	1	9	-	11	1	1	9	-	-	-	-	-	-	769.9b
769.9c	その他	3 937	2 537	1 267	132	1	3 484	2 205	1 148	130	1	453	332	119	2	-	769.9c
770	胎盤異常	5 610	1 103	1 833	2 674	-	5 234	983	1 607	2 644	-	376	120	226	30	-	770
770.0	前置胎盤	2 477	452	1 139	886	-	2 165	354	945	866	-	312	98	194	20	-	770.0
770.1	胎盤早期剝離	1 794	327	414	1 013	-	1 715	314	393	1 008	-	39	13	21	5	-	770.1
770.2	胎盤硬塞	57	4	9	44	-	57	4	9	44	-	-	-	-	-	-	770.2
770.8	その他	379	123	90	166	-	365	117	84	164	-	14	6	6	2	-	770.8
770.9	詳細不明	943	197	181	565	-	932	194	176	562	-	11	3	5	3	-	770.9
771	臍帯異常	4 192	142	661	3 389	-	4 175	142	658	3 375	-	17	-	3	14	-	771
771.0	臍帯圧迫	574	21	84	469	-	570	21	83	466	-	4	-	1	3	-	771.0
771.1	臍帯圧迫の記載のない臍帯脱出	702	37	157	508	-	702	37	157	508	-	-	-	-	-	-	771.1
771.9	その他	2 916	84	420	2 412	-	2 903	84	418	2 401	-	13	-	2	11	-	771.9
771.9a	臍帯巻絡	1 846	38	129	1 679	-	1 841	38	129	1 674	-	5	-	-	5	-	771.9a
771.9b	その他	1 070	46	291	733	-	1 062	46	289	727	-	8	-	2	6	-	771.9b

第14表　医師の立会による死産胎数，自然－人工・妊娠期間・原因（基本分類）別

TABLE 14　FOETAL DEATHS ATTENDED BY PHYSICIAN FROM AND TYPE (SPONTANEOUS OR ARTIFICIAL) CAUSES (DETAILED LIST) BY PERIOD OF GESTATION,

国際基本分類番号 International detailed list number	死産原因 Cause of foetal death	総数 Total					自然死産 Spontaneous					人工死産 Artificial					国際基本分類番号 International detailed list number
		総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	総数 Total	妊娠第4，5月 3 and 4 completed months of gestation	妊娠第6，7月 5 and 6 completed months of gestation	妊娠第8月以後 7 completed months of gestation and over	不詳 Unknown	
772	原因の記載のない出生時損傷	159	4	2	153	-	158	3	2	153	-	1	1	-	-	-	772
772.0	脳	143	2	2	139	-	142	1	2	139	-	1	1	-	-	-	772.0
772.1	脊髄	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	772.1
772.2	骨または神経	4	-	-	4	-	4	-	-	4	-	-	-	-	-	-	772.2
772.9	その他および詳細不明	12	2	-	10	-	12	2	-	10	-	-	-	-	-	-	772.9
773	妊娠の中絶	24 132	14 376	9 325	428	3	9 913	5 659	3 829	423	2	14 219	8 717	5 496	5	1	773
773.a	経済的理由による人工妊娠中絶	13 856	8 524	5 332	-	-	-	-	-	-	-	13 856	8 524	5 332	-	-	773.a
773.b	父または近親者の疾患による人工妊娠中絶	42	22	20	-	-	-	-	-	-	-	42	22	20	-	-	773.b
773.c	その他の人工妊娠中絶	189	80	107	2	-	-	-	-	-	-	189	80	107	2	-	773.c
773.d	その他	10 045	5 750	3 866	426	3	9 913	5 659	3 829	423	2	132	91	37	3	1	773.d
774	核黄疸を伴う新生児溶血性疾患	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	774
774.0	Rh因子不適合を伴うもの	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	774.0
774.1	ABO因子不適合を伴うもの	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	774.1
774.2	その他または詳細不明の血液型不適合を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774.2
774.9	原因の記載のないもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	774.9
775	核黄疸の記載のない新生児溶血性疾患	85	12	13	60	-	75	6	10	59	-	10	6	3	1	-	775
775.0	Rh因子不適合を伴うもの	17	8	3	6	-	11	4	1	6	-	6	4	2	-	-	775.0
775.1	ABO因子不適合を伴うもの	3	-	-	3	-	3	-	-	3	-	-	-	-	-	-	775.1
775.2	その他および詳細不明の血液型不適合を伴うもの	13	3	4	6	-	11	2	3	6	-	2	1	1	-	-	775.2
775.9	原因の記載のないもの	52	1	6	45	-	50	-	6	44	-	2	1	-	1	-	775.9
776	他に分類されない無酸素症および低酸素症	693	8	49	635	1	693	8	49	635	1	-	-	-	-	-	776
776.0	産道内容の吸引	40	1	3	36	-	40	1	3	36	-	-	-	-	-	-	776.0
776.1	硝子様膜症	18	-	-	18	-	18	-	-	18	-	-	-	-	-	-	776.1
776.2	呼吸窮迫症候群	25	-	-	25	-	25	-	-	25	-	-	-	-	-	-	776.2
776.3	胎児側窮迫	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-	776.3
776.4	子宮内無酸素症	21	6	3	12	-	21	6	3	12	-	-	-	-	-	-	776.4
776.9	詳細不明の新生児仮死	587	-	42	544	1	587	-	42	544	1	-	-	-	-	-	776.9
777	詳細不明の未熟児	1 301	94	390	817	-	1 301	94	390	817	-	-	-	-	-	-	777
778	その他の胎児または新生児の異常	1 213	144	194	874	1	1 206	144	192	869	1	7	-	2	5	-	778
778.0	出生前の胎児の血液喪失	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	778.0
778.1	過熟児	33	-	-	33	-	33	-	-	33	-	-	-	-	-	-	778.1
778.2	新生児の出血性疾患	32	-	-	32	-	31	-	-	31	-	1	-	-	1	-	778.2
778.3	寒冷傷害症候群	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	778.3
778.9	その他	1 147	144	194	808	1	1 141	144	192	804	1	6	-	2	4	-	778.9
778.9a	新生児の黄疸	3	-	-	3	-	3	-	-	3	-	-	-	-	-	-	778.9a
778.9b	その他	1 144	144	194	805	1	1 138	144	192	801	1	6	-	2	4	-	778.9b
779	原因不明の胎児死亡	24 741	11 977	7 886	4 872	6	24 712	11 958	7 877	4 871	6	29	19	9	1	-	779
779.0	浸軟児	1 090	412	332	345	1	1 090	412	332	345	1	-	-	-	-	-	779.0
779.9	その他	23 651	11 565	7 554	4 527	5	23 622	11 546	7 545	4 526	5	29	19	9	1	-	779.9
779.9a	子宮内胎児死亡	5 066	2 530	1 433	1 102	1	5 066	2 530	1 433	1 102	1	-	-	-	-	-	779.9a
779.9b	原因不明	18 585	9 035	6 121	3 425	4	18 556	9 016	6 112	3 424	4	29	19	9	1	-	779.9b
	その他（XIV, XV以外のもの）	77	2	7	68	-	74	2	5	67	-	3	-	2	1	-	
140～209	悪性新生物	2	-	-	2	-	2	-	-	2	-	-	-	-	-	-	140～209
210～228	良性新生物	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	210～228
230～239	性質不詳の新生物	31	-	2	29	-	30	-	2	28	-	1	-	-	1	-	230～239
486	詳細不明の肺炎	4	-	-	4	-	4	-	-	4	-	-	-	-	-	-	486
551	その他の閉塞の記載のない腹腔ヘルニア	33	2	2	29	-	33	2	2	29	-	-	-	-	-	-	551
551.0	股ヘルニア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	551.0
551.1	臍ヘルニア	32	1	2	29	-	32	1	2	29	-	-	-	-	-	-	551.1
551.2	腹壁ヘルニア（切開後）	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	551.2
551.3	横隔膜ヘルニア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	551.3
551.8	その他の部位のヘルニア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	551.8
551.9	部位不明のヘルニア	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	551.9
	その他	6	-	2	4	-	4	-	-	4	-	2	-	2	-	-	

第15表　周産期死亡数，後期死産－早期新生児死亡・性・原因（P分類）・出産時の立会者別

TABLE 15　PERINATAL DEATHS, FROM CAUSES (P LIST) BY ATTENDANT OF BIRTH

LATE FOETAL DEATH OR EARLY NEONATAL DEATH, SEX AND

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total				後期死産 Late foetal deaths				早期新生児死亡 Early neonatal deaths			
		総数 Total	医師 Physician	助産婦 Midwife	その他 Other	総数 Total	医師 Physician	助産婦 Midwife	その他 Other	総数 Total	医師 Physician	助産婦 Midwife	その他 Other
	総数 Total	38 754	35 556	3 071	127	26 329	24 481	1 838	10	12 425	11 075	1 233	117
	男 M.	21 977	20 155	1 756	66	14 459	13 458	995	6	7 518	6 697	761	60
	女 F.	16 567	15 203	1 303	61	11 660	10 825	831	4	4 907	4 378	472	57
	不詳 U.	210	198	12	－	210	198	12	－	•	•	•	•
(P1～P4)	母体の慢性循環器疾患および慢性性尿器疾患	134	130	4	－	103	101	2	－	31	29	2	－
	男 M.	77	76	1	－	56	56	－	－	21	20	1	－
	女 F.	57	54	3	－	47	45	2	－	10	9	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P1	慢性リウマチ性心疾患	3	3	－	－	2	2	－	－	1	1	－	－
	男 M.	1	1	－	－	－	－	－	－	1	1	－	－
	女 F.	2	2	－	－	2	2	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P2	慢性高血圧症	28	24	4	－	19	17	2	－	9	7	2	－
	男 M.	19	18	1	－	12	12	－	－	7	6	1	－
	女 F.	9	6	3	－	7	5	2	－	2	1	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P3	その他の循環器系の慢性疾患	59	59	－	－	48	48	－	－	11	11	－	－
	男 M.	31	31	－	－	25	25	－	－	6	6	－	－
	女 F.	28	28	－	－	23	23	－	－	5	5	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P4	性尿器系の慢性疾患	44	44	－	－	34	34	－	－	10	10	－	－
	男 M.	26	26	－	－	19	19	－	－	7	7	－	－
	女 F.	18	18	－	－	15	15	－	－	3	3	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(P5～P11)	その他の妊娠に関連のない母体側の状態	757	636	120	1	614	497	116	1	143	139	4	－
	男 M.	432	368	63	1	345	283	61	1	87	85	2	－
	女 F.	320	265	55	－	264	211	53	－	56	54	2	－
	不詳 U.	5	3	2	－	5	3	2	－	•	•	•	•
P5	梅毒	24	24	－	－	16	16	－	－	8	8	－	－
	男 M.	9	9	－	－	6	6	－	－	3	3	－	－
	女 F.	14	14	－	－	9	9	－	－	5	5	－	－
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
P6	糖尿病	110	107	3	－	93	90	3	－	17	17	－	－
	男 M.	66	64	2	－	57	55	2	－	9	9	－	－
	女 F.	43	42	1	－	35	34	1	－	8	8	－	－
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
P7	風疹	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P8	母体の損傷	153	106	46	1	147	101	45	1	6	5	1	－
	男 M.	89	63	25	1	86	61	24	1	3	2	1	－
	女 F.	64	43	21	－	61	40	21	－	3	3	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P9	母体の手術	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P10	胎盤通過性化学物質の作用	4	4	－	－	4	4	－	－	－	－	－	－
	男 M.	3	3	－	－	3	3	－	－	－	－	－	－
	女 F.	1	1	－	－	1	1	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P11	その他の母体側の状態	466	395	71	－	354	286	68	－	112	109	3	－
	男 M.	265	229	36	－	193	158	35	－	72	71	1	－
	女 F.	198	165	33	－	158	127	31	－	40	38	2	－
	不詳 U.	3	1	2	－	3	1	2	－	•	•	•	•
(761.9i)	過労	104	71	33	－	99	66	33	－	5	5	－	－
	男 M.	63	44	19	－	60	41	19	－	3	3	－	－
	女 F.	41	27	14	－	39	25	14	－	2	2	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(P12～P17)	妊娠中毒症	3 901	3 794	106	1	3 080	2 997	83	－	821	797	23	1
	男 M.	2 149	2 099	49	1	1 643	1 606	37	－	506	493	12	1
	女 F.	1 745	1 689	56	－	1 430	1 385	45	－	315	304	11	－
	不詳 U.	7	6	1	－	7	6	1	－	•	•	•	•
P12	妊娠時に起きた腎疾患	464	445	19	－	377	361	16	－	87	84	3	－
	男 M.	243	237	6	－	195	191	4	－	48	46	2	－
	女 F.	221	208	13	－	182	170	12	－	39	38	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P13	子癇前症	519	508	10	1	387	379	8	－	132	129	2	1
	男 M.	292	286	5	1	211	207	4	－	81	79	1	1
	女 F.	227	222	5	－	176	172	4	－	51	50	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P14	子癇	121	120	1	－	98	97	1	－	23	23	－	－
	男 M.	64	63	1	－	50	49	1	－	14	14	－	－
	女 F.	57	57	－	－	48	48	－	－	9	9	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P15	詳細不明の妊娠中毒症	2 756	2 682	74	－	2 191	2 134	57	－	565	548	17	－
	男 M.	1 531	1 494	37	－	1 175	1 147	28	－	356	347	9	－
	女 F.	1 218	1 182	36	－	1 009	981	28	－	209	201	8	－
	不詳 U.	7	6	1	－	7	6	1	－	•	•	•	•
P16	妊娠悪阻	7	7	－	－	2	2	－	－	5	5	－	－
	男 M.	5	5	－	－	2	2	－	－	3	3	－	－
	女 F.	2	2	－	－	－	－	－	－	2	2	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P17	その他の妊娠中毒症	34	32	2	－	25	24	1	－	9	8	1	－
	男 M.	14	14	－	－	10	10	－	－	4	4	－	－
	女 F.	20	18	2	－	15	14	1	－	5	4	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(P18～P20)	母体の分娩前および分娩時の感染	219	208	11	－	147	139	8	－	72	69	3	－
	男 M.	118	112	6	－	74	70	4	－	44	42	2	－
	女 F.	101	96	5	－	73	69	4	－	28	27	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P18	妊娠時の腎盂炎および腎盂腎炎	21	21	－	－	14	14	－	－	7	7	－	－
	男 M.	13	13	－	－	9	9	－	－	4	4	－	－
	女 F.	8	8	－	－	5	5	－	－	3	3	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P19	その他の妊娠時の性尿器の感染	11	9	2	－	8	7	1	－	3	2	1	－
	男 M.	4	4	－	－	2	2	－	－	2	2	－	－
	女 F.	7	5	2	－	6	5	1	－	1	－	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P20	その他	187	178	9	－	125	118	7	－	62	60	2	－
	男 M.	101	95	6	－	63	59	4	－	38	36	2	－
	女 F.	86	83	3	－	62	59	3	－	24	24	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(P21～P23)	骨盤の骨，臓器または組織の異常を伴う難産	576	549	27	－	447	424	23	－	129	125	4	－
	男 M.	335	322	13	－	258	245	13	－	77	77	－	－
	女 F.	240	226	14	－	188	178	10	－	52	48	4	－
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
P21	脳または脊髄の出生時損傷を伴うもの	106	100	6	－	55	52	3	－	51	48	3	－
	男 M.	66	63	3	－	31	28	3	－	35	35	－	－
	女 F.	40	37	3	－	24	24	－	－	16	13	3	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•

第15表　周　産　期　死　亡　数，

TABLE 15　PERINATAL DEATHS, FROM CAUSES (P LIST) BY ATTENDANT OF BIRTH

後期死産―早期新生児死亡・性・原因（P分類）・出産時の立会者別

LATE FOETAL DEATH OR EARLY NEONATAL DEATH, SEX AND

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total 総数 Total	医師 Physician	助産婦 Midwife	その他 Other	後期死産 Late foetal deaths 総数 Total	医師 Physician	助産婦 Midwife	その他 Other	早期新生児死亡 Early neonatal deaths 総数 Total	医師 Physician	助産婦 Midwife	その他 Other
(764.0a, 764.1a)	骨盤骨の異常を伴うもの	45	41	4	－	21	20	1	－	24	21	3	－
	男 M.	31	30	1	－	15	14	1	－	16	16	－	－
	女 F.	14	11	3	－	6	6	－	－	8	5	3	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P22	その他または詳細不明の出生時損傷を伴うもの	5	5	－	－	3	3	－	－	2	2	－	－
	男 M.	1	1	－	－	1	1	－	－	－	－	－	－
	女 F.	4	4	－	－	2	2	－	－	2	2	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(764.2a, 764.3a)	骨盤骨の異常を伴うもの	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P23	出生時損傷の記載のないもの	465	444	21	－	389	369	20	－	76	75	1	－
	男 M.	268	258	10	－	226	216	10	－	42	42	－	－
	女 F.	196	185	11	－	162	152	10	－	34	33	1	－
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
(764.4a, 764.9a)	骨盤骨の異常を伴うもの	170	160	10	－	142	133	9	－	28	27	1	－
	男 M.	101	97	4	－	86	82	4	－	15	15	－	－
	女 F.	69	63	6	－	56	51	5	－	13	12	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(P24～P26)	胎児の骨盤不適合を伴う難産	336	319	17	－	262	245	17	－	74	74	－	－
	男 M.	203	193	10	－	153	143	10	－	50	50	－	－
	女 F.	132	125	7	－	108	101	7	－	24	24	－	－
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
P24	脳または脊髄の出生時損傷を伴うもの	41	41	－	－	20	20	－	－	21	21	－	－
	男 M.	24	24	－	－	11	11	－	－	13	13	－	－
	女 F.	17	17	－	－	9	9	－	－	8	8	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P25	その他または詳細不明の出生時損傷を伴うもの	1	1	－	－	－	－	－	－	1	1	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	1	1	－	－	－	－	－	－	1	1	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P26	出生時損傷の記載のないもの	294	277	17	－	242	225	17	－	52	52	－	－
	男 M.	179	169	10	－	142	132	10	－	37	37	－	－
	女 F.	114	107	7	－	99	92	7	－	15	15	－	－
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
(P27～P29)	胎児の位置異常を伴う難産	1 968	1 795	173	－	1 569	1 412	157	－	399	383	16	－
	男 M.	1 160	1 053	107	－	917	821	96	－	243	232	11	－
	女 F.	802	736	66	－	646	585	61	－	156	151	5	－
	不詳 U.	6	6	－	－	6	6	－	－	•	•	•	•
P27	脳または脊髄の出生時損傷を伴うもの	95	93	2	－	33	33	－	－	62	60	2	－
	男 M.	68	66	2	－	22	22	－	－	46	44	2	－
	女 F.	27	27	－	－	11	11	－	－	16	16	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(766.0a, 766.1a)	骨盤位	41	41	－	－	9	9	－	－	32	32	－	－
	男 M.	25	25	－	－	3	3	－	－	22	22	－	－
	女 F.	16	16	－	－	6	6	－	－	10	10	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P28	その他または詳細不明の出生時損傷を伴うもの	3	3	－	－	2	2	－	－	1	1	－	－
	男 M.	1	1	－	－	1	1	－	－	－	－	－	－
	女 F.	2	2	－	－	1	1	－	－	1	1	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(766.2a, 766.3a)	骨盤位	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P29	出生時損傷の記載のないもの	1 870	1 699	171	－	1 534	1 377	157	－	336	322	14	－
	男 M.	1 091	986	105	－	894	798	96	－	197	188	9	－
	女 F.	773	707	66	－	634	573	61	－	139	134	5	－
	不詳 U.	6	6	－	－	6	6	－	－	•	•	•	•
(766.4a, 766.9a)	骨盤位	1 119	1 011	108	－	895	796	99	－	224	215	9	－
	男 M.	629	563	66	－	507	446	61	－	122	117	5	－
	女 F.	485	443	42	－	383	345	38	－	102	98	4	－
	不詳 U.	5	5	－	－	5	5	－	－	•	•	•	•
(P30～P32)	娩出力異常を伴う難産	531	441	62	28	357	308	48	1	174	133	14	27
	男 M.	301	254	33	14	200	176	24	－	101	78	9	14
	女 F.	229	186	29	14	156	131	24	1	73	55	5	13
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
P30	脳または脊髄の出生時損傷を伴うもの	53	51	2	－	23	23	－	－	30	28	2	－
	男 M.	36	34	2	－	16	16	－	－	20	18	2	－
	女 F.	17	17	－	－	7	7	－	－	10	10	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P31	その他または詳細不明の出生時損傷を伴うもの	2	1	1	－	2	1	1	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	2	1	1	－	2	1	1	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P32	出生時損傷の記載のないもの	476	389	59	28	332	284	47	1	144	105	12	27
	男 M.	265	220	31	14	184	160	24	－	81	60	7	14
	女 F.	210	168	28	14	147	123	23	1	63	45	5	13
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
(P33～P35)	その他および詳細不明の合併症を伴う難産	417	389	27	1	339	325	14	－	78	64	13	1
	男 M.	241	222	18	1	192	182	10	－	49	40	8	1
	女 F.	176	167	9	－	147	143	4	－	29	24	5	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P33	脳または脊髄の出生時損傷を伴うもの	53	42	10	1	20	19	1	－	33	23	9	1
	男 M.	32	26	5	1	11	11	－	－	21	15	5	1
	女 F.	21	16	5	－	9	8	1	－	12	8	4	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P34	その他または詳細不明の出生時損傷を伴うもの	3	2	1	－	1	－	1	－	2	2	－	－
	男 M.	1	1	－	－	－	－	－	－	1	1	－	－
	女 F.	2	1	1	－	1	－	1	－	1	1	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P35	出生時損傷の記載のないもの	361	345	16	－	318	306	12	－	43	39	4	－
	男 M.	208	195	13	－	181	171	10	－	27	24	3	－
	女 F.	153	150	3	－	137	135	2	－	16	15	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(P36～P41)	その他の妊娠および分娩の合併症	3 039	2 819	216	4	1 963	1 794	169	－	1 076	1 025	47	4
	男 M.	1 741	1 628	111	2	1 109	1 026	83	－	632	602	28	2
	女 F.	1 286	1 180	104	2	842	757	85	－	444	423	19	2
	不詳 U.	12	11	1	－	12	11	1	－	•	•	•	•
P36	頸管無力症	472	469	3	－	317	315	2	－	155	154	1	－
	男 M.	292	292	－	－	197	197	－	－	95	95	－	－
	女 F.	179	176	3	－	119	117	2	－	60	59	1	－
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
P37	早期破水	1 193	1 110	80	3	849	781	68	－	344	329	12	3
	男 M.	687	648	38	1	473	441	32	－	214	207	6	1
	女 F.	504	460	42	2	374	338	36	－	130	122	6	2
	不詳 U.	2	2	－	－	2	2	－	－	•	•	•	•
P38	羊水過多症	549	458	91	－	453	370	83	－	96	88	8	－
	男 M.	285	240	45	－	235	195	40	－	50	45	5	－
	女 F.	260	214	46	－	214	171	43	－	46	43	3	－
	不詳 U.	4	4	－	－	4	4	－	－	•	•	•	•

第15表 周産期死亡数，後期死産－早期新生児死亡・性・原因（P分類）・出産時の立会者別

TABLE 15 PERINATAL DEATHS, FROM CAUSES (P LIST) BY ATTENDANT OF BIRTH

LATE FOETAL DEATH OR EARLY NEONATAL DEATH, SEX AND

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total 総数 Total	医師 Physician	助産婦 Midwife	その他 Other	後期死産 Late foetal deaths 総数 Total	医師 Physician	助産婦 Midwife	その他 Other	早期新生児死亡 Early neonatal deaths 総数 Total	医師 Physician	助産婦 Midwife	その他 Other
P39	子宮外妊娠	4	4	-	-	4	4	-	-	-	-	-	-
	男 M.	2	2	-	-	2	2	-	-	-	-	-	-
	女 F.	2	2	-	-	2	2	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P40	多胎妊娠	463	436	26	1	174	169	5	-	289	267	21	1
	男 M.	259	243	15	1	102	100	2	-	157	143	13	1
	女 F.	200	190	10	-	68	66	2	-	132	124	8	-
	不詳 U.	4	3	1	-	4	3	1	-	•	•	•	•
P41	その他の妊娠または分娩の合併症	358	342	16	-	166	155	11	-	192	187	5	-
	男 M.	216	203	13	-	100	91	9	-	116	112	4	-
	女 F.	141	138	3	-	65	63	2	-	76	75	1	-
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•
(P42～P46)	胎盤異常	3 348	3 256	92	-	2 755	2 674	81	-	593	582	11	-
	男 M.	1 863	1 817	46	-	1 507	1 466	41	-	356	351	5	-
	女 F.	1 481	1 435	46	-	1 244	1 204	40	-	237	231	6	-
	不詳 U.	4	4	-	-	4	4	-	-	•	•	•	•
P42	前置胎盤	1 315	1 308	7	-	890	886	4	-	425	422	3	-
	男 M.	762	758	4	-	498	497	1	-	264	261	3	-
	女 F.	551	548	3	-	390	387	3	-	161	161	-	-
	不詳 U.	2	2	-	-	2	2	-	-	•	•	•	•
P43	胎盤早期剝離	1 136	1 088	48	-	1 061	1 013	48	-	75	75	-	-
	男 M.	653	624	29	-	605	576	29	-	48	48	-	-
	女 F.	482	463	19	-	455	436	19	-	27	27	-	-
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•
P44	胎盤硬塞	46	45	1	-	45	44	1	-	1	1	-	-
	男 M.	26	25	1	-	25	24	1	-	1	1	-	-
	女 F.	20	20	-	-	20	20	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P45	その他の胎盤の異常	207	185	22	-	185	166	19	-	22	19	3	-
	男 M.	95	89	6	-	87	81	6	-	8	8	-	-
	女 F.	112	96	16	-	98	85	13	-	14	11	3	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P46	詳細不明の胎盤の異常	644	630	14	-	574	565	9	-	70	65	5	-
	男 M.	327	321	6	-	292	288	4	-	35	33	2	-
	女 F.	316	308	8	-	281	276	5	-	35	32	3	-
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•
(P47～P49)	臍帯異常	3 927	3 551	372	4	3 749	3 389	359	1	178	162	13	3
	男 M.	2 201	1 980	219	2	2 079	1 869	209	1	122	111	10	1
	女 F.	1 718	1 563	153	2	1 662	1 512	150	-	56	51	3	2
	不詳 U.	8	8	-	-	8	8	-	-	•	•	•	•
P47	臍帯圧迫	516	478	38	-	507	469	38	-	9	9	-	-
	男 M.	288	269	19	-	281	262	19	-	7	7	-	-
	女 F.	227	208	19	-	225	206	19	-	2	2	-	-
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•
P48	臍帯圧迫の記載のない臍帯脱出	585	533	52	-	560	508	52	-	25	25	-	-
	男 M.	347	306	41	-	332	291	41	-	15	15	-	-
	女 F.	237	226	11	-	227	216	11	-	10	10	-	-
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•
P49	その他	2 826	2 540	282	4	2 682	2 412	269	1	144	128	13	3
	男 M.	1 566	1 405	159	2	1 466	1 316	149	1	100	89	10	1
	女 F.	1 254	1 129	123	2	1 210	1 090	120	-	44	39	3	2
	不詳 U.	6	6	-	-	6	6	-	-	•	•	•	•
(771.9a)	臍帯巻絡	1 976	1 779	193	4	1 865	1 679	185	1	111	100	8	3
	男 M.	1 129	1 014	113	2	1 052	944	107	1	77	70	6	1
	女 F.	841	759	80	2	807	729	78	-	34	30	2	2
	不詳 U.	6	6	-	-	6	6	-	-	•	•	•	•
(P50～P52)	原因の記載のない出生時損傷	1 155	1 029	125	1	621	581	40	-	534	448	85	1
	男 M.	679	605	73	1	358	337	21	-	321	268	52	1
	女 F.	473	421	52	-	260	241	19	-	213	180	33	-
	不詳 U.	3	3	-	-	3	3	-	-	•	•	•	•
P50	脳または脊髄の出生時損傷	654	564	89	1	145	139	6	-	509	425	83	1
	男 M.	397	341	55	1	92	88	4	-	305	253	51	1
	女 F.	257	223	34	-	53	51	2	-	204	172	32	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P51	その他または詳細不明の出生時損傷	42	37	5	-	17	14	3	-	25	23	2	-
	男 M.	26	24	2	-	10	9	1	-	16	15	1	-
	女 F.	16	13	3	-	7	5	2	-	9	8	1	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P52	原因の記載のない妊娠の中絶	459	428	31	-	459	428	31	-	-	-	-	-
	男 M.	256	240	16	-	256	240	16	-	-	-	-	-
	女 F.	200	185	15	-	200	185	15	-	-	-	-	-
	不詳 U.	3	3	-	-	3	3	-	-	•	•	•	•
(P53～P56)	新生児溶血性疾患	180	159	21	-	63	60	3	-	117	99	18	-
	男 M.	113	99	14	-	33	31	2	-	80	68	12	-
	女 F.	66	60	6	-	29	29	-	-	37	31	6	-
	不詳 U.	1	-	1	-	1	-	1	-	•	•	•	•
P53	Rh因子不適合を伴うもの	11	11	-	-	6	6	-	-	5	5	-	-
	男 M.	7	7	-	-	4	4	-	-	3	3	-	-
	女 F.	4	4	-	-	2	2	-	-	2	2	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P54	ABO因子不適合を伴うもの	5	5	-	-	3	3	-	-	2	2	-	-
	男 M.	4	4	-	-	2	2	-	-	2	2	-	-
	女 F.	1	1	-	-	1	1	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P55	その他または詳細不明の血液型不適合を伴うもの	20	16	4	-	7	6	1	-	13	10	3	-
	男 M.	14	11	3	-	4	3	1	-	10	8	2	-
	女 F.	6	5	1	-	3	3	-	-	3	2	1	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P56	原因の記載のないもの	144	127	17	-	47	45	2	-	97	82	15	-
	男 M.	88	77	11	-	23	22	1	-	65	55	10	-
	女 F.	55	50	5	-	23	23	-	-	32	27	5	-
	不詳 U.	1	-	1	-	1	-	1	-	•	•	•	•
(P57～P60)	他に分類されない無酸素症および低酸素症	3 006	2 680	313	13	668	635	33	-	2 338	2 045	280	13
	男 M.	1 851	1 636	205	10	398	374	24	-	1 453	1 262	181	10
	女 F.	1 154	1 043	108	3	269	260	9	-	885	783	99	3
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•
P57	硝子様膜症および呼吸窮迫症候群	834	736	93	5	43	43	-	-	791	693	93	5
	男 M.	534	463	66	5	24	24	-	-	510	439	66	5
	女 F.	300	273	27	-	19	19	-	-	281	254	27	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P58	子宮内無酸素症	14	13	1	-	12	12	-	-	2	1	1	-
	男 M.	6	6	-	-	6	6	-	-	-	-	-	-
	女 F.	8	7	1	-	6	6	-	-	2	1	1	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P59	詳細不明の新生児仮死	2 073	1 862	204	7	572	544	28	-	1 501	1 318	176	7
	男 M.	1 259	1 127	128	4	341	322	19	-	918	805	109	4
	女 F.	813	734	76	3	230	221	9	-	583	513	67	3
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•
P60	その他の他に分類されない無酸素症および低酸素症	85	69	15	1	41	36	5	-	44	33	10	1
	男 M.	52	40	11	1	27	22	5	-	25	18	6	1
	女 F.	33	29	4	-	14	14	-	-	19	15	4	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•

第15表 周産期死亡数，後期死産－早期新生児死亡・性・原因（P分類）・出産時の立会者別

TABLE 15 PERINATAL DEATHS, FROM CAUSES (P LIST) BY ATTENDANT OF BIRTH

LATE FOETAL DEATH OR EARLY NEONATAL DEATH, SEX AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total				後期死産 Late foetal deaths				早期新生児死亡 Early neonatal deaths			
		総数 Total	医師 Physician	助産婦 Midwife	その他 Other	総数 Total	医師 Physician	助産婦 Midwife	その他 Other	総数 Total	医師 Physician	助産婦 Midwife	その他 Other
(P61～P68)	その他の胎児および新生児の状態	10 787	9 730	1 034	23	7 162	6 563	592	7	3 625	3 167	442	16
	男 M.	6 004	5 408	586	10	3 865	3 547	314	4	2 139	1 861	272	6
	女 F.	4 690	4 234	443	13	3 204	2 928	273	3	1 486	1 306	170	10
	不詳 U.	93	88	5	－	93	88	5	－	•	•	•	•
P61	詳細不明の未熟児	2 184	1 988	190	6	840	817	23	－	1 344	1 171	167	6
	男 M.	1 272	1 159	111	2	507	494	13	－	765	665	98	2
	女 F.	902	819	79	4	323	313	10	－	579	506	69	4
	不詳 U.	10	10	－	－	10	10	－	－	•	•	•	•
P62	出生前の胎児の血液喪失	1	1	－	－	1	1	－	－	－	－	－	－
	男 M.	1	1	－	－	1	1	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P63	過熟児	43	36	7	－	40	33	7	－	3	3	－	－
	男 M.	22	19	3	－	21	18	3	－	1	1	－	－
	女 F.	21	17	4	－	19	15	4	－	2	2	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P64	新生児の出血性疾患	693	607	84	2	32	32	－	－	661	575	84	2
	男 M.	437	377	59	1	20	20	－	－	417	357	59	1
	女 F.	256	230	25	1	12	12	－	－	244	218	25	1
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P65	寒冷傷害症候群	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P66	その他の胎児の異常	2 523	2 226	289	8	906	808	98	－	1 617	1 418	191	8
	男 M.	1 451	1 273	175	3	495	435	60	－	956	838	115	3
	女 F.	1 065	948	112	5	404	368	36	－	661	580	76	5
	不詳 U.	7	5	2	－	7	5	2	－	•	•	•	•
(778.9 a)	新生児の黄疸	33	23	10	－	3	3	－	－	30	20	10	－
	男 M.	25	17	8	－	3	3	－	－	22	14	8	－
	女 F.	8	6	2	－	－	－	－	－	8	6	2	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P67	浸軟児	382	345	37	－	382	345	37	－	－	－	－	－
	男 M.	193	175	18	－	193	175	18	－	－	－	－	－
	女 F.	181	162	19	－	181	162	19	－	－	－	－	－
	不詳 U.	8	8	－	－	8	8	－	－	•	•	•	•
P68	原因不明の胎児死亡	4 961	4 527	427	7	4 961	4 527	427	7	－	－	－	－
	男 M.	2 628	2 404	220	4	2 628	2 404	220	4	－	－	－	－
	女 F.	2 265	2 058	204	3	2 265	2 058	204	3	－	－	－	－
	不詳 U.	68	65	3	－	68	65	3	－	•	•	•	•
(779.9 a)	子宮内胎児死亡	1 157	1 102	54	1	1 157	1 102	54	1	－	－	－	－
	男 M.	586	560	26	－	586	560	26	－	－	－	－	－
	女 F.	554	525	28	1	554	525	28	1	－	－	－	－
	不詳 U.	17	17	－	－	17	17	－	－	•	•	•	•
(P69～P80)	先天異常	3 665	3 433	227	5	2 361	2 269	92	－	1 304	1 164	135	5
	男 M.	2 024	1 893	128	3	1 241	1 195	46	－	783	698	82	3
	女 F.	1 575	1 476	97	2	1 054	1 010	44	－	521	466	53	2
	不詳 U.	66	64	2	－	66	64	2	－	•	•	•	•
P69	無脳症	925	895	30	－	863	837	26	－	62	58	4	－
	男 M.	500	487	13	－	469	457	12	－	31	30	1	－
	女 F.	414	397	17	－	383	369	14	－	31	28	3	－
	不詳 U.	11	11	－	－	11	11	－	－	•	•	•	•
P70	二分脊椎	84	74	10	－	56	51	5	－	28	23	5	－
	男 M.	39	35	4	－	25	23	2	－	14	12	2	－
	女 F.	45	39	6	－	31	28	3	－	14	11	3	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P71	先天性水頭症	339	316	23	－	306	287	19	－	33	29	4	－
	男 M.	188	171	17	－	170	156	14	－	18	15	3	－
	女 F.	149	143	6	－	134	129	5	－	15	14	1	－
	不詳 U.	2	2	－	－	2	2	－	－	•	•	•	•
P72	その他の中枢神経系および眼の先天異常	106	102	3	1	81	81	－	－	25	21	3	1
	男 M.	59	56	2	1	43	43	－	－	16	13	2	1
	女 F.	47	46	1	－	38	38	－	－	9	8	1	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P73	循環器系の先天異常	774	702	71	1	223	217	6	－	551	485	65	1
	男 M.	443	405	38	－	119	118	1	－	324	287	37	－
	女 F.	331	297	33	1	104	99	5	－	227	198	28	1
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
(746)	心臓の先天異常	728	661	66	1	219	213	6	－	509	448	60	1
	男 M.	420	386	34	－	118	117	1	－	302	269	33	－
	女 F.	308	275	32	1	101	96	5	－	207	179	27	1
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P74	呼吸器系の先天異常	54	52	2	－	16	16	－	－	38	36	2	－
	男 M.	34	34	－	－	7	7	－	－	27	27	－	－
	女 F.	20	18	2	－	9	9	－	－	11	9	2	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P75	消化器系の先天異常	453	414	37	2	109	105	4	－	344	309	33	2
	男 M.	272	246	25	1	52	50	2	－	220	196	23	1
	女 F.	174	161	12	1	50	48	2	－	124	113	10	1
	不詳 U.	7	7	－	－	7	7	－	－	•	•	•	•
P76	性尿器系の先天異常	21	21	－	－	10	10	－	－	11	11	－	－
	男 M.	14	14	－	－	8	8	－	－	6	6	－	－
	女 F.	6	6	－	－	1	1	－	－	5	5	－	－
	不詳 U.	1	1	－	－	1	1	－	－	•	•	•	•
P77	筋骨格系の先天異常	201	186	15	－	120	113	7	－	81	73	8	－
	男 M.	116	108	8	－	65	62	3	－	51	46	5	－
	女 F.	85	78	7	－	55	51	4	－	30	27	3	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P78	ダウン病	30	28	2	－	12	12	－	－	18	16	2	－
	男 M.	13	11	2	－	4	4	－	－	9	7	2	－
	女 F.	17	17	－	－	8	8	－	－	9	9	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P79	その他の多系統におよぶ先天性症候群	65	65	－	－	43	43	－	－	22	22	－	－
	男 M.	31	31	－	－	20	20	－	－	11	11	－	－
	女 F.	30	30	－	－	19	19	－	－	11	11	－	－
	不詳 U.	4	4	－	－	4	4	－	－	•	•	•	•
P80	その他および詳細不明の先天異常	613	578	34	1	522	497	25	－	91	81	9	1
	男 M.	315	295	19	1	259	247	12	－	56	48	7	1
	女 F.	257	244	13	－	222	211	11	－	35	33	2	－
	不詳 U.	41	39	2	－	41	39	2	－	•	•	•	•
(P81～P88)	胎児および新生児の感染	39	30	8	1	－	－	－	－	39	30	8	1
	男 M.	23	16	7	－	－	－	－	－	23	16	7	－
	女 F.	16	14	1	1	－	－	－	－	16	14	1	1
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P81	下痢性疾患	4	3	1	－	－	－	－	－	4	3	1	－
	男 M.	1	－	1	－	－	－	－	－	1	－	1	－
	女 F.	3	3	－	－	－	－	－	－	3	3	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•
P82	リステリア症	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	•	•	•	•

第15表　周産期死亡数，

TABLE 15　PERINATAL DEATHS, FROM CAUSES (P LIST) BY ATTENDANT OF BIRTH

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total				後期死産 Late foetal deaths				早期新生児死亡 Early neonatal deaths			
		総数 Total	医師 Physician	助産婦 Midwife	その他 Other	総数 Total	医師 Physician	助産婦 Midwife	その他 Other	総数 Total	医師 Physician	助産婦 Midwife	その他 Other
P83	破傷風	2	-	1	1	-	-	-	-	2	-	1	1
	男 M.	1	-	1	-	-	-	-	-	1	-	1	-
	女 F.	1	-	-	1	-	-	-	-	1	-	-	1
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P84	敗血症	29	24	5	-	-	-	-	-	29	24	5	-
	男 M.	19	15	4	-	-	-	-	-	19	15	4	-
	女 F.	10	9	1	-	-	-	-	-	10	9	1	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P85	ウイルス疾患	1	-	1	-	-	-	-	-	1	-	1	-
	男 M.	1	-	1	-	-	-	-	-	1	-	1	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P86	先天梅毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P87	トキソプラスマ症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P88	その他の伝染病および寄生虫病	3	3	-	-	-	-	-	-	3	3	-	-
	男 M.	1	1	-	-	-	-	-	-	1	1	-	-
	女 F.	2	2	-	-	-	-	-	-	2	2	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
(P89～P94)	その他の胎児および新生児の疾患	697	582	104	11	69	68	1	-	628	514	103	11
	男 M.	423	357	62	4	31	31	-	-	392	326	62	4
	女 F.	273	224	42	7	37	36	1	-	236	188	41	7
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•
P89	甲状腺の疾患	1	1	-	-	-	-	-	-	1	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	1	1	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P90	膵嚢胞性線維症（ムコビチドージス）	4	2	2	-	-	-	-	-	4	2	2	-
	男 M.	3	1	2	-	-	-	-	-	3	1	2	-
	女 F.	1	1	-	-	-	-	-	-	1	1	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P91	血液および造血器の疾患	9	8	1	-	-	-	-	-	9	8	1	-
	男 M.	7	6	1	-	-	-	-	-	7	6	1	-
	女 F.	2	2	-	-	-	-	-	-	2	2	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P92	肺炎	326	257	66	3	4	4	-	-	322	253	66	3
	男 M.	192	158	33	1	2	2	-	-	190	156	33	1
	女 F.	134	99	33	2	2	2	-	-	132	97	33	2
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
P93	その他の明示された疾患	313	284	28	1	65	64	1	-	248	220	27	1
	男 M.	192	171	20	1	29	29	-	-	163	142	20	1
	女 F.	120	112	8	-	35	34	1	-	85	78	7	-
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•
(427～429)	心不全，その他の心臓疾患	62	51	11	-	-	-	-	-	62	51	11	-
	男 M.	36	28	8	-	-	-	-	-	36	28	8	-
	女 F.	26	23	3	-	-	-	-	-	26	23	3	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
(550～553)	腹腔ヘルニア	63	61	2	-	31	30	1	-	32	31	1	-
	男 M.	39	38	1	-	15	15	-	-	24	23	1	-
	女 F.	23	22	1	-	15	14	1	-	8	8	-	-
	不詳 U.	1	1	-	-	1	1	-	-	•	•	•	•

後期死産―早期新生児死亡・性・原因（P分類）・出産時の立会者別

LATE FOETAL DEATH OR EARLY NEONATAL DEATH, SEX AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total				後期死産 Late foetal deaths				早期新生児死亡 Early neonatal deaths			
		総数 Total	医師 Physician	助産婦 Midwife	その他 Other	総数 Total	医師 Physician	助産婦 Midwife	その他 Other	総数 Total	医師 Physician	助産婦 Midwife	その他 Other
P94	症状および診断名不明確の状態	44	30	7	7	-	-	-	-	44	30	7	7
	男 M.	29	21	6	2	-	-	-	-	29	21	6	2
	女 F.	15	9	1	5	-	-	-	-	15	9	1	5
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
(PE95～PE100)	新生児に損傷をもたらした外因	172	26	12	34	-	-	-	-	72	26	12	34
	男 M.	39	17	5	17	-	-	-	-	39	17	5	17
	女 F.	33	9	7	17	-	-	-	-	33	9	7	17
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
PE95	過度の高温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
PE96	過度の低温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
PE97	飢餓，渇，不良環境曝露および放置	1	1	-	-	-	-	-	-	1	1	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-	-	-	1	1	-	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
PE98	食物の吸入または嚥下による閉塞および窒息	15	6	9	-	-	-	-	-	15	6	9	-
	男 M.	11	6	5	-	-	-	-	-	11	6	5	-
	女 F.	4	-	4	-	-	-	-	-	4	-	4	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
PE99	不慮の機械的窒息	4	1	3	-	-	-	-	-	4	1	3	-
	男 M.	1	1	-	-	-	-	-	-	1	1	-	-
	女 F.	3	-	3	-	-	-	-	-	3	-	3	-
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
PE100	その他の外因	52	18	-	34	-	-	-	-	52	18	-	34
	男 M.	27	10	-	17	-	-	-	-	27	10	-	17
	女 F.	25	8	-	17	-	-	-	-	25	8	-	17
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•
(E960～E968)	他殺	43	15	-	28	-	-	-	-	43	15	-	28
	男 M.	22	9	-	13	-	-	-	-	22	9	-	13
	女 F.	21	6	-	15	-	-	-	-	21	6	-	15
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•

第16表　周産期死亡数（後期死産は

のみ）—早期新生児死亡・性・妊娠

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), OR EARLY NEONATAL DEATH, SEX AND PERIOD

医師立会のみ），後期死産（医師立会

期間・原因（P分類）別

BY LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OF GESTATION

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	後期死産 Late 総数 Total	期死産（医師立会のみ） foetal deaths attended by physician 妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	早期新生児死亡 Early neonatal deaths 総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	国際100項目周産期分類番号（P表） International list of 100 causes(P list) number
	総数 Total	36 906	1 432	8 523	6 754	19 629	506	62	24 481	5 821	4 827	13 485	348	12 425	1 432	2 702	1 927	6 144	158	62	
	男 M.	20 976	763	4 860	3 960	11 084	275	34	13 458	3 215	2 753	7 312	178	7 518	763	1 645	1 207	3 772	97	34	
	女 F.	15 732	669	3 593	2 742	8 472	228	28	10 825	2 536	2 022	6 100	167	4 907	669	1 057	720	2 372	61	28	
	不詳 U.	198	-	70	52	73	3	-	198	70	52	73	3	•	•	•	•	•	•	•	
(P1～P4)	母体の慢性循環器疾患および慢性性尿器疾患	132	4	49	31	48	-	-	101	38	24	39	-	31	4	11	7	9	-	-	(P1～P4)
	男 M.	77	1	25	16	35	-	-	56	18	12	26	-	21	1	7	4	9	-	-	
	女 F.	55	3	24	15	13	-	-	45	20	12	13	-	10	3	4	3	-	-	-	
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	
P1	慢性リウマチ性心疾患	3	-	2	1	-	-	-	2	1	1	-	-	1	-	1	-	-	-	-	P1
	男 M.	1	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	
	女 F.	2	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	
P2	慢性高血圧症	26	1	5	6	14	-	-	17	5	4	8	-	9	1	-	2	6	-	-	P2
	男 M.	19	-	2	4	13	-	-	12	2	3	7	-	7	-	-	1	6	-	-	
	女 F.	7	1	3	2	1	-	-	5	3	1	1	-	2	1	-	1	-	-	-	
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	
P3	その他の循環器系の慢性疾患	59	2	18	12	27	-	-	48	16	8	24	-	11	2	2	4	3	-	-	P3
	男 M.	31	1	6	5	19	-	-	25	6	3	16	-	6	1	-	2	3	-	-	
	女 F.	28	1	12	7	8	-	-	23	10	5	8	-	5	1	2	2	-	-	-	
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	
P4	性尿器系の慢性疾患	44	1	24	12	7	-	-	34	16	11	7	-	10	1	8	1	-	-	-	P4
	男 M.	26	-	16	7	3	-	-	19	10	6	3	-	7	-	6	1	-	-	-	
	女 F.	18	1	8	5	4	-	-	15	6	5	4	-	3	1	2	-	-	-	-	
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	
(P5～P11)	その他の妊娠に関連のない母体側の状態	640	35	241	135	220	9	-	497	201	109	181	6	143	35	40	26	39	3	-	(P5～P11)
	男 M.	370	19	143	81	120	7	-	283	114	65	99	5	87	19	29	16	21	2	-	
	女 F.	267	16	96	54	99	2	-	211	85	44	81	1	56	16	11	10	18	1	-	
	不詳 U.	3	-	2	-	1	-	-	3	2	-	1	-	•	•	•	•	•	•	•	
P5	梅毒	24	3	8	2	10	1	-	16	8	1	6	1	8	3	-	1	4	-	-	P5
	男 M.	9	1	3	1	4	-	-	6	3	-	3	-	3	1	-	1	1	-	-	
	女 F.	14	2	4	1	6	1	-	9	4	1	3	-	5	2	-	-	3	-	-	
	不詳 U.	1	-	1	-	-	-	-	1	1	-	-	-	•	•	•	•	•	•	•	
P6	糖尿病	107	3	12	16	74	2	-	90	10	14	65	1	17	3	2	2	9	1	-	P6
	男 M.	64	1	8	11	43	1	-	55	6	10	38	1	9	1	2	1	5	-	-	
	女 F.	42	2	4	5	30	1	-	34	4	4	26	-	8	2	-	1	4	1	-	
	不詳 U.	1	-	-	-	1	-	-	1	-	-	1	-	•	•	•	•	•	•	•	
P7	風疹	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P7
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	
P8	母体の損傷	107	-	46	28	32	1	-	101	44	26	30	1	6	-	2	2	2	-	-	P8
	男 M.	64	-	30	11	22	1	-	61	29	10	21	1	3	-	1	1	1	-	-	
	女 F.	43	-	16	17	10	-	-	40	15	16	9	-	3	-	1	1	1	-	-	
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	
P9	母体の手術	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P9
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	
P10	胎盤通過性化学物質の作用	4	-	-	1	2	1	-	4	-	1	2	1	-	-	-	-	-	-	-	P10
	男 M.	3	-	-	1	1	1	-	3	-	1	1	1	-	-	-	-	-	-	-	
	女 F.	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•	
P11	その他の母体側の状態	398	29	175	88	102	4	-	286	139	67	78	2	112	29	36	21	24	2	-	P11
	男 M.	230	17	102	57	50	4	-	158	76	44	36	2	72	17	26	13	14	2	-	
	女 F.	167	12	72	31	52	-	-	127	62	23	42	-	40	12	10	8	10	-	-	
	不詳 U.	1	-	1	-	-	-	-	1	1	-	-	-	•	•	•	•	•	•	•	

第16表　周産期死亡数（後期死産は

のみ）—早期新生児死亡・性・妊娠

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), OR EARLY NEONATAL DEATH, SEX AND PERIOD

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total 総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	後期 Late 総数 Total
(761.9i)	過労	71	2	40	18	11	-	-	66
	男 M.	44	-	25	13	6	-	-	41
	女 F.	27	2	15	5	5	-	-	25
	不詳 U.	-	-	-	-	-	-	-	-
(P12～P17)	妊娠中毒症	3 818	49	819	1 037	1 878	34	1	2 997
	男 M.	2 112	27	399	591	1 075	19	1	1 606
	女 F.	1 700	22	417	446	802	13	-	1 385
	不詳 U.	6	-	3	-	1	2	-	6
P12	妊娠時に起きた腎疾患	448	7	124	100	211	6	-	361
	男 M.	239	3	64	50	117	5	-	191
	女 F.	209	4	60	50	94	1	-	170
	不詳 U.	-	-	-	-	-	-	-	-
P13	子癇前症	511	6	129	148	226	1	1	379
	男 M.	288	2	60	90	135	-	1	207
	女 F.	223	4	69	58	91	1	-	172
	不詳 U.	-	-	-	-	-	-	-	-
P14	子癇	120	-	22	33	63	2	-	97
	男 M.	63	-	10	16	36	1	-	49
	女 F.	57	-	12	17	27	1	-	48
	不詳 U.	-	-	-	-	-	-	-	-
P15	詳細不明の妊娠中毒症	2 699	32	541	747	1 355	24	-	2 134
	男 M.	1 503	20	263	431	776	13	-	1 147
	女 F.	1 190	12	275	316	578	9	-	981
	不詳 U.	6	-	3	-	1	2	-	6
P16	妊娠悪阻	7	3	-	-	4	-	-	2
	男 M.	5	2	-	-	3	-	-	2
	女 F.	2	1	-	-	1	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P17	その他の妊娠中毒症	33	1	3	9	19	1	-	24
	男 M.	14	-	2	4	8	-	-	10
	女 F.	19	1	1	5	11	1	-	14
	不詳 U.	-	-	-	-	-	-	-	-
(P18～P20)	母体の分娩前および分娩時の感染	211	4	31	25	146	5	-	139
	男 M.	114	3	15	13	82	1	-	70
	女 F.	97	1	16	12	64	4	-	69
	不詳 U.	-	-	-	-	-	-	-	-
P18	妊娠時の腎盂炎および腎盂腎炎	21	1	7	8	5	-	-	14
	男 M.	13	1	6	4	2	-	-	9
	女 F.	8	-	1	4	3	-	-	5
	不詳 U.	-	-	-	-	-	-	-	-
P19	その他の妊娠時の性尿器の感染	10	-	-	3	7	-	-	7
	男 M.	4	-	-	1	3	-	-	2
	女 F.	6	-	-	2	4	-	-	5
	不詳 U.	-	-	-	-	-	-	-	-
P20	その他	180	3	24	14	134	5	-	118
	男 M.	97	2	9	8	77	1	-	59
	女 F.	83	1	15	6	57	4	-	59
	不詳 U.	-	-	-	-	-	-	-	-
(P21～P23)	骨盤の骨，臓器または組織の異常を伴う難産	553	4	20	30	476	23	-	424
	男 M.	322	3	13	18	276	12	-	245
	女 F.	230	1	7	12	199	11	-	178
	不詳 U.	1	-	-	-	1	-	-	1
P21	脳または脊髄の出生時損傷を伴うもの	103	-	-	5	92	6	-	52
	男 M.	63	-	-	3	55	5	-	28
	女 F.	40	-	-	2	37	1	-	24
	不詳 U.	-	-	-	-	-	-	-	-

医師立会のみ），後期死産（医師立会

期間・原因（P分類）別

BY LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OF GESTATION

期死産（医師立会のみ） foetal deaths attended by physician 妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	早期新生児死亡 Early neonatal deaths 総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	国際100項目周産期分類番号（P表） International list of 100 causes(P list) number
39	17	10	-	5	2	1	1	1	-	-	(761.9i)
24	12	5	-	3	-	1	1	1	-	-	
15	5	5	-	2	2	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
694	855	1 421	27	821	49	125	182	457	7	1	(P12～P17)
328	479	786	13	506	27	71	112	289	6	1	
363	376	634	12	315	22	54	70	168	1	-	
3	-	1	2	•	•	•	•	•	•	•	
113	87	157	4	87	7	11	13	54	2	-	P12
58	42	88	3	48	3	6	8	29	2	-	
55	45	69	1	39	4	5	5	25	-	-	
-	-	-	-	•	•	•	•	•	•	•	
101	121	156	1	132	6	28	27	70	-	1	P13
47	73	87	-	81	2	13	17	48	-	1	
54	48	69	1	51	4	15	10	22	-	-	
-	-	-	-	•	•	•	•	•	•	•	
18	26	52	1	23	-	4	7	11	1	-	P14
7	12	30	-	14	-	3	4	6	1	-	
11	14	22	1	9	-	1	3	5	-	-	
-	-	-	-	•	•	•	•	•	•	•	
459	615	1 040	20	565	32	82	132	315	4	-	P15
214	349	574	10	356	20	49	82	202	3	-	
242	266	465	8	209	12	33	50	113	1	-	
3	-	1	2	•	•	•	•	•	•	•	
-	-	2	-	5	3	-	-	2	-	-	P16
-	-	2	-	3	2	-	-	1	-	-	
-	-	-	-	2	1	-	-	1	-	-	
-	-	-	-	•	•	•	•	•	•	•	
3	6	14	1	9	1	-	3	5	-	-	P17
2	3	5	-	4	-	-	1	3	-	-	
1	3	9	1	5	1	-	2	2	-	-	
-	-	-	-	•	•	•	•	•	•	•	
22	18	95	4	72	4	9	7	51	1	-	(P18～P20)
12	7	51	-	44	3	3	6	31	1	-	
10	11	44	4	28	1	6	1	20	-	-	
-	-	-	-	•	•	•	•	•	•	•	
5	6	3	-	7	1	2	2	2	-	-	P18
5	3	1	-	4	1	1	1	1	-	-	
-	3	2	-	3	-	1	1	1	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	2	5	-	3	-	-	1	2	-	-	P19
-	-	2	-	2	-	-	1	1	-	-	
-	2	3	-	1	-	-	-	1	-	-	
-	-	-	-	•	•	•	•	•	•	•	
17	10	87	4	62	3	7	4	47	1	-	P20
7	4	48	-	38	2	2	4	29	1	-	
10	6	39	4	24	1	5	-	18	-	-	
-	-	-	-	•	•	•	•	•	•	•	
15	23	369	17	129	4	5	7	107	6	-	(P21～P23)
9	14	214	8	77	3	4	4	62	4	-	
6	9	154	9	52	1	1	3	45	2	-	
-	-	1	-	•	•	•	•	•	•	•	
-	3	46	3	51	-	-	2	46	3	-	P21
-	2	24	2	35	-	-	1	31	3	-	
-	1	22	1	16	-	-	1	15	-	-	
-	-	-	-	•	•	•	•	•	•	•	

第16表　周産期死亡数（後期死産は医師立会のみ），後期死産（医師立会のみ）—早期新生児死亡・性・妊娠期間・原因（P分類）別

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), OR EARLY NEONATAL DEATH, SEX AND PERIOD OF GESTATION

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total							後期死産 Late	早期新生児死亡 Early neonatal deaths								国際100項目周産期分類番号（P表） International list of 100 causes(P list) number
		総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	総数 Total	総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown		
(764.0a, 764.1a)	骨盤骨の異常を伴うもの	44	-	-	4	38	2	-	20	24	-	-	2	20	2	-		(764.0a, 764.1a)
	男 M.	30	-	-	3	25	2	-	14	16	-	-	1	13	2	-		
	女 F.	14	-	-	1	13	-	-	6	8	-	-	1	7	-	-		
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•		
P22	その他または詳細不明の出生時損傷を伴うもの	5	-	1	-	4	-	-	3	1	-	2	-	2	-	-		P22
	男 M.	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-		
	女 F.	4	-	-	-	4	-	-	2	-	-	2	-	2	-	-		
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•		
(764.2a, 764.3a)	骨盤骨の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		(764.2a, 764.3a)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•		
P23	出生時損傷の記載のないもの	445	4	19	25	380	17	-	369	76	4	5	5	59	3	-		P23
	男 M.	258	3	12	15	221	7	-	216	42	3	4	3	31	1	-		
	女 F.	186	1	7	10	158	10	-	152	34	1	1	2	28	2	-		
	不詳 U.	1	-	-	-	1	-	-	1	•	•	•	•	•	•	•		
(764.4a, 764.9a)	骨盤骨の異常を伴うもの	161	-	1	9	146	5	-	133	28	-	-	2	24	2	-		(764.4a, 764.9a)
	男 M.	97	-	1	5	89	2	-	82	15	-	-	1	14	-	-		
	女 F.	64	-	-	4	57	3	-	51	13	-	-	1	10	2	-		
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•		
(P24～P26)	胎児の骨盤不適合を伴う難産	319	-	2	8	287	22	-	245	74	-	-	-	67	7	-		(P24～P26)
	男 M.	193	-	1	2	175	15	-	143	50	-	-	-	45	5	-		
	女 F.	125	-	1	6	111	7	-	101	24	-	-	-	22	2	-		
	不詳 U.	1	-	-	-	1	-	-	1	•	•	•	•	•	•	•		
P24	脳または脊髄の出生時損傷を伴うもの	41	-	-	-	39	2	-	20	-	-	19	1	21	-	-		P24
	男 M.	24	-	-	-	23	1	-	11	-	-	11	-	13	-	-		
	女 F.	17	-	-	-	16	1	-	9	-	-	8	1	8	-	-		
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•		
P25	その他または詳細不明の出生時損傷を伴うもの	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-		P25
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	女 F.	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-		
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-	•	•	•		
P26	出生時損傷の記載のないもの	277	-	2	8	247	20	-	225	52	-	-	-	46	6	-		P26
	男 M.	169	-	1	2	152	14	-	132	37	-	-	-	33	4	-		
	女 F.	107	-	1	6	94	6	-	92	15	-	-	-	13	2	-		
	不詳 U.	1	-	-	-	1	-	-	1	•	•	•	•	•	•	•		
(P27～P29)	胎児の位置異常を伴う難産	1 811	23	235	223	1 296	34	-	1 412	399	23	60	37	269	10	-		(P27～P29)
	男 M.	1 064	11	145	139	754	15	-	821	243	11	33	21	171	7	-		
	女 F.	741	12	88	83	539	19	-	585	156	12	27	16	98	3	-		
	不詳 U.	6	-	2	1	3	-	-	6	•	•	•	•	•	•	•		
P27	脳または脊髄の出生時損傷を伴うもの	95	-	6	5	83	1	-	33	62	-	6	2	54	-	-		P27
	男 M.	68	-	2	4	62	-	-	22	46	-	2	1	43	-	-		
	女 F.	27	-	4	1	21	1	-	11	16	-	4	1	11	-	-		
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•		
(766.0a, 766.1a)	骨盤位	41	-	4	2	34	1	-	9	32	-	4	1	27	-	-		(766.0a, 766.1a)
	男 M.	25	-	2	1	22	-	-	3	22	-	2	-	20	-	-		
	女 F.	16	-	2	1	12	1	-	6	10	-	2	1	7	-	-		
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•		
P28	その他または詳細不明の出生時損傷を伴うもの	3	-	-	-	3	-	-	2	1	-	2	-	1	-	-		P28
	男 M.	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-		
	女 F.	2	-	-	-	2	-	-	1	1	-	1	-	1	-	-		
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•		
(766.2a, 766.3a)	骨盤位	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		(766.2a, 766.3a)
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	不詳 U.	-	-	-	-	-	-	-	-	•	•	•	•	•	•	•		

第16表　周産期死亡数（後期死産は

のみ）—早期新生児死亡・性・妊娠

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), OR EARLY NEONATAL DEATH, SEX AND PERIOD

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total							後期死産 Late foetal deaths
		総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	総数 Total
P29	出生時損傷の記載のないもの	1 713	23	229	218	1 210	33	-	1 377
	男 M.	995	11	143	135	691	15	-	798
	女 F.	712	12	84	82	516	18	-	573
	不詳 U.	6	-	2	1	3	-	-	6
(766.4a, 766.9a)	骨盤位	1 020	17	138	134	710	21	-	796
	男 M.	568	8	81	80	391	8	-	446
	女 F.	447	9	56	53	316	13	-	345
	不詳 U.	5	-	1	1	3	-	-	5
(P30～P32)	娩出力異常を伴う難産	482	4	31	42	385	9	11	308
	男 M.	277	-	16	24	227	4	6	176
	女 F.	204	4	14	18	158	5	5	131
	不詳 U.	1	-	1	-	-	-	-	1
P30	脳または脊髄の出生時損傷を伴うもの	53	-	-	2	48	3	-	23
	男 M.	36	-	-	2	33	1	-	16
	女 F.	17	-	-	-	15	2	-	7
	不詳 U.	-	-	-	-	-	-	-	-
P31	その他または詳細不明の出生時損傷を伴うもの	1	-	-	-	1	-	-	1
	男 M.	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	1
	不詳 U.	-	-	-	-	-	-	-	-
P32	出生時損傷の記載のないもの	428	4	31	40	336	6	11	284
	男 M.	241	-	16	22	194	3	6	160
	女 F.	186	4	14	18	142	3	5	123
	不詳 U.	1	-	1	-	-	-	-	1
(P33～P35)	その他および詳細不明の合併症を伴う難産	403	-	10	27	353	12	1	325
	男 M.	231	-	2	20	200	8	1	182
	女 F.	172	-	8	7	153	4	-	143
	不詳 U.	-	-	-	-	-	-	-	-
P33	脳または脊髄の出生時損傷を伴うもの	52	-	1	-	47	3	1	19
	男 M.	32	-	-	-	30	1	1	11
	女 F.	20	-	1	-	17	2	-	8
	不詳 U.	-	-	-	-	-	-	-	-
P34	その他または詳細不明の出生時損傷を伴うもの	2	-	-	-	2	-	-	-
	男 M.	1	-	-	-	1	-	-	-
	女 F.	1	-	-	-	1	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P35	出生時損傷の記載のないもの	349	-	9	27	304	9	-	306
	男 M.	198	-	2	20	169	7	-	171
	女 F.	151	-	7	7	135	2	-	135
	不詳 U.	-	-	-	-	-	-	-	-
(P36～P41)	その他の妊娠および分娩の合併症	2 870	270	1 377	599	617	5	2	1 794
	男 M.	1 658	153	813	355	333	3	1	1 026
	女 F.	1 201	117	559	242	280	2	1	757
	不詳 U.	11	-	5	2	4	-	-	11
P36	頸管無力症	470	67	335	55	13	-	-	315
	男 M.	-	-	-	-	-	-	-	-
	女 F.	292	41	211	33	7	-	-	197
	不詳 U.	177	26	123	22	6	-	-	117
		1	-	1	-	-	-	-	1
P37	早期破水	1 125	83	564	259	216	2	1	781
	男 M.	655	46	321	161	126	1	-	441
	女 F.	468	37	242	97	90	1	1	338
	不詳 U.	2	-	1	1	-	-	-	2
P38	羊水過多症	466	3	143	140	178	2	-	370
	男 M.	245	3	75	75	91	1	-	195
	女 F.	217	-	66	65	85	1	-	171
	不詳 U.	4	-	2	-	2	-	-	4

医師立会のみ），後期死産（医師立会

期間・原因（P分類）別

BY LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OF GESTATION

昭和47年
1972

期死産（医師立会のみ） foetal deaths attended by physician				早期新生児死亡 Early neonatal deaths							国際100項目周産期分類番号（P表） International list of 100 causes(P list) number
妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	
175	183	996	23	336	23	54	35	214	10	-	P29
112	115	563	8	197	11	31	20	128	7	-	
61	67	430	15	139	12	23	15	86	3	-	
2	1	3	-	•	•	•	•	•	•	•	
94	108	578	16	224	17	44	26	132	5	-	(766.4a, 766.9a)
56	66	320	4	122	8	25	14	71	4	-	
37	41	255	12	102	9	19	12	61	1	-	
1	1	3	-	•	•	•	•	•	•	•	
21	26	256	5	174	4	10	16	129	4	11	(P30～P32)
11	16	147	2	101	-	5	8	80	2	6	
9	10	109	3	73	4	5	8	49	2	5	
1	-	-	-	•	•	•	•	•	•	•	
-	1	22	-	30	-	-	1	26	3	-	P30
-	1	15	-	20	-	-	1	18	1	-	
-	-	7	-	10	-	-	-	8	2	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	1	-	-	-	-	-	-	-	-	P31
-	-	-	-	-	-	-	-	-	-	-	
-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
21	25	233	5	144	4	10	15	103	1	11	P32
11	15	132	2	81	-	5	7	62	1	6	
9	10	101	3	63	4	5	8	41	-	5	
1	-	-	-	•	•	•	•	•	•	•	
10	22	284	9	78	-	-	5	69	3	1	(P33～P35)
2	15	159	6	49	-	-	5	41	2	1	
8	7	125	3	29	-	-	-	28	1	-	
-	-	-	-	•	•	•	•	•	•	•	
1	-	17	1	33	-	-	-	30	2	1	P33
-	-	11	-	21	-	-	-	19	1	1	
1	-	6	1	12	-	-	-	11	1	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	2	-	-	-	2	-	-	P34
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	•	•	•	•	•	•	•	
9	22	267	8	43	-	-	5	37	1	-	P35
2	15	148	6	27	-	-	5	21	1	-	
7	7	119	2	16	-	-	-	16	-	-	
-	-	-	-	•	•	•	•	•	•	•	
996	414	381	3	1 076	270	381	185	236	2	2	(P36～P41)
590	235	199	2	632	153	223	120	134	1	1	
401	177	178	1	444	117	158	65	102	1	1	
5	2	4	-	•	•	•	•	•	•	•	
269	43	3	-	155	67	66	12	10	-	-	P36
170	26	1	-	95	41	41	7	6	-	-	
98	17	2	-	60	26	25	5	4	-	-	
1	-	-	-	•	•	•	•	•	•	•	
449	180	151	1	344	83	115	79	65	1	1	P37
249	106	85	1	214	46	72	55	41	-	-	
199	73	66	-	130	37	43	24	24	1	1	
1	1	-	-	•	•	•	•	•	•	•	
119	120	129	2	96	3	24	20	49	-	-	P38
65	64	65	1	50	3	10	11	26	-	-	
52	56	62	1	46	-	14	9	23	-	-	
2	-	2	-	•	•	•	•	•	•	•	

第16表　周産期死亡数（後期死産は

のみ）—早期新生児死亡・性・妊娠

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), OR EARLY NEONATAL DEATH, SEX AND PERIOD

医師立会のみ），後期死産（医師立会

期間・原因（P分類）別

BY LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OF GESTATION

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total							後期死産 Late
		総数 Total	妊娠第8月未満～7completed months of gestation	妊娠第8月 7completed months of gestation	妊娠第9月 8completed months of gestation	妊娠第10月 9completed months of gestation	妊娠第11月 10completed months of gestation	不詳 Unknown	総数 Total
P39	子宮外妊娠	4	-	1	-	3	-	-	4
	男 M.	2	-	1	-	1	-	-	2
	女 F.	2	-	-	-	2	-	-	2
	不詳 U.	-	-	-	-	-	-	-	-
P40	多胎妊娠	458	52	182	85	137	1	1	169
	男 M.	257	27	109	51	68	1	1	100
	女 F.	198	25	73	33	67	-	-	66
	不詳 U.	3	-	-	1	2	-	-	3
P41	その他の妊娠または分娩の合併症	347	65	152	60	70	-	-	155
	男 M.	207	36	96	35	40	-	-	91
	女 F.	139	29	55	25	30	-	-	63
	不詳 U.	1	-	1	-	-	-	-	1
(P42～P46)	胎盤異常	3 267	54	968	805	1 388	52	-	2 674
	男 M.	1 822	29	554	470	747	22	-	1 466
	女 F.	1 441	25	414	333	639	30	-	1 204
	不詳 U.	4	-	-	2	2	-	-	4
P42	前置胎盤	1 311	44	664	372	229	2	-	886
	男 M.	761	27	389	217	127	1	-	497
	女 F.	548	17	275	154	101	1	-	387
	不詳 U.	2	-	-	1	1	-	-	2
P43	胎盤早期剝離	1 088	8	223	342	502	13	-	1 013
	男 M.	624	2	121	205	289	7	-	576
	女 F.	463	6	102	136	213	6	-	436
	不詳 U.	1	-	-	1	-	-	-	1
P44	胎盤硬塞	45	-	3	8	33	1	-	44
	男 M.	25	-	2	6	16	1	-	24
	女 F.	20	-	1	2	17	-	-	20
	不詳 U.	-	-	-	-	-	-	-	-
P45	その他の胎盤の異常	188	2	19	27	135	5	-	166
	男 M.	89	-	12	17	58	2	-	81
	女 F.	99	2	7	10	77	3	-	85
	不詳 U.	-	-	-	-	-	-	-	-
P46	詳細不明の胎盤の異常	635	-	59	56	489	31	-	565
	男 M.	323	-	30	25	257	11	-	288
	女 F.	311	-	29	31	231	20	-	276
	不詳 U.	1	-	-	-	1	-	-	1
(P47～P49)	臍帯異常	3 567	2	405	452	2 631	77	-	3 389
	男 M.	1 991	1	222	262	1 457	49	-	1 869
	女 F.	1 568	1	182	188	1 169	28	-	1 512
	不詳 U.	8	-	1	2	5	-	-	8
P47	臍帯圧迫	478	-	68	57	346	7	-	469
	男 M.	269	-	41	30	195	3	-	262
	女 F.	208	-	27	26	151	4	-	206
	不詳 U.	1	-	-	1	-	-	-	1
P48	臍帯圧迫の記載のない臍帯脱出	533	-	75	59	390	9	-	508
	男 M.	306	-	45	36	217	8	-	291
	女 F.	226	-	29	23	173	1	-	216
	不詳 U.	1	-	1	-	-	-	-	1
P49	その他	2 556	2	262	336	1 895	61	-	2 412
	男 M.	1 416	1	136	196	1 045	38	-	1 316
	女 F.	1 134	1	126	139	845	23	-	1 090
	不詳 U.	6	-	-	1	5	-	-	6
(771.9a)	臍帯巻絡	1 790	1	98	176	1 467	48	-	1 679
	男 M.	1 021	-	56	105	829	31	-	944
	女 F.	763	1	42	70	633	17	-	729
	不詳 U.	6	-	-	1	5	-	-	6

期死産（医師立会のみ） foetal deaths attended by physician				早期新生児死亡 Early neonatal deaths							国際100項目周産期分類番号（P表） International list of 100 causes(P list) number
妊娠第8月 7completed months of gestation	妊娠第9月 8completed months of gestation	妊娠第10月 9completed months of gestation	妊娠第11月 10completed months of gestation	総数 Total	妊娠第8月未満～7completed months of gestation	妊娠第8月 7completed months of gestation	妊娠第9月 8completed months of gestation	妊娠第10月 9completed months of gestation	妊娠第11月 10completed months of gestation	不詳 Unknown	
1	-	3	-	-	-	-	-	-	-	-	P39
1	-	1	-	-	-	-	-	-	-	-	
-	-	2	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
70	37	62	-	289	52	112	48	75	1	1	P40
51	18	31	-	157	27	58	33	37	1	1	
19	18	29	-	132	25	54	15	38	-	-	
-	1	2	-	•	•	•	•	•	•	•	
88	34	33	-	192	65	64	26	37	-	-	P41
54	21	16	-	116	36	42	14	24	-	-	
33	13	17	-	76	29	22	12	13	-	-	
1	-	-	-	•	•	•	•	•	•	•	
749	649	1 233	43	593	54	219	156	155	9	-	(P42～P46)
414	380	653	19	356	29	140	90	94	3	-	
335	267	578	24	237	25	79	66	61	6	-	
-	2	2	-	•	•	•	•	•	•	•	
470	245	169	2	425	44	194	127	60	-	-	P42
264	149	83	1	264	27	125	68	44	-	-	
206	95	85	1	161	17	69	59	16	-	-	
-	1	1	-	•	•	•	•	•	•	•	
204	317	480	12	75	8	19	25	22	1	-	P43
109	185	276	6	48	2	12	20	13	1	-	
95	131	204	6	27	6	7	5	9	-	-	
-	1	-	-	•	•	•	•	•	•	•	
2	8	33	1	1	-	1	-	-	-	-	P44
1	6	16	1	1	-	1	-	-	-	-	
1	2	17	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
15	26	122	3	22	2	4	1	13	2	-	P45
10	16	54	1	8	-	2	1	4	1	-	
5	10	68	2	14	2	2	-	9	1	-	
-	-	-	-	•	•	•	•	•	•	•	
58	53	429	25	70	-	1	3	60	6	-	P46
30	24	224	10	35	-	-	1	33	1	-	
28	29	204	15	35	-	1	2	27	5	-	
-	-	1	-	•	•	•	•	•	•	•	
397	446	2 475	71	178	2	8	6	156	6	-	(P47～P49)
215	257	1 351	46	122	1	7	5	106	3	-	
181	187	1 119	25	56	1	1	1	50	3	-	
1	2	5	-	•	•	•	•	•	•	•	
68	57	338	6	9	-	-	-	8	1	-	P47
41	30	189	2	7	-	-	-	6	1	-	
27	26	149	4	2	-	-	-	2	-	-	
-	1	-	-	•	•	•	•	•	•	•	
72	59	369	8	25	-	3	-	21	1	-	P48
42	36	205	8	15	-	3	-	12	-	-	
29	23	164	-	10	-	-	-	9	1	-	
1	-	-	-	•	•	•	•	•	•	•	
257	330	1 768	57	144	2	5	6	127	4	-	P49
132	191	957	36	100	1	4	5	88	2	-	
125	138	806	21	44	1	1	1	39	2	-	
-	1	5	-	•	•	•	•	•	•	•	
96	173	1 365	45	111	1	2	3	102	3	-	(771.9a)
54	103	758	29	77	-	2	2	71	2	-	
42	69	602	16	34	1	-	1	31	1	-	
-	1	5	-	•	•	•	•	•	•	•	

第16表　周産期死亡数（後期死産は医師立会のみ），後期死産（医師立会）—早期新生児死亡・性・妊娠期間・原因（P分類）別

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), BY LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY NEONATAL DEATH, SEX AND PERIOD OF GESTATION

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total							後 Late
		総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	総数 Total
（P50～P52）	原因の記載のない出生時損傷	1 115	27	295	121	659	12	1	581
	男 M.	658	13	173	71	392	8	1	337
	女 F.	454	14	120	49	267	4	-	241
	不詳 U.	3	-	2	1	-	-	-	3
P50	脳または脊髄の出生時損傷	648	27	54	52	502	12	1	139
	男 M.	393	13	27	36	308	8	1	88
	女 F.	255	14	27	16	194	4	-	51
	不詳 U.	-	-	-	-	-	-	-	-
P51	その他または詳細不明の出生時損傷	39	-	3	4	32	-	-	14
	男 M.	25	-	1	3	21	-	-	9
	女 F.	14	-	2	1	11	-	-	5
	不詳 U.	-	-	-	-	-	-	-	-
P52	原因の記載のない妊娠の中絶	428	-	238	65	125	-	-	428
	男 M.	240	-	145	32	63	-	-	240
	女 F.	185	-	91	32	62	-	-	185
	不詳 U.	3	-	2	1	-	-	-	3
（P53～P56）	新生児溶血性疾患	177	3	25	39	108	2	-	60
	男 M.	111	2	15	19	73	2	-	31
	女 F.	66	1	10	20	35	-	-	29
	不詳 U.	-	-	-	-	-	-	-	-
P53	Rh因子不適合を伴うもの	11	-	2	1	8	-	-	6
	男 M.	7	-	2	-	5	-	-	4
	女 F.	4	-	-	1	3	-	-	2
	不詳 U.	-	-	-	-	-	-	-	-
P54	ABO因子不適合を伴うもの	5	-	-	3	2	-	-	3
	男 M.	4	-	-	3	1	-	-	2
	女 F.	1	-	-	-	1	-	-	1
	不詳 U.	-	-	-	-	-	-	-	-
P55	その他または詳細不明の血液型不適合を伴うもの	19	-	2	9	7	1	-	6
	男 M.	13	-	1	6	5	1	-	3
	女 F.	6	-	1	3	2	-	-	3
	不詳 U.	-	-	-	-	-	-	-	-
P56	原因の記載のないもの	142	3	21	26	91	1	-	45
	男 M.	87	2	12	10	62	1	-	22
	女 F.	55	1	9	16	29	-	-	23
	不詳 U.	-	-	-	-	-	-	-	-
（P57～P60）	他に分類されない無酸素症および低酸素症	2 973	249	712	522	1 456	29	5	635
	男 M.	1 827	133	460	341	874	14	5	374
	女 F.	1 145	116	251	181	582	15	-	260
	不詳 U.	1	-	1	-	-	-	-	1
P57	硝子様模症および呼吸窮迫症候群	834	71	248	165	340	8	2	43
	男 M.	534	37	171	112	209	3	2	24
	女 F.	300	34	77	53	131	5	-	19
	不詳 U.	-	-	-	-	-	-	-	-
P58	子宮内無酸素症	14	-	1	2	11	-	-	12
	男 M.	6	-	-	2	4	-	-	6
	女 F.	8	-	1	-	7	-	-	6
	不詳 U.	-	-	-	-	-	-	-	-
P59	詳細不明の新生児仮死	2 045	178	462	348	1 037	17	3	544
	男 M.	1 240	96	288	222	621	10	3	322
	女 F.	804	82	173	126	416	7	-	221
	不詳 U.	1	-	1	-	-	-	-	1
P60	その他の他に分類されない無酸素症および低酸素症	80	-	1	7	68	4	-	36
	男 M.	47	-	1	5	40	1	-	22
	女 F.	33	-	-	2	28	3	-	14
	不詳 U.	-	-	-	-	-	-	-	-

期死産（医師立会のみ） foetal deaths attended by physician				早期新生児死亡 Early neonatal deaths							国際100項目周産期分類番号（P表） International list of 100 causes(P list) number
妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	
243	77	258	3	534	27	52	44	401	9	1	（P50～P52）
150	40	145	2	321	13	23	31	247	6	1	
91	36	113	1	213	14	29	13	154	3	-	
2	1	-	-	•	•	•	•	•	•	•	
5	10	121	3	509	27	49	42	381	9	1	P50
5	7	74	2	305	13	22	29	234	6	1	
-	3	47	1	204	14	27	13	147	3	-	
-	-	-	-	•	•	•	•	•	•	•	
-	2	12	-	25	-	3	2	20	-	-	P51
-	1	8	-	16	-	1	2	13	-	-	
-	1	4	-	9	-	2	-	7	-	-	
-	-	-	-	•	•	•	•	•	•	•	
238	65	125	-	-	-	-	-	-	-	-	P52
145	32	63	-	-	-	-	-	-	-	-	
91	32	62	-	-	-	-	-	-	-	-	
2	1	-	-	•	•	•	•	•	•	•	
10	18	32	-	117	3	15	21	76	2	-	（P53～P56）
6	8	17	-	80	2	9	11	56	2	-	
4	10	15	-	37	1	6	10	20	-	-	
-	-	-	-	•	•	•	•	•	•	•	
1	1	4	-	5	-	1	-	4	-	-	P53
1	-	3	-	3	-	1	-	2	-	-	
-	1	1	-	2	-	-	-	2	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	2	1	-	2	-	-	1	1	-	-	P54
-	2	-	-	2	-	-	1	1	-	-	
-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	3	3	-	13	-	2	6	4	1	-	P55
-	1	2	-	10	-	1	5	3	1	-	
-	2	1	-	3	-	1	1	1	-	-	
-	-	-	-	•	•	•	•	•	•	•	
9	12	24	-	97	3	12	14	67	1	-	P56
5	5	12	-	65	2	7	5	50	1	-	
4	7	12	-	32	1	5	9	17	-	-	
-	-	-	-	•	•	•	•	•	•	•	
88	102	440	5	2 338	249	624	420	1 016	24	5	（P57～P60）
52	68	250	4	1 453	133	408	273	624	10	5	
35	34	190	1	885	116	216	147	392	14	-	
1	-	-	-	•	•	•	•	•	•	•	
5	5	33	-	791	71	243	160	307	8	2	P57
2	3	19	-	510	37	169	109	190	3	2	
3	2	14	-	281	34	74	51	117	5	-	
-	-	-	-	•	•	•	•	•	•	•	
1	2	9	-	2	-	-	-	2	-	-	P58
-	2	4	-	-	-	-	-	-	-	-	
1	-	5	-	2	-	-	-	2	-	-	
-	-	-	-	•	•	•	•	•	•	•	
82	91	366	5	1 501	178	380	257	671	12	3	P59
50	60	208	4	918	96	238	162	413	6	3	
31	31	158	1	583	82	142	95	258	6	-	
1	-	-	-	•	•	•	•	•	•	•	
-	4	32	-	44	-	1	3	36	4	-	P60
-	3	19	-	25	-	1	2	21	1	-	
-	1	13	-	19	-	-	1	15	3	-	
-	-	-	-	•	•	•	•	•	•	•	

第16表　周産期死亡数(後期死産は

のみ)—早期新生児死亡・性・妊娠

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), OR EARLY NEONATAL DEATH, SEX AND PERIOD

国際100項目周産期分類番号(P表) International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total 総数 Total	妊娠第8月未満～7completed months of gestation	妊娠第8月 7completed months of gestation	妊娠第9月 8completed months of gestation	妊娠第10月 9completed months of gestation	妊娠第11月 10completed months of gestation	不詳 Unknown	後期 Late 総数 Total
(P61～P68)	その他の胎児および新生児の状態	10 188	683	2 993	1 917	4 479	109	7	6 563
	男 M.	5 686	352	1 717	1 129	2 428	58	2	3 547
	女 F.	4 414	331	1 236	767	2 025	50	5	2 928
	不詳 U.	88	-	40	21	26	1	-	88
P61	詳細不明の未熟児	2 161	382	962	405	405	5	2	817
	男 M.	1 259	198	579	253	226	3	-	494
	女 F.	892	184	376	150	178	2	2	313
	不詳 U.	10	-	7	2	1	-	-	10
P62	出生前の胎児の血液喪失	1	-	-	-	1	-	-	1
	男 M.	1	-	-	-	-	-	-	-
	女 F.	-	-	-	-	1	-	-	1
	不詳 U.	-	-	-	-	-	-	-	-
P63	過熟児	36	-	-	-	26	10	-	33
	男 M.	19	-	-	-	14	5	-	18
	女 F.	17	-	-	-	12	5	-	15
	不詳 U.	-	-	-	-	-	-	-	-
P64	新生児の出血性疾患	693	18	106	119	435	14	1	32
	男 M.	437	9	64	76	276	11	1	20
	女 F.	256	9	42	43	159	3	-	12
	不詳 U.	-	-	-	-	-	-	-	-
P65	寒冷傷害症候群	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P66	その他の胎児の異常	2 425	283	653	431	1 030	24	4	808
	男 M.	1 391	145	392	274	561	18	1	435
	女 F.	1 029	138	261	155	466	6	3	368
	不詳 U.	5	-	-	2	3	-	-	5
(778.9a)	新生児の黄疸	33	1	4	9	19	-	-	3
	男 M.	25	1	2	7	15	-	-	3
	女 F.	8	-	2	2	4	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P67	浸軟児	345	-	93	71	179	2	-	345
	男 M.	175	-	42	33	98	2	-	175
	女 F.	162	-	46	36	80	-	-	162
	不詳 U.	8	-	5	2	1	-	-	8
P68	原因不明の胎児死亡	4 527	-	1 179	891	2 403	54	-	4 527
	男 M.	2 404	-	640	493	1 252	19	-	2 404
	女 F.	2 058	-	511	383	1 130	34	-	2 058
	不詳 U.	65	-	28	15	21	1	-	65
(779.9a)	子宮内胎児死亡	1 102	-	300	243	550	9	-	1 102
	男 M.	560	-	151	137	269	3	-	560
	女 F.	525	-	141	103	275	6	-	525
	不詳 U.	17	-	8	3	6	-	-	17
(P69～P80)	先天異常	3 573	12	264	648	2 589	56	4	2 269
	男 M.	1 978	11	124	349	1 462	29	3	1 195
	女 F.	1 531	1	127	276	1 099	27	1	1 010
	不詳 U.	64	-	13	23	28	-	-	64
P69	無脳症	899	-	87	198	600	14	-	837
	男 M.	488	-	42	103	335	8	-	457
	女 F.	400	-	44	92	258	6	-	369
	不詳 U.	11	-	1	3	7	-	-	11
P70	二分脊椎	79	-	2	10	67	-	-	51
	男 M.	37	-	-	5	32	-	-	23
	女 F.	42	-	2	5	35	-	-	28
	不詳 U.	-	-	-	-	-	-	-	-

医師立会のみ), 後期死産(医師立会

期間・原因(P分類)別

BY LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OF GESTATION

期死産(医師立会のみ) foetal deaths attended by physician 妊娠第8月 7completed months of gestation	妊娠第9月 8completed months of gestation	妊娠第10月 9completed months of gestation	妊娠第11月 10completed months of gestation	早期新生児死亡 Early neonatal deaths 総数 Total	妊娠第8月未満～7completed months of gestation	妊娠第8月 7completed months of gestation	妊娠第9月 8completed months of gestation	妊娠第10月 9completed months of gestation	妊娠第11月 10completed months of gestation	不詳 Unknown	国際100項目周産期分類番号(P表) International list of 100 causes(P list) number
1 916	1 324	3 240	83	3 625	683	1 077	593	1 239	26	7	(P61～P68)
1 068	759	1 682	38	2 139	352	649	370	746	20	2	
808	544	1 532	44	1 486	331	428	223	493	6	5	
40	21	26	1	•	•	•	•	•	•	•	
446	208	161	2	1 344	382	516	197	244	3	2	P61
269	133	90	2	765	198	310	120	136	1	-	
170	73	70	-	579	184	206	77	108	2	2	
7	2	1	-	•	•	•	•	•	•	•	
-	-	1	-	-	-	-	-	-	-	-	P62
-	-	1	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	23	10	3	-	-	-	3	-	-	P63
-	-	13	5	1	-	-	-	1	-	-	
-	-	10	5	2	-	-	-	2	-	-	
-	-	-	-	•	•	•	•	•	•	•	
3	4	24	1	661	18	103	115	411	13	1	P64
2	4	13	1	417	9	62	72	263	10	1	
1	-	11	-	244	9	41	43	148	3	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	-	-	-	-	-	-	-	P65
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
195	150	449	14	1 617	283	458	281	581	10	4	P66
115	96	215	9	956	145	277	178	346	9	1	
80	52	231	5	661	138	181	103	235	1	3	
-	2	3	-	•	•	•	•	•	•	•	
1	1	1	-	30	1	3	8	18	-	-	(778.9a)
1	1	1	-	22	1	1	6	14	-	-	
-	-	-	-	8	-	2	2	4	-	-	
-	-	-	-	•	•	•	•	•	•	•	
93	71	179	2	-	-	-	-	-	-	-	P67
42	33	98	2	-	-	-	-	-	-	-	
46	36	80	-	-	-	-	-	-	-	-	
5	2	1	-	•	•	•	•	•	•	•	
1 179	891	2 403	54	-	-	-	-	-	-	-	P68
640	493	1 252	19	-	-	-	-	-	-	-	
511	383	1 130	34	-	-	-	-	-	-	-	
28	15	21	1	•	•	•	•	•	•	•	
300	243	550	9	-	-	-	-	-	-	-	(779.9a)
151	137	269	3	-	-	-	-	-	-	-	
141	103	275	6	-	-	-	-	-	-	-	
8	3	6	-	•	•	•	•	•	•	•	
231	508	1 497	33	1 304	12	33	140	1 092	23	4	(P69～P80)
109	270	801	15	783	11	15	79	661	14	3	
109	215	668	18	521	1	18	61	431	9	1	
13	23	28	-	•	•	•	•	•	•	•	
87	193	545	12	62	-	-	5	55	2	-	P69
42	101	307	7	31	-	-	2	28	1	-	
44	89	231	5	31	-	-	3	27	1	-	
1	3	7	-	•	•	•	•	•	•	•	
2	9	40	-	28	-	-	1	27	-	-	P70
-	4	19	-	14	-	-	1	13	-	-	
2	5	21	-	14	-	-	-	14	-	-	
-	-	-	-	•	•	•	•	•	•	•	

第16表　周産期死亡数（後期死産は

のみ）—早期新生児死亡・性・妊娠

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), OR EARLY NEONATAL DEATH, SEX AND PERIOD

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total							後 Late
		総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	総数 Total
P71	先天性水頭症	320	-	16	61	239	4	-	287
	男 M.	174	-	5	31	136	2	-	156
	女 F.	144	-	11	30	101	2	-	129
	不詳 U.	2	-	-	-	2	-	-	2
P72	その他の中枢神経系および眼の先天異常	106	1	5	12	85	2	1	81
	男 M.	59	1	2	9	46	-	1	43
	女 F.	47	-	3	3	39	2	-	38
	不詳 U.	-	-	-	-	-	-	-	-
P73	循環器系の先天異常	768	3	17	78	653	17	-	217
	男 M.	442	2	6	43	381	10	-	118
	女 F.	326	1	11	35	272	7	-	99
	不詳 U.	-	-	-	-	-	-	-	-
(746)	心臓の先天異常	722	3	15	74	614	16	-	213
	男 M.	419	2	5	42	360	10	-	117
	女 F.	303	1	10	32	254	6	-	96
	不詳 U.	-	-	-	-	-	-	-	-
P74	呼吸器系の先天異常	54	4	4	7	37	2	-	16
	男 M.	34	4	2	4	23	1	-	7
	女 F.	20	-	2	3	14	1	-	9
	不詳 U.	-	-	-	-	-	-	-	-
P75	消化器系の先天異常	449	3	19	60	360	5	2	105
	男 M.	270	3	11	34	218	3	1	50
	女 F.	172	-	7	25	137	2	1	48
	不詳 U.	7	-	1	1	5	-	-	7
P76	性尿器系の先天異常	21	-	4	2	15	-	-	10
	男 M.	14	-	3	2	9	-	-	8
	女 F.	6	-	1	-	5	-	-	1
	不詳 U.	1	-	-	-	1	-	-	1
P77	筋骨格系の先天異常	194	1	8	29	151	5	-	113
	男 M.	113	1	5	18	88	1	-	62
	女 F.	81	-	3	11	63	4	-	51
	不詳 U.	-	-	-	-	-	-	-	-
P78	ダウン病	30	-	1	3	26	-	-	12
	男 M.	13	-	-	1	12	-	-	4
	女 F.	17	-	1	2	14	-	-	8
	不詳 U.	-	-	-	-	-	-	-	-
P79	その他の多系統におよぶ先天性症候群	65	-	11	9	43	2	-	43
	男 M.	31	-	4	4	21	2	-	20
	女 F.	30	-	4	4	22	-	-	19
	不詳 U.	4	-	3	1	-	-	-	4
P80	その他および詳細不明の先天異常	588	-	90	179	313	5	1	497
	男 M.	303	-	44	95	161	2	1	247
	女 F.	246	-	38	66	139	3	-	211
	不詳 U.	39	-	8	18	13	-	-	39
(P81～P88)	胎児および新生児の感染	39	-	2	7	30	-	-	-
	男 M.	23	-	2	5	16	-	-	-
	女 F.	16	-	-	2	14	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P81	下痢性疾患	4	-	-	-	4	-	-	-
	男 M.	1	-	-	-	1	-	-	-
	女 F.	3	-	-	-	3	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P82	リステリア症	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-

医師立会のみ），後期死産（医師立会

期間・原因（P分類）別

BY LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OF GESTATION

期死産（医師立会のみ） foetal deaths attended by physician				早期新生児死亡 Early neonatal deaths							国際100項目周産期分類番号（P表） International list of 100 causes(P list) number
妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	
16	57	211	3	33	-	-	4	28	1	-	P71
5	29	121	1	18	-	-	2	15	1	-	
11	28	88	2	15	-	-	2	13	-	-	
-	-	2	-	•	•	•	•	•	•	•	
5	9	65	2	25	1	-	3	20	-	1	P72
2	7	34	-	16	1	-	2	12	-	1	
3	2	31	2	9	-	-	1	8	-	-	
-	-	-	-	•	•	•	•	•	•	•	
3	17	191	6	551	3	14	61	462	11	-	P73
-	10	105	3	324	2	6	33	276	7	-	
3	7	86	3	227	1	8	28	186	4	-	
-	-	-	-	•	•	•	•	•	•	•	
2	16	189	6	509	3	13	58	425	10	-	(746)
-	10	104	3	302	2	5	32	256	7	-	
2	6	85	3	207	1	8	26	169	3	-	
-	-	-	-	•	•	•	•	•	•	•	
3	4	9	-	38	4	1	3	28	2	-	P74
1	1	5	-	27	4	1	3	18	1	-	
2	3	4	-	11	-	-	-	10	1	-	
-	-	-	-	•	•	•	•	•	•	•	
10	21	74	-	344	3	9	39	286	5	2	P75
7	14	29	-	220	3	4	20	189	3	1	
2	6	40	-	124	-	5	19	97	2	1	
1	1	5	-	•	•	•	•	•	•	•	
2	-	8	-	11	-	2	2	7	-	-	P76
2	-	6	-	6	-	1	2	3	-	-	
-	-	1	-	5	-	1	-	4	-	-	
-	-	1	-	•	•	•	•	•	•	•	
8	22	79	4	81	1	-	7	72	1	-	P77
5	12	44	1	51	1	-	6	44	-	-	
3	10	35	3	30	-	-	1	28	1	-	
-	-	-	-	•	•	•	•	•	•	•	
1	1	10	-	18	-	-	2	16	-	-	P78
-	-	4	-	9	-	-	1	8	-	-	
1	1	6	-	9	-	-	1	8	-	-	
-	-	-	-	•	•	•	•	•	•	•	
9	8	25	1	22	-	2	1	18	1	-	P79
3	4	12	1	11	-	1	-	9	1	-	
3	3	13	-	11	-	1	1	9	-	-	
3	1	-	-	•	•	•	•	•	•	•	
85	167	240	5	91	-	5	12	73	-	1	P80
42	88	115	2	56	-	2	7	46	-	1	
35	61	112	3	35	-	3	5	27	-	-	
8	18	13	-	•	•	•	•	•	•	•	
-	-	-	-	39	-	2	7	30	-	-	(P81～P88)
-	-	-	-	23	-	2	5	16	-	-	
-	-	-	-	16	-	-	2	14	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	4	-	-	-	4	-	-	P81
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	3	-	-	-	3	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	-	-	-	-	-	-	-	P82
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	

第16表　周産期死亡数（後期死産は

のみ）—早期新生児死亡・性・妊娠

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), OR EARLY NEONATAL DEATH, SEX AND PERIOD

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total 総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	後期 Late 総数 Total
P83	破傷風	2	-	-	-	2	-	-	-
	男 M.	1	-	-	-	1	-	-	-
	女 F.	1	-	-	-	1	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P84	敗血症	29	-	2	6	21	-	-	-
	男 M.	19	-	2	4	13	-	-	-
	女 F.	10	-	-	2	8	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P85	ウイルス疾患	1	-	-	-	1	-	-	-
	男 M.	1	-	-	-	1	-	-	-
	女 F.	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P86	先天梅毒	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P87	トキソプラスマ症	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P88	その他の伝染病および寄生虫病	3	-	-	1	2	-	-	-
	男 M.	1	-	-	1	-	-	-	-
	女 F.	2	-	-	-	2	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
(P89～P94)	その他の胎児および新生児の疾患	696	9	42	80	544	16	5	68
	男 M.	423	5	19	50	339	9	1	31
	女 F.	272	4	23	30	204	7	4	36
	不詳 U.	1	-	-	-	1	-	-	1
P89	甲状腺の疾患	1	-	-	-	1	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P90	膵嚢胞性線維症（ムコビチドージス）	4	-	-	-	4	-	-	-
	男 M.	3	-	-	-	3	-	-	-
	女 F.	1	-	-	-	1	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P91	血液および造血器の疾患	9	-	-	1	8	-	-	-
	男 M.	7	-	-	1	6	-	-	-
	女 F.	2	-	-	-	2	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
P92	肺炎	326	4	17	33	263	8	1	4
	男 M.	192	4	8	20	156	4	-	2
	女 F.	134	-	9	13	107	4	1	2
	不詳 U.	-	-	-	-	-	-	-	-
P93	その他の明示された疾患	312	3	22	46	234	7	-	64
	男 M.	192	1	9	29	149	4	-	29
	女 F.	119	2	13	17	84	3	-	34
	不詳 U.	1	-	-	-	1	-	-	1
(427～429)	心不全，その他の心臓疾患	62	2	1	2	55	2	-	-
	男 M.	36	1	1	1	33	-	-	-
	女 F.	26	1	-	1	22	2	-	-
	不詳 U.	-	-	-	-	-	-	-	-
(550～553)	腹腔ヘルニア	62	-	6	14	41	1	-	30
	男 M.	39	-	2	9	27	1	-	15
	女 F.	22	-	4	5	13	-	-	14
	不詳 U.	1	-	-	-	1	-	-	1

医師立会のみ），後期死産（医師立会

期間・原因（P分類）別

BY LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OF GESTATION

昭和47年
1972

期死産（医師立会のみ） foetal deaths attended by physician 妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	早期新生児死亡 Early neonatal deaths 総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	国際100項目周産期分類番号（P表） International list of 100 causes(P list) number
-	-	-	-	2	-	-	-	2	-	-	P83
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	29	-	2	6	21	-	-	P84
-	-	-	-	19	-	2	4	13	-	-	
-	-	-	-	10	-	-	2	8	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	1	-	-	-	1	-	-	P85
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	-	-	-	-	-	-	-	P86
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	-	-	-	-	-	-	-	P87
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	3	-	-	1	2	-	-	P88
-	-	-	-	1	-	-	1	-	-	-	
-	-	-	-	2	-	-	-	2	-	-	
-	-	-	-	•	•	•	•	•	•	•	
13	18	37	-	628	9	29	62	507	16	5	(P89～P94)
4	8	19	-	392	5	15	42	320	9	1	
9	10	17	-	236	4	14	20	187	7	4	
-	-	1	-	•	•	•	•	•	•	•	
-	-	-	-	1	-	-	-	1	-	-	P89
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	4	-	-	-	4	-	-	P90
-	-	-	-	3	-	-	-	3	-	-	
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	9	-	-	1	8	-	-	P91
-	-	-	-	7	-	-	1	6	-	-	
-	-	-	-	2	-	-	-	2	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	4	-	322	4	17	33	259	8	1	P92
-	-	2	-	190	4	8	20	154	4	-	
-	-	2	-	132	-	9	13	105	4	1	
-	-	-	-	•	•	•	•	•	•	•	
13	18	33	-	248	3	9	28	201	7	-	P93
4	8	17	-	163	1	5	21	132	4	-	
9	10	15	-	85	2	4	7	69	3	-	
-	-	1	-	•	•	•	•	•	•	•	
-	-	-	-	62	2	1	2	55	2	-	(427～429)
-	-	-	-	36	1	1	1	33	-	-	
-	-	-	-	26	1	-	1	22	2	-	
-	-	-	-	•	•	•	•	•	•	•	
5	10	15	-	32	-	1	4	26	1	-	(550～553)
2	5	8	-	24	-	-	4	19	1	-	
3	5	6	-	8	-	1	-	7	-	-	
-	-	1	-	•	•	•	•	•	•	•	

第16表　周産期死亡数(後期死産は

のみ)—早期新生児死亡・性・妊娠

TABLE 16　PERINATAL DEATHS, FROM CAUSES (P LIST), OR EARLY NEONATAL DEATH, SEX AND PERIOD

国際100項目周産期分類番号(P表) International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total							後 Late
		総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	総数 Total
P94	症状および診断名不明確の状態……	44	2	3	-	34	1	4	-
	男 M.	29	-	2	-	25	1	1	-
	女 F.	15	2	1	-	9	-	3	-
	不詳 U.	-	-	-	-	-	-	-	-
(PE95～PE100	新生児に損傷をもたらした外因……	72	-	2	6	39	-	25	-
	男 M.	39	-	2	5	19	-	13	-
	女 F.	33	-	-	1	20	-	12	-
	不詳 U.	-	-	-	-	-	-	-	-
PE95	過度の高温……	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
PE96	過度の低温……	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
PE97	飢餓，渇，不良環境曝露および放置…	1	-	-	-	1	-	-	-
	男 M.	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
PE98	食物の吸入または嚥下による閉塞および窒息 お…	15	-	1	2	12	-	-	-
	男 M.	11	-	1	2	8	-	-	-
	女 F.	4	-	-	-	4	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
PE99	不慮の機械的窒息……	4	-	-	-	4	-	-	-
	男 M.	1	-	-	-	1	-	-	-
	女 F.	3	-	-	-	3	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-
PE100	その他の外因……	52	-	1	4	22	-	25	-
	男 M.	27	-	1	3	10	-	13	-
	女 F.	25	-	-	1	12	-	12	-
	不詳 U.	-	-	-	-	-	-	-	-
(E960～E968)	他殺……	43	-	1	2	19	-	21	-
	男 M.	22	-	1	2	9	-	10	-
	女 F.	21	-	-	-	10	-	11	-
	不詳 U.	-	-	-	-	-	-	-	-

医師立会のみ)，後期死産(医師立会

期間・原因(P分類)別

BY LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OF GESTATION

昭和47年
1972

期死産(医師立会のみ) foetal deaths attended by physician				早期新生児死亡 Early neonatal deaths							国際100項目周産期分類番号(P表) International list of 100 causes(P list) number
妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	総数 Total	妊娠第8月未満～7 completed months of gestation	妊娠第8月 7 completed months of gestation	妊娠第9月 8 completed months of gestation	妊娠第10月 9 completed months of gestation	妊娠第11月 10 completed months of gestation	不詳 Unknown	
-	-	-	-	44	2	3	-	34	1	4	P94
-	-	-	-	29	-	2	-	25	1	1	
-	-	-	-	15	2	1	-	9	-	3	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	72	-	2	6	39	-	25	(PE95～PE100)
-	-	-	-	39	-	2	5	19	-	13	
-	-	-	-	33	-	-	1	20	-	12	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	-	-	-	-	-	-	-	PE95
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	-	-	-	-	-	-	-	PE96
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	1	-	-	-	1	-	-	PE97
-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	15	-	1	2	12	-	-	PE98
-	-	-	-	11	-	1	2	8	-	-	
-	-	-	-	4	-	-	-	4	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	4	-	-	-	4	-	-	PE99
-	-	-	-	1	-	-	-	1	-	-	
-	-	-	-	3	-	-	-	3	-	-	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	52	-	1	4	22	-	25	PE100
-	-	-	-	27	-	1	3	10	-	13	
-	-	-	-	25	-	-	1	12	-	12	
-	-	-	-	•	•	•	•	•	•	•	
-	-	-	-	43	-	1	2	19	-	21	(E960～E968)
-	-	-	-	22	-	1	2	9	-	10	
-	-	-	-	21	-	-	-	10	-	11	
-	-	-	-	•	•	•	•	•	•	•	

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

総　数 1)
Total

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary) mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
	総数 Total	36 906	2 345	6 247	6 840	5 626	6 099	474	5 999	2 370	854	526	2.28
	男 M.	20 976	1 110	3 451	4 057	3 288	3 301	254	3 471	1 494	547	257	2.31
	女 F.	15 732	1 207	2 760	2 756	2 312	2 779	220	2 519	871	304	224	2.24
	不詳 U.	198	28	36	27	26	19	-	9	5	3	45	1.87
（P1～P4）	母体の慢性循環器疾患および慢性性尿器疾患	132	12	31	36	10	21	1	16	6	-	-	2.00
	男 M.	77	4	19	18	6	13	-	13	4	-	-	2.14
	女 F.	55	8	12	18	4	8	1	3	2	-	-	1.79
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P1	慢性リウマチ性心疾患	3	-	2	-	1	-	-	-	-	-	-	1.55
	男 M.	1	-	1	-	-	-	-	-	-	-	-	1.25
	女 F.	2	-	1	-	1	-	-	-	-	-	-	1.70
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P2	慢性高血圧症	26	4	5	5	2	5	-	5	-	-	-	2.00
	男 M.	19	1	5	3	1	4	-	5	-	-	-	2.23
	女 F.	7	3	-	2	1	1	-	-	-	-	-	1.39
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P3	その他の循環器系の慢性疾患	59	3	12	15	4	11	1	9	5	-	-	2.19
	男 M.	31	1	5	6	3	6	-	6	4	-	-	2.41
	女 F.	28	2	7	9	1	5	1	3	1	-	-	1.95
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P4	性尿器系の慢性疾患	44	5	12	16	3	5	-	2	1	-	-	1.76
	男 M.	26	2	8	9	2	3	-	2	-	-	-	1.80
	女 F.	18	3	4	7	1	2	-	-	1	-	-	1.71
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P5～P11）	その他の妊娠に関連のない母体側の状態	640	53	145	129	93	78	7	64	30	35	13	2.15
	男 M.	370	29	87	75	48	48	6	32	20	21	10	2.15
	女 F.	267	24	58	54	43	30	1	32	10	14	2	2.14
	不詳 U.	3	-	-	-	2	-	-	-	-	-	1	2.30
P5	梅毒	24	3	5	3	4	4	-	3	1	-	1	2.05
	男 M.	9	-	2	2	2	2	-	-	-	-	1	1.99
	女 F.	14	3	3	1	1	2	-	3	1	-	-	2.07
	不詳 U.	1	-	-	-	1	-	-	-	-	-	-	2.15
P6	糖尿病	107	2	9	6	12	10	1	21	10	33	4	3.25
	男 M.	64	-	7	4	7	7	1	10	7	19	3	3.20
	女 F.	42	2	2	2	4	3	-	11	3	14	1	3.35
	不詳 U.	1	-	-	-	1	-	-	-	-	-	-	2.45
P7	風疹	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P8	母体の損傷	107	5	17	29	19	20	2	10	5	-	2	2.11
	男 M.	64	3	11	14	9	13	2	7	5	-	2	2.18
	女 F.	43	2	6	15	10	7	-	3	-	-	-	2.00
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P9	母体の手術	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P10	胎盤通過性化学物質の作用	4	-	-	2	-	1	-	1	-	-	-	2.40
	男 M.	3	-	-	1	-	1	-	1	-	-	-	2.62
	女 F.	1	-	-	1	-	-	-	-	-	-	-	1.75
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P11	その他の母体側の状態	398	43	114	89	58	43	4	29	14	2	6	1.87
	男 M.	230	26	67	54	30	25	3	14	8	2	4	1.85
	女 F.	167	17	47	35	28	18	1	15	6	-	1	1.89
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-
（761.9 i）	過労	71	10	28	14	8	3	1	4	3	-	1	1.67
	男 M.	44	6	19	8	4	2	1	3	1	-	1	1.64
	女 F.	27	4	9	6	4	1	-	1	2	-	-	1.71
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P12～P17）	妊娠中毒症	3 818	292	851	881	690	489	39	386	130	57	42	2.03
	男 M.	2 112	125	442	499	431	262	17	216	76	42	19	2.09
	女 F.	1 700	167	409	381	259	227	22	169	53	15	20	1.97
	不詳 U.	6	-	-	1	-	-	-	1	1	-	3	2.85
P12	妊娠時に起きた腎疾患	448	25	79	102	105	57	8	43	22	6	9	2.11
	男 M.	239	11	40	57	60	29	4	17	14	5	6	2.14
	女 F.	209	14	39	45	45	28	4	26	8	1	3	2.08
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P13	子癇前症	511	57	166	115	75	49	3	31	9	2	7	1.78
	男 M.	288	19	92	67	55	31	2	17	2	2	3	1.85
	女 F.	223	38	74	48	20	18	1	14	7	-	4	1.70
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P14	子癇	120	2	26	25	21	17	1	20	7	2	-	2.25
	男 M.	63	1	9	13	11	10	-	13	4	2	-	2.43
	女 F.	57	1	17	12	10	7	1	7	3	-	-	2.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P15	詳細不明の妊娠中毒症	2 699	206	576	634	483	360	27	282	87	45	26	2.03
	男 M.	1 503	93	300	358	301	190	11	144	55	32	10	2.10
	女 F.	1 190	113	276	275	182	170	16	117	31	13	13	1.98
	不詳 U.	6	-	-	1	-	-	-	1	1	-	3	2.85
P16	妊娠悪阻	7	1	2	1	-	1	-	-	1	1	-	2.16
	男 M.	5	1	1	1	-	-	-	-	1	1	-	2.23
	女 F.	2	-	1	-	-	1	-	-	-	-	-	2.00
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P17	その他の妊娠中毒症	33	1	2	4	6	5	-	10	4	1	-	2.66
	男 M.	14	-	-	3	4	2	-	5	-	-	-	2.56
	女 F.	19	1	2	1	2	3	-	5	4	1	-	2.73
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P18～P20）	母体の分娩前および分娩時の感染	211	7	19	26	20	44	2	58	29	7	1	2.69
	男 M.	114	5	9	13	9	24	2	33	16	4	1	2.73
	女 F.	97	2	10	13	11	20	-	25	13	3	-	2.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P18	妊娠時の腎盂炎および腎盂腎炎	21	-	6	8	2	2	-	2	1	-	-	1.98
	男 M.	13	-	5	6	-	1	-	1	-	-	-	1.73
	女 F.	8	-	1	2	2	1	-	1	1	-	-	2.39
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P19	その他の妊娠時の性尿器の感染	10	-	1	1	-	6	-	1	1	-	-	2.72
	男 M.	4	-	-	1	-	2	-	1	-	-	-	2.78
	女 F.	6	-	1	-	-	4	-	-	1	-	-	2.68
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P20	その他	180	7	12	17	18	36	2	55	27	7	1	2.78
	男 M.	97	5	4	6	9	21	2	31	16	4	1	2.86
	女 F.	83	2	8	11	9	15	-	24	11	3	-	2.68
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P21～P23）	骨盤の骨，臓器または組織の異常を伴う難産	553	2	18	26	42	117	7	232	87	28	1	3.05
	男 M.	322	-	9	16	24	45	4	147	60	20	1	3.13
	女 F.	230	2	9	10	18	72	3	85	26	8	-	2.94
	不詳 U.	1	-	-	-	-	-	-	-	1	-	-	3.85
P21	脳または脊髄の出生時損傷を伴うもの	103	-	-	1	7	21	1	56	15	2	1	3.15
	男 M.	63	-	-	-	3	8	1	39	11	1	1	3.23
	女 F.	40	-	-	1	4	13	-	17	4	1	-	3.02
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

注：1）死亡の時期不詳を含む。

Note : 1) Includes time of deaths unknown.

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

総　数 1)
Total

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(764.0a, 764.1a)	骨盤骨の異常を伴うもの……	44	-	-	-	4	11	1	19	9	-	1	3.13
	男 M.	30	-	-	-	2	4	1	17	6	-	1	3.20
	女 F.	14	-	-	-	2	7	-	2	3	-	-	2.99
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P22	その他または詳細不明の出生時損傷を…伴うもの	5	-	1	-	-	1	-	1	-	2	-	3.21
	男 M.	1	-	1	-	-	-	-	-	-	-	-	1.25
	女 F.	4	-	-	-	-	1	-	1	-	2	-	3.70
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(764.2a, 764.3a)	骨盤骨の異常を伴うもの……	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P23	出生時損傷の記載のないもの……	445	2	17	25	35	95	6	175	72	24	-	3.03
	男 M.	258	-	8	16	21	37	3	108	49	19	-	3.11
	女 F.	186	2	9	9	14	58	3	67	22	5	-	2.90
	不詳 U.	1	-	-	-	-	-	-	-	1	-	-	3.85
(764.4a, 764.9a)	骨盤骨の異常を伴うもの……	161	-	1	5	15	38	4	66	27	9	-	3.13
	男 M.	97	-	1	1	9	13	2	47	19	7	-	3.24
	女 F.	64	-	-	4	6	25	2	19	8	2	-	2.95
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P24～P26)	胎児の骨盤不適合を伴う難産……	319	-	1	6	6	28	1	72	76	125	5	3.77
	男 M.	193	-	1	3	2	16	1	41	50	77	3	3.80
	女 F.	125	-	-	3	4	12	-	31	26	47	2	3.70
	不詳 U.	1	-	-	-	-	-	-	-	-	1	-	4.45
P24	脳または脊髄の出生時損傷を伴うもの…	41	-	-	-	1	6	-	13	9	12	-	3.60
	男 M.	24	-	-	-	1	3	-	6	6	8	-	3.67
	女 F.	17	-	-	-	-	3	-	7	3	4	-	3.50
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P25	その他または詳細不明の出生時損傷を…伴うもの	1	-	-	-	-	-	-	-	-	1	-	4.15
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-	4.15
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P26	出生時損傷の記載のないもの……	277	-	1	6	5	22	1	59	67	112	5	3.79
	男 M.	169	-	1	3	1	13	1	35	44	69	3	3.82
	女 F.	107	-	-	3	4	9	-	24	23	42	2	3.73
	不詳 U.	1	-	-	-	-	-	-	-	-	1	-	4.45
(P27～P29)	胎児の位置異常を伴う難産……	1 811	39	149	201	226	410	17	506	225	50	5	2.72
	男 M.	1 064	22	85	120	133	213	10	307	153	29	2	2.75
	女 F.	741	17	63	79	92	196	7	199	72	21	2	2.68
	不詳 U.	6	-	1	2	1	1	-	-	-	-	1	1.97
P27	脳または脊髄の出生時損傷を伴うもの…	95	-	2	6	7	22	-	32	21	5	-	3.10
	男 M.	68	-	1	3	6	15	-	21	17	5	-	3.17
	女 F.	27	-	1	3	1	7	-	11	4	-	-	2.90
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(766.0a, 766.1a)	骨盤位……	41	-	2	3	5	13	-	13	4	1	-	2.85
	男 M.	25	-	1	2	4	7	-	7	3	1	-	2.87
	女 F.	16	-	1	1	1	6	-	6	1	-	-	2.81
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P28	その他または詳細不明の出生時損傷を…伴うもの	3	-	-	-	-	1	-	-	2	-	-	3.38
	男 M.	1	-	-	-	-	-	-	-	1	-	-	3.55
	女 F.	2	-	-	-	-	1	-	-	1	-	-	3.30
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(766.2a, 766.3a)	骨盤位……	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

注：1）死亡の時期不詳を含む。

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P29	出生時損傷の記載のないもの……	1 713	39	147	195	219	387	17	474	202	45	5	2.69
	男 M.	995	22	84	117	127	198	10	286	135	24	2	2.72
	女 F.	712	17	62	76	91	188	7	188	67	21	2	2.67
	不詳 U.	6	-	1	2	1	1	-	-	-	-	1	1.97
(766.4a, 766.9a)	骨盤位……	1 020	24	96	119	124	256	11	274	103	20	4	2.65
	男 M.	568	14	49	69	67	125	7	168	65	9	2	2.68
	女 F.	447	10	47	48	56	130	4	106	38	11	1	2.62
	不詳 U.	5	-	-	2	1	1	-	-	-	-	1	2.18
(P30～P32)	娩出力異常を伴う難産……	482	5	13	18	48	90	5	175	78	29	26	3.05
	男 M.	277	-	7	8	26	42	3	112	47	22	13	3.15
	女 F.	204	5	6	9	22	48	2	63	31	7	13	2.92
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.95
P30	脳または脊髄の出生時損傷を伴うもの…	53	-	-	1	2	9	-	25	12	4	-	3.25
	男 M.	36	-	-	-	2	5	-	19	7	3	-	3.27
	女 F.	17	-	-	1	-	4	-	6	5	1	-	3.20
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P31	その他または詳細不明の出生時損傷を…伴うもの	1	-	-	-	-	-	-	-	1	-	-	3.65
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-	3.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P32	出生時損傷の記載のないもの……	428	5	13	17	46	81	5	150	65	25	26	3.02
	男 M.	241	-	7	8	24	37	3	93	40	19	13	3.13
	女 F.	186	5	6	8	22	44	2	57	25	6	13	2.88
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.95
(P33～P35)	その他および詳細不明の合併症を伴う…難産	403	-	11	16	19	79	2	134	94	46	4	3.23
	男 M.	231	-	4	10	14	40	1	67	60	33	3	3.29
	女 F.	172	-	7	6	5	39	1	67	34	13	1	3.15
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P33	脳または脊髄の出生時損傷を伴うもの…	52	-	-	2	2	10	1	16	16	5	1	3.33
	男 M.	32	-	-	1	2	6	1	8	11	3	1	3.32
	女 F.	20	-	-	1	-	4	-	8	5	2	-	3.34
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P34	その他または詳細不明の出生時損傷を…伴うもの	2	-	-	-	-	-	-	1	1	-	-	3.50
	男 M.	1	-	-	-	-	-	-	-	1	-	-	3.65
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.35
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P35	出生時損傷の記載のないもの……	349	-	11	14	17	69	1	117	77	41	3	3.21
	男 M.	198	-	4	9	12	34	-	59	48	30	2	3.28
	女 F.	151	-	7	5	5	35	1	58	29	11	1	3.13
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P36～P41)	その他の妊娠および分娩の合併症……	2 870	364	953	758	375	200	27	126	42	10	42	1.69
	男 M.	1 658	174	556	473	228	104	12	72	26	7	18	1.71
	女 F.	1 201	188	395	283	145	96	15	54	16	3	21	1.66
	不詳 U.	11	2	2	2	2	-	-	-	-	-	3	1.46
P36	頸管無力症……	470	88	208	132	27	7	-	1	-	-	7	1.39
	男 M.	292	51	126	87	19	4	-	-	-	-	5	1.40
	女 F.	177	37	81	45	8	3	-	1	-	-	2	1.36
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.05
P37	早期破水……	1 125	112	346	299	160	93	15	71	20	7	17	1.79
	男 M.	655	47	194	199	92	55	7	44	12	5	7	1.83
	女 F.	468	65	151	100	67	38	8	27	8	2	10	1.73
	不詳 U.	2	-	1	-	1	-	-	-	-	-	-	1.75
P38	羊水過多症……	466	33	116	116	93	58	9	31	13	3	3	1.94
	男 M.	245	15	66	60	56	22	4	14	9	2	1	1.93
	女 F.	217	17	50	54	36	36	5	17	4	1	2	1.96
	不詳 U.	4	1	-	2	1	-	-	-	-	-	-	1.65

Note：1) Includes time of deaths unknown.

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

総　数 1)
Total

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1 kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary mention) 2500 g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P39	子宮外妊娠	4	1	-	1	1	-	-	-	1	-	-	2.05
	男 M.	2	1	-	-	1	-	-	-	-	-	-	1.40
	女 F.	2	-	-	1	-	-	-	-	1	-	-	2.70
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P40	多胎妊娠	458	77	171	131	51	14	-	3	-	-	11	1.48
	男 M.	257	34	101	80	30	7	-	3	-	-	2	1.52
	女 F.	198	42	70	51	21	7	-	-	-	-	7	1.42
	不詳 U.	3	1	-	-	-	-	-	-	-	-	2	0.55
P41	その他の妊娠または分娩の合併症	347	53	112	79	43	28	3	20	8	-	4	1.70
	男 M.	207	26	69	47	30	16	1	11	5	-	3	1.73
	女 F.	139	27	43	32	13	12	2	9	3	-	-	1.66
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-
(P42～P46)	胎盤異常	3 267	144	554	786	588	571	46	437	150	20	17	2.19
	男 M.	1 822	77	303	441	341	301	23	248	90	12	9	2.20
	女 F.	1 441	66	251	345	246	269	23	189	59	8	8	2.18
	不詳 U.	4	1	-	-	1	1	-	-	1	-	-	2.35
P42	前置胎盤	1 311	75	355	454	224	126	11	57	15	1	4	1.83
	男 M.	761	40	206	253	141	74	8	35	10	-	2	1.85
	女 F.	548	34	149	201	82	52	3	22	5	1	2	1.80
	不詳 U.	2	1	-	-	1	-	-	-	-	-	-	1.50
P43	胎盤早期剝離	1 088	24	120	215	248	251	24	170	50	6	4	2.35
	男 M.	624	13	56	123	145	141	11	106	33	5	2	2.40
	女 F.	463	11	64	92	103	109	13	64	17	1	2	2.29
	不詳 U.	1	-	-	-	-	1	-	-	-	-	-	2.75
P44	胎盤硬塞	45	2	4	7	7	11	-	12	2	-	-	2.49
	男 M.	25	2	3	4	4	6	-	4	2	-	-	2.37
	女 F.	20	-	1	3	3	5	-	8	-	-	-	2.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P45	その他の胎盤の異常	188	16	17	25	24	50	4	40	14	1	1	2.43
	男 M.	89	6	12	16	12	14	-	20	8	-	1	2.35
	女 F.	99	10	5	9	12	36	4	20	6	1	-	2.50
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P46	詳細不明の胎盤の異常	635	27	58	85	85	133	7	158	69	12	8	2.58
	男 M.	323	16	26	45	39	66	4	83	37	7	4	2.61
	女 F.	311	11	32	40	46	67	3	75	31	5	4	2.55
	不詳 U.	1	-	-	-	-	-	-	-	1	-	-	3.65
(P47～P49)	臍帯異常	3 567	137	255	343	481	821	47	994	373	119	44	2.69
	男 M.	1 991	72	136	190	245	443	23	575	233	79	18	2.74
	女 F.	1 568	65	119	151	236	376	24	418	139	40	24	2.62
	不詳 U.	8	-	-	2	-	2	-	1	1	-	2	2.65
P47	臍帯圧迫	478	24	45	59	68	100	7	113	46	14	9	2.55
	男 M.	269	12	27	32	34	50	2	68	32	10	4	2.63
	女 F.	208	12	18	27	34	50	5	45	14	4	4	2.46
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-
P48	臍帯圧迫の記載のない臍帯脱出	533	7	41	49	72	140	9	156	52	11	5	2.72
	男 M.	306	6	23	26	40	70	3	95	36	8	2	2.76
	女 F.	226	1	18	22	32	70	6	61	16	3	3	2.66
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.55
P49	その他	2 556	106	169	235	341	581	31	725	275	94	30	2.71
	男 M.	1 416	54	86	132	171	323	18	412	165	61	12	2.76
	女 F.	1 134	52	83	102	170	256	13	312	109	33	17	2.64
	不詳 U.	6	-	-	1	-	2	-	1	1	-	1	2.87
(771.9a)	臍帯巻絡	1 790	23	83	116	222	441	26	593	233	86	13	2.91
	男 M.	1 021	13	34	68	112	250	15	341	143	55	5	2.94
	女 F.	763	10	29	47	110	189	11	251	89	31	7	2.86
	不詳 U.	6	-	-	1	-	2	-	1	1	-	1	2.87

注：1）死亡の時期不詳を含む。

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1 kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary mention) 2500 g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(P50～P52)	原因の記載のない出生時損傷	1 115	59	172	190	129	168	7	253	99	30	15	2.42
	男 M.	658	29	105	109	75	101	2	149	60	20	10	2.43
	女 F.	454	29	65	81	54	67	5	104	39	10	5	2.40
	不詳 U.	3	1	2	-	-	-	-	-	-	-	-	1.05
P50	脳または脊髄の出生時損傷	648	19	45	87	67	119	5	205	77	27	2	2.73
	男 M.	393	7	26	51	47	74	2	120	48	18	2	2.76
	女 F.	255	12	19	36	20	45	3	85	29	9	-	2.69
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P51	その他または詳細不明の出生時損傷	39	-	3	-	6	8	-	12	8	2	-	3.03
	男 M.	25	-	2	-	2	6	-	9	5	1	-	3.05
	女 F.	14	-	1	-	4	2	-	3	3	1	-	3.01
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P52	原因の記載のない妊娠の中絶	428	40	124	103	56	41	2	36	14	1	13	1.87
	男 M.	240	22	77	58	26	21	-	20	7	1	8	1.82
	女 F.	185	17	45	45	30	20	2	16	7	-	5	1.95
	不詳 U.	3	1	2	-	-	-	-	-	-	-	-	1.05
(P53～P56)	新生児溶血性疾患	177	1	13	19	35	41	3	38	22	8	-	2.71
	男 M.	111	-	5	14	20	27	2	25	17	3	-	2.78
	女 F.	66	1	8	5	15	14	1	13	5	5	-	2.61
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P53	Rh因子不適合を伴うもの	11	-	1	1	2	3	-	3	1	-	-	2.68
	男 M.	7	-	1	1	-	2	-	2	1	-	-	2.65
	女 F.	4	-	-	-	2	1	-	1	-	-	-	2.73
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P54	ABO因子不適合を伴うもの	5	-	-	1	-	1	-	2	1	-	-	2.99
	男 M.	4	-	-	1	-	1	-	1	1	-	-	2.98
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P55	その他または詳細不明の血液型不適合を伴うもの	19	1	2	2	2	6	2	5	1	-	-	2.45
	男 M.	13	-	-	2	1	5	1	5	-	-	-	2.72
	不女 F.	6	1	2	-	1	1	1	-	1	-	-	1.86
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P56	原因の記載のないもの	142	-	10	15	31	31	1	28	19	8	-	2.74
	男 M.	87	-	4	10	19	19	1	17	15	3	-	2.79
	女 F.	55	-	6	5	12	12	-	11	4	5	-	2.68
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P57～P60)	他に分類されない無酸素症および低酸素症	2 973	167	551	668	453	487	49	424	162	41	20	2.20
	男 M.	1 827	77	319	449	303	291	28	248	105	23	12	2.22
	女 F.	1 145	90	231	219	150	196	21	176	57	18	8	2.17
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.15
P57	硝子様膜症および呼吸窮迫症候群	834	46	167	243	142	104	8	87	35	6	4	2.07
	男 M.	534	20	101	169	96	71	7	52	18	4	3	2.08
	女 F.	300	26	66	74	46	33	1	35	17	2	1	2.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P58	子宮内無酸素症	14	-	1	2	2	2	-	6	1	-	-	2.68
	男 M.	6	-	-	1	2	1	-	2	-	-	-	2.53
	女 F.	8	-	1	1	-	1	-	4	1	-	-	2.79
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P59	詳細不明の新生児仮死	2 045	121	383	418	302	358	41	302	115	31	15	2.22
	男 M.	1 240	57	218	277	200	207	21	176	80	17	8	2.24
	女 F.	804	64	164	141	102	151	20	126	35	14	7	2.18
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.15
P60	その他の他に分類されない無酸素症および低酸素症	80	-	-	5	7	23	-	29	11	4	1	3.03
	男 M.	47	-	-	2	5	12	-	18	7	2	1	3.05
	女 F.	33	-	-	3	2	11	-	11	4	2	-	3.00
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

Note：1) Includes time of deaths unknown.

第17表　周産期死亡数（後期死産は医師立会のみ），後期死産（医師立会のみ）—早期新生児死亡・性・胎児死亡の時期・原因（P分類）・出産時の体重（平均体重を含む）別

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary) mention / 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(P61～P68)	その他の胎児および新生児の状態	10 188	961	2 110	2 208	1 607	1 373	137	1 157	408	136	228	2.05
	男 M.	5 686	453	1 163	1 334	941	722	78	633	247	87	106	2.07
	女 F.	4 414	491	934	867	660	646	59	518	161	49	88	2.03
	不詳 U.	88	17	13	7	6	5	-	6	-	-	34	1.63
P61	詳細不明の未熟児	2 161	315	746	701	332	44	16	7	-	-	16	1.53
	男 M.	1 259	141	417	454	210	25	10	5	-	-	7	1.58
	女 F.	892	172	326	245	122	19	6	2	-	-	6	1.47
	不詳 U.	10	2	3	2	-	-	-	-	-	-	3	1.24
P62	出生前の胎児の血液喪失	1	-	-	-	-	-	-	1	-	-	-	3.05
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.05
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P63	過熟児	36	-	-	-	-	5	-	8	9	14	-	3.89
	男 M.	19	-	-	-	-	1	-	4	5	9	-	4.02
	女 F.	17	-	-	-	-	4	-	4	4	5	-	3.74
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P64	新生児の出血性疾患	693	16	80	136	127	138	16	140	42	13	1	2.42
	男 M.	437	8	47	86	85	82	11	90	30	8	1	2.45
	女 F.	256	8	33	50	42	56	5	50	12	5	-	2.37
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P65	寒冷傷害症候群	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P66	その他の胎児の異常	2 425	196	538	556	461	306	30	231	80	38	19	2.03
	男 M.	1 391	83	302	347	278	174	15	127	46	24	10	2.05
	女 F.	1 029	112	236	208	181	132	15	103	34	14	9	1.99
	不詳 U.	5	1	-	1	2	-	-	1	-	-	-	2.07
(778.9a)	新生児の黄疸	33	-	2	6	8	11	1	3	-	3	-	2.57
	男 M.	25	-	2	3	6	8	1	3	-	3	-	2.68
	女 F.	8	-	-	3	2	3	-	-	-	-	-	2.21
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P67	浸軟児	345	53	60	52	47	55	8	31	15	6	26	2.01
	男 M.	175	25	29	23	19	36	5	19	11	5	8	2.15
	女 F.	162	25	31	29	27	19	3	12	4	1	14	1.87
	不詳 U.	8	3	-	-	1	-	-	-	-	-	4	1.15
P68	原因不明の胎児死亡	4 527	381	686	763	640	825	67	739	262	65	166	2.25
	男 M.	2 404	196	368	424	349	404	37	387	155	41	80	2.25
	女 F.	2 058	174	308	335	288	416	30	347	107	24	59	2.26
	不詳 U.	65	11	10	4	3	5	-	5	-	-	27	1.69
(779.9a)	子宮内胎児死亡	1 102	104	186	181	169	191	17	155	51	17	48	2.17
	男 M.	560	54	89	95	96	81	8	86	31	10	18	2.20
	女 F.	525	49	95	86	73	110	9	69	20	7	16	2.16
	不詳 U.	17	1	2	-	-	-	-	-	-	-	14	0.95
(P69～P80)	先天異常	3 573	96	365	465	698	879	63	693	266	87	24	2.52
	男 M.	1 978	40	179	246	376	496	37	413	163	51	14	2.57
	女 F.	1 531	49	170	207	308	373	26	279	102	34	9	2.47
	不詳 U.	64	7	16	12	14	10	-	1	1	2	1	1.94
P69	無脳症	899	42	174	165	214	195	16	90	11	4	4	2.12
	男 M.	488	15	87	91	116	114	10	54	9	1	1	2.18
	女 F.	400	27	84	74	95	79	6	35	2	1	3	2.03
	不詳 U.	11	-	3	-	3	2	-	1	-	2	-	2.71
P70	二分脊椎	79	-	2	5	16	26	1	19	9	2	-	2.80
	男 M.	37	-	1	2	6	10	-	13	4	1	-	2.87
	女 F.	42	-	1	3	10	16	1	6	5	1	-	2.74
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P71	先天性水頭症	320	7	26	32	55	76	6	71	30	19	4	2.69
	男 M.	174	3	8	13	33	39	2	43	21	10	4	2.80
	女 F.	144	4	18	19	22	36	4	28	8	9	-	2.55
	不詳 U.	2	-	-	-	-	1	-	-	1	-	-	3.30
P72	その他の中枢神経系および眼の先天異常	106	2	6	15	22	27	2	21	10	1	2	2.56
	男 M.	59	1	3	11	10	16	1	11	6	-	1	2.53
	女 F.	47	1	3	4	12	11	1	10	4	1	1	2.60
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P73	循環器系の先天異常	768	4	19	49	122	216	10	237	92	28	1	2.89
	男 M.	442	-	11	29	68	119	6	138	59	18	-	2.92
	女 F.	326	4	8	20	54	97	4	99	33	10	1	2.85
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(746)	心臓の先天異常	722	4	17	46	113	208	10	220	86	27	1	2.89
	男 M.	419	-	11	27	65	113	6	129	57	17	-	2.91
	女 F.	303	4	6	19	48	95	4	91	29	10	1	2.85
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P74	呼吸器系の先天異常	54	1	6	7	6	16	1	13	5	-	-	2.56
	男 M.	34	1	5	3	3	11	1	8	3	-	-	2.53
	女 F.	20	-	1	4	3	5	-	5	2	-	-	2.61
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P75	消化器系の先天異常	449	-	20	58	79	143	13	86	49	12	2	2.71
	男 M.	270	-	10	28	45	85	8	61	30	10	1	2.78
	女 F.	172	-	10	26	34	55	5	25	19	2	1	2.61
	不詳 U.	7	-	-	4	-	3	-	-	-	-	-	2.14
P76	性尿器系の先天異常	21	-	1	3	6	5	-	4	1	1	-	2.55
	男 M.	14	-	1	2	3	4	-	2	1	1	-	2.61
	女 F.	6	-	-	-	3	1	-	2	-	-	-	2.55
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.75
P77	筋骨格系の先天異常	194	5	16	19	32	48	2	49	23	1	1	2.65
	男 M.	113	4	7	13	18	30	2	29	11	1	-	2.63
	女 F.	81	1	9	6	14	18	-	20	12	-	1	2.67
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P78	ダウン病	30	-	1	1	6	9	1	10	3	-	-	2.84
	男 M.	13	-	-	1	3	3	-	5	1	-	-	2.83
	女 F.	17	-	1	-	3	6	1	5	2	-	-	2.84
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P79	その他の多系統におよぶ先天性症候群	65	4	4	14	16	7	1	12	3	4	1	2.42
	男 M.	31	-	2	9	8	3	-	5	3	-	1	2.39
	女 F.	30	1	2	4	8	4	1	7	-	4	-	2.64
	不詳 U.	4	3	-	1	-	-	-	-	-	-	-	1.05
P80	その他および詳細不明の先天異常	588	31	90	97	124	111	10	81	30	15	9	2.29
	男 M.	303	16	44	44	63	62	7	44	15	9	6	2.33
	女 F.	246	11	33	47	50	45	3	37	15	6	2	2.32
	不詳 U.	39	4	13	6	11	4	-	-	-	-	1	1.71
(P81～P88)	胎児および新生児の感染	39	-	2	3	4	10	1	16	1	3	-	2.89
	男 M.	23	-	1	3	3	5	-	8	-	3	-	2.88
	女 F.	16	-	1	-	1	5	1	8	1	-	-	2.92
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P81	下痢性疾患	4	-	-	-	-	-	-	4	-	-	-	3.23
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.15
	女 F.	3	-	-	-	-	-	-	3	-	-	-	3.25
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P82	リステリア症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

総数 1) Total

注：1）死亡の時期不詳を含む。

Note : 1) Includes time of deaths unknown.

第17表　周産期死亡数(後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

総　数 1)
Total

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号(P表) International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P83	破傷風	2	-	-	-	-	-	-	2	-	-	-	3.15
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.25
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P84	敗血症	29	-	2	2	4	10	1	8	-	3	-	2.81
	男 M.	19	-	1	2	3	5	-	5	-	3	-	2.88
	女 F.	10	-	1	-	1	5	1	3	-	-	-	2.67
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P85	ウイルス疾患	1	-	-	-	-	-	-	1	-	-	-	3.45
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.45
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P86	先天梅毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P87	トキソプラスマ症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P88	その他の伝染病および寄生虫病	3	-	-	1	-	-	-	1	1	-	-	2.92
	男 M.	1	-	-	1	-	-	-	-	-	-	-	1.55
	女 F.	2	-	-	-	-	-	-	1	1	-	-	3.60
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P89～P94)	その他の胎児および新生児の疾患	696	6	33	59	98	179	11	203	88	21	9	2.83
	男 M.	423	3	21	34	60	101	5	124	65	13	2	2.86
	女 F.	272	3	11	25	38	78	6	79	23	8	7	2.79
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.25
P89	甲状腺の疾患	1	-	-	-	-	-	-	1	-	-	-	3.35
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.35
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P90	膵嚢胞性腺維症(ムコビチドージス)	4	-	-	-	1	2	-	1	-	-	-	2.75
	男 M.	3	-	-	-	1	1	-	1	-	-	-	2.68
	女 F.	1	-	-	-	-	1	-	-	-	-	-	2.95
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P91	血液および造血器の疾患	9	-	-	-	1	2	-	4	1	-	1	3.06
	男 M.	7	-	-	-	1	1	-	4	1	-	-	3.09
	女 F.	2	-	-	-	-	1	-	-	-	-	1	2.85
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P92	肺炎	326	2	13	25	52	88	7	99	38	8	1	2.84
	男 M.	192	2	9	11	32	51	3	55	28	4	-	2.85
	女 F.	134	-	4	14	20	37	4	44	10	4	1	2.82
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P93	その他の明示された疾患	312	3	19	31	40	77	4	90	40	11	1	2.80
	男 M.	192	1	12	20	23	41	2	58	29	8	-	2.84
	女 F.	119	2	6	11	17	36	2	32	11	3	1	2.74
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.25
(427～429)	心不全，その他の心臓疾患	62	-	3	-	3	22	2	26	6	2	-	2.99
	男 M.	36	-	1	-	2	13	2	16	3	1	-	2.99
	女 F.	26	-	2	-	1	9	-	10	3	1	-	2.98
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(550～553)	腹腔ヘルニア	62	2	7	10	13	10	-	12	7	-	1	2.44
	男 M.	39	1	5	5	7	5	-	10	6	-	-	2.56
	女 F.	22	1	1	5	6	5	-	2	1	-	1	2.28
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.25

注：1）死亡の時期不詳を含む。

医師立会のみ)，後期死産(医師立会のみ)—

(P分類)・出産時の体重(平均体重を含む) 別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号(P表) International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P94	症状および診断名不明確の状態	44	1	1	3	4	10	-	8	9	2	6	2.95
	男 M.	29	-	-	3	3	7	-	6	7	1	2	3.01
	女 F.	15	1	1	-	1	3	-	2	2	1	4	2.80
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(PE95～PE100)	新生児に損傷をもたらした外因	72	-	1	2	4	14	2	15	4	2	30	2.93
	男 M.	39	-	-	2	3	7	-	8	2	1	16	2.88
	女 F.	33	-	1	-	1	7	2	7	2	1	14	2.98
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE95	過度の高温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE96	過度の低温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE97	飢餓，渇，不良環境曝露および放置	1	-	-	-	-	-	-	1	-	-	-	3.05
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE98	食物の吸入または嚥下による閉塞および窒息	15	-	-	-	4	4	1	3	2	2	-	2.95
	男 M.	11	-	-	-	3	3	-	3	1	1	-	2.88
	女 F.	4	-	-	-	1	1	1	-	1	1	-	3.16
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE99	不慮の機械的窒息	4	-	-	-	-	-	-	4	-	-	-	3.23
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.35
	女 F.	3	-	-	-	-	-	-	3	-	-	-	3.18
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE100	その他の外因	52	-	1	2	-	10	1	7	2	-	30	2.85
	男 M.	27	-	-	2	-	4	-	4	1	-	16	2.85
	女 F.	25	-	1	-	-	6	1	3	1	-	14	2.85
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(E960～E968)	他殺	43	-	-	2	-	8	1	6	2	-	25	2.93
	男 M.	22	-	-	2	-	4	-	3	1	-	12	2.82
	女 F.	21	-	-	-	-	4	1	3	1	-	13	3.06
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

Note：1) Includes time of deaths unknown.

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産 1)
Late foetal deaths

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary) mention / 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
	総数 Total	24 481	1 391	3 762	4 256	3 778	4 320	304	4 252	1 686	632	404	2.34
	男 M.	13 458	676	2 029	2 409	2 109	2 278	159	2 391	1 023	401	192	2.37
	女 F.	10 825	687	1 697	1 820	1 643	2 073	145	1 852	658	228	167	2.31
	不詳 U.	198	28	36	27	26	19	-	9	5	3	45	1.87
（P1～P4）	母体の慢性循環器疾患および慢性性尿器疾患	101	11	23	23	7	21	1	10	6	-	-	2.03
	男 M.	56	4	13	11	4	13	-	7	4	-	-	2.17
	女 F.	45	7	10	12	3	8	1	3	2	-	-	1.86
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P1	慢性リウマチ性心疾患	2	-	1	-	1	-	-	-	-	-	-	1.70
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	1	-	1	-	-	-	-	-	-	1.70
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P2	慢性高血圧症	17	4	3	3	-	5	-	2	-	-	-	1.86
	男 M.	12	1	3	2	-	4	-	2	-	-	-	2.12
	女 F.	5	3	-	1	-	1	-	-	-	-	-	1.23
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P3	その他の循環器系の慢性疾患	48	3	9	11	3	11	1	6	5	-	-	2.23
	男 M.	25	1	4	5	2	6	-	3	4	-	-	2.40
	女 F.	23	2	5	6	1	5	1	3	1	-	-	2.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P4	性尿器系の慢性疾患	34	4	10	9	3	5	-	2	1	-	-	1.85
	男 M.	19	2	6	4	2	3	-	2	-	-	-	1.89
	女 F.	15	2	4	5	1	2	-	-	1	-	-	1.80
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P5～P11）	その他の妊娠に関連のない母体側の状態	497	33	103	91	77	69	7	54	28	29	13	2.24
	男 M.	283	20	59	50	39	41	6	29	19	16	10	2.24
	女 F.	211	13	44	41	36	28	1	25	9	13	2	2.24
	不詳 U.	3	-	-	-	2	-	-	-	-	-	1	2.30
P5	梅毒	16	2	3	1	4	3	-	1	1	-	1	2.10
	男 M.	6	-	1	1	2	1	-	-	-	-	1	2.05
	女 F.	9	2	2	-	1	2	-	1	1	-	-	2.12
	不詳 U.	1	-	-	-	1	-	-	-	-	-	-	2.15
P6	糖尿病	90	-	8	3	12	9	1	16	10	28	4	3.32
	男 M.	55	-	6	2	7	6	1	9	7	15	3	3.20
	女 F.	34	-	2	1	4	3	-	7	3	13	1	3.52
	不詳 U.	1	-	-	-	1	-	-	-	-	-	-	2.45
P7	風疹	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P8	母体の損傷	101	5	15	26	19	19	2	10	5	-	2	2.12
	男 M.	61	3	10	13	9	12	2	7	5	-	2	2.19
	女 F.	40	2	5	13	10	7	-	3	-	-	-	2.03
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P9	母体の手術	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P10	胎盤通過性化学物質の作用	4	-	-	2	-	1	-	1	-	-	-	2.40
	男 M.	3	-	-	1	-	1	-	1	-	-	-	2.62
	女 F.	1	-	-	1	-	-	-	-	-	-	-	1.75
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P11	その他の母体側の状態	286	26	77	59	42	37	4	26	12	1	6	1.95
	男 M.	158	17	42	33	21	21	3	12	7	1	4	1.92
	女 F.	127	9	35	26	21	16	1	14	5	-	1	1.98
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-

注：1）死亡の時期不詳を含む。

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary) mention / 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(761.9 i)	過労	66	8	26	14	7	3	1	4	3	-	1	1.70
	男 M.	41	6	17	8	3	2	1	3	1	-	1	1.65
	女 F.	25	2	9	6	4	1	-	1	2	-	-	1.78
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P12～P17)	妊娠中毒症	2 997	240	655	650	555	400	32	304	104	49	40	2.05
	男 M.	1 606	103	334	354	331	210	15	163	58	36	17	2.10
	女 F.	1 385	137	321	295	224	190	17	140	45	13	20	1.99
	不詳 U.	6	-	-	1	-	-	-	1	1	-	3	2.85
P12	妊娠時に起きた腎疾患	361	19	63	81	86	48	7	32	17	6	9	2.12
	男 M.	191	9	31	47	46	24	4	13	10	5	6	2.14
	女 F.	170	10	32	34	40	24	3	19	7	1	3	2.10
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P13	子癇前症	379	47	121	79	54	39	3	23	8	2	6	1.79
	男 M.	207	17	67	45	38	22	2	12	2	2	2	1.84
	女 F.	172	30	54	34	16	17	1	11	6	-	4	1.74
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P14	子癇	97	1	21	17	16	15	1	19	6	2	-	2.32
	男 M.	49	-	6	9	7	9	-	12	4	2	-	2.57
	女 F.	48	1	15	8	9	6	1	7	2	-	-	2.06
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P15	詳細不明の妊娠中毒症	2 134	173	448	469	395	295	21	221	71	37	25	2.06
	男 M.	1 147	77	230	249	237	155	9	122	42	26	9	2.11
	女 F.	981	96	218	219	158	140	12	98	28	11	13	2.00
	不詳 U.	6	-	-	1	-	-	-	1	1	-	3	2.85
P16	妊娠悪阻	2	-	-	1	-	-	-	-	-	1	-	2.85
	男 M.	2	-	-	1	-	-	-	-	-	1	-	2.85
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P17	その他の妊娠中毒症	24	-	2	3	4	3	-	9	2	1	-	2.72
	男 M.	10	-	-	3	3	-	-	4	-	-	-	2.52
	女 F.	14	-	2	-	1	3	-	5	2	1	-	2.86
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P18～P20)	母体の分娩前および分娩時の感染	139	4	11	20	9	30	-	41	19	4	1	2.72
	男 M.	70	3	5	10	1	14	-	24	10	2	1	2.77
	女 F.	69	1	6	10	8	16	-	17	9	2	-	2.67
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P18	妊娠時の腎盂炎および腎盂腎炎	14	-	3	6	2	1	-	2	-	-	-	1.94
	男 M.	9	-	3	5	-	-	-	1	-	-	-	1.71
	女 F.	5	-	-	1	2	1	-	1	-	-	-	2.37
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P19	その他の妊娠時の性尿器の感染	7	-	1	-	-	4	-	1	1	-	-	2.79
	男 M.	2	-	-	-	-	1	-	1	-	-	-	3.15
	女 F.	5	-	1	-	-	3	-	-	1	-	-	2.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P20	その他	118	4	7	14	7	25	-	38	18	4	1	2.81
	男 M.	59	3	2	5	1	13	-	22	10	2	1	2.93
	女 F.	59	1	5	9	6	12	-	16	8	2	-	2.69
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P21～P23)	骨盤の骨，臓器または組織の異常を伴う難産	424	1	12	16	28	94	7	182	68	23	-	3.09
	男 M.	245	-	4	11	17	37	4	113	45	18	-	3.17
	女 F.	178	1	8	5	11	57	3	69	22	5	-	2.97
	不詳 U.	1	-	-	-	-	-	-	-	1	-	-	3.85
P21	脳または脊髄の出生時損傷を伴うもの	52	-	-	1	1	16	1	28	4	2	-	3.12
	男 M.	28	-	-	-	-	7	1	17	3	1	-	3.20
	女 F.	24	-	-	1	1	9	-	11	1	1	-	3.02
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

Note：1) Includes time of deaths unknown.

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産 1)
Late foetal deaths

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(764.0a, 764.1a)	骨盤骨の異常を伴うもの……	20	-	-	-	-	8	1	11	1	-	-	3.08
	男 M.	14	-	-	-	-	4	1	9	1	-	-	3.12
	女 F.	6	-	-	-	-	4	-	2	-	-	-	2.98
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P22	その他または詳細不明の出生時損傷を…伴うもの	3	-	1	-	-	-	-	1	-	1	-	2.92
	男 M.	1	-	1	-	-	-	-	-	-	-	-	1.25
	女 F.	2	-	-	-	-	-	-	1	-	1	-	3.75
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(764.2a, 764.3a)	骨盤骨の異常を伴うもの……	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P23	出生時損傷の記載のないもの……	369	1	11	15	27	78	6	153	64	20	-	3.09
	男 M.	216	-	3	11	17	30	3	96	42	17	-	3.18
	女 F.	152	1	8	4	10	48	3	57	21	3	-	2.95
	不詳 U.	1	-	-	-	-	-	-	-	1	-	-	3.85
(764.4a, 764.9a)	骨盤骨の異常を伴うもの……	133	-	1	1	11	30	4	59	24	7	-	3.19
	男 M.	82	-	1	1	7	10	2	41	16	6	-	3.26
	女 F.	51	-	-	-	4	20	2	18	8	1	-	3.07
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P24～P26)	胎児の骨盤不適合を伴う難産……	245	-	1	5	5	15	1	56	56	102	5	3.80
	男 M.	143	-	1	3	2	8	1	29	34	63	3	3.84
	女 F.	101	-	-	2	3	7	-	27	22	38	2	3.75
	不詳 U.	1	-	-	-	-	-	-	-	-	1	-	4.45
P24	脳または脊髄の出生時損傷を伴うもの…	20	-	-	-	1	3	-	7	5	4	-	3.46
	男 M.	11	-	-	-	1	2	-	3	3	2	-	3.40
	女 F.	9	-	-	-	-	1	-	4	2	2	-	3.54
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P25	その他または詳細不明の出生時損傷を…伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P26	出生時損傷の記載のないもの……	225	-	1	5	4	12	1	49	51	98	5	3.84
	男 M.	132	-	1	3	1	6	1	26	31	61	3	3.88
	女 F.	92	-	-	2	3	6	-	23	20	36	2	3.77
	不詳 U.	1	-	-	-	-	-	-	-	-	1	-	4.45
(P27～P29)	胎児の位置異常を伴う難産……	1 412	23	100	147	175	332	12	413	179	38	5	2.76
	男 M.	821	15	56	90	104	169	8	249	116	20	2	2.77
	女 F.	585	8	43	55	70	162	4	164	63	18	2	2.75
	不詳 U.	6	-	1	2	1	1	-	-	-	-	1	1.97
P27	脳または脊髄の出生時損傷を伴うもの…	33	-	-	1	2	9	-	13	7	1	-	3.14
	男 M.	22	-	-	1	2	5	-	8	5	1	-	3.14
	女 F.	11	-	-	-	-	4	-	5	2	-	-	3.15
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(766.0a, 766.1a)	骨盤位……	9	-	-	-	1	5	-	3	-	-	-	2.94
	男 M.	3	-	-	-	1	2	-	-	-	-	-	2.62
	女 F.	6	-	-	-	-	3	-	3	-	-	-	3.10
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P28	その他または詳細不明の出生時損傷を…伴うもの	2	-	-	-	-	-	-	-	2	-	-	3.60
	男 M.	1	-	-	-	-	-	-	-	1	-	-	3.55
	女 F.	1	-	-	-	-	-	-	-	1	-	-	3.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(766.2a, 766.3a)	骨盤位……	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

注：1）死亡の時期不詳を含む。

医師立会のみ），後期死産（医師立会のみ）―

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P29	出生時損傷の記載のないもの……	1 377	23	100	146	173	323	12	400	170	37	5	2.75
	男 M.	798	15	56	89	102	164	8	241	110	19	2	2.76
	女 F.	573	8	43	55	70	158	4	159	60	18	2	2.74
	不詳 U.	6	-	1	2	1	1	-	-	-	-	1	1.97
(766.4a, 766.9a)	骨盤位……	796	12	59	82	90	206	8	233	91	19	4	2.74
	男 M.	446	8	28	48	50	100	6	146	56	8	2	2.77
	女 F.	345	4	31	32	39	105	2	87	35	11	1	2.71
	不詳 U.	5	-	-	2	1	1	-	-	-	-	1	2.18
(P30～P32)	娩出力異常を伴う難産……	308	3	8	12	31	62	1	113	55	22	2	3.07
	男 M.	176	-	5	6	17	28	1	71	31	16	2	3.15
	女 F.	131	3	3	5	14	34	-	42	24	6	-	2.98
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.95
P30	脳または脊髄の出生時損傷を伴うもの…	23	-	-	-	1	6	-	9	5	2	-	3.25
	男 M.	16	-	-	-	1	4	-	8	2	1	-	3.18
	女 F.	7	-	-	-	-	2	-	1	3	1	-	3.41
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P31	その他または詳細不明の出生時損傷を…伴うもの	1	-	-	-	-	-	-	-	1	-	-	3.65
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-	3.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P32	出生時損傷の記載のないもの……	284	3	8	12	30	56	1	104	49	20	2	3.05
	男 M.	160	-	5	6	16	24	1	63	29	15	2	3.15
	女 F.	123	3	3	5	14	32	-	41	20	5	-	2.95
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.95
(P33～P35)	その他および詳細不明の合併症を伴う…難産	325	-	11	13	15	65	2	107	74	37	3	3.21
	男 M.	182	-	4	7	10	32	1	52	48	27	2	3.29
	女 F.	143	-	7	6	5	33	1	55	26	10	1	3.10
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P33	脳または脊髄の出生時損傷を伴うもの…	19	-	-	1	1	6	1	4	6	1	-	3.23
	男 M.	11	-	-	-	1	4	1	1	4	1	-	3.25
	女 F.	8	-	-	1	-	2	-	3	2	-	-	3.19
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P34	その他または詳細不明の出生時損傷を…伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P35	出生時損傷の記載のないもの……	306	-	11	12	14	59	1	103	68	36	3	3.21
	男 M.	171	-	4	7	9	28	-	51	44	26	2	3.29
	女 F.	135	-	7	5	5	31	1	52	24	10	1	3.10
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P36～P41)	その他の妊娠および分娩の合併症……	1 794	167	564	496	245	148	22	96	35	8	35	1.77
	男 M.	1 026	81	325	308	144	73	8	54	21	5	15	1.78
	女 F.	757	84	237	186	99	75	14	42	14	3	17	1.77
	不詳 U.	11	2	2	2	2	-	-	-	-	-	3	1.46
P36	頸管無力症……	315	38	139	106	21	3	-	1	-	-	7	1.45
	男 M.	197	23	83	68	16	2	-	-	-	-	5	1.47
	女 F.	117	15	55	38	5	1	-	1	-	-	2	1.44
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.05
P37	早期破水……	781	62	232	221	109	68	13	54	18	6	11	1.84
	男 M.	441	23	130	141	58	37	6	32	11	4	5	1.86
	女 F.	338	39	101	80	50	31	7	22	7	2	6	1.80
	不詳 U.	2	-	1	-	1	-	-	-	-	-	-	1.75
P38	羊水過多症……	370	29	95	87	70	48	7	27	9	2	3	1.93
	男 M.	195	13	53	48	42	18	2	13	6	1	1	1.92
	女 F.	171	15	42	37	27	30	5	14	3	1	2	1.96
	不詳 U.	4	1	-	2	1	-	-	-	-	-	-	1.65

Note：1) Includes time of deaths unknown.

第17表　周産期死亡数(後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産 1)
Late foetal deaths

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号(P表) International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P39	子宮外妊娠	4	1	-	1	1	-	-	-	1	-	-	2.05
	男 M.	2	1	-	-	1	-	-	-	-	-	-	1.40
	女 F.	2	-	-	1	-	-	-	-	1	-	-	2.70
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P40	多胎妊娠	169	25	53	46	21	11	-	3	-	-	10	1.58
	男 M.	100	14	34	30	12	6	-	3	-	-	1	1.60
	女 F.	66	10	19	16	9	5	-	-	-	-	7	1.56
	不詳 U.	3	1	-	-	-	-	-	-	-	-	2	0.55
P41	その他の妊娠または分娩の合併症	155	12	45	35	23	18	2	11	7	-	4	1.91
	男 M.	91	7	25	21	15	10	-	6	4	-	3	1.90
	女 F.	63	5	20	14	8	8	2	5	3	-	-	1.92
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-
(P42～P46)	胎盤異常	2 674	113	413	590	481	514	38	392	135	20	16	2.25
	男 M.	1 466	61	227	320	268	267	18	225	78	12	8	2.26
	女 F.	1 204	51	186	270	212	246	20	167	56	8	8	2.23
	不詳 U.	4	1	-	-	1	1	-	-	1	-	-	2.35
P42	前置胎盤	886	54	234	291	145	101	6	44	13	1	3	1.86
	男 M.	497	27	140	154	87	55	4	24	9	-	1	1.86
	女 F.	387	26	94	137	57	46	2	20	4	1	2	1.85
	不詳 U.	2	1	-	-	1	-	-	-	-	-	-	1.50
P43	胎盤早期剝離	1 013	17	108	197	229	242	23	164	46	6	4	2.38
	男 M.	576	10	51	111	130	136	11	102	29	5	2	2.42
	女 F.	436	7	57	86	99	105	12	62	17	1	2	2.32
	不詳 U.	1	-	-	-	-	1	-	-	-	-	-	2.75
P44	胎盤硬塞	44	2	3	7	7	11	-	12	2	-	-	2.53
	男 M.	24	2	2	4	4	6	-	4	2	-	-	2.43
	女 F.	20	-	1	3	3	5	-	8	-	-	-	2.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P45	その他の胎盤の異常	166	14	14	22	23	43	4	35	13	1	1	2.43
	男 M.	81	6	10	15	11	12	-	18	8	-	1	2.35
	女 F.	85	8	4	7	12	31	4	17	5	1	-	2.51
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P46	詳細不明の胎盤の異常	565	26	54	73	77	117	5	137	61	12	8	2.57
	男 M.	288	16	24	36	36	58	3	77	30	7	4	2.60
	女 F.	276	10	30	37	41	59	2	60	30	5	4	2.53
	不詳 U.	1	-	-	-	-	-	-	-	1	-	-	3.65
(P47～P49)	臍帯異常	3 389	134	253	330	467	771	42	929	348	116	41	2.68
	男 M.	1 869	70	134	183	234	415	20	526	215	76	16	2.72
	女 F.	1 512	64	119	145	233	354	22	402	132	40	23	2.62
	不詳 U.	8	-	-	2	-	2	-	1	1	-	2	2.65
P47	臍帯圧迫	469	24	45	58	67	97	7	111	44	14	9	2.55
	男 M.	262	12	27	31	33	49	2	66	30	10	4	2.62
	女 F.	206	12	18	27	34	48	5	45	14	4	4	2.46
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-
P48	臍帯圧迫の記載のない臍帯脱出	508	7	40	46	71	132	8	146	52	11	3	2.72
	男 M.	291	6	22	24	39	66	3	89	36	8	1	2.76
	女 F.	216	1	18	21	32	66	5	57	16	3	2	2.66
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.55
P49	その他	2 412	103	168	226	329	542	27	672	252	91	29	2.69
	男 M.	1 316	52	85	128	162	300	15	371	149	58	11	2.74
	女 F.	1 090	51	83	97	167	240	12	300	102	33	17	2.64
	不詳 U.	6	-	-	1	-	2	-	1	1	-	1	2.87
(771.9a)	臍帯巻絡	1 679	21	62	114	212	409	23	552	213	84	12	2.90
	男 M.	944	12	33	67	105	231	13	310	129	53	4	2.93
	女 F.	729	9	29	46	107	176	10	241	83	31	7	2.85
	不詳 U.	6	-	-	1	-	2	-	1	1	-	1	2.87

注：1）死亡の時期不詳を含む。

医師立会のみ)，後期死産(医師立会のみ)—

(P分類)・出産時の体重(平均体重を含む) 別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号(P表) International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(P50～P52)	原因の記載のない出生時損傷	581	41	125	110	69	69	2	98	45	11	13	2.21
	男 M.	337	23	78	62	37	34	-	60	27	8	8	2.20
	女 F.	241	17	45	48	32	35	2	38	18	3	5	2.24
	不詳 U.	3	1	2	-	-	-	-	-	-	-	-	1.05
P50	脳または脊髄の出生時損傷	139	1	-	7	12	24	-	59	28	8	-	3.12
	男 M.	88	1	-	4	11	11	-	37	18	6	-	3.11
	女 F.	51	-	-	3	1	13	-	22	10	2	-	3.15
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P51	その他または詳細不明の出生時損傷	14	-	1	-	1	4	-	3	3	2	-	3.19
	男 M.	9	-	1	-	-	2	-	3	2	1	-	3.11
	女 F.	5	-	-	-	1	2	-	-	1	1	-	3.35
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P52	原因の記載のない妊娠の中絶	428	40	124	103	56	41	2	36	14	1	13	1.87
	男 M.	240	22	77	58	26	21	-	20	7	1	8	1.82
	女 F.	185	17	45	45	30	20	2	16	7	-	5	1.95
	不詳 U.	3	1	2	-	-	-	-	-	-	-	-	1.05
(P53～P56)	新生児溶血性疾患	60	1	5	5	11	13	1	14	7	4	-	2.72
	男 M.	31	-	3	3	7	8	-	4	5	1	-	2.64
	女 F.	29	1	2	2	4	5	1	10	2	3	-	2.81
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P53	Rh因子不適合を伴うもの	6	-	1	-	1	1	-	2	1	-	-	2.75
	男 M.	4	-	1	-	-	1	-	1	1	-	-	2.68
	女 F.	2	-	-	-	1	-	-	1	-	-	-	2.90
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P54	ABO因子不適合を伴うもの	3	-	-	1	-	-	-	1	1	-	-	2.92
	男 M.	2	-	-	1	-	-	-	1	1	-	-	2.85
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P55	その他または詳細不明の血液型不適合を伴うもの	6	1	1	-	1	2	1	1	-	-	-	2.03
	男 M.	3	-	-	-	1	1	-	1	-	-	-	2.65
	女 F.	3	1	1	-	-	1	1	-	-	-	-	1.40
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P56	原因の記載のないもの	45	-	3	4	9	10	-	10	5	4	-	2.80
	男 M.	22	-	2	2	6	6	-	2	3	1	-	2.61
	女 F.	23	-	1	2	3	4	-	8	2	3	-	2.98
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P57～P60)	他に分類されない無酸素症および低酸素症	635	10	48	83	98	149	9	169	60	15	3	2.66
	男 M.	374	2	27	50	63	82	5	100	38	9	3	2.69
	女 F.	260	8	20	33	35	67	4	69	22	6	-	2.62
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.15
P57	硝子様膜症および呼吸窮迫症候群	43	-	3	5	6	12	1	13	4	-	-	2.75
	男 M.	24	-	1	3	3	7	1	8	2	-	-	2.81
	女 F.	19	-	2	2	3	5	-	5	2	-	-	2.68
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P58	子宮内無酸素症	12	-	1	2	2	1	-	5	1	-	-	2.61
	男 M.	6	-	-	1	2	1	-	2	-	-	-	2.53
	女 F.	6	-	1	1	-	-	-	3	1	-	-	2.68
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P59	詳細不明の新生児仮死	544	10	44	73	88	129	8	136	47	14	3	2.63
	男 M.	322	2	26	45	56	70	4	81	30	9	3	2.66
	女 F.	221	8	17	28	32	59	4	55	17	5	-	2.59
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.15
P60	その他の他に分類されない無酸素症および低酸素症	36	-	-	3	2	7	-	15	8	1	-	3.09
	男 M.	22	-	-	1	2	4	-	9	6	-	-	3.12
	女 F.	14	-	-	2	-	3	-	6	2	1	-	3.06
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

Note : 1) Includes time of deaths unknown.

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産 1)
Late foetal deaths

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
（P61～P68）	その他の胎児および新生児の状態	6 563	519	1 093	1 312	1 039	1 057	90	900	329	106	208	2.18
	男 M.	3 547	255	590	763	582	531	50	472	195	65	94	2.19
	女 F.	2 928	247	490	542	451	521	40	422	134	41	80	2.19
	不詳 U.	88	17	13	7	6	5	－	6	－	－	34	1.63
P61	詳細不明の未熟児	817	59	231	322	174	20	5	1	－	－	10	1.66
	男 M.	494	26	130	206	113	14	4	1	－	－	4	1.70
	女 F.	313	31	98	114	61	6	1	－	－	－	3	1.61
	不詳 U.	10	2	3	2	－	－	－	－	－	－	3	1.24
P62	出生前の胎児の血液喪失	1	－	－	－	－	－	－	1	－	－	－	3.05
	男 M.	1	－	－	－	－	－	－	1	－	－	－	3.05
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P63	過熟児	33	－	－	－	－	2	－	8	9	14	－	3.99
	男 M.	18	－	－	－	－	－	－	4	5	9	－	4.08
	女 F.	15	－	－	－	－	2	－	4	4	5	－	3.87
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P64	新生児の出血性疾患	32	－	2	4	4	10	－	10	1	1	－	2.70
	男 M.	20	－	1	3	4	5	－	6	1	－	－	2.64
	女 F.	12	－	1	1	－	5	－	4	－	1	－	2.81
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P65	寒冷傷害症候群	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P66	その他の胎児の異常	808	26	114	171	174	145	10	110	42	20	6	2.31
	男 M.	435	8	62	107	97	72	4	54	23	10	2	2.29
	女 F.	368	17	52	63	75	73	6	55	19	10	4	2.34
	不詳 U.	5	1	－	1	2	－	－	1	－	－	－	2.07
（778.9 a）	新生児の黄疸	3	－	1	－	－	2	－	－	－	－	－	2.22
	男 M.	3	－	1	－	－	2	－	－	－	－	－	2.22
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P67	浸軟児	345	53	60	52	47	55	8	31	15	6	26	2.01
	男 M.	175	25	29	23	19	36	5	19	11	5	8	2.15
	女 F.	162	25	31	29	27	19	3	12	4	1	14	1.87
	不詳 U.	8	3	－	－	1	－	－	－	－	－	4	1.15
P68	原因不明の胎児死亡	4 527	381	686	763	640	825	67	739	262	65	166	2.25
	男 M.	2 404	196	368	424	349	404	37	387	155	41	80	2.25
	女 F.	2 058	174	308	335	288	416	30	347	107	24	59	2.26
	不詳 U.	65	11	10	4	3	5	－	5	－	－	27	1.69
（779.9 a）	子宮内胎児死亡	1 102	104	186	181	169	191	17	155	51	17	48	2.17
	男 M.	560	54	89	95	96	81	8	86	31	10	18	2.20
	女 F.	525	49	95	86	73	110	9	69	20	7	16	2.16
	不詳 U.	17	1	2	－	－	－	－	－	－	－	14	0.95
（P69～P80）	先天異常	2 269	90	327	344	451	497	37	366	131	45	18	2.36
	男 M.	1 195	38	156	176	242	261	22	209	77	25	11	2.41
	女 F.	1 010	45	155	156	195	226	15	156	53	18	6	2.33
	不詳 U.	64	7	16	12	14	10	－	1	1	2	1	1.94
P69	無脳症	837	42	170	161	197	170	14	80	11	3	3	2.09
	男 M.	457	15	86	89	108	99	9	49	9	1	1	2.15
	女 F.	369	27	81	72	86	69	5	30	2	－	2	2.00
	不詳 U.	11	－	3	－	3	2	－	1	－	2	－	2.71
P70	二分脊椎	51	－	2	4	10	16	－	12	5	2	－	2.79
	男 M.	23	－	1	2	3	5	－	9	2	1	－	2.86
	女 F.	28	－	1	2	7	11	－	3	3	1	－	2.72
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－

注：1）死亡の時期不詳を含む。

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P71	先天性水頭症	287	7	24	28	52	65	6	67	27	13	4	2.66
	男 M.	156	3	8	11	32	32	2	39	19	8	4	2.77
	女 F.	129	4	16	17	20	32	4	28	7	5	－	2.52
	不詳 U.	2	－	－	－	－	1	－	－	1	－	－	3.30
P72	その他の中枢神経系および眼の先天異常	81	1	6	13	16	20	2	16	7	1	1	2.52
	男 M.	43	－	3	10	8	11	1	7	4	－	－	2.45
	女 F.	38	1	3	3	8	9	1	9	3	1	1	2.61
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P73	循環器系の先天異常	217	－	6	6	27	66	3	71	33	7	1	2.98
	男 M.	118	－	1	3	18	32	2	39	20	5	－	3.02
	女 F.	99	－	5	3	9	34	1	32	13	2	1	2.93
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
（746）	心臓の先天異常	213	－	5	6	26	66	3	71	32	6	1	2.98
	男 M.	117	－	1	3	18	32	2	39	20	4	－	3.01
	女 F.	96	－	4	3	8	34	1	32	12	2	1	2.95
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P74	呼吸器系の先天異常	16	－	2	4	1	6	1	2	1	－	－	2.37
	男 M.	7	－	1	－	－	4	1	1	1	－	－	2.64
	女 F.	9	－	1	4	1	2	－	1	－	－	－	2.15
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P75	消化器系の先天異常	105	－	10	21	13	39	3	15	6	1	－	2.49
	男 M.	50	－	5	12	7	14	1	9	2	1	－	2.45
	女 F.	48	－	5	5	6	22	2	6	4	－	－	2.58
	不詳 U.	7	－	－	4	－	3	－	－	－	－	－	2.14
P76	性尿器系の先天異常	10	－	1	1	3	2	－	1	1	1	－	2.62
	男 M.	8	－	1	－	2	2	－	1	1	1	－	2.79
	女 F.	1	－	－	－	1	－	－	－	－	－	－	2.15
	不詳 U.	1	－	－	1	－	－	－	－	－	－	－	1.75
P77	筋骨格系の先天異常	113	5	15	11	20	22	2	29	10	－	1	2.50
	男 M.	62	4	6	7	12	14	2	15	4	－	－	2.46
	女 F.	51	1	9	4	8	8	－	14	6	－	1	2.56
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P78	ダウン病	12	－	1	－	2	4	－	4	1	－	－	2.82
	男 M.	4	－	－	－	1	－	－	3	－	－	－	3.00
	女 F.	8	－	1	－	1	4	－	1	1	－	－	2.73
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P79	その他の多系統におよぶ先天性症候群	43	4	2	9	9	4	－	7	3	4	1	2.47
	男 M.	20	－	1	5	4	3	－	3	3	－	1	2.51
	女 F.	19	1	1	3	5	1	－	4	－	4	－	2.73
	不詳 U.	4	3	－	1	－	－	－	－	－	－	－	1.05
P80	その他および詳細不明の先天異常	497	31	88	86	101	83	6	62	26	13	7	2.22
	男 M.	247	16	43	37	47	45	4	34	12	8	5	2.27
	女 F.	211	11	32	43	43	34	2	28	14	5	1	2.26
	不詳 U.	39	4	13	6	11	4	－	－	－	－	1	1.71
（P81～P88）	胎児および新生児の感染	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P81	下痢性疾患	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－
P82	リステリア症	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－
	不詳 U.	－	－	－	－	－	－	－	－	－	－	－	－

Note：1) Includes time of deaths unknown.

第17表　周産期死亡数(後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産 1)
Late foetal deaths

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX, BIRTH WEIGHT AND

国際100項目周産期分類番号(P表) International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary) mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P83	破傷風	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P84	敗血症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P85	ウイルス疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P86	先天梅毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P87	トキソプラスマ症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P88	その他の伝染病および寄生虫病	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P89～P94)	その他の胎児および新生児の疾患	68	1	10	9	15	14	-	8	7	3	1	2.50
	男 M.	31	1	8	2	7	5	-	4	2	2	-	2.35
	女 F.	36	-	1	7	8	9	-	4	5	1	1	2.66
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.25
P89	甲状腺の疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P90	膵嚢胞性腺維症(ムコビチドージス)	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P91	血液および造血器の疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P92	肺炎	4	-	-	-	-	3	-	-	1	-	-	3.08
	男 M.	2	-	-	-	-	1	-	-	1	-	-	3.25
	女 F.	2	-	-	-	-	2	-	-	-	-	-	2.90
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P93	その他の明示された疾患	64	1	10	9	15	11	-	8	6	3	1	2.46
	男 M.	29	1	8	2	7	4	-	4	1	2	-	2.29
	女 F.	34	-	1	7	8	7	-	4	5	1	1	2.64
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.25
(427～429)	心不全，その他の心臓疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(550～553)	腹腔ヘルニア	30	1	7	7	9	3	-	1	1	-	1	1.97
	男 M.	15	1	5	2	5	1	-	1	-	-	-	1.84
	女 F.	14	-	1	5	4	2	-	-	1	-	1	2.17
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.25

注：1）死亡の時期不詳を含む。

医師立会のみ)，後期死産(医師立会のみ)—

(P分類)・出産時の体重(平均体重を含む) 別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号(P表) International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary) mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P94	症状および診断名不明確の状態	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(PE95～PE100)	新生児に損傷をもたらした外因	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE95	過度の高温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE96	過度の低温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE97	飢餓，渇，不良環境曝露および放置	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE98	食物の吸入または嚥下による閉塞および窒息	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE99	不慮の機械的窒息	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE100	その他の外因	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(E960～E968)	他殺	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

Note : 1) Includes time of deaths unknown.

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産（分娩前）
Late foetal deaths(ante-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
	総数 Total	10 707	933	1 839	1 996	1 774	1 740	138	1 454	522	165	284	2.17
	男 M.	5 697	448	965	1 076	974	911	61	779	314	100	130	2.20
	女 F.	4 928	466	867	910	795	827	77	673	206	64	120	2.14
	不詳 U.	82	19	7	10	5	2	-	2	2	1	34	1.57
（P1～P4）	母体の慢性循環器疾患および慢性性尿器疾患	53	8	14	10	3	11	1	4	3	-	-	1.93
	男 M.	30	3	9	4	2	7	-	3	2	-	-	2.06
	女 F.	23	5	5	6	1	4	1	1	1	-	-	1.77
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P1	慢性リウマチ性心疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P2	慢性高血圧症	10	3	2	2	-	2	-	1	-	-	-	1.62
	男 M.	6	1	2	1	-	1	-	1	-	-	-	1.82
	女 F.	4	2	-	1	-	1	-	-	-	-	-	1.33
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P3	その他の循環器系の慢性疾患	20	3	4	2	1	5	1	2	3	-	-	2.22
	男 M.	11	1	2	1	1	3	-	1	2	-	-	2.37
	女 F.	9	2	2	1	-	2	1	1	1	-	-	2.03
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P4	性尿器系の慢性疾患	23	2	8	6	2	4	-	1	-	-	-	1.82
	男 M.	13	1	5	2	1	3	-	1	-	-	-	1.91
	女 F.	10	1	3	4	1	1	-	-	-	-	-	1.70
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P5～P11）	その他の妊娠に関連のない母体側の状態	262	22	37	38	51	47	5	35	16	10	6	2.29
	男 M.	156	11	22	20	30	30	4	20	12	7	4	2.35
	女 F.	105	11	15	18	21	17	1	15	4	3	1	2.20
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-
P5	梅毒	9	2	2	-	3	1	-	-	-	-	1	1.73
	男 M.	4	-	-	-	2	1	-	-	-	-	1	2.48
	女 F.	5	2	2	-	1	-	-	-	-	-	-	1.27
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P6	糖尿病	49	-	5	2	10	5	1	11	6	9	1	2.98
	男 M.	33	-	4	1	6	4	1	7	4	6	1	2.94
	女 F.	16	-	1	1	4	1	-	4	2	3	-	3.07
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P7	風疹	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P8	母体の損傷	69	3	7	18	13	16	1	8	3	-	1	2.21
	男 M.	40	1	3	9	8	10	1	5	3	-	1	2.32
	女 F.	29	2	4	9	5	6	-	3	-	-	-	2.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P9	母体の手術	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P10	胎盤通過性化学物質の作用	2	-	-	1	-	1	-	-	-	-	-	2.25
	男 M.	2	-	-	1	-	1	-	-	-	-	-	2.25
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P11	その他の母体側の状態	133	17	23	17	25	24	3	16	7	1	3	2.11
	男 M.	77	10	15	9	14	14	2	8	5	1	1	2.12
	女 F.	55	7	8	8	11	10	1	8	2	-	1	2.11
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(761.9 i)	過労	28	5	8	5	2	3	1	3	2	-	-	1.86
	男 M.	18	4	6	2	1	2	1	2	1	-	-	1.78
	女 F.	10	1	2	3	1	1	-	1	1	-	-	2.00
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P12～P17）	妊娠中毒症	1 847	179	433	421	331	216	18	159	50	26	32	1.96
	男 M.	969	77	223	217	193	110	8	91	25	18	15	2.00
	女 F.	873	102	210	203	138	106	10	67	24	8	15	1.90
	不詳 U.	5	-	-	1	-	-	-	1	1	-	2	2.85
P12	妊娠時に起きた腎疾患	188	11	37	40	49	19	2	16	4	4	8	2.04
	男 M.	96	4	18	21	24	11	2	7	2	3	6	2.08
	女 F.	92	7	19	19	25	8	-	9	2	1	2	2.01
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P13	子癇前症	234	32	73	51	33	25	2	10	2	2	6	1.74
	男 M.	122	12	39	24	21	16	1	5	1	2	2	1.82
	女 F.	112	20	34	27	12	9	1	5	1	-	4	1.64
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P14	子癇	47	-	10	12	10	6	1	8	-	1	-	2.14
	男 M.	22	-	4	5	3	3	-	6	-	1	-	2.37
	女 F.	25	-	6	7	7	3	1	2	-	-	-	1.94
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P15	詳細不明の妊娠中毒症	1 363	136	313	315	236	165	13	119	43	18	18	1.97
	男 M.	720	61	162	164	142	80	5	70	22	12	7	2.01
	女 F.	638	75	151	150	94	85	8	48	20	6	9	1.92
	不詳 U.	5	-	-	1	-	-	-	1	1	-	2	2.85
P16	妊娠悪阻	1	-	-	1	-	-	-	-	-	-	-	1.65
	男 M.	1	-	-	1	-	-	-	-	-	-	-	1.65
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P17	その他の妊娠中毒症	14	-	-	2	3	1	-	6	1	1	-	2.86
	男 M.	8	-	-	2	3	-	-	3	-	-	-	2.84
	女 F.	6	-	-	-	-	1	-	3	1	1	-	3.28
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P18～P20）	母体の分娩前および分娩時の感染	54	3	5	11	6	6	-	11	9	2	1	2.58
	男 M.	26	2	2	3	1	3	-	7	6	1	1	2.77
	女 F.	28	1	3	8	5	3	-	4	3	1	-	2.41
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P18	妊娠時の腎盂炎および腎盂腎炎	5	-	1	3	1	-	-	-	-	-	-	1.79
	男 M.	3	-	1	2	-	-	-	-	-	-	-	1.62
	女 F.	2	-	-	1	1	-	-	-	-	-	-	2.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P19	その他の妊娠時の性尿器の感染	1	-	-	-	-	1	-	-	-	-	-	2.75
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	1	-	-	-	-	-	2.75
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P20	その他	48	3	4	8	5	5	-	11	9	2	1	2.66
	男 M.	23	2	1	1	1	3	-	7	6	1	1	2.93
	女 F.	25	1	3	7	4	2	-	4	3	1	-	2.42
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P21～P23）	骨盤の骨，臓器または組織の異常を伴う難産	52	1	4	8	4	7	-	21	6	1	-	2.79
	男 M.	30	-	1	6	2	2	-	13	5	1	-	2.94
	女 F.	22	1	3	2	2	5	-	8	1	-	-	2.58
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P21	脳または脊髄の出生時損傷を伴うもの	3	-	1	-	-	1	-	2	-	-	-	3.15
	男 M.	3	-	-	-	-	1	-	2	-	-	-	3.15
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

第17表　周産期死亡数(後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産（分娩前）
Late foetal deaths(ante-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary) mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(764.0a, 764.1a)	骨盤骨の異常を伴うもの	2	-	-	-	-	-	-	2	-	-	-	3.30
	男 M.	2	-	-	-	-	-	-	2	-	-	-	3.30
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P22	その他または詳細不明の出生時損傷を伴うもの	1	-	1	-	-	-	-	-	-	-	-	1.25
	男 M.	1	-	1	-	-	-	-	-	-	-	-	1.25
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(764.2a, 764.3a)	骨盤骨の異常を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P23	出生時損傷の記載のないもの	48	1	3	8	4	6	-	19	6	1	-	2.80
	男 M.	26	-	-	6	2	1	-	11	5	1	-	2.98
	女 F.	22	1	3	2	2	5	-	8	1	-	-	2.58
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(764.4a, 764.9a)	骨盤骨の異常を伴うもの	13	-	-	1	1	1	-	8	2	-	-	3.17
	男 M.	8	-	-	1	-	-	-	5	2	-	-	3.25
	女 F.	5	-	-	-	1	1	-	3	-	-	-	3.03
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P24～P26)	胎児の骨盤不適合を伴う難産	18	-	-	1	-	-	-	5	4	8	-	3.81
	男 M.	10	-	-	1	-	-	-	3	2	4	-	3.71
	女 F.	8	-	-	-	-	-	-	2	2	4	-	3.94
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P24	脳または脊髄の出生時損傷を伴うもの	1	-	-	-	-	-	-	1	-	-	-	3.05
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.05
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P25	その他または詳細不明の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P26	出生時損傷の記載のないもの	17	-	-	1	-	-	-	4	4	8	-	3.86
	男 M.	9	-	-	1	-	-	-	2	2	4	-	3.78
	女 F.	8	-	-	-	-	-	-	2	2	4	-	3.94
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P27～P29)	胎児の位置異常を伴う難産	196	5	26	35	28	42	2	43	12	3	2	2.44
	男 M.	109	2	17	18	18	23	2	20	9	1	1	2.42
	女 F.	87	3	9	17	10	19	-	23	3	2	1	2.46
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P27	脳または脊髄の出生時損傷を伴うもの	1	-	-	-	-	1	-	-	-	-	-	2.75
	男 M.	1	-	-	-	-	1	-	-	-	-	-	2.75
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(766.0a, 766.1a)	骨盤位	1	-	-	-	-	1	-	-	-	-	-	2.75
	男 M.	1	-	-	-	-	1	-	-	-	-	-	2.75
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P28	その他または詳細不明の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(766.2a, 766.3a)	骨盤位	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

医師立会のみ)，後期死産(医師立会のみ)—

(P分類)・出産時の体重(平均体重を含む) 別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary) mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P29	出生時損傷の記載のないもの	195	5	26	35	28	41	2	43	12	3	2	2.43
	男 M.	108	2	17	18	18	22	2	20	9	1	1	2.42
	女 F.	87	3	9	17	10	19	-	23	3	2	1	2.46
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(766.4a, 766.9a)	骨盤位	102	2	13	18	15	22	1	22	6	2	2	2.46
	男 M.	59	1	8	10	9	11	1	14	4	1	1	2.47
	女 F.	43	1	5	8	6	11	-	8	2	1	1	2.43
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P30～P32)	娩出力異常を伴う難産	35	1	3	-	4	5	1	13	6	2	1	2.95
	男 M.	19	-	1	-	1	2	1	10	2	2	1	3.20
	女 F.	16	1	2	-	3	3	-	3	4	-	-	2.67
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P30	脳または脊髄の出生時損傷を伴うもの	2	-	-	-	-	-	-	-	2	-	-	3.65
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	-	2	-	-	3.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P31	その他または詳細不明の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P32	出生時損傷の記載のないもの	33	1	3	-	4	5	1	13	4	2	1	2.90
	男 M.	19	-	1	-	1	2	1	10	2	2	1	3.20
	女 F.	14	1	2	-	3	3	-	3	2	-	-	2.53
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P33～P35)	その他および詳細不明の合併症を伴う難産	70	-	4	6	4	16	2	20	13	7	-	3.05
	男 M.	39	-	1	3	3	6	1	12	9	5	-	3.18
	女 F.	31	-	3	3	1	10	1	8	4	2	-	2.88
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P33	脳または脊髄の出生時損傷を伴うもの	1	-	-	-	-	1	1	-	-	-	-	2.50
	男 M.	1	-	-	-	-	1	1	-	-	-	-	2.50
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P34	その他または詳細不明の出生時損傷を伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P35	出生時損傷の記載のないもの	69	-	4	6	4	15	1	20	13	7	-	3.06
	男 M.	38	-	1	3	3	5	-	12	9	5	-	3.20
	女 F.	31	-	3	3	1	10	1	8	4	2	-	2.88
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P36～P41)	その他の妊娠および分娩の合併症	594	59	168	147	89	56	9	41	12	1	21	1.82
	男 M.	332	28	98	89	51	24	2	24	7	1	10	1.82
	女 F.	256	29	70	57	37	32	7	17	5	-	9	1.84
	不詳 U.	6	2	-	1	1	-	-	-	-	-	2	1.30
P36	頸管無力症	60	5	31	17	4	-	-	-	-	-	3	1.42
	男 M.	33	3	16	9	3	-	-	-	-	-	2	1.41
	女 F.	27	2	15	8	1	-	-	-	-	-	1	1.42
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P37	早期破水	252	20	70	69	35	20	4	27	7	-	4	1.90
	男 M.	143	8	42	42	19	11	1	15	3	-	3	1.88
	女 F.	109	12	28	27	16	9	3	12	4	-	1	1.92
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P38	羊水過多症	152	16	40	30	30	22	3	8	3	1	2	1.89
	男 M.	77	6	23	17	16	6	1	4	3	1	1	1.89
	女 F.	72	9	17	12	13	16	2	4	-	-	1	1.91
	不詳 U.	3	1	-	1	1	-	-	-	-	-	-	1.55

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産（分娩前）
Late foetal deaths(ante-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P39	子宮外妊娠	4	1	-	1	1	-	-	-	1	-	-	2.05
	男 M.	2	1	-	-	1	-	-	-	-	-	-	1.40
	女 F.	2	-	-	1	-	-	-	-	1	-	-	2.70
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P40	多胎妊娠	74	12	13	20	12	7	-	1	-	-	9	1.67
	男 M.	43	8	10	13	6	4	-	1	-	-	1	1.65
	女 F.	28	3	3	7	6	3	-	-	-	-	6	1.78
	不詳 U.	3	1	-	-	-	-	-	-	-	-	2	0.55
P41	その他の妊娠または分娩の合併症	52	5	14	10	7	7	2	5	1	-	3	1.91
	男 M.	34	2	7	8	6	3	-	4	1	-	3	2.01
	女 F.	18	3	7	2	1	4	2	1	-	-	-	1.74
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P42～P46)	胎盤異常	1 427	68	208	291	276	297	25	192	75	10	10	2.26
	男 M.	768	39	107	157	154	154	10	105	41	5	6	2.26
	女 F.	658	29	101	134	122	142	15	87	34	5	4	2.25
	不詳 U.	1	-	-	-	-	1	-	-	-	-	-	2.75
P42	前置胎盤	297	23	82	76	53	45	4	14	3	-	1	1.87
	男 M.	164	13	49	41	29	22	3	7	2	-	1	1.84
	女 F.	133	10	33	35	24	23	1	7	1	-	-	1.91
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P43	胎盤早期剝離	661	13	74	143	153	156	14	92	27	2	1	2.32
	男 M.	375	7	33	83	88	91	5	56	15	1	1	2.36
	女 F.	285	6	41	60	65	64	9	36	12	1	-	2.27
	不詳 U.	1	-	-	-	-	1	-	-	-	-	-	2.75
P44	胎盤硬塞	29	2	2	6	6	5	-	7	1	-	-	2.37
	男 M.	16	2	1	3	4	3	-	2	1	-	-	2.27
	女 F.	13	-	1	3	2	2	-	5	-	-	-	2.50
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P45	その他の胎盤の異常	103	11	9	14	21	24	3	16	8	-	-	2.32
	男 M.	45	5	6	9	10	4	-	6	5	-	-	2.17
	女 F.	58	6	3	5	11	20	3	10	3	-	-	2.43
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P46	詳細不明の胎盤の異常	337	19	41	52	43	67	4	63	36	8	8	2.45
	男 M.	168	12	18	21	23	34	2	34	18	4	4	2.49
	女 F.	169	7	23	31	20	33	2	29	18	4	4	2.41
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P47～P49)	臍帯異常	1 648	122	193	224	289	328	20	314	112	33	33	2.38
	男 M.	869	65	101	120	142	183	8	157	66	23	12	2.41
	女 F.	775	57	92	103	147	145	12	157	45	10	19	2.35
	不詳 U.	4	-	-	1	-	-	-	-	1	-	2	2.65
P47	臍帯圧迫	285	22	39	44	43	54	5	51	16	8	8	2.32
	男 M.	152	11	22	21	20	29	2	30	9	7	3	2.40
	女 F.	132	11	17	23	23	25	3	21	7	1	4	2.23
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-
P48	臍帯圧迫の記載のない臍帯脱出	139	4	17	13	28	30	3	35	8	2	2	2.52
	男 M.	71	3	9	8	14	12	1	17	6	2	-	2.52
	女 F.	68	1	8	5	14	18	2	18	2	-	2	2.51
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P49	その他	1 224	96	137	167	218	244	12	228	88	23	23	2.38
	男 M.	646	51	70	91	108	142	5	110	51	14	9	2.40
	女 F.	575	45	67	75	110	102	7	118	36	9	13	2.36
	不詳 U.	3	-	-	1	-	-	-	-	1	-	1	2.65
(771.9a)	臍帯巻絡	666	19	42	70	125	157	9	162	65	19	7	2.65
	男 M.	359	12	24	37	60	94	4	79	38	12	3	2.66
	女 F.	304	7	18	32	65	63	5	83	26	7	3	2.64
	不詳 U.	3	-	-	1	-	-	-	-	1	-	1	2.65

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(P50～P52)	原因の記載のない出生時損傷	195	20	44	38	33	22	-	19	11	-	8	2.00
	男 M.	106	7	29	21	13	13	-	10	9	-	4	2.03
	女 F.	88	12	15	17	20	9	-	9	2	-	4	1.98
	不詳 U.	1	1	-	-	-	-	-	-	-	-	-	0.55
P50	脳または脊髄の出生時損傷	5	1	-	-	2	1	-	-	1	-	-	2.27
	男 M.	5	1	-	-	2	1	-	-	1	-	-	2.27
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P51	その他または詳細不明の出生時損傷	2	-	-	-	-	1	-	-	1	-	-	3.20
	男 M.	1	-	-	-	-	-	-	-	1	-	-	3.55
	女 F.	1	-	-	-	-	1	-	-	-	-	-	2.85
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P52	原因の記載のない妊娠の中絶	188	19	44	38	31	20	-	19	9	-	8	1.98
	男 M.	100	6	29	21	11	12	-	10	7	-	4	2.00
	女 F.	87	12	15	17	20	8	-	9	2	-	4	1.97
	不詳 U.	1	1	-	-	-	-	-	-	-	-	-	0.55
(P53～P56)	新生児溶血性疾患	25	1	2	1	4	6	1	8	2	1	-	2.70
	男 M.	15	-	1	1	3	4	-	3	2	1	-	2.80
	女 F.	10	1	1	-	1	2	1	5	-	-	-	2.55
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P53	Rh因子不適合を伴うもの	4	-	-	-	-	1	-	2	1	-	-	3.25
	男 M.	3	-	-	-	-	1	-	1	1	-	-	3.18
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.45
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P54	ABO因子不適合を伴うもの	1	-	-	-	-	-	-	1	-	-	-	3.05
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P55	その他または詳細不明の血液型不適合を伴うもの	5	1	1	-	1	1	1	1	-	-	-	1.92
	男 M.	2	-	-	-	1	-	-	1	-	-	-	2.70
	不女 F.	3	1	1	-	-	1	1	-	-	-	-	1.40
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P56	原因の記載のないもの	15	-	1	1	3	4	-	4	1	1	-	2.78
	男 M.	10	-	1	1	2	3	-	1	1	1	-	2.70
	女 F.	5	-	-	-	1	1	-	3	-	-	-	2.95
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P57～P60)	他に分類されない無酸素症および低酸素症	48	3	5	3	9	13	-	9	5	-	1	2.51
	男 M.	29	-	2	2	7	10	-	5	2	-	1	2.59
	女 F.	19	3	3	1	2	3	-	4	3	-	-	2.40
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P57	硝子様膜症および呼吸窮迫症候群	1	-	-	-	1	-	-	-	-	-	-	2.35
	男 M.	1	-	-	-	1	-	-	-	-	-	-	2.35
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P58	子宮内無酸素症	3	-	-	1	-	1	-	1	-	-	-	2.52
	男 M.	2	-	-	1	-	1	-	-	-	-	-	2.15
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.25
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P59	詳細不明の新生児仮死	41	3	5	2	8	11	-	7	4	-	1	2.46
	男 M.	25	-	2	1	6	9	-	5	1	-	1	2.59
	女 F.	16	3	3	1	2	2	-	2	3	-	-	2.27
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P60	その他の他に分類されない無酸素症および低酸素症	3	-	-	-	-	1	-	1	1	-	-	3.25
	男 M.	1	-	-	-	-	-	-	-	1	-	-	3.65
	女 F.	2	-	-	-	-	1	-	1	-	-	-	3.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産（分娩前）
Late foetal deaths(ante-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
（P61～P68）	その他の胎児および新生児の状態	3 578	388	570	649	537	590	47	480	157	47	160	2.13
	男 M.	1 861	191	286	359	291	296	24	250	94	24	70	2.15
	女 F.	1 670	186	281	288	243	294	23	229	63	23	63	2.13
	不詳 U.	47	11	3	2	3	-	-	1	-	-	27	1.24
P61	詳細不明の未熟児	118	10	28	47	23	5	-	-	-	-	5	1.67
	男 M.	68	5	15	30	15	2	-	-	-	-	1	1.69
	女 F.	43	3	12	16	8	3	-	-	-	-	1	1.68
	不詳 U.	7	2	1	1	-	-	-	-	-	-	3	1.10
P62	出生前の胎児の血液喪失	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P63	過熟児	8	-	-	-	-	1	-	3	1	3	-	3.90
	男 M.	4	-	-	-	-	-	-	2	1	1	-	3.73
	女 F.	4	-	-	-	-	1	-	1	-	2	-	4.08
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P64	新生児の出血性疾患	3	-	-	-	1	1	-	-	-	1	-	3.08
	男 M.	2	-	-	-	1	1	-	-	-	-	-	2.50
	女 F.	1	-	-	-	-	-	-	-	-	1	-	4.25
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P65	寒冷傷害症候群	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P66	その他の胎児の異常	134	8	17	30	23	22	1	18	9	4	3	2.29
	男 M.	67	2	7	20	13	9	-	8	5	1	2	2.28
	女 F.	66	5	10	10	10	13	1	10	4	3	1	2.33
	不詳 U.	1	1	-	-	-	-	-	-	-	-	-	0.95
（778.9 a）	新生児の黄疸	1	-	-	-	-	1	-	-	-	-	-	2.65
	男 M.	1	-	-	-	-	-	-	-	-	-	-	2.65
	女 F.	-	-	-	-	-	1	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P67	浸軟児	328	48	58	47	44	55	8	31	15	6	24	2.03
	男 M.	168	23	28	20	18	36	5	19	11	5	8	2.19
	女 F.	154	23	30	27	25	19	3	12	4	1	13	1.88
	不詳 U.	6	2	-	-	1	-	-	-	-	-	3	1.22
P68	原因不明の胎児死亡	2 987	322	467	525	446	506	38	428	132	33	128	2.15
	男 M.	1 552	161	236	289	244	248	19	221	77	17	59	2.16
	女 F.	1 402	155	229	235	200	258	19	206	55	16	48	2.15
	不詳 U.	33	6	2	1	2	-	-	1	-	-	21	1.32
（779.9 a）	子宮内胎児死亡	949	98	167	161	150	160	13	122	41	11	39	2.12
	男 M.	483	49	80	82	87	70	5	70	26	5	14	2.16
	女 F.	453	48	86	79	63	90	8	52	15	6	14	2.09
	不詳 U.	13	1	1	-	-	-	-	-	-	-	11	0.90
（P69～P80）	先天異常	579	52	115	111	100	75	7	79	28	11	8	2.12
	男 M.	316	22	59	55	61	42	1	46	21	5	5	2.20
	女 F.	247	25	53	51	38	32	6	33	7	5	3	2.04
	不詳 U.	16	5	3	5	1	1	-	-	-	1	-	1.68
P69	無脳症	168	18	52	39	29	16	1	10	2	1	1	1.79
	男 M.	95	7	29	21	16	12	-	8	2	-	-	1.88
	女 F.	72	11	23	18	13	4	1	2	-	-	1	1.61
	不詳 U.	1	-	-	-	-	-	-	-	-	1	-	5.45
P70	二分脊椎	9	-	1	1	3	1	-	2	-	1	-	2.52
	男 M.	9	-	1	1	3	1	-	2	-	1	-	2.52
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P71	先天性水頭症	109	7	9	18	20	17	1	24	10	2	2	2.44
	男 M.	56	3	2	7	13	10	-	11	7	1	2	2.57
	女 F.	53	4	7	11	7	7	1	13	3	1	-	2.32
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P72	その他の中枢神経系および眼の先天異常	15	1	2	4	2	3	1	2	1	-	-	2.22
	男 M.	8	-	1	3	1	2	1	-	1	-	-	2.21
	女 F.	7	1	1	1	1	1	-	2	-	-	-	2.24
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P73	循環器系の先天異常	41	-	4	2	6	9	1	12	5	3	-	2.84
	男 M.	25	-	-	1	4	4	-	9	5	2	-	3.10
	女 F.	16	-	4	1	2	5	1	3	-	1	-	2.43
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（746）	心臓の先天異常	40	-	3	2	6	9	1	12	5	3	-	2.88
	男 M.	25	-	-	1	4	4	-	9	5	2	-	3.10
	女 F.	15	-	3	1	2	5	1	3	-	1	-	2.51
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P74	呼吸器系の先天異常	2	-	1	1	-	-	-	-	-	-	-	1.55
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	1	1	-	-	-	-	-	-	-	1.55
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P75	消化器系の先天異常	21	-	5	5	1	8	2	-	2	-	-	2.19
	男 M.	12	-	3	4	-	4	-	-	1	-	-	2.10
	女 F.	7	-	2	-	1	3	2	-	1	-	-	2.35
	不詳 U.	2	-	-	1	-	1	-	-	-	-	-	2.15
P76	性尿器系の先天異常	4	-	1	1	-	1	-	-	1	-	-	2.38
	男 M.	3	-	1	-	-	1	-	-	1	-	-	2.58
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.75
P77	筋骨格系の先天異常	34	2	4	6	8	6	-	6	1	-	1	2.28
	男 M.	22	2	2	3	7	4	-	4	-	-	-	2.24
	女 F.	12	-	2	3	1	2	-	2	1	-	1	2.37
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P78	ダウン病	3	-	-	-	1	-	-	2	-	-	-	2.78
	男 M.	2	-	-	-	-	-	-	2	-	-	-	3.10
	女 F.	1	-	-	-	1	-	-	-	-	-	-	2.15
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P79	その他の多系統におよぶ先天性症候群	14	3	1	3	3	-	-	1	1	1	1	2.03
	男 M.	6	-	1	1	1	-	-	1	1	-	1	2.41
	女 F.	5	1	-	1	2	-	-	-	-	1	-	2.21
	不詳 U.	3	2	-	1	-	-	-	-	-	-	-	1.08
P80	その他および詳細不明の先天異常	159	21	35	31	27	14	1	20	5	3	3	1.97
	男 M.	78	10	19	14	16	4	-	9	3	1	2	1.94
	女 F.	72	8	13	15	10	10	1	11	2	2	1	2.08
	不詳 U.	9	3	3	2	1	-	-	-	-	-	-	1.35
（P81～P88）	胎児および新生児の感染	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P81	下痢性疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P82	リステリア症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産（分娩前）
Late foetal deaths(ante-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P83	破傷風	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P84	敗血症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P85	ウイルス疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P86	先天梅毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P87	トキソプラスマ症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P88	その他の伝染病および寄生虫病	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P89～P94)	その他の胎児および新生児の疾患	26	1	8	2	6	3	-	1	1	3	1	2.22
	男 M.	13	1	6	-	2	2	-	-	-	2	-	2.08
	女 F.	12	-	1	2	4	1	-	1	1	1	1	2.47
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.25
P89	甲状腺の疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P90	膵嚢胞性腺繊症（ムコビチドージス）	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P91	血液および造血器の疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P92	肺炎	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P93	その他の明示された疾患	26	1	8	2	6	3	-	1	1	3	1	2.22
	男 M.	13	1	6	-	2	2	-	-	-	2	-	2.08
	女 F.	12	-	1	2	4	1	-	1	1	1	1	2.47
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.25
(427～429)	心不全，その他の心臓疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(550～553)	腹腔ヘルニア	18	1	7	1	6	2	-	-	-	-	1	1.77
	男 M.	9	1	5	-	2	1	-	-	-	-	-	1.62
	女 F.	8	-	1	1	4	1	-	-	-	-	1	2.04
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.25

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P94	症状および診断名不明確の状態	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(PE95～PE100)	新生児に損傷をもたらした外因	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE95	過度の高温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE96	過度の低温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE97	飢餓，渇，不良環境曝露および放置	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE98	食物の吸入または嚥下による閉塞および窒息	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE99	不慮の機械的窒息	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE100	その他の外因	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(E960～E968)	他殺	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

第17表　周産期死亡数（後期死産は

早期新生児死亡・性丶胎児死亡の時期・原因

後期死産（分娩中）
Late foetal deaths(intra-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary) mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
	総数 Total	11 891	333	1 555	1 860	1 723	2 286	139	2 555	1 076	440	63	2.52
	男 M.	6 724	160	880	1 095	972	1 165	81	1 480	659	281	32	2.54
	女 F.	5 101	169	656	752	737	1 112	58	1 073	415	157	30	2.50
	不詳 U.	66	4	19	13	14	9	-	2	2	2	1	1.99
（P1～P4）	母体の慢性循環器疾患および慢性性尿器疾患	45	3	9	11	4	9	-	6	3	-	-	2.15
	男 M.	24	1	4	6	2	5	-	4	2	-	-	2.30
	女 F.	21	2	5	5	2	4	-	2	1	-	-	1.97
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P1	慢性リウマチ性心疾患	2	-	1	-	1	-	-	-	-	-	-	1.70
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	1	-	1	-	-	-	-	-	-	1.70
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P2	慢性高血圧症	7	1	1	1	-	3	-	1	-	-	-	2.19
	男 M.	6	-	1	1	-	3	-	1	-	-	-	2.42
	女 F.	1	1	-	-	-	-	-	-	-	-	-	0.85
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P3	その他の循環器系の慢性疾患	26	-	5	8	2	5	-	4	2	-	-	2.25
	男 M.	13	-	2	4	1	2	-	2	2	-	-	2.40
	女 F.	13	-	3	4	1	3	-	2	-	-	-	2.09
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P4	性尿器系の慢性疾患	10	2	2	2	1	1	-	1	1	-	-	1.94
	男 M.	5	1	1	1	1	-	-	1	-	-	-	1.87
	女 F.	5	1	1	1	-	1	-	-	1	-	-	2.01
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P5～P11）	その他の妊娠に関連のない母体側の状態	195	7	56	44	21	18	2	18	9	19	3	2.23
	男 M.	104	5	31	26	8	9	2	9	5	9	2	2.16
	女 F.	90	2	25	18	12	9	-	9	4	10	1	2.32
	不詳 U.	1	-	-	-	1	-	-	-	-	-	-	2.45
P5	梅毒	5	-	1	-	-	2	-	1	1	-	-	2.79
	男 M.	1	-	1	-	-	-	-	-	-	-	-	1.25
	女 F.	4	-	-	-	-	2	-	1	1	-	-	3.18
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P6	糖尿病	39	-	2	1	2	3	-	5	4	19	3	3.83
	男 M.	21	-	1	1	1	2	-	2	3	9	2	3.74
	女 F.	17	-	1	-	-	1	-	3	1	10	1	4.03
	不詳 U.	1	-	-	-	1	-	-	-	-	-	-	2.45
P7	風疹	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P8	母体の損傷	23	1	7	7	4	2	1	2	-	-	-	1.85
	男 M.	16	1	7	4	-	2	1	2	-	-	-	1.80
	女 F.	7	-	-	3	4	-	-	-	-	-	-	1.96
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P9	母体の手術	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P10	胎盤通過性化学物質の作用	2	-	-	1	-	-	-	1	-	-	-	2.55
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.35
	女 F.	1	-	-	1	-	-	-	-	-	-	-	1.75
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P11	その他の母体側の状態	126	6	46	35	15	11	1	9	4	-	-	1.82
	男 M.	65	4	22	21	7	5	1	4	2	-	-	1.78
	女 F.	61	2	24	14	8	6	-	5	2	-	-	1.86
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary) mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(761.9 i)	過労	28	3	14	6	3	-	-	1	1	-	-	1.56
	男 M.	17	2	8	4	2	-	-	1	-	-	-	1.56
	女 F.	11	1	6	2	1	-	-	-	1	-	-	1.55
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P12～P17）	妊娠中毒症	969	41	178	187	192	162	13	134	50	21	4	2.25
	男 M.	540	16	89	112	119	91	7	66	30	16	1	2.29
	女 F.	429	25	89	75	73	71	6	68	20	5	3	2.20
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P12	妊娠時に起きた腎疾患	144	7	19	34	32	24	4	14	12	2	-	2.24
	男 M.	83	4	10	22	19	13	2	5	8	2	-	2.26
	女 F.	61	3	9	12	13	11	2	9	4	-	-	2.21
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P13	子癇前症	132	13	44	25	19	14	1	11	6	-	-	1.89
	男 M.	77	4	25	19	15	6	1	7	1	-	-	1.89
	女 F.	55	9	19	6	4	8	-	4	5	-	-	1.90
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P14	子癇	45	1	10	3	6	9	-	10	5	1	-	2.50
	男 M.	25	-	2	3	4	6	-	6	3	1	-	2.72
	女 F.	20	1	8	-	2	3	-	4	2	-	-	2.22
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P15	詳細不明の妊娠中毒症	639	20	104	124	134	114	8	96	26	17	4	2.30
	男 M.	352	8	52	67	81	66	4	47	18	12	1	2.35
	女 F.	287	12	52	57	53	48	4	49	8	5	3	2.24
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P16	妊娠悪阻	1	-	-	-	-	-	-	-	-	1	-	4.05
	男 M.	1	-	-	-	-	-	-	-	-	1	-	4.05
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P17	その他の妊娠中毒症	8	-	1	1	1	1	-	3	1	-	-	2.63
	男 M.	2	-	-	1	-	-	-	1	-	-	-	2.45
	女 F.	6	-	1	-	1	1	-	2	1	-	-	2.68
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P18～P20）	母体の分娩前および分娩時の感染	77	1	6	8	2	24	-	25	9	2	-	2.79
	男 M.	40	1	3	6	-	11	-	14	4	1	-	2.77
	女 F.	37	-	3	2	2	13	-	11	5	1	-	2.81
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P18	妊娠時の腎盂炎および腎盂腎炎	9	-	2	3	1	1	-	2	-	-	-	2.03
	男 M.	6	-	2	3	-	-	-	1	-	-	-	1.75
	女 F.	3	-	-	-	1	1	-	1	-	-	-	2.58
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P19	その他の妊娠時の性尿器の感染	6	-	1	-	-	3	-	1	1	-	-	2.80
	男 M.	2	-	-	-	-	1	-	1	-	-	-	3.15
	女 F.	4	-	1	-	-	2	-	-	1	-	-	2.63
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P20	その他	62	1	3	5	1	20	-	22	8	2	-	2.90
	男 M.	32	1	1	3	-	10	-	12	4	1	-	2.93
	女 F.	30	-	2	2	1	10	-	10	4	1	-	2.86
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P21～P23）	骨盤の骨，臓器または組織の異常を伴う難産	364	-	6	8	24	85	7	158	61	22	-	3.14
	男 M.	211	-	1	5	15	34	4	100	39	17	-	3.22
	女 F.	152	-	5	3	9	51	3	58	21	5	-	3.02
	不詳 U.	1	-	-	-	-	-	-	-	1	-	-	3.85
P21	脳または脊髄の出生時損傷を伴うもの	48	-	-	1	1	14	1	26	4	2	-	3.12
	男 M.	25	-	-	-	-	6	1	15	3	1	-	3.21
	女 F.	23	-	-	1	1	8	-	11	1	1	-	3.02
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

死　因
17表（25—17）

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産（分娩中）
Late foetal deaths(intra-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲） Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(764.0a, 764.1a)	骨盤骨の異常を伴うもの……	17	-	-	-	-	7	1	9	1	-	-	3.06
	男 M.	12	-	-	-	-	4	1	7	1	-	-	3.09
	女 F.	5	-	-	-	-	3	-	2	-	-	-	2.99
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P22	その他または詳細不明の出生時損傷を…伴うもの	2	-	-	-	-	-	-	1	-	1	-	3.75
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	-	-	1	-	1	-	3.75
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(764.2a, 764.3a)	骨盤骨の異常を伴うもの……	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P23	出生時損傷の記載のないもの……	314	-	6	7	23	71	6	131	57	19	-	3.14
	男 M.	186	-	1	5	15	28	3	85	36	16	-	3.23
	女 F.	127	-	5	2	8	43	3	46	20	3	-	3.01
	不詳 U.	1	-	-	-	-	-	-	-	1	-	-	3.85
(764.4a, 764.9a)	骨盤骨の異常を伴うもの……	118	-	1	-	10	29	4	50	21	7	-	3.18
	男 M.	73	-	1	-	7	10	2	36	13	6	-	3.25
	女 F.	45	-	-	-	3	19	2	14	8	1	-	3.07
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P24～P26)	胎児の骨盤不適合を伴う難産……	220	-	1	4	5	12	1	49	52	92	5	3.82
	男 M.	131	-	1	2	2	7	1	25	32	59	3	3.86
	女 F.	88	-	-	2	3	5	-	24	20	32	2	3.75
	不詳 U.	1	-	-	-	-	-	-	-	-	1	-	4.45
P24	脳または脊髄の出生時損傷を伴うもの…	19	-	-	-	1	3	-	6	5	4	-	3.48
	男 M.	10	-	-	-	1	2	-	2	3	2	-	3.43
	女 F.	9	-	-	-	-	1	-	4	2	2	-	3.54
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P25	その他または詳細不明の出生時損傷を…伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P26	出生時損傷の記載のないもの……	201	-	1	4	4	9	1	43	47	88	5	3.85
	男 M.	121	-	1	2	1	5	1	23	29	57	3	3.90
	女 F.	79	-	-	2	3	4	-	20	18	30	2	3.77
	不詳 U.	1	-	-	-	-	-	-	-	-	1	-	4.45
(P27～P29)	胎児の位置異常を伴う難産……	1 169	18	68	105	144	279	9	356	162	35	2	2.82
	男 M.	686	13	37	67	83	140	6	222	104	19	1	2.83
	女 F.	479	5	30	36	60	139	3	134	58	16	1	2.81
	不詳 U.	4	-	1	2	1	-	-	-	-	-	-	1.73
P27	脳または脊髄の出生時損傷を伴うもの…	32	-	-	1	2	8	-	13	7	1	-	3.16
	男 M.	21	-	-	1	2	4	-	8	5	1	-	3.16
	女 F.	11	-	-	-	-	4	-	5	2	-	-	3.15
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(766.0a, 766.1a)	骨　盤　位……	8	-	-	-	1	4	-	3	-	-	-	2.96
	男 M.	2	-	-	-	1	1	-	-	-	-	-	2.55
	女 F.	6	-	-	-	-	3	-	3	-	-	-	3.10
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P28	その他または詳細不明の出生時損傷を…伴うもの	2	-	-	-	-	-	-	-	2	-	-	3.60
	男 M.	1	-	-	-	-	-	-	-	1	-	-	3.55
	女 F.	1	-	-	-	-	-	-	-	1	-	-	3.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(766.2a, 766.3a)	骨　盤　位……	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲） Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P29	出生時損傷の記載のないもの……	1 135	18	68	104	142	271	9	343	153	34	2	2.81
	男 M.	664	13	37	66	81	136	6	214	98	18	1	2.82
	女 F.	467	5	30	36	60	135	3	129	55	16	1	2.80
	不詳 U.	4	-	1	2	1	-	-	-	-	-	-	1.73
(766.4a, 766.9a)	骨　盤　位……	665	10	43	60	74	174	6	203	83	17	1	2.79
	男 M.	371	7	18	35	40	84	5	128	51	7	1	2.83
	女 F.	291	3	25	23	33	90	1	75	32	10	-	2.75
	不詳 U.	3	-	-	2	1	-	-	-	-	-	-	1.92
(P30～P32)	娩出力異常を伴う難産……	242	2	4	8	25	47	-	91	45	20	-	3.12
	男 M.	144	-	3	5	14	22	-	58	28	14	-	3.18
	女 F.	98	2	1	3	11	25	-	33	17	6	-	3.03
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P30	脳または脊髄の出生時損傷を伴うもの…	20	-	-	-	1	5	-	9	3	2	-	3.23
	男 M.	16	-	-	-	1	4	-	8	2	1	-	3.18
	女 F.	4	-	-	-	-	1	-	1	1	1	-	3.45
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P31	その他または詳細不明の出生時損傷を…伴うもの	1	-	-	-	-	-	-	-	1	-	-	3.65
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	1	-	-	3.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P32	出生時損傷の記載のないもの……	221	2	4	8	24	42	-	82	41	18	-	3.11
	男 M.	128	-	3	5	13	18	-	50	26	13	-	3.18
	女 F.	93	2	1	3	11	24	-	32	15	5	-	3.01
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P33～P35)	その他および詳細不明の合併症を伴う…難産	246	-	6	7	10	47	-	86	59	29	2	3.26
	男 M.	136	-	2	4	6	24	-	39	38	21	2	3.35
	女 F.	110	-	4	3	4	23	-	47	21	8	-	3.16
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P33	脳または脊髄の出生時損傷を伴うもの…	17	-	-	1	1	4	-	4	6	1	-	3.29
	男 M.	9	-	-	-	1	2	-	1	4	1	-	3.38
	女 F.	8	-	-	1	-	2	-	3	2	-	-	3.19
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P34	その他または詳細不明の出生時損傷を…伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P35	出生時損傷の記載のないもの……	229	-	6	6	9	43	-	82	53	28	2	3.26
	男 M.	127	-	2	4	5	22	-	38	34	20	2	3.34
	女 F.	102	-	4	2	4	21	-	44	19	8	-	3.16
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P36～P41)	その他の妊娠および分娩の合併症……	1 039	90	346	300	131	82	10	51	22	6	11	1.76
	男 M.	609	44	204	191	78	43	4	28	14	4	3	1.77
	女 F.	428	46	142	108	53	39	6	23	8	2	7	1.75
	不詳 U.	2	-	-	1	-	-	-	-	-	-	1	1.95
P36	頸管無力症……	214	27	93	74	14	3	-	1	-	-	2	1.47
	男 M.	142	17	60	51	11	2	-	-	-	-	1	1.48
	女 F.	72	10	33	23	3	1	-	1	-	-	1	1.44
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P37	早　期　破　水……	460	38	142	131	58	43	7	24	11	6	7	1.81
	男 M.	260	12	79	86	30	23	3	16	8	4	2	1.87
	女 F.	200	26	63	45	28	20	4	8	3	2	5	1.74
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P38	羊水過多症……	201	13	52	51	37	23	3	19	6	-	-	1.96
	男 M.	112	7	29	29	25	10	1	9	3	-	-	1.93
	女 F.	88	6	23	21	12	13	2	10	3	-	-	1.99
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.95

第17表　周産期死亡数（後期死産は医師立会のみ），後期死産（医師立会のみ）—早期新生児死亡・性・胎児死亡の時期・原因（P分類）・出産時の体重（平均体重を含む）別

後期死産（分娩中）
Late foetal deaths(intra-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary) mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P39	子宮外妊娠	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P40	多胎妊娠	83	8	38	22	9	4	-	1	-	-	1	1.53
	男 M.	50	4	23	14	6	2	-	1	-	-	-	1.57
	女 F.	33	4	15	8	3	2	-	-	-	-	1	1.48
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P41	その他の妊娠または分娩の合併症	81	4	21	22	13	9	-	6	5	-	1	1.98
	男 M.	45	4	13	11	6	6	-	2	3	-	-	1.89
	女 F.	35	-	8	11	7	3	-	4	2	-	-	2.08
	不詳 U.	1	-	-	-	-	-	-	-	-	-	1	-
(P42～P46)	胎盤異常	1 112	37	180	258	179	201	11	186	56	10	5	2.27
	男 M.	621	18	109	138	97	102	6	112	36	7	2	2.29
	女 F.	489	18	71	120	81	99	5	74	20	3	3	2.25
	不詳 U.	2	1	-	-	1	-	-	-	-	-	-	1.50
P42	前置胎盤	519	24	135	188	80	52	1	28	10	1	1	1.88
	男 M.	293	11	82	99	48	29	-	17	7	-	-	1.90
	女 F.	224	12	53	89	31	23	1	11	3	1	1	1.85
	不詳 U.	2	1	-	-	1	-	-	-	-	-	-	1.50
P43	胎盤早期剝離	313	4	28	47	64	77	8	67	19	4	3	2.51
	男 M.	178	3	17	23	35	39	5	42	14	4	1	2.56
	女 F.	135	1	11	24	29	38	3	25	5	-	2	2.46
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P44	胎盤硬塞	15	-	1	1	1	6	-	5	1	-	-	2.82
	男 M.	8	-	1	1	-	3	-	2	1	-	-	2.74
	女 F.	7	-	-	-	1	3	-	3	-	-	-	2.91
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P45	その他の胎盤の異常	58	2	5	6	2	19	1	18	4	1	1	2.66
	男 M.	34	-	4	5	1	8	-	12	3	-	1	2.66
	女 F.	24	2	1	1	1	11	1	6	1	1	-	2.67
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P46	詳細不明の胎盤の異常	207	7	11	16	32	47	1	68	22	4	-	2.76
	男 M.	108	4	5	10	13	23	1	39	11	3	-	2.78
	女 F.	99	3	6	6	19	24	-	29	11	1	-	2.72
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P47～P49)	臍帯異常	1 651	7	53	96	168	428	22	588	225	80	6	2.96
	男 M.	947	4	30	57	85	226	12	351	141	51	2	3.01
	女 F.	701	3	23	38	83	201	10	236	84	29	4	2.91
	不詳 U.	3	-	-	1	-	1	-	1	-	-	-	2.55
P47	臍帯圧迫	171	1	4	12	22	42	2	58	27	5	-	2.92
	男 M.	101	-	4	10	11	19	-	35	20	2	-	2.94
	女 F.	70	1	-	2	11	23	2	23	7	3	-	2.91
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P48	臍帯圧迫の記載のない臍帯脱出	357	3	23	31	40	98	5	108	44	9	1	2.80
	男 M.	210	3	13	14	23	51	2	69	30	6	1	2.86
	女 F.	146	-	10	16	17	47	3	39	14	3	-	2.73
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.55
P49	その他	1 123	3	26	53	106	288	15	422	154	66	5	3.02
	男 M.	636	1	13	33	51	156	10	247	91	43	1	3.07
	女 F.	485	2	13	20	55	131	5	174	63	23	4	2.97
	不詳 U.	2	-	-	-	-	1	-	1	-	-	-	3.05
(771.9 a)	臍帯巻絡	961	1	17	40	82	243	14	371	139	63	5	3.07
	男 M.	558	-	8	28	42	135	9	219	85	40	1	3.10
	女 F.	401	1	9	12	40	107	5	151	54	23	4	3.02
	不詳 U.	2	-	-	-	-	1	-	1	-	-	-	3.05
(P50～P52)	原因の記載のない出生時損傷	299	11	59	53	25	39	1	70	30	10	2	2.41
	男 M.	179	8	37	29	18	19	-	44	15	7	2	2.37
	女 F.	119	3	21	24	7	20	1	26	15	3	-	2.47
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.45
P50	脳または脊髄の出生時損傷	127	-	-	7	10	22	-	55	25	8	-	3.14
	男 M.	77	-	-	4	9	9	-	34	15	6	-	3.15
	女 F.	50	-	-	3	1	13	-	21	10	2	-	3.14
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P51	その他または詳細不明の出生時損傷	10	-	1	-	-	1	2	-	3	1	2	-	3.16
	男 M.	7	-	1	-	-	2	-	3	-	1	-	2.94
	女 F.	3	-	-	-	-	1	-	-	-	1	1	-	3.68
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P52	原因の記載のない妊娠の中絶	162	11	58	46	14	15	1	12	4	-	2	1.78
	男 M.	95	8	36	25	9	8	-	7	-	-	2	1.69
	女 F.	66	3	21	21	5	7	1	5	4	-	-	1.91
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.45
(P53～P56)	新生児溶血性疾患	30	-	2	4	4	6	-	6	5	3	-	2.84
	男 M.	13	-	1	2	3	3	-	1	3	-	-	2.60
	女 F.	17	-	1	2	1	3	-	5	2	3	-	3.03
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P53	Rh因子不適合を伴うもの	1	-	-	-	1	-	-	-	-	-	-	2.35
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	1	-	-	-	-	-	-	2.35
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P54	ABO因子不適合を伴うもの	2	-	-	1	-	-	-	-	1	-	-	2.85
	男 M.	2	-	-	1	-	-	-	-	1	-	-	2.85
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P55	その他または詳細不明の血液型不適合を伴うもの	1	-	-	-	-	1	-	-	-	-	-	2.55
	男 M.	1	-	-	-	-	1	-	-	-	-	-	2.55
	不女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P56	原因の記載のないもの	26	-	2	3	3	5	-	6	4	3	-	2.87
	男 M.	10	-	1	1	3	2	-	1	2	-	-	2.55
	女 F.	16	-	1	2	-	3	-	5	2	3	-	3.08
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P57～P60)	他に分類されない無酸素症および低酸素症	510	4	33	71	78	114	8	147	46	15	2	2.70
	男 M.	294	-	18	43	49	57	4	86	30	9	2	2.73
	女 F.	216	4	15	28	29	57	4	61	16	6	-	2.66
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P57	硝子様膜症および呼吸窮迫症候群	39	-	3	5	5	9	1	13	4	-	-	2.76
	男 M.	21	-	1	3	2	5	1	8	2	-	-	2.82
	女 F.	18	-	2	2	3	4	-	5	2	-	-	2.68
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P58	子宮内無酸素症	7	-	1	1	1	-	-	3	1	-	-	2.58
	男 M.	2	-	-	-	1	-	-	1	-	-	-	2.60
	女 F.	5	-	1	1	-	-	-	2	1	-	-	2.57
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P59	詳細不明の新生児仮死	438	4	29	63	71	102	7	117	36	14	2	2.67
	男 M.	256	-	17	39	45	51	3	68	25	9	2	2.70
	女 F.	182	4	12	24	26	51	4	49	11	5	-	2.63
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P60	その他の他に分類されない無酸素症および低酸素症	26	-	-	2	1	3	-	14	5	1	-	3.14
	男 M.	15	-	-	1	1	1	-	9	3	-	-	3.12
	女 F.	11	-	-	1	-	2	-	5	2	1	-	3.17
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

死　因
17表 (25—19)

第17表　周産期死亡数(後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

後期死産（分娩中）
Late foetal deaths(intra-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary) mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(P61～P68)	その他の胎児および新生児の状態	2 184	80	364	479	386	344	29	326	147	45	13	2.29
	男 M.	1 248	36	227	286	225	175	16	174	88	30	7	2.27
	女 F.	925	42	132	190	161	168	13	152	59	15	6	2.33
	不詳 U.	11	2	5	3	-	1	-	-	-	-	-	1.42
P61	詳細不明の未熟児	588	44	170	225	131	13	5	1	-	-	4	1.66
	男 M.	360	18	103	141	84	11	4	1	-	-	2	1.69
	女 F.	227	26	66	84	47	2	1	-	-	-	2	1.61
	不詳 U.	1	-	1	-	-	-	-	-	-	-	-	1.05
P62	出生前の胎児の血液喪失	1	-	-	-	-	-	-	1	-	-	-	3.05
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.05
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P63	過熟児	22	-	-	-	-	1	-	4	8	9	-	4.02
	男 M.	11	-	-	-	-	-	-	1	4	6	-	4.25
	女 F.	11	-	-	-	-	1	-	3	4	3	-	3.80
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P64	新生児の出血性疾患	21	-	1	3	3	8	-	5	1	-	-	2.65
	男 M.	13	-	-	2	3	3	-	4	1	-	-	2.74
	女 F.	8	-	1	1	-	5	-	1	-	-	-	2.51
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P65	寒冷傷害症候群	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P66	その他の胎児の異常	577	13	83	117	131	106	8	80	32	13	2	2.34
	男 M.	316	5	50	70	73	52	3	41	17	8	-	2.30
	女 F.	260	8	33	46	58	54	5	39	15	5	2	2.38
	不詳 U.	1	-	-	1	-	-	-	-	-	-	-	1.55
(778.9 a)	新生児の黄疸	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P67	浸軟児	6	1	-	3	2	-	-	-	-	-	-	1.77
	男 M.	3	-	-	2	1	-	-	-	-	-	-	1.88
	女 F.	3	1	-	1	1	-	-	-	-	-	-	1.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P68	原因不明の胎児死亡	969	22	110	131	119	216	16	235	106	23	7	2.60
	男 M.	544	13	74	71	64	109	9	126	66	16	5	2.58
	女 F.	416	7	32	58	55	106	7	109	40	7	2	2.64
	不詳 U.	9	2	4	2	-	1	-	-	-	-	-	1.45
(779.9 a)	子宮内胎児死亡	73	1	3	9	9	16	2	24	8	3	-	2.81
	男 M.	34	1	2	3	3	6	1	13	4	2	-	2.85
	女 F.	39	-	1	6	6	10	1	11	4	1	-	2.77
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(P69～P80)	先天異常	1 501	32	182	210	316	380	26	252	90	31	8	2.45
	男 M.	782	14	81	114	163	195	19	144	49	17	5	2.49
	女 F.	679	17	89	90	142	178	7	107	40	13	3	2.43
	不詳 U.	40	1	12	6	11	7	-	1	1	1	-	2.06
P69	無脳症	603	20	101	110	155	140	11	64	9	2	2	2.19
	男 M.	324	7	47	65	81	78	8	37	7	1	1	2.24
	女 F.	270	13	52	45	71	60	3	26	2	-	1	2.11
	不詳 U.	9	-	2	-	3	2	-	1	-	1	-	2.58
P70	二分脊椎	35	-	-	3	5	14	-	8	4	1	-	2.89
	男 M.	12	-	-	1	-	3	-	6	2	-	-	3.11
	女 F.	23	-	-	2	5	11	-	2	2	1	-	2.77
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

医師立会のみ)，後期死産(医師立会のみ)—

(P分類)・出産時の体重(平均体重を含む) 別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary) mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P71	先天性水頭症	149	-	11	9	27	41	4	36	14	9	2	2.80
	男 M.	84	-	4	4	16	20	2	23	10	5	2	2.87
	女 F.	64	-	7	5	11	21	2	13	3	4	-	2.69
	不詳 U.	1	-	-	-	-	-	-	-	1	-	-	3.95
P72	その他の中枢神経系および眼の先天異常	59	-	3	9	14	16	1	11	4	1	1	2.54
	男 M.	32	-	2	7	7	8	-	6	2	-	-	2.45
	女 F.	27	-	1	2	7	8	1	5	2	1	1	2.65
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P73	循環器系の先天異常	155	-	2	3	18	51	2	50	26	4	1	3.02
	男 M.	83	-	1	1	14	26	2	25	13	3	-	2.99
	女 F.	72	-	1	2	4	25	-	25	13	1	1	3.05
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
(746)	心臓の先天異常	152	-	2	3	17	51	2	50	25	3	1	3.01
	男 M.	82	-	1	1	14	26	2	25	13	2	-	2.96
	女 F.	70	-	1	2	3	25	-	25	12	1	1	3.06
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P74	呼吸器系の先天異常	14	-	1	3	1	6	1	2	1	-	-	2.48
	男 M.	7	-	1	-	-	4	1	1	1	-	-	2.64
	女 F.	7	-	-	3	1	2	-	1	-	-	-	2.32
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P75	消化器系の先天異常	77	-	5	14	11	29	1	14	3	1	-	2.57
	男 M.	35	-	2	7	7	9	1	8	1	1	-	2.56
	女 F.	37	-	3	4	4	18	-	6	2	-	-	2.63
	不詳 U.	5	-	-	3	-	2	-	-	-	-	-	2.13
P76	性尿器系の先天異常	6	-	-	-	3	1	-	1	-	1	-	2.78
	男 M.	5	-	-	-	2	1	-	1	-	1	-	2.91
	女 F.	1	-	-	-	1	-	-	-	-	-	-	2.15
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P77	筋骨格系の先天異常	73	3	10	5	11	14	2	22	8	-	-	2.59
	男 M.	37	2	4	4	5	8	2	10	4	-	-	2.55
	女 F.	36	1	6	1	6	6	-	12	4	-	-	2.63
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P78	ダウン病	9	-	1	-	1	4	-	2	1	-	-	2.83
	男 M.	2	-	-	-	1	-	-	1	-	-	-	2.90
	女 F.	7	-	1	-	-	4	-	1	1	-	-	2.81
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P79	その他の多系統におよぶ先天性症候群	27	-	1	6	5	4	-	6	2	3	-	2.75
	男 M.	13	-	-	4	2	3	-	2	2	-	-	2.57
	女 F.	14	-	1	2	3	1	-	4	-	3	-	2.92
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P80	その他および詳細不明の先天異常	294	9	47	48	65	60	4	36	18	9	2	2.34
	男 M.	148	5	20	21	28	35	3	24	7	6	2	2.43
	女 F.	121	3	17	24	29	22	1	12	11	3	-	2.34
	不詳 U.	25	1	10	3	8	3	-	-	-	-	-	1.78
(P81～P88)	胎児および新生児の感染	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P81	下痢性疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P82	リステリア症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

第17表　周産期死亡数（後期死産は医師立会のみ），後期死産（医師立会のみ）—早期新生児死亡・性・胎児死亡の時期・原因（P分類）・出産時の体重（平均体重を含む）別

後期死産（分娩中）
Late foetal deaths(intra-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表）International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	（再掲）(Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P83	破傷風	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P84	敗血症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P85	ウイルス疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P86	先天梅毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P87	トキソプラスマ症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P88	その他の伝染病および寄生虫病	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（P89～P94）	その他の胎児および新生児の疾患	38	-	2	7	9	9	-	6	5	-	-	2.61
	男 M.	15	-	2	2	5	2	-	3	1	-	-	2.41
	女 F.	23	-	-	5	4	7	-	3	4	-	-	2.75
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P89	甲状腺の疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P90	膵嚢胞性腺維症（ムコビチドージス）	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P91	血液および造血器の疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P92	肺炎	3	-	-	-	-	2	-	-	1	-	-	3.22
	男 M.	1	-	-	-	-	-	-	-	1	-	-	3.85
	女 F.	2	-	-	-	-	2	-	-	-	-	-	2.90
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P93	その他の明示された疾患	35	-	2	7	9	7	-	6	4	-	-	2.56
	男 M.	14	-	2	2	5	2	-	3	-	-	-	2.31
	女 F.	21	-	-	5	4	5	-	3	4	-	-	2.73
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（427～429）	心不全，その他の心臓疾患	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（550～553）	腹腔ヘルニア	12	-	-	6	3	1	-	1	1	-	-	2.26
	男 M.	6	-	-	2	3	-	-	1	-	-	-	2.18
	女 F.	6	-	-	4	-	1	-	-	1	-	-	2.33
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
P94	症状および診断名不明確の状態	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（PE95～PE100）	新生児に損傷をもたらした外因	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE95	過度の高温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE96	過度の低温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE97	飢餓，渇，不良環境曝露および放置	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE98	食物の吸入または嚥下による閉塞および窒息	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE99	不慮の機械的窒息	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
PE100	その他の外因	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-
（E960～E968）	他殺	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	-	-	-	-	-	-	-	-	-	-	-	-

第17表　周産期死亡数(後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

早期新生児死亡（分娩後）
Early neonatal deaths(past-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
	総数 Total	12 425	954	2 485	2 584	1 848	1 779	170	1 747	684	222	122	2.16
	男 M.	7 518	434	1 422	1 648	1 179	1 073	95	1 080	471	146	65	2.21
	女 F.	4 907	520	1 063	936	669	706	75	667	213	76	57	2.07
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P1～P4)	母体の慢性循環器疾患および慢性性尿器疾患	31	1	8	13	3	-	-	6	-	-	-	1.89
	男 M.	21	-	6	7	2	-	-	6	-	-	-	2.08
	女 F.	10	1	2	6	1	-	-	-	-	-	-	1.49
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P1	慢性リウマチ性心疾患	1	-	1	-	-	-	-	-	-	-	-	1.25
	男 M.	1	-	1	-	-	-	-	-	-	-	-	1.25
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P2	慢性高血圧症	9	-	2	2	2	-	-	3	-	-	-	2.28
	男 M.	7	-	2	1	1	-	-	3	-	-	-	2.42
	女 F.	2	-	-	1	1	-	-	-	-	-	-	1.80
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P3	その他の循環器系の慢性疾患	11	-	3	4	1	-	-	3	-	-	-	2.02
	男 M.	6	-	1	1	1	-	-	3	-	-	-	2.45
	女 F.	5	-	2	3	-	-	-	-	-	-	-	1.51
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P4	性尿器系の慢性疾患	10	1	2	7	-	-	-	-	-	-	-	1.46
	男 M.	7	-	2	5	-	-	-	-	-	-	-	1.55
	女 F.	3	1	-	2	-	-	-	-	-	-	-	1.25
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P5～P11)	その他の妊娠に関連のない母体側の状態	143	20	42	38	16	9	-	10	2	6	-	1.84
	男 M.	87	9	28	25	9	7	-	3	1	5	-	1.87
	女 F.	56	11	14	13	7	2	-	7	1	1	-	1.80
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P5	梅毒	8	1	2	2	-	1	-	2	-	-	-	1.95
	男 M.	3	-	1	1	-	1	-	-	-	-	-	1.88
	女 F.	5	1	1	1	-	-	-	2	-	-	-	1.99
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P6	糖尿病	17	2	1	3	-	1	-	5	-	5	-	2.91
	男 M.	9	-	1	2	-	1	-	1	-	4	-	3.16
	女 F.	8	2	-	1	-	-	-	4	-	1	-	2.63
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P7	風疹	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P8	母体の損傷	6	-	2	3	-	1	-	-	-	-	-	1.82
	男 M.	3	-	1	1	-	1	-	-	-	-	-	1.98
	女 F.	3	-	1	2	-	-	-	-	-	-	-	1.65
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P9	母体の手術	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P10	胎盤通過性化学物質の作用	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P11	その他の母体側の状態	112	17	37	30	16	6	-	3	2	1	-	1.68
	男 M.	72	9	25	21	9	4	-	2	1	1	-	1.71
	女 F.	40	8	12	9	7	2	-	1	1	-	-	1.63
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

医師立会のみ)，後期死産(医師立会のみ)—

(P分類)・出産時の体重(平均体重を含む) 別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(761.9 i)	過労	5	2	2	-	1	-	-	-	-	-	-	1.21
	男 M.	3	-	2	-	1	-	-	-	-	-	-	1.48
	女 F.	2	2	-	-	-	-	-	-	-	-	-	0.80
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P12～P17)	妊娠中毒症	821	52	196	231	135	89	7	82	26	8	2	1.99
	男 M.	506	22	108	145	100	52	2	53	18	6	2	2.06
	女 F.	315	30	88	86	35	37	5	29	8	2	-	1.88
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P12	妊娠時に起きた腎疾患	87	6	16	21	19	9	1	11	5	-	-	2.08
	男 M.	48	2	9	10	14	5	-	4	4	-	-	2.15
	女 F.	39	4	7	11	5	4	1	7	1	-	-	2.00
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P13	子癇前症	132	10	45	36	21	10	-	8	1	-	1	1.75
	男 M.	81	2	25	22	17	9	-	5	-	-	1	1.87
	女 F.	51	8	20	14	4	1	-	3	1	-	-	1.56
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P14	子癇	23	1	5	8	5	2	-	1	1	-	-	1.95
	男 M.	14	1	3	4	4	1	-	1	-	-	-	1.93
	女 F.	9	-	2	4	1	1	-	-	1	-	-	1.98
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P15	詳細不明の妊娠中毒症	565	33	128	165	88	65	6	61	16	8	1	2.02
	男 M.	356	16	70	109	64	35	2	42	13	6	1	2.09
	女 F.	209	17	58	56	24	30	4	19	3	2	-	1.91
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P16	妊娠悪阻	5	1	2	-	-	1	-	-	1	-	-	1.89
	男 M.	3	1	1	-	-	-	-	-	1	-	-	1.82
	女 F.	2	-	1	-	-	1	-	-	-	-	-	2.00
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P17	その他の妊娠中毒症	9	1	-	1	2	2	-	1	2	-	-	2.51
	男 M.	4	-	-	-	1	2	-	1	-	-	-	2.68
	女 F.	5	1	-	1	1	-	-	-	2	-	-	2.37
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P18～P20)	母体の分娩前および分娩時の感染	72	3	8	6	11	14	2	17	10	3	-	2.64
	男 M.	44	2	4	3	8	10	2	9	6	2	-	2.66
	女 F.	28	1	4	3	3	4	-	8	4	1	-	2.62
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P18	妊娠時の腎盂炎および腎盂腎炎	7	-	3	2	-	1	-	-	1	-	-	2.05
	男 M.	4	-	2	1	-	1	-	-	-	-	-	1.78
	女 F.	3	-	1	1	-	-	-	-	1	-	-	2.42
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P19	その他の妊娠時の性尿器の感染	3	-	-	1	-	2	-	-	-	-	-	2.55
	男 M.	2	-	-	1	-	1	-	-	-	-	-	2.40
	女 F.	1	-	-	-	-	1	-	-	-	-	-	2.85
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P20	その他	62	3	5	3	11	11	2	17	9	3	-	2.71
	男 M.	38	2	2	1	8	8	2	9	6	2	-	2.76
	女 F.	24	1	3	2	3	3	-	8	3	1	-	2.63
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P21～P23)	骨盤の骨，臓器または組織の異常を伴う難産	129	1	6	10	14	23	-	50	19	5	1	2.92
	男 M.	77	-	5	5	7	8	-	34	15	2	1	2.99
	女 F.	52	1	1	5	7	15	-	16	4	3	-	2.83
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P21	脳または脊髄の出生時損傷を伴うもの	51	-	-	-	6	5	-	28	11	-	1	3.18
	男 M.	35	-	-	-	3	1	-	22	8	-	1	3.26
	女 F.	16	-	-	-	3	4	-	6	3	-	-	3.01
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

第17表　周産期死亡数(後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

早期新生児死亡（分娩後）
Early neonatal deaths(past-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(764.0a, 764.1a)	骨盤骨の異常を伴うもの……	24	-	-	-	4	3	-	8	8	-	1	3.18
	男 M.	16	-	-	-	2	-	-	8	5	-	1	3.28
	女 F.	8	-	-	-	2	3	-	-	3	-	-	3.00
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P22	その他または詳細不明の出生時損傷を…伴うもの	2	-	-	-	-	1	-	-	-	1	-	3.65
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	1	-	-	-	1	-	3.65
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(764.2a, 764.3a)	骨盤骨の異常を伴うもの……	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P23	出生時損傷の記載のないもの……	76	1	6	10	8	17	-	22	8	4	-	2.73
	男 M.	42	-	5	5	4	7	-	12	7	2	-	2.77
	女 F.	34	1	1	5	4	10	-	10	1	2	-	2.69
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(764.4a, 764.9a)	骨盤骨の異常を伴うもの……	28	-	-	4	4	8	-	7	3	2	-	2.85
	男 M.	15	-	-	-	2	3	-	6	3	1	-	3.15
	女 F.	13	-	-	4	2	5	-	1	-	1	-	2.50
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P24～P26)	胎児の骨盤不適合を伴う難産……	74	-	-	1	1	13	-	16	20	23	-	3.64
	男 M.	50	-	-	-	-	8	-	12	16	14	-	3.70
	女 F.	24	-	-	1	1	5	-	4	4	9	-	3.52
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P24	脳または脊髄の出生時損傷を伴うもの…	21	-	-	-	-	3	-	6	4	8	-	3.74
	男 M.	13	-	-	-	-	1	-	3	3	6	-	3.90
	女 F.	8	-	-	-	-	2	-	3	1	2	-	3.46
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P25	その他または詳細不明の出生時損傷を…伴うもの	1	-	-	-	-	-	-	-	-	1	-	4.15
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	-	-	1	-	4.15
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P26	出生時損傷の記載のないもの……	52	-	-	1	1	10	-	10	16	14	-	3.59
	男 M.	37	-	-	-	-	7	-	9	13	8	-	3.63
	女 F.	15	-	-	1	1	3	-	1	3	6	-	3.50
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P27～P29)	胎児の位置異常を伴う難産……	399	16	49	54	51	78	5	93	46	12	-	2.57
	男 M.	243	7	29	30	29	44	2	58	37	9	-	2.67
	女 F.	156	9	20	24	22	34	3	35	9	3	-	2.41
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P27	脳または脊髄の出生時損傷を伴うもの…	62	-	2	5	5	13	-	19	14	4	-	3.07
	男 M.	46	-	1	2	4	10	-	13	12	4	-	3.19
	女 F.	16	-	1	3	1	3	-	6	2	-	-	2.73
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(766.0a, 766.1a)	骨盤位……	32	-	2	3	4	8	-	10	4	1	-	2.83
	男 M.	22	-	1	2	3	5	-	7	3	1	-	2.91
	女 F.	10	-	1	1	1	3	-	3	1	-	-	2.64
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P28	その他または詳細不明の出生時損傷を…伴うもの	1	-	-	-	-	1	-	-	-	-	-	2.95
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	1	-	-	-	-	-	2.95
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(766.2a, 766.3a)	骨盤位……	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

医師立会のみ)，後期死産(医師立会のみ)—

(P分類)・出産時の体重(平均体重を含む) 別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P29	出生時損傷の記載のないもの……	336	16	47	49	46	64	5	74	32	8	-	2.47
	男 M.	197	7	28	28	25	34	2	45	25	5	-	2.55
	女 F.	139	9	19	21	21	30	3	29	7	3	-	2.37
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(766.4a, 766.9a)	骨盤位……	224	12	37	37	34	50	3	41	12	1	-	2.32
	男 M.	122	6	21	21	17	25	1	22	9	1	-	2.35
	女 F.	102	6	16	16	17	25	2	19	3	-	-	2.28
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P30～P32)	娩出力異常を伴う難産……	174	2	5	6	17	28	4	62	23	7	24	3.00
	男 M.	101	-	2	2	9	14	2	41	16	6	11	3.14
	女 F.	73	2	3	4	8	14	2	21	7	1	13	2.78
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P30	脳または脊髄の出生時損傷を伴うもの…	30	-	-	1	1	3	-	16	7	2	-	3.25
	男 M.	20	-	-	-	1	1	-	11	5	2	-	3.35
	女 F.	10	-	-	1	-	2	-	5	2	-	-	3.06
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P31	その他または詳細不明の出生時損傷を…伴うもの	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P32	出生時損傷の記載のないもの……	144	2	5	5	16	25	4	46	16	5	24	2.93
	男 M.	81	-	2	2	8	13	2	30	11	4	11	3.08
	女 F.	63	2	3	3	8	12	2	16	5	1	13	2.73
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P33～P35)	その他および詳細不明の合併症を伴う…難産	78	-	-	3	4	14	-	27	20	9	1	3.32
	男 M.	49	-	-	3	4	8	-	15	12	6	1	3.26
	女 F.	29	-	-	-	-	6	-	12	8	3	-	3.40
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P33	脳または脊髄の出生時損傷を伴うもの…	33	-	-	1	1	4	-	12	10	4	1	3.39
	男 M.	21	-	-	1	1	2	-	7	7	2	1	3.36
	女 F.	12	-	-	-	-	2	-	5	3	2	-	3.44
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P34	その他または詳細不明の出生時損傷を…伴うもの	2	-	-	-	-	-	-	1	1	-	-	3.50
	男 M.	1	-	-	-	-	-	-	-	1	-	-	3.65
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.35
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P35	出生時損傷の記載のないもの……	43	-	-	2	3	10	-	14	9	5	-	3.25
	男 M.	27	-	-	2	3	6	-	8	4	4	-	3.18
	女 F.	16	-	-	-	-	4	-	6	5	1	-	3.38
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P36～P41)	その他の妊娠および分娩の合併症……	1 076	197	389	262	130	52	5	30	7	2	7	1.55
	男 M.	632	93	231	165	84	31	4	18	5	2	3	1.60
	女 F.	444	104	158	97	46	21	1	12	2	-	4	1.47
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P36	頸管無力症……	155	50	69	26	6	4	-	-	-	-	-	1.25
	男 M.	95	28	43	19	3	2	-	-	-	-	-	1.27
	女 F.	60	22	26	7	3	2	-	-	-	-	-	1.22
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P37	早期破水……	344	50	114	78	51	25	2	17	2	1	6	1.67
	男 M.	214	24	64	58	34	18	1	12	1	1	2	1.76
	女 F.	130	26	50	20	17	7	1	5	1	-	4	1.53
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P38	羊水過多症……	96	4	21	29	23	10	2	4	4	1	-	1.99
	男 M.	50	2	13	12	14	4	2	1	3	1	-	2.00
	女 F.	46	2	8	17	9	6	-	3	1	-	-	1.98
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

第17表　周産期死亡数（後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

早期新生児死亡（分娩後）
Early neonatal deaths(past-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P39	子宮外妊娠	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P40	多胎妊娠	289	52	118	85	30	3	-	-	-	-	1	1.42
	男 M.	157	20	67	50	18	1	-	-	-	-	1	1.47
	女 F.	132	32	51	35	12	2	-	-	-	-	-	1.36
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P41	その他の妊娠または分娩の合併症	192	41	67	44	20	10	1	9	1	-	-	1.54
	男 M.	116	19	44	26	15	6	1	5	1	-	-	1.59
	女 F.	76	22	23	18	5	4	-	4	-	-	-	1.46
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P42～P46)	胎盤異常	593	31	141	196	107	57	8	45	15	-	1	1.93
	男 M.	356	16	76	121	73	34	5	23	12	-	1	1.96
	女 F.	237	15	65	75	34	23	3	22	3	-	-	1.88
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P42	前置胎盤	425	21	121	163	79	25	5	13	2	-	1	1.76
	男 M.	264	13	66	99	54	19	4	11	1	-	1	1.81
	女 F.	161	8	55	64	25	6	1	2	1	-	-	1.68
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P43	胎盤早期剝離	75	7	12	18	19	9	1	6	4	-	-	2.06
	男 M.	48	3	5	12	15	5	-	4	4	-	-	2.21
	女 F.	27	4	7	6	4	4	1	2	-	-	-	1.80
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P44	胎盤硬塞	1	-	1	-	-	-	-	-	-	-	-	1.15
	男 M.	1	-	1	-	-	-	-	-	-	-	-	1.15
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P45	その他の胎盤の異常	22	2	3	3	1	7	-	5	1	-	-	2.40
	男 M.	8	-	2	1	1	2	-	2	-	-	-	2.36
	女 F.	14	2	1	2	-	5	-	3	1	-	-	2.42
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P46	詳細不明の胎盤の異常	70	1	4	12	8	16	2	21	8	-	-	2.68
	男 M.	35	-	2	9	3	8	1	6	7	-	-	2.69
	女 F.	35	1	2	3	5	8	1	15	1	-	-	2.67
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P47～P49)	臍帯異常	178	3	2	13	14	50	5	65	25	3	3	2.92
	男 M.	122	2	2	7	11	28	3	49	18	3	2	2.97
	女 F.	56	1	-	6	3	22	2	16	7	-	1	2.82
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P47	臍帯圧迫	9	-	-	1	1	3	-	2	2	-	-	2.89
	男 M.	7	-	-	1	1	1	-	2	2	-	-	2.94
	女 F.	2	-	-	-	-	2	-	-	-	-	-	2.75
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P48	臍帯圧迫の記載のない臍帯脱出	25	-	1	3	1	8	1	10	-	-	2	2.74
	男 M.	15	-	1	2	1	4	-	6	-	-	1	2.69
	女 F.	10	-	-	1	-	4	1	4	-	-	1	2.83
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P49	その他	144	3	1	9	12	39	4	53	23	3	1	2.95
	男 M.	100	2	1	4	9	23	3	41	16	3	1	3.01
	女 F.	44	1	-	5	3	16	1	12	7	-	-	2.82
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(771.9a)	臍帯巻絡	111	2	1	2	10	32	3	41	20	2	1	3.02
	男 M.	77	1	1	1	7	19	2	31	14	2	1	3.07
	女 F.	34	1	-	1	3	13	1	10	6	-	-	2.92
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

医師立会のみ），後期死産（医師立会のみ）—

（P分類）・出産時の体重（平均体重を含む）別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死　因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary mention) 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(P50～P52)	原因の記載のない出生時損傷	534	18	47	80	60	99	5	155	54	19	2	2.64
	男 M.	321	6	27	47	38	67	2	89	33	12	2	2.68
	女 F.	213	12	20	33	22	32	3	66	21	7	-	2.59
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P50	脳または脊髄の出生時損傷	509	18	45	80	55	95	5	146	49	19	2	2.63
	男 M.	305	6	26	47	36	63	2	83	30	12	2	2.66
	女 F.	204	12	19	33	19	32	3	63	19	7	-	2.58
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P51	その他または詳細不明の出生時損傷	25	-	2	-	5	4	-	9	5	-	-	2.95
	男 M.	16	-	1	-	2	4	-	6	3	-	-	3.02
	女 F.	9	-	1	-	3	-	-	3	2	-	-	2.82
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P52	原因の記載のない妊娠の中絶	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P53～P56)	新生児溶血性疾患	117	-	8	14	24	28	2	24	15	4	-	2.71
	男 M.	80	-	2	11	13	19	2	21	12	2	-	2.83
	女 F.	37	-	6	3	11	9	-	3	3	2	-	2.45
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P53	Rh因子不適合を伴うもの	5	-	-	1	1	2	-	1	-	-	-	2.59
	男 M.	3	-	-	1	-	1	-	1	-	-	-	2.62
	女 F.	2	-	-	-	1	1	-	-	-	-	-	2.55
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P54	ABO因子不適合を伴うもの	2	-	-	-	-	1	-	1	-	-	-	3.10
	男 M.	2	-	-	-	-	1	-	1	-	-	-	3.10
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P55	その他または詳細不明の血液型不適合を伴うもの	13	-	1	2	1	4	1	4	1	-	-	2.65
	男 M.	10	-	-	2	-	4	1	4	-	-	-	2.75
	不女 F.	3	-	1	-	1	-	-	-	1	-	-	2.32
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P56	原因の記載のないもの	97	-	7	11	22	21	1	18	14	4	-	2.72
	男 M.	65	-	2	8	13	13	1	15	12	2	-	2.85
	女 F.	32	-	5	3	9	8	-	3	2	2	-	2.46
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P57～P60)	他に分類されない無酸素症および低酸素症	2 338	157	503	585	355	338	40	255	102	26	17	2.07
	男 M.	1 453	75	292	399	240	209	23	148	67	14	9	2.09
	女 F.	885	82	211	186	115	129	17	107	35	12	8	2.04
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P57	硝子様膜症および呼吸窮迫症候群	791	46	164	238	136	92	7	74	31	6	4	2.04
	男 M.	510	20	100	166	93	64	6	44	16	4	3	2.05
	女 F.	281	26	64	72	43	28	1	30	15	2	1	2.01
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P58	子宮内無酸素症	2	-	-	-	-	1	-	1	-	-	-	3.10
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	2	-	-	-	-	1	-	1	-	-	-	3.10
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P59	詳細不明の新生児仮死	1 501	111	339	345	214	229	33	166	68	17	12	2.07
	男 M.	918	55	192	232	144	137	17	95	50	8	5	2.10
	女 F.	583	56	147	113	70	92	16	71	18	9	7	2.02
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P60	その他の他に分類されない無酸素症および低酸素症	44	-	-	2	5	16	-	14	3	3	1	2.98
	男 M.	25	-	-	1	3	8	-	9	1	2	1	3.00
	女 F.	19	-	-	1	2	8	-	5	2	1	-	2.97
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

第17表　周産期死亡数(後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

早期新生児死亡（分娩後）
Early neonatal deaths(past-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary) mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
(P61～P68)	その他の胎児および新生児の状態	3 625	442	1 017	896	568	316	47	257	79	30	20	1.82
	男 M.	2 139	198	573	571	359	191	28	161	52	22	12	1.88
	女 F.	1 486	244	444	325	209	125	19	96	27	8	8	1.73
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P61	詳細不明の未熟児	1 344	256	515	379	158	24	11	6	-	-	6	1.45
	男 M.	765	115	287	248	97	11	6	4	-	-	3	1.50
	女 F.	579	141	228	131	61	13	5	2	-	-	3	1.39
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P62	出生前の胎児の血液喪失	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P63	過熟児	3	-	-	-	-	3	-	-	-	-	-	2.85
	男 M.	1	-	-	-	-	1	-	-	-	-	-	2.95
	女 F.	2	-	-	-	-	2	-	-	-	-	-	2.80
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P64	新生児の出血性疾患	661	16	78	132	123	128	16	130	41	12	1	2.40
	男 M.	417	8	46	83	81	77	11	84	29	8	1	2.44
	女 F.	244	8	32	49	42	51	5	46	12	4	-	2.35
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P65	寒冷傷害症候群	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P66	その他の胎児の異常	1 617	170	424	385	287	161	20	121	38	18	13	1.88
	男 M.	956	75	240	240	181	102	11	73	23	14	8	1.95
	女 F.	661	95	184	145	106	59	9	48	15	4	5	1.80
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(778.9 a)	新生児の黄疸	30	-	1	6	8	9	1	3	-	3	-	2.60
	男 M.	22	-	1	3	6	6	1	3	-	3	-	2.74
	女 F.	8	-	-	3	2	3	-	-	-	-	-	2.21
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P67	浸軟児	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P68	原因不明の胎児死亡	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(779.9 a)	子宮内胎児死亡	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P69～P80)	先天異常	1 304	6	38	121	247	382	26	327	135	42	6	2.78
	男 M.	783	2	23	70	134	235	15	204	86	26	3	2.81
	女 F.	521	4	15	51	113	147	11	123	49	16	3	2.73
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P69	無脳症	62	-	4	4	17	25	2	10	-	1	1	2.54
	男 M.	31	-	1	2	8	15	1	5	-	-	-	2.57
	女 F.	31	-	3	2	9	10	1	5	-	1	1	2.50
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P70	二分脊椎	28	-	-	1	6	10	1	7	4	-	-	2.83
	男 M.	14	-	-	-	3	5	-	4	2	-	-	2.88
	女 F.	14	-	-	1	3	5	1	3	2	-	-	2.78
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

医師立会のみ)，後期死産(医師立会のみ)—

(P分類)・出産時の体重(平均体重を含む) 別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0～1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) (Secondary) mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P71	先天性水頭症	33	-	2	4	3	11	-	4	3	6	-	2.98
	男 M.	18	-	-	2	1	7	-	4	2	2	-	3.09
	女 F.	15	-	2	2	2	4	-	-	1	4	-	2.85
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P72	その他の中枢神経系および眼の先天異常	25	1	-	2	6	7	-	5	3	-	1	2.68
	男 M.	16	1	-	1	2	5	-	4	2	-	1	2.76
	女 F.	9	-	-	1	4	2	-	1	1	-	-	2.56
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P73	循環器系の先天異常	551	4	13	43	95	150	7	166	59	21	-	2.85
	男 M.	324	-	10	26	50	87	4	99	39	13	-	2.88
	女 F.	227	4	3	17	45	63	3	67	20	8	-	2.81
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(746)	心臓の先天異常	509	4	12	40	87	142	7	149	54	21	-	2.85
	男 M.	302	-	10	24	47	81	4	90	37	13	-	2.88
	女 F.	207	4	2	16	40	61	3	59	17	8	-	2.81
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P74	呼吸器系の先天異常	38	1	4	3	5	10	-	11	4	-	-	2.64
	男 M.	27	1	4	3	3	7	-	7	2	-	-	2.51
	女 F.	11	-	-	-	2	3	-	4	2	-	-	2.99
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P75	消化器系の先天異常	344	-	10	37	66	104	10	71	43	11	2	2.77
	男 M.	220	-	5	16	38	71	7	52	28	9	1	2.86
	女 F.	124	-	5	21	28	33	3	19	15	2	1	2.62
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P76	性尿器系の先天異常	11	-	-	2	3	3	-	3	-	-	-	2.50
	男 M.	6	-	-	2	1	2	-	1	-	-	-	2.38
	女 F.	5	-	-	-	2	1	-	2	-	-	-	2.63
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P77	筋骨格系の先天異常	81	-	1	8	17	26	-	20	13	1	-	2.84
	男 M.	51	-	1	6	6	16	-	14	7	1	-	2.83
	女 F.	30	-	-	2	6	10	-	6	6	-	-	2.85
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P78	ダウン病	18	-	-	1	4	5	1	6	2	-	-	2.85
	男 M.	9	-	-	1	2	3	-	2	1	-	-	2.76
	女 F.	9	-	-	-	2	2	1	4	1	-	-	2.93
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P79	その他の多系統におよぶ先天性症候群	22	-	2	5	7	3	1	5	-	-	-	2.33
	男 M.	11	-	1	4	4	-	-	2	-	-	-	2.18
	女 F.	11	-	1	1	3	3	1	3	-	-	-	2.47
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P80	その他および詳細不明の先天異常	91	-	2	11	23	28	4	19	4	2	2	2.63
	男 M.	56	-	1	7	16	17	3	10	3	1	1	2.59
	女 F.	35	-	1	4	7	11	1	9	1	1	1	2.70
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P81～P88)	胎児および新生児の感染	39	-	2	3	4	10	1	16	1	3	-	2.89
	男 M.	23	-	1	3	3	5	-	8	-	3	-	2.88
	女 F.	16	-	1	-	1	5	1	8	1	-	-	2.92
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P81	下痢性疾患	4	-	-	-	-	-	-	4	-	-	-	3.23
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.15
	女 F.	3	-	-	-	-	-	-	3	-	-	-	3.25
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P82	リステリア症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

第17表　周産期死亡数(後期死産は

早期新生児死亡・性・胎児死亡の時期・原因

早期新生児死亡（分娩後）
Early neonatal deaths(past-partum)

TABLE 17　PERINATAL DEATHS, FROM CAUSES (P LIST) BY NEONATAL DEATH, SEX BIRTH WEIGHT AND

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P83	破傷風	2	-	-	-	-	-	-	2	-	-	-	3.15
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.25
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.05
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P84	敗血症	29	-	2	2	4	10	1	8	-	3	-	2.81
	男 M.	19	-	1	2	3	5	-	5	-	3	-	2.88
	女 F.	10	-	1	-	1	5	1	3	-	-	-	2.67
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P85	ウイルス疾患	1	-	-	-	-	-	-	1	-	-	-	3.45
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.45
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P86	先天梅毒	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P87	トキソプラスマ症	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P88	その他の伝染病および寄生虫病	3	-	-	1	-	-	-	1	1	-	-	2.92
	男 M.	1	-	-	1	-	-	-	-	-	-	-	1.55
	女 F.	2	-	-	-	-	-	-	1	1	-	-	3.60
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(P89～P94)	その他の胎児および新生児の疾患	628	5	23	50	83	165	11	195	81	18	8	2.87
	男 M.	392	2	13	32	53	96	5	120	63	11	2	2.90
	女 F.	236	3	10	18	30	69	6	75	18	7	6	2.81
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P89	甲状腺の疾患	1	-	-	-	-	-	-	1	-	-	-	3.35
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.35
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P90	膵嚢胞性腺維症(ムコビチドージス)	4	-	-	-	1	2	-	1	-	-	-	2.75
	男 M.	3	-	-	-	1	1	-	1	-	-	-	2.68
	女 F.	1	-	-	-	-	1	-	-	-	-	-	2.95
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P91	血液および造血器の疾患	9	-	-	-	1	2	-	4	1	-	1	3.06
	男 M.	7	-	-	-	1	1	-	4	1	-	-	3.09
	女 F.	2	-	-	-	-	1	-	-	-	-	1	2.85
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P92	肺炎	322	2	13	25	52	85	7	99	37	8	1	2.83
	男 M.	190	2	9	11	32	50	3	55	27	4	-	2.84
	女 F.	132	-	4	14	20	35	4	44	10	4	1	2.82
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
P93	その他の明示された疾患	248	2	9	22	25	66	4	82	34	8	-	2.89
	男 M.	163	-	4	18	16	37	2	54	28	6	-	2.94
	女 F.	85	2	5	4	9	29	2	28	6	2	-	2.78
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(427～429)	心不全，その他の心臓疾患	62	-	3	-	3	22	2	26	6	2	-	2.99
	男 M.	36	-	1	-	2	13	2	16	3	1	-	2.99
	女 F.	26	-	2	-	1	9	-	10	3	1	-	2.98
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(550～553)	腹腔ヘルニア	32	1	-	3	4	7	-	11	6	-	-	2.86
	男 M.	24	-	-	3	2	4	-	9	6	-	-	3.00
	女 F.	8	1	-	-	2	3	-	2	-	-	-	2.45
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

医師立会のみ)，後期死産(医師立会のみ)—

(P分類)・出産時の体重(平均体重を含む) 別

LATE FOETAL DEATH (ATTENDED BY PHYSICIAN) OR EARLY TIME OF DEATH (ANTE-, INTRA-, OR PAST-PARTUM)

昭和47年
1972

国際100項目周産期分類番号（P表） International list of 100 causes(P list) number	死因・性 Cause of death and sex	総数 Total	～1kg	1.0-1.4kg	1.5～1.9	2.0～2.4	2.5～2.9	(再掲) Secondary mention 2500g	3.0～3.4	3.5～3.9	4.0kg～	不詳 Unkown	出産時の平均体重 Average of birth weight
P94	症状および診断名不明確の状態	44	1	1	3	4	10	-	8	9	2	6	2.95
	男 M.	29	-	-	3	3	7	-	6	7	1	2	3.01
	女 F.	15	1	1	-	1	3	-	2	2	1	4	2.80
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(PE95～PE100)	新生児に損傷をもたらした外因	72	-	1	2	4	14	2	15	4	2	30	2.93
	男 M.	39	-	-	2	3	7	-	8	2	1	16	2.88
	女 F.	33	-	1	-	1	7	2	7	2	1	14	2.98
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
PE95	過度の高温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
PE96	過度の低温	-	-	-	-	-	-	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-	-	-	-	-	-	-
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
PE97	飢餓，渇，不良環境曝露および放置	1	-	-	-	-	-	-	1	-	-	-	3.05
	男 M.	-	-	-	-	-	-	-	-	-	-	-	-
	女 F.	1	-	-	-	-	-	-	1	-	-	-	3.05
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
PE98	食物の吸入または嚥下による閉塞および窒息	15	-	-	-	4	4	1	3	2	2	-	2.95
	男 M.	11	-	-	-	3	3	-	3	1	1	-	2.88
	女 F.	4	-	-	-	1	1	1	-	1	1	-	3.16
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
PE99	不慮の機械的窒息	4	-	-	-	-	-	-	4	-	-	-	3.23
	男 M.	1	-	-	-	-	-	-	1	-	-	-	3.35
	女 F.	3	-	-	-	-	-	-	3	-	-	-	3.18
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
PE100	その他の外因	52	-	1	2	-	10	1	7	2	-	30	2.85
	男 M.	27	-	-	2	-	4	-	4	1	-	16	2.85
	女 F.	25	-	1	-	-	6	1	3	1	-	14	2.85
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•
(E960～E968)	他殺	43	-	-	2	-	8	1	6	2	-	25	2.93
	男 M.	22	-	-	2	-	4	-	3	1	-	12	2.82
	女 F.	21	-	-	-	-	4	1	3	1	-	13	3.06
	不詳 U.	•	•	•	•	•	•	•	•	•	•	•	•

附　録
7　表
8　表　（7－1）

附録　第7表　日本における外国人の死因
附録　第8表　外国における日本人の死因

1．死亡者数，性・死因（B分類）別

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	日本における外国人 Foreigners in Japan 総数 Total	朝鮮 Korea	中国 China	米国 U.S.A.	その他の外国 Other foreign countries	外国における日本人 Japanese in foreign countries
	総数	3 581	3 000	225	72	284	1 081
	男 M.	2 567	2 147	167	52	201	772
	女 F.	1 014	853	58	20	83	309
B 1	コレラ	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B 2	腸チフス	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B 3	細菌性赤痢およびアメーバ症	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B 4	腸炎およびその他の下痢性疾患	5	3	-	-	2	2
	男 M.	1	-	-	-	1	-
	女 F.	4	3	-	-	1	2
B 5	呼吸器系の結核	132	123	5	2	2	5
	男 M.	113	104	5	2	2	5
	女 F.	19	19	-	-	-	-
B 6	その他の結核（後遺症を含む）	4	3	1	-	-	-
	男 M.	3	3	-	-	-	-
	女 F.	1	-	1	-	-	-
B 7	ペスト	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B 8	ジフテリア	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B 9	百日咳	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B10	レンサ球菌性咽頭炎および猩紅熱	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B11	髄膜炎菌感染	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B12	急性灰白髄炎	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B13	痘瘡	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B14	麻疹	4	4	-	-	-	-
	男 M.	3	3	-	-	-	-
	女 F.	1	1	-	-	-	-
B15	チフスおよびその他のリケッチア症	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B16	マラリア	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-

APPENDIX 7　CAUSES OF DEATHS FOR FQREIGNERS IN JAPAN
8　CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES

1 DEATHS BY SEX AND CAUSE (B LIST)

昭和47年
1972

International B list number	Cause of death and sex	Foreigners in Japan Total	Korea	China	U.S.A.	Other foreign countries	Japanese in foreign countries
B17	梅毒および続発症	9	9	-	-	-	-
	男 M.	7	7	-	-	-	-
	女 F.	2	2	-	-	-	-
B18	その他の伝染病および寄生虫病	11	10	1	-	-	5
	男 M.	10	10	-	-	-	3
	女 F.	1	-	1	-	-	2
B18.a	癩	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B18.b	破傷風	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B18.c	敗血症	2	1	1	-	-	3
	男 M.	1	1	-	-	-	1
	女 F.	1	-	1	-	-	2
B18.d	日本脳炎	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B18.e	伝染性肝炎	4	4	-	-	-	-
	男 M.	4	4	-	-	-	-
	女 F.	-	-	-	-	-	-
B18.f	カンジダ症	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B18.g	日本住血吸虫症	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B18.h	糸状虫症	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B18.i	その他	5	5	-	-	-	2
	男 M.	5	5	-	-	-	2
	女 F.	-	-	-	-	-	-
B19	悪性新生物（リンパおよび造血組織の新生物を含む）	724	626	51	8	39	87
	男 M.	522	458	35	3	26	51
	女 F.	202	168	16	5	13	36
B19.a	食道の悪性新生物	45	41	-	-	4	8
	男 M.	41	38	-	-	3	5
	女 F.	4	3	-	-	1	3
B19.b	胃の悪性新生物	214	186	12	1	15	30
	男 M.	166	145	10	-	11	18
	女 F.	48	41	2	1	4	12
B19.c	肝臓の悪性新生物	128	116	10	-	2	3
	男 M.	116	106	9	-	1	1
	女 F.	12	10	1	-	1	2
B19.d	膵臓の悪性新生物	31	26	2	2	1	4
	男 M.	20	18	1	1	-	3
	女 F.	11	8	1	1	1	1
B19.e	気管，気管支および肺の悪性新生物	92	79	6	3	4	9
	男 M.	75	66	4	2	3	7
	女 F.	17	13	2	1	1	2

附　録
7　表
8　表　（7－2）

附録　第7表　日本における外国人の死因
附録　第8表　外国における日本人の死因

1．死亡者数，性・死因（B分類）別

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	日本における外国人 Foreigners in Japan 総数 Total	朝鮮 Korea	中国 China	米国 U. S. A.	その他の外国 Other foreign countries	外国における日本人 Japanese in foreign countries
B19.f	乳房の悪性新生物	15	10	4	1	-	1
	男 M.	1	1	-	-	-	-
	女 F.	14	9	4	1	-	1
B19.g	子宮の悪性新生物	34	29	4	-	1	3
	男 M.	-	-	-	-	-	-
	女 F.	34	29	4	-	1	3
B19.h	白血病	13	12	-	-	1	-
	男 M.	6	5	-	-	1	-
	女 F.	7	7	-	-	-	-
B19.i	その他	152	127	13	1	11	29
	男 M.	97	79	11	-	7	17
	女 F.	55	48	2	1	4	12
B20	良性および性質不詳の新生物	33	30	2	-	1	5
	男 M.	26	25	1	-	-	3
	女 F.	7	5	1	-	1	2
B21	糖尿病	42	34	6	1	1	9
	男 M.	32	26	5	1	-	5
	女 F.	10	8	1	-	1	4
B22	ビタミン欠乏症およびその他の栄養欠乏症	3	1	1	-	1	2
	男 M.	3	1	1	-	1	1
	女 F.	-	-	-	-	-	1
B23	貧血	10	8	1	-	1	3
	男 M.	3	2	1	-	-	2
	女 F.	7	6	-	-	1	1
B24	髄膜炎	3	2	1	-	-	1
	男 M.	1	-	1	-	-	-
	女 F.	2	2	-	-	-	1
B25	活動性リウマチ熱	4	3	1	-	-	-
	男 M.	1	1	-	-	-	-
	女 F.	3	2	1	-	-	-
B26	慢性リウマチ性心疾患	13	11	1	-	1	1
	男 M.	9	7	1	-	1	1
	女 F.	4	4	-	-	-	-
B27	高血圧性疾患	63	50	5	2	6	5
	男 M.	34	29	2	2	1	1
	女 F.	29	21	3	-	5	4
B27.a	高血圧性心疾患	49	39	3	1	6	2
	男 M.	25	23	-	1	1	-
	女 F.	24	16	3	-	5	2
B27.b	その他の高血圧性疾患	14	11	2	1	-	3
	男 M.	9	6	2	1	-	1
	女 F.	5	5	-	-	-	2
B28	虚血性心疾患	152	107	11	11	23	86
	男 M.	110	75	7	9	19	53
	女 F.	42	32	4	2	4	33
B29	その他の心疾患	189	152	18	2	17	21
	男 M.	127	93	17	2	15	14
	女 F.	62	59	1	-	2	7
B29.a	心内膜の慢性疾患	17	15	2	-	-	2
	男 M.	11	9	2	-	-	-
	女 F.	6	6	-	-	-	2

APPENDIX 7　CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
8　CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES

1 DEATHS BY SEX AND CAUSE (B LIST)

昭和47年
1972

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	日本における外国人 Foreigners in Japan 総数 Total	朝鮮 Korea	中国 China	米国 U. S. A.	その他の外国 Other foreign countries	外国における日本人 Japanese in foreign countries
B29.b	その他の心筋機能不全	134	110	13	2	9	9
	男 M.	89	66	12	2	9	6
	女 F.	45	44	1	-	-	3
B29.c	その他の心疾患	38	27	3	-	8	10
	男 M.	27	18	3	-	6	8
	女 F.	11	9	-	-	2	2
B30	脳血管疾患	626	540	33	10	43	113
	男 M.	428	371	24	7	26	60
	女 F.	198	169	9	3	17	53
B30.a	脳出血	324	277	19	7	21	73
	男 M.	224	193	14	4	13	42
	女 F.	100	84	5	3	8	31
B30.b	脳硬塞	136	119	6	1	10	13
	男 M.	93	81	3	1	8	7
	女 F.	43	38	3	-	2	6
B30.c	その他	166	144	8	2	12	27
	男 M.	111	97	7	2	5	11
	女 F.	55	47	1	-	7	16
B31	インフルエンザ	1	1	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-
B32	肺炎	97	81	6	3	7	35
	男 M.	67	55	3	3	6	22
	女 F.	30	26	3	-	1	13
B33	気管支炎，肺気腫および喘息	51	42	3	-	6	11
	男 M.	39	32	2	-	5	6
	女 F.	12	10	1	-	1	5
B33.a	気管支炎	14	12	-	-	2	6
	男 M.	12	10	-	-	2	4
	女 F.	2	2	-	-	-	2
B33.b	肺気腫	4	2	-	-	2	3
	男 M.	2	1	-	-	1	1
	女 F.	2	1	-	-	1	2
B33.c	喘息	33	28	3	-	2	2
	男 M.	25	21	2	-	2	1
	女 F.	8	7	1	-	-	1
B34	消化性潰瘍	42	36	3	1	2	10
	男 M.	36	32	2	1	1	9
	女 F.	6	4	1	-	1	1
B35	虫垂炎	5	3	2	-	-	1
	男 M.	5	3	2	-	-	1
	女 F.	-	-	-	-	-	-
B36	腸閉塞およびヘルニア	12	9	2	-	1	6
	男 M.	9	8	-	-	1	2
	女 F.	3	1	2	-	-	4
B37	肝硬変	258	233	12	5	8	8
	男 M.	211	191	9	4	7	4
	女 F.	47	42	3	1	1	4
B38	膵炎およびネフローゼ	32	27	4	1	-	7
	男 M.	23	19	4	-	-	5
	女 F.	9	8	-	1	-	2

附録　第7表　日本における外国人の死因
附録　第8表　外国における日本人の死因

1．死亡者数，性・死因（B分類）別

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	日本における外国人 Foreigners in Japan 総数 Total	朝鮮 Korea	中国 China	米国 U.S.A.	その他の外国 Other foreign countries	外国における日本人 Japanese in foreign countries
B38.a	急性腎炎およびネフローゼ	8	7	1	-	-	1
	男 M.	8	7	1	-	-	1
	女 F.	-	-	-	-	-	-
B38.b	その他	24	20	3	1	-	6
	男 M.	15	12	3	-	-	4
	女 F.	9	8	-	1	-	2
B39	前立腺肥大症	3	2	1	-	-	-
	男 M.	3	2	1	-	-	-
	女 F.	-	-	-	-	-	-
B40	流産	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
B41	その他の妊娠，分娩，産褥の合併症および合併症の記載のない分娩	6	5	-	-	1	1
	男 M.	-	-	-	-	-	-
	女 F.	6	5	-	-	1	1
B42	先天異常	41	31	4	1	5	1
	男 M.	18	11	3	-	4	1
	女 F.	23	20	1	1	1	-
B43	出生時損傷，難産およびその他の無酸素症，低酸素症	35	30	1	2	2	1
	男 M.	20	18	-	2	-	1
	女 F.	15	12	1	-	2	-
B44	その他の周産期の死因	48	40	2	-	6	4
	男 M.	25	21	1	-	3	3
	女 F.	23	19	1	-	3	1
B45	症状およびその他の診断名不明確の状態	113	77	11	7	18	224
	男 M.	72	49	10	5	8	153
	女 F.	41	28	1	2	10	71
B45.a	精神病の記載のない老衰	49	38	3	3	5	25
	男 M.	24	17	3	2	2	16
	女 F.	25	21	-	1	3	9
B45.b	その他	64	39	8	4	13	199
	男 M.	48	32	7	3	6	137
	女 F.	16	7	1	1	7	62
B46	その他のすべての疾患	204	172	12	3	17	71
	男 M.	141	117	9	2	13	43
	女 F.	63	55	3	1	4	28
B46.a	精神障害	23	19	1	-	3	2
	男 M.	16	14	-	-	2	2
	女 F.	7	5	1	-	1	-
B46.b	中枢神経系の非炎症性疾患	14	13	1	-	-	4
	男 M.	11	10	1	-	-	1
	女 F.	3	3	-	-	-	3
B46.c	その他の循環器系の疾患	21	18	1	-	2	28
	男 M.	18	15	1	-	2	16
	女 F.	3	3	-	-	-	12
B46.d	急性気管支炎および細気管支炎	1	1	-	-	-	1
	男 M.	1	1	-	-	-	1
	女 F.	-	-	-	-	-	-
B46.e	胃炎，十二指腸炎および慢性胃腸炎	6	4	1	1	-	-
	男 M.	5	3	1	1	-	-
	女 F.	1	1	-	-	-	-

APPENDIX 7　CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
8　CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES

昭和47年
1972

1 DEATHS BY SEX AND CAUSE (B LIST)

International B list number	Cause of death and sex	Foreigners in Japan Total	Korea	China	U.S.A.	Other foreign countries	Japanese in foreign countries
B46.f	肝臓の疾患（肝硬変を除く）	23	19	2	-	2	6
	男 M.	18	14	2	-	2	5
	女 F.	5	5	-	-	-	1
B46.g	その他	116	98	6	2	10	30
	男 M.	72	60	4	1	7	18
	女 F.	44	38	2	1	3	12
"E" (外因)	不慮の事故，中毒および暴力の二重分類	606	495	24	13	74	356
	男 M.	465	374	21	9	61	322
	女 F.	141	121	3	4	13	34
BE47	自動車事故	188	161	7	3	17	35
	男 M.	143	120	6	3	14	27
	女 F.	45	41	1	-	3	8
BE48	その他の不慮の事故	223	172	9	5	37	295
	男 M.	188	143	8	3	34	271
	女 F.	35	29	1	2	3	24
BE48.a	自動車以外の交通事故	45	19	2	2	22	247
	男 M.	43	18	2	2	21	237
	女 F.	2	1	-	-	1	10
BE48.b	不慮の墜落	40	35	2	1	2	11
	男 M.	33	29	2	1	1	7
	女 F.	7	6	-	-	1	4
BE48.c	火災および火焔による不慮の事故	26	24	1	-	1	2
	男 M.	16	15	-	-	1	1
	女 F.	10	9	1	-	-	1
BE48.d	天災	-	-	-	-	-	3
	男 M.	-	-	-	-	-	1
	女 F.	-	-	-	-	-	2
BE48.e	不慮の溺死	36	29	1	1	5	9
	男 M.	33	27	1	-	5	9
	女 F.	3	2	-	1	-	-
BE48.f	工業性の不慮の事故	45	39	2	-	4	2
	男 M.	41	35	2	-	4	2
	女 F.	4	4	-	-	-	-
BE48.g	その他	31	26	1	1	3	21
	男 M.	22	19	1	-	2	14
	女 F.	9	7	-	1	1	7
BE49	自殺	138	119	5	4	10	14
	男 M.	88	76	4	2	6	13
	女 F.	50	43	1	2	4	1
BE50	その他の外因	57	43	3	1	10	12
	男 M.	46	35	3	1	7	11
	女 F.	11	8	-	-	3	1
BE50.a	他殺	31	25	3	-	3	6
	男 M.	24	20	3	-	1	6
	女 F.	7	5	-	-	2	-
BE50.b	不慮か故意か決定されない傷害	26	18	-	1	7	5
	男 M.	22	15	-	1	6	4
	女 F.	4	3	-	-	1	1
BE50.c	法的介入および戦争行為	-	-	-	-	-	1
	男 M.	-	-	-	-	-	1
	女 F.	-	-	-	-	-	-

附　録
7　表
8　表　（7－4）

附録　第7表　日本における外国人の死因
附録　第8表　外国における日本人の死因

1．死亡者数，性・死因（B分類）別
1 DEATHS BY SEX AND CAUSE (B LIST)

国際50項目分類番号（B表） International B list number	死因・性 Cause of death and sex	日本における外国人 Foreigners in Japan 総数 Total	朝鮮 Korea	中国 China	米国 U. S. A.	その他の外国 Other foreign countries	外国における日本人 Japanese in foreign countries
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	606	495	24	13	74	356
	男 M.	465	374	21	9	61	322
	女 F.	141	121	3	4	13	34
BN47	骨折，頭蓋内および内部損傷	330	282	14	5	29	55
	男 M.	271	229	12	5	25	47
	女 F.	59	53	2	-	4	8
BN47.a	頭蓋骨折	142	126	6	-	10	19
	男 M.	115	101	5	-	9	18
	女 F.	27	25	1	-	1	1
BN47.b	その他の骨の骨折	34	28	3	1	2	7
	男 M.	29	25	2	1	1	6
	女 F.	5	3	1	-	1	1
BN47.c	頭蓋内損傷（頭蓋骨折を伴うものを除く）	79	66	-	3	10	12
	男 M.	60	49	-	3	8	9
	女 F.	19	17	-	-	2	3
BN47.d	胸，腹および骨盤腔の内部損傷	75	62	5	1	7	17
	男 M.	67	54	5	1	7	14
	女 F.	8	8	-	-	-	3
BN48	熱傷	26	22	2	-	2	60
	男 M.	17	14	1	-	2	52
	女 F.	9	8	1	-	-	8
BN49	化学物質の有害作用	81	71	-	5	5	10
	男 M.	44	40	-	2	2	7
	女 F.	37	31	-	3	3	3
BN50	その他の損傷	169	120	8	3	38	231
	男 M.	133	91	8	2	32	216
	女 F.	36	29	-	1	6	15
BN50.a	裂傷および開放創	9	6	1	-	2	7
	男 M.	8	6	1	-	1	6
	女 F.	1	-	-	-	1	1
BN50.b	溺死	81	45	4	3	29	137
	男 M.	68	36	4	2	26	135
	女 F.	13	9	-	1	3	2
BN50.c	窒息および絞首	58	51	2	-	5	11
	男 M.	42	37	2	-	3	10
	女 F.	16	14	-	-	2	1
BN50.d	その他	21	18	1	-	2	76
	男 M.	15	12	1	-	2	65
	女 F.	6	6	-	-	-	11

APPENDIX 7　CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
8　CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES

昭和47年
1972

2．乳児（1才未満）死亡者数，性・死因（乳児簡単分類(S)）別
2 INFANT (UNDER 1 YEAR) DEATHS BY SEX AND CAUSE (S LIST)

乳児簡単分類番号（S表） Infant S list number	死因・性 Cause of death and sex	日本における外国人 Foreigners in Japan 総数 Total	朝鮮 Korea	中国 China	米国 U. S. A.	その他の外国 Other foreign countries	外国における日本人 Japanese in foreign countries
	総数 Total	148	124	7	5	12	18
	男 M.	77	65	2	4	6	12
	女 F.	71	59	5	1	6	6
S 1	細菌性赤痢およびアメーバ症	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S 2	腸炎およびその他の下痢性疾患	2	2	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	2	2	-	-	-	-
S 3	結核	1	1	-	-	-	-
	男 M.	1	1	-	-	-	-
	女 F.	-	-	-	-	-	-
S 4	ジフテリア	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S 5	百日咳	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S 6	丹毒	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S 7	破傷風	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S 8	敗血症	2	1	1	-	-	-
	男 M.	1	1	-	-	-	-
	女 F.	1	-	1	-	-	-
S 9	急性灰白髄炎	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S10	麻疹	1	1	-	-	-	-
	男 M.	1	1	-	-	-	-
	女 F.	-	-	-	-	-	-
S11	日本脳炎	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S12	梅毒およびその続発症	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S13	その他の伝染病および寄生虫病	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S14	悪性新生物（リンパおよび造血組織の新生物を含む）	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S14.a	白血病	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S14.b	その他	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-

附　録
7　表
8　表　（7－5）

附録　第7表　日本における外国人の死因
附録　第8表　外国における日本人の死因

2．乳児（1才未満）死亡者数，性・死因（乳児簡単分類(S)）別

乳児簡単分類番号（S表） Infant S list number	死因・性 Cause of death and sex	日本における外国人 Foreigners in Japan 総数 Total	朝鮮 Korea	中国 China	米国 U.S.A.	その他の外国 Other foreign countries	外国における日本人 Japanese in foreign countries
S15	良性および性質不詳の新生物	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S16	栄養失調症	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S17	髄膜炎	1	1	-	-	-	1
	男 M.	-	-	-	-	-	1
	女 F.	1	1	-	-	-	-
S18	脳性けい性小児麻痺	1	1	-	-	-	-
	男 M.	1	1	-	-	-	-
	女 F.	-	-	-	-	-	-
S19	心疾患	1	1	-	-	-	1
	男 M.	1	1	-	-	-	1
	女 F.	-	-	-	-	-	-
S20	インフルエンザ	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S21	肺炎	10	9	-	1	-	4
	男 M.	6	5	-	1	-	2
	女 F.	4	4	-	-	-	2
S22	気管支炎	1	1	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-
S23	腸閉塞およびヘルニア	1	-	1	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	1	-	1	-	-	-
S24	胃炎，十二指腸炎および慢性胃腸炎	2	1	-	1	-	-
	男 M.	2	1	-	1	-	-
	女 F.	-	-	-	-	-	-
S25	先天異常	23	19	1	1	2	-
	男 M.	7	5	-	-	2	-
	女 F.	16	14	1	1	-	-
S25.a	心臓の先天異常	13	11	1	1	-	-
	男 M.	3	3	-	-	-	-
	女 F.	10	8	1	1	-	-
S25.b	その他の循環器系の先天異常	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S25.c	消化器系の先天異常	5	4	-	-	1	-
	男 M.	1	-	-	-	1	-
	女 F.	4	4	-	-	-	-
S25.d	その他	5	4	-	-	1	-
	男 M.	3	2	-	-	1	-
	女 F.	2	2	-	-	-	-
S26	出生時損傷，難産およびその他の無酸素症，低酸素症	35	30	1	2	2	1
	男 M.	20	18	-	2	-	1
	女 F.	15	12	1	-	2	-
S26.a	脳および脊髄の出生時損傷を伴う難産	8	8	-	-	-	-
	男 M.	6	6	-	-	-	-
	女 F.	2	2	-	-	-	-

APPENDIX 7　CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
8　CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES

昭和47年
1972

2 INFANT (UNDER 1 YEAR) DEATHS BY SEX AND CAUSE (S LIST)

Infant S list number	Cause of death and sex	Foreigners in Japan Total	Korea	China	U.S.A.	Other foreign countries	Japanese in foreign countries
S26.b	その他および詳細不明の出生時損傷を伴う難産	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S26.c	出生時損傷，仮死，無酸素症または低酸素症の記載のない難産	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S26.d	仮死，無酸素症または低酸素症	27	22	1	2	2	1
	男 M.	14	12	-	2	-	1
	女 F.	13	10	1	-	2	-
S27	母体の妊娠時の疾患による新生児の障害	8	6	1	-	1	-
	男 M.	4	2	1	-	1	-
	女 F.	4	4	-	-	-	-
S28	新生児溶血性疾患	1	1	-	-	-	-
	男 M.	1	1	-	-	-	-
	女 F.	-	-	-	-	-	-
S29	詳細不明の未熟児	14	14	-	-	-	1
	男 M.	8	8	-	-	-	1
	女 F.	6	6	-	-	-	-
S30	新生児の出血性疾患	5	4	-	-	1	-
	男 M.	2	1	-	-	1	-
	女 F.	3	3	-	-	-	-
S31	新生児の黄疸	-	-	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	-	-	-	-	-	-
S32	その他の新生児の異常	13	11	1	-	1	1
	男 M.	6	6	-	-	-	-
	女 F.	7	5	1	-	1	1
S33	その他のすべての疾患	16	11	-	-	5	9
	男 M.	10	8	-	-	2	6
	女 F.	6	3	-	-	3	3
S34	不慮の事故	8	7	1	-	-	-
	男 M.	4	3	1	-	-	-
	女 F.	4	4	-	-	-	-
S34.a	食物の吸入または嚥下による閉塞および窒息	3	3	-	-	-	-
	男 M.	2	2	-	-	-	-
	女 F.	1	1	-	-	-	-
S34.b	不慮の機械的窒息	1	1	-	-	-	-
	男 M.	-	-	-	-	-	-
	女 F.	1	1	-	-	-	-
S34.c	その他	4	3	1	-	-	-
	男 M.	2	1	1	-	-	-
	女 F.	2	2	-	-	-	-
S35	その他の外因死	2	2	-	-	-	-
	男 M.	2	2	-	-	-	-
	女 F.	-	-	-	-	-	-

昭和46年　人口動態統計　下　巻

VITAL STATISTICS 1971 JAPAN (VOL. 2)

正　誤　表

CORRIGENDA

ページ page	欄 column	行 Line			誤 Error	正 Corrected
48	2	1	1	from above	不鮮明 unclearly arranged	24 805
〃	8	23	23	〃	〃 〃	4
〃	〃	下から 17	17	from bottom	〃 〃	2
203	8	〃 18	18	〃	〃 〃	6
211	10	8	8	from above	〃 〃	38
〃	12	2	2	〃	〃 〃	13
						16
〃	〃	7～9	7～9	〃	〃 〃	13
						3
255	11	8	8	〃	〃 〃	89
						6
265	12	下から 10～12	10～12	from bottom	〃 〃	3
						3
273	9	8	8	from above	〃 〃	14 842
〃	〃	15	15	〃	〃 〃	2 742
285	3	下から 16	16	from bottom	〃 〃	721
289	7	21	21	from above	〃 〃	108
〃	8	7	7	〃	〃 〃	57
290	1	14	14	〃	〃 〃	15 548
294	10	20	20	〃	〃 〃	3
308	10	17,18	17,18	〃	〃 〃	98
						43
313	1	下から 4	4	from bottom	〃 〃	836
						8
322	〃	〃 25～27	25～27	〃	〃 〃	5
						3
〃	〃	〃 18	18	〃	〃 〃	6
346	〃	22	22	from above	〃 〃	586
368	〃	下から 21	21	from bottom	〃 〃	3
415	10	〃 10	10	〃	〃 〃	15
416	2	〃 16	16	〃	〃 〃	60
						50
〃	5	〃 16～18	16～18	〃	〃 〃	32
						18
〃	6	19	19	from above	〃 〃	13
〃	〃	下から 19,20	19,20	from bottom	〃 〃	48
						4
〃	10	〃 18	18	〃	〃 〃	8
424	2	6	6	from above	〃 〃	64
〃	〃	下から 4,5	4,5	from bottom	〃 〃	80
						38
〃	9	〃 4	4	〃	〃 〃	3
425	3	22	22	from above	〃 〃	20
434	1	19	19	〃	〃 〃	20
436	3	26	26	〃	〃 〃	18
438	2	17,18	17,18	〃	〃 〃	103
						63
						155
〃	〃	22～24	22～24	〃	〃 〃	97
						58
〃	〃	25	25	〃	〃 〃	33
〃	〃	下から 14	14	from bottom	〃 〃	591

ページ page	欄 column	行 Line			誤 Error		正 Corrected
439	3	下から 13,14	13,14	from bottom	不鮮明	unclearly arranged	80 65
〃	8	16	16	from above	〃	〃	13
〃	〃	下から 14,15	14,15	from bottom	〃	〃	182 98
〃	〃	〃 9	9	〃	〃	〃	6
440	2	4	4	from above	〃	〃	931
〃	〃	13	13	〃	〃	〃	81
〃	〃	17	17	〃	〃	〃	500
442	〃	下から 5	5	from bottom	〃	〃	81
446	〃	24	24	from above	〃	〃	890
〃	〃	26	26	〃	〃	〃	28
447	3	24	24	〃	〃	〃	82
450	2	下から 20,21	20,21	from bottom	〃	〃	38 22
451	3	16	16	from above	〃	〃	84
454	2	20,21	20,21	〃	〃	〃	67 52
〃	6	19,20	19,20	〃	〃	〃	9 7
468	3	下から 19	19	from bottom	〃	〃	2 8
474	6	10～12	10～12	from above	〃	〃	5 3
480	2	25	25	〃	〃	〃	199
482	1	10	10	〃	〃	〃	2 487
〃	〃	12	12	〃	〃	〃	1 094
〃	2	7	7	〃	〃	〃	1 538 968
〃	〃	22～24	22～24	〃	〃	〃	559 409
483	3	10	10	〃	〃	〃	89 5
489	8	下から 16～18	16～18	from bottom	〃	〃	2 3
490	2	22	22	from above	〃	〃	3
491	8	22	22	〃	〃	〃	3
495	9	下から 1	1	from bottom	〃	〃	4
535	〃	14	14	from above	〃	〃	3 393
541	〃	11	11	〃	〃	〃	42
547	1	下から 15,16	15,16	from bottom	〃	〃	614 323
548	3	26	26	from above	〃	〃	89
〃	4	25	25	〃	〃	〃	18
551	3	14	14	〃	〃	〃	6
566	1	6	6	〃	〃	〃	19 883
〃	〃	25～28	25～28	〃	〃	〃	532 348 3
567	6	1,2	1,2	〃	〃	〃	3 3
〃	〃	5	5	〃	〃	〃	26
573	10	13	13	〃	〃	〃	4
582	4	14	14	〃	〃	〃	6
〃	〃	17	17	〃	〃	〃	5 10
612	〃	13,14	13,14	〃	〃	〃	8
613	9	13	13	〃	〃	〃	6

昭和 49 年 3 月 25 日　印刷
昭和 49 年 3 月 30 日　発行

昭　和　47　年

人口動態統計 (上下2冊)

下　　巻

編集・発行　厚生省大臣官房統計調査部
印　　刷　日立高速印刷株式会社