昭和34年

人口動態統計

VITAL STATISTICS 1959
JAPAN

下巻

Volume 2

厚生省大臣官房統計調査部

DIVISION OF HEALTH AND WELFARE STATISTICS,
WELFARE MINISTER'S SECRETARIAT

昭和３４年

人口動態統計

VITAL STATISTICS 1959
JAPAN

下巻
Volume 2

厚生省大臣官房統計調査部

DIVISION OF HEALTH AND WELFARE STATISTICS,
WELFARE MINISTER'S SECRETARIAT

表章記号の規約

The following symbols are used in the tables;

計数のない場合 Quantity is zero	—
計数不明の場合 Data not available	…
統計項目のありえない場合 Class or item not applicable	・
数値が微小（0.05未満）の場合 If figure, rate or ratio is more than 0 but less than 0.05	0.0

昭 和 34 年

人 口 動 態 統 計　下 巻

―― 目　　次 ――

疾病，傷害および死因統計分類の分類体系ならびに分類表…… 12
疾病，傷害および死因統計分類の分類体系…… 13
日本における死因統計分類表（英文対照）
1. 疾病，傷害および死因の統計分類基本分類表…… 16
2. 50項目死因簡単分類表…… 39
統 計 表 一 覧…… 42

死　　因

第 48 表　死亡者数，性・年齢（5才階級）・死因（基本分類）別…… 46
第 49 表　死亡者数，性・年齢（5才階級）・死因（簡単分類）別…… 218
第 50 表　死亡者数，性・月・死因（簡単分類）別…… 232
第 51 表　死亡者数，性・死因（簡単分類）・都道府県－六大都市（再掲）別…… 246
第 52 表　死亡者数，性・施設・死因（簡単分類）別…… 274
第 53 表　乳児（1才未満）死亡者数，性・月・死因（簡単分類）別…… 282
第 54 表　乳児（1才未満）死亡者数，性・日－月齢・死因（簡単分類）別…… 290
第 55 表　乳児（1才未満）死亡者数，性・死因（簡単分類）・都道府県－六大都市（再掲）別…… 304
第 56 表　15才以上死亡者数，性・死因（簡単分類）・職業（中分類）別…… 332
第 57 表　15才以上死亡者数，性・年齢（5才階級）・職業（中分類）別…… 374
第 58 表　15才以上死亡者数，性・死因（簡単分類）・産業（中分類）別…… 380
第 59 表　15才以上死亡者数，性・年齢（5才階級）・産業（中分類）別…… 422
第 60 表　15才以上有配偶男死亡者数，年齢（5才階級）・職業（中分類）別…… 428
第 61 表　15才以上有配偶男死亡者数，年齢（5才階級）・産業（中分類）別…… 430
第 62 表　外因による死亡者数，性・年齢（特定階級）・外因－傷害の性質相互分類の死因（簡単分類）別…… 432
第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別…… 440
第 64 表　交通事故以外の不慮の事故死亡者数，性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別…… 468

付　　録

第 6 表　日本における外国人の死因

1.　死亡者数，性・死因(簡単分類)・国籍別…… 492

2.　乳児(1才未満)死亡者数，性・死因(簡単分類)・国籍別…… 499

第 7 表　外国における日本人の死因

1.　死亡者数，性・死因(簡単分類)別…… 506

2.　乳児(1才未満)死亡者数，性・死因(簡単分類)別…… 510

上 巻 内 容

ま　え　が　き

第 I 編　記　　述

第 1 章　人口動態統計作成の手続

第 2 章　計析に用いる比率と死因分類の解説

第 3 章　出　　生

第 4 章　死　　産

第 5 章　死　　亡

第 6 章　乳 児 死 亡

第 7 章　婚姻および離婚

基 礎 人 口

英 文 概 要

第 II 編　統　　計　　表

統 計 表 一 覧

総　　覧

第 1 表　人口動態総覧，都道府県・市－郡部－六大都市(再掲)別

第 2 表　発生地による出生児数・死亡者数・死産胎数，都道府県：市－郡部－六大都市(再掲)別

出　　生

第 3 表　出生児数，施設・立会者，都道府県・市－郡部－六大都市(再掲)別

第 4 表　出生児数，性・月・都道府県－六大都市(再掲)別

第 5 表　出生児数，性・出産順位・都道府県－六大都市(再掲)別

第 6 表　出生児数，性・母の年齢(5才階級)・都道府県－六大都市(再掲)別

第 7 表　出生児数，性・母の年齢(5才階級)・出産順位別

第 8 表　出生児数，性・母の年齢(5才階級)・出生順位別

第 9 表　出生児数，性・母の年齢(各才)・嫡出－非嫡出別

第 10 表　嫡出第1出生児数，性・母の年齢(5才階級)・結婚期間別

第 11 表　嫡出出生児数，性・父母相互の年齢(5才階級)別

第 12 表　嫡出出生児数，母の年齢(5才階級)・父の職業(中分類)別

第 13 表　嫡出出生児数，父の年齢(5才階級)・父の職業(中分類)別

第 14 表　嫡出出生児数，出産順位・父の職業(中分類)別

死　　産

第 15 表　死産胎数，施設・立会者・都道府県・市－郡部－六大都市(再掲)別

第 16 表　死産胎数，施設・自然－人工・都道府県・市－郡部－六大都市(再掲)別

第 17 表　死産胎数，性・自然－人工・月・都道府県・市－郡部－六大都市(再掲)別

第 18 表　死産胎数，性・自然－人工・妊娠期間(各月)・都道府県・市－郡部－六大都市(再掲)別

第 19 表　後期(妊娠第8月以後)死産胎数，性・母の年齢(5才階級)・都道府県－六大都市(再掲)別

第 20 表　後期(妊娠第8月以後)死産胎数，性・母の年齢(各才)・嫡出－非嫡出別

第 21 表　後期(妊娠第8月以後)死産胎数，性・自然－人工・母の年齢(5才階級)・出産順位別

第 22 表　医師の立会による死産胎数，妊娠期間・自然－人工・原因別

第 23 表　分娩件数，出生－死産・単－複産・都道府県－六大都市(再掲)別

第 24 表　分娩件数(出生および死産)，性・単－複産・都道府県－六大都市(再掲)別

第 25 表　分娩件数，出生－死産・性・単－複産別

死　　亡

第 26 表　死亡者数・乳児(1才未満)死亡者数・新生児(生後28日未満)死亡者数，施設・都道府県・市－郡部－六大都市(再掲)別

第 27 表　死亡者数，性・月・都道府県－六大都市(再掲)別

第 28 表　死亡者数，性・年齢(5才階級)・都道府県－六大都市(再掲)別

第 29 表　死亡者数，性・年齢(各才)・都道府県－六大都市(再掲)別

第 30 表　15才以上死亡者数，性・年齢(5才階級)・配偶関係別

第 31 表　死亡者数，性・月・生年年齢別；死亡者数，性・年齢(各才)別

乳 児 死 亡

第 32 表　乳児(1才未満)死亡者数，性・月・都道府県－六大都市(再掲)別

第 33 表　乳児(1才未満)死亡者数，性・月・日－月齢別

第 34 表　乳児(1才未満)死亡者数，性・日－月齢・都道府県－六大都市(再掲)別

婚　　姻

第 35 表　婚姻件数，届出月・都道府県－六大都市(再掲)別

第 36 表　婚姻件数，届出月・挙式の年月・全国－六大都市の計(再掲)別

第 37 表　婚姻件数，夫妻相互の初婚－再婚・都道府県－六大都市(再掲)別

第 38 表　婚姻件数，夫妻相互の年齢(各才)・初婚－再婚別

第 39 表　平均婚姻年齢，初婚－再婚者別；初婚・再婚者数，夫妻の年齢(各才)別；都道府県－六大都市(再掲)別

第 40 表　妻の再婚者数，前婚解消の年・再婚時年齢(5才階級)別

離　　婚

第 41 表　離婚件数，月・都道府県－六大都市(再掲)別

第 42 表　離婚件数，月・同居をやめた年月別

第 43 表　離婚件数，夫妻相互の年齢(各才)別

第 44 表　離婚件数，種類・同居期間別

第 45 表　離婚件数，夫妻の年齢(5才階級)・同居期間別

第 46 表　離婚件数，親権をおこなう子の数別

第 47 表　離婚件数，同居期間・夫妻が親権をおこなう子の数別

付　　録

第 1 表　発生地による棄児数，性・推定生年・都道府県－六大都市(再掲)別
第 2 表　発生地による届出遅れ出生児数，性・生年・都道府県－六大都市(再掲)別
第 3 表　発生地による届出遅れ死亡者数，性・死亡の年・都道府県－六大都市(再掲)別
第 4 表　日本における外国人の人口動態
　1．出生児数，性・月・国籍別
　2．死産胎数，性・月・国籍別
　3．死亡者数，性・月・国籍別
　4．死亡者数，性・年齢(5才階級)・国籍別
　5．乳児(1才未満)死亡者数，性・月・国籍別
　6．婚姻件数，夫妻相互の国籍別
　7．平均婚姻年齢・初婚者・再婚者数－昭和34年挙式届出のもののみ
　8．離婚件数，種類別
第 5 表　外国における日本人の人口動態
　1．出生児数，性・月別
　2．死亡者数，性・月別
　3．死亡者数，性・年齢(5才階級)別
　4．乳児(1才未満)死亡者数，性・月別
　5．平均婚姻年齢・初婚者・再婚者数－昭和34年挙式届出のもののみ
　6．離婚件数，種類別

VITAL STATISTICS, 1959, JAPAN　VOLUME 2

CONTENTS OF VOL. 2

Reference to the international list number of causes of death 12

Structure of the international statistical classification of diseases, injuries, and causes of death 13

List of statistical classification of causes of death in Japan (refered to English)

1. Detailed list of statistical classification of diseases, injuries, and causes of death 16
2. Abbreviated list of 50 causes for tabulation of mortality 39

Table 48. Deaths from causes (detailed list) by sex and age; for all Japan 46

Table 49. Deaths from causes (abbreviated list) by sex and age; for all Japan 218

Table 50. Deaths from causes (abbreviated list) by sex and month of occurrence; for all Japan 232

Table 51. Deaths from causes (abbreviated list) by sex; for all Japan, prefectures, 6 great cities 246

Table 52. Deaths from causes (abbreviated list) by sex and hospitalization; for all Japan 274

Table 53. Infant deaths (under 1 year of age) from causes (abbreviated list) by sex and month of occurrence; for all Japan 282

Table 54. Infant deaths (under 1 year of age) from causes (abbreviated list) by sex and detailed age; for all Japan 290

Table 55. Infant deaths (under 1 year of age) from causes (abbreviated list) by sex; for all Japan, prefectures, 6 great cities 304

Table 56. Deaths at 15 years of age and over from causes (abbreviated list) by sex and occupation; for all Japan 332

Table 57. Deaths at 15 years of age and over by sex, age and occupation ; for all Japan 374

Table 58. Deaths at 15 years of age and over from causes (abbreviated list) by sex and industry; for all Japan 380

Table 59. Deaths at 15 years of age and over by sex, age and industry; for all Japan 422

Table 60. Deaths of married males at 15 years of age and over by age and occupation; for all Japan ... 428

Table 61. Deaths of married males at 15 years of age and over by age and industry; for all Japan 430

Table 62. Deaths from accidents, poisonings and violence, cross-classified according to external cause and nature of injury (abbreviated list) by sex and age; for all Japan 432

Table 63. Non-transport accidental deaths by sex, age and cause (detailed list) according to the place where the accident or poisoning occurred; for all Japan 440

Table 64. Non-transport accidental deaths by sex, age and cause (detailed list) according to the time when the accident or poisoning occurred; for all Japan 468

Appendix 6. Causes of deaths for foreigners in Japan 492

Appendix 7. Causes of deaths for Japanese in foreign countries 506

CONTENTS OF VOL. 1

Preface

Part I Narrative Part


Chapter 1. Preparing procedures
Chapter 2. Explanation on rates and ratios, and classification of causes of death
Chapter 3. Birth statistics
Chapter 4. Foetal death statistics
Chapter 5. Mortality statistics
Chapter 6. Infant mortality statistics
Chapter 7. Marriage and divorce statistics
Base populations
English summary

Part II Statistical Tables

Table 1. Summary table of vital statistics; for all Japan, prefectures, urban and rural, 6 great cities
Table 2. Live births, deaths and foetal deaths by place of occurrence; for all Japan, prefectures, urban and rural, 6 great cities
Table 3. Live births by hospitalization and attendant; for all Japan, prefectures, urban and rural, 6 great cities
Table 4. Live births by sex and month of occurrence; for all Japan, prefectures, 6 great cities
Table 5. Live births by sex and total birth order; for all Japan, prefectures, 6 great cities
Table 6. Live births by sex and age of mother; for all Japan, prefectures, 6 great cities
Table 7. Live births by sex, age of mother and total birth order; for all Japan
Table 8. Live births by sex, age of mother and live birth order; for all Japan
Table 9. Live births by sex, age of mother and legitimacy; for all Japan
Table 10. First born legitimate children by sex, age of mother and duration of marriage; for all Japan
Table 11. Legitimate children by sex and combined ages of both father and mother; for all Japan
Table 12. Legitimate children by age of mother and occupation of father; for all Japan
Table 13. Legitimate children by age and occupation of father; for all Japan
Table 14. Legitimate children by total birth order and occupation of father; for all Japan
Table 15. Foetal deaths by hospitalization and attendant; for all Japan, prefectures, urban and rural, 6 great cities
Table 16. Foetal deaths by hospitalization and type (spontaneous or artificial); for all Japan, prefectures, urban and rural, 6 great cities
Table 17. Foetal deaths by sex, type (spontaneous or artificial) and month of occurrence; for all Japan, prefectures, urban and rural, 6 great cities
Table 18. Foetal deaths by sex, type (spontaneous or artificial) and period of gestation; for all Japan, prefectures, urban and rural, 6 great cities
Table 19. Late foetal deaths by sex and age of mother; for all Japan, prefectures, 6 great cities
Table 20. Late foetal deaths by sex, age of mother and legitimacy; for all Japan
Table 21. Late foetal deaths by sex, type (spontaneous or artificial), age of mother, and total birth order; for all Japan
Table 22. Foetal deaths attended by physician from each cause by period of gestation and type (spontaneous or artificial); for all Japan
Table 23. Deliveries by type (single, twin, triplet, quadruplet) with respect to being born alive or dead; for all Japan, prefectures, 6 great cities
Table 24. Deliveries by sex and type (single, twin, triplet, quadruplet); for all Japan, prefectures, 6 great cities
Table 25. Deliveries by sex and type (single, twin, triplet, quadruplet), with respect to being born alive or dead; for all Japan
Table 26. Deaths, infant deaths and neonatal deaths by hospitalization; for all Japan, prefectures, urban and rural, 6 great cities
Table 27. Deaths by sex and month of occurrence; for all Japan, prefectures, 6 great cities
Table 28. Deaths by sex and age; for all Japan, prefectures, 6 great cities
Table 29. Deaths by sex and each age; for all Japan, prefectures, 6 great cities
Table 30. Deaths at 15 years of age and over by sex, age and marital status; for all Japan
Table 31. Deaths by sex, month of occurrence, and age by year of birth; for all Japan
Table 32. Infant deaths (under 1 year of age) by sex and month of occurrence; for all Japan, prefectures, 6 great cities
Table 33. Infant deaths (under 1 year of age) by sex, month of occurence and detailed age; for all Japan
Table 34. Infant deaths (under 1 year of age) by sex and detailed age; for all Japan, prefectures, 6 great cities
Table 35. Marriages by month of registration; for all Japan, prefectures, 6 great cities
Table 36. Marriages by month of registration and year and month of wedding; for all Japan and total of 6 great cities
Table 37. Marriages by combined previous marital status of participants; for all Japan, prefectures, 6 great cities
Table 38. Marriages by combined ages and combined previous marital status of participants; for all Japan
Table 39. Average age at wedding and persons married by age and previous marital status; for all Japan, prefectures, 6 great cities
Table 40. Remarried brides by year of last separation and age at remarriage; for all Japan
Table 41. Divorces by month of registration; for all Japan, prefectures, 6 great cities
Table 42. Divorces by year and month of cessation of cohabitation, and month of registration; for all Japan
Table 43. Divorces by combined ages of both husband and wife at cessation of cohabitation; for all Japan
Table 44. Divorces by type and duration of marriage; for all Japan
Table 45. Divorces by age and duration of marriage; for all Japan
Table 46. Divorces by number of dependent children on husband and wife; for all Japan
Table 47. Divorces by duration of marriage and number of dependent children; for all Japan

Appendix 1. Children found exposed by presumed year of birth, sex and place of occurrence; for all Japan, prefectures, 6 great cities
Appendix 2. Delayed registration of live births by sex, year of birth and place of occurrence; for all Japan, prefectures, 6 great cities
Appendix 3. Delayed registration of deaths by sex, year of death and place of occurrence; for all Japan, prefectures, 6 great cities
Appendix 4. Vital statistics for foreigners in Japan
Appendix 5. Vital statistics for Japanese in foreign countries

Each prefecture is denoted by the serial number given here. Prefecture is an administrative area over cities, towns and villages.



01 Hokkaido
02 Aomori
03 Iwate
04 Miyagi
05 Akita

06 Yamagata
07 Fukushima
08 Ibaraki
09 Tochigi
10 Gumma

11 Saitama
12 Chiba
13 Tokyo
14 Kanagawa
15 Niigata

16 Toyama
17 Ishikawa
18 Fukui
19 Yamanashi
20 Nagano

21 Gifu
22 Shizuoka
23 Aichi
24 Mie
25 Shiga

26 Kyoto
27 Osaka
28 Hyogo
29 Nara
30 Wakayama

31 Tottori
32 Shimane
33 Okayama
34 Hiroshima
35 Yamaguchi

36 Tokushima
37 Kagawa
38 Ehime
39 Kochi
40 Fukuoka

41 Saga
42 Nagasaki
43 Kumamoto
44 Oita
45 Miyazaki
46 Kagoshima

疾病，傷害および死因統計分類の分類体系ならびに分類表

本書の死因統計に用いられている死因分類は，第7回修正の国際疾病，傷害および死因統計分類が基礎となっているので，この分類体系を把握する参考として，はじめに疾病，傷害および死因統計分類の分類体系をかかげる。

つぎに従来は各統計表の死因名欄に英文が併記されていたが，その繁雑さをさけるために，日本における死因統計分類表として，1. 疾病，傷害および死因の統計分類基本分類表，2. 50項目死因簡単分類表をそれぞれ英文と対照してここにかかげ，さらに簡単分類表については，各項目に対応する基本分類番号も併せて付した。

Reference to the international list number of causes of death

For the convenience of compilation, English translation is not put for each category in the table, but just list number. But to help English readers, the reference to list number is shown here as follows:

疾病，傷害および死因統計分類の分類体系（001-795，E800-E999，N800-N999）

STRUCTURE OF THE STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH

- 全身病 General diseases
  - 伝染病および寄生虫病 (001—138) Infective and parasitic diseases
    - 結　　核 (001—019) Tuberculosis
    - 梅　　毒 (020—029) Syphilis
    - 淋菌感染およびその他の性病(030-039)Gonococcal infection and other venereal diseases
    - 腸管伝染病 (040—049) Infectious diseases commonly arising in intestinal tract
    - その他の細菌性疾患 (050—064) Other bacterial diseases
    - 梅毒以外のスピロヘータ病 (070—074) Spirochaetal diseases, except syphilis
    - ビールスによる疾患 (080—096)およびリケッチア病(100—108) Diseases attributable to viruses and rickettsial diseases
    - その他の伝染病および寄生虫病 (110—138) Other infective and parasitic diseases
  - 新生物(140—239) Neoplasms
    - 悪性新生物 (140-199) Malignant neoplasms
      - 口腔および咽頭 (140—148) Buccal cavity and pharynx
      - 消　化　器 (150—159) Digestive organs
      - 呼　吸　器 (160—165) Respiratory system
      - 乳房および性尿器(170-181)Breast and genito-urinary organs
      - その　他 (190—199) Other
    - リンパ組織および造血組織の新生物(200—205) Neoplasms of lymphatic and haematopoietic tissues
    - 良性新生物 (210—229) Benign neoplasms
    - 性質不詳の新生物 (230—239) Neoplasms of unspecified nature
  - その他の全身病 (240—289) Other general diseases
    - アレルギー性疾患 (240—245) Allergic disorders
    - 甲状腺の疾患 (250—254) Diseases of thyroid gland
    - その他の内分泌腺の疾患 (260—277) Diseases of other endocrine glands
    - ビタミン欠乏症およびその他の物質代謝病 (280—289) Avitaminoses and other metabolic diseases
- 解剖学的系統別の疾患 Diseases by anatomical systems
  - 血液および造血器 (290—299) Blood and blood-forming organs
  - 精　神　病 (300—326) Mental disorders
  - 神経系および感覚器 (330—398) Nervous system and sense organs
  - 循環器系 (400—468) Circulatory system
  - 呼吸器系 (470—527) Respiratory system
  - 消化器系 (530—587) Digestive system
  - 性尿器系 (590—637) Genito-urinary system
  - 皮膚および皮下組織 (690—716) Skin and cellular tissue
  - 骨，関節および筋肉 (720—749) Bone, joint and muscles
- 分娩，先天奇形および新生児疾患 Deliveries, congenital malformations and diseases of early infancy
  - 妊　　娠 (640—649) Pregnancy
  - 流　　産 (650—652) Abortion
  - 分　　娩 (660—678) Delivery
    - 正　常 (660) normal
    - 合併症 (670—678) complicated
  - 産　　褥 (680—689) Puerperium
  - 先天奇形 (750—759) Congenital malformation
  - 新生児 (760—776) Early infancy
    - 出生時の損傷など(760-769)Birth injury etc.
    - その　他 (770—776) Other
- 症状など Symptoms etc.
  - 症　　状(780—789) Symptoms
    - 神　経　系 (780, 781) Nervous system
    - 心臓血管系 (782) Cardiovascular system
    - 呼吸器系 (783) Respiratory system
    - 消　化　管 (784, 785) Gastro-intestinal tract
    - 性尿器系 (786) Genito-urinary system
    - 肢および背 (787) Limbs and back
    - 全身症状 (788) General symptoms
    - 尿 (789) Urine
  - 老　　衰 (794) Senility
  - 診断名不明確 (790—793, 795) Ill-defined
- 不慮の事故，中毒および暴力 Accidents, poisonings and violence
  - 外　　因 (E800—E999) External cause
  - 傷害の性質 (N800—N999) Nature of injury

不慮の事故，中毒および暴力（外　因）（E800-E999）

ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)

- 不慮の傷害 Accidental injuries
  - 交通機関による事故 (E800—E866) Transport accidents
    - 鉄　　道 (E800—E802) Railway
    - 自動車 (E810—E835) Mortor Vehicle
      - 交通事故 (E810—E825) Traffic accidents
      - 非交通事故 (E830—E835) Non-traffic accidents
    - その他の道路交通機関 (E840—E845) Other road vehicle
    - 水上交通機関 (E850—E858) Water transport
    - 航　空　機 (E860—E866) Aircraft
  - その他の事故 (E870—E959) Other accidents
    - 中　　毒 (E870—E895) Poisoning
      - 固体および液体 (E870—E888) Solids and liquids
      - ガスおよび蒸気 (E890—E895) Gases and vapours
    - 墜　　落 (E900—E904) Falls
    - その他の不慮の事故 (E910—E929) Other accidents
      - 車 (E911) Vehicles
      - 機　械 (E912) Machinery
      - 電　気 (E914) Electricity
      - 爆　発 (E915, E916) Explosion
      - 動　物 (E927, E928) Animals
      - その他 Other
    - 環境の作用 (E930—E936) Environmental effects
      - 高　所 (E930) High altitude
      - 高温および低温 (E931, E932) Heat and cold
      - 飢　餓 (E933) Hunger
      - 天　災 (E934) Cataclysm
      - 雷　撃 (E935) Lightning
      - その他 Other
    - 医学的処置 (E940—E959) Medical procedure
      - 非治療 (E940—E946) Non-therapeutic
      - 治　　療 (E950—E959) Therapeutic
- 故意的加害 Intensional assault
  - 自殺および自傷 (E970—E979) Suicide and self-inflicted injury
    - 中　　毒 (E970—E973) Poisoning
    - その他 (E974—E979) Other
  - 他殺および他人の加害による傷害(E980-E999) Homicide and injury purposely inflicted by other persons
    - 加　　害 (E980—E983) Assault
    - 警察干与 (E984) Intervention of police
    - 処　　刑 (E985) Execution
    - 戦　　争 (E990—E999) War
- 後　遺　症 (E960—E965) Late effects

不慮の事故，中毒および暴力（傷害の性質）（N800-N999）

ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)

- 暴力によるもの Effects of violence
  - 骨　折 (N800—N829) Fractures
    - 頭蓋，脊柱および体幹 (N800—N809) Skull, spine and trunk
    - 上　　肢 (N810—N819) Upper limb
    - 下　　肢 (N820—E829) Lower limb
  - 骨折を伴わない関節脱臼 (N830—N839) Dislocation without fracture
  - 関節の捻挫および隣接筋の筋違い (N840—N848) Sprains and strains of joints and adjacent muscles
  - 頭部の損傷（頭蓋骨折を除く） (N850—N856) Head injury (excluding skull fracture)
  - 胸，腹および骨盤腔の内部損傷 (N860—N869) Internal injury of chest, abdomen and pelvis
  - 裂傷および開放創 (N870—N908) Lacerations and open wounds
    - 顔，頸および体幹 (N870—N879) Face, neck and trunk
    - 上　　肢 (N880—N888) Upper limb
    - 下　　肢 (N890—N898) Lower limb
    - 多　　発 (N900—N908) Multiple
  - 表在損傷 (N910—N918) Superficial injury
  - 挫傷および破砕 (N920—N929) Contusion and crushing
  - 神経および脊髄の損傷 (N950—N959) Injury to nerves and spinal cord
  - その他および詳細不明の損傷 (N996) Injury of other and unspecified nature
  - 外傷の早期合併症 (N995) Certain early complications of trauma
- その他の損傷 Other injuries
  - 孔口への異物侵入 (N930—N936) Effects of foreign body entering through orifice
  - 熱　　傷 (N940—N949) Burns
  - 毒物の作用 (N960—N979) Effects of poisons
  - 環境の作用 (N980—N989) Environmental effects
    - 低温および熱 (N980, N981) Reduced temperature and heat
    - 高　　所 (N982) High altitude
    - 飢餓および渇 (N985, N986) Hunger and thirst
    - 動　揺　病 (N989) Motion sickness
    - その他 Other
  - その他 (N990—N994) Other
    - 溺　　死 (N990) Drowning
    - 窒　　息 (N991) Asphyxia
    - 雷　撃　死 (N992) Electrocution
    - その他 Other
  - 医学的処置 (N997—N999) Medical procedures
    - 非治療 (N997) Non-therapeutic
    - 治　　療 (N998—N999) Therapeutic

日本における死因統計分類表（英文対照）

LIST OF STATISTICAL CLASSIFICATION OF CAUSES OF DEATH IN JAPAN (REFERED TO ENGLISH)

1 疾病，傷害および死因の統計分類基本分類表

DETAILED LIST OF STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH

I 伝染病および寄生虫病

呼吸器系の結核（001—008）

001 肺の職業疾患の記載のある呼吸器結核
001.a けい肺症の記載のある呼吸器結核
001.b その他の塵肺症の記載のある呼吸器結核
001.c その他の職業疾患を伴う呼吸器結核
002 肺結核
002.a 肺結核（粟粒結核の記載のないもの）
002.b 粟粒結核の記載のあるもの
002.c その他の部位の結核を合併するもの
003 胸膜結核
003.0 結核性と明示された胸膜炎
003.1 原因の記載のない滲出性胸膜炎
004 症状を伴う結核初期変化群
005 症状を伴う気管気管支リンパ腺結核
006 X線所見による活動性呼吸器結核（他の項に分類されないもの）
007 その他の呼吸器結核
008 部位不明の結核

その他の結核（010—019）

010 髄膜および中枢神経系の結核
011 腸，腹膜および腸間膜リンパ腺の結核
011.a 腸
011.b 腹膜
011.c その他
012 骨および関節の結核（活動性または詳細不明）
012.a 脊椎結核（活動性または詳細不明）
012.b 股結核（活動性または詳細不明）
012.c 膝結核（活動性または詳細不明）
012.d その他および詳細不明の骨結核（活動性または詳細不明）
012.e その他および詳細不明の関節結核（活動性または詳細不明）
013 骨および関節の結核の後遺症
013.a 脊椎結核の後遺症
013.b 股結核の後遺症
013.c 膝結核の後遺症
013.d その他および詳細不明の骨結核の後遺症
013.e その他および詳細不明の関節結核の後遺症
014 皮膚および皮下疎性結合組織の結核
015 リンパ系の結核
016 性尿器系の結核
016.a 性器の結核
016.b 泌尿器の結核
017 副腎の結核
018 その他の臓器の結核
018.0 眼の結核
018.1 耳の結核
018.2 その他
019 播種結核
019.0 急性粟粒結核（肺以外と明示されたもの）
019.1 詳細不明の急性粟粒結核
019.2 その他の播種結核

INFECTIVE AND PARASITIC DISEASES

Tuberculosis of respiratory system

Respiratory tuberculosis with mention of occupational diseases of lung
Respiratory tuberculosis with mention of silicosis
Respiratory tuberculosis with mention of other pneumoconiosis
Respiratory tuberculosis with other occupational diseases of lung
Pulmonary tuberculosis
Pulmonary tuberculosis without mention of miliary tuberculosis
Pulmonary tuberculosis with mention of military tuberculosis
Pulmonary tuberculosis complicated by tuberculosis of other sites
Pleural tuberculosis
Pleurisy specified as tuberculous
Pleurisy with effusion without mention of cause
Primary tuberculosis complex with symptoms
Tracheobronchial glandular tuberculosis with symptoms
Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere
Other respiratory tuberculosis
Tuberculosis, unspecified site

Tuberculosis, other forms

Tuberculosis of meninges and central nervous system
Tuberculosis of intestines, peritoneum, and mesenteric glands
Tuberculosis of intestines
Tuberculosis of peritoneum
Other
Tuberculosis of bones and joints, active or unspecified
Active or unspecified tuberculosis of vertebral column
Active or unspecified tuberculosis of hip
Active or unspecified tuberculosis of knee
Active or unspecified tuberculosis of other and unspecified bones
Active or unspecified tuberculosis of other and unspecified joints

Late effects of tuberculosis of bones and joints
Late effects of tuberculosis of vertebral column
Late effects of tuberculosis of hip
Late effects of tuberculosis of knee
Late effects of tuberculosis of other and unspecified bones
Late effects of tuberculosis of other and unspecified joints
Tuberculosis of skin and subcutaneous cellular tissue
Tuberculosis of lymphatic system
Tuberculosis of genito-urinary system
Tuberculosis of genital organs
Tuberculosis of urinary organs
Tuberculosis of adrenal glands
Tuberculosis of other organs
Tuberculosis of eye
Tuberculosis of ear
Other
Disseminated tuberculosis
Acute miliary tuberculosis specified as non-pulmonary
Acute miliary tuberculosis, unspecified
Other forms of disseminated tuberculosis

梅毒およびその続発症（020—029）

020 先天梅毒
021 早期梅毒
022 梅毒性大動脈瘤
023 その他の心臓血管梅毒
024 脊髄癆
025 進行麻痺
026 その他の中枢神経系の梅毒
027 その他の晩期梅毒
028 潜伏梅毒
029 分類不明の梅毒

淋菌感染およびその他の性病（030—039）

030 急性または詳細不明の淋疾
031 性尿器系の慢性淋菌感染
032 関節の淋菌感染
033 眼の淋菌感染
034 その他の部位の淋菌感染
035 淋菌感染の後遺症
036 軟性下疳
037 そけいリンパ肉芽腫
038 性病性肉芽腫
039 その他および詳細不明の性病

腸管伝染病（040—049）

040 腸チフス
041 パラチフス
042 その他のサルモネラ感染
043 コレラ
044 ブルセラ症（波状熱）
045 細菌性赤痢
045.a 疫痢症状を呈するもの
045.b その他
046 アメーバ症
047 その他の原虫性赤痢
048 詳細不明の赤痢
049 食物中毒（感染および中毒）

その他の細菌性疾患（050—064）

050 猩紅熱
051 レンサ球菌性口峡炎
052 丹毒
053 敗血症および膿血症
054 細菌性毒血症
055 ジフテリア
056 百日咳
057 髄膜炎菌感染
058 ペスト
059 野兎病
060 癩
060.0 結節癩
060.1 神経癩
060.2 混合癩
060.3 詳細不明のもの
061 破傷風
062 炭疽
063 ガス壊疽
064 その他の細菌性疾患

スピロヘータ病（梅毒を除く）（070—074）

070 ワンサン感染
071 回帰熱
072 レプトスピラ症
072.0 黄疸出血性レプトスピラ症（ワイル病）
072.1 その他および詳細不明のもの
073 フランベジア
074 その他のスピロヘータ感染

Syphilis and its sequelae

Congenital syphilis
Early syphilis
Aneurysm of aorta
Other cardiovascular syphilis
Tabes dorsalis
General paralysis of insane
Other syphilis of central nervous system
Other forms of late syphilis
Latent syphilis
Syphilis, unqualified

Gonococcal infection and other venereal diseases

Acute or unspecified gonorrhoea
Chronic gonococcal infection of genito-urinary system
Gonococcal infection of joint
Gonococcal infection of eye
Gonococcal infection of other sites
Late effects of gonococcal infection
Chancroid
Lymphogranuloma venereum
Granuloma inguinale, venereal
Other and unspecified venereal diseases

Infectious diseases commonly arising in intestinal tract

Typhoid fever
Paratyphoid fever
Other salmonella infections
Cholera
Brucellosis (undulant fever)
Bacillary dysentery
With ekiri syndrom
Other
Amoebiasis
Other protozoal dysentery
Unspecified forms of dysentery
Food poisoning (infection and intoxication)

Other bacterial diseases

Scarlet fever
Streptococcal sore throat
Erysipelas
Septicaemia and pyaemia
Bacterial toxaemia
Diphtheria
Whooping cough
Meningococcal infections
Plague
Tularaemia
Leprosy
Lepromatous leprosy
Neuroleprosy
Mixed
Unspecified
Tetanus
Anthrax
Gas gangrene
Other bacterial diseases

Spirochaetal diseases, except syphilis

Vincent's infection
Relapsing fever
Leptospirosis
Leptospirosis icterohaemorrhagica (Weil's disease)
Other and unspecified
Yaws
Other spirochaetal infections

ビールスによる疾患（080—096）

080　急性灰白髄炎
　080.0　球型または灰白脳炎と明示されたもの
　080.1　その他の麻痺を伴うもの
　080.2　非麻痺性と明示されたもの
　080.3　詳細不明のもの
081　急性灰白髄炎の後遺症
082　急性伝染性脳炎
　082.a　日本脳炎
　082.b　その他の節足動物の媒介による脳炎
　082.c　リンパ球性脈絡髄膜炎
　082.d　嗜眠性脳炎
　082.e　その他および詳細不明の伝型性脳炎
083　急性伝染性脳炎の後遺症
084　痘　　瘡
085　麻　　疹
　085.0　肺炎の記載のないもの
　085.1　肺炎を伴うもの
086　風　　疹
087　水　　痘
088　帯状疱疹
089　流行性耳下腺炎
090　デング熱
091　黄　　熱
092　伝染性肝炎
093　腺熱（伝染性単核細胞症）
094　狂犬病
095　トラコーマ
096　ビールスによるその他の疾患
　096.a　オウム病およびハト病
　096.b　伝染性下痢症
　096.c　その他

発疹チフスおよびその他のリケッチア病（100—108）

100　シラミ媒介の流行性発疹チフス
101　発疹熱およびその他のノミ媒介の地方流行性発疹チフス様疾患（ネズミ系）
102　ブリル病（シラミまたはノミ媒介の発疹チフスとして特記されないもの）
103　メキシコ発疹チフス（ノミまたはシラミ媒介として特記されないもの）
104　ダニ媒介の発疹チフス様疾患
105　恙虫病およびその他のコダニ媒介の発疹チフス様疾患
106　塹壕熱
107　詳細不明の発疹チフス様疾患
108　その他のリケッチア病

マラリア（110—117）

110　三日熱マラリア（良性三日熱）
111　四日熱マラリア（四日熱）
112　熱帯熱マラリア（悪性三日熱）
113　卵形三日熱マラリア
114　混合感染マラリア
115　黒水熱
116　その他および詳細不明のマラリア
117　再発接種マラリア

その他の伝染病および寄生虫病（120—138）

120　リーシュマニア症
121　トリパノソーマ症
122　その他の原虫症
123　住血吸虫症
　123.a　日本住血吸虫症
　123.b　その他
124　その他の吸虫症
　124.0　肝吸虫症
　124.1　肺吸虫症
　124.2　その他
125　胞虫症

Diseases attributable to viruses

Acute poliomyelitis
　Specified as bulbar or polio-encephalitis
　With otherparalysis
　Specified as non-paralytic
　Unspecified
Late effects of acute poliomyelitis
Acute infectious encephalitis
　Japanese B encephalitis
　Other arthropod-borne encephalitis
　Lymphocytic choriomeningitis
　Lethargic encephalitis
　Other and unspecified infectious encephalitis
Late effects of acute infectious encephalitis
Smallpox
Measles
　Without mention of pneumonia
　With pneumonia
Rubella (German measles)
Chickenpox
Herpes zoster
Mumps
Dengue
Yellow fever
Infectious hepatitis
Glandular fever (infectious mononucleosis)
Rabies
Trachoma
Other diseases attributable to viruses
　Psittacosis and ornithosis
　Infectious diarrhoea
　Other

Typhus and other rickettsial diseases

Louse-borne epidemic typhus
Flea-borne endemic typhus (murine)

Brill's disease, not specified as louse- or flea-borne

Tabardillo (Mexican typhus), not specified as louse- or flea-borne

Tick-borne typhus
Mite-borne typhus
Volhynian fever (trench fever)
Typhus, unspecified
Other rickettsial diseases

Malaria

Vivax malaria (benign tertian)
Malariae malaria (quartan)
Falciparum maralia (malignant tertian)
Ovale malaria
Mixed malarial infections
Blackwater fever
Other and unspecified forms of malaria
Recurrent induced malaria

Other infective and parasitic diseases

Leishmaniasis
Trypanosomiasis
Other protozoal diseases
Schistosomiasis
　Oriental schistosomiasis (S. Japonicum)
　Other
Other trematode infestation
　Clonorchiasis
　Paragonimiasis
　Other
Hydatid disease

126　その他の条虫症
127　糸状虫症
128　旋毛虫症
129　鉤虫症（十二指腸虫症）
130　その他の混合および詳細不明の蠕虫症
　130.0　回虫症
　130.1　蟯虫症
　130.2　腸管内混合蠕虫症
　130.3　その他
131　皮膚真菌症
132　放線菌症
133　コクチジオイデス症
134　その他の真菌感染
　134.a　カンジダ症
　134.b　その他
135　疥　　癬
136　シラミ症
137　その他の節足動物の寄生
138　その他の伝染病および寄生虫病
　138.a　泉　　熱
　138.b　その他

II 新　生　物

口腔および咽頭の悪性新生物（140—148）

140　口唇の悪性新生物
141　舌の悪性新生物
142　唾液腺の悪性新生物
143　口底の悪性新生物
144　その他の部位および部位不明の口腔の悪性新生物
145　中部咽頭の悪性新生物
　145.a　扁　　桃
　145.b　その他
146　上部咽頭の悪性新生物
147　下部咽頭の悪性新生物
148　詳細不明の咽頭の悪性新生物

消化器および腹膜の悪性新生物（150—159）

150　食道の悪性新生物
　150.a　上　　部
　150.b　中　　部
　150.c　下　　部
　150.d　多部位および部位不明
151　胃の悪性新生物
　151.a　噴門部
　151.b　幽門部
　151.c　その他
152　小腸の悪性新生物（十二指腸を含む）
　152.a　十二指腸
　152.b　その他
153　大腸の悪性新生物（直腸を除く）
　153.a　盲腸，虫垂および上行結腸
　153.b　横行結腸および下行結腸
　153.c　S状結腸
　153.d　多部位および部位不明
　153.e　詳細不明の腸管
154　直腸の悪性新生物
155　胆路および原発と記載された肝臓の悪性新生物
　155.0　肝　　臓
　155.1　胆嚢および肝外胆管（ファーテル乳頭を含む）
　155.8　多部位
156　肝臓の悪性新生物（続発性および詳細不明）
157　膵臓の悪性新生物
158　腹膜の悪性新生物
159　詳細不明の消化器の悪性新生物

Other cestode infestation
Filariasis
Trichiniasis
Ankylostomiasis
Infestation with worms of other, mixed, and unspecified type
　Ascariasis
　Oxyuriasis
　Mixed intestinal helminth infestation
　Other
Dermatophytosis
Actinomycosis
Coccidioidomycosis
Othes fungus infections
　Moniliasis
　Other
Scabies
Pediculosis
Other arthropod infestation
Other infetive and parasitic diseases
　Izumi's fever
　Other

NEOPLASMS

Malignant neoplasm of buccal cavity and pharynx

Malignant neoplasm of lip
Malignant neoplasm of tongue
Malignant neoplasm of salivary gland
Malignant neoplasm of floor of mouth
Malignant neoplasm of other parts of mouth, and of mouth, unspecified
Malignant neoplasm of oral mesopharynx
　Tonsil (excluding pillars)
　Other
Malignant neoplasm of nasopharynx
Malignant neoplasm of hypopharynx
Malignant neoplasm of pharynx, unspecified

Malignant neoplasm of digestive organs and peritoneum

Malignant neoplasm of oesophagus
　Upper part
　Middle part
　Lower part
　Multiple parts and part unspecified
Malignant neoplasm of stomach
　Cardia
　Pylorus
　Other
Malignant neoplasm of small intestine, including duodenum
　Duodenum
　Other
Malignant neoplasm of large intestine, except rectum
　Caeum, appendix, and ascending colon
　Transverse colon, including hepatic and splenic flexures, and descending colon
　Sigmoid colon
　Multiple sites and site unspecified
　Intestinal tract, part unspecified
Malignant neoplasm of rectum
Malignant neoplasm of biliary passages and of liver (stated to be primary site)
　Liver
　Gallbladder and extrahepatic gall ducts, including ampulla of vater
　Multiple sites
Malignant neoplasm of liver (secondary and unspecified)
Malignant neoplasm of pancreas
Malignant neoplasm of peritoneum
Malignant neoplasm of unspecified digestive organs

呼吸器系の悪性新生物（160—165）

160　鼻，鼻腔，中耳および副鼻腔の悪性新生物
160.0　鼻（内）および鼻腔
160.1　耳管および中耳
160.2　上　顎　洞
160.7　その他の副鼻腔
160.8　多　部　位
160.9　部位不明
161　喉頭の悪性新生物
162　気管および気管支ならびに原発と明示された肺の悪性新生物
162.0　気　　管
162.1　気管支および肺
162.2　胸　　膜
162.8　多　部　位
163　原発，続発の別不明の肺の悪性新生物
164　縦隔の悪性新生物
165　胸部臓器の悪性新生物（続発性）

乳房および性尿器の悪性新生物（170—181）

170　乳房の悪性新生物
171　子宮頸の悪性新生物
172　子宮体の悪性新生物
173　子宮のその他の部位の悪性新生物（絨毛上皮腫を含む）
173.a　絨毛上皮腫
173.b　そ　の　他
174　詳細不明の子宮の悪性新生物
175　卵巣，卵管および子宮広間膜の悪性新生物
175.a　卵　　巣
175.b　そ　の　他
176　その他および詳細不明の女性性器の悪性新生物
176.a　外　　陰
176.b　そ　の　他
177　前立腺の悪性新生物
178　睾丸の悪性新生物
179　その他および詳細不明の男性性器の悪性新生物
179.a　陰　　茎
179.b　そ　の　他
180　腎臓の悪性新生物
181　膀胱およびその他の泌尿器の悪性新生物
181.a　膀　　胱
181.b　その他の泌尿器および多部位

その他および部位不明の悪性新生物（190—199）

190　皮膚の悪性黒色腫
191　その他の皮膚の悪性新生物
191.a　顔，頭および頸
191.b　体　　幹
191.c　上　　肢
191.d　下　　肢
191.e　多部位および部位不明
192　眼の悪性新生物
193　脳およびその他の神経系の悪性新生物
193.a　脳
193.b　脊　　髄
193.c　髄　　膜
193.d　末梢神経
193.e　交感神経
193.f　多部位および部位不明
194　甲状腺の悪性新生物
195　その他の内分泌腺の悪性新生物
195.a　副　　腎
195.b　胸　　腺
195.c　下垂体および頭蓋咽頭管
195.d　その他の内分泌腺および多部位
196　骨の悪性新生物
196.a　頭蓋骨および顔面骨
196.b　下　顎　骨
196.c　脊椎，肋骨，胸骨，鎖骨および骨盤骨

Malignant neoplasm of respiratory system

Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses
Nose (internal) and nasal cavities
Eustachian tube and middle ear
Maxillary sinus
Other specified sinus (accessory)
Multiple sites
Site unspecified
Malignant neoplasm of larynx
Malignant neoplasm of bronchus and trachea, and of lung specified as primary
Trachea
Bronchus and lung
Pleura
Multiple sites
Malignant neoplasm of lung, unspecified as to whether primary or secondary
Malignant neoplasm of mediastinum
Malignant neoplasm of thoracic organs (secondary)

Malignant neoplasm of breast and genito-urinary organs

Malignant neoplasm of breast
Malignant neoplasm of cervix uteri
Malignant neoplasm of corpus uteri
Malignant neoplasm of other parts of uterus, including chorionepithelioma
Chorionepithelioma
Other
Malignant neoplasm of uterus, unspecified
Malignant neoplasm of ovary, Fallopian tube, and broad ligament
Ovary
Other
Malignant neoplasm of other and unspecified female genital organs
Vulva
Other
Malignant neoplasm of prostate
Malignant neoplasm of testis
Malignant neoplasm of other and unspecified male genital organs
Penis
Other
Malignant neoplasm of kidney
Malignant neoplasm of bladder and other urinary organs
Bladder
Other urinary organs and multiple sites

Malignant neoplasm of other and unspecified sites

Malignant melanoma of skin
Other malignant neoplasm of skin
Face, head and neck
Trunk
Upper limb
Lower limb
Multiple sites and site unspecified
Malignant neoplasm of eye
Malignant neoplasm of brain and other parts of nervous system
Brain
Spinal cord
Meninges
Peripheral nerves
Sympathetic nervous system
Multiple sites and site unspecified
Malignant neoplasm of thyroid gland
Malignant neoplasm of other endocrine glands
Suprarenal gland
Thymus
Pituitary gland and craniopharyngeal duct
Other endocrine glands and multiple glands
Malignant neoplasm of bone
Bones of the skull and face
Lower jaw bone
Vertebral column, ribs, sternum, clavicle and pelvic bones.

196.d　上肢の骨および肩甲骨
196.e　下　肢　の　骨
196.f　多部位および部位不明
197　結合組織の悪性新生物
198　リンパ節の続発性および詳細不明の悪性新生物
199　その他および部位不明の悪性新生物

リンパ組織および造血組織の新生物（200—205）

200　リンパ肉腫および細網肉腫
200.0　細　網　肉　腫
200.1　リンパ肉腫
200.2　その他の類リンパ組織の原発性悪性新生物
201　ホジキン病
202　その他のリンパ腫（細網症）
203　多発骨髄腫（形質細胞腫）
204　白血病および無白血病
204.0　リンパ性白血病
204.1　骨髄性白血病
204.2　単球性白血病
204.3　急性白血病
204.4　その他および詳細不明の白血病
205　菌状息肉症

良性新生物（210—229）

210　口腔および咽頭の良性新生物
211　その他の消化器系の良性新生物
212　呼吸器系の良性新生物
213　乳房の良性新生物
214　子宮線維筋腫
215　その他の子宮の良性新生物
216　卵巣の良性新生物
217　その他の女性性器の良性新生物
218　男性性器の良性新生物
219　腎臓およびその他の泌尿器の良性新生物
220　皮膚の良性黒色腫
221　毛　巣　嚢　胞
222　その他の皮膚の良性新生物
223　脳およびその他の神経系の良性新生物
223.a　脳
223.b　脊　　髄
223.c　髄　　膜
223.d　そ　の　他
224　内分泌腺の良性新生物
225　骨および軟骨の良性新生物
226　脂　肪　腫
227　その他の筋組織および結合組織の良性新生物
228　血管腫およびリンパ管腫
229　その他および詳細不明の臓器および組織の良性新生物

性質不詳の新生物（230—239）

230　消化器の性質不詳の新生物
231　呼吸器の性質不詳の新生物
232　乳房の性質不詳の新生物
233　子宮の性質不詳の新生物
234　卵巣の性質不詳の新生物
235　その他の女性性器の性質不詳の新生物
236　その他の性尿器の性質不詳の新生物
237　脳およびその他の神経系の性質不詳の新生物
237.a　脳
237.b　脊　　髄
237.c　髄　　膜
237.d　そ　の　他
238　皮膚および筋骨格系の性質不詳の新生物
239　その他および詳細不明の臓器の性質不詳の新生物

Bones of upper limb, and scapula
Bones of lower limb
Multiple sites and site unspecified
Malignant neoplasm of connective tissue
Secondary and unspecified malignant neoplasm of lymph nodes
Malignant neoplasm of other and unspecified sites

Neoplasm of lymphatic and haematopoietic tissues

Lymphosarcoma and reticulosarcoma
Reticulum-cell sarcoma
Lymphosarcoma
Other primary malignant neoplasms of lymphoid tissue
Hodgkin's disease
Other forms of lymphoma (reticulosis)
Multiple myeloma (plasmocytoma)
Leukaemia and aleukaemia
Lymphatic leukaemia
Myeloid leukaemia
Monocytic leukaemia
Acute leukaemia
Other and unspecified leukaemia
Mycosis fungoides

Benign neoplasm

Benign neoplasm of buccal cavity and pharynx
Benign neoplasm of other parts of digestive system
Benign neoplasm of respiratory system
Benign neoplasm of breast
Uterine fibromyoma
Other benign neoplasm of uterus
Benign neoplasm of ovary
Benign neoplasm of other female genital organs
Benign neoplasm of male genital organs
Benign neoplasm of kidney and other urinary organs
Benign melanoma of skin
Pilonidal cyst
Other benign neoplasm of skin
Benign neoplasm of brain and other parts of nervous system
Brain
Spinal cord
Meninges
Other
Benign neoplasm of endocrine glands
Benign neoplasm of bone and cartilage
Lipoma
Other benign neoplasm of muscular and connective tissue
Haemangioma and lymphangioma
Benign neoplasm of other and unspecified organs and tissues

Neoplasm of unspecified nature

Neoplasm of unspecified nature of digestive organs
Neoplasm of unspecified nature of respiratory organs
Neoplasm of unspecified nature of breast
Neoplasm of unspecified nature of uterus
Neoplasm of unspecified nature of ovary
Neoplasm of unspecified nature of other female genital organs
Neoplasm of unspecified nature of other genito-urinary organs
Neoplasm of unspecified nature of brain and other parts of nervous system
Brain
Spinal cord
Meninges
Other
Neoplasm of unspecified nature of skin and musculoskeletal system
Neoplasm of unspecified nature of other and unspecified organs

III　アレルギー性疾患，内分泌系の疾患，物質代謝および栄養の疾患

アレルギー性疾患（240—245）

240　枯草熱
241　喘息
242　脈管神経性浮腫
243　蕁麻疹
244　アレルギー性湿疹
245　その他のアレルギー性疾患

甲状腺の疾患（250—254）

250　単純性甲状腺腫
251　非中毒性結節性甲状腺腫
252　甲状腺腫を伴うまたは伴わない甲状腺中毒症
253　粘液水腫およびクレチン病
254　その他の甲状腺の疾患

糖尿病（260）

260　糖尿病

その他の内分泌腺の疾患（270—277）

270　膵臓内分泌の障害（糖尿病以外のもの）
271　上皮小体の疾患
272　下垂体の疾患
273　胸腺の疾患
274　副腎の疾患
275　卵巣機能異常
276　睾丸機能異常
277　多腺性機能異常およびその他の内分泌腺の疾患

ビタミン欠乏症およびその他の物質代謝病（280—289）

280　脚気
281　ペラグラ
282　壊血病
283　活動性くる病
284　くる病の後遺症
285　骨軟化症
286　その他のビタミン欠乏症および栄養欠乏症
286. a　栄養失調症（1才以上）
286. b　その他
287　肥満症（内分泌性と特記されないもの）
288　痛風
289　その他の物質代謝病

IV　血液および造血器の疾患

血液および造血器の疾患（290—299）

290　悪性貧血およびその他の高色性貧血
291　鉄欠乏性貧血（低色性貧血）
292　その他の型の貧血
293　詳細不明の貧血
294　多血球血症
295　血友病
296　紫斑病およびその他の出血病
297　無顆粒球症
298　脾臓の疾患
299　その他の血液および造血器の疾患

V　精神病，精神神経症および人格異常

精神病（300—309）

300　精神分裂病（早発性痴呆）

ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES

Allergic disorders

Hay fever
Asthma
Angioneurotic oedema
Urticaria
Allergic eczema
Other allergic disorders

Diseases of thyroid gland

Simple goitre
Non-toxic nodular goitre
Thyrotoxicosis with or without goitre
Myxoedema and cretinism
Other diseases of thyroid gland

Diabetes mellitus

Diabetes mellitus

Diseases of other endocrine glands

Disorders of pancreatic internal secretion other than diabetes mellitus
Diseases of parathyroid gland
Diseases of pituitary gland
Diseases of thymus gland
Diseases of adrenal glands
Ovarian dysfunction
Testicular dysfunction
Polyglandular dysfunction and other diseases of endocrine glands

Avitaminoses and other metabolic diseases

Beriberi
Pellagra
Scurvy
Active rickets
Late effects of rickets
Osteomalacia
Other avitaminoses and nutritional deficiency states
Malnutrition, unqualified (1 year of age and over)
Other
Obesity, not specified as of endocrine origin
Gout
Other metabolic diseases

DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS

Diseases of blood and blood-forming organs

Pernicious and other hyperchromic anaemias
Iron deficiency anaemias (hypochromic anaemias)
Other anaemias of specified type
Anaemia of unspecified type
Polycythaemia
Haemophilia
Purpura and other haemorrhagic conditions
Agranulocytosis
Diseases of spleen
Other diseases of blood and blood-forming organs

MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS

Psychoses

Schizophrenic disorders (dementia praecox)

301　躁うつ病
302　退行期うつ病
303　偏執病および偏執状態
304　老年性精神病
305　初老期精神病
306　脳動脈硬化症に伴う精神病
307　アルコール性精神病
308　その他の原因を示しうる精神病
309　その他および詳細不明の精神病

精神神経症（310—318）

310　身体症状の記載のない不安反応
311　不安反応の記載のないヒステリー反応
312　恐怖反応
313　強迫反応
314　神経症性抑うつ反応
315　循環器系をおかす身体症状（身体化反応）を伴う精神神経症
316　消化器系をおかす身体症状（身体化反応）を伴う精神神経症
317　その他の系統をおかす身体症状（身体化反応）を伴う精神神経症
318　その他の型，混合型および型不詳の精神神経症

性格，行動および知能の異常（320—326）

320　病的人格
321　未熟人格
322　アルコール中毒症
323　その他の薬品嗜癖
324　幼児の行動異常
325　精神薄弱
326　その他および分類不明の性格，行動，知能の異常

VI　神経系および感覚器の疾患

中枢神経系の血管損傷（330—334）

330　蜘網膜下出血
331　脳出血
332　脳塞栓症および脳血栓症
333　脳動脈けいれん
334　その他および診断名不明確の中枢神経系の血管損傷

中枢神経系の炎症性疾患（340—345）

340　髄膜炎（髄膜炎菌性および結核性を除く）
341　頭蓋内静脈洞の静脈炎および血栓静脈炎
342　頭蓋内および脊柱内膿瘍
343　脳炎，脊髄炎および脳脊髄炎（急性伝染性を除く）
344　頭蓋内膿瘍または化膿性感染の後遺症
345　多発硬化症

その他の中枢神経系の疾患（350—357）

350　振顫麻痺
351　脳性痙性小児麻痺
352　その他の脳性麻痺
353　てんかん
354　片頭痛
355　その他の脳の疾患
356　運動神経元の疾患および筋萎縮
357　その他の脊髄の疾患

神経および末梢神経節の疾患（360—369）

360　顔面神経麻痺
361　三叉神経痛
362　上腕神経炎
363　坐骨神経痛
364　多発神経炎および多発神経根炎
365　赤色浮腫多発性神経炎

Manic-depressive reaction
Involutional melancholia
Paranoia and paranoid states
Senile psychosis
Presenile psychosis
Psychosis with cerebral arteriosclerosis
Alcoholic psychosis
Psychosis of other demonstrable etiology
Other and unspecified psychoses

Psychoneurotic disorders

Anxiety reaction without mention of somatic symptoms
Hysterical reaction without mention of anxiety reaction
Phobic reaction
Obsessive-compulsive reaction
Neurotic-depressive reaction
Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system
Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system
Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems
Psychoneurotic disorders, other, mixed, and unspecified types

Disorders of character, behaviour, and intelligence

Pathological personality
Immature personality
Alcoholism
Other drug addiction
Primary childhood behaviour disorders
Mental deficiency
Other and unspecified character, behaviour, and intelligence disorders

DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS

Vascular lesions affecting central nervous system

Subarachnoid haemorrhage
Cerebral haemorrhage
Cerebral embolism and thrombosis
Spasm of cerebral arteries
Other and ill-defined vascular lesions affecting central nervous system

Inflammatory diseases of central nervous system

Meningitis, except meningococcal and tuberculous
Phlebitis and thrombophlebitis of intracranial venous sinuses
Intracranial and intraspinal abscess
Encephalitis, myelitis, and encephalomyelitis (except acute infectious)
Late effects of intracranial abscess or pyogenic infection
Multiple sclerosis

Other diseases of central nervous system

Paralysis agitans
Cerebral spastic infantile paralysis
Other cerebral paralysis
Epilepsy
Migraine
Other diseases of brain
Motor neurone disease and muscular atrophy
Other diseases of spinal cord

Diseases of nerves and peripheral ganglia

Facial paralysis
Trigeminal neuralgia
Brachial neuritis
Sciatica
Polyneuritis and polyradiculitis
Erythroedema polyneuritica

366　その他および詳細不明の神経痛および神経炎
367　その他の脳神経の疾患
368　その他の末梢神経の疾患（自律神経を除く）
369　末梢自律神経系の疾患

眼の炎症性疾患（370—379）

370　結膜炎および瞼炎
371　眼瞼炎
372　麦粒腫（ものもらい）
373　虹彩炎
374　角膜炎
375　脈絡膜炎
376　その他のブドウ膜の炎症
377　視神経および網膜の炎症
378　涙腺および涙管の炎症
379　その他の眼の炎症性疾患

その他の眼の疾患および状態（380—389）

380　屈折異常
381　角膜潰瘍
382　角膜混濁
383　翼状片
384　斜視
385　白内障
386　網膜剝離
387　緑内障
388　その他の眼の疾患
389　盲

耳および乳様突起の疾患（390—398）

390　外耳炎
391　中耳炎（乳様突起炎の記載のないもの）
392　中耳炎（乳様突起炎を伴うもの）
393　乳様突起炎（中耳炎の記載のないもの）
394　その他の耳の炎症性疾患
395　メニエール病
396　その他の耳および乳様突起の疾患
397　聾唖
398　その他の聾

VII　循環器系の疾患

リューマチ熱（400—402）

400　心臓障害の記載のないリューマチ熱
401　心臓障害を伴うリューマチ熱
401.0　活動性リューマチ性心膜炎
401.1　活動性リューマチ性心内膜炎
401.2　活動性リューマチ性心筋炎
401.3　その他および多発性の心臓障害を伴う活動性リューマチ熱
402　舞踏病

慢性リューマチ性心臓疾患（410—416）

410　僧帽弁の疾患
411　リューマチ性と明示された大動脈弁の疾患
412　三尖弁の疾患
413　リューマチ性と明示された肺動脈弁の疾患
414　その他のリューマチ性と明示された心内膜炎
415　リューマチ性と明示された心筋炎
416　その他のリューマチ性と明示された心臓疾患

動脈硬化性および変性性心臓疾患（420—422）

420　動脈硬化性心臓疾患（冠状動脈疾患を含む）
420.0　動脈硬化性心臓疾患と記載されたもの
420.1　冠状動脈疾患の記載のある心臓疾患
420.2　冠状動脈疾患の記載のない狭心症
421　リューマチ性と明示されない慢性心内膜炎
421.0　僧帽弁（非リューマチ性と明示されたもの）
421.1　大動脈弁（リューマチ性と明示されないもの）

Other and unspecified forms of neuralgia and neuritis
Other diseases of cranial nerves
Other diseases of peripheral nerves except autonomic
Diseases of peripheral autonomic nervous system

Inflammatory diseases of eye

Conjunctivitis and ophthalmia
Blepharitis
Hordeolum (stye)
Iritis
Keratitis
Choroiditis
Other inflammation of uveal tract
Inflammation of optic nerve and retina
Inflammation of lachrymal glands and ducts
Other inflammatory diseases of eye

Other diseases and conditions of eye

Refractive errors
Corneal ulcer
Corneal opacity
Pterygium
Strabismus
Cataract
Detachment of retina
Glaucoma
Other diseases of eye
Blindness

Diseases of ear and mastoid process

Otitis externa
Otitis media without mention of mastoiditis
Otitis media with mastoiditis
Mastoiditis without mention of otitis media
Other inflammatory diseases of ear
Ménière's disease
Other diseases of ear and mastoid process
Deaf mutism
Other deafness

DISEASES OF THE CIRCULATORY SYSTEM

Rheumatic fever

Rheumatic fever without mention of heart involvement
Rheumatic fever with heart involvement
　Active rheumatic pericarditis
　Active rheumatic endocarditis
　Active rheumatic myocarditis
　Active rheumatic fever with other and multiple types of heart involvement
Chorea

Chronic rheumatic heart disease

Diseases of mitral valve
Diseases of aortic valve specified as rheumatic
Diseases of tricuspid valve
Diseases of pulmonary valve specified as rheumatic
Other endocarditis specified as rheumatic
Other myocarditis specified as rheumatic
Other heart disease specified as rheumatic

Arteriosclerotic and degnerative heart disease

Arteriosclerotic heart disease, including coronary disease
　Arteriosclerotic heart disease so described
　Heart disease specified as involving coronary arteries
　Angina pectoris without mention of coronary disease
Chronic endocarditis not specified as rheumatic
　Of mitral valve, specified as non-rheumatic
　Of aortic valve, not specified as rheumatic

421.2　三尖弁（非リューマチ性と明示されたもの）
421.3　肺動脈弁（リューマチ性と明示されないもの）
421.4　その他および不詳（リューマチ性と明示されないもの）
422　その他の心筋変性
422.0　脂肪変性
422.1　動脈硬化症を伴うもの
422.2　その他

その他の心臓の疾患（430—434）

430　急性および亜急性心内膜炎
430.0　急性および亜急性細菌性心内膜炎
430.1　その他の急性心内膜炎
431　リューマチ性と明示されない急性心筋炎
432　非リューマチ性と明示された急性心内膜炎
433　心臓の機能性疾患
434　その他および詳細不明の心臓疾患
434.0　脊椎後湾側湾性心臓疾患
434.1　うつ血性心不全
434.2　左心室不全
434.3　その他の心臓疾患
434.4　詳細不明の心臓疾患

高血圧性心臓疾患（440—443）

440　本態性良性高血圧性心臓疾患
441　本態性悪性高血圧性心臓疾患
442　細動脈性腎硬化症を伴う高血圧性心臓疾患
443　その他の良性，悪性の別不明の高血圧性心臓疾患

その他の高血圧性疾患（444—447）

444　本態性良性高血圧症
445　本態性悪性高血圧症
446　細動脈性腎硬化症を伴う高血圧症
447　心臓の記載のないその他の高血圧性疾患

動脈の疾患（450—456）

450　全身性動脈硬化症
451　非梅毒性大動脈瘤および解離性動脈瘤
452　その他の動脈瘤（心臓瘤および大動脈瘤を除く）
453　末梢血管の疾患
453.a　レイノー病
453.b　閉塞性血栓血管炎
453.c　その他
454　動脈塞栓症および血栓症
455　原因不明の壊疽
456　その他の動脈の疾患

静脈の疾患およびその他の循環器系の疾患（460—468）

460　下肢の静脈瘤
461　痔核
462　その他の部位の静脈瘤
463　下肢の静脈炎および血栓静脈炎
464　その他の部位の静脈炎および血栓静脈炎
465　肺塞栓症および硬塞
466　その他の静脈塞栓症および血栓症
467　その他の循環器系の疾患
467.a　低血圧症
467.b　その他
468　リンパ節およびリンパ管の疾患

VIII　呼吸器系の疾患

急性上気道感染（470—475）

470　急性鼻咽頭炎（かぜひき）
471　急性副鼻腔炎
472　急性咽頭炎
473　急性扁桃炎
474　急性喉頭炎および気管炎

Of tricuspid valve, specified as non-rheumatic
Of pulmonary valve, not specified as rheumatic
Other and ill-defined, not specified as rheumatic
Other myocardial degeneration
　Fatty degeneration
　With arteriosclerosis
　Other

Other diseases of heart

Acute and subacute endocarditis
　Acute and subacute bacterial endocarditis
　Other acute endocarditis
Acute myocarditis not specified as rheumatic
Acute pericarditis specified as non-rheumatic
Functional disease of heart
Other and unspecified diseases of heart
　Kyphoscoliotic heart disease
　Congestive heart failure
　Left ventricular failure
　Other disease of heart
　Unspecified diseases of heart

Hypertensive heart disease

Essential benign hypertensive heart disease
Essential malignant hypertensive heart disease
Hypertensive heart disease with arteriolar nephrosclerosis
Other and unspecified hypertensive heart disease

Other hypertensive disease

Essential benign hypertension
Essential malignant hypertension
Hypertension with arteriolar nephrosclerosis
Other hypertensive disease without mention of heart

Diseases of arteries

General arteriosclerosis
Aortic aneurysm, non-syphilitic, and dissecting aneurysm
Oter aneurysm, except of heart and aorta
Peripheral vascular disease
　Raynaud's disease
　Thrombo-angiitis obliterans
　Other
Arterial embolism and thrombosis
Gangrene of unspecified cause
Other diseases of arteries

Diseases of veins and other diseases of circulatory system

Varicose veins of lower extremities
Haemorrhoids
Varicose veins of other specified sites
Phlebitis and thrombophlebitis of lower extremities
Phlebitis and thrombophlebitis of other sites
Pulmonary embolism and infarction
Other venous embolism and thrombosis
Other diseases of circulatory system
　Hypotension
　Other
Certain discases of lymph nodes and lymph channels

DISEASES OF THE RESPIRATORY SYSTEM

Acute upper respiratory infections

Acute nasopharyngitis (common cold)
Acute sinusitis
Acute pharyngitis
Acute tonsillitis
Acute laryngitis and tracheitis

475　多発または部位不明の急性上気道感染

インフルエンザ（480—383）

480　肺炎を伴うインフルエンザ
481　その他の呼吸器症状を伴うおよび性質不明のインフルエンザ
482　消化器症状を伴い呼吸器症状を伴わないインフルエンザ
483　神経症状を伴い消化器および呼吸器の症状を伴わないインフルエンザ

肺　　炎（490—493）

490　大葉性肺炎（生後4週以上）
491　気管支肺炎（生後4週以上）
492　原発非定型肺炎（生後4週以上）
493　その他および詳細不明の肺炎（生後4週以上）

気管支炎（500—502）

500　急性気管支炎
501　性質不明の気管支炎
502　慢性気管支炎

その他の呼吸器系の疾患（510—527）

510　扁桃肥大およびアデノイド
511　扁桃周囲膿瘍
512　慢性咽頭炎および鼻咽頭炎
513　慢性副鼻腔炎
514　鼻中隔湾曲症
515　鼻　た　け
516　慢性喉頭炎
517　その他の上気道の疾患
518　膿　　胸
519　胸膜炎（結核性以外および詳細不明のもの）
520　特発気胸
521　肺　膿　瘍
522　肺のうっ血および血液降下症
523　けい酸およびけい酸塩による塵肺症（職業性）
523.a　けい肺症
523.b　そ　の　他
524　職業に起因するその他の塵肺症および肺線維症
525　その他の慢性間質性肺炎
526　気管支拡張症
527　その他の肺および胸膜腔の疾患

IX　消化器系の疾患

口腔および食道の疾患（530—539）

530　齲食症（むしば）
531　歯牙支持組織の膿瘍
532　その他の歯牙支持組織の炎症性疾患
533　咬合，萌出および歯牙発育の異常
534　原因不明の歯痛
535　その他の歯牙および歯牙支持組織の疾患
536　口　内　炎
537　唾液腺の疾患
538　その他の口腔の疾患
539　食道の疾患

胃および十二指腸の疾患（540—545）

540　胃　潰　瘍
540.0　穿孔の記載のないもの
540.1　穿孔を伴うもの
541　十二指腸潰瘍
541.0　穿孔の記載のないもの
541.1　穿孔を伴うもの
542　胃空腸潰瘍
543　胃炎および十二指腸炎
544　胃の機能異常
545　その他の胃および十二指腸の疾患

Acute upper respiratory infection of multiple or unspecified sites

Influenza

Influenza with pneumonia
Influenza with other respiratory manifestations, and influenza unqualified
Influenza with digestive manifestations, but without respiratory symptoms
Influenza with nervous manifestations, but without digestive or respiratory symptoms

Pneumonia

Lobar pnumonia
Bronchopneumonia
Primary atypical pneumonia
Pneumonia, other and unspecified

Bronchitis

Acute bronchitis
Bronchitis unspecified
Chronic bronchitis

Other diseases of respiratory system

Hypertrophy of tonsils and adenoids
Peritonsillar abscess (quinsy)
Chronic pharyngitis and nasopharyngitis
Chronic sinusitis
Deflected nassal septum
Nasal polyp
Chronic laryngitis
Other diseases of upper respiratory tract
Empyema
Pleurisy
Spontaneous pneumothorax
Abscess of lung
Pulmonary congestion and hypostasis
Pneumoconiosis due to silica and silicates (occupational)
　Silicosis
　Other
Other specified pneumoconiosis and pulmonary fibrosis of occupational origin
Other chronic interstitial pneumonia
Bronchiectasis
Other diseases of lung and pleural cavity

DISEASES OF THE DIGESTIVE SYSTEM

Diseases of buccal cavity and oesophagus

Dental caries
Abscesses of supporting structures of teeth
Other inflammatory diseases of supporting structures of teeth
Disorders of occlusion, eruption, and tooth development
Toothache from unspecified cause
Other diseases of teeth and supporting structures
Stomatitis
Diseases of salivary glands
Other diseases of buccal cavity
Diseases of oesophagus

Diseases of stomach and duodenum

Ulcer of stomach
　Without mention of perforation
　With perforation
Ulcer of duodenum
　Without mention of perforation
　With perforation
Gastrojejunal ulcer
Gastritis and duodenitis
Disorders of function of stomach
Other diseases of stomach and duodenum

虫　垂　炎（550—553）

550　急性虫垂炎
550.0　腹膜炎の記載のないもの
550.1　腹膜炎を伴うもの
551　性質不明の虫垂炎
552　その他の虫垂炎
553　その他の虫垂の疾患

腹腔ヘルニア（560—561）

560　閉塞の記載のない腹腔ヘルニア
561　閉塞を伴う腹腔ヘルニア

その他の腸および腹膜の疾患（570—578）

570　腸閉塞（ヘルニアの記載のないもの）
570.0　重　　畳
570.1　麻痺性腸閉塞
570.2　腸間膜硬塞
570.3　軸捻および絞扼
570.4　腸充塞および異物による腸閉塞
570.5　そ　の　他
571　胃腸炎および大腸炎（潰瘍性を除く）（生後4週以上）
572　慢性腸炎および潰瘍性大腸炎
573　腸の機能異常
574　裂肛および痔瘻
575　肛門部および直腸部の膿瘍
576　腹　膜　炎
577　腹膜癒着
578　その他の腸および腹膜の疾患

肝臓，胆嚢および膵臓の疾患（580—587）

580　急性および亜急性黄色肝萎縮
581　肝　硬　変
582　化膿性肝炎および肝膿瘍
583　その他の肝臓の疾患
584　胆　石　症
585　結石の記載のない胆嚢炎および胆管炎
586　その他の胆嚢および胆管の疾患
587　膵臓の疾患
587.0　急性膵臓炎
587.1　慢性膵臓炎
587.2　その他の膵臓の疾患

X　性尿器系の疾患

腎炎およびネフローゼ（590—594）

590　急性腎炎
591　浮腫を伴う腎炎（ネフローゼを含む）
592　慢性腎炎
593　急性，慢性の別不明の腎炎
594　その他の腎臓の硬変

その他の泌尿器系の疾患（600—609）

600　腎臓の感染
600.0　腎盂炎，腎盂膀胱炎および腎盂腎炎
600.1　腎臓および腎周囲組織の膿瘍
600.2　そ　の　他
601　水　腎　症
602　腎臓および尿管の結石
603　その他の腎臓および尿管の疾患
604　泌尿器系のその他の部位の結石
605　膀　胱　炎
606　その他の膀胱の疾患
607　尿道炎（性病性を除く）
608　尿道狭搾
609　その他の尿道の疾患

男性性器の疾患（610—617）

610　前立腺肥大症

Appendicitis

Acute appendicitis
　Without mention of peritonitis
　With peritonitis
Appendicitis, unqualified
Other appendicitis
Other diseases of appendix

Hernia of abdominal cavity

Hernia of abdominal cavity without mention of obstruction
Hernia of abdominal cavity with obstruction

Other diseases of intestines and peritoneum

Intestinal obstruction without mention of hernia
　Intussusception
　Paralytic ileus
　Mesenteric infarction
　Volvulus
　Inpaction of intestine
　Other
Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over
Chronic enteritis and ulcerative colitis
Functional disorders of intestines
Anal fissure and fistula
Abscess of anal and rectal regions
Peritonitis
Peritoneal adhesion
Other diseases of intestines and peritoneum

Diseases of liver, gallbladder, and pancreas

Acute and subacute yellow atrophy of liver
Cirrhosis of liver
Suppurative hepatitis and liver abscess
Other diseases of liver
Cholelithiasis
Cholecystitis and cholangitis, without mention of calculi
Other diseases of gallbladder and biliary ducts
Diseases of pancreas
　Acute pancreatitis
　Chronic pancreatitis
　Other diseases of pancreas

DISEASES OF THE GENITO-URINARY SYSTEM

Nephritis and nephrosis

Acute nephritis
Nephritis with oedema, including nephrosis
Chronic nephritis
Nephritis not specified as acute or chronic
Other renal sclerosis

Other diseases of urinary system

Infections of kidney
　Pyelitis, pyelocystitis, and pyelonephritis
　Abscess of kidney and perirenal tissue
　Other
Hydronephrosis
Calculi of kidney and ureter
Other diseases of kidney and ureter
Calculi of other parts of urinary system
Cystitis
Other diseases of bladder
Urethritis (non-venereal)
Stricture of urethra
Other diseases of urethra

Diseases of male genital organs

Hyperplasia of prostate

611 前立腺炎
612 その他の前立腺の疾患
613 陰嚢水瘤
614 睾丸炎および副睾丸炎
615 過長包皮および包茎
616 男性不妊症
617 その他の男性性器の疾患

乳房，卵巣，卵管および子宮傍結合組織の疾患（620—626）

620 乳房の慢性嚢胞性疾患
621 その他の乳房の疾患
622 急性卵管炎および卵巣炎
623 慢性卵管炎および卵巣炎
624 急性，慢性の別不明の卵管炎および卵巣炎
625 その他の卵管および卵巣の疾患
626 子宮傍結合組織および骨盤腹膜の疾患（女性）

子宮およびその他の女性性器の疾患（630—637）

630 子宮，腟および外陰の感染性疾患
631 子宮脱
632 子宮の位置および形態異常
633 その他の子宮の疾患
634 異常月経
635 経閉期症状
636 女性不妊症
637 その他の女性性器の疾患

XI 分娩ならびに妊娠，分娩および産褥の合併症

妊娠の合併症（640—649）

640 妊娠時の腎盂炎および腎盂腎炎
641 その他の妊娠時の性尿器の感染
642 妊娠時の妊娠中毒症
642.a 妊娠時の腎疾患および子癇前症
642.b 妊娠子癇
642.c 悪阻
642.d その他
643 前置胎盤（妊娠時）
644 その他の妊娠時出血
644.a 妊娠時の胎盤早期剝離
644.b その他
645 子宮外妊娠
645.0 敗血症の記載のないもの
645.1 敗血症を伴うもの
646 妊娠貧血
647 胎位および胎勢異常を伴う妊娠
648 その他の妊娠合併症
648.a 胞状奇胎
648.b その他
649 その他の障害を伴う妊娠

流産（650—652）

650 敗血症または妊娠中毒症の記載のない流産
650.a 自然または不詳の流産
650.b 医学的適応による人工流産
650.c 医学的適応以外の法律的適応による人工流産
650.d その他の理由による人工流産
650.e その他
651 敗血症を伴う流産
651.a 自然または不詳の流産
651.b 医学的適応による人工流産
651.c 医学的適応以外の法律的適応による人工流産
651.d その他の理由による人工流産
651.e その他
652 妊娠中毒症を伴う流産（敗血症の記載のないもの）

Prostatitis
Other diseases of prostate
Hydrocele
Orchitis and epididymitis
Redundant prepuce and phimosis
Sterility, male
Other diseases of male genital organs

Diseases of breast, ovary, Fallopian tube, and parametrium

Chronic cystic disease of breast
Other diseases of breast
Acute salpingitis and oophoritis
Chronic salpingitis and oophoritis
Salpingitis and oophoritis, unqualified
Other diseases of ovary and Fallopian tube
Diseases of parametrium and pelvic peritoneum (female)

Diseases of uterus and other female genital organs

Infective disease of uterus, vagina, and vulva
Uterovaginal prolapse
Malposition of uterus
Other diseases of uterus
Disorders of menstruation
Menopausal symptoms
Sterility, female
Other diseases of female genital organs

DELIVERIES AND COMPLICATION OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM

Complications of pregnancy

Pyelitis and pyelonephritis of pregnancy
Other infections of genito-urinary tract during pregnancy
Toxaemias of pregnancy
Renal disease arising during pregnancy and pre-eclampsia of pregnancy
Eclampsia of Pregnancy
Hyperemesis gravidarum
Other
Placenta praevia
Other haemorrhage of pregnancy
Premature separation of placenta during pregnancy
Other
Ectopic pregnancy
Without mention of sepsis
With sepsis
Anaemia of pregnancy
Pregnancy with malposition of foetus in uterus
Other complications arising from pregnancy
Hydatidiform mole
Other
Pregnancy associated with other conditions

Abortion

Abortion without mention of sepsis or toxaemia
Spontaneous or unspecified
Induced for medical indications
Induced for legal indications except medical indications
Induced for other reasons
Other
Abortion with sepsis
Spontaneous or unspecified
Induced for medical indications
Induced for legal indications except medical indications
Induced for other reasons
Other
Abortion with toxaemia, without mention of sepsis

652.a 自然または不詳の流産
652.b 医学的適応による人工流産
652.c 医学的適応以外の法律的適応による人工流産
652.d その他の理由による人工流産
652.e その他

合併症の記載のない分娩（660）

660 合併症の記載のない分娩

合併症の明記のある分娩（670—678）

670 前置胎盤または分娩前出血を合併する分娩
670.a 分娩開始後胎盤早期剝離
670.b 前置胎盤（分娩開始後）
670.c その他
671 停滞胎盤を合併する分娩
672 その他の分娩後出血を合併する分娩
672.a 弛緩出血
672.b その他
673 骨盤異常を合併する分娩
674 骨盤と胎児との不釣合または胎位回旋異常を合併する分娩
675 その他の原因による遷延分娩
676 会陰裂傷を伴う分娩（その他の裂傷の記載のないもの）
677 その他の外傷を伴う分娩
677.a 子宮破裂
677.b その他
678 その他の合併症を伴う分娩

産褥の合併症（680—689）

680 その他の敗血症を伴わない産褥泌尿器感染
681 分娩中および産褥の敗血症
682 産褥静脈炎および血栓症
683 産褥時の原因不明の発熱
684 産褥肺塞栓症
685 分娩子癇および産褥子癇
685.a 子癇
685.b その他
686 その他の産褥時の妊娠中毒症
687 産褥における脳出血
688 その他および詳細不明の産褥の合併症
689 乳腺炎およびその他の乳汁分泌異常

XII 皮膚および疎性結合組織の疾患

皮膚および皮下組織の感染（690—698）

690 ちよう（疔）およびよう（癰）
691 手指および足指の蜂巣織炎
592 その他のリンパ管炎の記載のない蜂巣織炎および膿瘍
693 その他のリンパ管炎を伴う蜂巣織炎および膿瘍
694 急性リンパ腺炎
695 膿痂疹
696 伝染性いぼ
697 伝染性軟腫
698 その他の皮膚および皮下組織の局所感染

その他の皮膚および皮下組織の疾患（700—716）

700 脂漏性皮膚炎
701 湿疹
702 職業皮膚炎
703 その他の皮膚炎
704 天疱瘡
705 紅斑症
706 乾癬および類似疾患
707 扁平苔癬
708 瘙痒症およびその関連症
709 うおのめおよびたこ
710 その他の皮膚肥大症および萎縮症
711 その他の皮膚症

Spontaneous or unspecified
Induced for medical indications
Induced for legal indications except medical indications
Induced for other reasons
Other

Delivery without mention of complication

Delivery without mention of complication

Delivery with specified complication

Delivery complicated by placenta praevia or antepartum haemorrhage
Premature separation of placenta complicating delivery
Placenta praevia complicating delivery
Other
Delivery complicated by retained placenta
Delivery complicated by other postpartum haemorrhage
Atonic bleeding
Other
Delivery complicated by abnormality of bony pelvis
Delivery complicated by disproportion or malposition of foetus
Delivery complicated by prolonged labour of other origin
Delivery with laceration of perineum, without mention of other laceration
Delivery with other trauma
Rupture of uterus
Other
Delivery with other complications of childbirth

Complications of the puerperium

Puerperal urinary infection without other sepsis
Sepsis of childbirth and the puerperium
Puerperal phlebitis and thrombosis
Pyrexia of unknown origin during the puerperium
Puerperal pulmonary embolism
Puerperal eclampsia
Eclampsia
Other
Other forms of puerperal toxaemia
Cerebral haemorrhage in the puerperium
Other and unspecified complications of the puerperium
Mastitis and other disorders of lactation

DISEASES OF THE SKIN AND CELLULAR TISSUE

Infections of skin and subcutaneous tissue

Boil and carbuncle
Cellulitis of finger and toe
Other cellulitis and abscess without mention of lymphangitis
Other cellulitis and abscess with lymphangitis
Acute lymphadenitis
Impetigo
Infectious warts
Molluscum contagiosum
Other local infections of skin and subcutaneous tissue

Other diseases of skin and subcutaneous tissue

Seborrhoeic dermatitis
Eczema
Occupational dermatitis
Other dermatitis
Pemphigus
Erythematous conditions
Psoriasis and similar disorders
Lichen planus
Pruritus and related conditions
Corns and callosities
Other hypertrophic and atrophic conditions of skin
Other dermatoses

712　爪の疾患
713　毛髪および毛嚢の疾患
714　汗腺および脂腺の疾患
715　皮膚の慢性潰瘍
716　その他の皮膚の疾患

XIII　骨および運動器の疾患

関節炎およびリューマチ（リューマチ熱を除く）（720—727）

720　化膿菌による急性関節炎
721　急性非化膿性関節炎
722　リューマチ様関節炎およびその類似症
723　骨関節症およびその類似症
724　その他の関節炎の特殊型
725　詳細不明の関節炎
726　筋肉リューマチ
727　詳細不明のリューマチ

骨髄炎およびその他の骨，関節の疾患（730—738）

730　骨髄炎および骨膜炎
730.0　急性骨髄炎
730.1　慢性骨髄炎
730.2　急性，慢性の別不明の骨髄炎
730.3　骨髄炎の記載のない骨膜炎
731　変形性骨炎
732　骨軟骨症
733　その他の骨の疾患
734　膝内障
735　椎間円板脱位
736　鹿腸関節の障害
737　関節の強直
738　その他の関節の疾患

その他の筋骨格系の疾患（740—749）

740　足母指球滑液嚢炎
741　職業性の記載のない滑膜炎，滑液嚢炎および腱滑膜炎
742　職業性の記載のある滑膜炎，滑液嚢炎および腱滑膜炎
743　化膿性筋炎およびその他の腱ならびに筋膜の炎症性疾患
744　その他の筋，腱および筋膜の疾患
745　脊柱湾曲
746　扁平足
747　外反足母指および内反足母指
748　湾曲足
749　その他の変形

XIV　先天奇形

先天奇形（750—759）

750　奇形
751　二分脊椎および髄膜瘤
752　先天性水頭体
753　その他の神経系および感覚器の先天奇形
754　循環器系の先天奇形
755　口蓋裂および兎唇
756　消化器系の先天奇形
757　性尿器系の先天奇形
758　骨および関節の先天奇形
759　その他および詳細不明の先天奇形(他の項に分類されないもの)

XV　新生児の主要疾患

新生児の出生時の損傷，窒息および感染（760—769）

760　出生時における頭蓋内および脊柱内の損傷
760.0　未熟児の記載のないもの

Diseases of nail
Diseases of hair and hair follicles
Diseases of sweat and sebaceous glands
Chronic ulcer of skin
Other diseases of skin

DISEASES OF THE BONES AND ORGANS OF MOVEMENT

Arthritis and rheumatism, except rheumatic fever

Acute arthritis due to pyogenic organisms
Acute non-pyogenic arthritis
Rheumatoid arthritis and allied conditions
Osteo-arthritis (arthrosis) and allied conditions
Other specified forms of arthritis
Arthritis, unspecified
Muscular rheumatism
Rheumatism, unspecified

Osteomyelitis and other diseases of bone and joint

Osteomyelitis and periostitis
　Acute osteomyelitis
　Chronic osteomyelitis
　Unspecified osteomyelitis
　Periostitis without mention of osteomyelitis
Osteitis deformans
Osteochondrosis
Other diseases of bone
Internal derangement of knee joint
Displacement of intervertebral disc
Affection of sacro-iliac joint
Ankylosis of joint
Other diseases of joint

Other diseases of musculoskeletal system

Bunion
Synovitis, bursitis, and tenosynovitis without mention of occupational origin
Synovitis, bursitis, and tenosynovitis of occupational origin
Infective myositis and other inflammatory diseases of tendon and fascia
Other diseases of muscle, tendon and fascia
Curvature of spine
Flat foot
Hallux valgus and varus
Clubfoot
Other deformities

CONGENITAL MALFORMATIONS

Congenital malformations

Monstrosity
Spina bifida and meningocele
Congenital hydrocephalus
Other congenital malformations of nervous system and sense organs
Congenital malformations of circulatory system
Cleft palate and harelip
Congenital malformations of digestive system
Congenital malformations of genito-urinary system
Congenital malformations of bone and joint
Other and unspecified congenital malformations, not elsewhere classified

CERTAIN DISEASES OF EARLY INFANCY

Birth injuries, asphyxia, and infections of newborn

Intracranial and spinal injury at birth
　Without mention of immaturity

760.5　未熟児の記載のあるもの
761　その他の出生時の損傷
761.0　未熟児の記載のないもの
761.5　未熟児の記載のあるもの
762　分娩後窒息および肺不全拡張
762.0　未熟児の記載のないもの
762.5　未熟児の記載のあるもの
763　新生児肺炎
763.0　未熟児の記載のないもの
763.5　未熟児の記載のあるもの
764　新生児下痢
764.0　未熟児の記載のないもの
764.5　未熟児の記載のあるもの
765　新生児眼炎
765.0　未熟児の記載のないもの
765.5　未熟児の記載のあるもの
766　新生児天疱瘡
766.0　未熟児の記載のないもの
766.5　未熟児の記載のあるもの
767　臍敗血症
767.0　未熟児の記載のないもの
765.5　未熟児の記載のあるもの
768　その他の新生児敗血症
768.0　未熟児の記載のないもの
768.5　未熟児の記載のあるもの
769　母の妊娠時の疾患による新生児の障害
769.a　未熟児の記載のないもの
769.b　未熟児の記載のあるもの

その他の新生児固有の疾患（770—776）

770　新生児の溶血性疾患（赤芽球症）
770.a　未熟児の記載のないもの
770.b　未熟児の記載のあるもの
771　新生児の出血性疾患
771.0　未熟児の記載のないもの
771.5　未熟児の記載のあるもの
772　乳児栄養失調症（1才未満）
772.0　未熟児の記載のないもの
772.5　未熟児の記載のあるもの
773　新生児固有の疾患にして診断不明確のもの
773.0　未熟児の記載のないもの
773.5　未熟児の記載のあるもの
774　その他の副次疾患の記載のある未熟児
775　その他の原因に附随する未熟児
776　性質不明の未熟児

XVI　症状，老衰および診断名不明確の状態

系統または器官に関する原因不詳の症状（780—789）

780　神経系および特殊感覚に関する原因不詳の症状（その一）
780.a　全身けいれん
780.b　ジャクソンてんかん
780.c　その他
781　神経系および特殊感覚に関する原因不詳の症状（その二）
782　心臓血管系およびリンパ系に関する原因不詳の症状
782.a　心臓痲痺
782.b　その他
783　呼吸器系に関する原因不詳の症状
784　上部消化管に関する原因不詳の症状
785　腹部および下部消化管に関する原因不詳の症状
785.a　黄疸
785.b　下痢（2才以上）
785.c　その他
786　性尿器系に関する原因不詳の症状
787　肢および背に関する原因不詳の症状
788　その他原因不詳の全身症状
789　原因不詳の尿成分異常

with immaturity
Other birth injury
　Without mention of immaturity
　With immaturity
Postnatal asphyxia and atelectasis
　Without mention of immaturity
　With immaturity
Pneumonia of newborn
　Without mention of immaturity
　With immaturity
Diarrhoea of newborn
　Without mention of immaturity
　With immaturity
Ophthalmia neonatorum
　Without mention of immaturity
　With immaturity
Pemphigus neonatorum
　Without mention of immaturity
　With immaturity
Umbilical sepsis
　Without mention of immaturity
　With immaturity
Other sepsis of newborn
　Without mention of immaturity
　With immaturity
Neonatal disorders arising from certain diseases of the mother during pregnancy
　Without mention of immaturity
　With immaturity

Other diseases peculiar to early infancy

Haemolytic diseases of newborn (erythroblastosis)
　Without mention of immaturity
　With immaturity
Haemorrhagic diseases of newborn
　Without mention of immaturity
　With immaturity
Nutritional maladjustment (under 1 year of age)
　Without mention of immaturity
　With immaturity
Ill-defined diseases peculiar to early infancy
　Without mention of immaturity
　With immaturiy
Immaturity with mention of any other subsidiary condition
Immaturity subsidiary to some other cause
Immaturity, unqualified

SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS

Symptoms referable to systems or organs

Certain symptoms referable to nervous system and special senses
　Convulsions
　Jacksonian epilepsy
　Other
Other symptoms referable to nervous system and special senses
Symptoms referable to cardiovascular and lymphatic system
　Acute heart failure, undefined
　Other
Symptoms referable to respiratory system
Symptoms referable to upper gastro-intestinal tract
Symptoms referable to abdomen and lower gastro-intestinal tract
　Jaundice
　Diarrhoea 2 years of age and over)
　Other
Symptoms referable to genito-urinary system
Symptoms referable to limbs and back
Other general symptoms
Abnormal urinary constituents of unspecified cause

老衰および診断名不明確の状態（790—795）

790　神経過敏および鈍弱
791　頭　　痛
792　尿 毒 症
792. a　急　　性
792. b　慢　　性
792. c　そ の 他
793　医療の必要のない所見
794　精神病の記載のない老衰
795　診断名不明確ならびに不明の病因および死因
795. a　自家中毒症
795. b　頓死（原因不明）
795. c　発見死体（原因不明）
795. d　そ の 他

Senility and ill-defined diseases

Nervousness and debility
Headache
Uraemia
　Acute
　Chronic
　Other
Observation, without need for further medical care
Senility without mention of psychosis
Ill-defined and unknown causes of morbidity and mortality
　Auto-intoxication
　Sudden death (cause unknown)
　Found dead (cause unknown)
　Other

E XVII　不慮の事故，中毒および暴力の二重分類（外因）

ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)

鉄道による不慮の事故（E800—E802）

E800　鉄道従業員の鉄道事故
E801　旅客の鉄道事故
E802　その他および詳細不明の者の鉄道事故

Railway accidents

Railway accident involving railroad employee
Railway accident involving passenger
Railway accident involving other and unspecified person

自動車による交通事故（E810—E825）

E810　列車との衝突による自動車交通事故
E811　市街電車との衝突による自動車交通事故
E812　歩行者の自動車交通事故
E813　自転車乗用者の自動車交通事故
E814　自動自転車操縦者または乗員の自動車交通事故（非自動的の車または物との衝突）
E815　自動自転車操縦者または乗員の自動車交通事故（他の自動車との衝突）
E816　二台以上の自動車によるその他の自動車交通事故
E817　歩行者または自転車者との衝突による自動車乗員の自動車交通事故
E818　動物または動物牽引車との衝突による自動車交通事故
E819　静止物体または詳細不明の物体との衝突による自動車交通事故
E820　乗車および降車時の自動車交通事故
E821　衝突に起因しない自動自転車操縦者の自動車交通事故
E822　街路上の転覆による自動車交通事故
E823　街路よりの逸走による自動車交通事故
E824　その他の衝突によらない自動車交通事故
E825　詳細不明の自動車交通事故

Motor vehicle traffic accidents

Motor vehicle traffic accident involving collision with railway train
Motor vehicle traffic accident involving collision with street car
Motor vehicle traffic accident to pedestrian
Motor vehicle traffic accident to pedal cyclist
Motor vehicle traffic accident to rider or passenger of motorcycle in collision with non-motor vehicle or object
Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle
Other motor vehicle traffic accident involving two or more motor vehicles
Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle
Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle
Motor vehicle traffic accident involving collision with fixed or unspecified object
Motor vehicle traffic accident while boarding and alighting
Motor vehicle traffic accident to rider of motorcycle without antecedent collision
Motor vehicle traffic accident involving overturning in roadway
Motor vehicle traffic accident involving running off roadway
Other non-collision motor vehicle traffic accident
Motor vehicle traffic accident of unspecified nature

自動車非交通事故（E830—E835）

E830　歩行者の自動車非交通事故
E831　自転車乗用者の自動車非交通事故
E832　自動自転車操縦者または乗員の自動車非交通事故
E833　二台以上の自動車の自動車非交通事故
E834　乗車および降車時の自動車非交通事故
E835　その他および詳細不明の自動車非交通事故

Motor vehicle non-traffic accidents

Motor vehicle non-traffic accident to pedestrian
Motor vehicle non-traffic accident to pedal cyclist
Motor vehicle non-traffic accident to rider or passenger of motorcycle
Other motor vehicle non-traffic accident involving two or more motor vehicles
Motor vehicle non-traffic accident while boarding and alighting
Motor vehicle non-traffic accident of other and unspecified nature

その他の道路交通機関による不慮の事故（E840—E845）

E840　市街電車による歩行者の不慮の事故
E841　市街電車によるその他の不慮の事故(自動車との衝突を除く)
E842　自転車による歩行者の不慮の事故
E843　自動車の衝突と関係のない自転車乗用者の不慮の事故
E844　自動車以外のその他の道路交通機関による歩行者の不慮の事故
E845　自動車以外のその他の道路交通機関による不慮の事故

Other road vehicle accidents

Street car accident to pedestrian
Other street car accident, except collision with motor vehicle
Accident to pedestrian caused by pedal cycle
Accident to rider of pedal cycle not involving collision with motor vehicle
Accident to pedestrian caused by other non-motor road vehicle

Other non-motor road vehicle accidents

水上交通機関による不慮の事故（E850—E858）

E850　小型ボート乗船者の入水
E851　その他の水上交通機関における入水による傷害
E852　水上交通機関における階段およびはしごよりの墜落
E853　水上交通機関内のその他の場所よりの墜落
E854　水上交通機関の同一面における転倒
E855　水上交通機関における詳細不明の墜落
E856　水上交通機関内の機械による不慮の事故
E857　水上交通機関におけるその他の不慮の事故
E858　水上交通機関における詳細不明の原因による不慮の事故

Water transport accidents

Submersion of occupant of small boat
Other water transport injury by submersion
Fall on stairs and ladders in water transport
Other falls from one level to another in water transport
Falls on same level in water transport
Unspecified falls in water transport
Machinery accident in water transport
Other specified accidents in water transport
Water transport accident of unspecified cause

航空機による不慮の事故（E860—E866）

E860　軍用航空機における人員の不慮の事故
E861　商業用輸送機事故による搭乗者の傷害
E862　商業用輸送機におけるその他の傷害
E863　その他の明示された航空機事故による搭乗者の傷害
E864　航空機搭乗者以外の者の飛行場における航空機による不慮の事故
E865　航空機搭乗者以外の者のその他の場所における航空機による不慮の事故
E866　その他および詳細不明の航空機による不慮の事故

Aircraft accidents

Accident to personnel in military aircraft
Injury to occupant by accident to commercial "transport" aircraft
Other injury in commercial "transport" aircraft
Injury to occupant by accident to other specified aircraft
Aircraft accident at airfield to person not in aircraft

Aircraft accident elsewhere to person not in aircraft

Other and unspecified aircraft accidents

固体および液体物質による不慮の中毒（E870—E888）

E870　モルヒネおよびその他のアヘン誘導体による不慮の中毒
E871　バルビツール酸およびその誘導体による不慮の中毒
E872　アスピリンおよびサリチル酸誘導体による不慮の中毒
E873　臭化物による不慮の中毒
E874　その他の鎮痛薬および催眠薬による不慮の中毒
E875　スルホンアミド薬による不慮の中毒
E876　ストリキニーネによる不慮の中毒
E877　ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒
E878　その他および詳細不明の医薬品による不慮の中毒
E879　有毒食物による不慮の中毒
E880　アルコールによる不慮の中毒
E881　石油製品による不慮の中毒
E882　工業溶媒による不慮の中毒
E883　腐食性化合物，酸およびカセイアルカリによる不慮の中毒
E884　水銀およびその化合物による不慮の中毒
E885　鉛およびその化合物による不慮の中毒
E886　ヒ素，アンチモンおよびその化合物による不慮の中毒
E887　フッ化物による不慮の中毒
E888　その他および詳細不明の固体および液体物質による不慮の中毒
E888. a　シアン化物
E888. b　農業用有機リン製剤
E888. c　その他のリン製剤
E888. d　その他および詳細不明の固体および液体物質

Accidental poisoning by solid and liquid substances

Accidental poisoning by morphine and other opium derivatives
Accidental poisoniug by barbituric acid and derivatives
Accidental poisoning by aspirin and salicylates
Accidental poisoning by bromides
Accidental poisoning by other analgesic and soporific drugs
Accidental poisoning by sulfonamides
Accidental poisoning by strychnine
Accidental poisoning by belladonna, hyoscine, and atropine
Accidental poisoning by other and unspecified drugs
Accidental poisoning by noxious foodstuffs
Accidental poisoning by alcohol
Accidental poisoning by petroleum products
Accidental poisoning by industrial solvents
Accidental poisoning by corrosive aromatics, acids, and caustic alkalis
Accidental poisoning by mercury and its compounds
Accidental poisoning by lead and its compounds
Accidental poisoning by arsenic and antimony, and their compounds
Accidental poisoning by fluorides
Accidental poisoning by other and unspecified solid and liquid substances

Cyanide compounds
Organic phosphorus preparations for agricultural chemicals
Other phosphorus preparations
Other and unspecified solid and liquid substances

ガスおよび蒸気による不慮の中毒（E890—E895）

E890　石炭ガス（光熱用）による不慮の中毒
E891　自動車排出ガスによる不慮の中毒
E892　その他の一酸化炭素ガスによる不慮の中毒
E893　シアン化物ガスによる不慮の中毒
E894　その他のガスおよび蒸気による不慮の中毒
E895　詳細不明のガスおよび蒸気による不慮の中毒

Accidental poisoning by gases and vapours

Accidental poisoning by utility (illuminating) gas
Accidental poisoning by motor vehicle exhaust gas
Accidental poisoning by other carbon monoxide gas
Accidental poisoning by cyanide gas
Accidental poisoning by other specified gases and vapours
Accidental poisoning by unspecified gases and vapours

不慮の墜落（E900—E904）

E900　階段よりの墜落
E901　はしごよりの墜落
E902　その他の高所よりの墜落
E903　同一面上における転倒
E904　詳細不明の墜落

Accidental falls

Fall on stairs
Fall from ladders
Other falls from one level to another
Fall on same level
Unspecified falls

その他の不慮の事故（E910—E936）

E910　落下物，投射物および飛来物による打撲
E911　車による不慮の事故
E912　機械による不慮の事故
E913　刃器および刺器による不慮の事故
E914　電気による不慮の事故

Other accidents

Blow from falling or projected object or missile
Accident caused by vehicle
Accident caused by machinery
Accident caused by cutting and piercing instruments
Accident caused by electric current

E915　高圧機関の爆発による不慮の事故
E916　火および可燃物の爆発による不慮の事故
E917　高熱物体，腐食性液体および水蒸気による不慮の事故
E918　放射線による不慮の事故
E918.a　X線によるもの
E918.b　その他の放射線によるもの
E919　銃器による不慮の事故
E920　眼および附属器への異物侵入
E921　閉塞または窒息の原因となる食物の吸入および嚥下
E922　閉塞または窒息の原因となるその他の物体の吸入および嚥下
E923　その他の孔口への異物侵入
E924　寝台および揺籃における不慮の機械的窒息
E925　その他および詳細不明の状態における不慮の機械的窒息
E926　乳児の養育不注意（1才未満）
E927　有毒動物および昆虫の咬傷および刺傷による不慮の傷害
E928　その他の動物による不慮の傷害
E929　不慮の溺死および溺水
E930　高圧および低圧
E931　過度の高温および日射病
E932　過度の低温
N933　飢，渇および不良天候曝露
E934　天　　災
E934.a　地　　震
E934.b　暴風雨および洪水
E934.c　そ　の　他
E935　雷　　撃
E936　その他および詳細不明の不慮の事故

治療目的以外の内外科的処置による合併症（E 940—E 946）

E940　種痘後汎発性牛痘疹
E941　種痘後脳炎
E942　その他の種痘による合併症
E943　免疫接種後黄疸および肝炎
E944　その他の予防接種による合併症
E945　治療目的以外の麻酔の合併症
E946　その他の治療目的以外の内外科的処置による合併症

治療上の事故および治療処置後の合併症（E 950—E 959）

E950　外科的処置における治療上の事故
E951　注入または輸血における治療上の事故
E952　局所手当における治療上の事故
E953　薬剤または生物学的製剤の投与における治療上の事故
E954　麻酔における治療上の事故
E955　その他および詳細不明の治療上の事故
E956　外科手術の後発合併症
E957　切断部の後発合併症
E958　光線療法の後発合併症
E959　その他の処置の後発合併症

傷害および中毒の後遺症（E 960—E 965）

E960　自動車事故の後遺症
E961　不慮の中毒の後遺症
E962　その他の不慮の事故の後遺症
E963　自傷の後遺症
E964　他人による故意的加害の後遺症（戦争行為を除く）
E965　戦争行為による傷害の後遺症

自殺および自傷（E 970—E 979）

E970　鎮痛薬および催眠薬による自殺および自為中毒
E970.a　モルヒネおよびその他のアヘン誘導体
E970.b　バルビツール酸およびその誘導体
E970.c　臭　化　物
E970.d　その他および詳細不明の鎮痛薬および催眠薬
E971　その他の固体および液体物質による自殺および自為中毒
E971.a　シアン化物
E971.b　農薬用有機リン製剤
E971.c　その他のリン製剤

Accident caused by explosion of pressure vessel
Accident caused by fire and explosion of combustible material
Accident caused by hot substance, corrosive liquid, and steam
Accident caused by radiation
　Caused by X-ray
　Caused by other radiation
Accident caused by firearm
Foreign body entering eye and adnexa
Inhalation and ingestion of food causing obstruction or suffocation
Inhalation and ingestion of other object causing obstruction or suffocation
Foreign body entering other orifice
Accidental mechanical suffocation in bed and cradle
Accidental mechanical suffocation in other and unspecified circumstances
Lack of care of infants under 1 year of age
Accidents caused by bites and stings of venomous animals and insects
Other accidents caused by animals
Accidental drowning and submersion
High and low air pressure
Excessive heat and insolation
Excessive cold
Hunger, thirst, and exposure
Cataclysm
　Earthquake
　Storm and flood
　Other
Lightning
Other and unspecified accidents

Complications due to non-therapeutic medical and surgical procedures

Generalized vaccinia following vaccination
Postvaccinal encephalitis
Other complications of smallpox vaccination
Post-immunization jaundice and hepatitis
Other complications of prophylactic inoculation
Complications of anaesthesia for non-therapeutic purpose
Other complications due to non-therapeutic medical and surgical procedures

Therapeutic misadventure and late complications of therapeutic procedures

Therapeutic misadventure in surgical treatment
Therapeutic misadventure in infusion or transfusion
Therapeutic misadventure in local applications
Therapeutic misadventure in administration of drugs or biologicals
Therapeutic misadventure in anaesthesia
Other and unspecified therapeutic misadventure
Late complication of surgical operation
Late complication of amputation stump
Late complication of irradiation
Late complications of other forms of treatment

Late effects of injury and poisoning

Late effect of motor vehicle accident
Late effect of accidental poisoning
Late effect of other accidental injury
Late effect of self-inflicted injury
Late effect of injury purposely inflicted by another person (not in war)
Late effects of injuries due to war operations

Suicide and self-inflicted injury

Suicide and self-inflicted poisoning by analgesic and soporific substances
　Morphine and other opium derivatives
　Barbiturate and its derivatives
　Bromide
　Other and unspecified analgesic and soporific substances
Suicide and self-inflicted poisoning by other solid and liquid substances
　Cyanide compounds
　Organic phosphorus preparations for agricultural chemicals
　Other phosphorus preparations

E971.d　その他および詳細不明の固体および液体物質
E972　家事用ガスによる自殺および自為中毒
E973　その他のガスによる自殺および自為中毒
E974　絞首および絞首による自殺および自傷
E975　入水による自殺および自傷
E976　銃器および爆発物による自殺および自傷
E977　刃器および刺器による自殺および自傷
E978　高所よりの墜落による自殺および自傷
E979　その他および詳細不明の手段による自殺および自傷
E979.a　轢　　圧
E979.b　その他および詳細不明の手段

他殺および他人の加害による傷害（戦争行為を除く）（E 980—E 985）

E980　他人による故意の中毒
E981　銃器および爆発物による加害
E982　刃器および刺器による加害
E983　その他の手段による加害
E984　警察干与の傷害
E985　処　　刑

戦争行為による傷害（E 990—E 999）

E990　戦争行為に基くガスおよび化学薬品による傷害
E991　戦争行為に基く銃傷
E992　戦争行為に基く手榴弾および地雷による傷害
E993　戦争行為に基く爆撃による傷害
E994　戦争行為に基く機雷，爆雷および水雷による傷害
E995　戦争行為に基く砲弾による傷害
E996　戦争行物に基く詳細不明の爆発による傷害
E997　戦争行為に基く航空機の破壊による傷害
E998　戦争行為に基くその他および詳細不明の手段による傷害
E999　戦争行為に基く交戦状態停止後発生の傷害

N XVII　不慮の事故，中毒および暴力の二重分類（傷害の性質）

頭蓋，脊柱および体幹の骨折（N 800—N 809）

N800　頭円蓋の骨折
N801　頭蓋底の骨折
N802　顔面骨の骨折
N803　その他および性質不明の頭蓋骨折
N804　その他の骨を含む頭蓋または顔の多発骨折
N805　脊椎の骨折および骨折脱臼（脊髄損傷の記載のないもの）
N806　脊椎の骨折および骨折脱臼（脊髄損傷を伴うもの）
N807　肋骨，胸骨および喉頭の骨折
N808　骨盤の骨折
N809　体幹の多発および不詳の骨折

上肢の骨折（N 810—N 819）

N810　鎖　骨　骨　折
N811　肩甲骨骨折
N812　上腕骨骨折
N813　撓骨および尺骨骨折
N814　手根骨骨折
N815　中手骨骨折
N816　手指節骨骨折（単発または多発）
N817　手の骨の多発骨折
N818　その他，多発および不詳の上肢骨折
N819　両側上肢および肋骨，胸骨を含む上肢の多発骨折

下肢の骨折（N 820—N 829）

N820　大腿骨頸骨折
N821　その他および部位不明の大腿骨骨折
N822　膝蓋骨骨折
N823　脛骨および腓骨骨折

Other and unspecified solid and liquid substances
Suicide and self-inflicted poisoning by gases in domestic use
Suicide and self-inflicted poisoning by other gases
Suicide and self-inflicted injury by hanging and strangulation
Suicide and self-inflicted injury by submersion (drowning)
Suicide and self-inflicted injury by firearms and explosives
Suicide and self-inflicted injury by cutting and piercing instruments
Suicide and self-inflicted injury by jumping from high place
Suicide and self-inflicted injury by other and unspecified means
　Jumping before train or vehicle
　Other and unspecified means

Homicide and injury purposely inflicted by other persons (not in war)

Non-accidental poisoning by another person
Assault by firearm and explosive
Assault by cutting and piercing instruments
Assault ay other means
Injury by intervention of police
Execution

Injury resulting from operations of war

Injury due to war operations by gas and chemicals
Injury due to war operations by gunshot
Injury due to war operations by grenade and land mine
Injury due to war operations by bomb
Injury due to war operations by marine mine, depth charge, and torpedo
Injury due to war operations by explosion of artillery shell
Injury due to war operations by explosion of undetermined origin
Injury due to war operations by aircraft destruction
Injury due to war operations by other and unspecified means
Injury due to war operations but occurring after cessation of hostilities

ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)

Fracture of skull, spine, and trunk

Fracture of vault of skull
Fracture of base of skull
Fracture of face bones
Other and unqualified skull fractures
Multiple fractures involving skull or face with other bones
Fracture and fracture dislocation of vertebral column without mention of spinal cord lesion
Fracture and fracture dislocation of vertebral column with spinal cord lesion
Fracture of rib(s), sternum, and larynx
Fracture of pelvis
Multiple and ill-defined fractures of trunk

Fracture of upper limb

Fracture of clavicle
Fracture of scapula
Fracture of humerus
Fracture of radius and ulna
Fracture of carpal bone(s)
Fracture of metacarpal bone(s)
Fracture of one or more pharanges of hand
Multiple fractures of hand bones
Other, multiple, and ill-defined fractures of upper limb
Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum

Fracture of lower limb

Fracture of neck of femur
Fracture of other and unspecified parts of femur
Fracture of patella
Fracture of tibia and fibula

N824 足首の骨折
N825 足根骨および中足骨の骨折（単発または多発）
N826 足指節骨骨折（単発または多発）
N827 その他，多発および不詳の下肢骨折
N828 両側下肢，上肢を含む下肢，肋骨および胸骨を含む下肢の多発骨折
N829 詳細不明の骨の骨折

Fracture of ankle
Fracture of one or more tarsal and metatarsal bones
Fracture of one or more phalanges of foot
Other, multiple, and ill-defined fractures of lower limb
Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum
Fracture of unspecified bones

骨折を伴わない関節脱臼（N 830—N 839）

Dislocation without Fracture

N830 顎関節脱臼
N831 肩関節脱臼
N832 肘関節脱臼
N833 手首の関節脱臼
N834 手指の関節脱臼
N835 股関節脱臼
N836 膝関節脱臼
N837 足首の関節脱臼
N838 足の関節脱臼
N839 その他，多発および不詳の関節脱臼

Dislocation of jaw
Dislocation of shoulder
Dislocation of elbow
Dislocation of wrist
Dislocation of finger
Dislocation of hip
Dislocation of knee
Dislocation of ankle
Dislocation of foot
Other, multiple, and ill-defined dislocations

関節の捻挫および隣接筋の筋違い（N 840—N 848）

Sprains and strains of joints and adjacent muscles

N840 肩および上腕の捻挫
N841 肘および前腕の捻挫
N842 手首および手の捻挫
N843 股および大腿の捻挫
N844 膝および下腿の捻挫
N845 足首および足の捻挫
N846 薦腸部の捻挫
N847 その他および詳細不明の背部の捻挫
N848 その他および不詳の捻挫

Sprains and strains of shoulder and upper arm
Sprains and strains of elbow and forearm
Sprains and strains of wrist and hand
Sprains and strains of hip and thigh
Sprains and strains of knee and leg
Sprains and strains of ankle and foot
Sprains and strains of sacro-iliac region
Sprains and strains of other and unspecified parts of back
Other and ill-defined sprains and strains

頭部の損傷（頭蓋骨折を除く）（N 850—N 856）

Head injury (excluding skull fracture)

N850 頭皮の開放創
N851 頭皮の挫傷および血腫
N852 脳 振 盪
N853 脳の挫傷および裂傷
N854 損傷に続発する蜘網膜下，硬膜下および硬膜外出血（脳の挫傷および裂傷の記載のないもの）
N855 損傷に続発するその他および詳細不明の頭蓋内出血（脳の挫傷および裂傷の記載のないもの）
N856 その他および詳細不明の頭部損傷

Open wound of scalp
Contusion and haematoma of scalp
Concussion
Cerebral laceration and contusion
Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or coutusion)
Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)
Head injury of other and unspecified nature

胸，腹および骨盤腔の内部損傷（N 860—N 869）

Internal injury of chest, abdomen, and pelvis

N860 外傷性気胸および血胸
N861 心臓および肺の損傷
N862 その他および詳細不明の胸腔内臓器の損傷
N863 胃腸管の損傷
N864 肝臓の損傷
N865 脾臓の損傷
N866 腎臓の損傷
N867 骨盤腔内臓器の損傷
N868 その他および詳細不明の腹腔内臓器の損傷
N869 詳細不明または腹腔内臓器を含む胸腔の内部損傷

Traumatic pneumothorax and haemothorax
Injury to heart and lung
Injury to other and unspecified intrathoracic organs
Injury to gastro-intestinal tract
Injury to liver
Injury to spleen
Injury to kidney
Injury to pelvic organs
Injury to other and unspecified intra-abdominal organs
Internal injury, unspecified or involving intrathoracic with intra-abdominal organs

顔，頸および体幹の裂傷および開放創(N870—N879)

Laceration and open wound of face, neck, and trunk

N870 眼および眼窩の開放創
N871 眼球の脱出
N872 耳の開放創
N873 その他および詳細不明の顔面裂傷
N874 頸の開放創
N875 胸の開放創
N876 背の開放創
N877 殿の開放創
N878 性器の開放創（外傷性切断を含む）
N879 顔，頸および体幹の多発および詳細不明の開放創

Open wound of eye and orbit
Enucleation of eye
Open wound of ear
Other and unspecified laceration of face
Open wound of neck
Open wound of chest
Open wound of back
Open wound of buttock
Open wound of genital organs, including traumatic amputation
Multiple and unspecified open wounds of face, neck, and trunk

上肢の裂傷および開放創（N 880—N 888）

Laceration and open wound of upper limb

N880 肩および上腕の開放創

Open wound of shoulder and upper arm

N881 肘，前腕および手首の開放創（腱を除く）
N882 手首の開放創（腱を含む）
N883 手の開放創（手指のみを除く）
N884 手指の開放創
N885 片側上肢の多発および詳細不明の開放創
N886 手母指の外傷性切断
N887 その他の手指の外傷性切断
N888 腕および手の外傷性切断

Open wound of elbow and forearm, and of wrist not involving tendons
Open wound of wrist involving tendon(s)
Open wound of hand, except finger (s) alone
Open wound of finger(s)
Multiple and unspecified open wounds of one upper limb
Traumatic amputation of thumb(s)
Traumatic amputation of other finger(s)
Traumatic amputation of arm and hand

下肢の裂傷および開放創（N 890—N 898）

Laceration and open wound of lower limb

N890 股および大腿の開放創
N891 膝，下腿および足首（腱を除く）の開放創

N892 足首（腱を含む）の開放創
N893 足の開放創（足指のみを除く）
N894 足指の開放創
N895 片側下肢の多発および詳細不明の開放創
N896 足指の外傷性切断
N897 足の外傷性切断
N898 脚の外傷性切断

Open wound of hip and thigh
Open wound of knee and leg (except thigh), and of ankle not involving tendons
Open wound of ankle involving tendon(s)
Open wound of foot, except toe(s) alone
Open wound of toe(s)
Multiple and unspecified open wounds of one lower limb
Traumatic amputation of toe(s)
Traumatic amputation of foot
Traumatic amputation of leg

多箇所にわたる裂傷および開放創（N 900—N 908）

Laceration and open wounds of multiple location

N900 両側上肢の多発開放創
N901 両側下肢の多発開放創
N902 体肢の多発開放創
N903 両手の多発開放創
N904 頭および体肢の多発開放創
N905 頭および体幹の多発開放創
N906 体幹および体肢の多発開放創
N907 その他の部位を伴う顔の多発開放創
N908 その他および部位不明の多発開放創

Multiple open wounds of both upper limbs
Multiple open wounds of both lower limbs
Multiple open wounds of both upper and lower limb(s)
Multiple open wounds of both hands
Multiple open wounds of both head and limb
Multiple open wounds of both head and trunk
Multiple open wounds of both trunk and limb(s)
Multiple open wounds of face with other sites
Multiple open wounds of other and unspecified location

表在損傷（N 910—N 918）

Superficial injury

N910 顔および頸の表在損傷
N911 体幹の表在損傷
N912 肩および上腕の表在損傷
N913 肘，前腕および手首の表在損傷
N914 手の表在損傷（手指のみを除く）
N915 手指の表在損傷
N916 股，大腿，下腿および足首の表在損傷
N917 足および足指の表在損傷
N918 その他，多発および部位不明の表在損傷

Superficial injury of face and neck
Superficial injury of trunk
Superficial injury of shoulder and upper arm
Superficial injury of elbow, forearm, and wrist
Superficial injury of hand(s), except finger(s) alone
Superficial injury of finger(s)
Superficial injury of hip, thigh, leg, and ankle
Superficial injury of foot and toe(s)
Superficial injury of other, multiple, and unspecified sites

挫傷および破砕（皮膚表面に損傷のないもの）（N 920—N 929）

Contusion and crushing with intact skin surface

N920 顔および頸の挫傷（眼を除く）
N921 眼および眼窩の挫傷
N922 体幹の挫傷
N923 肩および上腕の挫傷
N924 肘，前腕および手首の挫傷
N925 手の挫傷（手指のみを除く）
N926 手指の挫傷
N927 股，大腿，下腿および足首の挫傷
N928 足および足指の挫傷
N929 その他，多発および部位不明の挫傷

Contusion of face and neck, except eye(s)
Contusion of eye and orbit
Contusion of trunk
Contusion of shoulder and upper arm
Contusion of elbow, forearm, and wrist
Contusion of hand(s), except finger(s) alone
Contusion of finger(s)
Contusion of hip, thigh, leg, and ankle
Contusion of foot and toe(s)
Contusion of other, multiple, and unspecified sites

孔口への異物侵入（N 930—N 936）

Effects of foreign body entering through orifice

N930 眼および附属器の異物
N931 耳の異物
N932 鼻の異物
N933 咽頭および喉頭の異物
N934 気管支および肺の異物
N935 消化管の異物
N936 性尿器路の異物

Foreign body in eye and adnexa
Foreign body in ear
Foreign body in nose
Foreign body in pharynx and larynx
Foreign body in bronchus and lung
Foreign body in digestive tract
Foreign body in genito-urinary tract

熱傷（N 940—N 949）

Burns

N940 眼の熱傷
N941 顔，頭および頸の熱傷
N942 体幹の熱傷

Burn confined to eye
Burn confined to face, head, and neck
Burn confined to trunk

N943	上肢の熱傷（手首および手を除く）	Burn confined to upper limb(s), except wrist and hand
N944	手首および手の熱傷	Burn confined to wrist(s) and hand(s)
N945	下肢の熱傷	Burn confined to lower limb(s)
N946	体肢とともに頭，頭および頸におよぶ熱傷	Burn involving face, head, and neck, with limb(s)
N947	体幹および体肢におよぶ熱傷	Burn involving trunk with limb(s)
N948	頭，頭，頸，体幹および体肢におよぶ熱傷	Burn involving face, head, and neck, with trunk and limb(s)
N949	その他および部位不明の熱傷	Burn involving other and unspecified parts

骨の損傷を伴わない神経および脊髄の損傷（N 950—N 959）

Injury to nerves and spinal cord without bone injury

N950	視神経損傷	Injury to optic nerve(s)
N951	その他の脳神経損傷	Injury to other cranial nerve(s)
N952	上腕の神経損傷	Injury to nerve(s) in upper arm
N953	前腕の神経損傷	Injury to nerve(s) in forearm
N954	手首および手の神経損傷	Injury to nerve(s) in wrist and hand
N955	大腿の神経損傷	Injury to nerve(s) in thigh
N956	下腿の神経損傷	Injury to nerve(s) in lower leg
N957	足首および足の神経損傷	Injury to nerve(s) in ankle and foot
N958	脊椎骨損傷の形跡のない脊髄損傷	Spinal cord lesion without evidence of spinal bone injury
N959	その他の神経損傷（数箇所の神経損傷を含む）	Other nerve injury, including nerve injury in several parts

毒物の作用（N 960—N 979）

Effects of poisons

N960	有毒食物による中毒	Poisoning by noxious foodstuffs
N961	アルコール中毒	Poisoning by alcohol
N962	石油製品による中毒	Poisoning by petroleum products
N963	工業溶媒による中毒	Poisoning by industrial solvents
N964	腐食性化合物，酸およびカセイアルカリによる中毒	Poisoning by corrosive aromatics, acids, and caustic alkalis
N965	水銀およびその化合物による中毒	Poisoning by mercury and its compounds
N966	鉛およびその化合物による中毒	Poisoning by lead and its compounds
N967	ヒ素，アンチモンおよびその化合物による中毒	Poisoning by arsenic and antimony, and their compounds
N968	一酸化炭素中毒	Poisoning by carbon monoxide
N969	その他のガスおよび蒸気による中毒	Poisoning by other gases and vapours
N970	モルヒネおよびその他のアヘン誘導体による中毒	Poisoning by morphine and other opium derivatives
N971	バルビツール酸およびその誘導体による中毒	Poisoning by barbituric acid and derivatives
N972	アスピリンおよびサリチル酸化合物による中毒	Poisoning by aspirin and salicylates
N973	臭化物による中毒	Poisoning by bromides
N974	その他の鎮痛薬および催眠薬による中毒	Poisoning by other analgesic and soporific drugs
N975	スルホンアミド薬による中毒	Poisoning by sulfonamides
N976	ストリキニーネによる中毒	Poisoning by strychnine
N977	ベラドンナ，ヒヨスチンおよびアトロピンによる中毒	Poisoning by belladonna, hyoscine, and atropine
N978	有毒動物による中毒	Poisoning by venom
N979	その他および詳細不明の物質による中毒	Poisoning by other and unspecified substances

天候，不良環境などの作用（N 980—N 989）

Effects of weather, exposure, and related conditions

N980	低温の作用	Effects of reduced temperature
N981	熱および日射の作用	Effects of heat and insolation
N982	高所の作用	Effects of high altitude
N983	潜函病	Caisson disease
N984	雷撃の作用	Effects of lightning
N985	飢餓	Effects of hunger
N986	渇	Effects of thirst
N987	その他の不良環境曝露（他の項に分類されないもの）	Effects of exposure, not elsewhere classified
N988	過労	Effects of excessive exertion
N989	動揺病	Motion (travel) sickness

その他および詳細不明の損傷および反応（N 990—N 999）

Other and unspecified injuries and reactions

N990	溺死および死に至らない溺水	Drowning and non-fatal submersion
N991	窒息および絞首	Asphyxia and strangulation
N992	電撃死および死に至らない電撃傷	Electrocution and non-fatal effects of electric currents
N993	放射線による損傷（日焼けを除く）	Injury due to radiation, except sunburn
N994	その他の外因による損傷	Other general effects of external causes
N995	外傷の早期合併症	Certain early complications of trauma
N996	その他および詳細不明の損傷	Injury of other and unspecified nature
N997	治療目的以外の内外科的処置による反応および合併症	Reactions and complications due to non-therapeutic medical and surgical procedures
N998	治療のための注射，注入および輸血に対する異常反応	Adverse reaction to injections, infusions, and transfusions for therapeutic purposes
N999	その他の治療処置に対する異常反応	Adverse reaction to other therapeutic procedures

2 50項目死因簡単分類表（本分類表は厚生大臣官房統計調査部で使用しているものである。）

ABBREVIATED LIST OF 50 CAUSES FOR TABULATION OF MORTALITY (This is the list prepared for the specific use of the Division of Health and Welfare Statistics, Welfare Minister's Secretariat.)

		基本分類番号 DETAILED LIST NUMBER	
B 1	呼吸器系の結核	001—008	Tuberculosis of respiratory system
B 2	その他の結核	010—019	Tuberculosis, other forms
B 3	梅毒およびその続発症	020—029	Syphilis and its sequelae
B 4	腸チフス	040	Typhoid fever
B 5	コレラ	043	Cholera
B 6	赤痢	045—048	Dysentery, all forms
B 6. a	細菌性赤痢（疫痢症状を呈するもの）	045. a	Bacillary dysentery (with Ekiri syndrom)
B 6. b	細菌性赤痢（その他）	045. b	Bacillary dysentery (other)
B 6. c	アメーバ症	046	Amoebiasis
B 6. b	その他の原虫性および詳細不明の赤痢	047, 048	Other protozosl and unspecified dysenteries
B 7	猩紅熱およびレンサ球菌性口峡炎	050, 051	Scarlet fever and streptococcal sore throat
B 7. a	猩紅熱	050	Scarlet fever
B 7. b	レンサ球菌性口峡炎	051	Streptococcal sore throat
B 8	ジフテリア	055	Diphtheria
B 9	百日咳	056	Whooping cough
B 10	髄膜炎菌感染	057	Meningococcal infections
B 11	ペスト	058	Plague
B 12	急性灰白髄炎	080	Acute poliomyelitis
B 13	痘瘡	084	Smallpox
B 14	麻疹	085	Measles
B 15	発疹チフスおよびその他のリケッチア病	100—108	Typhus and other rickettsial diseases
B 15. a	シラミ媒介の流行性発疹チフス	100	Louse-borne epidemic typhus
B 15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	105	Mite-borne typhus
B 15. c	その他	101—104, 106—108	Other
B 16	マラリア	110—117	Malaria
B 17	伝染性および寄生性として分類されたその他の疾患	030—039, 041, 042, 044, 049, 052—054, 059—074, 081—083, 086—096, 120—138	All other diseases classified as infective and parasitic
B 17. a	パラチフス	041	Paratyphoid fever
B 17. b	癩	060	Leprosy
B 17. c	破傷風	061	Tetanus
B 17. d	炭疽	062	Anthrax
B 17. e	回帰熱	071	Relapsing fever
B 17. f	日本脳炎	082. a	Japanese B encephalitis
B 17. g	黄熱	091	Yellow fever
B 17. h	狂犬病	094	Rabies
B 17. i	伝染性下痢症	096. b	Infectious diarrhoea
B 17. j	日本住血吸虫症	123. a	Oriental schistosomiasis (S. Japonicum)
B 17. k	糸状虫症	127	Filariasis
B 17. l	その他の伝染性および寄生性として分類された疾患	030—039, 042, 044, 049, 052—054, 059, 063, 064, 070, 072—074, 081, 082. b 082. e, 083, 086—090 092, 093, 095, 096. a, 096. c, 120—122, 123. b, 124—126, 128—138	Other
B 18	悪性新生物（リンパ組織および造血組織の新生物を含む）	140—205	Malignant neoplasms, including neoplasms of lymphatic and haematopoietic tissues
B 18. a	胃の悪性新生物	151	Malignant neoplasm of stomach
B 18. b	気管，気管支および肺の悪性新生物	162, 163	Malignant neoplasms of trachea, bronchus and lung
B 18. c	乳房の悪性新生物	170	Malignant neoplasm of breast
B 18. d	子宮の悪性新生物	171—174	Malignant neoplasm of uterus
B 18. e	白血病および無白血病	204	Leukaemia and aleukaemia
B 18. f	その他	140—150, 152—161 164, 165, 175—203, 205	Other
B 19	良性および性質不詳の新生物	210—239	Benign neoplasms and neoplasms of unspecified nature
B 20	糖尿病	260	Diabetes mellitus
B 21	貧血	290—293	Anaemias
B 22	中枢神経系の血管損傷	330—334	Vascular lesions affecting central nervous system
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	340	Non-meningococcal meningitis
B 24	リューマチ熱	400—402	Rheumatic fever
B 25	慢性リューマチ性心臓疾患	410—416	Chronic rheumatic heart disease
B 26	動脈硬化性および変性性心臓疾患	420—422	Arteriosclerotic and degenerative heart disease
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	420	Arteriosclerotic heart disease, including coronary disease
B 26. b	リューマチ性と明示されない慢性心内膜炎	421	Chronic endocarditis not specified as rheumatic
B 26. c	その他の心筋変性	422	Other myocardial degeneration

B 27	その他の心臓疾患	430—434	Other diseases of heart
B 28	高血圧性心臓疾患	440—443	Hypertensive heart disease
B 29	その他の高血圧性疾患	444—447	Other hypertensive disease
B 30	インフルエンザ	480—483	Influenza
B 31	肺炎（新生児肺炎を除く）	490—493	Pneumonia
B 32	気 管 支 炎	500—502	Bronchitis
B 33	胃および十二指腸の潰瘍	540, 541	Ulcer of stomach and duodenum
B 34	虫 垂 炎	550—553	Appendicitis
B 35	腸閉塞およびヘルニア	560, 561, 570	Intestinal obstruction and hernia
B 36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	543, 571, 572	Gastritis, duodenitis, enteritis, and colitis, except diarrhoea of the newborn
B 36. a	胃炎および十二指腸炎	543	Gastritis and duodenitis
B 36. b	胃腸炎，腸炎および大腸炎	571, 572	Gastro-enteritis and colitis
B 37	肝 硬 変	581	Cirrhosis of liver
B 38	腎炎およびネフローゼ	590—594	Nephritis and nephrosis
B 38. a	急性腎炎およびネフローゼ	590, 591	Acute nephritis and nephrosis
B 38. b	そ の 他	592—594	Other
B 39	前立腺肥大症	610	Hyperplasia of prostate
B 40	妊娠，分娩および産褥の合併症	640—689	Deliveries and complications of pregnancy, childbirth, and the puerperium
B 41	先 天 奇 形	750—759	Congenital malformations
B 42	出生時の損傷，分娩後窒息および肺不全拡張	760—762	Birth injuries, postnatal asphyxia and atelectasis
B 43	新生児の感染	763—768	Infections of the newborn
B 43. a	新 生 児 肺 炎	763	Pneumonia of the newborn
B 43. b	新 生 児 下 痢	764	Diarrhoea of the newborn
B 43. c	その他の新生児の感染	765—768	Other infections of the newborn
B 44	その他の新生児固有の疾患および性質不明の未熟児	769—776	Other diseases peculiar to early infancy, and immaturity unqualified
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	780—795	Senility without mention of psychosis, ill-defined and unknown causes
B 45. a	精神病の記載のない老衰	794	Senility without mention of psychosis
B 45. b	その他の診断名不明確および不明の原因	780—793, 795	Other ill-defined and unknown causes
B 46	その他のすべての疾患	001—795の残り項目全部	All other diseases
B 46. a	その他の循環器系の疾患（先天性を除く）	450—468	Other diseases of circulatory system (except congenital)
B 46. b	その他のすべての疾患	残り項目全部	All other diseases

“E” 符号　不慮の事故，中毒および暴力の二重分類（外因）（E 800—E 999）

“E” Code. Alternative classification of accidents, poisonings, and violence (external cause)

B E 47	自 動 車 事 故	E 810—E 835	Motor vehicle accidents
B E 48	その他の不慮の事故	E 800—E 802, E 840—E 962	All other accidents
B E 48. a	自動車以外の交通事故	E 800—E 802, E 840—E 866	Non-motor transport accidents
B E 48. b	不 慮 の 墜 落	E 900—E 904	Accidental falls
B E 48. c	不慮の溺死および溺水	E 929	Accidental drowning and submersion
B E 48. d	天 災	E 934	Cataclysm
B E 48. e	そ の 他	E 870—E 895, E 910—E 928 E 930—E 933, E 935—E 962	Other
B E 49	自殺および自傷	E 963, E 970—E 979	Suicide and self-inflicted injury
B E 50	他殺および戦争行為	E 964, E 965, E 980—E 999	Homicide and operations of war
B E 50. a	他 殺	E 964, E 980—E 984	Homicide
B E 50. b	処刑および戦争行為	E 965, E 985—E 999	Execution and operation of war

“N” 符号　不慮の事故，中毒および暴力の二重分類（傷害の性質）（N 800—N 999）

“N” Code. Alternative classification of accidents, poisonings, and violence (nature of injury)

B N 47	骨折，頭部損傷および内部損傷	N 800—N 829, N 850—N 869	Fractures, head injuries, and internal injuries
B N 47. a	頭 蓋 骨 折	N 800—N 804	Fracture of skull
B N 47. b	その他の骨の骨折	N 805—N 829	Fracture of other bones
B N 47. c	頭部の損傷（骨折を除く）	N 850—N 856	Head injury (excluding skull fracture)
B N 47. d	胸，腹，骨盤腔の内部損傷	N 860—N 869	Internal injury of chest, abdomen, and pelvis
B N 48	熱 傷	N 940—N 949	Burns
B N 49	毒 物 の 作 用	N 960—N 979	Effects of poisons
B N 50	その他の損傷	N 830—N 848, N 870—N 936 N 950—N 959, N 980—N 999	All other injuries
B N 50. a	裂傷および開放創	N 870—N 908	Laceration and open wound
B N 50. b	溺死および死にいたらない溺水	N 990	Drowning and non-fatal submersion
B N 50. c	窒息および絞首	N 991	Asphyxia and strangulation
B N 50. d	そ の 他	N 830—N 848, N 910—N 936 N 950—N 959, N 980—N 989 N 992—N 999	Other

本分類表における特殊細分類項と国際分類との対照上の注意

Explanatory notes on the special subcategories refered to the international detailed list

B 6. a	本項は国際分類の045.0—045.4の疾患で疫痢症状を呈するもの	Those with Ekiri syndrom in 045.0—045.4
B 6. b	本項は国際分類の045.0—045.4の内容で疫痢症状を呈するものを含まない	Those without Ekiri syndrom in 045.0—045.4
B 17. f	本項は国際分類の082.0のうち「日本脳炎」のみに該当する	Only Japanese B encephalitis in 082
17. i	本項は国際分類の096.9の一部に該当する	A part of 096.9
B 17. j	本項は国際分類の123.2に該当する	123.2
B 17. l	本項に含まれる 082. b は国際分類の 082.0のうち日本脳炎を含まないものであり，082. c，082. d，082. e は各々国際分類の082.1，082.2，082.3に該当し，096. a は国際分類の096.2に，096. c は国際分類の096のうち096.2および 096.9の一部（伝染性下痢症を除いたもの）であり，123. b は国際分類の 123.0，123.1，123.3 に該当する。	082. b included in this sub-category contains those in 082.0 except Japanese B encephalitis, 082.c, 082. d and 082.e corresponds to 082.1, 082.2 and 082.3 respectively, 096.a corresponds to 096.2, 096. c contains those in 096 except of 6.2, and a part (excluding Infectious diarrhoea) of 096.9, and 123.b corresponds to 123.0, 123.1 and 123.3.

統計表一覧

出生

統計表番号	地域 全国	都道府県	市部郡部	六大都市	月	性	出産順位	出生順位	嫡出・非嫡出の別	父の年齢(5才階級)	父の職業(中分類)	母の年齢 各才	母の年齢 5才階級	結婚期間	施設	立会者	出生年	単産・複産の別	備考
1	×	×	×	×		×													
2	×	×	×	×		×													発生地による
3	×	×	×	×											×	×			
4	×	×		×	×	×													
5	×	×		×		×	×												
6	×	×		×		×							×						
7	×					×	×						×						
8	×					×		×					×						
9	×					×			×			×							
10	×					×							×	×					嫡出第1児数
11	×					×				×			×						嫡出児数
12	×										×		×						嫡出児数
13	×									×	×								嫡出児数
14	×						×				×								嫡出児数
23	×	×		×														×	分娩件数（出生・死産別）
24	×	×		×		×												×	分娩件数
25	×					×												×	分娩件数（出生・死産別）
付録 1	×	×		×		×											×		棄児（発生地）
付録 2	×	×		×		×											×		届出遅れ（発生地）

死産

統計表番号	地域 全国	都道府県	市部郡部	六大都市	月	性	出産順位	嫡出・非嫡出の別	死産原因	自然・人工の別	妊娠期間 各月	妊娠期間 階級	母の年齢 各才	母の年齢 5才階級	施設	立会者	単産・複産の別	備考
1	×	×	×	×						×								
2	×	×	×	×						×								発生地による
15	×	×	×	×											×	×		
16	×	×	×	×						×					×			
17	×	×	×	×	×	×				×								
18	×	×	×	×		×				×	×							
19	×	×		×		×								×				後期死産胎数
20	×					×		×					×					後期死産胎数
21	×					×	×			×				×				後期死産胎数
22	×								×	×		×						医師の立会による死産胎数
23	×	×		×													×	分娩件数（出生・死産別）
24	×	×		×		×											×	分娩件数
25	×					×											×	分娩件数（出生・死産別）

死亡

統計表番号	各体 全死亡	乳児死亡	新生児死亡	15才以上死亡	地域 全国	都道府県	市部郡部	六大都市	月	性	年齢 各才	年齢 5才階級	年齢 生年年齢	年齢 日齢月齢	職業(中分類)	産業(中分類)	配偶関係	死因 基本分類	死因 簡単分類	施設	傷害発生の場所	中の従業中・非従業	死亡の年	備考
1	×	×	×		×	×	×	×		×														
2	×	×	×		×	×	×	×		×														発生地による
26	×	×	×		×	×	×	×												×				
27	×				×	×		×	×	×														
28	×				×	×		×		×		×												
29	×				×	×		×		×	×													
30				×	×					×		×					×							
31	×				×				×	×	×		×											
32		×			×	×		×	×	×														
33		×			×				×	×				×										
34		×			×	×		×		×				×										
48	×				×					×		×						×						
49	×				×					×		×							×					
50	×				×				×	×									×					
51	×				×	×		×		×									×					
52	×				×					×									×	×				
53		×			×				×	×									×					
54		×			×					×				×					×					
55		×			×	×		×		×									×					
56				×	×					×						×			×					
57				×	×					×		×				×								
58				×	×					×							×		×					
59				×	×					×		×					×							
60					×							×				×								15才以上有配偶男
61					×							×					×							15才以上有配偶男
62					×					×	特定階級								×					外因死，ＥＮ相互分類
63					×					×	特定階級							×			×			交通事故以外の不慮の事故
64					×					×		×						×				×		交通事故以外の不慮の事故
付録3					×	×		×		×													×	届出遅れ（発生地）

婚姻

統計表番号	地域 全国	都道府県	市部郡部	六大都市	届出月	挙式の年月	夫 別	夫 初婚・再婚の年齢(各才)	妻 年齢各才	妻 5才階級	妻 別	妻 初婚・再婚の別	前婚解消の年	備考
1	×	×	×	×										
35	×	×		×	×									
36	×				×	×								全国，六大都市の計別
37	×	×		×				×				×		
38	×						×	×	×		×			夫妻相互 ｝昭和34年中に挙式届出のもの
39	×	×		×			×	×	×		×			夫妻別に平均婚姻年齢を含む ｝昭和34年中に挙式届出のもの
40	×									×			×	妻の再婚者数 ｝昭和34年中に挙式届出のもの

離婚

統計表番号	地域 全国	都道府県	市部郡部	六大都市	離婚 月	同居をやめた年月	離婚の種類	年齢 夫 各才	年齢 夫 5才階級	年齢 妻 各才	年齢 妻 5才階級	このうち親権をおこなう子の数 夫	このうち親権をおこなう子の数 妻	備考
1	×	×	×	×										
41	×	×		×	×									
42	×				×	×								
43	×							×		×				夫妻相互 昭和34年中に同居停止のもの
44	×					×	×							
45	×					×			×		×			昭和34年中に同居停止のもの
46	×											×	×	
47	×					×						×	×	昭和34年中に同居停止のもの，親権を行なう子の数は夫妻の計

注　この「統計表一覧」に示した以外に日本における外国人および外国における日本人の人口動態（死因を含む）について，目次に示すような特別製表を行い，本年報に付録として掲載した。

本年報に掲載しない特別製表一覧

特第１表　死亡者数，性・死因（基本分類）・都道府県－六大都市（再掲）別
特第２表　死亡者数，性・年齢（５才階級）・死因（簡単分類）・都道府県－六大都市（再掲）別
特第３表　死亡者数，性・月・死因（簡単分類）・都道府県－六大都市（再掲）別
特第４表　乳児（１才未満）死亡者数，性・月・死因（簡単分類）・都道府県－六大都市（再掲）別
特第５表　婚姻件数，夫妻・国籍別
特第６表　婚姻件数，夫婦の称すべき氏・初婚－再婚・都道府県－六大都市（再掲）別

第48表　死亡者数，性・年齢（５才階級）・死因（基本分類）別

Ⅰ　伝染病および寄生虫病……46ページ
Ⅱ　新　生　物……70
Ⅲ　アレルギー性疾患，内分泌系の疾患，物質代謝および栄養の疾患……90
Ⅳ　血液および造血器の疾患……96
Ⅴ　精神病，精神神経症および人格異常……98
Ⅵ　神経系および感覚器の疾患……100
Ⅶ　循環器系の疾患……110
Ⅷ　呼吸器系の疾患……118
Ⅸ　消化器系の疾患……124
Ⅹ　性尿器系の疾患……132
ⅩⅠ　分娩ならびに妊娠，分娩および産褥の合併症……138
ⅩⅡ　皮膚および疎性結合組織の疾患……146
ⅩⅢ　骨および運動器の疾患……150
ⅩⅣ　先　天　奇　形……154
ⅩⅤ　新生児の主要疾患……156
ⅩⅥ　症状，老衰および診断名不明確の状態……162
ⅩⅦ　不慮の事故，中毒および暴力
ＥⅩⅦ　不慮の事故，中毒および暴力の二重分類（外因）……166
ＮⅩⅦ　不慮の事故，中毒および暴力の二重分類（傷害の性質）……190

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
	総数	1) 689 959	54 768	6 557	4 559	3 715	3 103	72 702	9 812	5 937	9 931	15 253
	男 M.	367 562	30 646	3 583	2 539	2 031	1 728	40 527	5 690	3 453	5 942	9 167
	女 F.	322 370	24 122	2 974	2 020	1 684	1 375	32 175	4 122	2 484	3 989	6 086
I	伝染病および寄生虫病	45 446	1 794	976	793	785	698	5 046	1 824	692	851	1 518
	男 M.	27 013	995	508	375	392	361	2 631	908	337	385	723
	女 F.	18 433	799	468	418	393	337	2 415	916	355	466	795
(001—008)	呼吸器系の結核	29 747	36	38	32	21	16	143	69	117	426	1 104
	男 M.	18 557	16	22	16	11	10	75	38	39	168	500
	女 F.	11 190	20	16	16	10	6	68	31	78	258	604
001	肺の職業疾患の記載のある呼吸器結核	213	–	–	–	–	–	–	–	–	–	–
	男 M.	209	–	–	–	–	–	–	–	–	–	–
	女 F.	4	–	–	–	–	–	–	–	–	–	–
001. a	けい肺症の記載のある呼吸器結核	*211*	–	–	–	–	–	–	–	–	–	–
	男 M.	*207*	–	–	–	–	–	–	–	–	–	–
	女 F.	*4*	–	–	–	–	–	–	–	–	–	–
001. b	その他の塵肺症の記載のある呼吸器結核	2	–	–	–	–	–	–	–	–	–	–
	男 M.	2	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
001. c	その他の職業疾患を伴う呼吸器結核	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
002	肺結核	28 480	28	31	27	15	12	113	58	109	409	1 082
	男 M.	17 701	12	18	13	9	8	60	31	33	158	491
	女 F.	10 779	16	13	14	6	4	53	27	76	251	591
002. a	肺結核（粟粒結核の記載のないもの）	*25 961*	*20*	*10*	*7*	*8*	*6*	*51*	*34*	*83*	*334*	*940*
	男 M.	*16 104*	*6*	*6*	*4*	*5*	*5*	*26*	*17*	*22*	*122*	*413*
	女 F.	*9 857*	*14*	*4*	*3*	*3*	*1*	*25*	*17*	*61*	*212*	*527*
002. b	粟粒結核の記載のあるもの	*97*	*3*	*7*	*2*	*1*	–	*13*	*1*	*3*	*5*	*7*
	男 M.	*57*	*1*	*2*	–	*1*	–	*4*	*1*	*2*	*3*	*4*
	女 F.	*40*	*2*	*5*	*2*	–	–	*9*	–	*1*	*2*	*3*
002. c	その他の部位の結核を合併するもの	*2 422*	*5*	*14*	*18*	*6*	*6*	*49*	*23*	*23*	*70*	*135*
	男 M.	*1 540*	*5*	*10*	*9*	*3*	*3*	*30*	*13*	*9*	*33*	*74*
	女 F.	*882*	–	*4*	*9*	*3*	*3*	*19*	*10*	*14*	*37*	*61*
003	胸膜結核	1 009	4	2	1	4	4	15	9	6	16	20
	男 M.	614	2	1	–	1	2	6	5	4	10	7
	女 F.	395	2	1	1	3	2	9	4	2	6	13
003.0	結核性と明示された胸膜炎	*204*	–	*1*	–	*1*	*1*	*3*	*2*	–	*5*	*8*
	男 M.	*136*	–	–	–	–	–	–	*2*	–	*2*	*3*
	女 F.	*68*	–	*1*	–	*1*	*1*	*3*	–	–	*3*	*5*
003.1	原因の記載のない滲出性胸膜炎	*805*	*4*	*1*	*1*	*3*	*3*	*12*	*7*	*6*	*11*	*12*
	男 M.	*478*	*2*	*1*	–	*1*	*2*	*6*	*3*	*4*	*8*	*4*
	女 F.	*327*	*2*	–	*1*	*2*	*1*	*6*	*4*	*2*	*3*	*8*
004	症状を伴う結核初期変化群	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
005	症状を伴う気管気管支リンパ腺結核	27	4	5	4	2	–	15	2	1	1	1
	男 M.	18	2	3	3	1	–	9	2	1	–	1
	女 F.	9	2	2	1	1	–	6	–	–	1	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
16 527	16 520	15 496	17 823	25 729	34 531	48 650	58 996	71 162	83 717	83 985	65 043	28 621	8 336	1 040	88	1) 60	
9 558	9 118	7 812	9 319	14 366	20 295	30 042	36 208	41 656	45 024	39 604	26 982	10 154	2 364	228	27	24	
6 969	7 402	7 684	8 504	11 363	14 236	18 608	22 788	29 504	38 693	44 381	38 061	18 467	5 972	812	61	9	
2 694	3 617	3 191	2 824	3 296	3 378	3 807	3 754	3 495	2 746	1 750	737	195	28	1	1	–	I
1 299	1 878	1 651	1 601	2 107	2 310	2 663	2 671	2 413	1 875	1 072	392	91	5	–	1	–	
1 395	1 739	1 540	1 223	1 189	1 069	1 144	1 083	1 082	871	678	345	104	23	1	–	–	
2 225	3 109	2 666	2 313	2 609	2 597	2 930	2 852	2 685	2 074	1 267	445	108	7	1	–	–	(001—008)
1 064	1 612	1 416	1 333	1 701	1 814	2 101	2 082	1 932	1 500	835	281	62	4	–	–	–	
1 161	1 497	1 250	980	908	783	829	770	753	574	432	164	46	3	1	–	–	
–	3	6	11	43	50	48	25	19	6	1	1	–	–	–	–	–	001
–	2	4	11	42	50	48	25	19	6	1	1	–	–	–	–	–	
–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	*3*	*6*	*11*	*43*	*50*	*48*	*24*	*19*	*6*	*1*	–	–	–	–	–	–	001. a
–	*2*	*4*	*11*	*42*	*50*	*48*	*24*	*19*	*6*	*1*	–	–	–	–	–	–	
–	*1*	*2*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	001. b
–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	001. c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2 198	3 077	2 632	2 267	2 517	2 484	2 811	2 722	2 527	1 903	1 139	352	73	6	1	–	–	002
1 049	1 594	1 401	1 310	1 636	1 723	2 009	1 983	1 809	1 382	753	227	48	4	–	–	–	
1 149	1 483	1 231	957	881	761	802	739	718	521	386	125	25	2	1	–	–	
1 995	*2 768*	*2 395*	*2 070*	*2 270*	*2 282*	*2 590*	*2 530*	*2 348*	*1 784*	*1 076*	*336*	*68*	*6*	*1*	–	–	002. a
935	*1 411*	*1 266*	*1 181*	*1 474*	*1 581*	*1 860*	*1 853*	*1 680*	*1 290*	*709*	*214*	*46*	*4*	–	–	–	
1 060	*1 357*	*1 129*	*889*	*796*	*701*	*730*	*677*	*668*	*494*	*367*	*122*	*22*	*2*	*1*	–	–	
8	*5*	*10*	*1*	*7*	*7*	*6*	*9*	*9*	*5*	*1*	–	–	–	–	–	–	002. b
3	*3*	*4*	*1*	*5*	*6*	*3*	*6*	*8*	*3*	*1*	–	–	–	–	–	–	
5	*2*	*6*	–	*2*	*1*	*3*	*3*	*1*	*2*	–	–	–	–	–	–	–	
195	*304*	*227*	*196*	*240*	*195*	*215*	*183*	*170*	*114*	*62*	*16*	*5*	–	–	–	–	002. c
111	*180*	*131*	*128*	*157*	*136*	*146*	*124*	*121*	*89*	*43*	*13*	*2*	–	–	–	–	
84	*124*	*96*	*68*	*83*	*59*	*69*	*59*	*49*	*25*	*19*	*3*	*3*	–	–	–	–	
25	26	27	34	49	58	70	105	137	160	126	90	35	1	–	–	–	003
14	14	11	11	23	36	43	74	102	109	80	51	14	–	–	–	–	
11	12	16	23	26	22	27	31	35	51	46	39	21	1	–	–	–	
11	*7*	*11*	*12*	*16*	*16*	*12*	*24*	*33*	*24*	*9*	*9*	*2*	–	–	–	–	003.0
7	*6*	*5*	*5*	*8*	*13*	*8*	*20*	*24*	*19*	*6*	*8*	–	–	–	–	–	
4	*1*	*6*	*7*	*8*	*3*	*4*	*4*	*9*	*5*	*3*	*1*	*2*	–	–	–	–	
14	*19*	*16*	*22*	*33*	*42*	*58*	*81*	*104*	*136*	*117*	*81*	*33*	*1*	–	–	–	003.1
7	*8*	*6*	*6*	*15*	*23*	*35*	*54*	*78*	*90*	*74*	*43*	*14*	–	–	–	–	
7	*11*	*10*	*16*	*18*	*19*	*23*	*27*	*26*	*46*	*43*	*38*	*19*	*1*	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	004
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	–	–	2	1	–	1	–	–	–	–	–	005
–	1	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	

注： 1) 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 48 表　死　亡　者　数，性・年齢（5才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
006	X線所見による活動性呼吸器結核…… （他の項に分類されないもの） 男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	006
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
007	その他の呼吸器結核……	12	－	－	－	－	－	－	－	－	－	1	1	1	1	1	－	3	1	－	－	3	－	－	－	－	－	－	－	007
	男 M.	10	－	－	－	－	－	－	－	－	－	1	1	1	－	1	－	3	1	－	－	2	－	－	－	－	－	－	－	
	女 F.	2	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	1	－	－	－	－	－	－	－	
008	部位不明の結核……	6	－	－	－	－	－	－	－	1	－	－	－	1	－	－	－	1	－	－	－	1	1	1	－	－	－	－	－	008
	男 M.	5	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	1	－	－	－	1	1	1	－	－	－	－	－	
	女 F.	1	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
(010—019)	その他の結核……	3 245	91	116	98	60	48	413	150	104	171	212	260	251	255	204	242	212	183	170	159	114	96	40	7	2	－	－	－	(010—019)
	男 M.	1 485	54	53	50	23	26	206	71	55	79	110	122	121	93	77	111	92	92	76	78	46	40	14	2	－	－	－	－	
	女 F.	1 760	37	63	48	37	22	207	79	49	92	102	138	130	162	127	131	120	91	94	81	68	56	26	5	2	－	－	－	
010	髄膜および中枢神経系の結核……	1 037	68	106	77	55	37	343	110	51	67	71	81	70	57	47	43	36	26	16	10	5	3	1	－	－	－	－	－	010
	男 M.	527	43	46	41	20	23	173	56	32	32	38	40	36	18	20	24	26	13	10	6	2	1	－	－	－	－	－	－	
	女 F.	510	25	60	36	35	14	170	54	19	35	33	41	34	39	27	19	10	13	6	4	3	2	1	－	－	－	－	－	
011	腸，腹膜および腸間膜リンパ腺の結核…	805	3	1	5	－	3	12	16	11	27	51	67	67	64	48	63	63	49	68	55	63	49	27	4	1	－	－	－	011
	男 M.	295	3	1	2	－	－	6	7	4	7	22	23	30	16	18	23	20	21	23	22	20	20	12	1	－	－	－	－	
	女 F.	510	－	－	3	－	3	6	9	7	20	29	44	37	48	30	40	43	28	45	33	43	29	15	3	1	－	－	－	
011. a	腸……	*165*	－	－	－	－	－	－	*2*	*3*	*10*	*15*	*13*	*14*	*17*	*12*	*19*	*15*	*9*	*16*	*10*	*2*	*6*	*1*	*1*	－	－	－	－	011. a
	男 M.	*73*	－	－	－	－	－	－	*1*	－	－	*9*	*4*	*5*	*5*	*6*	*10*	*7*	*5*	*9*	*7*	*1*	*2*	*1*	*1*	－	－	－	－	
	女 F.	*92*	－	－	－	－	－	－	*1*	*3*	*10*	*6*	*9*	*9*	*12*	*6*	*9*	*8*	*4*	*7*	*3*	*1*	*4*	－	－	－	－	－	－	
011. b	腹膜……	*635*	*2*	*1*	*5*	－	*3*	*11*	*14*	*7*	*17*	*36*	*54*	*52*	*47*	*36*	*44*	*47*	*40*	*52*	*45*	*61*	*43*	*25*	*3*	*1*	－	－	－	011. b
	男 M.	*217*	*2*	*1*	*2*	－	－	*5*	*6*	*3*	*7*	*13*	*19*	*24*	*11*	*12*	*13*	*12*	*16*	*14*	*15*	*19*	*18*	*10*	－	－	－	－	－	
	女 F.	*418*	－	－	*3*	－	*3*	*6*	*8*	*4*	*10*	*23*	*35*	*28*	*36*	*24*	*31*	*35*	*24*	*38*	*30*	*42*	*25*	*15*	*3*	*1*	－	－	－	
011. c	その他……	*5*	*1*	－	－	－	－	*1*	－	*1*	－	－	－	*1*	－	－	－	*1*	－	－	－	－	－	*1*	－	－	－	－	－	011. c
	男 M.	*5*	*1*	－	－	－	－	*1*	－	*1*	－	－	－	*1*	－	－	－	*1*	－	－	－	－	－	*1*	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
012	骨および関節の結核（活動性または詳…	585	2	－	3	1	2	8	14	28	33	34	43	41	55	35	49	51	49	43	50	28	18	5	1	－	－	－	－	012
	細不明） 男 M.	246	－	－	1	－	1	2	5	13	19	19	21	16	24	8	16	11	22	26	24	14	6	－	－	－	－	－	－	
	女 F.	339	2	－	2	1	1	6	9	15	14	15	22	25	31	27	33	40	27	17	26	14	12	5	1	－	－	－	－	
012. a	脊椎結核（活動性または詳細不明）…	*511*	*1*	－	*1*	－	*2*	*4*	*11*	*23*	*29*	*29*	*37*	*33*	*48*	*31*	*43*	*45*	*46*	*40*	*45*	*26*	*16*	*4*	－	－	－	－	－	012. a
	男 M.	*223*	－	－	－	－	*1*	*1*	*5*	*11*	*16*	*17*	*19*	*14*	*23*	*8*	*14*	*10*	*20*	*25*	*22*	*12*	*6*	－	－	－	－	－	－	
	女 F.	*288*	*1*	－	*1*	－	*1*	*3*	*6*	*12*	*13*	*12*	*18*	*19*	*25*	*23*	*29*	*35*	*26*	*15*	*24*	*14*	*10*	*4*	－	－	－	－	－	
012. b	股結核（活動性または詳細不明）……	*24*	－	－	*1*	－	－	*1*	*2*	*2*	*1*	*2*	*2*	*2*	*4*	－	*2*	*2*	*1*	*1*	*2*	－	－	－	－	－	－	－	－	－	012. b
	男 M.	*10*	－	－	－	－	－	－	－	*1*	*1*	*2*	*2*	*1*	－	－	*1*	*1*	－	*1*	－	*1*	－	－	－	－	－	－	－	－	
	女 F.	*14*	－	－	*1*	－	－	*1*	*2*	*1*	－	－	－	*1*	*4*	－	*1*	*1*	*1*	*1*	*1*	－	－	－	－	－	－	－	－	－	
012. c	膝結核（活動性または詳細不明）……	*4*	－	－	－	－	－	－	－	－	*1*	－	－	－	－	－	*1*	－	*1*	－	－	－	*1*	－	－	－	－	－	－	－	012. c
	男 M.	*3*	－	－	－	－	－	－	－	－	*1*	－	－	－	－	－	*1*	－	*1*	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	*1*	－	－	－	－	－	－	－	
012. d	その他および詳細不明の骨結核……	*37*	*1*	－	*1*	*1*	－	*3*	*1*	*1*	*2*	*2*	*2*	*4*	*3*	*4*	*3*	*3*	*1*	*2*	*2*	*1*	*1*	*1*	*1*	－	－	－	－	012. d
	（活動性または詳細不明） 男 M.	*7*	－	－	*1*	－	－	*1*	－	－	*1*	－	－	－	*1*	－	－	－	*1*	*1*	*1*	*1*	－	*1*	－	－	－	－	－	－	
	女 F.	*30*	*1*	－	－	*1*	－	*2*	*1*	*1*	*1*	*2*	*2*	*4*	*2*	*4*	*3*	*3*	－	*1*	*1*	－	*1*	*1*	*1*	－	－	－	－	
012. e	その他および詳細不明の関節結核…	*9*	－	－	－	－	－	－	－	*2*	－	*1*	*2*	*2*	－	－	－	*1*	－	－	－	*1*	－	－	－	－	－	－	－	012. e
	（活動性または詳細不明） 男 M.	*3*	－	－	－	－	－	－	－	*1*	－	－	－	*1*	－	－	－	－	－	－	－	*1*	－	－	－	－	－	－	－	
	女 F.	*6*	－	－	－	－	－	－	－	*1*	－	*1*	*2*	*1*	－	－	－	*1*	－	－	－	－	－	－	－	－	－	－	－	
013	骨および関節の結核の後遺症……	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	013
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5才階級）・死因（基本分類）別

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
013. a	脊椎結核の後遺症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	013. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
013. b	股結核の後遺症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	013. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
013. c	膝結核の後遺症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	013. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
013. d	その他および詳細不明の骨結核の後遺症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	013. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
013. e	その他および詳細不明の関節結核の後遺症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	013. e
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
014	皮膚および皮下疎性結合組織の結核	14	2	–	–	–	–	2	–	–	1	–	–	–	2	2	–	4	–	1	–	–	1	–	1	–	–	–	–	014
	男 M.	6	2	–	–	–	–	2	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	1	–	–	–	–	
	女 F.	8	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	3	–	1	–	–	1	–	–	–	–	–	–	
015	リンパ系の結核	35	–	–	–	–	–	–	2	3	2	–	4	1	3	1	3	1	4	1	2	4	2	1	–	1	–	–	–	015
	男 M.	16	–	–	–	–	–	–	1	–	2	–	3	1	1	1	–	1	2	–	2	1	1	–	–	–	–	–	–	
	女 F.	19	–	–	–	–	–	–	1	3	–	–	1	–	2	–	3	–	2	1	–	3	1	1	–	1	–	–	–	
016	性尿器系の結核	478	–	–	–	–	–	–	2	9	28	32	41	53	50	63	62	41	34	20	22	7	12	2	–	–	–	–	–	016
	男 M.	253	–	–	–	–	–	–	1	6	16	21	23	26	23	24	36	25	19	9	13	5	5	1	–	–	–	–	–	
	女 F.	225	–	–	–	–	–	–	1	3	12	11	18	27	27	39	26	16	15	11	9	2	7	1	–	–	–	–	–	
016. a	性器の結核	*7*	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	*3*	–	–	*1*	–	–	–	–	–	–	–	–	016. a
	男 M.	*4*	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	
016. b	泌尿器の結核	*471*	–	–	–	–	–	–	*2*	*9*	*28*	*32*	*41*	*52*	*49*	*62*	*62*	*38*	*34*	*20*	*21*	*7*	*12*	*2*	–	–	–	–	–	016. b
	男 M.	*249*	–	–	–	–	–	–	*1*	*6*	*16*	*21*	*23*	*25*	*22*	*24*	*36*	*23*	*19*	*9*	*13*	*5*	*5*	*1*	–	–	–	–	–	
	女 F.	*222*	–	–	–	–	–	–	*1*	*3*	*12*	*11*	*18*	*27*	*27*	*38*	*26*	*15*	*15*	*11*	*8*	*2*	*7*	*1*	–	–	–	–	–	
017	副腎の結核	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	017
	男 M.	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
018	その他の臓器の結核	20	–	–	–	–	–	–	1	1	–	2	2	1	2	–	2	3	1	2	–	1	1	1	–	–	–	–	–	018
	男 M.	9	–	–	–	–	–	–	–	–	–	2	2	1	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–	
	女 F.	11	–	–	–	–	–	–	1	1	–	–	–	–	2	–	1	2	1	1	–	–	1	1	–	–	–	–	–	
018.0	眼の結核	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	018.0
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
018.1	耳の結核	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	018.1
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
018.2	その他	*20*	–	–	–	–	–	–	*1*	*1*	–	*2*	*2*	*1*	*2*	–	*2*	*3*	*1*	*2*	–	*1*	*1*	*1*	–	–	–	–	–	018.2
	男 M.	*9*	–	–	–	–	–	–	–	–	–	*2*	*2*	*1*	–	–	*1*	*1*	–	*1*	–	*1*	–	–	–	–	–	–	–	
	女 F.	*11*	–	–	–	–	–	–	*1*	*1*	–	–	–	–	*2*	–	*1*	*2*	*1*	*1*	–	–	*1*	*1*	–	–	–	–	–	
019	播種結核	268	16	9	13	4	6	48	5	1	13	22	21	17	22	8	19	13	20	19	20	6	10	3	1	–	–	–	–	019
	男 M.	130	6	6	6	3	2	23	1	–	3	8	9	10	11	4	10	7	15	7	11	3	7	1	–	–	–	–	–	
	女 F.	138	10	3	7	1	4	25	4	1	10	14	12	7	11	4	9	6	5	12	9	3	3	2	1	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
019.0	急性粟粒結核（肺以外と明示されたもの）	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	019.0
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
019.1	詳細不明の急性粟粒結核	*14*	–	*2*	–	–	–	*2*	–	–	*2*	*1*	*3*	*1*	*1*	*1*	*1*	–	*1*	–	*1*	–	–	–	–	–	–	–	–	019.1
	男 M.	*8*	–	–	–	–	–	–	–	–	*1*	–	*2*	*1*	–	*1*	*1*	–	*1*	–	*1*	–	–	–	–	–	–	–	–	
	女 F.	*6*	–	*2*	–	–	–	*2*	–	–	*1*	*1*	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
019.2	その他の播種結核	*254*	*16*	*7*	*13*	*4*	*6*	*46*	*5*	*1*	*11*	*21*	*18*	*16*	*21*	*7*	*18*	*13*	*19*	*19*	*19*	*6*	*10*	*3*	*1*	–	–	–	–	019.2
	男 M.	*122*	*6*	*6*	*6*	*3*	*2*	*23*	*1*	–	*2*	*8*	*7*	*9*	*11*	*3*	*9*	*7*	*14*	*7*	*10*	*3*	*7*	*1*	–	–	–	–	–	
	女 F.	*132*	*10*	*1*	*7*	*1*	*4*	*23*	*4*	*1*	*9*	*13*	*11*	*7*	*10*	*4*	*9*	*6*	*5*	*12*	*9*	*3*	*3*	*2*	*1*	–	–	–	–	
(020—029)	梅毒およびその続発症	2 247	20	1	–	–	–	21	2	4	9	10	22	51	86	141	232	306	380	359	283	201	95	34	8	3	–	–	–	(020—029)
	男 M.	1 634	14	1	–	–	–	15	2	3	8	6	14	37	56	100	170	236	287	280	203	134	62	18	3	–	–	–	–	
	女 F.	613	6	–	–	–	–	6	–	1	1	4	8	14	30	41	62	70	93	79	80	67	33	16	5	3	–	–	–	
020	先天梅毒	37	20	–	–	–	–	20	2	1	3	2	2	–	1	1	–	2	–	1	–	2	–	–	–	–	–	–	–	020
	男 M.	24	14	–	–	–	–	14	2	1	2	–	2	–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	
	女 F.	13	6	–	–	–	–	6	–	–	1	2	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	
021	早期梅毒	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	021
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
022	梅毒性大動脈瘤	252	–	–	–	–	–	–	–	–	–	1	1	2	3	4	16	21	42	42	45	43	17	11	2	2	–	–	–	022
	男 M.	169	–	–	–	–	–	–	–	–	–	1	1	2	1	3	12	17	26	31	30	25	13	7	–	–	–	–	–	
	女 F.	83	–	–	–	–	–	–	–	–	–	–	–	–	2	1	4	4	16	11	15	18	4	4	2	2	–	–	–	
023	その他の心臓血管梅毒	298	–	–	–	–	–	–	–	–	1	1	1	1	9	15	31	45	35	53	41	37	22	3	3	–	–	–	–	023
	男 M.	210	–	–	–	–	–	–	–	–	1	1	–	–	5	10	23	34	31	43	25	22	13	1	1	–	–	–	–	
	女 F.	88	–	–	–	–	–	–	–	–	–	–	1	1	4	5	8	11	4	10	16	15	9	2	2	–	–	–	–	
024	脊髄癆	325	–	–	–	–	–	–	–	–	1	2	4	3	5	9	25	31	50	68	59	40	16	10	2	–	–	–	–	024
	男 M.	243	–	–	–	–	–	–	–	–	1	1	3	1	2	8	17	21	43	52	45	27	13	7	2	–	–	–	–	
	女 F.	82	–	–	–	–	–	–	–	–	–	1	1	2	3	1	8	10	7	16	14	13	3	3	–	–	–	–	–	
025	進行麻痺	941	–	–	–	–	–	–	–	1	4	2	9	34	56	93	123	144	194	128	83	43	24	3	–	–	–	–	–	025
	男 M.	723	–	–	–	–	–	–	–	–	4	2	5	29	41	71	89	116	148	106	64	31	16	1	–	–	–	–	–	
	女 F.	218	–	–	–	–	–	–	–	1	–	–	4	5	15	22	34	28	46	22	19	12	8	2	–	–	–	–	–	
026	その他の中枢神経系の梅毒	267	–	1	–	–	–	1	–	–	–	1	4	8	9	13	26	48	42	50	39	19	6	1	–	–	–	–	–	026
	男 M.	184	–	1	–	–	–	1	–	–	–	1	2	4	6	4	20	38	28	36	27	14	3	–	–	–	–	–	–	
	女 F.	83	–	–	–	–	–	–	–	–	–	–	2	4	3	9	6	10	14	14	12	5	3	1	–	–	–	–	–	
027	その他の晩期梅毒	73	–	–	–	–	–	–	–	2	–	–	–	1	1	5	4	11	12	9	10	6	6	5	–	1	–	–	–	027
	男 M.	47	–	–	–	–	–	–	–	2	–	–	–	–	–	3	4	7	8	6	8	5	3	1	–	–	–	–	–	
	女 F.	26	–	–	–	–	–	–	–	–	–	–	–	1	1	2	–	4	4	3	2	1	3	4	–	1	–	–	–	
028	潜伏梅毒	15	–	–	–	–	–	–	–	–	–	–	–	1	–	1	4	–	2	2	2	3	–	–	–	–	–	–	–	028
	男 M.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	2	2	–	–	–	–	–	–	–	
	女 F.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	2	–	1	–	–	–	–	–	–	–	
029	分類不明の梅毒	38	–	–	–	–	–	–	–	–	–	1	1	1	2	–	3	3	3	6	4	8	4	1	1	–	–	–	–	029
	男 M.	24	–	–	–	–	–	–	–	–	–	–	1	1	–	–	2	2	2	6	2	6	1	1	–	–	–	–	–	
	女 F.	14	–	–	–	–	–	–	–	–	–	1	–	–	2	–	1	1	1	–	2	2	3	–	1	–	–	–	–	
(030—039)	淋菌感染およびその他の性病	14	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	1	2	2	2	1	1	–	–	–	–	–	(030—039)
	男 M.	10	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	2	2	1	1	–	–	–	–	–	
	女 F.	4	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	
030	急性または詳細不明の淋疾	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	030
	男 M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	1	1	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5 才階級）・死因（基本分類）別

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
031	性尿器系の慢性淋菌感染	6	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	1	–	–	–	–	–	031
	男 M.	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	1	1	–	1	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
032	関節の淋菌感染	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	032
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
033	眼の淋菌感染	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	033
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
034	その他の部位の淋菌感染	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	034
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
035	淋菌感染の後遺症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	035
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
036	軟性下疳	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	036
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
037	そけいリンパ肉芽腫	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	037
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
038	性病性肉芽腫	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	038
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
039	その他および詳細不明の性病	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	039
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
(040—049)	腸管伝染病	2 693	63	155	342	424	355	1 339	700	120	30	22	19	25	18	24	26	35	57	62	62	48	56	32	15	3	–	–	–	(040—049)
	男 M.	1 256	34	74	156	214	162	640	303	49	21	23	8	13	5	15	19	20	31	34	32	22	16	10	5	–	–	–	–	
	女 F.	1 437	29	81	186	210	193	699	397	71	9	9	11	12	13	9	7	15	26	28	30	26	40	22	10	3	–	–	–	
040	腸チフス	37	–	–	–	–	–	–	–	–	2	6	2	3	4	3	3	2	2	4	5	1	–	–	–	–	–	–	–	040
	男 M.	24	–	–	–	–	–	–	–	–	2	4	1	3	1	1	1	2	1	3	4	1	–	–	–	–	–	–	–	
	女 F.	13	–	–	–	–	–	–	–	–	–	2	1	–	3	2	2	–	1	1	1	–	–	–	–	–	–	–	–	
041	パラチフス	8	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	1	–	–	–	–	–	–	–	–	–	–	041
	男 M.	8	–	–	–	–	–	–	–	–	–	–	1	–	–	2	3	1	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
042	その他のサルモネラ感染	10	–	1	1	1	–	3	–	1	2	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	–	042
	男 M.	7	–	–	–	1	–	1	–	1	2	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	
	女 F.	3	–	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
043	コレラ	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	043
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
044	ブルセラ症（波状熱）	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	044
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
045	細菌性赤痢	2 443	63	153	338	417	353	1 324	689	110	22	7	10	11	8	12	13	23	29	33	35	35	41	25	15	1	–	–	–	045
	男 M.	1 123	34	73	154	208	161	630	299	44	13	5	5	3	2	8	10	14	17	17	15	17	10	9	5	–	–	–	–	
	女 F.	1 320	29	80	184	209	192	694	390	66	9	2	5	8	6	4	3	9	12	16	20	18	31	16	10	1	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
045. a	疫痢症状を呈するもの……	*1 910*	*52*	*143*	*321*	*390*	*334*	*1 240*	*601*	*64*	*5*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	045. a
	男 M.	*868*	*28*	*67*	*144*	*191*	*152*	*582*	*262*	*22*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*1042*	*24*	*76*	*177*	*199*	*182*	*658*	*339*	*42*	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
045. b	そ の 他……	*533*	*11*	*10*	*17*	*27*	*19*	*84*	*88*	*46*	*17*	*7*	*10*	*11*	*8*	*12*	*13*	*23*	*29*	*33*	*35*	*35*	*41*	*25*	*15*	*1*	–	–	–	045. b
	男 M.	*255*	*6*	*6*	*10*	*17*	*9*	*48*	*37*	*22*	*11*	*5*	*5*	*3*	*2*	*8*	*10*	*14*	*17*	*17*	*15*	*17*	*10*	*9*	*5*	–	–	–	–	
	女 F.	*278*	*5*	*4*	*7*	*10*	*10*	*36*	*51*	*24*	*6*	*2*	*5*	*8*	*6*	*4*	*3*	*9*	*12*	*16*	*20*	*18*	*31*	*16*	*10*	*1*	–	–	–	
046	アメーバ症……	14	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	1	3	1	2	1	2	–	–	–	–	–	–	046
	男 M.	11	–	–	–	–	–	–	–	–	–	2	–	1	–	1	–	–	2	1	1	1	2	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	
047	その他の原虫性赤痢……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	047
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
048	詳細不明の赤痢……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	048
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
049	食物中毒（感染および中毒）……	180	–	1	3	6	2	12	11	9	4	6	6	10	6	5	7	8	21	23	19	11	13	7	–	2	–	–	–	049
	男 M.	83	–	1	2	5	1	9	4	4	4	2	1	6	2	2	5	3	9	13	11	3	4	1	–	–	–	–	–	
	女 F.	97	–	–	1	1	1	3	7	5	–	4	5	4	4	3	2	5	12	10	8	8	9	6	–	2	–	–	–	
(050—064)	その他の細菌性疾患……	2 744	559	115	86	113	99	972	402	175	79	74	71	85	68	56	64	97	105	115	100	97	82	73	21	7	–	1	–	(050—064)
	男 M.	1 527	326	71	42	65	62	566	225	101	46	44	35	44	31	26	37	58	57	76	48	56	40	27	8	1	–	1	–	
	女 F.	1 217	233	44	44	48	37	406	177	74	33	30	36	41	37	30	27	39	48	39	52	41	42	46	13	6	–	–	–	
050	猩 紅 熱……	38	1	1	–	–	1	3	5	1	4	5	–	3	2	3	2	–	3	2	2	2	1	–	–	–	–	–	–	050
	男 M.	19	–	1	–	–	1	2	1	1	1	3	–	1	1	2	1	–	2	1	1	2	–	–	–	–	–	–	–	
	女 F.	19	1	–	–	–	–	1	4	–	3	2	–	2	1	1	1	–	1	1	1	–	1	–	–	–	–	–	–	
051	レンサ球菌性口峡炎……	2	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	051
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	女 F.	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
052	丹 毒……	261	95	4	2	1	1	103	2	1	3	1	–	1	4	2	3	4	11	12	12	27	22	43	6	3	–	1	–	052
	男 M.	135	54	3	1	–	–	58	–	1	2	–	–	–	–	2	2	3	6	9	6	12	10	18	4	1	–	1	–	
	女 F.	126	41	1	1	1	1	45	2	–	1	1	–	1	4	–	1	1	5	3	6	15	12	25	2	2	–	–	–	
053	敗血症および膿血症……	765	131	14	5	7	6	163	29	37	37	30	38	38	25	26	26	51	51	57	52	39	36	18	8	4	–	–	–	053
	男 M.	391	80	9	3	3	4	99	19	23	17	12	12	19	6	15	13	28	27	34	24	25	16	5	1	–	–	–	–	
	女 F.	374	51	5	2	4	2	64	10	14	20	18	26	19	19	15	13	23	24	23	28	14	20	13	7	4	–	–	–	
054	細菌性毒血症……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	054
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
055	ジフテリア……	706	29	63	57	79	75	303	304	74	5	–	3	2	–	–	1	1	5	4	2	1	–	1	–	–	–	–	–	055
	男 M.	381	18	43	27	45	43	176	159	35	3	–	1	1	–	–	1	–	2	2	1	–	–	–	–	–	–	–	–	
	女 F.	325	11	20	30	34	32	127	145	39	2	–	2	1	–	–	–	1	3	2	1	1	–	1	–	–	–	–	–	
056	百 日 咳……	178	131	23	9	7	1	171	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	056
	男 M.	85	65	11	2	3	1	82	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	93	66	12	7	4	–	89	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
057	髄膜炎菌感染……	124	13	5	5	2	1	26	13	10	7	10	10	4	9	5	6	7	3	8	5	1	–	–	–	–	–	–	–	057
	男 M.	75	8	3	1	1	1	14	9	3	6	5	8	3	6	1	4	5	2	6	2	1	–	–	–	–	–	–	–	
	女 F.	49	5	2	4	1	–	12	4	7	1	5	2	1	3	4	2	2	1	2	3	–	–	–	–	–	–	–	–	
058	ペ ス ト……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	058
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
059	野兎病	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
060	癩	14	–	–	–	–	–	–	–	–	–	1
	男 M.	11	–	–	–	–	–	–	–	–	–	1
	女 F.	3	–	–	–	–	–	–	–	–	–	–
060.0	結節癩	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
060.1	神経癩	*5*	–	–	–	–	–	–	–	–	–	*1*
	男 M.	*4*	–	–	–	–	–	–	–	–	–	*1*
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–
060.2	混合癩	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
060.3	詳細不明のもの	*9*	–	–	–	–	–	–	–	–	–	–
	男 M.	*7*	–	–	–	–	–	–	–	–	–	–
	女 F.	*2*	–	–	–	–	–	–	–	–	–	–
061	破傷風	633	158	4	8	17	14	201	42	51	23	26
	男 M.	416	101	1	8	13	12	135	34	38	17	22
	女 F.	217	57	3	–	4	2	66	8	13	6	4
062	炭疽	3	–	–	–	–	–	–	–	–	–	1
	男 M.	3	–	–	–	–	–	–	–	–	–	1
	女 F.	–	–	–	–	–	–	–	–	–	–	–
063	ガス壊疽	17	–	–	–	–	–	–	1	–	–	–
	男 M.	8	–	–	–	–	–	–	–	–	–	–
	女 F.	9	–	–	–	–	–	–	1	–	–	–
064	その他の細菌性疾患	2	1	–	–	–	–	1	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	1	–	–	–	–
(070—074)	スピロヘータ病（梅毒を除く）	266	–	1	–	–	–	1	6	2	6	10
	男 M.	228	–	1	–	–	–	1	5	1	2	7
	女 F.	38	–	–	–	–	–	–	1	1	4	3
070	ワンサン感染	7	–	–	–	–	–	–	5	2	–	–
	男 M.	5	–	–	–	–	–	–	4	1	–	–
	女 F.	2	–	–	–	–	–	–	1	1	–	–
071	回帰熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
072	レプトスピラ症	257	–	1	–	–	–	1	1	–	6	10
	男 M.	222	–	1	–	–	–	1	1	–	2	7
	女 F.	35	–	–	–	–	–	–	–	–	4	3
072.0	黄疸出血性レプトスピラ症（ワイル病）	*253*	–	*1*	–	–	–	*1*	*1*	–	*6*	*10*
	男 M.	*218*	–	*1*	–	–	–	*1*	*1*	–	*2*	*7*
	女 F.	*35*	–	–	–	–	–	–	–	–	*4*	*3*
072.1	その他および詳細不明のもの	*4*	–	–	–	–	–	–	–	–	–	–
	男 M.	*4*	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	059
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	2	1	2	2	2	–	–	1	1	–	–	–	–	–	–	060
1	1	2	1	1	1	1	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	060.0
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	*1*	*1*	–	–	–	*1*	–	–	–	–	–	–	–	060.1
1	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	
–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	060.2
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	*1*	*2*	*1*	*1*	*1*	*2*	–	–	–	*1*	–	–	–	–	–	–	060.3
–	*1*	*2*	*1*	–	*1*	*1*	–	–	–	*1*	–	–	–	–	–	–	
–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	
19	33	24	18	21	31	30	31	25	24	17	10	7	–	–	–	–	061
13	18	15	8	12	21	17	23	13	14	9	4	3	–	–	–	–	
6	15	9	10	9	10	13	8	12	10	8	6	4	–	–	–	–	
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	062
–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	2	1	2	1	–	–	2	1	4	1	–	–	–	–	–	063
–	–	1	1	2	–	–	–	1	–	3	–	–	–	–	–	–	
–	2	1	–	–	1	–	–	1	1	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	064
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	13	19	17	22	34	32	46	27	12	5	2	–	–	–	–	–	(070—074)
10	12	17	13	19	33	28	38	24	11	5	2	–	–	–	–	–	
2	1	2	4	3	1	4	8	3	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	070
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	071
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	13	19	17	22	34	32	45	26	12	5	2	–	–	–	–	–	072
10	12	17	13	19	33	28	37	24	11	5	2	–	–	–	–	–	
2	1	2	4	3	1	4	8	2	1	–	–	–	–	–	–	–	
12	*13*	*19*	*17*	*22*	*34*	*32*	*43*	*25*	*11*	*5*	*2*	–	–	–	–	–	072.0
10	*12*	*17*	*13*	*19*	*33*	*28*	*35*	*23*	*10*	*5*	*2*	–	–	–	–	–	
2	*1*	*2*	*4*	*3*	*1*	*4*	*8*	*2*	*1*	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	*2*	*1*	*1*	–	–	–	–	–	–	–	072.1
–	–	–	–	–	–	–	*2*	*1*	*1*	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
073	フランベシア	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	073
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
074	その他のスピロヘータ感染	2	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	1	－	－	－	－	－	－	－	－	074
	男 M.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	
	女 F.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	
(080—096)	ビールスによる疾患	3 689	984	533	221	153	167	2 058	454	161	112	77	65	61	56	49	61	58	69	81	85	88	73	60	18	3	－	－	－	(080—096)
	男 M.	1 928	529	277	105	73	95	1 079	241	83	53	39	40	30	22	25	28	35	42	50	44	50	37	23	7	－	－	－	－	
	女 F.	1 761	455	256	116	80	72	979	213	78	59	38	25	31	34	24	33	23	27	31	41	38	36	37	11	3	－	－	－	
080	急性灰白髄炎	201	23	33	16	11	14	97	35	17	10	4	2	4	5	3	5	9	2	5	3	－	－	－	－	－	－	－	－	080
	男 M.	111	12	19	7	7	11	56	19	12	4	1	－	1	2	3	2	4	1	5	1	－	－	－	－	－	－	－	－	
	女 F.	90	11	14	9	4	3	41	16	5	6	3	2	3	3	－	3	5	1	－	2	－	－	－	－	－	－	－	－	
080.0	球型または灰白脳炎と明示されたもの	*12*	*4*	*2*	－	－	－	*6*	*1*	*3*	－	－	－	－	－	*1*	－	－	－	*1*	－	－	－	－	－	－	－	－	－	080.0
	男 M.	*8*	*3*	*1*	－	－	－	*4*	－	*2*	－	－	－	－	－	*1*	－	－	－	*1*	－	－	－	－	－	－	－	－	－	
	女 F.	*4*	*1*	*1*	－	－	－	*2*	*1*	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
080.1	その他の麻痺を伴うもの	*41*	*3*	*6*	*5*	*4*	*3*	*21*	*12*	*3*	*1*	*1*	－	－	*1*	－	*1*	－	－	－	*1*	－	－	－	－	－	－	－	－	080.1
	男 M.	*25*	*3*	*4*	*4*	*3*	*2*	*16*	*6*	*3*	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	*16*	－	*2*	*1*	*1*	*1*	*5*	*6*	－	*1*	*1*	－	－	*1*	－	*1*	－	－	－	*1*	－	－	－	－	－	－	－	－	
080.2	非麻痺性と明示されたもの	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	080.2
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
080.3	詳細不明のもの	*148*	*16*	*25*	*11*	*7*	*11*	*70*	*22*	*11*	*9*	*3*	*2*	*4*	*4*	*2*	*4*	*9*	*2*	*4*	*2*	－	－	－	－	－	－	－	－	080.3
	男 M.	*78*	*6*	*14*	*3*	*4*	*9*	*36*	*13*	*7*	*4*	*1*	－	*1*	*2*	*2*	*2*	*4*	*1*	*4*	*1*	－	－	－	－	－	－	－	－	
	女 F.	*70*	*10*	*11*	*8*	*3*	*2*	*34*	*9*	*4*	*5*	*2*	*2*	*3*	*2*	－	*2*	*5*	*1*	－	*1*	－	－	－	－	－	－	－	－	
081	急性灰白髄炎の後遺症	142	－	4	7	9	4	24	25	16	24	10	11	8	2	6	5	2	3	4	1	1	－	－	－	－	－	－	－	081
	男 M.	74	－	3	4	3	2	12	13	7	10	7	9	5	2	2	2	－	1	3	－	1	－	－	－	－	－	－	－	
	女 F.	68	－	1	3	6	2	12	12	9	14	3	2	3	－	4	3	2	2	1	1	－	－	－	－	－	－	－	－	
082	急性伝染性脳炎	1 006	77	33	42	33	42	227	152	91	63	50	39	34	32	29	27	32	36	50	44	43	28	25	3	1	－	－	－	082
	男 M.	520	41	20	22	15	22	120	91	45	29	25	22	19	10	14	7	22	26	28	24	20	11	7	－	－	－	－	－	
	女 F.	486	36	13	20	18	20	107	61	46	34	25	17	15	22	15	20	10	10	22	20	23	17	18	3	1	－	－	－	
082. a	日本脳炎	*723*	*9*	*15*	*32*	*22*	*33*	*111*	*123*	*72*	*50*	*34*	*28*	*23*	*24*	*16*	*20*	*23*	*33*	*40*	*35*	*38*	*27*	*23*	*2*	*1*	－	－	－	082. a
	男 M.	*377*	*6*	*9*	*16*	*10*	*18*	*59*	*73*	*36*	*24*	*17*	*18*	*12*	*8*	*9*	*7*	*16*	*23*	*22*	*18*	*18*	*10*	*7*	－	－	－	－	－	
	女 F.	*346*	*3*	*6*	*16*	*12*	*15*	*52*	*50*	*36*	*26*	*17*	*10*	*11*	*16*	*7*	*13*	*7*	*10*	*18*	*17*	*20*	*17*	*16*	*2*	*1*	－	－	－	
082. b	その他の節足動物の媒介による脳炎	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	082. b
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
082. c	リンパ球性脈絡髄膜炎	*211*	*53*	*14*	*6*	*8*	*6*	*87*	*19*	*16*	*11*	*10*	*11*	*7*	*6*	*7*	*6*	*8*	*2*	*8*	*7*	*4*	*1*	*1*	－	－	－	－	－	082. c
	男 M.	*108*	*29*	*8*	*4*	*5*	*2*	*48*	*13*	*6*	*5*	*5*	*4*	*5*	*2*	*2*	－	*5*	*2*	*4*	*4*	*2*	*1*	－	－	－	－	－	－	
	女 F.	*103*	*24*	*6*	*2*	*3*	*4*	*39*	*6*	*10*	*6*	*5*	*7*	*2*	*4*	*5*	*6*	*3*	－	*4*	*3*	*2*	－	*1*	－	－	－	－	－	
082. d	嗜眠性脳炎	*7*	－	－	－	*1*	－	*1*	－	－	*1*	*1*	－	－	－	*2*	－	－	－	*1*	－	*1*	－	－	－	－	－	－	－	082. d
	男 M.	*2*	－	－	－	－	－	－	－	－	－	－	－	－	－	*1*	－	－	－	*1*	－	－	－	－	－	－	－	－	－	
	女 F.	*5*	－	－	－	*1*	－	*1*	－	－	*1*	*1*	－	－	－	*1*	－	－	－	－	－	*1*	－	－	－	－	－	－	－	
082. e	その他および詳細不明の伝染性脳炎	*65*	*15*	*4*	*4*	*2*	*3*	*28*	*10*	*3*	*1*	*5*	－	*4*	*2*	*4*	*1*	*1*	*1*	*1*	*2*	－	－	*1*	*1*	－	－	－	－	082. e
	男 M.	*33*	*6*	*3*	*2*	－	*2*	*13*	*5*	*3*	－	*3*	－	*2*	－	*2*	－	*1*	*1*	*1*	*2*	－	－	－	－	－	－	－	－	
	女 F.	*32*	*9*	*1*	*2*	*2*	*1*	*15*	*5*	－	*1*	*2*	－	*2*	*2*	*2*	*1*	－	－	－	－	－	－	*1*	*1*	－	－	－	－	
083	急性伝染性脳炎の後遺症	35	－	－	－	－	－	－	7	3	4	3	2	1	－	－	3	1	6	1	1	2	1	－	－	－	－	－	－	083
	男 M.	24	－	－	－	－	－	－	4	3	2	3	2	－	－	－	2	1	4	－	1	1	1	－	－	－	－	－	－	
	女 F.	11	－	－	－	－	－	－	3	－	2	－	－	1	－	－	1	－	2	1	－	1	－	－	－	－	－	－	－	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
084	痘瘡	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
085	麻疹	1 882	848	454	152	98	98	1 650	204	20	2	2
	男 M.	969	452	230	71	48	54	855	99	11	2	1
	女 F.	913	396	224	81	50	44	795	105	9	－	1
085.0	肺炎の記載のないもの	*604*	*262*	*120*	*44*	*36*	*37*	*499*	*88*	*12*	－	*1*
	男 M.	*309*	*147*	*63*	*16*	*16*	*20*	*262*	*41*	*4*	－	*1*
	女 F.	*295*	*115*	*57*	*28*	*20*	*17*	*237*	*47*	*8*	－	－
085.1	肺炎を伴うもの	*1 278*	*586*	*334*	*108*	*62*	*61*	*1 151*	*116*	*8*	*2*	*1*
	男 M.	*660*	*305*	*167*	*55*	*32*	*34*	*593*	*58*	*7*	*2*	－
	女 F.	*618*	*281*	*167*	*53*	*30*	*27*	*558*	*58*	*1*	－	*1*
086	風疹	5	2	1	－	－	－	3	2	－	－	－
	男 M.	2	1	1	－	－	－	2	－	－	－	－
	女 F.	3	1	－	－	－	－	1	2	－	－	－
087	水痘	37	18	7	2	1	2	30	7	－	－	－
	男 M.	23	13	4	1	－	2	20	3	－	－	－
	女 F.	14	5	3	1	1	－	10	4	－	－	－
088	帯状疱疹	11	－	－	－	－	－	－	－	－	1	－
	男 M.	4	－	－	－	－	－	－	－	－	－	－
	女 F.	7	－	－	－	－	－	－	－	－	1	－
089	流行性耳下腺炎	15	1	－	－	－	3	4	7	2	1	－
	男 M.	5	－	－	－	－	－	－	4	1	－	－
	女 F.	10	1	－	－	－	3	4	3	1	1	－
090	デング熱	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
091	黄熱	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
092	伝染性肝炎	339	13	1	2	1	3	20	13	12	7	8
	男 M.	188	9	－	－	－	3	12	8	4	6	2
	女 F.	151	4	1	2	1	－	8	5	8	1	6
093	腺熱（伝染性単核細胞症）	9	－	－	－	－	1	1	1	－	－	－
	男 M.	5	－	－	－	－	1	1	－	－	－	－
	女 F.	4	－	－	－	－	－	－	1	－	－	－
094	狂犬病	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
095	トラコーマ	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
096	ビールスによるその他の疾患	7	2	－	－	－	－	2	1	－	－	－
	男 M.	3	1	－	－	－	－	1	－	－	－	－
	女 F.	4	1	－	－	－	－	1	1	－	－	－
096. a	オウム病およびハト病	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	084
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
1	1	－	－	－	－	1	－	1	－	－	－	－	－	－	－	－	085
1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	1	－	－	－	－	1	－	1	－	－	－	－	－	－	－	－	
1	*1*	－	－	－	－	*1*	－	*1*	－	－	－	－	－	－	－	－	085.0
1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	*1*	－	－	－	－	*1*	－	*1*	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	085.1
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	086
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	087
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
1	1	－	－	－	－	－	－	－	1	1	1	5	－	－	－	－	088
－	－	－	－	－	－	－	－	－	1	1	－	1	－	－	－	－	
1	1	－	－	－	－	－	－	－	－	－	1	4	－	－	－	1	
－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	089
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	090
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	091
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
9	12	15	11	21	13	21	20	33	40	42	30	10	2	－	－	－	092
6	5	7	6	15	8	10	14	17	26	23	13	6	－	－	－	－	
3	7	8	5	6	5	11	6	16	14	19	17	4	2	－	－	－	
－	－	2	－	－	1	－	1	1	1	－	1	－	－	－	－	－	093
－	－	1	－	－	－	－	－	1	1	－	1	－	－	－	－	－	
－	－	1	－	－	1	－	1	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	094
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	095
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	1	3	－	－	－	－	－	096
－	－	－	－	－	－	－	－	－	－	1	1	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	2	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	096. a
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
096. b	伝染性下痢症	2	1	−	−	−	−	1	−	−	−	−
	男 M.	1	1	−	−	−	−	1	−	−	−	−
	女 F.	1	−	−	−	−	−	−	−	−	−	−
096. c	その他	5	1	−	−	−	−	1	1	−	−	−
	男 M.	2	−	−	−	−	−	−	−	−	−	−
	女 F.	3	1	−	−	−	−	1	1	−	−	−
(100—108)	発疹チフスおよびその他のリケッチア病	10	−	−	−	−	−	−	−	−	−	−
	男 M.	5	−	−	−	−	−	−	−	−	−	−
	女 F.	5	−	−	−	−	−	−	−	−	−	−
100	シラミ媒介の流行性発疹チフス	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
101	発疹熱およびその他のノミ媒介の地方流行性発疹チフス様疾患(ネズミ系)	10	−	−	−	−	−	−	−	−	−	−
	男 M.	5	−	−	−	−	−	−	−	−	−	−
	女 F.	5	−	−	−	−	−	−	−	−	−	−
102	ブリル病（シラミまたはノミ媒介の発疹チフスとして特記されないもの）	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
103	メキシコ発疹チフス（ノミまたはシラミ媒介として特記されないもの）	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
104	ダニ媒介の発疹チフス様疾患	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
105	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
106	塹壕熱	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
107	詳細不明の発疹チフス様疾患	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
108	その他のリケッチア病	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
(110—117)	マラリア	10	−	−	−	−	−	−	−	−	−	−
	男 M.	10	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
110	三日熱マラリア（良性三日熱）	1	−	−	−	−	−	−	−	−	−	−
	男 M.	1	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
111	四日熱マラリア（四日熱）	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
112	熱帯熱マラリア（悪性三日熱）	1	−	−	−	−	−	−	−	−	−	−
	男 M.	1	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
−	−	−	−	−	−	−	−	−	−	−	1	−	−	−	−	−	096. b
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	1	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	1	2	−	−	−	−	−	096. c
−	−	−	−	−	−	−	−	−	−	1	1	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	1	−	−	−	−	−	
1	1	−	−	−	−	−	2	3	2	−	1	−	−	−	−	−	(100—108)
−	−	−	−	−	−	−	1	2	1	−	1	−	−	−	−	−	
1	1	−	−	−	−	−	1	1	1	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	100
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
1	1	−	−	−	−	−	2	3	2	−	1	−	−	−	−	−	101
−	−	−	−	−	−	−	1	2	1	−	1	−	−	−	−	−	
1	1	−	−	−	−	−	1	1	1	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	102
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	103
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	104
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	105
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	106
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	107
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	108
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	1	4	−	2	1	1	1	−	−	−	−	−	−	−	−	−	(110—117)
−	1	4	−	2	1	1	1	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	1	−	−	−	−	−	−	−	−	−	−	110
−	−	−	−	−	−	1	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	111
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	1	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	112
−	1	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
113	卵形三日熱マラリア	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	113
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
114	混合感染マラリア	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	114
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
115	黒　水　熱	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	115
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
116	その他および詳細不明のマラリア	7	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	1	–	1	–	–	–	–	–	–	–	–	–	116
	男 M.	7	–	–	–	–	–	–	–	–	–	–	–	–	4	–	1	1	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
117	再発接種マラリア	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	117
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(120—138)	その他の伝染病および寄生虫病	781	41	17	14	14	13	99	41	9	18	8	19	19	18	20	37	38	49	64	89	108	75	49	18	3	–	–	–	(120—138)
	男 M.	373	22	9	6	6	6	49	23	6	8	4	6	8	6	12	19	20	23	33	48	53	36	15	4	–	–	–	–	
	女 F.	408	19	8	8	8	7	50	18	3	10	4	13	11	12	8	18	18	26	31	41	55	39	34	14	3	–	–	–	
120	リーシュマニア症	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–	–	–	120
	男 M.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
121	トリパノソーマ症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	121
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
122	その他の原虫症	3	–	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	122
	男 M.	2	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
123	住血吸虫症	58	–	–	–	–	–	–	–	–	–	–	3	2	2	4	4	6	7	5	6	11	5	3	–	–	–	–	–	123
	男 M.	33	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	2	3	3	5	6	4	2	–	–	–	–	–	
	女 F.	25	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	4	4	2	1	5	1	1	–	–	–	–	–	
123. a	日本住血吸虫症	*57*	–	–	–	–	–	–	–	–	–	–	*3*	*2*	*2*	*4*	*4*	*6*	*7*	*5*	*6*	*10*	*5*	*3*	–	–	–	–	–	123. a
	男 M.	*33*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*2*	*3*	*2*	*3*	*3*	*5*	*6*	*4*	*2*	–	–	–	–	–	
	女 F.	*24*	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*1*	*2*	*1*	*4*	*4*	*2*	*1*	*4*	*1*	*1*	–	–	–	–	–	
123. b	そ　の　他	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	123. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	
124	その他の吸虫症	16	–	–	–	–	–	–	3	1	1	–	–	–	–	–	2	2	1	3	1	2	–	–	–	–	–	–	–	124
	男 M.	13	–	–	–	–	–	–	3	–	1	–	–	–	–	–	2	2	–	2	1	2	–	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
124.0	肝 吸 虫 症	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	–	*1*	*1*	*1*	–	–	–	–	–	–	–	124.0
	男 M.	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	–	*1*	*1*	*1*	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
124.1	肺 吸 虫 症	*9*	–	–	–	–	–	–	*3*	–	*1*	–	–	–	–	–	*1*	–	*1*	*2*	–	*1*	–	–	–	–	–	–	–	124.1
	男 M.	*7*	–	–	–	–	–	–	*3*	–	*1*	–	–	–	–	–	*1*	–	–	*2*	–	*1*	–	–	–	–	–	–	–	
	女 F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	
124.2	そ　の　他	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	124.2
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5才階級）・死因（基本分類）別

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
125	胞虫症	4	–	–	–	–	–	–	–	–	–	–
	男 M.	2	–	–	–	–	–	–	–	–	–	–
	女 F.	2	–	–	–	–	–	–	–	–	–	–
126	その他の条虫症	1	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
127	糸状虫症	50	–	–	–	–	–	–	–	–	1	1
	男 M.	32	–	–	–	–	–	–	–	–	1	–
	女 F.	18	–	–	–	–	–	–	–	–	–	1
128	旋毛虫症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
129	鉤虫症（十二指腸虫症）	257	1	–	1	–	1	3	2	3	6	1
	男 M.	121	–	–	–	–	1	1	–	3	2	1
	女 F.	136	1	–	1	–	–	2	2	–	4	–
130	その他の混合および詳細不明の蠕虫症	253	3	17	12	12	11	55	32	4	4	3
	男 M.	93	1	9	6	4	5	25	19	2	1	2
	女 F.	160	2	8	6	8	6	30	13	2	3	1
130.0	回虫症	*238*	*3*	*17*	*12*	*12*	*11*	*55*	*30*	*4*	*4*	*3*
	男 M.	*85*	*1*	*9*	*6*	*4*	*5*	*25*	*18*	*2*	*1*	*2*
	女 F.	*153*	*2*	*8*	*6*	*8*	*6*	*30*	*12*	*2*	*3*	*1*
130.1	蟯虫症	*1*	–	–	–	–	–	–	–	–	–	–
	男 M.	*1*	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
130.2	腸管内混合蠕虫症	*7*	–	–	–	–	–	–	*2*	–	–	–
	男 M.	*2*	–	–	–	–	–	–	*1*	–	–	–
	女 F.	*5*	–	–	–	–	–	–	*1*	–	–	–
130.3	その他	*7*	–	–	–	–	–	–	–	–	–	–
	男 M.	*5*	–	–	–	–	–	–	–	–	–	–
	女 F.	*2*	–	–	–	–	–	–	–	–	–	–
131	皮膚真菌症	5	–	–	–	–	–	–	–	–	–	–
	男 M.	5	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
132	放線菌症	13	–	–	–	–	–	–	–	–	–	–
	男 M.	9	–	–	–	–	–	–	–	–	–	–
	女 F.	4	–	–	–	–	–	–	–	–	–	–
133	コクチジオイデス症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
134	その他の真菌感染	93	35	–	–	–	1	36	1	1	5	2
	男 M.	49	19	–	–	–	–	19	–	1	3	1
	女 F.	44	16	–	–	–	1	17	1	–	2	1
134.a	カンジダ症	*83*	*35*	–	–	–	*1*	*36*	*1*	*1*	*5*	*1*
	男 M.	*44*	*19*	–	–	–	–	*19*	–	*1*	*3*	*1*
	女 F.	*39*	*16*	–	–	–	*1*	*17*	*1*	–	*2*	–
134.b	その他	*10*	–	–	–	–	–	–	–	–	–	*1*
	男 M.	*5*	–	–	–	–	–	–	–	–	–	–
	女 F.	*5*	–	–	–	–	–	–	–	–	–	*1*

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	1	–	–	–	2	–	–	–	–	–	1	–	–	–	–	125
–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	
–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	126
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	2	1	2	–	3	4	3	5	12	6	6	3	1	–	–	–	127
–	1	–	2	–	3	3	2	4	5	5	4	2	–	–	–	–	
–	1	1	–	–	–	1	1	1	7	1	2	1	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	128
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	5	9	5	13	13	20	34	37	44	40	14	5	1	–	–	–	129
–	3	3	5	5	6	7	16	20	26	19	4	–	–	–	–	–	
2	2	6	–	8	7	13	18	17	18	21	10	5	1	–	–	–	
5	6	2	3	7	4	8	10	28	33	17	23	8	1	–	–	–	130
2	2	1	1	2	1	3	4	10	11	3	3	1	–	–	–	–	
3	4	1	2	5	3	5	6	18	22	14	20	7	1	–	–	–	
5	*6*	*2*	*2*	*5*	*4*	*5*	*9*	*26*	*32*	*17*	*20*	*8*	*1*	–	–	–	130.0
2	*2*	*1*	–	*1*	*1*	*2*	*3*	*8*	*10*	*3*	*3*	*1*	–	–	–	–	
3	*4*	*1*	*2*	*4*	*3*	*3*	*6*	*18*	*22*	*14*	*17*	*7*	*1*	–	–	–	
–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	130.1
–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	*1*	–	*1*	–	–	*1*	–	*2*	–	–	–	–	–	130.2
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	
–	–	–	–	*1*	–	*1*	–	–	–	–	*2*	–	–	–	–	–	
–	–	–	–	*1*	–	*2*	*1*	*2*	–	–	*1*	–	–	–	–	–	130.3
–	–	–	–	*1*	–	*1*	*1*	*2*	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	
–	–	–	–	–	1	–	–	2	–	2	–	–	–	–	–	–	131
–	–	–	–	–	1	–	–	2	–	2	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	1	4	–	3	3	–	–	–	–	–	–	–	–	132
1	1	–	–	1	2	–	2	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	133
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	3	1	5	8	4	4	5	3	3	4	3	–	–	–	–	–	134
–	–	–	2	5	3	4	3	1	2	3	2	–	–	–	–	–	
5	3	1	3	3	1	–	2	2	1	1	1	–	–	–	–	–	
5	*2*	*1*	*5*	*5*	*3*	*3*	*5*	*3*	*3*	*3*	*1*	–	–	–	–	–	134.a
–	–	–	*2*	*3*	*3*	*3*	*3*	*1*	*2*	*2*	*1*	–	–	–	–	–	
5	*2*	*1*	*3*	*2*	–	–	*2*	*2*	*1*	*1*	–	–	–	–	–	–	
–	*1*	–	–	*3*	*1*	*1*	–	–	–	*1*	*2*	–	–	–	–	–	134.b
–	–	–	–	*2*	–	*1*	–	–	–	*1*	*1*	–	–	–	–	–	
–	*1*	–	–	*1*	*1*	–	–	–	–	–	*1*	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
135	疥癬	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
136	シラミ症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
137	その他の節足動物の寄生	1	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
138	その他の伝染病および寄生虫病	22	2	–	1	1	–	4	2	–	1	–
	男 M.	10	2	–	–	1	–	3	–	–	–	–
	女 F.	12	–	–	1	–	–	1	2	–	1	–
138. a	泉熱	*11*	*2*	–	*1*	*1*	–	*4*	*1*	–	*1*	–
	男 M.	*5*	*2*	–	–	*1*	–	*3*	–	–	–	–
	女 F.	*6*	–	–	*1*	–	–	*1*	*1*	–	*1*	–
138. b	その他	*11*	–	–	–	–	–	–	*1*	–	–	–
	男 M.	*5*	–	–	–	–	–	–	–	–	–	–
	女 F.	*6*	–	–	–	–	–	–	*1*	–	–	–
II	新生物	95 784	193	142	157	133	118	743	544	583	665	685
	男 M.	51 436	103	79	92	80	60	414	310	347	377	345
	女 F.	44 348	90	63	65	53	58	329	234	236	288	340
(140—148)	口腔および咽頭の悪性新生物	789	–	1	–	–	–	1	1	5	8	6
	男 M.	509	–	1	–	–	–	1	1	5	5	4
	女 F.	280	–	–	–	–	–	–	–	–	3	2
140	口唇の悪性新生物	18	–	–	–	–	–	–	–	–	–	–
	男 M.	10	–	–	–	–	–	–	–	–	–	–
	女 F.	8	–	–	–	–	–	–	–	–	–	–
141	舌の悪性新生物	361	–	1	–	–	–	1	–	–	2	–
	男 M.	237	–	1	–	–	–	1	–	–	–	–
	女 F.	124	–	–	–	–	–	–	–	–	2	–
142	唾液腺の悪性新生物	73	–	–	–	–	–	–	–	–	–	–
	男 M.	51	–	–	–	–	–	–	–	–	–	–
	女 F.	22	–	–	–	–	–	–	–	–	–	–
143	口底の悪性新生物	12	–	–	–	–	–	–	–	–	–	–
	男 M.	8	–	–	–	–	–	–	–	–	–	–
	女 F.	4	–	–	–	–	–	–	–	–	–	–
144	その他の部位および部位不明の口腔の悪性新生物	83	–	–	–	–	–	–	–	–	–	–
	男 M.	50	–	–	–	–	–	–	–	–	–	–
	女 F.	33	–	–	–	–	–	–	–	–	–	–
145	中部咽頭の悪性新生物	34	–	–	–	–	–	–	–	1	–	1
	男 M.	25	–	–	–	–	–	–	–	1	–	1
	女 F.	9	–	–	–	–	–	–	–	–	–	–
145. a	扁桃	*28*	–	–	–	–	–	–	–	*1*	–	*1*
	男 M.	*20*	–	–	–	–	–	–	–	*1*	–	*1*
	女 F.	*8*	–	–	–	–	–	–	–	–	–	–
145. b	その他	*6*	–	–	–	–	–	–	–	–	–	–
	男 M.	*5*	–	–	–	–	–	–	–	–	–	–
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	135
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	136
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	137
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
3	–	1	1	–	–	1	1	3	3	1	–	1	–	–	–	–	138
2	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–	–	
1	–	1	1	–	–	1	–	–	2	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	*1*	*1*	*1*	*1*	–	*1*	–	–	–	–	138. a
–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	–	–	–	–	
3	–	*1*	*1*	–	–	*1*	–	*2*	*2*	–	–	–	–	–	–	–	138. b
2	–	–	–	–	–	–	–	*2*	*1*	–	–	–	–	–	–	–	
1	–	*1*	*1*	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	
1 122	1 899	2 623	4 173	6 541	8 961	12 558	14 055	14 359	12 978	8 437	3 797	913	135	13	–	–	II
517	796	955	1 606	2 928	4 574	7 356	8 504	8 605	7 403	4 317	1 680	357	43	2	–	–	
605	1 103	1 668	2 567	3 613	4 387	5 202	5 551	5 754	5 575	4 120	2 117	556	92	11	–	–	
8	22	28	37	51	63	100	113	99	91	104	45	7	–	–	–	–	(140—148)
5	14	16	22	26	45	62	87	65	62	63	23	3	–	–	–	–	
3	8	12	15	25	18	38	26	34	29	41	22	4	–	–	–	–	
–	–	1	–	1	–	1	3	4	2	3	2	1	–	–	–	–	140
–	–	1	–	–	–	–	1	3	2	2	1	–	–	–	–	–	
–	–	–	–	1	–	1	2	1	–	1	1	1	–	–	–	–	
4	14	14	12	24	36	46	45	41	46	49	25	2	–	–	–	–	141
2	9	8	6	17	24	32	35	27	29	31	16	–	–	–	–	–	
2	5	6	6	7	12	14	10	14	17	18	9	2	–	–	–	–	
–	1	4	7	3	5	5	14	11	6	13	3	1	–	–	–	–	142
–	–	3	3	2	5	3	12	8	4	9	1	1	–	–	–	–	
–	1	1	4	1	–	2	2	3	2	4	2	–	–	–	–	–	
–	–	–	–	1	1	2	5	1	–	1	1	–	–	–	–	–	143
–	–	–	–	–	1	1	5	–	–	1	–	–	–	–	–	–	
–	–	–	–	1	–	1	–	1	–	–	1	–	–	–	–	–	
–	–	3	1	5	2	12	14	11	10	13	10	2	–	–	–	–	144
–	–	2	–	1	2	8	10	8	6	7	4	2	–	–	–	–	
–	–	1	1	4	–	4	4	3	4	6	6	–	–	–	–	–	
1	2	2	2	3	2	6	7	3	2	2	–	–	–	–	–	–	145
1	2	1	1	3	2	4	6	–	2	1	–	–	–	–	–	–	
–	–	1	1	–	–	2	1	3	–	1	–	–	–	–	–	–	
1	*2*	*2*	*2*	*3*	*2*	*6*	*3*	*2*	*2*	*1*	–	–	–	–	–	–	145. a
1	*2*	*1*	*1*	*3*	*2*	*4*	*2*	–	*2*	–	–	–	–	–	–	–	
–	–	*1*	*1*	–	–	*2*	*1*	*2*	–	*1*	–	–	–	–	–	–	
–	–	–	–	–	–	–	*4*	*1*	–	*1*	–	–	–	–	–	–	145. b
–	–	–	–	–	–	–	*4*	–	–	*1*	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
146	上部咽頭の悪性新生物	60	–	–	–	–	–	–	1	2	3	4	1	2	2	6	4	3	8	9	7	2	5	1	–	–	–	–	–	146
	男 M.	33	–	–	–	–	–	–	1	2	2	2	1	1	1	5	1	2	5	5	3	–	2	–	–	–	–	–	–	
	女 F.	27	–	–	–	–	–	–	–	–	1	2	–	1	1	1	3	1	3	4	4	2	3	1	–	–	–	–	–	
147	下部咽頭の悪性新生物	29	–	–	–	–	–	–	–	–	–	–	–	–	1	–	6	6	4	2	3	5	2	–	–	–	–	–	–	147
	男 M.	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	4	1	1	3	4	1	–	–	–	–	–	–	
	女 F.	14	–	–	–	–	–	–	–	–	–	–	–	–	1	–	5	2	3	1	–	1	1	–	–	–	–	–	–	
148	詳細不明の咽頭の悪性新生物	119	–	–	–	–	–	–	–	2	3	1	2	3	1	9	4	8	16	14	18	18	16	3	1	–	–	–	–	148
	男 M.	80	–	–	–	–	–	–	–	2	3	1	1	2	–	7	1	5	8	12	13	15	9	1	–	–	–	–	–	
	女 F.	39	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	3	8	2	5	3	7	2	1	–	–	–	–	
(150—159)	消化器および腹膜の悪性新生物	62 786	7	4	5	3	6	25	13	17	67	171	416	934	1 357	2 214	3 862	5 693	8 516	9 927	10 485	9 560	6 182	2 675	596	70	6	–	–	(150—159)
	男 M.	37 534	4	3	3	2	3	15	9	11	35	81	203	413	618	1 077	2 168	3 491	5 641	6 544	6 679	5 723	3 323	1 236	246	20	1	–	–	
	女 F.	25 252	3	1	2	1	3	10	4	6	32	90	213	521	739	1 137	1 694	2 202	2 875	3 383	3 806	3 837	2 859	1 439	350	50	5	–	–	
150	食道の悪性新生物	3 362	–	–	–	–	–	–	–	–	1	5	9	15	24	50	114	250	424	591	630	618	408	172	47	4	–	–	–	150
	男 M.	2 412	–	–	–	–	–	–	–	–	1	–	6	8	8	23	72	169	326	475	463	454	267	107	31	2	–	–	–	
	女 F.	950	–	–	–	–	–	–	–	–	–	5	3	7	16	27	42	81	98	116	167	164	141	65	16	2	–	–	–	
150. a	上部	*147*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*6*	*6*	*14*	*20*	*24*	*23*	*18*	*22*	*10*	*2*	–	–	–	–	150. a
	男 M.	*102*	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*8*	*14*	*23*	*15*	*16*	*15*	*7*	*1*	–	–	–	–	
	女 F.	*45*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*4*	*5*	*6*	*6*	*1*	*8*	*2*	*7*	*3*	*1*	–	–	–	–	
150. b	中部	*225*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*4*	*3*	*11*	*25*	*40*	*36*	*40*	*27*	*25*	*10*	*1*	–	–	–	–	150. b
	男 M.	*170*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*2*	*9*	*19*	*34*	*28*	*31*	*22*	*14*	*7*	–	–	–	–	–	
	女 F.	*55*	–	–	–	–	–	–	–	–	–	–	–	–	*3*	*1*	*2*	*6*	*6*	*8*	*9*	*5*	*11*	*3*	*1*	–	–	–	–	
150. c	下部	*394*	–	–	–	–	–	–	–	–	*1*	*2*	*3*	*6*	*6*	*10*	*16*	*25*	*51*	*83*	*65*	*68*	*38*	*15*	*5*	–	–	–	–	150. c
	男 M.	*282*	–	–	–	–	–	–	–	–	*1*	–	*2*	*2*	–	*7*	*13*	*17*	*39*	*66*	*50*	*51*	*22*	*10*	*2*	–	–	–	–	
	女 F.	*112*	–	–	–	–	–	–	–	–	–	*2*	*1*	*4*	*6*	*3*	*3*	*8*	*12*	*17*	*15*	*17*	*16*	*5*	*3*	–	–	–	–	
150. d	多部位および部位不明	*2 596*	–	–	–	–	–	–	–	–	–	*2*	*4*	*7*	*14*	*31*	*81*	*186*	*313*	*448*	*502*	*505*	*323*	*137*	*39*	*4*	–	–	–	150. d
	男 M.	*1 858*	–	–	–	–	–	–	–	–	–	–	*3*	*4*	*7*	*12*	*49*	*125*	*239*	*358*	*367*	*365*	*216*	*83*	*28*	*2*	–	–	–	
	女 F.	*738*	–	–	–	–	–	–	–	–	–	*2*	*1*	*3*	*7*	*19*	*32*	*61*	*74*	*90*	*135*	*140*	*107*	*54*	*11*	*2*	–	–	–	
151	胃の悪性新生物	41 884	–	–	–	–	2	2	–	2	28	110	273	672	967	1 547	2 669	3 799	5 657	6 685	7 015	6 358	3 965	1 729	359	42	5	–	–	151
	男 M.	25 757	–	–	–	–	1	1	–	2	18	48	130	282	427	738	1 514	2 421	3 892	4 573	4 622	3 903	2 216	818	139	12	1	–	–	
	女 F.	16 127	–	–	–	–	1	1	–	–	10	62	143	390	540	809	1 155	1 378	1 765	2 112	2 393	2 455	1 749	911	220	30	4	–	–	
151. a	噴門部	*1 644*	–	–	–	–	–	–	–	–	*3*	*5*	*9*	*34*	*47*	*66*	*93*	*129*	*230*	*298*	*253*	*261*	*138*	*61*	*17*	–	–	–	–	151. a
	男 M.	*1 105*	–	–	–	–	–	–	–	–	–	*3*	*5*	*15*	*21*	*35*	*57*	*97*	*175*	*221*	*185*	*164*	*82*	*33*	*10*	–	–	–	–	
	女 F.	*539*	–	–	–	–	–	–	–	–	–	*2*	*4*	*19*	*26*	*31*	*36*	*32*	*55*	*77*	*68*	*97*	*56*	*28*	*7*	–	–	–	–	
151. b	幽門部	*5 388*	–	–	–	–	–	–	–	–	*4*	*15*	*33*	*102*	*98*	*224*	*375*	*503*	*745*	*854*	*895*	*784*	*510*	*204*	*38*	*4*	–	–	–	151. b
	男 M.	*3 358*	–	–	–	–	–	–	–	–	*1*	*2*	*16*	*55*	*47*	*120*	*211*	*337*	*517*	*590*	*578*	*492*	*288*	*91*	*12*	*1*	–	–	–	
	女 F.	*2 030*	–	–	–	–	–	–	–	–	*3*	*13*	*17*	*47*	*51*	*104*	*164*	*166*	*228*	*264*	*317*	*292*	*222*	*113*	*26*	*3*	–	–	–	
151. c	その他	*34 852*	–	–	–	–	*2*	*2*	–	*2*	*21*	*90*	*231*	*536*	*822*	*1 257*	*2 201*	*3 167*	*4 682*	*5 533*	*5 867*	*5 313*	*3 317*	*1 464*	*304*	*38*	*5*	–	–	151. c
	男 M.	*21 294*	–	–	–	–	*1*	*1*	–	*2*	*14*	*44*	*109*	*212*	*359*	*583*	*1 246*	*1 987*	*3 200*	*3 762*	*3 859*	*3 247*	*1 846*	*694*	*117*	*11*	*1*	–	–	
	女 F.	*13 558*	–	–	–	–	*1*	*1*	–	–	*7*	*46*	*122*	*324*	*463*	*674*	*955*	*1 180*	*1 482*	*1 771*	*2 008*	*2 066*	*1 471*	*770*	*187*	*27*	*4*	–	–	
152	小腸の悪性新生物（十二指腸を含む）	224	–	–	–	–	–	–	–	–	–	1	3	4	8	10	13	13	32	32	33	36	19	14	6	–	–	–	–	152
	男 M.	118	–	–	–	–	–	–	–	–	–	1	–	3	4	7	8	10	17	19	19	20	6	4	1	–	–	–	–	
	女 F.	106	–	–	–	–	–	–	–	–	–	–	3	1	4	3	5	3	15	13	14	16	3	10	5	–	–	–	–	
152. a	十二指腸	*136*	–	–	–	–	–	–	–	–	–	–	*1*	*3*	*3*	*7*	*7*	*11*	*16*	*19*	*22*	*22*	*11*	*11*	*3*	–	–	–	–	152. a
	男 M.	*78*	–	–	–	–	–	–	–	–	–	–	–	*2*	*3*	*6*	*4*	*8*	*10*	*12*	*14*	*12*	*4*	*3*	–	–	–	–	–	
	女 F.	*58*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	*3*	*3*	*6*	*7*	*8*	*10*	*7*	*8*	*3*	–	–	–	–	
152. b	その他	*88*	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*5*	*3*	*6*	*2*	*16*	*13*	*11*	*14*	*8*	*3*	*3*	–	–	–	–	152. b
	男 M.	*40*	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*4*	*2*	*7*	*7*	*5*	*8*	*2*	*1*	*1*	–	–	–	–	
	女 F.	*48*	–	–	–	–	–	–	–	–	–	*1*	*2*	–	*4*	*2*	*2*	–	*9*	*6*	*6*	*6*	*6*	*2*	*2*	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
153	大腸の悪性新生物（直腸を除く）……	1 998	–	–	–	–	–	–	3	4	8	9
	男 M.	867	–	–	–	–	–	–	2	3	5	3
	女 F.	1 131	–	–	–	–	–	–	1	1	3	6
153. a	盲腸，虫垂および上行結腸……	*489*	–	–	–	–	–	–	*1*	–	*1*	–
	男 M.	*212*	–	–	–	–	–	–	*1*	–	*1*	–
	女 F.	*277*	–	–	–	–	–	–	–	–	–	–
153. b	横行結腸および下行結腸……	*204*	–	–	–	–	–	–	*1*	*2*	*1*	*2*
	男 M.	*98*	–	–	–	–	–	–	*1*	*1*	*1*	*1*
	女 F.	*106*	–	–	–	–	–	–	–	*1*	–	*1*
153. c	S 状結腸……	*147*	–	–	–	–	–	–	–	–	*2*	*2*
	男 M.	*73*	–	–	–	–	–	–	–	–	*1*	–
	女 F.	*74*	–	–	–	–	–	–	–	–	*1*	*2*
153. d	多部位および部位不明……	*630*	–	–	–	–	–	–	–	*1*	*3*	*2*
	男 M.	*268*	–	–	–	–	–	–	–	*1*	*1*	*1*
	女 F.	*362*	–	–	–	–	–	–	–	–	*2*	*1*
153. e	詳細不明の腸管……	*528*	–	–	–	–	–	–	*1*	*1*	*1*	*3*
	男 M.	*216*	–	–	–	–	–	–	–	*1*	*1*	*1*
	女 F.	*312*	–	–	–	–	–	–	*1*	–	–	*2*
154	直腸の悪性新生物……	3 082	–	1	–	–	–	1	1	–	10	16
	男 M.	1 615	–	1	–	–	–	1	1	–	3	11
	女 F.	1 467	–	–	–	–	–	–	–	–	7	5
155	胆路および原発と記載された肝臓の悪性新生物…	2 212	–	1	2	1	–	4	3	2	3	2
	男 M.	1 188	–	–	1	1	–	2	3	2	1	2
	女 F.	1 024	–	1	1	–	–	2	–	–	2	–
155.0	肝臓……	*1 186*	–	*1*	*2*	–	–	*3*	*3*	*1*	*3*	–
	男 M.	*705*	–	–	*1*	–	–	*1*	*3*	*1*	*1*	–
	女 F.	*481*	–	*1*	*1*	–	–	*2*	–	–	*2*	–
155.1	胆嚢および肝外胆管（ファーテル乳頭を含む）…	*1 026*	–	–	–	*1*	–	*1*	–	*1*	–	*2*
	男 M.	*483*	–	–	–	*1*	–	*1*	–	*1*	–	*2*
	女 F.	*543*	–	–	–	–	–	–	–	–	–	–
155.8	多部位……	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
156	肝臓の悪性新生物（続発性および詳細不明）…	7 226	5	–	3	–	1	9	1	4	9	14
	男 M.	4 173	3	–	2	–	–	5	1	3	4	8
	女 F.	3 053	2	–	1	–	1	4	–	1	5	6
157	膵臓の悪性新生物……	1 775	–	–	–	–	1	1	–	–	2	7
	男 M.	975	–	–	–	–	–	–	–	–	1	6
	女 F.	800	–	–	–	–	1	1	–	–	1	1
158	腹膜の悪性新生物……	959	2	2	–	2	2	8	5	5	6	7
	男 M.	395	1	2	–	1	2	6	2	1	2	3
	女 F.	564	1	–	–	1	–	2	3	4	4	4
159	詳細不明の消化器の悪性新生物……	64	–	–	–	–	–	–	–	–	–	–
	男 M.	34	–	–	–	–	–	–	–	–	–	–
	女 F.	30	–	–	–	–	–	–	–	–	–	–
(160—165)	呼吸器系の悪性新生物……	6 524	1	2	2	3	–	8	3	18	23	24
	男 M.	4 461	1	2	2	1	–	6	2	13	19	17
	女 F.	2 063	–	–	–	2	–	2	1	5	4	7

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
19	44	51	90	83	152	235	261	300	333	255	111	35	5	–	–	–	153
10	22	21	43	39	70	110	111	130	154	89	39	15	1	–	–	–	
9	22	30	47	44	82	125	150	170	179	166	72	20	4	–	–	–	
5	*13*	*12*	*24*	*16*	*45*	*64*	*67*	*69*	*80*	*56*	*24*	*10*	*2*	–	–	–	153. a
2	*7*	*6*	*17*	*8*	*22*	*36*	*30*	*28*	*32*	*13*	*6*	*2*	*1*	–	–	–	
3	*6*	*6*	*7*	*8*	*23*	*28*	*37*	*41*	*48*	*43*	*18*	*8*	*1*	–	–	–	
2	*8*	*7*	*8*	*11*	*21*	*33*	*31*	*30*	*27*	*11*	*7*	*2*	–	–	–	–	153. b
2	*2*	*3*	*2*	*6*	*13*	*16*	*10*	*14*	*15*	*6*	*4*	*1*	–	–	–	–	
–	*6*	*4*	*6*	*5*	*8*	*17*	*21*	*16*	*12*	*5*	*3*	*1*	–	–	–	–	
2	*4*	*4*	*11*	*7*	*11*	*16*	*23*	*17*	*24*	*17*	*7*	–	–	–	–	–	153. c
1	*2*	*2*	*4*	*5*	*3*	*11*	*13*	*6*	*12*	*9*	*4*	–	–	–	–	–	
1	*2*	*2*	*7*	*2*	*8*	*5*	*10*	*11*	*12*	*8*	*3*	–	–	–	–	–	
8	*13*	*19*	*32*	*33*	*38*	*81*	*73*	*94*	*106*	*80*	*37*	*9*	*1*	–	–	–	153. d
5	*9*	*8*	*15*	*15*	*18*	*33*	*28*	*44*	*48*	*28*	*11*	*3*	–	–	–	–	
3	*4*	*11*	*17*	*18*	*20*	*48*	*45*	*50*	*58*	*52*	*26*	*6*	*1*	–	–	–	
2	*6*	*9*	*15*	*16*	*37*	*41*	*67*	*90*	*96*	*91*	*36*	*14*	*2*	–	–	–	153. e
–	*2*	*2*	*5*	*5*	*14*	*14*	*30*	*38*	*47*	*33*	*14*	*9*	–	–	–	–	
2	*4*	*7*	*10*	*11*	*23*	*27*	*37*	*52*	*49*	*58*	*22*	*5*	*2*	–	–	–	
25	61	79	113	202	246	343	457	480	489	365	155	30	8	1	–	–	154
15	27	36	56	91	112	200	265	264	268	178	72	12	3	–	–	–	
10	34	43	57	111	134	143	192	216	221	187	83	18	5	1	–	–	
8	20	44	58	120	211	331	370	383	319	221	85	25	3	–	–	–	155
3	11	29	35	68	115	185	213	199	169	111	30	10	–	–	–	–	
5	9	15	23	52	96	146	157	184	150	110	55	15	3	–	–	–	
6	*15*	*24*	*32*	*60*	*122*	*181*	*180*	*205*	*168*	*122*	*47*	*12*	*2*	–	–	–	155.0
2	*9*	*16*	*17*	*37*	*79*	*114*	*120*	*114*	*94*	*72*	*18*	*7*	–	–	–	–	
4	*6*	*8*	*15*	*23*	*43*	*67*	*60*	*91*	*74*	*50*	*29*	*5*	*2*	–	–	–	
2	*5*	*20*	*26*	*60*	*89*	*150*	*190*	*178*	*151*	*99*	*38*	*13*	*1*	–	–	–	155.1
1	*2*	*13*	*18*	*31*	*36*	*71*	*93*	*85*	*75*	*39*	*12*	*3*	–	–	–	–	
1	*3*	*7*	*8*	*29*	*53*	*79*	*97*	*93*	*76*	*60*	*26*	*10*	*1*	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	155.8
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
35	72	98	206	426	683	1 040	1 105	1 236	1 106	747	354	75	6	–	–	–	156
21	44	57	115	261	421	654	664	761	613	361	148	30	2	–	–	–	
14	28	41	91	165	262	386	441	475	493	386	206	45	4	–	–	–	
16	20	46	77	149	212	308	295	282	204	119	30	6	1	–	–	–	157
7	7	20	33	80	121	194	169	153	105	59	15	5	–	–	–	–	
9	13	26	44	69	91	114	126	129	99	60	15	1	1	–	–	–	
27	26	38	60	83	120	137	122	116	88	76	24	11	–	–	–	–	158
11	9	14	25	34	48	56	50	62	34	32	3	3	–	–	–	–	
16	17	24	35	49	72	81	72	54	54	44	21	8	–	–	–	–	
1	–	2	3	3	7	9	9	10	9	7	1	2	1	–	–	–	159
–	–	2	2	1	4	7	5	6	3	4	–	–	–	–	–	–	
1	–	–	1	2	3	2	4	4	6	3	1	2	1	–	–	–	
33	71	106	221	364	595	927	1 134	1 179	1 021	538	204	45	9	1	–	–	(160—165)
19	40	53	125	214	388	666	826	854	720	347	125	22	5	–	–	–	
14	31	53	96	150	207	261	308	325	301	191	79	23	4	1	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
160	鼻，鼻腔，中耳および副鼻腔の悪性新生物	845	1	1	–	2	–	4	–	1	2	3	10	20	25	50	80	90	108	110	131	101	61	39	7	3	–	–	–	160
	男 M.	445	1	1	–	–	–	2	–	1	1	1	5	10	9	31	46	47	64	62	79	52	24	8	2	1	–	–	–	
	女 F.	400	–	–	–	2	–	2	–	–	1	2	5	10	16	19	34	43	44	48	52	49	37	31	5	2	–	–	–	
160.0	鼻（内）および鼻腔	*43*	*1*	–	–	–	–	*1*	–	–	–	*1*	*1*	*1*	*1*	*2*	*4*	*3*	*8*	*5*	*2*	*6*	*5*	*2*	*1*	–	–	–	–	160.0
	男 M.	*25*	*1*	–	–	–	–	*1*	–	–	–	*1*	*1*	*1*	–	*3*	*3*	*6*	*1*	–	*5*	*2*	*1*	–	–	–	–	–	–	
	女 F.	*18*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	–	*2*	*4*	*2*	*1*	*3*	*1*	*1*	–	–	–	–	
160.1	耳管および中耳	*11*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*2*	*1*	*2*	*4*	–	*1*	–	–	–	–	–	–	160.1
	男 M.	*6*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*2*	–	*1*	*2*	–	–	–	–	–	–	–	–	
	女 F.	*5*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*2*	–	*1*	–	–	–	–	–	–	
160.2	上顎洞	*757*	–	*1*	–	*1*	–	*2*	–	*1*	*2*	*2*	*8*	*18*	*22*	*45*	*75*	*80*	*94*	*100*	*121*	*90*	*54*	*34*	*6*	*3*	–	–	–	160.2
	男 M.	*402*	–	*1*	–	–	–	*1*	–	*1*	*1*	–	*4*	*9*	*8*	*31*	*43*	*40*	*55*	*59*	*75*	*44*	*21*	*7*	*2*	*1*	–	–	–	
	女 F.	*355*	–	–	–	*1*	–	*1*	–	–	*1*	*2*	*4*	*9*	*14*	*14*	*32*	*40*	*39*	*41*	*46*	*46*	*33*	*27*	*4*	*2*	–	–	–	
160.7	その他の副鼻腔	*4*	–	–	–	*1*	–	*1*	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	160.7
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*4*	–	–	–	*1*	–	*1*	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	
160.8	多部位	*6*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	*2*	*2*	–	–	–	–	–	–	–	160.8
	男 M.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	*1*	–	–	–	–	–	–	–	
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	
160.9	部位不明	*24*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*3*	*1*	*3*	*5*	*3*	*2*	*3*	*1*	*2*	–	–	–	–	–	160.9
	男 M.	*9*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*3*	*1*	*2*	*2*	*1*	–	–	–	–	–	–	
	女 F.	*15*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*3*	*1*	*2*	*2*	*2*	*1*	*1*	–	*2*	–	–	–	–	–	
161	喉頭の悪性新生物	728	–	–	–	1	–	1	–	1	1	–	–	2	5	14	26	62	102	128	138	116	83	32	15	1	1	–	–	161
	男 M.	546	–	–	–	1	–	1	–	1	1	–	–	–	4	8	18	52	84	105	99	83	57	24	8	1	–	–	–	
	女 F.	182	–	–	–	–	–	–	–	–	–	–	–	2	1	6	8	10	18	23	39	33	26	8	7	–	1	–	–	
162	気管および気管支ならびに原発と明示された肺の悪性新生物	583	–	–	1	–	–	1	–	–	2	–	4	5	9	16	30	55	98	101	109	89	50	14	–	–	–	–	–	162
	男 M.	440	–	–	1	–	–	1	–	–	1	–	2	5	4	11	24	37	78	83	80	67	37	10	–	–	–	–	–	
	女 F.	143	–	–	–	–	–	–	–	–	1	–	2	–	5	5	6	18	20	18	29	22	13	4	–	–	–	–	–	
162.0	気管	*10*	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	*2*	–	*2*	–	*1*	–	*2*	–	–	–	–	–	162.0
	男 M.	*8*	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*1*	*2*	–	–	–	*1*	–	*2*	–	–	–	–	–	
	女 F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	
162.1	気管支および肺	*566*	–	–	*1*	–	–	*1*	–	–	*2*	–	*4*	*3*	*8*	*16*	*29*	*53*	*97*	*98*	*109*	*86*	*49*	*11*	–	–	–	–	–	162.1
	男 M.	*426*	–	–	*1*	–	–	*1*	–	–	*1*	–	*2*	*3*	*3*	*11*	*23*	*35*	*77*	*82*	*80*	*65*	*36*	*7*	–	–	–	–	–	
	女 F.	*140*	–	–	–	–	–	–	–	–	*1*	–	*2*	–	*5*	*5*	*6*	*18*	*20*	*16*	*29*	*21*	*13*	*4*	–	–	–	–	–	
162.2	胸膜	*6*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	*1*	–	*1*	*1*	*1*	–	–	–	–	–	162.2
	男 M.	*5*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	*1*	–	–	*1*	*1*	–	–	–	–	–	
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	
162.8	多部位	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	162.8
	男 M.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
163	原発，続発の別不明の肺の悪性新生物	4 156	–	–	–	–	–	–	1	9	10	16	12	42	63	131	216	367	594	760	774	693	329	114	20	5	–	–	–	163
	男 M.	2 889	–	–	–	–	–	–	1	6	8	13	7	23	33	71	117	241	422	554	576	504	220	80	10	3	–	–	–	
	女 F.	1 267	–	–	–	–	–	–	–	3	2	3	5	19	30	60	99	126	172	206	198	189	109	34	10	2	–	–	–	
164	縦隔の悪性新生物	206	–	1	1	–	–	2	1	7	8	5	7	2	4	10	12	21	24	31	27	22	15	5	3	–	–	–	–	164
	男 M.	137	–	1	1	–	–	2	–	5	8	3	5	2	3	4	9	11	17	20	20	14	9	3	2	–	–	–	–	
	女 F.	69	–	–	–	–	–	–	1	2	–	2	2	–	1	6	3	10	7	11	7	8	6	2	1	–	–	–	–	
165	胸部臓器の悪性新生物（続発性）	6	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	4	–	–	–	–	–	–	–	–	–	165
	男 M.	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
(170—181)	乳房および性尿器の悪性新生物	11 625	4	10	17	12	5	48	15	17	42	69	182	308	550	935	1 278	1 459	1 583	1 445	1 256	1 114	804	386	109	22	3	–	–	(170—181)
	男 M.	1 544	3	6	16	7	3	35	5	6	7	8	19	21	13	26	54	76	163	225	252	266	218	107	36	6	1	–	–	
	女 F.	10 081	1	4	1	5	2	13	10	11	35	61	163	287	537	909	1 224	1 383	1 420	1 220	1 004	848	586	279	73	16	2	–	–	
170	乳房の悪性新生物	1 673	–	–	–	–	–	–	–	–	–	3	18	61	130	205	207	229	207	169	132	126	96	69	14	7	–	–	–	170
	男 M.	21	–	–	–	–	–	–	–	–	–	–	·	–	1	1	1	1	6	2	5	1	1	2	–	–	–	–	–	
	女 F.	1 652	–	–	–	–	–	–	–	–	–	3	18	61	129	204	206	228	201	167	127	125	95	67	14	7	–	–	–	
171	子宮頸の悪性新生物	1 810	–	–	–	–	–	–	–	–	1	2	9	45	98	186	243	277	285	235	173	122	84	42	7	1	–	–	–	171
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	1 810	–	–	–	–	–	–	–	–	1	2	9	45	98	186	243	277	285	235	173	122	84	42	7	1	–	–	–	
172	子宮体の悪性新生物	546	–	–	–	–	–	–	–	–	–	1	–	11	15	31	61	66	91	82	76	47	44	16	5	–	–	–	–	172
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	546	–	–	–	–	–	–	–	–	–	1	–	11	15	31	61	66	91	82	76	47	44	16	5	–	–	–	–	
173	子宮のその他の部位の悪性新生物（絨毛上皮腫を含む）	311	–	–	–	–	–	–	–	1	4	25	56	47	59	52	46	17	2	2	–	–	–	–	–	–	–	–	–	173
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	311	–	–	–	–	–	–	–	1	4	25	56	47	59	52	46	17	2	2	–	–	–	–	–	–	–	–	–	
173. a	絨毛上皮腫	*308*	–	–	–	–	–	–	–	*1*	*4*	*25*	*56*	*47*	*59*	*52*	*45*	*16*	*1*	*2*	–	–	–	–	–	–	–	–	–	173. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*308*	–	–	–	–	–	–	–	*1*	*4*	*25*	*56*	*47*	*59*	*52*	*45*	*16*	*1*	*2*	–	–	–	–	–	–	–	–	–	
173. b	その他	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	173. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	
174	詳細不明の子宮の悪性新生物	4 432	–	1	–	–	–	1	–	–	4	6	32	65	168	343	547	665	682	609	489	409	259	115	32	5	1	–	–	174
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	4 432	–	1	–	–	–	1	–	–	4	6	32	65	168	243	547	665	682	609	489	409	259	115	32	5	1	–	–	
175	卵巣，卵管および子宮広間膜の悪性新生物	672	–	1	–	–	–	1	4	7	22	18	35	53	50	70	88	84	80	54	38	39	13	11	4	1	–	–	–	175
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	672	–	1	–	–	–	1	4	7	22	18	35	53	50	70	88	84	80	54	38	39	13	11	4	1	–	–	–	
175. a	卵巣	*641*	–	*1*	–	–	–	*1*	*4*	*7*	*22*	*18*	*34*	*51*	*48*	*68*	*84*	*79*	*74*	*50*	*37*	*37*	*11*	*11*	*4*	*1*	–	–	–	175. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*641*	–	*1*	–	–	–	*1*	*4*	*7*	*22*	*18*	*34*	*51*	*48*	*68*	*84*	*79*	*74*	*50*	*37*	*37*	*11*	*11*	*4*	*1*	–	–	–	
175. b	その他	*31*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*2*	*2*	*4*	*5*	*6*	*4*	*1*	*2*	*2*	–	–	–	–	–	–	175. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*31*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	*2*	*2*	*4*	*5*	*6*	*4*	*1*	*2*	*2*	–	–	–	–	–	–	
176	その他および詳細不明の女性性器の悪性新生物	98	–	–	–	–	–	–	–	–	–	2	3	2	6	9	7	2	8	8	13	14	14	4	4	2	–	–	–	176
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	98	–	–	–	–	–	–	–	–	–	2	3	2	6	9	7	2	8	8	13	14	14	4	4	2	–	–	–	
176. a	外陰	*62*	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*3*	*6*	*4*	*1*	*5*	*6*	*6*	*10*	*11*	*2*	*3*	*2*	–	–	–	176. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*62*	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*3*	*6*	*4*	*1*	*5*	*6*	*6*	*10*	*11*	*2*	*3*	*2*	–	–	–	
176. b	その他	*36*	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*3*	*3*	*3*	*1*	*3*	*2*	*7*	*4*	*3*	*2*	*1*	–	–	–	–	176. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*36*	–	–	–	–	–	–	–	–	–	*1*	*2*	*1*	*3*	*3*	*3*	*1*	*3*	*2*	*7*	*4*	*3*	*2*	*1*	–	–	–	–	
177	前立腺の悪性新生物	453	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	10	32	70	83	98	92	42	16	4	1	–	–	177
	男 M.	453	–	–	–	–	–	–	–	–	–	–	–	2	–	1	2	10	32	70	83	98	92	42	16	4	1	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
178	睾丸の悪性新生物	100	–	–	8	1	1	10	–	2	5	8	16	15	5	5	5	7	4	8	5	1	2	–	2	–	–	–	–	178
	男 M.	100	–	–	8	1	1	10	–	2	5	8	16	15	5	5	5	7	4	8	5	1	2	–	2	–	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
179	その他および詳細不明の男性性器の悪性新生物	74	–	–	–	–	–	–	–	–	–	–	–	3	1	3	5	3	10	12	12	14	10	1	–	–	–	–	–	179
	男 M.	74	–	–	–	–	–	–	–	–	–	–	–	3	1	3	5	3	10	12	12	14	10	1	–	–	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
179. a	陰茎	*66*	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*2*	*5*	*3*	*10*	*10*	*10*	*13*	*9*	*1*	–	–	–	–	–	179. a
	男 M.	*66*	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*2*	*5*	*3*	*10*	*10*	*10*	*13*	*9*	*1*	–	–	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
179. b	その他	*8*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	*2*	*2*	*1*	*1*	–	–	–	–	–	–	179. b
	男 M.	*8*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	*2*	*2*	*1*	*1*	–	–	–	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
180	腎臓の悪性新生物	393	4	8	9	9	4	34	11	5	3	4	10	2	10	14	27	38	63	56	47	40	18	9	2	–	–	–	–	180
	男 M.	236	3	6	8	4	2	23	5	2	2	–	2	–	4	9	16	26	42	40	30	20	10	4	1	–	–	–	–	
	女 F.	157	1	2	1	5	2	11	6	3	1	4	8	2	6	5	11	12	21	16	17	20	8	5	1	–	–	–	–	
181	膀胱およびその他の泌尿器の悪性新生物	1 063	–	–	–	2	–	2	–	2	3	–	3	2	8	16	40	61	119	140	188	204	172	77	23	2	1	–	–	181
	男 M.	660	–	–	–	2	–	2	–	2	–	–	1	1	2	7	25	29	69	93	117	132	103	58	17	2	–	–	–	
	女 F.	403	–	–	–	–	–	–	–	–	3	–	2	1	6	9	15	32	50	47	71	72	69	19	6	–	1	–	–	
181. a	膀胱	*1 025*	–	–	–	*2*	–	*2*	–	*2*	*3*	–	*3*	*2*	*7*	*16*	*37*	*60*	*113*	*136*	*181*	*196*	*167*	*74*	*23*	*2*	*1*	–	–	181. a
	男 M.	*646*	–	–	–	*2*	–	*2*	–	*2*	–	–	*1*	*1*	*1*	*7*	*24*	*29*	*68*	*92*	*113*	*131*	*100*	*56*	*17*	*2*	–	–	–	
	女 F.	*379*	–	–	–	–	–	–	–	–	*3*	–	*2*	*1*	*6*	*9*	*13*	*31*	*45*	*44*	*68*	*65*	*67*	*18*	*6*	–	*1*	–	–	
181. b	その他の泌尿器および多部位	*38*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*3*	*1*	*6*	*4*	*7*	*8*	*5*	*3*	–	–	–	–	–	181. b
	男 M.	*14*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	*1*	*1*	*4*	*1*	*3*	*2*	–	–	–	–	–	
	女 F.	*24*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*5*	*3*	*3*	*7*	*2*	*1*	–	–	–	–	–	
(190—199)	その他および部位不明の悪性新生物	5 584	22	20	32	32	16	122	65	91	121	93	108	146	190	270	383	515	689	712	703	608	397	265	85	18	3	–	–	(190—199)
	男 M.	2 864	9	7	13	21	8	58	35	54	70	47	55	74	72	115	179	256	366	421	386	333	194	108	34	7	–	–	–	
	女 F.	2 720	13	13	19	11	8	64	30	37	51	46	53	72	118	155	204	259	323	291	317	275	203	157	51	11	3	–	–	
190	皮膚の悪性黒色腫	61	–	–	–	–	–	–	–	–	1	1	3	2	2	7	4	9	11	7	5	4	2	2	–	–	1	–	–	190
	男 M.	35	–	–	–	–	–	–	–	–	1	–	3	1	–	5	1	5	5	6	3	4	–	1	–	–	–	–	–	
	女 F.	26	–	–	–	–	–	–	–	–	–	1	–	1	2	2	3	4	6	1	2	–	2	1	–	–	1	–	–	
191	その他の皮膚の悪性新生物	580	2	2	2	1	3	10	2	5	6	3	6	6	9	21	29	35	58	60	67	84	64	73	33	8	1	–	–	191
	男 M.	309	–	–	–	1	2	3	–	4	6	2	3	3	3	13	15	20	32	33	38	43	31	41	15	4	–	–	–	
	女 F.	271	2	2	2	–	1	7	2	1	–	1	3	3	6	8	14	15	26	27	29	41	33	32	18	4	1	–	–	
191. a	顔，頭および頸	*288*	*1*	*1*	*1*	–	*1*	*4*	*1*	*3*	*1*	–	*4*	*2*	*5*	*9*	*12*	*17*	*25*	*31*	*31*	*40*	*36*	*40*	*19*	*7*	*1*	–	–	191. a
	男 M.	*148*	–	–	–	–	*1*	*1*	–	*3*	*1*	–	*2*	–	*1*	*6*	*5*	*10*	*11*	*17*	*16*	*20*	*22*	*22*	*8*	*3*	–	–	–	
	女 F.	*140*	*1*	*1*	*1*	–	–	*3*	*1*	–	–	–	*2*	*2*	*4*	*3*	*7*	*7*	*14*	*14*	*15*	*20*	*14*	*18*	*11*	*4*	*1*	–	–	
191. b	体幹	*92*	*1*	*1*	*1*	*1*	*1*	*5*	–	–	*2*	*3*	–	*2*	*1*	*2*	*5*	*5*	*14*	*7*	*15*	*9*	*11*	*8*	*3*	–	–	–	–	191. b
	男 M.	*46*	–	–	–	*1*	–	*1*	–	–	*2*	*2*	–	*1*	*1*	–	*4*	*3*	*6*	*4*	*6*	*5*	*4*	*5*	*2*	–	–	–	–	
	女 F.	*46*	*1*	*1*	*1*	–	*1*	*4*	–	–	–	*1*	–	*1*	–	*2*	*1*	*2*	*8*	*3*	*9*	*4*	*7*	*3*	*1*	–	–	–	–	
191. c	上肢	*26*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*2*	–	*3*	*1*	*3*	*3*	*5*	*2*	*3*	*2*	–	–	–	–	191. c
	男 M.	*16*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*2*	–	*1*	*1*	*2*	*3*	*2*	*1*	*2*	–	–	–	–	–	
	女 F.	*10*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	*1*	–	*3*	*1*	*1*	*2*	–	–	–	–	
191. d	下肢	*70*	–	–	–	–	–	–	*1*	*2*	*1*	–	–	*1*	*1*	*3*	*3*	*7*	*10*	*4*	*6*	*15*	*7*	*5*	*4*	–	–	–	–	191. d
	男 M.	*41*	–	–	–	–	–	–	–	*1*	*1*	–	–	*1*	–	*1*	*2*	*5*	*8*	*2*	*5*	*9*	*1*	*2*	*3*	–	–	–	–	
	女 F.	*29*	–	–	–	–	–	–	*1*	*1*	–	–	–	–	*1*	*2*	*1*	*2*	*2*	*2*	*1*	*6*	*6*	*3*	*1*	–	–	–	–	
191. e	多部位および部位不明	*104*	–	–	–	–	*1*	*1*	–	–	*2*	–	*1*	–	*2*	*5*	*9*	*3*	*8*	*15*	*12*	*15*	*8*	*17*	*5*	*1*	–	–	–	191. e
	男 M.	*58*	–	–	–	–	*1*	*1*	–	–	*2*	–	–	–	*1*	*4*	*4*	*1*	*6*	*8*	*8*	*7*	*3*	*10*	*2*	*1*	–	–	–	
	女 F.	*46*	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	*5*	*2*	*2*	*7*	*4*	*8*	*5*	*7*	*3*	–	–	–	–	
192	眼の悪性新生物	53	–	–	7	11	1	19	7	1	3	1	2	1	2	1	2	2	–	5	3	1	1	2	–	–	–	–	–	192
	男 M.	31	–	–	2	9	1	12	5	–	2	1	–	–	–	1	1	2	–	4	1	–	–	2	–	–	–	–	–	
	女 F.	22	–	–	5	2	·	7	2	1	1	–	2	1	2	–	1	–	–	1	2	1	1	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5才階級）・死因（基本分類）別

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
193	脳およびその他の神経系の悪性新生物…	323	6	5	7	4	3	25	23	11	21	17	11	24	17	27	27	23	31	30	16	12	6	2	–	–	–	–	–	193
	男 M.	168	4	2	3	1	1	11	14	8	11	11	5	14	5	9	15	10	16	18	8	7	4	2	–	–	–	–	–	
	女 F.	155	2	3	4	3	2	14	9	3	10	6	6	10	12	18	12	13	15	12	8	5	2	–	–	–	–	–	–	
193. a	脳	*220*	*2*	*2*	*2*	*1*	–	*7*	*18*	*8*	*19*	*13*	*9*	*21*	*15*	*23*	*23*	*18*	*19*	*12*	*7*	*5*	*3*	–	–	–	–	–	–	193. a
	男 M.	*102*	*1*	–	*1*	*1*	–	*3*	*11*	*5*	*9*	*7*	*4*	*11*	*4*	*7*	*11*	*7*	*11*	*6*	*4*	*1*	*1*	–	–	–	–	–	–	
	女 F.	*118*	*1*	*2*	*1*	–	–	*4*	*7*	*3*	*10*	*6*	*5*	*10*	*11*	*16*	*12*	*11*	*8*	*6*	*3*	*4*	*2*	–	–	–	–	–	–	
193. b	脊髄	*66*	*1*	–	–	–	–	*1*	–	–	*1*	*2*	*1*	*2*	*2*	*2*	*4*	*3*	*12*	*16*	*8*	*7*	*3*	*2*	–	–	–	–	–	193. b
	男 M.	*44*	*1*	–	–	–	–	*1*	–	–	*1*	*2*	*1*	*2*	*1*	–	*4*	*2*	*5*	*10*	*4*	*6*	*3*	*2*	–	–	–	–	–	
	女 F.	*22*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*2*	–	*1*	*7*	*6*	*4*	*1*	–	–	–	–	–	–	–	
193. c	髄膜	*2*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	193. c
	男 M.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	
193. d	末梢神経	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	193. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
193. e	交感神経	*13*	*1*	*1*	*2*	*1*	*1*	*6*	*2*	*1*	*1*	–	*1*	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	193. e
	男 M.	*8*	–	*1*	*1*	–	*1*	*3*	*1*	*1*	*1*	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*5*	*1*	–	*1*	*1*	–	*3*	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
193. f	多部位および部位不明	*22*	*2*	*2*	*3*	*2*	*2*	*11*	*3*	*1*	–	*2*	–	*1*	–	–	*1*	–	*2*	*1*	–	–	–	–	–	–	–	–	–	193. f
	男 M.	*13*	*2*	*1*	*1*	–	–	*4*	*2*	*1*	–	*2*	–	*1*	–	–	*1*	–	*2*	–	–	–	–	–	–	–	–	–	–	
	女 F.	*9*	–	*1*	*2*	*2*	*2*	*7*	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	
194	甲状腺の悪性新生物	246	–	–	–	–	–	–	–	2	–	1	4	2	11	7	12	23	28	36	40	31	21	20	7	1	–	–	–	194
	男 M.	63	–	–	–	–	–	–	–	1	–	–	1	1	2	–	3	8	9	12	9	9	5	3	–	–	–	–	–	
	女 F.	183	–	–	–	–	–	–	–	1	–	1	3	1	9	7	9	15	19	24	31	22	16	17	7	1	–	–	–	
195	その他の内分泌腺の悪性新生物	21	–	–	–	1	–	1	2	1	–	–	3	–	–	4	1	1	2	3	2	1	–	–	–	–	–	–	–	195
	男 M.	13	–	–	–	–	–	–	2	1	–	–	1	–	–	1	1	1	1	3	1	1	–	–	–	–	–	–	–	
	女 F.	8	–	–	–	1	–	1	–	–	–	–	2	–	–	3	–	–	1	–	1	–	–	–	–	–	–	–	–	
195. a	副腎	*11*	–	–	–	*1*	–	*1*	–	–	–	–	*2*	–	–	*1*	*1*	*1*	*1*	*2*	*2*	–	–	–	–	–	–	–	–	195. a
	男 M.	*7*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*1*	*2*	*1*	–	–	–	–	–	–	–	–	
	女 F.	*4*	–	–	–	*1*	–	*1*	–	–	–	–	*2*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	
195. b	胸腺	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	195. b
	男 M.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
195. c	下垂体および頭蓋咽頭管	*4*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*2*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	195. c
	男 M.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	
195. d	その他の内分泌腺および多部位	*4*	–	–	–	–	–	–	*2*	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	195. d
	男 M.	*3*	–	–	–	–	–	–	*2*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	
196	骨の悪性新生物	1 006	1	2	1	1	2	7	10	40	50	33	22	25	35	53	57	82	125	142	128	95	64	31	5	2	–	–	–	196
	男 M.	580	1	–	1	1	1	4	4	21	30	17	15	16	21	29	31	47	77	79	83	56	38	9	3	–	–	–	–	
	女 F.	426	–	2	–	–	1	3	6	19	20	16	7	9	14	24	26	35	48	63	45	39	26	22	2	2	–	–	–	
196. a	頭蓋骨および顔面骨	*352*	*1*	*1*	–	–	–	*2*	*1*	*4*	*1*	*5*	*4*	*4*	*14*	*20*	*23*	*32*	*51*	*49*	*52*	*38*	*34*	*13*	*4*	*1*	–	–	–	196. a
	男 M.	*208*	*1*	–	–	–	–	*1*	*1*	*3*	*1*	*1*	*4*	*3*	*9*	*14*	*17*	*18*	*33*	*30*	*32*	*21*	*15*	*3*	*2*	–	–	–	–	
	女 F.	*144*	–	*1*	–	–	–	*1*	–	*1*	–	*4*	–	*1*	*5*	*6*	*6*	*14*	*18*	*19*	*20*	*17*	*19*	*10*	*2*	*1*	–	–	–	
196. b	下顎骨	*110*	–	–	–	–	*1*	*1*	*2*	*2*	–	–	*2*	*4*	*2*	*6*	*3*	*8*	*10*	*16*	*21*	*15*	*6*	*12*	–	–	–	–	–	196. b
	男 M.	*56*	–	–	–	–	–	–	*1*	*1*	–	–	*2*	*3*	*1*	–	*1*	*5*	*6*	*9*	*13*	*5*	*5*	*4*	–	–	–	–	–	
	女 F.	*54*	–	–	–	–	*1*	*1*	*1*	*1*	–	–	–	*1*	*1*	*6*	*2*	*3*	*4*	*7*	*8*	*10*	*1*	*8*	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
196. c	脊椎，肋骨，胸骨，鎖骨および骨盤…	*238*	–	–	–	–	–	–	*1*	*6*	*4*	*6*
	骨 男 M.	*139*	–	–	–	–	–	–	*1*	*2*	*3*	*3*
	女 F.	*99*	–	–	–	–	–	–	–	*4*	*1*	*3*
196. d	上肢の骨および肩甲骨……	*43*	–	–	–	–	–	–	*1*	*1*	–	*2*
	男 M.	*21*	–	–	–	–	–	–	–	–	–	*1*
	女 F.	*22*	–	–	–	–	–	–	*1*	*1*	–	*1*
196. e	下 肢 の 骨……	*154*	–	–	–	*1*	*1*	*2*	*3*	*23*	*35*	*12*
	男 M.	*92*	–	–	–	*1*	*1*	*2*	*1*	*12*	*21*	*9*
	女 F.	*62*	–	–	–	–	–	–	*2*	*11*	*14*	*3*
196. f	多部位および部位不明……	*109*	–	*1*	*1*	–	–	*2*	*2*	*4*	*10*	*8*
	男 M.	*64*	–	–	*1*	–	–	*1*	–	*3*	*5*	*3*
	女 F.	*45*	–	*1*	–	–	–	*1*	*2*	*1*	*5*	*5*
197	結合組織の悪性新生物……	68	2	–	–	–	–	2	1	1	5	–
	男 M.	32	1	–	–	–	–	1	1	1	2	–
	女 F.	36	1	–	–	–	–	1	–	–	3	–
198	リンパ節の続発性および詳細不明の悪…	234	–	–	4	1	1	6	5	4	2	1
	性新生物 男 M.	110	–	–	3	1	–	4	1	2	2	–
	女 F.	124	–	–	1	–	1	2	4	2	–	1
199	その他および部位不明の悪性新生物……	2 992	11	11	11	13	6	52	15	26	33	36
	男 M.	1 523	3	5	4	8	3	23	8	16	16	16
	女 F.	1 469	8	6	7	5	3	29	7	10	17	20
(200—205)	リンパ組織および造血組織の新生物……	3 978	71	66	72	55	64	328	274	294	272	200
	男 M.	2 303	35	36	39	34	38	182	161	174	169	120
	女 F.	1 675	36	30	33	21	26	146	113	120	103	80
200	リンパ肉腫および細網肉腫……	859	5	6	4	7	4	26	20	29	35	35
	男 M.	536	3	2	2	5	4	16	11	22	28	21
	女 F.	323	2	4	2	2	–	10	9	7	7	14
200.0	細 網 肉 腫……	*429*	*3*	*1*	*3*	*2*	*1*	*10*	*9*	*14*	*21*	*18*
	男 M.	*287*	*2*	*1*	*2*	*2*	*1*	*8*	*6*	*12*	*17*	*10*
	女 F.	*142*	*1*	–	*1*	–	–	*2*	*3*	*2*	*4*	*8*
200.1	リ ン パ 肉 腫……	*377*	*1*	*1*	*1*	*3*	*2*	*8*	*5*	*10*	*12*	*15*
	男 M.	*223*	*1*	–	–	*3*	*2*	*6*	*2*	*7*	*10*	*10*
	女 F.	*154*	–	*1*	*1*	–	–	*2*	*3*	*3*	*2*	*5*
200.2	その他の類リンパ組織の原発性悪性…	*53*	*1*	*4*	–	*2*	*1*	*8*	*6*	*5*	*2*	*2*
	新生物 男 M.	*26*	–	*1*	–	–	*1*	*2*	*3*	*3*	*1*	*1*
	女 F.	*27*	*1*	*3*	–	*2*	–	*6*	*3*	*2*	*1*	*1*
201	ホ ジ キ ン 病……	460	1	5	2	1	3	12	9	10	9	15
	男 M.	285	1	2	1	1	3	8	6	7	4	8
	女 F.	175	–	3	1	–	–	4	3	3	5	7
202	その他のリンパ腫（細網症）……	37	3	2	1	1	–	7	2	1	–	3
	男 M.	20	3	2	–	–	–	5	1	–	–	–
	女 F.	17	–	–	1	1	–	2	1	1	–	3
203	多発骨髄腫（形質細胞腫）……	126	–	1	–	2	–	3	–	1	2	1
	男 M.	78	–	–	–	2	–	2	–	1	2	1
	女 F.	48	–	1	–	–	–	1	–	–	–	–
204	白血病および無白血病……	2 486	62	52	65	44	57	280	243	253	226	146
	男 M.	1 380	28	30	36	26	31	151	143	144	135	90
	女 F.	1 106	34	22	29	18	26	129	100	109	91	56

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
9	*6*	*8*	*13*	*19*	*22*	*34*	*32*	*31*	*28*	*12*	*6*	–	*1*	–	–	–	196. c
6	*2*	*4*	*6*	*8*	*14*	*19*	*19*	*22*	*19*	*9*	*2*	–	–	–	–	–	
3	*4*	*4*	*7*	*11*	*8*	*15*	*13*	*9*	*9*	*3*	*4*	–	*1*	–	–	–	
1	*1*	*2*	*1*	–	*3*	*8*	*11*	*6*	*4*	*2*	–	–	–	–	–	–	196. d
–	–	*1*	–	–	*1*	*5*	*5*	*4*	*2*	*2*	–	–	–	–	–	–	
1	*1*	*1*	*1*	–	*2*	*3*	*6*	*2*	*2*	–	–	–	–	–	–	–	
3	*4*	*2*	*3*	*8*	*11*	*7*	*19*	*12*	*6*	*4*	–	–	–	–	–	–	196. e
1	*4*	*2*	*1*	*3*	*5*	*5*	*10*	*7*	*5*	*4*	–	–	–	–	–	–	
2	–	–	*2*	*5*	*6*	*2*	*9*	*5*	*1*	–	–	–	–	–	–	–	
3	*6*	*7*	*10*	*4*	*6*	*15*	*15*	*6*	*4*	*6*	–	*1*	–	–	–	–	196. f
2	*4*	*4*	*8*	*2*	*4*	*9*	*6*	*5*	*4*	*3*	–	*1*	–	–	–	–	
1	*2*	*3*	*2*	*2*	*2*	*6*	*9*	*1*	–	*3*	–	–	–	–	–	–	
2	8	4	3	6	6	9	6	4	6	2	3	–	–	–	–	–	197
1	4	2	1	3	1	4	4	3	3	1	–	–	–	–	–	–	
1	4	2	2	3	5	5	2	1	3	1	3	–	–	–	–	–	
2	8	9	7	13	22	32	21	26	33	20	17	5	1	–	–	–	198
1	4	2	2	8	10	18	10	14	17	4	6	4	1	–	–	–	
1	4	7	5	5	12	14	11	12	16	16	11	1	–	–	–	–	
53	70	101	140	232	312	393	402	412	341	217	115	35	6	1	–	–	199
25	31	37	54	101	152	204	252	226	193	111	44	12	2	–	–	–	
28	39	64	86	131	160	189	150	186	148	106	71	23	4	1	–	–	
229	233	208	249	281	273	317	306	242	156	77	30	7	2	–	–	–	(200—205)
139	143	115	142	156	149	193	167	141	93	39	18	2	–	–	–	–	
90	90	93	107	125	124	124	139	101	63	38	12	5	2	–	–	–	
23	47	45	69	65	85	98	95	80	58	33	12	4	–	–	–	–	200
18	31	32	46	39	52	61	54	43	34	18	10	–	–	–	–	–	
5	16	13	23	26	33	37	41	37	24	15	2	4	–	–	–	–	
15	*32*	*28*	*41*	*38*	*47*	*44*	*46*	*30*	*20*	*12*	*4*	–	–	–	–	–	200.0
13	*21*	*21*	*28*	*25*	*31*	*27*	*27*	*18*	*13*	*7*	*3*	–	–	–	–	–	
2	*11*	*7*	*13*	*13*	*16*	*17*	*19*	*12*	*7*	*5*	*1*	–	–	–	–	–	
7	*14*	*16*	*24*	*24*	*36*	*50*	*46*	*48*	*34*	*18*	*8*	*2*	–	–	–	–	200.1
5	*9*	*10*	*17*	*13*	*20*	*32*	*25*	*23*	*18*	*9*	*7*	–	–	–	–	–	
2	*5*	*6*	*7*	*11*	*16*	*18*	*21*	*25*	*16*	*9*	*1*	*2*	–	–	–	–	
1	*1*	*1*	*4*	*3*	*2*	*4*	*3*	*2*	*4*	*3*	–	*2*	–	–	–	–	200.2
–	*1*	*1*	*1*	*1*	*1*	*2*	*2*	*2*	*3*	*2*	–	–	–	–	–	–	
1	–	–	*3*	*2*	*1*	*2*	*1*	–	*1*	*1*	–	*2*	–	–	–	–	
17	11	19	22	31	40	65	64	58	43	24	8	2	1	–	–	–	201
9	8	11	14	18	29	42	42	37	27	10	4	1	–	–	–	–	
8	3	8	8	13	11	23	22	21	16	14	4	1	1	–	–	–	
–	–	2	1	6	2	3	3	3	–	2	2	–	–	–	–	–	202
–	–	2	–	4	2	1	1	2	–	2	–	–	–	–	–	–	
–	–	–	1	2	–	2	2	1	–	–	2	–	–	–	–	–	
4	2	4	9	17	16	22	22	15	8	–	–	–	–	–	–	–	203
3	–	2	6	14	6	12	13	11	5	–	–	–	–	–	–	–	
1	2	2	3	3	10	10	9	4	3	–	–	–	–	–	–	–	
185	173	138	147	162	126	129	120	85	46	18	7	1	1	–	–	–	204
109	104	68	75	81	60	77	56	47	26	9	4	1	–	–	–	–	
76	69	70	72	81	66	52	64	38	20	9	3	–	1	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
204.0	リンパ性白血病	126	5	6	3	4	9	27	15	5	9	5
	男 M.	68	2	4	2	3	3	14	7	3	9	3
	女 F.	58	3	2	1	1	6	13	8	2	–	2
204.1	骨髄性白血病	392	7	5	12	4	11	39	21	31	17	18
	男 M.	210	4	3	6	1	6	20	10	18	10	13
	女 F.	182	3	2	6	3	5	19	11	13	7	5
204.2	単球性白血病	72	1	1	1	2	–	5	6	3	7	4
	男 M.	38	1	–	1	2	–	4	3	1	4	2
	女 F.	34	–	1	–	–	–	1	3	2	3	2
204.3	急性白血病	1 525	41	27	35	27	28	158	159	185	170	102
	男 M.	856	16	16	18	15	16	81	95	109	95	63
	女 F.	669	25	11	17	12	12	77	64	76	75	39
204.4	その他および詳細不明の白血病	371	8	13	14	7	9	51	42	29	23	17
	男 M.	208	5	7	9	5	6	32	28	13	17	9
	女 F.	163	3	6	5	2	3	19	14	16	6	8
205	菌状息肉症	10	–	–	–	–	–	–	–	–	–	–
	男 M.	4	–	–	–	–	–	–	–	–	–	–
	女 F.	6	–	–	–	–	–	–	–	–	–	–
(210—229)	良性新生物	712	18	7	1	1	3	30	13	12	23	9
	男 M.	190	11	3	–	–	1	15	10	7	13	2
	女 F.	522	7	4	1	1	2	15	3	5	10	7
210	口腔および咽頭の良性新生物	2	–	–	–	–	–	–	–	–	1	–
	男 M.	1	–	–	–	–	–	–	–	–	1	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
211	その他の消化器系の良性新生物	84	4	2	–	–	1	7	3	1	6	1
	男 M.	45	2	–	–	–	1	3	3	1	5	1
	女 F.	39	2	2	–	–	–	4	–	–	1	–
212	呼吸器系の良性新生物	22	1	–	–	–	–	1	–	1	–	1
	男 M.	15	1	–	–	–	–	1	–	1	–	–
	女 F.	7	–	–	–	–	–	–	–	–	–	1
213	乳房の良性新生物	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
214	子宮線維筋腫	207	–	–	–	–	–	–	–	–	–	–
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	207	–	–	–	–	–	–	–	–	–	–
215	その他の子宮の良性新生物	2	–	–	–	–	–	–	–	–	–	–
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	2	–	–	–	–	–	–	–	–	–	–
216	卵巣の良性新生物	154	–	–	–	–	–	–	–	1	3	3
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	154	–	–	–	–	–	–	–	1	3	3
217	その他の女性性器の良性新生物	1	–	–	–	–	–	–	–	–	–	–
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	1	–	–	–	–	–	–	–	–	–	–
218	男性性器の良性新生物	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	·	·	·	·	·	·	·	·	·	·	·

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
8	2	1	6	7	5	17	7	7	3	1	1	–	–	–	–	–	204.0
5	1	–	2	4	1	9	2	4	3	1	–	–	–	–	–	–	
3	1	1	4	3	4	8	5	3	–	–	1	–	–	–	–	–	
32	37	32	23	29	30	26	22	19	9	4	1	1	1	–	–	–	204.1
17	18	15	10	17	16	16	12	10	4	2	1	1	–	–	–	–	
15	19	17	13	12	14	10	10	9	5	2	–	–	1	–	–	–	
11	4	4	4	8	3	3	2	7	1	–	–	–	–	–	–	–	204.2
5	3	2	3	4	2	1	–	3	1	–	–	–	–	–	–	–	
6	1	2	1	4	1	2	2	4	–	–	–	–	–	–	–	–	
111	99	79	96	97	71	63	68	32	22	10	3	–	–	–	–	–	204.3
68	63	43	52	46	30	42	32	20	12	3	2	–	–	–	–	–	
43	36	36	44	51	41	21	36	12	10	7	1	–	–	–	–	–	
23	31	22	18	21	17	20	21	20	11	3	2	–	–	–	–	–	204.4
14	19	8	8	10	11	9	10	10	6	3	1	–	–	–	–	–	
9	12	14	10	11	6	11	11	10	5	–	1	–	–	–	–	–	
–	–	–	1	–	4	–	2	1	1	–	1	–	–	–	–	–	205
–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	4	–	1	–	–	–	1	–	–	–	–	–	
22	33	44	54	80	60	47	40	47	71	67	41	16	3	–	–	–	(210—229)
4	12	12	7	14	16	21	12	17	17	6	4	1	–	–	–	–	
18	21	32	47	66	44	26	28	30	54	61	37	15	3	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	210
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
2	2	1	6	6	3	4	12	8	11	7	4	–	–	–	–	–	211
2	2	–	2	3	3	2	6	5	6	–	1	–	–	–	–	–	
–	–	1	4	3	–	2	6	3	5	7	3	–	–	–	–	–	
1	4	1	–	1	4	2	–	1	1	1	3	–	–	–	–	–	212
–	4	1	–	1	2	2	–	1	1	–	1	–	–	–	–	–	
1	–	–	–	–	2	–	–	–	–	1	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	213
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	7	17	26	42	25	9	8	6	27	20	9	4	3	–	–	–	214
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
4	7	17	26	42	25	9	8	6	27	20	9	4	3	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	215
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
6	4	7	8	12	7	6	8	15	17	30	18	9	–	–	–	–	216
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
6	4	7	8	12	7	6	8	15	17	30	18	9	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	·	–	–	–	–	–	217
·	·	·	·	·	·	·	·	·	·	·	–	·	·	·	·	·	
–	–	–	–	–	–	–	–	–	1	–	·	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	218
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
219	腎臓およびその他の泌尿器の良性新生物	57	–	1	–	–	–	1	2	–	–	1	1	1	3	4	7	6	6	3	10	6	4	–	2	–	–	–	–	219
	男 M.	34	–	1	–	–	–	1	2	–	–	–	–	–	3	2	4	2	3	3	5	6	2	–	1	–	–	–	–	
	女 F.	23	–	–	–	–	–	–	–	–	–	1	1	1	–	2	3	4	3	–	5	–	2	–	1	–	–	–	–	
220	皮膚の良性黒色腫	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	220
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
221	毛巣嚢胞	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	221
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
222	その他の皮膚の良性新生物	5	2	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	222
	男 M.	3	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
	女 F.	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
223	脳およびその他の神経系の良性新生物	93	4	2	1	–	2	9	6	6	9	2	5	10	3	6	6	8	12	4	3	1	1	1	1	–	–	–	–	223
	男 M.	49	4	1	–	–	–	5	5	3	4	1	2	4	1	1	5	5	7	2	2	1	1	–	–	–	–	–	–	
	女 F.	44	–	1	1	–	2	4	1	3	5	1	3	6	2	5	1	3	5	2	1	–	–	1	1	–	–	–	–	
223. a	脳	*56*	*2*	*1*	–	–	–	*3*	*6*	*5*	*8*	*2*	*2*	*5*	*2*	*5*	*3*	*4*	*7*	*1*	*1*	*1*	–	–	*1*	–	–	–	–	223. a
	男 M.	*30*	*2*	*1*	–	–	–	*3*	*5*	*2*	*3*	*1*	*1*	*2*	*1*	–	*2*	*3*	*4*	*1*	*1*	*1*	–	–	–	–	–	–	–	
	女 F.	*26*	–	–	–	–	–	–	*1*	*3*	*5*	*1*	*1*	*3*	*1*	*5*	*1*	*1*	*3*	–	–	–	–	–	*1*	–	–	–	–	
223. b	脊髄	*12*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*2*	*3*	*2*	*2*	*1*	–	–	–	–	–	–	–	–	223. b
	男 M.	*8*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*2*	*2*	*1*	*1*	–	–	–	–	–	–	–	–	–	
	女 F.	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*1*	–	–	–	–	–	–	–	–	
223. c	髄膜	*3*	*1*	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	223. c
	男 M.	*1*	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*2*	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	
223. d	その他	*22*	*1*	*1*	*1*	–	*2*	*5*	–	*1*	*1*	–	*3*	*3*	*1*	–	*1*	*1*	*3*	*1*	*1*	–	*1*	–	–	–	–	–	–	223. d
	男 M.	*10*	*1*	–	–	–	–	*1*	–	*1*	*1*	–	*1*	*1*	–	–	*1*	–	*2*	–	*1*	–	*1*	–	–	–	–	–	–	
	女 F.	*12*	–	*1*	*1*	–	*2*	*4*	–	–	–	–	*2*	*2*	*1*	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	–	
224	内分泌腺の良性新生物	30	–	1	–	1	–	2	–	2	4	1	2	4	7	–	2	2	2	2	–	–	–	–	–	–	–	–	–	224
	男 M.	13	–	–	–	–	–	–	–	1	3	–	–	2	5	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	17	–	1	–	1	–	2	–	1	1	1	2	2	2	–	2	1	1	2	–	–	–	–	–	–	–	–	–	
225	骨および軟骨の良性新生物	17	1	–	–	–	–	1	1	–	–	–	1	–	1	1	2	1	–	2	2	2	1	2	–	–	–	–	–	225
	男 M.	7	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	2	2	2	–	1	–	–	–	–	–	
	女 F.	10	1	–	–	–	–	1	1	–	–	–	1	–	–	–	2	1	–	2	–	–	1	1	–	–	–	–	–	
226	脂肪腫	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	226
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
227	その他の筋組織および結合組織の良性新生物	6	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	1	–	–	–	–	–	–	–	–	–	227
	男 M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
228	血管腫およびリンパ管腫	15	5	1	–	–	–	6	–	1	–	–	–	1	2	1	1	1	–	–	–	2	–	–	–	–	–	–	–	228
	男 M.	9	3	1	–	–	–	4	–	1	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	
	女 F.	6	2	–	–	–	–	2	–	–	–	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	
229	その他および詳細不明の臓器および組織の良性新生物	15	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	1	3	–	1	3	2	2	–	–	–	–	–	229
	男 M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	3	–	1	–	2	1	–	–	–	–	–	
	女 F.	7	1	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–	–	–	3	–	1	–	–	–	–	–	
(230—239)	性質不詳の新生物	3 786	70	32	28	27	24	181	160	129	109	113	124	152	140	193	242	303	379	378	348	357	268	151	48	11	–	–	–	(230—239)
	男 M.	2 031	40	21	19	15	7	102	87	77	59	66	73	79	56	92	117	153	244	222	211	189	127	59	13	5	–	–	–	
	女 F.	1 755	30	11	9	12	17	79	73	52	50	47	51	73	84	101	125	150	135	156	137	168	141	92	35	6	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
230	消化器の性質不詳の新生物……	833	26	5	8	3	1	43	13	8	10	11	11	24	15	36	46	70	91	111	87	106	83	52	11	5	–	–	–	230
	男 M.	430	11	3	6	2	–	22	10	5	4	6	7	11	5	18	24	37	59	60	48	53	39	19	2	1	–	–	–	
	女 F.	403	15	2	2	1	1	21	3	3	6	5	4	13	10	18	22	33	32	51	39	53	44	33	9	4	–	–	–	
231	呼吸器の性質不詳の新生物……	603	5	1	2	1	1	10	4	7	4	9	15	12	15	23	31	68	82	99	77	79	50	13	5	–	–	–	–	231
	男 M.	399	3	1	2	–	–	6	1	3	2	9	9	8	8	12	22	40	68	69	54	47	31	7	3	–	–	–	–	
	女 F.	204	2	–	–	1	1	4	3	4	2	–	6	4	7	11	9	28	14	30	23	32	19	6	2	–	–	–	–	
232	乳房の性質不詳の新生物……	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	232
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–	
233	子宮の性質不詳の新生物……	19	–	–	–	–	–	–	–	–	–	–	2	–	1	1	4	3	2	–	2	3	–	1	–	–	–	–	–	233
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	19	–	–	–	–	–	–	–	–	–	–	2	–	1	1	4	3	2	–	2	3	–	1	–	–	–	–	–	
234	卵巣の性質不詳の新生物……	31	–	–	–	–	–	–	–	–	1	1	1	1	1	4	3	2	3	3	2	3	3	3	–	–	–	–	–	234
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	31	–	–	–	–	–	–	–	–	1	1	1	1	1	4	3	2	3	3	2	3	3	3	–	–	–	–	–	
235	その他の女性性器の性質不詳の新生物…	13	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	–	1	1	–	2	–	1	–	–	–	–	–	235
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	13	–	–	–	–	–	–	–	–	–	–	–	1	2	2	3	–	1	1	–	2	–	1	–	–	–	–	–	
236	その他の性尿器の性質不詳の新生物……	303	3	6	3	2	4	18	2	–	–	2	2	5	7	6	15	12	31	32	36	53	44	28	9	1	–	–	–	236
	男 M.	188	2	3	2	1	2	10	1	–	–	1	–	3	6	4	9	9	17	23	27	32	25	15	5	1	–	–	–	
	女 F.	115	1	3	1	1	2	8	1	–	–	1	2	2	1	2	6	3	14	9	9	21	19	13	4	–	–	–	–	
237	脳およびその他の神経系の性質不詳の…	1 470	11	12	9	17	18	67	133	108	81	82	85	102	88	106	105	119	133	99	70	53	29	7	3	–	–	–	–	237
	新生物 男 M.	787	9	7	4	10	5	35	73	65	44	43	53	54	33	51	48	55	80	57	45	32	16	3	–	–	–	–	–	
	女 F.	683	2	5	5	7	13	32	60	43	37	39	32	48	55	55	57	64	53	42	25	21	13	4	3	–	–	–	–	
237. a	*脳……	*1 280*	*10*	*12*	*9*	*17*	*17*	*65*	*127*	*105*	*80*	*78*	*79*	*94*	*79*	*100*	*99*	*100*	*113*	*73*	*36*	*32*	*17*	*2*	*1*	–	–	–	–	237. a
	男 M.	*682*	*8*	*7*	*4*	*10*	*5*	*34*	*72*	*64*	*44*	*41*	*47*	*49*	*29*	*48*	*45*	*47*	*69*	*43*	*21*	*19*	*9*	*1*	–	–	–	–	–	
	女 F.	*598*	*2*	*5*	*5*	*7*	*12*	*31*	*55*	*41*	*36*	*37*	*32*	*45*	*50*	*52*	*54*	*53*	*44*	*30*	*15*	*13*	*8*	*1*	*1*	–	–	–	–	
237. b	*脊髄……	*180*	*1*	–	–	–	–	*1*	*6*	*3*	–	*3*	*6*	*7*	*9*	*5*	*6*	*17*	*20*	*26*	*33*	*20*	*12*	*5*	*1*	–	–	–	–	237. b
	男 M.	*102*	*1*	–	–	–	–	*1*	*1*	*1*	–	*2*	*6*	*5*	*4*	*3*	*3*	*7*	*11*	*14*	*23*	*12*	*7*	*2*	–	–	–	–	–	
	女 F.	*78*	–	–	–	–	–	–	*5*	*2*	–	*1*	–	*2*	*5*	*2*	*3*	*10*	*9*	*12*	*10*	*8*	*5*	*3*	*1*	–	–	–	–	
237. c	*髄膜……	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	237. c
	男 M.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	
237. d	*その他……	*8*	–	–	–	–	*1*	*1*	–	–	*1*	*1*	–	*1*	–	*1*	–	*1*	–	–	–	*1*	–	–	*1*	–	–	–	–	237. d
	男 M.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	
	女 F.	*6*	–	–	–	–	*1*	*1*	–	–	*1*	*1*	–	*1*	–	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	
238	皮膚および筋骨格系の性質不詳の新生…	60	2	1	–	1	–	4	1	1	–	2	–	–	1	–	6	9	5	5	13	4	5	3	1	–	–	–	–	238
	物 男 M.	35	2	1	–	–	–	3	–	1	–	2	–	–	–	–	3	5	4	3	9	3	–	2	–	–	–	–	–	
	女 F.	25	–	–	–	1	–	1	1	–	–	–	–	–	1	–	3	4	1	2	4	1	5	1	1	–	–	–	–	
239	その他および詳細不明の臓器の性質不…	451	23	7	6	3	–	39	7	5	13	6	8	7	10	15	29	19	31	28	61	54	54	42	19	4	–	–	–	239
	詳の新生物 男 M.	192	13	6	5	2	–	26	2	3	9	5	4	3	4	7	11	7	16	10	28	22	16	13	3	3	–	–	–	
	女 F.	259	10	1	1	1	–	13	5	2	4	1	4	4	6	8	18	12	15	18	33	32	38	29	16	1	–	–	–	
III	**アレルギー性疾患，内分泌系の疾患，…**	**14 607**	**391**	**158**	**78**	**43**	**42**	**712**	**82**	**69**	**114**	**229**	**234**	**250**	**213**	**288**	**395**	**578**	**955**	**1 355**	**1 867**	**2 445**	**2 433**	**1 656**	**577**	**140**	**14**	**1**	–	III
	物質代謝および栄養の疾患 男 M.	**8 079**	**203**	**86**	**48**	**24**	**21**	**382**	**42**	**35**	**54**	**85**	**113**	**119**	**86**	**133**	**200**	**307**	**579**	**832**	**1 132**	**1 487**	**1 343**	**845**	**260**	**40**	**5**	–	–	
	女 F.	**6 528**	**188**	**72**	**30**	**19**	**21**	**330**	**40**	**34**	**60**	**144**	**121**	**131**	**127**	**155**	**195**	**271**	**376**	**523**	**735**	**958**	**1 090**	**811**	**317**	**100**	**9**	**1**	–	
(240—245)	アレルギー性疾患……	9 811	137	71	38	30	18	294	42	20	31	93	87	114	92	141	162	278	511	826	1 263	1 850	2 002	1 406	482	105	12	–	–	(240—245)
	男 M.	5 869	78	41	23	18	7	167	23	13	18	43	54	64	45	70	85	169	357	567	843	1 209	1 148	736	220	34	4	–	–	
	女 F.	3 942	59	30	15	12	11	127	19	7	13	50	33	50	47	71	77	109	154	259	420	641	854	670	262	71	8	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
240	枯草熱	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	240
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
241	喘息	9 777	132	71	37	30	18	288	40	20	31	92	86	113	91	137	160	277	510	823	1 262	1 845	2 000	1 403	482	105	12	－	－	241
	男 M.	5 850	75	41	22	18	7	163	21	13	18	42	54	64	44	68	84	169	356	566	842	1 206	1 147	735	220	34	4	－	－	
	女 F.	3 927	57	30	15	12	11	125	19	7	13	50	32	49	47	69	76	108	154	257	420	639	853	668	262	71	8	－	－	
242	脈管神経性浮腫	3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	1	1	－	－	－	－	－	242
	男 M.	2	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	1	－	－	－	－	－	
	女 F.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	
243	蕁麻疹	17	2	－	－	－	－	2	2	－	－	－	－	－	－	2	1	1	－	－	1	5	1	2	－	－	－	－	－	243
	男 M.	10	1	－	－	－	－	1	2	－	－	－	－	－	－	1	1	－	－	－	1	3	1	－	－	－	－	－	－	
	女 F.	7	1	－	－	－	－	1	－	－	－	－	－	－	－	1	－	1	－	－	－	2	－	2	－	－	－	－	－	
244	アレルギー性湿疹	4	2	－	－	－	－	2	－	－	－	－	－	－	－	1	1	－	－	－	－	－	－	－	－	－	－	－	－	244
	男 M.	1	1	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	3	1	－	－	－	－	1	－	－	－	－	－	－	－	1	1	－	－	－	－	－	－	－	－	－	－	－	－	
245	その他のアレルギー性疾患	10	1	－	1	－	－	2	－	－	－	1	1	1	1	1	－	－	－	3	－	－	－	－	－	－	－	－	－	245
	男 M.	6	1	－	1	－	－	2	－	－	－	1	－	－	1	1	－	－	－	1	－	－	－	－	－	－	－	－	－	
	女 F.	4	－	－	－	－	－	－	－	－	－	－	1	1	－	－	－	－	－	2	－	－	－	－	－	－	－	－	－	
(250—254)	甲状腺の疾患	246	7	2	－	1	－	10	1	3	5	14	16	24	17	21	26	28	28	18	11	9	8	4	1	2	－	－	－	(250—254)
	男 M.	42	－	1	－	－	－	1	－	1	－	5	6	3	－	1	7	9	4	2	1	2	－	－	－	－	－	－	－	
	女 F.	204	7	1	－	1	－	9	1	2	5	9	10	21	17	20	19	19	24	16	10	7	8	4	1	2	－	－	－	
250	単純性甲状腺腫	58	－	－	－	－	－	－	－	－	－	4	－	1	1	6	9	6	5	7	3	7	5	3	－	1	－	－	－	250
	男 M.	12	－	－	－	－	－	－	－	－	－	3	－	－	－	－	3	2	1	1	－	2	－	－	－	－	－	－	－	
	女 F.	46	－	－	－	－	－	－	－	－	－	1	－	1	1	6	6	4	4	6	3	5	5	3	－	1	－	－	－	
251	非中毒性結節性甲状腺腫	3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	1	－	－	1	－	－	－	－	－	－	－	251
	男 M.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	2	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	1	－	－	－	－	－	－	－	
252	甲状腺腫を伴うまたは伴わない甲状腺中毒症	144	－	－	－	－	－	－	－	1	5	9	14	22	12	13	13	18	19	8	8	－	1	－	－	1	－	－	－	252
	男 M.	20	－	－	－	－	－	－	－	－	－	1	5	3	－	1	2	3	3	1	1	－	－	－	－	－	－	－	－	
	女 F.	124	－	－	－	－	－	－	－	1	5	8	9	19	12	12	11	15	16	7	7	－	1	－	－	1	－	－	－	
253	粘液水腫およびクレチン病	34	7	2	－	1	－	10	1	2	－	1	2	1	2	2	3	3	3	2	－	1	1	－	－	－	－	－	－	253
	男 M.	9	－	1	－	－	－	1	－	1	－	1	1	－	－	－	2	3	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	25	7	1	－	1	－	9	1	1	－	－	1	1	2	2	1	－	3	2	－	1	1	－	－	－	－	－	－	
254	その他の甲状腺の疾患	7	－	－	－	－	－	－	－	－	－	－	－	－	2	－	1	－	－	1	－	－	1	1	1	－	－	－	－	254
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	7	－	－	－	－	－	－	－	－	－	－	－	－	2	－	1	－	－	1	－	－	1	1	1	－	－	－	－	
(260)	糖尿病	2 794	－	1	1	2	1	5	6	12	26	68	62	55	48	73	137	191	324	425	490	464	275	104	27	1	1	－	－	(260)
	男 M.	1 293	－	1	－	－	1	2	3	6	8	17	24	26	20	34	69	91	159	211	226	215	116	53	12	－	1	－	－	
	女 F.	1 501	－	－	1	2	－	3	3	6	18	51	38	29	28	39	68	100	165	214	264	249	159	51	15	1	－	－	－	
260	糖尿病	2 794	－	1	1	2	1	5	6	12	26	68	62	55	48	73	137	191	324	425	490	464	275	104	27	1	1	－	－	260
	男 M.	1 293	－	1	－	－	1	2	3	6	8	17	24	26	20	34	69	91	159	211	226	215	116	53	12	－	1	－	－	
	女 F.	1 501	－	－	1	2	－	3	3	6	18	51	38	29	28	39	68	100	165	214	264	249	159	51	15	1	－	－	－	
(270—277)	その他の内分泌腺の疾患	221	24	5	5	2	1	37	10	13	10	17	19	14	11	13	13	20	7	12	12	10	2	1	－	－	－	－	－	(270—277)
	男 M.	91	11	2	1	2	－	16	2	4	6	5	9	6	3	8	5	3	3	9	7	3	1	1	－	－	－	－	－	
	女 F.	130	13	3	4	－	1	21	8	9	4	12	10	8	8	5	8	17	4	3	5	7	1	－	－	－	－	－	－	
270	膵臓内分泌の障害（糖尿病以外のもの）	6	－	1	－	－	－	1	－	－	－	－	2	－	－	－	－	－	－	－	－	1	1	1	－	－	－	－	－	270
	男 M.	4	－	1	－	－	－	1	－	－	－	－	1	－	－	－	－	－	－	－	－	－	1	1	－	－	－	－	－	
	女 F.	2	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
271	上皮小体の疾患	2	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
272	下垂体の疾患	81	–	–	1	–	1	2	5	10	7	8
	男 M.	26	–	–	–	–	–	–	2	2	3	1
	女 F.	55	–	–	1	–	1	2	3	8	4	7
273	胸腺の疾患	34	13	3	3	2	–	21	1	1	2	4
	男 M.	15	4	1	1	2	–	8	–	–	2	1
	女 F.	19	9	2	2	–	–	13	1	1	–	3
274	副腎の疾患	79	9	–	–	–	–	9	3	1	1	3
	男 M.	42	7	–	–	–	–	7	–	1	1	1
	女 F.	37	2	–	–	–	–	2	3	–	–	2
275	卵巣機能異常	1	–	–	–	–	–	–	–	–	–	–
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	1	–	–	–	–	–	–	–	–	–	–
276	睾丸機能異常	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	·	·	·	·	·	·	·	·	·	·	·
277	多腺性機能異常およびその他の内分泌腺の疾患	18	2	1	1	–	–	4	1	1	–	2
	男 M.	3	–	–	·	–	–	–	–	1	–	2
	女 F.	15	2	1	1	–	–	4	1	–	–	–
(280—289)	ビタミン欠乏症およびその他の物質代謝病	1 535	223	79	34	8	22	366	23	21	42	37
	男 M.	784	114	41	24	4	13	196	14	11	22	15
	女 F.	751	109	38	10	4	9	170	9	10	20	22
280	脚気	447	192	2	–	–	1	195	–	1	19	25
	男 M.	234	95	1	–	–	1	97	–	1	7	11
	女 F.	213	97	1	–	–	–	98	–	–	12	14
281	ペラグラ	16	–	–	–	–	–	–	–	–	–	–
	男 M.	5	–	–	–	–	–	–	–	–	–	–
	女 F.	11	–	–	–	–	–	–	–	–	–	–
282	壊血病	16	2	1	–	–	–	3	–	2	1	–
	男 M.	9	2	1	–	–	–	3	–	–	1	–
	女 F.	7	–	–	–	–	–	–	–	2	–	–
283	活動性くる病	37	17	8	4	2	1	32	–	1	–	1
	男 M.	24	13	3	3	1	1	21	–	1	–	–
	女 F.	13	4	5	1	1	–	11	–	–	–	1
284	くる病の後遺症	11	–	2	–	1	1	4	3	1	–	–
	男 M.	7	–	2	–	–	–	2	2	1	–	–
	女 F.	4	–	–	–	1	1	2	1	–	–	–
285	骨軟化症	6	1	–	–	1	–	2	1	–	–	–
	男 M.	2	1	–	–	–	–	1	–	–	–	–
	女 F.	4	–	–	–	1	–	1	1	–	–	–
286	その他のビタミン欠乏症および栄養欠乏症	911	3	63	27	3	18	114	17	10	18	8
	男 M.	457	1	31	20	2	10	64	11	5	12	3
	女 F.	454	2	32	7	1	8	50	6	5	6	5
286. a	栄養失調症（1 才以上）	*886*	·	*63*	*27*	*3*	*17*	*110*	*17*	*10*	*18*	*8*
	男 M.	*445*	·	*31*	*20*	*2*	*9*	*62*	*11*	*5*	*12*	*3*
	女 F.	*441*	·	*32*	*7*	*1*	*8*	*48*	*6*	*5*	*6*	*5*

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	271
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
7	5	6	3	6	4	4	3	5	5	1	–	–	–	–	–	–	272
3	2	1	1	2	1	1	3	3	1	–	–	–	–	–	–	–	
4	3	5	2	4	3	3	–	2	4	1	–	–	–	–	–	–	
3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	273
2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	4	3	10	6	14	2	9	7	3	–	–	–	–	–	–	–	274
3	3	1	7	3	2	1	6	4	2	–	–	–	–	–	–	–	
1	1	2	3	3	12	1	3	3	1	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	275
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	276
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
3	3	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	277
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	3	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–	
50	43	45	40	57	61	85	74	91	112	146	141	67	32	1	1	–	(280—289)
20	20	18	20	34	35	56	43	55	58	78	55	28	6	–	–	–	
30	23	27	20	23	26	29	31	36	54	68	86	39	26	1	1	–	
27	21	16	13	15	12	16	17	16	20	14	11	7	2	–	–	–	280
11	15	5	4	10	8	11	11	10	14	9	7	2	1	–	–	–	
16	6	11	9	5	4	5	6	6	6	5	4	5	1	–	–	–	
1	–	1	1	–	2	1	3	1	4	–	1	1	–	–	–	–	281
–	–	–	–	–	1	1	1	–	1	–	–	1	–	–	–	–	
1	–	1	1	–	1	–	2	1	3	–	1	–	–	–	–	–	
2	–	2	1	–	–	–	–	2	–	1	2	–	–	–	–	–	282
–	–	2	1	–	–	–	–	–	–	1	1	–	–	–	–	–	
2	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	
–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	283
–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	284
–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	285
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	
19	17	17	19	35	39	63	47	64	85	126	124	58	29	1	1	–	286
9	3	7	11	20	23	40	28	40	43	64	45	24	5	–	–	–	
10	14	10	8	15	16	23	19	24	42	62	79	34	24	1	1	–	
18	*17*	*17*	*18*	*32*	*37*	*63*	*44*	*63*	*80*	*122*	*123*	*58*	*29*	*1*	*1*	–	286. a
9	*3*	*7*	*11*	*17*	*21*	*40*	*27*	*40*	*40*	*63*	*45*	*24*	*5*	–	–	–	
9	*14*	*10*	*7*	*15*	*16*	*23*	*17*	*23*	*40*	*59*	*78*	*34*	*24*	*1*	*1*	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
286. b	その他	25	3	–	–	–	1	4	–	–	–	–
	男 M.	12	1	–	–	–	1	2	–	–	–	–
	女 F.	13	2	–	–	–	–	2	–	–	–	–
287	肥満症（内分泌性と特記されないもの）	6	–	–	–	–	–	–	–	1	1	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	6	–	–	–	–	–	–	–	1	1	–
288	痛風	11	–	–	–	–	–	–	–	–	–	–
	男 M.	6	–	–	–	–	–	–	–	–	–	–
	女 F.	5	–	–	–	–	–	–	–	–	–	–
289	その他の物質代謝病	74	8	3	3	1	1	16	2	5	3	3
	男 M.	40	2	3	1	1	1	8	1	3	2	1
	女 F.	34	6	–	2	–	–	8	1	2	1	2
IV	**血液および造血器の疾患**	**2 681**	**94**	**41**	**31**	**22**	**27**	**215**	**139**	**134**	**140**	**117**
	男 M.	**1 186**	**46**	**20**	**18**	**17**	**14**	**115**	**74**	**67**	**78**	**51**
	女 F.	**1 495**	**48**	**21**	**13**	**5**	**13**	**100**	**65**	**67**	**62**	**66**
(290—299)	血液および造血器の疾患	2 681	94	41	31	22	27	215	139	134	140	117
	男 M.	1 186	46	20	18	17	14	115	74	67	78	51
	女 F.	1 495	48	21	13	5	13	100	65	67	62	66
290	悪性貧血およびその他の高色性貧血	284	9	1	1	–	2	13	8	10	9	11
	男 M.	126	5	–	–	–	2	7	3	5	5	5
	女 F.	158	4	1	1	–	–	6	5	5	4	6
291	鉄欠乏性貧血（低色貧血性）	43	–	–	–	–	–	–	1	2	–	1
	男 M.	12	–	–	–	–	–	–	1	–	–	–
	女 F.	31	–	–	–	–	–	–	–	2	–	1
292	その他の型の貧血	710	18	11	7	5	7	48	49	47	45	35
	男 M.	332	10	5	2	5	5	27	24	24	21	19
	女 F.	378	8	6	5	–	2	21	25	23	24	16
293	詳細不明の貧血	317	2	5	1	–	–	8	5	1	8	7
	男 M.	143	2	3	1	–	–	6	4	1	4	3
	女 F.	174	–	2	–	–	–	2	1	–	4	4
294	多血球血症	4	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	3	–	–	–	–	–	–	–	–	–	–
295	血友病	42	3	1	3	4	2	13	6	5	4	4
	男 M.	32	3	1	1	3	–	8	4	5	4	4
	女 F.	10	–	–	2	1	2	5	2	–	–	–
296	紫斑病およびその他の出血病	703	55	20	13	11	12	111	53	47	34	32
	男 M.	307	23	9	9	7	5	53	28	17	19	9
	女 F.	396	32	11	4	4	7	58	25	30	15	23
297	無顆粒球症	132	3	1	1	–	2	7	4	5	15	9
	男 M.	71	2	1	1	–	2	6	3	4	7	5
	女 F.	61	1	–	–	–	–	1	1	1	8	4
298	脾臓の疾患	440	3	2	5	2	2	14	13	17	24	18
	男 M.	158	–	1	4	2	–	7	7	11	17	6
	女 F.	282	3	1	1	–	2	7	6	6	7	12
299	その他の血液および造血器の疾患	6	1	–	–	–	–	1	–	–	1	–
	男 M.	4	1	–	–	–	–	1	–	–	1	–
	女 F.	2	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
1	–	–	1	3	2	–	3	1	5	4	1	–	–	–	–	–	286. b
–	–	–	–	3	2	–	1	–	3	1	–	–	–	–	–	–	
1	–	–	1	–	–	–	2	1	2	3	1	–	–	–	–	–	
1	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	287
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	1	1	1	–	–	3	2	1	–	1	1	–	–	–	288
–	–	–	1	1	1	–	–	1	–	1	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	2	2	–	–	–	1	–	–	–	
–	3	7	3	5	5	5	5	5	1	3	3	–	–	–	–	–	289
–	–	3	2	2	2	4	3	4	–	3	2	–	–	–	–	–	
–	3	4	1	3	3	1	2	1	1	–	1	–	–	–	–	–	
144	**130**	**147**	**159**	**164**	**186**	**225**	**213**	**221**	**173**	**115**	**43**	**14**	**2**	–	–	–	IV
58	**52**	**41**	**54**	**57**	**71**	**96**	**108**	**106**	**82**	**53**	**17**	**5**	**1**	–	–	–	
86	**78**	**106**	**105**	**107**	**115**	**129**	**105**	**115**	**91**	**62**	**26**	**9**	**1**	–	–	–	
144	130	147	159	164	186	225	213	221	173	115	43	14	2	–	–	–	(290—299)
58	52	41	54	57	71	96	108	106	82	53	17	5	1	–	–	–	
86	78	106	105	107	115	129	105	115	91	62	26	9	1	–	–	–	
15	10	9	16	23	21	25	33	37	23	13	6	2	–	–	–	–	290
4	3	1	4	9	5	11	20	21	12	6	4	1	–	–	–	–	
11	7	8	12	14	16	14	13	16	11	7	2	1	–	–	–	–	
2	2	2	3	1	–	6	2	8	8	1	4	–	–	–	–	–	291
–	–	–	1	–	–	2	1	3	3	–	1	–	–	–	–	–	
2	2	2	2	1	–	4	1	5	5	1	3	–	–	–	–	–	
53	44	36	39	29	46	76	54	47	40	19	3	–	–	–	–	–	292
20	17	10	13	11	22	36	31	24	20	11	2	–	–	–	–	–	
33	27	26	26	18	24	40	23	23	20	8	1	–	–	–	–	–	
8	14	14	9	16	18	21	32	51	43	43	13	6	–	–	–	–	293
3	5	3	4	5	6	12	17	24	21	19	5	1	–	–	–	–	
5	9	11	5	11	12	9	15	27	22	24	8	5	–	–	–	–	
–	1	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	294
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	
5	–	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	295
3	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
35	31	46	33	33	39	36	42	45	39	26	13	6	2	–	–	–	296
17	12	12	12	14	18	16	19	23	18	11	5	3	1	–	–	–	
18	19	34	21	19	21	20	23	22	21	15	8	3	1	–	–	–	
10	5	10	12	11	10	9	10	9	6	–	–	–	–	–	–	–	297
4	3	6	2	5	6	7	6	6	1	–	–	–	–	–	–	–	
6	2	4	10	6	4	2	4	3	5	–	–	–	–	–	–	–	
16	22	29	45	49	50	51	40	22	14	13	3	–	–	–	–	–	298
7	11	8	17	11	13	11	14	5	7	6	–	–	–	–	–	–	
9	11	21	28	38	37	40	26	17	7	7	3	–	–	–	–	–	
–	1	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	299
–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
V	精神病，精神神経症および人格異常……	4 088	24	5	3	3	3	38	20	18	70	165
	男 M.	1 998	12	4	2	1	1	20	12	10	39	81
	女 F.	2 090	12	1	1	2	2	18	8	8	31	84
(300—309)	精　神　病……	3 119	–	–	–	–	–	–	1	4	46	126
	男 M.	1 377	–	–	–	–	–	–	1	2	23	59
	女 F.	1 742	–	–	–	–	–	–	–	2	23	67
300	精神分裂病（早発性痴呆）……	1 363	–	–	–	–	–	–	1	2	40	106
	男 M.	579	–	–	–	–	–	–	1	1	18	50
	女 F.	784	–	–	–	–	–	–	–	1	22	56
301	躁 う つ 病……	218	–	–	–	–	–	–	–	–	2	11
	男 M.	90	–	–	–	–	–	–	–	–	2	5
	女 F.	128	–	–	–	–	–	–	–	–	–	6
302	退行期うつ病……	14	–	–	–	–	–	–	–	–	–	–
	男 M.	5	–	–	–	–	–	–	–	–	–	–
	女 F.	9	–	–	–	–	–	–	–	–	–	–
303	偏執病および偏執状態……	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
304	老年性精神病 ……	1 330	–	–	–	–	–	–	–	–	–	–
	男 M.	590	–	–	–	–	–	–	–	–	–	–
	女 F.	740	–	–	–	–	–	–	–	–	–	–
305	初老期精神病 ……	32	–	–	–	–	–	–	–	–	–	–
	男 M.	14	–	–	–	–	–	–	–	–	–	–
	女 F.	18	–	–	–	–	–	–	–	–	–	–
306	脳動脈硬化症に伴う精神病……	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
307	アルコール性精神病……	31	–	–	–	–	–	–	–	–	–	–
	男 M.	28	–	–	–	–	–	–	–	–	–	–
	女 F.	3	–	–	–	–	–	–	–	–	–	–
308	その他の原因を示しうる精神病……	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
309	その他および詳細不明の精神病……	131	–	–	–	–	–	–	–	2	4	9
	男 M.	71	–	–	–	–	–	–	–	1	3	4
	女 F.	60	–	–	–	–	–	–	–	1	1	5
(310—318)	精 神 神 経 症……	369	2	1	2	1	1	7	4	1	9	12
	男 M.	149	2	1	2	1	–	6	2	–	4	4
	女 F.	220	–	–	–	–	1	1	2	1	5	8
310	身体症状の記載のない不安反応……	2	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	2	–	–	–	–	–	–	–	–	–	–
311	不安反応の記載のないヒステリー反応…	26	–	–	–	–	1	1	–	–	–	4
	男 M.	3	–	–	–	–	–	–	–	–	–	–
	女 F.	23	–	–	–	–	1	1	–	–	–	4
312	恐 怖 反 応……	1	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
261	303	245	251	243	260	321	339	354	411	379	266	109	34	1	–	–	V
136	152	96	112	133	152	165	202	186	194	154	105	40	9	–	–	–	
125	151	149	139	110	108	156	137	168	217	225	161	69	25	1	–	–	
194	236	179	167	167	151	219	238	297	360	351	243	106	33	1	–	–	(300—309)
86	116	63	59	78	71	94	121	146	168	145	97	39	9	–	–	–	
108	120	116	108	89	80	125	117	151	192	206	146	67	24	1	–	–	
173	213	154	128	123	97	112	74	56	47	21	11	4	1	–	–	–	300
78	102	48	46	58	44	46	31	25	15	8	6	1	1	–	–	–	
95	111	106	82	65	53	66	43	31	32	13	5	3	–	–	–	–	
12	11	14	18	19	22	32	24	24	9	11	6	2	1	–	–	–	301
3	5	6	3	4	10	15	11	13	7	4	2	–	–	–	–	–	
9	6	8	15	15	12	17	13	11	2	7	4	2	1	–	–	–	
–	–	–	–	2	3	2	3	2	1	1	–	–	–	–	–	–	302
–	–	–	–	1	1	–	2	–	–	1	–	–	–	–	–	–	
–	–	–	–	1	2	2	1	2	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	303
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	7	49	115	199	294	313	223	96	31	1	–	–	304
–	–	–	–	–	5	23	66	95	140	127	89	37	8	–	–	–	
–	–	–	–	2	2	26	49	104	154	186	134	59	23	1	–	–	
–	–	–	–	4	12	10	5	1	–	–	–	–	–	–	–	–	305
–	–	–	–	3	5	2	4	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	7	8	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	306
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	2	1	5	2	3	5	6	2	2	–	–	–	–	–	–	307
–	3	2	1	4	2	3	3	6	2	2	–	–	–	–	–	–	
–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	308
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
9	9	9	20	12	8	11	12	9	7	3	3	4	–	–	–	–	309
5	6	7	9	8	4	5	4	7	4	3	–	1	–	–	–	–	
4	3	2	11	4	4	6	8	2	3	–	3	3	–	–	–	–	
18	22	24	20	29	31	43	40	31	36	22	17	2	1	–	–	–	(310—318)
9	5	7	5	14	13	19	24	17	13	4	3	–	–	–	–	–	
9	17	17	15	15	18	24	16	14	23	18	14	2	1	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	310
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	
1	3	6	2	3	2	2	–	–	–	1	1	–	–	–	–	–	311
–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	2	5	2	3	2	1	–	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	312
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
313	強迫反応	33	–	–	–	–	–	–	–	–	3	1	2	4	–	3	2	5	2	3	4	2	1	1	–	–	–	–	–	313
	男 M.	12	–	–	–	–	–	–	–	–	1	–	2	1	–	1	1	2	–	–	3	1	–	–	–	–	–	–	–	
	女 F.	21	–	–	–	–	–	–	–	–	2	1	–	3	–	2	1	3	2	3	1	1	1	1	–	–	–	–	–	
314	神経症性抑うつ反応	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	314
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
315	循環器系をおかす身体症状（身体化反応）を伴う精神神経症	25	–	–	–	–	–	–	–	–	–	–	1	2	2	2	1	2	2	4	–	5	2	1	–	1	–	–	–	315
	男 M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	–	4	–	–	–	–	–	–	–	
	女 F.	13	–	–	–	–	–	–	–	–	–	–	1	2	2	–	–	1	1	1	–	1	2	1	–	1	–	–	–	
316	消化器系をおかす身体症状（身体化反応）を伴う精神神経症	27	2	1	2	1	–	6	3	1	2	2	1	–	–	–	–	2	1	3	4	1	1	–	–	–	–	–	–	316
	男 M.	14	2	1	2	1	–	6	2	–	1	1	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	
	女 F.	13	–	–	–	–	–	–	1	1	1	1	1	–	–	–	–	1	1	1	3	1	1	–	–	–	–	–	–	
317	その他の系統をおかす身体症状（身体化反応）を伴う精神神経症	11	–	–	–	–	–	–	–	–	1	–	2	1	–	2	1	2	2	–	–	–	–	–	–	–	–	–	–	317
	男 M.	5	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	6	–	–	–	–	–	–	–	–	–	–	–	1	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	
318	その他の型，混合型および型不詳の精神神経症	243	–	–	–	–	–	–	1	–	3	5	11	12	15	10	22	17	34	30	23	27	17	14	2	–	–	–	–	318
	男 M.	103	–	–	–	–	–	–	–	–	1	3	5	3	6	2	12	8	16	19	13	8	4	3	–	–	–	–	–	
	女 F.	140	–	–	–	–	–	–	1	–	2	2	6	9	9	8	10	9	18	11	10	19	13	11	2	–	–	–	–	
(320—326)	性格，行動および知能の異常	600	22	4	1	2	2	31	15	13	15	27	49	45	42	64	47	78	59	61	26	15	6	6	1	–	–	–	–	(320—326)
	男 M.	472	10	3	–	–	1	14	9	8	12	18	41	31	26	48	41	68	52	57	23	13	5	5	1	–	–	–	–	
	女 F.	128	12	1	1	2	1	17	6	5	3	9	8	14	16	16	6	10	7	4	3	2	1	1	–	–	–	–	–	
320	病的人格	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	320
	男 M.	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
321	未熟人格	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	321
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
322	アルコール中毒症	396	–	–	–	–	–	–	–	–	2	10	25	27	24	47	40	66	52	56	22	13	6	5	1	–	–	–	–	322
	男 M.	369	–	–	–	–	–	–	–	–	2	9	25	25	19	40	38	65	48	54	21	12	5	5	1	–	–	–	–	
	女 F.	27	–	–	–	–	–	–	–	–	–	1	–	2	5	7	2	1	4	2	1	1	1	–	–	–	–	–	–	
323	その他の薬品嗜癖	17	–	–	–	–	–	–	–	–	1	2	5	3	–	3	1	–	1	1	–	–	–	–	–	–	–	–	–	323
	男 M.	10	–	–	–	–	–	–	–	–	1	1	3	2	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	7	–	–	–	–	–	–	–	–	–	1	2	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	
324	幼児の行動異常	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	324
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
325	精神薄弱	183	21	4	1	2	2	30	15	13	12	15	19	15	17	14	6	12	5	4	3	2	–	1	–	–	–	–	–	325
	男 M.	90	10	3	–	–	1	14	9	8	9	8	13	4	6	7	2	3	2	3	1	1	–	–	–	–	–	–	–	
	女 F.	93	11	1	1	2	1	16	6	5	3	7	6	11	11	7	4	9	3	1	2	1	–	1	–	–	–	–	–	
326	その他および分類不明の性格，行動，知能の異常	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	326
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
VI	**神経系および感覚器の疾患**	**151 724**	**717**	**299**	**193**	**166**	**135**	**1 510**	**501**	**414**	**504**	**592**	**691**	**822**	**1 146**	**2 212**	**4 761**	**8 664**	**13 908**	**18 486**	**23 633**	**27 445**	**24 862**	**15 225**	**5 228**	**1 016**	**98**	**5**	**1**	VI
	男 M.	**79 931**	**408**	**172**	**106**	**96**	**80**	**862**	**282**	**248**	**310**	**334**	**384**	**469**	**624**	**1 266**	**2 676**	**5 000**	**8 602**	**11 233**	**13 584**	**14 247**	**11 470**	**6 220**	**1 805**	**293**	**20**	**1**	**1**	
	女 F.	**71 793**	**309**	**127**	**87**	**70**	**55**	**648**	**219**	**166**	**194**	**258**	**307**	**353**	**522**	**946**	**2 085**	**3 664**	**5 306**	**7 253**	**10 049**	**13 198**	**13 392**	**9 005**	**3 423**	**723**	**78**	**4**	–	
(330—334)	中枢神経系の血管損傷	142 858	20	10	11	10	5	56	37	41	89	192	317	458	835	1 961	4 481	8 321	13 485	17 973	23 013	26 681	24 087	14 712	5 048	971	94	5	1	(330—334)
	男 M.	75 169	14	5	8	4	2	33	21	24	43	96	176	276	477	1 146	2 529	4 811	8 357	10 940	13 203	13 852	11 118	6 016	1 746	283	20	1	1	
	女 F.	67 689	6	5	3	6	3	23	16	17	46	96	141	182	358	815	1 952	3 510	5 128	7 033	9 810	12 829	12 969	8 696	3 302	688	74	4	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
330	蜘網膜下出血	3 317	4	2	4	4	3	17	13	23	43	62
	男 M.	1 687	3	2	2	2	2	11	6	13	24	32
	女 F.	1 630	1	–	2	2	1	6	7	10	19	30
331	脳出血	113 317	13	5	5	3	1	27	12	9	26	70
	男 M.	59 764	9	2	4	2	–	17	8	6	13	38
	女 F.	53 553	4	3	1	1	1	10	4	3	13	32
332	脳塞栓症および脳血栓症	16 708	1	2	–	2	–	5	10	7	20	48
	男 M.	8 646	–	–	–	–	–	–	5	3	6	20
	女 F.	8 062	1	2	–	2	–	5	5	4	14	28
333	脳動脈けいれん	35	–	1	–	–	–	1	–	–	–	1
	男 M.	19	–	1	–	–	–	1	–	–	–	–
	女 F.	16	–	–	–	–	–	–	–	–	–	1
334	その他および診断名不明確の中枢神経系の血管損傷	9 481	2	–	2	1	1	6	2	2	–	11
	男 M.	5 053	2	–	2	–	–	4	2	2	–	6
	女 F.	4 428	–	–	–	1	1	2	–	–	–	5
(340—345)	中枢神経系の炎症性疾患	2 218	364	107	67	47	47	632	155	117	105	102
	男 M.	1 249	197	60	38	27	31	353	93	69	57	55
	女 F.	969	167	47	29	20	16	279	62	48	48	47
340	髄膜炎（髄膜炎菌性および結核性を除く）	1 327	324	80	52	33	36	525	104	75	58	69
	男 M.	735	178	41	30	19	22	290	57	40	31	34
	女 F.	592	146	39	22	14	14	235	47	35	27	35
341	頭蓋内静脈洞の静脈炎および血栓静脈炎	2	–	–	–	–	–	–	–	–	–	–
	男 M.	2	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
342	頭蓋内および脊柱内膿瘍	90	3	3	2	3	–	11	4	6	13	8
	男 M.	59	2	2	1	3	–	8	4	4	8	7
	女 F.	31	1	1	1	–	–	3	–	2	5	1
343	脳炎，脊髄炎および脳脊髄炎（急性伝染性を除く）	395	29	8	7	3	2	49	18	8	20	11
	男 M.	226	12	7	6	–	1	26	11	5	10	6
	女 F.	169	17	1	1	3	1	23	7	3	10	5
344	頭蓋内膿瘍または化膿性感染の後遺症	325	7	16	6	8	9	46	28	27	14	12
	男 M.	185	4	10	1	5	8	28	21	19	8	6
	女 F.	140	3	6	5	3	1	18	7	8	6	6
345	多発硬化症	79	1	–	–	–	–	1	1	1	–	2
	男 M.	42	1	–	–	–	–	1	–	1	–	2
	女 F.	37	–	–	–	–	–	–	1	–	–	–
(350—357)	その他の中枢神経系の疾患	5 323	280	171	108	104	78	741	274	223	275	275
	男 M.	2 928	172	103	56	62	44	437	147	132	185	166
	女 F.	2 395	108	68	52	42	34	304	127	91	90	109
350	振顫麻痺	421	–	–	–	–	–	–	1	–	2	3
	男 M.	233	–	–	–	–	–	–	1	–	2	1
	女 F.	188	–	–	–	–	–	–	–	–	–	2
351	脳性痙性小児麻痺	1 096	262	156	96	85	58	657	190	87	50	30
	男 M.	607	160	91	49	52	29	381	96	39	31	15
	女 F.	489	102	65	47	33	29	276	94	48	19	15
352	その他の脳性麻痺	1 324	–	–	1	1	–	2	2	1	1	2
	男 M.	635	–	–	1	–	–	1	–	1	1	1
	女 F.	689	–	–	–	1	–	1	2	–	–	1

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
103	122	128	191	319	375	438	462	411	303	191	89	21	6	–	–	–	330
65	79	67	109	177	205	239	232	180	131	78	33	5	1	–	–	–	
38	43	61	82	142	170	199	230	231	172	113	56	16	5	–	–	–	
131	257	567	1 529	3 696	7 056	11 331	14 809	18 428	21 063	18 550	11 195	3 792	701	64	3	1	331
76	163	347	914	2 111	4 125	7 078	9 028	10 562	10 832	8 440	4 503	1 290	196	15	1	1	
55	94	220	615	1 585	2 931	4 253	5 781	7 866	10 231	10 110	6 692	2 502	505	49	2	–	
67	62	110	145	257	510	970	1 645	2 600	3 431	3 504	2 276	828	190	22	1	–	332
28	24	45	66	119	250	568	1 015	1 508	1 891	1 743	994	291	66	4	–	–	
39	38	65	79	138	260	402	630	1 092	1 540	1 761	1 282	537	124	18	1	–	
–	–	1	–	–	4	3	6	3	7	3	4	1	1	–	–	–	333
–	–	–	–	–	1	2	5	2	4	–	3	1	–	–	–	–	
–	–	1	–	–	3	1	1	1	3	3	1	–	1	–	–	–	
16	17	29	96	209	376	743	1 051	1 571	1 877	1 839	1 148	406	73	8	1	–	334
7	10	18	57	122	230	470	660	951	994	857	483	159	20	1	–	–	
9	7	11	39	87	146	273	391	620	883	982	665	247	53	7	1	–	
89	94	94	79	82	103	125	124	112	91	67	38	7	2	–	–	–	(340—345)
50	48	40	42	44	58	72	71	78	56	39	20	3	1	–	–	–	
39	46	54	37	38	45	53	53	34	35	28	18	4	1	–	–	–	
55	49	50	46	46	42	48	53	41	35	20	8	2	1	–	–	–	340
29	28	22	26	26	26	33	30	27	18	13	3	1	1	–	–	–	
26	21	28	20	20	16	15	23	14	17	7	5	1	–	–	–	–	
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	341
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	4	8	2	4	7	7	2	4	2	–	1	–	–	–	–	–	342
6	2	8	1	1	3	3	1	2	1	–	–	–	–	–	–	–	
1	2	–	1	3	4	4	1	2	1	–	1	–	–	–	–	–	
13	18	20	17	15	25	35	34	35	33	25	16	2	1	–	–	–	343
9	9	6	8	10	14	22	18	26	20	12	13	1	–	–	–	–	
4	9	14	9	5	11	13	16	9	13	13	3	1	1	–	–	–	
11	20	16	9	13	21	27	26	26	15	8	6	–	–	–	–	–	344
4	8	4	4	5	11	10	18	19	11	7	2	–	–	–	–	–	
7	12	12	5	8	10	17	8	7	4	1	4	–	–	–	–	–	
3	3	–	5	4	7	7	9	6	6	14	7	3	–	–	–	–	345
2	1	–	3	2	3	3	4	4	6	7	2	1	–	–	–	–	
1	2	–	2	2	4	4	5	2	–	7	5	2	–	–	–	–	
258	253	203	157	182	203	243	326	402	500	451	252	84	19	2	–	–	(350—357)
138	139	99	70	96	115	150	196	248	254	214	106	31	5	–	–	–	
120	114	104	87	86	88	93	130	154	246	237	146	53	14	2	–	–	
1	1	9	6	14	32	48	64	93	78	48	17	3	1	–	–	–	350
1	1	4	2	14	20	32	28	49	42	24	11	1	–	–	–	–	
–	–	5	4	–	12	16	36	44	36	24	6	2	1	–	–	–	
25	19	10	4	7	1	5	4	4	2	1	–	–	–	–	–	–	351
14	11	5	3	3	–	3	2	3	1	–	–	–	–	–	–	–	
11	8	5	1	4	1	2	2	1	1	1	–	–	–	–	–	–	
3	4	2	11	11	22	44	107	182	314	327	205	64	18	2	–	–	352
2	2	1	6	6	9	28	62	110	155	142	80	23	5	–	–	–	
1	2	1	5	5	13	16	45	72	159	185	125	41	13	2	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
353	てんかん	1 505	12	12	11	15	16	66	61	112	176	210	201	188	135	87	74	55	40	35	22	20	12	8	3	–	–	–	–	353
	男 M.	856	9	11	6	8	11	45	39	74	112	130	110	100	65	40	33	27	26	25	13	7	5	4	1	–	–	–	–	
	女 F.	649	3	1	5	7	5	21	22	38	64	80	91	88	70	47	41	28	14	10	9	13	7	4	2	–	–	–	–	
354	片頭痛	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	354
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
355	その他の脳の疾患	140	–	2	–	1	2	5	4	2	1	5	3	5	4	8	11	11	14	10	10	16	14	9	8	–	–	–	–	355
	男 M.	75	–	1	–	1	2	4	2	2	1	2	2	3	3	5	5	9	5	6	7	7	8	2	2	–	–	–	–	
	女 F.	65	–	1	–	–	–	1	2	–	–	3	1	2	1	3	6	2	9	4	3	9	6	7	6	–	–	–	–	
356	運動神経元の疾患および筋萎縮	646	4	–	–	–	2	6	10	16	39	20	21	27	33	37	51	65	77	79	75	48	31	7	4	–	–	–	–	356
	男 M.	405	1	–	–	–	2	3	5	12	33	15	9	15	16	13	30	40	47	52	52	32	23	5	3	–	–	–	–	
	女 F.	241	3	–	–	–	–	3	5	4	6	5	12	12	17	24	21	25	30	27	23	16	8	2	1	–	–	–	–	
357	その他の脊髄の疾患	189	2	1	–	2	–	5	6	5	6	5	4	9	10	4	14	17	15	27	16	21	18	5	2	–	–	–	–	357
	男 M.	117	2	–	–	1	–	3	4	4	5	2	–	7	5	1	5	10	9	21	14	10	12	4	1	–	–	–	–	
	女 F.	72	–	1	–	1	–	2	2	1	1	3	4	2	5	3	9	7	6	6	2	11	6	1	1	–	–	–	–	
(360—369)	神経および末梢神経節の疾患	995	–	2	2	1	1	6	7	3	4	4	15	7	6	12	10	27	40	48	95	157	238	209	82	23	2	–	–	(360—369)
	男 M.	411	–	2	1	–	1	4	6	2	3	3	10	4	3	5	3	14	15	19	50	77	90	76	23	4	–	–	–	
	女 F.	584	–	–	1	1	–	2	1	1	1	1	5	3	3	7	7	13	25	29	45	80	148	133	59	19	2	–	–	
360	顔面神経麻痺	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	2	1	1	–	–	–	350
	男 M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	–	–	–	
	女 F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	–	–	–	–	
361	三叉神経痛	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	1	3	3	3	2	2	–	–	–	–	361
	男 M.	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	1	1	1	–	1	–	–	–	–	
	女 F.	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	1	2	2	2	2	1	–	–	–	–	
362	上腕神経炎	14	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	4	5	2	–	–	–	–	362
	男 M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	
	女 F.	9	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	3	3	2	–	–	–	–	
363	坐骨神経痛	454	–	–	–	–	–	–	–	–	1	1	6	1	–	3	2	8	11	16	44	68	121	116	41	14	1	–	–	363
	男 M.	181	–	–	–	–	–	–	–	–	1	1	3	1	–	2	1	3	5	4	26	36	49	36	12	1	–	–	–	
	女 F.	273	–	–	–	–	–	–	–	–	–	–	3	–	–	1	1	5	6	12	18	32	72	80	29	13	1	–	–	
364	多発神経炎および多発神経根炎	117	–	–	1	–	–	1	7	1	1	1	4	1	2	5	4	1	12	9	11	18	20	11	6	1	1	–	–	364
	男 M.	49	–	–	–	–	–	–	6	–	1	–	3	–	–	1	1	–	3	4	6	10	9	4	1	–	–	–	–	
	女 F.	68	–	–	1	–	–	1	1	1	–	1	1	1	2	4	3	1	9	5	5	8	11	7	5	1	1	–	–	
365	赤色浮腫性多発神経炎	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	365
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
366	その他および詳細不明の神経痛および神経炎	304	–	–	–	–	–	–	–	–	–	1	–	2	–	3	2	6	11	13	24	58	81	70	27	6	–	–	–	356
	男 M.	119	–	–	–	–	–	–	–	–	–	1	–	1	–	2	–	4	4	7	11	23	24	33	8	1	–	–	–	
	女 F.	185	–	–	–	–	–	–	–	–	–	–	–	1	–	1	2	2	7	6	13	35	57	37	19	5	–	–	–	
367	その他の脳神経の疾患	30	–	2	1	–	–	3	–	1	1	–	2	2	2	–	1	–	3	3	3	3	3	1	1	1	–	–	–	367
	男 M.	23	–	2	1	–	–	3	–	1	–	–	2	2	2	–	1	–	3	–	1	3	3	–	1	1	–	–	–	
	女 F.	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	3	2	–	–	1	–	–	–	–	–	
368	その他の末梢神経の疾患（自律神経を除く）	36	–	–	–	–	1	1	–	1	1	–	2	1	2	–	–	6	–	3	5	7	3	2	2	–	–	–	–	358
	男 M.	20	–	–	–	–	1	1	–	1	1	–	1	–	1	–	–	4	–	3	2	4	2	–	–	–	–	–	–	
	女 F.	16	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	2	–	–	3	3	1	2	2	–	–	–	–	
369	末梢自律神経系の疾患	12	–	1	–	1	–	1	–	–	–	1	1	–	–	–	1	2	1	2	2	–	1	–	–	–	–	–	–	369
	男 M.	3	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	女 F.	9	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	2	1	2	2	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
(370—379)	眼の炎症性疾患	37	5	1	1	2	2	11	4	–	3	–
	男 M.	23	4	–	–	1	2	7	3	–	3	–
	女 F.	14	1	1	1	1	–	4	1	–	–	–
370	結膜炎および眼炎	5	1	–	–	–	1	2	–	–	–	–
	男 M.	4	1	–	–	–	1	2	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
371	眼瞼炎	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
372	麦粒腫（ものもらい）	9	1	1	–	1	–	3	1	–	1	–
	男 M.	4	1	–	–	–	–	1	–	–	1	–
	女 F.	5	–	1	–	1	–	2	1	–	–	–
373	虹彩炎	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
374	角膜炎	3	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	2	–	–	–	–	–	–	–	–	–	–
375	脈絡膜炎	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
376	その他のブドウ膜の炎症	3	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	2	–	–	–	–	–	–	–	–	–	–
377	視神経および網膜の炎症	2	–	–	–	–	–	–	–	–	1	–
	男 M.	2	–	–	–	–	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
378	涙腺および涙管の炎症	1	1	–	–	–	–	1	–	–	–	–
	男 M.	1	1	–	–	–	–	1	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
379	その他の眼の炎症性疾患	13	2	–	1	1	1	5	3	–	1	–
	男 M.	9	1	–	–	1	1	3	3	–	1	–
	女 F.	4	1	–	1	–	–	2	–	–	–	–
(380—389)	その他の眼の疾患および状態	31	–	–	–	–	–	–	2	–	–	–
	男 M.	7	–	–	–	–	–	–	–	–	–	–
	女 F.	24	–	–	–	–	–	–	2	–	–	–
380	屈折異常	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
381	角膜潰瘍	1	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
382	角膜混濁	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
383	翼状片	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
1	2	–	–	–	2	3	2	2	1	3	2	1	–	–	–	–	(370—379)
1	–	–	–	–	–	3	2	1	1	1	–	1	–	–	–	–	
–	2	–	–	–	2	–	–	1	–	2	2	–	–	–	–	–	
–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	370
–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	371
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	372
1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	373
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	374
–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	375
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	376
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	377
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	378
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	379
–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	1	1	8	5	8	5	–	–	–	–	(380—389)
1	–	–	–	–	–	–	–	–	2	2	1	1	–	–	–	–	
–	–	–	–	–	–	–	1	1	6	3	7	4	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	380
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	381
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	382
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	383
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
384	斜視	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	384
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
385	白内障	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	3	5	2	–	–	–	–	385
	男 M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	
	女 F.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	2	4	1	–	–	–	–	
386	網膜剝離	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	386
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
387	緑内障	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	2	2	–	–	–	–	387
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	女 F.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	2	–	–	–	–	
388	その他の眼の疾患	8	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	1	2	1	1	–	–	–	–	388
	男 M.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
	女 F.	5	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	–	–	–	–	
389	盲	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	389
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(390—398)	耳および乳様突起の疾患	262	48	8	4	2	2	64	22	30	28	19	10	8	8	3	6	8	12	12	8	7	11	4	1	1	–	–	–	(390—398)
	男 M.	144	21	2	3	2	–	28	12	21	19	14	8	2	5	3	4	2	5	5	4	5	6	1	–	–	–	–	–	
	女 F.	118	27	6	1	–	2	36	10	9	9	5	2	6	3	–	2	6	7	7	4	2	5	3	1	1	–	–	–	
390	外耳炎	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	390
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	女 F.	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
391	中耳炎（乳様突起炎の記載のないもの）	202	44	8	4	2	2	60	18	24	22	14	7	5	7	3	2	6	7	9	5	4	5	3	–	1	–	–	–	391
	男 M.	114	19	2	3	2	–	26	9	16	15	12	7	1	4	3	2	2	5	4	2	2	4	–	–	–	–	–	–	
	女 F.	88	25	6	1	–	2	34	9	8	7	2	–	4	3	–	–	4	2	5	3	2	1	3	–	1	–	–	–	
392	中耳炎（乳様突起炎を伴うもの）	18	1	–	–	–	–	1	2	4	2	1	–	1	–	–	2	–	2	2	–	1	–	–	–	–	–	–	–	392
	男 M.	11	1	–	–	–	–	1	1	3	2	–	–	1	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–	
	女 F.	7	–	–	–	–	–	–	1	1	–	1	–	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	
393	乳様突起炎（中耳炎の記載のないもの）	14	2	–	–	–	–	2	1	1	1	3	–	–	1	–	1	1	–	–	1	1	–	1	–	–	–	–	–	393
	男 M.	8	1	–	–	–	–	1	1	1	–	1	–	–	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–	
	女 F.	6	1	–	–	–	–	1	–	–	1	2	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
394	その他の耳の炎症性疾患	3	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	394
	男 M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
395	メニエール病	15	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	2	1	1	1	6	–	1	–	–	–	–	395
	男 M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	–	–	–	–	–	–	
	女 F.	11	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	2	1	1	–	4	–	1	–	–	–	–	
396	その他の耳および乳様突起の疾患	7	–	–	–	–	–	–	1	1	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	396
	男 M.	5	–	–	–	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
397	聾唖	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	397
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
398	その他の聾	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	398
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5 才階級）・死因（基本分類）別

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
VII	循環器系の疾患	81 828	281	59	39	35	47	461	413	612	787	873
	男 M.	41 454	155	30	19	13	22	239	203	308	402	412
	女 F.	40 374	126	29	20	22	25	222	210	304	385	461
(400—402)	リューマチ熱	1 102	3	2	2	4	8	19	88	120	56	26
	男 M.	448	3	1	2	2	4	12	43	57	24	8
	女 F.	654	–	1	–	2	4	7	45	63	32	18
400	心臓障害の記載のないリューマチ熱	170	–	1	1	–	–	2	8	15	7	2
	男 M.	64	–	1	1	–	–	2	2	7	2	1
	女 F.	106	–	–	–	–	–	–	6	8	5	1
401	心臓障害を伴うリューマチ熱	899	3	1	1	4	8	17	78	104	46	24
	男 M.	369	3	–	1	2	4	10	41	50	21	7
	女 F.	530	–	1	–	2	4	7	37	54	25	17
401.0	活動性リューマチ性心臓炎	*71*	*3*	–	–	*2*	*2*	*7*	*5*	*9*	*6*	*3*
	男 M.	*25*	*3*	–	–	*1*	*1*	*5*	*1*	*5*	*3*	–
	女 F.	*46*	–	–	–	*1*	*1*	*2*	*4*	*4*	*3*	*3*
401.1	活動性リューマチ性心内膜炎	*504*	–	–	*1*	*2*	*3*	*6*	*52*	*59*	*33*	*14*
	男 M.	*204*	–	–	*1*	*1*	*1*	*3*	*29*	*28*	*16*	*4*
	女 F.	*300*	–	–	–	*1*	*2*	*3*	*23*	*31*	*17*	*10*
401.2	活動性リューマチ性心筋炎	*172*	–	*1*	–	–	–	*1*	*8*	*14*	*5*	*3*
	男 M.	*79*	–	–	–	–	–	–	*3*	*6*	*2*	*1*
	女 F.	*93*	–	*1*	–	–	–	*1*	*5*	*8*	*3*	*2*
401.3	その他および多発性の心臓障害を伴う活動性リューマチ熱	*152*	–	–	–	–	*3*	*3*	*13*	*22*	*2*	*4*
	男 M.	*61*	–	–	–	–	*2*	*2*	*8*	*11*	–	*2*
	女 F.	*91*	–	–	–	–	*1*	*1*	*5*	*11*	*2*	*2*
402	舞踏病	33	–	–	–	–	–	–	2	1	3	–
	男 M.	15	–	–	–	–	–	–	–	–	1	–
	女 F.	18	–	–	–	–	–	–	2	1	2	–
(410—416)	慢性リューマチ性心臓疾患	5 420	–	4	3	3	–	10	57	147	186	149
	男 M.	2 046	–	3	3	–	–	6	23	79	88	64
	女 F.	3 374	–	1	–	3	–	4	34	68	98	85
410	僧帽弁の疾患	4 090	–	4	3	3	–	10	47	108	152	120
	男 M.	1 663	–	3	3	–	–	6	19	58	78	53
	女 F.	2 427	–	1	–	3	–	4	28	50	74	67
411	リューマチ性と明示された大動脈弁の疾患	28	–	–	–	–	–	–	1	–	–	3
	男 M.	13	–	–	–	–	–	–	–	–	–	3
	女 F.	15	–	–	–	–	–	–	1	–	–	–
412	三尖弁の疾患	37	–	–	–	–	–	–	2	–	4	–
	男 M.	15	–	–	–	–	–	–	1	–	2	–
	女 F.	22	–	–	–	–	–	–	1	–	2	–
413	リューマチ性と明示された肺動脈弁の疾患	2	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
414	その他のリューマチ性と明示された心内膜炎	699	–	–	–	–	–	–	6	28	19	15
	男 M.	197	–	–	–	–	–	–	2	16	6	5
	女 F.	502	–	–	–	–	–	–	4	12	13	10
415	リューマチ性と明示された心筋炎	223	–	–	–	–	–	–	1	2	3	3
	男 M.	70	–	–	–	–	–	–	1	–	2	–
	女 F.	153	–	–	–	–	–	–	–	2	1	3

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
1 246	1 400	1 441	1 831	2 695	3 857	5 722	7 609	10 277	13 371	13 877	10 263	3 995	980	106	11	1	VII
572	642	633	838	1 398	2 234	3 414	4 511	5 888	7 052	6 541	4 413	1 438	286	24	5	1	
674	758	808	993	1 297	1 623	2 308	3 098	4 389	6 319	7 336	5 850	2 557	694	82	6	–	
45	34	31	30	43	61	61	67	84	115	111	80	25	6	–	–	–	(400—402)
14	7	11	10	17	27	26	29	37	47	45	29	4	1	–	–	–	
31	27	20	20	26	34	35	38	47	68	66	51	21	5	–	–	–	
6	3	7	1	8	9	8	12	15	12	23	24	5	3	–	–	–	400
–	1	3	1	4	3	3	5	8	3	8	9	1	1	–	–	–	
6	2	4	–	4	6	5	7	7	9	15	15	4	2	–	–	–	
38	31	23	27	32	49	51	53	65	99	86	53	20	3	–	–	–	401
14	6	8	8	12	21	21	22	27	42	36	20	3	–	–	–	–	
24	25	15	19	20	28	30	31	38	57	50	33	17	3	–	–	–	
4	*5*	*1*	*1*	*6*	*2*	*4*	*3*	*2*	*7*	*4*	*2*	–	–	–	–	–	401.0
–	–	–	–	*2*	*1*	*1*	*1*	*1*	*2*	*1*	*2*	–	–	–	–	–	
4	*5*	*1*	*1*	*4*	*1*	*3*	*2*	*1*	*5*	*3*	–	–	–	–	–	–	
22	*14*	*14*	*17*	*18*	*31*	*33*	*26*	*35*	*47*	*45*	*28*	*8*	*2*	–	–	–	401.1
6	*2*	*5*	*7*	*5*	*15*	*13*	*12*	*13*	*23*	*16*	*6*	*1*	–	–	–	–	
16	*12*	*9*	*10*	*13*	*16*	*20*	*14*	*22*	*24*	*29*	*22*	*7*	*2*	–	–	–	
7	*7*	*7*	*3*	*5*	*11*	*7*	*11*	*19*	*28*	*17*	*11*	*8*	–	–	–	–	401.2
5	*2*	*2*	–	*4*	*4*	*4*	*5*	*10*	*13*	*12*	*5*	*1*	–	–	–	–	
2	*5*	*5*	*3*	*1*	*7*	*3*	*6*	*9*	*15*	*5*	*6*	*7*	–	–	–	–	
5	*5*	*1*	*6*	*3*	*5*	*7*	*13*	*9*	*17*	*20*	*12*	*4*	*1*	–	–	–	401.3
3	*2*	*1*	*1*	*1*	*1*	*3*	*4*	*3*	*4*	*7*	*7*	*1*	–	–	–	–	
2	*3*	–	*5*	*2*	*4*	*4*	*9*	*6*	*13*	*13*	*5*	*3*	*1*	–	–	–	
1	–	1	2	3	3	2	2	4	4	2	3	–	–	–	–	–	402
–	–	–	1	1	3	2	2	2	2	1	–	–	–	–	–	–	
1	–	1	1	2	–	–	–	2	2	1	3	–	–	–	–	–	
192	239	223	238	265	321	401	452	581	703	646	423	166	18	2	1	–	(410—416)
63	77	54	61	84	133	159	192	264	285	210	148	52	3	–	1	–	
129	162	169	177	181	188	242	260	317	418	436	275	114	15	2	–	–	
164	200	194	201	216	257	311	314	419	503	435	300	126	12	–	1	–	410
56	68	51	54	72	112	128	146	214	226	162	112	44	3	–	1	–	
108	132	143	147	144	145	183	168	205	277	273	188	82	9	–	–	–	
1	1	3	–	3	1	–	2	2	1	6	4	–	–	–	–	–	411
1	1	1	–	1	–	–	1	–	–	3	2	–	–	–	–	–	
–	–	2	–	2	1	–	1	2	1	3	2	–	–	–	–	–	
–	–	–	2	2	1	–	2	3	6	5	4	6	–	–	–	–	412
–	–	–	–	–	–	–	2	1	2	2	2	3	–	–	–	–	
–	–	–	2	2	1	–	–	2	4	3	2	3	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	413
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18	27	21	24	26	39	53	79	70	108	97	45	19	4	1	–	–	414
4	5	1	6	6	13	23	24	20	29	21	13	3	–	–	–	–	
14	22	20	18	20	26	30	55	50	79	76	32	16	4	1	–	–	
3	4	2	3	5	11	16	24	32	34	42	33	3	1	1	–	–	415
1	2	1	1	1	5	4	6	13	16	8	9	–	–	–	–	–	
2	2	1	2	4	6	12	18	19	18	34	24	3	1	1	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5才階級）・死因（基本分類）別

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
416	その他のリューマチ性と明示された心臓疾患	341	–	–	–	–	–	–	–	9	8	8
	男 M.	87	–	–	–	–	–	–	–	5	–	3
	女 F.	254	–	–	–	–	–	–	–	4	8	5
(420—422)	動脈硬化性および変性性心臓疾患	42 715	197	36	27	18	27	305	175	250	412	511
	男 M.	22 081	106	15	12	8	13	154	86	131	218	250
	女 F.	20 634	91	21	15	10	14	151	89	119	194	261
420	動脈硬化性心臓疾患（冠状動脈疾患を含む）	17 398	2	2	1	–	–	5	5	12	65	126
	男 M.	10 476	2	2	–	–	–	4	2	4	40	82
	女 F.	6 922	–	–	1	–	–	1	3	8	25	44
420.0	動脈硬化性心臓疾患と記載されたもの	*97*	–	–	–	–	–	–	–	–	–	–
	男 M.	*50*	–	–	–	–	–	–	–	–	–	–
	女 F.	*47*	–	–	–	–	–	–	–	–	–	–
420.1	冠状動脈疾患の記載のある心臓疾患	*9 413*	*1*	*2*	*1*	–	–	*4*	*2*	*7*	*26*	*48*
	男 M.	*5 685*	*1*	*2*	–	–	–	*3*	*1*	*3*	*16*	*29*
	女 F.	*3 728*	–	–	*1*	–	–	*1*	*1*	*4*	*10*	*19*
420.2	冠状動脈疾患の記載のない狭心症	*7 888*	*1*	–	–	–	–	*1*	*3*	*5*	*39*	*78*
	男 M.	*4 741*	*1*	–	–	–	–	*1*	*1*	*1*	*24*	*53*
	女 F.	*3 147*	–	–	–	–	–	–	*2*	*4*	*15*	*25*
421	リューマチ性と明示されない慢性心内膜炎	12 519	1	19	14	11	17	62	136	198	289	283
	男 M.	5 393	–	7	4	6	7	24	73	105	143	113
	女 F.	7 126	1	12	10	5	10	38	63	93	146	170
421.0	僧帽弁（非リューマチ性と明示されたもの）	*119*	–	–	–	*1*	–	*1*	*1*	*1*	*2*	–
	男 M.	*53*	–	–	–	*1*	–	*1*	–	–	–	–
	女 F.	*66*	–	–	–	–	–	–	*1*	*1*	*2*	–
421.1	大動脈弁（リューマチ性と明示されないもの）	*773*	–	–	–	–	–	–	*2*	*3*	*5*	*15*
	男 M.	*469*	–	–	–	–	–	–	*2*	*1*	*5*	*7*
	女 F.	*304*	–	–	–	–	–	–	–	*2*	–	*8*
421.2	三尖弁（非リューマチ性と明示されたもの）	*12*	–	–	–	–	–	–	*1*	–	–	–
	男 M.	*7*	–	–	–	–	–	–	*1*	–	–	–
	女 F.	*5*	–	–	–	–	–	–	–	–	–	–
421.3	肺動脈弁（リューマチ性と明示されないもの）	*24*	–	–	–	*1*	–	*1*	*1*	*1*	*3*	*1*
	男 M.	*11*	–	–	–	*1*	–	*1*	–	*1*	*2*	–
	女 F.	*13*	–	–	–	–	–	–	*1*	–	*1*	*1*
421.4	その他および不詳（リューマチ性と明示されないもの）	*11 591*	*1*	*19*	*14*	*9*	*17*	*60*	*131*	*193*	*279*	*267*
	男 M.	*4 853*	–	*7*	*4*	*4*	*7*	*22*	*70*	*103*	*136*	*106*
	女 F.	*6 738*	*1*	*12*	*10*	*5*	*10*	*38*	*61*	*90*	*143*	*161*
422	その他の心筋変性	12 798	194	15	12	7	10	238	34	40	58	102
	男 M.	6 212	104	6	8	2	6	126	11	22	35	55
	女 F.	6 586	90	9	4	5	4	112	23	18	23	47
422.0	脂肪変性	*30*	–	–	–	–	–	–	–	–	–	–
	男 M.	*13*	–	–	–	–	–	–	–	–	–	–
	女 F.	*17*	–	–	–	–	–	–	–	–	–	–
422.1	動脈硬化症を伴うもの	*984*	–	–	–	–	–	–	–	–	–	*1*
	男 M.	*514*	–	–	–	–	–	–	–	–	–	–
	女 F.	*470*	–	–	–	–	–	–	–	–	–	*1*
422.2	その他	*11 784*	*194*	*15*	*12*	*7*	*10*	*238*	*34*	*40*	*58*	*101*
	男 M.	*5 685*	*104*	*6*	*8*	*2*	*6*	*126*	*11*	*22*	*35*	*55*
	女 F.	*6 099*	*90*	*9*	*4*	*5*	*4*	*112*	*23*	*18*	*23*	*46*

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
6	6	3	8	13	12	21	31	55	51	61	36	12	1	–	–	–	416
1	1	–	–	4	3	4	13	16	12	14	9	2	–	–	–	–	
5	5	3	8	9	9	17	18	39	39	47	27	10	1	–	–	–	
749	828	866	1 137	1 711	2 360	3 389	4 346	5 425	6 577	6 459	4 772	1 912	472	52	6	1	(420—422)
366	404	402	552	931	1 417	2 049	2 617	3 083	3 452	3 066	2 048	693	144	14	3	1	
383	424	464	585	780	943	1 340	1 729	2 342	3 125	3 393	2 724	1 219	328	38	3	–	
214	290	299	451	793	1 217	1 799	2 344	2 664	2 721	2 300	1 518	468	94	10	2	1	420
138	201	188	305	550	856	1 235	1 540	1 663	1 550	1 183	709	191	31	3	–	1	
76	89	111	146	243	361	564	804	1 001	1 171	1 117	809	277	63	7	2	–	
–	–	–	*2*	–	*2*	*7*	*5*	*9*	*16*	*22*	*23*	*9*	*2*	–	–	–	420.0
–	–	–	–	–	*1*	*4*	*3*	*5*	*10*	*11*	*12*	*3*	*1*	–	–	–	
–	–	–	*2*	–	*1*	*3*	*2*	*4*	*6*	*11*	*11*	*6*	*1*	–	–	–	
87	*123*	*136*	*217*	*401*	*616*	*987*	*1 279*	*1 438*	*1 540*	*1 310*	*867*	*261*	*58*	*3*	*2*	*1*	420.1
55	*80*	*87*	*145*	*283*	*444*	*673*	*833*	*923*	*907*	*664*	*405*	*114*	*17*	*2*	–	*1*	
32	*43*	*49*	*72*	*118*	*172*	*314*	*446*	*515*	*633*	*646*	*462*	*147*	*41*	*1*	*2*	–	
127	*167*	*163*	*232*	*392*	*599*	*805*	*1 060*	*1 217*	*1 165*	*968*	*628*	*198*	*34*	*7*	–	–	420.2
83	*121*	*101*	*160*	*267*	*411*	*558*	*704*	*735*	*633*	*508*	*292*	*74*	*13*	*1*	–	–	
44	*46*	*62*	*72*	*125*	*188*	*247*	*356*	*482*	*532*	*460*	*336*	*124*	*21*	*6*	–	–	
374	376	413	508	650	763	947	1 123	1 463	1 754	1 618	1 082	377	92	10	1	–	421
146	124	133	179	262	343	452	556	689	796	690	417	120	27	1	–	–	
228	252	280	329	388	420	495	567	774	958	928	665	257	65	9	1	–	
7	*6*	*6*	*5*	*7*	*2*	*10*	*11*	*12*	*17*	*14*	*11*	*5*	*1*	–	–	–	421.0
4	*2*	*2*	*2*	*4*	*2*	*6*	*4*	*6*	*5*	*7*	*5*	*2*	*1*	–	–	–	
3	*4*	*4*	*3*	*3*	–	*4*	*7*	*6*	*12*	*7*	*6*	*3*	–	–	–	–	
16	*13*	*16*	*27*	*53*	*56*	*85*	*99*	*131*	*108*	*72*	*43*	*25*	*2*	*1*	*1*	–	421.1
11	*8*	*8*	*23*	*34*	*41*	*58*	*69*	*77*	*61*	*40*	*17*	*7*	–	–	–	–	
5	*5*	*8*	*4*	*19*	*15*	*27*	*30*	*54*	*47*	*32*	*26*	*18*	*2*	*1*	*1*	–	
3	–	*1*	–	–	–	*1*	*1*	*1*	*1*	*2*	*1*	–	–	–	–	–	421.2
2	–	–	–	–	–	*1*	–	*1*	–	*1*	*1*	–	–	–	–	–	
1	–	*1*	–	–	–	–	*1*	–	*1*	*1*	–	–	–	–	–	–	
2	*1*	*1*	*1*	*1*	*1*	*2*	–	*1*	*3*	*3*	*1*	–	–	–	–	–	421.3
1	–	*1*	*1*	–	–	–	–	*1*	*1*	*2*	–	–	–	–	–	–	
1	*1*	–	–	*1*	*1*	*2*	–	–	*2*	*1*	*1*	–	–	–	–	–	
346	*356*	*389*	*475*	*589*	*704*	*849*	*1 012*	*1 318*	*1 625*	*1 527*	*1 026*	*347*	*89*	*9*	–	–	421.4
128	*114*	*122*	*153*	*224*	*300*	*387*	*483*	*604*	*729*	*640*	*394*	*111*	*26*	*1*	–	–	
218	*242*	*267*	*322*	*365*	*404*	*462*	*529*	*714*	*896*	*887*	*632*	*236*	*63*	*8*	–	–	
161	162	154	178	268	380	643	879	1 298	2 102	2 541	2 172	1 067	286	32	3	–	422
82	79	81	68	119	218	362	521	731	1 106	1 193	922	382	86	10	3	–	
79	83	73	110	149	162	281	358	567	996	1 348	1 250	685	200	22	–	–	
1	–	*2*	*3*	*3*	*4*	*7*	*2*	*2*	*4*	*1*	*1*	–	–	–	–	–	422.0
1	–	*1*	*1*	–	*1*	*5*	*1*	*2*	–	*1*	–	–	–	–	–	–	
–	–	*1*	*2*	*3*	*3*	*2*	*1*	–	*4*	–	*1*	–	–	–	–	–	
1	–	–	*1*	*6*	*16*	*23*	*62*	*115*	*205*	*253*	*199*	*81*	*18*	*3*	–	–	422.1
1	–	–	–	*3*	*12*	*13*	*39*	*69*	*113*	*132*	*90*	*36*	*5*	*1*	–	–	
–	–	–	*1*	*3*	*4*	*10*	*23*	*46*	*92*	*121*	*109*	*45*	*13*	*2*	–	–	
159	*162*	*152*	*174*	*259*	*360*	*613*	*815*	*1 181*	*1 893*	*2 287*	*1 972*	*986*	*268*	*29*	*3*	–	422.2
80	*79*	*80*	*67*	*116*	*205*	*344*	*481*	*660*	*993*	*1 060*	*832*	*346*	*81*	*9*	*3*	–	
79	*83*	*72*	*107*	*143*	*155*	*269*	*334*	*521*	*900*	*1 227*	*1 140*	*640*	*187*	*20*	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
(430—434)	その他の心臓の疾患	14 819	64	13	7	7	11	102	81	88	108	146	195	199	192	219	317	502	844	1 270	1 899	2 673	2 917	2 064	792	192	18	1	－	(430—434)
	男 M.	8 008	35	10	2	2	4	53	42	36	57	69	99	105	89	101	154	282	516	804	1 193	1 576	1 497	964	311	58	2	－	－	
	女 F.	6 811	29	3	5	5	7	49	39	52	51	77	96	94	103	118	163	220	328	466	706	1 097	1 420	1 100	481	134	16	1	－	
430	急性および亜急性心内膜炎	582	9	2	2	－	5	18	36	56	46	41	46	44	20	24	38	30	43	36	34	21	25	13	8	3	－	－	－	430
	男 M.	271	5	1	2	－	1	9	19	20	22	20	19	21	6	9	12	19	21	17	20	14	13	6	3	1	－	－	－	
	女 F.	311	4	1	－	－	4	9	17	36	24	21	27	23	14	15	26	11	22	19	14	7	12	7	5	2	－	－	－	
430.0	急性および亜急性細菌性心内膜炎	*346*	*4*	*2*	－	－	*5*	*11*	*12*	*32*	*35*	*31*	*26*	*32*	*15*	*16*	*27*	*19*	*23*	*20*	*23*	*11*	*6*	*3*	*2*	*2*	－	－	－	430.0
	男 M.	*160*	*3*	*1*	－	－	*1*	*5*	*6*	*11*	*16*	*14*	*11*	*17*	*4*	*7*	*10*	*13*	*9*	*10*	*12*	*8*	*4*	*2*	－	*1*	－	－	－	
	女 F.	*186*	*1*	*1*	－	－	*4*	*6*	*6*	*21*	*19*	*17*	*15*	*15*	*11*	*9*	*17*	*6*	*14*	*10*	*11*	*3*	*2*	*1*	*2*	*1*	－	－	－	
430.1	その他の急性心内膜炎	*236*	*5*	－	*2*	－	－	*7*	*24*	*24*	*11*	*10*	*20*	*12*	*5*	*8*	*11*	*11*	*20*	*16*	*11*	*10*	*19*	*10*	*6*	*1*	－	－	－	430.1
	男 M.	*111*	*2*	－	*2*	－	－	*4*	*13*	*9*	*6*	*6*	*8*	*4*	*2*	*2*	*2*	*6*	*12*	*7*	*8*	*6*	*9*	*4*	*3*	－	－	－	－	
	女 F.	*125*	*3*	－	－	－	－	*3*	*11*	*15*	*5*	*4*	*12*	*8*	*3*	*6*	*9*	*5*	*8*	*9*	*3*	*4*	*10*	*6*	*3*	*1*	－	－	－	
431	リューマチ性と明示されない急性心筋炎	182	7	3	－	－	4	14	6	5	7	5	6	5	6	4	2	6	9	12	22	17	27	14	8	7	－	－	－	431
	男 M.	91	7	3	－	－	2	12	2	3	－	2	2	3	4	－	1	2	8	4	11	10	12	7	4	4	－	－	－	
	女 F.	91	－	－	－	－	2	2	4	2	7	3	4	2	2	4	1	4	1	8	11	7	15	7	4	3	－	－	－	
432	非リューマチ性と明示された急性心膜炎	10	－	－	－	1	－	1	3	1	－	2	－	－	1	－	1	－	－	－	－	－	1	－	－	－	－	－	－	432
	男 M.	4	－	－	－	－	－	－	2	－	－	－	－	－	1	－	1	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	6	－	－	－	1	－	1	1	1	－	2	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	
433	心臓の機能性疾患	610	－	－	－	－	－	－	2	3	5	16	17	20	11	28	29	39	48	59	77	88	73	63	25	6	1	－	－	433
	男 M.	324	－	－	－	－	－	－	1	1	5	10	10	10	5	11	16	24	22	38	50	46	33	31	10	1	－	－	－	
	女 F.	286	－	－	－	－	－	－	1	2	－	6	7	10	6	17	13	15	26	21	27	42	40	32	15	5	1	－	－	
434	その他および詳細不明の心臓疾患	13 435	48	8	5	6	2	69	34	23	50	82	126	130	154	163	247	427	744	1 163	1 766	2 547	2 791	1 974	751	176	17	1	－	434
	男 M.	7 318	23	6	－	2	1	32	18	12	30	37	68	71	73	81	124	237	465	745	1 112	1 506	1 439	920	294	52	2	－	－	
	女 F.	6 117	25	2	5	4	1	37	16	11	20	45	58	59	81	82	123	190	279	418	654	1 041	1 352	1 054	457	124	15	1	－	
434.0	脊椎後湾側湾性心臓疾患	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	434.0
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
434.1	うっ血性心不全	*1 253*	*6*	－	*2*	－	－	*8*	*2*	*3*	*6*	*10*	*10*	*18*	*22*	*19*	*29*	*46*	*76*	*84*	*128*	*209*	*246*	*219*	*104*	*13*	*1*	－	－	434.1
	男 M.	*586*	*2*	－	－	－	－	*2*	*2*	*1*	*3*	*6*	*6*	*8*	*8*	*6*	*11*	*28*	*45*	*48*	*75*	*101*	*108*	*91*	*32*	*5*	－	－	－	
	女 F.	*667*	*4*	－	*2*	－	－	*6*	－	*2*	*3*	*4*	*4*	*10*	*14*	*13*	*18*	*18*	*31*	*36*	*53*	*108*	*138*	*128*	*72*	*8*	*1*	－	－	
434.2	左心室不全	*10 939*	*22*	*7*	*2*	*3*	*1*	*35*	*16*	*8*	*19*	*37*	*75*	*69*	*80*	*108*	*168*	*301*	*583*	*985*	*1 516*	*2 183*	*2 388*	*1 611*	*596*	*146*	*14*	*1*	－	434.2
	男 M.	*6 070*	*9*	*5*	－	*1*	*1*	*16*	*10*	*5*	*8*	*10*	*33*	*36*	*32*	*54*	*81*	*169*	*363*	*637*	*971*	*1 324*	*1 265*	*770*	*242*	*42*	*2*	－	－	
	女 F.	*4 869*	*13*	*2*	*2*	*2*	－	*19*	*6*	*3*	*11*	*27*	*42*	*33*	*48*	*54*	*87*	*132*	*220*	*348*	*545*	*859*	*1 123*	*841*	*354*	*104*	*12*	*1*	－	
434.3	その他の心臓疾患	*292*	*7*	*1*	*1*	*3*	－	*12*	*10*	*8*	*8*	*9*	*10*	*12*	*9*	*11*	*12*	*21*	*19*	*22*	*29*	*35*	*26*	*24*	*14*	*1*	－	－	－	434.3
	男 M.	*138*	*2*	*1*	－	*1*	－	*4*	*4*	*5*	*5*	*4*	*4*	*8*	*5*	*6*	*8*	*7*	*10*	*13*	*14*	*18*	*5*	*11*	*6*	*1*	－	－	－	
	女 F.	*154*	*5*	－	*1*	*2*	－	*8*	*6*	*3*	*3*	*5*	*6*	*4*	*4*	*5*	*4*	*14*	*9*	*9*	*15*	*17*	*21*	*13*	*8*	－	－	－	－	
434.4	詳細不明の心臓疾患	*951*	*13*	－	－	－	*1*	*14*	*6*	*4*	*17*	*26*	*31*	*31*	*43*	*25*	*38*	*59*	*66*	*72*	*93*	*120*	*131*	*120*	*37*	*16*	*2*	－	－	434.4
	男 M.	*524*	*10*	－	－	－	－	*10*	*2*	*1*	*14*	*17*	*25*	*19*	*28*	*15*	*24*	*33*	*47*	*47*	*52*	*63*	*61*	*48*	*14*	*4*	－	－	－	
	女 F.	*427*	*3*	－	－	－	*1*	*4*	*4*	*3*	*3*	*9*	*6*	*12*	*15*	*10*	*14*	*26*	*19*	*25*	*41*	*57*	*70*	*72*	*23*	*12*	*2*	－	－	
(440—443)	高血圧性心臓疾患	4 972	－	－	－	－	－	－	－	1	1	7	12	20	23	48	97	163	341	503	718	1 057	1 031	668	228	49	4	1	－	(440—443)
	男 M.	2 544	－	－	－	－	－	－	－	1	1	2	7	12	13	24	57	92	219	300	431	533	470	287	79	14	2	－	－	
	女 F.	2 428	－	－	－	－	－	－	－	－	－	5	5	8	10	24	40	71	122	203	287	524	561	381	149	35	2	1	－	
440	本態性良性高血圧性心臓疾患	91	－	－	－	－	－	－	－	－	－	－	－	－	－	－	2	－	2	4	4	21	27	23	4	3	－	1	－	440
	男 M.	37	－	－	－	－	－	－	－	－	－	－	－	－	－	－	2	－	1	2	1	10	11	9	－	1	－	－	－	
	女 F.	54	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	2	3	11	16	14	4	2	－	1	－	
441	本態性悪性高血圧性心臓疾患	295	－	－	－	－	－	－	－	－	－	1	4	3	5	10	12	21	24	36	38	50	53	26	11	1	－	－	－	441
	男 M.	147	－	－	－	－	－	－	－	－	－	－	3	1	3	5	10	11	14	21	16	27	23	10	3	－	－	－	－	
	女 F.	148	－	－	－	－	－	－	－	－	－	1	1	2	2	5	2	10	10	15	22	23	30	16	8	1	－	－	－	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
412	細動脈性腎硬化症を伴う高血圧性心臓疾患	579	－	－	－	－	－	－	－	1	－	4
	男 M.	304	－	－	－	－	－	－	－	1	－	2
	女 F.	275	－	－	－	－	－	－	－	－	－	2
443	その他の良性，悪性の別不明の高血圧性心臓疾患	4 007	－	－	－	－	－	－	－	－	1	2
	男 M.	2 056	－	－	－	－	－	－	－	－	1	－
	女 F.	1 951	－	－	－	－	－	－	－	－	－	2
(444—447)	その他の高血圧性疾患	8 531	－	－	－	－	－	－	－	－	8	16
	男 M.	4 148	－	－	－	－	－	－	－	－	6	9
	女 F.	4 383	－	－	－	－	－	－	－	－	2	7
444	本態性良性高血圧症	3 128	－	－	－	－	－	－	－	－	1	2
	男 M.	1 476	－	－	－	－	－	－	－	－	1	2
	女 F.	1 652	－	－	－	－	－	－	－	－	－	－
445	本態性悪性高血圧症	1 574	－	－	－	－	－	－	－	－	4	5
	男 M.	876	－	－	－	－	－	－	－	－	4	2
	女 F.	698	－	－	－	－	－	－	－	－	－	3
446	細動脈性腎硬化症を伴う高血圧症	3 448	－	－	－	－	－	－	－	－	3	9
	男 M.	1 617	－	－	－	－	－	－	－	－	1	5
	女 F.	1 831	－	－	－	－	－	－	－	－	2	4
447	心臓の記載のないその他の高血圧性疾患	381	－	－	－	－	－	－	－	－	－	－
	男 M.	179	－	－	－	－	－	－	－	－	－	－
	女 F.	202	－	－	－	－	－	－	－	－	－	－
(450—456)	動脈の疾患	3 726	－	1	－	1	－	2	1	1	8	8
	男 M.	1 888	－	1	－	－	－	1	－	－	2	4
	女 F.	1 838	－	－	－	1	－	1	1	1	6	4
450	全身性動脈硬化症	3 305	－	－	－	－	－	－	－	－	－	2
	男 M.	1 652	－	－	－	－	－	－	－	－	－	1
	女 F.	1 653	－	－	－	－	－	－	－	－	－	1
451	非梅毒性大動脈瘤および解離性動脈瘤	141	－	－	－	－	－	－	－	－	－	1
	男 M.	90	－	－	－	－	－	－	－	－	－	－
	女 F.	51	－	－	－	－	－	－	－	－	－	1
452	その他の動脈瘤（心臓瘤および大動脈瘤を除く）	61	－	－	－	－	－	－	－	－	1	1
	男 M.	34	－	－	－	－	－	－	－	－	－	1
	女 F.	27	－	－	－	－	－	－	－	－	1	－
453	末梢血管の疾患	91	－	－	－	1	－	1	－	－	－	1
	男 M.	47	－	－	－	－	－	－	－	－	－	－
	女 F.	44	－	－	－	1	－	1	－	－	－	1
453. a	レイノー病	*25*	－	－	－	－	－	－	－	－	－	*1*
	男 M.	*10*	－	－	－	－	－	－	－	－	－	－
	女 F.	*15*	－	－	－	－	－	－	－	－	－	*1*
453. b	閉塞性血栓血管炎	*63*	－	－	－	－	－	－	－	－	－	－
	男 M.	*36*	－	－	－	－	－	－	－	－	－	－
	女 F.	*27*	－	－	－	－	－	－	－	－	－	－
453. c	その他	*3*	－	－	－	*1*	－	*1*	－	－	－	－
	男 M.	*1*	－	－	－	－	－	－	－	－	－	－
	女 F.	*2*	－	－	－	*1*	－	*1*	－	－	－	－
454	動脈塞栓症および血栓症	37	－	－	－	－	－	－	－	1	－	－
	男 M.	21	－	－	－	－	－	－	－	－	－	－
	女 F.	16	－	－	－	－	－	－	－	1	－	－

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
4	8	8	9	22	33	50	56	71	110	111	65	20	6	1	－	－	442
3	6	2	3	9	17	36	37	42	50	53	32	9	1	1	－	－	
1	2	6	6	13	16	14	19	29	60	58	33	11	5	－	－	－	
4	9	10	29	61	109	265	407	605	876	840	554	193	39	3	－	－	443
1	5	8	16	36	64	168	240	372	446	383	236	67	12	1	－	－	
3	4	2	13	25	45	97	167	233	430	457	318	126	27	2	－	－	
22	40	75	127	222	370	531	723	1 125	1 509	1 721	1 389	522	117	13	1	－	(444—447)
11	20	43	72	136	231	343	410	597	757	774	544	168	26	1	－	－	
11	20	32	55	86	139	188	313	528	752	947	845	354	91	12	1	－	
1	3	10	25	37	94	150	234	454	620	727	564	175	29	2	－	－	444
－	1	4	13	20	60	95	124	236	301	325	226	60	7	1	－	－	
1	2	6	12	17	34	55	110	218	319	402	338	115	22	1	－	－	
6	16	29	46	107	104	170	202	239	283	219	106	32	4	2	－	－	445
2	10	19	29	71	66	110	118	136	152	99	46	11	1	－	－	－	
4	6	10	17	36	38	60	84	103	131	120	60	21	3	2	－	－	
15	21	36	56	77	165	187	249	375	533	688	653	290	81	9	1	－	446
9	9	20	30	45	98	121	148	196	271	313	247	86	18	－	－	－	
6	12	16	26	32	67	66	101	179	262	375	406	204	63	9	1	－	
－	－	－	－	1	7	24	38	57	73	87	66	25	3	－	－	－	447
－	－	－	－	－	7	17	20	29	33	37	25	11	－	－	－	－	
－	－	－	－	1	－	7	18	28	40	50	41	14	3	－	－	－	
9	22	12	14	21	47	126	210	391	679	915	807	321	115	16	1	－	(450—456)
2	8	8	7	9	30	87	138	251	368	438	366	126	37	5	1	－	
7	14	4	7	12	17	39	72	140	311	477	441	195	78	11	－	－	
1	5	1	3	8	25	85	157	329	619	858	774	312	110	15	1	－	450
－	2	1	2	4	14	58	100	209	332	417	348	124	34	5	1	－	
1	3	－	1	4	11	27	57	120	287	441	426	188	76	10	－	－	
－	4	－	2	5	4	16	23	23	27	22	11	3	－	－	－	－	451
－	3	－	1	2	2	12	16	18	17	11	6	2	－	－	－	－	
－	1	－	1	3	2	4	7	5	10	11	5	1	－	－	－	－	
2	3	2	2	3	8	4	8	9	9	7	1	1	－	－	－	－	452
1	1	1	2	1	6	3	4	7	5	1	1	－	－	－	－	－	
1	2	1	－	2	2	1	4	2	4	6	－	1	－	－	－	－	
3	4	3	2	1	3	7	10	11	13	14	14	2	2	－	－	－	453
1	1	3	1	－	2	5	8	6	6	7	7	－	－	－	－	－	
2	3	－	1	1	1	2	2	5	7	7	7	2	2	－	－	－	
2	*2*	*3*	*1*	*1*	*3*	*1*	*1*	*1*	*1*	*3*	*5*	－	－	－	－	－	453. a
－	－	*3*	－	－	*2*	*1*	*1*	－	－	－	*3*	－	－	－	－	－	
2	*2*	－	*1*	*1*	*1*	－	－	*1*	*1*	*3*	*2*	－	－	－	－	－	
1	*2*	－	*1*	－	－	*6*	*9*	*9*	*11*	*11*	*9*	*2*	*2*	－	－	－	453. b
1	*1*	－	*1*	－	－	*4*	*7*	*5*	*6*	*7*	*4*	－	－	－	－	－	
－	*1*	－	－	－	－	*2*	*2*	*4*	*5*	*4*	*5*	*2*	*2*	－	－	－	
－	－	－	－	－	－	－	－	*1*	*1*	－	－	－	－	－	－	－	453. c
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	*1*	－	－	－	－	－	－	－	
1	1	3	2	－	3	4	3	6	5	4	1	2	1	－	－	－	454
－	－	3	－	－	3	2	2	4	4	1	1	－	1	－	－	－	
1	1	－	2	－	－	2	1	2	1	3	－	2	－	－	－	－	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
455	原因不明の壊疽	59	–	1	–	–	–	1	–	–	1	–
	男 M.	34	–	1	–	–	–	1	–	–	–	–
	女 F.	25	–	–	–	–	–	–	–	–	1	–
456	その他の動脈の疾患	32	–	–	–	–	–	–	–	1	6	3
	男 M.	10	–	–	–	–	–	–	–	–	2	2
	女 F.	22	–	–	–	–	–	–	–	1	4	1
(460—468)	静脈の疾患およびその他の循環器系の疾患	543	17	3	–	2	1	23	11	5	8	10
	男 M.	291	11	–	–	1	1	13	9	4	6	6
	女 F.	252	6	3	–	1	–	10	2	1	2	4
460	下肢の静脈瘤	2	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	2	–	–	–	–	–	–	–	–	–	–
461	痔核	39	–	–	–	–	–	–	–	1	–	–
	男 M.	29	–	–	–	–	–	–	–	1	–	–
	女 F.	10	–	–	–	–	–	–	–	–	–	–
462	その他の部位の静脈瘤	51	–	–	–	–	–	–	–	–	1	1
	男 M.	30	–	–	–	–	–	–	–	–	1	1
	女 F.	21	–	–	–	–	–	–	–	–	–	–
463	下肢の静脈炎および血栓静脈炎	9	1	–	–	–	–	1	1	–	–	–
	男 M.	6	1	–	–	–	–	1	1	–	–	–
	女 F.	3	–	–	–	–	–	–	–	–	–	–
464	その他の部位の静脈炎および血栓静脈炎	16	–	–	–	–	–	–	1	1	1	–
	男 M.	6	–	–	–	–	–	–	1	1	1	–
	女 F.	10	–	–	–	–	–	–	–	–	–	–
465	肺塞栓症および硬塞	33	1	–	–	–	–	1	–	1	1	1
	男 M.	22	–	–	–	–	–	–	–	1	1	1
	女 F.	11	1	–	–	–	–	1	–	–	–	–
466	その他の静脈塞栓症および血栓症	23	–	–	–	–	–	–	–	1	2	–
	男 M.	9	–	–	–	–	–	–	–	–	1	–
	女 F.	14	–	–	–	–	–	–	–	1	1	–
467	その他の循環器系の疾患	328	5	2	–	1	1	9	6	–	3	7
	男 M.	168	4	–	–	1	1	6	5	–	2	4
	女 F.	160	1	2	–	–	–	3	1	–	1	3
467. a	低血圧症	*89*	–	–	–	–	–	–	–	–	–	*1*
	男 M.	*56*	–	–	–	–	–	–	–	–	–	*1*
	女 F.	*33*	–	–	–	–	–	–	–	–	–	–
467. b	その他	*239*	*5*	*2*	–	*1*	*1*	*9*	*6*	–	*3*	*6*
	男 M.	*112*	*4*	–	–	*1*	*1*	*6*	*5*	–	*2*	*3*
	女 F.	*127*	*1*	*2*	–	–	–	*3*	*1*	–	*1*	*3*
468	リンパ節およびリンパ管の疾患	42	10	1	–	1	–	12	3	1	–	1
	男 M.	21	6	–	–	–	–	6	2	1	–	–
	女 F.	21	4	1	–	1	–	6	1	–	–	1
VIII	呼吸器系の疾患	**45 228**	**11 535**	**1 533**	**706**	**460**	**341**	**14 575**	**899**	**368**	**411**	**489**
	男 M.	**24 176**	**6 301**	**802**	**388**	**232**	**148**	**7 871**	**450**	**182**	**223**	**209**
	女 F.	**21 052**	**5 234**	**731**	**318**	**228**	**193**	**6 704**	**449**	**186**	**188**	**280**
(470—475)	急性上気道感染	3 387	791	81	44	26	33	975	144	50	24	27
	男 M.	1 518	433	42	23	14	15	527	73	20	17	19
	女 F.	1 869	358	39	21	12	18	448	71	30	7	8

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	1	1	–	1	1	9	9	10	6	10	5	1	2	1	–	–	455
–	–	–	–	1	1	7	8	6	4	1	3	–	2	–	–	–	
–	1	1	–	–	–	2	1	4	2	9	2	1	–	1	–	–	
2	4	2	3	3	3	1	–	3	–	–	1	–	–	–	–	–	456
–	1	–	1	1	2	–	–	1	–	–	–	–	–	–	–	–	
2	3	2	2	2	1	1	–	2	–	–	1	–	–	–	–	–	
22	18	19	18	19	33	29	38	54	58	77	60	29	11	1	–	–	(460—468)
10	9	13	11	10	22	15	21	32	34	41	27	5	3	–	–	–	
12	9	6	7	9	11	14	17	22	24	36	33	24	8	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	460
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	
1	3	1	3	2	3	5	3	4	5	4	4	–	–	–	–	–	461
1	3	–	3	2	2	5	3	2	4	1	2	–	–	–	–	–	
–	–	1	–	–	1	–	–	2	1	3	2	–	–	–	–	–	
2	3	7	4	5	1	9	3	3	6	3	2	1	–	–	–	–	462
2	1	6	3	1	–	3	2	3	4	2	1	–	–	–	–	–	
–	2	1	1	4	1	6	1	–	2	1	1	1	–	–	–	–	
2	–	–	–	–	–	–	1	–	1	–	2	1	–	–	–	–	463
1	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	
–	1	1	–	2	–	–	–	–	1	1	3	1	1	–	–	–	464
–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	
–	1	1	–	2	1	1	–	1	–	–	2	–	1	–	–	–	
7	2	1	2	–	3	3	2	5	2	2	–	–	–	–	–	–	465
2	2	–	–	–	3	3	1	5	2	1	–	–	–	–	–	–	
5	–	1	2	–	–	–	1	–	–	1	–	–	–	–	–	–	
–	–	2	1	1	2	–	3	3	4	2	1	1	–	–	–	–	466
–	–	2	–	1	–	–	2	1	1	–	–	1	–	–	–	–	
–	–	–	1	–	2	–	1	2	3	2	1	–	–	–	–	–	
9	8	6	6	7	22	11	24	33	39	59	47	21	10	1	–	–	467
4	2	4	4	5	16	4	11	18	21	34	21	4	3	–	–	–	
5	6	2	2	2	6	7	13	15	18	25	26	17	7	1	–	–	
–	*3*	*3*	*1*	*4*	*9*	*4*	*10*	*9*	*17*	*17*	*9*	*2*	–	–	–	–	467. a
–	–	*2*	–	*4*	*6*	*3*	*3*	*9*	*10*	*11*	*6*	*1*	–	–	–	–	
–	*3*	*1*	*1*	–	*3*	*1*	*7*	–	*7*	*6*	*3*	*1*	–	–	–	–	
9	*5*	*3*	*5*	*3*	*13*	*7*	*14*	*24*	*22*	*42*	*38*	*19*	*10*	*1*	–	–	467. b
4	*2*	*2*	*4*	*1*	*10*	*1*	*8*	*9*	*11*	*23*	*15*	*3*	*3*	–	–	–	
5	*3*	*1*	*1*	*2*	*3*	*6*	*6*	*15*	*11*	*19*	*23*	*16*	*7*	*1*	–	–	
1	1	1	2	2	1	–	2	5	–	4	3	3	–	–	–	–	468
–	1	1	1	1	1	–	1	3	–	2	1	–	–	–	–	–	
1	–	–	1	1	–	–	1	2	–	2	2	3	–	–	–	–	
537	**477**	**502**	**468**	**652**	**854**	**1 400**	**1 999**	**3 082**	**4 620**	**5 641**	**5 040**	**2 336**	**782**	**87**	**9**	–	VIII
232	**210**	**224**	**223**	**352**	**523**	**865**	**1 283**	**1 911**	**2 753**	**3 040**	**2 378**	**954**	**266**	**25**	**2**	–	
305	**267**	**278**	**245**	**300**	**331**	**535**	**716**	**1 171**	**1 867**	**2 601**	**2 662**	**1 382**	**516**	**62**	**7**	–	
26	16	31	17	26	25	41	55	125	242	464	580	367	135	15	2	–	(470—475)
10	6	14	9	15	14	18	28	66	105	208	220	116	37	5	–	–	
16	10	17	8	11	11	23	27	59	136	256	360	251	98	10	2	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
470	急性鼻咽頭炎（かぜひき）	2 833	693	44	21	8	8	774	25	11	7	13
	男 M.	1 257	379	24	10	5	4	422	13	6	4	4
	女 F.	1 576	314	20	11	3	4	352	12	5	3	9
471	急性副鼻腔炎	8	1	1	－	－	－	2	－	－	3	－
	男 M.	5	1	－	－	－	－	1	－	－	2	－
	女 F.	3	－	1	－	－	－	1	－	－	1	－
472	急性咽頭炎	94	30	6	1	4	1	42	8	6	3	1
	男 M.	44	16	2	1	2	1	22	4	1	3	－
	女 F.	50	14	4	－	2	－	20	4	5	－	1
473	急性扁桃炎	319	34	12	11	11	19	87	92	30	10	10
	男 M.	140	19	6	5	6	6	42	45	12	8	4
	女 F.	179	15	6	6	5	13	45	47	18	2	6
474	急性喉頭炎および気管炎	106	22	16	10	2	5	55	17	3	1	3
	男 M.	59	13	10	6	－	4	33	11	1	－	1
	女 F.	47	9	6	4	2	1	22	6	2	1	2
475	多発または部位不明の急性上気道感染	27	11	2	1	1	－	15	2	－	－	－
	男 M.	13	5	－	1	1	－	7	－	－	－	－
	女 F.	14	6	2	－	－	－	8	2	－	－	－
(480—483)	インフルエンザ	1 001	186	22	14	9	7	238	20	7	14	16
	男 M.	533	100	13	7	7	2	129	10	3	9	5
	女 F.	468	86	9	7	2	5	109	10	4	5	11
480	肺炎を伴うインフルエンザ	393	82	11	4	3	2	102	6	4	7	8
	男 M.	213	47	6	3	3	－	59	5	2	3	4
	女 F.	180	35	5	1	－	2	43	1	2	4	4
481	その他の呼吸器症状を伴うおよび性質不明のインフルエンザ	510	79	4	7	4	2	96	8	1	6	7
	男 M.	271	43	2	3	2	1	51	3	－	6	1
	女 F.	239	36	2	4	2	1	45	5	1	－	6
482	消化器症状を伴い呼吸器症状を伴わないインフルエンザ	42	11	－	3	1	－	15	1	－	－	－
	男 M.	18	5	－	1	1	－	7	－	－	－	－
	女 F.	24	6	－	2	－	－	8	1	－	－	－
483	神経症状を伴い消化器および呼吸器の症状を伴わないインフルエンザ	56	14	7	－	1	3	25	5	2	1	1
	男 M.	31	5	5	－	1	1	12	2	1	－	－
	女 F.	25	9	2	－	－	2	13	3	1	1	1
(490—493)	肺炎	29 511	9 346	1 262	576	381	272	11 837	631	259	303	352
	男 M.	15 647	5 086	655	310	184	120	6 355	307	132	154	144
	女 F.	13 864	4 260	607	266	197	152	5 482	324	127	149	208
490	大葉性肺炎（生後 4 週以上）	16 172	4 815	669	333	237	174	6 228	434	175	224	251
	男 M.	8 548	2 572	347	176	120	71	3 286	203	90	114	108
	女 F.	7 624	2 243	322	157	117	103	2 942	231	85	110	143
491	気管支肺炎（生後 4 週以上）	9 712	3 625	483	207	115	71	4 501	139	60	53	68
	男 M.	5 106	2 009	240	115	51	36	2 451	71	28	25	24
	女 F.	4 606	1 616	243	92	64	35	2 050	68	32	28	44
492	原発非定型肺炎（生後 4 週以上）	240	87	3	5	2	－	97	12	4	2	5
	男 M.	127	49	2	3	－	－	54	6	1	1	3
	女 F.	113	38	1	2	2	－	43	6	3	1	2
493	その他および詳細不明の肺炎（生後 4 週以上）	3 387	819	107	31	27	27	1 011	46	20	24	28
	男 M.	1 866	456	66	16	13	13	564	27	13	14	9
	女 F.	1 521	363	41	15	14	14	447	19	7	10	19

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
10	6	14	11	18	17	34	43	111	230	442	559	358	133	15	2	－	470
5	2	8	6	10	10	14	23	62	100	198	214	114	37	5	－	－	
5	4	6	5	8	7	20	20	49	130	244	345	244	96	10	2	－	
－	1	－	－	1	1	－	－	－	－	－	－	－	－	－	－	－	471
－	1	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	
2	1	1	－	2	－	3	－	3	1	6	9	5	1	－	－	－	472
1	1	1	－	1	－	3	－	1	－	4	－	2	－	－	－	－	
1	－	－	－	1	－	－	－	2	1	2	9	3	1	－	－	－	
12	7	13	6	4	5	4	9	8	3	9	7	3	－	－	－	－	473
3	1	4	3	2	3	1	3	3	1	1	4	－	－	－	－	－	
9	6	9	3	2	2	3	6	5	2	8	3	3	－	－	－	－	
1	1	2	－	1	2	－	2	2	7	5	3	1	－	－	－	－	474
－	1	1	－	1	1	－	1	－	4	4	－	－	－	－	－	－	
1	－	1	－	－	1	－	1	2	3	1	3	1	－	－	－	－	
1	－	1	－	－	－	－	1	1	1	2	2	－	1	－	－	－	475
1	－	－	－	－	－	－	1	－	1	1	2	－	－	－	－	－	
－	－	1	－	－	－	－	－	1	－	1	－	－	1	－	－	－	
14	16	16	16	14	18	44	54	86	122	134	98	50	19	4	1	－	(480—483)
8	7	13	9	7	10	29	37	51	59	63	48	22	10	3	1	－	
6	9	3	7	7	8	15	17	35	63	71	50	28	9	1	－	－	
6	8	8	8	4	11	16	21	39	50	54	28	8	3	1	1	－	480
4	2	6	5	2	6	8	15	22	21	31	13	4	－	－	1	－	
2	6	2	3	2	5	8	6	17	29	23	15	4	3	1	－	－	
6	6	5	6	9	5	23	30	40	67	73	65	40	15	2	－	－	481
2	3	4	4	4	3	18	20	24	36	30	34	17	9	2	－	－	
4	3	1	2	5	2	5	10	16	31	43	31	23	6	－	－	－	
－	－	－	1	－	－	4	－	2	4	6	5	2	1	1	－	－	482
－	－	－	－	－	－	3	－	1	1	2	1	1	1	1	－	－	
－	－	－	1	－	－	1	－	1	3	4	4	1	－	－	－	－	
2	2	3	1	1	2	1	3	5	1	1	－	－	－	－	－	－	483
2	2	3	－	1	1	－	2	4	1	－	－	－	－	－	－	－	
－	－	－	1	－	1	1	1	1	－	1	－	－	－	－	－	－	
363	334	328	301	410	504	850	1 218	1 816	2 661	3 147	2 653	1 144	357	38	5	－	(490—493)
147	145	130	132	203	298	486	753	1 094	1 595	1 687	1 257	496	120	11	1	－	
216	189	198	169	207	206	364	465	722	1 066	1 460	1 396	648	237	27	4	－	
263	237	243	213	278	353	551	780	1 038	1 400	1 569	1 241	521	156	15	2	－	490
108	97	91	88	140	210	309	491	640	864	842	577	238	48	3	1	－	
155	140	152	125	138	143	242	289	398	536	727	664	283	108	12	1	－	
57	69	54	56	70	91	205	291	529	874	1 072	945	421	143	12	2	－	491
24	37	25	23	29	54	115	173	300	505	559	443	173	42	5	－	－	
33	32	29	33	41	37	90	118	229	369	513	502	248	101	7	2	－	
5	3	2	－	9	4	8	15	14	16	20	17	6	1	－	－	－	492
2	－	－	－	5	3	4	7	9	10	10	8	3	1	－	－	－	
3	3	2	－	4	1	4	8	5	6	10	9	3	－	－	－	－	
38	25	29	32	53	56	86	132	235	371	486	450	196	57	11	1	－	493
13	11	14	21	29	31	58	82	145	216	276	229	82	29	3	－	－	
25	14	15	11	24	25	28	50	90	155	210	221	114	28	8	1	－	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
(500—502)	気管支炎	7 789	1 090	141	59	33	23	1 346	68	19	19	25
	男 M.	4 076	605	79	39	21	9	753	37	9	11	12
	女 F.	3 713	485	62	20	12	14	593	31	10	8	13
500	急性気管支炎	3 837	785	85	39	18	15	942	53	15	10	17
	男 M.	1 923	438	46	28	12	4	528	29	8	7	6
	女 F.	1 914	347	39	11	6	11	414	24	7	3	11
501	性質不明の気管支炎	1 945	292	47	19	13	7	378	14	2	6	6
	男 M.	983	160	27	10	7	5	209	8	1	2	4
	女 F.	962	132	20	9	6	2	169	6	1	4	2
502	慢性気管支炎	2 007	13	9	1	2	1	26	1	2	3	2
	男 M.	1 170	7	6	1	2	–	16	–	–	2	2
	女 F.	837	6	3	–	–	1	10	1	2	1	–
(510—527)	その他の呼吸器系の疾患	3 540	122	27	13	11	6	179	36	33	51	69
	男 M.	2 402	77	13	9	6	2	107	23	18	32	39
	女 F.	1 138	45	14	4	5	4	72	13	15	19	30
510	扁桃肥大およびアデノイド	5	–	–	–	–	–	–	3	1	–	–
	男 M.	2	–	–	–	–	–	–	2	–	–	–
	女 F.	3	–	–	–	–	–	–	1	1	–	–
511	扁桃周囲膿瘍	31	2	1	–	1	1	5	4	8	–	1
	男 M.	20	1	–	–	–	–	1	4	6	–	1
	女 F.	11	1	1	–	1	1	4	–	2	–	–
512	慢性咽頭炎および鼻咽頭炎	21	–	–	–	–	–	–	–	–	1	–
	男 M.	12	–	–	–	–	–	–	–	–	1	–
	女 F.	9	–	–	–	–	–	–	–	–	–	–
513	慢性副鼻腔炎	29	4	–	–	–	–	4	–	3	8	1
	男 M.	21	3	–	–	–	–	3	–	3	5	–
	女 F.	8	1	–	–	–	–	1	–	–	3	1
514	鼻中隔湾曲症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
515	鼻たけ	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
516	慢性喉頭炎	6	1	–	1	–	–	2	–	–	–	–
	男 M.	6	1	–	1	–	–	2	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
517	その他の上気道の疾患	108	22	9	3	2	1	37	5	1	–	5
	男 M.	72	16	7	2	1	–	26	4	1	–	4
	女 F.	36	6	2	1	1	1	11	1	–	–	1
518	膿胸	319	49	5	3	3	1	61	8	4	5	6
	男 M.	240	31	2	3	2	–	38	4	3	5	4
	女 F.	79	18	3	–	1	1	23	4	1	–	2
519	胸膜炎（結核性以外および詳細不明のもの）	376	5	–	–	–	1	6	2	3	5	8
	男 M.	215	2	–	–	–	–	2	1	1	2	4
	女 F.	161	3	–	–	–	1	4	1	2	3	4
520	特発気胸	47	–	–	–	–	–	–	–	1	1	1
	男 M.	31	–	–	–	–	–	–	–	–	1	1
	女 F.	16	–	–	–	–	–	–	–	1	–	–

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
42	34	37	38	59	88	168	314	585	1 081	1 469	1 439	684	246	27	1	–	(500—502)
17	12	14	15	32	43	100	187	355	626	792	691	277	88	5	–	–	
25	22	23	23	27	45	68	127	230	455	677	748	407	158	22	1	–	
27	16	16	21	23	28	63	113	206	433	647	660	376	152	19	–	–	500
9	7	5	8	11	12	38	58	120	235	335	300	151	52	4	–	–	
18	9	11	13	12	16	25	55	86	198	312	360	225	100	15	–	–	
8	6	8	7	18	23	47	77	123	236	330	392	190	67	6	1	–	501
3	2	2	2	7	11	22	49	80	130	175	178	72	25	1	–	–	
5	4	6	5	11	12	25	28	43	106	155	214	118	42	5	1	–	
7	12	13	10	18	37	58	124	256	412	492	387	118	27	2	–	–	502
5	3	7	5	14	20	40	80	155	261	282	213	54	11	–	–	–	
2	9	6	5	4	17	18	44	101	151	210	174	64	16	2	–	–	
92	77	90	96	143	219	297	358	470	514	427	270	91	25	3	–	–	(510—527)
50	40	53	58	95	158	232	278	345	367	290	162	43	11	1	–	–	
42	37	37	38	48	61	65	80	125	147	137	108	48	14	2	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	510
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	2	–	–	–	3	1	1	1	1	–	1	1	–	–	–	511
2	–	1	–	–	–	1	1	1	–	1	–	–	1	–	–	–	
–	–	1	–	–	–	2	–	–	1	–	–	1	–	–	–	–	
4	3	2	3	1	2	1	1	–	2	–	1	–	–	–	–	–	512
3	2	1	1	–	1	1	1	–	1	–	–	–	–	–	–	–	
1	1	1	2	1	1	–	–	–	1	–	1	–	–	–	–	–	
4	–	1	1	2	–	1	1	–	1	2	–	–	–	–	–	–	513
4	–	1	–	2	–	–	1	–	–	2	–	–	–	–	–	–	
–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	514
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	515
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	516
–	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	3	5	5	3	5	5	5	3	6	10	4	5	–	–	–	–	517
1	2	5	2	3	4	4	3	1	3	5	2	2	–	–	–	–	
–	1	–	3	–	1	1	2	2	3	5	2	3	–	–	–	–	
10	7	8	6	18	17	39	24	36	42	17	8	2	1	–	–	–	518
6	5	4	5	15	13	35	20	30	31	13	7	1	1	–	–	–	
4	2	4	1	3	4	4	4	6	11	4	1	1	–	–	–	–	
10	9	8	13	13	31	28	43	43	57	49	36	12	–	–	–	–	519
7	3	2	4	7	18	22	30	23	38	26	22	3	–	–	–	–	
3	6	6	9	6	13	6	13	20	19	23	14	9	–	–	–	–	
4	4	1	1	3	4	5	7	5	4	5	–	1	–	–	–	–	520
1	3	–	–	2	2	3	6	3	4	4	–	1	–	–	–	–	
3	1	1	1	1	2	2	1	2	–	1	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
521	肺　悪　瘍	868	4	–	–	–	–	4	3	2	8	22
	男 M.	683	2	–	–	–	–	2	2	1	5	14
	女 F.	185	2	–	–	–	–	2	1	1	3	8
522	肺のうつ血および血液降下症	583	18	4	3	2	1	28	8	3	9	9
	男 M.	296	10	2	2	1	1	16	5	1	3	2
	女 F.	287	8	2	1	1	–	12	3	2	6	7
523	けい酸およびけい酸塩による塵肺症	75	–	–	–	–	–	–	–	–	–	–
	男 M.	72	–	–	–	–	–	–	–	–	–	–
	（職業性） 女 F.	3	–	–	–	–	–	–	–	–	–	–
523. a	け い 肺 症	*66*	–	–	–	–	–	–	–	–	–	–
	男 M.	*65*	–	–	–	–	–	–	–	–	–	–
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–
523. b	そ　の　他	*9*	–	–	–	–	–	–	–	–	–	–
	男 M.	*7*	–	–	–	–	–	–	–	–	–	–
	女 F.	*2*	–	–	–	–	–	–	–	–	–	–
524	職業に起因するその他の塵肺症および肺線維症	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
525	その他の慢性間質性肺炎	84	11	4	1	–	1	17	–	1	–	–
	男 M.	47	7	1	–	–	1	9	–	–	–	–
	女 F.	37	4	3	1	–	–	8	–	1	–	–
526	気管支拡張症	476	–	–	1	–	–	1	3	3	8	7
	男 M.	325	–	–	–	–	–	–	1	–	6	6
	女 F.	151	–	–	1	–	–	1	2	3	2	1
527	その他の肺および胸膜腔の疾患	510	6	4	1	3	–	14	–	3	6	9
	男 M.	358	4	1	1	2	–	8	–	2	4	3
	女 F.	152	2	3	–	1	–	6	–	1	2	6
IX	**消化器系の疾患**	**58 997**	**4 931**	**1 001**	**595**	**514**	**462**	**7 503**	**935**	**424**	**532**	**784**
	男 M.	**31 318**	**2 893**	**562**	**330**	**248**	**237**	**4 270**	**472**	**230**	**301**	**426**
	女 F.	**27 679**	**2 038**	**439**	**265**	**266**	**225**	**3 233**	**463**	**194**	**231**	**358**
（530—539）	口腔および食道の疾患	416	30	7	6	9	5	57	14	8	11	17
	男 M.	216	15	3	5	3	4	30	3	5	5	8
	女 F.	200	15	4	1	6	1	27	11	3	6	9
530	鵞食症（むしば）	5	–	–	–	1	–	1	–	–	–	1
	男 M.	2	–	–	–	–	–	–	–	–	–	1
	女 F.	3	–	–	–	1	–	1	–	–	–	–
531	歯牙支持組織の膿瘍	4	1	–	–	–	1	2	–	–	–	–
	男 M.	4	1	–	–	–	1	2	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
532	その他の歯牙支持組織の炎症性疾患	37	1	1	–	1	1	4	4	–	1	3
	男 M.	22	1	–	–	–	1	2	1	–	–	3
	女 F.	15	–	1	–	1	–	2	3	–	1	–
533	咬合，萌出および歯牙発育の異常	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
534	原因不明の歯痛	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
24	24	37	33	50	84	94	118	154	114	74	18	4	1	–	–	–	521
11	13	26	22	37	69	77	103	124	98	61	14	3	1	–	–	–	
13	11	11	11	13	15	17	15	30	16	13	4	1	–	–	–	–	
15	16	10	11	12	16	26	32	42	88	110	87	40	18	3	–	–	522
6	7	4	6	5	10	17	18	26	41	65	40	16	7	1	–	–	
9	9	6	5	7	6	9	14	16	47	45	47	24	11	2	–	–	
–	–	–	1	11	12	15	21	11	3	1	–	–	–	–	–	–	523
–	–	–	1	11	12	15	19	11	3	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	
–	–	–	*1*	*11*	*12*	*12*	*19*	*9*	*2*	–	–	–	–	–	–	–	523. a
–	–	–	*1*	*11*	*12*	*12*	*18*	*9*	*2*	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	*3*	*2*	*2*	*1*	*1*	–	–	–	–	–	–	523. b
–	–	–	–	–	–	*3*	*1*	*2*	*1*	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	524
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	1	5	4	5	9	10	13	8	8	2	–	–	–	–	525
–	–	–	–	3	2	4	5	7	5	6	5	1	–	–	–	–	
1	–	–	1	2	2	1	4	3	8	2	3	1	–	–	–	–	
7	7	9	13	16	25	33	50	88	84	71	41	8	2	–	–	–	526
5	3	7	12	7	16	19	30	64	62	54	26	7	–	–	–	–	
2	4	2	1	9	9	14	20	24	22	17	15	1	2	–	–	–	
10	4	6	8	9	19	39	46	76	97	79	67	16	2	–	–	–	527
4	2	2	5	3	11	31	41	54	79	53	46	9	1	–	–	–	
6	2	4	3	6	8	8	5	22	18	26	21	7	1	–	–	–	
943	**1 128**	**1 223**	**1 432**	**2 242**	**2 975**	**4 048**	**4 860**	**6 049**	**7 317**	**7 504**	**5 965**	**2 442**	**622**	**65**	**4**	–	IX
506	**640**	**640**	**831**	**1 363**	**1 900**	**2 593**	**2 979**	**3 525**	**3 892**	**3 444**	**2 347**	**774**	**166**	**17**	**2**	–	
437	**488**	**583**	**601**	**879**	**1 075**	**1 455**	**1 881**	**2 524**	**3 425**	**4 060**	**3 618**	**1 668**	**456**	**48**	**2**	–	
7	13	10	10	8	18	19	27	44	35	56	41	17	4	–	–	–	（530—539）
3	6	4	5	3	11	12	20	30	20	24	20	7	–	–	–	–	
4	7	6	5	5	7	7	7	14	15	32	21	10	4	–	–	–	
1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	530
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	531
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	2	–	1	2	2	5	7	1	2	–	1	–	–	–	–	532
1	–	1	–	1	2	2	2	4	1	1	–	1	–	–	–	–	
1	–	1	–	–	–	–	3	3	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	533
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	534
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
535	その他の歯牙および歯牙支持組織の疾患	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
536	口内炎	123	20	3	4	1	2	30	3	1	5	4
	男 M.	59	11	1	3	1	1	17	1	–	1	2
	女 F.	64	9	2	1	–	1	13	2	1	4	2
537	唾液腺の疾患	53	6	1	1	4	1	13	2	3	3	1
	男 M.	26	2	–	1	1	1	5	1	3	2	–
	女 F.	27	4	1	–	3	–	8	1	–	1	1
538	その他の口腔の疾患	30	–	2	1	1	–	4	5	3	–	2
	男 M.	13	–	2	1	1	–	4	–	1	–	–
	女 F.	17	–	–	–	–	–	–	5	2	–	2
539	食道の疾患	163	2	–	–	1	–	3	–	1	2	6
	男 M.	89	–	–	–	–	–	–	–	1	2	2
	女 F.	74	2	–	–	1	–	3	–	–	–	4
(540—545)	胃および十二指腸の疾患	15 137	29	7	11	5	8	60	21	24	81	167
	男 M.	9 451	14	2	6	2	5	29	13	15	52	102
	女 F.	5 686	15	5	5	3	3	31	8	9	29	65
540	胃潰瘍	10 335	4	–	2	–	3	9	8	9	43	121
	男 M.	7 032	2	–	1	–	2	5	6	6	26	72
	女 F.	3 303	2	–	1	–	1	4	2	3	17	49
540.0	穿孔の記載のないもの	*8 733*	*4*	–	*1*	–	*2*	*7*	*6*	*4*	*32*	*87*
	男 M.	*5 818*	*2*	–	*1*	–	*2*	*5*	*5*	*3*	*18*	*50*
	女 F.	*2 915*	*2*	–	–	–	–	*2*	*1*	*1*	*14*	*37*
540.1	穿孔を伴うもの	*1 602*	–	–	*1*	–	*1*	*2*	*2*	*5*	*11*	*34*
	男 M.	*1 214*	–	–	–	–	–	–	*1*	*3*	*8*	*22*
	女 F.	*388*	–	–	*1*	–	*1*	*2*	*1*	*2*	*3*	*12*
541	十二指腸潰瘍	990	3	–	5	3	–	11	2	4	8	22
	男 M.	697	2	–	4	2	–	8	1	2	7	21
	女 F.	293	1	–	1	1	–	3	1	2	1	1
541.0	穿孔の記載のないもの	*722*	*3*	–	*4*	*2*	–	*9*	*1*	*3*	*5*	*14*
	男 M.	*484*	*2*	–	*4*	*1*	–	*7*	*1*	*2*	*4*	*13*
	女 F.	*238*	*1*	–	–	*1*	–	*2*	–	*1*	*1*	*1*
541.1	穿孔を伴うもの	*268*	–	–	*1*	*1*	–	*2*	*1*	*1*	*3*	*8*
	男 M.	*213*	–	–	–	*1*	–	*1*	–	–	*3*	*8*
	女 F.	*55*	–	–	*1*	–	–	*1*	*1*	*1*	–	–
542	胃空腸潰瘍	14	–	–	–	–	–	–	–	–	–	–
	男 M.	10	–	–	–	–	–	–	–	–	–	–
	女 F.	4	–	–	–	–	–	–	–	–	–	–
543	胃炎および十二指腸炎	3 139	11	4	–	1	4	20	5	6	19	11
	男 M.	1 359	6	2	–	–	2	10	2	2	10	7
	女 F.	1 780	5	2	–	1	2	10	3	4	9	4
544	胃の機能異常	185	10	–	1	–	–	11	4	2	8	7
	男 M.	101	4	–	1	–	–	5	4	2	6	1
	女 F.	84	6	–	–	–	–	6	–	–	2	6
545	その他の胃および十二指腸の疾患	474	1	3	3	1	1	9	2	3	3	6
	男 M.	252	–	–	–	–	1	1	–	3	3	1
	女 F.	222	1	3	3	1	–	8	2	–	–	5

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	535
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	5	3	3	3	4	5	6	4	7	17	17	2	2	–	–	–	536
1	2	2	2	1	2	3	4	2	5	7	7	–	–	–	–	–	
1	3	1	1	2	2	2	2	2	2	10	10	2	2	–	–	–	
–	2	–	1	–	3	–	1	4	4	7	4	3	2	–	–	–	537
–	1	–	1	–	1	–	1	3	3	2	1	2	–	–	–	–	
–	1	–	–	–	2	–	–	1	1	5	3	1	2	–	–	–	
–	1	–	1	2	3	1	1	2	1	2	1	1	–	–	–	–	538
–	1	–	–	–	3	1	1	–	–	1	1	–	–	–	–	–	
–	–	–	1	2	–	–	–	2	1	1	–	1	–	–	–	–	
2	5	5	5	1	6	10	13	26	22	27	19	10	–	–	–	–	539
1	2	1	2	1	3	5	11	20	11	12	11	4	–	–	–	–	
1	3	4	3	–	3	5	2	6	11	15	8	6	–	–	–	–	
256	293	311	377	639	877	1 323	1 616	2 006	2 352	2 277	1 661	624	155	16	1	–	(540—545)
183	208	214	251	463	676	993	1 168	1 394	1 505	1 223	711	200	44	6	1	–	
73	85	97	126	176	201	330	448	612	847	1 054	950	424	111	10	–	–	
183	207	223	298	493	728	1 083	1 275	1 543	1 653	1 354	818	229	53	5	–	–	540
134	150	157	201	378	574	838	957	1 122	1 139	803	367	81	16	–	–	–	
49	57	66	97	115	154	245	318	421	514	551	451	148	37	5	–	–	
126	*148*	*158*	*219*	*384*	*549*	*862*	*1 057*	*1 334*	*1 484*	*1 250*	*759*	*211*	*51*	*5*	–	–	540.0
90	*104*	*112*	*139*	*283*	*427*	*659*	*777*	*966*	*1 019*	*732*	*341*	*73*	*15*	–	–	–	
36	*44*	*46*	*80*	*101*	*122*	*203*	*280*	*368*	*465*	*518*	*418*	*138*	*36*	*5*	–	–	
57	*59*	*65*	*79*	*109*	*179*	*221*	*218*	*209*	*169*	*104*	*59*	*18*	*2*	–	–	–	540.1
44	*46*	*45*	*62*	*95*	*147*	*179*	*180*	*156*	*120*	*71*	*26*	*8*	*1*	–	–	–	
13	*13*	*20*	*17*	*14*	*32*	*42*	*38*	*53*	*49*	*33*	*33*	*10*	*1*	–	–	–	
28	50	50	41	76	77	102	114	131	125	74	52	18	4	1	–	–	541
23	44	38	31	50	58	79	86	96	75	45	23	7	2	1	–	–	
5	6	12	10	26	19	23	28	35	50	29	29	11	2	–	–	–	
18	*27*	*28*	*24*	*44*	*52*	*69*	*91*	*96*	*105*	*64*	*50*	*17*	*4*	*1*	–	–	541.0
14	*23*	*21*	*17*	*24*	*38*	*53*	*70*	*65*	*62*	*39*	*22*	*6*	*2*	*1*	–	–	
4	*4*	*7*	*7*	*20*	*14*	*16*	*21*	*31*	*43*	*25*	*28*	*11*	*2*	–	–	–	
10	*23*	*22*	*17*	*32*	*25*	*33*	*23*	*35*	*20*	*10*	*2*	*1*	–	–	–	–	541.1
9	*21*	*17*	*14*	*26*	*20*	*26*	*16*	*31*	*13*	*6*	*1*	*1*	–	–	–	–	
1	*2*	*5*	*3*	*6*	*5*	*7*	*7*	*4*	*7*	*4*	*1*	–	–	–	–	–	
1	–	1	1	1	1	–	1	4	3	–	1	–	–	–	–	–	542
1	–	1	1	1	1	–	1	1	2	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	3	1	–	–	–	–	–	–	–	
20	15	22	21	44	47	90	157	242	475	748	742	354	91	10	–	–	543
12	6	12	12	21	27	50	79	125	230	324	298	103	24	5	–	–	
8	9	10	9	23	20	40	78	117	245	424	444	251	67	5	–	–	
7	7	4	4	5	10	10	17	15	20	26	18	9	1	–	–	–	544
3	2	1	–	4	7	5	12	9	16	10	11	3	–	–	–	–	
4	5	3	4	1	3	5	5	6	4	16	7	6	1	–	–	–	
17	14	11	12	20	14	38	52	71	76	75	30	14	6	–	1	–	545
10	6	5	6	9	9	21	33	41	43	41	11	6	2	–	1	–	
7	8	6	6	11	5	17	19	30	33	34	19	8	4	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
(550—553)	虫垂炎	1 107	3	1	–	9	18	31	77	87	112	98	76	61	39	51	51	48	49	74	56	65	61	48	20	3	–	–	–	(550—553)
	男 M.	577	3	–	–	3	9	15	36	47	58	56	36	30	21	23	29	29	27	45	27	42	32	20	3	1	–	–	–	
	女 F.	530	–	1	–	6	9	16	41	40	54	42	40	31	18	28	22	19	22	29	29	23	29	28	17	2	–	–	–	
550	急性虫垂炎	1 077	3	1	–	9	18	31	77	86	110	97	72	58	39	51	51	46	49	69	56	64	57	44	18	2	–	–	–	550
	男 M.	564	3	–	–	3	9	15	36	47	57	55	34	30	21	23	29	29	27	41	27	41	31	18	3	–	–	–	–	
	女 F.	513	–	1	–	6	9	16	41	39	53	42	38	28	18	28	22	17	22	28	29	23	26	26	15	2	–	–	–	
550.0	腹膜炎の記載のないもの	*327*	–	–	–	*1*	*6*	*7*	*25*	*30*	*51*	*35*	*31*	*17*	*7*	*14*	*9*	*10*	*9*	*17*	*6*	*18*	*16*	*14*	*10*	*1*	–	–	–	*550.0*
	男 M.	*163*	–	–	–	–	*5*	*5*	*11*	*17*	*24*	*17*	*12*	*10*	*4*	*8*	*5*	*7*	*5*	*10*	*3*	*10*	*8*	*5*	*2*	–	–	–	–	
	女 F.	*164*	–	–	–	*1*	*1*	*2*	*14*	*13*	*27*	*18*	*19*	*7*	*3*	*6*	*4*	*3*	*4*	*7*	*3*	*8*	*8*	*9*	*8*	*1*	–	–	–	
550.1	腹膜炎を伴うもの	*750*	*3*	*1*	–	*8*	*12*	*24*	*52*	*56*	*59*	*62*	*41*	*41*	*32*	*37*	*42*	*36*	*40*	*52*	*50*	*46*	*41*	*30*	*8*	*1*	–	–	–	*550.1*
	男 M.	*401*	*3*	–	–	*3*	*4*	*10*	*25*	*30*	*33*	*38*	*22*	*20*	*17*	*15*	*24*	*22*	*22*	*31*	*24*	*31*	*23*	*13*	*1*	–	–	–	–	
	女 F.	*349*	–	*1*	–	*5*	*8*	*14*	*27*	*26*	*26*	*24*	*19*	*21*	*15*	*22*	*18*	*14*	*18*	*21*	*26*	*15*	*18*	*17*	*7*	*1*	–	–	–	
551	性質不明の虫垂炎	..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	551
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
552	その他の虫垂炎	29	–	–	–	–	–	–	–	1	1	1	4	3	–	–	–	2	–	5	–	1	4	4	2	1	–	–	–	552
	男 M.	13	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	4	–	1	1	2	–	1	–	–	–	
	女 F.	16	–	–	–	–	–	–	–	1	–	–	2	3	–	–	–	2	–	1	–	–	3	2	2	–	–	–	–	
553	その他の虫垂の疾患	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	553
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(560—561)	腹腔ヘルニア	559	189	46	26	10	10	281	10	2	2	3	1	1	4	9	10	12	19	26	27	41	54	32	17	7	1	–	–	(560—561)
	男 M.	369	153	39	25	9	9	235	9	2	2	2	–	1	3	6	5	8	12	10	14	16	24	12	6	2	–	–	–	
	女 F.	190	36	7	1	1	1	46	1	–	–	1	1	–	1	3	5	4	7	16	13	25	30	20	11	5	1	–	–	
560	閉塞の記載のない腹腔ヘルニア	159	65	17	14	4	6	106	5	1	1	2	1	–	1	1	3	1	3	1	3	7	14	6	2	1	–	–	–	560
	男 M.	106	42	15	14	4	5	80	4	1	1	1	–	–	1	1	2	–	2	–	3	4	5	1	–	–	–	–	–	
	女 F.	53	23	2	–	–	1	26	1	–	–	1	1	–	–	–	1	1	1	1	–	3	9	5	2	1	–	–	–	
561	閉塞を伴う腹腔ヘルニア	400	124	29	12	6	4	175	5	1	1	1	–	1	3	8	7	11	16	25	24	34	40	26	15	6	1	–	–	561
	男 M.	263	111	24	11	5	4	155	5	1	1	1	–	1	2	5	3	8	10	10	11	12	19	11	6	2	–	–	–	
	女 F.	137	13	5	1	1	–	20	–	–	–	–	–	–	1	3	4	3	6	15	13	22	21	15	9	4	1	–	–	
(570—578)	その他の腸および腹膜の疾患	23 312	4 549	918	540	468	402	6 877	705	217	191	255	295	324	356	319	404	559	796	1 008	1 481	2 256	2 749	2 757	1 337	381	42	3	–	(570—578)
	男 M.	10 927	2 635	508	287	225	200	3 855	348	121	113	121	133	153	136	157	196	301	433	531	729	1 002	1 113	992	385	98	9	1	–	
	女 F.	12 385	1 914	410	253	243	202	3 022	357	96	78	134	162	171	220	162	208	258	363	477	752	1 254	1 636	1 765	952	283	33	2	–	
570	腸閉塞（ヘルニアの記載のないもの）	3 566	617	62	40	24	20	763	60	67	54	82	106	120	152	134	168	195	274	267	303	331	269	156	54	11	–	–	–	570
	男 M.	2 032	399	39	30	20	10	498	34	47	37	38	51	64	79	78	94	124	173	160	175	181	122	56	18	3	–	–	–	
	女 F.	1 534	218	23	10	4	10	265	26	20	17	44	55	56	73	56	74	71	101	107	128	150	147	100	36	8	–	–	–	
570.0	重畳	*539*	*384*	*33*	*13*	*5*	*5*	*440*	*6*	*5*	*1*	–	*2*	*4*	*9*	–	*3*	*8*	*14*	*5*	*14*	*10*	*13*	*2*	*2*	*1*	–	–	–	*570.0*
	男 M.	*353*	*259*	*22*	*9*	*4*	–	*294*	*1*	*3*	–	–	*2*	*3*	*5*	–	*3*	*6*	*13*	*3*	*8*	*3*	*7*	*1*	*1*	–	–	–	–	
	女 F.	*186*	*125*	*11*	*4*	*1*	*5*	*146*	*5*	*2*	*1*	–	–	*1*	*4*	–	–	*2*	*1*	*2*	*6*	*7*	*6*	*1*	*1*	*1*	–	–	–	
570.1	麻痺性腸閉塞	*398*	*64*	*5*	*6*	*2*	*2*	*79*	*9*	*7*	*8*	*9*	*16*	*7*	*22*	*13*	*9*	*22*	*20*	*29*	*44*	*35*	*32*	*23*	*11*	*3*	–	–	–	*570.1*
	男 M.	*220*	*41*	*3*	*3*	*1*	*1*	*49*	*6*	*4*	*3*	*4*	*7*	*3*	*11*	*7*	*6*	*15*	*13*	*17*	*22*	*24*	*16*	*10*	*3*	–	–	–	–	
	女 F.	*178*	*23*	*2*	*3*	*1*	*1*	*30*	*3*	*3*	*5*	*5*	*9*	*4*	*11*	*6*	*3*	*7*	*7*	*12*	*22*	*11*	*16*	*13*	*8*	*3*	–	–	–	
570.2	腸間膜硬塞	*83*	–	–	–	–	*1*	*1*	*1*	*1*	*5*	*6*	*5*	*5*	*6*	*2*	*2*	*8*	*10*	*12*	*10*	*5*	*2*	*1*	*1*	–	–	–	–	*570.2*
	男 M.	*56*	–	–	–	–	*1*	*1*	*1*	*1*	*4*	*2*	*3*	*2*	*4*	*2*	–	*8*	*8*	*9*	*6*	*3*	*1*	*1*	–	–	–	–	–	
	女 F.	*27*	–	–	–	–	–	–	–	–	*1*	*4*	*2*	*3*	*2*	–	*2*	–	*2*	*3*	*4*	*2*	*1*	–	*1*	–	–	–	–	
570.3	軸捻および絞扼	*680*	*31*	*8*	*5*	*7*	*4*	*55*	*19*	*19*	*18*	*23*	*27*	*31*	*37*	*35*	*50*	*46*	*63*	*67*	*58*	*60*	*43*	*21*	*7*	*1*	–	–	–	*570.3*
	男 M.	*413*	*16*	*3*	*5*	*6*	*2*	*32*	*14*	*16*	*13*	*10*	*13*	*16*	*20*	*20*	*32*	*30*	*37*	*45*	*41*	*43*	*21*	*8*	*2*	–	–	–	–	
	女 F.	*267*	*15*	*5*	–	*1*	*2*	*23*	*5*	*3*	*5*	*13*	*14*	*15*	*17*	*15*	*18*	*16*	*26*	*22*	*17*	*17*	*22*	*13*	*5*	*1*	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
570.4	腸充塞および異物による腸閉塞……	*7*	*2*	–	–	–	*1*	*3*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	–	–	–	–	570.4
	男 M.	*3*	*1*	–	–	–	*1*	*2*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*4*	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	–	–	–	–	
570.5	そ　の　他……	*1 859*	*136*	*16*	*16*	*10*	*7*	*185*	*25*	*34*	*22*	*44*	*56*	*73*	*78*	*84*	*104*	*111*	*167*	*154*	*177*	*221*	*179*	*107*	*32*	*6*	–	–	–	570.5
	男 M.	*987*	*82*	*11*	*13*	*9*	*5*	*120*	*12*	*22*	*17*	*22*	*26*	*40*	*39*	*49*	*53*	*65*	*102*	*86*	*98*	*108*	*77*	*36*	*12*	*3*	–	–	–	
	女 F.	*872*	*54*	*5*	*3*	*1*	*2*	*65*	*13*	*12*	*5*	*22*	*30*	*33*	*39*	*35*	*51*	*46*	*65*	*68*	*79*	*113*	*102*	*71*	*20*	*3*	–	–	–	
571	胃腸炎および大腸炎（潰瘍性を除く）…（生後 4 週以上）	14 072	3 859	828	488	425	370	5 970	586	117	63	71	76	88	87	73	90	152	217	353	588	1 048	1 525	1 744	915	271	35	3	–	571
	男 M.	6 375	2 198	455	250	200	183	3 286	277	55	38	29	29	42	20	29	33	79	103	151	259	419	590	607	252	68	8	1	–	
	女 F.	7 697	1 661	373	238	225	187	2 684	309	62	25	42	47	46	67	44	57	73	114	202	329	629	935	1 137	663	203	27	2	–	
572	慢性腸炎および潰瘍性大腸炎……	3 840	20	15	6	9	5	55	16	10	18	34	42	53	37	49	59	106	153	207	382	668	781	746	329	90	5	–	–	572
	男 M.	1 600	8	4	4	1	3	20	11	6	7	21	22	18	16	19	28	40	81	102	173	299	329	283	101	23	1	–	–	
	女 F.	2 240	12	11	2	8	2	35	5	4	11	13	20	35	21	30	31	66	72	105	209	369	452	463	228	67	4	–	–	
573	腸の機能異常……	30	1	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	–	1	1	2	8	10	4	1	–	–	–	573
	男 M.	13	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	4	3	1	–	–	–	
	女 F.	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	2	6	6	1	–	–	–	–	
574	裂肛および痔瘻……	15	–	–	–	–	–	–	–	–	1	–	1	–	–	1	1	1	1	2	4	1	2	–	–	–	–	–	–	574
	男 M.	10	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1	2	3	1	1	–	–	–	–	–	–	
	女 F.	5	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	–	
575	肛門部および直腸部の腫瘍……	15	2	–	–	–	–	2	–	1	2	–	2	–	–	–	1	–	–	2	3	1	1	–	–	–	–	–	–	575
	男 M.	10	–	–	–	–	–	–	–	–	2	–	1	–	–	–	1	–	–	1	3	1	1	–	–	–	–	–	–	
	女 F.	5	2	–	–	–	–	2	–	1	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
576	腹　膜　炎……	1 238	38	7	5	8	4	62	33	19	36	56	50	39	60	43	63	77	105	112	132	151	106	71	17	5	1	–	–	576
	男 M.	592	22	6	3	4	2	37	20	12	18	26	21	13	13	20	28	38	50	70	71	75	43	27	7	3	–	–	–	
	女 F.	646	16	1	2	4	2	25	13	7	18	30	29	26	47	23	35	39	55	42	61	76	63	44	10	2	1	–	–	
577	腹　膜　癒　着……	44	1	–	–	–	–	1	–	–	3	1	5	1	3	3	2	5	6	5	4	1	4	–	–	–	–	–	–	577
	男 M.	20	1	–	–	–	–	1	–	–	3	–	1	1	1	2	1	2	3	2	3	–	–	–	–	–	–	–	–	
	女 F.	24	–	–	–	–	–	–	–	–	–	1	4	–	2	1	1	3	3	3	1	1	4	–	–	–	–	–	–	
578	その他の腸および腹膜の疾患……	492	11	6	1	2	3	23	10	3	14	11	13	23	17	15	20	22	40	59	64	53	53	30	18	3	1	–	–	578
	男 M.	275	6	4	–	–	2	12	6	1	8	7	7	15	7	9	10	18	22	42	41	26	25	15	4	–	–	–	–	
	女 F.	217	5	2	1	2	1	11	4	2	6	4	6	8	10	6	10	4	18	17	23	27	28	15	14	3	1	–	–	
(580—587)	肝臓，胆嚢および膵臓の疾患……	18 466	131	22	12	13	19	197	108	86	135	244	308	436	503	666	1 130	1 461	1 842	2 109	2 435	2 568	2 307	1 426	427	72	6	–	–	(580—587)
	男 M.	9 778	73	10	7	6	10	106	63	40	71	137	151	242	262	389	667	875	1 116	1 205	1 331	1 307	1 028	592	173	21	2	–	–	
	女 F.	8 688	58	12	5	7	9	91	45	46	64	107	157	194	241	277	463	586	726	904	1 104	1 261	1 279	834	254	51	4	–	–	
580	急性および亜急性黄色肝萎縮……	2 453	53	13	8	8	10	92	51	34	65	102	101	126	96	87	144	153	201	212	254	297	216	158	54	9	1	–	–	580
	男 M.	1 348	27	5	4	4	4	44	34	12	38	62	44	59	43	42	76	90	126	135	155	175	119	66	24	3	1	–	–	
	女 F.	1 105	26	8	4	4	6	48	17	22	27	40	57	67	53	45	68	63	75	77	99	122	97	92	30	6	–	–	–	
581	肝　硬　変……	8 794	33	4	1	3	5	46	32	29	20	47	89	175	229	350	642	812	1 036	1 121	1 186	1 187	1 031	575	161	24	2	–	–	581
	男 M.	5 339	19	2	1	1	3	26	16	17	8	25	62	120	140	237	426	542	704	714	711	685	540	280	79	7	–	–	–	
	女 F.	3 455	14	2	–	2	2	20	16	12	12	22	27	55	89	113	216	270	332	407	475	502	491	295	82	17	2	–	–	
582	化膿性肝炎および肝膿瘍……	340	1	1	–	–	–	2	4	4	6	6	4	19	18	24	24	48	39	33	42	31	20	13	3	–	–	–	–	582
	男 M.	199	1	–	–	–	–	1	1	2	5	2	1	11	13	18	13	28	25	20	25	16	6	9	3	–	–	–	–	
	女 F.	141	–	1	–	–	–	1	3	2	1	4	3	8	5	6	11	20	14	13	17	15	14	4	–	–	–	–	–	
583	その他の肝臓の疾患……	1 249	24	2	–	2	3	31	10	5	10	29	29	27	31	39	63	76	98	125	158	184	168	113	45	7	1	–	–	583
	男 M.	666	12	2	–	1	2	17	5	2	6	15	12	15	12	21	34	49	58	72	86	103	88	48	19	4	–	–	–	
	女 F.	583	12	–	–	1	1	14	5	3	4	14	17	12	19	18	29	27	40	53	72	81	80	65	26	3	1	–	–	
584	胆　石　症……	2 213	–	–	–	–	–	–	–	1	5	16	19	28	42	66	94	162	198	253	323	343	340	240	74	8	1	–	–	584
	男 M.	788	–	–	–	–	–	–	–	1	–	8	8	8	19	23	36	61	69	93	134	130	100	76	19	2	1	–	–	
	女 F.	1 425	–	–	–	–	–	–	–	–	5	8	11	20	23	43	58	101	129	160	189	213	240	164	55	6	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
585	結石の記載のない胆嚢炎および胆管炎…	2 312	4	1	–	–	–	5	2	5	11	13
	男 M.	892	2	–	–	–	–	2	2	1	5	6
	女 F.	1 420	2	1	–	–	–	3	–	4	6	7
586	その他の胆嚢および胆管の疾患……	403	13	1	1	–	1	16	2	1	5	3
	男 M.	181	10	1	1	–	1	13	1	–	2	1
	女 F.	222	3	–	–	–	–	3	1	1	3	2
587	膵臓の疾患……	702	3	–	2	–	–	5	7	7	13	28
	男 M.	365	2	–	1	–	–	3	4	5	7	18
	女 F.	337	1	–	1	–	–	2	3	2	6	10
587.0	急性膵臓炎……	*521*	*1*	–	*2*	–	–	*3*	*7*	*4*	*10*	*24*
	男 M.	*263*	*1*	–	*1*	–	–	*2*	*4*	*2*	*5*	*16*
	女 F.	*258*	–	–	*1*	–	–	*1*	*3*	*2*	*5*	*8*
587.1	慢性膵臓炎……	*34*	–	–	–	–	–	–	–	*2*	–	*1*
	男 M.	*20*	–	–	–	–	–	–	–	*2*	–	–
	女 F.	*14*	–	–	–	–	–	–	–	–	–	*1*
587.2	その他の膵臓の疾患……	*147*	*2*	–	–	–	–	*2*	–	*1*	*3*	*3*
	男 M.	*82*	*1*	–	–	–	–	*1*	–	*1*	*2*	*2*
	女 F.	*65*	*1*	–	–	–	–	*1*	–	–	*1*	*1*
X	**性尿器系の疾患**……	**18 713**	**60**	**53**	**113**	**127**	**120**	**473**	**423**	**360**	**521**	**596**
	男 M.	**9 297**	**33**	**34**	**74**	**86**	**81**	**308**	**247**	**195**	**271**	**343**
	女 F.	**9 416**	**27**	**19**	**39**	**41**	**39**	**165**	**176**	**165**	**250**	**253**
(590—594)	腎炎およびネフローゼ……	16 426	39	50	112	125	115	441	414	350	488	561
	男 M.	8 012	20	32	73	84	77	286	242	191	264	335
	女 F.	8 414	19	18	39	41	38	155	172	159	224	226
590	急性腎炎……	3 092	24	28	64	65	64	245	171	109	132	102
	男 M.	1 477	12	18	39	42	35	146	83	48	71	56
	女 F.	1 615	12	10	25	23	29	99	88	61	61	46
591	浮腫を伴う腎炎（ネフローゼを含む）…	1 667	6	10	22	33	29	100	143	113	77	86
	男 M.	899	3	7	17	24	24	75	105	74	48	56
	女 F.	768	3	3	5	9	5	25	38	39	29	30
592	慢性腎炎……	8 890	1	1	12	8	9	31	60	87	215	300
	男 M.	4 341	–	1	9	7	7	24	38	43	118	182
	女 F.	4 549	1	–	3	1	2	7	22	44	97	118
593	急性，慢性の別不明の腎炎……	2 748	8	11	14	19	13	65	39	39	64	73
	男 M.	1 279	5	6	8	11	11	41	15	26	27	41
	女 F.	1 469	3	5	6	8	2	24	24	13	37	32
594	その他の腎臓の硬変……	29	–	–	–	–	–	–	1	2	–	–
	男 M.	16	–	–	–	–	–	–	1	–	–	–
	女 F.	13	–	–	–	–	–	–	–	2	–	–
(600—609)	その他の泌尿器系の疾患……	1 614	15	3	1	2	5	26	9	9	21	22
	男 M.	804	8	2	1	2	4	17	5	4	7	8
	女 F.	810	7	1	–	–	1	9	4	5	14	14
600	腎臓の感染……	693	11	1	1	2	4	19	5	5	14	14
	男 M.	247	7	1	1	2	3	14	3	2	4	5
	女 F.	446	4	–	–	–	1	5	2	3	10	9
600.0	腎盂炎，腎盂膀胱炎および腎盂腎炎…	*640*	*10*	*1*	*1*	*1*	*4*	*17*	*4*	*5*	*12*	*12*
	男 M.	*225*	*6*	*1*	*1*	*1*	*3*	*12*	*2*	*2*	*4*	*4*
	女 F.	*415*	*4*	–	–	–	*1*	*5*	*2*	*3*	*8*	*8*

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
17	26	35	52	91	107	163	243	341	400	425	279	77	19	1	–	–	585
3	13	12	22	33	46	78	106	152	149	136	96	25	5	–	–	–	
14	13	23	30	58	61	85	137	189	251	289	183	52	14	1	–	–	
5	6	9	9	29	28	26	43	61	61	58	30	6	5	–	–	–	586
2	–	6	4	17	15	16	21	32	26	17	5	3	–	–	–	–	
3	6	3	5	12	13	10	22	29	35	41	25	3	5	–	–	–	
44	29	43	39	43	75	81	79	70	65	49	18	7	–	–	–	–	587
19	16	17	22	32	44	40	44	36	23	22	12	1	–	–	–	–	
25	13	26	17	11	31	41	35	34	42	27	6	6	–	–	–	–	
29	*25*	*34*	*29*	*32*	*50*	*55*	*59*	*52*	*49*	*38*	*16*	*5*	–	–	–	–	587.0
14	*13*	*15*	*16*	*23*	*29*	*25*	*32*	*25*	*16*	*16*	*10*	–	–	–	–	–	
15	*12*	*19*	*13*	*9*	*21*	*30*	*27*	*27*	*33*	*22*	*6*	*5*	–	–	–	–	
–	–	–	*3*	*3*	*3*	*3*	*4*	*4*	*4*	*4*	*2*	*1*	–	–	–	–	587.1
–	–	–	*2*	*2*	*2*	*2*	*2*	*3*	–	*2*	*2*	*1*	–	–	–	–	
–	–	–	*1*	*1*	*1*	*1*	*2*	*1*	*4*	*2*	–	–	–	–	–	–	
15	*4*	*9*	*7*	*8*	*22*	*23*	*16*	*14*	*12*	*7*	–	*1*	–	–	–	–	587.2
5	*3*	*2*	*4*	*7*	*13*	*13*	*10*	*8*	*7*	*4*	–	–	–	–	–	–	
10	*1*	*7*	*3*	*1*	*9*	*10*	*6*	*6*	*5*	*3*	–	*1*	–	–	–	–	
646	**589**	**598**	**628**	**771**	**861**	**1 159**	**1 545**	**1 885**	**2 415**	**2 427**	**1 895**	**723**	**182**	**15**	**1**	–	X
346	**268**	**246**	**276**	**352**	**425**	**612**	**814**	**943**	**1 204**	**1 175**	**876**	**326**	**64**	**5**	–	–	
300	**320**	**352**	**352**	**419**	**436**	**547**	**731**	**942**	**1 211**	**1 252**	**1 019**	**397**	**118**	**10**	**1**	–	
595	532	520	568	693	776	1 060	1 382	1 663	2 086	2 029	1 534	574	148	11	1	–	(590—594)
330	251	222	256	326	388	565	710	831	989	915	638	232	39	2	–	–	
265	281	298	312	367	388	495	672	832	1 097	1 114	896	342	109	9	1	–	
130	94	99	99	100	115	143	200	261	361	351	239	103	33	5	–	–	590
61	47	43	39	57	57	80	97	130	162	165	83	42	8	2	–	–	
69	47	56	60	43	58	63	103	131	199	186	156	61	25	3	–	–	
90	59	56	56	60	75	105	115	106	137	142	100	29	18	–	–	–	591
48	26	32	20	30	38	51	62	53	68	53	46	11	3	–	–	–	
42	33	24	36	30	37	54	53	53	69	89	54	18	15	–	–	–	
290	288	295	325	432	453	643	796	987	1 206	1 157	912	337	71	4	1	–	592
174	135	124	162	202	225	338	403	491	599	538	390	134	21	–	–	–	
116	153	171	163	230	228	305	393	496	607	619	522	203	50	4	1	–	
84	91	68	87	101	133	169	270	305	378	372	281	101	26	2	–	–	593
46	43	23	35	37	68	96	147	154	158	155	118	42	7	–	–	–	
38	48	45	52	64	65	73	123	151	220	217	163	59	19	2	–	–	
1	–	2	1	–	–	–	1	4	4	7	2	4	–	–	–	–	594
1	–	–	–	–	–	–	1	3	2	4	1	3	–	–	–	–	
–	–	2	1	–	–	–	–	1	2	3	1	1	–	–	–	–	
29	42	47	35	63	67	84	125	175	228	270	239	104	18	1	–	–	(600—609)
16	17	23	18	24	34	41	73	75	122	136	123	50	11	–	–	–	
13	25	24	17	39	33	43	52	100	106	134	116	54	7	1	–	–	
16	23	22	15	32	32	41	49	77	90	114	83	36	6	–	–	–	600
8	7	7	6	10	13	13	19	22	32	39	28	12	3	–	–	–	
8	16	15	9	22	19	28	30	55	58	75	55	24	3	–	–	–	
15	*21*	*18*	*14*	*29*	*29*	*34*	*45*	*69*	*85*	*108*	*82*	*35*	*6*	–	–	–	600.0
8	*6*	*5*	*6*	*8*	*11*	*10*	*17*	*20*	*30*	*37*	*28*	*12*	*3*	–	–	–	
7	*15*	*13*	*8*	*21*	*18*	*24*	*28*	*49*	*55*	*71*	*54*	*23*	*3*	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5才階級）・死因（基本分類）別

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
600.1	腎臓および腎周囲組織の膿瘍	48	1	–	–	1	–	2	1	–	1	2	1	2	4	1	3	2	7	4	6	5	5	1	1	–	–	–	–	600.1
	男 M.	19	1	–	–	1	–	2	1	–	–	1	–	1	2	–	2	1	3	2	1	2	1	–	–	–	–	–	–	
	女 F.	29	–	–	–	–	–	–	–	–	1	1	1	1	2	1	1	1	4	2	5	3	4	1	1	–	–	–	–	
600.2	その他	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	600.2
	男 M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
601	水腎症	27	–	–	–	–	1	1	–	1	1	–	–	1	2	1	2	2	4	4	2	3	–	3	–	–	–	–	–	601
	男 M.	13	–	–	–	–	1	1	–	1	1	–	–	–	–	1	–	1	2	3	–	2	–	1	–	–	–	–	–	
	女 F.	14	–	–	–	–	–	–	–	–	–	–	–	1	2	–	2	1	2	1	2	1	–	2	–	–	–	–	–	
602	腎臓および尿管の結石	128	–	–	–	–	–	–	1	–	1	–	1	8	3	6	7	13	14	17	19	10	13	12	3	–	–	–	–	602
	男 M.	75	–	–	–	–	–	–	1	–	–	–	1	6	3	5	4	8	8	12	10	5	4	7	1	–	–	–	–	
	女 F.	53	–	–	–	–	–	–	–	–	1	–	–	2	–	1	3	5	6	5	9	5	9	5	2	–	–	–	–	
603	その他の腎臓および尿管の疾患	115	1	1	–	–	–	2	1	1	–	6	4	3	8	5	6	6	9	7	13	16	9	13	2	4	–	–	–	603
	男 M.	56	1	1	–	–	–	2	–	–	–	2	3	1	5	1	3	4	7	4	5	9	3	5	–	2	–	–	–	
	女 F.	59	–	–	–	–	–	–	1	1	–	4	1	2	3	4	3	2	2	3	8	7	6	8	2	2	–	–	–	
604	泌尿器系のその他の部位の結石	63	–	–	–	–	–	–	1	1	–	–	1	1	4	1	4	3	1	7	8	10	8	9	4	–	–	–	–	604
	男 M.	54	–	–	–	–	–	–	1	1	–	–	1	1	3	1	3	3	1	7	7	10	6	7	2	–	–	–	–	
	女 F.	9	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–	2	2	2	–	–	–	–	
605	膀胱炎	439	3	1	–	–	–	4	–	–	1	1	4	3	5	4	8	5	9	21	39	78	98	102	49	7	1	–	–	605
	男 M.	242	–	–	–	–	–	–	–	–	–	1	2	1	2	1	3	1	6	9	20	47	60	59	25	5	–	–	–	
	女 F.	197	3	1	–	–	–	4	–	–	1	–	2	2	3	3	5	4	3	12	19	31	38	43	24	2	1	–	–	
606	その他の膀胱の疾患	51	–	–	–	–	–	–	1	1	1	–	2	1	1	1	2	2	3	6	8	6	11	3	2	–	–	–	–	606
	男 M.	32	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	1	1	6	3	4	9	3	2	–	–	–	–	
	女 F.	19	–	–	–	–	–	–	1	1	1	–	2	–	–	–	2	1	2	–	5	2	2	–	–	–	–	–	–	
607	尿道炎（性病性を除く）	23	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	2	4	9	2	2	1	–	–	–	607
	男 M.	17	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	7	2	2	1	–	–	–	
	女 F.	6	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	
608	尿道狭搾	51	–	–	–	–	–	–	–	–	2	–	–	–	2	2	1	3	3	6	3	7	8	9	5	–	–	–	–	608
	男 M.	48	–	–	–	–	–	–	–	–	2	–	–	–	2	2	–	2	3	6	3	7	8	8	5	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	
609	その他の尿道の疾患	24	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	1	–	7	4	4	–	3	1	–	–	–	–	609
	男 M.	20	–	–	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–	6	3	4	–	3	1	–	–	–	–	
	女 F.	4	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
(610—617)	男性性器の疾患	481	5	–	–	–	–	5	–	–	–	–	–	1	1	2	2	3	6	31	37	93	124	115	44	14	3	–	–	(610—617)
	男 M.	481	5	–	–	–	–	5	–	–	–	–	–	1	1	2	2	3	6	31	37	93	124	115	44	14	3	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
610	前立腺肥大症	440	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	25	35	88	119	107	44	11	3	–	–	610
	男 M.	440	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	6	25	35	88	119	107	44	11	3	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
611	前立腺炎	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	4	3	3	–	–	–	–	–	611
	男 M.	15	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	1	1	4	3	3	–	–	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
612	その他の前立腺の疾患	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	1	–	–	–	612
	男 M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	1	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
613	陰嚢水瘤	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	2	–	–	–	613
	男 M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–	2	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
614	睾丸炎および副睾丸炎	6	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	614
	男 M.	6	1	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
615	過長包皮および包茎	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	615
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
616	男性不妊症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	616
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
617	その他の男性性器の疾患	9	4	–	–	–	–	4	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	1	–	–	–	–	–	617
	男 M.	9	4	–	–	–	–	4	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	1	–	–	–	–	–	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
(620—626)	乳房，卵巣，卵管および子宮傍結合組織の疾患	103	–	–	–	–	–	–	–	1	9	10	12	10	19	15	3	5	5	4	3	3	1	3	–	–	–	–	–	(620—626)
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	103	–	–	–	–	–	–	–	1	9	10	12	10	19	15	3	5	5	4	3	3	1	3	–	–	–	–	–	
620	乳房の慢性嚢胞性疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	620
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
621	その他の乳房の疾患	6	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	621
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	6	–	–	–	–	–	–	–	–	1	–	1	2	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	
622	急性卵管炎および卵巣炎	6	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	622
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	6	–	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	
623	慢性卵管炎および卵巣炎	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	623
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	3	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
624	急性，慢性の別不明の卵管炎および卵巣炎	33	–	–	–	–	–	–	–	–	–	6	4	4	7	5	1	1	3	1	–	1	–	–	–	–	–	–	–	624
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	33	–	–	–	–	–	–	–	–	–	6	4	4	7	5	1	1	3	1	–	1	–	–	–	–	–	–	–	
625	その他の卵管および卵巣の疾患	19	–	–	–	–	–	–	–	–	6	2	3	2	2	1	–	1	–	1	–	1	–	–	–	–	–	–	–	625
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	19	–	–	–	–	–	–	–	–	6	2	3	2	2	1	–	1	–	1	–	1	–	–	–	–	–	–	–	
626	子宮傍結合組織および骨盤腹膜の疾患（女性）	36	–	–	–	–	–	–	–	1	1	1	4	2	7	7	1	1	2	1	3	1	1	3	–	–	–	–	–	626
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	36	–	–	–	–	–	–	–	1	1	1	4	2	7	7	1	1	2	1	3	1	1	3	–	–	–	–	–	
(630—637)	子宮およびその他の女性性器の疾患	89	1	–	–	–	–	1	–	–	3	3	10	4	11	8	10	10	4	3	7	5	3	4	1	2	–	–	–	(630—637)
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	89	1	–	–	–	–	1	–	–	3	3	10	4	11	8	10	10	4	3	7	5	3	4	1	2	–	–	–	
630	子宮，膣および外陰の感染性疾患	28	1	–	–	–	–	1	–	–	1	1	3	2	3	2	4	4	1	1	2	1	–	1	–	1	–	–	–	630
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	28	1	–	–	–	–	1	–	–	1	1	3	2	3	2	4	4	1	1	2	1	–	1	–	1	–	–	–	
631	子宮脱	17	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	2	2	1	2	2	1	1	–	–	–	–	631
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	17	–	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2	2	2	1	2	2	1	1	–	–	–	–	
632	子宮の位置および形態異常	4	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	632
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	4	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
633	その他の子宮の疾患	22	－	－	－	－	－	－	－	－	2	1	2	1	4	2	－	1	1	－	4	2	1	－	－	1	－	－	－	633
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	22	－	－	－	－	－	－	－	－	2	1	2	1	4	2	－	1	1	－	4	2	1	－	－	1	－	－	－	
634	異常月経	10	－	－	－	－	－	－	－	－	－	－	1	1	3	3	1	1	－	－	－	－	－	－	－	－	－	－	－	634
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	10	－	－	－	－	－	－	－	－	－	－	1	1	3	3	1	1	－	－	－	－	－	－	－	－	－	－	－	
635	経閉期症状	6	－	－	－	－	－	－	－	－	－	－	－	－	－	－	4	2	－	－	－	－	－	－	－	－	－	－	－	635
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	6	－	－	－	－	－	－	－	－	－	－	－	－	－	－	4	2	－	－	－	－	－	－	－	－	－	－	－	
636	女性不妊症	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	636
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
637	その他の女性性器の疾患	2	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	637
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	2	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	
XI	**分娩ならびに妊娠，分娩および産褥の合併症**	**2 381**	－	－	－	－	－	－	－	－	**27**	**415**	**763**	**617**	**394**	**151**	**11**	**3**	－	－	－	－	－	－	－	－	－	－	－	XI
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	**2 381**	－	－	－	－	－	－	－	－	**27**	**415**	**763**	**617**	**394**	**151**	**11**	**3**	－	－	－	－	－	－	－	－	－	－	－	
(640—649)	妊娠の合併症	1 141	－	－	－	－	－	－	－	－	14	214	348	291	191	75	5	3	－	－	－	－	－	－	－	－	－	－	－	(640—649)
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	1 141	－	－	－	－	－	－	－	－	14	214	348	291	191	75	5	3	－	－	－	－	－	－	－	－	－	－	－	
640	妊娠時の腎盂炎および腎盂腎炎	1	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	640
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	1	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
641	その他の妊娠時の性尿器の感染	1	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	641
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	1	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
642	妊娠時の妊娠中毒症	769	－	－	－	－	－	－	－	－	10	166	250	185	112	43	2	1	－	－	－	－	－	－	－	－	－	－	－	642
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	769	－	－	－	－	－	－	－	－	10	166	250	185	112	43	2	1	－	－	－	－	－	－	－	－	－	－	－	
642. a	妊娠時の腎疾患および子癇前症	*365*	－	－	－	－	－	－	－	－	*7*	*73*	*120*	*82*	*58*	*23*	*1*	*1*	－	－	－	－	－	－	－	－	－	－	－	642. a
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	*365*	－	－	－	－	－	－	－	－	*7*	*73*	*120*	*82*	*58*	*23*	*1*	*1*	－	－	－	－	－	－	－	－	－	－	－	
642. b	妊娠子癇	*186*	－	－	－	－	－	－	－	－	*1*	*51*	*65*	*36*	*20*	*12*	*1*	－	－	－	－	－	－	－	－	－	－	－	－	642. b
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	*186*	－	－	－	－	－	－	－	－	*1*	*51*	*65*	*36*	*20*	*12*	*1*	－	－	－	－	－	－	－	－	－	－	－	－	
642. c	悪阻	*12*	－	－	－	－	－	－	－	－	－	*3*	*1*	*5*	*3*	－	－	－	－	－	－	－	－	－	－	－	－	－	－	642. c
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	*12*	－	－	－	－	－	－	－	－	－	*3*	*1*	*5*	*3*	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
642. d	その他	*206*	－	－	－	－	－	－	－	－	*2*	*39*	*64*	*62*	*31*	*8*	－	－	－	－	－	－	－	－	－	－	－	－	－	642. d
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	*206*	－	－	－	－	－	－	－	－	*2*	*39*	*64*	*62*	*31*	*8*	－	－	－	－	－	－	－	－	－	－	－	－	－	
643	前置胎盤（妊娠時）	16	－	－	－	－	－	－	－	－	－	1	3	5	5	2	－	－	－	－	－	－	－	－	－	－	－	－	－	643
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	16	－	－	－	－	－	－	－	－	－	1	3	5	5	2	－	－	－	－	－	－	－	－	－	－	－	－	－	
644	その他の妊娠時出血	14	－	－	－	－	－	－	－	－	－	2	5	2	3	2	－	－	－	－	－	－	－	－	－	－	－	－	－	644
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	14	－	－	－	－	－	－	－	－	－	2	5	2	3	2	－	－	－	－	－	－	－	－	－	－	－	－	－	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
644. a	妊娠時の胎盤早期剝離	13	–	–	–	–	–	–	–	–	–	1	5	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	644. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	13	–	–	–	–	–	–	–	–	–	1	5	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
644. b	そ の 他	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	644. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
645	子宮外妊娠	292	–	–	–	–	–	–	–	–	3	39	81	89	56	23	–	1	–	–	–	–	–	–	–	–	–	–	–	645
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	292	–	–	–	–	–	–	–	–	3	39	81	89	56	23	–	1	–	–	–	–	–	–	–	–	–	–	–	
645.0	敗血症の記載のないもの	290	–	–	–	–	–	–	–	–	3	39	80	88	56	23	–	1	–	–	–	–	–	–	–	–	–	–	–	645.0
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	290	–	–	–	–	–	–	–	–	3	39	80	88	56	23	–	1	–	–	–	–	–	–	–	–	–	–	–	
645.1	敗血症を伴うもの	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	645.1
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	2	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
646	妊娠貧血	9	–	–	–	–	–	–	–	–	–	1	2	–	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	646
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	9	–	–	–	–	–	–	–	–	–	1	2	–	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
647	胎位および胎勢異常を伴う妊娠	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	647
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
648	その他の妊娠合併症	39	–	–	–	–	–	–	–	–	1	4	7	10	9	4	3	1	–	–	–	–	–	–	–	–	–	–	–	648
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	39	–	–	–	–	–	–	–	–	1	4	7	10	9	4	3	1	–	–	–	–	–	–	–	–	–	–	–	
648. a	胞状奇胎	25	–	–	–	–	–	–	–	–	1	4	5	4	3	4	3	1	–	–	–	–	–	–	–	–	–	–	–	648. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	25	–	–	–	–	–	–	–	–	1	4	5	4	3	4	3	1	–	–	–	–	–	–	–	–	–	–	–	
648. b	そ の 他	14	–	–	–	–	–	–	–	–	–	–	2	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	648. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	14	–	–	–	–	–	–	–	–	–	–	2	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
649	その他の障害を伴う妊娠	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	649
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(650—652)	流産	108	–	–	–	–	–	–	–	–	4	19	12	26	29	17	1	–	–	–	–	–	–	–	–	–	–	–	–	(650—652)
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	108	–	–	–	–	–	–	–	–	4	19	12	26	29	17	1	–	–	–	–	–	–	–	–	–	–	–	–	
650	敗血症または妊娠中毒症の記載のない流産	76	–	–	–	–	–	–	–	–	2	13	7	20	21	12	1	–	–	–	–	–	–	–	–	–	–	–	–	650
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	76	–	–	–	–	–	–	–	–	2	13	7	20	21	12	1	–	–	–	–	–	–	–	–	–	–	–	–	
650. a	自然または不詳の流産	49	–	–	–	–	–	–	–	–	–	9	4	17	10	8	1	–	–	–	–	–	–	–	–	–	–	–	–	650. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	49	–	–	–	–	–	–	–	–	–	9	4	17	10	8	1	–	–	–	–	–	–	–	–	–	–	–	–	
650. b	医学的適応による人工流産	27	–	–	–	–	–	–	–	–	2	4	3	3	11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	650. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	27	–	–	–	–	–	–	–	–	2	4	3	3	11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	
650. c	医学的適応以外の法律的適応による人工流産	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	650. c
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
650. d	その他の理由による人工流産	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	650. d
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
650. e	そ　の　他	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	650. e
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
651	敗血症を伴う流産	23	－	－	－	－	－	－	－	－	1	4	4	3	7	4	－	－	－	－	－	－	－	－	－	－	－	－	－	651
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	23	－	－	－	－	－	－	－	－	1	4	4	3	7	4	－	－	－	－	－	－	－	－	－	－	－	－	－	
651. a	自然または不詳の流産	*15*	－	－	－	－	－	－	－	－	*1*	*3*	*2*	*1*	*5*	*3*	－	－	－	－	－	－	－	－	－	－	－	－	－	651. a
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	*15*	－	－	－	－	－	－	－	－	*1*	*3*	*2*	*1*	*5*	*3*	－	－	－	－	－	－	－	－	－	－	－	－	－	
651. b	医学的適応による人工流産	*8*	－	－	－	－	－	－	－	－	－	*1*	*2*	*2*	*2*	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	651. b
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	*8*	－	－	－	－	－	－	－	－	－	*1*	*2*	*2*	*2*	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	
651. c	医学的適応以外の法律的適応による人工流産	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	651. c
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
651. d	その他の理由による人工流産	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	651. d
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
651. e	そ　の　他	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	651. e
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
652	妊娠中毒症を伴う流産（敗血症の記載のないもの）	9	－	－	－	－	－	－	－	－	1	2	1	3	1	1	－	－	－	－	－	－	－	－	－	－	－	－	－	652
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	9	－	－	－	－	－	－	－	－	1	2	1	3	1	1	－	－	－	－	－	－	－	－	－	－	－	－	－	
652. a	自然または不詳の流産	*5*	－	－	－	－	－	－	－	－	－	－	－	*3*	*1*	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	652. a
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	*5*	－	－	－	－	－	－	－	－	－	－	－	*3*	*1*	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	
652. b	医学的適応による人工流産	*4*	－	－	－	－	－	－	－	－	*1*	*2*	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	652. b
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	*4*	－	－	－	－	－	－	－	－	*1*	*2*	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
652. c	医学的適応以外の法律的適応による人工流産	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	652. c
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
652. d	その他の理由による人工流産	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	652. d
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
652. e	そ　の　他	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	652. e
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
(660)	合併症の記載のない分娩	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	(660)
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
660	合併症の記載のない分娩	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	660
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
(670—678)	合併症の明記のある分娩	768	–	–	–	–	–	–	–	–	5	106	265	217	130	43	2	–	–	–	–	–	–	–	–	–	–	–	–	(670—678)
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	768	–	–	–	–	–	–	–	–	5	106	265	217	130	43	2	–	–	–	–	–	–	–	–	–	–	–	–	
670	前置胎盤または分娩前出血を合併する分娩	153	–	–	–	–	–	–	–	–	1	9	48	49	35	10	1	–	–	–	–	–	–	–	–	–	–	–	–	670
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	153	–	–	–	–	–	–	–	–	1	9	48	49	35	10	1	–	–	–	–	–	–	–	–	–	–	–	–	
670. a	分娩開始後胎盤早期剝離	*87*	–	–	–	–	–	–	–	–	*1*	*7*	*24*	*28*	*22*	*4*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	670. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*87*	–	–	–	–	–	–	–	–	*1*	*7*	*24*	*28*	*22*	*4*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	
670. b	前置胎盤（分娩開始後）	*66*	–	–	–	–	–	–	–	–	–	*2*	*24*	*21*	*13*	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	670. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*66*	–	–	–	–	–	–	–	–	–	*2*	*24*	*21*	*13*	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	
670. c	そ の 他	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	670. c
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
671	停滞胎盤を合併する分娩	71	–	–	–	–	–	–	–	–	–	12	22	22	11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	671
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	71	–	–	–	–	–	–	–	–	–	12	22	22	11	4	–	–	–	–	–	–	–	–	–	–	–	–	–	
672	その他の分娩後出血を合併する分娩	338	–	–	–	–	–	–	–	–	4	50	117	88	55	24	–	–	–	–	–	–	–	–	–	–	–	–	–	672
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	338	–	–	–	–	–	–	–	–	4	50	117	88	55	24	–	–	–	–	–	–	–	–	–	–	–	–	–	
672. a	弛緩出血	*291*	–	–	–	–	–	–	–	–	*3*	*46*	*102*	*74*	*48*	*18*	–	–	–	–	–	–	–	–	–	–	–	–	–	672. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*291*	–	–	–	–	–	–	–	–	*3*	*46*	*102*	*74*	*48*	*18*	–	–	–	–	–	–	–	–	–	–	–	–	–	
672. b	そ の 他	*47*	–	–	–	–	–	–	–	–	*1*	*4*	*15*	*14*	*7*	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	672. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*47*	–	–	–	–	–	–	–	–	*1*	*4*	*15*	*14*	*7*	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	
673	骨盤異常を合併する分娩	20	–	–	–	–	–	–	–	–	–	7	5	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	673
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	20	–	–	–	–	–	–	–	–	–	7	5	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
674	骨盤と胎児との不釣合または胎位回旋異常を合併する分娩	47	–	–	–	–	–	–	–	–	–	8	19	10	8	2	–	–	–	–	–	–	–	–	–	–	–	–	–	674
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	47	–	–	–	–	–	–	–	–	–	8	19	10	8	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
675	その他の原因による遷延分娩	37	–	–	–	–	–	–	–	–	–	5	19	7	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	675
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	37	–	–	–	–	–	–	–	–	–	5	19	7	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
676	会陰裂傷を伴う分娩（その他の裂傷の記載のないもの）	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	676
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
677	その他の外傷を伴う分娩	65	–	–	–	–	–	–	–	–	–	11	20	23	9	1	1	–	–	–	–	–	–	–	–	–	–	–	–	677
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	65	–	–	–	–	–	–	–	–	–	11	20	23	9	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
677. a	子宮破裂	*56*	–	–	–	–	–	–	–	–	–	*7*	*17*	*22*	*9*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	677. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*56*	–	–	–	–	–	–	–	–	–	*7*	*17*	*22*	*9*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	
677. b	そ の 他	*9*	–	–	–	–	–	–	–	–	–	*4*	*3*	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	677. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*9*	–	–	–	–	–	–	–	–	–	*4*	*3*	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
678	その他の合併症を伴う分娩	36	–	–	–	–	–	–	–	–	–	4
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	36	–	–	–	–	–	–	–	–	–	4
(680—689)	産褥の合併症	364	–	–	–	–	–	–	–	–	4	76
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	364	–	–	–	–	–	–	–	–	4	76
680	その他の敗血症を伴わない産褥泌尿器感染	–	–	–	–	–	–	–	–	–	–	–
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	–	–	–	–	–	–	–	–	–	–	–
681	分娩中および産褥の敗血症	85	–	–	–	–	–	–	–	–	2	15
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	85	–	–	–	–	–	–	–	–	2	15
682	産褥静脈炎および血栓症	4	–	–	–	–	–	–	–	–	–	1
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	4	–	–	–	–	–	–	–	–	–	1
683	産褥時の原因不明の発熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	–	–	–	–	–	–	–	–	–	–	–
684	産褥肺塞栓症	2	–	–	–	–	–	–	–	–	–	1
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	2	–	–	–	–	–	–	–	–	–	1
685	分娩子癇および産褥子癇	126	–	–	–	–	–	–	–	–	2	32
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	126	–	–	–	–	–	–	–	–	2	32
685. a	子　癇	*120*	–	–	–	–	–	–	–	–	*2*	*32*
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	*120*	–	–	–	–	–	–	–	–	*2*	*32*
685. b	そ の 他	*6*	–	–	–	–	–	–	–	–	–	–
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	*6*	–	–	–	–	–	–	–	–	–	–
686	その他の産褥時の妊娠中毒症	4	–	–	–	–	–	–	–	–	–	–
	女 M.	·	·	·	·	·	·	·	·	·	·	·
	男 F.	4	–	–	–	–	–	–	–	–	–	–
687	産褥における脳出血	21	–	–	–	–	–	–	–	–	–	7
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	21	–	–	–	–	–	–	–	–	–	7
688	その他および詳細不明の産褥の合併症	120	–	–	–	–	–	–	–	–	–	19
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	120	–	–	–	–	–	–	–	–	–	19
689	乳腺炎およびその他の乳汁分泌異常	2	–	–	–	–	–	–	–	–	–	1
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	2	–	–	–	–	–	–	–	–	–	1
XII	**皮膚および疎性結合組織の疾患**	**1 835**	**467**	**34**	**19**	**17**	**14**	**551**	**29**	**34**	**37**	**45**
	男 M.	**894**	**269**	**14**	**10**	**12**	**6**	**311**	**18**	**15**	**18**	**13**
	女 F.	**941**	**198**	**20**	**9**	**5**	**8**	**240**	**11**	**19**	**19**	**32**
(690—698)	皮膚および皮下組織の感染	886	258	21	14	9	8	310	16	19	17	18
	男 M.	479	138	6	7	6	5	162	11	13	13	8
	女 F.	407	120	15	7	3	3	148	5	6	4	10

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
15	10	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	678
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
15	10	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
138	83	44	16	3	–	–	–	–	–	–	–	–	–	–	–	–	(680—689)
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
138	83	44	16	3	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	680
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
31	19	11	4	3	–	–	–	–	–	–	–	–	–	–	–	–	681
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
31	19	11	4	3	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	682
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	683
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	684
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
52	21	13	6	–	–	–	–	–	–	–	–	–	–	–	–	–	685
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
52	21	13	6	–	–	–	–	–	–	–	–	–	–	–	–	–	
48	*20*	*12*	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	685. a
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
48	*20*	*12*	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	685. b
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
4	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	686
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	687
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
4	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
47	31	17	6	–	–	–	–	–	–	–	–	–	–	–	–	–	688
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
47	31	17	6	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	689
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
38	**31**	**41**	**37**	**47**	**58**	**67**	**78**	**132**	**141**	**182**	**174**	**78**	**31**	**4**	–	–	XII
17	**11**	**12**	**19**	**21**	**29**	**32**	**49**	**83**	**68**	**75**	**73**	**24**	**6**	–	–	–	
21	**20**	**29**	**18**	**26**	**29**	**35**	**29**	**49**	**73**	**107**	**101**	**54**	**25**	**4**	–	–	
25	12	21	23	23	25	37	51	73	59	62	60	23	12	–	–	–	(690—698)
13	6	9	15	16	15	21	34	41	32	23	33	10	4	–	–	–	
12	6	12	8	7	10	16	17	32	27	39	27	13	8	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
690	ちよう（疔）およびよう（癤）	235	26	3	–	2	3	34	6	3	7	5
	男 M.	147	15	3	–	2	2	22	5	2	6	2
	女 F.	88	11	–	–	–	1	12	1	1	1	3
691	手指および足指の蜂巣織炎	11	2	–	–	–	–	2	–	1	–	2
	男 M.	5	1	–	–	–	–	1	–	1	–	1
	女 F.	6	1	–	–	–	–	1	–	–	–	1
692	その他のリンパ管炎の記載のない蜂巣織炎および膿瘍	521	186	13	6	3	2	210	3	9	9	7
	男 M.	263	92	2	4	1	1	100	3	6	6	4
	女 F.	258	94	11	2	2	1	110	–	3	3	3
693	その他のリンパ管炎を伴う蜂巣織炎および膿瘍	4	2	–	–	–	–	2	–	–	–	–
	男 M.	1	1	–	–	–	–	1	–	–	–	–
	女 F.	3	1	–	–	–	–	1	–	–	–	–
694	急性リンパ腺炎	12	3	–	1	–	–	4	–	–	–	–
	男 M.	5	2	–	–	–	–	2	–	–	–	–
	女 F.	7	1	–	1	–	–	2	–	–	–	–
695	膿痂疹	70	25	5	6	4	3	43	4	6	–	–
	男 M.	42	18	1	2	3	2	26	3	4	–	–
	女 F.	28	7	4	4	1	1	17	1	2	–	–
696	伝染性いぼ	1	–	–	–	–	–	–	1	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	1	–	–	–
697	伝染性軟腫	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
698	その他の皮膚および皮下組織の局所感染	32	14	–	1	–	–	15	2	–	1	4
	男 M.	16	9	–	1	–	–	10	–	–	1	1
	女 F.	16	5	–	–	–	–	5	2	–	–	3
(700—716)	その他の皮膚および皮下組織の疾患	949	209	13	5	8	6	241	13	15	20	27
	男 M.	415	131	8	3	6	1	149	7	2	5	5
	女 F.	534	78	5	2	2	5	92	6	13	15	22
700	脂漏性皮膚炎	19	16	1	–	–	–	17	–	–	–	–
	男 M.	12	10	–	–	–	–	10	–	–	–	–
	女 F.	7	6	1	–	–	–	7	–	–	–	–
701	湿疹	260	143	7	4	6	5	165	9	4	1	1
	男 M.	149	88	6	2	4	1	101	4	–	–	1
	女 F.	111	55	1	2	2	4	64	5	4	1	–
702	職業皮膚炎	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
703	その他の皮膚炎	33	6	1	–	1	–	8	–	–	1	–
	男 M.	17	5	–	–	1	–	6	–	–	1	–
	女 F.	16	1	1	–	–	–	2	–	–	–	–
704	天疱瘡	80	5	1	1	–	–	7	–	–	–	–
	男 M.	34	3	–	1	–	–	4	–	–	–	–
	女 F.	46	2	1	–	–	–	3	–	–	–	–
705	紅斑症	172	32	1	–	–	1	34	3	9	12	21
	男 M.	68	22	1	–	–	–	23	2	1	3	2
	女 F.	104	10	–	–	–	1	11	1	8	9	19

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
14	6	8	11	12	10	12	18	33	18	16	13	4	5	–	–	–	690
8	3	3	8	8	6	8	13	22	11	8	8	2	2	–	–	–	
6	3	5	3	4	4	4	5	11	7	8	5	2	3	–	–	–	
–	1	–	–	1	–	1	1	–	1	–	1	–	–	–	–	–	691
–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	
9	5	12	10	9	13	24	28	38	37	34	42	17	5	–	–	–	692
4	3	6	5	7	8	13	18	19	18	11	22	8	2	–	–	–	
5	2	6	5	2	5	11	10	19	19	23	20	9	3	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	693
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	
–	–	–	–	–	1	–	–	–	1	4	–	2	–	–	–	–	694
–	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	3	–	2	–	–	–	–	
–	–	1	2	1	1	–	2	1	2	5	2	–	–	–	–	–	695
–	–	–	2	1	–	–	1	–	1	3	1	–	–	–	–	–	
–	–	1	–	–	1	–	1	1	1	2	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	696
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	697
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	2	1	–	2	2	–	1	–	–	–	698
1	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	
1	–	–	–	–	–	–	–	1	–	2	1	–	1	–	–	–	
13	19	20	14	24	33	30	27	59	82	120	114	55	19	4	–	–	(700—716)
4	5	3	4	5	14	11	15	42	36	52	40	14	2	–	–	–	
9	14	17	10	19	19	19	12	17	46	68	74	41	17	4	–	–	
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	700
–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	1	2	2	7	4	3	17	8	10	16	4	2	–	–	–	701
2	–	–	1	1	4	2	1	14	4	6	8	–	–	–	–	–	
–	2	1	1	1	3	2	2	3	4	4	8	4	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	702
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	2	1	3	2	2	3	4	3	2	1	–	–	–	–	703
–	–	–	1	1	1	1	1	2	1	1	1	–	–	–	–	–	
–	–	1	1	–	2	1	1	1	3	2	1	1	–	–	–	–	
1	1	2	1	4	4	10	4	16	6	12	7	4	1	–	–	–	704
–	–	1	–	–	3	3	2	10	4	3	3	1	–	–	–	–	
1	1	1	1	4	1	7	2	6	2	9	4	3	1	–	–	–	
8	10	15	7	8	10	3	6	8	10	4	4	–	–	–	–	–	705
–	2	2	1	2	4	1	5	6	6	4	4	–	–	–	–	–	
8	8	13	6	6	6	2	1	2	4	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
706	乾癬および類似疾患	9	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	2	2	2	–	1	–	–	–	–	706
	男 M.	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	1	2	–	–	1	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	
707	扁平苔癬	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	707
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
708	瘙痒症およびその関連症	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	708
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
709	うおのめおよびたこ	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	709
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
710	その他の皮膚肥大症および萎縮症	30	1	–	–	–	–	1	1	1	3	2	–	2	1	2	4	3	5	2	–	1	1	1	–	–	–	–	–	710
	男 M.	8	1	–	–	–	–	1	1	1	–	–	–	1	–	1	–	–	1	1	–	–	1	–	–	–	–	–	–	
	女 F.	22	–	–	–	–	–	–	–	–	3	2	–	1	1	1	4	3	4	1	–	1	–	1	–	–	–	–	–	
711	その他の皮膚症	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	711
	男 M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
712	爪の症患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	712
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
713	毛髪および毛嚢の疾患	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	713
	男 M.	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
714	汗腺および脂腺の疾患	4	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	714
	男 M.	2	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	
715	皮膚の慢性潰瘍	331	3	–	–	–	–	3	–	–	1	2	1	4	–	–	4	5	4	9	13	50	87	83	45	16	4	–	–	715
	男 M.	115	–	–	–	–	–	–	–	–	–	1	1	2	–	–	1	2	2	4	9	19	36	24	12	2	–	–	–	
	女 F.	216	3	–	–	–	–	3	–	–	1	1	–	2	–	–	3	3	2	5	4	31	51	59	33	14	4	–	–	
716	その他の皮膚の疾患	5	1	1	–	1	–	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	716
	男 M.	2	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	3	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
XIII	骨および運動器の疾患	2 556	57	4	9	5	7	82	37	48	27	28	23	42	33	37	63	84	168	203	303	445	465	312	126	26	4	–	–	XIII
	男 M.	885	27	3	4	3	2	39	27	28	12	11	9	11	8	14	23	27	69	63	119	158	137	94	28	6	1	–	–	
	女 F.	1 671	30	1	5	2	5	43	10	20	15	17	14	31	25	23	40	57	99	140	184	287	328	218	97	20	3	–	–	
(720—727)	関節およびリューマチ（リューマチ熱を除く）	2 129	5	1	–	–	2	8	17	15	12	12	13	25	20	25	40	63	137	181	278	413	423	298	121	25	3	–	–	(720—727)
	男 M.	670	3	1	–	–	–	4	13	8	3	3	6	5	2	8	11	16	49	54	105	144	117	91	26	5	–	–	–	
	女 F.	1 459	2	–	–	–	2	4	4	7	9	9	7	20	18	17	29	47	88	127	173	269	306	207	95	20	3	–	–	
720	化膿菌による急性関節炎	71	2	–	–	–	–	2	6	4	3	1	1	4	1	1	2	1	2	8	8	7	6	6	6	2	–	–	–	720
	男 M.	43	2	–	–	–	–	2	5	2	2	1	1	1	–	–	1	–	2	4	4	6	5	4	3	–	–	–	–	
	女 F.	28	–	–	–	–	–	–	1	2	1	–	–	3	1	1	1	1	–	4	4	1	1	2	3	2	–	–	–	
721	急性非化膿性関節炎	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	721
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
722	リューマチ様関節炎およびその類似症	74	–	–	–	–	1	1	–	2	–	–	–	1	1	1	1	2	5	12	13	8	13	10	4	–	–	–	–	722
	男 M.	21	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	4	5	1	5	1	3	–	–	–	–	–	
	女 F.	53	–	–	–	–	1	1	–	2	–	–	–	–	1	–	1	2	1	7	12	3	12	7	4	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
723	骨関節症およびその類似症	61	–	–	–	–	–	–	–	–	–	–
	男 M.	29	–	–	–	–	–	–	–	–	–	–
	女 F.	32	–	–	–	–	–	–	–	–	–	–
724	その他の関節炎の特殊型	1 494	–	–	–	–	1	1	5	4	4	8
	男 M.	437	–	–	–	–	–	–	4	3	–	2
	女 F.	1 057	–	–	–	–	1	1	1	1	4	6
725	詳細不明の関節炎	137	1	1	–	–	–	2	2	2	1	–
	男 M.	46	1	1	–	–	–	2	1	–	–	–
	女 F.	91	–	–	–	–	–	–	1	2	1	–
726	筋肉リューマチ	122	2	–	–	–	–	2	4	3	1	1
	男 M.	45	–	–	–	–	–	–	3	3	–	–
	女 F.	77	2	–	–	–	–	2	1	–	1	1
727	詳細不明のリューマチ	170	–	–	–	–	–	–	–	–	3	2
	男 M.	49	–	–	–	–	–	–	–	–	1	–
	女 F.	121	–	–	–	–	–	–	–	–	2	2
(730—738)	骨髄炎およびその他の骨，関節の疾患	254	30	2	6	3	5	46	16	21	6	9
	男 M.	127	15	1	2	2	2	22	11	11	3	5
	女 F.	127	15	1	4	1	3	24	5	10	3	4
730	骨髄炎および骨膜炎	205	28	2	5	2	5	42	16	17	6	7
	男 M.	106	14	1	2	2	2	21	11	9	3	4
	女 F.	99	14	1	3	–	3	21	5	8	3	3
730.0	急性骨髄炎	*46*	*8*	–	*2*	*1*	*3*	*14*	*6*	*6*	*1*	*2*
	男 M.	*23*	*5*	–	*1*	*1*	*1*	*8*	*5*	*3*	–	*1*
	女 F.	*23*	*3*	–	*1*	–	*2*	*6*	*1*	*3*	*1*	*1*
730.1	慢性骨髄炎	*13*	–	–	–	–	*1*	*1*	–	–	*1*	*1*
	男 M.	*6*	–	–	–	–	–	–	–	–	–	–
	女 F.	*7*	–	–	–	–	*1*	*1*	–	–	*1*	*1*
730.2	急性，慢性の別不明の骨髄炎	*121*	*18*	*1*	*3*	–	*1*	*23*	*8*	*10*	*4*	*4*
	男 M.	*68*	*9*	*1*	*1*	–	*1*	*12*	*4*	*6*	*3*	*3*
	女 F.	*53*	*9*	–	*2*	–	–	*11*	*4*	*4*	*1*	*1*
730.3	骨髄炎の記載のない骨膜炎	*25*	*2*	*1*	–	*1*	–	*4*	*2*	*1*	–	–
	男 M.	*9*	–	–	–	*1*	–	*1*	*2*	–	–	–
	女 F.	*16*	*2*	*1*	–	–	–	*3*	–	*1*	–	–
731	変形性骨炎	6	–	–	–	–	–	–	–	–	–	–
	男 M.	3	–	–	–	–	–	–	–	–	–	–
	女 F.	3	–	–	–	–	–	–	–	–	–	–
732	骨軟骨症	5	–	–	–	1	–	1	–	1	–	–
	男 M.	3	–	–	–	–	–	–	–	1	–	–
	女 F.	2	–	–	–	1	–	1	–	–	–	–
733	その他の骨の疾患	15	–	–	–	–	–	–	–	2	–	–
	男 M.	7	–	–	–	–	–	–	–	1	–	–
	女 F.	8	–	–	–	–	–	–	–	1	–	–
734	膝内障	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
735	椎間円板脱位	4	–	–	–	–	–	–	–	–	–	–
	男 M.	2	–	–	–	–	–	–	–	–	–	–
	女 F.	2	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
3	–	–	1	–	3	7	6	10	15	10	4	1	1	–	–	–	723
2	–	–	1	–	2	4	3	7	3	6	–	1	–	–	–	–	
1	–	–	–	–	1	3	3	3	12	4	4	–	1	–	–	–	
8	16	14	17	26	48	92	122	203	302	309	217	82	15	1	–	–	724
3	3	2	6	5	11	24	33	70	104	85	65	13	4	–	–	–	
5	13	12	11	21	37	68	89	133	198	224	152	69	11	1	–	–	
–	–	3	2	5	3	5	8	12	32	24	21	15	–	–	–	–	725
–	–	–	–	2	2	2	4	6	14	2	7	4	–	–	–	–	
–	–	3	2	3	1	3	4	6	18	22	14	11	–	–	–	–	
1	1	1	2	3	2	9	3	10	18	24	24	8	3	2	–	–	726
–	–	–	–	2	1	5	1	7	4	6	8	4	1	–	–	–	
1	1	1	2	1	1	4	2	3	14	18	16	4	2	2	–	–	
–	3	–	1	3	4	17	22	22	31	37	16	5	4	–	–	–	727
–	–	–	–	1	–	8	4	10	8	12	4	1	–	–	–	–	
–	3	–	1	2	4	9	18	12	23	25	12	4	4	–	–	–	
4	9	5	9	10	11	21	9	13	21	32	7	4	–	1	–	–	(730—738)
3	4	2	4	4	5	15	5	6	8	14	1	3	–	1	–	–	
1	5	3	5	6	6	6	4	7	13	18	6	1	–	–	–	–	
3	7	5	7	7	10	15	8	9	16	22	3	4	–	1	–	–	730
2	2	2	3	3	5	10	5	5	7	9	1	3	–	1	–	–	
1	5	3	4	4	5	5	3	4	9	13	2	1	–	–	–	–	
1	–	*2*	–	*1*	*2*	*1*	*1*	–	*3*	*4*	*1*	*1*	–	–	–	–	730.0
–	–	–	–	–	–	–	*1*	–	*1*	*2*	*1*	*1*	–	–	–	–	
1	–	*2*	–	*1*	*2*	*1*	–	–	*2*	*2*	–	–	–	–	–	–	
–	*1*	–	*1*	–	*2*	*1*	*3*	–	*2*	–	–	–	–	–	–	–	730.1
–	–	–	–	–	*2*	*1*	*2*	–	*1*	–	–	–	–	–	–	–	
–	*1*	–	*1*	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	
2	*5*	*2*	*6*	*4*	*5*	*11*	*4*	*8*	*7*	*13*	*1*	*3*	–	*1*	–	–	730.2
2	*1*	*1*	*3*	*2*	*3*	*8*	*2*	*5*	*4*	*6*	–	*2*	–	*1*	–	–	
–	*4*	*1*	*3*	*2*	*2*	*3*	*2*	*3*	*3*	*7*	*1*	*1*	–	–	–	–	
–	*1*	*1*	–	*2*	*1*	*2*	–	*1*	*4*	*5*	*1*	–	–	–	–	–	730.3
–	*1*	*1*	–	*1*	–	*1*	–	–	*1*	*1*	–	–	–	–	–	–	
–	–	–	–	*1*	*1*	–	–	*1*	*3*	*4*	*1*	–	–	–	–	–	
1	–	–	2	1	1	–	–	–	–	1	–	–	–	–	–	–	731
1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	732
–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	4	1	1	3	3	–	–	–	–	–	–	733
–	–	–	–	–	–	3	–	–	1	2	–	–	–	–	–	–	
–	–	–	–	1	–	1	1	1	2	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	734
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	735
–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
736	鼡蹊関節の障害	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	736
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
737	関節の強直	7	－	－	－	－	－	－	－	－	－	1	－	1	－	－	－	－	－	－	－	1	2	2	－	－	－	－	－	737
	男 M.	2	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	
	女 F.	5	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	1	1	2	－	－	－	－	－	
738	その他の関節の疾患	12	2	－	1	－	－	3	－	1	－	1	－	－	－	－	－	－	1	－	1	1	3	1	－	－	－	－	－	738
	男 M.	4	1	－	－	－	－	1	－	－	－	1	－	－	－	－	－	－	1	－	－	－	1	－	－	－	－	－	－	
	女 F.	8	1	－	1	－	－	2	－	1	－	－	－	－	－	－	－	－	－	－	1	1	2	1	－	－	－	－	－	
(740—749)	その他の筋骨格系の疾患	173	22	1	3	2	－	28	4	12	9	7	6	8	8	3	13	10	10	13	12	11	10	7	1	1	－	－	－	(740—749)
	男 M.	88	9	1	2	1	－	13	3	9	6	3	－	2	4	2	8	6	5	4	8	6	6	2	－	1	－	－	－	
	女 F.	85	13	－	1	1	－	15	1	3	3	4	6	6	4	1	5	4	5	9	4	5	4	5	1	－	－	－	－	
740	足母指球滑液嚢炎	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	740
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
741	職業性の記載のない滑膜炎，滑液嚢炎および腱滑膜炎	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	741
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
742	職業性の記載のある滑膜炎，滑液嚢炎および腱滑膜炎	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	742
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
743	化膿性筋炎およびその他の腱ならびに筋膜の炎症性疾患	97	12	－	－	2	－	14	3	6	2	3	2	5	5	2	6	3	7	9	10	7	5	7	1	－	－	－	－	743
	男 M.	50	5	－	－	1	－	6	2	4	2	2	－	1	2	2	4	2	4	2	7	3	5	2	－	－	－	－	－	
	女 F.	47	7	－	－	1	－	8	1	2	－	1	2	4	3	－	2	1	3	7	3	4	－	5	1	－	－	－	－	
744	その他の筋，腱および筋膜の疾患	64	7	－	3	－	－	10	1	6	5	3	4	3	3	1	7	7	3	3	2	3	2	－	－	1	－	－	－	744
	男 M.	33	3	－	2	－	－	5	1	5	3	1	－	1	2	－	4	4	1	1	1	2	1	－	－	1	－	－	－	
	女 F.	31	4	－	1	－	－	5	－	1	2	2	4	2	1	1	3	3	2	2	1	1	1	－	－	－	－	－	－	
745	脊柱湾曲	7	－	－	－	－	－	－	－	－	1	1	－	－	－	－	－	－	－	1	－	1	3	－	－	－	－	－	－	745
	男 M.	2	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	1	－	－	－	－	－	－	－	
	女 F.	5	－	－	－	－	－	－	－	－	1	1	－	－	－	－	－	－	－	－	－	－	3	－	－	－	－	－	－	
746	扁平足	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	746
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
747	外反足母指および内反足母指	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	747
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
748	湾曲足	3	2	－	－	－	－	2	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	748
	男 M.	2	1	－	－	－	－	1	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	1	1	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
749	その他の変形	2	1	1	－	－	－	2	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	749
	男 M.	1	－	1	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	1	1	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
XIV	先天奇形	4 294	3 213	223	89	60	47	3 632	166	100	108	75	53	33	23	21	18	10	14	12	12	10	4	2	1	－	－	－	－	XIV
	男 M.	2 281	1 747	97	48	32	30	1 954	86	45	52	39	28	19	10	7	10	4	10	6	6	3	2	－	－	－	－	－	－	
	女 F.	2 013	1 466	126	41	28	17	1 678	80	55	56	36	25	14	13	14	8	6	4	6	6	7	2	2	1	－	－	－	－	
(750—759)	先天奇形	4 294	3 213	223	89	60	47	3 632	166	100	108	75	53	33	23	21	18	10	14	12	12	10	4	2	1	－	－	－	－	(750—759)
	男 M.	2 281	1 747	97	48	32	30	1 954	86	45	52	39	28	19	10	7	10	4	10	6	6	3	2	－	－	－	－	－	－	
	女 F.	2 013	1 466	126	41	28	17	1 678	80	55	56	36	25	14	13	14	8	6	4	6	6	7	2	2	1	－	－	－	－	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
·750	奇形	6	5	1	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	750
	男 M.	4	3	1	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	2	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
·751	二分脊椎および髄膜瘤	134	122	3	–	1	–	126	1	2	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	751
	男 M.	54	49	1	–	–	–	50	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	80	73	2	–	1	–	76	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
·752	先天性水頭体	235	174	20	10	9	3	216	9	5	2	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	752
	男 M.	142	103	15	4	7	–	129	4	4	2	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	93	71	5	6	2	3	87	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
·753	その他の神経系および感覚器の先天奇形	31	16	4	4	–	2	26	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	753
	男 M.	17	11	1	2	–	1	15	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	14	5	3	2	–	1	11	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
·754	循環器系の先天奇形	2 233	1 401	169	54	37	37	1 698	125	79	92	69	50	32	17	15	9	7	7	7	11	8	4	2	1	–	–	–	–	754
	男 M.	1 142	744	67	29	19	25	884	67	36	40	35	28	18	6	6	3	3	5	2	5	2	2	–	–	–	–	–	–	
	女 F.	1 091	657	102	25	18	12	814	58	43	52	34	22	14	11	9	6	4	2	5	6	6	2	2	1	–	–	–	–	
·755	口蓋裂および兎唇	545	519	4	8	4	2	537	7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	755
	男 M.	306	290	3	6	2	1	302	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	239	229	1	2	2	1	235	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
·756	消化器系の先天奇形	961	882	16	9	8	3	918	18	6	4	3	–	–	2	–	2	2	3	2	1	–	–	–	–	–	–	–	–	756
	男 M.	548	507	5	4	4	3	523	9	4	3	1	–	–	2	–	1	1	2	1	1	–	–	–	–	–	–	–	–	
	女 F.	413	375	11	5	4	–	395	9	2	1	2	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	
·757	性尿器系の先天奇形	34	10	1	1	–	–	12	2	1	–	1	1	–	1	4	6	1	3	1	–	1	–	–	–	–	–	–	–	757
	男 M.	18	6	1	1	–	–	8	1	–	–	1	–	–	–	–	5	–	2	1	–	–	–	–	–	–	–	–	–	
	女 F.	16	4	–	–	–	–	4	1	1	–	–	1	–	1	4	1	1	1	–	–	1	–	–	–	–	–	–	–	
·758	骨および関節の先天奇形	44	23	3	2	1	–	29	4	3	4	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	758
	男 M.	16	6	1	1	–	–	8	1	–	3	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	28	17	2	1	1	–	21	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
·759	その他および詳細不明の先天奇形（他の項に分類されないもの）	71	61	2	1	–	–	64	–	1	–	–	1	–	2	1	–	–	–	1	–	1	–	–	–	–	–	–	–	759
	男 M.	34	28	2	1	–	–	31	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	
	女 F.	37	33	–	–	–	–	33	–	1	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
XV	**新生児の主要疾患**	**27 556**	**27 556**	·	·	·	·	**27 556**	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	XV
	男 M.	**15 560**	**15 560**	·	·	·	·	**15 560**	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	**11 996**	**11 996**	·	·	·	·	**11 996**	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·(760—769)	新生児の出生時の損傷，窒息および感染	8 268	8 268	·	·	·	·	8 268	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	(760—769)
	男 M.	4 713	4 713	·	·	·	·	4 713	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	3 555	3 555	·	·	·	·	3 555	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·760	出生時における頭蓋内および脊柱内の損傷	1 100	1 100	·	·	·	·	1 100	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	760
	男 M.	669	669	·	·	·	·	669	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	431	431	·	·	·	·	431	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
760.0	未熟児の記載のないもの	*913*	*913*	·	·	·	·	*913*	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	760.0
	男 M.	*556*	*556*	·	·	·	·	*556*	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*357*	*357*	·	·	·	·	*357*	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
760.5	未熟児の記載のあるもの	*187*	*187*	·	·	·	·	*187*	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	760.5
	男 M.	*113*	*113*	·	·	·	·	*113*	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	*74*	*74*	·	·	·	·	*74*	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·761	その他の出生時の損傷	588	588	·	·	·	·	588	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	761
	男 M.	318	318	·	·	·	·	318	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	270	270	·	·	·	·	270	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
761.0	未熟児の記載のないもの	*384*	*384*	.	.	.	.	*384*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761.0
	男 M.	*207*	*207*	.	.	.	.	*207*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*177*	*177*	.	.	.	.	*177*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
761.5	未熟児の記載のあるもの	*204*	*204*	.	.	.	.	*204*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	761.5
	男 M.	*111*	*111*	.	.	.	.	*111*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*93*	*93*	.	.	.	.	*93*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
762	分娩後窒息および肺不全拡張	614	614	.	.	.	.	614	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762
	男 M.	356	356	.	.	.	.	356	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	258	258	.	.	.	.	258	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
762.0	未熟児の記載のないもの	*357*	*357*	.	.	.	.	*357*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762.0
	男 M.	*230*	*230*	.	.	.	.	*230*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*127*	*127*	.	.	.	.	*127*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
762.5	未熟児の記載のあるもの	*257*	*257*	.	.	.	.	*257*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	762.5
	男 M.	*126*	*126*	.	.	.	.	*126*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*131*	*131*	.	.	.	.	*131*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
763	新生児肺炎	4 718	4 718	.	.	.	.	4 718	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763
	男 M.	2 657	2 657	.	.	.	.	2 657	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	2 061	2 061	.	.	.	.	2 061	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
763.0	未熟児の記載のないもの	*3 809*	*3 809*	.	.	.	.	*3 809*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763.0
	男 M.	*2 151*	*2 151*	.	.	.	.	*2 151*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*1 658*	*1 658*	.	.	.	.	*1 658*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
763.5	未熟児の記載のあるもの	*909*	*909*	.	.	.	.	*909*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	763.5
	男 M.	*506*	*506*	.	.	.	.	*506*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*403*	*403*	.	.	.	.	*403*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
764	新生児下痢	623	623	.	.	.	.	623	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764
	男 M.	357	357	.	.	.	.	357	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	266	266	.	.	.	.	266	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
764.0	未熟児の記載のないもの	*513*	*513*	.	.	.	.	*513*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764.0
	男 M.	*303*	*303*	.	.	.	.	*303*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*210*	*210*	.	.	.	.	*210*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
764.5	未熟児の記載のあるもの	*110*	*110*	.	.	.	.	*110*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	764.5
	男 M.	*54*	*54*	.	.	.	.	*54*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*56*	*56*	.	.	.	.	*56*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
765	新生児眼炎	－	－	.	.	.	.	－	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765
	男 M.	－	－	.	.	.	.	－	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	－	－	.	.	.	.	－	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
765.0	未熟児記載のないもの	－	－	.	.	.	.	－	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.0
	男 M.	－	－	.	.	.	.	－	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	－	－	.	.	.	.	－	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
765.5	未熟児記載のあるもの	－	－	.	.	.	.	－	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	765.5
	男 M.	－	－	.	.	.	.	－	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	－	－	.	.	.	.	－	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
766	新生児天疱瘡	97	97	.	.	.	.	97	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766
	男 M.	53	53	.	.	.	.	53	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	44	44	.	.	.	.	44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
766.0	未熟児の記載のないもの	*83*	*83*	.	.	.	.	*83*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.0
	男 M.	*45*	*45*	.	.	.	.	*45*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*38*	*38*	.	.	.	.	*38*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
766.5	未熟児の記載のあるもの……	*14*	*14*	.	.	.	.	*14*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	766.5
	男 M.	*8*	*8*	.	.	.	.	*8*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*6*	*6*	.	.	.	.	*6*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
767	臍 敗 血 症……	102	102	.	.	.	.	102	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767
	男 M.	62	62	.	.	.	.	62	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	40	40	.	.	.	.	40	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
767.0	未熟児の記載のないもの……	*92*	*92*	.	.	.	.	*92*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767.0
	男 M.	*57*	*57*	.	.	.	.	*57*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*35*	*35*	.	.	.	.	*35*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
767.5	未熟児の記載のあるもの……	*10*	*10*	.	.	.	.	*10*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	767.5
	男 M.	*5*	*5*	.	.	.	.	*5*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*5*	*5*	.	.	.	.	*5*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
768	その他の新生児敗血症……	202	202	.	.	.	.	202	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768
	男 M.	116	116	.	.	.	.	116	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	86	86	.	.	.	.	86	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
768.0	未熟児の記載のないもの……	*167*	*167*	.	.	.	.	*167*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768.0
	男 M.	*97*	*97*	.	.	.	.	*97*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*70*	*70*	.	.	.	.	*70*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
768.5	未熟児の記載のあるもの……	*35*	*35*	.	.	.	.	*35*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	768.5
	男 M.	*19*	*19*	.	.	.	.	*19*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*16*	*16*	.	.	.	.	*16*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
769	母の妊娠時の疾患による新生児の障害…	224	224	.	.	.	.	224	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769
	男 M.	125	125	.	.	.	.	125	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	99	99	.	.	.	.	99	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
769. a	未熟児の記載のないもの……	*65*	*65*	.	.	.	.	*65*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769. a
	男 M.	*34*	*34*	.	.	.	.	*34*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*31*	*31*	.	.	.	.	*31*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
769. b	未熟児の記載のあるもの……	*159*	*159*	.	.	.	.	*159*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	769. b
	男 M.	*91*	*91*	.	.	.	.	*91*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*68*	*68*	.	.	.	.	*68*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(770—776)	その他の新生児固有の疾患……	19 288	19 288	.	.	.	.	19 288	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	(770—776)
	男 M.	10 847	10 847	.	.	.	.	10 847	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	8 441	8 441	.	.	.	.	8 441	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
770	新生児の溶血性疾患（赤芽球症）……	137	137	.	.	.	.	137	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770
	男 M.	71	71	.	.	.	.	71	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	66	66	.	.	.	.	66	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
770. a	未熟児の記載のないもの……	*92*	*92*	.	.	.	.	*92*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770. a
	男 M.	*45*	*45*	.	.	.	.	*45*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*47*	*47*	.	.	.	.	*47*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
770. b	未熟児の記載のあるもの……	*45*	*45*	.	.	.	.	*45*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	770. b
	男 M.	*26*	*26*	.	.	.	.	*26*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*19*	*19*	.	.	.	.	*19*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
771	新生児の出血性疾患……	2 178	2 178	.	.	.	.	2 178	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771
	男 M.	1 200	1 200	.	.	.	.	1 200	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	978	978	.	.	.	.	978	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
771.0	未熟児の記載のないもの……	*1 652*	*1 652*	.	.	.	.	*1 652*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	771.0
	男 M.	*911*	*911*	.	.	.	.	*911*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	*741*	*741*	.	.	.	.	*741*	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
771.5	未熟児の記載のあるもの……	526	526	·	·	·	·	526	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	771.5
	男 M.	289	289	·	·	·	·	289	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	237	237	·	·	·	·	237	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
772	乳児栄養失調症（1 才未満）……	1 021	1 021	·	·	·	·	1 021	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	772
	男 M.	540	540	·	·	·	·	540	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	481	481	·	·	·	·	481	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
772.0	未熟児の記載のないもの……	718	718	·	·	·	·	718	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	772.0
	男 M.	387	387	·	·	·	·	387	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	331	331	·	·	·	·	331	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
772.5	未熟児の記載のあるもの……	303	303	·	·	·	·	303	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	772.5
	男 M.	153	153	·	·	·	·	153	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	150	150	·	·	·	·	150	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
773	新生児固有の疾患にして診断名不明確…のもの	9 955	9 955	·	·	·	·	9 955	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	773
	男 M.	5 674	5 674	·	·	·	·	5 674	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	4 281	4 281	·	·	·	·	4 281	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
773.0	未熟児の記載のないもの……	4 465	4 465	·	·	·	·	4 465	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	773.0
	男 M.	2 603	2 603	·	·	·	·	2 603	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	1 862	1 862	·	·	·	·	1 862	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
773.5	未熟児の記載のあるもの……	5 490	5 490	·	·	·	·	5 490	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	773.5
	男 M.	3 071	3 071	·	·	·	·	3 071	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	2 419	2 419	·	·	·	·	2 419	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
774	その他の副次疾患の記載のある未熟児…	752	752	·	·	·	·	752	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	774
	男 M.	427	427	·	·	·	·	427	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	325	325	·	·	·	·	325	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
775	その他の原因に附随する未熟児……	－	－	·	·	·	·	－	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	775
	男 M.	－	－	·	·	·	·	－	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	－	－	·	·	·	·	－	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
776	性質不明の未熟児……	5 245	5 245	·	·	·	·	5 245	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	776
	男 M.	2 935	2 935	·	·	·	·	2 935	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	2 310	2 310	·	·	·	·	2 310	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
XVI	**症状，老衰および診断名不明確の状態…**	**67 592**	**1 854**	**207**	**223**	**208**	**154**	**2 646**	**282**	**141**	**241**	**418**	**540**	**557**	**461**	**514**	**658**	**734**	**993**	**1 416**	**2 684**	**6 765**	**13 875**	**18 330**	**11 405**	**4 250**	**620**	**56**	**6**	XVI
	男 M.	**28 395**	**1 074**	**106**	**117**	**104**	**79**	**1 480**	**133**	**81**	**146**	**289**	**368**	**398**	**319**	**351**	**435**	**502**	**609**	**848**	**1 375**	**3 209**	**5 774**	**6 935**	**3 852**	**1 142**	**127**	**16**	**6**	
	女 F.	**39 197**	**780**	**101**	**106**	**104**	**75**	**1 166**	**149**	**60**	**95**	**129**	**172**	**159**	**142**	**163**	**223**	**232**	**384**	**568**	**1 309**	**3 556**	**8 101**	**11 395**	**7 553**	**3 108**	**493**	**40**	**－**	
(780—789)	系統または器官に関する原因不詳の症状	12 486	1 587	59	41	39	34	1 760	87	98	202	364	480	492	405	461	582	639	808	911	940	1 236	1 260	1 096	505	142	15	2	1	(780—789)
	男 M.	7 125	930	33	24	16	20	1 023	47	60	122	248	330	359	287	319	389	439	522	577	537	609	590	449	174	40	2	1	1	
	女 F.	5 361	657	26	17	23	14	737	40	38	80	116	150	133	118	142	193	200	286	334	403	627	670	647	331	102	13	1	－	
780	神経系および特殊感覚に関する原因不…詳の症状（その一）	291	169	15	4	6	5	199	6	10	3	5	7	6	8	4	4	4	7	8	2	8	7	1	2	－	－	－	－	780
	男 M.	165	94	7	1	1	2	105	2	8	2	1	3	4	6	3	2	3	6	7	2	5	5	－	1	－	－	－	－	
	女 F.	126	75	8	3	5	3	94	4	2	1	4	4	2	2	1	2	1	1	1	－	3	2	1	1	－	－	－	－	
780. a	全身けいれん……	228	167	15	4	4	4	194	5	4	－	1	2	1	2	1	1	1	2	2	2	5	4	1	－	－	－	－	－	780. a
	男 M.	122	93	7	1	1	2	104	2	4	－	－	－	－	1	1	－	1	1	2	2	2	2	－	－	－	－	－	－	
	女 F.	106	74	8	3	3	2	90	3	－	－	1	2	1	1	－	1	－	1	－	－	3	2	1	－	－	－	－	－	
780. b	ジャクソンてんかん……	42	1	－	－	2	1	4	1	4	3	2	2	5	6	2	2	2	4	4	－	1	－	－	－	－	－	－	－	780. b
	男 M.	30	1	－	－	－	－	1	－	4	2	1	2	4	5	1	1	1	4	3	－	1	－	－	－	－	－	－	－	
	女 F.	12	－	－	－	2	1	3	1	－	1	1	－	1	1	1	1	1	－	1	－	－	－	－	－	－	－	－	－	
780. c	そ　の　他……	21	1	－	－	－	－	1	－	2	－	2	3	－	－	1	1	1	1	2	－	2	3	－	2	－	－	－	－	780. c
	男 M.	13	－	－	－	－	－	－	－	－	－	－	1	－	－	1	1	1	1	2	－	2	3	－	1	－	－	－	－	
	女 F.	8	1	－	－	－	－	1	－	2	－	2	2	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
781	神経系および特殊感覚に関する原因不詳の症状（その二）	15	3	–	–	–	1	4	1	1	1	–	–	–	–	–	1	–	1	1	–	1	2	1	–	1	–	–	–	781
	男 M.	4	2	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
	女 F.	11	1	–	–	–	1	2	–	1	1	–	–	–	–	–	1	–	1	1	–	1	1	1	–	1	–	–	–	
782	心臓血管系およびリンパ系に関する原因不詳の症状	10 809	485	37	28	25	21	596	66	78	188	351	465	478	390	439	560	620	761	868	906	1 177	1 186	1 049	479	135	14	2	1	782
	男 M.	6 138	244	22	18	13	14	311	37	47	116	245	323	351	279	306	378	426	494	553	516	580	545	426	163	39	1	1	1	
	女 F.	4 671	241	15	10	12	7	285	29	31	72	106	142	127	111	133	182	194	267	315	390	597	641	623	316	96	13	1	–	
782. a	心臓麻痺	*10 764*	*484*	*37*	*28*	*24*	*21*	*594*	*66*	*78*	*187*	*351*	*464*	*478*	*389*	*438*	*559*	*615*	*758*	*867*	*905*	*1 171*	*1 179*	*1 040*	*476*	*132*	*14*	*2*	*1*	*782. a*
	男 M.	*6 121*	*243*	*22*	*18*	*12*	*14*	*309*	*37*	*47*	*115*	*245*	*322*	*351*	*279*	*306*	*377*	*424*	*493*	*552*	*516*	*578*	*543*	*422*	*163*	*39*	*1*	*1*	*1*	
	女 F.	*4 643*	*241*	*15*	*10*	*12*	*7*	*285*	*29*	*31*	*72*	*106*	*142*	*127*	*110*	*132*	*182*	*191*	*265*	*315*	*389*	*593*	*636*	*618*	*313*	*93*	*13*	*1*	–	
782. b	その他	*45*	*1*	–	–	*1*	*1*	*2*	–	–	*1*	–	*1*	–	*1*	*1*	*1*	*5*	*3*	*1*	*1*	*6*	*7*	*9*	*3*	*3*	–	–	–	*782. b*
	男 M.	*17*	*1*	–	–	*1*	–	*2*	–	–	*1*	–	*1*	–	–	*1*	*1*	*2*	*1*	*1*	–	*2*	*2*	*4*	–	–	–	–	–	
	女 F.	*28*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*3*	*2*	–	*1*	*4*	*5*	*5*	*3*	*3*	–	–	–	
783	呼吸器系に関する原因不詳の症状	40	5	1	–	1	–	7	2	1	1	–	3	2	–	4	3	1	2	4	–	3	5	2	–	–	–	–	–	783
	男 M.	27	4	1	–	–	–	5	1	1	–	–	2	1	–	3	2	1	2	3	–	2	3	1	–	–	–	–	–	
	女 F.	13	1	–	–	1	–	2	1	–	1	–	1	1	–	1	1	–	–	1	–	1	2	1	–	–	–	–	–	
784	上部消化管に関する原因不詳の症状	75	6	2	3	–	–	11	1	–	1	–	–	–	1	2	2	1	6	5	8	8	9	10	7	2	1	–	–	784
	男 M.	44	3	1	3	–	–	7	1	–	1	–	–	–	1	2	1	1	2	3	6	4	6	7	1	–	1	–	–	
	女 F.	31	3	1	–	–	–	4	–	–	–	–	–	–	–	–	1	–	4	2	2	4	3	3	6	2	–	–	–	
785	腹部および下部消化管に関する原因不詳の症状	1 161	891	3	6	7	5	912	7	6	5	5	5	5	5	9	11	13	27	21	20	31	40	22	15	2	–	–	–	785
	男 M.	700	572	1	2	2	3	580	2	3	3	2	2	3	1	3	5	8	14	10	10	15	21	10	7	1	–	–	–	
	女 F.	461	319	2	4	5	2	332	5	3	2	3	3	2	4	6	6	5	13	11	10	16	19	12	8	1	–	–	–	
785. a	黄疸	*1 026*	*885*	*2*	–	*1*	–	*888*	*2*	*4*	*3*	*4*	*3*	*2*	*3*	*7*	*7*	*7*	*13*	*10*	*11*	*19*	*23*	*11*	*9*	–	–	–	–	*785. a*
	男 M.	*636*	*568*	*1*	–	–	–	*569*	*1*	*2*	*1*	*2*	*1*	*1*	–	*3*	*4*	*4*	*7*	*4*	*6*	*10*	*10*	*6*	*5*	–	–	–	–	
	女 F.	*390*	*317*	*1*	–	*1*	–	*319*	*1*	*2*	*2*	*2*	*2*	*1*	*3*	*4*	*3*	*3*	*6*	*6*	*5*	*9*	*13*	*5*	*4*	–	–	–	–	
785. b	下痢（2才以上）	*40*	·	·	*5*	*5*	*4*	*14*	*4*	*1*	*1*	–	*1*	–	–	–	*1*	–	*1*	*1*	*1*	*3*	*7*	*4*	*1*	–	–	–	–	*785. b*
	男 M.	*16*	·	·	*2*	*2*	*3*	*7*	*1*	*1*	*1*	–	*1*	–	–	–	–	–	–	*1*	–	–	*3*	*1*	–	–	–	–	–	
	女 F.	*24*	·	·	*3*	*3*	*1*	*7*	*3*	–	–	–	–	–	–	–	*1*	–	*1*	–	*1*	*3*	*4*	*3*	*1*	–	–	–	–	
785. c	その他	*95*	*6*	*1*	*1*	*1*	*1*	*10*	*1*	*1*	*1*	*1*	*1*	*3*	*2*	*2*	*3*	*6*	*13*	*10*	*8*	*9*	*10*	*7*	*5*	*2*	–	–	–	*785. c*
	男 M.	*48*	*4*	–	–	–	–	*4*	–	–	*1*	–	–	*2*	*1*	–	*1*	*4*	*7*	*5*	*4*	*5*	*8*	*3*	*2*	*1*	–	–	–	
	女 F.	*47*	*2*	*1*	*1*	*1*	*1*	*6*	*1*	*1*	–	*1*	*1*	*1*	*1*	*2*	*2*	*2*	*6*	*5*	*4*	*4*	*2*	*4*	*3*	*1*	–	–	–	
786	性尿器系に関する原因不詳の症状	27	1	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	1	2	1	5	6	6	2	1	–	–	–	786
	男 M.	17	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1	2	5	5	2	–	–	–	–	
	女 F.	10	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	2	–	3	1	1	–	1	–	–	–	
787	肢および背に関する原因不詳の症状	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	787
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
788	その他原因不詳の全身症状	51	27	1	–	–	2	30	3	1	2	3	–	–	–	1	2	–	–	–	2	–	1	2	4	–	–	–	–	–	788
	男 M.	19	11	1	–	–	1	13	2	–	–	–	–	–	–	–	2	–	–	–	1	–	–	1	–	–	–	–	–	
	女 F.	32	16	–	–	–	1	17	1	1	2	3	–	–	–	1	–	–	–	–	1	–	1	1	4	–	–	–	–	–	
789	原因不詳の尿成分異常	15	–	–	–	–	–	–	–	1	1	–	–	–	–	–	1	1	–	2	–	3	2	3	1	–	–	–	–	–	789
	男 M.	10	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	2	–	2	1	3	–	–	–	–	–	–	
	女 F.	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–	
(790—795)	老衰および診断名不明確の状態	55 106	267	148	182	169	120	886	195	43	39	54	60	65	56	53	76	95	185	505	1 744	5 529	12 615	17 234	10 900	4 108	605	54	5	(790—795)
	男 M.	21 270	144	73	93	88	59	457	86	21	24	41	38	39	32	32	46	63	87	271	838	2 600	5 184	6 486	3 678	1 102	125	15	5	
	女 F.	33 836	123	75	89	81	61	429	109	22	15	13	22	26	24	21	30	32	98	234	906	2 929	7 431	10 748	7 222	3 006	480	39	–	
790	神経過敏および鈍弱	94	–	9	4	3	4	20	3	4	2	4	4	7	8	6	11	6	9	3	1	2	2	2	.....	–	–	–	–	790
	男 M.	66	–	4	3	1	3	11	1	4	2	2	2	7	5	5	8	5	7	2	1	2	1	1	.....	–	–	–	–	
	女 F.	28	–	5	1	2	1	9	2	–	–	2	2	–	3	1	3	1	2	1	–	–	1	1	.....	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
791	頭痛	3	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	3	–	–	–	–	–	–	–	–	–	–
792	尿毒症	841	2	4	1	1	4	12	11	11	22	25
	男 M.	433	1	1	1	1	1	5	6	5	10	18
	女 F.	408	1	3	–	–	3	7	5	6	12	7
792. a	急性	*71*	–	–	–	–	–	–	*3*	*4*	*1*	*6*
	男 M.	*31*	–	–	–	–	–	–	*1*	*3*	–	*3*
	女 F.	*40*	–	–	–	–	–	–	*2*	*1*	*1*	*3*
792. b	慢性	*71*	–	–	–	–	–	–	–	–	*3*	–
	男 M.	*36*	–	–	–	–	–	–	–	–	–	–
	女 F.	*35*	–	–	–	–	–	–	–	–	*3*	–
792. c	その他	*699*	*2*	*4*	*1*	*1*	*4*	*12*	*8*	*7*	*18*	*19*
	男 M.	*366*	*1*	*1*	*1*	*1*	*1*	*5*	*5*	*2*	*10*	*15*
	女 F.	*333*	*1*	*3*	–	–	*3*	*7*	*3*	*5*	*8*	*4*
793	医療の必要のない所見	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
794	精神病の記載のない老衰	52 687	–	–	–	–	–	–	–	–	–	–
	男 M.	19 991	–	–	–	–	–	–	–	–	–	–
	女 F.	32 696	–	–	–	–	–	–	–	–	–	–
795	診断名不明確ならびに不明の病因および死因	1 481	265	135	177	165	112	854	181	28	15	25
	男 M.	780	143	68	89	86	55	441	79	12	12	21
	女 F.	701	122	67	88	79	57	413	102	16	3	4
795. a	自家中毒症	*1 019*	*223*	*123*	*171*	*163*	*109*	*789*	*174*	*23*	*3*	*2*
	男 M.	*505*	*118*	*63*	*85*	*85*	*55*	*406*	*74*	*8*	*3*	*1*
	女 F.	*514*	*105*	*60*	*86*	*78*	*54*	*383*	*100*	*15*	–	*1*
795. b	頓死（原因不明）	*68*	*8*	–	–	–	–	*8*	–	–	*2*	*12*
	男 M.	*56*	*2*	–	–	–	–	*2*	–	–	*2*	*12*
	女 F.	*12*	*6*	–	–	–	–	*6*	–	–	–	–
795. c	発見死体（原因不明）	*33*	–	–	–	–	–	–	–	*1*	*3*	*1*
	男 M.	*27*	–	–	–	–	–	–	–	*1*	*2*	*1*
	女 F.	*6*	–	–	–	–	–	–	–	–	*1*	–
795. d	その他	*361*	*34*	*12*	*6*	*2*	*3*	*57*	*7*	*4*	*7*	*10*
	男 M.	*192*	*23*	*5*	*4*	*1*	–	*33*	*5*	*3*	*5*	*7*
	女 F.	*169*	*11*	*7*	*2*	*1*	*3*	*24*	*2*	*1*	*2*	*3*
XVII	不慮の事故，中毒および暴力											
E XVII	不慮の事故，中毒および暴力の二重分類（外因）	1) 64 649	1 601	1 822	1 511	1 137	888	6 959	3 518	1 940	4 896	8 224
	男 M.	43 659	820	1 066	908	691	586	4 071	2 426	1 325	3 274	5 806
	女 F.	20 963	781	756	603	446	302	2 888	1 092	615	1 622	2 418
(E800–E802)	鉄道による不慮の事故	2 522	5	45	44	38	25	157	159	76	229	305
	男 M.	1 884	2	28	26	28	18	102	106	52	178	257
	女 F.	638	3	17	18	10	7	55	53	24	51	48
E 800	鉄道従業員の鉄道事故	126	–	–	–	–	–	–	–	–	8	20
	男 M.	126	–	–	–	–	–	–	–	–	8	20
	女 F.	–	–	–	–	–	–	–	–	–	–	–

注： 1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	791
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
25	35	30	33	35	39	60	66	92	117	106	89	29	4	–	–	–	792
15	16	13	17	21	26	30	40	62	57	43	37	10	2	–	–	–	
10	19	17	16	14	13	30	26	30	60	63	52	19	2	–	–	–	
3	*2*	*1*	*2*	*1*	*2*	*6*	*4*	*6*	*7*	*7*	*10*	*6*	–	–	–	–	792. a
2	*1*	–	*1*	*1*	*1*	*3*	*2*	*4*	*3*	*2*	*2*	*2*	–	–	–	–	
1	*1*	*1*	*1*	–	*1*	*3*	*2*	*2*	*4*	*5*	*8*	*4*	–	–	–	–	
1	*4*	*1*	*1*	*1*	*2*	*4*	*3*	*4*	*14*	*16*	*11*	*5*	*1*	–	–	–	792. b
1	*1*	–	*1*	*1*	*2*	*3*	*3*	*3*	*6*	*8*	*5*	*1*	*1*	–	–	–	
–	*3*	*1*	–	–	–	*1*	–	*1*	*8*	*8*	*6*	*4*	–	–	–	–	
21	*29*	*28*	*30*	*33*	*35*	*50*	*59*	*82*	*96*	*83*	*68*	*18*	*3*	–	–	–	792. c
12	*14*	*13*	*15*	*19*	*23*	*24*	*35*	*55*	*48*	*33*	*30*	*7*	*1*	–	–	–	
9	*15*	*15*	*15*	*14*	*12*	*26*	*24*	*27*	*48*	*50*	*38*	*11*	*2*	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	793
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	2	17	86	408	1 620	5 383	12 449	17 111	10 853	4 099	605	54	–	794
–	–	–	–	–	9	36	213	760	2 524	5 111	6 436	3 662	1 100	125	15	–	
–	–	–	–	2	8	50	195	860	2 859	7 338	10 675	7 191	2 999	480	39	–	
30	22	18	14	28	33	29	28	31	27	58	32	18	5	–	–	5	795
21	16	14	10	17	23	14	16	15	17	29	12	6	–	–	–	5	
9	6	4	4	11	10	15	12	16	10	29	20	12	5	–	–	–	
2	*2*	*1*	*1*	*2*	*5*	*4*	*4*	*2*	*1*	*2*	*1*	*1*	–	–	–	–	795. a
1	–	–	*1*	–	*3*	*3*	*2*	*1*	*1*	–	*1*	–	–	–	–	–	
1	*2*	*1*	–	*2*	*2*	*1*	*2*	*1*	–	*2*	–	*1*	–	–	–	–	
6	*9*	*6*	*4*	*5*	*4*	*2*	–	*2*	*3*	*2*	*2*	*1*	–	–	–	–	795. b
6	*8*	*6*	*4*	*5*	*3*	*1*	–	*1*	*3*	*1*	*1*	*1*	–	–	–	–	
–	*1*	–	–	–	*1*	*1*	–	*1*	–	*1*	*1*	–	–	–	–	–	
8	*3*	*3*	*2*	*2*	*1*	*2*	*1*	*1*	–	*1*	*1*	–	–	–	–	*3*	795. c
6	*3*	*3*	*2*	*2*	*1*	*1*	–	*1*	–	*1*	–	–	–	–	–	*3*	
2	–	–	–	–	–	*1*	*1*	–	–	–	*1*	–	–	–	–	–	
14	*8*	*8*	*7*	*19*	*23*	*21*	*23*	*26*	*23*	*53*	*28*	*16*	*5*	–	–	*2*	795. d
8	*5*	*5*	*3*	*10*	*16*	*9*	*14*	*12*	*13*	*27*	*10*	*5*	–	–	–	*2*	
6	*3*	*3*	*4*	*9*	*7*	*12*	*9*	*14*	*10*	*26*	*18*	*11*	*5*	–	–	–	
																	XVII
6 592	4 625	3 215	2 797	3 172	3 067	3 305	3 072	2 809	2 435	2 034	1 338	479	108	12	–	1) 52	E XVII
4 973	3 452	2 267	1 988	2 311	2 237	2 377	2 105	1 782	1 397	1 007	607	199	37	2	–	16	
1 619	1 173	948	809	861	830	928	967	1 027	1 038	1 027	731	280	71	10	–	9	
243	175	119	128	139	156	127	130	102	99	92	57	20	8	–	–	1	(E800–E802)
217	149	98	98	110	106	107	90	66	55	48	32	10	2	–	–	1	
26	26	21	30	29	50	20	40	36	44	44	25	10	6	–	–	–	
22	21	15	14	12	7	4	1	–	1	1	–	–	–	–	–	–	E 800
22	21	15	14	12	7	4	1	–	1	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E 801	旅客の鉄道事故	427	1	1	–	–	–	2	4	8	78	84
	男 M.	351	1	1	–	–	–	2	2	8	67	72
	女 F.	76	–	–	–	–	–	–	2	–	11	12
E 802	その他および詳細不明の者の鉄道事故	1 969	4	44	44	38	25	155	155	68	143	201
	男 M.	1 407	1	27	26	28	18	100	104	44	103	165
	女 F.	562	3	17	18	10	7	55	51	24	40	36
(E815–E825)	自動車による交通事故	10 929	26	129	274	302	257	988	695	315	819	1 206
	男 M.	8 676	16	81	161	173	160	591	453	237	695	1 095
	女 F.	2 253	10	48	113	129	97	397	242	78	124	111
E 810	列車との衝突による自動車交通事故	551	1	–	3	1	–	5	2	7	65	105
	男 M.	509	1	–	3	–	–	4	2	7	61	96
	女 F.	42	–	–	–	1	–	1	–	–	4	9
E 811	市街電車との衝突による自動車交通事故	10	–	–	–	–	–	–	–	–	1	3
	男 M.	10	–	–	–	–	–	–	–	–	1	3
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 812	歩行者の自動車交通事故	4 828	17	118	254	285	245	919	589	175	156	203
	男 M.	3 094	9	73	148	163	150	543	371	122	108	164
	女 F.	1 734	8	45	106	122	95	376	218	53	48	39
E 813	自転車乗用者の自動車交通事故	1 524	1	6	8	6	4	25	66	95	115	94
	男 M.	1 368	1	5	6	3	3	18	51	78	91	82
	女 F.	156	–	1	2	3	1	7	15	17	24	12
E 814	自動自転車操縦者または乗員の自動車交通事故（非自動的の車または物との衝突）	213	–	–	–	–	–	–	–	1	32	42
	男 M.	209	–	–	–	–	–	–	–	1	31	40
	女 F.	4	–	–	–	–	–	–	–	–	1	2
E 815	自動自転車操縦者または乗員の自動車交通事故（他の自動車との衝突）	1 209	–	–	–	2	3	5	2	8	173	252
	男 M.	1 173	–	–	–	2	3	5	2	8	165	241
	女 F.	36	–	–	–	–	–	–	–	–	8	11
E 816	二台以上の自動車によるその他の自動車交通事故	466	–	1	–	1	–	2	6	2	68	106
	男 M.	424	–	1	–	1	–	2	4	2	58	101
	女 F.	42	–	–	–	–	–	–	2	–	10	5
E 817	歩行者または自転車との衝突による自動車乗員の自動車交通事故	3	–	–	–	–	–	–	–	–	–	1
	男 M.	3	–	–	–	–	–	–	–	–	–	1
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 818	動物または動物牽引車との衝突による自動車交通事故	4	–	–	–	–	–	–	1	–	1	1
	男 M.	3	–	–	–	–	–	–	1	–	1	–
	女 F.	1	–	–	–	–	–	–	–	–	–	1
E 819	静止物体または詳細不明の物体との衝突による自動車交通事故	116	1	–	1	–	1	3	–	1	13	24
	男 M.	108	1	–	1	–	1	3	–	1	10	22
	女 F.	8	–	–	–	–	–	–	–	–	3	2
E 820	乗車および降車時の自動車交通事故	27	–	–	–	–	–	–	–	1	2	2
	男 M.	19	–	–	–	–	–	–	–	1	1	2
	女 F.	8	–	–	–	–	–	–	–	–	1	–
E 821	衝突に起因しない自動自転車操縦者の自動車交通事故	853	3	2	–	1	–	6	2	3	79	153
	男 M.	790	2	1	–	1	–	4	1	3	75	142
	女 F.	63	1	1	–	–	–	2	1	–	4	11
E 822	街路上の転覆による自動車交通事故	189	–	–	–	1	1	2	2	3	21	41
	男 M.	169	–	–	–	–	1	1	1	2	15	41
	女 F.	20	–	–	–	1	–	1	1	1	6	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
51	34	19	26	22	26	26	22	11	5	5	4	–	–	–	–	–	E 801
48	30	15	20	18	18	22	14	8	1	3	3	–	–	–	–	–	
3	4	4	6	4	8	4	8	3	4	2	1	–	–	–	–	–	
170	120	85	88	105	123	97	107	91	93	86	53	20	8	–	–	1	E 802
147	98	68	64	80	81	81	75	58	53	44	29	10	2	–	–	1	
23	22	17	24	25	42	16	32	33	40	42	24	10	6	–	–	–	
1 098	834	643	589	647	636	647	559	504	376	224	112	29	8	–	–	–	(E815–E825)
1 001	763	549	495	546	526	495	434	362	242	120	54	14	4	–	–	–	
97	71	94	94	101	110	152	125	142	134	104	58	15	4	–	–	–	
89	65	50	41	39	35	24	14	7	2	1	–	–	–	–	–	–	E 810
81	65	44	36	37	34	21	13	7	1	–	–	–	–	–	–	–	
8	–	6	5	2	1	3	1	–	1	1	–	–	–	–	–	–	
1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E 811
1	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
231	182	130	169	236	255	324	304	332	283	206	99	27	8	–	–	–	E 812
187	143	90	117	165	168	199	197	199	157	104	44	12	4	–	–	–	
44	39	40	52	71	87	125	107	133	126	102	55	15	4	–	–	–	
94	93	89	89	102	147	159	155	110	69	11	9	2	–	–	–	–	E 813
83	80	72	77	92	142	152	153	109	67	11	8	2	–	–	–	–	
11	13	17	12	10	5	7	2	1	2	–	1	–	–	–	–	–	
39	32	19	20	11	8	3	3	2	1	–	–	–	–	–	–	–	E 814
39	31	19	20	11	8	3	3	2	1	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
190	142	103	79	87	67	56	28	12	4	1	–	–	–	–	–	–	E 815
185	141	101	77	84	64	55	28	12	4	1	–	–	–	–	–	–	
5	1	2	2	3	3	1	–	–	–	–	–	–	–	–	–	–	
84	55	35	33	24	23	8	9	8	3	–	–	–	–	–	–	–	E 816
76	53	32	29	23	21	6	9	6	2	–	–	–	–	–	–	–	
8	2	3	4	1	2	2	–	2	1	–	–	–	–	–	–	–	
–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	E 817
–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 818
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
34	11	11	7	6	2	3	–	1	–	–	–	–	–	–	–	–	E 819
33	11	11	7	6	2	1	–	1	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
1	4	4	1	3	2	1	2	1	2	1	–	–	–	–	–	–	E 820
1	3	3	1	2	1	–	1	1	2	–	–	–	–	–	–	–	
–	1	1	–	1	1	1	1	–	–	1	–	–	–	–	–	–	
158	113	100	75	68	39	24	13	12	5	–	3	–	–	–	–	–	E 821
151	110	90	71	62	37	22	6	11	3	–	2	–	–	–	–	–	
7	3	10	4	6	2	2	7	1	2	–	1	–	–	–	–	–	
37	26	11	9	11	12	10	2	–	2	–	–	–	–	–	–	–	E 822
35	24	10	8	11	11	8	1	–	1	–	–	–	–	–	–	–	
2	2	1	1	–	1	2	1	–	1	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
E 823	街路よりの逸走による自動車交通事故…	579	3	2	4	3	–	12	7	5	52	123	90	72	54	44	40	28	18	16	9	4	4	1	–	–	–	–	–	E 823
	男 M.	504	2	1	2	1	–	6	5	4	43	110	84	68	49	32	37	24	15	13	6	4	4	–	–	–	–	–	–	
	女 F.	75	1	1	2	2	–	6	2	1	9	13	6	4	5	12	3	4	3	3	3	–	–	1	–	–	–	–	–	
E 824	その他の衝突によらない自動車交通事…	355	–	–	4	2	3	9	18	14	40	56	48	36	36	21	19	18	16	13	10	1	–	–	–	–	–	–	–	E 824
	故 男 M.	291	–	–	1	2	2	5	15	8	34	50	43	31	27	19	15	14	12	10	8	–	–	–	–	–	–	–	–	
	女 F.	64	–	–	3	–	1	4	3	6	6	6	5	5	9	2	4	4	4	3	2	1	–	–	–	–	–	–	–	
E 825	詳細不明の自動車交通事故……	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 825
	男 M.	2	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(E830–E835)	自動車非交通事故……	111	–	1	2	5	2	10	5	1	19	22	12	8	8	4	6	6	2	5	1	1	–	–	1	–	–	–	–	(E830–E835)
	男 M.	94	–	1	–	2	1	4	3	1	19	22	11	8	7	3	5	5	1	4	–	1	–	–	–	–	–	–	–	
	女 F.	17	–	–	2	3	1	6	2	–	–	–	1	–	1	1	1	1	1	1	1	–	–	–	1	–	–	–	–	
E 830	歩行者の自動車非交通事故……	83	–	1	2	5	2	10	5	1	15	11	9	3	6	3	6	5	2	4	1	1	–	–	1	–	–	–	–	E 830
	男 M.	66	–	1	–	2	1	4	3	1	15	11	8	3	5	2	5	4	1	3	–	1	–	–	–	–	–	–	–	
	女 F.	17	–	–	2	3	1	6	2	–	–	–	1	–	1	1	1	1	1	1	1	–	–	–	1	–	–	–	–	
E 831	自転車乗用者の自動車非交通事故……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 831
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 832	自動自転車操縦者または乗員の自動車…	10	–	–	–	–	–	–	–	–	1	3	2	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	E 832
	非交通事故 男 M.	10	–	–	–	–	–	–	–	–	1	3	2	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 833	二台以上の自動車の自動車非交通事故…	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 833
	男 M.	2	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 834	乗車および降車時の自動車非交通事故…	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 834
	男 M.	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 835	その他および詳細不明の自動車非交通…	15	–	–	–	–	–	–	–	–	3	7	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	E 835
	事故 男 M.	15	–	–	–	–	–	–	–	–	3	7	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(E840–E845)	その他の道路交通機関による不慮の事…	933	3	9	13	8	6	39	55	35	32	31	58	56	53	63	83	86	89	80	66	57	34	12	4	–	–	–	–	(E840–E845)
	故 男 M.	771	3	4	9	3	6	25	40	26	25	28	54	50	45	52	71	72	81	70	56	46	23	5	2	–	–	–	–	
	女 F.	162	–	5	4	5	–	14	15	9	7	3	4	6	8	11	12	14	8	10	10	11	11	7	2	–	–	–	–	
E 840	市街電車による歩行者の不慮の事故……	81	–	–	–	2	–	2	5	–	–	4	2	2	2	8	5	6	7	12	4	5	7	9	2	1	–	–	–	–	E 840
	男 M.	56	–	–	–	–	–	–	1	–	–	3	2	2	2	5	4	5	4	11	3	4	5	5	1	1	–	–	–	–	
	女 F.	25	–	–	–	2	–	2	4	–	–	1	–	–	–	3	1	1	3	1	1	1	2	4	1	–	–	–	–	–	
E 841	市街電車によるその他の不慮の事故…	16	–	–	–	–	–	–	–	–	2	–	2	1	1	–	2	–	1	3	1	2	1	–	–	–	–	–	–	–	E 841
	（自動車との衝突を除く） 男 M.	13	–	–	–	–	–	–	–	–	2	–	1	1	1	–	1	–	1	3	1	1	1	–	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
E 842	自転車による歩行者の不慮の事故……	81	–	–	2	–	–	2	2	–	–	2	1	1	2	3	6	7	8	10	14	7	10	5	1	–	–	–	–	E 842
	男 M.	35	–	–	1	–	–	1	–	–	–	1	–	1	1	1	3	1	5	6	8	1	5	1	–	–	–	–	–	–	
	女 F.	46	–	–	1	–	–	1	2	–	–	1	1	–	1	2	3	6	3	4	6	6	5	4	1	–	–	–	–	–	
E 843	自動車の衝突と関係のない自転車乗用…	581	2	3	4	1	–	10	38	34	28	21	37	35	37	46	51	58	54	48	37	28	12	5	2	–	–	–	–	E 843
	者の不慮の事故 男 M.	515	2	2	2	1	–	7	32	25	21	20	36	29	33	39	45	55	53	45	35	26	10	3	1	–	–	–	–	
	女 F.	66	–	1	2	–	–	3	6	9	7	1	1	6	4	7	6	3	1	3	2	2	2	2	1	–	–	–	–	
E 844	自動車以外のその他の道路交通機関に…	21	–	2	1	2	4	9	1	–	–	–	1	–	–	–	1	2	1	1	3	2	–	–	–	–	–	–	–	E 844
	よる歩行者の不慮の事故 男 M.	16	–	1	1	–	4	6	1	–	–	–	1	–	–	–	1	2	–	–	3	2	–	–	–	–	–	–	–	
	女 F.	5	–	1	–	2	–	3	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E 845	自動車以外のその他の道路交通機関による不慮の事故	153	1	4	6	3	2	16	9	1	2	4
	男 M.	136	1	1	5	2	2	11	6	1	2	4
	女 F.	17	–	3	1	1	–	5	3	–	–	–
(E850–E858)	水上交通機関による不慮の事故	934	2	10	13	13	11	49	40	15	96	139
	男 M.	883	–	4	9	8	9	30	38	14	94	131
	女 F.	51	2	6	4	5	2	19	2	1	2	8
E 850	小型ボート乗船者の入水	115	–	–	–	2	1	3	15	11	26	18
	男 M.	107	–	–	–	1	1	2	15	11	25	16
	女 F.	8	–	–	–	1	–	1	–	–	1	2
E 851	その他の水上交通機関における入水による傷害	604	–	9	13	10	10	42	25	2	46	86
	男 M.	568	–	3	9	6	8	26	23	2	45	80
	女 F.	36	–	6	4	4	2	16	2	–	1	6
E 852	水上交通機関における階段およびはしごよりの墜落	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 853	水上交通機関内のその他の場所よりの墜落	34	1	–	–	–	–	1	–	–	1	5
	男 M.	33	–	–	–	–	–	–	–	–	1	5
	女 F.	1	1	–	–	–	–	1	–	–	–	–
E 854	水上交通機関の同一面における転倒	5	–	–	–	–	–	–	–	–	–	–
	男 M.	5	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 855	水上交通機関における詳細不明の墜落	5	–	–	–	–	–	–	–	–	1	
	男 M.	5	–	–	–	–	–	–	–	–	1	
	女 F.	–	–	–	–	–	–	–	–	–	–	
E 856	水上交通機関内の機械による不慮の事故	38	–	–	–	–	–	–	–	–	3	8
	男 M.	38	–	–	–	–	–	–	–	–	3	8
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 857	水上交通機関におけるその他の不慮の事故	128	1	1	–	1	–	3	–	2	20	20
	男 M.	123	–	1	–	1	–	2	–	1	20	20
	女 F.	5	1	–	–	–	–	1	–	1	–	–
E 858	水上交通機関における詳細不明の原因による不慮の事故	4	–	–	–	–	–	–	–	–	1	
	男 M.	3	–	–	–	–	–	–	–	–	1	
	女 F.	1	–	–	–	–	–	–	–	–	–	
(E860–E866)	航空機による不慮の事故	13	–	–	–	–	–	–	–	1	–	6
	男 M.	12	–	–	–	–	–	–	–	1	–	6
	女 F.	1	–	–	–	–	–	–	–	–	–	–
E 860	軍用航空機における人員の不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 861	商業用輸送機事故による搭乗者の傷害	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 862	商業用輸送機におけるその他の傷害	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 863	その他の明示された航空機事故による搭乗者の傷害	13	–	–	–	–	–	–	–	1	–	6
	男 M.	12	–	–	–	–	–	–	–	1	–	6
	女 F.	1	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
15	17	5	9	17	12	13	14	6	11	2	–	–	–	–	–	–	E 845
14	17	5	8	16	10	11	13	5	11	2	–	–	–	–	–	–	
1	–	–	1	1	2	2	1	1	–	–	–	–	–	–	–	–	
135	126	67	53	55	43	47	41	14	7	5	1	–	–	–	–	1	(E850–E858)
130	120	64	52	55	42	46	40	13	7	5	1	–	–	–	–	1	
5	6	3	1	–	1	1	1	1	–	–	–	–	–	–	–	–	
12	7	5	2	3	1	2	6	1	1	2	–	–	–	–	–	–	E 850
11	6	4	1	3	1	2	6	1	1	2	–	–	–	–	–	–	
1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
96	83	41	27	42	34	33	27	9	6	3	1	–	–	–	–	1	E 851
92	81	39	27	42	33	33	26	8	6	3	1	–	–	–	–	1	
4	2	2	–	–	1	–	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E 852
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	8	1	7	2	2	1	3	–	–	–	–	–	–	–	–	–	E 853
3	8	1	7	2	2	1	3	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	E 854
–	2	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	E 855
1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
7	8	6	3	1	1	1	–	–	–	–	–	–	–	–	–	–	E 856
7	8	6	3	1	1	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
16	17	13	12	5	5	7	5	3	–	–	–	–	–	–	–	–	E 857
16	15	13	12	5	5	6	5	3	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	E 858
–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
																	(E860–E866)
1	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 860
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 861
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 862
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	E 863
1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
E 864	航空機搭乗者以外の者の飛行場における航空機による不慮の事故	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 864
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 865	航空機搭乗者以外の者のその他の場所における航空機による不慮の事故	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 865
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 866	その他および詳細不明の航空機による不慮の事故	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 866
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(E870–E888)	固体および液体物質による不慮の中毒	878	5	29	13	8	3	58	13	4	81	145	123	63	66	44	60	44	49	54	31	25	14	4	–	–	–	–	–	(E870–E888)
	男 M.	551	3	17	9	4	1	34	7	2	38	77	80	41	41	29	42	36	36	43	21	15	7	2	–	–	–	–	–	
	女 F.	327	2	12	4	4	2	24	6	2	43	68	43	22	25	15	18	8	13	11	10	10	7	2	–	–	–	–	–	
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 870
	男 M.	4	–	–	–	–	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 871	バルビツール酸およびその誘導体による不慮の中毒	42	–	–	–	–	–	–	–	–	7	14	8	1	4	1	2	2	2	–	1	–	–	–	–	–	–	–	–	E 871
	男 M.	18	–	–	–	–	–	–	–	–	2	4	7	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	24	–	–	–	–	–	–	–	–	5	10	1	1	2	–	1	1	2	–	1	–	–	–	–	–	–	–	–	
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	E 872
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
E 873	臭化物による不慮の中毒	172	–	–	–	–	–	–	–	2	25	40	34	11	14	9	11	6	7	4	2	1	5	1	–	–	–	–	–	E 873
	男 M.	86	–	–	–	–	–	–	–	1	9	19	17	7	7	5	7	5	5	1	–	–	2	1	–	–	–	–	–	
	女 F.	86	–	–	–	–	–	–	–	1	16	21	17	4	7	4	4	1	2	3	2	1	3	–	–	–	–	–	–	
E 874	その他の鎮痛薬および催眠薬による不慮の中事	203	–	–	–	–	–	–	–	–	30	59	38	22	16	7	8	1	4	8	4	5	–	1	–	–	–	–	–	E 874
	男 M.	112	–	–	–	–	–	–	–	–	14	34	25	12	8	4	4	1	1	6	1	2	–	–	–	–	–	–	–	
	女 F.	91	–	–	–	–	–	–	–	–	16	25	13	10	8	3	4	–	3	2	3	3	–	1	–	–	–	–	–	
E 875	スルホンアミド薬による不慮の中毒	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E 875
	男 M.	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
E 876	ストリキニーネによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 876
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 877
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 878	その他および詳細不明の医薬品による不慮の中毒	14	–	1	2	3	–	6	2	–	–	–	1	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	E 878
	男 M.	9	–	–	2	1	–	3	1	–	–	–	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	
	女 F.	5	–	1	–	2	–	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 879	有毒食物による不慮の中毒	162	–	1	1	2	1	5	6	2	3	2	7	9	5	17	13	20	18	25	14	10	6	–	–	–	–	–	–	E 879
	男 M.	121	–	–	1	1	–	2	3	1	2	1	6	8	4	9	11	16	15	20	12	8	3	–	–	–	–	–	–	
	女 F.	41	–	1	–	1	1	3	3	1	1	1	1	1	1	8	2	4	3	5	2	2	3	–	–	–	–	–	–	
E 880	アルコールによる不慮の中毒	67	–	–	2	1	1	4	1	–	3	4	11	3	12	6	5	3	7	5	2	1	–	–	–	–	–	–	–	E 880
	男 M.	62	–	–	1	1	1	3	–	–	3	4	10	3	12	6	5	3	6	5	2	–	–	–	–	–	–	–	–	
	女 F.	5	–	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
E 881	石油製品による不慮の中毒	14	–	10	2	–	–	12	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	E 881
	男 M.	7	–	4	1	–	–	5	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	7	–	6	1	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
E882	工業溶媒による不慮の中毒	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E882
	男 M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
E883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒	27	3	1	2	1	–	7	–	–	1	1	4	3	4	–	2	1	–	–	1	2	1	–	–	–	–	–	–	E883
	男 M.	16	2	–	1	1	–	4	–	–	1	–	3	2	2	–	1	1	–	–	–	2	–	–	–	–	–	–	–	
	女 F.	11	1	1	1	–	–	3	–	–	–	1	1	1	2	–	1	–	–	–	1	–	1	–	–	–	–	–	–	
E884	水銀およびその化合物による不慮の中毒	5	–	1	–	–	–	1	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E884
	男 M.	2	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E885	鉛およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E885
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E886	ヒ素，アンチモンおよびその化合物による不慮の中毒	6	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–	E886
	男 M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	
	女 F.	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	
E887	フッ化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E887
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E888	その他および詳細不明の固体および液体物質による不慮の中毒	156	2	14	3	1	1	21	3	–	11	21	18	11	10	4	15	9	7	9	7	6	2	2	–	–	–	–	–	E888
	男 M.	108	1	12	2	–	–	15	2	–	6	13	9	7	6	4	12	7	6	9	6	3	2	1	–	–	–	–	–	
	女 F.	48	1	2	1	1	1	6	1	–	5	8	9	4	4	–	3	2	1	–	1	3	–	1	–	–	–	–	–	
E888. a	シアン化物	*6*	–	*2*	–	–	–	*2*	–	–	–	*2*	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	E888. a
	男 M.	*4*	–	*2*	–	–	–	*2*	–	–	–	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*2*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	
E888. b	農薬用有機リン製剤	*95*	*1*	*9*	*3*	–	*1*	*14*	*1*	–	*5*	*13*	*9*	*7*	*6*	*2*	*10*	*7*	*5*	*6*	*2*	*6*	*2*	–	–	–	–	–	–	E888. b
	男 M.	*69*	–	*8*	*2*	–	–	*10*	*1*	–	*4*	*7*	*4*	*5*	*3*	*2*	*10*	*5*	*5*	*6*	*2*	*3*	*2*	–	–	–	–	–	–	
	女 F.	*26*	*1*	*1*	*1*	–	*1*	*4*	–	–	*1*	*6*	*5*	*2*	*3*	–	–	*2*	–	–	–	*3*	–	–	–	–	–	–	–	
E888. c	その他のリン製剤	*14*	–	*2*	–	–	–	*2*	–	–	*2*	*1*	*2*	–	*1*	*1*	–	–	*1*	–	*3*	–	–	*1*	–	–	–	–	–	E888. c
	男 M.	*8*	–	*2*	–	–	–	*2*	–	–	–	–	*1*	–	*1*	*1*	–	–	–	–	*2*	–	–	*1*	–	–	–	–	–	
	女 F.	*6*	–	–	–	–	–	–	–	–	*2*	*1*	*1*	–	–	–	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	
E888. d	その他および詳細不明の固体および液体物質	*41*	*1*	*1*	–	*1*	–	*3*	*2*	–	*4*	*5*	*6*	*4*	*3*	*1*	*4*	*2*	*1*	*3*	*2*	–	–	*1*	–	–	–	–	–	E888. d
	男 M.	*27*	*1*	–	–	–	–	*1*	*1*	–	*2*	*4*	*4*	*2*	*2*	*1*	*2*	*2*	*1*	*3*	*2*	–	–	–	–	–	–	–	–	
	女 F.	*14*	–	*1*	–	*1*	–	*2*	*1*	–	*2*	*1*	*2*	*2*	*1*	–	*2*	–	–	–	–	–	–	*1*	–	–	–	–	–	
(E890–E895)	ガスおよび蒸気による不慮の中毒	490	36	8	5	8	10	67	13	12	32	72	69	41	30	32	17	18	13	24	19	13	6	9	3	–	–	–	–	(E890–E895)
	男 M.	292	16	3	2	6	6	33	9	7	18	42	41	29	21	23	12	13	6	18	8	7	2	2	1	–	–	–	–	
	女 F.	198	20	5	3	2	4	34	4	5	14	30	28	12	9	9	5	5	7	6	11	6	4	7	2	–	–	–	–	
E890	石炭ガス（光熱用）による不慮の中毒	233	4	3	1	1	1	10	3	4	16	48	40	28	14	11	6	11	9	11	8	6	2	5	1	–	–	–	–	E890
	男 M.	118	1	1	–	1	1	4	3	1	7	23	18	17	6	7	3	8	6	9	1	3	1	–	1	–	–	–	–	
	女 F.	115	3	2	1	–	–	6	–	3	9	25	22	11	8	4	3	3	3	2	7	3	1	5	–	–	–	–	–	
E891	自動車排出ガスによる不慮の中毒	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	E891
	男 M.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E892	その他の一酸化炭素ガスによる不慮の中毒	205	32	5	3	7	9	56	10	8	10	15	17	6	10	14	8	6	4	13	11	7	4	4	2	–	–	–	–	E892
	男 M.	125	15	2	2	5	5	29	6	6	6	11	11	5	9	9	6	4	–	9	7	4	1	2	–	–	–	–	–	
	女 F.	80	17	3	1	2	4	27	4	2	4	4	6	1	1	5	2	2	4	4	4	3	3	2	2	–	–	–	–	
E893	シアン化物ガスによる不慮の中毒	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E893
	男 M.	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E 894	その他のガスおよび蒸気による不慮の中毒	46	–	–	1	–	–	1	–	–	5	8
	男 M.	44	–	–	–	–	–	–	–	–	4	8
	女 F.	2	–	–	1	–	–	1	–	–	1	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	2	–	–	–	–	–	–	–	–	1	1
	男 M.	1	–	–	–	–	–	–	–	–	1	–
	女 F.	1	–	–	–	–	–	–	–	–	–	1
(E900–E904)	不慮の墜落	4 166	32	52	31	36	21	172	121	62	153	284
	男 M.	3 160	21	33	19	22	17	112	90	49	142	268
	女 F.	1 006	11	19	12	14	4	60	31	13	11	16
E 900	階段よりの墜落	264	3	2	3	–	–	8	2	–	3	3
	男 M.	162	2	2	2	–	–	6	1	–	1	3
	女 F.	102	1	–	1	–	–	2	1	–	2	–
E 901	はしごよりの墜落	94	–	–	–	1	1	2	2	1	1	5
	男 M.	74	–	–	–	1	1	2	2	–	1	5
	女 F.	20	–	–	–	–	–	–	–	1	–	–
E 902	その他の高所よりの墜落	2 948	25	38	22	28	16	129	102	48	137	254
	男 M.	2 453	16	23	12	16	12	79	78	38	129	243
	女 F.	495	9	15	10	12	4	50	24	10	8	11
E 903	同一面上における転倒	859	4	12	6	7	4	33	15	13	12	22
	男 M.	470	3	8	5	5	4	25	9	11	11	17
	女 F.	389	1	4	1	2	–	8	6	2	1	5
E 904	詳細不明の墜落	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
(E910–E936)	その他の不慮の事故	1) 20 508	1 341	1 473	1 070	676	520	5 080	2 293	1 289	1 059	1 272
	男 M.	13 746	676	864	651	419	349	2 959	1 626	862	813	1 050
	女 F.	6 735	665	609	419	257	171	2 121	667	427	246	222
E 910	落下物，投射物および飛来物による打撲	2 032	5	4	12	12	12	45	53	32	123	238
	男 M.	1 885	2	4	5	7	9	27	43	26	119	229
	女 F.	147	3	–	7	5	3	18	10	6	4	9
E 911	車による不慮の事故	275	–	–	–	1	2	3	7	1	20	37
	男 M.	265	–	–	–	1	1	2	6	1	20	35
	女 F.	10	–	–	–	–	1	1	1	–	–	2
E 912	機械による不慮の事故	453	–	–	4	2	2	8	12	4	58	82
	男 M.	430	–	–	4	2	1	7	10	3	56	80
	女 F.	23	–	–	–	–	1	1	2	1	2	2
E 913	刃器および刺器による不慮の事故	53	1	1	4	2	–	8	5	5	5	5
	男 M.	42	1	–	4	–	–	5	4	4	4	5
	女 F.	11	–	1	–	2	–	3	1	1	1	–
E 914	電気による不慮の事故	540	1	–	–	1	1	3	8	16	81	120
	男 M.	527	–	–	–	–	–	–	6	15	81	119
	女 F.	13	1	–	–	1	1	3	2	1	–	1
E 915	高圧機関の爆発による不慮の事故	4	–	–	–	–	–	–	–	–	–	–
	男 M.	4	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 916	火および可燃物の爆発による不慮の事故	1 554	121	44	37	38	39	279	88	40	61	67
	男 M.	889	53	27	20	16	22	138	46	22	43	57
	女 F.	665	68	17	17	22	17	141	42	18	18	10

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
9	7	6	6	3	1	–	–	–	–	–	–	–	–	–	–	–	E 894
9	7	6	6	3	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 895
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
304	235	203	194	256	260	303	262	287	297	308	273	150	37	5	–	–	(E900–E904)
292	222	184	172	217	235	246	201	212	185	144	118	59	11	1	–	–	
12	13	19	22	39	25	57	61	75	112	164	155	91	26	4	–	–	
12	8	10	12	17	20	23	21	24	24	31	28	12	5	1	–	–	E 900
11	6	7	9	14	16	18	11	14	11	17	15	–	1	1	–	–	
1	2	3	3	3	4	5	10	10	13	14	13	12	4	–	–	–	
6	2	–	4	7	11	7	8	7	14	6	9	2	–	–	–	–	E 901
6	2	–	4	5	8	5	5	7	11	5	5	1	–	–	–	–	
–	–	–	–	2	3	2	3	–	3	1	4	1	–	–	–	–	
267	205	170	150	194	204	223	187	189	164	149	110	52	13	1	–	–	E 902
259	196	156	136	167	192	187	156	148	116	85	56	27	5	–	–	–	
8	9	14	14	27	12	36	31	41	48	64	54	25	8	1	–	–	
19	20	23	28	38	25	50	46	67	94	122	126	84	19	3	–	–	E 903
16	18	21	23	31	19	36	29	43	46	37	42	31	5	–	–	–	
3	2	2	5	7	6	14	17	24	48	85	84	53	14	3	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	E 904
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1 288	1 267	877	785	805	730	744	666	612	570	533	435	134	28	3	–	1) 38	(E910–E936)
996	960	607	560	598	520	529	446	375	313	266	192	62	7	–	–	5	
292	307	270	225	207	210	215	220	237	257	267	243	72	21	3	–	6	
257	300	195	156	179	146	117	93	47	23	12	15	1	–	–	–	–	E 910
247	285	184	146	172	130	108	88	43	17	10	11	–	–	–	–	–	
10	15	11	10	7	16	9	5	4	6	2	4	1	–	–	–	–	
34	36	24	37	31	23	9	7	4	1	–	1	–	–	–	–	–	E 911
34	36	24	37	27	22	9	6	4	1	–	1	–	–	–	–	–	
–	–	–	–	4	1	–	1	–	–	–	–	–	–	–	–	–	
68	54	39	23	37	30	19	14	3	1	–	1	–	–	–	–	–	E 912
66	51	38	21	35	29	18	11	3	1	–	1	–	–	–	–	–	
2	3	1	2	2	1	1	3	–	–	–	–	–	–	–	–	–	
6	3	5	3	–	2	2	1	1	1	1	–	–	–	–	–	–	E 913
6	2	4	3	–	2	2	–	1	–	–	–	–	–	–	–	–	
–	1	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	
107	89	32	27	19	17	12	6	2	–	1	–	–	–	–	–	–	E 914
106	88	31	27	19	17	11	5	2	–	–	–	–	–	–	–	–	
1	1	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	
–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	E 915
–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
73	74	57	53	59	62	73	62	101	107	119	130	40	9	–	–	–	E 916
55	59	38	31	39	36	44	35	61	57	58	51	18	1	–	–	–	
18	15	19	22	20	26	29	27	40	50	61	79	22	8	–	–	–	

注： 1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 48 表　死　亡　者　数，性・年齢（5才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
E917	高熱物体，腐食性液体および水蒸気による不慮の事故	399	34	101	63	37	20	255	19	1	10	13	10	8	5	10	2	8	10	10	6	12	10	6	3	–	1	–	–	E917
	男 M.	226	15	59	39	17	9	139	11	–	8	9	7	7	4	10	1	5	7	4	3	7	4	–	–	–	–	–	–	
	女 F.	173	19	42	24	20	11	116	8	1	2	4	3	1	1	–	1	3	3	6	3	5	6	6	3	–	1	–	–	
E918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E918
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E918. a	X線によるもの	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E918. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E918. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E919	銃器による不慮の事故	122	–	–	–	1	–	1	4	6	6	19	17	26	10	6	13	5	6	1	1	–	1	–	–	–	–	–	–	E919
	男 M.	117	–	–	–	–	–	–	4	5	6	17	17	26	10	6	12	5	6	1	1	–	1	–	–	–	–	–	–	
	女 F.	5	–	–	–	1	–	1	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
E920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E920
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E921	閉塞または窒息の原因となる食物の吸入および嚥下	643	186	26	12	8	1	233	7	2	8	4	6	7	6	10	11	11	27	41	43	66	69	69	21	2	–	–	–	E921
	男 M.	449	96	15	10	5	1	127	4	1	4	4	4	6	5	8	10	8	24	33	34	56	49	52	18	2	–	–	–	
	女 F.	194	90	11	2	3	–	106	3	1	4	–	2	1	1	2	1	3	3	8	9	10	20	17	3	–	–	–	–	
E922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	49	16	7	1	2	2	28	6	–	–	–	–	1	–	–	2	1	–	–	3	4	3	1	–	–	–	–	–	E922
	男 M.	34	9	6	1	1	1	18	4	–	–	–	–	1	–	–	2	–	–	–	2	4	2	1	–	–	–	–	–	
	女 F.	15	7	1	–	1	1	10	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	
E923	その他の孔口への異物侵入	15	2	7	1	1	–	11	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	E923
	男 M.	6	1	3	1	1	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	9	1	4	–	–	–	5	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
E924	寝台および揺籃における不慮の機械的窒息	324	316	5	1	2	–	324	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E924
	男 M.	171	166	3	–	2	–	171	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	153	150	2	1	–	–	153	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E925	その他および詳細不明の状態における不慮の機械的窒息	820	417	39	15	7	5	483	15	12	23	35	51	44	23	36	33	21	13	13	3	7	5	3	–	–	–	–	–	E925
	男 M.	528	204	19	6	4	2	235	11	11	21	34	50	35	20	34	29	18	11	12	2	4	1	–	–	–	–	–	–	
	女 F.	292	213	20	9	3	3	248	4	1	2	1	1	9	3	2	4	3	2	1	1	3	4	3	–	–	–	–	–	
E926	乳児の養育不注意（1才未満）	–	–	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E926
	男 M.	–	–	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	–	–	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
E927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	45	–	1	1	1	–	3	6	1	–	1	1	2	2	1	3	4	5	1	7	4	3	1	–	–	–	–	–	E927
	男 M.	24	–	–	–	1	–	1	2	1	–	–	1	1	–	1	2	3	4	1	3	3	1	–	–	–	–	–	–	
	女 F.	21	–	1	1	–	–	2	4	–	–	1	–	1	2	–	1	1	1	–	4	1	2	1	–	–	–	–	–	
E928	その他の動物による不慮の傷害	111	8	–	1	1	–	10	5	4	6	4	7	5	3	3	5	7	4	10	17	7	6	7	–	1	–	–	–	E928
	男 M.	86	3	–	1	–	–	4	5	4	6	2	7	4	3	2	4	6	3	10	12	6	4	4	–	–	–	–	–	
	女 F.	25	5	–	–	1	–	6	–	–	–	2	–	1	–	1	1	1	1	–	5	1	2	3	–	1	–	–	–	
E929	不慮の溺死および溺水	7 272	49	1 109	788	446	304	2 696	1 430	695	369	299	231	175	116	130	121	132	166	141	140	146	138	102	37	6	1	–	1	E929
	男 M.	5 259	29	660	495	296	237	1 717	1 144	565	323	264	197	153	91	99	105	114	126	95	91	75	49	35	14	1	–	–	1	
	女 F.	2 013	20	449	293	150	67	979	286	130	46	35	34	22	25	31	16	18	40	46	49	71	89	67	23	5	1	–	–	
E930	高圧および低圧	13	–	–	–	–	–	–	–	–	2	2	2	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	E930
	男 M.	12	–	–	–	–	–	–	–	–	2	1	2	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E931	過度の高温および日射病	108	16	6	2	1	1	26	7	2	2	4
	男 M.	48	7	–	1	1	–	9	6	2	–	3
	女 F.	60	9	6	1	–	1	17	1	–	2	1
E932	過度の低温	459	7	–	–	–	1	8	4	–	15	58
	男 M.	390	2	–	–	–	1	3	4	–	13	52
	女 F.	69	5	–	–	–	–	5	–	–	2	6
E933	飢，渇および不良天候曝露	30	–	–	3	–	–	3	–	–	2	1
	男 M.	23	–	–	3	–	–	3	–	–	2	–
	女 F.	7	–	–	–	–	–	–	–	–	–	1
E934	天災	1) 4 863	151	119	121	111	129	631	605	451	230	250
	男 M.	2 072	83	65	59	63	64	334	309	186	72	109
	女 F.	2 764	68	54	62	48	65	297	296	265	158	141
E934. a	地震	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E934. b	暴風雨および洪水	1) *4 860*	*151*	*119*	*120*	*111*	*129*	*630*	*604*	*451*	*230*	*250*
	男 M.	*2 071*	*83*	*65*	*59*	*63*	*64*	*334*	*308*	*186*	*72*	*109*
	女 F.	*2 762*	*68*	*54*	*61*	*48*	*65*	*296*	*296*	*265*	*158*	*141*
E934. c	その他	*3*	–	–	*1*	–	–	*1*	*1*	–	–	–
	男 M.	*1*	–	–	–	–	–	–	*1*	–	–	–
	女 F.	*2*	–	–	*1*	–	–	*1*	–	–	–	–
E935	雷撃	57	–	–	–	1	–	1	–	2	6	7
	男 M.	42	–	–	–	1	–	1	–	2	5	6
	女 F.	15	–	–	–	–	–	–	–	–	1	1
E936	その他および詳細不明の不慮の事故	267	11	4	4	1	1	21	10	15	32	26
	男 M.	217	5	3	2	1	1	12	7	14	28	24
	女 F.	50	6	1	2	–	–	9	3	1	4	2
(E940–E946)	治療目的以外の内外科的処置による合併症	19	9	1	–	–	–	10	1	1	–	1
	男 M.	10	7	1	–	–	–	8	1	1	–	–
	女 F.	9	2	–	–	–	–	2	–	–	–	1
E940	種痘後汎発性牛痘疹	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E941	種痘後脳炎	9	6	1	–	–	–	7	1	1	–	–
	男 M.	8	5	1	–	–	–	6	1	1	–	–
	女 F.	1	1	–	–	–	–	1	–	–	–	–
E942	その他の種痘による合併症	2	2	–	–	–	–	2	–	–	–	–
	男 M.	1	1	–	–	–	–	1	–	–	–	–
	女 F.	1	1	–	–	–	–	1	–	–	–	–
E943	免疫接種後黄疸および肝炎	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E944	その他の予防接種による合併症	1	1	–	–	–	–	1	–	–	–	–
	男 M.	1	1	–	–	–	–	1	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E945	治療目的以外の麻酔の合併症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

注：1）男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
2	5	4	8	3	3	6	7	7	4	6	7	4	1	–	–	–	E931
2	3	–	4	3	2	3	6	1	1	2	1	–	–	–	–	–	
–	2	4	4	–	1	3	1	6	3	4	6	4	1	–	–	–	
32	34	25	25	29	46	47	42	29	26	20	15	4	–	–	–	–	E932
29	34	23	22	24	41	41	37	25	16	14	10	2	–	–	–	–	
3	–	2	3	5	5	6	5	4	10	6	5	2	–	–	–	–	
4	1	3	–	1	4	–	3	1	2	4	1	–	–	–	–	–	E933
3	–	2	–	1	3	–	2	1	2	3	1	–	–	–	–	–	
1	1	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
345	369	309	238	243	194	210	203	180	145	122	71	22	7	1	–	1) 37	E934
135	142	112	91	102	66	97	91	75	56	58	23	9	1	–	–	4	
210	227	197	147	141	128	113	112	105	89	64	48	13	6	1	–	6	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E934. a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
345	*368*	*309*	*238*	*243*	*194*	*210*	*203*	*180*	*145*	*122*	*71*	*22*	*7*	*1*	–	1) *37*	E934. b
135	*142*	*112*	*91*	*102*	*66*	*97*	*91*	*75*	*56*	*58*	*23*	*9*	*1*	–	–	*4*	
210	*226*	*197*	*147*	*141*	*128*	*113*	*112*	*105*	*89*	*64*	*48*	*13*	*6*	*1*	–	*6*	
–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E934. c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	7	4	3	4	2	5	1	–	3	1	–	–	–	–	–	–	E935
5	6	3	3	3	2	3	1	–	1	1	–	–	–	–	–	–	
6	1	1	–	1	–	2	–	–	2	–	–	–	–	–	–	–	
24	22	15	14	10	10	12	8	16	11	12	5	2	2	–	–	–	E936
23	17	15	13	8	9	11	6	11	6	9	1	1	2	–	–	–	
1	5	–	1	2	1	1	2	5	5	3	4	1	–	–	–	–	
2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	(E940–E946)
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
																	E940
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E941
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E942
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E943
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E944
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E945
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

1) Since the total of male and female includes 27 cases of" sex unknown", the components do not equal the total.

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5才階級）・死因（基本分類）別

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
E946	その他の治療目的以外の内外科的処置…による合併症	7	–	–	–	–	–	–	–	–	–	1	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E946
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	7	–	–	–	–	–	–	–	–	–	1	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
(E950–E959)	治療上の事故および治療処置後の合併症…	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	(E950–E959)
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E950	外科的処置における治療上の事故……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E950
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E951	注入または輸血における治療上の事故…	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E951
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E952	局所手当における治療上の事故……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E952
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E953	薬剤または生物学的製剤の投与における治療上の事故	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E953
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E954	麻酔における治療上の事故……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E954
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E955	その他および詳細不明の治療上の事故…	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E955
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E956	外科手術の後発合併症……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E956
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E957	切断部の後発合併症……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E957
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E958	光線療法の後発合併症……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E958
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E959	その他の処置の後発合併症……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E959
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(E960–F965)	傷害および中毒の後遺症……	186	–	–	–	–	–	–	1	2	1	7	14	19	15	13	17	17	20	12	13	12	13	10	–	–	–	–	–	(E960–E965)
	男 M.	145	–	–	–	–	–	–	1	2	1	7	10	16	13	11	17	16	15	10	9	8	5	4	–	–	–	–	–	
	女 F.	41	–	–	–	–	–	–	–	–	–	–	4	3	2	2	–	1	5	2	4	4	8	6	–	–	–	–	–	
E960	自動車事故の後遺症……	9	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	2	2	–	1	2	–	–	–	–	–	–	–	E960
	男 M.	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	2	2	–	1	1	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
E961	不慮の中毒の後遺症……	6	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	E961
	男 M.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	
E962	その他の不慮の事故の後遺症……	143	–	–	–	–	–	–	1	2	1	6	11	13	13	9	10	13	10	11	12	10	11	10	–	–	–	–	–	E962
	男 M.	113	–	–	–	–	–	–	1	2	1	6	9	11	13	8	10	13	8	9	8	7	3	4	–	–	–	–	–	
	女 F.	30	–	–	–	–	–	–	–	–	–	–	2	2	–	1	–	–	2	2	4	3	8	6	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
E963	自傷の後遺症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E964	他人による故意的加害の後遺症（戦争行為を除く）	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E965	戦争行為による傷害の後遺症	28	–	–	–	–	–	–	–	–	–	1
	男 M.	22	–	–	–	–	–	–	–	–	–	1
	女 F.	6	–	–	–	–	–	–	–	–	–	–
(E970–E979)	自殺および自傷	21 090	–	–	–	–	–	–	2	69	2 258	4 479
	男 M.	12 179	–	–	–	–	–	–	1	46	1 166	2 627
	女 F.	8 911	–	–	–	–	–	–	1	23	1 092	1 852
E970	鎮痛薬および催眠薬による自殺および自為中毒	5 228	–	–	–	–	–	–	–	2	875	1 916
	男 M.	3 058	–	–	–	–	–	–	–	1	425	1 127
	女 F.	2 170	–	–	–	–	–	–	–	1	450	789
E970. a	モルヒネおよびその他のアヘン誘導体	*3*	–	–	–	–	–	–	–	–	–	*1*
	男 M.	*1*	–	–	–	–	–	–	–	–	–	–
	女 F.	*2*	–	–	–	–	–	–	–	–	–	*1*
E970. b	バルビツール酸およびその誘導体	*400*	–	–	–	–	–	–	–	–	*56*	*141*
	男 M.	*240*	–	–	–	–	–	–	–	–	*27*	*79*
	女 F.	*160*	–	–	–	–	–	–	–	–	*29*	*62*
E970. c	臭化物	*2 848*	–	–	–	–	–	–	–	*1*	*523*	*1 048*
	男 M.	*1 648*	–	–	–	–	–	–	–	*1*	*248*	*614*
	女 F.	*1 200*	–	–	–	–	–	–	–	–	*275*	*434*
E970. d	その他および詳細不明の鎮痛薬および催眠薬	*1 977*	–	–	–	–	–	–	–	*1*	*296*	*726*
	男 M.	*1 169*	–	–	–	–	–	–	–	–	*150*	*434*
	女 F.	*808*	–	–	–	–	–	–	–	*1*	*146*	*292*
E971	その他の固体および液体物質による自殺および自為中毒	3 330	–	–	–	–	–	–	–	11	409	889
	男 M.	1 943	–	–	–	–	–	–	–	7	190	480
	女 F.	1 387	–	–	–	–	–	–	–	4	219	409
E971. a	シアン化物	*715*	–	–	–	–	–	–	–	*1*	*90*	*217*
	男 M.	*497*	–	–	–	–	–	–	–	*1*	*49*	*144*
	女 F.	*218*	–	–	–	–	–	–	–	–	*41*	*73*
E971. b	農薬用有機リン製剤	*1 501*	–	–	–	–	–	–	–	*9*	*185*	*406*
	男 M.	*865*	–	–	–	–	–	–	–	*5*	*89*	*203*
	女 F.	*636*	–	–	–	–	–	–	–	*4*	*96*	*203*
E971. c	その他のリン製剤	*321*	–	–	–	–	–	–	–	–	*30*	*63*
	男 M.	*148*	–	–	–	–	–	–	–	–	*7*	*23*
	女 F.	*173*	–	–	–	–	–	–	–	–	*23*	*40*
E971. d	その他および詳細不明の固体および液体物質	*793*	–	–	–	–	–	–	–	*1*	*104*	*203*
	男 M.	*433*	–	–	–	–	–	–	–	*1*	*45*	*110*
	女 F.	*360*	–	–	–	–	–	–	–	–	*59*	*93*
E972	家事用ガスによる自殺および自為中毒	772	–	–	–	–	–	–	–	4	71	202
	男 M.	296	–	–	–	–	–	–	–	2	32	71
	女 F.	476	–	–	–	–	–	–	–	2	39	131
E973	その他のガスによる自殺および自為中毒	6	–	–	–	–	–	–	–	–	1	1
	男 M.	5	–	–	–	–	–	–	–	–	–	1
	女 F.	1	–	–	–	–	–	–	–	–	1	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E963
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E964
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	5	1	3	7	2	6	1	–	–	1	–	–	–	–	–	–	E965
–	4	–	2	7	1	5	1	–	–	1	–	–	–	–	–	–	
1	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	
2 924	1 614	1 017	820	1 006	1 029	1 216	1 195	1 132	951	784	414	137	27	4	–	12	(E970–E979)
1 865	943	565	446	586	635	785	722	647	500	378	194	50	13	1	–	9	
1 059	671	452	374	420	394	431	473	485	451	406	220	87	14	3	–	3	
1 124	510	215	150	119	101	73	52	40	33	13	4	–	–	–	–	1	E970
723	296	123	85	76	70	55	34	19	15	6	2	–	–	–	–	1	
401	214	92	65	43	31	18	18	21	18	7	2	–	–	–	–	–	
–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	E970. a
–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	
–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
94	*44*	*21*	*13*	*8*	*7*	*9*	*2*	*4*	*1*	–	–	–	–	–	–	–	E970. b
64	*28*	*13*	*9*	*3*	*7*	*7*	*1*	*2*	–	–	–	–	–	–	–	–	
30	*16*	*8*	*4*	*5*	–	*2*	*1*	*2*	*1*	–	–	–	–	–	–	–	
596	*260*	*116*	*79*	*63*	*52*	*26*	*32*	*25*	*19*	*7*	*1*	–	–	–	–	–	E970. c
375	*154*	*64*	*48*	*41*	*36*	*20*	*23*	*13*	*7*	*3*	*1*	–	–	–	–	–	
221	*106*	*52*	*31*	*22*	*16*	*6*	*9*	*12*	*12*	*4*	–	–	–	–	–	–	
434	*205*	*78*	*58*	*48*	*41*	*38*	*18*	*11*	*13*	*6*	*3*	–	–	–	–	*1*	E970. d
284	*114*	*46*	*28*	*32*	*26*	*28*	*10*	*4*	*8*	*3*	*1*	–	–	–	–	*1*	
150	*91*	*32*	*30*	*16*	*15*	*10*	*8*	*7*	*5*	*3*	*2*	–	–	–	–	–	
544	291	237	169	168	153	135	111	96	70	29	11	5	–	–	–	2	E971
369	178	131	97	107	105	83	70	58	44	17	5	1	–	–	–	1	
175	113	106	72	61	48	52	41	38	26	12	6	4	–	–	–	1	
135	*71*	*54*	*42*	*26*	*33*	*16*	*9*	*6*	*11*	*4*	–	–	–	–	–	–	E971. a
99	*54*	*37*	*27*	*21*	*28*	*13*	*8*	*5*	*8*	*3*	–	–	–	–	–	–	
36	*17*	*17*	*15*	*5*	*5*	*3*	*1*	*1*	*3*	*1*	–	–	–	–	–	–	
267	*135*	*103*	*68*	*77*	*72*	*62*	*48*	*38*	*16*	*9*	*6*	–	–	–	–	–	E971. b
182	*75*	*55*	*42*	*51*	*49*	*38*	*31*	*24*	*10*	*7*	*4*	–	–	–	–	–	
85	*60*	*48*	*26*	*26*	*23*	*24*	*17*	*14*	*6*	*2*	*2*	–	–	–	–	–	
35	*16*	*24*	*21*	*23*	*13*	*22*	*17*	*25*	*18*	*8*	*2*	*4*	–	–	–	–	E971. c
19	*8*	*11*	*8*	*10*	*6*	*13*	*11*	*15*	*11*	*4*	*1*	*1*	–	–	–	–	
16	*8*	*13*	*13*	*13*	*7*	*9*	*6*	*10*	*7*	*4*	*1*	*3*	–	–	–	–	
107	*69*	*56*	*38*	*42*	*35*	*35*	*37*	*27*	*25*	*8*	*3*	*1*	–	–	–	*2*	E971. d
69	*41*	*28*	*20*	*25*	*22*	*19*	*20*	*14*	*15*	*3*	–	–	–	–	–	*1*	
38	*28*	*28*	*18*	*17*	*13*	*16*	*17*	*13*	*10*	*5*	*3*	*1*	–	–	–	*1*	
155	69	49	35	42	40	37	20	19	16	6	6	1	–	–	–	–	E972
54	30	12	9	12	16	26	9	7	11	2	3	–	–	–	–	–	
101	39	37	26	30	24	11	11	12	5	4	3	1	–	–	–	–	
1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	E973
1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
E974	絞首および絞首による自殺および自傷…	6 692	–	–	–	–	–	–	1	34	256	519	463	343	273	253	400	505	688	713	707	599	520	293	96	24	3	–	2	E974
	男 M.	4 295	–	–	–	–	–	–	1	29	192	372	337	231	170	158	245	332	468	463	461	337	286	156	42	12	1	–	2	
	女 F.	2 397	–	–	–	–	–	–	–	5	64	147	126	112	103	95	155	173	220	250	246	262	234	137	54	12	2	–	–	
E975	入水による自殺および自傷……	2 328	–	–	–	–	–	–	1	7	166	291	208	153	110	105	148	124	165	195	201	166	173	78	29	3	1	–	4	E975
	男 M.	781	–	–	–	–	–	–	–	3	51	109	85	52	40	32	50	35	71	77	61	46	44	18	4	1	–	–	2	
	女 F.	1 547	–	–	–	–	–	–	1	4	115	182	123	101	70	73	98	89	94	118	140	120	129	60	25	2	1	–	2	
E976	銃器および爆発物による自殺および自傷	121	–	–	–	–	–	–	–	–	13	33	28	12	8	3	7	3	2	5	1	4	2	–	–	–	–	–	–	E976
	男 M.	111	–	–	–	–	–	–	–	–	10	30	27	12	7	1	7	3	2	5	1	4	2	–	–	–	–	–	–	
	女 F.	10	–	–	–	–	–	–	–	–	3	3	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	
E977	刃器および刺器による自殺および自傷…	305	–	–	–	–	–	–	–	–	8	30	45	37	22	26	28	27	19	21	20	13	5	3	1	–	–	–	–	E977
	男 M.	222	–	–	–	–	–	–	–	–	5	16	29	29	17	20	23	20	17	15	15	11	3	1	1	–	–	–	–	
	女 F.	83	–	–	–	–	–	–	–	–	3	14	16	8	5	6	5	7	2	6	5	2	2	2	–	–	–	–	–	
E978	高所よりの墜落による自殺および自傷…	270	–	–	–	–	–	–	–	–	34	48	42	29	18	14	14	16	15	12	8	11	6	2	1	–	–	–	–	E978
	男 M.	182	–	–	–	–	–	–	–	–	22	37	25	19	16	7	9	11	10	9	7	7	2	1	–	–	–	–	–	
	女 F.	88	–	–	–	–	–	–	–	–	12	11	17	10	2	7	5	5	5	3	1	4	4	1	1	–	–	–	–	
E979	その他および詳細不明の手段による自…	2 038	–	–	–	–	–	–	–	11	425	550	314	170	84	65	80	60	81	65	40	39	30	17	4	–	–	–	3	E979
	殺および自傷 男 M.	1 286	–	–	–	–	–	–	–	4	239	384	215	96	48	37	57	43	52	39	18	25	16	8	2	–	–	–	3	
	女 F.	752	–	–	–	–	–	–	–	7	186	166	99	74	36	28	23	17	29	26	22	14	14	9	2	–	–	–	–	
E979. a	縊　　圧……	*1 953*	–	–	–	–	–	–	–	*11*	*420*	*535*	*298*	*162*	*80*	*62*	*71*	*56*	*77*	*61*	*37*	*35*	*26*	*16*	*4*	–	–	–	*2*	E979. a
	男 M.	*1 230*	–	–	–	–	–	–	–	*4*	*236*	*374*	*201*	*91*	*46*	*35*	*51*	*40*	*49*	*38*	*17*	*22*	*15*	*7*	*2*	–	–	–	*2*	
	女 F.	*723*	–	–	–	–	–	–	–	*7*	*184*	*161*	*97*	*71*	*34*	*27*	*20*	*16*	*28*	*23*	*20*	*13*	*11*	*9*	*2*	–	–	–	–	
E979. b	その他および詳細不明の手段……	*85*	–	–	–	–	–	–	–	–	*5*	*15*	*16*	*8*	*4*	*3*	*9*	*4*	*4*	*4*	*3*	*4*	*4*	*1*	–	–	–	–	*1*	E979. b
	男 M.	*56*	–	–	–	–	–	–	–	–	*3*	*10*	*14*	*5*	*2*	*2*	*6*	*3*	*3*	*1*	*1*	*3*	*1*	*1*	–	–	–	–	*1*	
	女 F.	*29*	–	–	–	–	–	–	–	–	*2*	*5*	*2*	*3*	*2*	*1*	*3*	*1*	*1*	*3*	*2*	*1*	*3*	–	–	–	–	–	–	
(E980–E985)	他殺および他人の加害による傷害（戦…	1 869	142	65	46	43	33	329	120	58	117	255	321	183	115	70	79	42	48	44	28	27	21	11	1	–	–	–	–	(E980–E985)
	争行為を除く） 男 M.	1 255	76	30	22	26	19	173	51	25	85	196	275	149	73	45	51	31	30	27	13	18	9	3	1	–	–	–	–	
	女 F.	614	66	35	24	17	14	156	69	33	32	59	46	34	42	25	28	11	18	17	15	9	12	8	–	–	–	–	–	
E980	他人による故意の中毒……	141	23	12	7	13	7	62	40	24	1	–	2	3	3	1	1	–	2	1	1	–	–	–	–	–	–	–	–	E980
	男 M.	67	13	2	4	8	6	33	13	10	1	–	1	3	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–	
	女 F.	74	10	10	3	5	1	29	27	14	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
E981	銃器および爆発物による加害……	30	–	–	–	–	–	–	–	–	4	2	4	10	4	2	2	–	1	–	–	1	–	–	–	–	–	–	–	E981
	男 M.	24	–	–	–	–	–	–	–	–	2	2	4	9	3	2	2	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	6	–	–	–	–	–	–	–	–	2	–	–	1	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
E982	刃器および刺器による加害……	808	7	3	5	–	1	16	15	10	92	170	203	96	58	36	38	16	17	10	11	11	7	2	–	–	–	–	–	E982
	男 M.	647	5	2	1	–	1	9	4	5	74	147	184	84	38	24	26	14	12	6	6	9	4	1	–	–	–	–	–	
	女 F.	161	2	1	4	–	–	7	11	5	18	23	19	12	20	12	12	2	5	4	5	2	3	1	–	–	–	–	–	
E983	その他の手段による加害……	863	112	50	34	30	25	251	65	24	20	82	97	65	50	30	38	25	28	33	16	15	14	9	1	–	–	–	–	E983
	男 M.	490	58	26	17	18	12	131	34	10	8	46	71	44	31	18	22	16	16	20	6	9	5	2	1	–	–	–	–	
	女 F.	373	54	24	17	12	13	120	31	14	12	36	26	21	19	12	16	9	12	13	10	6	9	7	–	–	–	–	–	
E984	警察干与の傷害……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E984
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E985	処　　刑……	27	–	–	–	–	–	–	–	–	–	1	15	9	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	E985
	男 M.	27	–	–	–	–	–	–	–	–	–	1	15	9	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(E990–E999)	戦争行為による傷害……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	(E990–E999)
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
E990	戦争行為に基くガスおよび化学薬品による傷害	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E990
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E991	戦争行為に基く銃傷	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E991
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E992	戦争行為に基く手榴弾および地雷による傷害	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E992
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E993	戦争行為に基く爆撃による傷害	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E993
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E994	戦争行為に基く機雷，爆雷および水雷による傷害	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E994
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E995	戦争行為に基く砲弾による傷害	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E995
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E996	戦争行為に基く詳細不明の爆発による傷害	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E996
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E997	戦争行為に基く航空機の破壊による傷害	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E997
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E998	戦争行為に基くその他および詳細不明の手段による傷害	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E998
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E999	戦争行為に基く交戦状態停止後発生の傷害	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E999
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
NXVII	不慮の事故，中毒および暴力の二重分類（傷害の性質）	[1] 64 649	1 601	1 822	1 511	1 137	888	6 959	3 518	1 940	4 896	8 224	6 592	4 625	3 215	2 797	3 172	3 067	3 305	3 072	2 809	2 435	2 034	1 338	479	108	12	–	[1] 52	NXVII
	男 M.	43 659	820	1 066	908	691	586	4 071	2 426	1 325	3 274	5 806	4 973	3 452	2 267	1 988	2 311	2 237	2 377	2 105	1 782	1 397	1 007	607	199	37	2	–	16	
	女 F.	20 963	781	756	603	446	302	2 888	1 092	615	1 622	2 418	1 619	1 173	948	809	861	830	928	967	1 027	1 038	1 027	731	280	71	10	–	9	
(N800-N809)	頭蓋，脊柱および体幹の骨折	13 361	45	160	246	249	198	898	655	335	1 093	1 589	1 489	1 188	882	755	871	804	772	633	536	384	265	148	53	9	–	–	2	(N800-N809)
	男 M.	10 795	23	97	140	151	126	537	445	245	883	1 406	1 335	1 061	765	638	750	670	627	497	402	267	155	82	26	2	–	–	2	
	女 F.	2 566	22	63	106	98	72	361	210	90	210	183	154	127	117	117	121	134	145	136	134	117	110	66	27	7	–	–	–	
N800	頭円蓋の骨折	514	2	6	11	10	7	36	32	13	39	48	50	61	40	33	32	31	29	26	20	8	10	4	2	–	–	–	–	N800
	男 M.	426	2	5	6	8	3	24	22	9	31	45	46	56	38	29	26	23	24	21	17	7	6	1	1	–	–	–	–	
	女 F.	88	–	1	5	2	4	12	10	4	8	3	4	5	2	4	6	8	5	5	3	1	4	3	1	–	–	–	–	
N801	頭蓋底の骨折	4 260	17	45	63	69	68	262	216	106	345	494	476	382	287	260	298	269	268	207	165	102	67	38	13	5	–	–	–	N801
	男 M.	3 495	9	33	35	38	39	154	142	78	275	446	442	348	253	220	263	224	216	162	123	76	45	21	6	1	–	–	–	
	女 F.	765	8	12	28	31	29	108	74	28	70	48	34	34	34	40	35	45	52	45	42	26	22	17	7	4	–	–	–	
N802	顔面骨の骨折	280	–	2	5	7	3	17	12	7	29	48	39	25	13	20	15	21	9	5	7	6	5	2	–	–	–	–	–	N802
	男 M.	221	–	1	4	3	–	8	7	4	23	41	38	23	12	14	13	18	5	4	6	3	1	1	–	–	–	–	–	
	女 F.	59	–	1	1	4	3	9	5	3	6	7	1	2	1	6	2	3	4	1	1	3	4	1	–	–	–	–	–	
N803	その他および性質不明の頭蓋骨折	4 083	23	88	133	114	96	454	259	115	381	515	456	331	231	180	211	203	195	178	141	106	67	42	16	2	–	–	–	N803
	男 M.	3 229	10	49	81	74	65	279	179	86	308	446	401	285	200	155	183	167	165	132	103	73	33	23	10	1	–	–	–	
	女 F.	854	13	39	52	40	31	175	80	29	73	69	55	46	31	25	28	36	30	46	38	33	34	19	6	1	–	–	–	

注 ： 1） 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N804	その他の骨を含む頭蓋または顔の多発骨折	2 035	1	12	14	32	14	73	83	52	178	254
	男 M.	1 623	1	5	5	20	13	44	60	43	141	226
	女 F.	412	–	7	9	12	1	29	23	9	37	28
N805	脊椎の骨折および骨折脱臼（脊髄損傷の記載のないもの）	744	1	1	6	7	1	16	18	19	38	79
	男 M.	615	1	1	3	3	1	9	10	12	31	68
	女 F.	129	–	–	3	4	–	7	8	7	7	11
N806	脊椎の骨折および骨折脱臼（脊髄損傷を伴うもの）	346	–	1	–	–	1	2	3	5	21	41
	男 M.	317	–	1	–	–	1	2	1	3	21	38
	女 F.	29	–	–	–	–	–	–	2	2	–	3
N807	肋骨，胸骨および喉頭の骨折	349	–	–	6	3	1	10	7	3	17	26
	男 M.	273	–	–	2	2	–	4	6	1	11	24
	女 F.	76	–	–	4	1	1	6	1	2	6	2
N808	骨盤の骨折	343	–	1	4	4	2	11	16	9	19	43
	男 M.	262	–	–	3	1	1	5	11	5	18	38
	女 F.	81	–	1	1	3	1	6	5	4	1	5
N809	体幹の多発および不詳の骨折	407	1	4	4	3	5	17	9	6	26	41
	男 M.	334	–	2	1	2	3	8	7	4	24	34
	女 F.	73	1	2	3	1	2	9	2	2	2	7
(N810-N819)	上肢の骨折	87	–	–	2	–	1	3	3	5	2	4
	男 M.	52	–	–	1	–	1	2	3	3	–	4
	女 F.	35	–	–	1	–	–	1	–	2	2	–
N810	鎖骨骨折	5	–	–	–	–	–	–	–	–	–	–
	男 M.	4	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
N811	肩甲骨骨折	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N812	上腕骨骨折	40	–	–	2	–	–	2	1	4	1	3
	男 M.	16	–	–	1	–	–	1	1	2	–	3
	女 F.	24	–	–	1	–	–	1	–	2	1	–
N813	橈骨および尺骨骨折	9	–	–	–	–	–	–	2	1	–	–
	男 M.	6	–	–	–	–	–	–	2	1	–	–
	女 F.	3	–	–	–	–	–	–	–	–	–	–
N814	手根骨骨折	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N815	中手骨骨折	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N816	手指節骨骨折（単発または多発）	1	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
N817	手の骨の多発骨折	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N818	その他，多発および不詳の上肢骨折	5	–	–	–	–	1	1	–	–	–	–
	男 M.	4	–	–	–	–	1	1	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
241	198	149	129	124	123	126	90	82	62	39	24	7	–	–	–	1	N804
206	174	124	106	103	102	95	69	59	30	24	15	1	–	–	–	1	
35	24	25	23	21	21	31	21	23	32	15	9	6	–	–	–	–	
78	63	57	48	60	55	53	45	44	32	22	14	3	–	–	–	–	N805
70	57	42	44	50	49	46	40	34	27	15	9	2	–	–	–	–	
8	6	15	4	10	6	7	5	10	5	7	5	1	–	–	–	–	
43	39	28	28	26	23	26	26	16	9	8	1	1	–	–	–	–	N806
41	39	26	26	23	21	24	25	13	6	7	1	–	–	–	–	–	
2	–	2	2	3	2	2	1	3	3	1	–	1	–	–	–	–	
17	22	27	22	33	33	24	18	26	25	26	7	4	2	–	–	–	N807
15	21	24	17	33	27	17	13	22	20	13	3	2	–	–	–	–	
2	1	3	5	–	6	7	5	4	5	13	4	2	2	–	–	–	
36	30	25	14	27	16	20	18	16	17	10	11	5	–	–	–	–	N808
29	25	22	8	19	14	18	14	10	14	4	5	3	–	–	–	–	
7	5	3	6	8	2	2	4	6	3	6	6	2	–	–	–	–	
53	37	25	21	45	30	22	20	19	17	11	5	2	–	–	–	1	N809
47	33	24	19	37	25	17	17	15	11	7	3	1	–	–	–	1	
6	4	1	2	8	5	5	3	4	6	4	2	1	–	–	–	–	
7	6	1	2	3	2	2	6	6	13	7	7	6	2	–	–	–	(N810-N819)
7	5	1	2	3	1	1	3	3	8	3	2	1	–	–	–	–	
–	1	–	–	–	1	1	3	3	5	4	5	5	2	–	–	–	
1	–	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	N810
1	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N811
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	2	–	–	2	1	–	1	1	7	4	6	3	2	–	–	–	N812
–	1	–	–	2	–	–	–	–	3	1	2	–	–	–	–	–	
–	1	–	–	–	1	–	1	1	4	3	4	3	2	–	–	–	
1	–	1	–	–	–	–	–	1	1	1	–	1	–	–	–	–	N813
1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N814
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N815
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	N816
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N817
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	N818
1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
N819	両側上肢および肋骨，胸骨を含む上肢…の多発骨折	27	–	–	–	–	–	–	–	–	1	1	4	4	–	2	–	1	2	3	3	5	–	–	1	–	–	–	–	N819
	男 M.	22	–	–	–	–	–	–	–	–	–	1	4	4	–	2	–	1	1	3	2	4	–	–	–	–	–	–	–	
	女 F.	5	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	–	
(N820-N829)	下肢の骨折	731	1	3	7	8	3	22	16	10	20	25	32	31	15	15	23	19	43	32	37	84	112	113	54	24	4	–	–	(N820-N829)
	男 M.	367	1	2	5	4	2	14	6	9	20	23	29	27	14	13	18	15	28	16	21	32	27	32	14	8	1	–	–	
	女 F.	364	–	1	2	4	1	8	10	1	–	2	3	4	1	2	5	4	15	16	16	52	85	81	40	16	3	–	–	
N820	大腿骨頸骨折	145	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	2	5	5	7	27	38	31	17	9	2	–	–	N820
	男 M.	43	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	2	2	4	8	9	8	4	2	1	–	–	
	女 F.	102	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	3	3	3	19	29	23	13	7	1	–	–	
N821	その他および部位不明の大腿骨骨折	372	–	1	6	4	2	13	7	6	7	9	16	11	2	3	7	8	19	14	23	41	61	74	35	14	2	–	–	N821
	男 M.	172	–	1	5	2	1	9	3	5	7	9	15	10	2	3	5	5	12	5	12	18	16	22	9	5	–	–	–	
	女 F.	200	–	–	1	2	1	4	4	1	–	–	1	1	–	–	2	3	7	9	11	23	45	52	26	9	2	–	–	
N822	膝蓋骨骨折	5	–	1	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	N822
	男 M.	5	–	1	–	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N823	脛骨および腓骨骨折	88	–	1	1	4	1	7	2	1	4	4	6	9	7	6	7	5	4	6	2	10	5	2	–	1	–	–	–	N823
	男 M.	61	–	–	–	2	1	3	–	1	4	4	5	9	6	5	4	4	3	6	1	3	1	1	–	1	–	–	–	
	女 F.	27	–	1	1	2	–	4	2	–	–	–	1	–	1	1	3	1	1	–	1	7	4	1	–	–	–	–	–	
N824	足首の骨折	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	N824
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N825	足根骨および中足骨の骨折（単発または多発）	7	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	2	–	1	–	2	1	–	–	–	–	–	–	N825
	男 M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	
N826	足指節骨骨折（単発または多発）	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	N826
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N827	その他，多発および不詳の下肢骨折	36	–	–	–	–	–	–	5	–	3	5	5	3	2	2	–	–	4	1	1	–	1	3	1	–	–	–	–	N827
	男 M.	25	–	–	–	–	–	–	1	–	3	5	4	3	2	2	–	–	3	1	–	–	–	1	1	–	–	–	–	
	女 F.	11	–	–	–	–	–	–	4	–	–	–	1	–	–	–	–	–	1	–	1	–	1	3	–	–	–	–	–	
N828	両側下肢，上肢を含む下肢，肋骨および胸骨を含む下肢の多発骨折	67	1	–	–	–	–	1	1	2	6	5	4	7	3	3	5	1	10	5	3	3	4	3	1	–	–	–	–	N828
	男 M.	49	1	–	–	–	–	1	1	2	6	3	4	5	3	3	5	1	7	2	3	2	–	1	–	–	–	–	–	
	女 F.	18	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–	–	3	3	–	1	4	2	1	–	–	–	–	
N829	詳細不明の骨の骨折	9	–	–	–	–	–	–	–	–	–	1	–	1	–	–	3	1	–	–	–	1	2	–	–	–	–	–	–	N829
	男 M.	6	–	–	–	–	–	–	–	–	–	1	–	–	–	–	3	1	–	–	–	–	1	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
(N830-N839)	骨折を伴わない関節脱臼	13	–	1	–	–	–	1	–	–	–	1	–	1	–	–	–	–	1	2	1	2	2	–	2	–	–	–	(N830-N839)
	男 M.	8	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	1	1	1	2	–	1	–	–	–	–	
	女 F.	5	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	
N830	顎関節脱臼	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N830
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N831	肩関節脱臼	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	N831
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	
N832	肘関節脱臼	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N832
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N833	手首の関節脱臼	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N834	手指の関節脱臼	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N835	股関節脱臼	7	–	1	–	–	–	1	–	–	–	–
	男 M.	4	–	–	–	–	–	–	–	–	–	–
	女 F.	3	–	1	–	–	–	1	–	–	–	–
N836	膝関節脱臼	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N837	足首の関節脱臼	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N838	足の関節脱臼	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N839	その他，多発および不詳の関節脱臼	3	–	–	–	–	–	–	–	–	–	1
	男 M.	3	–	–	–	–	–	–	–	–	–	1
	女 F.	–	–	–	–	–	–	–	–	–	–	–
(N840-N848)	関節の捻挫および隣接筋の筋違い	18	–	–	–	–	–	–	–	–	1	–
	男 M.	10	–	–	–	–	–	–	–	–	1	–
	女 F.	8	–	–	–	–	–	–	–	–	–	–
N840	肩および上腕の捻挫	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N841	肘および前腕の捻挫	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N842	手首および手の捻挫	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N843	股および大腿の捻挫	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N844	膝および下腿の捻挫	1	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
N845	足首および足の捻挫	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N846	鼡蹊部の捻挫	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N847	その他および詳細不明の背部の捻挫	12	–	–	–	–	–	–	–	–	1	–
	男 M.	6	–	–	–	–	–	–	–	–	1	–
	女 F.	6	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N833
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N834
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	2	2	–	2	–	–	–	–	N835
–	–	–	–	–	–	–	–	–	1	2	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N836
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N837
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N838
–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	N839
–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	1	2	2	–	2	1	1	4	2	1	–	–	–	(N840-N848)
–	–	–	–	1	1	1	–	2	1	–	2	–	1	–	–	–	
–	1	–	–	–	1	1	–	–	–	1	2	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	N840
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N841
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N842
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	N843
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	N844
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	N845
–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N846
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	1	2	–	2	–	1	3	1	–	–	–	–	N847
–	–	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	
–	–	1	–	–	1	1	–	–	–	1	1	1	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5 才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭 和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
N 848	その他および不詳の挫滅	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	N 848
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
(N850-N856)	頭部の損傷（頭蓋骨折を除く）	5 541	40	61	78	85	70	334	221	116	340	546	477	386	294	269	334	384	386	387	349	294	222	146	46	9	1	–	–	(N850-N856)
	男 M.	4 305	26	37	46	49	41	199	150	92	278	477	425	345	251	229	280	321	303	302	239	181	131	75	25	2	–	–	–	
	女 F.	1 236	14	24	32	36	29	135	71	24	62	69	52	41	43	40	54	63	83	85	110	113	91	71	21	7	1	–	–	
N 850	頭皮の開放創	37	–	–	–	–	–	–	2	–	4	3	4	4	2	2	3	1	1	2	2	5	–	2	–	–	–	–	–	N 850
	男 M.	25	–	–	–	–	–	–	1	–	4	3	3	3	2	2	2	1	1	1	–	2	–	–	–	–	–	–	–	
	女 F.	12	–	–	–	–	–	–	1	–	–	–	1	1	–	–	1	–	–	1	2	3	–	2	–	–	–	–	–	
N 851	頭皮の挫傷および血腫	374	2	1	6	8	4	21	13	11	16	31	26	20	18	12	24	28	32	33	28	19	15	14	10	3	–	–	–	N 851
	男 M.	275	2	–	3	5	2	12	9	10	14	29	23	17	12	7	22	23	22	26	18	13	9	2	6	1	–	–	–	
	女 F.	99	–	1	3	3	2	9	4	1	2	2	3	3	6	5	2	5	10	7	10	6	6	12	4	2	–	–	–	
N 852	脳振盪	299	6	4	1	5	1	17	8	5	10	22	22	21	21	4	16	21	12	27	17	24	24	19	9	–	–	–	–	N 852
	男 M.	219	3	4	1	4	–	12	5	4	7	20	19	19	19	4	13	15	9	18	13	13	16	8	5	–	–	–	–	
	女 F.	80	3	–	–	1	1	5	3	1	3	2	3	2	2	–	3	6	3	9	4	11	8	11	4	–	–	–	–	
N 853	脳の挫傷および裂傷	973	7	9	18	14	22	70	57	20	60	94	66	71	61	45	60	62	70	61	68	53	33	15	6	1	–	–	–	N 853
	男 M.	760	5	5	12	5	11	38	35	16	51	81	60	63	53	41	50	50	51	49	47	37	23	9	5	1	–	–	–	
	女 F.	213	2	4	6	9	11	32	22	4	9	13	6	8	8	4	10	12	19	12	21	16	10	6	1	–	–	–	–	
N 854	損傷に続発する蜘網膜下，硬膜下および硬膜外出血（脳の挫傷および裂傷の記載のないもの）	140	1	4	1	2	1	9	4	1	8	10	14	4	10	15	12	11	6	11	9	4	10	2	–	–	–	–	–	N 854
	男 M.	107	–	4	1	1	–	6	1	1	8	9	13	4	9	13	10	7	6	6	7	2	4	1	–	–	–	–	–	
	女 F.	33	1	–	–	1	1	3	3	–	–	1	1	–	1	2	2	4	–	5	2	2	6	1	–	–	–	–	–	
N 855	損傷に続発するその他および詳細不明の頭蓋内出血（脳の挫傷および裂傷の記載のないもの）	2 388	18	28	41	39	29	155	91	53	124	217	191	173	105	126	141	172	186	177	156	136	103	62	14	5	1	–	–	N 855
	男 M.	1 862	11	15	23	22	18	89	65	39	103	186	177	160	92	104	117	147	149	144	107	81	60	34	8	–	–	–	–	
	女 F.	526	7	13	18	17	11	66	26	14	21	31	14	13	13	22	24	25	37	33	49	55	43	28	6	5	1	–	–	
N 856	その他および詳細不明の頭部損傷	1 330	6	15	11	17	13	62	46	26	118	169	154	93	77	65	78	89	79	76	69	53	37	32	7	–	–	–	–	N 856
	男 M.	1 057	5	9	6	12	10	42	34	22	91	149	130	79	64	58	66	78	65	58	47	33	19	21	1	–	–	–	–	
	女 F.	273	1	6	5	5	3	20	12	4	27	20	24	14	13	7	12	11	14	18	22	20	18	11	6	–	–	–	–	
(N860-N869)	胸，腹および骨盤腔の内部損傷	3 063	6	18	39	49	44	156	154	73	265	388	409	292	196	200	174	184	158	146	99	77	50	25	15	1	–	–	1	(N860-N869)
	男 M.	2 553	4	12	28	24	27	95	111	55	226	352	380	262	164	168	146	157	126	122	78	56	32	15	7	–	–	–	1	
	女 F.	510	2	6	11	25	17	61	43	18	39	36	29	30	32	32	28	27	32	24	21	21	18	10	8	1	–	–	–	
N 860	外傷性気胸および血胸	65	–	–	–	1	–	1	4	1	3	6	8	5	4	7	2	8	3	6	3	2	2	–	–	–	–	–	–	N 860
	男 M.	59	–	–	–	–	–	–	4	1	3	6	7	4	4	6	1	8	3	6	2	2	2	–	–	–	–	–	–	
	女 F.	6	–	–	–	1	–	1	–	–	–	–	1	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	
N 861	心臓および肺の損傷	815	2	2	4	6	7	21	25	16	73	107	112	101	63	59	46	44	37	40	23	24	9	10	5	–	–	–	–	N 861
	男 M.	692	2	1	3	4	3	13	18	11	58	97	103	89	52	50	41	40	31	34	20	16	8	7	4	–	–	–	–	
	女 F.	123	–	1	1	2	4	8	7	5	15	10	9	12	11	9	5	4	6	6	3	8	1	3	1	–	–	–	–	
N 862	その他および詳細不明の胸腔内臓器の損傷	583	–	4	4	7	8	23	23	9	46	84	77	56	33	30	33	40	37	23	26	19	12	7	4	1	–	–	–	N 862
	男 M.	468	–	2	2	7	6	17	15	8	40	74	69	49	30	23	26	30	26	18	20	14	6	2	1	–	–	–	–	
	女 F.	115	–	2	2	–	2	6	8	1	6	10	8	7	3	7	7	10	11	5	6	5	6	5	3	1	–	–	–	
N 863	胃腸管の損傷	370	–	2	3	6	1	12	16	13	35	36	60	41	22	24	17	23	18	26	10	9	5	3	–	–	–	–	–	N 863
	男 M.	332	–	1	2	3	1	7	14	10	29	34	58	39	19	22	16	21	16	23	10	9	3	2	–	–	–	–	–	
	女 F.	38	–	1	1	3	–	5	2	3	6	2	2	2	3	2	1	2	2	3	–	–	2	1	–	–	–	–	–	
N 864	肝臓の損傷	137	1	–	3	3	3	10	12	11	10	17	14	8	8	8	8	6	7	8	5	4	–	–	1	–	–	–	–	N 864
	男 M.	115	1	–	2	–	2	5	9	9	10	17	14	7	6	7	5	6	6	6	5	2	–	–	1	–	–	–	–	
	女 F.	22	–	–	1	3	1	5	3	2	–	–	–	1	2	1	3	–	1	2	–	2	–	–	–	–	–	–	–	
N 865	脾臓の損傷	27	–	–	–	1	4	5	3	–	2	1	4	3	2	1	4	–	–	1	1	–	–	–	–	–	–	–	–	N 865
	男 M.	23	–	–	–	–	3	3	2	–	2	1	4	3	2	1	4	–	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	4	–	–	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
N866	腎臓の損傷	96	–	–	1	3	–	4	1	4	5	12	15	8	4	6	6	9	5	5	5	1	2	1	2	–	–	–	1	N866
	男 M.	80	–	–	1	1	–	2	1	3	5	12	14	7	2	6	5	7	4	5	4	–	1	1	1	–	–	–	1	
	女 F.	16	–	–	–	2	–	2	–	1	–	–	1	1	2	–	1	2	1	–	1	1	2	–	1	–	–	–	–	
N867	骨盤腔内臓器の損傷	46	–	1	1	–	4	6	1	–	4	8	3	3	1	1	6	1	3	2	4	–	2	–	1	–	–	–	–	N867
	男 M.	35	–	–	–	–	1	1	1	–	3	7	3	2	1	1	6	1	3	1	3	–	2	–	–	–	–	–	–	
	女 F.	11	–	1	1	–	3	5	–	–	1	1	–	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–	
N868	その他および詳細不明の腹腔内臓器の傷損	437	–	6	12	14	12	44	24	10	44	60	52	32	28	28	19	24	20	17	15	9	9	2	–	–	–	–	–	N868
	男 M.	356	–	5	10	7	8	30	19	7	39	55	48	29	21	22	15	20	17	14	9	5	4	2	–	–	–	–	–	
	女 F.	81	–	1	2	7	4	14	5	3	5	5	4	3	7	6	4	4	3	3	6	4	5	–	–	–	–	–	–	
N869	詳細不明または腹腔内臓器を含む胸腔の内部傷損	487	3	3	11	8	5	30	45	9	43	57	64	35	31	36	33	29	28	18	7	9	9	2	2	–	–	–	–	N869
	男 M.	393	1	3	8	2	3	17	28	6	37	49	60	33	27	30	27	24	20	14	5	8	7	1	–	–	–	–	–	
	女 F.	94	2	–	3	6	2	13	17	3	6	8	4	2	4	6	6	5	8	4	2	1	2	1	2	–	–	–	–	
(N870-N879)	顔，頸および体幹の裂傷および開放創	958	12	8	12	9	6	47	34	19	109	171	142	98	49	50	63	43	45	28	24	17	13	4	2	–	–	–	–	(N870-N879)
	男 M.	694	5	4	9	6	5	29	16	12	80	126	111	79	36	35	48	29	33	20	18	11	8	2	1	–	–	–	–	
	女 F.	264	7	4	3	3	1	18	18	7	29	45	31	19	13	15	15	14	12	8	6	6	5	2	1	–	–	–	–	
N870	眼および眼窩の開放創	6	–	–	1	–	–	1	–	–	–	2	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	N870
	男 M.	6	–	–	1	–	–	1	–	–	–	2	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N871	眼球の脱出	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N871
	男 M.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N872	耳の開放創	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	N872
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N873	その他および詳細不明の顔面裂傷	52	6	1	2	4	–	13	2	–	2	4	1	6	1	1	4	5	4	3	1	2	2	–	1	–	–	–	–	N873
	男 M.	35	1	–	2	4	–	7	1	–	1	3	–	5	1	1	4	3	4	2	1	1	1	–	–	–	–	–	–	
	女 F.	17	5	1	–	–	–	6	1	–	1	1	1	1	–	–	–	2	–	1	–	1	1	–	1	–	–	–	–	
N874	頸の開放創	466	5	7	4	1	3	20	13	8	41	72	61	49	29	30	43	23	23	15	16	12	6	4	1	–	–	–	–	N874
	男 M.	325	3	4	3	–	3	13	7	3	29	47	44	37	20	20	33	15	17	12	13	8	4	2	1	–	–	–	–	
	女 F.	141	2	3	1	1	–	7	6	5	12	25	17	12	9	10	10	8	6	3	3	4	2	2	–	–	–	–	–	
N875	胸の開放創	89	–	–	1	1	1	3	3	1	9	17	17	13	6	2	4	2	6	3	2	–	1	–	–	–	–	–	–	N875
	男 M.	69	–	–	1	–	1	2	2	1	7	13	15	12	5	–	1	2	5	2	1	–	1	–	–	–	–	–	–	
	女 F.	20	–	–	–	1	–	1	1	–	2	4	2	1	1	2	3	–	1	1	1	–	–	–	–	–	–	–	–	–	
N876	背の開放創	7	–	–	–	–	–	–	–	–	–	2	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	N876
	男 M.	6	–	–	–	–	–	–	–	–	–	2	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	
N877	殿の開放創	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	N877
	男 M.	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N878	性器の開放創（外傷性切断を含む）	9	–	–	1	–	–	1	2	–	1	2	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N878
	男 M.	6	–	–	–	–	–	–	1	–	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	3	–	–	1	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N879	顔，頸および体幹の多発および詳細不明の開放創	325	1	–	3	3	2	9	14	10	56	72	58	26	13	15	12	13	10	6	4	3	4	–	–	–	–	–	–	N879
	男 M.	243	1	–	2	2	1	6	5	8	42	57	47	22	10	13	10	9	5	3	2	2	2	–	–	–	–	–	–	
	女 F.	82	–	–	1	1	1	3	9	2	14	15	11	4	3	2	2	4	5	3	2	1	2	–	–	–	–	–	–	
(N880-N888)	上肢の裂傷および開放創	73	–	–	–	–	1	1	2	5	1	7	10	8	5	6	7	3	4	6	4	4	–	–	–	–	–	–	–	(N880-N888)
	男 M.	62	–	–	–	–	1	1	–	5	1	7	8	7	4	6	7	3	4	3	3	3	–	–	–	–	–	–	–	
	女 F.	11	–	–	–	–	–	–	2	–	–	–	2	1	1	–	–	–	–	3	1	1	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
N 880	肩および上腕の開放創	18	–	–	–	–	–	–	1	–	1	3	6	2	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–	N 880
	男 M.	17	–	–	–	–	–	–	–	–	1	3	6	2	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N 881	肘，前腕および手首の開放創（腱を除く）	32	–	–	–	–	–	–	1	1	–	2	2	3	2	6	5	2	2	4	1	1	–	–	–	–	–	–	–	N 881
	男 M.	24	–	–	–	–	–	–	–	1	–	2	1	3	1	6	5	2	2	1	–	–	–	–	–	–	–	–	–	
	女 F.	8	–	–	–	–	–	–	1	–	–	–	1	–	1	–	–	–	–	3	1	1	–	–	–	–	–	–	–	
N 882	手首の開放創（腱を含む）	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N 882
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N 883	手の開放創（手指のみを除く）	4	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	N 883
	男 M.	4	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N 884	手指の開放創	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	N 884
	男 M.	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N 885	片側上肢の多発および詳細不明の開放創	6	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	N 885
	男 M.	6	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N 886	手母指の外傷性切断	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N 886
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N 887	その他の手指の外傷性切断	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	N 887
	男 M.	3	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N 888	腕および手の外傷性切断	7	–	–	–	–	1	1	–	–	–	1	–	1	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	N 888
	男 M.	6	–	–	–	–	1	1	–	–	–	1	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(N890-N898)	下肢の裂傷および開放創	175	–	–	2	2	1	5	13	9	16	31	30	14	9	11	8	7	4	5	2	7	1	1	1	1	–	–	–	(N890-N898)
	男 M.	149	–	–	1	1	1	3	7	6	15	29	27	11	7	8	7	6	4	1	1	7	–	1	–	–	–	–	–	
	女 F.	35	–	–	1	1	–	2	6	3	1	2	3	3	2	3	1	1	–	4	1	–	1	–	1	1	–	–	–	
N 890	股および大腿の開放創	74	–	–	1	–	–	1	1	2	9	19	16	5	4	6	3	2	1	1	1	2	1	–	–	–	–	–	–	N 890
	男 M.	64	–	–	1	–	–	1	–	2	9	18	16	3	3	4	3	2	1	–	–	2	–	–	–	–	–	–	–	
	女 F.	10	–	–	–	–	–	–	1	–	–	1	–	2	1	2	–	–	–	1	1	–	1	–	–	–	–	–	–	
N 891	膝，下腿および足首（腱を除く）の開放創	34	–	–	1	–	–	1	2	3	1	4	6	2	–	3	2	3	1	1	1	2	–	1	1	–	–	–	–	N 891
	男 M.	25	–	–	–	–	–	–	1	1	1	4	5	1	–	2	2	3	1	–	1	2	–	1	–	–	–	–	–	
	女 F.	9	–	–	1	–	–	1	1	2	–	–	1	1	–	1	–	–	–	1	–	–	–	–	1	–	–	–	–	
N 892	足首（腱を含む）の開放創	2	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N 892
	男 M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N 893	足の開放創（足指のみを除く）	19	–	–	–	1	–	1	2	3	2	–	1	1	1	2	1	1	–	1	–	2	–	–	–	1	–	–	–	N 893
	男 M.	14	–	–	–	1	–	1	2	2	2	–	1	1	–	2	–	1	–	–	–	2	–	–	–	–	–	–	–	
	女 F.	5	–	–	–	–	–	–	–	1	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	1	–	–	–	
N 894	足指の開放創	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N 894
	男 M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N 895	片側下肢の多発および詳細不明の開放創	7	–	–	–	–	–	–	2	–	–	–	1	2	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	N 895
	男 M.	5	–	–	–	–	–	–	1	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5才階級）・死因（基本分類）別

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N896	足指の外傷性切断	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N897	足の外傷性切断	5	–	–	–	–	–	–	1	–	1	2
	男 M.	5	–	–	–	–	–	–	1	–	1	2
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N898	脚の外傷性切断	33	–	–	–	–	1	1	3	1	3	6
	男 M.	25	–	–	–	–	1	1	–	1	2	5
	女 F.	8	–	–	–	–	–	–	3	–	1	1
(N900-N908)	多箇所にわたる裂傷および開放創	1 232	6	10	8	7	8	39	35	24	181	269
	男 M.	852	1	9	3	2	8	23	20	14	105	203
	女 F.	380	5	1	5	5	–	16	15	10	76	66
N900	両側上肢の多発開放創	3	–	–	–	–	–	–	–	–	–	–
	男 M.	2	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
N901	両側下肢の多発開放創	10	–	–	–	–	–	–	1	–	1	2
	男 M.	5	–	–	–	–	–	–	–	–	–	2
	女 F.	5	–	–	–	–	–	–	1	–	1	–
N902	体肢の多発開放創	26	–	1	1	1	–	3	–	–	1	4
	男 M.	20	–	1	1	1	–	3	–	–	1	2
	女 F.	6	–	–	–	–	–	–	–	–	–	2
N903	両手の多発開放創	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N904	頭および体肢の多発開放創	22	–	–	–	–	–	–	–	–	1	8
	男 M.	15	–	–	–	–	–	–	–	–	1	5
	女 F.	7	–	–	–	–	–	–	–	–	–	3
N905	頭および体幹の多発開放創	18	–	1	–	–	–	1	2	1	1	4
	男 M.	15	–	1	–	–	–	1	2	1	1	4
	女 F.	3	–	–	–	–	–	–	–	–	–	–
N906	体幹および体肢の多発開放創	61	–	–	–	1	1	2	5	1	10	12
	男 M.	47	–	–	–	–	1	1	3	–	7	10
	女 F.	14	–	–	–	1	–	1	2	1	3	2
N907	その他の部位を伴う顔の多発開放創	18	–	–	–	1	–	1	–	–	1	1
	男 M.	11	–	–	–	–	–	–	–	–	1	1
	女 F.	7	–	–	–	1	–	1	–	–	–	–
N908	その他および部位不明の多発開放創	1 074	6	8	7	4	7	32	27	22	166	238
	男 M.	737	1	7	2	1	7	18	15	13	94	179
	女 F.	337	5	1	5	3	–	14	12	9	72	59
(N910-N918)	表在損傷	8	1	–	–	–	–	1	–	1	–	–
	男 M.	8	1	–	–	–	–	1	–	1	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N910	顔および頸の表在損傷	3	1	–	–	–	–	1	–	–	–	–
	男 M.	3	1	–	–	–	–	1	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N911	体幹の表在損傷	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N896
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N897
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	4	4	–	1	1	2	1	–	1	–	–	–	–	–	–	–	N898
3	4	4	–	1	–	2	1	–	1	–	–	–	–	–	–	–	
2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
168	96	57	55	57	48	50	43	26	33	25	15	7	3	–	–	1	(N900-N908)
135	72	41	36	41	31	37	34	19	23	10	5	1	1	–	–	1	
33	24	16	19	16	17	13	9	7	10	15	10	6	2	–	–	–	
1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	N900
1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
2	–	–	–	1	1	–	–	–	–	–	1	1	–	–	–	–	N901
2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	
4	1	2	2	1	1	1	3	1	1	–	–	1	–	–	–	–	N902
4	1	2	2	1	–	–	3	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	1	1	–	1	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N903
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
5	2	1	2	–	2	–	1	–	–	–	–	–	–	–	–	–	N904
4	1	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	
1	3	1	–	–	1	2	–	1	–	–	–	–	–	–	–	–	N905
1	3	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	
5	6	2	2	3	3	2	1	2	3	1	–	1	–	–	–	–	N906
3	5	2	2	3	3	2	1	2	2	1	–	–	–	–	–	–	
2	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	
3	1	2	1	1	2	–	2	–	2	–	–	–	1	–	–	–	N907
2	1	1	1	1	1	–	1	–	1	–	–	–	–	–	–	–	
1	–	1	–	–	1	–	1	–	1	–	–	–	1	–	–	–	
147	83	48	48	51	38	44	36	22	27	24	14	4	2	–	–	1	N908
118	61	33	29	36	25	35	29	16	19	9	5	1	1	–	–	1	
29	22	15	19	15	13	9	7	6	8	15	9	3	1	–	–	–	
–	1	–	–	2	–	–	–	2	–	–	–	1	–	–	–	–	(N910-N918)
–	1	–	–	2	–	–	–	2	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	N910
–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N911
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
N912	肩および上腕の表在損傷	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	N912
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N913	肘，前腕および手首の表在損傷	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	N913
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N914	手の表在損傷（手指のみを除く）	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	N914
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N915	手指の表在損傷	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	N915
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N916	股，大腿，下腿および足首の表在損傷	2	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	N916
	男 M.	2	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N917	足および足指の表在損傷	1	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	N917
	男 M.	1	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N918	その他，多発および部位不明の表在損傷	2	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	1	－	－	－	－	－	－	－	－	N918
	男 M.	2	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	1	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
(N920-N929)	挫傷および破砕（皮膚表面に損傷のないもの）	459	－	4	4	6	3	17	15	8	27	34	24	25	35	18	20	19	18	18	29	34	43	41	28	6	－	－	－	(N920-N929)
	男 M.	304	－	3	1	2	2	8	11	4	22	29	21	20	26	11	16	14	15	13	22	16	18	20	13	5	－	－	－	
	女 F.	155	－	1	3	4	1	9	4	4	5	5	3	5	9	7	4	5	3	5	7	18	25	21	15	1	－	－	－	
N920	顔および頸の挫傷（眼を除く）	39	－	－	1	－	1	2	1	1	2	1	3	4	9	1	2	－	3	－	4	1	2	1	2	－	－	－	－	N920
	男 M.	26	－	－	1	－	1	2	1	－	1	1	3	4	3	1	2	－	2	－	2	1	1	1	1	－	－	－	－	
	女 F.	13	－	－	－	－	－	－	－	1	1	－	－	－	6	－	－	－	1	－	2	－	1	－	1	－	－	－	－	
N921	眼および眼窩の挫傷	1	－	1	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	N921
	男 M.	1	－	1	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N922	体幹の挫傷	266	－	2	2	4	－	8	11	3	15	22	9	15	13	10	16	13	12	12	19	19	27	22	17	3	－	－	－	N922
	男 M.	180	－	1	－	1	－	2	8	1	12	22	8	13	11	5	13	9	11	8	15	9	11	11	8	3	－	－	－	
	女 F.	86	－	1	2	3	－	6	3	2	3	－	1	2	2	5	3	4	1	4	4	10	16	11	9	－	－	－	－	
N923	肩および上腕の挫傷	4	－	－	－	－	－	－	－	－	－	－	－	－	1	1	－	－	－	－	－	－	1	1	－	－	－	－	－	N923
	男 M.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	3	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	1	1	－	－	－	－	－	
N924	肘，前腕および手首の挫傷	1	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	N924
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	
N925	手の挫傷（手指のみを除く）	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	N925
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N926	手指の挫傷	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	N926
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N927	股，大腿，下腿および足首の挫傷	35	－	－	－	－	1	1	－	2	1	－	1	－	2	－	－	－	1	1	－	7	5	9	5	－	－	－	－	N927
	男 M.	17	－	－	－	－	1	1	－	2	1	－	－	－	2	－	－	－	1	1	－	2	1	3	3	－	－	－	－	
	女 F.	18	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	5	4	6	2	－	－	－	－	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
N928	足および足指の挫傷	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N928
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N929	その他，多発および部位不明の挫傷	112	–	1	1	2	1	5	3	2	9	11	11	6	9	5	2	6	2	5	6	7	8	8	4	3	–	–	–	N929
	男 M.	78	–	1	–	1	–	2	2	1	8	6	10	3	9	4	1	5	1	4	5	4	5	5	1	2	–	–	–	
	女 F.	34	–	–	1	1	1	3	1	1	1	5	1	3	–	1	1	1	1	1	1	3	3	3	3	1	–	–	–	
(N930-N936)	孔口への異物侵入	715	209	40	14	11	3	277	16	3	8	4	7	9	6	10	14	12	27	41	47	70	71	70	21	2	–	–	–	(N930-N936)
	男 M.	493	107	24	12	7	2	152	9	2	4	4	5	7	5	8	13	8	24	33	36	60	50	53	18	2	–	–	–	
	女 F.	222	102	16	2	4	1	125	7	1	4	–	2	2	1	2	1	4	3	8	11	10	21	17	3	–	–	–	–	
N930	眼および附属器の異物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N930
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N931	耳の異物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N931
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N932	鼻の異物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N932
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N933	咽頭および喉頭の異物	555	153	18	7	4	–	182	6	1	6	4	5	6	5	8	11	11	25	36	42	59	64	61	21	2	–	–	–	N933
	男 M.	395	76	12	5	3	–	96	4	–	3	4	3	5	4	7	10	8	22	29	35	50	47	48	18	2	–	–	–	
	女 F.	160	77	6	2	1	–	86	2	1	3	–	2	1	1	1	1	3	3	7	7	9	17	13	3	–	–	–	–	
N934	気管支および肺の異物	136	50	20	6	6	3	85	9	2	2	–	1	3	–	2	3	–	2	4	3	8	6	6	–	–	–	–	–	N934
	男 M.	84	27	12	6	4	2	51	5	2	1	–	1	2	–	1	3	–	2	3	1	7	2	3	–	–	–	–	–	
	女 F.	52	23	8	–	2	1	34	4	–	1	–	–	1	–	1	–	–	–	1	2	1	4	3	–	–	–	–	–	
N935	消化管の異物	24	6	2	1	1	–	10	1	–	–	–	1	–	1	–	–	1	–	1	2	3	1	3	–	–	–	–	–	N935
	男 M.	14	4	–	1	–	–	5	–	–	–	–	1	–	1	–	–	–	–	1	–	3	1	2	–	–	–	–	–	
	女 F.	10	2	2	–	1	–	5	1	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–	
N936	性尿器路の異物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N936
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(N940-N949)	熱傷	1 883	154	145	97	75	58	529	104	34	63	87	81	66	55	56	52	61	80	72	109	120	130	132	42	9	1	–	–	(N940-N949)
	男 M.	1 052	69	85	58	33	30	275	57	16	44	70	60	51	34	34	33	34	47	39	64	65	62	49	17	1	–	–	–	
	女 F.	831	85	60	39	42	28	254	47	18	19	17	21	15	21	22	19	27	33	33	45	55	68	83	25	8	1	–	–	
N940	眼の熱傷	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N940
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N941	顔，頭および頸の熱傷	39	16	9	3	–	1	29	–	–	–	2	2	–	1	–	–	–	–	–	2	1	2	–	–	–	–	–	–	N941
	男 M.	20	5	7	2	–	1	15	–	–	–	2	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–	–	
	女 F.	19	11	2	1	–	–	14	–	–	–	–	2	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	
N942	体幹の熱傷	31	2	3	4	3	2	14	–	1	–	1	–	–	1	–	–	1	1	–	2	–	5	4	–	1	–	–	–	N942
	男 M.	10	–	1	3	–	1	5	–	–	–	1	–	–	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	
	女 F.	21	2	2	1	3	1	9	–	1	–	–	–	–	1	–	–	1	1	–	1	–	3	3	–	1	–	–	–	
N943	上肢の熱傷（手首および手を除く）	2	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N943
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N944	手首および手の熱傷	4	–	–	2	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	N944
	男 M.	3	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	女 F.	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
N945	下肢の熱傷	79	13	5	2	4	1	25	2	–	–	1	1	–	2	2	2	2	5	3	6	11	7	8	1	–	1	–	–	N945
	男 M.	42	10	2	2	3	1	18	1	–	–	1	–	–	1	2	2	–	5	1	4	4	2	1	–	–	–	–	–	
	女 F.	37	3	3	–	1	–	7	1	–	–	–	1	–	1	–	–	2	–	2	2	7	5	7	1	–	1	–	–	
N946	体肢とともに顔，頭および頸におよぶ熱傷	61	14	19	5	–	–	38	2	–	1	–	1	–	–	1	–	3	–	5	2	2	4	2	–	–	–	–	–	N946
	男 M.	31	5	11	1	–	–	17	1	–	–	–	1	–	–	–	–	3	–	4	2	1	1	1	–	–	–	–	–	
	女 F.	30	9	8	4	–	–	21	1	–	1	–	–	–	–	1	–	–	–	1	–	1	3	1	–	–	–	–	–	
N947	体幹および体肢におよぶ熱傷	274	26	18	19	17	8	88	14	2	4	4	2	2	5	4	5	12	12	17	21	19	28	24	10	1	–	–	–	N947
	男 M.	139	10	9	13	9	4	45	9	1	3	2	–	2	2	2	3	6	8	8	13	7	14	11	3	–	–	–	–	
	女 F.	135	16	9	6	8	4	43	5	1	1	2	2	–	3	2	2	6	4	9	8	12	14	13	7	1	–	–	–	
N948	顔，頭，頸，体幹および体肢におよぶ熱傷	1 235	66	76	47	45	42	276	78	31	57	76	71	57	42	44	40	41	57	44	68	68	75	79	25	6	–	–	–	N948
	男 M.	723	30	46	27	18	21	142	43	15	40	61	55	44	29	27	26	24	32	24	39	41	39	30	11	1	–	–	–	
	女 F.	512	36	30	20	27	21	134	35	16	17	15	16	13	13	17	14	17	25	20	29	27	36	49	14	5	–	–	–	
N949	その他および部位不明の熱傷	158	17	14	15	6	4	56	8	–	–	3	4	7	3	5	5	2	5	3	8	19	9	14	6	1	–	–	–	N949
	男 M.	84	9	9	9	3	2	32	3	–	–	3	4	5	1	3	2	1	2	2	4	11	4	4	3	–	–	–	–	
	女 F.	74	8	5	6	3	2	24	5	–	–	–	–	2	2	2	3	1	3	1	4	8	5	10	3	1	–	–	–	
(N950-N959)	骨の損傷を伴わない神経および脊髄の損傷	195	–	–	–	–	–	–	–	1	10	10	10	14	17	14	22	23	21	10	20	9	7	5	1	1	–	–	–	(N950-N959)
	男 M.	168	–	–	–	–	–	–	–	1	10	10	10	13	17	11	14	18	20	9	17	8	5	4	1	–	–	–	–	
	女 F.	27	–	–	–	–	–	–	–	–	–	–	–	1	–	3	8	5	1	1	3	1	2	1	–	1	–	–	–	
N950	視神経損傷	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N950
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N951	その他の脳神経損傷	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	N951
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N952	上腕の神経損傷	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N952
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N953	前腕の神経損傷	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	N953
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N954	手首および手の神経損傷	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N954
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N955	大腿の神経損傷	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	N955
	男 M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N956	下腿の神経損傷	3	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	N956
	男 M.	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	
N957	足首および足の神経損傷	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N957
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
N958	脊椎骨損傷の形跡のない脊髄損傷	187	–	–	–	–	–	–	–	1	10	10	10	14	15	14	21	23	20	9	18	9	6	5	1	1	–	–	–	N958
	男 M.	161	–	–	–	–	–	–	–	1	10	10	10	13	15	11	13	18	19	8	15	8	5	4	1	–	–	–	–	
	女 F.	26	–	–	–	–	–	–	–	–	–	–	–	1	–	3	8	5	1	1	3	1	1	1	–	1	–	–	–	
N959	その他の神経損傷（数箇所の神経損傷を含む）	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N959
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5 才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
(N960-N979)	毒物の作用	10 980	66	52	27	31	21	197	76	63	1 479	3 234	2 029	989	609	435	416	362	322	264	215	162	75	40	10	－	－	－	3	(N960-N979)
	男 M.	6 300	33	24	15	20	14	106	31	33	712	1 805	1 276	587	335	247	255	245	217	176	119	96	38	17	3	－	－	－	2	
	女 F.	4 680	33	28	12	11	7	91	45	30	767	1 429	753	402	274	188	161	117	105	88	96	66	37	23	7	－	－	－	1	
N960	有毒食物による中毒	162	－	1	1	2	1	5	6	2	3	2	7	9	5	17	13	20	18	25	14	10	6	－	－	－	－	－	－	N960
	男 M.	121	－	－	1	1	－	2	3	1	2	1	6	8	4	9	11	16	15	20	12	8	3	－	－	－	－	－	－	
	女 F.	41	－	1	－	1	1	3	3	1	1	1	1	1	1	8	2	4	3	5	2	2	3	－	－	－	－	－	－	
N961	アルコール中毒	71	－	－	2	1	1	4	1	－	3	4	14	3	12	7	5	3	7	4	3	1	－	－	－	－	－	－	－	N961
	男 M.	62	－	－	1	1	1	3	－	－	3	4	10	3	12	6	5	3	6	4	3	－	－	－	－	－	－	－	－	
	女 F.	9	－	－	1	－	－	1	1	－	－	－	4	－	－	1	－	－	1	－	－	1	－	－	－	－	－	－	－	
N962	石油製品による中毒	19	－	10	2	－	－	12	1	－	－	1	－	1	－	1	1	2	－	－	－	－	－	－	－	－	－	－	－	N962
	男 M.	8	－	4	1	－	－	5	1	－	－	－	－	－	－	1	－	1	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	11	－	6	1	－	－	7	－	－	－	1	－	1	－	－	1	1	－	－	－	－	－	－	－	－	－	－	－	
N963	工業溶媒による中毒	3	－	－	－	－	－	－	－	－	－	1	－	－	1	－	1	－	－	－	－	－	－	－	－	－	－	－	－	N963
	男 M.	2	－	－	－	－	－	－	－	－	－	1	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	
N964	腐食性化合物，酸およびカセイアルカリによる中毒	243	4	2	2	1	－	9	－	2	18	35	24	20	19	12	18	19	9	17	18	14	7	1	1	－	－	－	－	N964
	男 M.	118	3	－	1	1	－	5	－	－	8	16	14	10	10	4	8	12	3	9	7	9	3	－	－	－	－	－	－	
	女 F.	125	1	2	1	－	－	4	－	2	10	19	10	10	9	8	10	7	6	8	11	5	4	1	1	－	－	－	－	
N965	水銀およびその化合物による中毒	40	－	1	－	－	－	1	－	－	9	13	9	2	4	－	1	1	－	－	－	－	－	－	－	－	－	－	－	N965
	男 M.	17	－	1	－	－	－	1	－	－	3	3	5	2	1	－	1	1	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	23	－	－	－	－	－	－	－	－	6	10	4	－	3	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N966	鉛およびその化合物による中毒	1	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	N966
	男 M.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N967	ヒ素，アンチモンおよびその化合物による中毒	19	－	1	－	－	－	1	－	－	－	2	3	2	2	－	1	1	1	4	1	1	－	－	－	－	－	－	－	N967
	男 M.	10	－	－	－	－	－	－	－	－	－	2	1	－	1	－	－	1	1	2	1	1	－	－	－	－	－	－	－	
	女 F.	9	－	1	－	－	－	1	－	－	－	－	2	2	1	－	1	－	－	2	－	－	－	－	－	－	－	－	－	
N968	一酸化炭素中毒	1 311	46	15	8	10	10	89	28	28	106	270	218	113	77	63	59	58	56	44	39	29	13	17	4	－	－	－	－	N968
	男 M.	610	21	5	5	8	6	45	15	16	53	110	89	61	30	28	24	29	37	27	16	18	5	6	1	－	－	－	－	
	女 F.	701	25	10	3	2	4	44	13	12	53	160	129	52	47	35	35	29	19	17	23	11	8	11	3	－	－	－	－	
N969	その他のガスおよび蒸気による中毒	77	1	1	2	－	1	5	1	2	7	11	13	7	8	6	5	2	2	2	1	－	2	2	1	－	－	－	－	N969
	男 M.	61	－	1	－	－	1	2	－	1	5	10	11	7	8	6	3	2	1	1	1	－	1	1	1	－	－	－	－	
	女 F.	16	1	－	2	－	－	3	1	1	2	1	2	－	－	－	2	－	1	1	－	－	1	1	－	－	－	－	－	
N970	モルヒネおよびその他のアヘン誘導体による中毒	8	－	－	－	－	－	－	－	－	－	2	2	2	1	－	－	1	－	－	－	－	－	－	－	－	－	－	－	N970
	男 M.	6	－	－	－	－	－	－	－	－	－	1	2	1	1	－	－	1	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	2	－	－	－	－	－	－	－	－	－	1	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
N971	バルビツール酸およびその誘導体による中毒	451	1	－	－	－	1	2	5	－	63	155	103	46	25	14	10	9	11	2	5	1	－	－	－	－	－	－	－	N971
	男 M.	262	－	－	－	－	1	1	1	－	29	83	72	29	15	10	4	8	7	1	2	－	－	－	－	－	－	－	－	
	女 F.	189	1	－	－	－	－	1	4	－	34	72	31	17	10	4	6	1	4	1	3	1	－	－	－	－	－	－	－	
N972	アスピリンおよびサリチル酸化合物による中毒	2	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	N972
	男 M.	1	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	
N973	臭化物による中毒	3 047	1	－	2	3	－	6	9	5	549	1 091	631	273	132	88	74	58	34	36	27	20	12	2	－	－	－	－	－	N973
	男 M.	1 747	－	－	1	3	－	4	1	4	259	634	392	163	71	53	48	41	26	24	13	7	5	2	－	－	－	－	－	
	女 F.	1 300	1	－	1	－	－	2	8	1	290	457	239	110	61	35	26	17	8	12	14	13	7	－	－	－	－	－	－	
N974	その他の鎮痛薬および催眠薬による中毒	2 180	1	1	－	1	2	5	3	1	325	784	473	224	91	65	56	42	41	26	15	18	6	4	－	－	－	－	1	N974
	男 M.	1 279	1	－	－	1	2	4	2	－	162	468	309	123	52	32	36	27	28	16	5	10	3	1	－	－	－	－	1	
	女 F.	901	－	1	－	－	－	1	1	1	163	316	164	101	39	33	20	15	13	10	10	8	3	3	－	－	－	－	－	

第 48 表　死　亡　者　数，

TABLE 48　DEATHS FROM CAUSES (DETAILED

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
N975	スルホンアミド薬による中毒	2	–	–	1	–	–	1	–	–	–	–
	男 M.	1	–	–	1	–	–	1	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
N976	ストリキニーネによる中毒	9	–	–	–	–	–	–	–	–	–	5
	男 M.	7	–	–	–	–	–	–	–	–	–	4
	女 F.	2	–	–	–	–	–	–	–	–	–	1
N977	ベラドンナ，ヒヨスチンおよびアトロピンによる中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N978	有毒動物による中毒	47	–	1	1	1	–	3	6	1	–	1
	男 M.	26	–	–	–	1	–	1	2	1	–	–
	女 F.	21	–	1	1	–	–	2	4	–	–	1
N979	その他および詳細不明の物質による中毒	3 288	12	19	6	12	5	54	16	22	396	857
	男 M.	1 961	8	13	4	4	3	32	6	10	188	468
	女 F.	1 327	4	6	2	8	2	22	10	12	208	389
(N980-N989)	天候，不良環境などの作用	696	25	6	5	2	2	40	11	4	28	80
	男 M.	533	10	–	4	2	1	17	10	4	23	68
	女 F.	163	15	6	1	–	1	23	1	–	5	12
N980	低温の作用	486	9	–	–	–	1	10	4	–	16	65
	男 M.	407	3	–	–	–	1	4	4	–	14	58
	女 F.	79	6	–	–	–	–	6	–	–	2	7
N981	熱および日射の作用	108	16	6	2	1	1	26	7	2	2	4
	男 M.	48	7	–	1	1	–	9	6	2	–	3
	女 F.	60	9	6	1	–	1	17	1	–	2	1
N982	高所の作用	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N983	潜函病	13	–	–	–	–	–	–	–	–	2	2
	男 M.	12	–	–	–	–	–	–	–	–	2	1
	女 F.	1	–	–	–	–	–	–	–	–	–	1
N984	雷撃の作用	57	–	–	–	1	–	1	–	2	6	7
	男 M.	42	–	–	–	1	–	1	–	2	5	6
	女 F.	15	–	–	–	–	–	–	–	–	1	1
N985	飢餓	30	–	–	3	–	–	3	–	–	2	1
	男 M.	23	–	–	3	–	–	3	–	–	2	–
	女 F.	7	–	–	–	–	–	–	–	–	–	1
N986	渇	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N987	その他の不良環境曝露（他の項に分類されないもの）	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N988	過労	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N989	動揺病	1	–	–	–	–	–	–	–	–	–	1
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	1

性・年齢（5才階級）・死因（基本分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	N975
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	N976
1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N977
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	2	1	3	4	5	1	7	5	3	2	–	–	–	–	–	N978
1	1	–	1	2	3	4	1	3	4	1	1	–	–	–	–	–	
–	1	2	–	1	1	1	–	4	1	2	1	–	–	–	–	–	
530	283	230	160	168	142	136	103	85	62	26	12	4	–	–	–	2	N979
363	177	129	96	113	100	88	71	56	39	17	6	1	–	–	–	1	
167	106	101	64	55	42	48	32	29	23	9	6	3	–	–	–	1	
54	52	36	39	38	56	61	56	38	36	32	26	8	1	–	–	–	(N980-N989)
43	46	28	32	32	49	49	48	27	21	20	14	2	–	–	–	–	
11	6	8	7	6	7	12	8	11	15	12	12	6	1	–	–	–	
34	36	25	26	30	46	50	44	30	27	21	18	4	–	–	–	–	N980
30	34	23	23	25	41	43	38	25	17	14	12	2	–	–	–	–	
4	2	2	3	5	5	7	6	5	10	7	6	2	–	–	–	–	
2	5	4	8	3	3	6	7	7	4	6	7	4	1	–	–	–	N981
2	3	–	4	3	2	3	6	1	1	2	1	–	–	–	–	–	
–	2	4	4	–	1	3	1	6	3	4	6	4	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N982
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	N983
2	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
11	7	4	3	4	2	5	1	–	3	1	–	–	–	–	–	–	N984
5	6	3	3	3	2	3	1	–	1	1	–	–	–	–	–	–	
6	1	1	–	1	–	2	–	–	2	–	–	–	–	–	–	–	
5	1	3	–	1	4	–	3	–	2	4	1	–	–	–	–	–	N985
4	–	2	–	1	3	–	2	–	2	3	1	–	–	–	–	–	
1	1	1	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	N986
–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N987
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N988
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N989
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 48 表　死　亡　者　数，性・年齢（5才階級）・死因（基本分類）別

TABLE 48　DEATHS FROM CAUSES (DETAILED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
(N990-N999)	その他および詳細不明の損傷および反応	1) 24 461	1 036	1 314	970	603	469	4 392	2 163	1 230	1 253	1 744
	男 M.	14 963	540	769	585	390	325	2 609	1 550	823	850	1 192
	女 F.	9 471	496	545	385	213	144	1 783	613	407	403	552
N990	溺死および死に至らない溺水	1) 14 627	224	1 234	928	569	435	3 390	2 049	1 098	819	926
	男 M.	8 565	129	724	565	370	308	2 096	1 482	728	512	573
	女 F.	6 035	95	510	363	199	127	1 294	567	370	307	353
N991	窒息および絞首	8 468	787	68	32	24	23	934	69	82	297	617
	男 M.	5 303	396	37	13	15	13	474	41	58	216	431
	女 F.	5 165	391	31	19	9	10	460	28	24	81	186
N992	電撃死および死に至らない電撃傷	559	1	1	–	1	1	4	8	16	84	124
	男 M.	542	–	1	–	–	–	1	6	15	84	123
	女 F.	17	1	–	–	1	1	3	2	1	–	1
N993	放射線による損傷（日焼けを除く）	22	–	–	–	–	–	–	–	–	–	1
	男 M.	16	–	–	–	–	–	–	–	–	–	1
	女 F.	6	–	–	–	–	–	–	–	–	–	–
N994	その他の外因による損傷	3	–	–	–	–	–	–	–	–	–	–
	男 M.	3	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N995	外傷の早期合併症	237	2	3	5	1	2	13	10	6	17	20
	男 M.	160	1	3	3	1	2	10	8	3	15	16
	女 F.	77	1	–	2	–	–	3	2	3	2	4
N996	その他および詳細不明の損傷	525	13	7	5	8	8	41	26	27	36	55
	男 M.	363	7	3	4	4	2	20	12	18	23	48
	女 F.	162	6	4	1	4	6	21	14	9	13	7
N997	治療目的以外の内外科的処置による反応および合併症	19	9	1	–	–	–	10	1	1	–	1
	男 M.	10	7	1	–	–	–	8	1	1	–	–
	女 F.	9	2	–	–	–	–	2	–	–	–	1
N998	治療のための注射，注入および輸血に対する異常反応	1	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
N999	その他の治療処置に対する異常反応	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International detailed list number
1 623	1 348	949	862	1 067	1 038	1 309	1 323	1 263	1 088	978	561	180	39	6	–	1) 45	(N990-N999)
1 101	857	539	510	645	635	841	788	708	541	446	234	68	15	1	–	10	
522	491	410	352	422	403	468	535	555	547	532	327	112	24	5	–	8	
871	756	536	476	516	442	530	517	501	432	401	228	80	14	3	–	1) 42	N990
518	423	270	239	288	235	309	260	221	174	136	66	25	3	–	–	7	
353	333	266	237	228	207	221	257	280	258	265	162	55	11	3	–	8	
573	428	332	316	467	540	726	759	725	627	543	307	97	24	3	–	2	N991
419	290	204	211	291	355	494	492	469	353	290	158	42	12	1	–	2	
154	138	128	105	176	185	232	267	256	274	253	149	55	12	2	–	–	
109	88	33	29	21	18	12	9	3	–	1	–	–	–	–	–	–	N992
107	87	32	29	20	18	11	6	3	–	–	–	–	–	–	–	–	
2	1	1	–	1	–	1	3	–	–	1	–	–	–	–	–	–	
1	5	1	2	4	1	6	–	–	–	1	–	–	–	–	–	–	N993
–	4	–	1	4	–	5	–	–	–	1	–	–	–	–	–	–	
1	1	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	N994
1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
12	21	9	16	23	9	12	15	13	11	16	11	3	–	–	–	–	N995
12	15	7	9	18	5	8	13	4	4	9	3	1	–	–	–	–	
–	6	2	7	5	4	4	2	9	7	7	8	2	–	–	–	–	
54	49	36	23	32	28	23	23	21	18	16	15	–	1	–	–	1	N996
44	38	26	21	21	22	14	17	11	10	10	7	–	–	–	–	1	
10	11	10	2	11	6	9	6	10	8	6	8	–	1	–	–	–	
2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	N997
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	N998
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	N999
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

注：1）男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of" sex unknown", the components do not equal the total.

第 49 表　死　亡　者　数，性・年齢（5才階級）・死因（簡単分類）別

TABLE 49　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際基本分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
	総数	1) 689 958	54 768	6 557	4 559	3 715	3 103	72 702	9 812	5 937	9 931	15 253
	男 M.	367 562	30 646	3 583	2 539	2 031	1 728	40 527	5 690	3 453	5 942	9 167
	女 F.	322 370	24 122	2 974	2 020	1 684	1 375	32 175	4 122	2 484	3 989	6 086
B1	呼吸器系の結核	29 747	36	38	32	21	16	143	69	117	426	1 104
	男 M.	18 557	16	22	16	11	10	75	38	39	168	500
	女 F.	11 190	20	16	16	10	6	68	31	78	258	604
B2	その他の結核	3 245	91	116	98	60	48	413	150	104	171	212
	男 M.	1 485	54	53	50	23	26	206	71	55	79	110
	女 F.	1 760	37	63	48	37	22	207	79	49	92	102
B3	梅毒およびその続発症	2 247	20	1	–	–	–	21	2	4	9	10
	男 M.	1 634	14	1	–	–	–	15	2	3	8	6
	女 F.	613	6	–	–	–	–	6	–	1	1	4
B4	腸チフス	37	–	–	–	–	–	–	–	–	2	6
	男 M.	24	–	–	–	–	–	–	–	–	2	4
	女 F.	13	–	–	–	–	–	–	–	–	–	2
B5	コレラ	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B6	赤痢	2 457	63	153	338	417	353	1 324	689	110	22	9
	男 M.	1 134	34	73	154	208	161	630	299	44	13	7
	女 F.	1 323	29	80	184	209	192	694	390	66	9	2
B6. a	細菌性赤痢（疫痢症状を呈するもの）	*1 910*	*52*	*143*	*321*	*390*	*334*	*1 240*	*601*	*64*	*5*	–
	男 M.	*868*	*28*	*67*	*144*	*191*	*152*	*582*	*262*	*22*	*2*	–
	女 F.	*1 042*	*24*	*76*	*177*	*199*	*182*	*658*	*339*	*42*	*3*	–
B6. b	細菌性赤痢（その他）	*533*	*11*	*10*	*17*	*27*	*19*	*84*	*88*	*46*	*17*	*7*
	男 M.	*255*	*6*	*6*	*10*	*17*	*9*	*48*	*37*	*22*	*11*	*5*
	女 F.	*278*	*5*	*4*	*7*	*10*	*10*	*36*	*51*	*24*	*6*	*2*
B6. c	アメーバ症	*14*	–	–	–	–	–	–	–	–	–	*2*
	男 M.	*11*	–	–	–	–	–	–	–	–	–	*2*
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–
B6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B7	猩紅熱およびレンサ球菌性口峡炎	40	1	2	–	–	1	4	5	1	4	5
	男 M.	20	–	1	–	–	1	2	1	1	1	3
	女 F.	20	1	1	–	–	–	2	4	–	3	2
B7. a	猩紅熱	*38*	*1*	*1*	–	–	*1*	*3*	*5*	*1*	*4*	*5*
	男 M.	*19*	–	*1*	–	–	*1*	*2*	*1*	*1*	*1*	*3*
	女 F.	*19*	*1*	–	–	–	–	*1*	*4*	–	*3*	*2*
B7. b	レンサ球菌性口峡炎	*2*	–	*1*	–	–	–	*1*	–	–	–	–
	男 M.	*1*	–	–	–	–	–	–	–	–	–	–
	女 F.	*1*	–	*1*	–	–	–	*1*	–	–	–	–
B8	ジフテリア	706	29	63	57	79	75	303	304	74	5	–
	男 M.	381	18	43	27	45	43	176	159	35	3	–
	女 F.	325	11	20	30	34	32	127	145	39	2	–
B9	百日咳	178	131	23	9	7	1	171	6	1	–	–
	男 M.	85	65	11	2	3	1	82	3	–	–	–
	女 F.	93	66	12	7	4	–	89	3	1	–	–

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際基本分類番号 International abbreviated list number
16 527	16 520	15 496	17 823	25 729	34 531	48 650	58 996	71 162	83 717	83 985	65 043	28 621	8 336	1 040	88	1) 60	
9 558	9 118	7 812	9 319	14 366	20 295	30 042	36 208	41 658	45 024	39 604	26 982	10 154	2 364	228	27	24	
6 969	7 402	7 684	8 504	11 363	14 236	18 608	22 788	29 504	38 693	44 381	38 061	18 467	5 972	812	61	9	
2 225	3 109	2 666	2 313	2 609	2 597	2 930	2 852	2 685	2 074	1 267	445	108	7	1	–	–	B1
1 064	1 612	1 416	1 333	1 701	1 814	2 101	2 082	1 932	1 500	835	281	62	4	–	–	–	
1 161	1 497	1 250	980	908	783	829	770	753	574	432	164	46	3	1	–	–	
260	251	255	204	242	212	183	170	159	114	96	40	7	2	–	–	–	B2
122	121	93	77	111	92	92	76	78	46	40	14	2	–	–	–	–	
138	130	162	127	131	120	91	94	81	68	56	26	5	2	–	–	–	
22	51	86	141	232	306	380	359	283	201	95	34	8	3	–	–	–	B3
14	37	56	100	170	236	287	280	203	134	62	18	3	–	–	–	–	
8	14	30	41	62	70	93	79	80	67	33	16	5	3	–	–	–	
2	3	4	3	3	2	2	4	5	1	–	–	–	–	–	–	–	B4
1	3	1	1	1	2	1	3	4	1	–	–	–	–	–	–	–	
1	–	3	2	2	–	1	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B5
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
10	12	8	13	13	24	32	34	37	36	43	25	15	1	–	–	–	B6
5	4	2	9	10	14	19	18	16	18	12	9	5	–	–	–	–	
5	8	6	4	3	10	13	16	21	18	31	16	10	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B6. a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
10	*11*	*8*	*12*	*13*	*23*	*29*	*33*	*35*	*35*	*41*	*25*	*15*	*1*	–	–	–	B6. b
5	*3*	*2*	*8*	*10*	*14*	*17*	*17*	*15*	*17*	*10*	*9*	*5*	–	–	–	–	
5	*8*	*6*	*4*	*3*	*9*	*12*	*16*	*20*	*18*	*31*	*16*	*10*	*1*	–	–	–	
–	*1*	–	*1*	–	*1*	*3*	*1*	*2*	*1*	*2*	–	–	–	–	–	–	B6. c
–	*1*	–	*1*	–	–	*2*	*1*	*1*	*1*	*2*	–	–	–	–	–	–	
–	–	–	–	–	*1*	*1*	–	*1*	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B6. d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	3	2	3	2	–	3	2	2	3	1	–	–	–	–	–	–	B7
–	1	1	2	1	–	2	1	1	3	–	–	–	–	–	–	–	
–	2	1	1	1	–	1	1	1	–	1	–	–	–	–	–	–	
–	*3*	*2*	*3*	*2*	–	*3*	*2*	*2*	*2*	*1*	–	–	–	–	–	–	B7. a
–	*1*	*1*	*2*	*1*	–	*2*	*1*	*1*	*2*	–	–	–	–	–	–	–	
–	*2*	*1*	*1*	*1*	–	*1*	*1*	*1*	–	*1*	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	B7. b
–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	2	–	–	1	1	5	4	2	1	–	1	–	–	–	–	–	B8
1	1	–	–	1	–	2	2	1	–	–	–	–	–	–	–	–	
2	1	–	–	–	1	3	2	1	1	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B9
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 49 表　死　亡　者　数，

TABLE 49　DEATHS FROM CAUSES (ABBREVIATED

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
B10	髄膜炎菌感染	124	13	5	5	2	1	26	13	10	7	10
	男 M.	75	8	3	1	1	1	14	9	3	6	5
	女 F.	49	5	2	4	1	–	12	4	7	1	5
B11	ペスト	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B12	急性灰白髄炎	201	23	33	16	11	14	97	35	17	10	4
	男 M.	111	12	19	7	7	11	56	19	12	4	1
	女 F.	90	11	14	9	4	3	41	16	5	6	3
B13	痘瘡	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B14	麻疹	1 882	848	454	152	98	98	1 650	204	20	2	2
	男 M.	969	452	230	71	48	54	855	99	11	2	1
	女 F.	913	396	224	81	50	44	795	105	9	–	1
B15	発疹チフスおよびその他のリケッチア病	10	–	–	–	–	–	–	–	–	–	–
	男 M.	5	–	–	–	–	–	–	–	–	–	–
	女 F.	5	–	–	–	–	–	–	–	–	–	–
B15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B15. c	その他	*10*	–	–	–	–	–	–	–	–	–	–
	男 M.	*5*	–	–	–	–	–	–	–	–	–	–
	女 F.	*5*	–	–	–	–	–	–	–	–	–	–
B16	マラリア	10	–	–	–	–	–	–	–	–	–	–
	男 M.	10	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17	伝染性および寄生性として分類された…その他の疾患	4 562	539	88	86	90	91	894	347	234	193	156
	男 M.	2 523	322	52	47	46	53	520	208	134	99	86
	女 F.	2 039	217	36	39	44	38	374	139	100	94	70
B17. a	パラチフス	*8*	–	–	–	–	–	–	–	–	–	–
	男 M.	*8*	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. b	痼	*14*	–	–	–	–	–	–	–	–	–	*1*
	男 M.	*11*	–	–	–	–	–	–	–	–	–	*1*
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–
B17. c	破傷風	*633*	*158*	*4*	*8*	*17*	*14*	*201*	*42*	*51*	*23*	*26*
	男 M.	*416*	*101*	*1*	*8*	*13*	*12*	*135*	*34*	*38*	*17*	*22*
	女 F.	*217*	*57*	*3*	–	*4*	*2*	*66*	*8*	*13*	*6*	*4*
B17. d	炭疽	*3*	–	–	–	–	–	–	–	–	–	*1*
	男 M.	*3*	–	–	–	–	–	–	–	–	–	*1*
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

性・年齢（5才階級）・死因（簡単分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際簡単分類番号 International abbreviated list number
10	4	9	5	6	7	3	8	5	1	–	–	–	–	–	–	–	B10
8	3	6	1	4	5	2	6	2	1	–	–	–	–	–	–	–	
2	1	3	4	2	2	1	2	3	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
2	4	5	3	5	9	2	5	3	–	–	–	–	–	–	–	–	B12
–	1	2	3	2	4	1	5	1	–	–	–	–	–	–	–	–	
2	3	3	–	3	5	1	–	2	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	B14
1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	
1	1	–	–	–	–	–	2	3	2	–	1	–	–	–	–	–	B15
–	–	–	–	–	–	–	1	2	1	–	1	–	–	–	–	–	
1	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	*1*	–	–	–	–	–	*2*	*3*	*2*	–	*1*	–	–	–	–	–	B15. c
–	–	–	–	–	–	–	*1*	*2*	*1*	–	*1*	–	–	–	–	–	
1	*1*	–	–	–	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–	
–	1	4	–	2	1	1	1	–	–	–	–	–	–	–	–	–	B16
–	1	4	–	2	1	1	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
158	175	152	139	181	220	265	313	310	313	248	191	57	15	–	1	–	B17
83	94	70	75	104	142	155	196	173	171	123	69	19	1	–	1	–	
75	81	82	64	77	78	110	117	137	142	125	122	38	14	–	–	–	
1	–	–	*2*	*3*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	B17. a
1	–	–	*2*	*3*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	*1*	*2*	*1*	*2*	*2*	*2*	–	–	*1*	*1*	–	–	–	–	–	–	B17. b
1	*1*	*2*	*1*	*1*	*1*	*1*	–	–	*1*	*1*	–	–	–	–	–	–	
–	–	–	–	*1*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	
19	*33*	*24*	*18*	*21*	*31*	*30*	*31*	*25*	*24*	*17*	*10*	*7*	–	–	–	–	B17. c
13	*18*	*15*	*8*	*12*	*21*	*17*	*23*	*13*	*14*	*9*	*4*	*3*	–	–	–	–	
6	*15*	*9*	*10*	*9*	*10*	*13*	*8*	*12*	*10*	*8*	*6*	*4*	–	–	–	–	
–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	B17. d
–	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 49 表　死　亡　者　数，性・年齢（5 才階級）・死因（簡単分類）別

TABLE 49　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND AGE; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際簡単分類番号 International abbreviated list number
B17. f	日本脳炎	723	9	15	32	22	33	111	123	72	50	34	28	23	24	16	20	23	33	40	35	38	27	23	2	1	–	–	–	B17. f
	男 M.	377	6	9	16	10	18	59	73	36	24	17	18	12	8	9	7	16	23	22	18	18	10	7	–	–	–	–	–	
	女 F.	346	3	6	16	12	15	52	50	36	26	17	10	11	16	7	13	7	10	18	17	20	17	16	2	1	–	–	–	
B17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. g
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. h
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. i	伝染性下痢症	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	B17. i
	男 M.	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
B17. j	日本住血吸虫症	57	–	–	–	–	–	–	–	–	–	–	3	2	2	4	4	6	7	5	6	10	5	3	–	–	–	–	–	B17. j
	男 M.	33	–	–	–	–	–	–	–	–	–	–	1	1	1	2	3	2	3	3	5	6	4	2	–	–	–	–	–	
	女 F.	24	–	–	–	–	–	–	–	–	–	–	2	1	1	2	1	4	4	2	1	4	1	1	–	–	–	–	–	
B17. k	糸状虫症	50	–	–	–	–	–	–	–	–	1	1	–	2	1	2	–	3	4	3	5	12	6	6	3	1	–	–	–	B17. k
	男 M.	32	–	–	–	–	–	–	–	–	1	–	–	1	–	2	–	3	3	2	4	5	5	4	2	–	–	–	–	
	女 F.	18	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–	–	1	1	1	7	1	2	1	1	–	–	–	
B17. l	その他の伝染性および寄生性として分類された疾患	3 072	371	69	46	51	44	581	182	111	119	93	106	113	99	96	130	154	188	234	239	228	192	148	45	13	–	1	–	B17. l
	男 M.	1 642	214	42	23	23	23	325	101	60	57	45	49	60	44	51	77	98	107	146	133	127	94	52	14	1	–	1	–	
	女 F.	1 430	157	27	23	28	21	256	81	51	62	48	57	53	55	45	53	56	81	88	106	101	98	96	31	12	–	–	–	
B18	悪性新生物（リンパ組織および造血組織の新生物を含む）	91 286	105	103	128	105	91	532	371	442	533	563	976	1 714	2 439	3 926	6 219	8 598	12 132	13 637	13 964	12 550	8 102	3 605	849	121	13	–	–	B18
	男 M.	49 215	52	55	73	65	52	297	213	263	305	277	440	705	887	1 507	2 797	4 405	7 091	8 270	8 377	7 197	4 184	1 617	343	38	2	–	–	
	女 F.	42 071	53	48	55	40	39	235	158	179	228	286	536	1 009	1 552	2 419	3 422	4 193	5 041	5 367	5 587	5 353	3 918	1 988	506	83	11	–	–	
B18. a	胃の悪性新生物	41 884	–	–	–	–	2	2	–	2	28	110	273	672	967	1 547	2 669	3 799	5 657	6 685	7 015	6 358	3 965	1 729	359	42	5	–	–	B18. a
	男 M.	25 757	–	–	–	–	1	1	–	2	18	48	130	282	427	738	1 514	2 421	3 892	4 573	4 622	3 903	2 216	818	139	12	1	–	–	
	女 F.	16 127	–	–	–	–	1	1	–	–	10	62	143	390	540	809	1 155	1 378	1 765	2 112	2 393	2 455	1 749	911	220	30	4	–	–	
B18. b	気管，気管支および肺の悪性新生物	4 739	–	–	1	–	–	1	1	9	12	16	16	47	72	147	246	422	692	861	883	782	379	128	20	5	–	–	–	B18. b
	男 M.	3 329	–	–	1	–	–	1	1	6	9	13	9	28	37	82	141	278	500	637	656	571	257	90	10	3	–	–	–	
	女 F.	1 410	–	–	–	–	–	–	–	3	3	3	7	19	35	65	105	144	192	224	227	211	122	38	10	2	–	–	–	
B18. c	乳房の悪性新生物	1 673	–	–	–	–	–	–	–	–	–	3	18	61	130	205	207	229	207	169	132	126	96	69	14	7	–	–	–	B18. c
	男 M.	21	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	6	2	5	1	1	2	–	–	–	–	–	
	女 F.	1 652	–	–	–	–	–	–	–	–	–	3	18	61	129	204	206	228	201	167	127	125	95	67	14	7	–	–	–	
B18. d	子宮の悪性新生物	7 099	–	1	–	–	–	1	–	1	9	34	97	168	340	612	897	1 025	1 060	928	738	578	387	173	44	6	1	–	–	B18. d
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	7 099	–	1	–	–	–	1	–	1	9	34	97	168	340	612	897	1 025	1 060	928	738	578	387	173	44	6	1	–	–	
B18. e	白血病および無白血病	2 486	62	52	65	44	57	280	243	253	226	146	185	173	138	147	162	126	129	120	85	46	18	7	1	1	–	–	–	B18. e
	男 M.	1 380	28	30	36	26	31	151	143	144	135	90	109	104	68	75	81	60	77	56	47	26	9	4	1	–	–	–	–	
	女 F.	1 106	34	22	29	18	26	129	100	109	91	56	76	69	70	72	81	66	52	64	38	20	9	3	–	1	–	–	–	
B18. f	その他	33 405	43	50	62	61	32	248	127	177	258	254	387	593	792	1 268	2 038	2 997	4 387	4 874	5 111	4 660	3 257	1 499	411	60	7	–	–	B18. f
	男 M.	18 728	24	25	36	39	20	144	69	111	143	126	192	291	354	611	1 060	1 645	2 616	3 002	3 047	2 696	1 701	703	193	23	1	–	–	
	女 F.	14 677	19	25	26	22	12	104	58	66	115	128	195	302	438	657	978	1 352	1 771	1 872	2 064	1 964	1 556	796	218	37	6	–	–	
B19	良性および性質不詳の新生物	4 498	88	39	29	28	27	211	173	141	132	122	146	185	184	247	322	363	426	418	395	428	335	192	64	14	–	–	–	B19
	男 M.	2 221	51	24	19	15	8	117	97	84	72	68	77	91	68	99	131	169	265	234	228	206	133	63	14	5	–	–	–	
	女 F.	2 277	37	15	10	13	19	94	76	57	60	54	69	94	116	148	191	194	161	184	167	222	202	129	50	9	–	–	–	
B20	糖尿病	2 794	–	1	1	2	1	5	6	12	26	68	62	55	48	73	137	191	324	425	490	464	275	104	27	1	1	–	–	B20
	男 M.	1 293	–	1	–	–	1	2	3	6	8	17	24	26	20	34	69	91	159	211	226	215	116	53	12	–	1	–	–	
	女 F.	1 501	–	–	1	2	–	3	3	6	18	51	38	29	28	39	68	100	165	214	264	249	159	51	15	1	–	–	–	

第 49 表　死　亡　者　数，

TABLE 49　DEATHS FROM CAUSES (ABBREVIATED

性・年齢（5 才階級）・死因（簡単分類）別

LIST) BY SEX AND AGE; FOR ALL JAPAN

昭 和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
B21	貧血	1 354	29	7	9	5	9	69	63	60	62	54
	男 M.	613	17	8	3	5	7	40	32	30	30	27
	女 F.	741	12	9	6	–	2	29	31	30	32	27
B22	中枢神経系の血管損傷	142 858	20	10	11	10	5	56	37	41	89	192
	男 M.	75 169	14	5	8	4	2	33	21	24	43	96
	女 F.	67 689	6	5	3	6	3	23	16	17	46	96
B23	髄膜炎（髄膜炎菌性および結核性を除く）	1 327	324	80	52	33	36	525	104	75	58	69
	男 M.	735	178	41	30	19	22	290	57	40	31	34
	女 F.	592	146	39	22	14	14	235	47	35	27	35
B24	リューマチ熱	1 102	3	2	2	4	8	19	88	120	56	26
	男 M.	448	3	1	2	2	4	12	43	57	24	8
	女 F.	654	–	1	–	2	4	7	45	63	32	18
B25	慢性リューマチ性心臓疾患	5 420	4	3	3	–	10	57	147	186	149	
	男 M.	2 046	–	3	3	–	–	6	23	79	88	64
	女 F.	3 374	–	1	–	3	–	4	34	68	98	85
B26	動脈硬化性および変性性心臓疾患	42 715	197	36	27	18	27	305	175	250	412	511
	男 M.	22 081	106	15	12	8	13	154	86	131	218	250
	女 F.	20 634	91	21	15	10	14	151	89	119	194	261
B26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	*17 398*	*2*	*2*	*1*	–	–	*5*	*5*	*12*	*65*	*126*
	男 M.	*10 476*	*2*	*2*	–	–	–	*4*	*2*	*4*	*40*	*82*
	女 F.	*6 922*	–	–	*1*	–	–	*1*	*3*	*8*	*25*	*44*
B26. b	リューマチ性と明示されない慢性心内膜炎	*12 519*	*1*	*19*	*14*	*11*	*17*	*62*	*136*	*198*	*289*	*283*
	男 M.	*5 393*	–	*7*	*4*	*6*	*7*	*24*	*73*	*105*	*143*	*113*
	女 F.	*7 126*	*1*	*12*	*10*	*5*	*10*	*38*	*63*	*93*	*146*	*170*
B26. c	その他の心筋変性	*12 798*	*194*	*15*	*12*	*7*	*10*	*238*	*34*	*40*	*58*	*102*
	男 M.	*6 212*	*104*	*6*	*8*	*2*	*6*	*126*	*11*	*22*	*35*	*55*
	女 F.	*6 586*	*90*	*9*	*4*	*5*	*4*	*112*	*23*	*18*	*23*	*47*
B27	その他の心臓疾患	14 819	64	13	7	7	11	102	81	88	108	146
	男 M.	8 008	35	10	2	2	4	53	42	36	57	69
	女 F.	6 811	29	3	5	5	7	49	39	52	51	77
B28	高血圧性心臓疾患	4 972	–	–	–	–	–	–	–	1	1	7
	男 M.	2 544	–	–	–	–	–	–	–	1	1	2
	女 F.	2 428	–	–	–	–	–	–	–			5
B29	その他の高血圧性疾患	8 531	–	–	–	–	–	–	–	–	8	16
	男 M.	4 148	–	–	–	–	–	–	–	–	6	9
	女 F.	4 383	–	–	–	–	–	–	–	–	2	7
B30	インフルエンザ	1 001	186	22	14	9	7	238	20	7	14	16
	男 M.	533	100	13	7	7	2	129	10	3	9	5
	女 F.	468	86	9	7	2	5	109	10	4	5	11
B31	肺炎（新生児肺炎を除く）	29 511	9 346	1 262	576	381	272	11 837	631	259	303	352
	男 M.	15 647	5 086	655	310	184	120	6 355	307	132	154	144
	女 F.	13 864	4 260	607	266	197	152	5 482	324	127	149	208
B32	気管支炎	7 789	1 090	141	59	33	23	1 346	68	19	19	25
	男 M.	4 076	605	79	39	21	9	753	37	9	11	12
	女 F.	3 713	485	62	20	12	14	593	31	10	8	13
B33	胃および十二指腸の潰瘍	11 325	7	–	7	3	3	20	10	13	51	143
	男 M.	7 729	4	–	5	2	2	13	7	8	33	93
	女 F.	3 596	3	–	2	1	1	7	3	5	18	50

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際簡単分類番号 International abbreviated list number
78	70	61	67	69	85	128	121	143	114	76	26	8	–	–	–	–	B21
27	25	14	22	25	33	61	69	72	56	36	12	2	–	–	–	–	
51	45	47	45	44	52	67	52	71	58	40	14	6	–	–	–	–	
317	458	835	1 961	4 481	8 321	13 485	17 973	23 013	26 681	24 087	14 712	5 048	971	94	5	1	B22
176	276	477	1 146	2 529	4 811	8 357	10 940	13 203	13 852	11 118	6 016	1 746	283	20	1	1	
141	182	358	815	1 952	3 510	5 128	7 033	9 810	12 829	12 969	8 696	3 302	688	74	4	–	
55	49	50	46	46	42	48	53	41	35	20	8	2	1	–	–	–	B23
29	28	22	26	26	26	33	30	27	18	13	3	1	1	–	–	–	
26	21	28	20	20	16	15	23	14	17	7	5	1	–	–	–	–	
45	34	31	30	43	61	61	67	84	115	111	80	25	6	–	–	–	B24
14	7	11	10	17	27	26	29	37	47	45	29	4	1	–	–	–	
31	27	20	20	26	34	35	38	47	68	66	51	21	5	–	–	–	
192	239	223	238	265	321	401	452	581	703	646	423	166	18	2	1	–	B25
63	77	54	61	84	133	159	192	264	285	210	148	52	3	–	1	–	
129	162	169	177	181	188	242	260	317	418	436	275	114	15	2	–	–	
749	828	866	1 137	1 711	2 360	3 389	4 346	5 425	6 577	6 459	4 772	1 912	472	52	6	1	B26
366	404	402	552	931	1 417	2 049	2 617	3 083	3 452	3 066	2 048	693	144	14	3	1	
383	424	464	585	780	943	1 340	1 729	2 342	3 125	3 393	2 724	1 219	328	38	3	–	
214	*290*	*299*	*451*	*793*	*1 217*	*1 799*	*2 344*	*2 664*	*2 721*	*2 300*	*1 518*	*468*	*94*	*10*	*2*	*1*	B26. a
138	*201*	*188*	*305*	*550*	*856*	*1 235*	*1 540*	*1 663*	*1 550*	*1 183*	*709*	*191*	*31*	*3*	–	*1*	
76	*89*	*111*	*146*	*243*	*361*	*564*	*804*	*1 001*	*1 171*	*1 117*	*809*	*277*	*63*	*7*	*2*	–	
374	*376*	*413*	*508*	*650*	*763*	*947*	*1 123*	*1 463*	*1 754*	*1 618*	*1 082*	*377*	*92*	*10*	*1*	–	B26. b
146	*124*	*133*	*179*	*262*	*343*	*452*	*556*	*689*	*796*	*690*	*417*	*120*	*27*	*1*	–	–	
228	*252*	*280*	*329*	*388*	*420*	*495*	*567*	*774*	*958*	*928*	*665*	*257*	*65*	*9*	*1*	–	
161	*162*	*154*	*178*	*268*	*380*	*643*	*879*	*1 298*	*2 102*	*2 541*	*2 172*	*1 067*	*286*	*32*	*3*	–	B26. c
82	*79*	*81*	*68*	*119*	*218*	*362*	*521*	*731*	*1 106*	*1 193*	*922*	*382*	*86*	*10*	*3*	–	
79	*83*	*73*	*110*	*149*	*162*	*281*	*358*	*567*	*996*	*1 348*	*1 250*	*685*	*200*	*22*	–	–	
195	199	192	219	317	502	844	1 270	1 899	2 673	2 917	2 064	792	192	18	1	–	B27
99	105	89	101	154	282	516	804	1 193	1 576	1 497	964	311	58	2	–	–	
96	94	103	118	163	220	328	466	706	1 097	1 420	1 100	481	134	16	1	–	
12	20	23	48	97	163	341	503	718	1 057	1 031	668	228	49	4	1	–	B28
7	12	13	24	57	92	219	300	431	533	470	287	79	14	2	–	–	
5	8	10	24	40	71	122	203	287	524	561	381	149	35	2	1	–	
22	40	75	127	222	370	531	723	1 125	1 509	1 721	1 389	522	117	13	1	–	B29
11	20	43	72	136	231	343	410	597	757	774	544	168	26	1	–	–	
11	20	32	55	86	139	188	313	528	752	947	845	354	91	12	1	–	
14	16	16	16	14	18	44	54	86	122	134	98	50	19	4	1	–	B30
8	7	13	9	7	10	29	37	51	59	63	48	22	10	3	1	–	
6	9	3	7	7	8	15	17	35	63	71	50	28	9	1	–	–	
363	334	328	301	410	504	850	1 218	1 816	2 661	3 147	2 653	1 144	357	38	5	–	B31
147	145	130	132	203	298	486	753	1 094	1 595	1 687	1 257	496	120	11	1	–	
216	189	198	169	207	206	364	465	722	1 066	1 460	1 396	648	237	27	4	–	
42	34	37	38	59	88	168	314	585	1 081	1 469	1 439	684	246	27	1	–	B32
17	12	14	15	32	43	100	187	355	626	792	691	277	88	5	–	–	
25	22	23	23	27	45	68	127	230	455	677	748	407	158	22	1	–	
211	257	273	339	569	805	1 185	1 389	1 674	1 778	1 428	870	247	57	6	–	–	B33
157	194	195	232	428	632	917	1 043	1 218	1 214	848	390	88	18	1	–	–	
54	63	78	107	141	173	268	346	456	564	580	480	159	39	5	–	–	

第 49 表　死　亡　数　者，

TABLE 49　DEATHS FROM CAUSES (ABBREVIATED

性・年齢（5才階級）・死因（簡単分類）別

LIST) BY SEX AND AGE ; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
B34	虫垂炎	1 107	3	1	–	9	18	31	77	87	112	98
	男 M.	577	3	–	–	3	9	15	36	47	58	56
	女 F.	530	–	1	–	6	9	16	41	40	54	42
B35	腸閉塞およびヘルニア	4 125	806	108	66	34	30	1 044	70	69	56	85
	男 M.	2 401	552	78	55	29	19	733	43	49	39	40
	女 F.	1 724	254	30	11	5	11	311	27	20	17	45
B36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	21 051	3 890	847	494	435	379	6 045	607	133	100	116
	男 M.	9 334	2 212	461	254	201	188	3 316	290	63	55	57
	女 F.	11 717	1 678	386	240	234	191	2 729	317	70	45	59
B36. a	胃炎および十二指腸炎	*3 139*	*11*	*4*	–	*1*	*4*	*20*	*5*	*6*	*19*	*11*
	男 M.	*1 359*	*6*	*2*	–	–	*2*	*10*	*2*	*2*	*10*	*7*
	女 F.	*1 780*	*5*	*2*	–	*1*	*2*	*10*	*3*	*4*	*9*	*4*
B36. b	胃腸炎，腸炎および大腸炎	*17 912*	*3 879*	*843*	*494*	*434*	*375*	*6 025*	*602*	*127*	*81*	*105*
	男 M.	*7 975*	*2 206*	*459*	*254*	*201*	*186*	*3 306*	*288*	*61*	*45*	*50*
	女 F.	*9 937*	*1 673*	*384*	*240*	*233*	*189*	*2 719*	*314*	*66*	*36*	*55*
B37	肝硬変	8 794	33	4	1	3	5	46	32	29	20	47
	男 M.	5 339	19	2	1	1	3	26	16	17	8	25
	女 F.	3 455	14	2	–	2	2	20	16	12	12	22
B38	腎炎およびネフローゼ	16 426	39	50	112	125	115	441	414	350	488	561
	男 M.	8 012	20	32	73	84	77	286	242	191	264	335
	女 F.	8 414	19	18	39	41	38	155	172	159	224	226
B38. a	急性腎炎およびネフローゼ	*4 759*	*30*	*38*	*86*	*98*	*93*	*345*	*314*	*222*	*209*	*188*
	男 M.	*2 376*	*15*	*25*	*56*	*66*	*59*	*221*	*188*	*122*	*119*	*112*
	女 F.	*2 383*	*15*	*13*	*30*	*32*	*34*	*124*	*126*	*100*	*90*	*76*
B38. b	その他	*11 667*	*9*	*12*	*26*	*27*	*22*	*96*	*100*	*128*	*279*	*373*
	男 M.	*5 636*	*5*	*7*	*17*	*18*	*18*	*65*	*54*	*69*	*145*	*223*
	女 F.	*6 031*	*4*	*5*	*9*	*9*	*4*	*31*	*46*	*59*	*134*	*150*
B39	前立腺肥大症	440	–	–	–	–	–	–	–	–	–	–
	男 M.	440	–	–	–	–	–	–	–	–	–	–
	女 F.	·	·	·	·	·	·	·	·	·	·	·
B40	妊娠，分娩および産褥の合併症	2 381	–	–	–	–	–	–	–	–	27	415
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	2 381	–	–	–	–	–	–	–	–	27	415
B41	先天奇形	4 294	3 213	223	89	60	47	3 632	166	100	108	75
	男 M.	2 281	1 747	97	48	32	30	1 954	86	45	52	39
	女 F.	2 013	1 466	126	41	28	17	1 678	80	55	56	36
B42	出生時の損傷，分娩後窒息および肺不全拡張	2 302	2 302	·	·	·	·	2 302	·	·	·	·
	男 M.	1 343	1 343	·	·	·	·	1 343	·	·	·	·
	女 F.	959	959	·	·	·	·	959	·	·	·	·
B43	新生児の感染	5 742	5 742	·	·	·	·	5 742	·	·	·	·
	男 M.	3 245	3 245	·	·	·	·	3 245	·	·	·	·
	女 F.	2 497	2 497	·	·	·	·	2 497	·	·	·	·
B43. a	新生児肺炎	*4 718*	*4 718*	·	·	·	·	*4 718*	·	·	·	·
	男 M.	*2 657*	*2 657*	·	·	·	·	*2 657*	·	·	·	·
	女 F.	*2 061*	*2 061*	·	·	·	·	*2 061*	·	·	·	·
B43. b	新生児下痢	*623*	*623*	·	·	·	·	*623*	·	·	·	·
	男 M.	*357*	*357*	·	·	·	·	*357*	·	·	·	·
	女 F.	*266*	*266*	·	·	·	·	*266*	·	·	·	·

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際簡単分類番号 International abbreviated list number
76	61	39	51	51	48	49	74	56	65	61	48	20	3	–	–	–	B34
36	30	21	23	29	29	27	45	27	42	32	20	3	1	–	–	–	
40	31	18	28	22	19	22	29	29	23	29	28	17	2	–	–	–	
107	121	156	143	178	207	293	293	330	372	323	188	71	18	1	–	–	B35
51	65	82	84	99	132	185	170	189	197	146	68	24	5	–	–	–	
56	56	74	59	79	75	108	123	141	175	177	120	47	13	1	–	–	
138	156	146	143	193	305	460	717	1 212	2 191	3 054	3 232	1 598	452	50	3	–	B36
63	66	48	60	82	146	234	332	557	948	1 243	1 188	456	115	14	1	–	
75	90	98	83	111	159	226	385	655	1 243	1 811	2 044	1 142	337	36	2	–	
20	*15*	*22*	*21*	*44*	*47*	*90*	*157*	*242*	*475*	*748*	*742*	*354*	*91*	*10*	–	–	B36. a
12	*6*	*12*	*12*	*21*	*27*	*50*	*79*	*125*	*230*	*324*	*298*	*103*	*24*	*5*	–	–	
8	*9*	*10*	*9*	*23*	*20*	*40*	*78*	*117*	*245*	*424*	*444*	*251*	*67*	*5*	–	–	
118	*141*	*124*	*122*	*149*	*258*	*370*	*560*	*970*	*1 716*	*2 306*	*2 490*	*1 244*	*361*	*40*	*3*	–	B36. b
51	*60*	*36*	*48*	*61*	*119*	*184*	*253*	*432*	*718*	*919*	*890*	*353*	*91*	*9*	*1*	–	
67	*81*	*88*	*74*	*88*	*139*	*186*	*307*	*538*	*998*	*1 387*	*1 600*	*891*	*270*	*31*	*2*	–	
89	175	229	350	642	812	1 036	1 121	1 186	1 187	1 031	575	161	24	2	–	–	B37
62	120	140	237	426	542	704	714	711	685	540	280	73	7	–	–	–	
27	55	89	113	216	270	332	407	475	502	491	295	82	17	2	–	–	
595	532	520	568	693	776	1 060	1 382	1 663	2 086	2 029	1 534	574	148	11	1	–	B38
330	251	222	256	326	388	565	710	831	989	915	638	232	39	2	–	–	
265	281	298	312	367	388	495	672	832	1 097	1 114	896	342	109	9	1	–	
220	*153*	*155*	*155*	*160*	*190*	*248*	*315*	*367*	*498*	*493*	*339*	*132*	*51*	*5*	–	–	B38. a
109	*73*	*75*	*59*	*87*	*95*	*131*	*159*	*183*	*230*	*218*	*129*	*53*	*11*	*2*	–	–	
111	*80*	*80*	*96*	*73*	*95*	*117*	*156*	*184*	*268*	*275*	*210*	*79*	*40*	*3*	–	–	
375	*379*	*365*	*413*	*533*	*586*	*812*	*1 067*	*1 296*	*1 588*	*1 536*	*1 195*	*442*	*97*	*6*	*1*	–	B38. b
221	*178*	*147*	*197*	*239*	*293*	*434*	*551*	*648*	*759*	*697*	*509*	*179*	*28*	–	–	–	
154	*201*	*218*	*216*	*294*	*293*	*378*	*516*	*648*	*829*	*839*	*686*	*263*	*69*	*6*	*1*	–	
–	–	–	–	1	1	6	25	35	88	119	107	44	11	3	–	–	B39
–	–	–	–	1	1	6	25	35	88	119	107	44	11	3	–	–	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
763	617	394	151	11	3	–	–	–	–	–	–	–	–	–	–	–	B40
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
763	617	394	151	11	3	–	–	–	–	–	–	–	–	–	–	–	
53	33	23	21	18	10	14	12	12	10	4	2	1	–	–	–	–	B41
28	19	10	7	10	4	10	6	6	3	2	–	–	–	–	–	–	
25	14	13	14	8	6	4	6	6	7	2	2	1	–	–	–	–	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B42
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B43
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B43. a
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B43. b
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

第 49 表　死　亡　者　数，

TABLE 49　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND AGE ; FOR ALL JAPAN

性・年齢（5 才階級）・死因（簡単分類）別

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	0 才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24
B43. c	その他の新生児の感染……	*401*	*401*	·	·	·	·	*401*	·	·	·	·
	男 M.	*231*	*231*	·	·	·	·	*231*	·	·	·	·
	女 F.	*170*	*170*	·	·	·	·	*170*	·	·	·	·
B44	その他の新生児固有の疾患および性質不明の未熟児	19 512	19 512	·	·	·	·	19 512	·	·	·	·
	男 M.	10 972	10 972	·	·	·	·	10 972	·	·	·	·
	女 F.	8 540	8 540	·	·	·	·	8 540	·	·	·	·
B45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	67 592	1 854	207	223	208	154	2 646	282	141	241	418
	男 M.	28 395	1 074	106	117	104	79	1 480	133	81	146	289
	女 F.	39 197	780	101	106	104	75	1 166	149	60	95	129
B45. a	精神病の記載のない老衰……	*52 687*	–	–	–	–	–	–	–	–	–	–
	男 M.	*19 991*	–	–	–	–	–	–	–	–	–	–
	女 F.	*32 696*	–	–	–	–	–	–	–	–	–	–
B45. b	その他の診断名不明確および不明の原因	*14 905*	*1 854*	*207*	*223*	*208*	*154*	*2 646*	*282*	*141*	*241*	*418*
	男 M.	*8 404*	*1 074*	*106*	*117*	*104*	*79*	*1 480*	*133*	*81*	*146*	*289*
	女 F.	*6 501*	*780*	*101*	*106*	*104*	*75*	*1 166*	*149*	*60*	*95*	*129*
B46	その他のすべての疾患……	54 796	2 520	589	345	278	249	3 981	938	721	974	1 237
	男 M.	28 045	1 393	323	195	160	130	2 201	532	395	571	622
	女 F.	26 751	1 127	266	150	118	119	1 780	406	326	403	615
B46. a	その他の循環器系の疾患（先天性を除く）……	*4 269*	*17*	*4*	–	*3*	*1*	*25*	*12*	*6*	*16*	*18*
	男 M.	*2 179*	*11*	*1*	–	*1*	*1*	*14*	*9*	*4*	*8*	*10*
	女 F.	*2 090*	*6*	*3*	–	*2*	–	*11*	*3*	*2*	*8*	*8*
B46. b	その他のすべての疾患……	*50 527*	*2 503*	*585*	*345*	*275*	*248*	*3 956*	*926*	*715*	*958*	*1 219*
	男 M.	*25 866*	*1 382*	*322*	*195*	*159*	*129*	*2 187*	*523*	*391*	*563*	*612*
	女 F.	*24 661*	*1 121*	*263*	*150*	*116*	*119*	*1 769*	*403*	*324*	*395*	*607*
"E"	不慮の事故，中毒および暴力の二重分類（外因）	1) 6 649	1 601	1 822	1 511	1 137	888	6 959	3 518	1 940	4 896	8 224
	男 M.	43 659	820	1 066	908	691	586	4 071	2 426	1 325	3 274	5 806
	女 F.	20 963	781	756	603	446	302	2 888	1 092	615	1 622	2 418
BE 47	自動車事故……	11 040	26	130	276	307	259	998	700	316	838	1 228
	男 M.	8 770	16	82	161	175	161	595	456	238	714	1 117
	女 F.	2 270	10	48	115	132	98	403	244	78	124	111
BE 48	その他の不慮の事故……	1) 30 622	1 433	1 627	1 189	787	596	5 632	2 696	1 497	1 683	2 261
	男 M.	21 433	728	954	725	490	406	3 303	1 918	1 016	1 309	1 865
	女 F.	9 162	705	673	464	297	190	2 329	778	481	374	396
BE 48. a	自動車以外の交通事故……	*4 402*	*10*	*64*	*70*	*59*	*42*	*245*	*254*	*127*	*357*	*481*
	男 M.	*3 550*	*5*	*36*	*44*	*39*	*33*	*157*	*184*	*93*	*297*	*422*
	女 F.	*852*	*5*	*28*	*26*	*20*	*9*	*88*	*70*	*34*	*60*	*59*
BE 48. b	不慮の墜落……	*4 166*	*32*	*52*	*31*	*36*	*21*	*172*	*121*	*62*	*153*	*284*
	男 M.	*3 160*	*21*	*33*	*19*	*22*	*17*	*112*	*90*	*49*	*142*	*268*
	女 F.	*1 006*	*11*	*19*	*12*	*14*	*4*	*60*	*31*	*13*	*11*	*16*
BE 48. c	不慮の溺死および溺水……	*7 272*	*49*	*1 109*	*788*	*446*	*304*	*2 696*	*1 430*	*695*	*369*	*299*
	男 M.	*5 259*	*29*	*660*	*495*	*296*	*237*	*1 717*	*1 144*	*565*	*323*	*264*
	女 F.	*2 013*	*20*	*449*	*293*	*150*	*67*	*979*	*286*	*130*	*46*	*35*
BE 48. d	天　　災……	1) *4 863*	*151*	*119*	*121*	*111*	*129*	*631*	*605*	*451*	*230*	*250*
	男 M.	*2 072*	*83*	*65*	*59*	*63*	*64*	*334*	*309*	*186*	*72*	*109*
	女 F.	*2 764*	*68*	*54*	*62*	*48*	*65*	*297*	*296*	*265*	*158*	*141*
BE 48. e	そ　の　他……	*9 919*	*1 191*	*283*	*179*	*135*	*100*	*1 888*	*286*	*162*	*574*	*947*
	男 M.	*7 392*	*590*	*160*	*108*	*70*	*55*	*983*	*191*	*123*	*475*	*802*
	女 F.	*2 527*	*601*	*123*	*71*	*65*	*45*	*905*	*95*	*39*	*99*	*145*

25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際簡単分類番号 International abbreviated list number
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B43. c
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B44
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
540	557	461	514	658	734	993	1 416	2 684	6 765	13 875	18 330	11 405	4 250	620	56	6	B45
368	398	319	351	435	502	609	848	1 375	3 209	5 774	6 935	3 852	1 142	127	16	6	
172	159	142	163	223	232	384	568	1 309	3 556	8 101	11 395	7 553	3 108	493	40	–	
–	–	–	–	2	*17*	*86*	*408*	*1 620*	*5 383*	*12 449*	*17 111*	*10 853*	*4 099*	*605*	*54*	–	B45. a
–	–	–	–	–	*9*	*36*	*213*	*760*	*2 524*	*5 111*	*6 436*	*3 662*	*1 100*	*125*	*15*	–	
–	–	–	–	*2*	*8*	*50*	*195*	*860*	*2 859*	*7 338*	*10 675*	*7 191*	*2 999*	*480*	*39*	–	
540	*557*	*461*	*514*	*656*	*717*	*907*	*1 008*	*1 064*	*1 382*	*1 426*	*1 219*	*552*	*151*	*15*	*2*	*6*	B45. b
368	*398*	*319*	*351*	*435*	*493*	*573*	*635*	*615*	*685*	*663*	*499*	*190*	*42*	*2*	*1*	*6*	
172	*159*	*142*	*163*	*221*	*224*	*334*	*373*	*449*	*697*	*763*	*720*	*362*	*109*	*13*	*1*	–	
1 401	1 494	1 441	1 448	1 835	2 397	3 270	4 167	5 641	7 224	7 747	5 849	2 305	653	68	5	–	B46
686	705	600	670	914	1 304	1 852	2 456	3 276	3 903	3 702	2 577	866	193	18	2	–	
715	789	841	778	921	1 093	1 418	1 711	2 365	3 321	4 045	3 272	1 439	460	50	3	–	
31	*40*	*31*	*32*	*40*	*80*	*155*	*248*	*445*	*737*	*992*	*867*	*350*	*126*	*17*	*1*	–	B46. a
12	*17*	*21*	*18*	*19*	*52*	*102*	*159*	*283*	*402*	*479*	*393*	*131*	*40*	*5*	*1*	–	
19	*23*	*10*	*14*	*21*	*28*	*53*	*89*	*162*	*335*	*513*	*474*	*219*	*86*	*12*	–	–	
1 370	*1 454*	*1 410*	*1 416*	*1 795*	*2 317*	*3 115*	*3 919*	*5 196*	*6 487*	*6 755*	*4 982*	*1 955*	*527*	*51*	*4*	–	B46. b
674	*688*	*579*	*652*	*895*	*1 252*	*1 750*	*2 297*	*2 993*	*3 501*	*3 223*	*2 184*	*735*	*153*	*13*	*1*	–	
696	*766*	*831*	*764*	*900*	*1 065*	*1 365*	*1 622*	*2 203*	*2 986*	*3 532*	*2 798*	*1 220*	*374*	*38*	*3*	–	
6 592	**4 625**	**3 215**	**2 797**	**3 172**	**3 067**	**3 305**	**3 072**	**2 809**	**2 435**	**2 034**	**1 338**	**479**	**108**	**12**	–	1) **52**	"E"
4 973	**3 452**	**2 267**	**1 988**	**2 311**	**2 237**	**2 377**	**2 105**	**1 782**	**1 397**	**1 007**	**607**	**199**	**37**	**2**	–	**16**	
1 619	**1 173**	**948**	**809**	**861**	**830**	**928**	**967**	**1 027**	**1 038**	**1 027**	**731**	**280**	**71**	**10**	–	**9**	
1 110	842	651	593	653	642	649	564	505	377	224	112	30	8	–	–	–	BE 47
1 012	771	556	498	551	531	496	438	362	243	120	54	14	4	–	–	–	
98	71	95	95	102	111	153	126	143	134	104	58	16	4	–	–	–	
2 236	1 981	1 431	1 311	1 427	1 352	1 386	1 268	1 144	1 080	1 004	801	311	73	8	–	1) 40	BE 48
1 821	1 585	1 073	997	1 116	1 039	1 061	917	760	636	499	356	134	20	1	–	7	
415	396	358	314	311	313	325	351	384	444	505	445	177	53	7	–	6	
437	*360*	*239*	*246*	*277*	*285*	*263*	*251*	*182*	*163*	*131*	*70*	*24*	*8*	–	–	*2*	BE 48. a
402	*321*	*207*	*204*	*236*	*220*	*234*	*200*	*135*	*108*	*76*	*38*	*12*	*2*	–	–	*2*	
35	*39*	*32*	*42*	*41*	*65*	*29*	*51*	*47*	*55*	*55*	*32*	*12*	*6*	–	–	–	
304	*235*	*203*	*194*	*256*	*260*	*303*	*262*	*287*	*297*	*308*	*273*	*150*	*37*	*5*	–	–	BE 48. b
292	*222*	*184*	*172*	*217*	*235*	*246*	*201*	*212*	*185*	*144*	*118*	*59*	*11*	*1*	–	–	
12	*13*	*19*	*22*	*39*	*25*	*57*	*61*	*75*	*112*	*164*	*155*	*91*	*26*	*4*	–	–	
231	*175*	*116*	*130*	*121*	*132*	*166*	*141*	*140*	*146*	*138*	*102*	*37*	*6*	*1*	–	*1*	BE 48. c
197	*153*	*91*	*99*	*105*	*114*	*126*	*95*	*91*	*75*	*49*	*35*	*14*	*1*	–	–	*1*	
34	*22*	*25*	*31*	*16*	*18*	*40*	*46*	*49*	*71*	*89*	*67*	*23*	*5*	*1*	–	–	
345	*369*	*309*	*238*	*243*	*194*	*210*	*203*	*180*	*145*	*122*	*71*	*22*	*7*	*1*	–	1) *37*	BE 48. d
135	*142*	*112*	*91*	*102*	*66*	*97*	*91*	*75*	*56*	*58*	*23*	*9*	*1*	–	–	*4*	
210	*227*	*197*	*147*	*141*	*128*	*113*	*112*	*105*	*89*	*64*	*48*	*13*	*6*	*1*	–	*6*	
919	*842*	*564*	*503*	*530*	*481*	*444*	*411*	*355*	*329*	*305*	*285*	*78*	*15*	*1*	–	–	BE 48. e
795	*747*	*479*	*431*	*456*	*404*	*358*	*330*	*247*	*212*	*172*	*142*	*40*	*5*	–	–	–	
124	*95*	*85*	*72*	*74*	*77*	*86*	*81*	*108*	*117*	*133*	*143*	*38*	*10*	*1*	–	–	

注：1）男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 49 表　死　亡　者　数，性・年齢（5才階級）・死因（簡単分類）別

TABLE 49　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND AGE; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	0才 0 year of age	1	2	3	4	0～4	5～9	10～14	15～19	20～24	25～29	30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～94	95～99	100～	不詳 Unknown	国際簡単分類番号 International abbreviated list number
BE 49	自殺および自傷	21 090	–	–	–	–	–	–	2	69	2 258	4 479	2 924	1 614	1 017	820	1 006	1 029	1 216	1 195	1 132	951	784	414	137	27	4	–	12	BE 49
	男 M.	12 179	–	–	–	–	–	–	1	46	1 166	2 627	1 865	943	565	446	586	635	785	722	647	500	378	194	50	13	1	–	9	
	女 F.	8 911	–	–	–	–	–	–	1	23	1 092	1 852	1 059	671	452	374	420	394	431	473	485	451	406	220	87	14	3	–	3	
BE 50	他殺および戦争行為	1 897	142	65	46	43	33	329	120	58	117	256	322	188	116	73	86	44	54	45	28	27	22	11	1	–	–	–	–	BE 50
	男 M.	1 277	76	30	22	26	19	173	51	25	85	197	275	153	73	47	58	32	35	28	13	18	10	3	1	–	–	–	–	
	女 F.	620	66	35	24	17	14	156	69	33	32	59	47	35	43	26	28	12	19	17	15	9	12	8	–	–	–	–	–	
BE 50. a	他殺	*1 842*	*142*	*65*	*46*	*43*	*33*	*329*	*120*	*58*	*117*	*254*	*306*	*174*	*115*	*69*	*79*	*41*	*48*	*44*	*28*	*27*	*21*	*11*	*1*	–	–	–	–	BE 50. a
	男 M.	*1 228*	*76*	*30*	*22*	*26*	*19*	*173*	*51*	*25*	*85*	*195*	*260*	*140*	*73*	*44*	*51*	*30*	*30*	*27*	*13*	*18*	*9*	*3*	*1*	–	–	–	–	
	女 F.	*614*	*66*	*35*	*24*	*17*	*14*	*156*	*69*	*33*	*32*	*59*	*46*	*34*	*42*	*25*	*28*	*11*	*18*	*17*	*15*	*9*	*12*	*8*	–	–	–	–	–	
BE 50. b	処刑および戦争行為	*55*	–	–	–	–	–	–	–	–	–	*2*	*16*	*14*	*1*	*4*	*7*	*3*	*6*	*1*	–	–	*1*	–	–	–	–	–	–	BE 50. b
	男 M.	*49*	–	–	–	–	–	–	–	–	–	*2*	*15*	*13*	–	*3*	*7*	*2*	*5*	*1*	–	–	*1*	–	–	–	–	–	–	
	女 F.	*6*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*1*	*1*	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	1) 64 649	1 601	1 822	1 511	1 137	888	6 959	3 518	1 940	4 896	8 224	6 592	4 625	3 215	2 797	3 172	3 067	3 305	3 072	2 809	2 435	2 034	1 338	479	108	12	–	1) 52	"N"
	男 M.	43 659	820	1 066	908	691	586	4 071	2 426	1 325	3 274	5 806	4 973	3 452	2 267	1 888	2 311	2 237	2 377	2 105	1 782	1 397	1 007	607	199	37	2	–	16	
	女 F.	20 963	781	756	603	446	302	2 888	1 092	615	1 622	2 418	1 619	1 173	948	809	861	830	928	967	1 027	1 038	1 027	731	280	71	10	–	9	
BN 47	骨折，頭部損傷および内部損傷	22 783	92	242	372	391	316	1 413	1 049	539	1 720	2 552	2 414	1 903	1 388	1 241	1 405	1 393	1 361	1 204	1 027	852	656	439	174	45	5	–	3	BN 47
	男 M.	18 072	54	148	220	228	197	847	715	404	1 407	2 262	2 176	1 700	1 195	1 050	1 197	1 164	1 085	940	743	544	348	206	73	12	1	–	3	
	女 F.	4 711	38	94	152	163	119	566	334	135	313	290	238	203	193	191	208	229	276	264	284	308	308	233	101	33	4	–	–	
BN 47. a	頭蓋骨折	*11 172*	*43*	*153*	*226*	*232*	*188*	*842*	*602*	*293*	*972*	*1 359*	*1 262*	*997*	*720*	*622*	*680*	*647*	*627*	*506*	*415*	*284*	*188*	*110*	*38*	*7*	–	–	*1*	BN 47. a
	男 M.	*8 994*	*22*	*93*	*131*	*143*	*120*	*509*	*410*	*220*	*778*	*1 204*	*1 133*	*886*	*627*	*524*	*588*	*534*	*505*	*388*	*308*	*189*	*109*	*61*	*18*	*2*	–	–	*1*	
	女 F.	*2 178*	*21*	*60*	*95*	*89*	*68*	*333*	*192*	*73*	*194*	*155*	*129*	*111*	*93*	*98*	*92*	*113*	*122*	*118*	*107*	*95*	*79*	*49*	*20*	*5*	–	–	–	
BN 47. b	その他の骨の骨折	*3 007*	*3*	*10*	*29*	*25*	*14*	*81*	*72*	*57*	*143*	*259*	*266*	*228*	*178*	*150*	*217*	*178*	*190*	*165*	*164*	*197*	*195*	*158*	*75*	*28*	*4*	–	*1*	BN 47. b
	男 M.	*2 220*	*2*	*6*	*15*	*12*	*9*	*44*	*44*	*37*	*125*	*229*	*238*	*207*	*153*	*129*	*183*	*152*	*151*	*128*	*118*	*118*	*76*	*55*	*23*	*8*	*1*	–	*1*	
	女 F.	*787*	*1*	*4*	*14*	*13*	*5*	*37*	*28*	*20*	*18*	*30*	*28*	*21*	*25*	*21*	*34*	*26*	*39*	*37*	*46*	*79*	*120*	*103*	*52*	*20*	*3*	–	–	
BN 47. c	頭部の損傷（骨折を除く）	*5 541*	*40*	*61*	*78*	*85*	*70*	*334*	*221*	*116*	*340*	*546*	*477*	*386*	*294*	*269*	*334*	*384*	*386*	*387*	*349*	*294*	*222*	*146*	*46*	*9*	*1*	–	–	BN 47. c
	男 M.	*4 305*	*26*	*37*	*46*	*49*	*41*	*199*	*150*	*92*	*278*	*477*	*425*	*345*	*251*	*229*	*280*	*321*	*303*	*302*	*239*	*181*	*131*	*75*	*25*	*2*	–	–	–	
	女 F.	*1 236*	*14*	*24*	*32*	*36*	*29*	*135*	*71*	*24*	*62*	*69*	*52*	*41*	*43*	*40*	*54*	*63*	*83*	*85*	*110*	*113*	*91*	*71*	*21*	*7*	*1*	–	–	
BN 47. d	胸，腹，骨盤腔の内部損傷	*3 063*	*6*	*18*	*39*	*49*	*44*	*156*	*154*	*73*	*265*	*388*	*409*	*292*	*196*	*200*	*174*	*184*	*158*	*146*	*99*	*77*	*50*	*25*	*15*	*1*	–	–	*1*	BN 47. d
	男 M.	*2 553*	*4*	*12*	*28*	*24*	*27*	*95*	*111*	*55*	*226*	*352*	*380*	*262*	*164*	*168*	*146*	*157*	*126*	*122*	*78*	*56*	*32*	*15*	*7*	–	–	–	*1*	
	女 F.	*510*	*2*	*6*	*11*	*25*	*17*	*61*	*43*	*18*	*39*	*36*	*29*	*30*	*32*	*32*	*28*	*27*	*32*	*24*	*21*	*21*	*18*	*10*	*8*	*1*	–	–	–	
BN 48	熱傷	1 883	154	145	97	75	58	529	104	34	63	87	81	66	55	56	52	61	80	72	109	120	130	132	42	9	1	–	–	BN 48
	男 M.	1 052	69	85	58	33	30	275	57	16	44	70	60	51	34	34	33	34	47	39	64	65	62	49	17	1	–	–	–	
	女 F.	831	85	60	39	42	28	254	47	18	19	17	21	15	21	22	19	27	33	33	45	55	68	83	25	8	1	–	–	
BN 49	毒物の作用	10 980	66	52	27	31	21	197	76	63	1 479	3 234	2 029	989	609	435	416	362	322	264	215	162	75	40	10	–	–	–	3	BN 49
	男 M.	6 300	33	24	15	20	14	106	31	33	712	1 805	1 276	587	335	247	255	245	217	176	119	96	38	17	3	–	–	–	2	
	女 F.	4 680	33	28	12	11	7	91	45	30	767	1 429	753	402	274	188	161	117	105	88	96	66	37	23	7	–	–	–	1	
BN 50	その他の損傷	1) 29 003	1 289	1 383	1 015	640	493	4 820	2 289	1 304	1 634	2 351	2 068	1 667	1 163	1 065	1 299	1 251	1 542	1 532	1 458	1 301	1 173	727	253	54	6	–	1) 46	BN 50
	男 M.	18 235	664	809	615	410	345	2 843	1 623	872	1 111	1 669	1 461	1 114	703	657	826	794	1 028	950	856	692	559	335	106	24	1	–	11	
	女 F.	10 741	625	574	400	230	148	1 977	666	432	523	682	607	553	460	408	473	457	514	582	602	609	614	392	147	30	5	–	8	
BN 50. a	裂傷および開放創	*2 438*	*18*	*18*	*22*	*18*	*16*	*92*	*84*	*57*	*307*	*478*	*350*	*216*	*120*	*122*	*135*	*101*	*103*	*82*	*56*	*61*	*39*	*20*	*10*	*4*	–	–	*1*	BN 50. a
	男 M.	*1 748*	*6*	*13*	*13*	*9*	*15*	*56*	*43*	*37*	*201*	*365*	*281*	*169*	*88*	*85*	*103*	*69*	*78*	*58*	*41*	*44*	*18*	*8*	*2*	*1*	–	–	*1*	
	女 F.	*690*	*12*	*5*	*9*	*9*	*1*	*36*	*41*	*20*	*106*	*113*	*69*	*47*	*32*	*37*	*32*	*32*	*25*	*24*	*15*	*17*	*21*	*12*	*8*	*3*	–	–	–	
BN 50. b	溺死および死にいたらない溺水	1) *14 627*	*224*	*1 234*	*928*	*569*	*435*	*3 390*	*2 049*	*1 098*	*819*	*926*	*871*	*756*	*536*	*476*	*516*	*442*	*530*	*517*	*501*	*432*	*401*	*228*	*80*	*14*	*3*	–	1) *42*	BN 50. b
	男 M.	*8 565*	*129*	*724*	*565*	*370*	*308*	*2 096*	*1 482*	*728*	*512*	*573*	*518*	*423*	*270*	*239*	*288*	*235*	*309*	*260*	*221*	*174*	*136*	*66*	*25*	*3*	–	–	*7*	
	女 F.	*6 035*	*95*	*510*	*363*	*199*	*127*	*1 294*	*567*	*370*	*307*	*353*	*353*	*333*	*266*	*237*	*228*	*207*	*221*	*257*	*280*	*258*	*265*	*162*	*55*	*11*	*3*	–	*3*	
BN 50. c	窒息および絞首	*8 468*	*787*	*68*	*32*	*24*	*23*	*934*	*69*	*82*	*297*	*617*	*573*	*428*	*332*	*316*	*467*	*540*	*726*	*759*	*725*	*627*	*543*	*307*	*97*	*24*	*3*	–	*2*	BN 50. c
	男 M.	*5 303*	*396*	*37*	*13*	*15*	*13*	*474*	*41*	*58*	*216*	*431*	*419*	*290*	*204*	*211*	*291*	*355*	*494*	*492*	*469*	*353*	*290*	*158*	*42*	*12*	*1*	–	*2*	
	女 F.	*3 165*	*391*	*31*	*19*	*9*	*10*	*460*	*28*	*24*	*81*	*186*	*154*	*138*	*128*	*105*	*176*	*185*	*232*	*267*	*256*	*274*	*253*	*149*	*55*	*12*	*2*	–	–	
BN 50. d	その他	*3 470*	*260*	*63*	*33*	*29*	*19*	*404*	*87*	*67*	*211*	*330*	*274*	*267*	*175*	*151*	*181*	*168*	*183*	*174*	*176*	*181*	*190*	*172*	*66*	*12*	–	–	*1*	BN 50. d
	男 M.	*2 619*	*133*	*35*	*24*	*16*	*9*	*217*	*57*	*49*	*182*	*300*	*243*	*232*	*141*	*122*	*144*	*135*	*147*	*140*	*125*	*121*	*115*	*103*	*37*	*8*	–	–	*1*	
	女 F.	*851*	*127*	*28*	*9*	*13*	*10*	*187*	*30*	*18*	*29*	*30*	*31*	*35*	*34*	*29*	*37*	*33*	*36*	*34*	*51*	*60*	*75*	*69*	*29*	*4*	–	–	–	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 50 表　死　亡　者　数，性・月・死因（簡単分類）別

TABLE 50　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	不詳 Unknown	国際簡単分類番号 International abbreviated list number
	総数	1) 689 959	71 193	58 170	66 217	59 708	56 636	49 914	49 426	50 389	1) 52 280	54 919	54 857	66 220	30	
	男 M.	367 562	37 921	30 764	34 953	31 874	29 999	26 487	26 462	26 922	27 220	29 604	29 570	35 758	28	
	女 F.	322 370	33 272	27 406	31 264	27 834	26 637	23 427	22 964	23 467	25 033	25 315	25 287	30 462	2	
B1	呼吸器系の結核	29 747	2 855	2 455	2 862	2 653	2 658	2 331	2 228	2 175	2 081	2 407	2 331	2 711	－	B1
	男 M.	18 557	1 743	1 500	1 766	1 636	1 663	1 468	1 414	1 382	1 292	1 529	1 465	1 699	－	
	女 F.	11 190	1 112	955	1 096	1 017	995	863	814	793	789	878	866	1 012	－	
B2	その他の結核	3 245	309	278	281	293	325	244	259	274	245	257	246	234	－	B2
	男 M.	1 485	145	141	121	138	140	116	120	128	102	107	116	111	－	
	女 F.	1 760	164	137	160	155	185	128	139	146	143	150	130	123	－	
B3	梅毒およびその続発症	2 247	282	189	225	163	175	169	167	162	149	165	187	214	－	B3
	男 M.	1 634	198	124	162	114	128	128	126	117	111	118	139	169	－	
	女 F.	613	84	65	63	49	47	41	41	45	38	47	48	45	－	
B4	腸チフス	37	3	－	4	2	3	1	4	5	5	5	3	2	－	B4
	男 M.	24	2	－	2	1	1	1	2	4	3	5	2	1	－	
	女 F.	13	1	－	2	1	2	－	2	1	2	－	1	1	－	
B5	コレラ	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B5
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B6	赤痢	2 457	127	101	135	133	164	224	311	375	336	276	176	99	－	B6
	男 M.	1 134	57	46	51	62	74	104	152	182	155	129	77	45	－	
	女 F.	1 323	70	55	84	71	90	120	159	193	181	147	99	54	－	
B6. a	細菌性赤痢（疫痢症状を呈するもの）	*1 910*	*91*	*80*	*110*	*114*	*131*	*185*	*236*	*295*	*254*	*205*	*136*	*73*	－	B6. a
	男 M.	*868*	*40*	*32*	*41*	*52*	*62*	*84*	*114*	*143*	*111*	*98*	*58*	*33*	－	
	女 F.	*1 042*	*51*	*48*	*69*	*62*	*69*	*101*	*122*	*152*	*143*	*107*	*78*	*40*	－	
B6. b	細菌性赤痢（その他）	*533*	*36*	*20*	*24*	*18*	*32*	*36*	*74*	*80*	*81*	*68*	*39*	*25*	－	B6. b
	男 M.	*255*	*17*	*13*	*9*	*9*	*11*	*19*	*37*	*39*	*43*	*29*	*18*	*11*	－	
	女 F.	*278*	*19*	*7*	*15*	*9*	*21*	*17*	*37*	*41*	*38*	*39*	*21*	*14*	－	
B6. c	アメーバ症	*14*	－	*1*	*1*	*1*	*1*	*3*	*1*	－	*1*	*3*	*1*	*1*	－	B6. c
	男 M.	*11*	－	*1*	*1*	*1*	*1*	*1*	*1*	－	*1*	*2*	*1*	*1*	－	
	女 F.	*3*	－	－	－	－	－	*2*	－	－	－	*1*	－	－	－	
B6. d	その他の原虫性および詳細不明の赤痢	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B6. d
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B7	猩紅熱およびレンサ球菌性口峡炎	40	1	3	7	－	6	1	3	3	4	3	6	3	－	B7
	男 M.	20	－	1	5	－	4	－	3	1	－	2	2	2	－	
	女 F.	20	1	2	2	－	2	1	－	2	4	1	4	1	－	
B7. a	猩紅熱	*38*	*1*	*3*	*7*	－	*6*	*1*	*3*	*3*	*4*	*2*	*5*	*3*	－	B7. a
	男 M.	*19*	－	*1*	*5*	－	*4*	－	*3*	*1*	－	*1*	*2*	*2*	－	
	女 F.	*19*	*1*	*2*	*2*	－	*2*	*1*	－	*2*	*4*	*1*	*3*	*1*	－	
B7. b	レンサ球菌性口峡炎	*2*	－	－	－	－	－	－	－	－	－	*1*	*1*	－	－	B7. b
	男 M.	*1*	－	－	－	－	－	－	－	－	－	*1*	－	－	－	
	女 F.	*1*	－	－	－	－	－	－	－	－	－	－	*1*	－	－	
B8	ジフテリア	706	108	86	73	56	46	24	14	22	22	51	96	108	－	B8
	男 M.	381	64	40	43	31	22	16	10	11	12	25	49	58	－	
	女 F.	325	44	46	30	25	24	8	4	11	10	26	47	50	－	
B9	百日咳	178	22	24	32	17	17	14	8	11	11	8	1	13	－	B9
	男 M.	85	13	10	13	11	9	4	4	4	5	6	1	5	－	
	女 F.	93	9	14	19	6	8	10	4	7	6	2	－	8	－	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 50 表　死　亡　者　数，

TABLE 50　DEATHS FROM CAUSES (ABBREVIATED

性・月・死因（簡単分類）別

LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 Jury	8月 August	9月 September	10月 October	11月 November	12月 December	不詳 Unknown	国際簡単分類番号 International abbreviated list number
B10	髄膜炎菌感染	124	11	12	7	10	12	13	11	13	7	9	7	12	–	B10
	男 M.	75	6	4	4	4	10	10	7	8	6	6	4	6	–	
	女 F.	49	5	8	3	6	2	3	4	5	1	3	3	6	–	
B11	ペスト	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B11
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B12	急性灰白髄炎	201	11	11	16	18	21	22	21	29	18	14	6	14	–	B12
	男 M.	111	4	5	13	12	13	12	14	15	6	7	4	6	–	
	女 F.	90	7	6	3	6	8	10	7	14	12	7	2	8	–	
B13	痘瘡	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B13
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B14	麻疹	1 882	83	93	253	294	416	357	212	57	15	20	26	56	–	B14
	男 M.	969	41	45	134	166	201	176	120	30	9	13	8	26	–	
	女 F.	913	42	48	119	128	215	181	92	27	6	7	18	30	–	
B15	発疹チフスおよびその他のリケッチア病	10	3	1	–	1	–	–	–	2	1	1	–	1	–	B15
	男 M.	5	1	1	–	–	–	–	–	1	1	–	–	1	–	
	女 F.	5	2	–	–	1	–	–	–	1	–	1	–	–	–	
B15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B15. c	その他	*10*	*3*	*1*	–	*1*	–	–	–	*2*	*1*	*1*	–	*1*	–	B15. c
	男 M.	*5*	*1*	*1*	–	–	–	–	–	*1*	*1*	–	–	*1*	–	
	女 F.	*5*	*2*	–	–	*1*	–	–	–	*1*	–	*1*	–	–	–	
B16	マラリア	10	–	1	1	2	1	–	2	1	2	–	–	–	–	B16
	男 M.	10	–	1	1	2	1	–	2	1	2	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17	伝染性および寄生性として分類されたその他の疾患	4 562	303	285	322	300	285	274	422	766	541	421	310	333	–	B17
	男 M.	2 523	172	150	169	155	150	150	238	431	283	257	186	182	–	
	女 F.	2 039	131	135	153	145	135	124	184	335	258	164	124	151	–	
B17. a	パラチフス	*8*	–	–	*1*	*2*	*1*	*1*	*1*	–	–	–	–	*2*	–	B17. a
	男 M.	*8*	–	–	*1*	*2*	*1*	*1*	*1*	–	–	–	–	*2*	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. b	癩	*14*	–	*4*	*1*	*1*	*2*	–	*1*	*2*	*1*	–	–	*2*	–	B17. b
	男 M.	*11*	–	*3*	*1*	*1*	*2*	–	–	*2*	*1*	–	–	*1*	–	
	女 F.	*3*	–	*1*	–	–	–	–	*1*	–	–	–	–	*1*	–	
B17. c	破傷風	*633*	*33*	*34*	*47*	*48*	*57*	*48*	*67*	*79*	*63*	*58*	*57*	*42*	–	B17. c
	男 M.	*416*	*28*	*20*	*31*	*27*	*37*	*29*	*51*	*50*	*38*	*38*	*39*	*28*	–	
	女 F.	*217*	*5*	*14*	*16*	*21*	*20*	*19*	*16*	*29*	*25*	*20*	*18*	*14*	–	
B17. d	炭疽	*3*	–	*1*	*1*	–	–	–	–	–	–	*1*	–	–	–	B17. d
	男 M.	*3*	–	*1*	*1*	–	–	–	–	–	–	*1*	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. e
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 50 表　死　亡　者　数，性・月・死因（簡単分類）別

TABLE 50　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	不詳 Unknown	国際簡単分類番号 International abbreviated list number
B17. f	日本脳炎	723	4	2	1	3	8	14	77	400	177	25	9	3	－	B17. f
	男 M.	377	2	1	1	1	2	6	45	215	89	11	3	1	－	
	女 F.	346	2	1	－	2	6	8	32	185	88	14	6	2	－	
B17. g	黄熱	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B17. g
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B17. h	狂犬病	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B17. h
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B17. i	伝染性下痢症	2	－	－	1	－	－	－	－	1	－	－	－	－	－	B17. i
	男 M.	1	－	－	1	－	－	－	－	－	－	－	－	－	－	
	女 F.	1	－	－	－	－	－	－	－	1	－	－	－	－	－	
B17. j	日本住血吸虫症	57	7	1	4	12	4	5	4	2	3	7	4	4	－	B17. j
	男 M.	33	4	－	2	8	3	3	2	2	3	－	4	2	－	
	女 F.	24	3	1	2	4	1	2	2	－	－	7	－	2	－	
B17. k	糸状虫症	50	3	3	6	3	2	3	3	7	4	7	3	6	－	B17. k
	男 M.	32	1	2	5	2	2	2	3	5	1	5	1	3	－	
	女 F.	18	2	1	1	1	－	1	－	2	3	2	2	3	－	
B17. l	その他の伝染性および寄生性として分類された疾患	3 072	256	240	260	231	211	203	269	275	293	323	237	274	－	B17. l
	男 M.	1 642	137	123	126	114	103	109	136	157	151	202	139	145	－	
	女 F.	1 430	119	117	134	117	108	94	133	118	142	121	98	129	－	
B18	悪性新生物（リンパ組織および造血組織の新生物を含む）	91 286	7 633	6 676	7 526	7 126	7 402	7 315	7 818	8 006	7 760	8 280	7 800	7 943	1	B18
	男 M.	49 215	4 148	3 581	4 010	3 783	3 952	3 913	4 247	4 233	4 274	4 536	4 227	4 310	1	
	女 F.	42 071	3 485	3 095	3 516	3 343	3 450	3 402	3 571	3 773	3 486	3 744	3 573	3 633	－	
B18. a	胃の悪性新生物	41 884	3 551	3 059	3 430	3 223	3 336	3 318	3 612	3 583	3 667	3 814	3 588	3 703	－	B18. a
	男 M.	25 757	2 190	1 861	2 077	1 974	2 061	1 982	2 249	2 186	2 271	2 368	2 219	2 319	－	
	女 F.	16 127	1 361	1 198	1 353	1 249	1 275	1 336	1 363	1 397	1 396	1 446	1 369	1 384	－	
B18. b	気管，気管支および肺の悪性新生物	4 739	412	323	390	389	371	353	411	427	406	445	394	418	－	B18. b
	男 M.	3 329	292	225	279	254	256	250	299	297	295	320	274	288	－	
	女 F.	1 410	120	98	111	135	115	103	112	130	111	125	120	130	－	
B18. c	乳房の悪性新生物	1 673	151	123	152	129	127	123	139	152	123	148	147	159	－	B18. c
	男 M.	21	－	4	1	1	－	2	1	－	2	5	4	1	－	
	女 F.	1 652	151	119	151	128	127	121	138	152	121	143	143	158	－	
B18. d	子宮の悪性新生物	7 099	570	537	605	570	621	551	636	641	543	628	602	595	－	B18. d
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	7 099	570	537	605	570	621	551	636	641	543	628	602	595	－	
B18. e	白血病および無白血病	2 486	209	175	222	187	230	194	199	243	212	217	198	200	－	B18. e
	男 M.	1 380	108	99	124	89	123	109	122	132	117	128	122	107	－	
	女 F.	1 106	101	76	98	98	107	85	77	111	95	89	76	93	－	
B18. f	その他	33 405	2 740	2 459	2 727	2 628	2 717	2 776	2 821	2 960	2 809	3 028	2 871	2 868	1	B18. f
	男 M.	18 728	1 558	1 392	1 529	1 465	1 512	1 570	1 576	1 618	1 589	1 715	1 608	1 595	1	
	女 F.	14 677	1 182	1 067	1 198	1 163	1 205	1 206	1 245	1 342	1 220	1 313	1 263	1 273	－	
B19	良性および性質不詳の新生物	4 498	396	350	409	363	371	373	405	376	368	373	334	380	－	B19
	男 M.	2 221	217	175	212	182	173	176	187	199	167	188	163	182	－	
	女 F.	2 277	179	175	197	181	198	197	218	177	201	185	171	198	－	
B20	糖尿病	2 794	315	233	302	250	209	193	186	182	176	227	220	301	－	B20
	男 M.	1 293	148	104	134	115	105	93	100	87	77	87	100	143	－	
	女 F.	1 501	167	129	168	135	104	100	86	95	99	140	120	158	－	

第 50 表　死　亡　者　数，性・月・死因（簡単分類）別

TABLE 50　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	不詳 Unknown	国際簡単分類番号 International abbreviated list number
B21	貧血	1 354	142	102	109	115	113	100	93	95	130	114	101	140	－	B21
	男 M.	613	64	43	41	56	51	46	43	45	59	56	40	69	－	
	女 F.	741	78	59	68	59	62	54	50	50	71	58	61	71	－	
B22	中枢神経系の血管損傷	142 858	15 209	12 548	14 009	12 462	11 519	10 121	9 323	9 637	9 533	11 990	12 204	14 303	－	B22
	男 M.	75 169	8 206	6 706	7 376	6 600	5 956	5 119	4 631	4 945	4 865	6 455	6 579	7 731	－	
	女 F.	67 689	7 003	5 842	6 633	5 862	5 563	5 002	4 692	4 692	4 668	5 535	5 625	6 572	－	
B23	髄膜炎（髄膜炎菌性および結核性を除く）	1 327	143	87	118	130	131	101	108	109	107	93	90	110	－	B23
	男 M.	735	79	51	64	73	68	45	62	66	54	49	57	67	－	
	女 F.	592	64	36	54	57	63	56	46	43	53	44	33	43	－	
B24	リューマチ熱	1 102	117	97	104	91	76	88	77	87	71	93	79	122	－	B24
	男 M.	448	52	45	48	36	33	36	20	38	17	38	35	50	－	
	女 F.	654	65	52	56	55	43	52	57	49	54	55	44	72	－	
B25	慢性リューマチ性心臓疾患	5 420	600	488	520	470	416	425	414	396	357	394	420	520	－	B25
	男 M.	2 046	220	194	217	169	170	155	148	149	135	152	144	193	－	
	女 F.	3 374	380	294	303	301	246	270	266	247	222	242	276	327	－	
B26	動脈硬化性および変性性心臓疾患	42 715	4 639	3 683	4 425	3 963	3 646	3 099	2 750	2 737	2 729	3 204	3 455	4 385	－	B26
	男 M.	22 081	2 420	1 877	2 280	2 079	1 923	1 573	1 424	1 369	1 398	1 641	1 807	2 290	－	
	女 F.	20 634	2 219	1 806	2 145	1 884	1 723	1 526	1 326	1 368	1 331	1 563	1 648	2 095	－	
B26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	*17 398*	*1 858*	*1 398*	*1 861*	*1 659*	*1 570*	*1 265*	*1 075*	*1 097*	*1 082*	*1 271*	*1 445*	*1 817*	－	B26. a
	男 M.	*10 476*	*1 132*	*834*	*1 106*	*1 026*	*963*	*765*	*668*	*649*	*638*	*764*	*852*	*1 079*	－	
	女 F.	*6 922*	*726*	*564*	*755*	*633*	*607*	*500*	*407*	*448*	*444*	*507*	*593*	*738*	－	
B26. b	リューマチ性と明示されない慢性心内膜炎	*12 519*	*1 415*	*1 167*	*1 317*	*1 146*	*1 083*	*908*	*853*	*798*	*798*	*934*	*924*	*1 176*	－	B26. b
	男 M.	*5 393*	*602*	*492*	*576*	*499*	*473*	*374*	*364*	*318*	*345*	*401*	*421*	*528*	－	
	女 F.	*7 126*	*813*	*675*	*741*	*647*	*610*	*534*	*489*	*480*	*453*	*533*	*503*	*648*	－	
B26. c	その他の心筋変性	*12 798*	*1 366*	*1 118*	*1 247*	*1 158*	*993*	*926*	*822*	*842*	*849*	*999*	*1 086*	*1 392*	－	B26. c
	男 M.	*6 212*	*686*	*551*	*598*	*554*	*487*	*434*	*392*	*402*	*415*	*476*	*534*	*683*	－	
	女 F.	*6 586*	*680*	*567*	*649*	*604*	*506*	*492*	*430*	*440*	*434*	*523*	*552*	*709*	－	
B27	その他の心臓疾患	14 819	1 728	1 413	1 690	1 524	1 373	1 057	829	823	784	1 094	1 026	1 478	－	B27
	男 M.	8 008	960	750	936	830	742	590	443	421	391	584	561	800	－	
	女 F.	6 811	768	663	754	694	631	467	386	402	393	510	465	678	－	
B28	高血圧性心臓疾患	4 972	519	415	484	427	427	364	379	302	281	392	416	566	－	B28
	男 M.	2 544	269	213	229	227	216	188	175	157	132	211	217	310	－	
	女 F.	2 428	250	202	255	200	211	176	204	145	149	181	199	256	－	
B29	その他の高血圧性疾患	8 531	879	738	801	698	693	596	600	577	598	709	727	915	－	B29
	男 M.	4 148	409	363	374	371	321	295	276	276	291	354	368	450	－	
	女 F.	4 383	470	375	427	327	372	301	324	301	307	355	359	465	－	
B30	インフルエンザ	1 001	53	56	124	233	276	103	26	16	21	17	19	57	－	B30
	男 M.	533	31	29	66	118	160	58	13	8	10	6	8	26	－	
	女 F.	468	22	27	58	115	116	45	13	8	11	11	11	31	－	
B31	肺炎（新生児肺炎を除く）	29 511	3 482	3 192	3 850	3 553	2 954	1 847	1 429	1 302	1 358	1 599	1 935	3 010	－	B31
	男 M.	15 647	1 859	1 735	2 035	1 867	1 605	956	724	644	728	847	1 035	1 612	－	
	女 F.	13 864	1 623	1 457	1 815	1 686	1 349	891	705	658	630	752	900	1 398	－	
B32	気管支炎	7 789	981	807	918	911	727	512	406	353	374	535	484	781	－	B32
	男 M.	4 076	543	491	473	457	368	256	224	199	215	295	255	390	－	
	女 F.	3 713	438	406	445	454	359	256	182	154	159	240	229	391	－	
B33	胃および十二指腸の潰瘍	11 325	1 268	960	1 075	913	941	845	805	800	735	939	920	1 124	－	B33
	男 M.	7 729	883	657	708	613	602	567	529	572	502	661	672	763	－	
	女 F.	3 596	385	303	367	300	339	278	276	228	233	278	248	361	－	

第 50 表　死　亡　者　数，性・月・死因（簡単分類）別

TABLE 50　DEATHS FROM CAUSES (ABBREVIATED LEST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	不詳 Unknown	国際簡単分類番号 International abbreviated list number
B34	虫垂炎	1 107	95	83	80	100	89	98	112	109	93	96	73	79	－	B34
	男 M.	577	47	43	40	54	44	50	59	57	54	39	43	47	－	
	女 F.	530	48	40	40	46	45	48	53	52	39	57	30	32	－	
B35	腸閉塞およびヘルニア	4 125	406	352	344	302	290	322	329	370	320	366	341	383	－	B35
	男 M.	2 401	237	199	201	174	169	188	202	206	191	200	206	228	－	
	女 F.	1 724	169	153	143	128	121	134	127	164	129	166	135	155	－	
B36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	21 051	2 380	1 602	1 742	1 505	1 464	1 413	1 515	1 710	1 753	1 836	1 811	2 320	－	B36
	男 M.	9 334	1 110	744	792	648	614	608	643	702	715	775	845	1 138	－	
	女 F.	11 717	1 270	858	950	857	850	805	872	1 008	1 038	1 061	966	1 182	－	
B36. a	胃炎および十二指腸炎	*3 139*	*308*	*265*	*281*	*260*	*251*	*225*	*221*	*227*	*211*	*302*	*291*	*297*	－	B36. a
	男 M.	*1 359*	*134*	*115*	*125*	*89*	*98*	*98*	*103*	*93*	*91*	*127*	*142*	*144*	－	
	女 F.	*1 780*	*174*	*150*	*156*	*171*	*153*	*127*	*118*	*134*	*120*	*175*	*149*	*153*	－	
B36. b	胃腸炎，腸炎および大腸炎	*17 912*	*2·072*	*1 337*	*1 461*	*1 245*	*1 213*	*1 188*	*1 294*	*1 483*	*1 542*	*1 534*	*1 520*	*2 023*	－	B36. b
	男 M.	*7 975*	*976*	*629*	*667*	*559*	*516*	*510*	*540*	*609*	*624*	*648*	*703*	*994*	－	
	女 F.	*9 937*	*1 096*	*708*	*794*	*686*	*697*	*678*	*754*	*874*	*918*	*886*	*817*	*1 029*	－	
B37	肝硬変	8 794	809	653	793	697	689	707	691	670	720	780	760	825	－	B37
	男 M.	5 339	490	369	494	439	411	421	433	406	442	479	449	506	－	
	女 F.	3 455	319	284	299	258	278	286	258	264	278	301	311	319	－	
B38	腎炎およびネフローゼ	16 426	1 918	1 490	1 612	1 417	1 401	1 195	1 073	1 023	1 078	1 329	1 344	1 546	－	B38
	男 M.	8 012	928	722	778	694	689	602	521	456	505	666	675	776	－	
	女 F.	8 414	990	768	834	723	712	593	552	567	573	663	669	770	－	
B38. a	急性腎炎およびネフローゼ	*4 759*	*591*	*457*	*456*	*384*	*406*	*329*	*270*	*287*	*299*	*405*	*420*	*455*	－	B38. a
	男 M.	*2 376*	*300*	*209*	*218*	*194*	*209*	*159*	*148*	*140*	*146*	*216*	*208*	*229*	－	
	女 F.	*2 383*	*291*	*248*	*238*	*190*	*197*	*170*	*122*	*147*	*153*	*189*	*212*	*226*	－	
B38. b	その他	*11 667*	*1 327*	*1 033*	*1 156*	*1 033*	*995*	*866*	*803*	*736*	*779*	*924*	*924*	*1 091*	－	B38. b
	男 M.	*5 636*	*628*	*513*	*560*	*500*	*480*	*443*	*373*	*316*	*359*	*450*	*467*	*547*	－	
	女 F.	*6 031*	*699*	*520*	*596*	*533*	*515*	*423*	*430*	*420*	*420*	*474*	*457*	*544*	－	
B39	前立腺肥大症	440	40	34	28	32	42	26	33	40	45	34	40	46	－	B39
	男 M.	440	40	34	28	32	42	26	33	40	45	34	40	46	－	
	女 F.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
B40	妊娠，分娩および産褥の合併症	2 381	266	230	211	193	180	184	175	224	188	171	158	201	－	B40
	男 M.	・	・	・	・	・	・	・	・	・	・	・	・	・	・	
	女 F.	2 381	266	230	211	193	180	184	175	224	188	171	158	201	－	
B41	先天奇形	4 294	438	417	431	376	295	326	324	326	282	353	318	408	－	B41
	男 M.	2 281	242	221	233	207	168	172	167	171	153	181	163	203	－	
	女 F.	2 013	196	196	198	169	127	154	157	155	129	172	155	205	－	
B42	出生時の損傷，分娩後窒息および肺不全拡張	2 302	206	182	226	172	155	176	192	207	192	182	197	215	－	B42
	男 M.	1 343	113	106	129	100	86	99	113	131	121	113	105	127	－	
	女 F.	959	93	76	97	72	69	77	79	76	71	69	92	88	－	
B43	新生児の感染	5 742	931	766	859	471	363	268	271	252	264	282	387	628	－	B43
	男 M.	3 245	534	425	478	262	202	159	160	150	170	155	215	335	－	
	女 F.	2 497	397	341	381	209	161	109	111	102	94	127	172	293	－	
B43. a	新生児肺炎	*4 718*	*795*	*647*	*714*	*371*	*292*	*208*	*205*	*204*	*207*	*225*	*318*	*532*	－	B43. a
	男 M.	*2 657*	*457*	*354*	*400*	*202*	*162*	*122*	*125*	*125*	*127*	*119*	*180*	*284*	－	
	女 F.	*2 061*	*338*	*293*	*314*	*169*	*130*	*86*	*80*	*79*	*80*	*106*	*138*	*248*	－	
B43. b	新生児下痢	*623*	*92*	*71*	*88*	*65*	*43*	*37*	*31*	*22*	*34*	*33*	*43*	*64*	－	B43. b
	男 M.	*357*	*52*	*41*	*43*	*42*	*23*	*21*	*16*	*14*	*25*	*20*	*23*	*37*	－	
	女 F.	*266*	*40*	*30*	*45*	*23*	*20*	*16*	*15*	*8*	*9*	*13*	*20*	*27*	－	

第 50 表　死　亡　者　数，性・月・死因（簡単分類）別

TABLE 50　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May
B 43. c	その他の新生児の感染	*401*	*44*	*48*	*57*	*35*	*28*
	男 M.	*231*	*25*	*30*	*35*	*18*	*17*
	女 F.	*170*	*19*	*18*	*22*	*17*	*11*
B 44	その他の新生児固有の疾患および性質不明の未熟児	19 512	2 729	2 002	2 101	1 530	1 398
	男 M.	10 972	1 484	1 096	1 159	858	807
	女 F.	8 540	1 245	906	942	672	591
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	67 592	8 348	5 977	6 718	5 688	5 160
	男 M.	28 395	3 490	2 516	2 771	2 414	2 172
	女 F.	39 197	4 858	3 461	3 947	3 274	2 988
B 45. a	精神病の記載のない老衰	*52 687*	*6 609*	*4 732*	*5 302*	*4 298*	*3 886*
	男 M.	*19 991*	*2 570*	*1 845*	*1 971*	*1 618*	*1 434*
	女 F.	*32 696*	*4 039*	*2 887*	*3 331*	*2 680*	*2 452*
B 45. b	その他の診断名不明確および不明の原因	*14 905*	*1 739*	*1 245*	*1 416*	*1 390*	*1 274*
	男 M.	*8 404*	*920*	*671*	*800*	*796*	*738*
	女 F.	*6 501*	*819*	*574*	*616*	*594*	*536*
B 46	その他のすべての疾患	54 796	5 866	4 751	5 397	4 940	4 613
	男 M.	28 045	3 087	2 372	2 762	2 561	2 344
	女 F.	26 751	2 779	2 379	2 635	2 379	2 269
B 46. a	その他の循環器系の疾患（先天性を除く）	*4 269*	*468*	*375*	*438*	*353*	*316*
	男 M.	*2 179*	*236*	*189*	*214*	*185*	*170*
	女 F.	*2 090*	*232*	*186*	*224*	*168*	*146*
B 46. b	その他のすべての疾患	*50 527*	*5 398*	*4 376*	*4 959*	*4 587*	*4 297*
	男 M.	*25 866*	*2 851*	*2 183*	*2 548*	*2 376*	*2 174*
	女 F.	*24 661*	*2 547*	*2 193*	*2 411*	*2 211*	*2 123*
"E"	**不慮の事故，中毒および暴力の二重分類（外因）**	**[1] 64 649**	**4 539**	**4 247**	**4 993**	**5 114**	**5 094**
	男 M.	**43 659**	**3 165**	**2 925**	**3 401**	**3 523**	**3 390**
	女 F.	**20 963**	**1 374**	**1 322**	**1 592**	**1 591**	**1 704**
BE 47	自動車事故	11 040	778	698	895	968	835
	男 M.	8 770	643	562	712	772	677
	女 F.	2 270	135	136	183	196	158
BE 48	その他の不慮の事故	[1] 30 622	2 091	1 814	1 991	2 008	1 952
	男 M.	21 433	1 518	1 347	1 455	1 488	1 412
	女 F.	9 162	573	467	536	520	540
BE 48. a	自動車以外の交通事故	*4 402*	*370*	*321*	*365*	*395*	*329*
	男 M.	*3 550*	*306*	*285*	*299*	*307*	*261*
	女 F.	*852*	*64*	*36*	*66*	*88*	*68*
BE 48. b	不慮の墜落	*4 166*	*337*	*301*	*342*	*345*	*335*
	男 M.	*3 160*	*246*	*232*	*262*	*265*	*249*
	女 F.	*1 006*	*91*	*69*	*80*	*80*	*86*
BE 48. c	不慮の溺死および溺水	*7 272*	*196*	*278*	*365*	*512*	*627*
	男 M.	*5 259*	*129*	*189*	*239*	*354*	*425*
	女 F.	*2 013*	*67*	*89*	*126*	*158*	*202*
BE 48. d	天災	[1] *4 863*	–	–	–	*2*	–
	男 M.	*2 072*	–	–	–	*1*	–
	女 F.	*2 764*	–	–	–	*1*	–
BE 48. e	その他	*9 919*	*1 188*	*914*	*919*	*754*	*661*
	男 M.	*7 392*	*837*	*641*	*655*	*561*	*477*
	女 F.	*2 527*	*351*	*273*	*264*	*193*	*184*

注： 1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	不詳 Unknown	国際簡単分類番号 International abbreviated list number
23	*35*	*26*	*23*	*24*	*26*	*32*	–	B 43. c
16	*19*	*11*	*18*	*16*	*12*	*14*	–	
7	*16*	*15*	*5*	*8*	*14*	*18*	–	
1 254	1 295	1 206	1 191	1 339	1 460	2 007	–	B 44
703	759	669	677	777	846	1 137	–	
551	536	537	514	562	614	870	–	
4 330	4 270	4 448	4 379	5 549	5 567	7 153	5	B 45
1 870	1 815	1 837	1 831	2 346	2 314	3 014	5	
2 460	2 455	2 611	2 548	3 203	3 253	4 139	–	
3 237	*3 212*	*3 455*	*3 372*	*4 425*	*4 424*	*5 735*	–	B 45. a
1 225	*1 180*	*1 267*	*1 258*	*1 718*	*1 681*	*2 224*	–	
2 012	*2 032*	*2 188*	*2 114*	*2 707*	*2 743*	*3 511*	–	
1 093	*1 058*	*993*	*1 007*	*1 124*	*1 143*	*1 418*	5	B 45. b
645	*635*	*570*	*573*	*628*	*633*	*790*	5	
448	*423*	*423*	*434*	*496*	*510*	*628*	–	
3 869	3 866	3 883	3 743	4 302	4 271	5 295	–	B 46
1 975	1 904	1 951	1 873	2 203	2 217	2 796	–	
1 894	1 962	1 932	1 870	2 099	2 054	2 499	–	
294	*304*	*275*	*263*	*343*	*357*	*483*	–	B 46. a
150	*164*	*137*	*133*	*168*	*189*	*244*	–	
144	*140*	*138*	*130*	*175*	*168*	*239*	–	
3 575	*3 562*	*3 608*	*3 480*	*3 959*	*3 914*	*4 812*	–	B 46. b
1 825	*1 740*	*1 814*	*1 740*	*2 035*	*2 028*	*2 552*	–	
1 750	*1 822*	*1 794*	*1 740*	*1 924*	*1 886*	*2 260*	–	
4 933	**5 970**	**6 228**	[1] **9 213**	**4 610**	**4 505**	**5 179**	**24**	**"E"**
3 363	**4 195**	**4 423**	**5 141**	**3 272**	**3 131**	**3 708**	**22**	
1 570	**1 775**	**1 805**	**4 045**	**1 338**	**1 374**	**1 471**	**2**	
743	862	972	916	1 051	1 072	1 250	–	BE 47
561	685	768	727	813	829	1 021	–	
182	177	204	189	238	243	229	–	
2 071	3 009	3 281	[1] 6 523	1 856	1 790	2 228	8	BE 48
1 562	2 325	2 492	3 387	1 416	1 337	1 687	7	
509	684	789	3 109	440	453	541	1	
332	*322*	*388*	*421*	*372*	*378*	*409*	–	BE 48. a
264	*253*	*313*	*345*	*292*	*291*	*334*	–	
68	*69*	*75*	*76*	*80*	*87*	*75*	–	
302	*315*	*341*	*368*	*407*	*372*	*400*	*1*	BE 48. b
224	*242*	*253*	*270*	*316*	*285*	*315*	*1*	
78	*73*	*88*	*98*	*91*	*87*	*85*	–	
762	*1 546*	*1 585*	*510*	*340*	*302*	*244*	*5*	BE 48. c
555	*1 191*	*1 228*	*353*	*224*	*197*	*170*	*5*	
207	*355*	*357*	*157*	*116*	*105*	*74*	–	
1	*47*	*238*	[1] *4 555*	*15*	*4*	–	*1*	BE 48. d
–	*22*	*132*	*1 905*	*9*	*3*	–	–	
1	*25*	*106*	*2 623*	*6*	*1*	–	*1*	
674	*779*	*729*	*669*	*722*	*734*	*1 175*	*1*	BE 48. e
519	*617*	*566*	*514*	*575*	*561*	*868*	*1*	
155	*162*	*163*	*155*	*147*	*173*	*307*	–	

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 50 表　死　亡　者　数，性・月・死因（簡単分類）別

TABLE 50　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	1月 January	2月 February	3月 March	4月 April	5月 May	6月 June	7月 July	8月 August	9月 September	10月 October	11月 November	12月 December	不詳 Unknown	国際簡単分類番号 International abbreviated list number
BE 49	自殺および自傷	21 090	1 549	1 593	1 951	1 967	2 144	1 939	1 910	1 799	1 608	1 570	1 496	1 548	16	BE 49
	男 M.	12 179	920	915	1 139	1 153	1 186	1 114	1 060	1 039	923	947	870	898	15	
	女 F.	8 911	629	678	812	814	958	825	850	760	685	623	626	650	1	
BE 50	他殺および戦争行為	1 897	121	142	156	171	163	180	189	176	166	133	147	153	−	BE 50
	男 M.	1 277	84	101	95	110	115	126	125	124	104	96	95	102	−	
	女 F.	620	37	41	61	61	48	54	64	52	62	37	52	51	−	
BE 50. a	他　殺	*1 842*	*116*	*135*	*153*	*168*	*160*	*167*	*185*	*173*	*165*	*132*	*140*	*148*	−	BE 50. a
	男 M.	*1 228*	*80*	*94*	*92*	*107*	*112*	*114*	*122*	*122*	*103*	*95*	*89*	*98*	−	
	女 F.	*614*	*36*	*41*	*61*	*61*	*48*	*53*	*63*	*51*	*62*	*37*	*51*	*50*	−	
BE 50. b	処刑および戦争行為	*55*	*5*	*7*	*3*	*3*	*3*	*13*	*4*	*3*	*1*	*1*	*7*	*5*	−	BE 50. b
	男 M.	*49*	*4*	*7*	*3*	*3*	*3*	*12*	*3*	*2*	*1*	*1*	*6*	*4*	−	
	女 F.	*6*	*1*	−	−	−	−	*1*	*1*	*1*	−	−	*1*	*1*	−	
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	1) 64 649	4 539	4 247	4 993	5 114	5 094	4 933	5 970	6 228	1) 9 213	4 610	4 505	5 179	24	"N"
	男 M.	43 659	3 165	2 925	3 401	3 523	3 390	3 363	4 195	4 423	5 141	3 272	3 131	3 708	22	
	女 F.	20 963	1 374	1 322	1 592	1 591	1 704	1 570	1 775	1 805	4 045	1 338	1 374	1 471	2	
BN 47	骨折，頭部損傷および内部損傷	22 783	1 667	1 560	1 873	1 918	1 725	1 644	1 760	1 980	2 205	2 029	2 054	2 368	−	BN 47
	男 M.	18 072	1 343	1 280	1 515	1 508	1 378	1 273	1 404	1 554	1 671	1 594	1 605	1 947	−	
	女 F.	4 711	324	280	358	410	347	371	356	426	534	435	449	421	−	
BN 47. a	頭蓋骨折	*11 172*	*852*	*752*	*970*	*941*	*832*	*786*	*858*	*934*	*1 042*	*976*	*1 051*	*1 178*	−	BN 47. a
	男 M.	*8 994*	*717*	*638*	*804*	*740*	*657*	*610*	*692*	*738*	*793*	*788*	*836*	*981*	−	
	女 F.	*2 178*	*135*	*114*	*166*	*201*	*175*	*176*	*166*	*196*	*249*	*188*	*215*	*197*	−	
BN 47. b	その他の骨の骨折	*3 007*	*201*	*230*	*228*	*246*	*201*	*234*	*248*	*272*	*310*	*273*	*258*	*306*	−	BN 47. b
	男 M.	*2 220*	*142*	*169*	*175*	*190*	*160*	*160*	*193*	*192*	*222*	*184*	*193*	*240*	−	
	女 F.	*787*	*59*	*61*	*53*	*56*	*41*	*74*	*55*	*80*	*88*	*89*	*65*	*66*	−	
BN 47. c	頭部の損傷（骨折を除く）	*5 541*	*409*	*372*	*474*	*463*	*462*	*366*	*414*	*497*	*511*	*504*	*477*	*592*	−	BN 47. c
	男 M.	*4 305*	*311*	*297*	*365*	*359*	*369*	*286*	*320*	*386*	*384*	*396*	*363*	*469*	−	
	女 F.	*1 236*	*98*	*75*	*109*	*104*	*93*	*80*	*94*	*111*	*127*	*108*	*114*	*123*	−	
BN 47. d	胸，腹，骨盤腔の内部損傷	*3 063*	*205*	*206*	*201*	*268*	*230*	*258*	*240*	*277*	*342*	*276*	*268*	*292*	−	BN 47. d
	男 M.	*2 553*	*173*	*176*	*171*	*219*	*192*	*217*	*199*	*238*	*272*	*226*	*213*	*257*	−	
	女 F.	*510*	*32*	*30*	*30*	*49*	*38*	*41*	*41*	*39*	*70*	*50*	*55*	*35*	−	
BN 48	熱　傷	1 883	289	215	209	160	111	104	114	93	98	136	107	247	−	BN 48
	男 M.	1 052	146	115	105	88	61	62	74	55	57	84	67	138	−	
	女 F.	831	143	100	104	72	50	42	40	38	41	52	40	109	−	
BN 49	毒物の作用	10 980	977	959	1 113	972	993	865	899	859	826	812	753	946	6	BN 49
	男 M.	6 300	595	537	645	578	545	471	503	509	468	492	419	532	6	
	女 F.	4 680	382	422	468	394	448	394	396	350	358	320	334	414	−	
BN 50	その他の損傷	1) 29 003	1 606	1 513	1 798	2 064	2 265	2 320	3 197	3 296	1) 6 084	1 633	1 591	1 618	18	BN 50
	男 M.	18 235	1 081	993	1 136	1 349	1 406	1 557	2 214	2 305	2 945	1 102	1 040	1 091	16	
	女 F.	10 741	525	520	662	715	859	763	983	991	3 112	531	551	527	2	
BN 50. a	裂傷および開放創	*2 438*	*181*	*189*	*212*	*203*	*225*	*197*	*241*	*216*	*197*	*196*	*184*	*197*	−	BN 50. a
	男 M.	*1 748*	*130*	*134*	*143*	*139*	*152*	*136*	*176*	*161*	*146*	*154*	*132*	*145*	−	
	女 F.	*690*	*51*	*55*	*69*	*64*	*73*	*61*	*65*	*55*	*51*	*42*	*52*	*52*	−	
BN 50. b	溺死および死にいたらない溺水	1) *14 627*	*431*	*512*	*606*	*833*	*947*	*1 080*	*1 890*	*2 029*	1) *4 730*	*586*	*538*	*438*	*7*	BN 50. b
	男 M.	*8 565*	*257*	*317*	*356*	*520*	*559*	*704*	*1 341*	*1 440*	*2 106*	*347*	*329*	*283*	*6*	
	女 F.	*6 035*	*174*	*195*	*250*	*313*	*388*	*376*	*549*	*589*	*2 597*	*239*	*209*	*155*	*1*	
BN 50. c	窒息および絞首	*8 468*	*571*	*563*	*743*	*783*	*894*	*808*	*761*	*705*	*706*	*633*	*625*	*668*	*8*	BN 50. c
	男 M.	*5 303*	*368*	*363*	*461*	*488*	*553*	*529*	*450*	*438*	*417*	*416*	*400*	*413*	*7*	
	女 F.	*3 165*	*203*	*200*	*282*	*295*	*341*	*279*	*311*	*267*	*289*	*217*	*225*	*255*	*1*	
BN 50. d	そ の 他	*3 470*	*423*	*249*	*237*	*245*	*199*	*235*	*305*	*346*	*451*	*218*	*244*	*315*	*3*	BN 50. d
	男 M.	*2 619*	*326*	*179*	*176*	*202*	*142*	*188*	*247*	*266*	*276*	*185*	*179*	*250*	*3*	
	女 F.	*851*	*97*	*70*	*61*	*43*	*57*	*47*	*58*	*80*	*175*	*33*	*65*	*65*	−	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes of "sex unknown," the components do not equal the total.

第 51 表　死　亡　者　数，

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
	総数	1) 689 959	31 460	11 094	11 737	11 816	10 372	11 126	16 682	17 392	12 438	12 802
	男 M.	367 562	17 738	6 069	6 285	6 366	5 696	5 937	8 848	9 219	6 602	6 773
	女 F.	322 370	13 722	5 025	5 442	5 450	4 676	5 189	7 834	8 173	5 836	6 029
B1	呼吸器系の結核	29 747	1 787	548	404	419	303	302	423	419	382	372
	男 M.	18 557	1 118	360	233	260	191	202	263	275	237	227
	女 F.	11 190	669	188	171	159	112	100	160	144	145	145
B2	その他の結核	3 245	299	82	61	62	41	42	68	58	40	34
	男 M.	1 485	125	33	18	28	18	21	30	27	15	14
	女 F.	1 760	174	49	43	34	23	21	38	31	25	20
B3	梅毒およびその続発症	2 247	125	28	22	36	29	28	41	56	52	26
	男 M.	1 634	89	21	11	28	21	22	30	41	42	20
	女 F.	613	36	7	11	8	8	6	11	15	10	6
B4	腸チフス	37	－	－	－	1	－	1	－	－	－	－
	男 M.	24	－	－	－	－	－	1	－	－	－	－
	女 F.	13	－	－	－	1	－	－	－	－	－	－
B5	コレラ	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
B6	赤痢	2 457	84	24	67	41	37	24	104	109	83	74
	男 M.	1 134	45	12	31	20	21	11	43	43	40	26
	女 F.	1 323	39	12	36	21	16	13	61	66	43	48
B6. a	細菌性赤痢（疫痢症状を呈するもの）	*1 910*	*63*	*20*	*57*	*34*	*32*	*20*	*94*	*98*	*73*	*62*
	男 M.	*868*	*32*	*9*	*26*	*17*	*17*	*9*	*39*	*39*	*33*	*23*
	女 F.	*1 042*	*31*	*11*	*31*	*17*	*15*	*11*	*55*	*59*	*40*	*39*
B6. b	細菌性赤痢（その他）	*533*	*20*	*4*	*10*	*7*	*5*	*4*	*9*	*11*	*10*	*12*
	男 M.	*255*	*12*	*3*	*5*	*3*	*4*	*2*	*3*	*4*	*7*	*3*
	女 F.	*278*	*8*	*1*	*5*	*4*	*1*	*2*	*6*	*7*	*3*	*9*
B6. c	アメーバ症	*14*	*1*	－	－	－	－	－	*1*	－	－	－
	男 M.	*11*	*1*	－	－	－	－	－	*1*	－	－	－
	女 F.	*3*	－	－	－	－	－	－	－	－	－	－
B6. d	その他の原虫性および詳細不明の赤痢	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
B7	猩紅熱およびレンサ球菌性口峡炎	40	－	－	1	－	－	－	－	－	－	－
	男 M.	20	－	－	1	－	－	－	－	－	－	－
	女 F.	20	－	－	－	－	－	－	－	－	－	－
B7. a	猩紅熱	*38*	－	－	*1*	－	－	－	－	－	－	－
	男 M.	*19*	－	－	*1*	－	－	－	－	－	－	－
	女 F.	*19*	－	－	－	－	－	－	－	－	－	－
B7. b	レンサ球菌性口峡炎	*2*	－	－	－	－	－	－	－	－	－	－
	男 M.	*1*	－	－	－	－	－	－	－	－	－	－
	女 F.	*1*	－	－	－	－	－	－	－	－	－	－
B8	ジフテリア	706	57	44	8	7	24	9	25	15	17	1
	男 M.	381	32	28	6	4	17	7	15	3	9	1
	女 F.	325	25	16	2	3	7	2	10	12	8	－
B9	百日咳	178	9	6	20	11	3	5	3	5	1	6
	男 M.	85	8	4	8	9	1	1	1	1	1	3
	女 F.	93	1	2	12	2	2	4	2	4	－	3

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

性・死因（簡単分類）・都道府県－六大都市（再掲）別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
18 715	18 425	48 262	19 757	20 109	8 703	8 555	6 581	6 394	16 802	12 976	19 765	31 092	13 560	7 612	14 610	
9 936	9 637	26 914	10 868	10 317	4 516	4 325	3 425	3 321	8 704	6 894	10 657	16 025	6 891	3 973	7 481	
8 779	8 788	21 348	8 889	9 792	4 187	4 230	3 156	3 073	8 098	6 082	9 108	15 067	6 669	3 639	7 129	
525	569	2 665	884	553	333	309	262	177	343	576	708	1 286	459	288	719	B1
328	359	1 690	542	340	209	184	169	104	222	349	432	817	281	186	461	
197	210	975	342	213	124	125	93	73	121	227	276	469	178	102	258	
69	71	235	71	65	34	31	27	20	73	66	73	117	44	35	61	B2
41	24	111	31	28	15	16	14	12	34	23	38	59	17	22	23	
28	47	124	40	37	19	15	13	8	39	43	35	58	27	13	38	
46	55	259	105	32	17	21	11	11	44	30	58	84	29	15	59	B3
33	41	195	69	26	13	16	7	10	32	22	44	59	13	10	38	
13	14	64	36	6	4	5	4	1	12	8	14	25	16	5	21	
－	1	3	1	－	1	1	－	－	－	1	2	－	－	－	1	B4
－	1	2	－	－	－	1	－	－	－	1	2	－	－	－	－	
－	－	1	1	－	1	－	－	－	－	－	－	－	－	－	1	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B5
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
161	84	145	68	79	13	30	11	10	25	38	72	111	27	4	24	B6
74	33	65	31	33	5	10	10	6	16	21	38	56	12	1	10	
87	51	80	37	46	8	20	1	4	9	17	34	55	15	3	14	
131	*71*	*106*	*57*	*67*	*12*	*27*	*10*	*8*	*16*	*28*	*53*	*78*	*20*	*2*	*12*	B6. a
60	*26*	*46*	*26*	*28*	*4*	*9*	*9*	*4*	*9*	*16*	*24*	*45*	*10*	*1*	*4*	
71	*45*	*60*	*31*	*39*	*8*	*18*	*1*	*4*	*7*	*12*	*29*	*33*	*10*	*1*	*8*	
29	*13*	*39*	*10*	*12*	*1*	*3*	*1*	*2*	*9*	*10*	*18*	*32*	*7*	*2*	*12*	B6. b
13	*7*	*19*	*4*	*5*	*1*	*1*	*1*	*2*	*7*	*5*	*14*	*10*	*2*	－	*6*	
16	*6*	*20*	*6*	*7*	－	*2*	－	－	*2*	*5*	*4*	*22*	*5*	*2*	*6*	
1	－	－	*1*	－	－	－	－	－	－	－	*1*	*1*	－	－	－	B6. c
1	－	－	*1*	－	－	－	－	－	－	－	－	*1*	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	*1*	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B6. d
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
2	－	10	－	2	－	－	－	－	3	1	1	1	－	－	1	B7
－	－	3	－	1	－	－	－	－	1	1	1	1	－	－	－	
2	－	7	－	1	－	－	－	－	2	－	－	－	－	－	1	
2	－	*9*	－	*2*	－	－	－	－	*3*	*1*	*1*	*1*	－	－	*1*	B7. a
－	－	*3*	－	*1*	－	－	－	－	*1*	*1*	*1*	*1*	－	－	－	
2	－	*6*	－	*1*	－	－	－	－	*2*	－	－	－	－	－	*1*	
－	－	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	B7. b
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	*1*	－	－	－	－	－	－	－	－	－	－	－	－	－	
17	22	35	12	28	11	11	6	3	4	6	12	52	4	2	2	B8
8	15	17	8	9	7	5	1	－	3	3	7	28	1	2	1	
9	7	18	4	19	4	6	5	3	1	3	5	24	3	－	1	
4	4	4	4	3	－	6	1	1	2	2	1	10	3	－	3	B9
1	3	－	1	2	－	5	1	1	1	－	1	4	2	－	1	
3	1	4	3	1	－	1	－	－	1	2	－	6	1	－	2	

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 51 表　死　亡　者　数，

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

性・死因（簡単分類）・都道府県－六大都市（再掲）別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
B10	髄膜炎菌感染	124	11	3	1	5	2	4	2	–	1	1
	男 M.	75	3	2	1	4	1	2	1	–	1	1
	女 F.	49	8	1	–	1	1	2	1	–	–	–
B11	ペスト	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B12	急性灰白髄炎	201	8	4	4	4	1	1	1	4	8	2
	男 M.	111	6	3	2	2	1	–	–	3	5	–
	女 F.	90	2	1	2	2	–	1	1	1	3	2
B13	痘瘡	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B14	麻疹	1 882	97	32	125	27	43	51	37	50	36	68
	男 M.	969	49	17	71	11	17	19	19	24	24	38
	女 F.	913	48	15	54	16	26	32	18	26	12	30
B15	発疹チフスおよびその他のリケッチア病	10	–	–	–	–	–	–	–	–	–	–
	男 M.	5	–	–	–	–	–	–	–	–	–	–
	女 F.	5	–	–	–	–	–	–	–	–	–	–
B15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B15. c	その他	*10*	–	–	–	–	–	–	–	–	–	–
	男 M.	*5*	–	–	–	–	–	–	–	–	–	–
	女 F.	*5*	–	–	–	–	–	–	–	–	–	–
B16	マラリア	10	–	–	–	–	–	–	–	–	–	1
	男 M.	10	–	–	–	–	–	–	–	–	–	1
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17	伝染性および寄生性として分類されたその他の疾患	4 562	133	65	50	123	48	56	121	146	81	70
	男 M.	2 523	68	32	26	86	19	28	65	83	50	34
	女 F.	2 039	65	33	24	37	29	28	56	63	31	36
B17. a	パラチフス	*8*	–	–	–	–	*1*	*1*	–	–	–	–
	男 M.	*8*	–	–	–	–	*1*	*1*	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. b	癩	*14*	–	*1*	–	–	–	–	–	–	–	–
	男 M.	*11*	–	*1*	–	–	–	–	–	–	–	–
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–
B17. c	破傷風	*633*	*8*	*7*	*4*	*9*	*6*	*3*	*16*	*43*	*18*	*8*
	男 M.	*416*	*6*	*3*	*2*	*6*	*4*	*2*	*8*	*28*	*12*	*4*
	女 F.	*217*	*2*	*4*	*2*	*3*	*2*	*1*	*8*	*15*	*6*	*4*
B17. d	炭疽	*3*	–	–	–	–	–	*1*	–	–	–	–
	男 M.	*3*	–	–	–	–	–	*1*	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
1	4	22	8	8	–	1	–	1	–	–	5	1	2	–	7	B10
–	3	12	8	4	–	–	–	1	–	–	2	1	1	–	3	
1	1	10	–	4	–	1	–	–	–	–	3	–	1	–	4	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
3	5	14	7	4	3	2	3	–	4	5	8	4	3	–	1	B12
2	5	8	4	2	1	1	1	–	1	2	3	2	1	–	–	
1	–	6	3	2	2	1	2	–	3	3	5	2	2	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
97	33	122	47	20	16	22	7	39	14	37	63	150	32	13	18	B14
46	25	63	28	9	10	8	2	18	11	21	32	73	16	7	10	
51	8	59	19	11	6	14	5	21	3	16	31	77	16	6	8	
–	–	–	–	–	–	–	1	2	–	2	–	–	1	–	1	B15
–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	*1*	*2*	–	*2*	–	–	*1*	–	*1*	B15. c
–	–	–	–	–	–	–	*1*	*2*	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	*2*	–	–	*1*	–	*1*	
–	2	1	–	–	1	–	–	–	–	–	–	2	–	–	–	B16
–	2	1	–	–	1	–	–	–	–	–	–	2	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
124	125	210	117	122	25	37	40	96	76	85	151	182	88	49	94	B17
63	74	124	69	67	12	22	23	53	29	52	87	100	44	22	57	
61	51	86	48	55	13	15	17	43	47	33	64	82	44	27	37	
–	*1*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	B17. a
–	*1*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	*1*	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	B17. b
–	*1*	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
21	*34*	*24*	*22*	*12*	*8*	*5*	*2*	*7*	*7*	*11*	*18*	*35*	*9*	*2*	*5*	B17. c
15	*23*	*14*	*14*	*8*	*3*	*4*	*1*	*3*	*3*	*9*	*12*	*26*	*6*	*2*	*4*	
6	*11*	*10*	*8*	*4*	*5*	*1*	*1*	*4*	*4*	*2*	*6*	*9*	*3*	–	*1*	
–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	B17. d
–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
B17. f	日本脳炎	723	1	1	1	9	4	3	4	8	7	11
	男 M.	377	–	1	1	4	1	2	1	5	4	6
	女 F.	346	1	–	–	5	3	1	3	3	3	5
B17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. i	伝染性下痢症	2	–	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
B17. j	日本住血吸虫症	57	–	–	–	–	–	–	–	–	–	–
	男 M.	33	–	–	–	–	–	–	–	–	–	–
	女 F.	24	–	–	–	–	–	–	–	–	–	–
B17. k	糸状虫症	50	–	1	–	–	–	–	–	–	1	–
	男 M.	32	–	–	–	–	–	–	–	–	1	–
	女 F.	18	–	1	–	–	–	–	–	–	–	–
B17. l	その他の伝染性および寄生性として分類された疾患	3 072	124	55	45	105	37	48	101	95	55	51
	男 M.	1 642	62	27	23	76	13	22	56	50	33	24
	女 F.	1 430	62	28	22	29	24	26	45	45	22	27
B18	悪性新生物 (リンパ組織および造血組織の新生物を含む)	91 286	4 062	1 136	1 072	1 703	1 255	1 512	2 045	2 049	1 626	1 749
	男 M.	49 215	2 311	594	553	936	725	821	1 116	1 128	899	923
	女 F.	42 071	1 751	542	519	767	530	691	929	921	727	826
B18. a	胃の悪性新生物	41 884	1 781	505	409	724	618	769	1 013	976	818	842
	男 M.	25 757	1 156	312	238	472	416	464	611	618	503	513
	女 F.	16 127	625	193	171	252	202	305	402	358	315	329
B18. b	気管, 気管支および肺の悪性新生物	4 739	247	65	63	111	53	74	101	77	68	74
	男 M.	3 329	194	44	41	71	39	57	69	57	46	48
	女 F.	1 410	53	21	22	40	14	17	32	20	22	26
B18. c	乳房の悪性新生物	1 673	81	29	25	33	14	28	28	34	21	24
	男 M.	21	1	1	–	1	–	1	–	–	–	–
	女 F.	1 652	80	28	25	32	14	27	28	34	21	24
B18. d	子宮の悪性新生物	7 099	321	94	81	100	79	79	128	159	122	115
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	7 099	321	94	81	100	79	79	128	159	122	115
B18. e	白血病および無白血病	2 486	126	39	42	49	27	49	53	30	42	59
	男 M.	1 380	75	24	24	27	14	25	26	14	30	35
	女 F.	1 106	51	15	18	22	13	24	27	16	12	24
B18. f	その他	33 405	1 506	404	452	686	464	513	722	773	555	635
	男 M.	18 728	885	213	250	365	256	274	410	439	320	327
	女 F.	14 677	621	191	202	321	208	239	312	334	235	308
B19	良性および性質不詳の新生物	4 498	259	85	61	68	70	68	41	111	58	88
	男 M.	2 221	130	47	28	33	36	36	18	50	30	47
	女 F.	2 277	129	38	33	35	34	32	23	61	28	41
B20	糖尿病	2 794	121	30	37	42	33	34	45	60	46	35
	男 M.	1 293	59	17	16	17	13	17	18	26	20	14
	女 F.	1 501	62	13	21	25	20	17	27	34	26	21

性・死因 (簡単分類)・都道府県－六大都市 (再掲) 別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
15	11	36	22	10	3	1	4	11	13	21	24	56	25	10	22	B17. f
4	6	21	16	8	2	–	3	7	2	11	13	27	10	4	12	
11	5	15	6	2	1	1	1	4	11	10	11	29	15	6	10	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. g
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. h
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. i
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	4	–	–	–	–	–	47	–	–	–	–	–	–	–	B17. j
–	–	3	–	–	–	–	–	26	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	21	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	B17. k
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
88	78	144	72	100	14	31	34	30	55	53	108	90	54	37	66	B17. l
44	43	84	39	51	7	18	19	16	23	32	61	46	28	16	40	
44	35	60	33	49	7	13	15	14	32	21	47	44	26	21	26	
2 404	2 443	8 087	2 827	2 938	1 224	1 058	747	881	2 269	1 553	2 351	3 808	1 688	972	2 137	B18
1 300	1 277	4 428	1 547	1 552	622	550	384	490	1 230	862	1 205	2 027	941	542	1 129	
1 104	1 166	3 659	1 280	1 386	602	508	363	391	1 039	691	1 146	1 781	747	430	1 008	
1 252	1 244	3 623	1 300	1 512	638	530	342	378	1 069	775	960	1 885	810	516	991	B18. a
757	747	2 216	805	877	353	322	208	243	664	484	577	1 142	506	326	614	
495	497	1 407	495	635	285	208	134	135	405	291	383	743	304	190	377	
109	102	543	169	141	50	39	36	45	114	64	114	184	63	46	129	B18. b
68	71	373	125	105	38	26	27	34	73	47	72	135	39	34	88	
41	31	170	44	36	12	13	9	11	41	17	42	49	24	12	41	
44	46	181	59	56	18	17	16	14	44	25	52	74	19	18	56	B18. c
–	–	3	–	2	1	–	–	1	1	–	–	2	–	–	–	
44	46	178	59	54	17	17	16	13	43	25	52	72	19	18	56	
133	201	570	216	159	88	57	65	60	157	100	206	327	115	56	177	B18. d
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
133	201	570	216	159	88	57	65	60	157	100	206	327	115	56	177	
50	61	224	89	86	28	32	20	22	60	43	86	115	45	19	52	B18. e
29	37	132	42	49	13	16	13	14	31	25	47	69	26	9	23	
21	24	92	47	37	15	16	7	8	29	18	39	46	19	10	29	
816	789	2 946	994	984	402	383	268	362	825	546	933	1 223	636	317	732	B18. f
446	422	1 704	575	519	217	186	136	198	461	306	509	679	370	173	404	
370	367	1 242	419	465	185	197	132	164	364	240	424	544	266	144	328	
109	115	153	152	114	69	54	50	37	106	64	71	228	95	60	149	B19
50	53	60	82	60	27	33	24	24	55	35	33	114	54	31	73	
59	62	93	70	54	42	21	26	13	51	29	38	114	41	29	76	
48	81	181	77	81	56	53	32	16	73	50	85	156	63	48	74	B20
16	47	85	33	41	23	23	17	8	41	26	43	75	34	13	34	
32	34	96	44	40	33	30	15	8	32	24	42	81	29	35	40	

第 51 表　死　亡　者　数，性・死因（簡単分類）・都道府県－六大都市（再掲）別

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
B 21	貧血	1 354	60	17	22	15	24	16	26	29	19	27
	男 M.	613	22	4	13	9	13	5	12	14	11	13
	女 F.	741	38	13	9	6	11	11	14	15	8	14
B 22	中枢神経系の血管損傷	142 858	5 520	2 429	2 994	2 878	2 904	2 812	4 340	4 092	2 830	3 040
	男 M.	75 169	3 015	1 353	1 592	1 534	1 647	1 553	2 262	2 196	1 486	1 613
	女 F.	67 689	2 505	1 076	1 402	1 344	1 257	1 259	2 078	1 896	1 344	1 427
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	1 327	49	24	29	18	14	24	26	28	20	24
	男 M.	735	30	9	18	13	9	13	13	13	11	10
	女 F.	592	19	15	11	5	5	11	13	15	9	14
B 24	リューマチ熱	1 102	93	11	26	22	15	21	35	27	29	24
	男 M.	448	48	7	12	7	6	7	17	10	16	9
	女 F.	654	45	4	14	15	9	14	18	17	13	15
B 25	慢性リューマチ性心臓疾患	5 420	475	37	79	76	62	54	336	98	269	53
	男 M.	2 046	205	13	34	29	26	24	127	46	108	23
	女 F.	3 374	270	24	45	47	36	30	209	52	161	30
B 26	動脈硬化性および変性性心臓疾患	42 715	1 587	539	696	715	653	649	736	1 175	617	916
	男 M.	22 081	895	294	372	400	359	326	385	611	335	458
	女 F.	20 634	692	245	324	315	294	323	351	564	282	458
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	*17 398*	*764*	*203*	*264*	*293*	*262*	*246*	*390*	*382*	*362*	*385*
	男 M.	*10 476*	*472*	*133*	*161*	*192*	*162*	*151*	*222*	*236*	*208*	*220*
	女 F.	*6 922*	*292*	*70*	*103*	*101*	*100*	*95*	*168*	*146*	*154*	*165*
B 26. b	リューマチ性と明示されない慢性心内膜炎	*12 519*	*371*	*159*	*228*	*230*	*186*	*214*	*141*	*380*	*104*	*283*
	男 M.	*5 393*	*184*	*74*	*112*	*107*	*98*	*82*	*61*	*177*	*54*	*127*
	女 F.	*7 126*	*187*	*85*	*116*	*123*	*88*	*132*	*80*	*203*	*50*	*156*
B 26. c	その他の心筋変性	*12 798*	*452*	*177*	*204*	*192*	*205*	*189*	*205*	*413*	*151*	*248*
	男 M.	*6 212*	*239*	*87*	*99*	*101*	*99*	*93*	*102*	*198*	*73*	*111*
	女 F.	*6 586*	*213*	*90*	*105*	*91*	*106*	*96*	*103*	*215*	*78*	*137*
B 27	その他の心臓疾患	14 819	936	199	262	209	184	273	412	423	369	361
	男 M.	8 008	540	118	156	124	114	153	225	227	183	197
	女 F.	6 811	396	81	106	85	70	120	187	196	186	164
B 28	高血圧性心臓疾患	4 972	333	63	98	87	98	84	123	129	101	66
	男 M.	2 544	159	30	54	52	54	43	68	66	55	39
	女 F.	2 428	174	33	44	35	44	41	55	63	46	27
B 29	その他の高血圧性疾患	8 531	816	98	144	136	141	116	161	186	236	127
	男 M.	4 148	420	48	73	55	75	60	74	93	135	56
	女 F.	4 383	396	50	71	81	66	56	87	88	101	71
B 30	インフルエンザ	1 001	25	22	26	25	22	34	13	14	25	16
	男 M.	533	18	11	13	16	10	17	8	8	8	10
	女 F.	468	7	11	13	9	12	17	5	6	17	6
B 31	肺炎（新生児肺炎を除く）	29 511	1 502	652	1 000	602	488	466	1 080	767	622	641
	男 F.	15 647	818	348	529	305	254	240	572	430	324	327
	女 M.	13 864	684	304	471	297	234	226	508	337	298	314
B 32	気管支炎	7 789	352	132	124	117	83	120	240	219	221	182
	男 M.	4 076	193	66	68	56	50	61	129	110	113	95
	女 F.	3 713	159	66	56	61	33	59	111	109	108	87
B 33	胃および十二指腸の潰瘍	11 325	403	112	166	172	140	171	238	346	254	230
	男 M.	7 729	280	81	100	113	102	119	173	240	174	164
	女 F.	3 596	123	31	66	59	38	52	65	106	80	66

11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
28	31	100	44	32	11	22	11	7	20	28	22	40	29	11	51	B 21
16	15	42	20	15	5	8	7	4	5	17	12	18	9	5	23	
12	16	58	24	17	6	14	4	3	15	11	10	22	20	6	28	
4 327	4 111	10 221	4 335	4 834	1 864	1 636	1 215	1 517	4 553	2 663	4 430	5 451	2 463	1 482	2 627	B 22
2 307	2 130	5 664	2 348	2 424	970	829	641	727	2 289	1 379	2 432	2 791	1 248	711	1 320	
2 020	1 981	4 557	1 987	2 410	894	807	574	790	2 274	1 284	1 998	2 660	1 215	771	1 307	
46	34	70	37	28	12	15	14	15	30	25	40	86	30	22	28	B 23
28	20	34	24	17	4	6	5	8	19	11	27	45	21	14	14	
18	14	36	13	11	8	9	9	7	11	14	13	41	9	8	14	
32	24	90	21	32	5	9	12	9	25	14	36	44	20	10	21	B 24
10	7	35	7	16	1	2	6	5	9	5	15	16	6	6	8	
22	17	55	14	16	4	7	6	4	16	9	21	28	14	4	13	
138	130	364	113	223	33	54	90	57	110	119	194	142	73	39	88	B 25
51	44	140	33	71	8	15	33	22	51	45	68	51	29	14	34	
87	86	224	80	152	25	39	57	35	59	74	126	91	44	25	54	
1 237	1 315	3 394	1 328	1 100	583	579	366	496	1 269	928	1 370	1 942	819	485	1 013	B 26
609	664	1 945	679	579	300	293	197	243	631	481	721	991	412	253	506	
628	651	1 449	649	521	283	286	169	253	638	447	649	951	407	232	507	
530	*501*	*1 958*	*549*	*462*	*186*	*179*	*174*	*198*	*473*	*327*	*547*	*799*	*295*	*184*	*440*	B 26. a
301	*304*	*1 266*	*321*	*271*	*107*	*111*	*113*	*106*	*258*	*189*	*324*	*478*	*180*	*112*	*269*	
229	*197*	*692*	*228*	*191*	*79*	*68*	*61*	*92*	*215*	*138*	*223*	*321*	*115*	*72*	*171*	
387	*360*	*852*	*352*	*257*	*161*	*201*	*87*	*152*	*344*	*301*	*401*	*502*	*232*	*141*	*277*	B 26. b
151	*154*	*374*	*141*	*114*	*68*	*86*	*36*	*64*	*150*	*145*	*188*	*198*	*93*	*63*	*103*	
236	*206*	*478*	*211*	*143*	*93*	*115*	*51*	*88*	*194*	*156*	*213*	*304*	*139*	*78*	*174*	
320	*454*	*584*	*427*	*381*	*236*	*199*	*105*	*146*	*452*	*300*	*422*	*641*	*292*	*160*	*296*	B 26. c
157	*206*	*305*	*217*	*194*	*125*	*96*	*48*	*73*	*223*	*147*	*209*	*315*	*139*	*78*	*134*	
163	*248*	*279*	*210*	*187*	*111*	*103*	*57*	*73*	*229*	*153*	*213*	*326*	*153*	*82*	*162*	
531	413	912	383	574	136	157	264	138	370	333	421	645	288	214	314	B 27
290	217	523	215	307	78	84	127	61	192	180	215	354	147	114	162	
241	196	389	168	267	58	73	137	77	178	153	206	291	141	100	152	
115	149	484	166	189	58	63	69	45	137	89	133	159	98	63	132	B 28
49	85	245	91	98	34	33	43	21	71	42	65	73	43	34	66	
66	64	239	75	91	24	30	26	24	66	47	68	86	55	29	66	
185	221	610	227	320	126	86	90	33	206	132	238	322	148	98	168	B 29
90	127	304	119	149	52	44	39	33	102	65	116	145	78	49	81	
95	94	306	108	171	74	42	51	50	104	67	122	177	70	49	87	
22	45	78	36	56	10	15	6	9	21	22	27	28	16	11	15	B 30
10	23	40	23	35	5	8	3	5	7	10	18	16	10	6	11	
12	22	38	13	21	5	7	3	4	14	12	9	12	6	5	4	
856	764	2 262	902	983	365	370	279	228	628	502	919	1 334	445	234	479	B 31
449	405	1 185	502	514	176	194	137	134	337	281	501	690	227	133	250	
407	359	1 077	400	469	189	176	142	94	291	221	418	644	218	101	229	
306	183	352	144	296	120	114	91	72	182	212	212	360	147	114	131	B 32
131	94	181	82	144	58	60	48	40	95	117	127	173	77	69	75	
175	89	171	62	152	62	54	43	32	87	95	85	187	70	45	56	
328	364	755	293	288	111	140	106	111	312	164	343	390	208	139	256	B 33
220	252	512	197	207	75	88	68	75	211	96	217	262	153	101	182	
108	112	243	96	81	36	52	38	36	101	68	126	128	55	38	74	

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

性・死因(簡単分類)・都道府県－六大都市(再掲)別

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
B 34	虫垂炎	1 107	63	18	19	21	15	14	33	21	25	14
	男 M.	577	29	11	9	10	9	11	18	7	8	5
	女 F.	530	34	7	10	11	6	3	15	14	17	9
B 35	腸閉塞およびヘルニア	4 125	225	78	76	65	45	55	100	117	81	53
	男 M.	2 401	152	52	48	41	24	37	59	54	38	31
	女 F.	1 724	73	26	28	24	21	18	41	63	43	22
B 36	胃炎, 十二指腸炎, 腸炎および大腸炎(新生児下痢を除く)	21 051	1 038	391	401	330	336	366	521	491	535	365
	男 M.	9 334	509	198	182	150	144	161	222	198	232	166
	女 F.	11 717	529	193	219	180	192	205	299	293	303	199
B 36. a	胃炎および十二指腸炎	*3 139*	*99*	*38*	*48*	*35*	*36*	*55*	*71*	*91*	*62*	*71*
	男 M.	*1 359*	*48*	*17*	*17*	*16*	*10*	*22*	*27*	*30*	*23*	*37*
	女 F.	*1 780*	*51*	*21*	*31*	*19*	*26*	*33*	*44*	*61*	*39*	*34*
B 36. b	胃腸炎, 腸炎および大腸炎	*17 912*	*939*	*353*	*353*	*295*	*300*	*311*	*450*	*400*	*473*	*294*
	男 M.	*7 975*	*461*	*181*	*165*	*134*	*134*	*139*	*195*	*168*	*209*	*129*
	女 F.	*9 937*	*478*	*172*	*188*	*161*	*166*	*172*	*255*	*232*	*264*	*165*
B 37	肝硬変	8 794	307	75	89	77	61	75	114	191	120	110
	男 M.	5 339	185	47	51	45	32	34	61	116	67	69
	女 F.	3 455	122	28	38	32	29	41	53	75	53	41
B 38	腎炎およびネフローゼ	16 426	667	229	239	253	255	271	342	482	320	291
	男 M.	8 012	364	129	124	121	137	131	172	231	157	134
	女 F.	8 414	303	100	115	132	118	140	170	251	163	157
B 38. a	急性腎炎およびネフローゼ	*4 759*	*249*	*79*	*81*	*79*	*73*	*68*	*133*	*117*	*123*	*85*
	男 M.	*2 376*	*145*	*41*	*44*	*43*	*37*	*32*	*64*	*52*	*61*	*42*
	女 F.	*2 383*	*104*	*38*	*37*	*36*	*36*	*36*	*69*	*65*	*62*	*43*
B 38. b	その他	*11 667*	*418*	*150*	*158*	*174*	*182*	*203*	*209*	*365*	*197*	*206*
	男 M.	*5 636*	*219*	*88*	*80*	*78*	*100*	*99*	*108*	*179*	*96*	*92*
	女 F.	*6 031*	*199*	*62*	*78*	*96*	*82*	*104*	*101*	*186*	*101*	*114*
B 39	前立腺肥大症	440	22	5	11	7	4	4	3	8	3	8
	男 M.	440	22	5	11	7	4	4	3	8	3	8
	女 F.	·	·	·	·	·	·	·	·	·	·	·
B 40	妊娠, 分娩および産褥の合併症	2 381	150	66	56	41	37	30	67	47	42	48
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	2 381	150	66	56	41	37	30	67	47	42	48
B 41	先天奇形	4 294	263	85	82	90	76	62	146	112	61	70
	男 M.	2 281	133	43	36	53	35	37	84	53	35	45
	女 F.	2 013	130	42	46	37	41	25	62	59	26	25
B 42	出生時の損傷, 分娩後窒息および肺不全拡張	2 302	154	41	58	47	37	52	67	45	22	38
	男 M.	1 343	69	24	37	25	20	35	38	27	13	28
	女 F.	959	85	17	21	22	17	17	29	18	9	10
B 43	新生児の感染	5 742	370	146	194	133	102	76	221	153	92	130
	男 M.	3 245	192	82	106	73	55	46	125	94	52	69
	女 F.	2 497	178	64	88	60	47	30	96	59	40	61
B 43. a	新生児肺炎	*4 718*	*279*	*115*	*167*	*116*	*85*	*64*	*194*	*128*	*68*	*112*
	男 M.	*2 657*	*149*	*60*	*88*	*64*	*46*	*41*	*113*	*77*	*39*	*57*
	女 F.	*2 061*	*130*	*55*	*79*	*52*	*39*	*23*	*81*	*51*	*29*	*55*
B 43. b	新生児下痢	*623*	*62*	*18*	*22*	*11*	*12*	*7*	*23*	*14*	*17*	*7*
	男 M.	*357*	*30*	*13*	*14*	*8*	*6*	*4*	*10*	*8*	*9*	*4*
	女 F.	*266*	*32*	*5*	*8*	*3*	*6*	*3*	*13*	*6*	*8*	*3*

11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
28	30	117	30	38	11	14	7	5	18	10	29	47	17	16	27	B 34
14	19	77	21	21	5	8	2	4	12	7	13	22	7	2	10	
14	11	40	9	17	6	6	5	1	6	3	16	25	10	8	17	
122	102	263	122	98	41	60	37	40	117	84	124	158	73	53	78	B 35
67	59	157	65	53	22	34	24	22	72	45	71	86	41	31	42	
55	43	106	57	45	19	26	13	18	45	39	53	72	32	22	36	
636	494	781	448	710	377	318	370	238	381	527	608	875	441	327	346	B 36
271	233	371	201	285	152	125	163	103	175	237	281	382	191	138	145	
365	261	410	247	425	225	193	207	135	206	290	327	493	250	189	201	
122	*114*	*116*	*76*	*124*	*52*	*57*	*59*	*24*	*67*	*96*	*124*	*158*	*89*	*51*	*72*	B 36. a
48	*62*	*52*	*30*	*48*	*27*	*22*	*21*	*11*	*37*	*45*	*55*	*70*	*36*	*20*	*26*	
74	*52*	*64*	*46*	*76*	*25*	*35*	*38*	*13*	*30*	*51*	*69*	*88*	*53*	*31*	*46*	
514	*380*	*665*	*372*	*586*	*325*	*261*	*311*	*214*	*314*	*431*	*484*	*717*	*352*	*276*	*274*	B 36. b
223	*171*	*319*	*171*	*237*	*125*	*103*	*142*	*92*	*138*	*192*	*226*	*312*	*155*	*118*	*119*	
291	*209*	*346*	*201*	*349*	*200*	*158*	*169*	*122*	*176*	*239*	*258*	*405*	*197*	*158*	*155*	
211	164	614	230	168	78	84	99	153	163	171	266	347	166	98	173	B 37
119	103	409	150	96	43	52	63	94	93	103	153	200	80	51	110	
92	61	205	80	72	35	32	36	59	70	68	113	147	86	47	63	
476	421	1 127	377	439	200	229	200	171	383	303	478	579	252	167	356	B 38
239	211	556	177	225	112	122	98	83	183	155	234	278	116	83	166	
237	210	571	200	214	88	107	102	88	200	148	244	301	136	84	190	
144	*115*	*278*	*100*	*129*	*52*	*66*	*74*	*44*	*103*	*100*	*123*	*156*	*70*	*38*	*97*	B 38. a
82	*57*	*156*	*51*	*70*	*27*	*35*	*36*	*21*	*47*	*51*	*58*	*75*	*31*	*21*	*47*	
62	*58*	*122*	*49*	*59*	*25*	*31*	*38*	*23*	*56*	*49*	*65*	*81*	*39*	*17*	*50*	
332	*306*	*849*	*277*	*310*	*148*	*163*	*126*	*127*	*280*	*203*	*355*	*423*	*182*	*129*	*259*	B 38. b
157	*154*	*400*	*126*	*155*	*85*	*87*	*62*	*62*	*136*	*104*	*176*	*203*	*85*	*62*	*119*	
175	*152*	*449*	*151*	*155*	*63*	*76*	*64*	*65*	*144*	*99*	*179*	*220*	*97*	*67*	*140*	
7	8	32	19	11	11	4	8	3	9	6	16	14	11	4	7	B 39
7	8	32	19	11	11	4	8	3	9	6	16	14	11	4	7	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
71	49	169	73	50	26	21	16	21	39	43	55	87	23	23	45	B 40
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
71	49	169	73	50	26	21	16	21	39	43	55	87	23	23	45	
130	103	420	157	131	41	42	27	42	99	78	148	163	61	42	74	B 41
64	62	213	80	75	24	23	11	14	56	40	78	87	32	30	31	
66	41	207	77	56	17	19	16	28	43	38	70	76	29	12	43	
65	54	196	67	82	29	26	24	11	44	59	71	99	37	23	40	B 42
34	29	114	45	48	19	12	14	8	27	35	38	53	18	16	29	
31	25	82	22	34	10	14	10	3	17	24	33	46	19	7	11	
142	157	393	162	159	74	70	61	48	136	75	140	217	82	50	87	B 43
77	84	235	90	101	46	37	34	28	80	45	67	126	43	35	45	
65	73	158	72	58	28	33	27	20	56	30	73	91	39	15	42	
129	*138*	*343*	*139*	*125*	*59*	*59*	*54*	*35*	*120*	*58*	*112*	*186*	*59*	*37*	*71*	B 43. a
71	*75*	*208*	*78*	*83*	*35*	*30*	*30*	*21*	*67*	*34*	*55*	*108*	*30*	*27*	*37*	
58	*63*	*135*	*61*	*42*	*24*	*29*	*24*	*14*	*53*	*24*	*57*	*78*	*29*	*10*	*34*	
4	*12*	*31*	*10*	*21*	*12*	*6*	*5*	*9*	*9*	*10*	*19*	*10*	*10*	*10*	*9*	B 43. b
2	*6*	*16*	*6*	*9*	*9*	*3*	*3*	*5*	*8*	*7*	*9*	*6*	*6*	*6*	*5*	
2	*6*	*15*	*4*	*12*	*3*	*3*	*2*	*4*	*1*	*3*	*10*	*4*	*4*	*4*	*4*	

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

性・死因(簡単分類)・都道府県－六大都市(再掲)別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
B43. c	その他の新生児の感染	401	29	13	5	6	5	5	4	11	7	11
	男 M.	231	13	9	4	1	3	1	2	9	4	8
	女 F.	170	16	4	1	5	2	4	2	2	3	3
B44	その他の新生児固有の疾患および性質不明の未熟児	19 512	831	515	430	338	394	352	592	689	371	338
	男 M.	10 972	483	287	235	181	220	198	313	356	209	186
	女 F.	8 540	348	228	195	157	174	154	279	333	162	152
B45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	67 592	2 349	1 261	667	1 081	781	1 052	1 309	1 901	817	1 012
	男 M.	28 395	1 112	573	290	469	293	432	557	786	339	417
	女 F.	39 197	1 237	688	377	612	488	620	752	1 115	478	595
B45. a	精神病の記載のない老衰	52 687	1 724	908	511	876	593	780	1 035	1 393	632	748
	男 M.	19 991	719	356	196	346	185	283	401	524	230	274
	女 F.	32 696	1 005	552	315	530	408	497	654	869	402	474
B45. b	その他の診断名不明確および不明の原因	14 905	625	353	156	205	188	272	254	508	185	264
	男 M.	8 404	393	217	94	123	108	149	156	262	109	143
	女 F.	6 501	232	136	62	82	80	123	98	246	76	121
B46	その他のすべての疾患	54 796	2 295	837	819	858	688	974	1 164	1 471	1 045	1 050
	男 M.	28 045	1 201	418	415	442	343	488	602	774	527	521
	女 F.	26 751	1 094	419	404	416	345	486	562	697	518	529
B46. a	その他の循環器系の疾患(先天性を除く)	4 269	198	38	64	47	49	69	59	107	99	77
	男 M.	2 179	104	21	39	25	24	34	28	52	41	37
	女 F.	2 090	94	17	25	22	25	35	31	55	58	40
B46. b	その他のすべての疾患	50 527	2 097	799	755	811	639	905	1 105	1 364	946	973
	男 M.	25 866	1 097	397	376	417	319	454	574	722	486	484
	女 F.	24 661	1 000	402	379	394	320	451	531	642	460	489
"E"	不慮の事故, 中毒および暴力の二重分類(外因)	1) 64 649	3 523	925	997	854	824	766	1 281	1 049	861	1 041
	男 M.	43 659	2 601	648	712	598	580	514	910	742	590	731
	女 F.	20 963	922	277	285	256	244	252	371	307	271	310
BE 47	自動車事故	11 040	652	139	111	144	88	91	202	221	187	215
	男 M.	8 770	523	90	88	106	69	66	166	168	153	176
	女 F.	2 270	129	49	23	38	19	25	36	53	34	39
BE 48	その他の不慮の事故	1) 30 622	1 717	474	515	443	438	411	703	496	375	417
	男 M.	21 433	1 379	359	391	333	341	300	521	390	267	321
	女 F.	9 162	338	115	124	110	97	111	182	106	108	96
BE 48. a	自動車以外の交通事故	4 402	318	91	66	81	82	42	82	113	54	58
	男 M.	3 550	274	80	61	73	66	38	72	97	35	47
	女 F.	852	44	11	5	8	16	4	10	16	19	11
BE 48. b	不慮の墜落	4 166	157	33	51	51	53	55	85	49	51	75
	男 M.	3 160	130	28	40	40	44	43	74	38	38	62
	女 F.	1 006	27	5	11	11	9	12	11	11	13	13
BE 48. c	不慮の溺死および溺水	7 272	453	173	171	155	140	168	237	152	116	116
	男 M.	5 259	342	128	130	104	104	111	165	115	79	94
	女 F.	2 013	111	45	41	51	36	57	72	37	37	22
BE 48. d	天災	1) 4 863	13	2	1	−	2	1	7	2	−	13
	男 M.	2 072	9	2	−	−	2	−	4	2	−	6
	女 F.	2 764	4	−	1	−	−	1	3	−	−	7
BE 48. e	その他	9 919	776	175	226	156	161	145	292	180	154	155
	男 M.	7 392	624	121	160	116	125	108	206	138	115	112
	女 F.	2 527	152	54	66	40	36	37	86	42	39	43

国際簡単分類番号 International abbreviated list number	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都
B43. c	9	7	19	13	13	3	5	2	4	7	7	9	21	13	3	7
	4	3	11	6	9	2	4	1	2	5	4	3	12	7	2	3
	5	4	8	7	4	1	1	1	2	2	3	6	9	6	1	4
B44	716	610	1 046	456	481	310	280	207	114	333	385	482	776	329	232	324
	408	331	600	261	273	176	164	110	57	195	216	276	427	179	138	179
	308	279	446	195	208	134	116	97	57	138	169	206	349	150	94	145
B45	1 499	2 215	2 705	1 719	1 563	826	1 092	523	424	1 623	1 327	1 868	2 960	1 492	836	1 983
	652	881	1 049	709	596	332	435	223	188	664	601	813	1 301	626	342	774
	847	1 334	1 656	1 010	967	494	657	300	236	959	726	1 055	1 659	866	494	1 209
B45. a	1 180	1 835	2 478	1 294	1 180	554	818	411	299	1 261	1 051	1 448	2 293	1 125	629	1 615
	468	682	911	471	405	180	305	161	116	477	444	549	893	432	240	553
	712	1 153	1 567	823	775	374	513	250	183	784	607	899	1 400	693	389	1 062
B45. b	319	380	227	425	383	272	274	112	125	362	276	420	667	367	207	368
	184	199	138	238	191	152	130	62	72	187	157	264	408	194	102	221
	135	181	89	187	192	120	144	50	53	175	119	156	259	173	105	147
B46	1 449	1 365	3 182	1 393	1 634	722	828	648	497	1 343	1 050	1 633	2 077	1 139	779	1 213
	787	703	1 689	712	798	371	372	321	247	690	546	851	1 069	574	386	600
	662	662	1 493	681	836	351	456	327	250	653	504	782	1 008	565	393	613
B46. a	116	118	277	125	215	124	171	80	35	147	108	111	164	73	53	124
	67	72	141	67	99	58	82	39	20	80	55	59	85	39	26	63
	49	46	136	58	116	66	89	41	15	67	53	52	79	34	27	61
B46. b	1 333	1 247	2 905	1 268	1 419	598	657	568	462	1 196	942	1 522	1 913	1 066	726	1 089
	720	631	1 548	645	699	313	290	282	227	610	491	792	984	535	360	537
	613	616	1 357	623	720	285	367	286	235	586	451	730	929	531	366	552
"E"	1 402	1 255	5 379	2 095	1 541	720	591	543	546	1 215	1 111	1 801	5 558	2 115	554	1 183
	975	869	3 698	1 545	985	492	399	346	363	763	711	1 264	2 937	1 096	366	771
	427	386	1 681	550	556	228	192	197	183	452	400	537	2 621	1 019	188	412
BE 47	329	241	1 253	548	175	83	92	81	72	185	191	511	717	180	108	252
	272	189	1 006	444	136	67	70	62	60	139	155	413	571	151	80	199
	57	52	247	104	39	16	22	19	12	46	36	98	146	29	28	53
BE 48	563	520	1 609	792	715	398	315	289	311	572	492	707	3 795	1 584	225	409
	425	402	1 225	640	514	294	221	192	214	407	345	525	1 830	772	164	280
	138	118	384	152	201	104	94	97	97	165	147	182	1 965	812	61	129
BE 48. a	108	120	286	189	81	41	36	26	27	52	54	127	166	92	40	55
	88	98	226	158	66	33	29	24	19	39	43	102	118	81	30	38
	20	22	60	31	15	8	7	2	8	13	11	25	48	11	10	17
BE 48. b	88	75	330	127	106	81	55	41	48	98	77	131	155	76	30	69
	72	56	256	106	79	66	39	26	34	79	65	95	111	51	24	46
	16	19	74	21	27	15	16	15	14	19	12	36	44	25	6	23
BE 48. c	147	141	287	157	292	150	94	74	65	134	115	189	234	100	73	121
	104	112	246	128	195	88	65	49	49	82	75	141	161	67	51	90
	43	29	41	29	97	62	29	25	16	52	40	48	73	33	22	31
BE 48. d	10	2	4	6	4	−	32	30	94	89	99	14	2 899	1 193	13	17
	5	2	1	5	2	−	10	16	52	52	53	6	1 202	479	6	9
	5	−	3	1	2	−	22	14	42	37	46	8	1 697	714	7	8
BE 48. e	210	182	702	313	232	126	98	118	77	199	147	246	341	123	69	147
	156	134	496	243	172	107	78	77	60	155	109	181	238	94	53	97
	54	48	206	70	60	19	20	41	17	44	38	65	103	29	16	50

注: 1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 51 表　死　亡　者　数，

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

性・死因(簡単分類)・都道府県－六大都市(再掲)別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	All Japan 全国	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
BE 49	自殺および自傷	21 090	1 038	278	349	243	277	249	342	312	266	378
	男 M.	12 179	627	178	218	139	157	140	198	175	148	217
	女 F.	8 911	411	100	131	104	120	109	144	137	118	161
BE 50	他殺および戦争行為	1 897	116	34	22	24	21	15	34	20	33	31
	男 M.	1 277	72	21	15	20	13	8	25	9	22	17
	女 F.	620	44	13	7	4	8	7	9	11	11	14
BE 50. a	他殺	*1 842*	*113*	*34*	*22*	*21*	*20*	*15*	*33*	*20*	*30*	*31*
	男 M.	*1 228*	*69*	*21*	*15*	*17*	*12*	*8*	*24*	*9*	*19*	*17*
	女 F.	*614*	*44*	*13*	*7*	*4*	*8*	*7*	*9*	*11*	*11*	*14*
BE 50. b	処刑および戦争行為	*55*	*3*	－	－	*3*	*1*	－	*1*	－	*3*	－
	男 M.	*49*	*3*	－	－	*3*	*1*	－	*1*	－	*3*	－
	女 F.	*6*	－	－	－	－	－	－	－	－	－	－
"N"	不慮の事故，中毒および暴力の二重分類(傷害の性質)	1) 64 649	3 523	925	997	854	824	766	1 281	1 049	861	1 041
	男 M.	43 659	2 601	648	712	598	580	514	910	742	590	731
	女 F.	20 963	922	277	285	256	244	252	371	307	271	310
BN 47	骨折，頭部損傷および内部損傷	22 783	1 330	268	274	304	266	228	444	413	342	413
	男 M.	18 072	1 102	208	226	240	210	179	365	315	274	338
	女 F.	4 711	228	60	48	64	56	49	79	98	68	75
BN 47. a	頭蓋骨折	*11 172*	*626*	*134*	*125*	*150*	*143*	*101*	*217*	*221*	*191*	*223*
	男 M.	*8 994*	*533*	*110*	*101*	*127*	*111*	*85*	*180*	*162*	*147*	*184*
	女 F.	*2 178*	*93*	*24*	*24*	*23*	*32*	*16*	*37*	*59*	*44*	*39*
BN 47. b	その他の骨の骨折	*3 007*	*200*	*27*	*36*	*45*	*30*	*35*	*64*	*54*	*36*	*47*
	男 M.	*2 220*	*153*	*19*	*26*	*36*	*22*	*27*	*48*	*40*	*32*	*36*
	女 F.	*787*	*47*	*8*	*10*	*9*	*8*	*8*	*16*	*14*	*4*	*11*
BN 47. c	頭部の損傷(骨折を除く)	*5 541*	*296*	*62*	*68*	*73*	*59*	*71*	*104*	*74*	*75*	*91*
	男 M.	*4 305*	*235*	*45*	*60*	*51*	*49*	*50*	*85*	*57*	*60*	*74*
	女 F.	*1 236*	*61*	*17*	*8*	*22*	*10*	*21*	*19*	*17*	*15*	*17*
BN 47. d	胸，腹，骨盤腔の内部損傷	*3 063*	*208*	*45*	*45*	*36*	*34*	*21*	*59*	*64*	*40*	*52*
	男 M.	*2 553*	*181*	*34*	*39*	*26*	*28*	*17*	*52*	*56*	*35*	*44*
	女 F.	*510*	*27*	*11*	*6*	*10*	*6*	*4*	*7*	*8*	*5*	*8*
BN 48	熱傷	1 883	133	42	52	27	30	13	52	32	28	33
	男 M.	1 052	85	21	33	15	21	8	24	17	13	18
	女 F.	831	48	21	19	12	9	5	28	15	15	15
BN 49	毒物の作用	10 980	509	153	118	86	84	72	150	124	127	160
	男 M.	6 300	292	91	68	53	46	42	86	69	72	81
	女 F.	4 680	217	62	50	33	38	30	64	55	55	79
BN 50	その他の損傷	1) 29 003	1 551	462	553	437	444	453	635	480	364	435
	男 M.	18 235	1 122	328	385	290	303	285	435	341	231	294
	女 F.	10 741	429	134	168	147	141	168	200	139	133	141
BN 50. a	裂傷および開放創	*2 438*	*142*	*39*	*58*	*43*	*25*	*27*	*69*	*54*	*51*	*36*
	男 M.	*1 748*	*109*	*28*	*40*	*27*	*18*	*19*	*54*	*39*	*30*	*27*
	女 F.	*690*	*33*	*11*	*18*	*16*	*7*	*8*	*15*	*15*	*21*	*9*
BN 50. b	溺死および死にいたらない溺水	1) *14 627*	*674*	*226*	*217*	*214*	*194*	*200*	*299*	*223*	*146*	*169*
	男 M.	*8 565*	*484*	*165*	*157*	*141*	*131*	*126*	*202*	*162*	*92*	*125*
	女 F.	*6 035*	*190*	*61*	*60*	*73*	*63*	*74*	*97*	*61*	*54*	*44*
BN 50. c	窒息および絞首	*8 468*	*539*	*146*	*212*	*122*	*171*	*171*	*173*	*145*	*111*	*181*
	男 M.	*5 303*	*379*	*93*	*132*	*78*	*113*	*95*	*102*	*93*	*71*	*106*
	女 F.	*3 165*	*160*	*53*	*80*	*44*	*58*	*76*	*71*	*52*	*40*	*75*
BN 50. d	その他	*3 470*	*196*	*51*	*66*	*58*	*54*	*55*	*94*	*58*	*56*	*49*
	男 M.	*2 619*	*150*	*42*	*56*	*44*	*41*	*45*	*77*	*47*	*38*	*36*
	女 F.	*851*	*46*	*9*	*10*	*14*	*13*	*10*	*17*	*11*	*18*	*13*

国際簡単分類番号 International abbreviated list number	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都
BE 49	452	440	2 338	700	621	223	170	160	146	439	412	532	993	333	211	500
	241	243	1 350	426	318	122	98	86	79	207	201	289	505	164	117	280
	211	197	988	274	303	101	72	74	67	232	211	243	488	169	94	220
BE 50	58	54	179	55	30	16	14	13	17	19	16	51	53	18	10	22
	37	35	117	35	17	9	10	6	10	10	10	37	31	9	5	12
	21	19	62	20	13	7	4	7	7	9	6	14	22	9	5	10
BE 50. a	*58*	*54*	*174*	*54*	*30*	*16*	*14*	*13*	*17*	*17*	*16*	*51*	*52*	*17*	*10*	*22*
	37	*35*	*112*	*34*	*17*	*9*	*10*	*6*	*10*	*8*	*10*	*37*	*30*	*8*	*5*	*12*
	21	*19*	*62*	*20*	*13*	*7*	*4*	*7*	*7*	*9*	*6*	*14*	*22*	*9*	*5*	*10*
BE 50. b	－	－	*5*	*1*	－	－	－	－	－	*2*	－	－	*1*	*1*	－	－
	－	－	*5*	*1*	－	－	－	－	－	*2*	－	－	*1*	*1*	－	－
	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
"N"	1 402	1 255	5 379	2 095	1 541	720	591	543	546	1 215	1 111	1 801	5 558	2 115	554	1 183
	975	869	3 698	1 545	985	492	399	346	363	763	711	1 264	2 937	1 096	366	771
	427	386	1 681	550	556	228	192	197	183	452	400	537	2 621	1 019	188	412
BN 47	595	459	2 166	1 002	409	248	205	166	199	420	387	837	1 282	369	186	420
	479	358	1 722	821	323	210	152	131	153	327	306	672	957	289	144	316
	116	101	444	181	86	38	53	35	46	93	81	165	325	80	42	104
BN 47. a	*303*	*233*	*747*	*570*	*193*	*150*	*109*	*89*	*91*	*224*	*177*	*434*	*650*	*204*	*93*	*213*
	243	*188*	*610*	*465*	*150*	*129*	*81*	*70*	*73*	*184*	*148*	*353*	*512*	*169*	*76*	*168*
	60	*45*	*137*	*105*	*43*	*21*	*28*	*19*	*18*	*40*	*29*	*81*	*138*	*35*	*17*	*45*
BN 47. b	*62*	*70*	*257*	*128*	*64*	*24*	*34*	*15*	*21*	*72*	*55*	*102*	*144*	*50*	*28*	*47*
	45	*50*	*165*	*101*	*49*	*16*	*21*	*15*	*17*	*57*	*44*	*78*	*96*	*32*	*19*	*26*
	17	*20*	*92*	*27*	*15*	*8*	*13*	－	*4*	*15*	*11*	*24*	*48*	*18*	*9*	*21*
BN 47. c	*170*	*101*	*800*	*194*	*101*	*41*	*37*	*41*	*53*	*79*	*105*	*210*	*323*	*84*	*51*	*110*
	142	*74*	*654*	*159*	*80*	*33*	*29*	*30*	*37*	*52*	*79*	*168*	*217*	*62*	*39*	*81*
	28	*27*	*146*	*35*	*21*	*8*	*8*	*11*	*16*	*27*	*26*	*42*	*106*	*22*	*12*	*29*
BN 47. d	*60*	*55*	*362*	*110*	*51*	*33*	*25*	*21*	*34*	*45*	*50*	*91*	*165*	*31*	*14*	*50*
	49	*46*	*293*	*96*	*44*	*32*	*21*	*16*	*26*	*34*	*35*	*73*	*132*	*26*	*10*	*41*
	11	*9*	*69*	*14*	*7*	*1*	*4*	*5*	*8*	*11*	*15*	*18*	*33*	*5*	*4*	*9*
BN 48	54	30	129	65	50	21	22	26	9	29	23	52	53	22	9	38
	30	17	76	44	28	15	13	12	5	15	14	32	27	14	3	22
	24	13	53	22	22	6	9	14	4	14	9	20	26	8	6	16
BN 49	191	204	1 699	417	184	97	75	71	77	154	157	320	528	140	59	253
	98	130	940	249	101	54	48	32	45	83	72	186	261	77	33	136
	93	74	759	168	83	43	27	39	32	71	85	134	267	63	26	117
BN 50	562	562	1 385	610	898	354	289	280	261	612	544	592	3 695	1 584	300	472
	368	364	960	431	533	213	186	171	160	338	319	374	1 692	716	186	297
	194	198	425	179	365	141	103	109	101	274	225	218	2 003	868	114	175
BN 50. a	*59*	*66*	*199*	*80*	*49*	*28*	*18*	*20*	*17*	*73*	*46*	*69*	*81*	*37*	*25*	*40*
	39	*42*	*145*	*59*	*27*	*21*	*14*	*13*	*12*	*43*	*33*	*43*	*57*	*24*	*16*	*27*
	20	*24*	*54*	*21*	*22*	*7*	*4*	*7*	*5*	*30*	*13*	*26*	*24*	*13*	*9*	*13*
BN 50. b	*218*	*241*	*507*	*229*	*447*	*182*	*157*	*121*	*147*	*264*	*207*	*278*	*2 941*	*1 296*	*123*	*198*
	133	*154*	*347*	*160*	*254*	*102*	*90*	*71*	*93*	*138*	*117*	*174*	*1 249*	*550*	*72*	*123*
	85	*87*	*160*	*69*	*193*	*80*	*67*	*50*	*54*	*126*	*90*	*104*	*1 692*	*746*	*51*	*75*
BN 50. c	*196*	*160*	*425*	*190*	*316*	*109*	*83*	*108*	*68*	*192*	*216*	*161*	*421*	*148*	*120*	*180*
	124	*97*	*270*	*121*	*187*	*62*	*57*	*67*	*32*	*93*	*116*	*94*	*229*	*75*	*77*	*103*
	72	*63*	*155*	*69*	*129*	*47*	*26*	*41*	*36*	*99*	*100*	*67*	*192*	*73*	*43*	*77*
BN 50. d	*89*	*95*	*254*	*111*	*86*	*35*	*31*	*31*	*29*	*83*	*75*	*84*	*252*	*103*	*32*	*54*
	72	*71*	*198*	*91*	*65*	*28*	*25*	*20*	*23*	*64*	*53*	*63*	*157*	*67*	*21*	*44*
	17	*24*	*56*	*20*	*21*	*7*	*6*	*11*	*6*	*19*	*22*	*21*	*95*	*36*	*11*	*10*

注： 1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

性・死因(簡単分類)・都道府県－六大都市(再掲)別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
	総数	32 957	27 610	6 736	8 315	5 023	8 004	14 061	17 535	12 957	7 618	7 713
	男 M.	17 897	14 710	3 448	4 337	2 636	4 165	7 396	9 287	7 026	4 039	4 006
	女 F.	15 060	12 900	3 288	3 978	2 387	3 839	6 665	8 248	5 931	3 579	3 707
B1	呼吸器系の結核	2 105	1 596	258	395	190	338	538	741	685	313	326
	男 M.	1 346	988	162	239	138	208	343	458	436	194	207
	女 F.	759	608	96	156	52	130	195	283	249	119	119
B2	その他の結核	214	155	35	42	17	20	55	68	49	31	45
	男 M.	97	67	14	19	8	9	25	30	30	11	21
	女 F.	117	88	21	23	9	11	30	38	19	20	24
B3	梅毒およびその続発症	135	88	26	22	14	18	30	46	35	28	14
	男 M.	103	65	23	15	8	11	22	37	28	24	10
	女 F.	32	23	3	7	6	7	8	9	7	4	4
B4	腸チフス	4	2	1	2	1	−	2	4	2	1	1
	男 M.	3	1	−	1	−	−	1	3	2	1	−
	女 F.	1	1	1	1	1	−	1	1	−	−	1
B5	コレラ	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
B6	赤痢	79	87	13	7	20	27	28	57	40	17	24
	男 M.	34	37	3	4	9	8	14	30	19	7	10
	女 F.	45	50	10	3	11	19	14	27	21	10	14
B6. a	細菌性赤痢(疫痢症状を呈するもの)	*43*	*57*	*8*	*6*	*16*	*20*	*18*	*42*	*29*	*15*	*15*
	男 M.	*15*	*26*	*2*	*3*	*8*	*6*	*9*	*21*	*12*	*6*	*6*
	女 F.	*28*	*31*	*6*	*3*	*8*	*14*	*9*	*21*	*17*	*9*	*9*
B6. b	細菌性赤痢(その他)	*33*	*29*	*5*	*1*	*4*	*7*	*10*	*15*	*11*	*2*	*9*
	男 M.	*17*	*10*	*1*	*1*	*1*	*2*	*5*	*9*	*7*	*1*	*4*
	女 F.	*16*	*19*	*4*	−	*3*	*5*	*5*	*6*	*4*	*1*	*5*
B6. c	アメーバ症	*3*	*1*	−	−	−	−	−	−	−	−	−
	男 M.	*2*	*1*	−	−	−	−	−	−	−	−	−
	女 F.	*1*	−	−	−	−	−	−	−	−	−	−
B6. d	その他の原虫性および詳細不明の赤痢	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
B7	猩紅熱およびレンサ球菌性口峡炎	4	3	−	−	−	−	−	1	−	2	−
	男 M.	2	2	−	−	−	−	−	−	−	−	−
	女 F.	2	1	−	−	−	−	−	1	−	2	−
B7. a	猩紅熱	*4*	*3*	−	−	−	−	−	*1*	−	*2*	−
	男 M.	*2*	*2*	−	−	−	−	−	−	−	−	−
	女 F.	*2*	*1*	−	−	−	−	−	*1*	−	*2*	−
B7. b	レンサ球菌性口峡炎	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
B8	ジフテリア	20	17	2	6	6	4	1	18	17	11	7
	男 M.	9	8	2	5	4	−	1	10	11	5	4
	女 F.	11	9	−	1	2	4	−	8	6	6	3
B9	百日咳	11	2	−	−	1	1	3	1	1	1	1
	男 M.	2	1	−	−	1	−	2	1	1	−	1
	女 F.	9	1	−	−	−	1	1	−	−	1	−

注: 1) 男女を合算しても総数に合わないのは総数中に男女不詳 27 を含むからである。

国際簡単分類番号 International abbreviated list number	38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市(再掲) 6 great cities (secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe
	12 201	7 778	27 803	7 787	13 935	14 969	10 806	8 702	16 498	2 114	40 638	7 711	10 634	8 383	17 273	7 329
	6 542	4 155	15 067	4 151	7 309	7 732	5 647	4 568	8 400	1 617	22 730	4 306	5 486	4 285	9 597	3 996
	5 659	3 623	12 736	3 636	6 626	7 237	5 159	4 134	8 098	470	17 908	3 405	5 148	4 088	7 676	3 333
B1	485	311	1 519	398	793	732	554	429	864	162	2 324	371	514	484	1 243	558
	295	192	934	238	469	458	318	243	513	139	1 467	231	325	315	805	334
	190	119	585	160	324	274	236	186	351	23	857	140	189	169	438	224
B2	50	32	152	33	88	80	54	33	108	5	208	34	45	46	139	58
	16	20	79	9	42	39	29	18	62	3	96	14	25	18	65	24
	34	12	73	24	46	41	25	15	46	2	112	20	20	28	74	34
B3	27	20	128	26	70	48	26	30	66	31	219	36	39	43	77	43
	20	14	90	17	47	33	17	23	50	24	164	25	26	28	56	26
	7	6	38	9	23	15	9	7	16	7	55	11	13	15	21	17
B4	−	−	1	−	−	1	1	−	1	−	3	−	−	1	3	1
	−	−	1	−	−	1	1	−	1	−	2	−	−	−	2	1
	−	−	−	−	−	−	−	−	−	−	1	−	−	1	1	−
B5	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−
	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−
	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−
B6	43	20	100	38	51	52	38	84	76	7	96	23	20	13	52	26
	19	10	54	16	23	25	11	42	39	7	35	10	7	7	22	9
	24	10	46	22	28	27	27	42	37	−	61	13	13	6	30	17
B6. a	*33*	*11*	*70*	*31*	*39*	*42*	*31*	*65*	*68*	−	*67*	*19*	*13*	*4*	*29*	*17*
	13	*5*	*41*	*13*	*18*	*18*	*11*	*32*	*38*	−	*23*	*9*	*5*	*2*	*11*	*6*
	20	*6*	*29*	*18*	*21*	*24*	*20*	*33*	*30*	−	*44*	*10*	*8*	*2*	*18*	*11*
B6. b	*10*	*9*	*29*	*7*	*12*	*9*	*7*	*19*	*8*	*5*	*29*	*3*	*7*	*9*	*22*	*8*
	6	*5*	*13*	*3*	*5*	*6*	−	*10*	*1*	*5*	*12*	−	*2*	*5*	*11*	*2*
	4	*4*	*16*	*4*	*7*	*3*	*7*	*9*	*7*	−	*17*	*3*	*5*	*4*	*11*	*6*
B6. c	−	−	*1*	−	−	*1*	−	−	−	*2*	−	*1*	−	−	*1*	*1*
	−	−	−	−	−	*1*	−	−	−	*2*	−	*1*	−	−	−	*1*
	−	−	*1*	−	−	−	−	−	−	−	−	−	−	−	*1*	−
B6. d	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−
	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−
	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−
B7	−	1	3	−	2	−	2	−	−	−	8	−	1	1	3	1
	−	1	3	−	2	−	1	−	−	−	2	−	1	−	2	1
	−	−	−	−	−	−	1	−	−	−	6	−	−	1	1	−
B7. a	−	−	*3*	−	*2*	−	*2*	−	−	−	*7*	−	*1*	*1*	*3*	*1*
	−	−	*3*	−	*2*	−	*1*	−	−	−	*2*	−	*1*	−	*2*	*1*
	−	−	−	−	−	−	*1*	−	−	−	*5*	−	−	*1*	*1*	−
B7. b	−	*1*	−	−	−	−	−	−	−	−	*1*	−	−	−	−	−
	−	*1*	−	−	−	−	−	−	−	−	−	−	−	−	−	−
	−	−	−	−	−	−	−	−	−	−	*1*	−	−	−	−	−
B8	9	20	23	15	23	10	20	9	34	−	29	4	29	−	12	11
	6	10	10	7	15	6	9	5	17	−	17	3	13	−	5	5
	4	10	13	8	8	4	11	4	17	−	12	1	16	−	7	6
B9	2	−	3	−	12	3	1	2	16	−	3	−	1	2	5	2
	1	−	2	−	4	1	−	1	7	−	−	−	−	−	2	1
	1	−	1	−	8	2	1	1	9	−	3	−	1	2	3	1

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

性・死因(簡単分類)・都道府県－六大都市(再掲)別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
B10	髄膜炎菌感染	4	7	2	–	–	1	1	2	2	–	1
	男 M.	3	4	2	–	–	1	1	2	1	–	1
	女 F.	1	3	–	–	–	–	–	–	1	–	–
B11	ペスト	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B12	急性灰白髄炎	10	8	2	2	–	1	1	5	4	1	–
	男 M.	5	5	1	1	–	–	–	3	3	1	–
	女 F.	5	3	1	1	–	1	1	2	1	–	–
B13	痘瘡	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B14	麻疹	102	94	7	18	23	10	20	12	29	15	31
	男 M.	56	43	4	11	9	3	8	9	18	6	20
	女 F.	46	51	3	7	14	7	12	3	11	9	11
B15	発疹チフスおよびその他のリケッチア病	–	1	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	1	–	–	–	–	–	–	–	–	–
B15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B15. c	その他	–	*1*	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	*1*	–	–	–	–	–	–	–	–	–
B16	マラリア	–	–	–	1	–	–	1	–	–	–	–
	男 M.	–	–	–	1	–	–	1	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17	伝染性および寄生性として分類された…その他の疾患	142	163	45	50	37	64	102	103	132	45	56
	男 M.	85	88	31	24	25	36	46	47	73	21	30
	女 F.	57	75	14	26	12	28	56	56	59	24	26
B17. a	パラチフス	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. b	癩	–	*1*	–	–	–	–	–	–	*1*	–	*2*
	男 M.	–	–	–	–	–	–	–	–	–	–	*2*
	女 F.	–	*1*	–	–	–	–	–	–	*1*	–	–
B17. c	破傷風	*22*	*17*	*8*	*6*	*5*	*5*	*6*	*15*	*14*	*7*	*8*
	男 M.	*20*	*12*	*6*	*4*	*3*	*3*	*4*	*8*	*9*	*4*	*4*
	女 F.	*2*	*5*	*2*	*2*	*2*	*2*	*2*	*7*	*5*	*3*	*4*
B17. d	炭疽	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市(再掲) 6 great cities (secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe	国際簡単分類番号 International abbreviated list number
–	1	6	1	–	–	2	3	–	1	20	4	1	6	3	5	B10
–	1	5	–	–	–	1	2	–	–	11	4	1	3	2	3	
–	–	1	1	–	–	1	1	–	1	9	–	–	3	1	2	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	13	1	5	7	6	1	30	–	13	4	–	–	5	3	B12
–	–	10	–	5	1	4	–	17	–	7	2	–	–	3	2	
–	1	3	1	–	6	2	1	13	–	6	2	–	–	2	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
18	4	88	9	40	14	7	14	31	–	110	17	55	8	70	29	B14
10	3	42	6	17	11	2	7	16	–	54	9	25	5	41	18	
8	1	46	3	23	3	5	7	15	–	56	8	30	3	29	11	
–	–	–	–	1	–	–	–	1	–	–	–	–	1	–	–	B15
–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	B15. c
–	–	–	–	*1*	–	–	–	*1*	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	B16
–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
105	88	168	52	110	133	103	93	250	7	163	49	64	46	79	38	B17
56	54	100	18	62	72	60	48	152	6	99	27	32	33	48	22	
49	34	68	34	48	61	43	45	98	1	64	22	32	13	31	16	
–	–	–	–	–	–	–	–	*1*	*1*	*2*	–	–	–	–	–	B17. a
–	–	–	–	–	–	–	–	*1*	*1*	*2*	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	*2*	–	–	–	–	–	*1*	*2*	–	–	–	–	–	–	–	B17. b
1	*1*	–	–	–	–	–	*1*	*2*	–	–	–	–	–	–	–	
–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
15	*18*	*28*	*10*	*15*	*17*	*10*	*15*	*46*	*2*	*17*	*11*	*7*	*2*	*18*	*6*	B17. c
11	*10*	*20*	*5*	*11*	*11*	*6*	*11*	*30*	*2*	*11*	*9*	*5*	*2*	*16*	*4*	
4	*8*	*8*	*5*	*4*	*6*	*4*	*4*	*16*	–	*6*	*2*	*2*	–	*2*	*2*	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
B17. f	日本脳炎	22	18	9	6	1	8	20	20	32	10	5
	男 M.	12	11	6	4	1	4	7	8	20	3	3
	女 F.	10	7	3	2	–	4	13	12	12	7	2
B17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. i	伝染性下痢症	1	–	–	–	–	1	–	–	–	–	–
	男 M.	–	–	–	–	–	1	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
B17. j	日本住血吸虫症	–	–	–	–	–	–	–	1	–	–	–
	男 M.	–	–	–	–	–	–	–	1	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. k	糸状虫症	1	1	1	–	–	–	–	1	1	–	–
	男 M.	1	1	–	–	–	–	–	1	1	–	–
	女 F.	–	–	1	–	–	–	–	–	–	–	–
B17. l	その他の伝染性および寄生性として分類された疾患	96	126	27	38	31	50	76	66	84	28	41
	男 M.	52	64	19	16	21	28	35	29	43	14	21
	女 F.	44	62	8	22	10	22	41	37	41	14	20
B18	悪性新生物（リンパ組織および造血組織の新生物を含む）	5 020	3 797	1 106	1 231	697	997	1 805	2 367	1 745	818	1 088
	男 M.	2 752	2 029	598	693	366	521	992	1 238	929	422	601
	女 F.	2 268	1 768	508	536	331	476	813	1 129	816	396	487
B18. a	胃の悪性新生物	2 359	1 742	545	585	329	443	791	1 041	762	339	483
	男 M.	1 478	1 068	336	389	189	261	513	623	464	208	296
	女 F.	881	674	209	196	140	182	278	418	298	131	187
B18. b	気管, 気管支および肺の悪性新生物	277	210	48	52	40	57	96	120	85	27	59
	男 M.	195	149	42	36	28	41	69	88	62	19	42
	女 F.	82	61	6	16	12	16	27	32	23	8	17
B18. c	乳房の悪性新生物	85	69	12	17	7	23	24	43	33	26	5
	男 M.	–	1	1	–	–	–	1	2	–	–	–
	女 F.	85	68	11	17	7	23	23	41	33	26	5
B18. d	子宮の悪性新生物	457	343	95	86	48	82	135	211	129	88	89
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	457	343	95	86	48	82	135	211	129	88	89
B18. e	白血病および無白血病	108	91	22	29	17	23	49	72	37	29	22
	男 M.	50	51	8	14	12	14	28	38	18	18	14
	女 F.	58	40	14	15	5	9	21	34	19	11	8
B18. f	その他	1 734	1 342	384	462	256	369	710	880	699	309	430
	男 M.	1 029	760	211	256	137	205	381	487	385	177	249
	女 F.	705	582	173	206	119	164	329	393	314	132	181
B19	良性および性質不詳の新生物	303	236	65	56	36	48	85	130	34	53	62
	男 M.	165	114	29	30	15	22	44	61	14	33	26
	女 F.	138	122	36	26	21	26	41	69	20	20	36
B20	糖尿病	125	126	35	46	32	55	57	113	44	38	33
	男 M.	65	53	12	20	10	22	25	59	19	16	21
	女 F.	60	73	23	26	22	33	32	54	25	22	12

国際簡単分類番号 International abbreviated list number	38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市(再掲) 6 great cities (secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe
B17. f	18	16	32	7	23	24	36	37	45	1	28	9	26	17	10	4
	10	10	15	3	14	13	23	15	23	1	17	6	11	10	3	3
	8	6	17	4	9	11	13	22	22	–	11	3	15	7	7	1
B17. g	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. h	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. i	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
B17. j	–	–	3	2	–	–	–	–	–	–	4	–	–	–	–	–
	–	–	2	1	–	–	–	–	–	–	3	–	–	–	–	–
	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
B17. k	3	–	–	4	6	1	–	1	27	–	–	–	–	–	1	–
	–	–	–	1	5	1	–	1	19	–	–	–	–	–	1	–
	3	–	–	3	1	–	–	–	8	–	–	–	–	–	–	–
B17. l	68	52	105	29	66	91	57	39	129	3	112	29	31	27	49	28
	34	33	63	8	32	47	31	20	77	2	66	12	16	21	28	15
	34	19	42	21	34	44	26	19	52	1	46	17	15	6	21	13
B18	1 649	887	3 928	1 126	1 573	1 870	1 230	1 015	1 661	80	6 970	1 072	1 343	1 359	2 661	1 068
	934	479	2 098	613	835	941	642	513	871	54	3 819	606	719	708	1 468	571
	715	408	1 830	513	738	929	588	502	790	26	3 151	466	624	651	1 193	497
B18. a	743	412	1 705	516	599	668	497	414	592	39	3 112	486	648	613	1 253	463
	462	259	1 055	316	358	396	312	237	356	37	1 893	314	392	377	774	282
	281	153	650	200	241	272	185	177	236	2	1 219	172	256	236	479	181
B18. b	89	35	217	53	83	108	73	49	77	3	474	66	71	88	153	70
	66	20	150	38	63	62	49	32	55	2	327	52	52	56	107	51
	23	15	67	15	20	46	24	17	22	1	147	14	19	32	46	19
B18. c	20	26	77	12	30	36	19	20	29	4	158	23	27	42	39	20
	–	–	–	–	1	–	–	–	1	–	3	–	–	–	–	–
	20	26	77	12	29	36	19	20	28	4	155	23	27	42	39	20
B18. d	123	70	350	107	146	179	138	97	152	9	490	89	118	116	247	103
	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·
	123	70	350	107	146	179	138	97	152	9	490	89	118	116	247	103
B18. e	46	35	109	24	43	56	36	31	57	2	196	33	44	33	49	26
	34	21	60	12	18	27	23	15	34	2	116	17	24	13	24	13
	12	14	49	12	25	29	13	16	23	–	80	16	20	20	25	13
B18. f	628	309	1 470	414	672	823	467	404	754	23	2 540	375	435	467	920	385
	372	179	833	247	395	456	258	229	425	13	1 480	223	251	262	563	225
	256	130	637	167	277	367	209	175	329	10	1 060	152	184	205	357	161
B19	93	46	216	69	104	108	48	61	101	9	131	65	93	99	157	83
	49	19	95	29	52	55	20	25	52	9	51	39	52	49	88	40
	44	27	121	40	52	53	28	36	49	–	80	26	41	50	69	43
B20	56	52	83	20	37	55	34	28	65	3	145	26	48	38	63	31
	24	23	39	8	15	28	12	14	31	1	70	11	24	18	33	15
	32	29	44	12	22	27	22	14	34	2	75	15	24	20	30	16

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

性・死因(簡単分類)・都道府県－六大都市(再掲)別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
B 21	貧血	64	66	12	13	12	11	38	41	26	13	17
	男 M.	28	34	5	6	6	5	17	18	11	5	7
	女 F.	36	32	7	7	6	6	21	23	15	8	10
B 22	中枢神経系の血管損傷	5 509	4 768	1 263	1 610	1 066	1 713	3 057	3 273	2 686	1 364	1 376
	男 M.	2 983	2 556	621	832	541	836	1 577	1 723	1 390	668	672
	女 F.	2 526	2 212	642	778	525	877	1 480	1 550	1 296	696	704
B 23	髄膜炎 (髄膜炎菌性および結核性を除く)	72	53	8	17	11	8	17	33	25	15	11
	男 M.	36	32	2	7	7	2	11	21	12	10	9
	女 F.	36	21	6	10	4	6	6	12	13	5	2
B 24	リューマチ熱	43	42	7	16	5	10	28	27	20	11	7
	男 M.	14	16	3	8	–	2	8	8	4	5	1
	女 F.	29	26	4	8	5	8	20	19	16	6	6
B 25	慢性リューマチ性心臓疾患	153	151	50	47	20	128	105	103	216	53	49
	男 M.	44	58	13	20	8	56	40	30	90	16	12
	女 F.	109	93	37	27	12	72	65	73	126	37	37
B 26	動脈硬化性および変性性心臓疾患	2 118	1 747	404	487	333	449	921	1 167	531	552	440
	男 M.	1 107	872	180	236	165	229	472	628	297	272	216
	女 F.	1 011	875	224	251	168	220	449	539	234	280	224
B 26. a	動脈硬化性心臓疾患 (冠状動脈疾患を含む)	*808*	*600*	*140*	*168*	*107*	*199*	*353*	*422*	*305*	*170*	*138*
	男 M.	*518*	*350*	*72*	*103*	*65*	*116*	*221*	*278*	*190*	*98*	*75*
	女 F.	*290*	*250*	*68*	*65*	*42*	*83*	*132*	*144*	*115*	*72*	*63*
B 26. b	リューマチ性と明示されない慢性心内膜炎	*610*	*544*	*147*	*173*	*114*	*114*	*252*	*321*	*118*	*208*	*155*
	男 M.	*253*	*235*	*55*	*68*	*51*	*44*	*101*	*148*	*60*	*84*	*60*
	女 F.	*357*	*309*	*92*	*105*	*63*	*70*	*151*	*173*	*58*	*124*	*95*
B 26. c	その他の心筋変性	*700*	*603*	*117*	*146*	*112*	*136*	*316*	*424*	*108*	*174*	*147*
	男 M.	*336*	*287*	*53*	*65*	*49*	*69*	*150*	*202*	*47*	*90*	*81*
	女 F.	*364*	*316*	*64*	*81*	*63*	*67*	*166*	*222*	*61*	*84*	*66*
B 27	その他の心臓疾患	630	493	116	151	95	185	211	296	294	192	112
	男 M.	340	266	66	58	60	102	112	143	156	108	63
	女 F.	290	227	50	83	35	83	99	153	138	84	49
B 28	高血圧性心臓疾患	241	180	42	68	19	67	67	98	95	61	26
	男 M.	114	88	18	35	10	36	34	54	48	31	12
	女 F.	127	92	24	33	9	31	33	44	47	30	14
B 29	その他の高血圧性疾患	423	292	81	87	47	127	170	167	260	70	102
	男 M.	196	127	45	39	14	62	94	74	133	46	48
	女 F.	227	165	36	48	33	65	76	93	127	24	54
B 30	インフルエンザ	30	27	7	5	10	17	10	38	14	14	1
	男 M.	11	19	–	–	6	8	7	22	8	6	–
	女 F.	19	8	7	5	4	9	3	16	6	8	1
B 31	肺炎 (新生児肺炎を除く)	1 369	964	173	263	166	294	462	660	541	283	240
	男 M.	717	532	95	123	95	150	249	381	305	165	119
	女 F.	652	432	78	140	71	134	213	279	236	118	121
B 32	気管支炎	242	324	73	70	41	80	147	189	168	111	100
	男 M.	123	177	45	35	22	48	93	101	88	63	55
	女 F.	119	147	28	35	19	32	54	88	80	48	45
B 33	胃および十二指腸の潰瘍	554	518	119	137	77	198	265	287	260	121	104
	男 M.	405	364	74	93	57	134	188	188	170	74	71
	女 F.	149	154	45	44	20	64	77	99	90	47	33

38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市(再掲) 6 great cities (secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe	国際簡単分類番号 International abbreviated list number
25	17	71	19	24	30	33	19	58	3	84	19	8	28	32	27	B 21
10	9	28	9	9	18	19	4	25	3	37	8	4	13	13	14	
15	8	43	10	15	12	14	15	33	–	47	11	4	15	19	13	
2 215	1 760	5 365	1 435	2 363	3 124	2 232	1 729	3 191	191	8 602	1 647	1 545	1 471	2 744	1 241	B 22
1 199	959	2 904	747	1 199	1 561	1 117	906	1 575	152	4 810	917	797	729	1 528	681	
1 016	801	2 461	688	1 164	1 563	1 115	823	1 616	39	3 792	730	748	742	1 216	560	
30	22	49	13	32	39	28	14	41	1	58	18	22	19	42	10	B 23
16	16	28	5	20	20	18	4	22	1	27	12	12	8	21	6	
14	6	21	8	12	19	10	10	19	–	31	6	10	11	21	4	
14	6	49	16	21	13	14	12	32	2	74	9	14	13	18	8	B 24
7	6	24	8	11	3	8	3	14	2	27	3	6	6	5	4	
7	–	25	8	10	10	6	9	18	–	47	6	8	7	13	4	
52	42	169	43	153	100	60	75	143	2	313	47	43	43	71	41	B 25
19	19	54	16	55	36	27	28	60	1	123	16	15	14	22	19	
33	23	115	27	98	64	33	47	83	1	190	31	28	29	49	22	
738	445	1 594	423	792	909	712	524	854	68	2 865	498	646	630	1 044	445	B 26
369	217	799	218	371	465	332	255	389	53	1 649	268	322	330	569	226	
369	228	795	205	421	444	380	269	465	15	1 216	230	324	300	475	219	
237	*148*	*650*	*187*	*286*	*353*	*287*	*200*	*257*	*30*	*1 681*	*199*	*312*	*314*	*402*	*178*	B 26. a
140	*85*	*383*	*112*	*155*	*205*	*157*	*115*	*147*	*24*	*1 087*	*124*	*179*	*192*	*275*	*103*	
97	*63*	*267*	*75*	*131*	*148*	*130*	*85*	*110*	*6*	*594*	*75*	*133*	*122*	*127*	*75*	
230	*140*	*483*	*140*	*309*	*308*	*257*	*177*	*393*	*23*	*709*	*133*	*138*	*137*	*303*	*135*	B 26. b
98	*63*	*201*	*61*	*131*	*130*	*92*	*73*	*163*	*18*	*319*	*50*	*44*	*54*	*133*	*57*	
132	*77*	*282*	*79*	*178*	*178*	*165*	*104*	*230*	*5*	*390*	*83*	*94*	*83*	*170*	*78*	
271	*157*	*461*	*96*	*197*	*248*	*168*	*147*	*204*	*15*	*475*	*166*	*196*	*179*	*339*	*132*	B 26. c
131	*69*	*215*	*45*	*85*	*130*	*83*	*67*	*79*	*11*	*243*	*94*	*99*	*84*	*161*	*66*	
140	*88*	*246*	*51*	*112*	*118*	*85*	*80*	*125*	*4*	*232*	*72*	*97*	*95*	*178*	*66*	
181	112	520	135	288	343	237	166	312	29	738	162	168	160	326	116	B 27
96	55	279	77	137	172	122	87	175	21	417	94	91	77	179	60	
85	57	241	58	151	171	115	79	137	8	321	68	77	83	147	56	
59	37	198	57	70	72	65	52	59	8	402	78	59	87	108	43	B 28
32	16	101	29	36	37	39	26	29	6	204	48	33	47	54	26	
27	21	97	28	34	35	26	26	30	2	198	30	26	40	54	17	
111	80	332	108	174	170	117	65	120	7	511	95	107	90	221	79	B 29
49	39	166	43	75	78	51	29	47	6	254	49	49	39	113	38	
62	41	166	65	99	92	66	36	73	1	257	46	58	51	108	41	
20	12	42	16	9	23	13	12	42	–	60	10	10	5	17	9	B 30
9	6	20	10	5	17	5	5	19	–	27	6	7	5	7	4	
11	6	22	6	4	6	8	6	23	–	33	4	3	–	10	5	
455	228	1 024	282	656	618	376	335	721	31	1 908	387	418	254	778	294	B 31
239	118	513	146	334	316	193	189	371	25	1 009	206	218	129	408	171	
216	110	511	136	322	302	183	146	350	6	899	181	200	125	370	123	
119	71	251	76	193	190	169	126	219	4	292	52	83	65	137	53	B 32
54	35	123	43	102	100	82	63	109	3	155	33	38	38	63	26	
65	36	128	33	91	90	87	63	110	1	137	19	45	27	74	27	
174	91	482	112	283	283	196	172	332	20	642	105	111	133	286	116	B 33
120	57	318	72	201	193	125	116	228	19	440	68	78	94	206	88	
54	34	164	40	82	90	71	56	104	1	202	37	33	39	80	28	

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
B 34	虫垂炎……	47	46	13	16	1	14	21	16	25	8	14
	男 M.	22	29	10	8	–	8	9	7	11	6	8
	女 F.	25	17	3	8	1	6	12	9	14	2	6
B 35	腸閉塞およびヘルニア……	236	173	31	58	30	50	88	108	72	42	41
	男 M.	137	111	14	30	21	30	56	64	36	23	24
	女 F.	99	62	17	28	9	20	32	44	36	19	17
B 36	胃炎, 十二指腸炎, 腸炎および大腸炎…(新生児下痢を除く)	848	952	208	254	149	247	524	490	375	245	239
	男 M.	350	416	76	113	64	103	230	204	173	126	93
	女 F.	498	536	132	141	85	144	294	286	202	119	146
B 36. a	胃炎および十二指腸炎……	*92*	*107*	*27*	*28*	*26*	*38*	*81*	*97*	*70*	*25*	*34*
	男 M.	*30*	*56*	*10*	*15*	*9*	*18*	*41*	*36*	*37*	*13*	*15*
	女 F.	*62*	*51*	*17*	*13*	*17*	*20*	*40*	*61*	*33*	*12*	*19*
B 36. b	胃腸炎, 腸炎および大腸炎……	*756*	*845*	*181*	*226*	*123*	*209*	*443*	*393*	*305*	*220*	*205*
	男 M.	*320*	*360*	*66*	*98*	*55*	*85*	*189*	*168*	*136*	*113*	*78*
	女 F.	*436*	*485*	*115*	*128*	*68*	*124*	*254*	*225*	*169*	*107*	*127*
B 37	肝硬変……	567	437	95	143	77	131	203	334	202	148	98
	男 M.	350	285	56	97	40	79	127	209	127	93	57
	女 F.	217	152	39	46	37	52	76	125	75	55	41
B 38	腎炎およびネフローゼ……	780	652	138	173	144	209	326	395	319	183	186
	男 M.	381	303	69	81	68	103	172	195	159	97	90
	女 F.	399	349	69	92	76	106	154	200	160	86	96
B 38. a	急性腎炎およびネフローゼ……	*228*	*191*	*39*	*42*	*38*	*51*	*86*	*100*	*98*	*60*	*44*
	男 M.	*118*	*87*	*21*	*20*	*12*	*27*	*52*	*47*	*51*	*29*	*20*
	女 F.	*110*	*104*	*18*	*22*	*26*	*24*	*34*	*53*	*47*	*31*	*24*
B 38. b	その他……	*552*	*461*	*99*	*131*	*106*	*158*	*240*	*295*	*221*	*123*	*142*
	男 M.	*263*	*216*	*48*	*61*	*56*	*76*	*120*	*148*	*108*	*68*	*70*
	女 F.	*289*	*245*	*51*	*70*	*50*	*82*	*120*	*147*	*113*	*55*	*72*
B 39	前立腺肥大症……	20	21	5	6	4	7	16	13	10	5	8
	男 M.	20	21	5	6	4	7	16	13	10	5	8
	女 F.	·	·	·	·	·	·	·	·	·	·	·
B 40	妊娠, 分娩および産褥の合併症……	140	118	33	28	12	29	35	52	41	16	25
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	140	118	33	28	12	29	35	52	41	16	25
B 41	先天奇形……	217	162	35	47	20	44	90	91	72	38	39
	男 M.	115	84	12	21	11	29	56	50	42	21	22
	女 F.	102	78	23	26	9	15	34	41	30	17	17
B 42	出生時の損傷, 分娩後窒息および肺不全拡張	103	75	24	31	11	29	54	76	35	16	26
	男 M.	66	40	15	14	6	15	30	40	21	10	18
	女 F.	37	35	9	17	5	14	24	36	14	6	8
B 43	新生児の感染……	261	193	52	60	32	61	103	129	92	91	51
	男 M.	142	123	28	31	20	37	54	71	53	54	26
	女 F.	119	70	24	29	12	24	49	58	39	37	25
B 43. a	新生児肺炎……	*233*	*162*	*42*	*44*	*25*	*50*	*90*	*105*	*73*	*66*	*42*
	男 M.	*129*	*103*	*25*	*23*	*17*	*27*	*46*	*59*	*41*	*37*	*21*
	女 F.	*104*	*59*	*17*	*21*	*8*	*23*	*44*	*46*	*32*	*29*	*21*
B 43. b	新生児下痢……	*15*	*21*	*8*	*7*	*3*	*6*	*7*	*9*	*9*	*18*	*5*
	男 M.	*5*	*16*	*3*	*2*	*1*	*5*	*5*	*4*	*5*	*11*	*3*
	女 F.	*10*	*5*	*5*	*5*	*2*	*1*	*2*	*5*	*4*	*7*	*2*

性・死因(簡単分類)・都道府県－六大都市(再掲)別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市(再掲) 6 great cities (secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe	国際簡単分類番号 International abbreviated list number
14	11	60	13	17	22	15	24	22	1	99	10	16	19	26	12	B 34
8	5	27	4	11	12	5	11	9	–	61	6	10	5	14	6	
6	6	33	9	6	10	10	13	13	1	38	4	6	14	12	6	
81	55	154	43	90	100	70	51	82	3	222	53	43	48	111	37	B 35
48	25	87	28	50	65	35	33	54	3	134	31	24	28	57	25	
33	30	67	15	40	35	35	18	28	–	88	22	19	20	54	12	
309	205	785	222	425	473	398	273	768	11	649	172	226	169	403	185	B 36
150	100	366	110	196	198	181	117	344	9	306	68	88	73	172	81	
159	105	419	112	229	275	217	156	424	2	343	104	138	96	231	104	
49	*24*	*111*	*20*	*57*	*69*	*55*	*36*	*85*	*1*	*95*	*32*	*37*	*26*	*45*	*10*	B 36. a
26	*10*	*45*	*8*	*25*	*24*	*25*	*15*	*43*	*1*	*41*	*8*	*11*	*11*	*13*	*6*	
23	*14*	*66*	*12*	*32*	*45*	*30*	*21*	*42*	–	*54*	*24*	*26*	*15*	*32*	*4*	
260	*181*	*674*	*202*	*368*	*404*	*343*	*237*	*683*	*10*	*554*	*140*	*189*	*143*	*358*	*175*	B 36. b
124	*90*	*321*	*102*	*171*	*174*	*156*	*102*	*301*	*8*	*265*	*60*	*77*	*62*	*159*	*75*	
136	*91*	*353*	*100*	*197*	*230*	*187*	*135*	*382*	*2*	*289*	*80*	*112*	*81*	*199*	*100*	
211	107	410	124	256	197	210	135	280	25	508	108	117	92	307	147	B 37
140	68	256	75	160	116	129	77	150	22	344	75	66	65	198	98	
71	39	154	49	96	81	81	58	130	3	164	33	51	27	109	49	
271	205	688	192	382	469	276	284	627	20	935	145	194	215	423	165	B 38
121	103	292	88	187	209	130	122	289	15	475	63	96	98	208	77	
150	102	396	104	195	260	146	162	338	5	460	82	98	117	215	88	
92	*46*	*196*	*60*	*116*	*141*	*82*	*89*	*181*	*3*	*226*	*28*	*46*	*45*	*131*	*46*	B 38. a
39	*20*	*82*	*36*	*61*	*60*	*42*	*31*	*92*	*3*	*134*	*10*	*25*	*23*	*65*	*19*	
53	*26*	*114*	*24*	*55*	*81*	*40*	*58*	*89*	–	*92*	*18*	*21*	*22*	*66*	*27*	
179	*159*	*492*	*132*	*266*	*328*	*194*	*195*	*446*	*17*	*709*	*117*	*148*	*170*	*292*	*119*	B 38. b
82	*83*	*210*	*52*	*126*	*149*	*88*	*91*	*197*	*12*	*341*	*53*	*71*	*75*	*143*	*58*	
97	*76*	*282*	*80*	*140*	*179*	*106*	*104*	*249*	*5*	*368*	*64*	*77*	*95*	*149*	*61*	
6	5	14	4	8	14	9	7	12	1	27	10	3	4	13	6	B 39
6	5	14	4	8	14	9	7	12	1	27	10	3	4	13	6	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
29	24	108	35	64	51	39	33	71	3	136	34	38	28	76	44	B 40
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
29	24	108	35	64	51	39	33	71	3	136	34	38	28	76	44	
80	36	155	49	74	78	44	49	69	–	367	66	55	37	118	49	B 41
41	18	88	23	43	45	26	20	40	–	187	30	29	12	67	27	
39	18	67	26	31	33	18	29	29	–	180	36	26	25	51	22	
44	23	67	28	42	44	26	29	31	–	159	21	34	25	59	17	B 42
30	19	35	15	30	26	16	19	23	–	93	15	17	16	41	8	
14	4	32	13	12	18	10	10	8	–	66	6	17	9	18	9	
96	52	180	71	132	119	75	101	120	1	316	54	54	45	141	34	B 43
55	31	105	45	77	66	43	52	65	–	192	32	31	24	77	24	
41	21	75	26	55	53	32	49	55	1	124	22	23	21	64	10	
79	*41*	*151*	*51*	*104*	*91*	*57*	*67*	*92*	*1*	*278*	*47*	*45*	*41*	*124*	*31*	B 43. a
47	*24*	*88*	*30*	*56*	*48*	*31*	*35*	*47*	–	*169*	*28*	*24*	*22*	*69*	*21*	
32	*17*	*63*	*21*	*48*	*43*	*26*	*32*	*45*	*1*	*109*	*19*	*21*	*19*	*55*	*10*	
8	*6*	*16*	*15*	*21*	*21*	*8*	*24*	*16*	–	*25*	*3*	*4*	*3*	*8*	*3*	B 43. b
5	*4*	*8*	*10*	*16*	*13*	*5*	*12*	*12*	–	*13*	*1*	*3*	*2*	*3*	*3*	
3	*2*	*8*	*5*	*5*	*8*	*3*	*12*	*4*	–	*12*	*2*	*1*	*1*	*5*	–	

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
B 43. c	その他の新生児の感染……	13	10	2	9	4	5	6	15	10	7	4
	男 M.	8	4	–	6	2	5	3	8	7	6	2
	女 F.	5	6	2	3	2	–	3	7	3	1	2
B 44	その他の新生児固有の疾患および性質…	771	665	192	242	137	236	316	460	276	247	319
	不明の未熟児 男 M.	444	385	100	134	77	125	172	250	175	133	204
	女 F.	327	280	92	108	60	111	144	210	101	114	115
B 45	精神病の記載のない老衰ならびに診断…	3 433	3 386	853	982	603	800	1 695	2 234	1 204	1 077	1 091
	名不明確および不明の原因 男 M.	1 413	1 420	363	439	237	346	714	952	491	466	448
	女 F.	2 020	1 966	490	543	366	454	981	1 282	713	611	643
B 45. a	精神病の記載のない老衰……	2 571	2 725	641	794	463	663	1 377	1 831	1 015	871	812
	男 M.	918	1 046	246	320	154	266	543	737	383	354	308
	女 F.	1 653	1 679	395	474	309	397	834	1 094	632	517	504
B 45. b	その他の診断名不明確および不明の…	862	661	212	188	140	137	318	403	189	206	279
	原因 男 M.	495	374	117	119	83	80	171	215	108	112	140
	女 F.	367	287	95	69	57	57	147	188	81	94	139
B 46	その他のすべての疾患……	2 326	2 197	528	749	380	622	1 326	1 521	974	629	669
	男 M.	1 204	1 129	276	354	194	305	636	785	515	329	348
	女 F.	1 122	1 068	252	395	186	317	690	736	459	300	321
B 46. a	その他の循環器系の疾患 (先天性を…	143	173	31	53	26	45	121	94	74	29	28
	除く) 男 M.	72	93	21	20	11	19	60	43	45	15	15
	女 F.	71	80	10	33	15	26	61	51	29	14	13
B 46. b	その他のすべての疾患……	2 183	2 024	497	696	354	577	1 205	1 427	900	600	641
	男 M.	1 132	1 036	255	334	183	286	576	742	470	314	333
	女 F.	1 051	988	242	362	171	291	629	685	430	286	308
"E"	不慮の事故, 中毒および暴力の二重…	3 482	2 526	577	677	447	654	1 037	1 569	1 305	639	633
	分類 (外因) 男 M.	2 408	1 718	376	442	310	457	697	1 068	917	466	423
	女 F.	1 074	808	201	235	137	197	340	501	388	173	210
BE 47	自動車事故……	844	522	112	124	73	84	146	250	202	99	88
	男 M.	671	416	95	97	55	66	115	204	156	77	69
	女 F.	173	106	17	27	18	18	31	46	46	22	19
BE 48	その他の不慮の事故……	1 059	1 013	283	275	224	360	520	757	633	358	310
	男 M.	802	754	179	196	165	259	369	526	482	272	218
	女 F.	257	259	104	79	59	101	151	231	151	86	92
BE 48. a	自動車以外の交通事故……	193	226	33	47	27	53	86	164	122	63	61
	男 M.	151	176	23	37	23	41	67	119	101	48	49
	女 F.	42	50	10	10	4	12	19	45	21	15	12
BE 48. b	不慮の墜落……	189	161	34	56	40	67	94	142	111	99	61
	男 M.	141	126	21	33	31	49	69	102	75	70	40
	女 F.	48	35	13	23	9	18	25	40	36	29	21
BE 48. c	不慮の溺死および溺水……	250	245	53	70	61	102	163	202	145	91	97
	男 M.	206	171	38	50	45	74	106	135	113	76	66
	女 F.	44	74	15	20	16	28	57	67	32	15	31
BE 48. d	天災……	7	18	97	1	1	17	1	3	6	1	–
	男 M.	4	8	46	1	1	6	1	1	4	1	–
	女 F.	3	10	51	–	–	11	–	2	2	–	–
BE 48. e	その他……	420	363	66	101	95	121	176	246	249	104	91
	男 M.	300	273	51	75	65	89	126	169	189	77	63
	女 F.	120	90	15	26	30	32	50	77	60	27	28

注: 1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

性・死因 (簡単分類)・都道府県－六大都市 (再掲) 別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市 (再掲) 6 great cities (secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe	国際簡単分類番号 International abbreviated list number
9	5	13	5	7	7	10	10	12	–	13	4	5	1	9	–	B 43. c
3	3	9	5	5	5	7	5	6	–	10	3	4	–	5	–	
6	2	4	–	2	2	3	5	6	–	3	1	1	1	4	–	
370	244	818	255	493	456	327	347	407	3	827	184	244	155	381	130	B 44
211	133	472	156	268	258	191	193	230	3	471	107	140	90	217	83	
159	111	346	99	225	198	136	154	177	–	356	77	104	65	164	47	
1 774	1 148	2 627	816	1 451	1 519	1 181	739	2 018	76	2 184	606	870	1 062	1 562	725	B 45
770	482	1 110	358	579	611	536	310	829	67	812	255	389	411	657	299	
1 004	666	1 517	458	872	908	645	429	1 189	9	1 372	351	481	651	905	426	
1 433	993	1 945	613	1 175	1 175	895	595	1 395	14	2 014	480	625	862	1 119	586	B 45. a
569	388	731	256	427	422	371	236	503	12	711	179	244	287	395	211	
864	605	1 214	357	748	753	524	359	892	2	1 303	301	381	575	724	375	
341	155	682	203	276	344	286	144	623	52	170	126	245	200	443	139	B 45. b
201	94	379	102	152	189	165	74	326	55	101	76	145	124	262	88	
140	61	303	101	124	155	121	70	297	7	69	50	100	76	181	51	
1 142	639	2 211	699	1 367	1 342	932	748	1 497	145	2 582	526	619	670	1 210	583	B 46
585	345	1 119	359	709	671	493	385	751	106	1 369	259	337	321	626	315	
557	294	1 092	340	658	671	439	363	746	39	1 213	267	282	349	584	268	
67	32	139	38	70	92	59	32	73	2	206	41	36	66	80	63	B 46. a
37	17	71	21	36	48	30	16	31	1	101	21	23	33	43	33	
30	15	68	17	34	44	29	16	42	1	105	20	13	33	37	30	
1 075	607	2 072	661	1 297	1 250	873	716	1 424	143	2 376	485	583	604	1 130	520	B 46. b
548	328	1 048	338	673	623	463	369	720	105	1 268	238	314	288	583	282	
527	279	1 024	323	624	627	410	347	704	38	1 108	247	269	316	547	238	
1 044	618	2 849	713	1 167	1 058	826	779	1 065	1) 1 154	4 635	890	2 634	669	2 047	756	"E"
728	443	2 177	502	847	754	588	565	711	856	3 185	646	1 336	435	1 420	512	
316	175	772	211	320	304	238	214	354	271	1 450	244	1 298	234	627	244	
130	93	473	94	138	140	110	107	93	50	1 059	211	323	169	468	160	BE 47
100	75	377	74	109	110	89	89	66	41	848	169	266	130	368	123	
30	18	96	20	29	30	21	18	27	9	211	42	57	39	100	37	
531	322	1 396	377	662	561	420	379	551	1) 346	1 335	331	1 932	191	598	276	BE 48
386	247	1 078	277	504	418	322	285	402	240	1 026	263	865	129	455	210	
145	75	318	100	158	143	98	94	149	79	309	68	1 067	62	143	66	
89	32	242	40	85	91	64	55	70	72	225	86	46	31	94	65	BE 48. a
66	28	191	33	73	76	49	44	58	62	178	70	35	22	78	51	
23	4	51	7	12	15	15	11	12	10	47	16	11	9	16	14	
107	75	155	47	131	94	66	71	97	22	289	54	50	28	110	51	BE 48. b
81	56	125	37	92	70	54	55	69	22	226	47	37	18	79	42	
26	19	30	10	39	24	12	16	28	–	63	7	13	10	31	9	
142	81	342	127	176	171	127	110	154	109	221	51	52	57	125	45	BE 48. c
92	53	249	89	138	119	87	85	110	82	189	47	42	44	101	34	
50	28	93	38	38	52	40	25	44	27	32	4	10	13	24	11	
3	6	25	6	26	4	–	6	13	1) 75	3	3	1 678	–	2	1	BE 48. d
2	2	13	3	18	1	–	4	10	21	1	3	675	–	2	–	
1	4	12	3	8	3	–	2	3	27	2	–	1 003	–	–	1	
190	128	632	157	244	201	163	137	217	68	597	137	106	75	267	114	BE 48. e
145	108	500	115	183	152	132	97	155	53	432	96	76	45	195	83	
45	20	132	42	61	49	31	40	62	15	165	41	30	30	72	31	

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 51 表　死　亡　者　数,

TABLE 51　DEATHS FROM CAUSES (ABBREVIATED

性・死因(簡単分類)・都道府県－六大都市(再掲)別

LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
BE 49	自殺および自傷	1 449	918	171	250	137	199	353	502	417	161	217
	男 M.	856	498	96	128	81	124	199	300	244	104	121
	女 F.	593	420	75	122	56	75	154	202	173	57	96
BE 50	他殺および戦争行為	130	73	11	28	13	11	18	60	53	21	18
	男 M.	79	50	6	21	9	8	14	38	35	13	15
	女 F.	51	23	5	7	4	3	4	22	18	8	3
BE 50. a	他殺	*128*	*72*	*11*	*27*	*12*	*9*	*18*	*48*	*53*	*20*	*17*
	男 M.	*77*	*49*	*6*	*20*	*8*	*6*	*14*	*31*	*35*	*13*	*14*
	女 F.	*51*	*23*	*5*	*7*	*4*	*3*	*4*	*17*	*18*	*7*	*3*
BE 50. b	処刑および戦争行為	*2*	*1*	－	*1*	*1*	*2*	－	*12*	－	*1*	*1*
	男 M.	*2*	*1*	－	*1*	*1*	*2*	－	*7*	－	－	*1*
	女 F.	－	－	－	－	－	－	－	*5*	－	*1*	－
"N"	不慮の事故, 中毒および暴力の二重分類(傷害の性質)	**3 482**	**2 526**	**577**	**677**	**447**	**654**	**1 037**	**1 569**	**1 305**	**639**	**633**
	男 M.	**2 408**	**1 718**	**376**	**442**	**310**	**457**	**697**	**1 068**	**917**	**466**	**423**
	女 F.	**1 074**	**808**	**201**	**235**	**137**	**197**	**340**	**501**	**388**	**173**	**210**
BN 47	骨折, 頭部損傷および内部損傷	1 417	1 023	233	258	160	209	361	585	519	268	203
	男 M.	1 124	817	178	196	123	162	281	449	402	210	155
	女 F.	293	206	55	62	37	47	80	136	117	58	48
BN 47. a	頭蓋骨折	*739*	*526*	*142*	*121*	*87*	*94*	*168*	*305*	*280*	*123*	*92*
	男 M.	*600*	*417*	*105*	*90*	*67*	*78*	*136*	*234*	*220*	*103*	*70*
	女 F.	*139*	*109*	*37*	*31*	*20*	*16*	*32*	*71*	*60*	*20*	*22*
BN 47. b	その他の骨の骨折	*165*	*114*	*30*	*39*	*31*	*37*	*47*	*82*	*78*	*44*	*29*
	男 M.	*119*	*90*	*19*	*28*	*21*	*24*	*32*	*58*	*58*	*32*	*18*
	女 F.	*46*	*24*	*11*	*11*	*10*	*13*	*15*	*24*	*20*	*12*	*11*
BN 47. c	頭部の損傷(骨折を除く)	*320*	*264*	*36*	*57*	*22*	*48*	*101*	*122*	*93*	*62*	*62*
	男 M.	*243*	*210*	*31*	*43*	*17*	*35*	*75*	*92*	*70*	*42*	*48*
	女 F.	*77*	*54*	*5*	*14*	*5*	*13*	*26*	*30*	*23*	*20*	*14*
BN 47. d	胸, 腹, 骨盤腔の内部損傷	*193*	*119*	*25*	*41*	*20*	*30*	*45*	*76*	*68*	*39*	*20*
	男 M.	*162*	*100*	*23*	*35*	*18*	*25*	*38*	*65*	*54*	*33*	*19*
	女 F.	*31*	*19*	*2*	*6*	*2*	*5*	*7*	*11*	*14*	*6*	*1*
BN 48	熱傷	99	67	10	23	16	19	35	67	37	17	21
	男 M.	56	41	6	12	8	12	17	32	15	7	15
	女 F.	43	26	4	11	8	7	18	35	22	10	6
BN 49	毒物の作用	1 042	528	98	138	60	65	152	274	200	83	135
	男 M.	588	294	53	70	37	37	96	170	123	49	73
	女 F.	454	234	45	68	23	28	56	104	77	34	62
BN 50	その他の損傷	924	908	236	258	211	361	489	643	549	271	274
	男 M.	640	566	139	164	142	246	303	417	377	200	180
	女 F.	284	342	97	94	69	115	186	226	172	71	94
BN 50. a	裂傷および開放創	*103*	*98*	*16*	*18*	*25*	*23*	*45*	*58*	*40*	*24*	*15*
	男 M.	*75*	*68*	*11*	*12*	*19*	*14*	*32*	*44*	*27*	*17*	*13*
	女 F.	*28*	*30*	*5*	*6*	*6*	*9*	*13*	*14*	*13*	*7*	*2*
BN 50. b	溺死および死にいたらない溺水	*417*	*407*	*114*	*113*	*79*	*165*	*219*	*283*	*219*	*135*	*157*
	男 M.	*288*	*233*	*63*	*73*	*52*	*110*	*132*	*182*	*155*	*103*	*91*
	女 F.	*129*	*174*	*51*	*40*	*27*	*55*	*87*	*101*	*64*	*32*	*66*
BN 50. c	窒息および絞首	*270*	*296*	*75*	*97*	*81*	*131*	*159*	*217*	*213*	*76*	*63*
	男 M.	*178*	*183*	*48*	*58*	*50*	*91*	*89*	*131*	*138*	*54*	*47*
	女 F.	*92*	*113*	*27*	*39*	*31*	*40*	*70*	*86*	*75*	*22*	*16*
BN 50. d	その他	*134*	*107*	*31*	*30*	*26*	*42*	*66*	*85*	*77*	*36*	*39*
	男 M.	*99*	*82*	*17*	*21*	*21*	*31*	*50*	*60*	*57*	*26*	*29*
	女 F.	*35*	*25*	*14*	*9*	*5*	*11*	*16*	*25*	*20*	*10*	*10*

国際簡単分類番号 International abbreviated list number	38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市(再掲) 6 great cities (secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe
BE 49	346	182	931	207	299	319	260	260	373	737	2 083	321	359	297	903	290
	218	108	597	122	192	192	148	164	201	563	1 207	195	192	169	547	163
	128	74	334	85	107	127	112	96	172	174	876	126	167	128	356	127
BE 50	37	21	149	35	68	38	36	33	48	21	158	27	20	12	78	30
	24	13	125	29	42	34	29	27	42	12	104	19	13	7	50	16
	13	8	24	6	26	4	7	6	6	9	54	8	7	5	28	14
BE 50. a	*36*	*21*	*143*	*35*	*66*	*37*	*36*	*32*	*48*	*19*	*155*	*27*	*19*	*12*	*76*	*30*
	23	*13*	*119*	*29*	*40*	*33*	*29*	*26*	*42*	*10*	*101*	*19*	*12*	*7*	*48*	*16*
	13	*8*	*24*	*6*	*26*	*4*	*7*	*6*	*6*	*9*	*54*	*8*	*7*	*5*	*28*	*14*
BE 50. b	*1*	－	*6*	－	*2*	*1*	－	*1*	－	*2*	*3*	－	*1*	－	*2*	－
	1	－	*6*	－	*2*	*1*	－	*1*	－	*2*	*3*	－	*1*	－	*2*	－
	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－
"N"	**1 044**	**618**	**2 949**	**713**	**1 167**	**1 058**	**826**	**779**	**1 065**	[1] **1 151**	**4 635**	**890**	**2 634**	**669**	**2 047**	**756**
	728	**443**	**2 177**	**502**	**847**	**754**	**588**	**565**	**711**	**856**	**3 185**	**646**	**1 336**	**435**	**1 420**	**512**
	316	**175**	**772**	**211**	**320**	**304**	**238**	**214**	**354**	**271**	**1 450**	**244**	**1 298**	**234**	**627**	**244**
BN 47	338	239	1 134	239	439	380	288	275	324	259	1 844	396	461	252	804	312
	266	190	943	192	339	305	238	225	252	208	1 461	323	368	189	642	244
	72	49	191	47	100	75	50	50	72	51	383	73	93	63	162	68
BN 47. a	*170*	*117*	*551*	*114*	*192*	*172*	*138*	*139*	*134*	*157*	*575*	*226*	*238*	*114*	*404*	*148*
	135	*94*	*448*	*93*	*149*	*134*	*117*	*112*	*106*	*127*	*468*	*183*	*197*	*92*	*332*	*111*
	35	*23*	*103*	*21*	*43*	*38*	*21*	*27*	*28*	*30*	*107*	*43*	*41*	*22*	*72*	*37*
BN 47. b	*49*	*31*	*158*	*32*	*71*	*82*	*27*	*37*	*56*	*21*	*216*	*47*	*38*	*24*	*96*	*37*
	37	*23*	*133*	*25*	*56*	*65*	*21*	*30*	*44*	*17*	*141*	*36*	*27*	*13*	*71*	*30*
	12	*8*	*25*	*7*	*15*	*17*	*6*	*7*	*12*	*4*	*75*	*11*	*11*	*11*	*25*	*7*
BN 47. c	*68*	*55*	*235*	*50*	*106*	*82*	*81*	*60*	*83*	*61*	*717*	*72*	*134*	*82*	*184*	*87*
	57	*41*	*193*	*40*	*80*	*65*	*66*	*47*	*62*	*46*	*584*	*59*	*100*	*57*	*136*	*70*
	11	*14*	*42*	*10*	*26*	*17*	*15*	*13*	*21*	*15*	*133*	*13*	*34*	*25*	*48*	*17*
BN 47. d	*51*	*36*	*190*	*43*	*70*	*44*	*42*	*39*	*51*	*20*	*336*	*51*	*51*	*32*	*120*	*40*
	37	*32*	*169*	*34*	*54*	*41*	*34*	*36*	*40*	*18*	*268*	*45*	*44*	*27*	*103*	*33*
	14	*4*	*21*	*9*	*16*	*3*	*8*	*3*	*11*	*2*	*68*	*6*	*7*	*5*	*17*	*7*
BN 48	41	27	117	24	39	40	25	26	51	7	104	32	12	22	67	18
	25	20	65	6	21	20	15	10	24	3	66	18	9	13	40	13
	16	7	52	18	18	20	10	16	27	4	38	14	3	9	27	5
BN 49	204	77	545	140	172	147	137	97	128	349	1 554	203	218	171	698	210
	129	47	330	82	110	85	80	53	72	277	857	118	111	90	399	111
	75	30	215	58	62	62	57	44	56	72	697	85	107	81	299	99
BN 50	461	275	1 153	310	517	491	376	381	562	[1] 539	1 133	259	1 943	224	478	216
	308	186	839	222	377	344	255	277	363	368	801	187	848	143	339	144
	153	89	314	88	140	147	121	104	199	144	332	72	1 095	81	139	72
BN 50. a	*39*	*18*	*158*	*25*	*49*	*49*	*36*	*40*	*41*	*67*	*170*	*42*	*32*	*21*	*45*	*21*
	25	*16*	*129*	*23*	*38*	*36*	*29*	*30*	*28*	*56*	*125*	*31*	*25*	*14*	*37*	*16*
	14	*2*	*29*	*2*	*11*	*13*	*7*	*10*	*13*	*11*	*45*	*11*	*7*	*7*	*8*	*5*
BN 50. b	*218*	*102*	*434*	*162*	*244*	*212*	*167*	*149*	*196*	[1] *317*	*409*	*84*	*1 727*	*92*	*207*	*80*
	135	*65*	*299*	*110*	*182*	*145*	*109*	*116*	*129*	*181*	*287*	*63*	*707*	*58*	*149*	*49*
	83	*37*	*135*	*52*	*62*	*67*	*58*	*33*	*67*	*109*	*122*	*21*	*1 020*	*34*	*58*	*31*
BN 50. c	*133*	*113*	*430*	*95*	*153*	*159*	*132*	*152*	*257*	*102*	*336*	*86*	*126*	*87*	*151*	*84*
	94	*75*	*301*	*66*	*99*	*108*	*84*	*102*	*155*	*86*	*215*	*56*	*72*	*50*	*97*	*55*
	39	*38*	*129*	*29*	*54*	*51*	*48*	*50*	*102*	*16*	*121*	*30*	*54*	*37*	*54*	*29*
BN 50. d	*71*	*42*	*131*	*28*	*71*	*71*	*41*	*40*	*68*	*53*	*218*	*47*	*58*	*24*	*75*	*31*
	54	*30*	*110*	*23*	*58*	*55*	*33*	*29*	*51*	*45*	*174*	*37*	*44*	*21*	*56*	*24*
	17	*12*	*21*	*5*	*13*	*16*	*8*	*11*	*17*	*8*	*44*	*10*	*14*	*3*	*19*	*7*

注: 1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 52 表　死　亡　者　数，

TABLE 52　DEATHS FROM CAUSES (ABBREVIATED

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
	総数	1) 689 959	117 306	24 814	670	491 384	1) 55 785
	男 M.	367 562	70 851	14 386	389	247 230	34 706
	女 F.	322 370	46 455	10 428	281	244 154	21 052
B 1	呼吸器系の結核	29 747	14 039	762	–	14 182	764
	男 M.	18 557	8 934	497	–	8 682	444
	女 F.	11 190	5 105	265	–	5 500	320
B 2	その他の結核	3 245	1 451	196	–	1 507	91
	男 M.	1 485	689	96	–	666	34
	女 F.	1 760	762	100	–	841	57
B 3	梅毒およびその続発症	2 247	1 122	50	–	1 005	70
	男 M.	1 634	834	33	–	715	52
	女 F.	613	288	17	–	290	18
B 4	腸チフス	37	30	–	–	6	1
	男 M.	24	19	–	–	4	1
	女 F.	13	11	–	–	2	–
B 5	コレラ	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B 6	赤痢	2 457	966	247	–	1 100	144
	男 M.	1 134	474	109	–	483	68
	女 F.	1 323	492	138	–	617	76
B 6. a	細菌性赤痢（疫痢症状を呈するもの）	*1 910*	*682*	*232*	–	*902*	*94*
	男 M.	*868*	*322*	*102*	–	*401*	*43*
	女 F.	*1 042*	*360*	*130*	–	*501*	*51*
B 6. b	細菌性赤痢（その他）	*533*	*271*	*15*	–	*198*	*49*
	男 M.	*255*	*142*	*7*	–	*82*	*24*
	女 F.	*278*	*129*	*8*	–	*116*	*25*
B 6. c	アメーバ症	*14*	*13*	–	–	–	*1*
	男 M.	*11*	*10*	–	–	–	*1*
	女 F.	*3*	*3*	–	–	–	–
B 6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B 7	猩紅熱およびレンサ球菌性口峡炎	40	30	3	–	6	1
	男 M.	20	17	2	–	–	1
	女 F.	20	13	1	–	6	–
B 7. a	猩紅熱	*38*	*28*	*3*	–	*6*	*1*
	男 M.	*19*	*16*	*2*	–	–	*1*
	女 F.	*19*	*12*	*1*	–	*6*	–
B 7. b	レンサ球菌性口峡炎	*2*	*2*	–	–	–	–
	男 M.	*1*	*1*	–	–	–	–
	女 F.	*1*	*1*	–	–	–	–
B 8	ジフテリア	706	506	81	–	87	32
	男 M.	381	277	49	–	38	17
	女 F.	325	229	32	–	49	15
B 9	百日咳	178	34	21	–	116	7
	男 M.	85	15	10	–	58	2
	女 F.	93	19	11	–	58	5

注：1）男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。
1）Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

性・施設・死因（簡単分類）別

LIST) BY SEX AND HOSPITALIZATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
B10	髄膜炎菌感染	124	105	5	–	9	5
	男 M.	75	67	2	–	4	2
	女 F.	49	38	3	–	5	3
B11	ペスト	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B12	急性灰白髄炎	201	117	11	–	67	6
	男 M.	111	59	9	–	38	5
	女 F.	90	58	2	–	29	1
B13	痘瘡	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B14	麻疹	1 882	347	200	–	1 273	62
	男 M.	969	177	104	–	652	36
	女 F.	913	170	96	–	621	26
B15	発疹チフスおよびその他のリケッチア病	10	3	–	–	7	–
	男 M.	5	1	–	–	4	–
	女 F.	5	2	–	–	3	–
B15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B15. c	その他	*10*	*3*	–	–	*7*	–
	男 M.	*5*	*1*	–	–	*4*	–
	女 F.	*5*	*2*	–	–	*3*	–
B16	マラリア	10	3	–	–	6	1
	男 M.	10	3	–	–	6	1
	女 F.	–	–	–	–	–	–
B17	伝染性および寄生性として分類された…その他の疾患	4 562	1 911	362	–	2 132	157
	男 M.	2 523	1 121	225	–	1 100	77
	女 F.	2 039	790	137	–	1 032	80
B17. a	パラチフス	*8*	*7*	*1*	–	–	–
	男 M.	*8*	*7*	*1*	–	–	–
	女 F.	–	–	–	–	–	–
B17. b	癩	*14*	*1*	–	–	*13*	–
	男 M.	*11*	*1*	–	–	*10*	–
	女 F.	*3*	–	–	–	*3*	–
B17. c	破傷風	*633*	*378*	*89*	–	*151*	*15*
	男 M.	*416*	*254*	*63*	–	*90*	*9*
	女 F.	*217*	*124*	*26*	–	*61*	*6*
B17. d	炭疽	*3*	*3*	–	–	–	–
	男 M.	*3*	*3*	–	–	–	–
	女 F.	–	–	–	–	–	–
B17. e	回帰熱	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–

第 52 表　死　亡　者　数，

TABLE 52　DEATHS FROM CAUSES (ABBREVIATED

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
B17. f	日本脳炎	723	497	43	–	126	57
	男 M.	377	272	23	–	52	30
	女 F.	346	225	20	–	74	27
B17. g	黄熱	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B17. h	狂犬病	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B17. i	伝染性下痢症	2	–	–	–	1	1
	男 M.	1	–	–	–	1	–
	女 F.	1	–	–	–	–	1
B17. j	日本住血吸虫症	57	9	1	–	46	1
	男 M.	33	6	–	–	27	–
	女 F.	24	3	1	–	19	1
B17. k	糸状虫症	50	6	3	–	38	3
	男 M.	32	4	1	–	25	2
	女 F.	18	2	2	–	13	1
B17. l	その他の伝染性および寄生性として分類された疾患	3 072	1 010	225	–	1 757	80
	男 M.	1 642	574	137	–	895	36
	女 F.	1 430	436	88	–	862	44
B18	悪性新生物（リンパ組織および造血組織の新生物を含む）	91 286	26 466	2 089	–	60 409	2 322
	男 M.	49 215	15 390	1 127	–	31 636	1 062
	女 F.	42 071	11 076	962	–	28 773	1 260
B18. a	胃の悪性新生物	41 884	9 658	924	–	30 213	1 089
	男 M.	25 757	6 561	602	–	18 013	581
	女 F.	16 127	3 097	322	–	12 200	508
B18. b	気管，気管支および肺の悪性新生物	4 739	1 887	116	–	2 629	107
	男 M.	3 329	1 332	75	–	1 851	71
	女 F.	1 410	555	41	–	778	36
B18. c	乳房の悪性新生物	1 673	542	33	–	1 064	34
	男 M.	21	4	1	–	16	–
	女 F.	1 652	538	32	–	1 048	34
B18. d	子宮の悪性新生物	7 099	1 969	184	–	4 720	226
	男 M.	–	–	–	–	–	–
	女 F.	7 099	1 969	184	–	4 720	226
B18. e	白血病および無白血病	2 486	1 820	76	–	561	29
	男 M.	1 380	1 053	36	–	278	13
	女 F.	1 106	767	40	–	283	16
B18. f	その他	33 405	10 590	756	–	21 222	837
	男 M.	18 728	6 440	413	–	11 478	397
	女 F.	14 677	4 150	343	–	9 744	440
B19	良性および性質不詳の新生物	4 498	1 895	140	–	2 369	94
	男 M.	2 221	1 009	52	–	1 122	38
	女 F.	2 277	886	88	–	1 247	56
B20	糖尿病	2 794	502	52	–	2 165	75
	男 M.	1 293	241	23	–	995	34
	女 F.	1 501	261	29	–	1 170	41

性・施設・死因（簡単分類）別

LIST) BY SEX AND HOSPITALIZATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
B21	貧血	1 354	557	65	–	695	37
	男 M.	613	258	26	–	311	18
	女 F.	741	299	39	–	384	19
B22	中枢神経系の血管損傷	142 858	7 347	1 437	–	127 180	6 894
	男 M.	75 169	4 744	926	–	65 610	3 889
	女 F.	67 689	2 603	511	–	61 570	3 005
B23	髄膜炎（髄膜炎菌性および結核性を除く）	1 327	593	129	–	577	28
	男 M.	735	330	65	–	322	18
	女 F.	592	263	64	–	255	10
B24	リューマチ熱	1 102	271	63	–	734	34
	男 M.	448	125	30	–	277	16
	女 F.	654	146	33	–	457	18
B25	慢性リューマチ性心臓疾患	5 420	945	139	–	4 141	193
	男 M.	2 046	403	58	–	1 517	68
	女 F.	3 374	544	81	–	2 624	125
B26	動脈硬化性および変性性心臓疾患	42 715	4 034	825	5	35 488	2 363
	男 M.	22 081	2 314	448	3	17 980	1 336
	女 F.	20 634	1 720	377	2	17 508	1 027
B26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	17 398	1 476	343	–	14 325	1 254
	男 M.	10 476	991	210	–	8 429	846
	女 F.	6 922	485	133	–	5 896	408
B26. b	リューマチ性と明示されない慢性心内膜炎	12 519	1 454	305	1	10 201	558
	男 M.	5 393	720	145	–	4 312	216
	女 F.	7 126	734	160	1	5 889	342
B26. c	その他の心筋変性	12 798	1 104	177	4	10 962	551
	男 M.	6 212	603	93	3	5 239	274
	女 F.	6 586	501	84	1	5 723	277
B27	その他の心臓疾患	14 819	1 280	263	1	12 661	614
	男 M.	8 008	703	139	1	6 820	345
	女 F.	6 811	577	124	–	5 841	269
B28	高血圧性心臓疾患	4 972	579	73	–	4 146	174
	男 M.	2 544	322	40	–	2 098	84
	女 F.	2 428	257	33	–	2 048	90
B29	その他の高血圧性疾患	8 531	771	109	–	7 364	287
	男 M.	4 148	484	75	–	3 448	141
	女 F.	4 383	287	34	–	3 916	146
B30	インフルエンザ	1 001	53	52	1	852	43
	男 M.	533	36	22	–	456	19
	女 F.	468	17	30	1	396	24
B31	肺炎（新生児肺炎を除く）	29 511	4 497	1 805	2	22 041	1 166
	男 M.	15 647	2 529	982	–	11 538	598
	女 F.	13 864	1 968	823	2	10 503	568
B32	気管支炎	7 789	141	120	–	7 274	254
	男 M.	4 076	88	61	–	3 811	116
	女 F.	3 713	53	59	–	3 463	138
B33	胃および十二指腸の潰瘍	11 325	2 199	573	–	8 184	369
	男 M.	7 729	1 721	454	–	5 318	236
	女 F.	3 596	478	119	–	2 866	133

第 52 表　死　亡　者　数，

TABLE 52　DEATHS FROM CAUSES (ABBREVIATED

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
B 34	虫垂炎	1 107	542	311	–	235	19
	男 M.	577	306	155	–	106	10
	女 F.	530	236	156	–	129	9
B 35	腸閉塞およびヘルニア	4 125	1 944	654	3	1 436	88
	男 M.	2 401	1 236	419	2	692	52
	女 F.	1 724	708	235	1	744	36
B 36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	21 051	1 537	1 086	–	17 607	821
	男 M.	9 334	849	595	–	7 541	349
	女 F.	11 717	688	491	–	10 066	472
B 36. a	*胃炎および十二指腸炎*	*3 139*	*58*	*20*	–	*2 974*	*87*
	男 M.	*1 359*	*36*	*12*	–	*1 278*	*33*
	女 F.	*1 780*	*22*	*8*	–	*1 696*	*54*
B 36. b	*胃腸炎，腸炎および大腸炎*	*17 912*	*1 479*	*1 066*	–	*14 633*	*734*
	男 M.	*7 975*	*813*	*583*	–	*6 263*	*316*
	女 F.	*9 937*	*666*	*483*	–	*8 370*	*418*
B 37	肝硬変	8 794	2 296	268	–	5 989	241
	男 M.	5 339	1 578	187	–	3 439	135
	女 F.	3 455	718	81	–	2 550	106
B 38	腎炎およびネフローゼ	16 426	3 239	534	1	12 095	557
	男 M.	8 012	1 825	268	–	5 690	229
	女 F.	8 414	1 414	266	1	6 405	328
B 38. a	*急性腎炎およびネフローゼ*	*4 759*	*953*	*238*	–	*3 402*	*166*
	男 M.	*2 376*	*549*	*111*	–	*1 653*	*63*
	女 F.	*2 383*	*404*	*127*	–	*1 749*	*103*
B 38. b	*そ の 他*	*11 667*	*2 286*	*296*	*1*	*8 693*	*391*
	男 M.	*5 636*	*1 276*	*157*	–	*4 037*	*166*
	女 F.	*6 031*	*1 010*	*139*	*1*	*4 656*	*225*
B 39	前立腺肥大症	440	111	14	–	306	9
	男 M.	440	111	14	–	306	9
	女 F.	•	•	•	•	•	•
B 40	妊娠，分娩および産褥の合併症	2 381	784	654	36	774	133
	男 M.	•	•	•	•	•	•
	女 F.	2 381	784	654	36	774	133
B 41	先天奇形	4 294	1 453	367	37	2 210	227
	男 M.	2 281	782	186	19	1 164	130
	女 F.	2 013	671	181	18	1 046	97
B 42	出生時の損傷，分娩後窒息および肺不全拡張	2 302	941	446	83	656	176
	男 M.	1 343	570	252	58	360	103
	女 F.	959	371	194	25	296	73
B 43	新生児の感染	5 742	1 503	622	49	3 113	455
	男 M.	3 245	842	353	33	1 762	255
	女 F.	2 497	661	269	16	1 351	200
B 43. a	*新生児肺炎*	*4 718*	*1 303*	*494*	*45*	*2 505*	*371*
	男 M.	*2 657*	*737*	*285*	*29*	*1 401*	*205*
	女 F.	*2 061*	*566*	*209*	*16*	*1 104*	*166*
B 43. b	*新生児下痢*	*623*	*72*	*80*	–	*418*	*53*
	男 M.	*357*	*35*	*43*	–	*251*	*28*
	女 F.	*266*	*37*	*37*	–	*167*	*25*

性・施設・死因（簡単分類）別

LIST) BY SEX AND HOSPITALIZATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
B 43. c	*その他の新生児の感染*	*401*	*128*	*48*	*4*	*190*	*31*
	男 M.	*231*	*70*	*25*	*4*	*110*	*22*
	女 F.	*170*	*58*	*23*	–	*80*	*9*
B 44	その他の新生児固有の疾患および性質不明の未熟児	19 512	4 637	2 588	400	10 508	1 379
	男 M.	10 972	2 624	1 464	246	5 857	781
	女 F.	8 540	2 013	1 124	154	4 651	598
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	67 592	1 323	671	38	61 872	3 688
	男 M.	28 395	722	346	24	25 382	1 921
	女 F.	39 197	601	325	14	36 490	1 767
B 45. a	*精神病の記載のない老衰*	*52 687*	*239*	*96*	–	*50 515*	*1 837*
	男 M.	*19 991*	*97*	*33*	–	*19 243*	*618*
	女 F.	*32 696*	*142*	*63*	–	*31 272*	*1 219*
B 45. b	*その他の診断名不明確および不明の原因*	*14 905*	*1 064*	*575*	*38*	*11 357*	*1 851*
	男 M.	*8 404*	*625*	*313*	*24*	*6 139*	*1 303*
	女 F.	*6 501*	*459*	*262*	*14*	*5 218*	*548*
B 46	その他のすべての疾患	54 796	10 019	1 982	11	40 511	2 273
	男 M.	28 045	5 484	1 014	3	20 344	1 200
	女 F.	26 751	4 535	968	8	20 167	1 073
B 46. a	*その他の循環器系の疾患（先天性を除く）*	*4 269*	*341*	*54*	–	*3 738*	*136*
	男 M.	*2 179*	*205*	*29*	–	*1 882*	*63*
	女 F.	*2 090*	*136*	*25*	–	*1 856*	*73*
B 46. b	*その他のすべての疾患*	*50 527*	*9 678*	*1 928*	*11*	*36 773*	*2 137*
	男 M.	*25 866*	*5 279*	*985*	*3*	*18 462*	*1 137*
	女 F.	*24 661*	*4 399*	*943*	*8*	*18 311*	*1 000*
“E”	**不慮の事故，中毒および暴力の二重分類（外因）**	**64 649**	**14 181**	**4 745**	**3**	**16 289**	**29 431**
	男 M.	**43 659**	**10 538**	**3 469**	–	**8 878**	**20 774**
	女 F.	**20 963**	**3 643**	**1 276**	**3**	**7 411**	**8 630**
BE 47	自動車事故	11 040	5 209	1 961	–	313	3 557
	男 M.	8 770	4 187	1 521	–	210	2 852
	女 F.	2 270	1 022	440	–	103	705
BE 48	その他の不慮の事故	30 622	5 089	1 902	3	7 371	16 257
	男 M.	21 433	4 088	1 486	–	3 921	11 938
	女 F.	9 162	1 001	416	3	3 450	4 292
BE 48. a	*自動車以外の交通事故*	*4 402*	*1 027*	*365*	–	*163*	*2 847*
	男 M.	*3 550*	*818*	*285*	–	*115*	*2 332*
	女 F.	*852*	*209*	*80*	–	*48*	*515*
BE 48. b	不慮の墜落	4 166	1 395	480	–	1 224	1 067
	男 M.	3 160	1 168	406	–	659	927
	女 F.	1 006	227	74	–	565	140
BE 48. c	不慮の溺死および溺水	7 272	90	40	–	978	6 164
	男 M.	5 259	69	23	–	537	4 630
	女 F.	2 013	21	17	–	441	1 534
BE 48. d	天災	4 863	39	14	–	1 757	3 053
	男 M.	2 072	23	11	–	732	1 306
	女 F.	2 764	16	3	–	1 025	1 720
BE 48. e	そ の 他	9 919	2 538	1 003	3	3 249	3 126
	男 M.	7 392	2 010	761	–	1 878	2 743
	女 F.	2 527	528	242	3	1 371	383

注：1）男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。
1) Since the total of male and female includes 27 cases of “sex unknown”, the components do not equal the total.

第 52 表　死 亡 者 数，性・施設・死因（簡単分類）別

TABLE 52　DEATHS FROM CAUSES (ABBREVIATED LIST) BY SEX AND HOSPITALIZATION; FOR ALL JAPAN　昭和34年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	病院 Hospital	診療所 Clinic	助産所 Midwife home	自宅 Home	その他 Other
BE 49	自殺および自傷	21 090	3 492	721	－	8 017	8 860
	男 M.	12 179	1 933	325	－	4 445	5 476
	女 F.	8 911	1 559	396	－	3 572	3 384
BE 50	他殺および戦争行為	1 897	391	161	－	588	757
	男 M.	1 277	330	137	－	302	508
	女 F.	620	61	24	－	286	249
BE 50. a	他殺	*1 842*	*379*	*160*	－	*574*	*729*
	男 M.	*1 228*	*322*	*136*	－	*290*	*480*
	女 F.	*614*	*57*	*24*	－	*284*	*249*
BE 50. b	処刑および戦争行為	*55*	*12*	*1*	－	*14*	*28*
	男 M.	*49*	*8*	*1*	－	*12*	*28*
	女 F.	*6*	*4*	－	－	*2*	－
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	[1] 64 649	14 181	4 745	3	16 289	[1] 29 431
	男 M.	43 659	10 538	3 469	－	8 878	20 774
	女 F.	20 963	3 643	1 276	3	7 411	8 630
BN 47	骨折，頭部損傷および内部損傷	22 783	8 956	3 303	－	2 243	8 281
	男 M.	18 072	7 360	2 685	－	1 366	6 661
	女 F.	4 711	1 596	618	－	877	1 620
BN 47. a	頭蓋骨折	*11 172*	*3 794*	*1 441*	－	*618*	*5 319*
	男 M.	*8 994*	*3 185*	*1 169*	－	*388*	*4 252*
	女 F.	*2 178*	*609*	*272*	－	*230*	*1 067*
BN 47. b	その他の骨の骨折	*3 007*	*1 243*	*427*	－	*554*	*783*
	男 M.	*2 220*	*978*	*349*	－	*263*	*630*
	女 F.	*787*	*265*	*78*	－	*291*	*153*
BN 47. c	頭部の損傷（骨折を除く）	*5 541*	*2 544*	*924*	－	*811*	*1 262*
	男 M.	*4 305*	*2 025*	*735*	－	*531*	*1 014*
	女 F.	*1 236*	*519*	*189*	－	*280*	*248*
BN 47. d	胸，腹，骨盤腔の内部損傷	*3 063*	*1 375*	*511*	－	*260*	*917*
	男 M.	*2 553*	*1 172*	*432*	－	*184*	*765*
	女 F.	*510*	*203*	*79*	－	*76*	*152*
BN 48	熱傷	1 883	606	283	－	781	213
	男 M.	1 052	370	162	－	364	156
	女 F.	831	236	121	－	417	57
BN 49	毒物の作用	10 980	3 320	771	－	3 891	2 998
	男 M.	6 300	1 775	344	－	1 129	2 052
	女 F.	4 680	1 545	427	－	1 762	946
BN 50	その他の損傷	[1] 29 003	1 299	388	3	9 374	[1] 17 939
	男 M.	18 235	1 033	278	－	5 019	11 905
	女 F.	10 741	266	110	3	4 355	6 007
BN 50. a	裂傷および開放創	*2 438*	*320*	*154*	－	*268*	*1 696*
	男 M.	*1 748*	*260*	*113*	－	*169*	*1 206*
	女 F.	*690*	*60*	*41*	－	*99*	*490*
BN 50. b	溺死および死にいたらない溺水	[1] *14 627*	*112*	*43*	－	*2 408*	[1] *12 064*
	男 M.	*8 565*	*79*	*26*	－	*1 076*	*7 384*
	女 F.	*6 035*	*33*	*17*	－	*1 332*	*4 653*
BN 50. c	窒息および絞首	*8 468*	*308*	*25*	*1*	*5 493*	*2 641*
	男 M.	*5 303*	*220*	*11*	－	*3 053*	*2 019*
	女 F.	*3 165*	*88*	*14*	*1*	*2 440*	*622*
BN 50. d	その他	*3 470*	*559*	*166*	*2*	*1 205*	*1 538*
	男 M.	*2 619*	*474*	*128*	－	*721*	*1 296*
	女 F.	*851*	*85*	*38*	*2*	*484*	*242*

注：1）男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。
1）Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 53 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 53　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・月・死 因(簡 単 分 類)別

CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sep.	10月 Oct.	11月 Nov.	12月 Dec.
	総数	54 768	7 276	5 911	6 442	4 822	4 140	3 517	3 433	2 977	3 042	3 291	3 902	6 015
	男 M.	30 646	4 054	3 266	3 528	2 671	2 302	1 969	1 982	1 679	1 728	1 879	2 204	3 384
	女 F.	24 122	3 222	2 645	2 914	2 151	1 838	1 548	1 451	1 298	1 314	1 412	1 698	2 631
B1	呼吸器系の結核	36	2	1	5	4	3	4	5	4	5	–	1	2
	男 M.	16	1	–	3	3	1	3	1	2	1	–	–	1
	女 F.	20	1	1	2	1	2	1	4	2	4	–	1	1
B2	その他の結核	91	12	9	6	6	7	12	10	6	2	4	15	2
	男 M.	57	10	6	1	3	5	8	6	5	–	3	9	1
	女 F.	34	2	3	5	3	2	4	4	1	2	1	6	1
B3	梅毒およびその続発症	20	1	2	2	3	1	2	1	1	1	1	3	2
	男 M.	14	1	–	1	2	1	2	1	–	1	–	3	2
	女 F.	6	–	2	1	1	–	–	–	1	–	1	–	–
B4	腸チフス	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B5	コレラ	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B6	赤痢	63	4	4	1	3	4	7	15	9	6	4	3	3
	男 M.	34	–	3	1	1	2	4	8	7	2	2	2	2
	女 F.	29	4	1	–	2	2	3	7	2	4	2	1	1
B6. a	細菌性赤痢(疫痢症状を呈するもの)	*52*	*4*	*4*	*1*	*3*	*2*	*6*	*13*	*7*	*4*	*4*	*2*	*2*
	男 M.	*28*	–	*3*	*1*	*1*	*2*	*4*	*7*	*5*	*1*	*2*	*1*	*1*
	女 F.	*24*	*4*	*1*	–	*2*	–	*2*	*6*	*2*	*3*	*2*	*1*	*1*
B6. b	細菌性赤痢(その他)	*11*	–	–	–	–	*2*	*1*	*2*	*2*	*2*	–	*1*	*1*
	男 M.	*6*	–	–	–	–	–	–	*1*	*2*	*1*	–	*1*	*1*
	女 F.	*5*	–	–	–	–	*2*	*1*	*1*	–	*1*	–	–	–
B6. c	アメーバ症	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B7	猩紅熱およびレンサ球菌性口峡炎	1	–	–	–	–	–	–	–	–	–	–	1	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–	1	–
B7. a	猩紅熱	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–
B7. b	レンサ球菌性口峡炎	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B8	ジフテリア	29	7	4	8	–	1	–	–	–	–	2	2	5
	男 M.	18	5	–	6	–	1	–	–	–	–	–	2	4
	女 F.	11	2	4	2	–	–	–	–	–	–	2	–	1
B9	百日咳	131	16	14	26	13	14	9	7	6	8	7	1	10
	男 M.	65	9	7	11	7	7	3	3	3	4	5	1	5
	女 F.	66	7	7	15	6	7	6	3	3	4	2	–	5
B10	髄膜炎菌感染	13	2	–	1	–	2	–	–	2	3	2	1	–
	男 M.	8	–	–	–	–	2	–	–	2	3	–	1	–
	女 F.	5	2	–	1	–	–	–	–	–	–	2	–	–
B11	ペスト	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B12	急性灰白髄炎	23	1	3	1	1	1	3	4	5	1	2	–	1
	男 M.	12	1	1	1	1	1	1	2	2	–	2	–	–
	女 F.	11	–	2	–	–	–	2	2	3	1	–	–	1
B13	痘瘡	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B14	麻疹	848	38	37	113	138	189	160	103	22	7	8	11	22
	男 M.	452	19	20	60	78	91	88	57	13	3	6	5	12
	女 F.	396	19	17	53	60	98	72	46	9	4	2	6	10
B15	発疹チフスおよびその他のリケッチア病	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B15. c	その他	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B16	マラリア	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B17	伝染性および寄生性として分類されたその他の疾患	539	53	52	53	49	37	34	52	49	35	33	45	47
	男 M.	322	35	23	33	31	22	19	36	26	20	24	23	30
	女 F.	217	18	29	20	18	15	15	16	23	15	9	22	17
B17. a	パラチフス	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. b	癩	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. c	破傷風	*158*	*7*	*12*	*16*	*12*	*9*	*12*	*19*	*24*	*17*	*11*	*15*	*4*
	男 M.	*101*	*6*	*6*	*10*	*6*	*7*	*8*	*16*	*12*	*10*	*8*	*9*	*3*
	女 F.	*57*	*1*	*6*	*6*	*6*	*2*	*4*	*3*	*12*	*7*	*3*	*6*	*1*
B17. d	炭疽	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–

第 53 表　乳 児（1 才 未 満）死 亡 者 数，性・月・死 因（簡 単 分 類）別

TABLE 53　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN

昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sep.	10月 Oct.	11月 Nov.	12月 Dec.
B17. f	日本脳炎	9	–	–	–	–	–	1	2	5	1	–	–	–
	男 M.	6	–	–	–	–	–	–	2	3	1	–	–	–
	女 F.	3	–	–	–	–	–	1	–	2	–	–	–	–
B17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. i	伝染性下痢症	1	–	–	1	–	–	–	–	–	–	–	–	–
	男 M.	1	–	–	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. j	日本住血吸虫症	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. k	糸状虫症	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B17. l	その他の伝染性および寄生性として分類された疾患	371	46	40	36	37	28	21	31	20	17	22	30	43
	男 M.	214	29	17	22	25	15	11	18	11	9	16	14	27
	女 F.	157	17	23	14	12	13	10	13	9	8	6	16	16
B18	悪性新生物（リンパ組織および造血組織の新生物を含む）	105	9	6	14	13	11	7	5	11	7	6	6	10
	男 M.	52	3	2	7	5	8	5	3	4	3	2	6	4
	女 F.	53	6	4	7	8	3	2	2	7	4	4	–	6
B18. a	胃の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B18. b	気管，気管支および肺の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B18. c	乳房の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B18. d	子宮の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B18. e	白血病および無白血病	62	6	3	7	11	6	3	2	5	6	5	4	4
	男 M.	28	2	1	3	4	4	2	2	2	2	4	–	–
	女 F.	34	4	2	4	7	2	1	–	3	4	3	–	4
B18. f	そ の 他	43	3	3	7	2	5	4	3	6	1	1	2	6
	男 M.	24	1	1	4	1	4	3	1	2	1	–	2	4
	女 F.	19	2	2	3	1	1	1	2	4	–	1	–	2
B19	良性および性質不詳の新生物	88	10	6	7	10	14	3	8	5	6	7	5	7
	男 M.	51	8	1	5	6	8	2	6	4	2	3	3	3
	女 F.	37	2	5	2	4	6	1	2	1	4	4	2	4
B20	糖尿病	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B21	貧血	29	3	–	3	2	2	3	4	1	5	1	1	4
	男 M.	17	2	–	2	2	1	2	2	–	2	–	1	3
	女 F.	12	1	–	1	–	1	1	2	1	3	1	–	1
B22	中枢神経系の血管損傷	20	–	2	1	4	1	2	1	–	4	2	2	1
	男 M.	14	–	1	1	2	1	2	1	–	2	1	2	1
	女 F.	6	–	1	–	2	–	–	–	–	2	1	–	–
B23	髄膜炎（髄膜炎菌性および結核性を除く）	324	42	24	30	31	39	33	25	19	15	15	19	32
	男 M.	178	26	15	16	17	21	14	11	12	4	10	13	19
	女 F.	146	16	9	14	14	18	19	14	7	11	5	6	13
B24	リューマチ熱	3	2	1	–	–	–	–	–	–	–	–	–	–
	男 M.	3	2	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B25	慢性リューマチ性心臓疾患	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B26	動脈硬化性および変性性心臓疾患	197	28	28	22	19	7	14	11	12	15	15	9	17
	男 M.	103	12	22	12	10	3	4	8	5	9	8	3	7
	女 F.	94	16	6	10	9	4	10	3	7	6	7	6	10
B26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	2	–	–	–	–	–	1	–	–	–	–	1	–
	男 M.	2	–	–	–	–	–	1	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B26. b	リューマチ性と明示されない慢性心内膜炎	1	–	–	–	–	–	–	–	1	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	1	–	–	–	–
B26. c	その他の心筋変性	194	28	28	22	19	7	13	11	11	15	15	8	17
	男 M.	104	12	22	12	10	3	3	8	5	9	8	5	7
	女 F.	90	16	6	10	9	4	10	3	6	6	7	3	10
B27	その他の心臓疾患	64	8	8	5	5	1	5	9	5	6	4	2	6
	男 M.	35	4	3	1	2	1	4	5	4	2	3	2	4
	女 F.	29	4	5	4	3	–	1	4	1	4	1	–	2
B28	高血圧性心臓疾患	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B29	その他の高血圧性疾患	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
B30	インフルエンザ	186	17	25	24	34	29	14	5	1	4	1	9	23
	男 M.	100	12	11	15	17	17	11	4	–	2	1	2	8
	女 F.	86	5	14	9	17	12	3	1	1	2	–	7	15
B31	肺炎（新生児肺炎を除く）	9 346	1 244	1 288	1 378	1 048	788	522	391	288	286	421	613	1 079
	男 M.	5 086	701	726	735	559	418	284	208	146	172	228	326	583
	女 F.	4 260	543	562	643	489	370	238	183	142	114	193	287	496
B32	気管支炎	1 090	180	142	142	113	75	52	40	25	46	62	79	134
	男 M.	605	102	77	87	55	41	29	26	15	24	35	44	70
	女 F.	485	78	65	55	58	34	23	14	10	22	27	35	64
B33	胃および十二指腸の潰瘍	7	1	–	–	–	–	–	1	1	–	–	2	2
	男 M.	4	–	–	–	–	–	–	1	1	–	–	1	1
	女 F.	3	1	–	–	–	–	–	–	–	–	–	1	1

第 53 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 53　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sep.	10月 Oct.	11月 Nov.	12月 Dec.
B 34	虫垂炎	3	－	－	－	2	－	－	－	1	－	－	－	－
	男 M.	3	－	－	－	2	－	－	－	1	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－
B 35	腸閉塞およびヘルニア	806	85	64	80	57	61	67	66	73	46	71	50	86
	男 M.	552	51	41	60	40	41	50	45	53	31	44	37	59
	女 F.	254	34	23	20	17	20	17	21	20	15	27	13	27
B 36	胃炎, 十二指腸炎, 腸炎および大腸炎(新生児下痢を除く)	3 890	566	364	338	295	234	239	243	183	165	187	330	746
	男 M.	2 212	334	217	180	163	127	114	146	98	82	99	205	447
	女 F.	1 678	232	147	158	132	107	125	97	85	83	88	125	299
B 36. a	胃炎および十二指腸炎	*11*	*1*	*3*	*1*	*1*	－	－	*1*	－	*1*	*1*	*1*	*1*
	男 M.	*6*	*1*	*2*	*1*	－	－	－	*1*	－	－	*1*	－	－
	女 F.	*5*	－	*1*	－	*1*	－	－	－	－	*1*	－	*1*	*1*
B 36. b	胃腸炎, 腸炎および大腸炎	*3 879*	*565*	*361*	*337*	*294*	*234*	*239*	*242*	*183*	*164*	*186*	*329*	*745*
	男 M.	*2 206*	*333*	*215*	*179*	*163*	*127*	*114*	*145*	*98*	*82*	*98*	*205*	*447*
	女 F.	*1 673*	*232*	*146*	*158*	*131*	*107*	*125*	*97*	*85*	*82*	*88*	*124*	*298*
B 37	肝硬変	33	1	3	4	2	3	2	2	5	4	1	5	1
	男 M.	19	－	1	2	1	2	2	1	4	2	－	3	1
	女 F.	14	1	2	2	1	1	－	1	1	2	1	2	－
B 38	腎炎およびネフローゼ	39	6	1	6	2	4	2	3	4	1	2	4	4
	男 M.	20	4	－	5	1	3	1	－	1	1	1	2	1
	女 F.	19	2	1	1	1	1	1	3	3	－	1	2	3
B 38. a	急性腎炎およびネフローゼ	*30*	*4*	*1*	*5*	*2*	*4*	*1*	*2*	*4*	*1*	*1*	*3*	*2*
	男 M.	*15*	*2*	－	*4*	*1*	*3*	－	－	*1*	*1*	*1*	*1*	*1*
	女 F.	*15*	*2*	*1*	*1*	*1*	*1*	*1*	*2*	*3*	－	－	*2*	*1*
B 38. b	その他	*9*	*2*	－	*1*	－	－	*1*	*1*	－	－	*1*	*1*	*2*
	男 M.	*5*	*2*	－	*1*	－	－	*1*	－	－	－	－	*1*	－
	女 F.	*4*	－	－	－	－	－	－	*1*	－	－	*1*	－	*2*
B 39	前立腺肥大症	－	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·
B 40	妊娠, 分娩および産褥の合併症	－	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－
B 41	先天奇形	3 213	343	313	336	276	210	223	244	242	222	265	233	306
	男 M.	1 747	190	167	191	153	123	121	126	135	118	143	123	157
	女 F.	1 466	153	146	145	123	87	102	118	107	104	122	110	149
B 42	出生時の損傷, 分娩後窒息および肺不全拡張	2 302	206	182	226	172	155	176	192	207	192	182	197	215
	男 M.	1 343	113	106	129	100	86	99	113	131	121	113	105	127
	女 F.	959	93	76	97	72	69	77	79	76	71	69	92	88
B 43	新生児の感染	5 742	931	766	859	471	363	268	271	252	264	282	387	628
	男 M.	3 245	534	425	478	262	202	159	160	150	170	155	215	335
	女 F.	2 497	397	341	381	209	161	109	111	102	94	127	172	293
B 43. a	新生児肺炎	*4 718*	*795*	*647*	*714*	*371*	*292*	*208*	*205*	*204*	*207*	*225*	*318*	*532*
	男 M.	*2 657*	*457*	*354*	*400*	*202*	*162*	*122*	*125*	*125*	*127*	*119*	*180*	*284*
	女 F.	*2 061*	*338*	*293*	*314*	*169*	*130*	*86*	*80*	*79*	*80*	*106*	*138*	*248*
B 43. b	新生児下痢	*623*	*92*	*71*	*88*	*65*	*43*	*37*	*31*	*22*	*34*	*33*	*43*	*64*
	男 M.	*357*	*52*	*41*	*43*	*42*	*23*	*21*	*16*	*14*	*25*	*20*	*23*	*37*
	女 F.	*266*	*40*	*30*	*45*	*23*	*20*	*16*	*15*	*8*	*9*	*13*	*20*	*27*

性・月・死因(簡単分類)別

CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sep.	10月 Oct.	11月 Nov.	12月 Dec.
B 43. c	その他の新生児の感染	*401*	*44*	*48*	*57*	*35*	*28*	*23*	*35*	*26*	*23*	*24*	*26*	*32*
	男 M.	*231*	*25*	*30*	*35*	*18*	*17*	*16*	*19*	*11*	*18*	*16*	*12*	*14*
	女 F.	*170*	*19*	*18*	*22*	*17*	*11*	*7*	*16*	*15*	*5*	*8*	*14*	*18*
B 44	その他の新生児固有の疾患および性質不明の未熟児	19 512	2 729	2 002	2 101	1 530	1 398	1 254	1 295	1 206	1 191	1 339	1 460	2 007
	男 M.	10 972	1 484	1 096	1 159	858	807	703	759	669	677	777	846	1 137
	女 F.	8 540	1 245	906	942	672	591	551	536	537	514	562	614	870
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	1 854	222	171	198	167	149	128	157	126	122	107	130	177
	男 M.	1 074	131	94	113	103	77	78	88	74	70	60	76	110
	女 F.	780	91	77	85	64	72	50	69	52	52	47	54	67
B 45. a	精神病の記載のない老衰	－	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－
B 45. b	その他の診断名不明確および不明の原因	*1 854*	*222*	*171*	*198*	*167*	*149*	*128*	*157*	*126*	*122*	*107*	*130*	*177*
	男 M.	*1 074*	*131*	*94*	*113*	*103*	*77*	*78*	*88*	*74*	*70*	*60*	*76*	*110*
	女 F.	*780*	*91*	*77*	*85*	*64*	*72*	*50*	*69*	*52*	*52*	*47*	*54*	*67*
B 46	その他のすべての疾患	2 520	352	257	301	236	208	158	144	123	155	155	164	267
	男 M.	1 393	184	137	155	132	122	84	90	68	83	93	85	160
	女 F.	1 127	168	120	146	104	86	74	54	55	72	62	79	107
B 46. a	その他の循環器系の疾患(先天性を除く)	*17*	*3*	*2*	*2*	*3*	*1*	－	－	*1*	*1*	*1*	*1*	*2*
	男 M.	*11*	*2*	*1*	*1*	*3*	*1*	－	－	－	－	*1*	*1*	*1*
	女 F.	*6*	*1*	*1*	*1*	－	－	－	－	*1*	*1*	－	－	*1*
B 46. b	その他のすべての疾患	*2 503*	*349*	*255*	*299*	*233*	*207*	*158*	*144*	*122*	*154*	*154*	*163*	*265*
	男 M.	*1 382*	*182*	*136*	*154*	*129*	*121*	*84*	*90*	*68*	*83*	*92*	*84*	*159*
	女 F.	*1 121*	*167*	*119*	*145*	*104*	*86*	*74*	*54*	*54*	*71*	*62*	*79*	*106*
"E"	**不慮の事故, 中毒および暴力の二重分類(外因)**	**1 601**	**155**	**132**	**151**	**116**	**129**	**114**	**119**	**83**	**218**	**103**	**112**	**169**
	男 M.	**820**	**76**	**63**	**58**	**55**	**63**	**73**	**65**	**44**	**117**	**61**	**55**	**90**
	女 F.	**781**	**79**	**69**	**93**	**61**	**66**	**41**	**54**	**39**	**101**	**42**	**57**	**79**
BE 47	自動車事故	26	2	1	1	1	4	2	2	2	5	1	3	2
	男 M.	16	1	－	1	1	2	2	2	2	3	1	－	2
	女 F.	10	1	1	1	－	2	－	－	－	2	－	3	－
BE 48	その他の不慮の事故	1 433	144	123	135	103	111	94	103	72	198	91	103	156
	男 M.	728	70	59	54	48	52	60	56	38	106	51	53	81
	女 F.	705	74	64	81	55	59	34	47	34	92	40	50	75
BE 48. a	自動車以外の交通事故	*10*	*1*	－	*1*	*1*	*1*	*1*	－	*2*	*2*	*1*	－	－
	男 M.	*5*	*1*	－	*1*	－	－	－	－	*1*	*1*	*1*	－	－
	女 F.	*5*	－	－	－	*1*	*1*	*1*	－	*1*	*1*	－	－	－
BE 48. b	不慮の墜落	*32*	*2*	*1*	*5*	*2*	*2*	*3*	*1*	*4*	*2*	*4*	*3*	*3*
	男 M.	*21*	*1*	－	*4*	*1*	*2*	*3*	－	*1*	*2*	*2*	*3*	*2*
	女 F.	*11*	*1*	*1*	*1*	*1*	－	－	*1*	*3*	－	*2*	－	*1*
BE 48. c	不慮の溺死および溺水	*49*	－	*2*	*5*	*5*	*5*	*3*	*11*	*5*	*6*	*1*	*4*	*2*
	男 M.	*29*	－	*2*	*2*	*2*	*2*	*3*	*5*	*3*	*4*	*1*	*3*	*2*
	女 F.	*20*	－	－	*3*	*3*	*3*	－	*6*	*2*	*2*	－	*1*	－
BE 48. d	天災	*151*	－	－	－	－	－	－	*2*	*7*	*142*	－	－	－
	男 M.	*83*	－	－	－	－	－	－	*2*	*4*	*77*	－	－	－
	女 F.	*68*	－	－	－	－	－	－	－	*3*	*65*	－	－	－
BE 48. e	その他	*1 191*	*141*	*120*	*124*	*95*	*103*	*87*	*89*	*54*	*46*	*85*	*96*	*151*
	男 M.	*590*	*68*	*57*	*47*	*45*	*48*	*54*	*49*	*29*	*22*	*47*	*47*	*77*
	女 F.	*601*	*73*	*63*	*77*	*50*	*55*	*33*	*40*	*25*	*24*	*38*	*49*	*74*

第53表　乳児（1才未満）死亡者数，性・月・死因（簡単分類）別

TABLE 53　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES (ABBREVIATED LIST) BY SEX AND MONTH OF OCCURRENCE; FOR ALL JAPAN　　昭和34年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	1月 Jan.	2月 Feb.	3月 Mar.	4月 Apr.	5月 May	6月 June	7月 July	8月 Aug.	9月 Sep.	10月 Oct.	11月 Nov.	12月 Dec.
BE 49	自殺および自傷	－	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－
BE 50	他殺および戦争行為	142	9	8	15	12	14	18	14	9	15	11	6	11
	男 M.	76	5	4	4	6	9	11	7	4	8	9	2	7
	女 F.	66	4	4	11	6	5	7	7	5	7	2	4	4
BE 50. a	他殺	*142*	*9*	*8*	*15*	*12*	*14*	*18*	*14*	*9*	*15*	*11*	*6*	*11*
	男 M.	*76*	*5*	*4*	*4*	*6*	*9*	*11*	*7*	*4*	*8*	*9*	*2*	*7*
	女 F.	*66*	*4*	*4*	*11*	*6*	*5*	*7*	*7*	*5*	*7*	*2*	*4*	*4*
BE 50. b	処刑および戦争行為	－	－	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	1 601	155	132	151	116	129	114	119	83	218	103	112	169
	男 M.	820	76	63	58	55	63	73	65	44	117	61	55	90
	女 F.	781	79	69	93	61	66	41	54	39	101	42	57	79
BN 47	骨折，頭部損傷および内部損傷	92	5	3	8	6	9	8	5	8	14	9	8	9
	男 M.	54	2	1	6	3	5	6	3	4	8	6	4	6
	女 F.	38	3	2	2	3	4	2	2	4	6	3	4	3
BN 47. a	頭蓋骨折	*43*	*2*	*1*	*2*	*4*	*5*	*6*	*1*	*4*	*10*	*3*	*4*	*1*
	男 M.	*22*	－	－	*1*	*2*	*2*	*4*	－	*3*	*6*	*3*	*1*	－
	女 F.	*21*	*2*	*1*	*1*	*2*	*3*	*2*	*1*	*1*	*4*	－	*3*	*1*
BN 47. b	その他の骨の骨折	*3*	－	－	－	－	－	－	*1*	－	*1*	－	－	*1*
	男 M.	*2*	－	－	－	－	－	－	*1*	－	－	－	－	*1*
	女 F.	*1*	－	－	－	－	－	－	－	－	*1*	－	－	－
BN 47. c	頭部の損傷（骨折を除く）	*40*	*3*	*1*	*6*	*1*	*4*	*2*	*3*	*4*	*2*	*4*	*4*	*6*
	男 M.	*26*	*2*	－	*5*	－	*3*	*2*	*2*	*1*	*2*	*2*	*3*	*4*
	女 F.	*14*	*1*	*1*	*1*	*1*	*1*	－	*1*	*3*	－	*2*	*1*	*2*
BN 47. d	胸，腹，骨盤腔の内部損傷	*6*	－	*1*	－	*1*	－	－	－	－	*1*	*2*	－	*1*
	男 M.	*4*	－	*1*	－	*1*	－	－	－	－	－	*1*	－	*1*
	女 F.	*2*	－	－	－	－	－	－	－	－	*1*	*1*	－	－
BN 48	熱傷	154	26	23	13	10	7	7	10	6	3	17	10	22
	男 M.	69	10	11	3	7	3	5	5	1	2	6	4	12
	女 F.	85	16	12	10	3	4	2	5	5	1	11	6	10
BN 49	毒物の作用	66	9	9	7	3	3	5	－	5	3	3	3	16
	男 M.	33	6	4	1	1	2	2	－	3	2	3	2	7
	女 F.	33	3	5	6	2	1	3	－	2	1	－	1	9
BN 50	その他の損傷	1 289	115	97	123	97	110	94	104	64	198	74	91	122
	男 M.	664	58	47	48	44	53	60	57	36	105	46	45	65
	女 F.	625	57	50	75	53	57	34	47	28	93	28	46	57
BN 50. a	裂傷および開放創	*18*	*2*	*2*	*3*	*2*	*2*	－	*2*	*1*	－	*1*	*2*	*1*
	男 M.	*6*	－	*1*	*1*	－	*1*	－	*1*	－	－	*1*	－	*1*
	女 F.	*12*	*2*	*1*	*2*	*2*	*1*	－	*1*	*1*	－	－	*2*	－
BN 50. b	溺死および死にいたらない溺水	*224*	*1*	*3*	*8*	*10*	*8*	*9*	*18*	*11*	*141*	*1*	*6*	*8*
	男 M.	*129*	－	*3*	*4*	*4*	*4*	*7*	*9*	*6*	*80*	*1*	*4*	*7*
	女 F.	*95*	*1*	－	*4*	*6*	*4*	*2*	*9*	*5*	*61*	－	*2*	*1*
BN 50. c	窒息および絞首	*787*	*81*	*63*	*79*	*73*	*79*	*68*	*60*	*33*	*39*	*61*	*63*	*88*
	男 M.	*396*	*44*	*31*	*27*	*37*	*38*	*42*	*32*	*21*	*17*	*35*	*28*	*44*
	女 F.	*391*	*37*	*32*	*52*	*36*	*41*	*26*	*28*	*12*	*22*	*26*	*35*	*44*
BN 50. d	その他	*260*	*31*	*29*	*33*	*12*	*21*	*17*	*24*	*19*	*18*	*11*	*20*	*25*
	男 M.	*133*	*14*	*12*	*16*	*3*	*10*	*11*	*15*	*9*	*8*	*9*	*13*	*13*
	女 F.	*127*	*17*	*17*	*17*	*9*	*11*	*6*	*9*	*10*	*10*	*2*	*7*	*12*

第 54 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 54　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・日－月齢・死因(簡単分類)別

CAUSES (ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	1年未満総数 Total of infant deaths under 1 year of age	1か月未満																						国際簡単分類番号 International abbreviated list number
			総数 Total	1週未満 Under 1 week																					
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	Under 1 month of age				1か月 month	2か月	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	月齢不詳 Months unknown	
													2～3週未満	3～4週未満	4週～1か月未満 4 weeks & over, less than 1 month	日齢不詳 Days unknown											
	総数	54 768	30 692	18 418	4 818	3 875	3 059	2 077	1 647	1 508	1 434	6 133	3 395	2 289	455	2	5 687	3 796	2 751	2 103	1 983	1 677	1 484	1 410	1 238	1 065	881	1	
	男 M.	30 646	17 459	10 658	2 753	2 339	1 865	1 166	908	862	765	3 407	1 900	1 237	256	1	3 117	2 048	1 491	1 164	1 090	913	803	793	697	588	483	–	
	女 F.	24 122	13 233	7 760	2 065	1 536	1 194	911	739	646	669	2 726	1 495	1 052	199	1	2 570	1 748	1 260	939	893	764	681	617	541	477	398	1	
B1	呼吸器系の結核	36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	4	3	3	3	3	5	5	4	–	B1
	男 M.	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	1	3	1	1	2	2	2	–	
	女 F.	20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	3	2	–	2	2	3	3	2	–	
B2	その他の結核	91	3	–	–	–	–	–	–	–	–	1	1	–	1	–	1	6	9	7	8	10	10	14	5	9	9	–	B2
	男 M.	54	2	–	–	–	–	–	–	–	–	–	1	–	1	–	1	3	7	5	2	6	8	8	1	6	5	–	
	女 F.	37	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	3	2	2	6	4	2	6	4	3	4	–	
B3	梅毒およびその続発症	20	8	4	1	–	–	1	–	2	–	2	2	–	–	–	3	4	2	1	–	1	–	1	–	–	–	–	B3
	男 M.	14	6	3	1	–	–	1	–	1	–	2	1	–	–	–	2	2	2	1	–	1	–	–	–	–	–	–	
	女 F.	6	2	1	–	–	–	–	–	1	–	–	1	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	
B4	腸チフス	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B4
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B5	コレラ	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B5
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B6	赤痢	63	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	4	2	2	3	3	10	8	5	9	9	7	–	B6
	男 M.	34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	2	2	3	2	6	5	1	4	3	3	–	
	女 F.	29	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	1	4	3	4	5	6	4	–	
	B6. a 細菌性赤痢(疫痢症状を呈するもの)	*52*	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*3*	*2*	*1*	*2*	*3*	*6*	*7*	*5*	*8*	*8*	*6*	–	B6. a
	男 M.	*28*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	*2*	*1*	*2*	*2*	*3*	*4*	*1*	*4*	*3*	*3*	–	
	女 F.	*24*	*1*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	*3*	*3*	*4*	*4*	*5*	*3*	–	
	B6. b 細菌性赤痢(その他)	*11*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	*4*	*1*	–	*1*	*1*	*1*	–	B6. b
	男 M.	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*3*	*1*	–	–	–	–	–	
	女 F.	*5*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	*1*	*1*	*1*	–	
	B6. c アメーバ症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B6. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	B6. d その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B6. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B7	猩紅熱およびレンサ球菌性口峡炎	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B7
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	B7. a 猩紅熱	*1*	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B.7a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*1*	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	B7. b レンサ球菌性口峡炎	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B7. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B8	ジフテリア	29	1	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	3	2	–	4	9	2	3	–	B8
	男 M.	18	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	1	–	1	1	1	–	2	7	1	3	–	
	女 F.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	2	1	–	2	2	1	–	–	
B9	百日咳	131	10	–	–	–	–	–	–	–	–	–	1	7	2	–	28	21	20	14	6	7	4	6	6	4	5	–	B9
	男 M.	65	4	–	–	–	–	–	–	–	–	–	1	3	–	–	18	9	9	7	3	3	1	3	5	1	2	–	
	女 F.	66	6	–	–	–	–	–	–	–	–	–	–	4	2	–	10	12	11	7	3	4	3	3	1	3	3	–	

第 54 表　乳 児（1 才 未 満）死 亡 者 数，性・日－月 齢・死 因（簡 単 分 類）別

TABLE 54　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES (ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭 和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	1年未満総数 Total of infant deaths under 1 year of age	1か月未満 Under 1 month of age																								国際簡単分類番号 International abbreviated list number
			総数 Total	1週未満 Under 1 week 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～1か月未満 4 weeks & over, less than 1 month	日齢不詳 Days unknown	1か月 month	2か月	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	月齢不詳 Months unknown	
B 10	髄膜炎菌感染	13	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	2	1	1	1	3	2	–	–	–	2	–	B 10
	男 M.	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	1	2	1	–	–	–	1	–	
	女 F.	5	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	1	1	–	–	–	1	–	
B 11	ペスト	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 11
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 12	急性灰白髄炎	23	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	1	1	2	1	3	3	5	3	–	B 12
	男 M.	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	–	3	2	3	–	
	女 F.	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	1	1	3	–	3	–	–	
B 13	痘瘡	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 13
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 14	麻疹	848	5	–	–	–	–	–	–	–	–	–	3	2	–	–	3	6	17	50	85	101	131	123	123	113	91	–	B 14
	男 M.	452	2	–	–	–	–	–	–	–	–	–	1	1	–	–	2	4	11	29	44	46	72	68	60	66	48	–	
	女 F.	396	3	–	–	–	–	–	–	–	–	–	2	1	–	–	1	2	6	21	41	55	59	55	63	47	43	–	
B 15	発疹チフスおよびその他のリケッチア病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 15
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 15. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 15. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 15. c	その他	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 15. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 16	マラリア	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 16
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17	伝染性および寄生性として分類されたその他の疾患	539	247	85	2	4	1	6	14	30	28	101	25	22	14	–	72	51	32	28	25	15	18	13	14	13	11	–	B 17
	男 M.	322	155	54	1	2	1	4	8	19	19	67	18	9	7	–	41	32	19	13	14	9	12	6	7	7	7	–	
	女 F.	217	92	31	1	2	–	2	6	11	9	34	7	13	7	–	31	19	13	15	11	6	6	7	7	6	4	–	
B 17. a	パラチフス	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. b	癩	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. c	破傷風	*158*	*152*	*72*	*2*	*3*	*1*	*2*	*12*	*28*	*24*	*70*	*7*	*2*	*1*	–	*2*	*4*	–	–	–	–	–	–	–	–	–	–	B 17. c
	男 M.	*101*	*96*	*46*	*1*	*1*	*1*	*1*	*7*	*18*	*17*	*44*	*5*	*1*	–	–	*2*	*3*	–	–	–	–	–	–	–	–	–	–	
	女 F.	*57*	*56*	*26*	*1*	*2*	–	*1*	*5*	*10*	*7*	*26*	*2*	*1*	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	
B 17. d	炭疽	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. e
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 54 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 54　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・日－月齢・死因(簡単分類)別

CAUSES (ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	1年未満総数 Total of infant deaths under 1 year of age	1か月未満 Under 1 month										1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～1か月未満 4 weeks & over, less than 1 month	日齢不詳 Days unknown	1か月 month	2か月	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	月齢不詳 Months unknown	国際簡単分類番号 International abbreviated list number
			総数 Total	1週未満 Under 1 week: 総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 day	2日	3日	4日	5日	6日																		
B17. f	日本脳炎	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	2	1	–	2	1	–	B17. f
	男 M.	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	1	–	1	1	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–	
B17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. g
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. h
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. i	伝染性下痢症	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	B17. i
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. j	日本住血吸虫症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. j
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. k	糸状虫症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. k
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. l	その他の伝染性および寄生性として分類された疾患	371	95	13	–	1	–	4	2	2	4	31		18	20	13	–	70	47	32	28	24	13	16	12	13	11	10	–	B17. l
	男 M.	214	59	8	–	1	–	3	1	1	2	23		13	8	7	–	39	29	19	13	13	7	12	5	6	6	6	–	
	女 F.	157	36	5	–	–	–	1	1	1	2	8		5	12	6	–	31	18	13	15	11	6	4	7	7	5	4	–	
B18	悪性新生物(リンパ組織および造血組織の新生物を含む)	105	2	1	–	–	1	–	–	–	–	–		–	–	1	–	16	6	8	8	8	4	13	6	11	10	13	–	B18
	男 M.	52	1	–	–	–	–	–	–	–	–	–		–	–	1	–	10	2	5	5	5	2	5	2	5	4	6	–	
	女 F.	53	1	1	–	–	1	–	–	–	–	–		–	–	–	–	6	4	3	3	3	2	8	4	6	6	7	–	
B18. a	胃の悪性新生物	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. b	気管，気管支および肺の悪性新生物	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. c	乳房の悪性新生物	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. d	子宮の悪性新生物	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. d
	男 M.	.	.	.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. e	白血病および無白血病	62	1	–	–	–	–	–	–	–	–	–		–	–	1	–	11	2	3	6	6	2	7	2	7	6	9	–	B18. e
	男 M.	28	1	–	–	–	–	–	–	–	–	–		–	–	1	–	7	1	1	3	3	1	3	–	2	2	4	–	
	女 F.	34	–	–	–	–	–	–	–	–	–	–		–	–	–	–	4	1	2	3	3	1	4	2	5	4	5	–	
B18. f	その他	43	1	1	–	–	1	–	–	–	–	–		–	–	–	–	5	4	5	2	2	2	6	4	4	4	4	–	B18. f
	男 M.	24	–	–	–	–	–	–	–	–	–	–		–	–	–	–	3	1	4	2	2	1	2	2	3	2	2	–	
	女 F.	19	1	1	–	–	1	–	–	–	–	–		–	–	–	–	2	3	1	–	–	1	4	2	1	2	2	–	
B19	良性および性質不詳の新生物	88	22	11	3	1	1	1	2	1	2	5		2	2	2	–	8	8	5	7	12	3	6	3	5	3	6	–	B19
	男 M.	51	15	8	3	–	–	1	2	1	1	3		1	1	2	–	3	5	3	5	5	1	2	2	4	1	5	–	
	女 F.	37	7	3	–	1	1	–	–	–	1	2		1	1	–	–	5	3	2	2	7	2	4	1	1	2	1	–	
B20	糖尿病	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B20
	男 M.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 54 表　乳 児（1 才 未 満）死 亡 者 数，性・日－月 齢・死 因（簡 単 分 類）別

TABLE 54　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES (ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭 和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	1年未満総数 Total of infant deaths under 1 year of age	1か月未満 Under 1 month										1か月 month	2か月	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	月齢不詳 Months unknown	国際簡単分類番号 International abbreviated list number
			総数 Total	1週未満 Under 1 week								1～2週未満 1 week & over, less than 2 weeks													
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日														
B 21	貧血	29	2	1	–	–	–	–	–	1	–	–	1	8	3	1	2	2	–	4	2	3	–	–	B 21
	男 M.	17	2	1	–	–	–	–	–	1	–	–	1	4	2	–	2	–	–	4	–	1	–	–	
	女 F.	12	–	–	–	–	–	–	–	–	–	–	–	4	1	1	–	2	–	–	2	2	–	–	
B 22	中枢神経系の血管損傷	20	1	–	–	–	–	–	–	–	–	–	–	9	2	2	1	2	1	–	1	–	–	1	B 22
	男 M.	14	1	–	–	–	–	–	–	–	–	–	–	7	–	2	1	1	1	–	1	–	–	–	
	女 F.	6	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	1	–	–	–	–	–	1	
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	324	47	11	1	2	1	2	1	1	3	17	8	10	1	–	28	43	36	32	27	21	22	29	19	12	8	–	B 23
	男 M.	178	30	9	–	2	–	2	1	1	3	9	4	7	1	–	11	27	21	14	15	10	13	17	9	6	5	–	
	女 F.	146	17	2	1	–	1	–	–	–	–	8	4	3	–	–	17	16	15	18	12	11	9	12	10	6	3	–	
B 24	リューマチ熱	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	B 24
	男 M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 25	慢性リューマチ性心臓疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 25
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 26	動脈硬化性および変性性心臓疾患	197	112	82	20	21	17	10	6	4	4	19	9	2	–	–	24	22	7	7	6	4	5	3	2	3	2	–	B 26
	男 M.	106	67	53	12	16	13	5	4	2	1	8	6	–	–	–	15	8	–	4	3	3	1	1	1	2	1	–	
	女 F.	91	45	29	8	5	4	5	2	2	3	11	3	2	–	–	9	14	7	3	3	1	4	2	1	1	1	–	
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	*2*	*1*	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	B 26. a
	男 M.	*2*	*1*	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 26. b	リューマチ性と明示されない慢性心内膜炎	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	B 26. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	
B 26. c	その他の心筋変性	*194*	*111*	*81*	*20*	*21*	*16*	*10*	*6*	*4*	*4*	*19*	*9*	*2*	–	–	*24*	*22*	*6*	*7*	*6*	*3*	*5*	*3*	*2*	*3*	*2*	–	B 26. c
	男 M.	*104*	*66*	*52*	*12*	*16*	*12*	*5*	*4*	*2*	*1*	*8*	*6*	–	–	–	*15*	*8*	–	*4*	*3*	*2*	*1*	*1*	*1*	*2*	*1*	–	
	女 F.	*90*	*45*	*29*	*8*	*5*	*4*	*5*	*2*	*2*	*3*	*11*	*3*	*2*	–	–	*9*	*14*	*6*	*3*	*3*	*1*	*4*	*2*	*1*	*1*	*1*	–	
B 27	その他の心臓疾患	64	11	6	2	3	–	–	1	–	–	2	1	1	1	–	10	4	11	5	7	3	1	4	3	2	3	–	B 27
	男 M.	35	8	4	1	2	–	–	1	–	–	2	–	1	1	–	8	1	5	3	1	3	1	1	2	–	2	–	
	女 F.	29	3	2	1	1	–	–	–	–	–	–	1	–	–	–	2	3	6	2	6	–	–	3	1	2	1	–	
B 28	高血圧性心臓疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 28
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 29	その他の高血圧性疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 29
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 30	インフルエンザ	186	25	6	–	–	–	–	2	3	1	8	5	4	2	–	22	35	23	17	19	7	6	15	7	5	5	–	B 30
	男 M.	100	12	1	–	–	–	–	–	1	–	4	3	2	2	–	14	21	13	9	7	3	3	7	5	3	3	–	
	女 F.	86	13	5	–	–	–	–	2	2	1	4	2	2	–	–	8	14	10	8	12	4	3	8	2	2	2	–	
B 31	肺炎（新生児肺炎を除く）	9 346	162	–	–	–	–	–	–	–	–	–	–	–	162	–	2 320	1 671	1 196	840	775	604	500	425	333	302	218	–	B 31
	男 M.	5 086	96	–	–	–	–	–	–	–	–	–	–	–	96	–	1 282	915	634	459	409	337	270	231	185	157	111	–	
	女 F.	4 260	66	–	–	–	–	–	–	–	–	–	–	–	66	–	1 038	756	562	381	366	267	230	194	148	145	107	–	
B 32	気管支炎	1 090	333	100	10	14	17	19	11	12	17	84	70	63	16	–	219	122	107	59	53	45	35	31	36	24	26	–	B 32
	男 M.	605	171	52	5	11	9	11	6	5	5	39	35	37	8	–	129	63	70	31	30	25	17	17	21	16	15	–	
	女 F.	485	162	48	5	3	8	8	5	7	12	45	35	26	8	–	90	59	37	28	23	20	18	14	15	8	11	–	
B 33	胃および十二指腸の潰瘍	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	1	–	–	–	–	B 33
	男 M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	1	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	

第 54 表　乳 児（1 才 未 満）死 亡 者 数，性・日－月 齢・死 因（簡 単 分 類）別

TABLE 54　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES (ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭 和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	1年未満総数 Total of infant deaths under 1 year of age	1か月未満 Under 1 month of age																						国際簡単分類番号 International abbreviated list number
			総数 Total	1週未満 Under 1 week										1～2週未満 1 weeks & over, less than 2 weeks	2～3週未満	3～4週未満	4週～1か月未満 4 weeks & over, less than 1 month	日齢不詳 Days unknown	1か月 month	2か月	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	月齢不詳 Months unknown	
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日																
B 34	虫垂炎	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	B 34
	男 M.	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 35	腸閉塞およびヘルニア	806	181	78	10	15	10	14	10	10	9	35	31	30	7	–	77	61	65	72	75	57	62	47	55	30	24	–	B 35
	男 M.	552	117	48	6	11	6	8	6	6	5	23	18	22	6	–	49	45	44	48	53	41	48	32	41	17	17	–	
	女 F.	254	64	30	4	4	4	6	4	4	4	12	13	8	1	–	28	16	21	24	22	16	14	15	14	13	7	–	
B 36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	3 890	40	2	–	–	1	–	1	–	–	–	–	–	38	–	618	461	384	332	326	346	282	324	292	265	220	–	B 36
	男 M.	2 212	15	1	–	–	–	–	1	–	–	–	–	–	14	–	342	256	217	179	189	189	159	207	185	151	123	–	
	女 F.	1 678	25	1	–	–	1	–	–	–	–	–	–	–	24	–	276	205	167	153	137	157	123	117	107	114	97	–	
B 36. a	胃炎および十二指腸炎	*11*	*2*	*2*	–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	*2*	*3*	–	–	–	*1*	–	*3*	–	–	–	B 36. a
	男 M.	*6*	*1*	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	*1*	–	*2*	–	–	–	
	女 F.	*5*	*1*	*1*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	*2*	–	–	–	–	–	*1*	–	–	–	
B 36. b	胃腸炎，腸炎および大腸炎	*3 879*	*38*	–	–	–	–	–	–	–	–	–	–	–	*38*	–	*618*	*459*	*381*	*332*	*326*	*346*	*281*	*324*	*289*	*265*	*220*	–	B 36. b
	男 M.	*2 206*	*14*	–	–	–	–	–	–	–	–	–	–	–	*14*	–	*342*	*255*	*216*	*179*	*189*	*189*	*158*	*207*	*183*	*151*	*123*	–	
	女 F.	*1 673*	*24*	–	–	–	–	–	–	–	–	–	–	–	*24*	–	*276*	*204*	*165*	*153*	*137*	*157*	*123*	*117*	*106*	*114*	*97*	–	
B 37	肝硬変	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	3	1	1	4	3	–	3	5	4	4	–	B 37
	男 M.	19	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–	1	2	1	–	2	1	2	3	–	
	女 F.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	–	1	4	2	1	–	
B 38	腎炎およびネフローゼ	39	7	1	–	–	–	–	–	1	–	–	3	3	–	–	3	8	2	3	–	4	2	3	4	2	1	–	B 38
	男 M.	20	3	–	–	–	–	–	–	–	–	–	2	1	–	–	2	6	1	1	–	1	1	1	2	1	1	–	
	女 F.	19	4	1	–	–	–	–	–	1	–	–	1	2	–	–	1	2	1	2	–	3	1	2	2	1	–	–	
B 38. a	急性腎炎およびネフローゼ	*30*	*5*	*1*	–	–	–	–	–	*1*	–	–	*2*	*2*	–	–	*2*	*6*	*2*	*3*	–	*3*	*2*	*3*	*3*	*1*	–	–	B 38. a
	男 M.	*15*	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*2*	*4*	*1*	*1*	–	*1*	*1*	*1*	*2*	*1*	–	–	
	女 F.	*15*	*4*	*1*	–	–	–	–	–	*1*	–	–	*1*	*2*	–	–	–	*2*	*1*	*2*	–	*2*	*1*	*2*	*1*	–	–	–	
B 38. b	その他	*9*	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	*1*	*2*	–	–	–	*1*	–	–	*1*	*1*	*1*	–	B 38. b
	男 M.	*5*	*2*	–	–	–	–	–	–	–	–	–	*1*	*1*	–	–	–	*2*	–	–	–	–	–	–	–	–	*1*	–	
	女 F.	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	*1*	–	–	*1*	*1*	–	–	
B 39	前立腺肥大症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 39
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 40	妊娠，分娩および産褥の合併症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 40
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 41	先天奇形	3 213	1 615	838	144	141	165	110	107	91	80	306	253	189	29	–	415	266	191	160	128	97	99	83	68	44	47	–	B 41
	男 M.	1 747	931	484	78	82	98	65	60	55	46	188	144	102	13	–	229	137	104	91	68	41	42	36	24	21	23	–	
	女 F.	1 466	684	354	66	59	67	45	47	36	34	118	109	87	16	–	186	129	87	69	60	56	57	47	44	23	24	–	
B 42	出生時の損傷，分娩後窒息および肺不全拡張	2 302	2 270	2 043	872	549	284	133	90	58	57	147	46	31	3	–	20	4	1	2	1	3	1	–	–	–	–	–	B 42
	男 M.	1 343	1 326	1 202	488	347	173	70	58	37	29	79	26	16	3	–	10	2	–	2	–	3	–	–	–	–	–	–	
	女 F.	959	944	841	384	202	111	63	32	21	28	68	20	15	–	–	10	2	1	–	1	–	1	–	–	–	–	–	
B 43	新生児の感染	5 742	5 701	1 857	153	278	302	297	265	279	283	1 597	1 248	996	3	–	24	7	3	2	–	1	3	1	–	–	–	–	B 43
	男 M.	3 245	3 230	1 059	87	170	183	170	153	161	135	887	721	561	2	–	10	2	–	1	–	1	1	–	–	–	–	–	
	女 F.	2 497	2 471	798	66	108	119	127	112	118	148	710	527	435	1	–	14	5	3	1	–	–	2	1	–	–	–	–	
B 43. a	新生児肺炎	*4 718*	*4 718*	*1 628*	*143*	*268*	*267*	*255*	*223*	*241*	*231*	*1 296*	*982*	*812*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 43. a
	男 M.	*2 657*	*2 657*	*925*	*78*	*162*	*161*	*148*	*128*	*138*	*110*	*722*	*564*	*446*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*2 061*	*2 061*	*703*	*65*	*106*	*106*	*107*	*95*	*103*	*121*	*574*	*418*	*366*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 43. b	新生児下痢	*623*	*622*	*114*	*4*	*5*	*12*	*20*	*23*	*22*	*28*	*189*	*177*	*142*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	B 43. b
	男 M.	*357*	*356*	*66*	*3*	*4*	*7*	*12*	*12*	*16*	*12*	*106*	*99*	*85*	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*266*	*266*	*48*	*1*	*1*	*5*	*8*	*11*	*6*	*16*	*83*	*78*	*57*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第54表　乳児（1才未満）死亡者数，

TABLE 54　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	1年未満総数 Total of infant deaths under 1 year of age	1か月未満 Under 1 month									
			総数 Total	1週未満 Under 1 week								1～2週未満 1 week & over, less than 2 weeks
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1日 1 day	2日	3日	4日	5日	6日	
B 43. c	その他の新生児の感染……	*401*	*361*	*115*	*6*	*5*	*23*	*22*	*19*	*16*	*24*	*112*
	男 M.	*231*	*217*	*68*	*6*	*4*	*15*	*10*	*13*	*7*	*13*	*59*
	女 F.	*170*	*144*	*47*	–	*1*	*8*	*12*	*6*	*9*	*11*	*53*
B 44	その他の新生児固有の疾患および性質不明の未熟児…	19 512	17 835	12 413	3 502	2 769	2 100	1 327	1 004	886	825	3 225
	男 M.	10 972	10 090	7 154	2 020	1 652	1 280	728	532	493	449	1 766
	女 F.	8 540	7 745	5 259	1 482	1 117	820	599	472	393	376	1 459
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因…	1 854	1 160	603	38	56	96	116	98	97	102	382
	男 M.	1 074	719	380	18	31	65	80	62	61	63	235
	女 F.	780	441	223	20	25	31	36	36	36	39	147
B 45. a	精神病の記載のない老衰……	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 45. b	その他の診断名不明確および不明の原因…	*1 854*	*1 160*	*603*	*38*	*56*	*96*	*116*	*98*	*97*	*102*	*382*
	男 M.	*1 074*	*719*	*380*	*18*	*31*	*65*	*80*	*62*	*61*	*63*	*235*
	女 F.	*780*	*441*	*223*	*20*	*25*	*31*	*36*	*36*	*36*	*39*	*147*
B 46	その他のすべての疾患……	2 520	650	179	11	16	45	28	28	29	22	163
	男 M.	1 393	330	97	6	12	27	16	11	16	9	73
	女 F.	1 127	320	82	5	4	18	12	17	13	13	90
B 46. a	その他の循環器系の疾患（先天性を除く）…	*17*	*3*	–	–	–	–	–	–	–	–	–
	男 M.	*11*	*2*	–	–	–	–	–	–	–	–	–
	女 F.	*6*	*1*	–	–	–	–	–	–	–	–	–
B 46. b	その他のすべての疾患……	*2 503*	*647*	*179*	*11*	*16*	*45*	*28*	*28*	*29*	*22*	*163*
	男 M.	*1 382*	*328*	*97*	*6*	*12*	*27*	*16*	*11*	*16*	*9*	*73*
	女 F.	*1 121*	*319*	*82*	*5*	*4*	*18*	*12*	*17*	*13*	*13*	*90*
"E"	**不慮の事故，中毒および暴力の二重分類（外因）…**	**1 601**	**239**	**97**	**49**	**6**	**18**	**13**	**7**	**3**	**1**	**38**
	男 M.	**820**	**125**	**48**	**27**	**1**	**10**	**5**	**3**	**2**	–	**22**
	女 F.	**781**	**114**	**49**	**22**	**5**	**8**	**8**	**4**	**1**	**1**	**16**
BE 47	自動車事故……	26	–	–	–	–	–	–	–	–	–	–
	男 M.	16	–	–	–	–	–	–	–	–	–	–
	女 F.	10	–	–	–	–	–	–	–	–	–	–
BE 48	その他の不慮の事故……	1 433	197	69	23	5	18	13	7	2	1	33
	男 M.	728	104	34	13	1	10	5	3	2	–	22
	女 F.	705	93	35	10	4	8	8	4	–	1	11
BE 48. a	自動車以外の交通事故……	*10*	–	–	–	–	–	–	–	–	–	–
	男 M.	*5*	–	–	–	–	–	–	–	–	–	–
	女 F.	*5*	–	–	–	–	–	–	–	–	–	–
BE 48. b	不慮の墜落……	*32*	*1*	–	–	–	–	–	–	–	–	*1*
	男 M.	*21*	–	–	–	–	–	–	–	–	–	–
	女 F.	*11*	*1*	–	–	–	–	–	–	–	–	*1*
BE 48. c	不慮の溺死および溺水……	*49*	–	–	–	–	–	–	–	–	–	–
	男 M.	*29*	–	–	–	–	–	–	–	–	–	–
	女 F.	*20*	–	–	–	–	–	–	–	–	–	–
BE 48. d	天災……	*151*	*11*	*5*	*4*	*1*	–	–	–	–	–	*1*
	男 M.	*83*	*7*	*3*	*3*	–	–	–	–	–	–	*1*
	女 F.	*68*	*4*	*2*	*1*	*1*	–	–	–	–	–	–
BE 48. e	その他……	*1 191*	*185*	*64*	*19*	*4*	*18*	*13*	*7*	*2*	*1*	*31*
	男 M.	*590*	*97*	*31*	*10*	*1*	*10*	*5*	*3*	*2*	–	*21*
	女 F.	*601*	*88*	*33*	*9*	*3*	*8*	*8*	*4*	–	*1*	*10*

性・日－月齢・死因（簡単分類）別

CAUSES (ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN

昭和34年
1959

Under 1 month of age				1か月 month	2か月	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	月齢不詳 Months unknown	国際簡単分類番号 International abbreviated list number
2～3週未満	3～4週未満	4週～1か月未満 4 weeks & over, less than 1 month	日齢不詳 Days unknown													
89	*42*	*3*	–	*23*	*7*	*3*	*2*	–	*1*	*3*	*1*	–	–	–	–	B 43. c
58	*30*	*2*	–	*9*	*2*	–	*1*	–	*1*	*1*	–	–	–	–	–	
31	*12*	*1*	–	*14*	*5*	*3*	*1*	–	–	*2*	*1*	–	–	–	–	
1 391	698	107	1	834	286	160	93	83	61	44	38	24	26	28	–	B 44
754	356	59	1	422	136	93	51	53	30	20	26	18	19	14	–	
637	342	48	–	412	150	67	42	30	31	24	12	6	7	14	–	
97	64	13	1	171	141	74	61	61	41	31	33	28	27	25	1	B 45
59	38	7	–	86	74	31	33	30	24	14	21	18	12	12	–	
38	26	6	1	85	67	43	28	31	17	17	12	10	15	13	1	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 45. a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
97	*64*	*13*	*1*	*171*	*141*	*74*	*61*	*61*	*41*	*31*	*33*	*28*	*27*	*25*	*1*	B 45. b
59	*38*	*7*	–	*86*	*74*	*31*	*33*	*30*	*24*	*14*	*21*	*18*	*12*	*12*	–	
38	*26*	*6*	*1*	*85*	*67*	*43*	*28*	*31*	*17*	*17*	*12*	*10*	*15*	*13*	*1*	
157	117	34	–	453	314	219	160	158	132	115	107	94	73	45	–	B 46
80	58	22	–	260	172	121	101	94	77	60	53	52	50	23	–	
77	59	12	–	193	142	98	59	64	55	55	54	42	23	22	–	
3	–	–	–	*3*	*1*	*3*	*4*	*2*	–	*1*	–	–	–	–	–	B 46. a
2	–	–	–	*2*	–	*2*	*3*	*2*	–	–	–	–	–	–	–	
1	–	–	–	*1*	*1*	*1*	*1*	–	–	*1*	–	–	–	–	–	
154	*117*	*34*	–	*450*	*313*	*216*	*156*	*156*	*132*	*114*	*107*	*94*	*73*	*45*	–	B 46. b
78	*58*	*22*	–	*258*	*172*	*119*	*98*	*92*	*77*	*60*	*53*	*52*	*50*	*23*	–	
76	*59*	*12*	–	*192*	*141*	*97*	*58*	*64*	*55*	*54*	*54*	*42*	*23*	*22*	–	
40	**46**	**18**	–	**292**	**224**	**161**	**129**	**101**	**83**	**79**	**77**	**76**	**70**	**70**	–	"E"
23	**22**	**10**	–	**152**	**110**	**70**	**64**	**54**	**41**	**45**	**42**	**35**	**37**	**45**	–	
17	**24**	**8**	–	**140**	**114**	**91**	**65**	**47**	**42**	**34**	**35**	**41**	**33**	**25**	–	
–	–	–	–	5	3	2	1	3	–	1	4	2	3	2	–	BE 47
–	–	–	–	3	1	2	1	3	–	1	1	1	1	2	–	
–	–	–	–	2	2	–	–	–	–	–	3	1	2	–	–	
35	45	15	–	274	213	148	121	89	72	72	65	62	55	65	–	BE 48
19	21	8	–	139	104	63	59	46	36	40	36	28	31	42	–	
16	24	7	–	135	109	85	62	43	36	32	29	34	24	23	–	
–	–	–	–	–	–	–	2	1	–	3	2	1	–	1	–	BE 48. a
–	–	–	–	–	–	–	2	–	–	2	–	–	–	1	–	
–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	
–	–	–	–	2	3	3	2	–	3	1	2	–	7	8	–	BE 48. b
–	–	–	–	1	2	–	2	–	2	1	2	–	6	5	–	
–	–	–	–	1	1	3	–	–	1	–	–	–	1	3	–	
–	–	–	–	2	3	3	4	1	4	4	2	7	9	10	–	BE 48. c
–	–	–	–	–	1	2	2	1	1	4	2	4	5	7	–	
–	–	–	–	2	2	1	2	–	3	–	–	3	4	3	–	
2	3	–	–	8	10	10	12	16	11	16	20	12	13	12	–	BE 48. d
1	2	–	–	7	4	4	7	9	8	8	11	8	3	7	–	
1	1	–	–	1	6	6	5	7	3	8	9	4	10	5	–	
33	42	15	–	262	197	132	101	71	54	48	39	42	26	34	–	BE 48. e
18	19	8	–	131	97	57	46	36	25	25	21	16	17	22	–	
15	23	7	–	131	100	75	55	35	29	23	18	26	9	12	–	

第 54 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 54　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・日－月齢・死因(簡単分類)別

CAUSES (ABBREVIATED LIST) BY SEX AND DETAILED AGE; FOR ALL JAPAN　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	1年未満総数 Total of infant deaths under 1 year of age	1 か 月 未 満 Under 1 month of age																				国際簡単分類番号 International abbreviated list number
			総数 Total	1 週 未 満 Under 1 week									1～2週未満 1 week & over, less than 2 weeks	2～3週未満	3～4週未満	4週～1か月未満 4 weeks & over, less than 1 month	日齢不詳 Days unknown	1か月 month	2か月	3か月	4か月	5か月	6か月	7か月	8か月	9か月	10か月	11か月	月齢不詳 Months unknown	
				総数 Total	1日(24時間)未満 Under 1 day (24 hours)	1 日 day	2 日	3 日	4 日	5 日	6 日																	
BE 49	自殺および自傷	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	BE 49
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
BE 50	他殺および戦争行為	142	42	28	26	1	–	–	–	1	–	5	5	1	3	–	13	8	11	7	9	11	6	8	12	12	3	–	BE 50
	男 M.	76	21	14	14	–	–	–	–	–	–	5	4	1	2	–	10	5	5	4	5	5	4	5	6	5	1	–	
	女 F.	66	21	14	12	1	–	–	–	1	–	5	1	–	1	–	3	3	6	3	4	6	2	3	6	7	2	–	
BE 50. a	他殺	*142*	*42*	*28*	*26*	*1*	–	–	–	*1*	–	*5*	*5*	*1*	*3*	–	*13*	*8*	*11*	*7*	*9*	*11*	*6*	*8*	*12*	*12*	*3*	–	BE 50. a
	男 M.	*76*	*21*	*14*	*14*	–	–	–	–	*1*	–	*5*	*4*	*1*	*2*	–	*10*	*5*	*5*	*4*	*5*	*5*	*4*	*5*	*6*	*5*	*1*	–	
	女 F.	*66*	*21*	*14*	*12*	*1*	–	–	–	–	–	–	*1*	–	*1*	–	*3*	*3*	*6*	*3*	*4*	*6*	*2*	*3*	*6*	*7*	*2*	–	
BE 50. b	処刑および戦争行為	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	BE 50. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
"N"	不慮の事故, 中毒および暴力の二重分類 (傷害の性質)	1 601	239	97	49	6	18	13	7	3	1	38	40	46	18	–	292	224	161	129	101	83	79	77	76	70	70	–	"N"
	男 M.	820	125	48	27	1	10	5	3	2	–	22	23	22	10	–	152	110	70	64	54	41	45	42	35	37	45	–	
	女 F.	781	114	49	22	5	8	8	4	1	1	16	17	24	8	–	140	114	91	65	47	42	34	35	41	33	25	–	
BN 47	骨折, 頭部損傷および内部損傷	92	5	3	3	–	–	–	–	–	–	1	1	–	–	–	8	10	11	7	4	5	4	8	6	12	12	–	BN 47
	男 M.	54	3	2	2	–	–	–	–	–	–	1	1	–	–	–	5	6	4	6	3	4	3	3	1	7	9	–	
	女 F.	38	2	1	1	–	–	–	–	–	–	–	–	–	–	–	3	4	7	1	1	1	1	5	5	5	3	–	
BN 47. a	頭蓋骨折	*43*	*2*	*1*	*1*	–	–	–	–	–	–	–	*1*	–	–	–	*3*	*6*	*4*	*2*	*3*	–	*2*	*5*	*4*	*6*	*6*	–	BN 47. a
	男 M.	*22*	*1*	–	–	–	–	–	–	–	–	–	*1*	–	–	–	*1*	*3*	*2*	*1*	*2*	–	*2*	*2*	*1*	*2*	*5*	–	
	女 F.	*21*	*1*	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	*2*	*3*	*2*	*1*	*1*	–	–	*3*	*3*	*4*	*1*	–	
BN 47. b	その他の骨の骨折	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	–	–	*1*	–	BN 47. b
	男 M.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	*1*	–	
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	
BN 47. c	頭部の損傷 (骨折を除く)	*40*	*3*	*2*	*2*	–	–	–	–	–	–	*1*	–	–	–	–	*1*	*3*	*5*	*5*	*1*	*5*	*1*	*3*	*2*	*6*	*5*	–	BN 47. c
	男 M.	*26*	*2*	*2*	*2*	–	–	–	–	–	–	*1*	–	–	–	–	–	*2*	*2*	*5*	*1*	*4*	*1*	*1*	–	*5*	*3*	–	
	女 F.	*14*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	*3*	–	–	*1*	–	*2*	*2*	*1*	*2*	–	
BN 47. d	胸, 腹, 骨盤腔の内部損傷	*6*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	*1*	*2*	–	–	–	–	–	–	–	–	–	BN 47. d
	男 M.	*4*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	*1*	–	–	–	–	–	–	–	–	–	–	
	女 F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	–	–	–	–	–	–	–	–	–	
BN 48	熱傷	154	5	–	–	–	–	–	–	–	–	1	2	1	1	–	7	6	11	9	8	15	19	17	24	12	21	–	BN 48
	男 M.	69	4	–	–	–	–	–	–	–	–	1	2	1	–	–	2	5	3	3	5	5	8	8	10	7	9	–	
	女 F.	85	1	–	–	–	–	–	–	–	–	–	–	–	1	–	5	1	8	6	3	10	11	9	14	5	12	–	
BN 49	毒物の作用	66	9	5	–	–	4	1	–	–	–	–	1	2	1	–	15	11	6	5	4	4	1	3	6	1	1	–	BN 49
	男 M.	33	5	3	–	–	2	1	–	–	–	–	1	–	1	–	8	5	3	3	1	2	–	2	2	1	1	–	
	女 F.	33	4	2	–	–	2	–	–	–	–	–	–	2	–	–	7	6	3	2	3	2	1	1	4	–	–	–	
BN 50	その他の損傷	1 289	220	89	46	6	14	12	7	3	1	36	36	43	16	–	262	197	133	108	85	59	55	49	40	45	36	–	BN 59
	男 M.	664	113	43	25	1	8	4	4	1	1	15	19	21	9	–	137	94	60	52	45	30	34	29	22	22	26	–	
	女 F.	625	107	46	21	5	6	8	4	1	–	21	17	22	7	–	125	103	73	56	40	29	21	20	18	23	10	–	
BN 50. a	裂傷および開放創	*18*	*7*	*2*	*1*	–	–	*1*	–	–	–	–	*3*	*1*	*1*	–	–	*2*	–	*1*	–	*2*	–	*2*	*1*	*2*	*1*	–	BN 50. a
	男 M.	*6*	*2*	–	–	–	–	–	–	–	–	–	*1*	–	*1*	–	–	*1*	–	*1*	–	–	–	*1*	–	*1*	–	–	
	女 F.	*12*	*5*	*2*	*1*	–	–	*1*	–	–	–	–	*2*	*1*	–	–	–	*1*	–	–	–	*2*	–	*1*	*1*	*1*	*1*	–	
BN 50. b	溺死および死にいたらない溺水	*224*	*16*	*8*	*7*	*1*	–	–	–	–	–	*3*	*1*	*4*	–	–	*12*	*16*	*16*	*17*	*19*	*19*	*20*	*27*	*20*	*22*	*20*	–	BN 50. b
	男 M.	*129*	*8*	*3*	*3*	–	–	–	–	–	–	*2*	*1*	*3*	–	–	*9*	*6*	*7*	*11*	*12*	*11*	*13*	*15*	*14*	*9*	*14*	–	
	女 F.	*95*	*8*	*5*	*4*	*1*	–	–	–	–	–	*1*	–	*1*	–	–	*3*	*10*	*9*	*6*	*7*	*8*	*7*	*12*	*6*	*13*	*6*	–	
BN 50. c	窒息および絞首	*787*	*123*	*50*	*31*	*3*	*5*	*6*	*4*	*1*	–	*20*	*16*	*26*	*11*	–	*209*	*144*	*100*	*76*	*51*	*24*	*21*	*11*	*8*	*14*	*6*	–	BN 50. c
	男 M.	*396*	*67*	*28*	*19*	*1*	*3*	*2*	*2*	–	–	*11*	*8*	*14*	*6*	–	*113*	*72*	*43*	*33*	*23*	*13*	*12*	*5*	*3*	*8*	*4*	–	
	女 F.	*391*	*56*	*22*	*12*	*2*	*2*	*4*	*2*	*1*	–	*9*	*8*	*12*	*5*	–	*96*	*72*	*57*	*43*	*28*	*11*	*9*	*6*	*5*	*6*	*2*	–	
BN 50. d	その他	*260*	*74*	*29*	*7*	*2*	*9*	*5*	*3*	*2*	*1*	*13*	*16*	*12*	*4*	–	*41*	*35*	*17*	*14*	*15*	*14*	*14*	*9*	*11*	*7*	*9*	–	BN 50. d
	男 M.	*133*	*36*	*12*	*3*	–	*5*	*2*	*1*	*1*	*1*	*4*	*9*	*4*	*2*	–	*15*	*15*	*10*	*7*	*10*	*6*	*9*	*8*	*5*	*4*	*8*	–	
	女 F.	*127*	*38*	*17*	*4*	*2*	*4*	*3*	*2*	*1*	–	*9*	*7*	*8*	*2*	–	*26*	*20*	*7*	*7*	*5*	*8*	*5*	*1*	*6*	*3*	*1*	–	

第 55 表　乳 児（1 才 未 満）死 亡 者 数，性・死因（簡単分類）・都道府県－六大都市(再掲)別

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	全国 All Japan	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
	総数	54 768	3 073	1 599	1 650	1 109	1 041	949	1 910	1 570	963	986
	男 M.	30 646	1 712	887	908	597	575	530	1 041	843	544	560
	女 F.	24 122	1 361	712	742	512	466	419	869	727	419	426
B1	呼吸器系の結核	36	2	2	1	–	–	–	2	–	1	1
	男 M.	16	1	–	1	–	–	–	1	–	1	1
	女 F.	20	1	2	–	–	–	–	1	–	–	–
B2	その他の結核	91	7	1	1	1	–	1	–	2	–	–
	男 M.	54	5	1	–	1	–	1	–	–	–	–
	女 F.	37	2	–	1	–	–	–	–	2	–	–
B3	梅毒およびその続発症	20	2	1	–	2	–	–	1	–	–	–
	男 M.	14	2	1	–	2	–	–	1	–	–	–
	女 F.	6	–	–	–	–	–	–	–	–	–	–
B4	腸チフス	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B5	コレラ	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B6	赤痢	63	5	1	1	–	3	1	3	–	1	–
	男 M.	34	4	1	–	–	3	1	2	–	–	–
	女 F.	29	1	–	1	–	–	–	1	–	1	–
B6. a	細菌性赤痢（疫痢症状を呈するもの）	52	5	–	1	–	2	1	3	–	1	–
	男 M.	28	4	–	–	–	2	1	2	–	–	–
	女 F.	24	1	–	1	–	–	–	1	–	1	–
B6. b	細菌性赤痢（その他）	11	–	1	–	–	1	–	–	–	–	–
	男 M.	6	–	1	–	–	1	–	–	–	–	–
	女 F.	5	–	–	–	–	–	–	–	–	–	–
B6. c	アメーバ症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B7	猩紅熱およびレンサ球菌性口峡炎	1	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
B7. a	猩紅熱	1	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	–
B7. b	レンサ球菌性口峡炎	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B8	ジフテリア	29	1	2	–	–	–	1	1	1	1	–
	男 M.	18	1	1	–	–	–	1	–	1	1	–
	女 F.	11	–	1	–	–	–	–	1	1	–	–
B9	百日咳	131	9	3	14	8	3	5	2	3	1	5
	男 M.	65	8	2	5	7	1	1	1	1	1	3
	女 F.	66	1	1	9	1	2	4	1	2	–	2

国際簡単分類番号 International abbreviated list number	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都
	1 700	1 490	3 491	1 460	1 445	751	726	553	380	955	1 026	1 480	2 496	926	528	818
	941	825	1 971	820	830	436	399	297	197	562	573	835	1 376	488	323	455
	759	665	1 520	640	615	315	327	256	183	393	453	645	1 120	438	205	363
B1	–	–	–	–	–	–	–	–	1	–	1	2	4	–	–	2
	–	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	3	–	–	2
B2	2	3	7	3	1	1	–	–	–	1	2	1	4	1	–	2
	2	2	6	3	–	–	–	–	–	1	2	1	3	–	–	1
	–	1	1	–	1	1	–	–	–	–	–	–	1	1	–	1
B3	–	–	–	1	–	–	–	–	–	1	–	2	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–	–
B4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B6	3	1	5	2	2	–	1	–	2	1	2	–	3	2	–	–
	2	1	2	1	1	–	–	–	1	1	1	–	–	2	–	–
	1	–	3	1	1	–	1	–	1	–	1	–	3	–	–	–
B6. a	3	1	5	1	2	–	1	–	2	1	1	–	2	2	–	–
	2	1	2	1	1	–	–	–	1	1	–	–	–	2	–	–
	1	–	3	–	1	–	1	–	1	–	1	–	2	–	–	–
B6. b	–	–	–	1	–	–	–	–	–	–	1	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
B6. c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B6. d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B7	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B7. a	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B7. b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B8	–	1	1	–	1	–	–	–	–	–	–	1	2	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–
	–	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–
B9	3	3	3	4	1	–	4	1	–	1	2	1	9	2	–	3
	1	3	–	1	1	–	–	1	–	1	1	–	3	1	–	1
	2	–	3	3	–	–	1	–	–	1	2	1	6	1	–	2

第 55 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・死因 (簡単分類)・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	全国 All Japan	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
B10	髄膜炎菌感染	13	1	–	–	–	1	–	–	–	–	–
	男 M.	8	–	–	–	–	1	–	–	–	–	–
	女 F.	5	1	–	–	–	–	–	–	–	–	–
B11	ペスト	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B12	急性灰白髄炎	23	1	1	1	1	–	1	1	–	–	–
	男 M.	12	1	1	–	1	–	–	–	–	–	–
	女 F.	11	–	–	1	–	–	1	1	–	–	–
B13	痘瘡	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B14	麻疹	848	47	16	73	6	18	29	23	15	15	36
	男 M.	452	26	8	43	4	8	12	14	10	7	19
	女 F.	396	21	8	30	2	10	17	9	5	8	17
B15	発疹チフスおよびその他のリケッチア病	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B15. c	その他	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B16	マラリア	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17	伝染性および寄生性として分類された…その他の疾患	539	21	11	7	8	9	6	13	32	15	4
	男 M.	322	15	8	3	7	3	2	6	18	9	1
	女 F.	217	6	3	4	1	6	4	7	14	6	3
B17. a	パラチフス	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. b	癩	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. c	破傷風	*158*	*3*	*2*	*2*	–	*2*	*2*	*5*	*12*	*6*	*1*
	男 M.	*101*	*2*	*1*	*1*	–	*1*	*1*	*2*	*7*	*3*	*1*
	女 F.	*57*	*1*	*1*	*1*	–	*1*	*1*	*3*	*5*	*3*	–
B17. d	炭疽	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
–	–	6	1	–	–	–	–	1	–	–	1	–	–	–	–	B10
–	–	3	1	–	–	–	–	1	–	–	1	–	–	–	–	
–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B11
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	1	–	–	2	–	–	1	–	1	–	–	–	–	–	–	B12
1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B13
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
43	12	48	27	7	10	13	5	11	3	19	31	72	15	7	7	B14
24	9	26	14	2	6	5	1	3	3	12	17	38	9	4	2	
19	3	22	13	5	4	8	4	8	–	7	14	34	6	3	5	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. c
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
15	20	37	13	12	5	2	6	4	9	10	20	37	19	3	6	B17
13	14	16	10	7	2	2	3	2	1	5	13	23	10	1	4	
2	6	21	3	5	3	–	3	2	8	5	7	14	9	2	2	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. a
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
8	*12*	*5*	*1*	*3*	*2*	*1*	*2*	*2*	*3*	*4*	*8*	*17*	*5*	–	–	B17. c
7	*9*	*2*	*1*	*2*	–	*1*	*1*	*1*	–	*3*	*8*	*10*	*3*	–	–	
1	*3*	*3*	–	*1*	*2*	–	*1*	*1*	*3*	*1*	–	*7*	*2*	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. d
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. e
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 55 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・死因 (簡単分類)・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	全国 All Japan	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
B17. f	日本脳炎	9	–	–	–	–	–	–	–	1	–	–	–	2	3	–	1	–	–	–	–	–	1	–	–	–	–	B17. f
	男 M.	6	–	–	–	–	–	–	–	1	–	–	–	2	1	–	1	–	–	–	–	–	1	–	–	–	–	
	女 F.	3	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	
B17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. g
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. h
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. i	伝染性下痢症	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. i
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. j	日本住血吸虫症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. j
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. k	糸状虫症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. k
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. l	その他の伝染性および寄生性として分類された疾患	371	18	9	5	8	7	4	8	19	9	3	7	6	29	12	8	3	1	4	2	6	5	12	20	14	3	6	B17. l
	男 M.	214	13	7	2	7	2	1	4	10	6	–	6	3	13	9	4	2	1	2	1	1	1	5	13	7	1	4	
	女 F.	157	5	2	3	1	5	3	4	9	3	3	1	3	16	3	4	1	–	2	1	5	4	7	7	7	2	2	
B18	悪性新生物 (リンパ組織および造血組織の新生物を含む)	105	9	–	1	1	1	1	1	3	3	5	3	2	15	1	1	2	2	3	4	1	2	4	6	3	1	2	B18
	男 M.	52	4	–	1	–	1	–	1	2	3	1	1	1	11	–	1	–	–	2	3	1	1	1	1	1	1	2	
	女 F.	53	5	–	–	1	–	1	–	1	–	4	2	1	4	1	–	2	2	1	1	–	1	3	5	2	–	–	
B18. a	胃の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. b	気管, 気管支および肺の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. c	乳房の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. d	子宮の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. d
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. e	白血病および無白血病	62	7	–	1	–	–	1	–	1	3	5	1	2	9	–	1	2	1	1	3	–	1	3	4	2	–	–	B18. e
	男 M.	28	4	–	1	–	–	–	–	–	3	1	1	1	5	–	1	–	–	1	2	–	1	1	1	–	–	–	
	女 F.	34	3	–	–	–	–	1	–	1	–	4	–	1	4	–	–	2	1	–	1	–	–	2	3	2	–	–	
B18. f	その他	43	2	–	–	1	1	–	1	2	–	–	2	–	6	1	–	–	1	2	1	1	1	1	2	1	1	2	B18. f
	男 M.	24	–	–	–	–	1	–	1	2	–	–	–	–	6	–	–	–	–	1	1	1	–	–	–	1	1	2	
	女 F.	19	2	–	–	1	–	–	–	–	–	–	2	–	–	1	–	–	1	1	–	–	1	1	2	–	–	–	
B19	良性および性質不詳の新生物	88	5	1	5	1	1	2	1	1	4	1	4	–	6	4	2	1	1	1	–	1	1	1	3	3	1	1	B19
	男 M.	51	5	1	1	1	1	2	1	1	3	–	2	–	2	–	2	1	1	–	–	–	1	1	2	3	–	1	
	女 F.	37	–	–	4	–	–	–	–	–	1	1	2	–	4	4	–	–	–	1	–	1	–	–	1	–	1	–	
B20	糖尿病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B20
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 55 表　乳 児（1 才 未 満）死 亡 者 数，

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・死因（簡単分類）・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	全国 All Japan	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
B 21	貧血	29	1	－	3	－	－	－	－	2	－	－	－	1	3	1	－	－	－	－	－	－	1	－	2	－	1	－	B 21
	男 M.	17	1	－	2	－	－	－	－	－	－	－	－	1	1	1	－	－	－	－	－	－	1	－	1	－	－	－	
	女 F.	12	－	－	1	－	－	－	－	2	－	－	－	－	2	－	－	－	－	－	－	－	－	－	1	－	1	－	
B 22	中枢神経系の血管損傷	20	2	－	－	－	－	1	－	－	－	－	－	1	3	－	1	－	－	－	－	1	1	－	－	1	1	－	B 22
	男 M.	14	2	－	－	－	－	1	－	－	－	－	－	1	3	－	1	－	－	－	－	1	－	－	－	1	1	－	
	女 F.	6	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	324	17	7	8	2	3	9	6	4	1	1	9	11	18	5	9	1	6	4	3	6	8	10	30	10	4	4	B 23
	男 M.	178	9	4	5	1	2	5	2	3	－	1	6	8	8	4	6	－	3	2	1	5	4	7	15	5	2	2	
	女 F.	146	8	3	3	1	1	4	4	1	1	－	3	3	10	1	3	1	3	2	2	1	4	3	15	5	2	2	
B 24	リューマチ熱	3	1	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B 24
	男 M.	3	1	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B 25	慢性リューマチ性心臓疾患	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B 25
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B 26	動脈硬化性および変性性心臓疾患	197	12	－	5	5	7	6	2	6	2	2	2	9	17	2	10	7	6	2	2	3	2	10	16	3	1	1	B 26
	男 M.	106	11	－	3	3	4	2	1	2	2	－	2	3	6	1	5	4	3	2	2	1	1	4	8	2	－	－	
	女 F.	91	1	－	2	2	3	4	1	4	－	2	－	6	11	1	5	3	3	－	－	2	1	6	8	1	1	1	
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	2	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B 26. a
	男 M.	2	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B 26. b	リューマチ性と明示されない慢性心内膜炎	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B 26. b
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	1	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B 26. c	その他の心筋変性	194	11	－	5	5	7	6	2	6	2	2	2	9	17	2	10	7	6	2	2	3	2	10	16	3	1	1	B 26. c
	男 M.	104	10	－	3	3	4	2	1	2	2	－	2	3	6	1	5	4	3	2	2	1	1	4	8	2	－	－	
	女 F.	90	1	－	2	2	3	4	1	4	－	2	－	6	11	1	5	3	3	－	－	2	1	6	8	1	1	1	
B 27	その他の心臓疾患	64	12	2	1	－	－	1	2	1	2	1	2	－	3	－	4	－	－	2	－	1	3	3	6	1	－	－	B 27
	男 M.	35	7	2	1	－	－	1	－	－	1	－	1	－	1	－	1	－	－	－	－	1	2	3	3	1	－	－	
	女 F.	29	5	－	－	－	－	－	2	1	1	1	1	－	2	－	3	－	－	2	－	－	1	－	3	－	－	－	
B 28	高血圧性心臓疾患	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B 28
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B 29	その他の高血圧性疾患	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B 29
	男 M.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
	女 F.	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
B 30	インフルエンザ	186	6	9	6	6	7	8	3	3	4	1	5	7	13	8	12	4	5	－	3	2	3	3	8	－	－	3	B 30
	男 M.	100	4	5	3	4	2	2	2	2	3	1	3	6	8	4	8	2	1	－	1	－	－	1	3	－	－	3	
	女 F.	86	2	4	3	2	5	6	1	1	1	－	2	1	5	4	4	2	4	－	2	2	3	2	5	－	－	－	
B 31	肺炎（新生児肺炎を除く）	9 346	501	310	438	235	171	140	461	218	164	189	278	251	730	345	242	96	101	65	52	140	141	271	448	140	50	135	B 31
	男 M.	5 086	266	160	233	120	95	76	255	124	90	107	145	134	398	195	133	52	52	38	30	76	84	153	231	69	29	74	
	女 F.	4 260	235	150	205	115	76	64	206	94	74	82	133	117	332	150	109	44	49	27	22	64	57	118	217	71	21	61	
B 32	気管支炎	1 090	87	49	35	23	23	18	48	38	31	24	50	24	41	17	38	16	15	16	9	14	19	31	40	9	11	12	B 32
	男 M.	605	52	27	22	9	17	11	27	24	17	15	20	12	19	8	15	7	7	10	5	9	10	19	23	6	9	8	
	女 F.	485	35	22	13	14	6	7	21	14	14	9	30	12	22	9	23	9	8	6	4	5	9	12	17	3	2	4	
B 33	胃および十二指腸の潰瘍	7	－	－	－	－	1	－	－	－	－	－	－	－	1	－	－	－	－	－	1	－	－	1	－	－	－	－	B 33
	男 M.	4	－	－	－	－	1	－	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	
	女 F.	3	－	－	－	－	－	－	－	－	－	－	－	－	1	－	－	－	－	－	－	－	－	1	－	－	－	－	

第 55 表　乳 児（1 才 未 満）死 亡 者 数，

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・死因（簡単分類）・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	全国 All Japan	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
B 34	虫垂炎	3	–	–	–	–	–	–	–	–	–	–
	男 M.	3	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 35	腸閉塞およびヘルニア	806	49	22	14	9	10	21	20	15	7	11
	男 M.	552	38	17	10	6	6	15	16	5	5	8
	女 F.	254	11	5	4	3	4	6	4	10	2	3
B 36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	3 890	371	144	137	103	100	69	136	90	63	44
	男 M.	2 212	205	93	83	54	57	39	67	51	36	28
	女 F.	1 678	166	51	54	49	43	30	69	39	27	16
B 36. a	胃炎および十二指腸炎	*11*	–	–	–	–	–	–	–	–	–	–
	男 M.	*6*	–	–	–	–	–	–	–	–	–	–
	女 F.	*5*	–	–	–	–	–	–	–	–	–	–
B 36. b	胃腸炎，腸炎および大腸炎	*3 879*	*371*	*144*	*137*	*103*	*100*	*69*	*136*	*90*	*63*	*44*
	男 M.	*2 206*	*205*	*93*	*83*	*54*	*57*	*39*	*67*	*51*	*36*	*28*
	女 F.	*1 673*	*166*	*51*	*54*	*49*	*43*	*30*	*69*	*39*	*27*	*16*
B 37	肝硬変	33	1	1	–	–	1	1	1	1	–	1
	男 M.	19	–	–	–	–	1	1	1	1	–	–
	女 F.	14	1	1	–	–	–	–	–	–	–	1
B 38	腎炎およびネフローゼ	39	1	2	1	3	1	–	–	–	3	2
	男 M.	20	1	1	1	2	–	–	–	–	3	–
	女 F.	19	–	1	–	1	1				–	2
B 38. a	急性腎炎およびネフローゼ	*30*	*1*	*1*	*1*	*3*	*1*	–	–	–	*3*	*2*
	男 M.	*15*	*1*	–	*1*	*2*	–	–	–	–	*3*	–
	女 F.	*15*	–	*1*	–	*1*	*1*	–	–	–	–	*2*
B 38. b	その他	*9*	–	*1*	–	–	–	–	–	–	–	–
	男 M.	*5*	–	*1*	–	–	–	–	–	–	–	–
	女 F.	*4*	–	–	–	–	–	–	–	–	–	–
B 39	前立腺肥大症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	·	·	·	·	·	·	·	·	·	·	·
B 40	妊娠，分娩および産褥の合併症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 41	先天奇形	3 213	207	72	60	66	55	47	108	88	49	51
	男 M.	1 747	111	36	30	37	27	26	66	42	28	36
	女 F.	1 466	96	36	30	29	28	21	42	46	21	15
B 42	出生時の損傷，分娩後窒息および肺不全拡張	2 302	154	41	58	47	37	52	67	45	22	38
	男 M.	1 343	69	24	37	25	20	35	38	27	13	28
	女 F.	959	85	17	21	22	17	17	29	18	9	10
B 43	新生児の感染	5 742	370	146	194	133	102	76	221	153	92	130
	男 M.	3 245	192	82	106	73	55	46	125	94	52	69
	女 F.	2 497	178	64	88	60	47	30	96	59	40	61
B 43. a	新生児肺炎	*4 718*	*279*	*115*	*167*	*116*	*85*	*64*	*194*	*128*	*68*	*112*
	男 M.	*2 657*	*149*	*60*	*88*	*64*	*46*	*41*	*113*	*77*	*39*	*57*
	女 F.	*2 061*	*130*	*55*	*79*	*52*	*39*	*23*	*81*	*51*	*29*	*55*
B 43. b	新生児下痢	*623*	*62*	*18*	*22*	*11*	*12*	*7*	*23*	*14*	*17*	*7*
	男 M.	*357*	*30*	*13*	*14*	*8*	*6*	*4*	*10*	*8*	*9*	*4*
	女 F.	*266*	*32*	*5*	*8*	*3*	*6*	*3*	*13*	*6*	*8*	*3*

11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	B 34
–	1	1	–	–	–	–	–	–	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
22	16	67	14	28	5	16	8	7	22	18	21	37	7	13	14	B 35
14	11	42	6	20	3	9	6	4	15	14	15	26	6	8	9	
8	5	25	8	8	2	7	2	3	7	4	6	11	1	5	5	
79	78	199	113	94	46	43	55	36	66	105	105	183	59	41	47	B 36
43	46	127	62	54	30	28	32	19	41	47	72	107	33	22	27	
36	32	72	51	40	16	15	23	17	25	58	33	76	26	19	20	
–	–	–	–	–	*2*	–	*1*	–	–	*1*	–	*2*	–	–	–	B 36. a
–	–	–	–	–	*2*	–	*1*	–	–	*1*	–	*1*	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	
79	*78*	*199*	*113*	*94*	*44*	*43*	*54*	*36*	*66*	*104*	*105*	*181*	*59*	*41*	*47*	B 36. b
43	*46*	*127*	*62*	*54*	*28*	*28*	*31*	*19*	*41*	*46*	*72*	*106*	*33*	*22*	*27*	
36	*32*	*72*	*51*	*40*	*16*	*15*	*23*	*17*	*25*	*58*	*33*	*75*	*26*	*19*	*20*	
1	2	7	–	1	–	–	–	–	1	1	1	–	–	–	–	B 37
1	2	4	–	–	–	–	–	–	–	1	–	–	–	–	–	
–	–	3	–	1	–	–	–	–	1	–	1	–	–	–	–	
–	2	3	–	1	–	–	–	–	1	3	–	3	1	2	1	B 38
–	2	2	–	1	–	–	–	–	1	3	–	–	1	1	–	
–	2	1	–	–	–	–	–	–	–	–	–	3	–	1	1	
–	*1*	*3*	–	*1*	–	–	–	–	*1*	*2*	–	*2*	–	*2*	*1*	B 38. a
–	–	*2*	–	*1*	–	–	–	–	*1*	*2*	–	–	–	*1*	–	
–	*1*	*1*	–	–	–	–	–	–	–	–	–	*2*	–	*1*	*1*	
–	*1*	–	–	–	–	–	–	–	–	*1*	–	*1*	*1*	–	–	B 38. b
–	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	–	
–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 40
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
103	80	321	119	101	28	29	18	26	76	55	110	124	40	34	54	B 41
50	45	168	59	59	17	18	6	10	43	29	57	71	19	23	27	
53	35	153	60	42	11	11	12	16	33	26	53	53	21	11	27	
65	54	196	67	82	29	26	24	11	44	59	71	99	37	23	40	B 42
34	29	114	45	48	19	12	14	8	27	35	38	53	18	16	29	
31	25	82	22	34	10	14	10	3	17	24	33	46	19	7	11	
142	157	393	162	159	74	70	61	48	136	75	140	217	82	50	87	B 43
77	84	235	90	101	46	37	34	28	80	45	67	126	43	35	45	
65	73	158	72	58	28	33	27	20	56	30	73	91	39	15	42	
129	*138*	*343*	*139*	*125*	*59*	*59*	*54*	*35*	*120*	*58*	*112*	*186*	*59*	*37*	*71*	B 43. a
71	*75*	*208*	*78*	*83*	*35*	*30*	*30*	*21*	*67*	*34*	*55*	*108*	*30*	*27*	*37*	
58	*63*	*135*	*61*	*42*	*24*	*29*	*24*	*14*	*53*	*24*	*57*	*78*	*29*	*10*	*34*	
4	*12*	*31*	*10*	*21*	*12*	*6*	*5*	*9*	*9*	*10*	*19*	*10*	*10*	*10*	*9*	B 43. b
2	*6*	*16*	*6*	*9*	*9*	*3*	*3*	*5*	*8*	*7*	*9*	*6*	*6*	*6*	*5*	
2	*6*	*15*	*4*	*12*	*3*	*3*	*2*	*4*	*1*	*3*	*10*	*4*	*4*	*4*	*4*	

第 55 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・死因 (簡単分類)・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	全国 All Japan	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬
B 43. c	その他の新生児の感染……	*401*	*29*	*13*	*5*	*6*	*5*	*5*	*4*	*11*	*7*	*11*
	男 M.	*231*	*13*	*9*	*4*	*1*	*3*	*1*	*2*	*9*	*4*	*8*
	女 F.	*170*	*16*	*4*	*1*	*5*	*2*	*4*	*2*	*2*	*3*	*3*
B 44	その他の新生児固有の疾患および性質…	19 512	831	515	430	338	394	352	592	689	371	338
	不明の未熟児 男 M.	10 972	483	287	235	181	220	198	313	356	209	186
	女 F.	8 540	348	228	195	157	174	154	279	333	162	152
B 45	精神病の記載のない老衰ならびに診断…	1 854	96	96	38	15	34	33	48	53	36	31
	名不明確および不明の原因 男 M.	1 074	53	53	25	6	17	18	30	24	20	20
	女 F.	780	43	43	13	9	17	15	18	29	16	11
B 45. a	精神病の記載のない老衰……	－	－	－	－	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－	－	－	－	－
B 45. b	その他の診断名不明確および不明の…	*1 854*	*96*	*96*	*38*	*15*	*34*	*33*	*48*	*53*	*36*	*31*
	原因 男 M.	*1 074*	*53*	*53*	*25*	*6*	*17*	*18*	*30*	*24*	*20*	*20*
	女 F.	*780*	*43*	*43*	*13*	*9*	*17*	*15*	*18*	*29*	*16*	*11*
B 46	その他のすべての疾患……	2 520	142	107	59	67	38	45	82	72	42	37
	男 M.	1 393	80	52	37	38	20	23	44	37	25	18
	女 F.	1 127	62	55	22	29	18	22	38	35	17	19
B 46. a	その他の循環器系の疾患 (先天性を…	*17*	*1*	*1*	*1*	*1*	－	－	－	*2*	－	－
	除く) 男 M.	*11*	*1*	*1*	*1*	－	－	－	－	*2*	－	－
	女 F.	*6*	－	－	－	*1*	－	－	－	－	－	－
B 46. b	その他のすべての疾患……	*2 503*	*141*	*106*	*58*	*66*	*38*	*45*	*82*	*70*	*42*	*37*
	男 M.	*1 382*	*79*	*51*	*36*	*38*	*20*	*23*	*44*	*35*	*25*	*18*
	女 F.	*1 121*	*62*	*55*	*22*	*28*	*18*	*22*	*38*	*35*	*17*	*19*
"E"	不慮の事故, 中毒および暴力の二重分…	1 601	102	37	59	29	21	23	65	35	33	33
	類 (外因) 男 M.	820	55	20	21	15	13	11	27	19	15	18
	女 F.	781	47	17	38	14	8	12	38	16	18	15
BE 47	自動車事故……	26	－	－	1	－	－	1	－	1	1	－
	男 M.	16	－	－	1	－	－	1	－	－	－	－
	女 F.	10	－	－	－	－	－	－	－	1	1	－
BE 48	その他の不慮の事故……	1 433	90	33	55	26	20	20	64	29	27	29
	男 M.	728	49	18	18	12	12	10	26	17	13	16
	女 F.	705	41	15	37	14	8	10	38	12	14	13
BE 48. a	自動車以外の交通事故……	*10*	－	－	－	－	－	－	－	*1*	*1*	－
	男 M.	*5*	－	－	－	－	－	－	－	*1*	－	－
	女 F.	*5*	－	－	－	－	－	－	－	－	*1*	－
BE 48. b	不慮の墜落……	*32*	*5*	－	－	－	－	－	*1*	*1*	*1*	－
	男 M.	*21*	*2*	－	－	－	－	－	*1*	*1*	*1*	－
	女 F.	*11*	*3*	－	－	－	－	－	－	－	－	－
BE 48. c	不慮の溺死および溺水……	*49*	*4*	*2*	*1*	*1*	－	*1*	*3*	*1*	－	*1*
	男 M.	*29*	*2*	*1*	*1*	－	－	*1*	*1*	*1*	－	*1*
	女 F.	*20*	*2*	*1*	－	*1*	－	－	*2*	－	－	－
BE 48. d	天災……	*151*	－	－	*1*	－	－	－	－	－	－	－
	男 M.	*83*	－	－	－	－	－	－	－	－	－	－
	女 F.	*68*	－	－	*1*	－	－	－	－	－	－	－
BE 48. e	その他……	*1 191*	*81*	*31*	*53*	*25*	*20*	*19*	*60*	*26*	*25*	*28*
	男 M.	*590*	*45*	*17*	*17*	*12*	*12*	*9*	*24*	*14*	*12*	*15*
	女 F.	*601*	*36*	*14*	*36*	*13*	*8*	*10*	*36*	*12*	*13*	*13*

11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
9	*7*	*19*	*13*	*13*	*3*	*5*	*2*	*4*	*7*	*7*	*9*	*21*	*13*	*3*	*7*	B 43. c
4	*3*	*11*	*6*	*9*	*2*	*4*	*1*	*2*	*5*	*4*	*3*	*12*	*7*	*2*	*3*	
5	*4*	*8*	*7*	*4*	*1*	*1*	*1*	*2*	*2*	*3*	*6*	*9*	*6*	*1*	*4*	
716	610	1 046	456	481	310	280	207	114	333	385	482	776	329	232	324	B 44
408	331	600	261	273	176	164	110	57	195	216	276	427	179	138	179	
308	279	446	195	208	134	116	97	57	138	169	206	349	150	94	145	
47	42	54	26	36	59	45	20	11	21	47	52	103	60	20	22	B 45
29	26	30	16	22	35	19	10	7	12	31	33	67	27	13	14	
18	16	24	10	14	24	26	10	4	9	16	19	36	33	7	8	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	B 45. a
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	－	
47	*42*	*54*	*26*	*36*	*59*	*45*	*20*	*11*	*21*	*47*	*52*	*103*	*60*	*20*	*22*	B 45. b
29	*26*	*30*	*16*	*22*	*35*	*19*	*10*	*7*	*12*	*31*	*33*	*67*	*27*	*13*	*14*	
18	*16*	*24*	*10*	*14*	*24*	*26*	*10*	*4*	*9*	*16*	*19*	*36*	*33*	*7*	*8*	
67	72	140	40	91	43	49	26	18	46	38	70	106	50	16	35	B 46
42	41	84	25	53	26	28	13	6	31	17	40	58	29	7	20	
25	31	56	15	38	17	21	13	12	15	21	30	48	21	9	15	
－	*1*	－	*1*	*2*	－	－	－	－	*2*	－	－	－	－	－	－	B 46. a
－	－	－	－	*2*	－	－	－	－	*2*	－	－	－	－	－	－	
－	*1*	－	*1*	－	－	－	－	－	－	－	－	－	－	－	－	
67	*71*	*140*	*39*	*89*	*43*	*49*	*26*	*18*	*44*	*38*	*70*	*106*	*50*	*16*	*35*	B 46. b
42	*41*	*84*	*25*	*51*	*26*	*28*	*13*	*6*	*29*	*17*	*40*	*58*	*29*	*7*	*20*	
25	*30*	*56*	*14*	*38*	*17*	*21*	*13*	*12*	*15*	*21*	*30*	*48*	*21*	*9*	*15*	
36	29	107	29	26	14	12	28	16	23	23	35	157	52	17	16	"E"
19	12	54	13	15	10	7	13	7	16	11	13	84	23	13	7	
17	17	53	16	11	4	5	15	9	7	12	22	73	29	4	9	
－	1	2	3	－	－	2	－	1	－	2	1	－	－	－	－	BE 47
－	1	1	2	－	－	1	－	－	－	2	－	－	－	－	－	
－	－	1	1	－	－	1	－	1	－	－	1	－	－	－	－	
29	27	94	25	22	13	9	28	15	22	21	29	151	52	14	12	BE 48
14	10	46	10	13	9	5	13	7	15	9	11	82	23	10	6	
15	17	48	15	9	4	4	15	8	7	12	18	69	29	4	6	
－	*1*	－	－	－	－	－	*1*	－	－	－	－	*1*	－	－	－	BE 48. a
－	*1*	－	－	－	－	－	*1*	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	－	－	－	*1*	－	－	－	
1	*2*	*2*	－	*1*	－	－	*2*	－	－	－	－	*2*	－	－	－	BE 48. b
－	*1*	*1*	－	*1*	－	－	*1*	－	－	－	－	*1*	－	－	－	
1	*1*	*1*	－	－	－	－	*1*	－	－	－	－	*1*	－	－	－	
－	*2*	*2*	*1*	*2*	*5*	－	－	*3*	－	*2*	*2*	－	－	*1*	*1*	BE 48. c
－	－	*1*	－	*2*	*4*	－	－	*2*	－	*1*	*2*	－	－	－	*1*	
－	*2*	*1*	*1*	－	*1*	－	－	*1*	－	*1*	－	－	－	*1*	－	
1	－	－	－	－	－	－	－	*2*	*4*	*3*	*1*	*94*	*39*	*1*	－	BE 48. d
1	－	－	－	－	－	－	－	－	*4*	*1*	－	*55*	*18*	*1*	－	
－	－	－	－	－	－	－	－	*2*	－	*2*	*1*	*39*	*21*	－	－	
27	*22*	*90*	*24*	*19*	*8*	*9*	*25*	*10*	*18*	*16*	*26*	*54*	*13*	*12*	*11*	BE 48. e
13	*8*	*44*	*10*	*10*	*5*	*5*	*11*	*5*	*11*	*7*	*9*	*26*	*5*	*9*	*5*	
14	*14*	*46*	*14*	*9*	*3*	*4*	*14*	*5*	*7*	*9*	*17*	*28*	*8*	*3*	*6*	

第 55 表　乳 児（1 才 未 満）死 亡 者 数，性・死因(簡単分類)・都道府県－六大都市(再掲)別

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	全国 All Japan	01 北海道	02 青森	03 岩手	04 宮城	05 秋田	06 山形	07 福島	08 茨城	09 栃木	10 群馬	11 埼玉	12 千葉	13 東京	14 神奈川	15 新潟	16 富山	17 石川	18 福井	19 山梨	20 長野	21 岐阜	22 静岡	23 愛知	24 三重	25 滋賀	26 京都	国際簡単分類番号 International abbreviated list number
BE 49	自殺および自傷	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	BE 49
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
BE 50	他殺および戦争行為	142	12	4	3	3	1	2	1	5	5	4	7	1	11	1	4	1	1	–	–	1	–	5	6	–	3	4	BE 50
	男 M.	76	6	2	2	3	1	–	1	2	2	2	5	1	7	1	2	1	1	–	–	1	–	2	2	–	3	1	
	女 F.	66	6	2	1	–	–	2	–	3	3	2	2	–	4	–	2	–	–	–	–	–	–	3	4	–	–	3	
BE 50. a	他殺	*142*	*12*	*4*	*3*	*3*	*1*	*2*	*1*	*5*	*5*	*4*	*7*	*1*	*11*	*1*	*4*	*1*	*1*	–	–	*1*	–	*5*	*6*	–	*3*	*4*	BE 50. a
	男 M.	*76*	*6*	*2*	*2*	*3*	*1*	–	*1*	*2*	*2*	*2*	*5*	*1*	*7*	*1*	*2*	*1*	*1*	–	–	*1*	–	*2*	*2*	–	*3*	*1*	
	女 F.	*66*	*6*	*2*	*1*	–	–	*2*	–	*3*	*3*	*2*	*2*	–	*4*	–	*2*	–	–	–	–	–	–	*3*	*4*	–	–	*3*	
BE 50. b	処刑および戦争行為	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	BE 50. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
"E"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	1 601	102	37	59	29	21	23	65	35	33	33	36	29	107	29	26	14	12	28	16	23	23	35	157	52	17	16	"E"
	男 M.	820	55	20	21	15	13	11	27	19	15	18	19	12	54	13	15	10	7	13	7	16	11	13	84	23	13	7	
	女 F.	781	47	17	38	14	8	12	38	16	18	15	17	17	53	16	11	4	5	15	9	7	12	22	73	29	4	9	
BN 47	骨折，頭部損傷および内部損傷	92	6	1	2	–	–	2	1	5	3	1	2	4	6	4	2	–	2	2	1	1	3	1	5	1	–	1	BN 47
	男 M.	54	2	1	2	–	–	1	1	2	1	–	1	3	3	3	1	–	1	1	–	1	3	–	1	–	–	–	
	女 F.	38	4	–	–	–	–	1	–	3	2	1	1	1	3	1	1	–	1	1	1	–	–	1	4	1	–	1	
BN 47. a	頭蓋骨折	*43*	*1*	–	*1*	–	–	–	*1*	*4*	*2*	*1*	*1*	*3*	*2*	*1*	*1*	–	*2*	–	*1*	–	*3*	*1*	*2*	*1*	–	–	BN 47. a
	男 M.	*22*	–	–	*1*	–	–	–	*1*	*1*	–	–	*1*	*2*	–	*1*	–	–	*1*	–	–	–	*3*	–	*1*	–	–	–	
	女 F.	*21*	*1*	–	–	–	–	–	–	*3*	*2*	*1*	–	*1*	*2*	–	*1*	–	*1*	–	*1*	–	–	*1*	*1*	*1*	–	–	
BN 47. b	その他の骨の骨折	*3*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	*1*	–	–	–	BN 47. b
	男 M.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	–	–	–	
	女 F.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	
BN 47. c	頭部の損傷（骨折を除く）	*40*	*5*	*1*	*1*	–	–	*1*	–	*1*	*1*	–	*1*	*1*	*2*	*3*	*1*	–	–	*2*	–	–	–	–	*1*	–	–	*1*	BN 47. c
	男 M.	*26*	*2*	*1*	*1*	–	–	–	–	*1*	*1*	–	–	*1*	*1*	*2*	*1*	–	–	*1*	–	–	–	–	–	–	–	–	
	女 F.	*14*	*3*	–	–	–	–	*1*	–	–	–	–	*1*	–	*1*	*1*	–	–	–	*1*	–	–	–	–	*1*	–	–	*1*	
BN 47. d	胸，腹，骨盤腔の内部損傷	*6*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	BN 47. d
	男 M.	*4*	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–	–	–	
BN 48	熱傷	*154*	*7*	*7*	*10*	*2*	*3*	*1*	*8*	*1*	*4*	*4*	*2*	–	*3*	*3*	*3*	*2*	*1*	*3*	–	*2*	*1*	*5*	*4*	*1*	–	*2*	BN 48
	男 M.	*69*	*4*	*2*	*4*	*1*	*2*	*1*	*2*	–	*1*	*2*	*1*	–	–	*1*	*2*	*1*	*1*	*4*	–	*1*	*1*	*4*	*2*	–	–	*1*	
	女 F.	*85*	*3*	*5*	*6*	*1*	*1*	–	*6*	*1*	*3*	*2*	*1*	–	*3*	*2*	*1*	*1*	–	*4*	–	*1*	–	*1*	*2*	*1*	–	*1*	
BN 49	毒物の作用	66	–	1	–	–	–	–	2	1	1	–	–	–	5	2	–	2	–	2	–	1	–	3	5	–	1	–	BN 49
	男 M.	33	–	1	–	–	–	–	–	1	1	–	–	–	3	–	–	2	–	–	–	–	–	1	3	–	1	–	
	女 F.	33	–	–	–	–	–	–	2	–	–	–	–	–	2	2	–	–	–	2	–	1	–	2	2	–	–	–	
BN 50	その他の損傷	1 289	89	28	47	27	18	20	54	28	25	28	32	25	93	20	21	10	9	16	15	19	19	26	143	50	16	13	BN 50
	男 M.	664	49	16	15	14	11	9	24	16	12	16	17	9	48	9	12	7	5	8	7	14	7	8	78	23	12	6	
	女 F.	525	40	12	32	13	7	11	30	12	13	12	15	16	45	11	9	3	4	8	8	5	12	18	65	27	4	7	
BN 50. a	裂傷および開放創	*18*	*3*	–	*2*	*1*	–	–	*2*	*1*	*2*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	BN 50. a
	男 M.	*6*	*2*	–	–	–	–	–	*1*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*12*	*1*	–	*2*	*1*	–	–	*1*	–	*2*	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	
BN 50. b	溺死および死にいたらない溺水	*224*	*6*	*4*	*2*	*4*	–	*1*	*3*	*3*	–	*2*	*2*	*2*	*5*	*1*	*4*	*5*	*1*	–	*3*	*3*	*2*	*4*	*89*	*37*	*3*	*4*	BN 50. b
	男 M.	*129*	*3*	*2*	*1*	*3*	–	*1*	*1*	*2*	–	*2*	*2*	–	*3*	–	*4*	*4*	*1*	–	*2*	*3*	*1*	*2*	*53*	*18*	*2*	*2*	
	女 F.	*95*	*3*	*2*	*1*	*1*	–	–	*2*	*1*	–	–	–	*2*	*2*	*1*	–	*1*	–	–	*1*	–	*1*	*2*	*36*	*19*	*1*	*2*	
BN 50. c	窒息および絞首	*787*	*66*	*21*	*38*	*18*	*17*	*17*	*45*	*18*	*20*	*26*	*22*	*14*	*49*	*9*	*15*	*5*	*5*	*12*	*12*	*10*	*8*	*18*	*36*	*10*	*11*	*5*	BN 50. c
	男 M.	*396*	*36*	*12*	*12*	*8*	*11*	*8*	*21*	*10*	*11*	*14*	*10*	*5*	*29*	*4*	*7*	*3*	*3*	*7*	*5*	*7*	*2*	*4*	*16*	*3*	*8*	*1*	
	女 F.	*391*	*30*	*9*	*26*	*10*	*6*	*9*	*24*	*8*	*9*	*12*	*12*	*9*	*20*	*5*	*8*	*2*	*2*	*5*	*7*	*3*	*6*	*14*	*20*	*7*	*3*	*4*	
BN 50. d	その他	*260*	*14*	*3*	*5*	*4*	*1*	*2*	*4*	*6*	*3*	–	*8*	*9*	*39*	*10*	*2*	–	*3*	*3*	–	*6*	*9*	*4*	*18*	*3*	*2*	*4*	BE 50. d
	男 M.	*133*	*8*	*2*	*2*	*3*	–	–	*1*	*3*	*1*	–	*5*	*4*	*16*	*5*	*1*	–	*1*	*1*	–	*4*	*4*	*2*	*9*	*2*	*2*	*3*	
	女 F.	*127*	*6*	*1*	*3*	*1*	*1*	*2*	*3*	*3*	*2*	–	*3*	*5*	*23*	*5*	*1*	–	*2*	*2*	–	*2*	*5*	*2*	*9*	*1*	–	*1*	

第 55 表　乳 児（1 才 未 満）死 亡 者 数，

TABLE 55　INFANT DEATHS (UNDER 1 YBAR OF AGE). FROM

性・死因（簡単分類）・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
	総数	2 500	2 041	448	581	335	546	892	1 115	851	571	631
	男 M.	1 416	1 149	233	301	192	301	494	627	518	320	379
	女 F.	1 084	892	215	280	143	245	398	488	333	251	252
B1	呼吸器系の結核	6	2	1	–	–	1	–	–	1	–	–
	男 M.	3	1	–	–	–	–	–	–	1	–	–
	女 F.	3	1	1	–	–	1	–	–	–	–	–
B2	その他の結核	16	7	1	1	–	–	2	1	–	1	–
	男 M.	6	2	–	1	–	–	1	1	–	–	–
	女 F.	10	5	1	–	–	–	1	–	–	1	–
B3	梅毒およびその続発症	2	1	–	–	1	–	–	–	–	–	–
	男 M.	2	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	1	–	–	–	–	–	–
B4	腸チフス	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B5	コレラ	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B6	赤痢	6	4	–	–	1	1	2	–	1	1	–
	男 M.	3	1	–	–	–	–	–	–	1	1	–
	女 F.	3	3	–	–	1	1	2	–	–	–	–
B6. a	細菌性赤痢（疫痢症状を呈するもの）	*5*	*3*	–	–	–	*1*	*1*	–	*1*	*1*	–
	男 M.	*3*	–	–	–	–	–	–	–	*1*	*1*	–
	女 F.	*2*	*3*	–	–	–	*1*	*1*	–	–	–	–
B6. b	細菌性赤痢（その他）	*1*	*1*	–	–	*1*	–	*1*	–	–	–	–
	男 M.	–	*1*	–	–	–	–	–	–	–	–	–
	女 F.	*1*	–	–	–	*1*	–	*1*	–	–	–	–
B6. c	アメーバ症	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B7	猩紅熱およびレンサ球菌性口峡炎	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B7. a	猩紅熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B7. b	レンサ球菌性口峡炎	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B8	ジフテリア	1	5	–	1	1	–	1	–	1	–	–
	男 M.	1	2	–	1	1	–	1	–	1	–	–
	女 F.	–	3	–	–	–	–	–	–	–	–	–
B9	百日咳	9	2	–	–	1	–	3	1	1	–	1
	男 M.	2	1	–	–	–	–	2	1	1	–	1
	女 F.	7	1	–	–	1	–	1	–	–	–	–

国際簡単分類番号 International abbreviated list number	38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市 6 Great cities 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe
	869	521	2 021	635	1 289	1 092	735	798	1 209	13	2 852	585	817	414	1 375	494
	503	289	1 143	372	712	621	426	448	671	6	1 600	312	449	235	784	286
	366	232	878	263	577	471	309	350	538	7	1 252	273	368	179	591	208
B1	–	–	2	–	1	1	1	–	1	–	–	–	1	1	4	1
	–	–	–	–	1	1	–	–	1	–	–	–	–	–	3	–
	–	–	2	–	–	–	1	–	–	–	–	–	1	1	1	1
B2	1	1	3	–	4	2	1	2	7	–	5	1	3	2	10	5
	1	1	3	–	3	2	–	2	2	–	4	1	2	1	5	1
	–	–	–	–	1	–	1	–	5	–	1	–	1	1	5	4
B3	1	–	2	–	–	–	–	–	3	–	–	–	–	–	2	–
	1	–	2	–	–	–	–	–	1	–	–	–	–	–	2	–
	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
B4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B6	1	1	2	–	–	–	–	4	–	–	2	–	–	–	4	1
	1	1	1	–	–	–	–	3	–	–	2	–	–	–	2	–
	1	–	1	–	–	–	–	1	–	–	–	–	–	–	2	1
B6. a	*1*	*1*	*1*	–	–	–	–	*3*	–	–	*2*	–	–	–	*3*	*1*
	1	*1*	–	–	–	–	–	*2*	–	–	*1*	–	–	–	*2*	–
	1	–	*1*	–	–	–	–	*1*	–	–	*1*	–	–	–	*1*	*1*
B6. b	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	*1*	–
	–	–	*1*	–	–	–	–	*1*	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	–
B6. c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B6. d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B7. a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B7. b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B8	–	–	–	2	1	–	–	1	2	–	1	–	1	–	1	3
	–	–	–	2	1	–	–	–	1	–	–	–	–	–	1	1
	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–	2
B9	1	–	3	–	7	2	1	1	8	–	3	–	1	2	5	2
	1	–	2	–	3	1	–	–	3	–	–	–	–	–	2	1
	–	–	1	–	4	1	1	1	5	–	3	–	1	2	3	1

第 55 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・死因 (簡単分類)・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市 6 Great cities (再掲) (Secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe	国際簡単分類番号 International abbreviated list number
B10	髄膜炎菌感染	−	1	−	−	−	−	−	−	1	−	−	−	−	−	−	−	−	−	−	−	−	5	−	−	−	−	1	B10
	男 M.	−	−	−	−	−	−	−	−	1	−	−	−	−	−	−	−	−	−	−	−	−	2	−	−	−	−	−	
	女 F.	−	1	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	3	−	−	−	−	1	
B11	ペスト	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B11
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B12	急性灰白髄炎	−	2	−	1	−	1	−	−	1	−	−	−	−	1	−	−	−	−	1	3	−	−	−	−	−	−	2	B12
	男 M.	−	2	−	1	−	1	−	−	1	−	−	−	−	1	−	−	−	−	1	−	−	−	−	−	−	−	2	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	1	3	−	−	−	−	−	−	−	
B13	痘瘡	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B13
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B14	麻疹	49	42	3	9	6	3	8	4	14	5	13	4	2	30	3	20	3	3	5	14	−	46	11	24	3	37	12	B14
	男 M.	29	20	3	4	2	1	4	3	7	2	7	2	1	16	3	8	2	2	4	6	−	25	4	10	2	21	7	
	女 F.	20	22	−	5	4	2	4	1	7	3	6	2	1	14	−	12	1	1	1	8	−	21	7	14	1	16	5	
B15	発疹チフスおよびその他のリケッチア病	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B15
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B15. a	シラミ媒介の流行性発疹チフス	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B15. a
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B15. b
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B15. c	その他	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B15. c
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B16	マラリア	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B16
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B17	伝染性および寄生性として分類されたその他の疾患	21	22	1	7	3	7	12	9	15	6	6	8	−	18	9	13	6	6	8	18	−	29	4	17	4	14	7	B17
	男 M.	15	12	1	6	3	5	7	3	9	1	3	6	−	15	4	9	5	2	6	12	−	12	3	11	4	11	5	
	女 F.	6	10	−	1	−	2	5	6	6	5	3	2	−	3	5	4	1	4	2	6	−	17	1	6	−	3	2	
B17. a	パラチフス	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B17. a
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B17. b	癩	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B17. b
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B17. c	破傷風	*2*	*4*	−	*2*	*1*	*3*	−	*2*	*2*	*1*	*2*	*1*	−	*4*	*5*	*5*	*2*	*2*	*4*	*8*	−	*2*	*1*	*5*	−	*2*	*2*	B17. c
	男 M.	*2*	*2*	−	*2*	*1*	*2*	−	*1*	*1*	−	*1*	−	−	*4*	*3*	*4*	*2*	−	*2*	*6*	−	*1*	*1*	*3*	−	−	*1*	
	女 F.	−	*2*	−	−	−	*1*	−	*1*	*1*	*1*	*1*	−	−	−	*2*	*1*	−	*2*	*2*	*2*	−	*1*	−	*2*	−	−	*1*	
B17. d	炭疽	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B17. d
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
B17. e	回帰熱	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B17. e
	男 M.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
	女 F.	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	

第 55 表　乳 児（1 才 未 満）死 亡 者 数，

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・死因（簡単分類）・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川	38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市 6 Great cities (再掲) (Secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe	国際簡単分類番号 International abbreviated list number
B17. f	日本脳炎	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	B17. f
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	
B17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. g
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. h
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. i	伝染性下痢症	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. i
	男 M.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. j	日本住血吸虫症	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. j
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. k	糸状虫症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. k
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. l	その他の伝染性および寄生性として分類された疾患	19	18	1	5	2	3	11	7	13	5	4	7	–	14	4	8	4	4	4	10	–	24	3	12	4	12	5	B17. l
	男 M.	13	10	1	4	2	2	7	2	8	1	2	5	–	11	1	5	3	2	4	6	–	10	2	8	4	9	4	
	女 F.	6	8	–	1	–	1	4	5	5	4	2	2	–	3	3	3	1	2	–	4	–	14	1	4	–	3	1	
B18	悪性新生物（リンパ組織および造血組織の新生物を含む）	5	3	2	–	–	1	1	–	3	3	–	–	2	3	–	1	2	–	1	1	–	13	–	3	2	3	1	B18
	男 M.	2	3	1	–	–	–	–	–	2	2	–	–	1	–	–	–	–	–	1	–	–	10	–	–	2	2	1	
	女 F.	3	–	1	–	–	1	1	–	1	1	–	–	1	3	–	1	2	–	–	1	–	3	–	3	–	1	–	
B18. a	胃の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. b	気管，気管支および肺の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. c	乳房の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. d	子宮の悪性新生物	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B18. d
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B18. e	白血病および無白血病	3	1	1	–	–	1	1	–	1	2	–	–	2	–	–	1	1	–	–	–	–	8	–	2	–	1	–	B18. e
	男 M.	–	1	1	–	–	–	–	–	–	2	–	–	1	–	–	–	1	–	–	–	–	5	–	–	–	–	–	
	女 F.	3	–	–	–	–	1	1	–	1	–	–	–	1	–	–	1	1	–	–	–	–	3	–	2	–	1	–	
B18. f	そ の 他	2	2	1	–	–	–	–	–	2	1	–	–	–	3	–	–	1	–	1	1	–	5	1	1	2	2	1	B18. f
	男 M.	2	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	1	–	1	–	–	5	–	1	2	2	1	
	女 F.	–	–	1	–	–	–	–	–	–	1	–	–	–	3	–	–	1	–	–	1	–	–	1	1	–	–	–	
B19	良性および性質不詳の新生物	9	4	1	1	–	1	1	1	2	1	–	2	–	2	–	2	4	1	2	2	–	4	1	1	–	5	1	B19
	男 M.	4	3	1	–	–	1	1	–	2	–	–	1	–	–	–	1	3	1	1	2	–	2	–	1	–	3	–	
	女 F.	5	1	–	1	–	–	–	1	–	1	–	1	–	2	–	1	1	–	1	2	–	2	1	–	–	2	1	
B20	糖尿病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B20
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 55 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
B 21	貧血	–	2	1	–	–	–	1	1	–	–	1
	男 M.	–	2	1	–	–	–	1	1	–	–	1
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 22	中枢神経系の血管損傷	1	3	–	1	–	–	–	1	–	–	–
	男 M.	–	–	–	–	–	–	–	1	–	–	–
	女 F.	1	3	–	1	–	–	–	–	–	–	–
B 23	髄膜炎 (髄膜炎菌性および結核性を除く)	21	16	1	2	3	3	4	5	6	3	1
	男 M.	10	9	–	1	1	–	1	3	3	1	1
	女 F.	11	7	1	1	2	3	3	2	3	2	–
B 24	リューマチ熱	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 25	慢性リューマチ性心臓疾患	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 26	動脈硬化性および変性性心臓疾患	11	4	4	1	1	–	–	2	2	2	–
	男 M.	9	3	1	1	1	–	–	2	1	1	–
	女 F.	2	1	3	–	–	–	–	–	1	1	–
B 26. a	動脈硬化性心臓疾患 (冠状動脈疾患を含む)	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 26. b	リューマチ性と明示されない慢性心内膜炎	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 26. c	その他の心筋変性	11	4	4	1	1	–	–	2	2	2	–
	男 M.	9	3	1	1	1	–	–	2	1	1	–
	女 F.	2	1	3	–	–	–	–	–	1	1	–
B 27	その他の心臓疾患	3	3	–	1	1	1	1	–	–	–	–
	男 M.	2	3	–	1	1	–	–	–	–	–	–
	女 F.	1	–	–	–	–	1	1	–	–	–	–
B 28	高血圧性心臓疾患	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 29	その他の高血圧性疾患	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 30	インフルエンザ	4	1	1	2	1	1	2	3	5	–	–
	男 M.	3	1	–	–	1	1	2	2	3	–	–
	女 F.	1	–	1	2	–	–	–	1	2	–	–
B 31	肺炎 (新生児肺炎を除く)	529	347	53	83	43	66	137	148	171	73	84
	男 M.	287	178	28	41	23	35	78	94	106	47	47
	女 F.	242	169	25	42	20	31	59	54	65	26	37
B 32	気管支炎	32	47	6	9	5	4	14	15	12	5	10
	男 M.	18	28	4	4	1	3	8	7	8	3	7
	女 F.	14	19	2	5	4	1	6	8	4	2	3
B 33	胃および十二指腸の潰瘍	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

性・死因 (簡単分類)・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市 (再掲) 6 Great cities (Secondary mention): 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe
B 21	1	1	1	–	1	2	–	1	1	–	1	–	1	–	–	1
	1	1	–	–	–	–	–	–	1	–	–	–	1	–	–	1
	–	–	1	–	1	2	–	1	–	–	1	–	–	–	–	–
B 22	–	–	2	–	–	–	–	–	–	–	3	–	–	–	1	1
	–	–	2	–	–	–	–	–	–	–	3	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
B 23	9	1	12	4	11	12	5	1	8	–	15	1	7	4	18	2
	5	–	6	2	7	8	5	1	4	–	5	1	4	2	9	–
	4	1	6	2	4	4	–	–	4	–	9	–	3	2	9	2
B 24	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B 25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B 26	5	6	9	–	–	3	1	5	1	–	14	1	4	1	3	–
	3	1	5	–	–	1	1	4	–	–	5	1	2	–	3	–
	2	5	4	–	–	2	–	1	1	–	9	–	2	1	–	–
B 26. a	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B 26. b	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
B 26. c	5	5	8	–	–	3	1	5	1	–	14	1	4	1	3	–
	3	–	5	–	–	1	1	4	–	–	5	1	2	–	3	–
	2	5	3	–	–	2	–	1	1	–	9	–	2	1	–	–
B 27	–	–	1	1	–	2	1	–	2	–	2	–	4	–	1	1
	–	–	–	1	–	–	1	–	1	–	–	–	2	–	1	1
	–	–	1	–	–	2	–	–	1	–	2	–	2	–	–	–
B 28	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B 29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B 30	3	3	11	3	1	6	–	3	7	–	8	2	3	1	2	–
	1	1	4	2	1	6	–	2	2	–	6	2	3	1	2	–
	2	2	7	1	–	–	–	1	5	–	2	–	–	–	–	–
B 31	116	63	318	84	217	169	74	85	174	–	607	160	147	73	317	98
	72	37	170	47	109	89	39	45	94	–	324	83	69	41	169	50
	44	26	148	37	108	80	35	39	80	–	283	77	78	32	148	48
B 32	12	5	34	11	34	24	26	15	31	–	35	6	9	6	19	6
	4	3	17	3	20	17	16	9	17	–	14	1	4	3	9	4
	8	3	17	8	14	7	10	6	14	–	21	5	5	3	10	2
B 33	–	–	2	–	1	–	–	–	–	–	1	–	–	–	–	–
	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–

第 55 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・死因(簡単分類)・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
B 34	虫垂炎	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
B 35	腸閉塞およびヘルニア	52	31	4	8	4	17	16	15	17	3	8
	男 M.	34	26	2	5	4	14	11	10	12	2	5
	女 F.	18	5	2	3	−	3	5	5	5	1	3
B 36	胃炎，十二指腸炎，憩炎および大腸炎(新生児下痢を除く)	148	198	36	38	24	31	53	72	31	26	27
	男 M.	82	105	12	15	14	18	28	47	16	15	17
	女 F.	66	93	24	23	10	13	25	25	15	11	10
B 36. a	胃炎および十二指腸炎	*1*	*1*	*1*	−	−	−	−	−	−	−	−
	男 M.	*1*	−	−	−	−	−	−	−	−	−	−
	女 F.	−	*1*	*1*	−	−	−	−	−	−	−	−
B 36. b	胃腸炎，腸炎および大腸炎	*147*	*197*	*35*	*38*	*24*	*31*	*53*	*72*	*31*	*26*	*27*
	男 M.	*81*	*105*	*12*	*15*	*14*	*18*	*28*	*47*	*16*	*15*	*17*
	女 F.	*66*	*92*	*23*	*23*	*10*	*13*	*25*	*25*	*15*	*11*	*10*
B 37	肝硬変	2	−	−	1	1	−	1	1	−	−	−
	男 M.	1	−	−	−	1	−	−	−	−	−	−
	女 F.	1	−	−	1	−	−	1	1	−	−	−
B 38	腎炎およびネフローゼ	−	1	−	1	−	−	−	1	−	−	−
	男 M.	−	−	−	1	−	−	−	1	−	−	−
	女 F.	−	1	−	−	−	−	−	−	−	−	−
B 38. a	急性腎炎およびネフローゼ	−	*1*	−	*1*	−	−	−	−	−	−	−
	男 M.	−	−	−	*1*	−	−	−	−	−	−	−
	女 F.	−	*1*	−	−	−	−	−	−	−	−	−
B 38. b	その他	−	−	−	−	−	−	−	*1*	−	−	−
	男 M.	−	−	−	−	−	−	−	*1*	−	−	−
	女 F.	−	−	−	−	−	−	−	−	−	−	−
B 39	前立腺肥大症	−	−	−	−	−	−	−	−	−	−	−
	男 M.	−	−	−	−	−	−	−	−	−	−	−
	女 F.	·	·	·	·	·	·	·	·	·	·	·
B 40	妊娠，分娩および産褥の合併症	−	−	−	−	−	−	−	−	−	−	−
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	−	−	−	−	−	−	−	−	−	−	−
B 41	先天奇形	159	121	29	33	13	26	58	65	51	27	31
	男 M.	95	62	10	15	6	17	39	37	30	16	17
	女 F.	64	59	19	18	7	9	19	28	21	11	14
B 42	出生時の損損，分娩後窒息および肺不全拡張	103	75	24	31	11	29	54	76	35	16	26
	男 M.	66	40	15	14	6	15	30	40	21	10	18
	女 F.	37	35	9	17	5	14	24	36	14	6	8
B 43	新生児の感染	261	193	52	60	32	61	103	129	92	91	51
	男 M.	142	123	28	31	20	37	54	71	53	54	26
	女 F.	119	70	24	29	12	24	49	58	39	37	25
B 43. a	新生児肺炎	*233*	*162*	*42*	*44*	*25*	*50*	*90*	*105*	*73*	*66*	*42*
	男 M.	*129*	*103*	*25*	*23*	*17*	*27*	*46*	*59*	*41*	*37*	*21*
	女 F.	*104*	*59*	*17*	*21*	*8*	*23*	*44*	*46*	*32*	*29*	*21*
B 43. b	新生児下痢	*15*	*21*	*8*	*7*	*3*	*6*	*7*	*9*	*9*	*18*	*5*
	男 M.	*5*	*16*	*3*	*2*	*1*	*5*	*5*	*4*	*5*	*11*	*3*
	女 F.	*10*	*5*	*5*	*5*	*2*	*1*	*2*	*5*	*4*	*7*	*2*

38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市 6 Great cities (再掲) (Secondary mention) 東京都の区部 Area of wards in Tokyo -to	横浜 Yokoha-ma	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe	国際簡単分類番号 International abbreviated list number
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B 34
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
12	7	35	9	17	22	13	9	14	−	59	4	7	8	29	5	B 35
7	1	24	8	12	15	9	6	11	−	38	1	3	6	16	5	
5	6	11	1	5	7	4	3	3	−	21	3	4	2	13	−	
36	30	129	46	91	58	51	44	113	2	167	44	59	26	83	50	B 36
21	19	78	29	51	28	29	22	62	1	105	18	34	15	47	29	
15	11	51	17	40	30	22	22	51	1	62	26	25	11	36	21	
1	−	−	−	−	−	−	*1*	−	−	−	−	1	−	−	−	B 36. a
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
1	−	−	−	−	−	−	*1*	−	−	−	−	1	−	−	−	
35	*30*	*129*	*46*	*91*	*58*	*51*	*43*	*113*	*2*	*167*	*44*	*58*	*26*	*83*	*50*	B 36. b
21	*19*	*78*	*29*	*51*	*28*	*29*	*22*	*62*	*1*	*105*	*18*	*34*	*15*	*47*	*29*	
14	*11*	*51*	*17*	*40*	*30*	*22*	*21*	*51*	*1*	*62*	*26*	*24*	*11*	*36*	*21*	
3	−	−	−	1	−	−	−	2	−	5	−	−	−	1	−	B 37
3	−	−	−	−	−	−	−	2	−	4	−	−	−	1	−	
−	−	−	−	1	−	−	−	−	−	2	−	−	−	−	−	
−	1	1	−	2	−	−	2	−	−	2	−	−	1	−	−	B 38
−	−	1	−	−	−	−	2	−	−	2	−	−	1	−	−	
−	1	−	−	2	−	−	2	−	−	−	−	−	1	−	−	
−	−	−	−	1	−	−	2	−	−	2	−	−	1	−	−	B 38. a
−	−	−	−	−	−	−	−	−	−	2	−	−	−	−	−	
−	−	−	−	1	−	−	2	−	−	−	−	−	1	−	−	
−	*1*	*1*	−	*1*	−	−	−	−	−	−	−	−	−	−	−	B 38. b
−	−	*1*	−	−	−	−	−	−	−	−	−	−	−	−	−	
−	*1*	−	−	*1*	−	−	−	−	−	−	−	−	−	−	−	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B 39
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	B 40
·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	−	
55	28	117	41	60	56	37	31	54	−	286	51	43	25	86	35	B 41
27	12	66	18	37	34	24	14	31	−	148	21	26	10	54	19	
28	16	51	23	23	22	13	17	23	−	138	30	17	15	32	16	
44	23	67	28	42	44	26	29	31	−	159	21	34	25	59	17	B 42
30	19	35	15	30	26	16	19	23	−	93	15	17	16	41	8	
14	4	32	13	12	18	10	10	8	−	66	6	17	9	18	9	
96	52	180	71	132	119	75	101	120	1	316	54	54	45	141	34	B 43
55	31	105	45	77	66	43	52	65	−	192	32	31	24	77	24	
41	21	75	26	55	53	32	49	55	1	124	22	23	21	64	10	
79	*41*	*151*	*51*	*104*	*91*	*57*	*67*	*92*	*1*	*278*	*47*	*45*	*41*	*124*	*31*	B 43. a
47	*24*	*88*	*30*	*56*	*48*	*31*	*35*	*47*	−	*169*	*28*	*24*	*22*	*69*	*21*	
32	*17*	*63*	*21*	*48*	*43*	*26*	*32*	*45*	*1*	*109*	*19*	*21*	*19*	*55*	*10*	
8	*6*	*16*	*15*	*21*	*21*	*8*	*24*	*16*	−	*25*	*3*	*4*	*3*	*8*	*3*	B 43. b
5	*4*	*8*	*10*	*16*	*13*	*5*	*12*	*12*	−	*13*	*1*	*3*	*2*	*3*	*3*	
3	*2*	*8*	*5*	*5*	*8*	*3*	*12*	*4*	−	*12*	*2*	*1*	*1*	*5*	−	

第 55 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

性・死因 (簡単分類)・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
B 43. c	その他の新生児の感染	13	10	2	9	4	5	6	15	10	7	4
	男 M.	8	4	–	6	2	5	3	8	7	6	2
	女 F.	5	6	2	3	2	–	3	7	3	1	2
B 44	その他の新生児固有の疾患および性質不明の未熟児	771	665	192	242	137	236	316	460	276	247	319
	男 M.	444	385	100	134	77	125	172	250	175	133	204
	女 F.	327	280	92	108	60	111	144	210	101	114	115
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	100	82	16	23	9	13	30	41	28	25	29
	男 M.	60	51	11	10	7	7	14	24	16	14	15
	女 F.	40	31	5	13	2	6	16	17	12	11	14
B 45. a	精神病の記載のない老衰	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
B 45. b	その他の診断名不明確および不明の原因	100	82	16	23	9	13	30	41	28	25	29
	男 M.	60	51	11	10	7	7	14	24	16	14	15
	女 F.	40	31	5	13	2	6	16	17	12	11	14
B 46	その他のすべての疾患	117	105	14	15	21	23	56	35	48	19	15
	男 M.	66	56	10	11	15	11	35	17	30	9	6
	女 F.	51	49	4	4	6	12	21	18	18	10	9
B 46. a	その他の循環器系の疾患 (先天性を除く)	1	–	–	–	–	1	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	1	–	–	–	–	–
B 46. b	その他のすべての疾患	116	105	14	15	21	22	56	35	48	19	15
	男 M.	66	56	10	11	15	11	35	17	30	9	6
	女 F.	50	49	4	4	6	11	21	18	18	10	9
"E"	不慮の事故, 中毒および暴力の二重分類 (外因)	62	52	6	10	16	20	16	29	37	17	9
	男 M.	30	29	5	4	7	11	5	12	18	9	4
	女 F.	32	23	1	6	9	9	11	17	19	8	5
BE 47	自動車事故	–	1	–	–	–	1	1	–	1	1	–
	男 M.	–	1	–	–	–	–	–	–	1	1	–
	女 F.	–	–	–	–	–	1	1	–	–	–	–
BE 48	その他の不慮の事故	49	46	4	9	12	18	14	28	33	14	9
	男 M.	26	24	4	3	5	10	4	12	16	7	4
	女 F.	23	22	–	6	7	8	10	16	17	7	5
BE 48. a	自動車以外の交通事故	1	–	–	–	–	–	–	1	2	–	–
	男 M.	1	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	1	2	–	–
BE 48. b	不慮の墜落	–	2	–	–	1	–	1	3	–	2	–
	男 M.	–	2	–	–	–	–	1	2	–	2	–
	女 M.	–	–	–	–	1	–	–	1	–	–	–
BE 48. c	不慮の溺死および溺水	2	–	1	–	1	1	–	1	2	–	–
	男 M.	1	–	1	–	1	1	–	1	1	–	–
	女 F.	1	–	–	–	–	–	–	–	1	–	–
BE 48. d	天災	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
BE 48. e	その他	46	44	3	9	10	17	13	23	29	12	9
	男 M.	24	22	3	3	4	9	3	9	15	5	4
	女 F.	22	22	–	6	6	8	10	14	14	7	5

国際簡単分類番号 International abbreviated list number	38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市 (再掲) 6 Great cities (Secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe
B 43. c	9	5	13	5	7	7	10	10	12	–	13	4	5	1	9	–
	3	3	9	5	5	5	7	5	6	–	10	3	4	–	5	–
	6	2	4	–	2	2	3	5	6	–	3	1	1	1	4	–
B 44	370	244	818	255	493	456	327	347	407	3	827	184	244	155	381	130
	211	133	472	156	268	258	191	193	230	3	471	107	140	90	217	83
	159	111	346	99	225	198	136	154	177	–	356	77	104	65	164	47
B 45	32	19	55	22	33	30	27	23	70	2	40	12	35	6	57	20
	25	9	29	12	23	22	16	10	41	1	22	10	22	4	34	16
	7	10	26	10	10	8	11	13	29	1	18	2	13	2	23	4
B 45. a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
B 45. b	32	19	55	22	33	30	27	23	70	2	40	12	35	6	57	20
	25	9	29	12	23	22	16	10	41	1	22	10	22	4	34	16
	7	10	26	10	10	8	11	13	29	1	18	2	13	2	23	4
B 46	36	27	105	26	55	48	41	43	73	–	107	13	29	17	56	34
	15	15	57	15	22	22	20	28	38	–	67	8	19	10	33	16
	20	12	48	11	33	26	21	15	35	–	40	5	10	7	23	18
B 46. a	1	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–
	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
B 46. b	35	27	104	26	55	48	41	43	72	–	107	12	29	17	56	34
	15	15	56	15	22	22	20	28	38	–	67	8	19	10	33	16
	20	12	48	11	33	26	21	15	34	–	40	4	10	7	23	18
"E"	21	4	57	20	49	21	17	34	42	5	89	14	86	7	36	24
	10	3	30	10	28	15	10	25	23	1	44	4	48	4	19	12
	11	1	27	10	21	6	7	9	19	4	45	10	38	3	17	12
BE 47	1	–	2	–	–	1	1	–	–	–	–	1	–	–	30	1
	–	–	2	–	–	1	1	–	–	–	–	–	–	–	16	1
	1	–	–	–	–	–	–	–	–	–	–	1	–	–	14	–
BE 48	16	3	48	18	49	18	13	33	41	2	78	13	85	4	–	22
	8	2	25	9	28	12	7	24	23	1	37	4	48	3	–	11
	8	1	23	9	21	6	6	9	18	1	41	9	37	1	–	11
BE 48. a	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
BE 48. b	2	–	–	–	1	–	–	2	–	–	2	–	2	–	–	1
	2	–	–	–	1	–	–	2	–	–	1	–	1	–	–	1
	–	–	–	–	1	–	–	–	–	–	1	–	1	–	–	–
BE 48. c	1	–	3	1	–	–	1	–	–	–	2	–	–	1	1	–
	1	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
	–	–	3	1	–	–	–	–	–	–	1	–	–	–	1	–
BE 48. d	–	1	1	1	1	–	–	–	–	1	–	–	68	–	–	–
	–	1	1	1	1	–	–	–	–	–	–	–	42	–	–	–
	–	1	–	–	–	–	–	–	–	1	–	–	26	–	–	–
BE 48. e	13	1	44	16	47	18	12	31	41	1	74	13	15	3	29	21
	5	1	24	8	27	12	6	22	23	1	35	4	5	2	16	10
	8	–	20	8	20	6	6	9	18	–	39	9	10	1	13	11

第 55 表　乳 児 (1 才 未 満) 死 亡 者 数,

TABLE 55　INFANT DEATHS (UNDER 1 YEAR OF AGE) FROM

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	27 大阪	28 兵庫	29 奈良	30 和歌山	31 鳥取	32 島根	33 岡山	34 広島	35 山口	36 徳島	37 香川
BE 49	自殺および自傷	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
BE 50	他殺および戦争行為	13	5	2	1	4	1	1	1	3	2	–
	男 M.	4	4	1	1	2	1	1	–	1	1	–
	女 F.	9	1	1	–	2	–	–	1	2	1	–
BE 50. a	他殺	*13*	*5*	*2*	*1*	*4*	*1*	*1*	*1*	*3*	*2*	–
	男 M.	*4*	*4*	*1*	*1*	*2*	*1*	*1*	–	*1*	*1*	–
	女 F.	*9*	*1*	*1*	–	*2*	–	–	*1*	*2*	*1*	–
BE 50. b	処刑および戦争行為	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
"E"	不慮の事故, 中毒および暴力の二重分類 (傷害の性質)	62	52	6	10	16	20	16	29	37	17	9
	男 M.	30	29	5	4	7	11	5	12	18	9	4
	女 F.	32	23	1	6	9	9	11	17	19	8	5
BN 47	骨折, 頭部損傷および内部損傷	4	2	1	–	1	1	2	3	2	4	–
	男 M.	4	2	1	–	–	–	1	2	1	4	–
	女 F.	–	–	–	–	1	1	1	1	1	–	–
BN 47. a	頭蓋骨折	–	–	–	–	*1*	*1*	*1*	*1*	*2*	*1*	–
	男 M.	–	–	–	–	–	–	–	*1*	*1*	*1*	–
	女 F.	–	–	–	–	*1*	*1*	*1*	–	*1*	–	–
BN 47. b	その他の骨の骨折	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
BN 47. c	頭部の損傷 (骨折を除く)	*3*	*2*	*1*	–	–	–	*1*	*2*	–	*3*	–
	男 M.	*3*	*2*	*1*	–	–	–	*1*	*1*	–	*3*	–
	女 F.	–	–	–	–	–	–	–	*1*	–	–	–
BN 47. d	胸, 腹, 骨盤腔の内部損傷	*1*	–	–	–	–	–	–	–	–	–	–
	男 M.	*1*	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
BN 48	熱傷	3	3	–	2	4	3	2	7	4	2	–
	男 M.	3	2	–	2	1	2	–	3	–	–	–
	女 F.	–	1	–	–	3	1	2	4	4	2	–
BN 46	毒物の作用	7	8	2	1	1	3	1	6	1	1	1
	男 M.	2	5	2	1	1	–	–	2	1	–	1
	女 F.	5	3	–	–	–	3	1	4	–	1	–
BN 50	その他の損傷	48	39	3	7	10	13	11	13	30	10	8
	男 M.	21	20	2	1	5	9	4	5	16	5	3
	女 F.	27	19	1	6	5	4	7	8	14	5	5
BN 50. a	裂傷および開放創	*1*	–	–	–	*2*	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	*1*	–	–	–	*2*	–	–	–	–	–	–
BN 50. b	溺死および死にいたらない溺水	*4*	*2*	*2*	–	*1*	*2*	–	*3*	*3*	–	–
	男 M.	*2*	*2*	*1*	–	*1*	*2*	–	*1*	*1*	–	–
	女 F.	*2*	–	*1*	–	–	–	–	*2*	*2*	–	–
BN 50. c	窒息および絞首	*17*	*23*	–	*5*	*4*	*9*	*10*	*8*	*19*	*10*	*6*
	男 M.	*7*	*12*	–	*1*	*3*	*6*	*4*	*3*	*9*	*5*	*2*
	女 F.	*10*	*11*	–	*4*	*1*	*3*	*6*	*5*	*10*	*5*	*4*
BN 50. d	その他	*26*	*14*	*1*	*2*	*3*	*2*	*1*	*2*	*8*	–	*2*
	男 M.	*12*	*6*	*1*	–	*1*	*1*	–	*1*	*6*	–	*1*
	女 F.	*14*	*8*	–	*2*	*2*	*1*	*1*	*1*	*2*	–	*1*

性・死因 (簡単分類)・都道府県－六大都市(再掲)別

CAUSES (ABBREVIATED LIST) BY SEX; FOR ALL JAPAN, PREFECTURES, 6 GREAT CITIES　昭和 34 年 1959

38 愛媛	39 高知	40 福岡	41 佐賀	42 長崎	43 熊本	44 大分	45 宮崎	46 鹿児島	Residence unknown 不詳	六大都市 6 Great cities (再掲 Secondary mention) 東京都の区部 Area of wards in Tokyo-to	横浜 Yokohama	名古屋 Nagoya	京都 Kyoto	大阪 Osaka	神戸 Kobe	国際簡単分類番号 International abbreviated list number
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	BE 49
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
4	1	7	2	–	2	3	1	1	3	11	–	1	3	6	1	BE 50
2	1	3	1	–	2	2	1	–	–	7	–	–	1	3	–	
2	–	4	1	–	–	1	–	1	3	4	–	1	2	3	1	
4	*1*	*7*	*2*	–	*2*	*3*	*1*	*1*	*3*	*11*	–	*1*	*3*	*6*	*1*	BE 50. a
2	*1*	*3*	*1*	–	*2*	*2*	*1*	–	–	*7*	–	–	*1*	*3*	–	
2	–	*4*	*1*	–	–	*1*	–	*1*	*3*	*4*	–	*1*	*2*	*3*	*1*	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	BE 50. b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
21	4	57	20	49	21	17	34	42	5	89	14	86	7	36	24	"E"
10	3	30	10	28	15	10	25	23	1	44	4	48	4	19	12	
11	1	27	10	21	6	7	9	19	4	45	10	38	3	17	12	
3	1	3	1	1	1	3	2	1	–	4	1	2	1	2	1	BN 47
2	1	2	1	–	1	1	2	1	–	2	–	1	–	2	1	
1	–	1	–	1	–	2	–	–	–	2	1	1	1	–	–	
2	*1*	*2*	–	–	*1*	*1*	–	*1*	–	*1*	–	*1*	–	–	–	BN 47. a
2	*1*	*1*	–	–	*1*	*1*	–	*1*	–	–	–	*1*	–	–	–	
–	–	*1*	–	–	–	–	–	–	–	*1*	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	BN 47. b
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	*1*	–	*1*	–	*1*	*2*	–	–	*2*	*1*	*1*	*1*	*1*	*1*	BN 47. c
–	–	*1*	–	–	–	–	*2*	–	–	*1*	–	–	–	*1*	*1*	
1	–	–	–	*1*	–	*1*	–	–	–	*1*	*1*	*1*	*1*	–	–	
–	–	–	*1*	–	–	*1*	–	–	–	*1*	–	–	–	*1*	–	BN 47. d
–	–	–	*1*	–	–	–	–	–	–	*1*	–	–	–	*1*	–	
–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	
1	–	9	4	8	1	3	3	11	–	3	1	–	–	3	1	BN 48
–	–	3	1	5	–	1	3	5	–	–	–	–	–	3	1	
1	–	6	3	3	1	2	–	6	–	3	1	–	–	–	–	
1	1	2	–	–	2	2	–	–	–	5	2	1	–	4	4	BN 49
–	1	–	–	–	2	2	–	–	–	3	–	–	–	2	1	
1	–	2	–	–	–	–	–	–	–	2	2	1	–	2	3	
16	2	43	15	40	17	9	29	30	5	77	10	83	6	27	18	BN 50
8	1	25	8	23	12	6	20	17	1	39	4	47	4	12	9	
8	1	18	7	17	5	3	9	13	4	38	6	36	2	15	9	
1	–	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	–	BN 50. a
1	–	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	*1*	–	–	–	–	–	–	–	–	–	–	–	
2	*1*	*6*	*1*	*1*	–	*2*	*1*	*1*	*2*	*5*	–	*68*	*3*	*2*	–	BN 50. b
1	–	*2*	–	*1*	–	*2*	*1*	–	–	*3*	–	*42*	*2*	–	–	
1	*1*	*4*	*1*	–	–	–	–	*1*	*2*	*2*	–	*26*	*1*	*2*	–	
10	*1*	*31*	*10*	*32*	*9*	*6*	*23*	*24*	*3*	*36*	*4*	*10*	*2*	*6*	*6*	BN 50. c
5	*1*	*19*	*4*	*17*	*7*	*4*	*15*	*14*	*1*	*22*	*3*	*4*	*1*	*3*	*3*	
5	–	*12*	*6*	*15*	*2*	*2*	*8*	*10*	*2*	*14*	*1*	*6*	*1*	*3*	*3*	
3	–	*5*	*4*	*6*	*8*	*1*	*5*	*5*	–	*36*	*6*	*5*	*1*	*19*	*12*	BN 50. d
1	–	*3*	*4*	*5*	*5*	–	*4*	*3*	–	*14*	*1*	*1*	*1*	*9*	*6*	
2	–	*2*	–	*1*	*3*	*1*	*1*	*2*	–	*22*	*5*	*4*	–	*10*	*6*	

第 56 表　15 才 以 上 死 亡 者 数，性・死因(簡単分類)・職業(中分類)別

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	専門的，技術的職業：従事者 Professional and technical workres						事務従事者 Clerical and related workers			販売従事者 Sales workers			農林，漁業従事者および類似職業従事者 Farmers, lumbermen, fishermen, and related workers			国際簡単分類番号 International abbreviated list number
			総数 Total	技術者 Technicians and engineers	教員 Professors and teachers	医療保健技術者 Medical and public health technicians	芸術家 Artists	その他の専門的職業従事者 Other professional workers	管理的職業従事者 Managers and officials	総数 Total	事務従事者 Clerical workers	交通，通信事務従事者 Clerical workers in transportation and communication	総数 Total	販売従事者 Sales workers	仲立売買従事者および類似職業従事者 Agents, brokers and related workers	総数 Total	農林業従事者 Farmers and lumbermen	漁業従事者 Fishermen and kindred workers	
	総数	1) 601 508	8 584	1 105	1 679	2 470	341	2 989	5 769	10 675	9 883	792	21 231	19 830	1 401	147 679	143 768	3 911	
	男 M.	317 892	7 099	1 096	1 362	1 746	279	2 616	5 473	9 138	8 455	683	17 978	16 713	1 265	98 043	94 208	3 835	
	女 F.	283 589	1 485	9	317	724	62	373	296	1 537	1 428	109	3 253	3 117	136	49 636	49 560	76	
B1	呼吸器系の結核	29 418	528	61	111	115	25	216	269	730	704	26	1 252	1 164	88	5 091	4 895	196	B1
	男 M.	18 405	466	60	92	95	23	196	259	628	606	22	1 139	1 059	80	3 726	3 532	194	
	女 F.	11 013	62	1	19	20	2	20	10	102	98	4	113	105	8	1 365	1 363	2	
B2	その他の結核	2 578	43	3	14	12	3	11	16	77	73	4	87	85	2	549	534	15	B2
	男 M.	1 153	28	3	9	5	2	9	15	50	47	3	73	71	2	306	292	14	
	女 F.	1 425	15	–	5	7	1	2	1	27	26	1	14	14	–	243	242	1	
B3	梅毒およびその続発症	2 220	27	4	3	7	3	10	20	36	32	4	105	93	12	375	349	26	B3
	男 M.	1 614	23	4	3	5	2	9	18	35	32	3	98	86	12	315	289	26	
	女 F.	606	4	–	–	2	1	1	2	1	–	1	7	7	–	60	60	–	
B4	腸チフス	37	1	–	–	–	–	1	–	1	1	–	5	5	–	5	5	–	B4
	男 M.	24	1	–	–	–	–	1	–	1	1	–	4	4	–	4	4	–	
	女 F.	13	–	–	–	–	–	–	–	–	–	–	1	1	–	1	1	–	
B5	コレラ	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B5
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B6	赤痢	334	–	–	–	–	–	–	2	1	–	1	9	8	1	82	79	3	B6
	男 M.	161	–	–	–	–	–	–	2	1	–	1	8	7	1	46	44	2	
	女 F.	173	–	–	–	–	–	–	–	–	–	–	1	1	–	36	35	1	
B6. a	細菌性赤痢（疫痢症状を呈するもの）	*5*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B6. a
	男 M.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B6. b	細菌性赤痢（その他）	*315*	–	–	–	–	–	–	*2*	*1*	–	*1*	*9*	*8*	*1*	*79*	*77*	*2*	B6. b
	男 M.	*148*	–	–	–	–	–	–	*2*	*1*	–	*1*	*8*	*7*	*1*	*44*	*43*	*1*	
	女 F.	*167*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	*35*	*34*	*1*	
B6. c	アメーバ症	*14*	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	*2*	*1*	B6. c
	男 M.	*11*	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	*1*	*1*	
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	
B6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B6. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B7	猩紅熱およびレンサ球菌性口峡炎	30	1	1	–	–	–	–	–	2	2	–	3	3	–	5	5	–	B7
	男 M.	16	1	1	–	–	–	–	–	2	2	–	3	3	–	2	2	–	
	女 F.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	
B7. a	猩紅熱	*29*	*1*	*1*	–	–	–	–	–	*2*	*2*	–	*3*	*3*	–	*5*	*5*	–	B7. a
	男 M.	*15*	*1*	*1*	–	–	–	–	–	*2*	*2*	–	*3*	*3*	–	*2*	*2*	–	
	女 F.	*14*	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	*3*	–	
B7. b	レンサ球菌性口峡炎	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B7. b
	男 M.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B8	ジフテリア	25	–	–	–	–	–	–	–	–	–	–	1	1	–	5	5	–	B8
	男 M.	11	–	–	–	–	–	–	–	–	–	–	1	1	–	2	2	–	
	女 F.	14	–	–	–	–	–	–	–	–	–	–	–	–	–	3	3	–	
B9	百日咳	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B9
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	専門的，技術的職業従事者 Professional and technical workers						管理的職業従事者 Managers and officials	事務従事者 Clerical and related workers			販売従事者 Sales workers			農林，漁業従事者および類似職業従事者 Farmers, lumbermen, fishermen, and related workers			国際簡単分類番号 International abbreviated list number
			総数 Total	技術者 Technicians and engineers	教員 Professors and teachers	医療保健技術者 Medical and public health technicians	芸術家 Artists	その他の専門的職業従事者 Other professional workers		総数 Total	事務従事者 Clerical workers	交通，通信事務従事者 Clerical workers in transportation and communication	総数 Total	販売従事者 Sales workers	仲立売買従事者および類似職業従事者 Agents, brokers and related workers	総数 Total	農林業従事者 Farmers and lumbermen	漁業従事者 Fishermen and kindred workers	
B10	髄膜炎菌感染	75	1	–	–	1	–	–	–	4	2	2	4	4	–	9	9	–	B10
	男 M.	49	1	–	–	1	–	–	–	4	2	2	3	3	–	5	5	–	
	女 F.	26	–	–	–	–	–	–	–	–	–	–	1	1	–	4	4	–	
B11	ペスト	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B11
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B12	急性灰白髄炎	52	3	–	1	–	–	2	–	1	1	–	–	–	–	10	10	–	B12
	男 M.	24	2	–	–	–	–	2	–	1	1	–	–	–	–	7	7	–	
	女 F.	28	1	–	1	–	–	–	–	–	–	–	–	–	–	3	3	–	
B13	痘瘡	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B13
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B14	麻疹	8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	–	B14
	男 M.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	
	女 F.	4	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	
B15	発疹チフスおよびその他のリケッチア病	10	1	–	1	–	–	–	–	–	–	–	–	–	–	6	6	–	B15
	男 M.	5	–	–	–	–	–	–	–	–	–	–	–	–	–	5	5	–	
	女 F.	5	1	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–	
B15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B15. c	その他	*10*	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	*6*	*6*	–	B15. c
	男 M.	*5*	–	–	–	–	–	–	–	–	–	–	–	–	–	*5*	*5*	–	
	女 F.	*5*	*1*	–	*1*	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	
B16	マラリア	10	–	–	–	–	–	–	–	–	–	–	2	1	1	4	4	–	B16
	男 M.	10	–	–	–	–	–	–	–	–	–	–	2	1	1	4	4	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17	伝染性および寄生性として分類されたその他の疾患	3 087	35	9	11	9	–	6	25	73	67	6	117	112	5	1 104	1 083	21	B17
	男 M.	1 661	28	9	9	5	–	5	23	59	55	4	97	93	4	700	679	21	
	女 F.	1 426	7	–	2	4	–	1	2	14	12	2	20	19	1	404	404	–	
B17. a	パラチフス	*8*	*1*	–	*1*	–	–	–	–	*1*	*1*	–	*1*	*1*	–	*3*	*3*	–	B17. a
	男 M.	*8*	*1*	–	*1*	–	–	–	–	*1*	*1*	–	*1*	*1*	–	*3*	*3*	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. b	癩	*14*	–	–	–	–	–	–	–	–	–	–	–	–	–	*4*	*4*	–	B17. b
	男 M.	*11*	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	*3*	–	
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	
B17. c	破傷風	*339*	–	–	–	–	–	–	*6*	*5*	*4*	*1*	*11*	*10*	*1*	*133*	*132*	*1*	B17. c
	男 M.	*209*	–	–	–	–	–	–	*6*	*4*	*4*	–	*9*	*8*	*1*	*89*	*88*	*1*	
	女 F.	*130*	–	–	–	–	–	–	–	*1*	–	*1*	*2*	*2*	–	*44*	*44*	–	
B17. d	炭疽	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	B17. d
	男 M.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. e
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 56 表　15 才 以 上 死 亡 者 数，性・死因(簡単分類)・職業(中分類)別

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	専門的，技術的職業従事者 Professional and technical workers						管理的職業従事者 Managers and officials	事務従事者 Clerical and related workers			販売従事者 Sales workers			農林，漁業従事者および類似職業従事者 Farmers, lumbermen, fishermen, and related wokers			国際簡単分類番号 International abbreviated list number
			総数 Total	技術者 Technicians and engineers	教員 Professors and teachers	医療保健技術者 Medical and public health technicians	芸術家 Artists	その他の専門的職業従事者 Other professional workers		総数 Total	事務従事者 Clerical workers	交通，通信事務従事者 Clerical workers in transportation and cammunication	総数 Total	販売従事者 Sales workers	仲立売買従事者および類似職業従事者 Agents,brokers and related workers	総数 Total	農林業従事者 Farmers and lumbermen	漁業従事者 Fishermen and kindred workers	
B17. f	日本脳炎	417	9	1	4	3	–	1	1	18	15	3	24	22	2	114	110	4	B17. f
	男 M.	209	7	1	3	2	–	1	1	13	11	2	19	18	1	65	61	4	
	女 F.	208	2	–	1	1	–	–	–	5	4	1	5	4	1	49	49	–	
B17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. g
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. h
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. i	伝染性下痢症	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. i
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. j	日本住血吸虫症	57	–	–	–	–	–	–	–	3	3	–	2	2	–	34	34	–	B17. j
	男 M.	33	–	–	–	–	–	–	–	3	3	–	2	2	–	20	20	–	
	女 F.	24	–	–	–	–	–	–	–	–	–	–	–	–	–	14	14	–	
B17. k	糸状虫症	50	–	–	–	–	–	–	–	–	–	–	–	–	–	20	20	–	B17. k
	男 M.	32	–	–	–	–	–	–	–	–	–	–	–	–	–	16	16	–	
	女 F.	18	–	–	–	–	–	–	–	–	–	–	–	–	–	4	4	–	
B17. l	その他の伝染性および寄生性として分類された疾患	2 198	25	8	6	6	–	5	18	46	44	2	79	77	2	795	779	16	B17. l
	男 M.	1 156	20	8	5	3	–	4	16	38	36	2	66	64	2	503	487	16	
	女 F.	1 042	5	–	1	3	–	1	2	8	8	–	13	13	–	292	292	–	
B18	悪性新生物（リンパ組織および造血組織の新生物を含む）	89 941	1 746	226	424	439	70	587	1 538	2 396	2 239	157	4 147	3 851	296	24 651	23 911	740	B18
	男 M.	48 442	1 450	224	343	312	56	515	1 451	2 135	1 994	141	3 381	3 125	256	16 393	15 672	721	
	女 F.	41 499	296	2	81	127	14	72	87	261	245	16	766	726	40	8 258	8 239	19	
B18. a	胃の悪性新生物	41 880	770	84	202	159	32	293	676	1 136	1 057	79	2 021	1 873	148	12 636	12 275	361	B18. a
	男 M.	25 754	676	84	179	123	28	262	650	1 048	974	74	1 748	1 615	133	9 256	8 901	355	
	女 F.	16 126	94	–	23	36	4	31	26	88	83	5	273	258	15	3 380	3 374	6	
B18. b	気管，気管支および肺の悪性新生物	4 728	125	22	21	38	8	36	147	166	158	8	299	271	28	1 196	1 138	58	B18. b
	男 M.	3 321	111	22	17	34	6	32	144	161	153	8	266	241	25	962	907	55	
	女 F.	1 407	14	–	4	4	2	4	3	5	5	–	33	30	3	234	231	3	
B18. c	乳房の悪性新生物	1 673	26	1	9	12	–	4	4	17	16	1	35	30	5	270	268	2	B18. c
	男 M.	21	–	–	–	–	–	–	–	2	2	–	2	2	–	9	8	1	
	女 F.	1 652	26	1	9	12	–	4	4	15	14	1	33	28	5	261	260	1	
B18. d	子宮の悪性新生物	7 097	40	1	11	21	2	5	27	39	37	2	141	135	6	1 341	1 337	4	B18. d
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	7 097	40	1	11	21	2	5	27	39	37	2	141	135	6	1 341	1 337	4	
B18. e	白血病および無白血病	1 710	56	13	16	11	1	15	30	97	89	8	83	78	5	405	387	18	B18. e
	男 M.	942	41	13	9	4	1	14	29	76	70	6	66	61	5	259	241	18	
	女 F.	768	15	–	7	7	–	1	1	21	19	2	17	17	–	146	146	–	
B18. f	その他	32 853	729	105	165	198	27	234	654	941	882	59	1 568	1 464	104	8 803	8 506	297	B18. f
	男 M.	18 404	622	105	138	151	21	207	628	848	795	53	1 299	1 206	93	5 907	5 615	292	
	女 F.	14 449	107	–	27	47	6	27	26	93	87	6	269	258	11	2 896	2 891	5	
B19	良性および性質不詳の新生物	3 973	77	9	25	27	2	14	45	141	134	7	172	162	10	913	887	26	B19
	男 M.	1 923	60	8	18	18	2	14	40	117	110	7	134	126	8	546	520	26	
	女 F.	2 050	17	1	7	9	–	–	5	24	24	–	38	36	2	367	367	–	
B20	糖尿病	2 771	57	5	7	23	–	22	38	36	32	4	111	104	7	751	739	12	B20
	男 M.	1 282	49	5	5	19	–	20	35	31	28	3	96	90	6	419	407	12	
	女 F.	1 489	8	–	2	4	–	2	3	5	4	1	15	14	1	332	332	–	

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	専門的，技術的職業従事者 Professional and technical workers					
			総数 Total	技術者 Technicians and engineers	教員 Professors and teachers	医療保健技術者 Medical and public health technicians	芸術家 Artists	その他の専門的職業従事者 Other professional workers
B 21	貧血	1 162	20	2	6	9	–	3
	男 M.	511	11	2	3	5	–	1
	女 F.	651	9	–	3	4	–	2
B 22	中枢神経系の血管損傷	142 724	1 710	189	235	553	54	679
	男 M.	75 091	1 478	188	205	445	45	595
	女 F.	67 633	232	1	30	108	9	84
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	623	10	1	2	2	–	5
	男 M.	348	8	1	1	2	–	4
	女 F.	275	2	–	1	–	–	1
B 24	リューマチ熱	875	11	2	4	2	2	1
	男 M.	336	7	2	3	1	–	1
	女 F.	539	4	–	1	1	2	–
B 25	慢性リューマチ性心臓疾患	5 206	59	6	14	14	3	22
	男 M.	1 938	38	5	10	5	1	16
	女 F.	3 268	21	–	4	9	2	6
B 26	動脈硬化性および変性性心臓疾患	41 985	683	76	112	210	37	248
	男 M.	21 710	608	75	99	178	33	223
	女 F.	20 275	75	1	13	32	4	25
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	*17 376*	*462*	*52*	*84*	*147*	*29*	*150*
	男 M.	*10 466*	*427*	*51*	*78*	*133*	*26*	*139*
	女 F.	*6 910*	*35*	*1*	*6*	*14*	*3*	*11*
B 26. b	リューマチ性と明示されない慢性心内膜炎	*12 123*	*103*	*11*	*12*	*33*	*4*	*43*
	男 M.	*5 191*	*74*	*11*	*6*	*21*	*3*	*33*
	女 F.	*6 932*	*29*	–	*6*	*12*	*1*	*10*
B 26. c	その他の心筋変性	*12 486*	*118*	*13*	*16*	*30*	*4*	*55*
	男 M.	*6 053*	*107*	*13*	*15*	*24*	*4*	*51*
	女 F.	*6 433*	*11*	–	*1*	*6*	–	*4*
B 27	その他の心臓疾患	14 548	160	11	19	33	11	86
	男 M.	7 877	133	11	17	21	10	74
	女 F.	6 671	27	–	2	12	1	12
B 28	高血圧性心臓疾患	4 971	53	3	5	10	–	35
	男 M.	2 543	45	3	5	6	–	31
	女 F.	2 428	8	–	–	4	–	4
B 29	その他の高血圧性疾患	8 531	93	11	11	29	2	40
	男 M.	4 148	80	11	10	23	1	35
	女 F.	4 383	13	–	1	6	1	5
B 30	インフルエンザ	736	7	–	–	4	–	3
	男 M.	391	6	–	–	3	–	3
	女 F.	345	1	–	–	1	–	–
B 31	肺炎（新生児肺炎を除く）	16 784	203	10	34	61	5	93
	男 M.	8 853	173	10	27	46	4	86
	女 F.	7 931	30	–	7	15	1	7
B 32	気管支炎	6 356	50	5	2	8	2	33
	男 M.	3 277	47	5	2	8	2	30
	女 F.	3 079	3	–	–	–	–	3
B 33	胃および十二指腸の潰瘍	11 282	241	22	52	75	5	87
	男 M.	7 701	225	22	48	69	5	81
	女 F.	3 581	16	–	4	6	–	6

性・死因（簡単分類）・職業（中分類）別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

管理的職業従事者 Managers and officials	事務従事者 Clerical and related workers			販売従事者 Sales workers			農林，漁業従事者および類似職業従事者 Farmers, lumbermen, fishermen, and related workers			国際簡単分類番号 International abbreviated list number
	総数 Total	事務従事者 Clerical workers	交通，通信事務従事者 Clerical workers in transportation and communication	総数 Total	販売従事者 Sales workers	仲立売買従事者および類似職業従事者 Agents, brokers and related workers	総数 Total	農林業従事者 Farmers and lumbermen	漁業従事者 Fishermen and kindred workers	
9	39	36	3	44	40	4	323	316	7	B 21
9	32	30	2	31	28	3	177	170	7	
–	7	6	1	13	12	1	146	146	–	
1 315	1 579	1 457	122	4 832	4 526	306	39 395	38 600	795	B 22
1 254	1 496	1 381	115	4 151	3 864	287	26 239	25 454	785	
61	83	76	7	681	662	19	13 156	13 146	10	
–	27	24	3	30	27	3	175	168	7	B 23
–	19	16	3	20	19	1	118	111	7	
–	8	8	–	10	8	2	57	57	–	
4	18	16	2	27	26	1	225	218	7	B 24
4	14	12	2	14	13	1	109	102	7	
–	4	4	–	13	13	–	116	116	–	
29	80	71	9	118	114	4	1 273	1 253	20	B 25
24	58	54	4	92	88	4	670	651	19	
5	22	17	5	26	26	–	603	602	1	
562	683	627	56	1 605	1 487	118	10 226	9 968	258	B 26
533	621	571	50	1 371	1 261	110	6 665	6 410	255	
29	62	56	6	234	226	8	3 561	3 558	3	
413	*417*	*382*	*35*	*973*	*905*	*68*	*4 143*	*4 005*	*138*	B 26. a
397	*392*	*358*	*34*	*855*	*791*	*64*	*2 985*	*2 847*	*138*	
16	*25*	*24*	*1*	*118*	*114*	*4*	*1 158*	*1 158*	–	
71	*153*	*138*	*15*	*330*	*306*	*24*	*3 218*	*3 157*	*61*	B 26. b
63	*129*	*117*	*12*	*255*	*234*	*21*	*1 820*	*1 760*	*60*	
8	*24*	*21*	*3*	*75*	*72*	*3*	*1 398*	*1 397*	*1*	
78	*113*	*107*	*6*	*302*	*276*	*26*	*2 865*	*2 806*	*59*	B 26. c
73	*100*	*96*	*4*	*261*	*236*	*25*	*1 860*	*1 803*	*57*	
5	*13*	*11*	*2*	*41*	*40*	*1*	*1 005*	*1 003*	*2*	
81	121	106	15	432	406	26	3 683	3 596	87	B 27
74	102	89	13	376	352	24	2 573	2 490	83	
7	19	17	2	56	54	2	1 110	1 106	4	
43	40	34	6	152	144	8	992	969	23	B 28
43	39	33	6	133	125	8	659	637	22	
–	1	1	–	19	19	–	333	332	1	
83	84	76	8	251	238	13	1 797	1 756	41	B 29
77	76	69	7	217	206	11	1 206	1 167	39	
6	8	7	1	34	32	2	591	589	2	
7	8	7	1	22	22	–	219	214	5	B 30
7	4	3	1	17	17	–	149	144	5	
–	4	4	–	5	5	–	70	70	–	
118	157	148	9	403	376	27	4 042	3 967	75	B 31
113	116	109	7	347	321	26	2 716	2 642	74	
5	41	39	2	56	55	1	1 326	1 325	1	
27	16	15	1	114	107	7	1 487	1 459	28	B 32
26	15	14	1	97	90	7	1 022	994	28	
1	1	1	–	17	17	–	465	465	–	
153	223	204	19	524	491	33	3 536	3 427	109	B 33
150	213	195	18	481	451	30	2 814	2 707	107	
3	10	9	1	43	40	3	722	720	2	

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	専門的，技術的職業従事者 Professional and technical workers					管理的職業従事者 Managers and officials	事務従事者 Clerical and related workers			販売従事者 Sales workers			農林，漁業従事者および類似職業従事者 Farmers, lumbermen, fishermen, and related workers			国際簡単分類番号 International abbreviated list number
			総数 Total	技術者 Technicians and engineers	教員 Professors and teachers	医療保健技術者 Medical and public health technicians	芸術家 Artists	その他の専門的職業従事者 Other professional workers		総数 Total	事務従事者 Clerical workers	交通，通信事務従事者 Clerical workers in transportation and communication	総数 Total	販売従事者 Sales workers	仲立売買従事者および類似職業従事者 Agents, brokers and related workers	総数 Total	農林業従事者 Farmers and lumbermen	漁業従事者 Fishermen and kindred workers	
B34	虫垂炎	912	15	4	6	3	–	2	14	36	35	1	39	34	5	236	231	5	B34
	男 M.	479	12	4	5	2	–	1	14	24	24	–	31	28	3	148	143	5	
	女 F.	433	3	–	1	1	–	1	–	12	11	1	8	6	2	88	88	–	
B35	腸閉塞およびヘルニア	2 942	46	8	10	15	4	9	30	75	68	7	89	81	8	868	839	29	B35
	男 M.	1 576	37	8	9	11	3	6	29	62	57	5	69	63	6	591	563	28	
	女 F.	1 366	9	–	1	4	1	3	1	13	11	2	20	18	2	277	276	1	
B36	胃炎，十二指腸炎，腸炎および大腸炎(新生児下痢を除く)	14 266	84	6	9	25	2	42	29	35	33	2	180	169	11	3 258	3 214	44	B36
	男 M.	5 665	59	6	5	13	1	34	27	25	24	1	143	134	9	1 924	1 880	44	
	女 F.	8 601	25	–	4	12	1	8	2	10	9	1	37	35	2	1 334	1 334	–	
B36. a	胃炎および十二指腸炎	*3 108*	*15*	*4*	–	*7*	*1*	*3*	*8*	*7*	*7*	–	*42*	*38*	*4*	*727*	*718*	*9*	B36. a
	男 M.	*1 345*	*11*	*4*	–	*4*	*1*	*2*	*6*	*6*	*6*	–	*36*	*33*	*3*	*467*	*458*	*9*	
	女 F.	*1 763*	*4*	–	–	*3*	–	*1*	*2*	*1*	*1*	–	*6*	*5*	*1*	*260*	*260*	–	
B36. b	胃腸炎，腸炎および大腸炎	*11 158*	*69*	*2*	*9*	*18*	*1*	*39*	*21*	*28*	*26*	*2*	*138*	*131*	*7*	*2 531*	*2 496*	*35*	B36. b
	男 M.	*4 320*	*48*	*2*	*5*	*9*	–	*32*	*21*	*19*	*18*	*1*	*107*	*101*	*6*	*1 457*	*1 422*	*35*	
	女 F.	*6 838*	*21*	–	*4*	*9*	*1*	*7*	–	*9*	*8*	*1*	*31*	*30*	*1*	*1 074*	*1 074*	–	
B37	肝硬変	8 687	136	12	18	44	4	58	167	191	179	12	438	418	20	2 445	2 373	72	B37
	男 M.	5 280	121	12	15	38	3	53	162	184	173	11	402	382	20	1 737	1 665	72	
	女 F.	3 407	15	–	3	6	1	5	5	7	6	1	36	36	–	708	708	–	
B38	腎炎およびネフローゼ	15 221	216	28	52	57	8	71	108	302	275	27	494	472	22	3 774	3 687	87	B38
	男 M.	7 293	175	27	40	38	5	65	105	243	219	24	399	379	20	2 303	2 218	85	
	女 F.	7 928	41	1	12	19	3	6	3	59	56	3	95	93	2	1 471	1 469	2	
B38. a	急性腎炎およびネフローゼ	*3 878*	*54*	*7*	*10*	*15*	–	*22*	*16*	*68*	*63*	*5*	*121*	*120*	*1*	*1 002*	*982*	*20*	B38. a
	男 M.	*1 845*	*47*	*7*	*7*	*11*	–	*22*	*16*	*49*	*45*	*4*	*95*	*94*	*1*	*603*	*584*	*19*	
	女 F.	*2 033*	*7*	–	*3*	*4*	–	–	–	*19*	*18*	*1*	*26*	*26*	–	*399*	*398*	*1*	
B38. b	その他	*11 343*	*162*	*21*	*42*	*42*	*8*	*49*	*92*	*234*	*212*	*22*	*373*	*352*	*21*	*2 772*	*2 705*	*67*	B38. b
	男 M.	*5 448*	*128*	*20*	*33*	*27*	*5*	*43*	*89*	*194*	*174*	*20*	*304*	*285*	*19*	*1 700*	*1 634*	*66*	
	女 F.	*5 895*	*34*	*1*	*9*	*15*	*3*	*6*	*3*	*40*	*38*	*2*	*69*	*67*	*2*	*1 072*	*1 071*	*1*	
B39	前立腺肥大症	440	8	–	1	3	–	4	6	3	3	–	10	9	1	121	115	6	B39
	男 M.	440	8	–	1	3	–	4	6	3	3	–	10	9	1	121	115	6	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B40	妊娠，分娩および産褥の合併症	2 381	40	–	24	12	–	4	5	51	43	8	61	57	4	615	614	1	B40
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	2 381	40	–	24	12	–	4	5	51	43	8	61	57	4	615	614	1	
B41	先天奇形	396	8	–	2	1	–	5	1	16	16	–	12	12	–	63	59	4	B41
	男 M.	196	4	–	–	1	–	3	1	11	11	–	10	10	–	44	40	4	
	女 F.	200	4	–	2	–	–	2	–	5	5	–	2	2	–	19	19	–	
B42	出生時の損傷，分娩後窒息および肺不全拡張	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B42
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B43	新生児の感染	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B43
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B43. a	新生児肺炎	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B43. a
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B43. b	新生児下痢	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B43. b
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	専門的，技術的職業従事者 Professional and technical workers					
			総数 Total	技術者 Technicians and engineers	教員 Professors and teachers	医療保健技術者 Medical and public health technicians	芸術家 Artists	その他の専門的職業従事者 Other professional workers
B 43. c	その他の新生児の感染……	.	.	.	.	.	.	.
	男 M.	.	.	.	.	.	.	.
	女 F.	.	.	.	.	.	.	.
B 44	その他の新生児固有の疾患および性質不明の未熟児	.	.	.	.	.	.	.
	男 M.	.	.	.	.	.	.	.
	女 F.	.	.	.	.	.	.	.
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	64 523	443	43	63	124	20	193
	男 M.	26 701	386	43	57	103	20	163
	女 F.	37 822	57	–	6	21	–	30
B 45. a	精神病の記載のない老衰……	*52 687*	*232*	*2*	*9*	*72*	*7*	*142*
	男 M.	*19 991*	*198*	*2*	*8*	*63*	*7*	*118*
	女 F.	*32 696*	*34*	–	*1*	*9*	–	*24*
B 45. b	その他の診断名不明確および不明の原因	*11 836*	*211*	*41*	*54*	*52*	*13*	*51*
	男 M.	*6 710*	*188*	*41*	*49*	*40*	*13*	*45*
	女 F.	*5 126*	*23*	–	*5*	*12*	–	*6*
B 46	その他のすべての疾患……	49 156	573	60	110	176	27	200
	男 M.	24 917	454	59	81	129	19	166
	女 F.	24 239	119	1	29	47	8	34
B 46. a	その他の循環器系の疾患（先天性を除く）	*4 226*	*41*	*5*	*3*	*16*	*1*	*16*
	男 M.	*2 152*	*37*	*5*	*3*	*14*	–	*15*
	女 F.	*2 074*	*4*	–	–	*2*	*1*	*1*
B 46. b	その他のすべての疾患……	*44 930*	*532*	*55*	*107*	*160*	*26*	*184*
	男 M.	*22 765*	*417*	*54*	*78*	*115*	*19*	*151*
	女 F.	*22 165*	*115*	*1*	*29*	*45*	*7*	*33*
"E"	不慮の事故，中毒および暴力の二重分類（外因）	1) 52 232	1 195	288	291	367	52	197
	男 M.	35 837	875	287	240	136	42	176
	女 F.	16 368	320	1	51	231	10	27
BE 47	自動車事故……	9 026	283	87	77	55	9	55
	男 M.	7 481	262	87	72	43	9	51
	女 F.	1 545	21	–	5	12	–	4
BE 48	その他の不慮の事故……	1) 20 797	377	130	97	73	15	62
	男 M.	15 196	310	130	84	29	12	55
	女 F.	5 574	67	–	13	44	3	7
BE 48. a	自動車以外の交通事故……	*3 776*	*96*	*29*	*28*	*20*	*4*	*15*
	男 M.	*3 116*	*86*	*29*	*27*	*13*	*3*	*14*
	女 F.	*660*	*10*	–	*1*	*7*	*1*	*1*
BE 48. b	不慮の墜落……	*3 811*	*59*	*20*	*19*	*5*	*2*	*13*
	男 M.	*2 909*	*57*	*20*	*18*	*4*	*2*	*13*
	女 F.	*902*	*2*	–	*1*	*1*	–	–
BE 48. c	不慮の溺死および溺水……	*2 451*	*37*	*9*	*16*	*9*	–	*3*
	男 M.	*1 833*	*30*	*9*	*15*	*4*	–	*2*
	女 F.	*618*	*7*	–	*1*	*5*	–	*1*
BE 48. d	天災……	1) *3 176*	*36*	*5*	*8*	*15*	–	*8*
	男 M.	*1 243*	*14*	*5*	*4*	*2*	–	*3*
	女 F.	*1 906*	*22*	–	*4*	*13*	–	*5*
BE 48. e	その他……	*7 583*	*149*	*67*	*26*	*24*	*9*	*23*
	男 M.	*6 095*	*123*	*67*	*20*	*6*	*7*	*23*
	女 F.	*1 488*	*26*	–	*6*	*18*	*2*	–

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

性・死因（簡単分類）・職業（中分類）別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

管理的職業従事者 Managers and officials	事務従事者 Clerical and related workers			販売従事者 Sales workers			農林，漁業従事者および類似職業従事者 Farmers, lumbermen, fishermen, and related workers			国際簡単分類番号 International abbreviated list number
	総数 Total	事務従事者 Clerical workers	交通，通信事務従事者 Clerical workers in transportation and cammunication	総数 Total	販売従事者 Sales workers	仲立売買従事者および類似職業従事者 Agents, brokers and related workers	総数 Total	農林業従事者 Farmers and lumbermen	漁業従事者 Fishermen and kindred workers	
.	.	.	.	.	.	.	.	.	.	B 43. c
.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	B 44
.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	
163	321	296	25	879	823	56	11 109	10 899	210	B 45
153	293	271	22	734	683	51	6 966	6 759	207	
10	28	25	3	145	140	5	4 143	4 140	3	
57	*21*	*20*	*1*	*370*	*357*	*13*	*7 963*	*7 853*	*110*	B 45. a
52	*21*	*20*	*1*	*307*	*294*	*13*	*4 858*	*4 748*	*110*	
5	–	–	–	*63*	*63*	–	*3 105*	*3 105*	–	
106	*300*	*276*	*24*	*509*	*466*	*43*	*3 146*	*3 046*	*100*	B 45. b
101	*272*	*251*	*21*	*427*	*389*	*38*	*2 108*	*2 011*	*97*	
5	*28*	*25*	*3*	*82*	*77*	*5*	*1 038*	*1 035*	*3*	
366	665	610	55	1 339	1 254	85	12 208	11 932	276	B 46
347	536	489	47	1 119	1 045	74	7 936	7 664	272	
19	129	121	8	220	209	11	4 272	4 268	4	
30	*29*	*27*	*2*	*102*	*93*	*9*	*911*	*892*	*19*	B 46. a
30	*27*	*25*	*2*	*85*	*76*	*9*	*620*	*601*	*19*	
–	*2*	*2*	–	*17*	*17*	–	*291*	*291*	–	
336	*636*	*583*	*53*	*1 237*	*1 161*	*76*	*11 297*	*11 040*	*257*	B 46. b
317	*509*	*464*	*45*	*1 034*	*969*	*65*	*7 316*	*7 063*	*253*	
19	*127*	*119*	*8*	*203*	*192*	*11*	*3 981*	*3 977*	*4*	
496	2 407	2 217	190	3 121	2 904	217	12 047	11 371	676	"E"
472	1 888	1 730	158	2 675	2 476	199	8 675	8 017	658	
24	519	487	32	446	428	18	3 372	3 354	18	
172	579	536	43	1 170	1 102	68	1 567	1 528	39	BE 47
168	516	478	38	1 093	1 028	65	1 339	1 300	39	
4	63	58	5	77	74	3	228	228	–	
164	692	623	69	715	655	60	5 434	4 897	537	BE 48
159	603	537	66	617	564	53	4 153	3 626	527	
5	89	86	3	98	91	7	1 281	1 271	10	
45	*182*	*153*	*29*	*184*	*161*	*23*	*1 072*	*742*	*330*	BE 48. a
44	*166*	*137*	*29*	*155*	*136*	*19*	*956*	*631*	*325*	
1	*16*	*16*	–	*29*	*25*	*4*	*116*	*111*	*5*	
31	*128*	*116*	*12*	*104*	*100*	*4*	*1 065*	*1 039*	*26*	BE 48. b
31	*118*	*106*	*12*	*98*	*95*	*3*	*861*	*836*	*25*	
–	*10*	*10*	–	*6*	*5*	*1*	*204*	*203*	*1*	
22	*86*	*77*	*9*	*126*	*112*	*14*	*606*	*527*	*79*	BE 48. c
22	*77*	*68*	*9*	*115*	*103*	*12*	*460*	*382*	*78*	
–	*9*	*9*	–	*11*	*9*	*2*	*146*	*145*	*1*	
7	*95*	*87*	*8*	*63*	*59*	*4*	*996*	*970*	*26*	BE 48. d
7	*74*	*68*	*6*	*43*	*39*	*4*	*450*	*427*	*23*	
–	*21*	*19*	*2*	*20*	*20*	–	*546*	*543*	*3*	
59	*201*	*190*	*11*	*238*	*223*	*15*	*1 695*	*1 619*	*76*	BE 48. e
55	*168*	*158*	*10*	*206*	*191*	*15*	*1 426*	*1 350*	*76*	
4	*33*	*32*	*1*	*32*	*32*	–	*269*	*269*	–	

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 56 表　15 才 以 上 死 亡 者 数，性・死因(簡単分類)・職業(中分類)別

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	専門的，技術的職業従事者 Professional and technical workers						管理的職業従事者 Managers and officials	事務従事者 Clerical and related workers			販売従事者 Sales workers			農林，漁業従事者および類似職業従事者 Farmers, lumbermen, fishermen, and related workers,			国際簡単分類番号 International abbreviated list number
			総数 Total	技術者 Technicians and engineers	教員 Professors and teachers	医療保健技術者 Medical and public health technicians	芸術家 Artists	その他の専門的職業従事者 Other professional workers		総数 Total	事務従事者 Clerical workers	交通，通信事務従事者 Clerical workers in transportation and communication	総数 Total	販売従事者 Sales workers	仲立売買従事者および類似職業従事者 Agents, brokers and related workers	総数 Total	農林業従事者 Farmers and lumbermen	漁業従事者 Fishermen and kindred workers	
BE 49	自殺および自傷	21 019	514	68	111	233	25	77	138	1 092	1 018	74	1 134	1 062	72	4 789	4 717	72	BE 49
	男 M.	12 132	292	67	80	64	18	63	128	735	683	52	890	822	68	2 992	2 928	64	
	女 F.	8 887	222	1	31	169	7	14	10	357	335	22	244	240	4	1 797	1 789	8	
BE 50	他殺および戦争行為	1 390	21	3	6	6	3	3	22	44	40	4	102	85	17	257	229	28	BE 50
	男 M.	1 028	11	3	4	–	3	1	17	34	32	2	75	62	13	191	163	28	
	女 F.	362	10	–	2	6	–	2	5	10	8	2	27	23	4	66	66	–	
BE 50. a	他殺	*1 335*	*21*	*3*	*6*	*6*	*3*	*3*	*21*	*40*	*36*	*4*	*99*	*82*	*17*	*244*	*217*	*27*	BE 50. a
	男 M.	*979*	*11*	*3*	*4*	–	*3*	*1*	*16*	*31*	*29*	*2*	*72*	*59*	*13*	*180*	*153*	*27*	
	女 F.	*356*	*10*	–	*2*	*6*	–	*2*	*5*	*9*	*7*	*2*	*27*	*23*	*4*	*64*	*64*	–	
BE 50. b	処刑および戦争行為	*55*	–	–	–	–	–	–	*1*	*4*	*4*	–	*3*	*3*	–	*13*	*12*	*1*	BE 50. b
	男 M.	*49*	–	–	–	–	–	–	*1*	*3*	*3*	–	*3*	*3*	–	*11*	*10*	*1*	
	女 F.	*6*	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	*2*	*2*	–	
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	1) 52 232	1 195	288	291	367	52	197	496	2 407	2 217	190	3 121	2 904	217	12 047	11 371	676	"N"
	男 M.	35 837	875	287	240	136	42	170	472	1 888	1 730	158	2 675	2 476	199	8 675	8 017	658	
	女 F.	16 368	320	1	51	231	10	27	24	519	487	32	446	428	18	3 372	3 354	18	
BN 47	骨折，頭部損傷および内部損傷	19 782	466	141	136	87	19	83	272	976	889	87	1 551	1 445	106	4 104	3 950	154	BN 47
	男 M.	16 106	418	141	124	58	18	77	267	867	787	80	1 429	1 330	99	3 447	3 296	151	
	女 F.	3 676	48	–	12	29	1	6	5	109	102	7	122	115	7	657	654	3	
BN 47. a	頭蓋骨折	*9 435*	*251*	*76*	*76*	*47*	*9*	*43*	*124*	*540*	*497*	*43*	*801*	*753*	*48*	*1 877*	*1 814*	*63*	BN 47. a
	男 M.	*7 855*	*230*	*76*	*70*	*34*	*8*	*42*	*122*	*481*	*443*	*38*	*729*	*685*	*44*	*1 587*	*1 524*	*63*	
	女 F.	*1 580*	*21*	–	*6*	*13*	*1*	*1*	*2*	*59*	*54*	*5*	*72*	*68*	*4*	*290*	*290*	–	
BN 47. b	その他の骨の骨折	*2 797*	*39*	*15*	*8*	*9*	*2*	*5*	*39*	*89*	*81*	*8*	*130*	*123*	*7*	*641*	*626*	*15*	BN 47. b
	男 M.	*2 095*	*34*	*15*	*6*	*6*	*2*	*5*	*39*	*81*	*73*	*8*	*123*	*116*	*7*	*524*	*509*	*15*	
	女 F.	*702*	*5*	–	*2*	*3*	–	–	–	*8*	*8*	–	*7*	*7*	–	*117*	*117*	–	
BN 47. c	頭部の損傷（骨折を除く）	*4 870*	*126*	*31*	*41*	*22*	*6*	*26*	*72*	*239*	*216*	*23*	*433*	*396*	*37*	*994*	*958*	*36*	BN 47. c
	男 M.	*3 864*	*114*	*31*	*40*	*14*	*6*	*23*	*70*	*212*	*189*	*23*	*405*	*371*	*34*	*821*	*786*	*35*	
	女 F.	*1 006*	*12*	–	*1*	*8*	–	*3*	*2*	*27*	*27*	–	*28*	*25*	*3*	*173*	*172*	*1*	
BN 47. d	胸，腹，骨盤腔の内部損傷	*2 680*	*50*	*19*	*11*	*9*	*2*	*9*	*37*	*108*	*95*	*13*	*187*	*173*	*14*	*592*	*552*	*40*	BN 47. d
	男 M.	*2 292*	*40*	*19*	*8*	*4*	*2*	*7*	*36*	*93*	*82*	*11*	*172*	*158*	*14*	*515*	*477*	*38*	
	女 F.	*388*	*10*	–	*3*	*5*	–	*2*	*1*	*15*	*13*	*2*	*15*	*15*	–	*77*	*75*	*2*	
BN 48	熱傷	1 216	13	9	1	2	–	1	7	21	21	–	41	38	3	239	231	8	BN 48
	男 M.	704	12	9	1	1	–	1	5	17	17	–	33	30	3	159	151	8	
	女 F.	512	1	–	–	1	–	–	2	4	4	–	8	8	–	80	80	–	
BN 49	毒物の作用	10 644	361	45	69	180	23	44	84	777	731	46	675	637	38	1 859	1 806	53	BN 49
	男 M.	6 130	172	44	40	37	15	36	73	487	458	29	503	457	36	1 214	1 164	50	
	女 F.	4 514	189	1	29	143	8	8	11	290	273	17	172	170	2	645	642	3	
BN 50	その他の損傷	1) 20 590	355	93	85	98	10	69	133	633	576	57	854	784	70	5 845	5 384	461	BN 50
	男 M.	12 897	273	93	75	40	9	56	127	517	468	49	710	649	61	3 855	3 406	449	
	女 F.	7 666	82	–	10	58	1	13	6	116	108	8	144	135	9	1 990	1 978	12	
BN 50. a	裂傷および開放創	*2 205*	*53*	*15*	*12*	*14*	*4*	*8*	*28*	*102*	*95*	*7*	*156*	*143*	*13*	*434*	*401*	*33*	BN 50. a
	男 M.	*1 612*	*41*	*15*	*12*	*4*	*4*	*6*	*27*	*89*	*82*	*7*	*133*	*122*	*11*	*324*	*291*	*33*	
	女 F.	*593*	*12*	–	–	*10*	–	*2*	*1*	*13*	*13*	–	*23*	*21*	*2*	*110*	*110*	–	
BN 50. b	溺死および死にいたらない溺水	1) *8 090*	*112*	*28*	*27*	*40*	*1*	*16*	*39*	*250*	*225*	*25*	*267*	*247*	*20*	*2 241*	*1 890*	*351*	BN 50. b
	男 M.	*4 259*	*70*	*28*	*22*	*11*	–	*9*	*38*	*192*	*170*	*22*	*216*	*199*	*17*	*1 283*	*941*	*342*	
	女 F.	*3 804*	*42*	–	*5*	*29*	*1*	*7*	*1*	*58*	*55*	*3*	*51*	*48*	*3*	*958*	*949*	*9*	
BN 50. c	窒息および絞首	*7 383*	*126*	*15*	*34*	*40*	*4*	*33*	*47*	*196*	*180*	*16*	*333*	*305*	*28*	*2 434*	*2 384*	*50*	BN 50. c
	男 M.	*4 730*	*103*	*15*	*30*	*24*	*4*	*30*	*43*	*163*	*151*	*12*	*276*	*252*	*24*	*1 659*	*1 612*	*47*	
	女 F.	*2 653*	*23*	–	*4*	*16*	–	*3*	*4*	*33*	*29*	*4*	*57*	*53*	*4*	*775*	*772*	*3*	
BN 50. d	その他	*2 912*	*64*	*35*	*12*	*4*	*1*	*12*	*19*	*85*	*76*	*9*	*98*	*89*	*9*	*736*	*709*	*27*	BN 50. d
	男 M.	*2 296*	*59*	*35*	*11*	*1*	*1*	*11*	*19*	*73*	*65*	*8*	*85*	*76*	*9*	*589*	*562*	*27*	
	女 F.	*616*	*5*	–	*1*	*3*	–	*1*	–	*12*	*11*	*1*	*13*	*13*	–	*147*	*147*	–	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 56 表　15 才 以 上 死 亡 者 数，性・死因(簡単分類)・職業(中分類)別

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	採鉱，採石従事者 Workers in mining and quarrying occupations	運輸従事者 Workers in transport occupations				技能工，Craftsmen,	
			総数 Total	陸上運輸機関運転従事者 Workers operating land transport	水上運輸機関運転従事者 Workers operating marine transport	その他の運輸従事者 Other workers operating transport	総数 Total	金属加工および機械組立従事者 Metal processing and machine assembling workers
	総数	2 424	3 324	1 991	387	946	41 032	5 671
	男 M.	2 372	3 257	1 978	383	896	37 691	5 464
	女 F.	52	67	13	4	50	3 341	207
B1	呼吸器系の結核	163	161	90	14	57	2 420	334
	男 M.	160	160	90	14	56	2 246	325
	女 F.	3	1	–	–	1	174	9
B2	その他の結核	6	16	12	1	3	212	26
	男 M.	6	14	11	1	2	177	25
	女 F.	–	2	1	–	1	35	1
B3	梅毒およびその続発症	7	15	6	2	7	267	32
	男 M.	7	15	6	2	7	258	32
	女 F.	–	–	–	–	–	9	–
B4	腸チフス	–	1	–	1	–	5	–
	男 M.	–	1	–	1	–	4	–
	女 F.	–	–	–	–	–	1	–
B5	コレラ	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B6	赤痢	4	1	–	–	1	34	7
	男 M.	4	1	–	–	1	29	7
	女 F.	–	–	–	–	–	5	–
B6. a	細菌性赤痢(疫痢症状を呈するもの)	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B6. b	細菌性赤痢（その他）	*4*	*1*	–	–	*1*	*32*	*7*
	男 M.	*4*	*1*	–	–	*1*	*27*	*7*
	女 F.	–	–	–	–	–	*5*	–
B6. c	アメーバ症	–	–	–	–	–	*2*	–
	男 M.	–	–	–	–	–	*2*	–
	女 F.	–	–	–	–	–	–	–
B6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B7	猩紅熱およびレンサ球菌性口峡炎	–	–	–	–	–	5	2
	男 M.	–	–	–	–	–	4	1
	女 F.	–	–	–	–	–	1	1
B7. a	猩紅熱	–	–	–	–	–	*5*	*2*
	男 M.	–	–	–	–	–	*4*	*1*
	女 F.	–	–	–	–	–	*1*	*1*
B7. b	レンサ球菌性口峡炎	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B8	ジフテリア	–	–	–	–	–	1	–
	男 M.	–	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–
B9	百日咳	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–

生産工程従事者および他に分類されない単純労働者 production process workers, and laborers not elsewhere classified

電気機械器具製造従事者 Electric and electronic machinery workers	運輸装置製造従事者 Transportation equipment workers	貴金属および光学機械，精密機械製造従事者 Jewelry, optical and precision instrument workers	紡織従事者 Textile workers	織物製品製造従事者 Garment and related textile fabrics workers	木材および木，竹，草，藁，製品製造従事者 Wood, bamboo, grass and vine products workers	紙および紙製品製造従事者 Paper and paper products workers	印刷，製本従事者 Printing and bookbinding workers	ゴムおよびゴム製品製造従事者 Rubber and rubber products workers	国際簡単分類番号 International abbreviated list number
416	1 057	278	2 198	1 272	3 641	464	750	154	
357	1 045	261	1 473	951	3 517	389	702	128	
59	12	17	725	321	124	75	48	26	
40	63	27	124	124	184	30	72	12	B1
34	63	26	91	93	179	23	70	7	
6	–	1	33	31	5	7	2	5	
5	7	2	10	9	13	2	4	2	B2
3	7	2	7	4	12	1	3	1	
2	–	–	3	5	1	1	1	1	
2	4	1	6	11	24	2	5	1	B3
2	4	1	5	8	24	1	5	1	
–	–	–	1	3	–	1	–	–	
–	–	–	–	–	–	–	–	–	B4
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B5
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	1	–	3	2	2	1	2	–	B6
–	1	–	1	1	2	1	2	–	
–	–	–	2	1	–	–	–	–	
–	–	–	–	–	–	–	–	–	B6. a
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	*1*	–	*3*	*2*	*2*	–	*2*	–	B6. b
–	*1*	–	*1*	*1*	*2*	–	*2*	–	
–	–	–	*2*	*1*	–	–	–	–	
–	–	–	–	–	–	*1*	–	–	B6. c
–	–	–	–	–	–	*1*	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B6. d
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	1	–	B7
–	–	–	–	–	–	–	1	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	*1*	–	B7. a
–	–	–	–	–	–	–	*1*	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B7. b
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B8
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B9
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	

第 56 表　15 才 以 上 死 亡 者 数，性・死因(簡単分類)・職業(中分類)別

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	採鉱，採石従事者 Workers in mining and quarrying occupations	運輸従事者 Workers in transort occuppations 総数 Total	陸上運輸機関運転従事者 Workers operating land transport	水上運輸機関運転従事者 Workers operating marine transport	その他の運輸従事者 Other workers operating transport	技能工，Craftsmen, 総数 Total	金属加工および機械組立従事者 Metal processing and machine assembling workers
B10	髄膜炎菌感染	－	4	1	1	2	16	－
	男 M.	－	4	1	1	2	14	－
	女 F.	－	－	－	－	－	2	－
B11	ペスト	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－
B12	急性灰白髄炎	1	－	－	－	－	7	1
	男 M.	1	－	－	－	－	5	－
	女 F.	－	－	－	－	－	2	1
B13	痘瘡	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－
B14	麻疹	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－
B15	発疹チフスおよびその他のリケッチア病	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－
B15. a	シラミ媒介の流行性発疹チフス	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－
B15. c	その他	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－
B16	マラリア	－	－	－	－	－	2	1
	男 M.	－	－	－	－	－	2	1
	女 F.	－	－	－	－	－	－	－
B17	伝染性および寄生性として分類されたその他の疾患	10	18	10	3	5	274	39
	男 M.	10	17	10	3	4	233	34
	女 F.	－	1	－	－	1	41	5
B17. a	パラチフス	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－
B17. b	癩	－	－	－	－	－	*1*	*1*
	男 M.	－	－	－	－	－	*1*	*1*
	女 F.	－	－	－	－	－	－	－
B17. c	破傷風	*1*	*3*	*3*	－	－	*60*	*8*
	男 M.	*1*	*3*	*3*	－	－	*57*	*7*
	女 F.	－	－	－	－	－	*3*	*1*
B17. d	炭疽	－	－	－	－	－	*1*	－
	男 M.	－	－	－	－	－	*1*	－
	女 F.	－	－	－	－	－	－	－
B17. e	回帰熱	－	－	－	－	－	－	－
	男 M.	－	－	－	－	－	－	－
	女 F.	－	－	－	－	－	－	－

生産工程従事者および他に分類されない単純労働者 production process workers, and laborers not elsewhere classified

電気機械器具製造従事者 Electric and electronic machinery workers	運輸装置製造従事者 Transportation equipment workers	貴金属および光学機械，精密機械製造従事者 Jewelry, optical and precision instrument workers	紡織従事者 Textile workers	織物製品製造従事者 Garment and related textile fabrics workers	木材および木，竹，草，蔓，製品製造従事者 Wood, bamboo, grass and vine products workere	紙および紙製品製造従事者 Paper and paper products workers	印刷，製本従事者 Printing and bookbinding workers	ゴムおよびゴム製品製造従事者 Rubber and rubber products workers	国際簡単分類番号 International abbreviated list number
－	－	－	1	－	1	－	1	－	B10
－	－	－	1	－	1	－	1	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B11
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
－	1	－	－	－	1	－	－	－	B12
－	1	－	－	－	1	－	－	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B13
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B14
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B15
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B15. a
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B15. b
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B15. c
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B16
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
3	11	1	25	9	25	3	1	－	B17
2	11	1	10	5	24	3	1	－	
1	－	－	15	4	1	－	－	－	
－	－	－	－	－	－	－	－	－	B17. a
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B17. b
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	
－	3	－	6	3	5	－	－	－	B17. c
－	3	－	5	3	5	－	－	－	
－	－	－	1	－	－	－	－	－	
－	－	－	－	－	1	－	－	－	B17. d
－	－	－	－	－	1	－	－	－	
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	B17. e
－	－	－	－	－	－	－	－	－	
－	－	－	－	－	－	－	－	－	

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	採鉱，採石従事者 Workers in mining and quarrying occupations	運輸従事者 Workers in transport occupations				技能工，Craftsmen,	
			総数 Total	陸上運輸機関運転従事者 Workers operating land transport	水上運輸機関運転従事者 Workers operating marine transport	その他の運輸従事者 Other workers operating transport	総数 Total	金属加工および機械組立従事者 Metal processing and machine assembling workers
B17. f	日本脳炎	2	3	2	–	1	58	7
	男 M.	2	2	2	–	–	42	6
	女 F.	–	1	–	–	1	16	1
B17. g	黄熱	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B17. h	狂犬病	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B17. i	伝染性下痢症	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B17. j	日本住血吸虫症	–	–	–	–	–	2	1
	男 M.	–	–	–	–	–	2	1
	女 F.	–	–	–	–	–	–	–
B17. k	糸状虫症	–	–	–	–	–	1	–
	男 M.	–	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–
B17. l	その他の伝染性および寄生性として分類された疾患	7	12	5	3	4	151	22
	男 M.	7	12	5	3	4	129	19
	女 F.	–	–	–	–	–	22	3
B18	悪性新生物（リンパ組織および造血組織の新生物を含む）	281	430	208	54	158	6 730	883
	男 M.	272	418	205	64	149	6 085	842
	女 F.	9	12	3	–	9	645	41
B18. a	胃の悪性新生物	141	177	77	32	68	3 464	441
	男 M.	137	176	77	32	67	3 260	426
	女 F.	4	1	–	–	1	204	15
B18. b	気管，気管支および肺の悪性新生物	15	27	9	4	14	404	65
	男 M.	15	27	9	4	14	384	63
	女 F.	–	–	–	–	–	20	2
B18. c	乳房の悪性新生物	–	2	1	–	1	27	1
	男 M.	–	–	–	–	–	1	–
	女 F.	–	2	1	–	1	26	1
B18. d	子宮の悪性新生物	5	5	2	–	3	155	8
	男 M.	·	·	·	·	·	·	·
	女 F.	5	5	2	–	3	155	8
B18. e	白血病および無白血病	12	33	26	1	6	222	36
	男 M.	12	32	26	1	5	187	33
	女 F.	–	1	–	–	1	35	3
B18. f	その他	108	186	93	27	66	2 458	332
	男 M.	108	183	93	27	63	2 253	320
	女 F.	–	3	–	–	3	205	12
B19	良性および性質不詳の新生物	14	19	12	1	6	353	60
	男 M.	14	19	12	1	6	307	55
	女 F.	–	–	–	–	–	46	5
B20	糖尿病	6	4	–	2	2	104	11
	男 M.	5	4	–	2	2	94	10
	女 F.	1	–	–	–	–	10	1

性・死因（簡単分類）・職業（中分類）別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

生産工程従事者および他に分類されない単純労働者 production process workers and laborers not elsewhere classified									国際簡単分類番号 International abbreviated list number
電気機械器具製造従事者 Electric and electronic machinery workers	運輸装置製造従事者 Transportation equipment workers	貴金属および光学機械，精密機械製造従事者 Jewelry, optical and precision instrument workers	紡織従事者 Textile workers	織物製品製造従事者 Garment and related textile fabrics workers	木材および木，竹，草，麦，製品製造従事者 Wood, bamboo, grass and vine products workers	紙および紙製品製造従事者 Paper and paper products workers	印刷，製本従事者 Printing and bookbinding workers	ゴムおよびゴム製品製造従事者 Rubber and rubber products workers	
2	2	–	9	3	3	1	–	–	B17. f
1	2	–	1	1	3	1	–	–	
1	–	–	8	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	B17. g
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B17. h
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B17. i
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	1	–	–	–	B17. j
–	–	–	–	–	1	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B17. k
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
1	6	1	10	3	15	2	1	–	B17. l
1	6	1	4	1	14	2	1	–	
–	–	–	6	2	1	–	–	–	
66	184	40	413	196	667	78	121	17	B18
58	181	37	301	149	642	63	110	15	
8	3	3	112	47	25	15	11	2	
24	87	16	180	92	351	41	60	5	B18. a
21	86	16	156	81	345	34	57	4	
3	1	–	24	11	6	7	3	1	
6	13	4	23	8	35	2	6	1	B18. b
6	13	4	22	5	35	1	6	1	
–	–	–	1	3	–	1	–	–	
–	–	–	7	3	1	–	–	–	B18. c
–	–	–	–	–	–	–	–	–	
–	–	–	7	3	1	–	–	–	
3	–	–	28	12	8	4	2	–	B18. d
·	·	·	·	·	·	·	·	·	
3	–	–	28	12	8	4	2	–	
2	10	1	25	5	24	2	8	2	B18. e
2	10	–	11	2	24	2	6	2	
–	–	1	14	3	–	–	2	–	
31	74	19	150	76	248	29	45	9	B18. f
29	72	17	112	61	238	26	41	8	
2	2	2	38	15	10	3	4	1	
–	13	5	25	15	31	2	9	1	B19
–	13	5	16	10	28	2	8	1	
–	–	–	9	5	3	–	1	–	
1	1	–	7	5	9	1	–	2	B20
1	1	–	5	3	9	1	–	2	
–	–	–	2	2	–	–	–	–	

第 56 表　15 才 以 上 死 亡 者 数,

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	採鉱, 採石従事者 Workers in mining and quarrying occupations	運輸従事者 Workers in transport occupations				技能工, Craftsmen,	
			総数 Total	陸上運輸機関運転従事者 Workers operating land transport	水上運輸機関運転従事者 Workers operating marine transport	その他の運輸従事者 Other workers operating transport	総数 Total	金属加工および機械組立従事者 Metal processing and machine assembling workers
B 21	貧血	1	9	5	–	4	74	13
	男 M.	1	9	5	–	4	56	13
	女 F.	–	–	–	–	–	18	–
B 22	中枢神経系の血管損傷	284	339	160	62	117	7 869	904
	男 M.	277	337	160	61	116	7 382	888
	女 F.	7	2	–	1	1	487	16
B 23	髄膜炎 (髄膜炎菌性および結核性を除く)	2	3	3	–	–	81	10
	男 M.	2	3	3	–	–	72	10
	女 F.	–	–	–	–	–	9	–
B 24	リューマチ熱	2	3	1	2	–	52	9
	男 M.	2	3	1	2	–	39	8
	女 F.	–	–	–	–	–	13	1
B 25	慢性リューマチ性心臓疾患	12	18	10	1	7	227	28
	男 M.	12	18	10	1	7	182	26
	女 F.	–	–	–	–	–	45	2
B 25	動脈硬化性および変性性心臓疾患	72	137	85	12	40	2 442	303
	男 M.	70	131	84	12	35	2 269	289
	女 F.	2	6	1	–	5	173	14
B 26. a	動脈硬化性心臓疾患 (冠状動脈疾患を含む)	*40*	*82*	*44*	*7*	*31*	*1 375*	*170*
	男 M.	*39*	*77*	*44*	*7*	*26*	*1 314*	*166*
	女 F.	*1*	*5*	–	–	*5*	*61*	*4*
B 26. b	リューマチ性と明示されない慢性心内膜炎	*16*	*32*	*25*	*3*	*4*	*596*	*74*
	男 M.	*15*	*31*	*24*	*3*	*4*	*513*	*66*
	女 F.	*1*	*1*	*1*	–	–	*83*	*8*
B 26. c	その他の心筋変性	*16*	*23*	*16*	*2*	*5*	*471*	*59*
	男 M.	*16*	*23*	*16*	*2*	*5*	*442*	*57*
	女 F.	–	–	–	–	–	*29*	*2*
B 27	その他の心臓疾患	19	30	12	5	13	624	72
	男 M.	19	30	12	5	13	570	70
	女 F.	–	–	–	–	–	54	2
B 28	高血圧性心臓疾患	6	9	2	3	4	207	22
	男 M.	6	9	2	3	4	199	21
	女 F.	–	–	–	–	–	8	1
B 29	その他の高血圧性疾患	26	22	10	1	11	353	39
	男 M.	26	22	10	1	11	333	38
	女 F.	–	–	–	–	–	20	1
B 30	インフルエンザ	1	1	–	1	–	32	4
	男 M.	1	1	–	1	–	31	4
	女 F.	–	–	–	–	–	1	–
B 31	肺炎 (新生児肺炎を除く)	30	33	16	5	12	701	121
	男 M.	29	33	16	5	12	628	119
	女 F.	1	–	–	–	–	73	2
B 32	気管支炎	7	3	–	1	2	155	10
	男 M.	7	3	–	1	2	145	10
	女 F.	–	–	–	–	–	10	–
B 33	胃および十二指腸の潰瘍	39	54	28	9	17	906	139
	男 M.	39	52	28	9	15	881	138
	女 F.	–	2	–	–	2	25	1

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

生産工程従事者および他に分類されない単純労働者 production process workers, and laborers not elsewhere classified									国際簡単分類番号 International abbreviated list number
電気機械器具製造従事者 Electric and electronic machinery workers	運輸装置製造従事者 Transportation equipment workers	貴金属および光学機械, 精密機械製造従事者 Jewelry, optical and precision instrument workers	紡織従事者 Textile workers	織物製品製造従事者 Garment and related textile fabrics workers	木材および木, 竹, 草, 蔓, 製品製造従事者 Wood, bamboo, grass and vine products workers	紙および紙製品製造従事者 Paper and paper products workers	印刷, 製本従事者 Printing and bookbinding workers	ゴムおよびゴム製品製造従事者 Rubber and rubber products workers	
–	2	–	11	3	4	1	3	–	B 21
–	2	–	2	1	4	1	3	–	
–	–	–	9	2	–	–	–	–	
38	160	58	361	222	819	74	152	22	B 22
36	158	58	289	183	790	62	144	21	
2	2	–	72	39	29	12	8	1	
1	5	–	7	3	3	2	1	–	B 23
1	5	–	3	1	3	2	–	–	
–	–	–	4	2	–	–	1	–	
1	–	1	6	4	4	–	1	1	B 24
1	–	1	1	2	3	–	1	–	
–	–	–	5	2	1	–	–	1	
4	6	1	22	11	25	2	4	1	B 25
2	5	1	10	6	24	1	3	1	
2	1	–	12	5	1	1	1	–	
24	47	20	147	105	243	31	41	7	B 26
20	45	20	111	88	234	25	39	7	
4	2	–	36	17	9	6	2	–	
16	*32*	*14*	*73*	*62*	*141*	*20*	*23*	*6*	B 26. a
15	*31*	*14*	*66*	*58*	*136*	*19*	*21*	*6*	
1	*1*	–	*7*	*4*	*5*	*1*	*2*	–	
3	*6*	*3*	*53*	*33*	*57*	*6*	*10*	*1*	B 26. b
2	*6*	*3*	*30*	*24*	*53*	*2*	*10*	*1*	
1	–	–	*23*	*9*	*4*	*4*	–	–	
5	*9*	*3*	*21*	*10*	*45*	*5*	*8*	–	B 26. c
3	*8*	*3*	*15*	*6*	*45*	*4*	*8*	–	
2	*1*	–	*6*	*4*	–	*1*	–	–	
4	5	8	34	30	70	7	11	2	B 27
4	5	8	20	20	69	6	11	2	
–	–	–	14	10	1	1	–	–	
1	5	3	8	8	18	4	5	–	B 28
1	5	3	8	8	18	4	5	–	
–	–	–	–	–	–	–	–	–	
2	4	2	20	9	50	5	6	–	B 29
2	4	2	19	9	47	4	6	–	
–	–	–	1	–	3	1	–	–	
–	–	–	2	3	4	1	2	–	B 30
–	–	–	2	3	4	–	2	–	
–	–	–	–	–	–	1	–	–	
8	15	6	32	30	71	6	15	1	B 31
7	15	6	16	22	67	6	14	1	
1	–	–	16	8	4	–	1	–	
3	3	1	12	8	25	2	5	–	B 32
3	3	1	10	4	25	2	5	–	
–	–	–	2	4	–	–	–	–	
5	15	5	32	33	103	8	12	5	B 33
5	15	5	28	30	102	7	11	5	
–	–	–	4	3	1	1	1	–	

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	採鉱，採石従事者 Workers in mining and quarrying occupations	運輸従事者 Workers in transport occupations				技能工，Craftsmen,	
			総数 Total	陸上運輸機関運転従事者 Workers operating land transport	水上運輸機関運転従事者 Workers operating marine transport	その他の運輸従事者 Other workers operating transport	総数 Total	金属加工および機械組立従事者 Metal processing and machine assembling workers
B34	虫垂炎	7	5	4	1	–	102	23
	男 M.	7	4	3	1	–	83	20
	女 F.	–	1	1	–		19	3
B35	腸閉塞およびヘルニア	12	20	9	3	8	255	41
	男 M.	12	20	9	3	8	228	39
	女 F.	–	–	–	–	–	27	2
B36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	7	14	3	3	8	289	41
	男 M.	7	14	3	3	8	257	40
	女 F.	–	–	–	–	–	32	1
B36. a	胃炎および十二指腸炎	*1*	*4*	*1*	–	*3*	*65*	*6*
	男 M.	*1*	*4*	*1*	–	*3*	*57*	*6*
	女 F.	–	–	–	–	–	*8*	–
B36. b	胃腸炎，腸炎および大腸炎	*6*	*10*	*2*	*3*	*5*	*224*	*35*
	男 M.	*6*	*10*	*2*	*3*	*5*	*200*	*34*
	女 F.	–	–	–	–	–	*24*	*1*
B37	肝硬変	32	46	20	8	18	719	81
	男 M.	32	46	20	8	18	676	78
	女 F.	–	–	–	–	–	43	3
B38	腎炎およびネフローゼ	28	54	46	3	5	811	119
	男 M.	28	54	46	3	5	724	117
	女 F.	–	–	–	–	–	87	2
B38. a	急性腎炎およびネフローゼ	*6*	*18*	*16*	*1*	*1*	*213*	*34*
	男 M.	*6*	*18*	*16*	*1*	*1*	*182*	*34*
	女 F.	–	–	–	–	–	*31*	–
B38. b	その他	*22*	*36*	*30*	*2*	*4*	*598*	*85*
	男 M.	*22*	*36*	*30*	*2*	*4*	*542*	*83*
	女 F.	–	–	–	–	–	*56*	*2*
B39	前立腺肥大症	–	–	–	–	–	9	2
	男 M.	–	–	–	–	–	9	2
	女 F.	·	·	·	·	·	·	·
B40	妊娠，分娩および産褥の合併症	1	1	–	1	–	73	3
	男 M.	·	·	·	·	·	·	·
	女 F.	1	1	–	1	–	73	3
B41	先天奇形	–	3	3	–	–	35	6
	男 M.	–	3	3	–	–	30	4
	女 F.	–	–	–	–	–	6	2
B42	出生時の損傷，分娩後窒息および肺不全拡張	·	·	·	·	·	·	·
	男 M.	·	·	·	·	·	·	·
	女 F.	·	·	·	·	·	·	·
B43	新生児の感染	·	·	·	·	·	·	·
	男 M.	·	·	·	·	·	·	·
	女 F.	·	·	·	·	·	·	·
B43. a	新生児肺炎	·	·	·	·	·	·	·
	男 M.	·	·	·	·	·	·	·
	女 F.	·	·	·	·	·	·	·
B43. b	新生児下痢	·	·	·	·	·	·	·
	男 M.	·	·	·	·	·	·	·
	女 F.	·	·	·	·	·	·	·

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

生産工程従事者および他に分類されない単純労働者 production process workers, and laborers not elsewhere classified									国際簡単分類番号
電気機械器具製造従事者 Electric and electronic machinery workers	運輸装置製造従事者 Transportation equipment workers	貴金属および光学機械，精密機械製造従事者 Jewelry, optical and precision instrument workers	紡織従事者 Textile workers	繊物製品製造従事者 Garment and related textile fabrics workers	木材および木，竹，草，蔓，製品製造従事者 Wood, bamboo, grass and vine products workers	紙および紙製品製造従事者 Paper and paper products workers	印刷，製本従事者 Printing and bookbinding workers	ゴムおよびゴム製品製造従事者 Rubber and rubber products workers	International abbreviated list number
–	1	1	10	9	6	1	1	–	B34
–	1	1	2	7	5	1	1	–	
–	–	–	8	2	1	–	–	–	
6	7	3	14	5	27	3	8	1	B35
4	7	3	8	1	27	3	7	1	
2	–	–	6	4	–	–	1	–	
2	9	3	18	9	36	6	3	–	B36
2	9	3	11	5	35	4	3	–	
–	–	–	7	4	1	2	–	–	
1	*2*	–	*2*	*3*	*11*	*2*	–	–	B36. a
1	*2*	–	*2*	*1*	*11*	*1*	–	–	
–	–	–	–	*2*	–	*1*	–	–	
1	*7*	*3*	*16*	*6*	*25*	*4*	*3*	–	B36. b
1	*7*	*3*	*9*	*4*	*24*	*3*	*3*	–	
–	–	–	*7*	*2*	*1*	*1*	–	–	
5	22	1	40	19	82	8	16	3	B37
5	22	1	31	16	82	8	16	3	
–	–	–	9	3	–	–	–	–	
12	20	7	66	35	87	15	17	5	B38
10	20	7	39	24	83	14	13	4	
2	–	–	27	11	4	1	4	1	
5	*5*	–	*18*	*7*	*19*	*5*	*3*	*3*	B38. a
3	*5*	–	*7*	*7*	*17*	*5*	*2*	*3*	
2	–	–	*11*	–	*2*	–	*1*	–	
7	*15*	*7*	*48*	*28*	*68*	*10*	*14*	*2*	B38. b
7	*15*	*7*	*32*	*17*	*66*	*9*	*11*	*1*	
–	–	–	*16*	*11*	*2*	*1*	*3*	*1*	
–	–	–	1	–	3	–	–	–	B39
–	–	–	1	–	3	–	–	–	
·	·	·	·	·	·	·	·	·	
2	1	1	20	2	3	2	4	–	B40
·	·	·	·	·	·	·	·	·	
2	1	1	20	2	3	2	4	–	
–	1	–	5	2	4	2	–	–	B41
–	1	–	1	2	4	2	–	–	
–	–	–	4	–	–	–	–	–	
·	·	·	·	·	·	·	·	·	B42
·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	B43
·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	B43. a
·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	B43. b
·	·	·	·	·	·	·	·	·	
·	·	·	·	·	·	·	·	·	

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	採鉱，採石従事者 Workers in mining and quarrying occupations	運輸従事者 Workers in transport occupations				技能工，Craftsmen,	
			総数 Total	陸上運輸機関運転従事者 Workers operating land transport	水上運輸機関運転従事者 Workers operating marine transport	その他の運輸従事者 Other workers operating transport	総数 Total	金属加工および機械組立従事者 Metal processing and machine assembling workers
B43. c	その他の新生児の感染……	.	.	.	.	.	.	.
	男 M.	.	.	.	.	.	.	.
	女 F.	.	.	.	.	.	.	.
B44	その他の新生児固有の疾患および性質不明の未熟児	.	.	.	.	.	.	.
	男 M.	.	.	.	.	.	.	.
	女 F.	.	.	.	.	.	.	.
B45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	52	134	84	12	38	1 517	224
	男 M.	50	130	83	12	35	1 416	214
	女 F.	2	4	1	–	3	101	10
B45. a	精神病の記載のない老衰……	*6*	*6*	*1*	–	*5*	*382*	*29*
	男 M.	*6*	*6*	*1*	–	*5*	*343*	*28*
	女 F.	–	–	–	–	–	*34*	*1*
B45. b	その他の診断名不明確および不明の原因	*46*	*128*	*83*	*12*	*33*	*1 135*	*195*
	男 M.	*44*	*124*	*82*	*12*	*30*	*1 068*	*186*
	女 F.	*2*	*4*	*1*	–	*3*	*67*	*9*
B46	その他のすべての疾患……	110	144	83	15	46	2 465	340
	男 M.	106	138	82	15	41	2 193	326
	女 F.	4	6	1	–	5	272	14
B46. a	その他の循環器系の疾患（先天性を除く）	*7*	*4*	*2*	*1*	*1*	*116*	*15*
	男 M.	*7*	*4*	*2*	*1*	*1*	*111*	*15*
	女 F.	–	–	–	–	–	*5*	–
B46. b	その他のすべての疾患……	*103*	*140*	*81*	*14*	*45*	*2 349*	*325*
	男 M.	*99*	*134*	*80*	*14*	*40*	*2 082*	*311*
	女 F.	*4*	*6*	*1*	–	*5*	*267*	*14*
"E"	**不慮の事故，中毒および暴力の二重分類（外因）**	**1 182**	**1 573**	**1 068**	**150**	**355**	**10 603**	**1 721**
	男 M.	**1 160**	**1 544**	**1 063**	**148**	**333**	**9 829**	**1 658**
	女 F.	**22**	**29**	**5**	**2**	**22**	**774**	**63**
BE 47	自動車事故……	52	552	510	9	33	2 518	361
	男 M.	50	545	509	9	27	2 394	357
	女 F.	2	7	1	–	6	124	4
BE 48	その他の不慮の事故……	955	641	263	124	254	4 920	786
	男 M.	938	638	263	122	253	4 691	765
	女 F.	17	8	–	2	1	229	21
BE 48. a	自動車以外の交通事故……	*33*	*329*	*50*	*92*	*187*	*842*	*108*
	男 M.	*32*	*327*	*50*	*90*	*187*	*793*	*104*
	女 F.	*1*	*2*	–	*2*	–	*49*	*4*
BE 48. b	不慮の墜落……	*74*	*46*	*36*	*5*	*5*	*1 098*	*151*
	男 M.	*73*	*46*	*36*	*5*	*5*	*1 067*	*151*
	女 F.	*1*	–	–	–	–	*31*	–
BE 48. c	不慮の溺死および溺水……	*36*	*80*	*35*	*15*	*30*	*458*	*71*
	男 M.	*36*	*80*	*35*	*15*	*30*	*440*	*69*
	女 F.	–	–	–	–	–	*18*	*2*
BE 48. d	天災……	*19*	*19*	*15*	*1*	*3*	*263*	*78*
	男 M.	*18*	*19*	*15*	*1*	*3*	*220*	*66*
	女 F.	*1*	–	–	–	–	*43*	*12*
BE 48. e	その他……	*793*	*167*	*127*	*11*	*29*	*2 259*	*378*
	男 M.	*779*	*166*	*127*	*11*	*28*	*2 171*	*375*
	女 F.	*14*	*1*	–	–	*1*	*88*	*3*

性・死因（簡単分類）・職業（中分類）別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

生産工程従事者および他に分類されない単純労働者 production process workers, and laborers not elsewhere classified									国際簡単分類番号 International abbreviated list number
電気機械器具製造従事者 Electric and electronic machinery workers	運輸装置製造従事者 Transportation equipment workers	貴金属および光学機械，精密機械製造従事者 Jewelry, optical and precision instrument workers	紡織従事者 Textile workers	織物製品製造従事者 Garment and related textile fabrics workers	木材および木，竹，草，蔓，製品製造従事者 Wood, bamboo, grass and vine products workers	紙および紙製品製造従事者 Paper and paper products workers	印刷，製本従事者 Printing and bookbinding workers	ゴムおよびゴム製品製造従事者 Rubber and rubber products workers	
.	.	.	.	.	.	.	.	.	B43. c
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	B44
.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	
8	31	6	88	43	188	17	26	6	B45
8	31	6	61	37	183	16	25	6	
–	–	–	27	6	5	1	1	–	
–	*6*	*3*	*26*	*9*	*63*	*6*	*2*	*1*	B45. a
–	*6*	*3*	*17*	*7*	*61*	*6*	*2*	*1*	
–	–	–	*9*	*2*	*2*	–	–	–	
8	*25*	*3*	*62*	*34*	*125*	*11*	*24*	*5*	B45. b
8	*25*	*3*	*44*	*30*	*122*	*10*	*23*	*5*	
–	–	–	*18*	*4*	*3*	*1*	*1*	–	
30	65	20	166	89	223	29	61	18	B46
27	63	17	93	69	214	23	59	12	
3	2	3	73	20	9	6	2	6	
2	3	–	5	3	16	2	2	2	B46. a
2	3	–	4	2	14	2	2	2	
–	–	–	1	1	2	–	–	–	
28	62	20	161	86	207	27	59	16	B46. b
25	60	17	89	67	200	21	57	10	
3	2	3	72	19	7	6	2	6	
143	**348**	**55**	**462**	**219**	**586**	**119**	**140**	**47**	"E"
119	**347**	**46**	**270**	**140**	**569**	**103**	**133**	**38**	
24	**1**	**9**	**192**	**79**	**17**	**16**	**7**	**9**	
32	143	15	111	41	151	29	31	14	BE 47
32	143	15	82	35	148	25	31	11	
–	–	–	29	6	3	4	–	3	
48	101	9	122	45	222	53	31	14	BE 48
46	101	8	83	32	215	48	31	13	
2	–	1	39	13	7	5	–	1	
11	*22*	*4*	*26*	*12*	*46*	*8*	*6*	*2*	BE 48. a
11	*22*	*4*	*15*	*8*	*44*	*7*	*6*	*2*	
–	–	–	*11*	*4*	*2*	*1*	–	–	
7	*12*	*1*	*12*	*1*	*31*	*8*	*8*	*1*	BE 48. b
6	*12*	*1*	*9*	*1*	*31*	*8*	*8*	*1*	
1	–	–	*3*	–	–	–	–	–	
6	*13*	–	*21*	*16*	*32*	*6*	*4*	*2*	BE 48. c
6	*13*	–	*15*	*15*	*31*	*5*	*4*	*2*	
–	–	–	*6*	*1*	*1*	*1*	–	–	
3	*4*	*1*	*24*	*5*	*15*	*2*	*1*	–	BE 48. d
2	*4*	–	*15*	*3*	*13*	*2*	*1*	–	
1	–	*1*	*9*	*2*	*2*	–	–	–	
21	*50*	*3*	*39*	*11*	*98*	*29*	*12*	*9*	BE 48. e
21	*50*	*3*	*29*	*5*	*96*	*26*	*12*	*8*	
–	–	–	*10*	*6*	*2*	*3*	–	*1*	

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	採鉱，採石従事者 Workers in mining and quarrying occupations	運輸従事者 Workers in transport occupations 総数 Total	陸上運輸機関運転従事者 Workers operating land transport	水上運輸機関運転従事者 Workers operating marine transport	その他の運輸従事者 Other workers operating transport	技能工，Craftsmen, 総数 Total	金属加工および機械組立従事者 Metal processing and machine assembling workers
BE 49	自殺および自傷	137	312	248	12	52	2 816	541
	男 M.	135	294	244	12	38	2 408	503
	女 F.	2	18	4	–	14	408	38
BE 50	他殺および戦争行為	38	68	47	5	16	349	33
	男 M.	37	67	47	5	15	336	33
	女 F.	1	1	–	–	1	13	–
BE 50. a	*他殺*	*38*	*68*	*47*	*5*	*16*	*342*	*32*
	男 M.	*37*	*67*	*47*	*5*	*15*	*329*	*32*
	女 F.	*1*	*1*	–	–	*1*	*13*	–
BE 50. b	処刑および戦争行為	–	–	–	–	–	*7*	*1*
	男 M.	–	–	–	–	–	*7*	*1*
	女 F.	–	–	–	–	–	–	–
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	1 182	1 573	1 068	150	355	10 603	1 721
	男 M.	1 160	1 544	1 063	148	333	9 829	1 658
	女 F.	22	29	5	2	22	774	63
BN 47	骨折，頭部損傷および内部損傷	708	809	632	39	138	5 773	810
	男 M.	695	800	631	39	130	5 510	798
	女 F.	13	9	1	–	8	263	12
BN 47. a	*頭蓋骨折*	*363*	*381*	*303*	*21*	*57*	*2 945*	*417*
	男 M.	*360*	*376*	*302*	*21*	*53*	*2 807*	*410*
	女 F.	*3*	*5*	*1*	–	*4*	*138*	*7*
BN 47. b	その他の骨の骨折	*153*	*113*	*82*	*6*	*25*	*686*	*85*
	男 M.	*149*	*112*	*82*	*6*	*24*	*654*	*81*
	女 F.	*4*	*1*	–	–	*1*	*32*	*4*
BN 47. c	頭部の損傷（骨折を除く）	*74*	*159*	*127*	*7*	*25*	*1 281*	*190*
	男 M.	*74*	*158*	*127*	*7*	*24*	*1 228*	*189*
	女 F.	–	*1*	–	–	*1*	*53*	*1*
BN 47. d	胸，腹，骨盤腔の内部損傷	*118*	*156*	*120*	*5*	*31*	*861*	*118*
	男 M.	*112*	*154*	*120*	*5*	*29*	*821*	*118*
	女 F.	*6*	*2*	–	–	*2*	*40*	–
BN 48	熱傷	17	29	13	9	7	207	52
	男 M.	17	29	13	9	7	189	52
	女 F.	–	–	–	–	–	18	–
BN 49	毒物の作用	75	223	181	7	35	1 670	392
	男 M.	74	210	177	7	26	1 428	372
	女 F.	1	13	4	–	9	242	20
BN 50	その他の損傷	382	512	242	95	175	2 953	467
	男 M.	374	505	242	93	170	2 702	436
	女 F.	8	7	–	2	5	251	31
BN 50. a	*裂傷および開放創*	*53*	*83*	*50*	*6*	*27*	*503*	*75*
	男 M.	*53*	*81*	*50*	*6*	*25*	*451*	*68*
	女 F.	–	*2*	–	–	*2*	*52*	*7*
BN 50. b	溺死および死にいたらない溺水	*62*	*295*	*88*	*78*	*129*	*965*	*181*
	男 M.	*58*	*293*	*88*	*76*	*129*	*843*	*163*
	女 F.	*4*	*2*	–	*2*	–	*122*	*18*
BN 50. c	窒息および絞首	*180*	*67*	*49*	*8*	*10*	*748*	*85*
	男 M.	*177*	*65*	*49*	*8*	*8*	*687*	*80*
	女 F.	*3*	*2*	–	–	*2*	*61*	*5*
BN 50. d	その他	*87*	*67*	*55*	*3*	*9*	*737*	*126*
	男 M.	*86*	*66*	*55*	*3*	*8*	*721*	*125*
	女 F.	*1*	*1*	–	–	*1*	*16*	*1*

生産工程従事者および他に分類されない単純労働者 production process workers, and laborers not elsewhere classified

電気機械器具製造従事者 Electric and electronic machinery workers	運輸装置製造従事者 Transportation equipment workers	貴金属および光学機械，精密機械製造従事者 Jewelry, optical and precision instrument workers	紡織従事者 Textile workers	織物製品製造従事者 Garment and related textile fabrics workers	木材および木，竹，草，蔓，製品製造従事者 Wood, bamboo, grass and vine products workers	紙および紙製品製造従事者 Paper and paper products workers	印刷，製本従事者 Printing and bookbinding workers	ゴムおよびゴム製品製造従事者 Rubber and rubber products workers	分類番号 国際簡単 International abbreviated list number
60	93	30	228	129	200	36	78	16	BE 49
38	93	22	105	72	193	29	71	11	
22	–	8	123	57	7	7	7	5	
3	11	1	1	4	13	1	–	3	BE 50
3	10	1	–	1	13	1	–	3	
–	1	–	1	3	–	–	–	–	
2	*11*	*1*	*1*	*4*	*12*	*1*	–	*3*	*BE 50. a*
2	*10*	*1*	–	*1*	*12*	*1*	–	*3*	
–	*1*	–	*1*	*3*	–	–	–	–	
1	–	–	–	–	*1*	–	–	–	*BE 50. b*
1	–	–	–	–	*1*	–	–	–	
–	–	–	–	–	–	–	–	–	
143	**348**	**55**	**462**	**219**	**586**	**119**	**140**	**47**	"N"
119	**347**	**46**	**270**	**140**	**569**	**103**	**133**	**38**	
24	**1**	**9**	**192**	**79**	**17**	**16**	**7**	**9**	
60	202	18	189	68	294	63	51	25	BN 47
57	201	18	137	54	288	55	51	22	
3	1	–	52	14	6	8	–	3	
35	*109*	*10*	*107*	*35*	*150*	*26*	*19*	*13*	*BN 47. a*
32	*109*	*10*	*75*	*29*	*149*	*21*	*19*	*11*	
3	–	–	*32*	*6*	*1*	*5*	–	*2*	
5	*21*	*1*	*18*	*6*	*39*	*4*	*3*	*2*	*BN 47. b*
5	*21*	*1*	*12*	*5*	*38*	*4*	*3*	*2*	
–	–	–	*6*	*1*	*1*	–	–	–	
9	*48*	*3*	*41*	*19*	*60*	*25*	*19*	*4*	*BN 47. c*
9	*47*	*3*	*32*	*13*	*58*	*24*	*19*	*3*	
–	*1*	–	*9*	*6*	*2*	*1*	–	*1*	
11	*24*	*4*	*23*	*8*	*45*	*8*	*10*	*6*	*BN 47. d*
11	*24*	*4*	*18*	*7*	*43*	*6*	*10*	*6*	
–	–	–	*5*	*1*	*2*	*2*	–	–	
2	3	–	5	1	6	8	1	2	BN 48
2	3	–	3	–	6	6	1	2	
–	–	–	2	1	–	2	–	–	
43	74	21	125	80	89	19	59	13	BN 49
30	74	14	62	38	83	16	53	7	
13	–	7	63	42	6	3	6	6	
38	69	16	143	70	197	29	29	7	BN 50
30	69	14	68	48	192	26	28	7	
8	–	2	75	22	5	3	1	–	
5	*13*	*7*	*25*	*12*	*37*	*6*	*4*	*1*	*BN 50. a*
2	*13*	*7*	*6*	*7*	*37*	*5*	*4*	*1*	
3	–	–	*19*	*5*	–	*1*	–	–	
16	*22*	*4*	*56*	*34*	*59*	*10*	*12*	*2*	*BN 50. b*
12	*22*	*3*	*21*	*23*	*55*	*8*	*11*	*2*	
4	–	*1*	*35*	*11*	*4*	*2*	*1*	–	
7	*18*	*4*	*50*	*18*	*71*	*10*	*11*	*4*	*BN 50. c*
6	*18*	*3*	*32*	*13*	*70*	*10*	*11*	*4*	
1	–	*1*	*18*	*5*	*1*	–	–	–	
10	*16*	*1*	*12*	*6*	*30*	*3*	*2*	–	*BN 50. d*
10	*16*	*1*	*9*	*5*	*30*	*3*	*2*	–	
–	–	–	*3*	*1*	–	–	–	–	

第 56 表　15 才 以 上 死 亡 者 数，性・死因(簡単分類)・職業(中分類)別

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	技能工，生産工程従事者および他に分類されない Craftsmen, production process workers, and laborers not elsewhere						単純労働者 classified			サービス職業従事者 Service workers				分類不能の職業および不詳	未就業者および非労働力	国際簡単分類番号
		皮革および皮革製品製造従事者 Leather and leather products workers	窯業および土石製品製造従事者 Ceramic, clay and stone products workers	飲食料品製造および加工従事者 Food and beverage manufacturing and processing workers	化学薬品および化学製品製造従事者 Chemicals and other chemical products workers	その他の製造従事者および技能工(他に分類されない) Miscellaneous production process workers and craftsmen(n.e.c)	建設従事者 Construction workers	電気従事者 Electrical workers	掘付機関および建設機械運転従事者 Stationary engine and construction machinery operators	他に分類されない単純労働者 Laborers not elsewhere classified	総数 Total	家事サービス従事者 Domestic service workers	保安サービス従事者 Protective service workers	その他のサービス職業従事者 Miscellaneous service workers	Not classifiable and not reported	Unemployment and not in labor force	International abbreviated list number
	総数 男 M.	355	1 572	2 550	545	1 791	6 798	950	390	10 180	6 256	279	1 202	4 775	1) 1 966	352 568	
	総数 女 F.	340	1 455	2 217	490	1 678	6 756	944	390	9 134	4 215	15	1 189	3 011	1 425	131 201	
	総数	15	117	333	55	113	42	6	–	1 046	2 041	264	13	1 764	514	221 367	
B 1	呼吸器系の結核 男 M.	32	162	135	27	141	348	55	25	485	337	8	58	271	68	18 399	B 1
	呼吸器系の結核 女 F.	31	158	124	24	134	344	53	25	442	255	–	57	198	56	9 310	
	呼吸器系の結核	1	4	11	3	7	4	2	–	43	82	8	1	73	12	9 089	
B 2	その他の結核 男 M.	3	3	13	–	11	42	5	5	50	33	3	5	25	2	1 537	B 2
	その他の結核 女 F.	3	2	7	–	9	42	5	5	39	14	–	5	9	1	469	
	その他の結核	–	1	6	–	2	–	–	–	11	19	3	–	16	1	1 068	
B 3	梅毒およびその続発症 男 M.	2	8	10	2	11	59	3	1	83	30	1	7	22	13	1 325	B 3
	梅毒およびその続発症 女 F.	2	8	9	2	11	59	3	1	80	25	–	7	18	10	810	
	梅毒およびその続発症	–	–	1	–	–	–	–	–	3	5	1	–	4	3	515	
B 4	腸チフス 男 M.	–	–	1	1	–	1	–	–	2	1	–	–	1	–	18	B 4
	腸チフス 女 F.	–	–	1	1	–	1	–	–	1	1	–	–	–	–	9	
	腸チフス	–	–	–	–	–	–	–	–	1	1	–	–	1	–	9	
B 5	コレラ 男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 5
	コレラ 女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	コレラ	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 6	赤痢 男 M.	–	1	–	–	–	5	–	–	10	5	–	2	3	5	191	B 6
	赤痢 女 F.	–	1	–	–	–	5	–	–	8	4	–	2	2	5	61	
	赤痢	–	–	–	–	–	–	–	–	2	1	–	–	1	–	130	
B6. a	細菌性赤痢(疫痢症状を呈するもの) 男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*5*	B6. a
	細菌性赤痢(疫痢症状を呈するもの) 女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	
	細菌性赤痢(疫痢症状を呈するもの)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	
B6. b	細菌性赤痢(その他) 男 M.	–	*1*	–	–	*4*	–	–	–	*10*	*3*	–	*1*	*2*	*4*	*180*	B6. b
	細菌性赤痢(その他) 女 F.	–	*1*	–	–	*4*	–	–	–	*8*	*2*	–	*1*	*1*	*4*	*55*	
	細菌性赤痢(その他)	–	–	–	–	–	–	–	–	*2*	*1*	–	–	*1*	–	*125*	
B6. c	アメーバ症 男 M.	–	–	–	–	*1*	–	–	–	–	*2*	–	*1*	*1*	*1*	*6*	B6. c
	アメーバ症 女 F.	–	–	–	–	*1*	–	–	–	–	*2*	–	*1*	*1*	*1*	*4*	
	アメーバ症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	
B6. d	その他の原虫性および詳細不明の赤痢 男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B6. d
	その他の原虫性および詳細不明の赤痢 女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 7	猩紅熱およびレンサ球菌性口峡炎 男 M.	–	–	–	–	–	–	–	1	1	–	–	–	–	–	14	B 7
	猩紅熱およびレンサ球菌性口峡炎 女 F.	–	–	–	–	–	–	–	1	1	–	–	–	–	–	4	
	猩紅熱およびレンサ球菌性口峡炎	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	
B7. a	猩紅熱 男 M.	–	–	–	–	–	–	–	*1*	*1*	–	–	–	–	–	*13*	B7. a
	猩紅熱 女 F.	–	–	–	–	–	–	–	*1*	–	–	–	–	–	–	*3*	
	猩紅熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*10*	
B7. b	レンサ球菌性口峡炎 男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	B7. b
	レンサ球菌性口峡炎 女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	
	レンサ球菌性口峡炎	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 8	ジフテリア 男 M.	–	–	–	–	1	–	–	–	–	1	–	–	1	–	17	B 8
	ジフテリア 女 F.	–	–	–	–	1	–	–	–	–	–	–	–	–	–	7	
	ジフテリア	–	–	–	–	–	–	–	–	–	1	–	–	1	–	10	
B 9	百日咳 男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 9
	百日咳 女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	百日咳	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	技能工，生産工程従事者および他に分類されない Craftsmen, production process workers, and laborers not elsewhere						単純労働者 classified			サービス職業従事者 Service workers				分類不能の職業および不詳 Not classifiable and not reported	未就業者および非労働力 Unemployment and not in labor force	国際簡単分類番号 International abbreviated list number
		皮革および皮革製品製造従事者 Leather and leather products workers	窯業および土石製品製造従事者 Ceramic, clay and stone products workers	飲食料品製造および加工従事者 Food and beverage manufacturing and processing workers	化学薬品および化学製品製造従事者 Chemicals and other chemical products workers	その他の製造従事者および技能工（他に分類されない） Miscellaneous production process workers and craftsmen(n.e.c.)	建設従事者 Construction workers	電気従事者 Electrical workers	据付機関および建設機械運転従事者 Stationary engine and construction machinery operators	他に分類されない単純労働者 Laborers not elsewhere classified	総数 Total	家事サービス従事者 Domestic service workers	保安サービス従事者 Protective service workers	その他のサービス職業従事者 Miscellaneous service workers			
B10	髄膜炎菌感染	–	–	–	2	1	1	1	–	8	4	–	1	3	1	32	B10
	男 M.	–	–	–	2	1	–	1	–	7	4	–	1	3	–	14	
	女 F.	–	–	–	–	–	1	–	–	1	–	–	–	–	1	18	
B11	ペスト	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B11
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B12	急性灰白髄炎	1	–	–	–	1	–	–	–	2	1	1	–	–	–	29	B12
	男 M.	1	–	–	–	1	–	–	–	1	1	–	–	–	–	8	
	女 F.	–	–	–	–	–	–	–	–	1	1	1	–	–	–	21	
B13	痘瘡	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B13
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B14	麻疹	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	B14
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	
B15	発疹チフスおよびその他のリケッチア病	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	B15
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	1	–	–	1	–	2	
B15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B15. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B15. c	その他	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	*2*	B15. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	*1*	–	–	*1*	–	*2*	
B16	マラリア	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	B16
	男 M.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17	伝染性および寄生性として分類された…その他の疾患	3	7	13	1	12	37	4	3	77	38	2	7	29	5	1 388	B17
	男 M.	3	6	13	–	9	37	4	3	67	23	–	7	16	4	467	
	女 F.	–	1	–	1	3	–	–	–	10	15	2	–	13	1	921	
B17. a	パラチフス	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	B17. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. b	癩	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*9*	B17. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*7*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	
B17. c	破傷風	*1*	–	*3*	–	*2*	*14*	–	–	*15*	*3*	–	–	*3*	*3*	*114*	B17. c
	男 M.	*1*	–	*3*	–	*2*	*14*	–	–	*14*	*1*	–	–	*1*	*3*	*36*	
	女 F.	–	–	–	–	–	–	–	–	*1*	*2*	–	–	*2*	–	*78*	
B17. d	炭疽	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	B17. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. e
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

性・死因（簡単分類）・職業（中分類）別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

第 56 表　15 才 以 上 死 亡 者 数，性・死因(簡単分類)・職業(中分類)別

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	技能工，生産工程従事者および他に分類されない Craftsmen, production process workers, and laborers not elsewhere						単純労働者 classified			サービス職業従事者 Service workers				分類不能の職業および不詳	未就業者および非労働力	国際簡単分類番号
		皮革および皮革製品製造従事者 Leather and leather products workers	窯業および土石製品製造従事者 Ceramic, clay and stone products workers	飲食料品製造および加工従事者 Food and beverage manufacturing and processing workers	化学薬品および化学製品製造従事者 Chemicals and other chemical products workers	その他の製造従事者および技能工(他に分類されない) Miscellaneous production process workers and craftsmen(n.e.c.)	建設従事者 Construction workers	電気従事者 Electrical workers	据付機関および建設機械運転従事者 Stationary engine and construction machinery operators	他に分類されない単純労働者 Laborers not elsewhere classified	総数 Total	家事サービス従事者 Domestic service workers	保安サービス従事者 Protective service workers	その他のサービス職業従事者 Miscellaneous service workers	Not classifiable and not reported	Unemployment and not in labor force	International abbreviated list number
B17. f	日本脳炎	1	4	3	–	5	4	1	–	13	3	–	–	3	–	185	B17. f
	男 M.	1	3	3	–	3	4	1	–	12	1	–	–	1	–	57	
	女 F.	–	1	–		2	–	–	–	1	2	–	–	2	–	128	
B17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. g
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–		–	–	–	–	–	–	–	–	–	–	–	
B17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B17. h
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–		–	–	–	–	–	–	–	–	–	–	–	
B17. i	伝染性下痢症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	B17. i
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–		–	–	–	–	–	–	–	–	–	–	1	
B17. j	日本住血吸虫症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	16	B17. j
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6	
	女 F.	–	–	–		–	–	–	–	–	–	–	–	–	–	10	
B17. k	糸状虫症	–	–	–	–	–	–	–	1	–	1	–	1	–	–	28	B17. k
	男 M.	–	–	–	–	–	–	–	1	–	1	–	1	–	–	14	
	女 F.	–	–	–		–	–	–	–	–	–	–	–	–	–	14	
B17. l	その他の伝染性および寄生性として分類された疾患	1	3	7	1	5	19	3	2	49	31	2	6	23	2	1 032	B17. l
	男 M.	1	3	7	–	4	19	3	2	41	20	–	6	14	1	344	
	女 F.	–	–	–	1	1	–	–	–	8	11	2	–	9	1	688	
B18	悪性新生物(リンパ組織および造血組織の新生物を含む)	57	272	481	197	304	1 148	104	64	1 528	1 068	44	252	772	76	46 878	B18
	男 M.	55	244	417	98	285	1 138	104	64	1 282	721	3	251	467	58	16 078	
	女 F.	2	28	64	9	19	10	–	–	246	347	41	1	305	18	30 800	
B18. a	胃の悪性新生物	31	144	243	53	168	640	57	34	797	491	11	133	347	42	20 326	B18. a
	男 M.	31	129	221	50	164	637	57	34	711	370	2	132	236	40	8 393	
	女 F.	–	15	22	3	4	3	–	–	86	121	9	1	111	2	11 933	
B18. b	気管，気管支および肺の悪性新生物	4	19	37	6	19	75	6	6	69	74	1	17	56	8	2 267	B18. b
	男 M.	4	19	31	6	18	74	6	6	64	57	–	17	40	6	1 188	
	女 F.	–	–	6	–	1	1	–	–	5	17	1	–	16	2	1 079	
B18. c	乳房の悪性新生物	–	1	2	–	1	1	–	–	10	15	1	–	14	1	1 276	B18. c
	男 M.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	7	
	女 F.	–	1	2	–	1	–	–	–	10	15	1	–	14	1	1 269	
B18. d	子宮の悪性新生物	–	4	15	3	8	3	–	–	57	67	9	–	58	5	5 272	B18. d
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	–	4	15	3	8	3	–	–	57	67	9	–	58	5	5 272	
B18. e	白血病および無白血病	1	7	10	4	8	31	4	2	40	40	2	18	20	2	730	B18. e
	男 M.	1	5	8	3	8	31	4	2	33	25	–	18	7	1	214	
	女 F.	–	2	2	1	–	–	–	–	7	15	2	–	13	1	516	
B18. f	その他	21	97	174	41	100	398	37	22	555	381	20	84	277	18	17 007	B18. f
	男 M.	19	91	157	39	95	395	37	22	474	269	1	84	184	11	6 276	
	女 F.	2	6	17	2	5	3	–	–	81	112	19	–	93	7	10 731	
B19	良性および性質不詳の新生物	2	14	23	5	13	59	5	5	66	54	3	16	35	6	2 179	B19
	男 M.	2	12	16	4	10	59	5	5	56	33	–	15	18	4	649	
	女 F.	–	2	7	1	3	–	–	–	10	21	3	1	17	2	1 530	
B20	糖尿病	2	3	14	–	7	17	1	2	21	32	–	3	29	1	1 631	B20
	男 M.	2	3	13	–	6	17	1	2	18	21	–	3	18	1	527	
	女 F.	–	–	1	–	1	–	–	–	3	11	–	–	11	–	1 104	

第 56 表　15 才 以 上 死 亡 者 数,

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因(簡単分類)・職業(中分類)別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	技能工, 生産工程従事者および他に分類されない Craftsmen, production process workers, and laborers not elsewhere						単純労働者 classified			サービス職業従事者 Service workers				分類不能の職業および不詳	未就業者および非労働力	国際簡単分類番号
		皮革および皮革製品製造従事者 Leather and leather products workers	窯業および土石製品製造従事者 Ceramic, clay and stone products workers	飯食料品製造および加工従事者 Food and beverage manufacturing and processing workers	化学薬品および化学製品製造従事者 Chemicals and other chemical products workers	その他の製造従事者および技能工(他に分類されない) Miscellaneous production process workers and craftsmen(n.e.c.)	建設従事者 Construction workers	電気従事者 Electrical workers	据付機関および建設機械運転従事者 Stationary engine and construction machinery operators	他に分類されない単純労働者 Laborers not elsewhere classified	総数 Total	家事サービス従事者 Domestic service workers	保安サービス従事者 Protective service workers	その他のサービス職業従事者 Miscellaneous service workers	Not classifiable and not reported	Unemployment and not in labor force	International abbreviated list number
B21	貧血	1	5	5	1	2	11	–	1	11	13	1	2	10	1	629	B21
	男 M.	1	3	4	1	2	10	–	1	8	7	–	2	5	1	177	
	女 F.	–	2	1	–	–	1	–	–	3	6	1	–	5	–	452	
B22	中枢神経系の血管損傷	83	293	588	69	345	1 574	109	49	1 949	1 155	39	216	900	117	84 129	B22
	男 M.	79	274	519	64	333	1 564	108	49	1 763	865	3	213	649	101	31 511	
	女 F.	4	19	69	5	12	10	1	–	186	290	36	3	251	16	52 618	
B23	髄膜炎(髄膜炎菌性および結核性を除く)	2	3	7	2	5	11	2	–	17	11	–	2	9	–	284	B23
	男 M.	2	3	7	1	5	11	2	–	16	9	–	2	7	–	97	
	女 F.	–	–	–	1	–	–	–	–	1	2	–	–	2	–	187	
B24	リューマチ熱	–	2	4	1	2	6	1	–	9	7	–	2	5	–	526	B24
	男 M.	–	1	3	1	2	6	1	–	8	5	–	2	3	–	139	
	女 F.	–	1	1	–	–	–	–	–	1	2	–	–	2	–	387	
B25	慢性リューマチ性心臓疾患	1	5	14	1	10	35	5	2	50	45	2	6	37	2	3 343	B25
	男 M.	–	4	11	1	6	35	5	2	39	20	–	4	16	–	824	
	女 F.	1	1	3	–	4	–	–	–	11	25	2	2	21	2	2 519	
B26	動脈硬化性および変性性心臓疾患	26	84	170	35	132	420	31	21	555	419	17	75	327	55	25 101	B26
	男 M.	26	81	146	33	125	419	31	21	509	312	1	74	237	50	9 080	
	女 F.	–	3	24	2	7	1	–	–	46	107	16	1	90	5	16 021	
B26. a	動脈硬化性心臓疾患(冠状動脈疾患を含む)	*19*	*45*	*96*	*14*	*80*	*228*	*14*	*12*	*310*	*265*	*10*	*60*	*195*	*26*	*9 180*	B26. a
	男 M.	*19*	*44*	*84*	*13*	*77*	*228*	*14*	*12*	*291*	*211*	–	*59*	*152*	*23*	*3 746*	
	女 F.	–	*1*	*12*	*1*	*3*	–	–	–	*19*	*54*	*10*	*1*	*43*	*3*	*5 434*	
B26. b	リューマチ性と明示されない慢性心内膜炎	*3*	*17*	*38*	*11*	*26*	*115*	*11*	*4*	*125*	*101*	*5*	*14*	*82*	*21*	*7 482*	B26. b
	男 M.	*3*	*15*	*29*	*11*	*23*	*114*	*11*	*4*	*106*	*61*	–	*14*	*47*	*20*	*2 210*	
	女 F.	–	*2*	*9*	–	*3*	*1*	–	–	*19*	*40*	*5*	–	*35*	*1*	*5 272*	
B26. c	その他の心筋変性	*4*	*22*	*36*	*10*	*26*	*77*	*6*	*5*	*120*	*53*	*2*	*1*	*50*	*8*	*8 439*	B26. c
	男 M.	*4*	*22*	*33*	*9*	*25*	*77*	*6*	*5*	*112*	*40*	*1*	*1*	*38*	*7*	*3 124*	
	女 F.	–	–	*3*	*1*	*1*	–	–	–	*8*	*13*	*1*	–	*12*	*1*	*5 315*	
B27	その他の心臓疾患	7	33	47	2	26	97	4	2	163	101	6	12	83	10	9 287	B27
	男 M.	7	32	39	2	24	97	4	2	148	76	2	12	62	7	3 917	
	女 F.	–	1	8	–	2	–	–	–	15	25	4	–	21	3	5 370	
B28	高血圧性心臓疾患	1	13	12	1	8	38	2	1	57	41	2	9	30	5	3 423	B28
	男 M.	–	13	11	1	8	38	2	1	52	31	–	9	22	4	1 375	
	女 F.	1	–	1	–	–	–	–	–	5	10	2	–	8	1	2 048	
B29	その他の高血圧性疾患	1	11	28	7	13	61	4	6	85	56	–	8	48	4	5 762	B29
	男 M.	1	11	20	7	13	61	4	6	79	49	–	8	41	4	2 058	
	女 F.	–	–	8	–	–	–	–	–	6	7	–	–	7	–	3 704	
B30	インフルエンザ	–	4	2	–	–	4	–	–	6	7	1	2	4	–	432	B30
	男 M.	–	4	2	–	–	4	–	–	6	4	–	2	2	–	171	
	女 F.	–	–	–	–	–	–	–	–	–	3	1	–	2	–	261	
B31	肺炎(新生児肺炎を除く)	9	28	42	11	42	96	9	5	154	105	9	17	79	23	10 969	B31
	男 M.	9	26	29	6	38	95	9	5	138	67	–	16	51	19	4 612	
	女 F.	–	2	13	5	4	1	–	–	16	38	9	1	28	4	6 357	
B32	気管支炎	1	14	11	1	7	26	–	–	26	17	1	5	11	1	4 479	B32
	男 M.	1	14	10	1	6	26	–	–	24	14	–	5	9	1	1 900	
	女 F.	–	–	1	–	1	–	–	–	2	3	1	–	2	–	2 579	
B33	胃および十二指腸の潰瘍	10	27	55	11	37	159	15	8	227	126	3	28	95	14	5 466	B33
	男 M.	10	27	52	10	37	159	15	8	217	107	–	28	79	12	2 727	
	女 F.	–	–	3	1	–	–	–	–	10	19	3	–	16	2	2 739	

第 56 表　15 才 以 上 死 亡 者 数，性・死因(簡単分類)・職業(中分類)別

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	技能工，生産工程従事者および他に分類されない Craftsmen, production process workers, and laborers not elsewhere						単純労働者 classified			サービス職業従事者 Service workers				分類不能の職業および不詳	未就業者および非労働力	国際簡単分類番号
		皮革および皮革製品製造従事者 Leather and leather products workers	窯業および土石製品製造従事者 Ceramic, clay and stone products workers	飲食料品製造および加工従事者 Food and beverage manufacturing and processing workers	化学薬品および化学製品製造従事者 Chemicals and other chemical products workers	その他の製造従事者および技能工(他に分類されない) Miscellaneous production process workers and craftsmen(n.e.c.)	建設従事者 Construction workers	電気従事者 Electrical workers	据付機関および建設機械運転従事者 Stationary engine and construction machinery operators	他に分類されない単純労働者 Laborers not elsewhere classified	総数 Total	家事サービス従事者 Domestic service workers	保安サービス従事者 Protective service workers	その他のサービス職業従事者 Miscellaneous service workers	Not classifiable and not reported	Unemployment and not in labor force	International abbreviated list number
B34	虫垂炎	2	3	8	1	3	14	1	–	18	19	1	4	14	3	436	B34
	男 M.	2	2	7	1	3	14	1	–	15	13	–	4	9	2	141	
	女 F.	–	1	1	–	–	–	–	–	3	6	1	–	5	1	295	
B35	腸閉塞およびヘルニア	1	11	14	1	9	30	10	1	63	48	2	10	36	4	1 495	B35
	男 M.	1	9	13	1	9	30	10	1	54	33	–	10	23	1	*494*	
	女 F.	–	2	1	–	–	–	–	–	9	15	2	–	13	3	1 001	
B36	胃炎，十二指腸炎，腸炎および大腸炎(新生児下痢を除く)	1	10	20	1	14	45	3	1	67	28	2	1	25	5	10 337	B36
	男 M.	1	7	16	1	13	45	3	1	58	17	–	1	16	5	3 187	
	女 F.	–	3	4	–	1	–	–	–	9	11	2	–	9	–	7 150	
B36. a	*胃炎および十二指腸炎*	*1*	*3*	*4*	–	*4*	*12*	–	–	*14*	*5*	–	–	*5*	–	*2 234*	B36. a
	男 M.	*1*	*2*	*3*	–	*4*	*12*	–	–	*11*	*4*	–	–	*4*	–	*753*	
	女 F.	–	*1*	*1*	–	–	–	–	–	*3*	*1*	–	–	*1*	–	*1 481*	
B36. b	*胃腸炎，腸炎および大腸炎*	–	*7*	*16*	*1*	*10*	*33*	*3*	*1*	*53*	*23*	*2*	*1*	*20*	*5*	*8 103*	B36. b
	男 M.	–	*5*	*13*	*1*	*9*	*33*	*3*	*1*	*47*	*13*	–	*1*	*12*	*5*	*2 434*	
	女 F.	–	*2*	*3*	–	*1*	–	–	–	*6*	*10*	*2*	–	*8*	–	*5 669*	
B37	肝硬変	8	21	51	8	24	118	16	5	191	118	3	25	90	10	4 385	B37
	男 M.	8	21	44	7	23	118	16	5	172	102	1	24	77	9	1 809	
	女 F.	–	–	7	1	1	–	–	–	19	16	2	1	13	1	2 576	
B38	腎炎およびネフローゼ	7	26	51	9	41	120	10	2	162	126	5	18	103	14	9 294	B38
	男 M.	7	22	49	9	38	118	10	2	138	82	1	18	63	13	3 167	
	女 F.	–	4	2	–	3	2	–	–	24	44	4	–	40	1	6 127	
B38. a	*急性腎炎およびネフローゼ*	*2*	*11*	*11*	*1*	*13*	*33*	*4*	*1*	*38*	*38*	*2*	*5*	*31*	*4*	*2 338*	B38. a
	男 M.	*2*	*9*	*11*	*1*	*11*	*32*	*4*	*1*	*28*	*21*	–	*5*	*16*	*4*	*804*	
	女 F.	–	*2*	–	–	*2*	*1*	–	–	*10*	*17*	*2*	–	*15*	–	*1 534*	
B38. b	*そ の 他*	*5*	*15*	*40*	*8*	*28*	*87*	*6*	*1*	*124*	*88*	*3*	*13*	*72*	*10*	*6 956*	B38. b
	男 M.	*5*	*13*	*38*	*8*	*27*	*86*	*6*	*1*	*110*	*61*	*1*	*13*	*47*	*9*	*2 363*	
	女 F.	–	*2*	*2*	–	*1*	*1*	–	–	*14*	*27*	*2*	–	*25*	*1*	*4 593*	
B39	前立腺肥大症	1	–	1	–	–	1	–	–	–	4	–	–	4	–	279	B39
	男 M.	1	–	1	–	–	1	–	–	–	4	–	–	4	–	279	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
B40	妊娠，分娩および産褥の合併症	1	1	7	3	2	1	–	–	20	41	–	–	41	4	1 489	B40
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	1	1	7	3	2	1	–	–	20	41	–	–	41	4	1 489	
B41	先天奇形	–	1	4	–	1	5	–	–	5	7	–	2	5	–	250	B41
	男 M.	–	1	4	–	1	5	–	–	5	5	–	2	3	–	88	
	女 F.	–	–	–	–	–	–	–	–	–	2	–	–	2	–	162	
B42	出生時の損傷，分娩後窒息および肺不全拡張	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B42
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
B43	新生児の感染	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B43
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
B43. a	*新生児肺炎*	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B43. a
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
B43. b	*新生児下痢*	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	B43. b
	男 M.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	
	女 F.	·	·	·	·	·	·	·	·	·	·	·	·	·	·	·	

第 56 表　15 才 以 上 死 亡 者 数，性・死因(簡単分類)・職業(中分類)別

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	技能工，生産工程従事者および他に分類されない Craftsmen, production process workers, and laborers not elsewhere						単純労働者 classified			サービス職業従事者 Service workers				分類不能の職業および不詳 Not classifiable and not reported	未就業者および非労働力 Unemployment and not in labor force	国際簡単分類番号 International abbreviated list number
		皮革および皮革製品製造従事者 Leather and leather products workers	窯業および土石製品製造従事者 Ceramic, clay and stone products workers	飲食料品製造および加工従事者 Food and beverage manufacturing and processing workers	化学薬品および化学製品製造従事者 Chemicals and other chemical products workers	その他の製造従事者および技能工(他に分類されない) Miscellaneous production process workers and craftsmen(n.e.c.)	建設従事者 Construction workers	電気従事者 Electrical workers	据付機関および建設機械運転従事者 Stationary engine and construction machinery operators	他に分類されない単純労働者 Laborers not elsewhere classified	総数 Total	家事サービス従事者 Domestic service workers	保安サービス従事者 Protective service workers	その他のサービス職業従事者 Miscellaneous service workers			
B43. c	その他の新生児の感染……	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B43. c
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B44	その他の新生児固有の疾患および性質不明の未熟児	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B44
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	18	54	111	24	67	229	27	9	341	218	15	34	169	59	49 628	B45
	男 M.	16	50	100	22	62	227	26	9	317	154	1	34	119	53	16 366	
	女 F.	2	4	11	2	5	2	1	–	24	64	14	–	50	6	33 262	
B45. a	精神病の記載のない老衰……	*6*	*25*	*38*	*2*	*22*	*74*	*2*	*1*	*67*	*52*	*6*	*2*	*44*	*12*	*43 586*	B45. a
	男 M.	*5*	*24*	*34*	*2*	*18*	*72*	*1*	*1*	*60*	*36*	–	*2*	*34*	*12*	*14 147*	
	女 F.	*1*	*1*	*4*	–	*4*	*2*	*1*	–	*7*	*16*	*6*	–	*10*	–	*29 439*	
B45. b	その他の診断名不明確および不明の原因	*12*	*29*	*73*	*22*	*45*	*155*	*25*	*8*	*274*	*166*	*9*	*32*	*125*	*47*	*6 042*	B45. b
	男 M.	*11*	*26*	*66*	*20*	*44*	*155*	*25*	*8*	*257*	*118*	*1*	*32*	*85*	*41*	*2 219*	
	女 F.	*1*	*3*	*7*	*2*	*1*	–	–	–	*17*	*48*	*8*	–	*40*	*6*	*3 823*	
B46	その他のすべての疾患……	22	120	170	25	110	352	46	18	561	404	18	69	317	76	30 806	B46
	男 M.	22	110	144	25	102	348	46	18	475	262	–	67	195	60	11 766	
	女 F.	–	10	26	–	8	4	–	–	86	142	18	2	122	16	19 040	
B46. a	その他の循環器系の疾患（先天性を除く）	*2*	*3*	*7*	*1*	*5*	*20*	*3*	–	*25*	*27*	–	*2*	*25*	*2*	*2 957*	B46. a
	男 M.	*2*	*3*	*7*	*1*	*5*	*20*	*3*	–	*24*	*20*	–	*2*	*18*	*2*	*1 209*	
	女 F.	–	–	–	–	–	–	–	–	*1*	*7*	–	–	*7*	–	*1 748*	
B46. b	その他のすべての疾患……	*20*	*117*	*163*	*24*	*105*	*332*	*43*	*18*	*536*	*377*	*18*	*67*	*292*	*74*	*27 849*	B46. b
	男 M.	*20*	*107*	*137*	*24*	*97*	*328*	*43*	*18*	*451*	*242*	–	*65*	*177*	*58*	*10 557*	
	女 F.	–	*10*	*26*	–	*8*	*4*	–	–	*85*	*135*	*18*	*2*	*115*	*16*	*17 292*	
"E"	不慮の事故，中毒および暴力の二重分類（外因）	**50**	**333**	**438**	**186**	**389**	**1 628**	**476**	**153**	**3 110**	**1 535**	**90**	**304**	**1 141**	**1 382** [1]	**16 691**	"E"
	男 M.	**47**	**306**	**386**	**165**	**361**	**1 623**	**474**	**153**	**2 891**	**877**	**3**	**304**	**570**	**944**	**6 898**	
	女 F.	**3**	**27**	**52**	**21**	**28**	**5**	**2**	–	**219**	**658**	**87**	–	**571**	**411**	**9 793**	
BE 47	自動車事故……	7	67	125	31	74	429	83	24	750	276	10	76	190	54	1 803	BE 47
	男 M.	7	63	116	30	70	429	83	24	693	214	–	76	138	46	854	
	女 F.	–	4	9	1	4	–	–	–	57	62	10	–	52	8	949	
BE 48	その他の不慮の事故……	15	155	134	87	145	816	320	105	1 712	366	19	109	238	571 [1]	5 962	BE 48
	男 M.	14	147	119	78	138	813	320	105	1 615	260	2	109	149	332	2 495	
	女 F.	1	8	15	9	7	3	–	–	97	106	17	–	89	212	3 467	
BE 48. a	自動車以外の交通事故……	*2*	*20*	*27*	*9*	*21*	*123*	*28*	*34*	*333*	*100*	*6*	*26*	*68*	*69*	*824*	BE 48. a
	男 M.	*1*	*18*	*26*	*9*	*20*	*122*	*28*	*34*	*312*	*78*	*1*	*26*	*51*	*57*	*422*	
	女 F.	*1*	*2*	*1*	–	*1*	*1*	–	–	*21*	*22*	*5*	–	*17*	*12*	*402*	
BE 48. b	不慮の墜落……	*1*	*30*	*22*	*14*	*39*	*329*	*67*	*19*	*345*	*56*	*4*	*23*	*29*	*13*	*1 137*	BE 48. b
	男 M.	*1*	*29*	*19*	*14*	*39*	*328*	*67*	*19*	*323*	*47*	–	*23*	*24*	*13*	*498*	
	女 F.	–	*1*	*3*	–	–	*1*	–	–	*22*	*9*	*4*	–	*5*	–	*639*	
BE 48. c	不慮の溺死および溺水……	*2*	*10*	*25*	*5*	*17*	*67*	*19*	*3*	*139*	*55*	*3*	*18*	*34*	*104*	*841*	BE 48. c
	男 M.	*2*	*10*	*24*	*5*	*15*	*67*	*19*	*3*	*135*	*39*	*1*	*18*	*20*	*76*	*458*	
	女 F.	–	–	*1*	–	*2*	–	–	–	*4*	*16*	*2*	–	*14*	*28*	*383*	
BE 48. d	天災……	*2*	*12*	*18*	*4*	*4*	*35*	*4*	*4*	*47*	*20*	*1*	*6*	*13*	*332* [1]	*1 326*	BE 48. d
	男 M.	*2*	*11*	*14*	*4*	*4*	*34*	*4*	*4*	*37*	*11*	–	*6*	*5*	*141*	*246*	
	女 F.	–	*1*	*4*	–	–	*1*	–	–	*10*	*9*	*1*	–	*8*	*164*	*1 080*	
BE 48. e	その他……	*8*	*83*	*42*	*55*	*64*	*262*	*202*	*45*	*848*	*135*	*5*	*36*	*94*	*53*	*1 834*	BE 48. e
	男 M.	*8*	*79*	*36*	*46*	*60*	*262*	*202*	*45*	*808*	*85*	–	*36*	*49*	*45*	*871*	
	女 F.	–	*4*	*6*	*9*	*4*	–	–	–	*40*	*50*	*5*	–	*45*	*8*	*963*	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 56 表　15 才 以 上 死 亡 者 数，

TABLE 56　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	技能工，生産工程従事者および他に分類されない Craftsmen, production process workers, and laborers not elsewhere					
		皮革および皮革製品製造従事者 Leather and leather products workers	窯業および土石製品製造従事者 Ceramic, clay and stone products workers	飲食料品製造および加工従事者 Food and beverage manufacturing and processing workers	化学薬品および化学製品製造従事者 Chemicals and other chemical products workers	その他の製造従事者および技能工（他に分類されない） Miscellaneous production process workers and craftsmen(n.e.c.)	建設従事者 Construction workers
BE 49	自殺および自傷	25	103	166	62	157	326
	男 M.	23	88	139	52	142	324
	女 F.	2	15	27	10	15	2
BE 50	他殺および戦争行為	3	8	13	6	13	57
	男 M.	3	8	12	5	11	57
	女 F.	–	–	1	1	2	–
BE 50. a	他殺	*3*	*8*	*13*	*6*	*12*	*57*
	男 M.	*3*	*8*	*12*	*5*	*10*	*57*
	女 F.	–	–	*1*	*1*	*2*	–
BE 50. b	処刑および戦争行為	–	–	–	–	*1*	–
	男 M.	–	–	–	–	*1*	–
	女 F.	–	–	–	–	–	–
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	**50**	**333**	**438**	**186**	**389**	**1 628**
	男 M.	**47**	**306**	**386**	**165**	**361**	**1 623**
	女 F.	**3**	**27**	**52**	**21**	**28**	**5**
BN 47	骨折，頭部損傷および内部損傷	13	185	204	71	166	1 063
	男 M.	12	176	190	67	159	1 061
	女 F.	1	9	14	4	7	2
BN 47. a	頭蓋骨折	*5*	*83*	*119*	*37*	*91*	*544*
	男 M.	*5*	*78*	*111*	*35*	*85*	*543*
	女 F.	–	*5*	*8*	*2*	*6*	*1*
BE 47. b	その他の骨の骨折	*2*	*28*	*15*	*6*	*14*	*120*
	男 M.	*1*	*28*	*13*	*6*	*14*	*120*
	女 F.	*1*	–	*2*	–	–	–
BN 47. c	頭部の損傷（骨折を除く）	*5*	*50*	*42*	*19*	*42*	*261*
	男 M.	*5*	*48*	*41*	*18*	*41*	*260*
	女 F.	–	*2*	*1*	*1*	*1*	*1*
BN 47. d	胸，腹，骨盤腔の内部損傷	*1*	*24*	*28*	*9*	*19*	*138*
	男 M.	*1*	*22*	*25*	*8*	*19*	*138*
	女 F.	–	*2*	*3*	*1*	–	–
BN 48	熱傷	–	4	11	21	15	22
	男 M.	–	3	9	16	13	22
	女 F.	–	1	2	5	2	–
BN 49	毒物の作用	17	59	92	47	109	160
	男 M.	17	48	75	39	101	159
	女 F.	–	11	17	8	8	1
BN 50	その他の損傷	20	85	131	47	99	383
	男 M.	18	79	112	43	88	381
	女 F.	2	6	19	4	11	2
BN 50. a	裂傷および開放創	*3*	*18*	*22*	*14*	*26*	*61*
	男 M.	*3*	*18*	*18*	*11*	*24*	*60*
	女 F.	–	–	*4*	*3*	*2*	*1*
BN 50. b	溺死および死にいたらない溺水	*9*	*24*	*60*	*10*	*27*	*127*
	男 M.	*7*	*21*	*51*	*9*	*20*	*126*
	女 F.	*2*	*3*	*9*	*1*	*7*	*1*
BN 50. c	窒息および絞首	*6*	*30*	*36*	*17*	*24*	*115*
	男 M.	*6*	*27*	*32*	*17*	*22*	*115*
	女 F.	–	*3*	*4*	–	*2*	–
BN 50. d	その他	*2*	*13*	*13*	*6*	*22*	*80*
	男 M.	*2*	*13*	*11*	*6*	*22*	*80*
	女 F.	–	–	*2*	–	–	–

注：1） 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

性・死因（簡単分類）・職業（中分類）別

(ABBREVIATED LIST) BY SEX AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959

単純労働者 classified			サービス職業従事者 Service workers				分類不能の職業および不詳	未就業者および非労働力	国際簡単分類番号
電気従事者 Electrical workers	据付機関および建設機械運転従事者 Stationary engine and construction machinery operators	他に分類されない単純労働者 Laborers not elsewhere classified	総数 Total	家事サービス従事者 Domestic service workers	保安サービス従事者 Protective service workers	その他のサービス職業従事者 Miscellaneous service workers	Not classifiable and not reported	Unemployment and not in labor force	International abbreviated list number
63	19	484	802	58	108	636	748	8 537	BE 49
61	19	423	355	1	108	246	559	3 344	
2	–	61	447	57	–	390	189	5 193	
10	5	164	91	3	11	77	9	389	BE 50
10	5	160	48	–	11	37	7	205	
–	–	4	43	3	–	40	2	184	
9	*5*	*162*	*91*	*3*	*11*	*77*	*9*	*362*	BE 50. a
9	*5*	*158*	*48*	–	*11*	*37*	*7*	*181*	
–	–	*4*	*43*	*3*	–	*40*	*2*	*181*	
1	–	*2*	–	–	–	–	–	*27*	BE 50. b
1	–	*2*	–	–	–	–	–	*24*	
–	–	–	–	–	–	–	–	*3*	
476	**153**	**3 110**	**1 535**	**90**	**304**	**1 141**	**1 382** [1]	**16 691**	"N"
474	**153**	**2 891**	**877**	**3**	**304**	**570**	**944**	**6 898**	
2	–	**219**	**658**	**87**	–	**571**	**411**	**9 793**	
212	83	1 996	519	*26*	156	337	241	4 363	BN 47
212	83	1 869	396	*1*	156	239	188	2 089	
–	–	127	123	*25*	–	98	53	2 274	
114	*41*	*990*	*248*	*13*	*76*	*159*	*140*	*1 765*	BN 47. a
114	*41*	*930*	*195*	*1*	*76*	*118*	*110*	*858*	
–	–	*60*	*53*	*12*	–	*41*	*30*	*907*	
27	*12*	*278*	*51*	*6*	*19*	*26*	*15*	*841*	BN 47. b
27	*12*	*261*	*36*	–	*19*	*17*	*10*	*333*	
–	–	*17*	*15*	*6*	–	*9*	*5*	*508*	
49	*13*	*382*	*143*	*5*	*41*	*97*	*65*	*1 284*	BN 47. c
49	*13*	*356*	*111*	–	*41*	*70*	*49*	*622*	
–	–	*26*	*32*	*5*	–	*27*	*16*	*662*	
22	*17*	*346*	*77*	*2*	*20*	*55*	*21*	*473*	BN 47. d
22	*17*	*322*	*54*	–	*20*	*34*	*19*	*276*	
–	–	*24*	*23*	*2*	–	*21*	*2*	*197*	
5	5	44	31	4	8	19	4	607	BN 48
5	5	41	18	–	8	10	3	222	
–	–	3	13	4	–	9	1	385	
39	14	218	606	38	43	525	362	3 952	BN 49
37	14	189	234	1	43	190	285	1 450	
2	–	29	372	37	–	335	77	2 502	
220	51	852	379	22	97	260	775 [1]	7 769	BN 50
220	51	792	229	1	97	131	468	3 137	
–	–	60	150	21	–	129	280	4 632	
14	*7*	*153*	*79*	*5*	*21*	*53*	*71*	*643*	BN 50. a
14	*7*	*146*	*49*	–	*21*	*28*	*59*	*305*	
–	–	*7*	*30*	*5*	–	*25*	*12*	*338*	
26	*32*	*254*	*144*	*8*	*25*	*111*	*565* [1]	*3 150*	BN 50. b
26	*32*	*231*	*70*	*1*	*25*	*44*	*291*	*905*	
–	–	*23*	*74*	*7*	–	*67*	*247*	*2 245*	
18	*7*	*217*	*120*	*7*	*35*	*78*	*87*	*3 045*	BN 50. c
18	*7*	*196*	*80*	–	*35*	*45*	*75*	*1 402*	
–	–	*21*	*40*	*7*	–	*33*	*12*	*1 643*	
162	*5*	*228*	*36*	*2*	*16*	*18*	*52*	*931*	BN 50. d
162	*5*	*219*	*30*	–	*16*	*14*	*43*	*525*	
–	–	*9*	*6*	*2*	–	*4*	*9*	*406*	

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 57 表　15 才 以 上 死 亡 者 数，

TABLE 57　DEATHS AT 15 YEARS OF AGE AND OVER

職業 Occupation		総数 Total			15
		総数 Total	男 Male	女 Female	総数 Total
総数	Total	1) 601 508	317 892	283 589	9 931
専門的，技術的職業従事者	Professional and technical workers	8 584	7 099	1 485	112
技術者	Technicians and engineers	1 105	1 096	9	11
教員	Professors and teachers	1 679	1 362	317	–
医療保健技術者	Medical and public health technicians	2 470	1 746	724	93
芸術家	Artists	341	279	62	2
その他の専門的職業従事者	Other professional workers	2 989	2 616	373	6
管理的職業従事者	Managers and officials	5 769	5 473	296	–
管理的職業従事者	Managers and officials	5 769	5 473	296	–
事務従事者	Clerical and related workers	10 675	9 138	1 537	311
事務従事者	Clerical workers	9 883	8 455	1 428	296
交通，通信事務従事者	Clerical workers in transportation and communication	792	683	109	15
販売従事者	Sales workers	21 231	17 978	3 253	445
販売従事者	Sales workers	19 830	16 713	3 117	444
仲立売買従事者および類似職業従事者	Agents, brokers and related workers	1 401	1 265	136	1
農林，漁業従事者および類似職業従事者	Farmers, lumbermen, fishermen and related workers	147 679	98 043	49 636	1 014
農林業従事者	Farmers and lumbermen	143 768	94 208	49 560	948
漁業従事者	Fishermen and kindred workers	3 911	3 835	76	66
採鉱，採石従事者	Workers in mining and quarrying occupations	2 424	2 372	52	47
採鉱，採石従事者	Workers in mining and quarrying occupations	2 424	2 372	52	47
運輸従事者	Workers in transport occupations	3 324	3 257	67	143
陸上運輸機関運転従事者	Workers operating land transport	1 991	1 978	13	75
水上運輸機関運転従事者	Workers operating marine transport	387	383	4	5
その他の運輸従事者	Other workers operating transport	946	896	50	63
技能工，生産工程従事者および他に分類されない単純労働者	Craftsmen, production process workers, and laborers not elsewhere classified	41 032	37 691	3 341	1 760
金属加工および機械組立従事者	Metal processing and machine assembling workers	5 671	5 464	207	399
電気機械器具製造従事者	Electric and electronic machinery workers	416	357	59	44
運輸装置製造従事者	Transportation equipment workers	1 057	1 045	12	97
貴金属および光学機械，精密機械製造従事者	Jewelry,optical and precision instrument workers	278	261	17	16
紡織従事者	Textile workers	2 198	1 473	725	195
繊物製品製造従事者	Garment and related textile fabrics workers	1 272	951	321	86
木材および木，竹，草，蔓，製品製造従事者	Wood, bamboo, grass and vine products workers	3 641	3 517	124	88
紙および紙製品製造従事者	Paper and paper products workers	464	389	75	28
印刷，製本従事者	Printing and bookbinding workers	750	702	48	33
ゴムおよびゴム製品製造従事者	Rubber and rubber products workers	154	128	26	23
皮革および皮革製品製造従事者	Leather and leather products workers	355	340	15	8
窯業および土石製品製造従事者	Ceramic, clay and stone products workers	1 572	1 455	117	37
飲食料品製造および加工従事者	Food and beverage manufacturing and processing workers	2 550	2 217	333	85
化学薬品および化学製品製造従事者	Chemicals and other chemical products workers	545	490	55	34
その他の製造従事者および技能工（他に分類されない）	Miscellaneous production process workers and craftsmen (not elsewhere classified)	1 791	1 678	113	93
建設従事者	Construction workers	6 798	6 756	42	127
電気従事者	Electrical workers	950	944	6	65
掘付機関および建設機械運転従事者	Stationary engine and construction machinery operators	390	390	–	12
他に分類されない単純労働者	Laborers not elsewhere classified	10 180	9 134	1 046	290
サービス職業従事者	Service workers	6 256	4 215	2 041	316
家事サービス従事者	Domestic service workers	279	15	264	35
保安サービス従事者	Protective service workers	1 202	1 189	13	23
その他のサービス職業従事者	Miscellaneous service workers	4 775	3 011	1 764	258
分類不能の職業および不詳	Not classifiable and not reported	1) 1 966	1 425	514	159
分類不能の職業および不詳	Not classifiable and not reported	1) 1 966	1 425	514	159
未就業者および非労働力	Unemployment and not in labor force	352 568	131 201	221 367	5 624
未就業者および非労働力	Unemployment and not in labor force	352 568	131 201	221 367	5 624

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

性・年齢（5才階級）・職業（中分類）別

BY SEX, AGE AND OCCUPATION; FOR ALL JAPAN

昭和 34 年
1959 ・

～ 19才		20 ～ 24才			25 ～ 29才			30 ～ 34才			35 ～ 39才		
男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female
5 942	3 989	15 253	9 167	6 086	16 527	9 558	6 969	16 520	9 118	7 402	15 496	7 812	7 684
21	91	307	172	135	482	343	139	498	372	126	406	318	88
11	–	90	88	2	117	115	2	112	112	–	59	58	1
–	–	58	36	22	184	125	59	182	120	62	146	114	32
3	90	116	15	101	95	33	62	115	64	51	125	82	43
2	–	12	10	2	24	20	4	19	17	2	11	7	4
5	1	31	23	8	62	50	12	70	59	11	65	57	8
–	–	12	8	4	61	58	3	129	117	12	174	164	10
–	–	12	8	4	61	58	3	129	117	12	174	164	10
135	176	1 042	624	418	1 051	787	264	1 033	827	206	811	703	108
124	172	966	580	386	978	741	237	929	744	185	748	649	99
11	4	76	44	32	73	46	27	104	83	21	63	54	9
349	96	811	641	170	735	609	126	681	566	115	820	632	188
348	96	795	628	168	708	588	120	642	530	112	767	595	172
1	–	15	13	2	27	21	6	39	36	3	53	37	16
651	363	2 681	1 608	1 073	3 163	1 899	1 264	3 419	2 008	1 411	3 383	1 757	1 626
586	362	2 548	1 480	1 068	3 004	1 743	1 261	3 254	1 849	1 405	3 265	1 645	1 620
65	1	133	128	5	159	156	3	165	159	6	118	112	6
43	4	182	178	4	257	255	2	285	280	5	234	227	7
43	4	182	178	4	257	255	2	285	280	5	234	227	7
126	17	560	541	19	602	594	8	418	412	6	247	245	2
75	–	442	438	4	458	454	4	279	278	1	170	169	1
5	–	19	18	1	44	43	1	45	44	1	22	22	–
46	17	99	85	14	100	97	3	94	90	4	55	54	1
1 430	330	2 969	2 590	379	2 855	2 611	254	2 497	2 276	221	2 137	1 899	238
371	28	592	562	30	462	440	22	456	440	16	385	363	22
26	18	78	63	15	49	41	8	31	27	4	31	25	6
97	–	131	131	–	72	71	1	71	70	1	81	80	1
14	2	33	26	7	19	16	3	14	13	1	17	16	1
47	148	250	110	140	152	81	71	100	58	42	111	60	51
41	45	111	46	65	81	43	38	62	32	30	70	58	12
85	3	130	122	8	200	192	8	141	133	8	146	133	13
20	8	43	35	8	38	32	6	39	28	11	18	16	2
27	6	71	64	7	58	52	6	34	31	3	31	27	4
13	10	22	14	8	14	11	3	8	7	1	9	9	–
8	–	20	18	2	21	21	–	13	12	1	22	20	2
25	11	91	80	11	80	69	11	73	68	5	60	55	5
68	17	158	137	21	121	101	20	98	80	18	102	83	19
29	5	46	36	10	46	37	9	46	41	5	50	46	4
84	9	126	113	13	108	98	10	89	82	7	81	75	5
125	2	368	366	2	505	502	3	363	360	3	217	214	3
64	1	116	115	1	143	143	–	136	135	1	76	75	1
12	–	39	39	–	31	31	–	39	39	–	34	34	–
273	17	544	513	31	665	630	35	684	620	64	596	510	86
122	194	687	364	323	438	233	205	344	193	151	325	185	140
–	35	40	–	40	23	–	23	16	–	16	18	1	17
23	–	108	108	–	84	84	–	104	102	2	80	80	–
99	159	539	256	283	331	149	182	224	91	133	227	104	123
90	69	287	220	67	265	204	61	153	106	47	140	95	45
90	69	287	220	67	265	204	61	153	106	47	140	95	45
2 975	2 649	5 715	2 221	3 494	6 608	1 965	4 643	7 063	1 961	5 102	6 819	1 587	5 232
2 975	2 649	5 715	2 221	3 494	6 608	1 965	4 643	7 053	1 961	5 102	6 819	1 587	5 232

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 57 表　15 才 以 上 死 亡 者 数，

TABLE 57　DEATHS AT 15 YEARS OF AGE AND OVER

性・年齢（5 才階級）・職業（中分類）別

BY SEX, AGE AND OCCUPATION; FOR ALL JAPAN

昭 和 34 年
1959

職業 Occupation		40 ～ 44才 years 総数 Total	男 Male	女 Female	45 ～ 49才 総数 Total	男 Male	女 Female	50 ～ 54才 総数 Total	男 Male	女 Female	55 ～ 59才 総数 Total	男 Male	女 Female	60 ～ 64才 総数 Total	男 Male	女 Female	65 ～ 69才 総数 Total	男 Male	女 Female
総数	Total	17 823	9 319	8 504	25 729	14 366	11 363	34 531	20 295	14 236	48 650	30 042	18 608	58 996	36 208	22 788	71 162	41 658	29 504
専門的，技術的職業従事者	Professional and technical workers	466	373	93	692	562	130	875	759	116	911	801	110	872	760	112	964	851	113
技術者	Technicians and engineers	94	94	–	130	130	–	141	140	1	144	143	1	98	97	1	53	52	1
教員	Professors and teachers	132	104	28	238	193	45	280	257	23	162	149	13	87	85	2	102	89	13
医療保健技術者	Medical and public health technicians	122	81	41	165	111	54	210	148	62	245	191	54	286	227	59	309	260	49
芸術家	Artists	19	12	7	35	29	6	32	26	6	47	39	8	42	37	5	39	29	10
その他の専門的職業従事者	Other professional workers	99	82	17	124	99	25	212	188	24	313	279	34	359	314	45	461	421	40
管理的職業従事者	Managers and officials	272	245	27	568	528	40	753	724	29	1 033	982	51	959	914	45	808	782	26
管理的職業従事者	Managers and officials	272	245	27	568	528	40	753	724	29	1 033	982	51	959	914	45	808	782	26
事務従事者	Clerical and related workers	877	786	91	1 128	1 019	109	1 323	1 255	68	1 293	1 237	56	936	908	28	510	500	10
事務従事者	Clerical workers	801	715	86	1 047	940	107	1 205	1 139	66	1 187	1 136	51	896	870	26	487	477	10
交通，通信事務従事者	Clerical workers in transportation and communication	76	71	5	81	79	2	118	116	2	106	101	5	40	38	2	23	23	–
販売従事者	Sales workers	1 137	933	204	1 826	1 481	345	2 319	1 937	382	3 064	2 658	406	3 032	2 650	382	2 667	2 327	340
販売従事者	Sales workers	1 056	864	192	1 710	1 385	325	2 166	1 802	364	2 836	2 447	389	2 783	2 418	365	2 484	2 157	327
仲立売買従事者および類似職業従事者	Agents, brokers and related workers	81	69	12	116	96	20	153	135	18	228	211	17	249	232	17	183	170	13
農林，漁業従事者および類似職業従事者	Farmers, lumbermen, fishermen and related workers	4 232	2 260	1 972	6 473	3 668	2 805	9 847	6 019	3 828	15 482	10 524	4 958	19 327	13 526	5 801	22 523	16 073	6 450
農林業従事者	Farmers and lumbermen	4 087	2 122	1 965	6 239	3 441	2 798	9 475	5 657	3 818	14 939	9 988	4 951	18 756	12 960	5 796	21 999	15 557	6 442
漁業従事者	Fishermen and kindred workers	145	138	7	234	227	7	372	362	10	543	536	7	571	566	5	524	516	8
採鉱，採石従事者	Workers in mining and quarrying occupations	235	232	3	320	308	12	332	324	8	234	230	4	142	141	1	82	81	1
採鉱，採石従事者	Workers in mining and quarrying occupations	235	232	3	320	308	12	332	324	8	234	230	4	142	141	1	82	81	1
運輸従事者	Workers in transport occupations	213	208	5	309	307	2	280	278	2	235	233	2	152	150	2	84	83	1
陸上運輸機関運転従事者	Workers operating land transport	141	138	3	190	190	–	133	133	–	60	60	–	28	28	–	10	10	–
水上運輸機関運転従事者	Workers operating marine transport	23	23	–	36	35	1	38	38	–	68	68	–	40	40	–	24	24	–
その他の運輸従事者	Other workers operating transport	49	47	2	83	82	1	109	107	2	107	105	2	84	82	2	50	49	1
技能工，生産工程従事者および他に分類されない単純労働者	Craftsmen, production process workers, and laborers not elsewhere classified	2 618	2 285	333	3 859	3 471	388	4 907	4 546	361	5 594	5 279	315	5 014	4 829	185	3 399	3 253	146
金属加工および機械組立従事者	Metal processing and machine assembling workers	413	384	29	529	506	23	643	628	15	640	625	14	529	527	2	341	339	2
電気機械器具製造従事者	Electric and electronic machinery workers	25	21	4	34	31	3	39	39	–	38	38	–	30	30	–	10	10	–
運輸装置製造従事者	Transportation equipment workers	76	76	–	102	100	2	131	129	2	132	128	4	84	84	–	46	45	1
貴金属および光学機械，精密機械製造従事者	Jewelry, optical and precision instrument workers	18	18	–	27	26	1	32	31	1	26	25	1	26	26	–	25	25	–
紡織従事者	Textile workers	113	62	51	189	128	61	242	189	53	256	215	41	239	212	27	153	137	16
繊物製品製造従事者	Garment and related textile fabrics workers	99	70	29	159	127	32	168	154	14	135	118	17	123	113	10	86	76	10
木材および木，竹，草，蔓，製品製造従事者	Wood, bamboo, grass and vine products workers	171	158	13	344	332	12	428	408	20	545	537	8	541	531	10	409	395	14
紙および紙製品製造従事者	Paper and paper products workers	38	29	9	47	40	7	47	42	5	66	59	7	36	32	4	24	21	3
印刷，製本従事者	Printing and bookbinding workers	54	50	4	66	63	3	88	80	8	97	93	4	102	101	1	63	62	1
ゴムおよびゴム製品製造従事者	Rubber and rubber products workers	12	12	–	14	11	3	8	8	–	18	17	1	11	11	–	10	10	–
皮革および皮革製品製造従事者	Leather and leather products workers	29	28	1	34	31	3	61	57	4	55	55	–	38	38	–	26	26	–
窯業および土石製品製造従事者	Ceramic, clay and stone products workers	98	84	14	134	122	12	174	157	17	243	234	9	230	225	5	159	150	9
飲食料品製造および加工従事者	Food and beverage manufacturing and processing workers	136	106	30	188	153	35	261	227	34	383	343	40	345	321	24	305	284	21
化学薬品および化学製品製造従事者	Chemicals and other chemical products workers	59	54	5	71	67	4	69	63	6	53	49	4	30	29	1	15	15	–
その他の製造従事者および技能工（他に分類されない）	Miscellaneous production process workers and craftsmen (not elsewhere crassified)	109	99	10	156	142	14	204	196	8	236	226	10	247	238	9	155	146	9
建設従事者	Construction workers	293	289	4	617	612	5	816	812	4	962	956	6	1 080	1 076	4	704	701	3
電気従事者	Electrical workers	66	66	–	69	68	1	114	114	–	76	76	–	51	51	–	25	25	–
据付機関および建設機械運転従事者	Stationary engine and construction machinery operators	37	37	–	44	44	–	43	43	–	42	42	–	31	31	–	24	24	–
他に分類されない単純労働者	Laborers not elsewhere classified	772	642	130	1 035	868	167	1 339	1 169	170	1 591	1 442	149	1 241	1 153	88	819	762	57
サービス職業従事者	Service workers	463	298	165	577	418	159	653	456	197	701	530	171	653	521	132	517	432	85
家事サービス従事者	Domestic service workers	17	1	16	19	–	19	24	–	24	30	3	27	22	2	20	16	6	10
保安サービス従事者	Protective service workers	129	129	–	140	137	3	142	139	3	151	148	3	98	98	–	79	77	2
その他のサービス職業従事者	Miscellaneous service workers	317	168	149	418	281	137	487	317	170	520	379	141	533	421	112	422	349	73
分類不能の職業および不詳	Not classifiable and not reported	146	99	47	161	126	35	149	116	33	190	163	27	103	84	19	74	46	28
分類不能の職業および不詳	Not classifiable and no reported	146	99	47	161	126	35	149	116	33	190	163	27	103	84	19	74	46	28
未就業者および非労働力	Unemployment and not in labor force	7 164	1 600	5 564	9 816	2 478	7 338	13 093	3 881	9 212	19 913	7 405	12 508	27 806	11 725	15 081	39 534	17 230	22 304
未就業者および非労働力	Unemployment and not in labor force	7 164	1 600	5 564	9 816	2 478	7 338	13 093	3 881	9 212	19 913	7 405	12 508	27 806	11 725	16 081	39 534	17 230	22 304

第 57 表　15 才 以 上 死 亡 者 数，

TABLE 57　DEATHS AT 15 YEARS OF AGE AND OVER

職業 Occupation		70 ～ 74才 years 総数 Total	男 Male	女 Female	75 総数 Total
総数	Total	83 717	45 024	38 693	83 985
専門的，技術的職業従事者	Proessional and technical workers	898	810	88	572
技術者	Technicians and engineers	40	40	–	14
教員	Professors and teachers	64	58	6	24
医療保健技術者	Medical and public health technicians	290	261	29	172
芸術家	Artists	29	27	2	19
その他の専門的職業従事者	Other professional workers	475	424	51	343
管理的職業従事者	Managers and officials	541	516	25	303
管理的職業従事者	Managers and officials	541	516	25	303
事務従事者	Clerical and related workers	241	241	–	88
事務従事者	Clerical workers	233	233	–	82
交通，通信事務従事者	Clerical workers in transportation and communication	8	8	–	6
販売従事者	Sales workers	1 948	1 709	239	1 162
販売従事者	Sales workers	1 798	1 568	230	1 093
仲立売買従事者および類似職業従事者	Agents, brokers and related workers	150	141	9	69
農林，漁業従事者および類似職業従事者	Farmers, lumbermen, fishermen and related workers	22 049	15 724	6 325	18 226
農林業従事者	Farmers and lumbermen	21 628	15 309	6 319	17 955
漁業従事者	Fishermen and kindred workers	421	415	6	271
採鉱，採石従事者	Workers in mining and quarrying occupations	46	46	–	22
採鉱，採石従事者	Workers in mining and quarrying occupations	46	46	–	22
運輸従事者	Workers in transport occupations	45	45	–	26
陸上運輸機関運転従事者	Workers operating land transport	3	3	–	2
水上運輸機関運転従事者	Workers operating marine transport	15	15	–	4
その他の運輸従事者	Other workers operating transport	27	27	–	20
技能工，生産工程従事者および他に分類されない単純労働者	Craftsmen, production process workers, and laborers not elsewhere classified	1 972	1 884	88	968
金属加工および機械組立従事者	Metal processing and machine assembling workers	173	170	3	81
電気機械器具製造従事者	Electric and electronic machinery workers	6	6	–	1
運輸装置製造従事者	Transportation equipment workers	21	21	–	9
貴金属および光学機械，精密機械製造従事者	Jewelry, optical and precision instrument workers	18	18	–	5
紡織従事者	Textile workers	99	90	9	62
繊物製品製造従事者	Garment and related textile fabrics workers	55	43	12	28
木材および木，竹，草，蔓，製品製造従事者	Wood, bamboo, grass and vine products workers	273	270	3	141
紙および紙製品製造従事者	Paper and paper products workers	17	15	2	15
印刷，製本従事者	Printing and bookbinding workers	36	35	1	12
ゴムおよびゴム製品製造従事者	Rubber and rubber products workers	5	5	–	–
皮革および皮革製品製造従事者	Leather and leather products workers	16	16	–	9
窯業および土石製品製造従事者	Ceramic, clay and stone products workers	105	100	5	57
飲食料品製造および加工従事者	Food and beverage manufacturing and processing workers	193	171	22	113
化学薬品および化学製品製造従事者	Chemicals and other chemical products workers	18	16	2	7
その他の製造従事者および技能工（他に分類されない）	Miscellaneous production process workers and craftsmen (not elsewhere classified)	112	110	2	51
建設従事者	Construction workers	420	418	2	215
電気従事者	Electrical workers	9	9	–	4
据付機関および建設機械運転従事者	Stationary engine and construction machinery operators	8	8	–	4
他に分類されない単純労働者	Laborers not elsewhere classified	388	363	25	154
サービス職業従事者	Service workers	340	273	67	155
家事サービス従事者	Domestic service workers	11	1	10	4
保安サービス従事者	Protective service workers	47	47	–	13
その他のサービス職業従事者	Miscellaneous service workers	282	225	57	138
分類不能の職業および不詳	Not classifiable and not reported	51	36	15	21
分類不能の職業および不詳	Not classifiable and not reported	51	36	15	21
未就業者および非労働力	Unemployment and not in labor force	55 586	23 740	31 846	62 442
未就業者および非労働力	Unemployment and not in labor force	55 586	23 740	31 846	62 442

注：1）男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

性・年齢（5 才階級）・職業（中分類）別

BY SEX, AGE AND OCCUPATION; FOR ALL JAPAN

昭 和 34 年
1959

～ 79才		80 ～ 84才			85 ～ 89才			90 才 ～			不詳 Unknown		
男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female
39 604	44 381	65 043	26 982	38 061	28 621	10 154	18 467	9 464	2 619	6 845	1) 60	24	9
505	67	365	322	43	133	106	27	31	24	7	–	–	–
14	–	1	1	–	1	1	–	–	–	–	–	–	–
18	6	10	8	2	9	5	4	1	1	–	–	–	–
156	16	92	83	9	31	28	3	4	3	1	–	–	–
15	4	8	6	2	2	2	–	1	1	–	–	–	–
302	41	254	224	30	90	70	20	25	19	6	–	–	–
289	14	119	112	7	33	31	2	4	3	1	–	–	–
289	14	119	112	7	33	31	2	4	3	1	–	–	–
86	2	24	23	1	6	6	–	1	1	–	–	–	–
80	2	21	20	1	6	6	–	1	1	–	–	–	–
6	–	3	3	–	–	–	–	–	–	–	–	–	–
998	164	445	373	72	114	94	20	25	21	4	–	–	–
931	162	414	343	71	108	88	20	25	21	4	–	–	–
67	2	31	30	1	6	6	–	–	–	–	–	–	–
12 413	5 813	10 997	7 146	3 851	3 989	2 326	1 663	873	440	433	1	1	–
12 146	5 809	10 873	7 022	3 851	3 935	2 273	1 662	862	429	433	1	1	–
267	4	124	124	–	54	53	1	11	11	–	–	–	–
21	1	2	2	–	4	4	–	–	–	–	–	–	–
21	1	2	2	–	4	4	–	–	–	–	–	–	–
25	1	6	6	–	3	3	–	1	1	–	–	–	–
2	–	–	–	–	–	–	–	–	–	–	–	–	–
4	–	2	2	–	1	1	–	1	1	–	–	–	–
19	1	4	4	–	2	2	–	–	–	–	–	–	–
907	61	363	336	27	93	83	10	17	12	5	–	–	–
80	1	24	24	–	3	3		1	1		–	–	–
–	1	–	–	–	–	–					–	–	–
9	–	4	4	–	–	–					–	–	–
5	–	2	2	–	–	–					–	–	–
58	4	21	18	3	13	6	7	3	2	1	–	–	–
24	4	9	6	3	–	–	–	–	–	–	–	–	–
138	3	64	63	1	17	17	–	3	3	–	–	–	–
13	2	8	7	1	–	–	–	–	–	–	–	–	–
12	–	2	2	–	3	3	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	1	3	2	1	–	–	–	–	–	–	–	–	–
55	2	23	23	–	8	7	1	–	–	–	–	–	–
92	21	49	42	7	9	8	1	4	1	3	–	–	–
7	–	1	1	–	–	–	–	–	–	–	–	–	–
47	4	18	16	2	6	6	–	–	–	–	–	–	–
215	–	84	83	1	22	22	–	5	5	–	–	–	–
3	1	–	–	–	–	–	–	–	–	–	–	–	–
4	–	1	1	–	1	1	–	–	–	–	–	–	–
137	17	50	42	8	11	10	1	1	–	1	–	–	–
123	32	76	59	17	9	7	2	2	1	1	–	–	–
–	4	4	1	3	–	–	–	–	–	–	–	–	–
13	–	4	4	–	–	–	–	–	–	–	–	–	–
110	28	68	54	14	9	7	2	2	1	1	–	–	–
13	8	6	2	4	2	2	–	–	–	–	1) 59	23	9
13	8	6	2	4	2	2	–	–	–	–	1) 59	23	9
24 224	38 218	52 640	18 601	34 039	24 235	7 492	16 743	8 510	2 116	6 394	–	–	–
24 224	38 218	52 640	18 601	34 039	24 235	7 492	16 743	8 510	2 116	6 394	–	–	–

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	農業 Agriculture	林業，狩猟業 Forestry and hunting	漁業，水産養殖業 Fisheries and aquiculture	鉱業 Mining	建設業 Construction	製造業 Manufacturing: 総数 Total	食料品製造業 Food and kindred products	煙草製造業 Tobacco manufactures	紡織業 Textile mill products	衣服，身廻品製造業 Apparel and other finished products made from fabrics and similar materials	木材および木製品製造業（家具を除く） Lumber and wood products (except furniture)	家具，装備品製造業 Furniture and fixtures	紙および類似品製造業 Paper and allied products	印刷，出版および類似産業 Printing, publishing and allied industries	国際簡単分類番号 International abbreviated list number
	総数	1) 601 508	142 906	1 598	4 260	2 924	13 927	25 476	3 299	80	3 166	530	2 406	1 229	701	1 222	
	男 M.	317 892	93 317	1 527	4 177	2 835	13 367	22 832	2 886	63	2 347	409	2 272	1 196	596	1 145	
	女 F.	283 589	49 589	71	83	89	560	2 644	413	17	819	121	134	33	105	77	
B 1	呼吸器系の結核	29 418	4 882	61	214	196	723	1 621	164	5	185	54	133	68	46	116	B 1
	男 M.	18 405	3 517	59	212	190	703	1 483	153	3	143	39	128	67	35	112	
	女 F.	11 013	1 365	2	2	6	20	138	11	2	42	15	5	1	11	4	
B 2	その他の結核	2 578	529	8	15	10	71	130	16	1	15	3	12	3	6	9	B 2
	男 M.	1 153	285	8	14	9	65	101	11	1	10	1	9	3	5	6	
	女 F.	1 425	244	–	1	1	6	29	5	–	5	2	3	–	1	3	
B 3	梅毒およびその続発症	2 220	342	8	28	10	99	127	12	1	10	5	15	11	2	10	B 3
	男 M.	1 614	283	8	28	10	98	122	11	1	9	5	14	11	1	10	
	女 F.	606	59	–	–	–	1	5	1	–	1	–	1	–	1	–	
B 4	腸チフス	37	5	–	–	–	2	3	2	–	–	–	–	–	–	–	B 4
	男 M.	24	4	–	–	–	2	2	1	–	–	–	–	–	–	–	
	女 F.	13	1	–	–	–	–	1	1	–	–	–	–	–	–	–	
B 5	コレラ	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 5
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 6	赤痢	334	78	1	3	4	10	20	–	–	3	1	1	1	1	3	B 6
	男 M.	161	43	1	2	4	10	17	–	–	1	–	1	1	1	3	
	女 F.	173	35	–	1	–	–	3	–	–	2	1	–	–	–	–	
B 6. a	細菌性赤痢（疫痢症状を呈するもの）	*5*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 6. a
	男 M.	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	*3*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 6. b	細菌性赤痢（その他）	*315*	*76*	*1*	*2*	*4*	*9*	*19*	–	–	*3*	*1*	*1*	*1*	–	*3*	B 6. b
	男 M.	*148*	*42*	*1*	*1*	*4*	*9*	*16*	–	–	*1*	–	*1*	*1*	–	*3*	
	女 F.	*167*	*34*	–	*1*	–	–	*3*	–	–	*2*	*1*	–	–	–	–	
B 6. c	アメーバ症	*14*	*2*	–	*1*	–	*1*	*1*	–	–	–	–	–	–	*1*	–	B 6. c
	男 M.	*11*	*1*	–	*1*	–	*1*	*1*	–	–	–	–	–	–	*1*	–	
	女 F.	*3*	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 6. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 7	猩紅熱およびレンサ球菌性口峡炎	30	5	–	–	–	–	4	–	–	–	–	–	–	–	2	B 7
	男 M.	16	2	–	–	–	–	3	–	–	–	–	–	–	–	2	
	女 F.	14	3	–	–	–	–	1	–	–	–	–	–	–	–	–	
B 7. a	猩紅熱	*29*	*5*	–	–	–	–	*4*	–	–	–	–	–	–	–	2	B 7. a
	男 M.	*15*	*2*	–	–	–	–	*3*	–	–	–	–	–	–	–	2	
	女 F.	*14*	*3*	–	–	–	–	*1*	–	–	–	–	–	–	–	–	
B 7. b	レンサ球菌性口峡炎	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 7. b
	男 M.	*1*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 8	ジフテリア	25	5	–	–	–	1	–	–	–	–	–	–	–	–	–	B 8
	男 M.	11	2	–	–	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	14	3	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 9	百日咳	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 9
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

注：1)　男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknoun", the components do not equal the total.

第 58 表　15 才 以 上 死 亡 者 数，

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因（簡単分類）・産業（中分類）別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	農業 Agriculture	林業，狩猟業 Forestry and hunting	漁業，水産養殖業 Fisheries and aquiculture	鉱業 Mining	建設業 Construction	製造業 Manufacturing
								総数 Total
B 10	髄膜炎菌感染	75	9	–	3	–	5	8
	男 M.	49	5	–	3	–	4	7
	女 F.	26	4	–	–	–	1	1
B 11	ペスト	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B 12	急性灰白髄炎	52	11	–	–	1	1	4
	男 M.	24	7	–	–	–	1	3
	女 F.	28	4	–	–	1	–	1
B 13	痘瘡	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B 14	麻疹	8	2	–	–	–	–	–
	男 M.	4	1	–	–	–	–	–
	女 F.	4	1	–	–	–	–	–
B 15	発疹チフスおよびその他のリケッチア病	10	6	–	–	–	–	–
	男 M.	5	5	–	–	–	–	–
	女 F.	5	1	–	–	–	–	–
B 15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B 15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B 15. c	その他	*10*	*6*	–	–	–	–	–
	男 M.	*5*	*5*	–	–	–	–	–
	女 F.	*5*	*1*	–	–	–	–	–
B 16	マラリア	10	4	–	–	–	1	2
	男 M.	10	4	–	–	–	1	2
	女 F.	–	–	–	–	–	–	–
B 17	伝染性および寄生性として分類されたその他の疾患	3 087	1 079	9	24	12	78	190
	男 M.	1 661	675	9	23	11	72	155
	女 F.	1 426	404	–	1	1	6	35
B 17. a	パラチフス	*8*	*3*	–	–	–	–	*1*
	男 M.	*8*	*3*	–	–	–	–	*1*
	女 F.	–	–	–	–	–	–	–
B 17. b	猩紅熱	*14*	*3*	*1*	–	–	–	–
	男 M.	*11*	*2*	*1*	–	–	–	–
	女 F.	*3*	*1*	–	–	–	–	–
B 17. c	破傷風	*339*	*131*	–	*1*	*1*	*22*	*33*
	男 M.	*209*	*87*	–	*1*	*1*	*22*	*29*
	女 F.	*130*	*44*	–	–	–	–	*4*
B 17. d	炭疽	*3*	*1*	–	–	–	–	*1*
	男 M.	*3*	*1*	–	–	–	–	*1*
	女 F.	–	–	–	–	–	–	–
B 17. e	回帰熱	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–

製造業 Manufacturing									国際簡単分類番号 International abbreviated list number
食料品製造業 Food and kindred products	煙草製造業 Tobacco manufactures	紡織業 Textile mill products	衣服，身廻品製造業 Apparel and other finished products made from fabrics and similar materials	木材および木製品製造業（家具を除く） Lumber and wood products (except furniture)	家具，装備品製造業 Furniture and fixtures	紙および類似品製造業 Paper and allied products	印刷，出版および類似産業 Printing, publishing and allied industries		
1	–	1	–	1	–	–	1		B 10
–	–	1	–	1	–	–	1		
1	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		B 11
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		
–	–	–	–	1	–	–	1		B 12
–	–	–	–	1	–	–	1		
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		B 13
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		B 14
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		B 15
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		B 15. a
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		B 15. b
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		B 15. c
–	–	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		
2	1	–	–	–	–	–	–		B 16
2	1	–	–	–	–	–	–		
–	–	–	–	–	–	–	–		
190	17	2	36	9	18	9	6	4	B 17
155	16	1	20	5	17	9	6	4	
35	1	1	16	4	1	–	–	–	
1	–	–	–	–	–	–	–	–	B 17. a
1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B 17. b
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
33	*3*	*1*	*7*	*5*	*3*	*1*	–	–	B 17. c
29	*3*	–	*6*	*4*	*3*	*1*	–	–	
4	–	*1*	*1*	*1*	–	–	–	–	
1	–	–	–	–	*1*	–	–	–	B 17. d
1	–	–	–	–	*1*	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B 17. e
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	

第 58 表　15 才 以 上 死 亡 者 数,

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因（簡単分類）・産業（中分類）別

(ABBREVIATED LIST), BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	農業 Agriculture	林業，狩猟業 Forestry and hunting	漁業，水産養殖業 Fisheries and aquiculture	鉱業 Mining	建設業 Construction	製造業 Manufacturing
								総数 Total
B 17. f	日本脳炎	417	107	4	5	4	6	47
	男 M.	209	58	4	4	3	6	32
	女 F.	208	49	–	1	1	–	15
B 17. g	黄熱	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B 17. h	狂犬病	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–
B 17. i	伝染性下痢症	1	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–
B 17. j	日本住血吸虫症	57	34	–	–	–	–	3
	男 M.	33	20	–	–	–	–	3
	女 F.	24	14	–	–	–	–	–
B 17. k	糸状虫症	50	20	–	–	–	–	2
	男 M.	32	16	–	–	–	–	2
	女 F.	18	4	–	–	–	–	–
B 17. l	その他の伝染性および寄生性として分類された疾患	2 198	780	4	18	7	50	103
	男 M.	1 156	488	4	18	7	44	87
	女 F.	1 042	292	–	–	–	6	16
B 18	悪性新生物（リンパ組織および造血組織の新生物を含む）	89 941	23 839	200	800	384	2 083	4 804
	男 M.	48 442	15 600	187	779	373	1 967	4 325
	女 F.	41 499	8 239	13	21	11	116	479
B 18. a	胃の悪性新生物	41 880	12 234	100	383	194	1 113	2 386
	男 M.	25 754	8 859	96	376	190	1 076	2 234
	女 F.	16 126	3 375	4	7	4	37	152
B 18. b	気管，気管支および肺の悪性新生物	4 728	1 136	10	64	25	125	333
	男 M.	3 321	905	10	61	25	121	318
	女 F.	1 407	231	–	3	–	4	15
B 18. c	乳房の悪性新生物	1 673	268	–	2	–	7	22
	男 M.	21	8	–	1	–	1	–
	女 F.	1 652	260	–	1	–	6	22
B 18. d	子宮の悪性新生物	7 097	1 337	4	5	6	30	111
	男 M.	•	•	•	•	•	•	•
	女 F.	7 097	1 337	4	5	6	30	111
B 18. e	白血病および無白血病	1 710	388	6	20	16	56	179
	男 M.	942	242	6	20	16	54	146
	女 F.	768	146	–	–	–	2	33
B 18. f	その他	32 853	8 476	80	326	143	752	1 773
	男 M.	18 404	5 586	75	321	142	715	1 627
	女 F.	14 449	2 890	5	5	1	37	146
B 19	良性および性質不詳の新生物	3 973	891	5	29	22	98	250
	男 M.	1 923	523	5	29	22	95	205
	女 F.	2 050	368	–	–	–	3	45
B 20	糖尿病	2 771	740	6	12	6	32	77
	男 M.	1 282	407	6	12	5	31	70
	女 F.	1 489	333	–	–	1	1	7

国際簡単分類番号 International abbreviated list number	食料品製造業 Food and kindred products	煙草製造業 Tobacco manufactures	紡織業 Textile mill products	衣服，身廻品製造業 Apparel and other finished products made from fabrics and similar materials	木材および木製品製造業（家具を除く） Lumber and wood products (except furniture)	家具，装備品製造業 Furniture and fixtures	紙および類似品製造業 Paper and allied products	印刷，出版および類似産業 Printing, publishing and allied industries
B 17. f	5	–	10	1	4	–	1	–
	4	–	2	–	4	–	1	–
	1	–	8	1	–	–	–	–
B 17. g	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–
B 17. h	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–
B 17. i	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–
B 17. j	–	–	–	–	1	–	–	–
	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–
B 17. k	1	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–
B 17. l	8	1	19	3	9	8	5	4
	8	1	12	1	8	8	5	4
	–	–	7	2	1	–	–	–
B 18	638	20	628	83	443	244	128	221
	559	18	498	68	410	240	105	207
	79	2	130	15	33	4	23	14
B 18. a	317	9	293	37	236	128	65	109
	289	9	264	34	227	128	56	104
	28	–	29	3	9	–	9	5
B 18. b	48	1	42	3	25	13	6	14
	43	1	40	3	24	12	5	14
	5	–	2	–	1	1	1	–
B 18. c	3	–	8	2	1	–	1	–
	–	–	–	–	–	–	–	–
	3	–	8	2	1	–	1	–
B 18. d	19	1	29	7	9	1	8	2
	•	•	•	•	•	•	•	•
	19	1	29	7	9	1	8	2
B 18. e	14	1	31	2	17	10	5	13
	12	1	16	1	17	10	5	11
	2	–	15	1	–	–	–	2
B 18. f	237	8	225	32	155	92	43	83
	215	7	178	30	142	90	39	78
	22	1	47	2	13	2	4	5
B 19	28	1	41	8	17	14	6	11
	20	–	27	4	13	14	6	9
	8	1	14	4	4	–	–	2
B 20	13	–	12	2	5	5	1	1
	12	–	10	2	5	4	1	1
	1	–	2	–	–	1	–	–

第 58 表　15 才 以 上 死 亡 者 数，

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	農業 Agriculture	林業，狩猟業 Forestry and hunting	漁業，水産養殖業 Fisheries and aquiculture	鉱業 Mining	建設業 Construction
B 21	貧血	1 162	316	3	7	1	20
	男 M.	511	170	3	7	1	17
	女 F.	651	146	–	–	–	3
B 22	中枢神経系の血管損傷	142 724	38 442	293	859	391	2 794
	男 M.	75 091	25 298	280	847	379	2 692
	女 F.	67 633	13 144	13	12	12	102
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	623	167	1	7	2	26
	男 M.	348	110	1	7	2	25
	女 F.	275	57	–	–	–	1
B 24	リューマチ熱	875	218	2	7	2	14
	男 M.	336	102	1	7	2	14
	女 F.	539	116	1	–	–	–
B 25	慢性リューマチ性心臓疾患	5 206	1 248	10	33	16	60
	男 M.	1 938	644	9	22	16	56
	女 F.	3 268	604	1	1	–	4
B 26	動脈硬化性および変性性心臓疾患	41 985	9 931	68	280	110	797
	男 M.	21 710	6 371	65	276	108	773
	女 F.	20 275	3 560	3	4	2	24
B 26. a	*動脈硬化性心臓疾患（冠状動脈疾患を含む）*	*17 376*	*3 986*	*34*	*158*	*63*	*442*
	男 M.	*10 466*	*2 830*	*31*	*157*	*62*	*434*
	女 F.	*6 910*	*1 156*	*3*	*1*	*1*	*8*
B 26. b	*リューマチ性と明示されない慢性心内膜炎*	*12 123*	*3 142*	*23*	*63*	*26*	*201*
	男 M.	*5 191*	*1 743*	*23*	*62*	*25*	*191*
	女 F.	*6 932*	*1 399*	–	*1*	*1*	*10*
B 26. c	*その他の心筋変性*	*12 486*	*2 803*	*11*	*59*	*21*	*154*
	男 M.	*6 053*	*1 798*	*11*	*57*	*21*	*148*
	女 F.	*6 433*	*1 005*	–	*2*	–	*6*
B 27	その他の心臓疾患	14 548	3 579	34	90	23	206
	男 M.	7 877	2 472	31	87	23	201
	女 F.	6 671	1 107	3	3	–	5
B 28	高血圧性心臓疾患	4 971	963	8	24	8	75
	男 M.	2 543	631	8	23	8	72
	女 F.	2 428	332	–	1	–	3
B 29	その他の高血圧性疾患	8 531	1 745	18	43	37	127
	男 M.	4 148	1 157	16	41	37	122
	女 F.	4 383	588	2	2	–	5
B 30	インフルエンザ	736	213	1	5	1	9
	男 M.	391	143	1	5	1	8
	女 F.	345	70	–	–	–	1
B 31	肺炎（新生児肺炎を除く）	16 784	3 949	25	77	42	193
	男 M.	8 853	2 622	25	76	40	183
	女 F.	7 931	1 327	–	1	2	10
B 32	気管支炎	6 356	1 454	8	28	9	40
	男 M.	3 277	989	8	28	8	39
	女 F.	3 079	465	–	–	1	1
B 33	胃および十二指腸の潰瘍	11 282	3 407	36	114	54	307
	男 M.	7 701	2 686	36	112	52	301
	女 F.	3 581	721	–	2	2	6

性・死因（簡単分類）・産業（中分類）別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

製造業 Manufacturing									国際簡単分類番号 International abbreviated list number
総数 Total	食料品製造業 Food and kindred products	煙草製造業 Tobacco manufactures	紡織業 Textile mill products	衣服，身廻品製造業 Apparel and other finished products made from fabrics and similar materials	木材および木製品製造業（家具を除く） Lumber and wood products (except furniture)	家具，装備品製造業 Furniture and fixtures	紙および類似品製造業 Paper and allied products	印刷，出版および類似産業 Printing, publishing and allied industries	
64	6	–	19	1	4	1	2	3	B 21
48	5	–	9	–	4	1	2	3	
16	1	–	10	1	–	–	–	–	
4 597	724	8	558	97	509	271	113	233	B 22
4 280	636	8	484	83	486	267	99	222	
317	88	–	74	14	23	4	14	11	
48	7	–	7	1	3	1	2	1	B 23
40	7	–	3	1	3	1	2	–	
8	–	–	4	–	–	–	–	1	
41	8	–	8	1	–	1	–	1	B 24
26	3	–	2	–	–	1	–	1	
15	5	–	6	1	–	–	–	–	
146	14	4	25	4	15	9	4	7	B 25
110	12	2	12	2	14	9	3	6	
36	2	2	13	2	1	–	1	1	
1 603	230	7	212	41	152	79	50	71	B 26
1 462	204	7	169	36	144	78	41	66	
141	26	–	43	5	8	1	9	5	
968	*138*	*3*	*113*	*25*	*83*	*49*	*37*	*45*	*B 26. a*
913	*124*	*3*	*103*	*23*	*80*	*48*	*34*	*41*	
55	*14*	–	*10*	*2*	*3*	*1*	*3*	*4*	
364	*53*	*3*	*66*	*12*	*40*	*12*	*9*	*14*	*B 26. b*
297	*44*	*3*	*40*	*9*	*35*	*12*	*4*	*13*	
67	*9*	–	*26*	*3*	*5*	–	*5*	*1*	
271	*39*	*1*	*33*	*4*	*29*	*18*	*4*	*12*	*B 26. c*
252	*36*	*1*	*26*	*4*	*29*	*18*	*3*	*12*	
19	*3*	–	*7*	–	–	–	*1*	–	
364	59	2	50	13	38	25	12	16	B 27
327	51	1	34	9	38	24	10	16	
37	8	1	16	4	–	1	2	–	
124	17	–	12	4	6	13	4	6	B 28
121	16	–	12	4	6	13	4	6	
3	1	–	–	–	–	–	–	–	
228	32	–	30	4	31	12	9	10	B 29
214	25	–	29	4	27	12	8	10	
14	7	–	1	–	4	–	1	–	
19	1	–	2	–	2	1	1	3	B 30
18	1	–	2	–	2	1	–	3	
1	–	–	–	–	–	–	1	–	
471	61	2	48	10	41	29	10	28	B 31
411	43	1	31	8	37	29	9	26	
60	18	1	17	2	4	–	1	2	
94	10	–	14	1	14	8	2	5	B 32
88	9	–	12	–	14	8	2	5	
6	1	–	2	1	–	–	–	–	
556	73	1	54	17	64	33	13	27	B 33
538	70	1	49	14	63	33	12	26	
18	3	–	5	3	1	–	1	1	

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	農業 Agriculture	林業，狩猟業 Forestry and hunting	漁業，水産養殖業 Fisheries and aquiculture	鉱業 Mining	建設業 Construction	製造業 Manufacturing									国際簡単分類番号 International abbreviated list number
								総数 Total	食料品製造業 Food and kindred products	煙草製造業 Tobacco manufactures	紡織業 Textile mill products	衣服，身廻品製造業 Apparel and other finished prducts made from fabrics and simular materials	木材および木製品製造業（家具を除く） Lumber and wood products (except furniture)	家具，装備品製造業 Furniture and fixtures	紙および類似品製造業 Paper and allied products	印刷，出版および類似産業 Printing, publishing and allied industries	
B 34	虫垂炎	912	231	2	5	8	22	82	12	1	11	3	6	3	1	2	B 34
	男 M.	479	143	2	5	8	19	61	10	1	2	2	5	3	1	2	
	女 F.	433	88	–	–	–	3	21	2	–	9	1	1	–	–	–	
B 35	腸閉塞およびヘルニア	2 942	838	10	30	15	72	183	19	1	23	1	18	9	5	10	B 35
	男 M.	1 576	559	10	29	15	66	163	18	1	15	–	17	9	5	9	
	女 F.	1 366	279	–	1	–	6	20	1	–	8	1	1	–	–	1	
B 36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	14 266	3 207	8	44	12	89	163	23	–	22	3	17	14	6	4	B 36
	男 M.	5 665	1 871	8	44	12	83	139	18	–	14	2	16	12	4	4	
	女 F.	8 601	1 336	–	–	–	6	24	5	–	8	1	1	2	2	–	
B 36. a	胃炎および十二指腸炎	*3 108*	*719*	*1*	*9*	*3*	*21*	*37*	*5*	–	*3*	–	*4*	*3*	*2*	*1*	B 36. a
	男 M.	*1 345*	*457*	*1*	*9*	*3*	*19*	*33*	*4*	–	*2*	–	*4*	*3*	*1*	*1*	
	女 F.	*1 763*	*262*	–	–	–	*2*	*4*	*1*	–	*1*	–	–	–	*1*	–	
B 36. b	胃腸炎，腸炎および大腸炎	*11 158*	*2 488*	*7*	*35*	*9*	*68*	*126*	*18*	–	*19*	*3*	*13*	*11*	*4*	*3*	B 36. b
	男 M.	*4 320*	*1 414*	*7*	*35*	*9*	*64*	*106*	*14*	–	*12*	*2*	*12*	*9*	*3*	*3*	
	女 F.	*6 838*	*1 074*	–	–	–	*4*	*20*	*4*	–	*7*	*1*	*1*	*2*	*1*	–	
B 37	肝硬変	8 687	2 370	24	78	46	245	469	67	–	61	9	58	25	9	23	B 37
	男 M.	5 280	1 661	24	78	45	237	441	59	–	52	6	58	24	8	23	
	女 F.	3 407	709	–	–	1	8	28	8	–	9	3	–	1	1	–	
B 38	胃炎およびネフローゼ	15 221	3 678	26	90	37	220	583	72	3	90	9	52	31	17	25	B 38.
	男 M.	7 293	2 209	22	88	37	211	507	68	1	59	6	47	28	16	21	
	女 F.	7 928	1 469	4	2	–	9	76	4	2	31	3	5	3	1	4	
B 38. a	急性腎炎およびネフローゼ	*3 878*	*976*	*14*	*20*	*7*	*58*	*144*	*14*	*1*	*25*	–	*11*	*7*	*5*	*4*	B 38. a
	男 M.	*1 845*	*578*	*12*	*19*	*7*	*54*	*117*	*13*	–	*11*	–	*9*	*6*	*5*	*3*	
	女 F.	*2 033*	*398*	*2*	*1*	–	*4*	*27*	*1*	*1*	*14*	–	*2*	*1*	–	*1*	
B 38. b	その他	*11 343*	*2 702*	*12*	*70*	*30*	*162*	*439*	*58*	*2*	*65*	*9*	*41*	*24*	*12*	*21*	B 38. b
	男 M.	*5 448*	*1 631*	*10*	*69*	*30*	*157*	*390*	*55*	*1*	*48*	*6*	*38*	*22*	*11*	*18*	
	女 F.	*5 895*	*1 071*	*2*	*1*	–	*5*	*49*	*3*	*1*	*17*	*3*	*3*	*2*	*1*	*3*	
B 39	前立腺肥大症	440	114	1	6	–	1	14	2	–	–	–	2	2	–	–	B 39
	男 M.	440	114	1	6	–	1	14	2	–	–	–	2	2	–	–	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 40	妊娠，分娩および産褥の合併症	2 381	616	3	1	1	10	68	10	–	24	3	3	–	1	5	B 40
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	2 381	616	3	1	1	10	68	10	–	24	3	3	–	1	5	
B 41	先天奇形	396	60	–	4	–	8	29	4	1	6	1	2	3	3	–	B 41
	男 M.	196	41	–	4	–	7	21	3	1	2	1	2	2	3	–	
	女 F.	200	19	–	–	–	1	8	1	–	4	–	–	1	–	–	
B 42	出生時の損傷，分娩後窒息および肺不全拡張	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 42
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 43	新生児の感染	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 43
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 43. a	新生児肺炎	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 43. a
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 43. b	新生児下痢	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 43. b
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

第58表　15才以上死亡者数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	農業 Agriculture	林業，狩猟業 Forestry and hunting	漁業 水産養殖業 Fisheries and aquiculture	鉱業 Mining	建設業 Construction	製造業 Manufacturing								国際簡単分類番号 International abbreviated list number
								総数 Total	食料品製造業 Food and kindred products	煙草製造業 Tobacco manufactures	紡織業 Textile mill products	衣服，身廻品製造業 Apparel and other finished products made from fabrics and similar materials	木材および木製品製造業（家具を除く） Lumber and Wood products (except furniture)	家具，装備品製造業 Furniture and fixtures	紙および類似品製造業 Paper and allied products	印刷，出版および類似産業 Printing, publishing and allied industries	
B 43. c	その他の新生児の感染	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B 43. c
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B 44	その他の新生児固有の疾患および性質不明の未熟児	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B 44
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	64 523	10 864	53	217	74	466	951	150	–	112	18	100	62	25	38	B 45
	男 M.	26 701	6 724	52	214	72	454	874	136	–	86	16	95	60	23	36	
	女 F.	37 822	4 140	1	3	2	12	77	14	–	26	2	5	2	2	2	
B 45. a	精神病の記載のない老衰	*52 687*	*7 839*	*15*	*112*	*9*	*110*	*239*	*50*	–	*31*	*3*	*38*	*19*	*6*	*3*	B 45. a
	男 M.	*19 991*	*4 734*	*15*	*112*	*9*	*103*	*219*	*46*	–	*23*	*3*	*37*	*17*	*6*	*3*	
	女 F.	*32 696*	*3 105*	–	–	–	*7*	*20*	*4*	–	*8*	–	*1*	*2*	–	–	
B 45. b	その他の診断名不明確および不明の原因	*11 836*	*3 025*	*38*	*105*	*65*	*356*	*712*	*100*	–	*81*	*15*	*62*	*43*	*19*	*35*	B 45. b
	男 M.	*6 710*	*1 990*	*37*	*102*	*63*	*351*	*655*	*90*	–	*63*	*13*	*58*	*43*	*17*	*33*	
	女 F.	*5 126*	*1 035*	*1*	*3*	*2*	*5*	*57*	*10*	–	*18*	*2*	*4*	–	*2*	*2*	
B 46	その他のすべての疾患	49 156	11 852	112	290	156	740	1 638	215	4	225	37	159	73	43	98	B 46
	男 M.	24 917	7 591	102	284	147	688	1 429	186	3	144	32	148	69	37	95	
	女 F.	24 239	4 261	10	6	9	52	209	29	1	81	5	11	4	6	3	
B 46. a	その他の循環器系の疾患（先天性を除く）	*4 226*	*883*	*11*	*20*	*8*	*33*	*81*	*10*	–	*5*	*2*	*10*	*9*	*4*	*4*	B 46. a
	男 M.	*2 152*	*592*	*11*	*20*	*8*	*32*	*78*	*10*	–	*4*	*2*	*9*	*8*	*4*	*4*	
	女 F.	*2 074*	*291*	–	–	–	*1*	*3*	–	–	*1*	–	*1*	*1*	–	–	
B 46. b	その他のすべての疾患	*44 930*	*10 969*	*101*	*270*	*148*	*707*	*1 557*	*205*	*4*	*220*	*35*	*149*	*64*	*39*	*94*	B 46. b
	男 M.	*22 765*	*6 999*	*91*	*264*	*139*	*656*	*1 351*	*176*	*3*	*140*	*30*	*139*	*61*	*33*	*91*	
	女 F.	*22 165*	*3 970*	*10*	*6*	*9*	*51*	*206*	*29*	*1*	*80*	*5*	*10*	*3*	*6*	*3*	
"E"	不慮の事故，中毒および暴力の二重分類（外因）	1) 52 232	11 017	554	803	1 234	4 182	5 701	591	16	622	87	464	169	173	227	"E"
	男 M.	35 837	7 646	539	785	1 197	4 048	5 005	520	12	406	59	445	161	147	209	
	女 F.	16 368	3 371	15	18	37	134	696	71	4	216	28	19	8	26	18	
BE 47	自動車事故	9 026	1 523	54	41	73	961	1 370	192	3	157	19	112	54	39	62	BE 47
	男 M.	7 481	1 294	54	41	67	928	1 279	178	2	128	17	110	52	35	60	
	女 F.	1 545	229	–	–	6	33	91	14	1	29	2	2	2	4	2	
BE 48	その他の不慮の事故	1) 20 797	4 550	413	647	948	2 334	2 121	171	5	179	17	209	46	73	55	BE 48
	男 M.	15 196	3 283	403	637	928	2 261	1 965	154	4	136	11	200	46	66	54	
	女 F.	5 574	1 267	10	10	20	73	156	17	1	43	6	9	–	7	1	
BE 48. a	自動車以外の交通事故	*3 776*	*727*	*32*	*415*	*43*	*310*	*355*	*37*	–	*41*	*7*	*37*	*6*	*10*	*8*	BE 48. a
	男 M.	*3 116*	*615*	*32*	*410*	*43*	*290*	*326*	*36*	–	*29*	*4*	*35*	*6*	*9*	*8*	
	女 F.	*660*	*112*	–	*5*	–	*20*	*29*	*1*	–	*12*	*3*	*2*	–	*1*	–	
BE 48. b	不慮の墜落	*3 811*	*964*	*85*	*30*	*81*	*650*	*367*	*27*	*1*	*26*	*1*	*39*	*7*	*10*	*12*	BE 48. b
	男 M.	*2 909*	*763*	*83*	*29*	*80*	*632*	*354*	*24*	*1*	*23*	–	*39*	*7*	*10*	*12*	
	女 F.	*902*	*201*	*2*	*1*	*1*	*18*	*13*	*3*	–	*3*	*1*	–	–	–	–	
BE 48. c	不慮の溺死および溺水	*2 451*	*520*	*20*	*93*	*40*	*170*	*238*	*28*	*3*	*28*	*5*	*27*	*9*	*9*	*9*	BE 48. c
	男 M.	*1 833*	*372*	*20*	*92*	*40*	*165*	*222*	*26*	*3*	*22*	*5*	*25*	*9*	*8*	*8*	
	女 F.	*618*	*148*	–	*1*	–	*5*	*16*	*2*	–	*6*	–	*2*	–	*1*	*1*	
BE 48. d	天災	1) *3 176*	*940*	*41*	*27*	*18*	*69*	*205*	*22*	–	*32*	–	*10*	*7*	*4*	*1*	BE 48. d
	男 M.	*1 243*	*396*	*40*	*24*	*16*	*67*	*165*	*18*	–	*22*	–	*9*	*7*	*4*	*1*	
	女 F.	*1 906*	*544*	*1*	*3*	*2*	*2*	*40*	*4*	–	*10*	–	*1*	–	–	–	
BE 48. e	その他	*7 583*	*1 399*	*235*	*82*	*766*	*1 135*	*956*	*57*	*1*	*52*	*4*	*96*	*17*	*40*	*25*	BE 48. e
	男 M.	*6 095*	*1 137*	*228*	*82*	*749*	*1 107*	*898*	*50*	–	*40*	*2*	*92*	*17*	*35*	*25*	
	女 F.	*1 488*	*262*	*7*	–	*17*	*28*	*58*	*7*	*1*	*12*	*2*	*4*	–	*5*	–	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown" the components do not equal the total.

第58表　15才以上死亡者数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	農業 Agriculture	林業，狩猟業 Forestry and hunting	漁業，水産養殖業 Fisheries and aquiculture	鉱業 Mining	建設業 Construction	製造業 Manufacturing									国際簡単分類番号 International abbreviated list number
								総数 Total	食料品製造業 Food and kindred products	煙草製造業 Tobacco manufactures	紡織業 Textile mill products	衣服，身廻品製造業 Apparel and other finished products made from fabrics and similar materials	木材および木製品製造業（家具を除く） Lumber and Wood products (except furniture)	家具，装備品製造業 Furniture and fixtures	紙および類似品製造業 Paper and allied products	印刷，出版および類似産業 Printing, publishing and allied industries	
BE 49	自殺および自傷	21 019	4 719	78	81	175	683	2 112	212	8	279	51	135	65	60	109	BE 49
	男 M.	12 132	2 910	73	73	165	657	1 669	173	6	136	31	127	59	45	94	
	女 F.	8 887	1 809	5	8	10	26	443	39	2	143	20	8	6	15	15	
BE 50	他殺および戦争行為	1 390	225	9	34	38	204	98	16	–	7	–	8	4	1	1	BE 50
	男 M.	1 028	159	9	34	37	202	92	15	–	6	–	8	4	1	1	
	女 F.	362	66	–	–	1	2	6	1	–	1	–	–	–	–	–	
BE 50. a	*他殺*	*1 335*	*213*	*9*	*33*	*38*	*202*	*95*	*16*	–	*7*	–	*8*	*3*	*1*	*1*	BE 50. a
	男 M.	*979*	*149*	*9*	*33*	*37*	*200*	*89*	*15*	–	*6*	–	*8*	*3*	*1*	*1*	
	女 F.	*356*	*64*	–	–	*1*	*2*	*6*	*1*	–	*1*	–	–	–	–	–	
BE 50. b	処刑および戦争行為	*55*	*12*	–	*1*	–	*2*	*3*	–	–	–	–	–	*1*	–	–	BE 50. b
	男 M.	*49*	*10*	–	*1*	–	*2*	*3*	–	–	–	–	–	*1*	–	–	
	女 F.	*6*	*2*	–	–	–	–	–	–	–	–	–	–	–	–	–	
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	1) 52 232	11 017	554	803	1 234	4 182	5 701	591	16	622	87	464	169	173	227	"N"
	男 M.	35 837	7 646	539	785	1 197	4 048	5 005	520	12	406	59	445	161	147	209	
	女 F.	16 368	3 371	15	18	37	134	696	71	4	216	28	19	8	26	18	
BN 47	骨折，頭部損傷および内部損傷	19 782	3 676	349	180	720	2 663	2 640	291	4	271	38	253	85	79	88	BN 47
	男 M.	16 106	3 027	342	177	700	2 575	2 465	272	3	216	30	244	82	69	86	
	女 F.	3 676	649	7	3	20	88	175	19	1	55	8	9	3	10	2	
BN 47. a	*頭蓋骨折*	*9 435*	*1 686*	*178*	*74*	*368*	*1 386*	*1 369*	*158*	*2*	*148*	*21*	*130*	*42*	*34*	*34*	BN 47. a
	男 M.	*7 855*	*1 399*	*174*	*74*	*363*	*1 340*	*1 269*	*147*	*1*	*114*	*17*	*126*	*41*	*30*	*33*	
	女 F.	*1 580*	*287*	*4*	–	*5*	*46*	*100*	*11*	*1*	*34*	*4*	*4*	*1*	*4*	*1*	
BN 47. b	その他の骨の骨折	*2 797*	*571*	*63*	*20*	*155*	*331*	*290*	*26*	*2*	*27*	*4*	*33*	*13*	*4*	*9*	BN 47. b
	男 M.	*2 095*	*455*	*62*	*20*	*147*	*317*	*274*	*24*	*2*	*20*	*3*	*32*	*13*	*4*	*9*	
	女 F.	*702*	*116*	*1*	–	*8*	*14*	*16*	*2*	–	*7*	*1*	*1*	–	–	–	
BN 47. c	頭部の損傷（骨折を除く）	*4 870*	*903*	*64*	*42*	*84*	*534*	*618*	*64*	–	*57*	*9*	*52*	*20*	*29*	*32*	BN 47. c
	男 M.	*3 864*	*731*	*63*	*41*	*84*	*516*	*587*	*62*	–	*48*	*6*	*51*	*18*	*27*	*31*	
	女 F.	*1 006*	*172*	*1*	*1*	–	*18*	*31*	*2*	–	*9*	*3*	*1*	*2*	*2*	*1*	
BN 47. d	胸，腹，骨盤腔の内部損傷	*2 680*	*516*	*44*	*44*	*113*	*412*	*363*	*43*	–	*39*	*4*	*38*	*10*	*12*	*13*	BN 47. d
	男 M.	*2 292*	*442*	*43*	*42*	*106*	*402*	*335*	*39*	–	*34*	*4*	*35*	*10*	*8*	*13*	
	女 F.	*388*	*74*	*1*	*2*	*7*	*10*	*28*	*4*	–	*5*	–	*3*	–	*4*	–	
BN 48	熱傷	1 216	230	4	12	18	55	144	16	1	6	–	4	1	12	3	BN 48
	男 M.	704	149	4	12	18	53	126	14	–	4	–	4	1	9	3	
	女 F.	512	81	–	–	–	2	18	2	1	2	–	–	–	3	–	
BN 49	毒物の作用	10 644	1 837	20	63	100	343	1 343	122	2	151	34	60	35	36	79	BN 49
	男 M.	6 130	1 178	17	60	95	326	1 057	94	2	73	17	54	31	28	66	
	女 F.	4 514	659	3	3	5	17	286	28	–	78	17	6	4	8	13	
BN 50	その他の損傷	1) 20 590	5 274	181	548	396	1 121	1 574	162	9	194	15	147	48	46	57	BN 50
	男 M.	12 897	3 292	176	536	384	1 094	1 357	140	7	113	12	143	47	41	54	
	女 F.	7 666	1 982	5	12	12	27	217	22	2	81	3	4	1	5	3	
BN 50. a	*裂傷および開放創*	*2 205*	*393*	*23*	*39*	*49*	*173*	*292*	*29*	–	*33*	*3*	*32*	*9*	*8*	*6*	BN 50 a
	男 M.	*1 612*	*283*	*23*	*39*	*49*	*172*	*244*	*25*	–	*14*	*2*	*32*	*9*	*6*	*5*	
	女 F.	*593*	*110*	–	–	–	*1*	*48*	*4*	–	*19*	*1*	–	–	*2*	*1*	
BN 50. b	溺死および死にいたらない溺水	1) *8 090*	*1 874*	*42*	*425*	*68*	*317*	*581*	*69*	*3*	*78*	*9*	*43*	*20*	*19*	*21*	BN 50. b
	男 M.	*4 259*	*918*	*42*	*416*	*65*	*302*	*468*	*58*	*2*	*37*	*7*	*40*	*19*	*16*	*19*	
	女 F.	*3 804*	*956*	–	*9*	*3*	*15*	*113*	*11*	*1*	*41*	*2*	*3*	*1*	*3*	*2*	
BN 50. c	窒息および絞首	*7 383*	*2 336*	*65*	*55*	*184*	*278*	*427*	*44*	*5*	*63*	*3*	*46*	*16*	*15*	*16*	BN 50. c
	男 M.	*4 730*	*1 566*	*61*	*52*	*178*	*271*	*382*	*39*	*4*	*45*	*3*	*45*	*16*	*15*	*16*	
	女 F.	*2 653*	*770*	*4*	*3*	*6*	*7*	*45*	*5*	*1*	*18*	–	*1*	–	–	–	
BN 50. d	その他	*2 912*	*671*	*51*	*29*	*95*	*353*	*274*	*20*	*1*	*20*	–	*26*	*3*	*4*	*14*	BN 50. d
	男 M.	*2 296*	*525*	*50*	*29*	*92*	*349*	*263*	*18*	*1*	*17*	–	*26*	*3*	*4*	*14*	
	女 F.	*616*	*146*	*1*	–	*3*	*4*	*11*	*2*	–	*3*	–	–	–	–	–	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX INDUSTRY; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	製造業 Manufacturing										卸売および小売業 Wholesale and retail trade			国際簡単分類番号 International abbreviated list number
		化学工業 Chemical and related industries	石油，石炭製品製造業 Petroleum and coal products	ゴム製品製造業 Rubber products	皮革，皮革製品製造業 Leather and leather products	ガラスおよび土石製品製造業 Stone, clay and glass products	第一次金属製造業 Primary metal industries	金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products (except machinery and transportation equipment)	機械，武器製造業 Machinery and weapons	電気機械器具製造業 Electrical machinery, equipment and supplies	輸送用機械器具製造業 Transportation equipment	医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and clocks	その他の製造業 Miscellaneous manufacturing industries	総数 Total	卸売業 Wholesale trade	小売業 Retail trade	
	総数	1 083	88	206	359	1 637	1 415	3 215	1 245	887	1 459	295	954	23 769	3 872	19 897	
	男 M.	968	80	170	335	1 478	1 358	3 075	1 158	774	1 398	258	866	19 791	3 586	16 205	
	女 F.	115	8	36	24	159	57	140	87	113	61	37	88	3 978	286	3 692	
B 1	呼吸器系の結核	63	2	14	33	152	81	187	68	62	91	21	76	1 397	238	1 159	B 1
	男 M.	57	2	9	33	146	77	182	64	52	89	20	72	1 252	227	1 025	
	女 F.	6	–	5	–	6	4	5	4	10	2	1	4	145	11	134	
B 2	その他の結核	2	–	3	5	4	8	21	3	7	6	1	5	112	20	92	B 2
	男 M.	2	–	2	4	2	8	20	3	4	6	1	3	88	14	74	
	女 F.	–	–	1	1	2	–	1	–	3	–	–	2	24	6	18	
B 3	梅毒およびその続発症	3	1	1	3	10	4	16	10	2	5	2	4	106	19	87	B 3
	男 M.	3	1	1	3	10	4	16	9	2	5	2	4	98	19	79	
	女 F.	–	–	–	–	–	–	–	1	–	–	–	–	8	–	8	
B 4	腸チフス	1	–	–	–	–	–	–	–	–	–	–	–	6	–	6	B 4
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	5	–	5	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	
B 5	コレラ	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 5
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 6	赤痢	–	–	–	–	1	5	2	1	–	–	–	1	10	3	7	B 6
	男 M.	–	–	–	–	1	5	2	1	–	–	–	1	7	2	5	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	3	1	2	
B 6. a	細菌性赤痢（疫痢症状を呈するもの）	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 6. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 6. b	細菌性赤痢（その他）	–	–	–	–	*1*	*5*	*2*	*1*	–	–	–	*1*	*10*	*3*	*7*	B 6. b
	男 M.	–	–	–	–	*1*	*5*	*2*	*1*	–	–	–	*1*	*7*	*2*	*5*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	*3*	*1*	*2*	
B 6. c	アメーバ症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 6. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 6. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 7	猩紅熱およびレンサ球菌性口峡炎	–	–	–	–	–	–	2	–	–	–	–	–	6	3	3	B 7
	男 M.	–	–	–	–	–	–	1	–	–	–	–	–	6	3	3	
	女 F.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	
B 7. a	猩紅熱	–	–	–	–	–	–	*2*	–	–	–	–	–	*6*	*3*	*3*	B 7. a
	男 M.	–	–	–	–	–	–	*1*	–	–	–	–	–	*6*	*3*	*3*	
	女 F.	–	–	–	–	–	–	*1*	–	–	–	–	–	–	–	–	
B 7. b	レンサ球菌性口峡炎	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 7. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 8	ジフテリア	–	–	–	–	–	–	–	–	–	–	–	–	2	–	2	B 8
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	
B 9	百日咳	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 9
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIBTED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	製造業 Manufacturing										卸売および小売業 Wholesale and retail trade			国際簡単分類番号 International abbreviated list number
		化学工業 Chemical and related industries	石油，石炭製品製造業 Petroleum and coal products	ゴム製品製造業 Rubber products	皮革，皮革製品製造業 Leather and leather products	ガラスおよび土石製品製造業 Stone, clay and glass products	第一次金属製造業 Primary metal industries	金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products (except machinery and transportation equipment)	機械，武器製造業 Machinery and weapons	電気機械器具製造業 Electrical machinery, equipment and supplies	輸送用機械器具製造業 Transportation equipment	医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and clocks	その他の製造業 Miscellaneous manufacturing industries	総数 Total	卸売業 Wholesale trade	小売業 Retail trade	
B 10	髄膜炎菌感染	2	–	–	–	–	1	–	–	–	–	–	1	4	–	4	B 10
	男 M.	2	–	–	–	–	1	–	–	–	–	–	1	3	–	3	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	
B 11	ペスト	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 11
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 12	急性灰白髄炎	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	B 12
	男 M.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	
B 13	痘瘡	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 13
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 14	麻疹	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 14
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 15	発疹チフスおよびその他のリケッチア病	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	B 15
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	
B 15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 15. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 15. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 15. c	その他	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	B 15. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*1*	–	
B 16	マラリア	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	B 16
	男 M.	–	–	–	–	–	–	1	–	–	–	–	–	1	1	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17	伝染性および寄生性として分類されたその他の疾患	3	–	–	5	8	9	24	3	9	18	2	8	129	13	116	B 17
	男 M.	2	–	–	4	6	8	22	3	6	18	2	6	110	12	98	
	女 F.	1	–	–	1	2	1	2	–	3	–	–	2	19	1	18	
B 17. a	パラチフス	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	B 17. a
	男 M.	–	–	–	–	–	–	–	–	–	*1*	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. b	癩	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. c	破傷風	–	–	–	*1*	–	*2*	*4*	–	*1*	*3*	–	*2*	*14*	*1*	*13*	B 17. c
	男 M.	–	–	–	*1*	–	*2*	*3*	–	*1*	*3*	–	*2*	*13*	*1*	*12*	
	女 F.	–	–	–	–	–	–	*1*	–	–	–	–	–	*1*	–	*1*	
B 17. d	炭疽	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. e
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 58 表　15 才 以 上 死 亡 者 数，

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因（簡単分類）・産業（中分類）別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	製造業 Manufacturing						卸売および小売業 Wholesale and retailt rade			国際簡単分類番号 International abbreviated list number
		化学工業 Chemical and related industries	石油，石炭製品製造業 Petroleum and coal products	ゴム製品製造業 Rubber products	皮革，皮革製品製造業 Leather and leather products	ガラスおよび土石製品製造業 Stone, clay and glass products	第一次金属製造業 Primary metal industries	金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products (except machinery and transportation equipment)	機械，武器製造業 Machinery and weapons	電気機械器具製造業 Electrical machinery, equipment and supplies	輸送用機械器具製造業 Transportation equipment	医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and clocks	その他の製造業 Miscellaneous manufacturing industries	総数 Total	卸売業 Wholesale trade	小売業 Retail trade	
B 17. f	日本脳炎	1	–	–	2	5	1	5	1	4	6	–	1	23	2	21	B 17. f
	男 M.	1	–	–	1	4	1	5	1	2	6	–	–	19	2	17	
	女 F.	–	–	–	1	1	–	–	–	2	–	–	1	4	–	4	
B 17. g	黄熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. g
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. h	狂犬病	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. h
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. i	伝染性下痢症	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. i
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. j	日本住血吸虫症	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	B 17. j
	男 M.	–	–	–	–	–	–	–	–	–	1	–	–	2	–	2	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. k	糸状虫症	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	B 17. k
	男 M.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. l	その他の伝染性および寄生性として分類された疾患	2	–	–	2	3	5	14	2	4	7	2	5	90	60	80	B 17. l
	男 M.	1	–	–	2	2	4	13	2	3	7	2	4	76	9	67	
	女 F.	1	–	–	–	1	1	1	–	1	–	–	1	14	1	13	
B 18	悪性新生物（リンパ組織および造血組織の新生物を含む）	229	27	36	73	303	265	560	233	158	282	53	180	4 534	758	3 776	B 18
	男 M.	209	25	29	68	268	249	539	213	144	267	45	164	3 693	709	2 984	
	女 F.	20	2	7	5	35	16	21	20	14	15	8	16	841	49	792	
B 18. a	胃の悪性新生物	106	13	14	36	157	147	292	100	74	142	22	89	2 174	359	1 815	B 18. a
	男 M.	99	13	11	34	141	141	283	94	66	135	20	86	1 882	348	1 534	
	女 F.	7	–	3	2	16	6	9	6	8	7	2	3	292	11	281	
B 18. b	気管，気管支および肺の悪性新生物	22	–	3	6	24	18	42	17	13	21	4	11	331	60	271	B 18. b
	男 M.	20	–	3	6	24	16	42	16	13	21	4	11	297	60	237	
	女 F.	2	–	–	–	–	2	–	1	–	–	–	–	34	–	34	
B 18. c	乳房の悪性新生物	1	–	–	–	2	1	–	2	–	–	–	1	33	1	32	B 18. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	2	1	1	
	女 F.	1	–	–	–	2	1	–	2	–	–	–	1	31	–	31	
B 18. d	子宮の悪性新生物	5	1	–	–	6	–	4	4	3	1	3	8	166	14	152	B 18. d
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	5	1	–	–	6	–	4	4	3	1	3	8	166	14	152	
B 18. e	白血病および無白血病	7	–	4	1	7	14	17	13	5	11	3	4	97	26	71	B 18. e
	男 M.	6	–	2	1	5	13	15	11	5	9	2	4	74	20	54	
	女 F.	1	–	2	–	2	1	2	2	–	2	1	–	23	6	17	
B 18. f	その他	88	13	15	30	107	85	205	97	63	107	21	67	1 733	298	1 435	B 18. f
	男 M.	84	12	13	27	98	79	199	92	60	102	19	63	1 438	280	1 158	
	女 F.	4	1	2	3	9	6	6	5	3	5	2	4	295	18	277	
B 19	良性および性質不詳の新生物	9	–	1	2	14	15	30	26	3	18	2	4	196	40	156	B 19
	男 M.	7	–	1	2	10	15	27	24	3	18	2	3	149	32	117	
	女 F.	2	–	–	–	4	–	3	2	–	–	–	1	47	8	39	
B 20	糖尿病	2	–	2	2	3	2	12	2	4	3	–	6	121	12	109	B 20
	男 M.	1	–	2	1	3	2	11	2	4	3	–	6	102	12	90	
	女 F.	1	–	–	1	–	–	1	–	–	–	–	–	19	–	19	

第 58 表　15 才 以 上 死 亡 者 数，

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因（簡単分類）・産業（中分類）別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	製造業 Manufacturing												卸売および小売業 Wholesale and retail trade			国際簡単分類番号 International abbreviated list number
		化学工業 Chemical and related industries	石油，石炭製品製造業 Petroleum and coal products	ゴム製品製造業 Rubber products	皮革，皮革製品製造業 Letaher and leather products	ガラスおよび土石製品製造業 Stone, clay and glass products	第一次金属製造業 Primary metal industries	金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products (except machinery and transportation equipment)	機械，武器製造業 Machinery and weapons	電気機械器具製造業 Electrical machinery, equipment and supplies	輸送用機械器具製造業 Transportation equipment	医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and clocks	その他の製造業 Miscellaneous manufacturing industries	総数 Total	卸売業 Wholesale trade	小売業 Retail trade	
B 21	貧血	2	–	–	–	6	6	5	3	–	4	1	1	45	7	38	B 21
	男 M.	2	–	–	–	3	6	5	3	–	4	–	1	32	7	25	
	女 F.	–	–	–	–	3	–	–	–	–	–	1	–	13	–	13	
B 22	中枢神経系の血管損傷	139	18	31	70	287	245	553	167	103	211	55	205	5 246	764	4 482	B 22
	男 M.	128	16	30	66	263	238	538	163	95	208	55	195	4 488	728	3 760	
	女 F.	11	2	1	4	24	7	15	4	8	3	–	10	758	36	722	
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	2	–	–	2	3	2	4	5	4	1	–	3	32	8	24	B 23
	男 M.	1	–	–	2	3	2	4	5	3	1	–	2	21	4	17	
	女 F.	1	–	–	–	–	–	–	–	1	–	–	1	11	4	7	
B 24	リューマチ熱	2	–	1	–	2	3	7	2	2	–	1	2	27	4	23	B 24
	男 M.	2	–	–	–	1	3	7	1	2	–	1	2	16	2	14	
	女 F.	–	–	1	–	1	–	–	1	–	–	–	–	11	2	9	
B 25	慢性リューマチ性心臓疾患	5	1	1	1	7	4	16	7	8	6	1	7	143	24	119	B 25
	男 M.	4	1	1	–	4	4	14	5	6	6	1	4	107	22	85	
	女 F.	1	–	–	1	3	–	2	2	2	–	–	3	36	2	34	
B 26	動脈硬化性および変性性心臓疾患	75	2	9	27	88	67	177	67	64	94	14	77	1 783	310	1 473	B 26
	男 M.	71	2	9	27	82	63	170	62	60	90	12	69	1 517	292	1 225	
	女 F.	4	–	–	–	6	4	7	5	4	4	2	8	266	18	248	
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	*44*	*2*	*6*	*19*	*55*	*45*	*106*	*42*	*36*	*59*	*9*	*52*	*1 074*	*194*	*880*	B 26. a
	男 M.	*42*	*2*	*6*	*19*	*52*	*42*	*105*	*40*	*35*	*57*	*9*	*48*	*938*	*186*	*752*	
	女 F.	*2*	–	–	–	*3*	*3*	*1*	*2*	*1*	*2*	–	*4*	*136*	*8*	*128*	
B 26. b	リューマチ性と明示されない慢性心内膜炎	*19*	–	*2*	*3*	*16*	*9*	*37*	*15*	*14*	*23*	*3*	*14*	*370*	*52*	*318*	B 26. b
	男 M.	*18*	–	*2*	*3*	*14*	*9*	*32*	*13*	*13*	*21*	*2*	*10*	*283*	*47*	*236*	
	女 F.	*1*	–	–	–	*2*	–	*5*	*2*	*1*	*2*	*1*	*4*	*87*	*5*	*82*	
B 26. c	その他の心筋変性	*12*	–	*1*	*5*	*17*	*13*	*34*	*10*	*14*	*12*	*2*	*11*	*339*	*64*	*275*	B 26. c
	男 M.	*11*	–	*1*	*5*	*16*	*12*	*33*	*9*	*12*	*12*	*1*	*11*	*296*	*59*	*237*	
	女 F.	*1*	–	–	–	*1*	*1*	*1*	*1*	*2*	–	*1*	–	*43*	*5*	*38*	
B 27	その他の心臓疾患	12	1	1	4	33	15	33	12	3	14	8	13	465	56	409	B 27
	男 M.	11	1	1	4	32	15	31	12	3	14	8	12	404	54	350	
	女 F.	1	–	–	–	1	–	2	–	–	–	–	1	61	2	59	
B 28	高血圧性心臓疾患	3	1	–	1	13	5	12	7	2	10	–	8	163	20	143	B 28
	男 M.	3	1	–	–	13	5	12	6	2	10	–	8	143	18	125	
	女 F.	–	–	–	1	–	–	–	1	–	–	–	–	20	2	18	
B 29	その他の高血圧性疾患	15	–	2	1	10	10	25	9	7	11	2	8	271	45	226	B 29
	男 M.	15	–	2	1	10	10	24	9	7	11	2	8	232	42	190	
	女 F.	–	–	–	–	–	–	1	–	–	–	–	–	39	3	36	
B 30	インフルエンザ	1	–	–	–	3	–	3	–	–	2	–	–	27	2	25	B 30
	男 M.	1	–	–	–	3	–	3	–	–	2	–	–	21	1	20	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	6	1	5	
B 31	肺炎（新生児肺炎を除く）	16	2	2	8	33	27	63	23	15	21	7	25	436	62	374	B 31
	男 M.	12	1	2	8	31	26	62	23	13	21	5	23	367	58	309	
	女 F.	4	1	–	–	2	1	1	–	2	–	2	2	69	4	65	
B 32	気管支炎	2	–	–	1	13	1	8	3	4	6	–	2	121	17	104	B 32
	男 M.	2	–	–	1	13	1	8	3	3	5	–	2	103	17	86	
	女 F.	–	–	–	–	–	–	–	–	1	1	–	–	18	–	18	
B 33	胃および十二指腸の潰瘍	17	1	3	9	33	28	77	31	16	33	6	20	581	82	499	B 33
	男 M.	16	1	3	9	33	27	77	31	16	33	4	20	538	79	459	
	女 F.	1	–	–	–	–	1	–	–	–	–	2	–	43	3	40	

第58表　15才以上死亡者数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和34年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	製造業 Manufacturing										卸売および小売業 Wholesale and retail trade			国際簡単分類番号 International abbreviated list number
		化学工業 Chemical and related industries	石油，石炭製品製造業 Petroleum and coal products	ゴム製品製造業 Rubber products	皮革，皮革製品製造業 Leather and leather products	ガラスおよび土石製品製造業 Stone, clay and glass products	第一次金属製造業 Primary metal industries	金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products (except machinery and transportation equipment)	機械，武器製造業 Machinery and weapons	電気機械器具製造業 Electrical machinery, equipment and supplies	輸送用機械器具製造業 Transportation equipment	医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and cloks	その他の製造業 Miscellaneous manufacturing industries	総数 Total	卸売業 Wholesale trade	小売業 Retail trade	
B 34	虫垂炎	7	1	1	2	4	2	14	5	2	1	2	2	40	4	36	B 34
	男 M.	5	1	–	2	3	2	13	2	2	1	2	2	32	3	29	
	女 F.	2	–	1	–	1	–	1	3	–	–	–	–	8	1	7	
B 35	腸閉塞およびヘルニア	6	–	1	2	10	16	24	8	9	13	3	5	100	16	84	B 35
	男 M.	6	–	1	2	8	16	22	8	7	12	2	5	76	15	61	
	女 F.	–	–	–	–	2	–	2	–	2	1	1	–	24	1	23	
B 36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	4	–	–	1	9	8	23	5	3	10	2	9	190	22	168	B 36
	男 M.	4	–	–	1	6	8	22	5	3	10	2	8	150	18	132	
	女 F.	–	–	–	–	3	–	1	–	–	–	–	1	40	4	36	
B 36. a	胃炎および十二指腸炎	*1*	–	–	*1*	*3*	–	*5*	*1*	*2*	*3*	–	*3*	*45*	*9*	*36*	B 36. a
	男 M.	*1*	–	–	*1*	*2*	–	*5*	*1*	*2*	*3*	–	*3*	*39*	*8*	*31*	
	女 F.	–	–	–	–	*1*	–	–	–	–	–	–	–	*6*	*1*	*5*	
B 36. b	胃腸炎，腸炎および大腸炎	*3*	–	–	–	*6*	*8*	*18*	*4*	*1*	*7*	*2*	*6*	*145*	*13*	*132*	B 36. b
	男 M.	*3*	–	–	–	*4*	*8*	*17*	*4*	*1*	*7*	*2*	*5*	*111*	*10*	*101*	
	女 F.	–	–	–	–	*2*	–	*1*	–	–	–	–	*1*	*34*	*3*	*31*	
B 37	肝硬変	26	1	5	6	25	28	45	23	10	32	4	12	483	76	407	E 37
	男 M.	25	1	5	6	25	27	44	23	9	32	3	11	446	73	373	
	女 F.	1	–	–	–	–	1	1	–	1	–	1	1	37	3	34	
B 38	腎炎およびネフローゼ	24	1	7	7	30	27	69	26	27	38	6	22	558	101	457	B 38
	男 M.	22	1	5	7	26	26	66	22	21	37	6	22	449	92	357	
	女 F.	2	–	2	–	4	1	3	4	6	1	–	–	109	9	100	
B 38. a	急性腎炎およびネフローゼ	*4*	–	*3*	*1*	*10*	*6*	*23*	*3*	*11*	*8*	*1*	*7*	*140*	*21*	*119*	B 38. a
	男 M.	*3*	–	*3*	*1*	*8*	*6*	*22*	*3*	*8*	*8*	*1*	*7*	*108*	*19*	*89*	
	女 F.	*1*	–	–	–	*2*	–	*1*	–	*3*	–	–	–	*32*	*2*	*30*	
B 38. b	その他	*20*	*1*	*4*	*6*	*20*	*21*	*46*	*23*	*16*	*30*	*5*	*15*	*418*	*80*	*338*	B 38. b
	男 M.	*19*	*1*	*2*	*6*	*18*	*20*	*44*	*19*	*13*	*29*	*5*	*15*	*341*	*73*	*268*	
	女 F.	*1*	–	*2*	–	*2*	*1*	*2*	*4*	*3*	*1*	–	–	*77*	*7*	*70*	
B 39	前立腺肥大症	–	–	–	1	–	1	3	1	1	–	–	1	9	3	6	B 39
	男 M.	–	–	–	1	–	1	3	1	1	–	–	1	9	3	6	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 40	妊娠，分娩および産褥の合併症	4	–	–	2	2	–	3	2	2	3	2	2	74	5	69	B 40
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	4	–	–	2	2	–	3	2	2	3	2	2	74	5	69	
B 41	先天奇形	1	–	–	–	2	–	5	–	–	–	–	1	14	1	13	B 41
	男 M.	1	–	–	–	2	–	3	–	–	–	–	1	12	1	11	
	女 F.	–	–	–	–	–	–	2	–	–	–	–	–	2	–	2	
B 42	出生時の損傷，分娩後窒息および肺不全拡張	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 42
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 43	新生児の感染	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 43
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 43. a	新生児肺炎	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 43. a
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 43. b	新生児下痢	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 43. b
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	製造業 Manufacturing										卸売および小売業 Wholesale and retail trade			国際簡単分類番号 International abbreviated list number
		化学工業 Chemical and related industries	石油，石炭製品製造業 Petroleum and coal products	ゴム製品製造業 Rubber products	皮革，皮革製品製造業 Leather and leather products	ガラスおよび土石製品製造業 Stone, clay and glass products	第一次金属製造業 Primary metal industries	金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products (except machinery and transportation equipment)	機械，武器製造業 Machinery and weapons	電気機械器具製造業 Electrical machinery, equipment and supplies	輸送用機械器具製造業 Transportation equipment	医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and clocks	その他の製造業 Miscellaneous manufacturing industries	総数 Total	卸売業 Wholesale trade	小売業 Retail trade	
B 43. c	その他の新生児の感染	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B 43. c
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B 44	その他の新生児固有の疾患および性質不明の未熟児	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B 44
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	45	2	7	13	60	54	113	38	14	57	5	38	955	137	818	B 45
	男 M.	42	2	7	11	54	53	107	37	14	55	5	35	796	126	670	
	女 F.	3	–	–	2	6	1	6	1	–	2	–	3	159	11	148	
B 45. a	精神病の記載のない老衰	*4*	*1*	*1*	*4*	*20*	*8*	*17*	*2*	–	*14*	*3*	*15*	*378*	*37*	*341*	B 45. a
	男 M.	*4*	*1*	*1*	*3*	*19*	*8*	*16*	*2*	–	*14*	*3*	*13*	*312*	*33*	*279*	
	女 F.	–	–	–	*1*	*1*	–	*1*	–	–	–	–	*2*	*66*	*4*	*62*	
B 45. b	その他の診断名不明確および不明の原因	*41*	*1*	*6*	*9*	*40*	*46*	*96*	*36*	*14*	*43*	*2*	*23*	*577*	*100*	*477*	B 45. b
	男 M.	*38*	*1*	*6*	*8*	*35*	*45*	*91*	*35*	*14*	*41*	*2*	*22*	*484*	*93*	*391*	
	女 F.	*3*	–	–	*1*	*5*	*1*	*5*	*1*	–	*2*	–	*1*	*93*	*7*	*86*	
B 46	その他のすべての疾患	57	5	26	19	112	77	200	76	47	87	23	55	1 505	220	1 285	B 46
	男 M.	49	5	18	17	102	73	193	68	39	82	20	49	1 226	194	1 032	
	女 F.	8	–	8	2	10	4	7	8	8	5	3	6	279	26	253	
B 46. a	その他の循環器系の疾患（先天性を除く）	*1*	*1*	*3*	*2*	*4*	*1*	*14*	*3*	*2*	*3*	*1*	*2*	*112*	*14*	*98*	B 46. a
	男 M.	*1*	*1*	*3*	*2*	*4*	*1*	*14*	*3*	*2*	*3*	*1*	*2*	*92*	*14*	*78*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	*20*	–	*20*	
B 46. b	その他のすべての疾患	*56*	*4*	*23*	*17*	*108*	*76*	*186*	*73*	*45*	*84*	*22*	*53*	*1 393*	*206*	*1 187*	B 46. b
	男 M.	*48*	*4*	*15*	*15*	*98*	*72*	*179*	*65*	*37*	*79*	*19*	*47*	*1 134*	*180*	*954*	
	女 F.	*8*	–	*8*	*2*	*10*	*4*	*7*	*8*	*8*	*5*	*3*	*6*	*259*	*26*	*233*	
"E"	不慮の事故，中毒および暴力の二重分類（外因）	**304**	**22**	**52**	**58**	**357**	**399**	**878**	**379**	**299**	**381**	**72**	**151**	**3 876**	**778**	**3 098**	"E"
	男 M.	**262**	**19**	**42**	**54**	**315**	**383**	**826**	**350**	**253**	**358**	**58**	**126**	**3 091**	**706**	**2 385**	
	女 F.	**42**	**3**	**10**	**4**	**42**	**16**	**52**	**29**	**46**	**23**	**14**	**25**	**785**	**72**	**713**	
BE 47	自動車事故	52	4	11	16	80	71	216	97	53	81	16	35	1 327	295	1 032	BE 47
	男 M.	50	4	8	16	75	69	204	93	52	79	15	32	1 218	287	931	
	女 F.	2	–	3	–	5	2	12	4	1	2	1	2	109	8	101	
BE 48	その他の不慮の事故	140	14	16	8	152	210	330	158	110	178	19	31	889	220	669	BE 48
	男 M.	127	12	15	7	140	205	322	145	106	170	16	29	745	203	542	
	女 F.	13	2	1	1	12	5	8	13	4	8	3	2	144	17	127	
BE 48. a	自動車以外の交通事故	*21*	*2*	*4*	*3*	*22*	*22*	*45*	*20*	*24*	*28*	*9*	*9*	*209*	*47*	*162*	BE 48. a
	男 M.	*21*	*2*	*4*	*2*	*20*	*21*	*43*	*18*	*24*	*26*	*9*	*9*	*177*	*42*	*135*	
	女 F.	–	–	–	*1*	*2*	*1*	*2*	*2*	–	*2*	–	–	*32*	*5*	*27*	
BE 48. b	不慮の墜落	*26*	*4*	*2*	*1*	*29*	*32*	*60*	*26*	*13*	*44*	*1*	*6*	*138*	*34*	*104*	BE 48. b
	男 M.	*26*	*2*	*2*	*1*	*27*	*32*	*60*	*26*	*12*	*43*	*1*	*6*	*130*	*31*	*99*	
	女 F.	–	*2*	–	–	*2*	–	–	–	*1*	*1*	–	–	*8*	*3*	*5*	
BE 48. c	不慮の溺死および溺水	*9*	*2*	*2*	*1*	*12*	*9*	*31*	*14*	*14*	*18*	*3*	*5*	*145*	*44*	*101*	BE 48. c
	男 M.	*9*	*2*	*2*	*1*	*12*	*9*	*31*	*13*	*14*	*17*	*2*	*4*	*129*	*42*	*87*	
	女 F.	–	–	–	–	–	–	–	*1*	–	*1*	*1*	*1*	*16*	*2*	*14*	
BE 48. d	天災	*11*	–	–	–	*14*	*15*	*18*	*53*	*7*	*10*	*1*	–	*68*	*13*	*55*	BE 48. d
	男 M.	*9*	–	–	–	*12*	*13*	*15*	*43*	*5*	*7*	–	–	*42*	*11*	*31*	
	女 F.	*2*	–	–	–	*2*	*2*	*3*	*10*	*2*	*3*	*1*	–	*26*	*2*	*24*	
BE 48. e	その他	*73*	*6*	*8*	*3*	*75*	*133*	*176*	*45*	*52*	*78*	*5*	*11*	*329*	*82*	*247*	BE 48. e
	男 M.	*62*	*6*	*7*	*3*	*69*	*130*	*173*	*45*	*51*	*77*	*4*	*10*	*267*	*77*	*190*	
	女 F.	*11*	–	*1*	–	*6*	*3*	*3*	–	*1*	*1*	*1*	*1*	*62*	*5*	*57*	

第 58 表　15 才 以 上 死 亡 者 数，

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因（簡単分類）・産業（中分類）別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	製造業 Manufacturing										卸売および小売業 Wholesale and retail trade			国際簡単分類番号 International abbreviated list number
		化学工業 Chemical and related industries	石油，石炭製品製造業 Petroleum and coal products	ゴム製品製造業 Rubber products	皮革，皮革製品製造業 Leather and leather products	ガラスおよび土石製品製造業 Stone, clay and glass products	第一次金属製造業 Primary metal industries	金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products (except machinery and transportation equipment)	機械，武器製造業 Machinery and weapons	電気機械器具製造業 Electrical machinery, equipment and supplies	輸送用機械器具製造業 Transportation equipment	医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and clocks	その他の製造業 Miscellaneous manufacturing industries	総数 Total	卸売業 Wholesale trade	小売業 Retail trade	
BE 49	自殺および自傷	107	4	22	31	118	112	317	120	130	115	37	80	1 521	236	1 285	BE 49
	男 M.	81	3	16	28	93	103	285	108	89	103	27	62	1 043	193	850	
	女 F.	26	1	6	3	25	9	32	12	41	12	10	18	478	43	435	
BE 50	他殺および戦争行為	5	–	3	3	7	6	15	4	6	7	–	5	139	27	112	BE 50
	男 M.	4	–	3	3	7	6	15	4	6	6	–	3	85	23	62	
	女 F.	1	–	–	–	–	–	–	–	–	1	–	2	54	4	50	
BE 50. a	他殺	*5*	–	*3*	*3*	*7*	*5*	*15*	*4*	*5*	*7*	–	*5*	*135*	*25*	*110*	BB 50. a
	男 M.	*4*	–	*3*	*3*	*7*	*5*	*15*	*4*	*5*	*6*	–	*3*	*81*	*21*	*60*	
	女 F.	*1*	–	–	–	–	–	–	–	–	*1*	–	*2*	*54*	*4*	*50*	
BE 50. b	処刑および戦争行為	–	–	–	–	–	*1*	–	–	*1*	–	–	–	*4*	*2*	*2*	BE 50. b
	男 M.	–	–	–	–	–	*1*	–	–	*1*	–	–	–	*4*	*2*	*2*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	**304**	**22**	**52**	**58**	**357**	**399**	**878**	**379**	**299**	**381**	**72**	**151**	**3 876**	**778**	**3 098**	"N"
	男 M.	**262**	**19**	**42**	**54**	**315**	**383**	**826**	**350**	**253**	**358**	**58**	**126**	**3 091**	**706**	**2 385**	
	女 F.	**42**	**3**	**10**	**4**	**42**	**16**	**52**	**29**	**46**	**23**	**14**	**25**	**785**	**72**	**713**	
BN 47	骨折，頭部損傷および内部損傷	122	9	25	23	186	194	417	*166*	113	195	22	59	1 790	404	1 386	BN 47
	男 M.	115	8	22	22	173	191	405	*157*	107	187	21	55	1 608	384	1 224	
	女 F.	7	1	3	1	13	3	12	*9*	6	8	1	4	182	20	162	
BN 47. a	頭蓋骨折	*71*	*4*	*14*	*7*	*90*	*92*	*209*	*80*	*69*	*117*	*11*	*36*	*919*	*188*	*731*	BN 47. a
	男 M.	*67*	*3*	*12*	*7*	*83*	*92*	*202*	*75*	*64*	*113*	*10*	*32*	*829*	*180*	*649*	
	女 F.	*4*	*1*	*2*	–	*7*	–	*7*	*5*	*5*	*4*	*1*	*4*	*90*	*8*	*82*	
BN 47. b	その他の骨の骨折	*13*	*1*	*2*	*4*	*21*	*30*	*48*	*18*	*6*	*22*	*1*	*6*	*165*	*53*	*112*	BN 47. b
	男 M.	*13*	*1*	*2*	*3*	*21*	*30*	*47*	*15*	*6*	*22*	*1*	*6*	*149*	*49*	*100*	
	女 F.	–	–	–	*1*	–	–	*1*	*3*	–	–	–	–	*16*	*4*	*12*	
BN 47. c	頭部の損傷（骨折を除く）	*28*	*3*	*5*	*9*	*51*	*42*	*105*	*43*	*21*	*32*	*7*	*9*	*482*	*112*	*370*	BN 47. c
	男 M.	*27*	*3*	*4*	*9*	*49*	*41*	*103*	*43*	*21*	*28*	*7*	*9*	*437*	*107*	*330*	
	女 F.	*1*	–	*1*	–	*2*	*1*	*2*	–	–	*4*	–	–	*45*	*5*	*40*	
BN 47. d	胸，腹，骨盤腔の内部損傷	*10*	*1*	*4*	*3*	*24*	*30*	*55*	*25*	*17*	*24*	*3*	*8*	*224*	*51*	*173*	BN 47. d
	男 M.	*8*	*1*	*4*	*3*	*20*	*28*	*53*	*24*	*16*	*24*	*3*	*8*	*193*	*48*	*145*	
	女 F.	*2*	–	–	–	*4*	*2*	*2*	*1*	*1*	–	–	–	*31*	*3*	*28*	
BN 48	熱傷	23	3	2	–	4	21	20	2	11	10	2	3	44	6	38	BN 48
	男 M.	18	3	2	–	3	21	19	2	10	9	1	3	31	6	25	
	女 F.	5	–	–	–	1	–	1	–	1	1	1	–	13	–	13	
BN 49	毒物の作用	86	3	16	18	70	80	221	87	88	80	29	46	1 037	171	866	BN 49
	男 M.	64	3	10	17	53	74	199	82	60	74	22	34	646	134	512	
	女 F.	22	–	6	1	17	6	22	5	28	6	7	12	391	37	354	
BN 50	その他の損傷	73	7	9	17	97	104	220	124	87	96	19	43	1 005	197	808	BN 50
	男 M.	65	5	8	15	86	97	203	109	76	88	14	34	806	182	624	
	女 F.	8	2	1	2	11	7	17	15	11	8	5	9	199	15	184	
BN 50. a	裂傷および開放創	*18*	*1*	*1*	*4*	*19*	*23*	*37*	*16*	*17*	*13*	*7*	*16*	*181*	*26*	*155*	BN 50. a
	男 M.	*15*	–	*1*	*4*	*18*	*20*	*32*	*16*	*13*	*12*	*6*	*14*	*149*	*24*	*125*	
	女 F.	*3*	*1*	–	–	*1*	*3*	*5*	–	*4*	*1*	*1*	*2*	*32*	*2*	*30*	
BN 50. b	溺死および死にいたらない溺水	*17*	*3*	*4*	*6*	*30*	*29*	*76*	*67*	*31*	*36*	*8*	*12*	*332*	*75*	*257*	BN 50. b
	男 M.	*16*	*3*	*3*	*5*	*25*	*26*	*69*	*55*	*26*	*30*	*6*	*6*	*254*	*67*	*187*	
	女 F.	*1*	–	*1*	*1*	*5*	*3*	*7*	*12*	*5*	*6*	*2*	*6*	*78*	*8*	*70*	
BN 50. c	窒息および絞首	*22*	–	*4*	*7*	*32*	*20*	*52*	*18*	*20*	*28*	*4*	*12*	*373*	*65*	*308*	BN 50. c
	男 M.	*20*	–	*4*	*6*	*28*	*19*	*48*	*16*	*18*	*27*	*2*	*11*	*299*	*60*	*239*	
	女 F.	*2*	–	–	*1*	*4*	*1*	*4*	*2*	*2*	*1*	*2*	*1*	*74*	*5*	*69*	
BN 50. d	その他	*16*	*3*	–	–	*16*	*32*	*55*	*23*	*19*	*19*	–	*3*	*119*	*31*	*88*	BN 50. d
	男 M.	*14*	*2*	–	–	*15*	*32*	*54*	*22*	*19*	*19*	–	*3*	*104*	*31*	*73*	
	女 F.	*2*	*1*	–	–	*1*	–	*1*	*1*	–	–	–	–	*15*	–	*15*	

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	金融，保険，不動産業 Finance, insurance and real estarte			運輸，通信およびその他の公益 Transportation, communication and other public			事業 utilities	サービス業 Services					公務 Government	分類不能の産業および不詳 Not classifiable and not reported	未就業者および非労働力 Unemployment and not in labor force	国際簡単分類番号 International abbreviated list number
		総数 Total	金融，保険業 Finance and insurance	不動産業 Real estate	総数 Total	運輸業および倉庫業 Transportation and warehousing	通信業 Communication	その他の公益事業 Other utilities	総数 Total	対個人サービス業 Personal services	対事業所サービス業，修理業（衣服，履物修理業を除く） Business and repair services (except garment and footwear repair shops)	興行娯楽 Amusement and recreation services	その他のサービス業 Miscellaneous services				
	総数	2 243	1 829	414	7 582	5 515	1 025	1 042	16 239	4 817	1 856	729	8 837	3 406	4 610 [1]	352 568	
	男 M.	1 966	1 584	382	7 258	5 361	892	1 005	12 731	3 392	1 775	531	7 033	3 164	3 726	131 201	
	女 F.	277	245	32	324	154	133	37	3 508	1 425	81	198	1 804	242	857	221 367	
B 1	呼吸器系の結核	149	119	30	344	254	36	54	1 001	331	118	53	499	195	236	18 399	B 1
	男 M.	134	107	27	325	247	29	49	846	259	113	44	430	175	199	9 310	
	女 F.	15	12	3	19	7	7	5	155	72	5	9	69	20	37	9 089	
B 2	その他の結核	7	7	–	42	32	5	5	80	25	7	4	44	18	19	1 537	B 2
	男 M.	3	3	–	37	29	4	4	45	12	5	4	24	14	15	469	
	女 F.	4	4	–	5	3	1	1	35	13	2	–	20	4	4	1 068	
B 3	梅毒およびその続発症	12	7	5	40	30	3	7	71	28	15	3	25	17	35	1 325	B 3
	男 M.	12	7	5	39	30	2	7	57	19	15	2	21	17	32	810	
	女 F.	–	–	–	1	–	1	–	14	9	–	1	4	–	3	515	
B 4	腸チフス	–	–	–	1	1	–	–	2	1	–	–	1	–	–	18	B 4
	男 M.	–	–	–	1	1	–	–	1	–	–	–	1	–	–	9	
	女 F.	–	–	–	–	–	–	–	1	1	–	–	–	–	–	9	
B 5	コレラ	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 5
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 6	赤痢	–	–	–	2	2	–	–	4	3	1	–	–	2	9	191	B 6
	男 M.	–	–	–	2	2	–	–	4	3	1	–	–	2	8	61	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	130	
B 6. a	細菌性赤痢（疫痢症状を呈するもの）	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*5*	B 6. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*3*	
B 6. b	細菌性赤痢（その他）	–	–	–	*2*	*2*	–	–	*3*	*2*	*1*	–	–	*1*	*8*	*180*	B 6. b
	男 M.	–	–	–	*2*	*2*	–	–	*3*	*2*	*1*	–	–	*1*	*7*	*55*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*125*	
B 6. c	アメーバ症	–	–	–	–	–	–	–	*1*	*1*	–	–	–	*1*	*1*	*6*	B 6. c
	男 M.	–	–	–	–	–	–	–	*1*	*1*	–	–	–	*1*	*1*	*4*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*2*	
B 6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 6. d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 7	猩紅熱およびレンサ球菌性口峡炎	–	–	–	1	–	–	1	–	–	–	–	–	–	–	14	B 7
	男 M.	–	–	–	1	–	–	1	–	–	–	–	–	–	–	*4*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	
B 7. a	猩紅熱	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	*13*	B 7. a
	男 M.	–	–	–	*1*	–	–	*1*	–	–	–	–	–	–	–	*3*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*10*	
B 7. b	レンサ球菌性口峡炎	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	B 7 b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 8	ジフテリア	–	–	–	–	–	–	–	–	–	–	–	–	–	–	17	B 8
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10	
B 9	百日咳	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 9
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 58 表　15 才 以 上 死 亡 者 数,

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

性・死因（簡単分類）・産業（中分類）別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	金融，保険，不動産業 Finance, insurance and real estate			運輸，通信およびその他の公益事業 Transportation, communication and other public utilities			サービス業 Services						公務 Government	分類不能の産業および不詳 Not classifiable and not reported	未就業者および非労働力 Unemployment and not in labor force	国際簡単分類番号 International abbreviated list number
		総数 Total	金融，保険業 Finance and insurance	不動産業 Real estate	総数 Total	運輸業および倉庫業 Transportation and warehousing	通信業 Communication	総数 Total	対個人サービス業 personal services	対事業所サービス業，修理業（衣服，履物修理業を除く） Business and repair services (except garment and footwear repair shops)	興行娯楽業 Amusement and recreation services	その他のサービス業 Miscellaneous services	その他の公益事業 Other utilities				
B 10	髄膜炎菌感染	1	1	–	4	3	–	1	1	–	1	2	1	4	32	B 10
	男 M.	1	1	–	4	3	–	1	1	–	1	2	1	3	14	
	女 F.	–	–	–	–	–	–	1	1	–	–	–	–	1	18	
B 11	ペスト	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 11
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 12	急性灰白髄炎	–	–	–	1	1	–	4	2	–	–	2	1	–	29	B 12
	男 M.	–	–	–	1	1	–	2	1	–	–	1	1	–	8	
	女 F.	–	–	–	–	–	–	2	1	–	–	1	–	–	21	
B 13	痘瘡	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 13
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 14	麻疹	–	–	–	–	–	–	–	–	–	–	–	–	–	6	B 14
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	3	
B 15	発疹チフスおよびその他のリケッチア病	–	–	–	–	–	–	1	–	–	–	1	–	–	2	B 15
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	1	–	–	–	1	–	–	2	
B 15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 15. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 15. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 15. c	その他	–	–	–	–	–	–	1	–	–	–	1	–	–	2	B 15. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	1	–	–	–	1	–	–	2	
B 16	マラリア	–	–	–	–	–	–	–	–	–	–	–	–	–	2	B 16
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	2	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17	伝染性および寄生性として分類されたその他の疾患	9	8	1	50	36	7	7	74	20	16	2	36	26	19	1 388	B 17
	男 M.	8	7	1	46	35	5	6	50	12	14	1	23	21	14	467	
	女 F.	1	1	–	4	1	2	1	24	8	2	1	13	5	5	921	
B 17. a	パラチフス	–	–	–	–	–	–	–	1	–	–	–	1	1	–	2	B 17. a
	男 M.	–	–	–	–	–	–	–	1	–	–	–	1	1	–	2	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. b	癩	–	–	–	–	–	–	–	1	–	1	–	–	–	–	9	B 17. b
	男 M.	–	–	–	–	–	–	–	1	–	1	–	–	–	–	7	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	
B 17 c	破傷風	3	3	–	6	4	1	1	6	1	4	–	1	3	5	114	B 17. c
	男 M.	3	3	–	5	4	–	1	5	–	4	–	1	3	4	36	
	女 F.	–	–	–	1	–	1	–	1	1	–	–	–	–	1	78	
B 17. d	炭疽	–	–	–	–	–	–	–	–	–	–	–	–	–	1	B 17 d
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	1	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B 17. e	回帰熱	–	–	–	–	–	–	–	–	–	–	–	–	–	–	B 17. e
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 58 表　15 才 以 上 死 亡 者 数，

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	金融，保険，不動産業 Finance, insurance and real estate			運輸，通信およびその他の公益 Transportation, communication and other public		
		総数 Total	金融，保険業 Finance and insurance	不動産業 Real estate	総数 Total	運輸業および倉庫業 Transportation and warehousing	通信業 Communication
B 17. f	日本脳炎	2	1	1	14	7	3
	男 M.	1	–	1	11	6	2
	女 F.	1	1	–	3	1	1
B 17. g	黄熱	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B 17. h	狂犬病	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B 17. i	伝染性下痢症	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B 17. j	日本住血吸虫症	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B 17. k	糸状虫症	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–
B 17. l	その他の伝染性および寄生性として分類された疾患	4	4	–	30	25	3
	男 M.	4	4	–	30	25	3
	女 F.	–	–	–	–	–	–
B 18	悪性新生物（リンパ組織および造血組織の新生物を含む）	524	436	88	1 372	918	250
	男 M.	448	368	80	1 299	889	220
	女 F.	76	68	8	73	29	30
B 18. a	胃の悪性新生物	235	191	44	633	431	115
	男 M.	206	165	41	611	422	106
	女 F.	29	26	3	22	9	9
B 18. b	気管，気管支および肺の悪性新生物	45	37	8	92	63	15
	男 M.	41	34	7	90	62	15
	女 F.	4	3	1	2	1	–
B 18. c	乳房の悪性新生物	5	5	–	6	2	3
	男 M.	–	–	–	–	–	–
	女 F.	5	5	–	6	2	3
B 18. d	子宮の悪性新生物	9	8	1	13	6	4
	男 M.	•	•	•	•	•	•
	女 F.	9	8	1	13	6	4
B 18. e	白血病および無白血病	11	11	–	60	40	10
	男 M.	8	8	–	55	38	7
	女 F.	3	3	–	5	2	3
B 18. f	その他	219	184	35	568	376	103
	男 M.	193	161	32	543	367	92
	女 F.	26	23	3	25	9	11
B 19	良性および性質不詳の新生物	23	20	3	56	40	10
	男 M.	20	17	3	53	39	8
	女 F.	3	3	–	3	1	2
B 20	糖尿病	14	12	2	26	17	3
	男 M.	12	11	1	25	17	2
	女 F.	2	1	1	1	–	1

性・死因（簡単分類）・産業（中分類）別

(ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

事業 utilities	サービス業 Services					公務 Government	分類不能の産業および不詳 Not classifiable and not reported	未就業者および非労働力 Unemployment and not in labor force	国際簡単分類番号 International abbreviated list number
その他の公益事業 Other utilities	総数 Total	対個人サービス業 Personal services	対事業所サービス業，修理業（衣服，履物修理業を除く） Business and repair services (except garment and footwear repair shops)	興行娯楽業 Amusement and recreation services	その他のサービス業 Miscellaneous services				
4	17	3	2	1	11	–	3	185	B 17. f
3	11	2	2	–	7	–	3	57	
1	6	1	–	1	4	–	–	128	
–	–	–	–	–	–	–	–	–	B 17. g
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	B 17. h
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	B 17. i
–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	1	
–	–	–	–	–	–	2	–	16	B 17. j
–	–	–	–	–	–	2	–	6	
–	–	–	–	–	–	–	–	10	
–	–	–	–	–	–	–	–	28	B 17. k
–	–	–	–	–	–	–	–	14	
–	–	–	–	–	–	–	–	14	
2	49	16	9	1	23	20	11	1 032	B 17. l
2	32	10	7	1	14	15	7	344	
–	17	6	2	–	9	5	4	688	
204	3 134	833	326	107	1 868	839	550	46 878	B 18
190	2 442	561	305	74	1 502	778	473	16 078	
14	692	272	21	33	366	61	77	30 800	
87	1 452	373	153	50	876	393	257	20 326	B 18. a
83	1 221	286	147	38	750	378	232	8 393	
4	231	87	6	12	126	15	25	11 933	
14	210	56	21	9	124	51	39	2 267	B 18. b
13	181	42	21	6	112	50	34	1 188	
1	29	14	–	3	12	1	5	1 079	
1	40	12	–	2	26	8	6	1 276	B 18 c
–	–	–	–	–	–	2	–	7	
1	40	12	–	2	26	6	6	1 269	
3	115	56	4	6	49	15	14	5 272	B 18. d
•	•	•	•	•	•	•	•	•	
3	115	56	4	6	49	15	14	5 272	
10	83	18	6	7	52	43	21	730	B 18. e
10	49	6	6	5	32	42	16	214	
–	34	12	–	2	20	1	5	516	
89	1 234	318	142	33	741	329	213	17 007	B 18. f
84	991	227	131	25	608	306	191	6 276	
5	243	91	11	8	133	23	22	10 731	
6	143	36	19	6	82	47	34	2 179	B 19
6	105	22	18	4	61	40	28	649	
–	38	14	1	2	21	7	6	1 530	
6	87	24	2	5	56	12	7	1 631	B 20
6	67	17	2	2	46	12	6	527	
–	20	7	–	3	10	–	1	1 104	

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	金融，保険，不動産業 Finance, insurance and real estate			運輸，通信およびその他の公益 Transportation, communication and other public			サービス業 Services						公務 Government	分類不能の産業および不詳 Not classifiable and not reported	未就業者および非労働力 Uuemployment and not in labor force	国際簡単分類番号 International abbreviated list number
		総数 Total	金融，保険業 Finance and insurance	不動産業 Real estate	総数 Total	運輸業および倉庫業 Transportation and warehousing	通信業 Communication	その他の公益事業 Other utilities	総数 Total	対個人サービス業 Personal services	対事業所サービス業，修理業（衣服，履物修理業を除く） Business and repair services (except garment and footwear repair shops)	興行娯楽業 Amusement and recreation services	その他のサービス業 Miscellaneous services				
B 21	貧血	4	4	–	19	15	3	1	41	13	5	–	23	9	4	629	B 21
	男 M.	3	3	–	18	15	2	1	23	6	5	–	12	8	4	177	
	女 F.	1	1	–	1	–	1	–	18	7	–	–	11	1	–	452	
B 22	中枢神経系の血管損傷	434	332	102	1 069	751	145	173	3 265	1 001	345	105	1 814	569	636	84 129	B 22
	男 M.	405	309	96	1 048	742	136	170	2 736	774	336	84	1 542	550	577	31 511	
	女 F.	29	23	6	21	9	9	3	529	227	9	21	272	19	59	52 618	
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	5	5	–	14	9	2	3	23	8	4	1	10	7	7	284	B 23
	男 M.	3	3	–	13	9	1	3	17	4	4	1	8	7	5	97	
	女 F.	2	2	–	1	–	1	–	6	4	–	–	2	–	2	187	
B 24	リューマチ熱	2	2	–	8	3	3	2	20	7	2	1	10	6	2	526	B 24
	男 M.	2	2	–	8	3	3	2	12	4	2	–	6	6	1	139	
	女 F.	–	–	–	–	–	–	–	8	3	–	1	4	–	1	387	
B 25	慢性リューマチ性心臓疾患	6	6	–	54	37	11	6	116	43	6	4	63	20	21	3 343	B 25
	男 M.	4	4	–	48	35	7	6	69	23	5	3	38	15	14	824	
	女 F.	2	2	–	6	2	4	–	47	20	1	1	25	5	7	2 519	
B 26	動脈硬化性および変性性心臓疾患	192	160	32	404	281	79	44	1 239	357	101	63	718	247	230	25 101	B 26
	男 M.	178	149	29	385	271	71	43	1 046	275	94	54	623	238	211	9 080	
	女 F.	14	11	3	19	10	8	1	193	82	7	9	95	9	19	16 021	
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	*130*	*110*	*20*	*256*	*177*	*51*	*28*	*816*	*218*	*67*	*42*	*489*	*155*	*114*	*9 180*	B 26. a
	男 M.	*124*	*105*	*19*	*245*	*170*	*48*	*27*	*727*	*184*	*63*	*37*	*443*	*151*	*108*	*3 746*	
	女 F.	*6*	*5*	*1*	*11*	*7*	*3*	*1*	*89*	*34*	*4*	*5*	*46*	*4*	*6*	*5 434*	
B 26. b	リューマチ性と明示されない慢性心内膜炎	*32*	*25*	*7*	*79*	*49*	*21*	*9*	*224*	*84*	*17*	*8*	*115*	*53*	*64*	*7 482*	B 26. b
	男 M.	*27*	*21*	*6*	*74*	*48*	*17*	*9*	*150*	*54*	*15*	*4*	*77*	*50*	*56*	*2 210*	
	女 F.	*5*	*4*	*1*	*5*	*1*	*4*	–	*74*	*30*	*2*	*4*	*38*	*3*	*8*	*5 272*	
B 26. c	その他の心筋変性	*30*	*25*	*5*	*69*	*55*	*7*	*7*	*199*	*55*	*17*	*13*	*114*	*39*	*52*	*8 439*	B 26. c
	男 M.	*27*	*23*	*4*	*66*	*53*	*6*	*7*	*169*	*37*	*16*	*13*	*103*	*37*	*47*	*3 124*	
	女 F.	*3*	*2*	*1*	*3*	*2*	*1*	–	*30*	*18*	*1*	–	*11*	*2*	*5*	*5 315*	
B 27	その他の心臓疾患	35	31	4	78	52	18	8	312	96	37	18	161	28	47	9 287	B 27
	男 M.	30	26	4	74	51	16	7	247	70	35	15	127	27	37	3 917	
	女 F.	5	5	–	4	1	2	1	65	26	2	3	34	1	10	5 370	
B 28	高血圧性心臓疾患	14	11	3	32	24	5	3	105	30	11	3	61	19	13	3 423	B 28
	男 M.	14	11	3	31	24	5	2	86	24	10	3	49	19	12	1 375	
	女 F.	–	–	–	1	–	–	1	19	6	1	–	12	–	1	2 048	
B 29	その他の高血圧性疾患	21	16	5	56	41	12	3	167	59	11	3	94	28	28	5 762	B 29
	男 M.	20	15	5	53	40	10	3	146	52	11	3	80	28	24	2 053	
	女 F.	1	1	–	3	1	2	–	21	7	–	–	14	–	4	3 704	
B 30	インフルエンザ	–	–	–	4	3	1	–	16	7	–	–	9	7	2	432	B 30
	男 M.	–	–	–	4	3	1	–	11	5	–	–	6	7	1	171	
	女 F.	–	–	–	–	–	–	–	5	2	–	–	3	–	1	261	
B 31	肺炎（新生児肺炎を除く）	36	28	8	86	59	15	12	380	107	40	7	226	46	74	10 969	B 31
	男 M.	34	27	7	78	57	10	11	304	73	38	4	189	38	63	4 612	
	女 F.	2	1	1	8	2	5	1	76	34	2	3	37	8	11	6 357	
B 32	気管支炎	8	5	3	11	9	–	2	84	23	9	1	51	12	8	4 479	B 32
	男 M.	8	5	3	11	9	–	2	76	19	9	1	47	12	7	1 900	
	女 F.	–	–	–	–	–	–	–	8	4	–	–	4	–	1	2 579	
B 33	胃および十二指腸の潰瘍	48	32	16	156	100	38	18	415	117	48	12	238	75	67	5 466	B 33
	男 M.	44	29	15	150	95	37	18	380	99	48	12	221	73	64	2 727	
	女 F.	4	3	1	6	5	1	–	35	18	–	–	17	2	3	2 739	

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	金融，保険，不動産業 Finance, insurance and real estate			運輸，通信およびその他の公益 Transportation, communication and other public			事業 utilities	サービス業 Services					公務 Government	分類不能の産業および不詳 Not classifiable and not reported	未就業者および非労働力 Unemployment and not in labor force	国際簡単分類番号 International abbreviated list number
		総数 Total	金融，保険業 Finance and insurance	不動産業 Real estate	総数 Total	運輸業および倉庫業 Transportation and warehousing	通信業 Communication	その他の公益事業 Other utilities	総数 Total	対個人サービス業 Personal services	対事業所サービス業，修理業（衣服，履物修理業を除く） Business and repair services (except garment and footwear repair shops)	興行娯楽 Amusement and recreation services	その他のサービス業 Miscellaneous services				
B 34	虫垂炎	13	13	–	11	8	2	1	36	17	2	1	16	17	9	436	B 34
	男 M.	11	11	–	10	7	2	1	25	13	2	1	9	15	7	141	
	女 F.	2	2	–	1	1	–	–	11	4	–	–	7	2	2	295	
B 35	腸閉塞およびヘルニア	12	12	–	53	41	9	3	94	29	12	4	49	21	19	1 495	B 35
	男 M.	10	10	–	50	40	7	3	69	21	12	2	34	20	15	494	
	女 F.	2	2	–	3	1	2	–	25	8	–	2	15	1	4	1 001	
B 36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	11	11	–	40	27	6	7	135	32	16	–	87	11	19	10 337	B 36
	男 M.	9	9	–	37	25	5	7	99	23	16	–	60	10	16	3 187	
	女 F.	2	2	–	3	2	1	–	36	9	–	–	27	1	3	7 150	
B 36. a	胃炎および十二指腸炎	*2*	*2*	–	*6*	*5*	–	*1*	*24*	*8*	*4*	–	*12*	*4*	*3*	*2 234*	B 36. a
	男 M.	*1*	*1*	–	*6*	*5*	–	*1*	*18*	*6*	*4*	–	*8*	*4*	*2*	*753*	
	女 F.	*1*	*1*	–	–	–	–	–	*6*	*2*	–	–	*4*	–	*1*	*1 481*	
B 36. b	胃腸炎，腸炎および大腸炎	*9*	*9*	–	*34*	*22*	6	*6*	*111*	*24*	*12*	–	*75*	*7*	*16*	*8 103*	B 36. b
	男 M.	*8*	*8*	–	*31*	*20*	5	*6*	*81*	*17*	*12*	–	*52*	*6*	*14*	*2 434*	
	女 F.	*1*	*1*	–	*3*	*2*	1	–	*30*	*7*	–	–	*23*	*1*	*2*	*5 669*	
B 37	肝硬変	32	24	8	133	92	21	20	280	91	30	9	150	79	63	4 385	B 37
	男 M.	30	23	7	131	90	21	20	245	80	29	7	129	76	57	1 809	
	女 F.	2	1	1	2	2	–	–	35	11	1	2	21	3	6	2 576	
B 38	腎炎およびネフローゼ	46	41	5	142	107	17	18	391	116	38	14	223	96	60	9 294	B 38
	男 M.	36	32	4	135	105	14	16	292	74	37	8	173	88	52	3 167	
	女 F.	10	9	1	7	2	3	2	99	42	1	6	50	8	8	6 127	
B 38. a	急性腎炎およびネフローゼ	*6*	*5*	*1*	*34*	*26*	*5*	*3*	*109*	*38*	*13*	*4*	*54*	*14*	*18*	*2 338*	B 38. a
	男 M.	*3*	*3*	–	*32*	*25*	*4*	*3*	*84*	*26*	*12*	*2*	*44*	*13*	*14*	*804*	
	女 F.	*3*	*2*	*1*	*2*	*1*	*1*	–	*25*	*12*	*1*	*2*	*10*	*1*	*4*	*1 534*	
B 38. b	その他	*40*	*36*	*4*	*108*	*81*	*12*	*15*	*282*	*78*	*25*	*10*	*169*	*82*	*42*	*6 956*	B 38. b
	男 M.	*33*	*29*	*4*	*103*	*80*	*10*	*13*	*208*	*48*	*25*	*6*	*129*	*75*	*38*	*2 363*	
	女 F.	*7*	*7*	–	*5*	*1*	*2*	*2*	*74*	*30*	–	*4*	*40*	*7*	*4*	*4 593*	
B 39	前立腺肥大症	1	1	–	–	–	–	–	14	5	–	1	8	–	1	279	B 39
	男 M.	1	1	–	–	–	–	–	14	5	–	1	8	–	1	279	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 40	妊娠，分娩および産褥の合併症	4	4	–	17	1	15	1	77	23	–	4	50	7	14	1 489	B 40
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	4	4	–	17	1	15	1	77	23	–	4	50	7	14	1 489	
B 41	先天奇形	1	1	–	5	4	–	1	16	4	2	1	9	4	5	250	B 41
	男 M.	1	1	–	5	4	–	1	9	3	2	–	4	4	4	88	
	女 F.	–	–	–	–	–	–	–	7	1	–	1	5	–	1	162	
B 42	出生時の損傷，分娩後窒息および肺不全拡張	•	•	•	8	•	•	•	•	•	•	•	•	•	•	•	B 42
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 43	新生児の感染	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 43
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 43. a	新生児肺炎	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 43. a
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
B 43. b	新生児下痢	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	B 43. b
	男 M.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
	女 F.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	金融，保険，不動産業 Finance, insurance and real estate			運輸，通信およびその他の公益 Transportation, communication and other public			サービス業 Services					公務 Government	分類不能の産業および不詳 Not classifiable and not reported	未就業者および非労働力 Unemployment and not in labor force	国際簡単分類番号 International abbreviated list number
		総数 Total	金融，保険業 Finance and insurance	不動産業 Real estate	総数 Total	運輸業および倉庫業 Transportation and warehousing	通信業 Communication	総数 Total	対個人サービス業 Personal services	対事業所サービス業 修理業（衣服，履物修理業を除く） Business and repair services (except garment and footwear repair shops)	興行娯楽業 Amusement and recreation services	その他のサービス業 Miscellaneous services				
B 43. c	その他の新生児の感染	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B 43. c
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B 44	その他の新生児固有の疾患および性質不明の未熟児	.	.	.	.	.	.	.	.	.	.	.	.	.	.	B 44
	男 M.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	76	63	13	259	193	34	721	197	63	29	432	104	155	49 628	B 45
	男 M.	67	54	13	250	187	31	596	142	60	25	369	99	137	16 366	
	女 F.	9	9	–	9	6	3	125	55	3	4	63	5	18	33 262	
B 45. a	精神病の記載のない老衰	*15*	*10*	*5*	*23*	*19*	*2*	*312*	*67*	*12*	*2*	*231*	*15*	*34*	*43 586*	B 45. a
	男 M.	*15*	*10*	*5*	*23*	*19*	*2*	*256*	*46*	*12*	*2*	*196*	*15*	*31*	*14 147*	
	女 F.	–	–	–	–	–	–	*56*	*21*	–	–	*35*	–	*3*	*29 439*	
B 45. b	その他の診断名不明確および不明の原因	*61*	*53*	*8*	*236*	*174*	*32*	*409*	*130*	*51*	*27*	*201*	*89*	*121*	*6 042*	B 45. b
	男 M.	*52*	*44*	*8*	*227*	*168*	*29*	*340*	*96*	*48*	*23*	*173*	*84*	*106*	*2 219*	
	女 F.	*9*	*9*	–	*9*	*6*	*3*	*69*	*34*	*3*	*4*	*28*	*5*	*15*	*3 823*	
B 46	その他のすべての疾患	147	119	28	394	256	70	1 098	340	122	39	597	192	226	30 806	B 46
	男 M.	122	95	27	371	244	60	838	239	120	27	452	169	184	11 766	
	女 F.	25	24	1	23	12	10	260	101	2	12	145	23	42	19 040	
B 46. a	その他の循環器系の疾患（先天性を除く）	*15*	*14*	*1*	*16*	*9*	*5*	*72*	*20*	*6*	*3*	*43*	*10*	*8*	*2 957*	B 46. a
	男 M.	*14*	*13*	*1*	*15*	*9*	*4*	*63*	*17*	*6*	*2*	*38*	*10*	*8*	*1 209*	
	女 F.	*1*	*1*	–	*1*	–	*1*	*9*	*3*	–	*1*	*5*	–	–	*1 748*	
B 46. b	その他のすべての疾患	*132*	*105*	*27*	*378*	*247*	*65*	*1 026*	*320*	*116*	*36*	*554*	*182*	*218*	*27 849*	B 46. b
	男 M.	*108*	*82*	*26*	*356*	*235*	*56*	*775*	*222*	*114*	*25*	*414*	*159*	*176*	*10 557*	
	女 F.	*24*	*23*	*1*	*22*	*12*	*9*	*251*	*98*	*2*	*11*	*140*	*23*	*42*	*17 292*	
"E"	**不慮の事故，中毒および暴力の二重分類**	**356**	**298**	**58**	**2 598**	**2 068**	**205**	**2 589**	**791**	**448**	**228**	**1 122**	**644**	1) **1 987**	**16 691**	"E"
	男 M.	**296**	**244**	**52**	**2 515**	**2 012**	**183**	**1 768**	**457**	**427**	**148**	**736**	**594**	**1 455**	**6 898**	
	女 F.	**60**	**54**	**6**	**83**	**56**	**22**	**821**	**334**	**21**	**80**	**386**	**50**	**505**	**9 793**	
BE 47	自動車事故	104	90	14	765	629	57	608	140	186	42	240	173	224	1 803	BE 47
	男 M.	94	80	14	749	619	52	541	112	184	35	210	163	199	854	
	女 F.	10	10	–	16	10	5	67	28	2	7	30	10	25	949	
BE 48	その他の不慮の事故	87	73	14	1 186	949	54	670	176	128	61	305	226	1) 764	5 962	BE 48
	男 M.	69	56	13	1 172	940	51	516	124	119	44	229	217	505	2 495	
	女 F.	18	17	1	14	9	3	154	52	9	17	76	9	232	3 467	
BE 48. a	自動車以外の交通事故	*26*	*19*	*7*	*476*	*443*	*18*	*182*	*44*	*34*	*18*	*86*	*61*	*116*	*824*	BE 48. a
	男 M.	*20*	*14*	*6*	*472*	*440*	*18*	*148*	*32*	*31*	*14*	*71*	*61*	*100*	*422*	
	女 F.	*6*	*5*	*1*	*4*	*3*	–	*34*	*12*	*3*	*4*	*15*	–	*16*	*402*	
BE 48. b	不慮の墜落	*14*	*14*	–	*156*	*108*	*14*	*105*	*26*	*19*	*6*	*54*	*35*	*49*	*1 137*	BE 48. b
	男 M.	*11*	*11*	–	*154*	*106*	*14*	*94*	*19*	*19*	*4*	*52*	*34*	*47*	*498*	
	女 F.	*3*	*3*	–	*2*	*2*	–	*11*	*7*	–	*2*	*2*	*1*	*2*	*639*	
BE 48. c	不慮の溺死および溺水	*15*	*12*	*3*	*113*	*86*	*5*	*93*	*31*	*18*	*7*	*37*	*35*	*128*	*841*	BE 48. c
	男 M.	*13*	*10*	*3*	*113*	*86*	*5*	*75*	*23*	*17*	*5*	*30*	*35*	*99*	*458*	
	女 F.	*2*	*2*	–	–	–	–	–	*8*	*1*	*2*	*7*	–	*29*	*383*	
BE 48. d	天災	*8*	*7*	*1*	*50*	*35*	*4*	*56*	*13*	*4*	*1*	*38*	*23*	1) *345*	*1 326*	BE 48. d
	男 M.	*6*	*5*	*1*	*46*	*33*	*2*	*27*	*9*	*2*	*1*	*15*	*19*	*149*	*246*	
	女 F.	*2*	*2*	–	*4*	*2*	*2*	*29*	*4*	*2*	–	*23*	*4*	*169*	*1 080*	
BE 48. e	その他	*24*	*21*	*3*	*391*	*277*	*13*	*234*	*62*	*53*	*29*	*90*	*72*	*126*	*1 834*	BE 48. e
	男 M.	*19*	*16*	*3*	*387*	*275*	*12*	*172*	*41*	*50*	*20*	*61*	*68*	*110*	*871*	
	女 F.	*5*	*5*	–	*4*	*2*	*1*	*62*	*21*	*3*	*9*	*29*	*4*	*16*	*963*	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 58 表　15 才 以 上 死 亡 者 数，性・死因（簡単分類）・産業（中分類）別

TABLE 58　DEATHS AT 15 YEARS OF AGE AND OVER FROM CAUSES (ABBREVIATED LIST) BY SEX AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	金融，保険，不動産業 Finance, insurance and real estate			運輸，通信およびその他の公益 Transportation, communication and other public			事業 utilities	サービス業 Services					公務 Government	分類不能の産業および不詳 Not classifiable and not reported	未就業者および非労働力 Unemployment and not in labor force	国際簡単分類番号 International abbreviated list number
		総数 Total	金融，保険業 Finance and insurance	不動産業 Real estate	総数 Total	運輸業および倉庫業 Transportation and warehousing	通信業 Communication	その他の公益事業 Other utilities	総数 Total	対個人サービス業 Personal services	対事業所サービス業 修理業（衣服，履物修理業を除く） Business and repair services (except garment and footwear repair shops)	興行娯楽業 Amusement and recreation services	その他のサービス業 Miscellaneous services				
BE 49	自殺および自傷	154	127	27	547	402	89	56	1 210	439	115	105	551	233	969	8 537	BE 49
	男 M.	125	103	22	499	369	76	54	644	201	106	50	287	203	727	3 344	
	女 F.	29	24	5	48	33	13	2	566	238	9	55	264	30	242	5 193	
BE 50	他殺および戦争行為	11	8	3	100	88	5	7	101	36	19	20	26	12	30	389	BE 50
	男 M.	8	5	3	95	84	4	7	67	20	18	19	10	11	24	205	
	女 F.	3	3	–	5	4	1	–	34	16	1	1	16	1	6	184	
BE 50. a	他殺	*11*	*8*	*3*	*100*	*88*	*5*	*7*	*100*	*36*	*18*	*20*	*26*	*11*	*26*	*362*	BE 50. a
	男 M.	*8*	*5*	*3*	*95*	*84*	*4*	*7*	*66*	*20*	*17*	*19*	*10*	*10*	*21*	*181*	
	女 F.	*3*	*3*	–	*5*	*4*	*1*	–	*34*	*16*	*1*	*1*	*16*	*1*	*5*	*181*	
BE 50. b	処刑および戦争行為	–	–	–	–	–	–	–	*1*	–	*1*	–	–	*1*	*4*	*27*	BE 50. b
	男 M.	–	–	–	–	–	–	–	*1*	–	*1*	–	–	*1*	*3*	*24*	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	*1*	*3*	
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	**356**	**298**	**58**	**2 598**	**2 068**	**205**	**325**	**2 589**	**791**	**448**	**228**	**1 122**	**644**	1) **1 987**	**16 691**	"N"
	男 M.	**296**	**244**	**52**	**2 515**	**2 012**	**183**	**320**	**1 768**	**457**	**427**	**148**	**736**	**594**	**1 455**	**6 898**	
	女 F.	**60**	**54**	**6**	**83**	**56**	**22**	**5**	**821**	**334**	**21**	**80**	**386**	**50**	**505**	**9 793**	
BN 47	骨折，頭部損傷および内部損傷	157	130	27	1 401	1 163	96	142	1 003	255	258	87	403	305	535	4 363	
	男 M.	140	113	27	1 381	1 149	92	140	854	189	253	73	339	292	456	2 089	BN 47
	女 F.	17	17	–	20	14	4	2	149	66	5	14	64	13	79	2 274	
BN 47. a	頭蓋骨折	*71*	*62*	*9*	*674*	*545*	*54*	*75*	*512*	*132*	*124*	*38*	*218*	*151*	*282*	*1 765*	
	男 M.	*64*	*55*	*9*	*661*	*536*	*50*	*75*	*440*	*101*	*121*	*31*	*187*	*144*	*240*	*858*	BN 47. a
	女 F.	*7*	*7*	–	*13*	*9*	*4*	–	*72*	*31*	*3*	*7*	*31*	*7*	*42*	*907*	
BN 47. b	その他の骨の骨折	*13*	*10*	*3*	*189*	*165*	*9*	*15*	*88*	*22*	*22*	*7*	*37*	*28*	*43*	*841*	
	男 M.	*11*	*8*	*3*	*188*	*164*	*9*	*15*	*73*	*15*	*22*	*7*	*29*	*28*	*38*	*333*	BN 47. b
	女 F.	*2*	*2*	–	*1*	*1*	–	–	*15*	*7*	–	–	*8*	–	*5*	*508*	
BN 47. c	頭部の損傷（骨折を除く）	*56*	*46*	*10*	*287*	*226*	*22*	*39*	*279*	*63*	*79*	*28*	*109*	*82*	*155*	*1 284*	
	男 M.	*50*	*40*	*10*	*284*	*225*	*22*	*37*	*241*	*45*	*77*	*23*	*96*	*78*	*130*	*622*	BN 47. c
	女 F.	*6*	*6*	–	*3*	*1*	–	*2*	*38*	*18*	*2*	*5*	*13*	*4*	*25*	*662*	
BN 47. d	胸，腹，骨盤腔の内部損傷	*17*	*12*	*5*	*251*	*227*	*11*	*13*	*124*	*38*	*33*	*14*	*39*	*44*	*55*	*473*	
	男 M.	*15*	*10*	*5*	*248*	*224*	*11*	*13*	*100*	*28*	*33*	*12*	*27*	*42*	*48*	*276*	BN 47. d
	女 F.	*2*	*2*	–	*3*	*3*	–	–	*24*	*10*	–	*2*	*12*	*2*	*7*	*197*	
BN 48	熱傷	2	2	–	47	35	–	12	28	13	2	4	9	12	13	607	
	男 M.	2	2	–	46	35	–	11	18	7	2	1	8	12	11	222	BN 48
	女 F.	–	–	–	1	–	–	1	10	6	–	3	1	–	2	385	
BN 49	毒物の作用	89	75	14	362	274	45	43	867	316	93	86	372	134	497	3 952	BN 49
	男 M.	68	58	10	324	250	32	42	417	142	82	38	155	111	381	1 450	
	女 F.	21	17	4	38	24	13	1	450	174	11	48	217	23	116	2 502	
BN 50	その他の損傷	108	91	17	788	596	64	128	691	207	95	51	338	193	1) 942	7 769	BN 50
	男 M.	86	71	15	764	578	59	127	479	119	90	36	234	179	607	3 137	
	女 F.	22	20	2	24	18	5	1	212	88	5	15	104	14	308	4 632	
BN 50. a	裂傷および開放創	*20*	*19*	*1*	*131*	*113*	*8*	*10*	*121*	*38*	*21*	*15*	*47*	*37*	*103*	*643*	BN 50. a
	男 M.	*16*	*15*	*1*	*128*	*110*	*8*	*10*	*81*	*18*	*19*	*12*	*32*	*34*	*89*	*305*	
	女 F.	*4*	*4*	–	*3*	*3*	–	–	*40*	*20*	*2*	*3*	*15*	*3*	*14*	*338*	
BN 50. b	溺死および死にいたらない溺水	*31*	*25*	*6*	*339*	*286*	*21*	*32*	*234*	*78*	*26*	*14*	*116*	*69*	1) *628*	*3 150*	BN 50. b
	男 M.	*23*	*18*	*5*	*330*	*281*	*17*	*32*	*134*	*39*	*24*	*6*	*65*	*63*	*339*	*905*	
	女 F.	*8*	*7*	*1*	*9*	*5*	*4*	–	*100*	*39*	*2*	*8*	*51*	*6*	*262*	*2 245*	
BN 50. c	窒息および絞首	*45*	*36*	*9*	*133*	*92*	*28*	*13*	*257*	*68*	*23*	*16*	*150*	*55*	*130*	*3 045*	BN 50. c
	男 M.	*39*	*31*	*8*	*124*	*83*	*28*	*13*	*196*	*44*	*22*	*13*	*117*	*50*	*110*	*1 402*	
	女 F.	*6*	*5*	*1*	*9*	*9*	–	–	*61*	*24*	*1*	*3*	*33*	*5*	*20*	*1 643*	
BN 50. d	その他	*12*	*11*	*1*	*185*	*105*	*7*	*73*	*79*	*23*	*25*	*6*	*25*	*32*	*81*	*931*	BE 50. d
	男 M.	*8*	*7*	*1*	*182*	*104*	*6*	*72*	*68*	*18*	*25*	*5*	*20*	*32*	*69*	*525*	
	女 F.	*4*	*4*	–	*3*	*1*	*1*	*1*	*11*	*5*	–	*1*	*5*	–	*12*	*406*	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 59 表　15 才 以 上 死 亡 者 数,

TABLE 59　DEATHS AT 15 YEARS OF AGE AND OVER BY

性・年齢（5才階級）・産業（中分類）別

SEX, AGE AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

産業 Industry	総数 Total			15
	総数 Total	男 Male	女 Female	総数 Total
総数 Total	1) 601 508	317 892	283 589	9 931
農業 Agriculture	142 906	93 317	49 589	940
農業 Agriculture	142 906	93 317	49 589	940
林業，狩猟業 Forestry and hunting	1 598	1 527	71	34
林業，狩猟業 Forestry and hunting	1 598	1 527	71	34
漁業，水産養殖業 Fisheries and aquiculture	4 260	4 177	83	77
漁業，水産養殖業 Fisheries and aquiculture	4 260	4 177	83	77
鉱業 Mining	2 924	2 835	89	58
鉱業 Mining	2 924	2 835	89	58
建設業 Construction	13 927	13 367	560	334
建設業 Construction	13 927	13 367	560	334
製造業 Manufacturing	25 476	22 832	2 644	1 253
食料品製造業 Food and kindred products	3 299	2 886	413	117
煙草製造業 Tobacco manufactures	80	63	17	–
紡織業 Textile mill products	3 166	2 347	819	224
衣服，身廻品製造業 Apparel and other finished products made from fabrics and similar materials	530	409	121	38
木材および木製品製造業(家具を除く) Lumber and wood products(except furniture)	2 406	2 272	134	55
家具，装備品製造業 Furniture and fixtures	1 229	1 196	33	46
紙および類似品製造業 Paper and allied products	701	596	105	39
印刷，出版および類似産業 Printing, publishing and allied industries	1 222	1 145	77	46
化学工業 Chemical and related industries	1 083	968	115	48
石油，石炭製品製造業 Petroleum and coal products	88	80	8	5
ゴム製品製造業 Rubber products	206	170	36	28
皮革，皮革製品製造業 Leather and leather products	359	335	24	10
ガラスおよび土石製品製造業 Stone, clay and glass products	1 637	1 478	159	47
第一次金属製造業 Primary metal industries	1 415	1 358	57	55
金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products(except machinery and transportation equipment)	3 215	3 075	140	209
機械，武器製造業 Machinery and weapons	1 245	1 158	87	77
電気機械器具製造業 Electrical machinery, equipment and supplies	887	774	113	75
輸送用機械器具製造業 Transportation equipment	1 459	1 398	61	75
医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and clocks	295	258	37	20
その他の製造業 Miscellaneous manufacturing industries	954	866	88	39
卸売および小売業 Wholesale and retail trade	23 769	19 791	3 978	613
卸売業 Wholesale trade	3 872	3 586	286	119
小売業 Retail trade	19 897	16 205	3 692	494
金融，保険，不動産業 Finance, insurance and real estate	2 243	1 966	277	31
金融，保険業 Finance and insurance	1 829	1 584	245	28
不動産業 Real estate	414	382	32	3
運輸，通信およびその他の公益事業 Transportation, communicatioa and other public utilities	7 582	7 258	324	235
運輸業および倉庫業 Transportatation and warehousing	5 515	5 361	154	201
通信業 Communication	1 025	892	133	11
その他の公益事業 Other utilites	1 042	1 005	37	23
サービス業 Services	16 239	12 731	3 508	476
対個人サービス業 Personal services	4 817	3 392	1 425	205
対事業所サービス業，修理業（衣服，履物修理業を除く） Business and repair services(except garment and footwear repair shops)	1 856	1 775	81	103
興行娯楽業 Amusement and recreatioa services	729	531	198	44
その他のサービス業 Miscellaneous services	8 837	7 033	1 804	124
公務 Government	3 406	3 164	242	41
公務 Government	3 406	3 164	242	41
分類不能の産業および不詳 Not classifiable and not reported	1) 4 610	3 726	857	215
分類不能の産業および不詳 Not classifiable and not reported	1) 4 610	3 726	857	215
未就業者および非労働力 Unemployment and not in labor force	352 568	131 201	221 367	5 624
未就業者および非労働力 Unemployment and not in labor force	352 568	131 201	221 367	5 624

注：1) 男女を合計しても総数にあわないのは総数中に男女不詳 27 を含むからである。

～19才		20～24才			25～29才			30～34才			35～39才		
男 Male	女 Femal	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female	総数 Total	男 Male	女 Female
5 942	3 989	15 253	9 167	6 086	16 527	9 558	6 969	16 520	9 118	7 402	15 496	7 812	7 684
565	375	2 539	1 450	1 089	2 944	1 679	1 265	3 196	1 784	1 412	3 212	1 595	1 617
565	375	2 539	1 450	1 089	2 944	1 679	1 265	3 196	1 784	1 112	3 212	1 595	1 617
31	3	76	71	5	120	113	7	121	116	5	105	96	9
31	3	76	71	5	120	113	7	121	116	5	105	96	9
76	1	165	159	6	204	200	4	197	191	6	138	132	6
76	1	165	159	6	204	200	4	197	191	6	138	132	6
52	6	194	186	8	262	258	4	310	304	6	268	252	16
52	6	194	186	8	262	258	4	310	304	6	268	252	16
317	17	897	875	22	1 139	1 115	24	966	925	41	683	636	47
317	17	897	875	22	1 139	1 115	24	966	925	41	683	636	47
889	364	2 034	1 603	431	1 722	1 454	263	1 460	1 276	184	1 348	1 164	184
93	24	214	177	37	171	144	27	136	114	22	136	111	25
–	–	2	–	2	8	5	3	8	6	2	5	5	–
62	162	312	150	162	201	118	83	150	99	51	151	94	57
14	24	49	20	29	34	20	14	23	14	9	25	21	4
51	4	105	92	13	150	136	14	107	102	5	109	96	13
40	6	47	45	2	66	65	1	38	37	1	43	41	2
29	10	62	50	12	61	47	14	53	41	12	31	27	4
35	11	97	86	11	96	82	14	69	66	3	62	55	7
36	12	100	77	23	85	73	12	88	74	14	93	83	10
4	1	4	3	1	5	5	–	3	3	–	3	3	–
14	14	26	17	9	17	13	4	9	8	1	10	8	2
9	1	25	21	4	23	22	1	13	13	–	24	21	3
32	15	96	77	19	94	81	13	73	66	7	69	62	7
54	1	100	96	4	114	103	11	117	109	8	114	108	6
193	16	317	291	26	231	217	14	224	209	15	172	166	6
65	12	124	115	9	94	84	10	112	100	12	85	74	11
47	28	135	106	29	104	90	14	78	68	10	56	49	7
69	6	114	102	12	107	97	10	109	104	5	104	94	10
13	7	48	35	13	20	16	4	13	11	2	16	14	2
29	10	57	43	14	41	36	5	37	32	5	40	32	8
436	177	1 196	835	361	991	755	236	861	677	184	967	740	227
100	19	236	183	53	216	183	33	186	169	17	207	186	21
336	158	960	652	308	775	572	203	675	508	167	760	554	206
17	14	116	78	38	124	96	28	104	89	15	106	81	25
17	11	110	75	35	112	85	27	91	76	15	93	70	23
–	3	6	3	3	12	11	1	13	13	–	13	11	2
210	25	733	669	64	868	812	56	812	762	50	542	521	21
179	22	594	555	39	684	665	19	600	584	16	403	394	9
8	3	63	39	24	101	67	34	95	68	27	68	58	10
23	–	76	75	1	83	80	3	117	110	7	71	69	2
217	259	869	454	415	829	522	307	807	523	284	767	560	207
85	120	330	149	181	234	119	115	207	103	104	214	133	81
98	5	151	147	4	109	99	10	99	90	9	112	105	7
19	25	89	54	35	73	54	19	49	34	15	40	23	17
15	109	299	104	195	413	250	163	452	296	156	401	299	102
32	9	243	199	44	286	256	30	311	275	36	251	236	15
32	9	243	199	44	286	256	30	311	275	36	251	236	15
125	90	476	367	109	430	333	97	312	235	77	290	212	78
125	90	476	367	109	430	333	97	312	235	77	290	212	78
2 975	2 649	5 715	2 221	3 494	6 608	1 965	4 643	7 063	1 961	5 102	6 819	1 587	5 232
2 975	2 649	5 715	2 221	3 494	6 608	1 965	4 643	7 063	1 961	5 102	6 819	1 587	5 232

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第59表　15才以上死亡者数，性・年齢（5才階級）・産業（中分類）別

TABLE 59　DEATHS AT 15 YEARS OF AGE AND OVER BY SEX, AGE AND INDUSTRY; FOR ALL JAPAN

昭和34年
1959

産業 Industry	40～44才 years 総数 Total	男 Male	女 Female	45～49才 総数 Total	男 Male	女 Female	50～54才 総数 Total	男 Male	女 Female	55～59才 総数 Total	男 Male	女 Female	60～64才 総数 Total	男 Male	女 Female	65～69才 総数 Total	男 Male	女 Female
総数 Total	17 823	9 319	8 504	25 729	14 366	11 363	34 531	20 295	14 236	48 650	30 042	18 608	58 996	36 208	22 788	71 162	41 658	29 504
農業 Agriculture	4 056	2 099	1 957	6 206	3 401	2 805	9 396	5 581	3 815	14 845	9 896	4 949	18 628	12 833	5 795	21 859	15 421	6 438
農業 Agriculture	4 056	2 099	1 957	6 206	3 401	2 805	9 396	5 581	5 851	14 845	9 896	4 949	18 628	12 833	5 795	21 859	15 421	6 438
林業，狩猟業 Forestry and hunting	81	73	8	122	117	5	156	148	8	186	182	4	203	198	5	180	174	6
林業，狩猟業 Forestry and hunting	81	73	8	122	117	5	156	148	8	186	182	4	203	198	5	180	174	6
漁業，水産養殖業 Fisheries and aquiculture	162	155	7	260	252	8	399	390	9	585	576	9	616	611	5	547	539	8
漁業，水産養殖業 Fisheries and aquiculture	162	155	7	260	252	8	399	390	9	585	576	9	616	611	5	547	539	8
鉱業 Mining	292	284	8	385	367	18	415	403	12	299	293	6	207	204	3	121	120	1
鉱業 Mining	292	284	8	385	367	18	415	403	12	299	293	6	207	204	3	121	120	1
建設業 Construction	791	725	66	1 277	1 201	76	1 667	1 575	92	2 049	1 967	82	1 882	1 833	49	1 212	1 183	29
建設業 Construction	791	725	66	1 277	1 201	76	1 667	1 575	92	2 049	1 967	82	1 882	1 833	49	1 212	1 183	29
製造業 Manufacturing	1 685	1 452	233	2 383	2 134	249	2 934	2 715	219	3 291	3 115	176	2 961	2 851	110	2 117	2 023	94
食料品製造業 Food and kindred products	188	152	36	246	201	45	330	294	36	472	423	49	440	411	29	376	350	26
煙草製造業 Tobacco manufactures	6	4	2	15	11	4	15	11	4	10	10	–	5	5	–	4	4	–
紡織業 Textile mill products	158	102	56	284	217	67	360	301	59	400	357	43	376	346	30	260	237	23
衣服，身廻品製造業 Apparel and other finished products made from fabrics and similar materials	42	30	12	52	42	10	63	57	6	68	63	5	62	58	4	37	35	2
木材および木製品製造業(家具を除く) Lumber and wood products(except furniture)	122	101	21	215	200	15	294	276	18	357	349	8	326	316	10	268	260	8
家具，装備品製造業 Furniture and fixtures	62	61	1	133	129	4	148	145	3	169	166	3	196	193	3	126	123	3
紙および類似品製造業 Paper and allied products	56	43	13	78	65	13	71	65	6	97	88	9	57	53	4	42	39	3
印刷，出版および類似産業 Printing, publishing and allied industries	83	78	5	109	106	3	165	156	9	166	160	6	147	144	3	94	93	1
化学工業 Chemical and related industries	105	95	10	127	115	12	127	113	14	100	96	4	91	89	2	59	58	1
石油，石炭製品製造業 Petroleum and coal products	6	6	–	11	10	1	12	9	3	18	17	1	11	10	1	2	2	–
ゴム製品製造業 Rubber products	13	12	1	20	17	3	11	11	–	23	22	1	21	21	–	16	16	–
皮革，皮革製品製造業 Leather and leather products	36	33	3	34	30	4	54	50	4	53	53	–	33	32	1	25	25	–
ガラスおよび土石製品製造業 Stone, clay and glass products	107	87	20	157	141	16	194	173	21	235	222	13	220	213	7	156	145	11
第一次金属製造業 Primary metal industries	126	118	8	155	154	1	207	199	8	151	147	4	134	131	3	90	89	1
金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products(except machinery and transportaion equipment)	212	196	16	281	263	18	350	341	9	400	391	9	364	361	3	255	251	4
機械，武器製造業 Machinery and weapons	112	101	11	134	124	10	135	130	5	128	123	5	110	109	1	70	69	1
電気機械器具製造業 Electrical machinery, equipment and supplies	69	60	9	71	67	4	84	82	2	81	77	4	63	61	2	49	47	2
輸送用機械器具製造業 Transportation equipment	118	116	2	164	160	4	177	172	5	184	180	4	135	135	–	73	72	1
医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and clocks	17	16	1	18	14	4	43	41	2	29	28	1	32	31	1	20	20	–
その他の製造業 Miscellaneous manufacturing industries	47	41	6	79	68	11	94	89	5	150	143	7	138	132	6	95	88	7
卸売および小売業 Wholesale and retail trade	1 290	1 031	259	2 045	1 661	384	2 565	2 135	430	3 378	2 934	444	3 247	2 839	408	2 806	2 452	354
卸売業 Wholesale trade	238	223	15	351	323	28	429	405	24	556	535	21	504	478	26	381	366	15
小売業 Retail trade	1 052	808	244	1 694	1 338	356	2 136	1 730	406	2 822	2 399	423	2 743	2 361	382	2 425	2 086	339
金融，保険，不動産業 Finance, insurance and real estate	124	101	23	173	141	32	265	232	33	345	316	29	336	317	19	230	219	11
金融，保険業 Finance and insurance	111	92	19	147	119	28	224	193	31	275	252	23	261	244	17	173	165	8
不動産業 Real estate	13	9	4	26	22	4	41	39	2	70	64	6	75	73	2	57	54	3
運輸，通信およびその他の公益事業 Transportation, communication and other public utilities	606	577	29	823	799	24	1 016	999	17	827	809	18	530	522	8	318	309	9
運輸業および倉庫業 Transportation and warehousing	434	421	13	586	575	11	681	669	12	538	535	3	352	349	3	227	221	6
通信業 Communication	74	63	11	119	111	8	171	167	4	164	157	7	85	82	3	48	46	2
その他の公益事業 Other utilities	98	93	5	118	113	5	164	163	1	125	117	8	93	91	2	43	42	1
サービス業 Services	901	651	250	1 408	1 086	322	1 712	1 415	297	1 893	1 590	303	1 849	1 589	260	1 754	1 543	211
対個人サービス業 Personal services	309	196	113	443	333	110	547	413	134	581	441	140	579	468	111	505	427	78
対事業所サービス業，修理業（衣服，履物修理業を除く） Business and repair services(except garment and footwear repair shops)	97	93	4	179	167	12	205	202	3	251	235	16	226	220	6	154	151	3
興行娯楽業 Amusement and recreation services	48	25	23	70	59	11	68	50	18	85	73	12	65	57	8	47	40	7
その他のサービス業 Miscellaneous services	447	337	110	716	527	189	892	750	142	976	841	135	979	844	135	1 048	925	123
公務 Government	331	306	25	411	384	27	446	423	23	440	420	20	302	295	7	186	183	3
公務 Government	331	306	25	411	384	27	446	423	23	440	420	20	302	295	7	186	183	3
分類不能の産業および不詳 Not classifisble and not reported	340	265	75	420	345	75	467	398	69	599	539	60	429	391	38	298	262	36
分類不能の産業および不詳 Not classifiable and not reported	340	265	75	420	345	75	467	398	69	599	539	60	429	391	38	298	262	36
求就業者および非労働力 Unemployment and not in labor force	7 164	1 600	5 564	9 816	2 478	7 338	13 093	3 881	9 212	19 913	7 405	12 508	27 806	11 725	16 081	39 534	17 230	22 304
求就業者および非労働力 Unemployment and not in labor force	7 164	1 600	5 564	9 816	2 478	7 338	13 093	3 881	9 212	19 913	7 405	12 508	27 806	11 725	16 081	39 534	17 230	22 304

第 59 表　15 才 以 上 死 亡 者 数,

TABLE 59　DEATHS AT 15 YEARS OF AGE AND OVER BY

性・年齢 (5才階級)・産業 (中分類) 別

SEX, AGE AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

産業 Industry	70 ～ 74 才 years 総数 Total	男 Male	女 Female	75 才 ～ 総数 Total	男 Male	女 Female	不詳 Unknown 総数 Total	男 Male	女 Female
総数 Total	83 717	45 024	38 693	83 985	39 604	44 381	1) 60	24	9
農業 Agriculture	21 548	15 229	6 319	17 898	12 092	5 806	10 851	7 000	3 851
農業 Agriculture	21 548	15 229	6 319	17 898	12 092	5 806	10 851	7 000	3 851
林業, 狩猟業 Forestry and hunting	111	110	1	66	61	5	25	25	–
林業, 狩猟業 Forestry and hunting	111	110	1	66	61	5	25	25	–
漁業, 水産養殖業 Fisheries and aquiculture	435	428	7	279	274	5	129	128	1
漁業, 水産養殖業 Fisheries and aquiculture	435	428	7	279	274	5	129	128	1
鉱業 Mining	67	67	–	37	36	1	5	5	–
鉱業 Mining	67	67	–	37	36	1	5	5	–
建設業 Construction	608	601	7	280	276	4	108	104	4
建設業 Construction	608	601	7	280	276	4	108	104	4
製造業 Manufacturing	1 281	1 224	57	670	624	46	252	237	15
食料品製造業 Food and kindred products	249	225	24	142	119	23	63	57	6
煙草製造業 Tobacco manufactures	2	2	–	–	–	–	–	–	–
紡織業 Textile mill products	147	138	9	92	86	6	31	28	3
衣服, 身廻品製造業 Apparel and other finished products made from fabrics and similar materials	17	17	–	15	15	–	5	3	2
木材および木製品製造業(家具を除く) Lumber and wood products (except furniture)	162	160	2	99	96	3	28	28	–
家具, 装備品製造業 Furniture and fixtures	80	79	1	47	45	2	21	20	1
紙および類似品製造業 Paper and allied products	24	22	2	20	18	2	9	8	1
印刷, 出版および類似産業 Printing, publishing and allied industries	61	58	3	17	16	1	5	5	–
化学工業 Chemical and related industries	36	35	1	13	13	–	9	9	–
石油, 石炭製品製造業 Petroleum and coal products	2	2	–	4	4	–	2	2	–
ゴム製品製造業 Rubber products	10	9	1	2	2	–	–	–	–
皮革, 皮革製品製造業 Leather and leather products	20	19	1	6	2	–	–	–	–
ガラスおよび土石製品製造業 Stone, clay and glass products	95	89	6	65	5	1	3	2	1
第一次金属製造業 Primary metal industries	30	28	2	20	63	2	21	21	–
金属製品製造業 (機械および輸送用機械器具を除く) Fabricated metal products (except machinery and transportation equipment)	128	125	3	57	20	–	1	1	–
機械, 武器製造業 Machinery and weapons	47	47	–	8	56	1	12	12	–
電気機械器具製造業 Electrical machinery, equipment and supplies	11	11	–	6	8	–	8	8	–
輸送用機械器具製造業 Transportation equipment	64	62	2	17	4	2	4	4	–
医療, 理化学および光学機械器具, 時計製造業 Medical, scientific and optical instruments, watches and clocks	15	15	–	2	17	–	14	14	–
その他の製造業 Miscellaneous manufacturing industries	81	81	–	38	2	–	2	2	–
卸売および小売業 Wholesale and retail trade	2 025	1 781	244	1 187	35	3	14	13	1
卸売業 Wholesale trade	258	254	4	124	1 020	167	453	374	79
小売業 Retail trade	1 767	1 527	240	1 063	120	4	53	48	5
金融, 保険, 不動産業 Finance, insurance and real estate	168	162	6	79	900	163	400	326	74
金融, 保険業 Finance and insurance	126	120	6	53	76	3	34	33	1
不動産業 Real estate	42	42	–	26	52	1	20	19	1
運輸, 通信およびその他の公益事業 Transportation, communication and other public utilities	167	165	2	79	24	2	14	14	–
運輸業および倉庫業 Transportation and warehousing	134	134	–	60	78	1	21	21	–
通信業 Communication	14	14	–	9	59	1	16	16	–
その他の公益事業 Other utilities	19	17	2	10	9	–	3	3	–
サービス業 Services	1 465	1 283	182	842	10	–	2	2	–
対個人サービス業 Personal services	385	304	81	179	732	110	483	421	62
対事業所サービス業, 修理業 (衣服, 履物修理業を除く) Business and repair services (except garment and footwear repair shops)	102	101	1	47	146	33	83	63	20
興行娯楽業 Amusement and recreation services	23	20	3	19	46	1	17	17	–
その他のサービス業 Miscellaneous services	955	858	97	597	14	5	9	9	–
公務 Government	94	93	1	51	526	71	374	332	42
公務 Government	94	93	1	51	49	2	10	10	–
分類不能の産業および不詳 Not classifiable and not reported	162	141	21	75	49	2	10	10	–
分類不能の産業および不詳 Not classifiable and not reported	162	141	21	75	62	13	32	23	9
未就業者および非労働力 Unemployment and not in labor force	55 586	23 740	31 846	62 442	62	13	32	23	9
未就業者および非労働力 Unemployment and not in labor force	55 586	23 740	31 846	62 442	24 224	38 218	52 640	18 601	34 039
					24 224	38 218	52 640	18 601	34 039

～ 79 才 男 Male	～ 79 才 女 Female	80 ～ 84 才 総数 Total	80 ～ 84 才 男 Male	80 ～ 84 才 女 Female	85 ～ 89 才 総数 Total	85 ～ 89 才 男 Male	85 ～ 89 才 女 Female	90 才 ～ 総数 Total	90 才 ～ 男 Male	90 才 ～ 女 Female
39 604	44 381	65 043	26 982	38 061	28 621	10 154	18 467	9 464	2 619	6 845
12 092	5 806	10 851	7 000	3 851	3 925	2 262	1 663	862	429	433
12 092	5 806	10 851	7 000	3 851	3 925	2 262	1 663	862	429	433
61	5	25	25	–	12	12	–	–	–	–
61	5	25	25	–	12	12	–	–	–	–
274	5	129	128	1	55	54	1	12	12	–
274	5	129	128	1	55	54	1	12	12	–
36	1	5	5	–	4	4	–	–	–	–
36	1	5	5	–	4	4	–	–	–	–
276	4	108	104	4	27	27	–	7	7	–
276	4	108	104	4	27	27	–	7	7	–
624	46	252	237	15	74	65	9	11	6	5
119	23	63	57	6	15	14	1	4	1	3
–	–	–	–	–	–	–	–	–	–	–
86	6	31	28	3	17	10	7	3	2	1
15	–	5	3	2	–	–	–	–	–	–
96	3	28	28	–	6	6	–	3	3	–
45	2	21	20	1	7	7	–	–	–	–
18	2	9	8	1	1	1	–	–	–	–
16	1	5	5	–	5	5	–	–	–	–
13	–	9	9	–	2	2	–	–	–	–
4	–	2	2	–	–	–	–	–	–	–
2	–	–	–	–	–	–	–	–	–	–
5	1	3	2	1	–	–	–	–	–	–
63	2	21	21	–	7	6	1	1	–	1
20	–	1	1	–	1	1	–	–	–	–
56	1	12	12	–	3	3	–	–	–	–
8	–	8	8	–	1	1	–	–	–	–
4	2	4	4	–	1	1	–	–	–	–
17	–	14	14	–	4	4	–	–	–	–
2	–	2	2	–	–	–	–	–	–	–
35	3	14	13	1	4	4	–	–	–	–
1 020	167	453	374	79	120	100	20	25	21	4
120	4	53	48	5	14	13	1	–	–	–
900	163	400	326	74	106	87	19	25	21	4
76	3	34	33	1	8	8	–	–	–	–
52	1	20	19	1	5	5	–	–	–	–
24	2	14	14	–	3	3	–	–	–	–
78	1	21	21	–	3	3	–	2	2	–
59	1	16	16	–	3	3	–	2	2	–
9	–	3	3	–	–	–	–	–	–	–
10	–	2	2	–	–	–	–	–	–	–
732	110	483	421	62	150	120	30	34	25	9
146	33	83	63	20	14	11	3	2	1	1
46	1	17	17	–	3	3	–	1	1	–
14	5	9	9	–	–	–	–	–	–	–
526	71	374	332	42	133	106	27	31	23	8
49	2	10	10	–	2	2	–	1	1	–
49	2	10	10	–	2	2	–	1	1	–
62	13	32	23	9	6	5	1	–	–	–
62	13	32	23	9	6	5	1	–	–	–
24 224	38 218	52 640	18 601	34 039	24 235	7 492	16 743	8 510	2 116	6 394
24 224	38 218	52 640	18 601	34 039	24 235	7 492	16 743	8 510	2 116	6 394

不詳 Unknown 総数 Total	男 Male	女 Female
1) 60	24	9
1	1	–
1	1	–
–	–	–
–	–	–
–	–

第60表　15才以上有配偶男死亡者数，年齢（5才階級）・職業（中分類）別

TABLE 60　DEATHS OF MARRIED MALES AT 15 YEARS OF AGE AND OVER BY AGE AND OCCUPATION; FOR ALL JAPAN

昭和34年
1959

職業 Occupation		総数 Total	15～19才 years	20～24才	25～29才	30～34才	35～39才	40～44才	45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90才～	不詳 Unknown
総数	Total	193 909	1	381	2 789	5 631	5 802	7 677	12 156	16 961	24 240	27 436	29 283	27 847	20 002	10 365	2 887	451	–
専門的，技術的職業従事者	Professional and technical workers	5 334	–	3	102	272	268	335	512	698	708	634	680	593	309	176	38	6	–
技術者	Technicians and engineers	815	–	2	36	87	50	89	124	127	122	81	45	31	9	1	1	–	–
教員	Professors and teachers	1 127	–	–	41	93	97	100	166	249	141	75	80	47	10	6	1	1	–
医療保健技術者	Medical and public health technicians	1 357	–	–	9	44	66	69	95	126	169	189	221	201	104	52	10	2	–
芸術家	Artists	172	–	1	8	7	4	8	17	20	31	27	17	18	10	4	–	–	–
その他の専門的職業従事者	Other professional workers	1 863	–	–	8	41	51	69	90	176	235	262	317	296	176	113	26	3	–
管理的職業従事者	Managers and officials	4 793	–	1	31	98	147	231	505	683	901	806	680	419	207	68	15	1	–
管理的職業従事者	Managers and officials	4 793	–	1	31	98	147	231	505	683	901	806	680	419	207	68	15	1	–
事務従事者	Clerical and related workers	6 893	–	20	242	608	626	733	962	1 154	1 121	774	416	178	42	14	2	1	–
事務従事者	Clerical workers	6 357	–	19	223	535	574	668	888	1 050	1 028	743	400	173	40	13	2	1	–
交通，通信事務従事者	Clerical workers in transportation and communication	536	–	1	19	73	52	65	74	104	93	31	16	5	2	1	–	–	–
販売従事者	Sales workers	13 403	–	26	215	418	516	827	1 323	1 696	2 279	2 207	1 800	1 241	629	187	33	6	–
販売従事者	Sales workers	12 497	–	25	204	395	491	776	1 257	1 591	2 121	2 021	1 683	1 136	588	171	32	6	–
仲立売買従事者および類似職業従事者	Agents, brokers and related workers	906	–	1	11	23	25	51	66	105	158	186	117	105	41	16	1	–	–
農林，漁業従事者および類似職業従事者	Farmers, lumbermen, fishermen and related workers	67 205	1	123	759	1 521	1 500	2 042	3 283	5 298	8 953	10 792	11 930	10 402	6 795	2 982	733	91	–
農林業従事者	Farmers and lumbermen	64 547	1	111	695	1 405	1 409	1 911	3 082	4 996	8 492	10 358	11 552	10 132	6 659	2 937	720	87	–
漁業従事者	Fishermen and kindred workers	2 658	–	12	64	116	91	131	201	302	461	434	378	270	136	45	13	4	–
採鉱，採石従事者	Workers in mining and quarrying occupations	1 736	–	26	129	223	214	200	272	279	195	105	52	26	12	1	2	–	–
採鉱，採石従事者	Workers in mining and quarrying occupations	1 736	–	26	129	223	214	200	272	279	195	105	52	26	12	1	2	–	–
運輸従事者	Workers in transport occupations	1 984	–	33	245	317	217	190	280	258	204	130	67	29	11	2	–	1	–
陸上運輸機関運転従事者	Workers operating land transport	1 076	–	27	187	211	152	126	168	123	52	22	6	2	–	–	–	–	–
水上運輸機関運転従事者	Workers operating marine transport	298	–	2	21	34	20	22	31	36	61	34	20	14	1	1	–	1	–
その他の運輸従事者	Other workers operating transport	610	–	4	37	72	45	42	81	99	91	74	41	13	10	1	–	–	–
技能工，生産工程従事者および他に分類されない単純労働者	Craftsmen, production process workers, and laborers not elsewhere classified	24 539	–	111	828	1 510	1 490	1 902	2 953	3 762	4 192	3 604	2 327	1 188	506	138	27	1	–
金属加工および機械組立従事者	Metal processing and machine assembling workers	3 461	–	23	143	313	297	338	456	541	508	416	262	105	45	13	1	–	–
電気機械器具製造従事者	Electric and electronic machinery workers	208	–	2	15	15	20	18	29	37	34	25	10	3	–	–	–	–	–
運輸装置製造従事者	Transportation equipment workers	692	–	8	30	56	69	71	91	118	115	69	37	18	6	4	–	–	–
貴金属および光学機械，精密機械製造従事者	Jewelry, optical and precision instrument workers	155	–	1	3	7	13	16	23	23	16	19	19	12	3	–	–	–	–
紡織従事者	Textile workers	1 069	–	5	33	46	54	59	120	164	180	178	108	72	37	10	3	–	–
繊物製品製造従事者	Garment and related textile fabrics workers	686	–	–	11	19	43	64	111	136	100	100	54	27	18	3	–	–	–
木材および木，竹，草，蔓製品製造従事者	Wood, bamboo, grass and vine products workers	2 479	–	5	56	91	112	141	283	350	448	414	297	175	77	22	7	1	–
紙および紙製品製造従事者	Paper and paper products workers	268	–	1	12	20	15	29	37	35	51	28	17	9	9	5	–	–	–
印刷，製本従事者	Printing and bookbinding workers	469	–	3	12	21	22	43	60	69	76	81	47	26	5	1	3	–	–
ゴムおよびゴム製品製造従事者	Rubber and rubber products workers	81	–	2	3	5	9	10	10	6	14	10	9	3	–	–	–	–	–
皮革および皮革製品製造従事者	Leather and lether products workers	231	–	2	8	5	16	22	24	47	48	30	15	8	5	1	–	–	–
窯業および土石製品製造従事者	Ceramic, clay and stone products workers	1 009	–	2	25	49	39	74	110	135	192	171	100	70	29	11	2	–	–
飲食料品製造および加工従事者	Food and beverage manufacturing and processing workers	1 626	–	7	29	64	72	101	146	205	312	259	231	116	65	19	–	–	–
化学薬品および化学製品製造従事者	Chemicals and other chemical products workers	353	–	3	12	31	40	52	62	55	42	26	13	12	4	1	–	–	–
その他の製造従事者および技能工（他に分類されない）	Miscellaneous production process workers and caftsmen (not elsewhere classified)	1 076	–	2	25	52	64	78	125	171	180	182	96	67	24	7	3	–	–
建設従事者	Construction workers	4 647	–	16	181	247	182	245	542	701	794	821	516	254	118	28	2	–	–
電気従事者	Electrical workers	600	–	6	60	106	67	64	62	102	68	39	19	5	2	–	–	–	–
据付機関および建設機械運転従事者	Stationary engine and construction macinery operators	282	–	6	8	32	33	33	41	39	38	23	20	5	3	1	–	–	–
他に分類されない単純労働者	Laborers not elsewhere classified	5 147	–	17	162	331	323	444	621	828	976	713	457	201	56	12	6	–	–
サービス職業従事者	Service workers	2 847	–	12	58	148	152	266	368	386	448	415	308	184	74	27	1	–	–
家事サービス従事者	Domestic service workers	7	–	–	–	–	–	–	–	–	3	–	3	1	–	–	–	–	–
保安サービス従事者	Protective service workers	877	–	2	19	89	75	126	128	126	134	77	58	33	8	2	–	–	–
その他のサービス職業従事者	Miscellaneous service workers	1 963	–	10	39	59	77	140	240	260	311	338	247	150	66	25	1	–	–
分類不能の職業および不詳	Not classifiable and not reported	200	–	2	6	30	17	24	27	30	28	15	10	9	2	–	–	–	–
分類不能の職業および不詳	Not classifiable and not reported	200	–	2	6	30	17	24	27	30	28	15	10	9	2	–	–	–	–
未就業者および非労働力	Unemployment and not in labor force	64 975	–	24	174	486	655	927	1 671	2 717	5 211	7 954	11 013	13 578	11 415	6 770	2 036	344	–
未就業者および非労働力	Unemployment and not in labor force	64 975	–	24	174	486	655	927	1 671	2 717	5 211	7 954	11 013	13 578	11 415	6 770	2 036	344	–

第 61 表　15才以上有配偶男死亡者数，年齢（5才階級）・産業（中分類）別

TABLE 61　DEATHS OF MARRIED MALES AT 15 YEARS OF AGE AND OVER BY AGE AND INDUSTRY; FOR ALL JAPAN

昭和 34 年
1959

産業 Industry	総数 Total	15～19才 Years	20～24才	25～29才	30～34才	35～39才	40～44才	45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90才～	不詳 Unknown
総数 Total	**193 909**	**1**	**381**	**2 789**	**5 631**	**5 802**	**7 677**	**12 156**	**16 961**	**24 240**	**27 436**	**29 283**	**27 847**	**20 002**	**10 365**	**2 887**	**451**	**–**
農業 Agriculture	64 089	1	109	675	1 361	1 373	1 894	3 055	4 943	8 452	10 288	11 463	10 097	6 641	2 932	718	87	–
農業 Agriculture	64 089	1	109	675	1 361	1 373	1 894	3 055	4 943	8 452	10 288	11 463	10 097	6 641	2 932	718	87	–
林業，狩猟業 Forestry and hunting	985	–	6	42	89	77	67	101	121	129	133	123	64	24	6	3	–	–
林業，狩猟業 Forestry and hunting	985	–	6	42	89	77	67	101	121	129	133	123	64	24	6	3	–	–
漁業，水産養殖業 Fisheries and aquiculture	2 902	–	16	74	144	109	147	226	329	496	473	400	281	142	48	13	4	–
漁業，水産養殖業 Fisheries and aquiculture	2 902	–	16	74	144	109	147	226	329	496	473	400	281	142	48	13	4	–
鉱業 Mining	2 120	–	26	135	240	238	248	324	346	251	157	84	44	23	2	2	–	–
鉱業 Mining	2 120	–	26	135	240	238	248	324	346	251	157	84	44	23	2	2	–	–
建設業 Constuction	8 318	–	39	353	566	463	544	971	1 238	1 481	1 293	813	365	152	35	5	–	–
建設業 Construction	8 318	–	39	353	566	463	544	971	1 238	1 481	1 293	813	365	152	35	5	–	–
製造業 Manufacturing	16 006	–	67	454	911	994	1 312	1 948	2 392	2 668	2 310	1 578	840	389	116	26	1	–
食料品製造業 Food and kindred products	2 121	–	7	40	91	97	141	193	268	388	335	289	158	83	28	3	–	–
煙草製造業 Tobacco manufactures	52	–	–	1	6	5	4	11	9	8	4	3	1	–	–	–	–	–
紡織業 Textile mill products	1 737	–	7	43	72	86	97	202	265	309	284	189	103	60	14	6	–	–
衣服，身廻品製造業 Apparel and other finished products made from fabrics and similar materials	302	–	–	6	8	19	26	36	49	55	53	27	12	9	2	–	–	–
木材および木製品製造業(家具を除く) Lumber and wood products (except furniture)	1 576	–	2	42	70	80	84	170	237	292	246	192	97	51	9	3	1	–
家具，装備品製造業 Furniture and fixtures	839	–	3	17	25	35	57	112	122	137	148	94	49	28	8	4	–	–
紙および類似品製造業 Paper and allied products	419	–	2	15	31	25	43	60	57	76	44	33	16	13	4	–	–	–
印刷，出版および類似産業 Printing, publishing and allied industries	797	–	3	21	46	44	69	100	136	132	118	70	45	8	2	3	–	–
化学工業 Chemical and related industries	698	–	4	25	52	72	92	109	101	77	77	46	27	10	5	1	–	–
石油，石炭製品製造業 Petroleum and coal products	60	–	–	3	3	3	5	9	7	16	7	2	1	4	–	–	–	–
ゴム製品製造業 Rubber products	112	–	2	3	6	8	10	16	9	19	17	14	6	2	–	–	–	–
皮革，皮革製品製造業 Leather and leather products	237	–	2	8	5	18	28	25	45	50	26	15	11	2	2	–	–	–
ガラスおよび土石製品製造業 Stone, clay and glass products	1 033	–	3	25	49	47	78	126	150	181	171	94	60	35	12	2	–	–
第一次金属製造業 Primary metal industries	968	–	2	34	66	99	115	142	179	124	109	65	19	13	–	1	–	–
金属製品製造業（機械および輸送用機械器具を除く） Fabricated metal products (except machinery and transportation equipment)	2 011	–	12	67	153	135	172	236	297	324	283	209	85	31	7	–	–	–
機械，武器製造業 Machinery and weapons	781	–	8	28	78	60	87	115	114	109	87	52	32	4	7	–	–	–
電気機械器具製造業 Electrical machinery, equipment and supplies	489	–	3	26	46	40	53	62	79	73	52	42	7	3	2	1	–	–
輸送用機械器具製造業 Transportation equipment	997	–	5	38	78	82	106	147	155	152	116	54	44	10	9	1	–	–
医療，理化学および光学機械器具，時計製造業 Medical, scientific and optical instruments, watches and clocks	165	–	1	4	5	11	12	14	36	26	22	19	12	2	1	–	–	–
その他の製造業 Miscellaneous manufacturing industries	612	–	1	8	21	28	33	63	77	120	111	69	55	21	4	1	–	–
卸売および小売業 Wholesale and retail trade	14 583	–	35	243	478	606	914	1 485	1 870	2 532	2 351	1 913	1 289	643	182	36	6	–
卸売業 Wholesale trade	2 522	–	6	59	118	151	183	278	342	447	391	285	178	64	15	5	–	–
小売業 Retail trade	12 061	–	29	184	360	455	731	1 207	1 528	2 085	1 960	1 628	1 111	579	167	31	6	–
金融，保険，不動産業 Finance, insurance and real estate	1 535	–	2	30	66	70	89	133	212	275	283	176	126	47	24	2	–	–
金融，保険業 Finance and insurance	1 247	–	2	25	57	60	83	114	177	223	222	141	97	29	15	2	–	–
不動産業 Real estate	288	–	–	5	9	10	6	19	35	52	61	35	29	18	9	–	–	–
運輸，通信およびそのその他の公益事業 Transportation, communication and other public utilities	5 109	–	28	331	606	449	524	728	905	702	428	243	112	41	10	–	2	–
運輸業および倉庫業 Transportation and warehousing	3 646	–	24	263	458	338	379	519	616	465	285	172	89	29	7	–	2	–
通信業 Communication	730	–	1	27	62	53	59	107	151	142	76	36	10	4	2	–	–	–
その他の公益事業 Other utilities	733	–	3	41	86	58	86	102	138	95	67	35	13	8	1	–	–	–
サービス業 Services	9 259	–	17	159	366	451	573	957	1 267	1 350	1 318	1 185	906	435	226	42	7	–
対個人サービス業 Personal services	2 397	–	4	34	69	95	169	293	357	362	381	306	202	90	32	3	–	–
対事業所サービス業，修理業（衣服，履物修理業を除く） Business and repair services (except garment and footwear repair shops)	1 163	–	8	35	67	87	81	133	175	193	172	110	68	22	10	1	1	–
興行娯楽業 Amusement and recreation services	315	–	3	16	19	17	21	43	42	52	49	33	10	7	3	–	–	–
その他のサービス業 Miscellaneous services	5 384	–	2	74	211	252	302	488	693	743	716	736	626	316	181	38	6	–
公務 Government	2 486	–	6	83	228	217	293	367	395	387	251	151	69	32	5	2	–	–
公務 Government	2 486	–	6	83	228	217	293	367	395	387	251	151	69	32	5	2	–	–
分類不能の産業および不詳 Not classifiable and not reported	1 542	–	6	36	90	100	145	190	226	306	197	141	76	18	9	2	–	–
分類不能の産業および不詳 Not classifiable and not reported	1 542	–	6	36	90	100	145	190	226	306	197	141	76	18	9	2	–	–
未就業者および非労働力 Unemployment and not in labor force	64 975	–	24	174	486	655	927	1 671	2 717	5 211	7 954	11 013	13 578	11 415	6 770	2 036	344	–
未就業者および非労働力 Unemployment and not in labor force	64 975	–	24	174	486	655	927	1 671	2 717	5 211	7 954	11 013	13 578	11 415	6 770	2 036	344	–

第 62 表　外 因 に よ る 死 亡 者 数,

TABLE 64　DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE, CROSS-CLASSIFIED ACCORDING TO

総　数　Total

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and aex	"N" 不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭部損傷および内部損傷	BN47. a 頭蓋骨折	BN47. b その他の骨の骨折	BN47. c 頭部の損傷（骨折を除く）	BN47. d 胸，腹，骨盤腔の内部損傷	BN48 熱傷	BN49 毒物の作用	BN50 その他の損傷	BN50. a 裂傷および開放創	BN50. b 溺死および死にいたらない溺水	BN50. c 窒息および絞首	BN50. d その他
"E"	不慮の事故，中毒および暴力の二重分類(外因) 男 M.	1) 64 649	22 783	11 172	3 007	5 541	3 063	1 883	10 980	1) 29 003	2 438	1) 14 627	8 468	3 470
	女 F.	43 659	18 072	8 994	2 220	4 305	2 553	1 052	6 300	18 235	1 748	8 565	5 303	2 619
		20 963	4 711	2 178	787	1 236	510	831	4 680	10 741	690	6 035	3 165	851
BE 47	自動車事故	11 040	10 448	5 526	1 010	2 677	1 235	15	–	577	275	90	22	190
	男 M.	8 770	8 305	4 477	761	2 094	973	13	–	452	198	82	22	150
	女 F.	2 270	2 143	1 049	249	583	262	2	–	125	77	8	–	40
BE 48	その他の不慮の事故	1) 30 622	10 088	4 608	1 870	2 457	1 153	1 823	1 445	1) 17 266	672	1) 12 104	1 374	3 116
	男 M.	21 433	8 182	3 856	1 374	1 942	1 010	1 013	891	11 347	526	7 642	819	2 360
	女 F.	9 162	1 906	752	496	515	143	810	554	5 892	146	4 435	555	756
BE 48. a	自動車以外の交通事故	*4 402*	*3 013*	*1 804*	*300*	*675*	*234*	*19*	*38*	*1 332*	*431*	*765*	*20*	*116*
	男 M.	*3 550*	*2 339*	*1 381*	*249*	*519*	*190*	*19*	*38*	*1 154*	*329*	*711*	*18*	*96*
	女 F.	*852*	*674*	*423*	*51*	*156*	*44*	–	–	*178*	*102*	*54*	*2*	*20*
BE 48. b	不慮の墜落	*4 166*	*3 685*	*1 396*	*879*	*1 202*	*208*	*1*	–	*480*	*42*	*2*	*14*	*422*
	男 M.	*3 160*	*2 849*	*1 213*	*527*	*922*	*187*	–	–	*311*	*30*	–	*11*	*270*
	女 F.	*1 006*	*836*	*183*	*352*	*280*	*21*	*1*	–	*169*	*12*	*2*	*3*	*152*
BE 48. c	不慮の溺死および溺水	*7 272*	–	–	–	–	–	–	–	*7 272*	–	*7 243*	–	*29*
	男 M.	*5 259*	–	–	–	–	–	–	–	*5 259*	–	*5 236*	–	*23*
	女 F.	*2 013*	–	–	–	–	–	–	–	*2 013*	–	*2 007*	–	*6*
BE 48. d	天災	1) *4 863*	*361*	*156*	*60*	*84*	*61*	*1*	–	1) *4 501*	*17*	1) *4 059*	*169*	*256*
	男 M.	*2 072*	*211*	*99*	*32*	*48*	*32*	–	–	*1 861*	*13*	*1 661*	*70*	*117*
	女 F.	*2 764*	*150*	*57*	*28*	*36*	*29*	*1*	–	*2 613*	*4*	*2 371*	*99*	*139*
BE 48. e	その他	*9 919*	*3 029*	*1 252*	*631*	*496*	*650*	*1 802*	*1 407*	*3 681*	*182*	*35*	*1 171*	*2 293*
	男 M.	*7 392*	*2 783*	*1 163*	*566*	*453*	*601*	*994*	*853*	*2 762*	*154*	*34*	*720*	*1 854*
	女 F.	*2 527*	*246*	*89*	*65*	*43*	*49*	*808*	*554*	*919*	*28*	*1*	*451*	*439*
BE 49	自殺および自傷	21 090	1 371	846	92	230	203	35	9 380	10 304	1 183	2 311	6 698	112
	男 M.	12 179	891	540	52	138	161	18	5 330	5 940	795	774	4 298	73
	女 F.	8 911	480	306	40	92	42	17	4 050	4 364	388	1 537	2 400	39
BE 50	他殺および戦争行為	1 897	876	192	35	177	472	10	155	856	308	122	374	52
	男 M.	1 277	694	121	33	131	409	8	79	496	229	67	164	36
	女 F.	620	182	71	2	46	63	2	76	360	79	55	210	16
BE 50. a	他殺	*1 842*	*846*	*192*	*8*	*176*	*470*	*10*	*155*	*831*	*307*	*122*	*374*	*28*
	男 M.	*1 228*	*664*	*121*	*6*	*130*	*407*	*8*	*79*	*477*	*228*	*67*	*164*	*18*
	女 F.	*614*	*182*	*71*	*2*	*46*	*63*	*2*	*76*	*354*	*79*	*55*	*210*	*10*
BE 50. b	処刑および戦争行為	*55*	*30*	–	*27*	*1*	*2*	–	–	*25*	*1*	–	–	*24*
	男 M.	*49*	*30*	–	*27*	*1*	*2*	–	–	*19*	*1*	–	–	*18*
	女 F.	*6*	–	–	–	–	–	–	–	*6*	–	–	–	*6*

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。
1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

性・年齢(特定階級)・外因－傷害の性質相互分類の死因(簡単分類)別

EXTERNAL CAUSE AND NATURE OF INJURY (ABBREVIATED LIST) BY SEX AND AGE; FOR ALL JAPAN

0 ～ 4 才　0 ～ 4 years　　昭和34年　1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	"N" 不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭部損傷および内部損傷	BN47. a 頭蓋骨折	BN47. b その他の骨の骨折	BN47. c 頭部の損傷（骨折を除く）	BN47. d 胸，腹，骨盤腔の内部損傷	BN48 熱傷	BN49 毒物の作用	BN50 その他の損傷	BN50. a 裂傷および開放創	BN50. b 溺死および死にいたらない溺水	BN50. c 窒息および絞首	BN50. d その他
"E"	不慮の事故，中毒および暴力の二重分類（外因） 男 M.	6 959	1 413	842	81	334	156	529	197	4 820	92	3 390	934	404
	女 F.	4 071	847	509	44	199	95	275	106	2 843	56	2 096	474	217
		2 888	566	333	37	135	61	254	91	1 977	36	1 294	460	187
BE 47	自動車事故	998	951	591	59	178	123	–	–	47	32	2	–	13
	男 M.	595	566	361	32	104	69	–	–	29	21	1	–	7
	女 F.	403	385	230	27	74	54	–	–	18	11	1	–	6
BE 48	その他の不慮の事故	5 632	413	225	19	139	30	525	131	4 563	39	3 297	843	384
	男 M.	3 303	264	141	11	87	25	271	70	2 698	24	2 043	424	207
	女 F.	2 329	149	84	8	52	5	254	61	1 865	15	1 254	419	177
BE 48. a	自動車以外の交通事故	*245*	*175*	*130*	*7*	*30*	*8*	–	*1*	*69*	*15*	*47*	*2*	*5*
	男 M.	*157*	*114*	*83*	*3*	*21*	*7*	–	*1*	*42*	*10*	*28*	*1*	*3*
	女 F.	*88*	*61*	*47*	*4*	*9*	*1*	–	–	*27*	*5*	*19*	*1*	*2*
BE 48. b	不慮の墜落	*172*	*148*	*61*	*7*	*77*	*3*	*1*	–	*23*	*10*	*1*	*4*	*8*
	男 M.	*112*	*97*	*39*	*5*	*50*	*3*	–	–	*15*	*8*	–	*3*	*4*
	女 F.	*60*	*51*	*22*	*2*	*27*	–	*1*	–	*8*	*2*	*1*	*1*	*4*
BE 48. c	不慮の溺死および溺水	*2 696*	–	–	–	–	–	–	–	*2 696*	–	*2 694*	–	*2*
	男 M.	*1 717*	–	–	–	–	–	–	–	*1 717*	–	*1 715*	–	*2*
	女 F.	*979*	–	–	–	–	–	–	–	*979*	–	*979*	–	–
BE 48. d	天災	*631*	*18*	*7*	*1*	*8*	*2*	–	–	*613*	–	*553*	*26*	*34*
	男 M.	*334*	*6*	*4*	–	*1*	*1*	–	–	*328*	–	*299*	*12*	*17*
	女 F.	*297*	*12*	*3*	*1*	*7*	*1*	–	–	*285*	–	*254*	*14*	*17*
BE 48. e	その他	*1 888*	*72*	*27*	*4*	*24*	*17*	*524*	*130*	*1 162*	*14*	*2*	*811*	*335*
	男 M.	*983*	*47*	*15*	*3*	*15*	*14*	*271*	*69*	*596*	*6*	*1*	*408*	*181*
	女 F.	*905*	*25*	*12*	*1*	*9*	*3*	*253*	*61*	*566*	*8*	*1*	*403*	*154*
BE 49	自殺および自傷	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
BE 50	他殺および戦争行為	329	49	26	3	17	3	4	66	210	21	91	91	7
	男 M.	173	17	7	1	8	1	4	36	116	11	52	50	3
	女 F.	156	32	19	2	9	2	–	30	94	10	39	41	4
BE 50. a	他殺	*329*	*49*	*26*	*3*	*17*	*3*	*4*	*66*	*210*	*21*	*91*	*91*	*7*
	男 M.	*173*	*17*	*7*	*1*	*8*	*1*	*4*	*36*	*116*	*11*	*52*	*50*	*3*
	女 F.	*156*	*32*	*19*	*2*	*9*	*2*	–	*30*	*94*	*10*	*39*	*41*	*4*
BE 50. b	処刑および戦争行為	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–

第 62 表　外因による死亡者数，

TABLE 62　DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE, CROSS-CLASSIFIED ACCORDING TO

5 ～ 14 才　5 ～ 14 years

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	"N" 不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭部損傷および内部損傷	BN47. a 頭蓋骨折	BN47. b その他の骨の骨折	BN47. c 頭部の損傷（骨折を除く）	BN47. d 胸，腹，骨盤腔の内部損傷	BN48 熱傷	BN49 毒物の作用	BN50 その他の損傷	BN50. a 裂傷および開放創	BN50. b 溺死および死にいたらない溺水	BN50. c 窒息および絞首	BN50. d その他
"E"	不慮の事故，中毒および暴力の二重分類（外因） 男 M.	5 458	1 588	895	129	337	227	138	139	3 593	141	3 147	151	154
	女 F.	3 751	1 119	630	81	242	166	73	64	2 495	80	2 210	99	106
		1 707	469	265	48	95	61	65	75	1 098	61	937	52	48
BE 47	自動車事故	1 016	938	552	77	171	138	1	–	77	56	3	–	18
	男 M.	694	647	384	46	119	98	–	–	47	30	3	–	14
	女 F.	322	291	168	31	52	40	1	–	30	26	–	–	4
BE 48	その他の不慮の事故	4 193	618	328	51	155	84	135	56	3 384	59	3 118	72	135
	男 M.	2 934	457	239	34	118	66	72	31	2 374	39	2 197	47	91
	女 F.	1 259	161	89	17	37	18	63	25	1 010	20	921	25	44
BE 48. a	自動車以外の交通事故	*381*	*265*	*183*	*13*	*54*	*15*	–	–	*116*	*38*	*72*	–	*6*
	男 M.	*277*	*185*	*128*	*8*	*39*	*10*	–	–	*92*	*23*	*66*	–	*3*
	女 F.	*104*	*80*	*55*	*5*	*15*	*5*	–	–	*24*	*15*	*6*	–	*3*
BE 48. b	不慮の墜落	*183*	*170*	*81*	*19*	*53*	*17*	–	–	*13*	*5*	–	*1*	*7*
	男 M.	*139*	*128*	*59*	*12*	*42*	*15*	–	–	*11*	*4*	–	*1*	*6*
	女 F.	*44*	*42*	*22*	*7*	*11*	*2*	–	–	*2*	*1*	–	–	*1*
BE 48. c	不慮の溺死および溺水	*2 125*	–	–	–	–	–	–	–	*2 125*	–	*2 118*	–	*7*
	男 M.	*1 709*	–	–	–	–	–	–	–	*1 709*	–	*1 703*	–	*6*
	女 F.	*416*	–	–	–	–	–	–	–	*416*	–	*415*	–	*1*
BE 48. d	天災	*1 056*	*47*	*20*	*8*	*9*	*10*	–	–	*1 009*	*3*	*927*	*36*	*43*
	男 M.	*495*	*29*	*12*	*5*	*5*	*7*	–	–	*466*	*2*	*427*	*16*	*21*
	女 F.	*561*	*18*	*8*	*3*	*4*	*3*	–	–	*543*	*1*	*500*	*20*	*22*
BE 48. e	その他	*448*	*136*	*44*	*11*	*39*	*42*	*135*	*56*	*121*	*13*	*1*	*35*	*72*
	男 M.	*314*	*115*	*40*	*9*	*32*	*34*	*72*	*31*	*96*	*10*	*1*	*30*	*55*
	女 F.	*134*	*21*	*4*	*2*	*7*	*8*	*63*	*25*	*25*	*3*	–	*5*	*17*
BE 49	自殺および自傷	71	6	4	–	1	1	–	18	47	4	8	35	–
	男 M.	47	3	2	–	1	–	–	10	34	1	3	30	–
	女 F.	24	3	2	–	–	1	–	8	13	3	5	5	–
BE 50	他殺および戦争行為	178	26	11	1	10	4	2	65	85	22	18	44	1
	男 M.	76	12	5	1	4	2	1	23	40	10	7	22	1
	女 F.	102	14	6	–	6	2	1	42	45	12	11	22	–
BE 50. a	他殺	*178*	*26*	*11*	*1*	*10*	*4*	*2*	*65*	*85*	*22*	*18*	*44*	*1*
	男 M.	*76*	*12*	*5*	*1*	*4*	*2*	*1*	*23*	*40*	*10*	*7*	*22*	*1*
	女 F.	*102*	*14*	*6*	–	*6*	*2*	*1*	*42*	*45*	*12*	*11*	*22*	–
BE 50. b	処刑および戦争行為	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–

性・年齢（特定階級）・外因－傷害の性質相互分類の死因（簡単分類）別

EXTERNAL CAUSE AND NATURE OF INJURY (ABBREVIATED LIST) BY SEX AND AGE; FOR ALL JAPAN

15 ～ 44 才　15 ～ 44 years　　昭和34年　1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	"N" 不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭部損傷および内部損傷	BN47. a 頭蓋骨折	BN47. b その他の骨の骨折	BN47. c 頭部の損傷（骨折を除く）	BN47. d 胸，腹，骨盤腔の内部損傷	BN48 熱傷	BN49 毒物の作用	BN50 その他の損傷	BN50. a 裂傷および開放創	BN50. b 溺死および死にいたらない溺水	BN50. c 窒息および絞首	BN50. d その他
"E"	不慮の事故，中毒および暴力の二重分類（外因） 男 M.	30 349	11 218	5 932	1 224	2 312	1 750	408	8 775	9 948	1 593	4 384	2 563	1 408
	女 F.	21 760	9 790	5 152	1 081	2 005	1 552	293	4 962	6 715	1 189	2 535	1 771	1 220
		8 589	1 428	780	143	307	198	115	3 813	3 233	404	1 849	792	188
BE 47	自動車事故	5 262	4 939	2 739	436	1 172	592	12	–	311	122	72	16	101
	男 M.	4 668	4 384	2 455	372	1 037	520	11	–	273	105	66	16	86
	女 F.	594	555	284	64	135	72	1	–	38	17	6	–	15
BE 48	その他の不慮の事故	10 903	4 595	2 443	698	864	590	377	813	5 118	351	3 274	285	1 208
	男 M.	8 650	4 178	2 210	646	777	545	272	494	3 706	308	2 096	234	1 068
	女 F.	2 253	417	233	52	87	45	105	319	1 412	43	1 178	51	140
BE 48. a	自動車以外の交通事故	*2 120*	*1 328*	*835*	*128*	*253*	*112*	*18*	*29*	*745*	*230*	*460*	*10*	*45*
	男 M.	*1 853*	*1 129*	*711*	*113*	*210*	*95*	*18*	*29*	*677*	*195*	*433*	*9*	*40*
	女 F.	*267*	*199*	*124*	*15*	*43*	*17*	–	–	*68*	*35*	*27*	*1*	*5*
BE 48. b	不慮の墜落	*1 373*	*1 264*	*674*	*181*	*329*	*80*	–	–	*109*	*9*	–	*3*	*97*
	男 M.	*1 280*	*1 181*	*632*	*171*	*300*	*78*	–	–	*99*	*8*	–	*3*	*88*
	女 F.	*93*	*83*	*42*	*10*	*29*	*2*	–	–	*10*	*1*	–	–	*9*
BE 48. c	不慮の溺死および溺水	*1 320*	–	–	–	–	–	–	–	*1 320*	–	*1 309*	–	*11*
	男 M.	*1 127*	–	–	–	–	–	–	–	*1 127*	–	*1 117*	–	*10*
	女 F.	*193*	–	–	–	–	–	–	–	*193*	–	*192*	–	*1*
BE 48. d	天災	*1 741*	*127*	*68*	*23*	*24*	*12*	–	–	*1 614*	*5*	*1 482*	*50*	*77*
	男 M.	*661*	*83*	*48*	*11*	*16*	*8*	–	–	*578*	*4*	*523*	*20*	*31*
	女 F.	*1 080*	*44*	*20*	*12*	*8*	*4*	–	–	*1 036*	*1*	*959*	*30*	*46*
BE 48. e	その他	*4 349*	*1 876*	*866*	*366*	*258*	*386*	*359*	*784*	*1 330*	*107*	*23*	*222*	*978*
	男 M.	*3 729*	*1 785*	*819*	*351*	*251*	*364*	*254*	*465*	*1 225*	*101*	*23*	*202*	*899*
	女 F.	*620*	*91*	*47*	*15*	*7*	*22*	*105*	*319*	*105*	*6*	–	*20*	*79*
BE 49	自殺および自傷	13 112	1 044	656	60	181	147	18	7 945	4 105	896	1 028	2 109	72
	男 M.	7 612	676	415	33	111	117	10	4 455	2 471	595	366	1 462	48
	女 F.	5 500	368	241	27	70	30	8	3 490	1 634	301	662	647	24
BE 50	他殺および戦争行為	1 072	640	94	30	95	421	1	17	414	224	10	153	27
	男 M.	830	552	72	30	80	370	–	13	265	181	7	59	18
	女 F.	242	88	22	–	15	51	1	4	149	43	3	94	9
BE 50. a	他殺	*1 035*	*613*	*94*	*4*	*95*	*420*	*1*	*17*	*404*	*224*	*10*	*153*	*17*
	男 M.	*797*	*525*	*72*	*4*	*80*	*369*	–	*13*	*259*	*181*	*7*	*59*	*12*
	女 F.	*238*	*88*	*22*	–	*15*	*51*	*1*	*4*	*145*	*43*	*3*	*94*	*5*
BE 50. b	処刑および戦争行為	*37*	*27*	–	*26*	–	*1*	–	–	*10*	–	–	–	*10*
	男 M.	*33*	*27*	–	*26*	–	*1*	–	–	*6*	–	–	–	*6*
	女 F.	*4*	–	–	–	–	–	–	–	*4*	–	–	–	*4*

第62表　外因による死亡者数，

TABLE 62　DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE, CROSS-CLASSIFIED ACCORDING TO

45 ～ 64 才　45 ～ 64 **years**

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	"N" 不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭部および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭部の損傷（骨折を除く）	BN47.d 胸，腹，骨盤腔の内部損傷	BN48 熱傷	BN49 毒物の作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死および死にいたらない溺水	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力の二重分類（外因）	12 616	5 363	2 460	750	1 491	662	265	1 364	5 624	421	2 005	2 492	706
	男 M.	9 030	4 386	2 015	614	1 206	551	153	893	3 598	308	1 092	1 632	566
	女 F.	3 586	977	445	136	285	111	112	471	2 026	113	913	860	140
BE 47	自動車事故	2 508	2 406	1 172	264	694	276	1	–	101	47	11	6	37
	男 M.	2 016	1 937	957	208	555	217	1	–	78	34	10	6	28
	女 F.	492	469	215	56	139	59	–	–	23	13	1	–	9
BE 48	その他の不慮の事故	5 433	2 618	1 122	465	718	313	253	298	2 264	137	1 364	129	634
	男 M.	4 133	2 206	943	390	600	273	147	216	1 564	105	851	95	513
	女 F.	1 300	412	179	75	118	40	106	82	700	32	513	34	121
BE 48.a	自動車以外の交通事故	*1 076*	*766*	*412*	*85*	*200*	*69*	*1*	*7*	*302*	*90*	*159*	*7*	*46*
	男 M.	*890*	*611*	*319*	*73*	*158*	*61*	*1*	*7*	*271*	*66*	*157*	*7*	*41*
	女 F.	*186*	*155*	*93*	*12*	*42*	*8*	–	–	*31*	*24*	*2*	–	*5*
BE 48.b	不慮の墜落	*1 081*	*990*	*397*	*186*	*349*	*58*	–	–	*91*	*5*	*1*	*3*	*82*
	男 M.	*899*	*834*	*348*	*143*	*292*	*51*	–	–	*65*	*4*	–	*2*	*59*
	女 F.	*182*	*156*	*49*	*43*	*57*	*7*	–	–	*26*	*1*	*1*	*1*	*23*
BE 48.c	不慮の溺死および溺水	*560*	–	–	–	–	–	–	–	*560*	–	*555*	–	*5*
	男 M.	*440*	–	–	–	–	–	–	–	*440*	–	*437*	–	*3*
	女 F.	*120*	–	–	–	–	–	–	–	*120*	–	*118*	–	*2*
BE 48.d	天災	*850*	*104*	*43*	*14*	*26*	*21*	*1*	–	*745*	*7*	*640*	*38*	*60*
	男 M.	*356*	*60*	*24*	*9*	*17*	*10*	–	–	*296*	*6*	*248*	*15*	*27*
	女 F.	*494*	*44*	*19*	*5*	*9*	*11*	*1*	–	*449*	*1*	*392*	*23*	*33*
BE 48.e	その他	*1 866*	*758*	*570*	*180*	*143*	*165*	*251*	*291*	*566*	*35*	*9*	*81*	*441*
	男 M.	*1 548*	*701*	*252*	*165*	*133*	*151*	*146*	*209*	*492*	*29*	*9*	*71*	*383*
	女 F.	*318*	*57*	*18*	*15*	*10*	*14*	*105*	*82*	*74*	*6*	–	*10*	*58*
BE 49	自殺および自傷	4 446	218	121	20	38	39	10	1 060	3 158	203	628	2 308	19
	男 M.	2 728	155	85	15	22	33	4	671	1 898	146	230	1 510	12
	女 F.	1 718	63	36	5	16	6	6	389	1 260	57	398	798	7
BE 50	他殺および戦争行為	229	121	45	1	41	34	1	6	101	34	2	49	16
	男 M.	153	88	30	1	29	28	1	6	58	23	1	21	13
	女 F.	76	33	15	–	12	6	–	–	43	11	1	28	3
BE 50.a	他殺	*212*	*118*	*45*	–	*40*	*33*	*1*	*6*	*87*	*33*	*2*	*49*	*3*
	男 M.	*138*	*85*	*30*	–	*28*	*27*	*1*	*6*	*46*	*22*	*1*	*21*	*2*
	女 F.	*74*	*33*	*15*	–	*12*	*6*	–	–	*41*	*11*	*1*	*28*	*1*
BE 50.b	処刑および戦争行為	*17*	*3*	–	*1*	*1*	*1*	–	–	*14*	*1*	–	–	*13*
	男 M.	*15*	*3*	–	*1*	*1*	*1*	–	–	*12*	*1*	–	–	*11*
	女 F.	*2*	–	–	–	–	–	–	–	*2*	–	–	–	*2*

性・年齢（特定階級）・外因－傷害の性質相互分類の死因（簡単分類）別

EXTERNAL CAUSE AND NATUERE OF INJURY (ABBREVIATED LIST) BY SEX AND AGE; FOR ALL JAPAN

65 才以上　65 **years and over**　　昭和34年　1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	"N" 不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭部および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭部の損傷（骨折を除く）	BN47.d 胸，腹，骨盤腔の内部損傷	BN48 熱傷	BN49 毒物の作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死および死にいたらない溺水	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力の二重分類（外因）	9 215	3 198	1 042	822	1 067	267	543	502	4 972	190	1 659	2 326	797
	男 M.	5 031	1 927	687	399	653	188	258	273	2 573	114	625	1 325	509
	女 F.	4 184	1 271	355	423	414	79	285	229	2 399	76	1 034	1 001	288
BE 47	自動車事故	1 256	1 214	472	174	462	106	1	–	41	18	2	–	21
	男 M.	797	771	320	103	279	69	1	–	25	8	2	–	15
	女 F.	459	443	152	71	183	37	–	–	16	10	–	–	6
BE 48	その他の不慮の事故	4 421	1 842	490	636	581	135	533	147	1 899	86	1 013	45	755
	男 M.	2 406	1 075	323	292	360	100	251	80	1 000	50	450	19	481
	女 F.	2 015	767	167	344	221	35	282	67	899	36	563	26	274
BE 48.a	自動車以外の交通事故	*578*	*478*	*244*	*66*	*138*	*30*	–	*1*	*99*	*58*	*26*	*1*	*14*
	男 M.	*371*	*299*	*140*	*51*	*91*	*17*	–	*1*	*71*	*35*	*26*	*1*	*9*
	女 F.	*207*	*179*	*104*	*15*	*47*	*13*	–	–	*28*	*23*	–	–	*5*
BE 48.b	不慮の墜落	*1 357*	*1 113*	*183*	*486*	*394*	*50*	–	–	*244*	*13*	–	*3*	*228*
	男 M.	*730*	*609*	*135*	*196*	*238*	*40*	–	–	*121*	*6*	–	*2*	*113*
	女 F.	*627*	*504*	*48*	*290*	*156*	*10*	–	–	*123*	*7*	–	*1*	*115*
BE 48.c	不慮の溺死および溺水	*570*	–	–	–	–	–	–	–	*570*	–	*566*	–	*4*
	男 M.	*265*	–	–	–	–	–	–	–	*265*	–	*263*	–	*2*
	女 F.	*305*	–	–	–	–	–	–	–	*305*	–	*303*	–	*2*
BE 48.d	天災	*548*	*64*	*18*	*14*	*17*	*15*	–	–	*484*	*2*	*421*	*19*	*42*
	男 M.	*222*	*32*	*11*	*7*	*9*	*5*	–	–	*190*	*1*	*161*	*7*	*21*
	女 F.	*326*	*32*	*7*	*7*	*8*	*10*	–	–	*294*	*1*	*260*	*12*	*21*
BE 48.e	その他	*1 368*	*187*	*45*	*70*	*32*	*40*	*533*	*146*	*502*	*13*	–	*22*	*467*
	男 M.	*818*	*135*	*37*	*38*	*22*	*38*	*251*	*79*	*353*	*8*	–	*9*	*336*
	女 F.	*550*	*52*	*8*	*32*	*10*	*2*	*282*	*67*	*149*	*5*	–	*13*	*131*
BE 49	自殺および自傷	3 449	102	64	12	10	16	7	354	2 986	79	643	2 244	20
	男 M.	1 783	56	37	4	4	11	4	192	1 531	52	173	1 294	12
	女 F.	1 666	46	27	8	6	5	3	162	1 455	27	470	950	8
BE 50	他殺および戦争行為	89	40	16	–	14	10	2	1	46	7	1	37	1
	男 M.	45	25	7	–	10	8	2	1	17	4	–	12	1
	女 F.	44	15	9	–	4	2	–	–	29	3	1	25	–
BE 50.a	他殺	*88*	*40*	*16*	–	*14*	*10*	*2*	*1*	*45*	*7*	*1*	*37*	–
	男 M.	*44*	*25*	*7*	–	*10*	*8*	*2*	*1*	*16*	*4*	–	*12*	–
	女 F.	*44*	*15*	*9*	–	*4*	*2*	–	–	*29*	*3*	*1*	*25*	–
BE 50.b	処刑および戦争行為	*1*	–	–	–	–	–	–	–	*1*	–	–	–	*1*
	男 M.	*1*	–	–	–	–	–	–	–	*1*	–	–	–	*1*
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–

62 表 (4—4)

第62表　外因による死亡者数，

性・年齢(特定階級)・外因－傷害の性質相互分類の死因(簡単分類)別

TABLE 62　DEATHS FROM ACCIDENTS, POISONINGS AND VIOLENCE, CROSS-CLASSIFIED ACCORDING TO EXTERNAL CAUSE AND NATURE OF INJURY (ABBREVIATED LIST) BY SEX AND AGE; FOR ALL JAPAN

不　詳 Unknwon　　昭和34年　1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	"N" 不慮の事故，中毒および暴力の二重分類（傷害の性質）	BN47 骨折，頭部損傷および内部損傷	BN47.a 頭蓋骨折	BN47.b その他の骨の骨折	BN47.c 頭部の損傷（骨折を除く）	BN47.d 胸，腹，骨盤腔の内部損傷	BN48 熱傷	BN49 毒物の作用	BN50 その他の損傷	BN50.a 裂傷および開放創	BN50.b 溺死および死にいたらない溺水	BN50.c 窒息および絞首	BN50.d その他
"E"	不慮の事故，中毒および暴力の二重分類（外因）	1) 52	3	1	1	–	1	–	3	1) 46	1	1) 42	2	1
	男 M.	16	3	1	1	–	1	–	2	11	1	7	2	1
	女 F.	9	–	–	–	–	–	–	1	8	–	8	–	–
BE 47	自動車事故	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
BE 48	その他の不慮の事故	1) 40	2	–	1	–	1	–	–	1) 38	–	38	–	–
	男 M.	7	2	–	1	–	1	–	–	5	–	5	–	–
	女 F.	6	–	–	–	–	–	–	–	6	–	6	–	–
BE 48.a	自動車以外の交通事故	*2*	*1*	–	*1*	–	–	–	–	*1*	–	*1*	–	–
	男 M.	*2*	*1*	–	*1*	–	–	–	–	*1*	–	*1*	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
BE 48.b	不慮の墜落	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
BE 48.c	不慮の溺死および溺水	*1*	–	–	–	–	–	–	–	*1*	–	*1*	–	–
	男 M.	*1*	–	–	–	–	–	–	–	*1*	–	*1*	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
BE 48.d	天災	1) *37*	*1*	–	–	–	*1*	–	–	1) *36*	–	1) *36*	–	–
	男 M.	*4*	*1*	–	–	–	*1*	–	–	*3*	–	*3*	–	–
	女 F.	*6*	–	–	–	–	–	–	–	*6*	–	*6*	–	–
BE 48.e	その他	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
BE 49	自殺および自傷	12	1	1	–	–	–	–	3	8	1	4	2	1
	男 M.	9	1	1	–	–	–	–	2	6	1	2	2	1
	女 F.	3	–	–	–	–	–	–	1	2	–	2	–	–
BE 50	他殺および戦争行為	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
BE 50.a	他殺	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–
BE 50.b	処刑および戦争行為	–	–	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–

注　:1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。
1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

TABLE 63　NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL IAPAN

昭和34年 1959

総数　Total

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public buildng	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数	1) 26 042	7 877	561	1 100	2 411	192	811	516	182	12 327	1) 65
	男 M.	17 749	4 095	361	1 064	2 313	166	629	420	124	8 554	23
	女 F.	8 266	3 782	200	36	98	26	182	96	58	3 773	15
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒	4	2	–	–	–	–	–	–	–	1	1
	男 M.	4	2	–	–	–	–	–	–	–	1	1
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 871	バルビツール酸およびその誘導体による不慮の中毒	42	29	–	–	1	–	1	5	1	4	1
	男 M.	18	12	–	–	1	–	1	3	–	1	–
	女 F.	24	17	–	–	–	–	–	2	1	3	1
E 872	アスピリンおよびサルチル酸誘導体による不慮の中毒	2	–	–	–	–	–	–	–	–	2	–
	男 M.	1	–	–	–	–	–	–	–	–	1	–
	女 F.	1	–	–	–	–	–	–	–	–	1	–
E 873	臭化物による不慮の中毒	172	152	–	–	–	–	1	3	2	12	2
	男 M.	86	75	–	–	–	–	1	2	2	4	2
	女 F.	86	77	–	–	–	–	–	1	–	8	–
E 874	その他の鎮痛薬および催眠薬による不慮の中毒	203	164	–	–	–	1	1	8	10	18	1
	男 M.	112	93	–	–	–	1	1	4	2	11	–
	女 F.	91	71	–	–	–	–	–	4	8	7	1
E 875	スルホンアミド薬による不慮の中毒	2	2	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 876	ストリキニーネによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 878	その他および詳細不明の医薬品による不慮の中毒	14	12	–	–	–	–	–	–	1	1	–
	男 M.	9	8	–	–	–	–	–	–	–	1	–
	女 F.	5	4	–	–	–	–	–	–	1	–	–
E 879	有毒食物による不慮の中毒	162	145	–	–	4	–	–	3	–	10	–
	男 M.	121	106	–	–	4	–	–	3	–	8	–
	女 F.	41	39	–	–	–	–	–	–	–	2	–
E 880	アルコールによる不慮の中毒	67	44	–	–	3	–	5	5	2	7	1
	男 M.	62	40	–	–	3	–	5	4	2	7	1
	女 F.	5	4	–	–	–	–	–	1	–	–	–
E 881	石油製品による不慮の中毒	14	13	–	–	–	–	–	–	–	1	–
	男 M.	7	7	–	–	–	–	–	–	–	–	–
	女 F.	7	6	–	–	–	–	–	–	–	1	–
E 882	工業溶媒による不慮の中毒	2	–	–	–	1	–	–	1	–	–	–
	男 M.	1	–	–	–	–	–	–	1	–	–	–
	女 F.	1	–	–	–	1	–	–	–	–	–	–
F 883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒	27	22	–	–	3	–	–	1	1	–	–
	男 M.	16	13	–	–	3	–	–	–	–	–	–
	女 F.	11	9	–	–	–	–	–	1	1	–	–
E 884	水銀およびその化合物による不慮の中毒	5	3	–	–	–	–	–	–	–	2	–
	男 M.	2	1	–	–	–	–	–	–	–	1	–
	女 F.	3	2	–	–	–	–	–	–	–	1	–
E 885	鉛およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

注：1)男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。
1)Since the total of male and female imcludes 27 cases of "sex unknown", the components do not equal the total.

国際基本分類番号 Intrenational detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Induseri-al place and pre-mises	保養場および運動場 Place for recreat-ion and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident instituti-on	その他の場所 Other specified places	詳細不明の場所 Place not specified
E 886	ヒ素，アンチモンおよびその化合物による不慮の中毒	6	5	–	–	–	–	–	–	–	1	–
	男 M.	3	2	–	–	–	–	–	–	–	1	–
	女 F.	3	3	–	–	–	–	–	–	–	–	–
E 887	フツ化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒	156	86	35	–	5	–	–	3	–	26	1
	男 M.	108	57	24	–	5	–	–	3	–	18	1
	女 F.	48	29	11	–	–	–	–	–	–	8	–
E 888. a	*シアン化物*	*6*	*3*	–	–	*2*	–	–	*1*	–	–	–
	男 M.	*4*	*1*	–	–	*2*	–	–	*1*	–	–	–
	女 F.	*2*	*2*	–	–	–	–	–	–	–	–	–
E 888. b	*農薬用有機リン製剤*	*95*	*47*	*32*	–	–	–	–	*2*	–	*13*	*1*
	男 M.	*69*	*35*	*23*	–	–	–	–	*2*	–	*8*	*1*
	女 F.	*26*	*12*	*9*	–	–	–	–	–	–	*5*	–
E 888. c	*その他のリン製剤*	*14*	*14*	–	–	–	–	–	–	–	–	–
	男 M.	*8*	*8*	–	–	–	–	–	–	–	–	–
	女 F.	*6*	*6*	–	–	–	–	–	–	–	–	–
E 888. d	*その他および詳細不明の固体および液体物質*	*41*	*22*	*3*	–	*3*	–	–	–	–	*13*	–
	男 M.	*27*	*13*	*1*	–	*3*	–	–	–	–	*10*	–
	女 F.	*14*	*9*	*2*	–	–	–	–	–	–	*3*	–
E 890	石炭ガス(光熱用)による不慮の中毒	233	189	–	–	8	–	1	23	7	5	–
	男 M.	118	80	–	–	8	–	1	20	4	5	–
	女 F.	115	109	–	–	–	–	–	3	3	–	–
E 891	自動車排出ガスによる不慮の中毒	2	–	–	–	1	–	–	–	–	1	–
	男 M.	2	–	–	–	1	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒	205	157	–	1	7	–	3	7	6	24	–
	男 M.	125	84	–	1	6	–	3	4	4	23	–
	女 F.	80	73	–	–	1	–	–	3	2	1	–
E 893	シアン化物ガスによる不慮の中毒	2	–	2	–	–	–	–	–	–	–	–
	男 M.	2	–	2	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒	46	2	1	27	11	–	–	4	–	1	–
	男 M.	44	–	1	27	11	–	–	4	–	1	–
	女 F.	2	2	–	–	–	–	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	2	1	–	–	1	–	–	–	–	–	–
	男 M.	1	–	–	–	1	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 900	階段よりの墜落	264	163	–	–	25	2	2	55	6	11	–
	男 M.	162	81	–	–	22	2	2	42	6	7	–
	女 F.	102	82	–	–	3	–	–	13	–	4	–
E 901	はしごよりの墜落	94	62	–	–	22	–	5	2	–	3	–
	男 M.	74	45	–	–	20	–	4	2	–	3	–
	女 F.	20	17	–	–	2	–	1	–	–	–	–
E 902	その他の高所よりの墜落	2 948	604	83	71	691	18	159	121	32	1 169	–
	男 M.	2 453	373	61	68	677	17	139	106	22	990	–
	女 F.	495	231	22	3	14	1	20	15	10	179	–
E 903	同一面上における転倒	859	456	11	5	36	18	159	31	20	122	1
	男 M.	470	182	4	5	32	16	98	23	12	97	1
	女 F.	389	274	7	–	4	2	61	8	8	25	–

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

TABLE 63　NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE(DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN　昭和34年 1959

総　数　Total

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Streeet and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other spcified places	詳細不明の場所 Place not specified
E 904	詳細不明の墜落	1	1	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 910	落下物，投射物および飛来物による打撲	2 032	79	16	548	581	20	92	44	8	644	–
	男 M.	1 885	52	11	529	561	18	83	39	7	585	–
	女 F.	147	27	5	19	20	2	9	5	1	59	–
E 911	車による不慮の事故	275	2	1	150	43	1	10	–	–	68	–
	男 M.	265	1	1	148	40	1	9	–	–	65	–
	女 F.	10	1	–	2	3	–	1	–	–	3	–
E 912	機械による不慮の事故	453	17	8	27	326	1	10	3	1	60	–
	男 M.	430	11	7	25	315	1	9	3	1	58	–
	女 F.	23	6	1	2	11	–	1	–	–	2	–
E 913	刃器および刺器による不慮の事故	53	16	5	–	10	1	4	9	–	7	1
	男 M.	42	12	3	–	10	–	2	9	–	6	–
	女 F.	11	4	2	–	–	1	2	–	–	1	1
E 914	電気による不慮の事故	540	31	21	19	266	1	75	16	5	106	–
	男 M.	527	24	20	19	265	1	75	16	4	103	–
	女 F.	13	7	1	–	1	–	–	–	1	3	–
E 915	高圧機関の爆発による不慮の事故	4	–	–	–	4	–	–	–	–	–	–
	男 M.	4	–	–	–	4	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 916	火および可燃物の爆発による不慮の事故	1 554	1 105	17	40	174	3	21	50	9	135	–
	男 M.	889	531	9	40	154	–	14	33	7	101	–
	女 F.	665	574	8	–	20	3	7	17	2	34	–
E 917	高熱物体，腐食性液体および水蒸気による不慮の事故	399	322	–	–	49	–	1	5	4	16	2
	男 M.	226	166	–	–	43	–	1	3	3	9	1
	女 F.	173	156	–	–	6	–	–	2	1	7	1
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. a	X線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 919	銃器による不慮の事故	122	8	4	44	29	–	3	3	–	31	–
	男 M.	117	6	4	44	28	–	3	1	–	31	–
	女 F.	5	2	–	–	1	–	–	2	–	–	–
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	643	576	1	–	1	1	10	9	24	20	1
	男 M.	449	396	1	–	1	1	10	7	16	16	1
	女 F.	194	180	–	–	–	–	–	2	8	4	–
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	49	38	1	–	–	–	1	3	–	5	1
	男 M.	34	25	–	–	–	–	1	2	–	5	1
	女 F.	15	13	1	–	–	–	–	1	–	–	–
E 923	その他の孔口への異物受入	15	10	–	–	–	–	–	–	–	5	–
	男 M.	6	5	–	–	–	–	–	–	–	1	–
	女 F.	9	5	–	–	–	–	–	–	–	4	–
E 924	寝台および揺籃における不慮の機械的窒息	324	314	3	–	–	–	–	1	2	4	–
	男 M.	171	167	1	–	–	–	–	–	2	1	–
	女 F.	153	147	2	–	–	–	–	1	–	3	–
E 925	その他および詳細不明の状態における不慮の機械的窒息	820	483	25	153	31	2	12	4	5	105	–
	男 M.	528	235	18	144	29	2	8	2	4	86	–
	女 F.	292	248	7	9	2	–	4	2	1	19	–
E 926	乳児の養育不注意 (1才未満)	·	·	·	·	·	·	·	·	·	·	·
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	·	·	·	·	·	·	·	·	·	·	·
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	45	15	12	–	1	–	2	1	–	14	–
	男 M.	24	10	6	–	1	–	–	1	–	6	–
	女 F.	21	5	6	–	–	–	2	–	–	8	–
E 928	その他の動物による不慮の傷害	111	31	13	–	–	5	28	–	–	34	–
	男 M.	86	18	13	–	–	4	23	–	–	28	–
	女 F.	25	13	–	–	–	1	5	–	–	6	–
E 929	不慮の溺死および溺水	7 272	728	142	9	30	90	10	50	4	6 203	6
	男 M.	5 259	398	83	9	27	75	6	41	2	4 618	–
	女 F.	2 013	330	59	–	3	15	4	9	2	1 585	6
E 930	高圧および低圧	13	–	–	–	–	–	–	–	–	13	–
	男 M.	12	–	–	–	–	–	–	–	–	12	–
	女 F.	1	–	–	–	–	–	–	–	–	1	–
E 931	過度の高温および日射病	108	19	14	2	5	2	5	1	–	59	1
	男 M.	48	9	2	1	5	2	2	1	–	26	–
	女 F.	60	10	12	1	–	–	3	–	–	33	1
E 932	過度の低温	459	44	38	1	3	2	65	8	2	296	–
	男 M.	390	36	30	1	2	2	55	7	2	255	–
	女 F.	69	8	8	–	1	–	10	1	–	41	–
E 933	飢，渇および不良天候曝露	30	1	1	–	–	–	–	–	–	28	–
	男 M.	23	1	1	–	–	–	–	–	–	21	–
	女 F.	7	–	–	–	–	–	–	–	–	7	–
E 934	天災	1) 4 863	1 666	74	1	28	1	78	10	22	2 954	1) 29
	男 M.	2 072	694	36	1	23	1	35	10	15	1 257	–
	女 F.	2 764	972	38	–	5	–	43	–	7	1 697	2
E 934. a	地震	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934. b	暴風雨および洪水	1) *4 860*	*1 663*	*74*	*1*	*28*	*1*	*78*	*10*	*22*	*2 954*	1) *29*
	男 M.	*2 071*	*693*	*36*	*1*	*23*	*1*	*35*	*10*	*15*	*1 257*	–
	女 F.	*2 762*	*970*	*38*	–	*5*	–	*43*	–	*7*	*1 697*	*2*
E 934. c	その他	*3*	*3*	–	–	–	–	–	–	–	–	–
	男 M.	*1*	*1*	–	–	–	–	–	–	–	–	–
	女 F.	*2*	*2*	–	–	–	–	–	–	–	–	–
E 935	雷撃	57	8	29	–	–	–	7	–	–	13	–
	男 M.	42	6	20	–	–	–	6	–	–	10	–
	女 F.	15	2	9	–	–	–	1	–	–	3	–
E 936	その他および詳細不明の不慮の事故	267	50	4	2	11	23	40	27	8	86	16
	男 M.	217	29	3	2	11	22	32	24	7	73	14
	女 F.	50	21	1	–	–	1	8	3	1	13	2

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。
1) Since the total male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

0～4才　0～4 years of age　昭和34年　1959

国際基本分類番号 International detailed list number	死因，性 Cause of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数	5 377	2 503	99	5	18	30	43	37	29	2 605	8
	男 M.	3 138	1 341	57	2	13	21	28	24	15	1 636	1
	女 F.	2 239	1 162	42	3	5	9	15	13	14	969	7
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 871	バルビツール酸およびその誘導体による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 873	臭化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 874	その他の鎮痛薬および催眠薬による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 875	スルホンアミド薬による不慮の中毒	1	1	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 876	ストリキニーネによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 878	その他および詳細不明の医薬品による不慮の中毒	6	6	–	–	–	–	–	–	–	–	–
	男 M.	3	3	–	–	–	–	–	–	–	–	–
	女 F.	3	3	–	–	–	–	–	–	–	–	–
E 879	有毒食物による不慮の中毒	5	4	–	–	–	–	–	–	–	1	–
	男 M.	2	2	–	–	–	–	–	–	–	–	–
	女 F.	3	2	–	–	–	–	–	–	–	1	–
E 880	アルコールによる不慮の中毒	4	4	–	–	–	–	–	–	–	–	–
	男 M.	3	3	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 881	石油製品による不慮の中毒	12	11	–	–	–	–	–	–	–	1	–
	男 M.	5	5	–	–	–	–	–	–	–	–	–
	女 F.	7	6	–	–	–	–	–	–	–	1	–
E 882	工業溶媒による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒	7	6	–	–	–	–	–	–	1	–	–
	男 M.	4	4	–	–	–	–	–	–	–	–	–
	女 F.	3	2	–	–	–	–	–	–	1	–	–
E 884	水銀およびその化合物による不慮の中毒	1	1	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 885	鉛およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 886	ヒ素，アンチモンおよびその化合物による不慮の中毒	1	1	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 887	フツ化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒	21	13	3	–	1	–	–	–	–	4	–
	男 M.	15	11	–	–	1	–	–	–	–	3	–
	女 F.	6	2	3	–	–	–	–	–	–	1	–
E 888. a	シアン化物	*2*	*1*	–	–	*1*	–	–	–	–	–	–
	男 M.	*2*	*1*	–	–	*1*	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888. b	農薬用有機リン製剤	*14*	*9*	*1*	–	–	–	–	–	–	*4*	–
	男 M.	*10*	*7*	–	–	–	–	–	–	–	*3*	–
	女 F.	*4*	*2*	*1*	–	–	–	–	–	–	*1*	–
E 888. c	その他のリン製剤	*2*	*2*	–	–	–	–	–	–	–	–	–
	男 M.	*2*	*2*	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888. d	その他および詳細不明の固体および液体物質	*3*	*1*	*2*	–	–	–	–	–	–	–	–
	男 M.	*1*	*1*	–	–	–	–	–	–	–	–	–
	女 F.	*2*	–	*2*	–	–	–	–	–	–	–	–
E 890	石炭ガス(光熱用)による不慮の中毒	10	10	–	–	–	–	–	–	–	–	–
	男 M.	4	4	–	–	–	–	–	–	–	–	–
	女 F.	6	6	–	–	–	–	–	–	–	–	–
E 891	自動車排出ガスによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒	56	53	–	–	–	–	–	1	1	1	–
	男 M.	29	27	–	–	–	–	–	–	1	1	–
	女 F.	27	26	–	–	–	–	–	1	–	–	–
E 893	シアン化物ガスによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒	1	1	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 900	階段よりの墜落	8	5	–	–	–	1	–	1	–	1	–
	男 M.	6	3	–	–	–	1	–	1	–	1	–
	女 F.	2	2	–	–	–	–	–	–	–	–	–
E 901	はしごよりの墜落	2	2	–	–	–	–	–	–	–	–	–
	男 M.	2	2	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 902	その他の高所よりの墜落	129	74	–	–	3	2	9	1	3	37	–
	男 M.	79	40	–	–	3	1	7	1	2	25	–
	女 F.	50	34	–	–	–	1	2	–	1	12	–
E 903	同一面上における転倒	33	22	–	–	–	–	6	1	–	4	–
	男 M.	25	17	–	–	–	–	5	–	–	3	–
	女 F.	8	5	–	–	–	–	1	1	–	1	–

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

昭和34年 1959

0～4才　0～4 years of age

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の所場 Other specified places	詳細不明の場所 Place not specified
E 904	詳細不明の墜落	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 910	落下物，投射物および飛来物による打撲	45	14	1	2	4	1	3	3	1	16	–
	男 M.	27	7	1	1	2	1	3	2	–	10	–
	女 F.	18	7	–	1	2	–	–	1	1	6	–
E 911	車による不慮の事故	3	1	–	1	–	–	–	–	–	1	–
	男 M.	2	–	–	1	–	–	–	–	–	1	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 912	機械による不慮の事故	8	2	2	1	2	–	1	–	–	–	–
	男 M.	7	2	2	–	2	–	1	–	–	–	–
	女 F.	1	–	–	1	–	–	–	–	–	–	–
E 913	刃器および刺器による不慮の事故	8	6	–	–	–	–	1	–	–	–	1
	男 M.	5	5	–	–	–	–	–	–	–	–	1
	女 F.	3	1	–	–	–	–	1	–	–	–	–
E 914	電気による不慮の事故	3	2	–	–	–	–	–	–	–	1	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	3	2	–	–	–	–	–	–	–	1	–
E 915	高圧機関の爆発による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 916	火および可燃物の爆発による不慮の事故	279	252	3	–	–	1	3	1	–	19	–
	男 M.	138	123	1	–	–	–	1	1	–	12	–
	女 F.	141	129	2	–	–	1	2	–	–	7	–
E 917	高熱物体腐食性液体および水蒸気による不慮の事故	255	240	–	–	2	–	–	3	2	8	–
	男 M.	139	129	–	–	2	–	–	2	1	5	–
	女 F.	116	111	–	–	–	–	–	1	1	3	–
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. a	X線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 919	銃器による不慮の事故	1	1	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	233	205	1	–	–	1	3	1	12	10	–
	男 M.	127	110	1	–	–	1	3	–	6	6	–
	女 F.	106	95	–	–	–	–	–	1	6	4	–
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	28	22	–	–	–	–	–	2	–	3	1
	男 M.	18	13	–	–	–	–	–	1	–	3	1
	女 F.	10	9	–	–	–	–	–	1	–	–	–
E 923	その他の孔口への異物侵入	11	9	–	–	–	–	–	–	–	2	–
	男 M.	6	5	–	–	–	–	–	–	–	1	–
	女 F.	5	4	–	–	–	–	–	–	–	1	–

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の所場 Other specified places	詳細不明の場所 Place not specified
E 924	寝台および揺籃における不慮の機械的窒息	324	314	3	–	–	–	–	1	2	4	–
	男 M.	171	167	1	–	–	–	–	–	2	1	–
	女 F.	153	147	2	–	–	–	–	1	–	3	–
E 925	その他および詳細不明の状態における不慮の機械的窒息	483	449	7	1	–	–	3	3	1	19	–
	男 M.	235	216	4	–	–	–	1	2	–	12	–
	女 F.	248	233	3	1	–	–	2	1	1	7	–
E 926	乳児の養育不注意（1才未満）	·	·	·	·	·	·	·	·	·	·	·
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	·	·	·	·	·	·	·	·	·	·	·
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	3	1	1	–	–	–	–	–	–	1	–
	男 M.	1	–	1	–	–	–	–	–	–	–	–
	女 F.	2	1	–	–	–	–	–	–	–	1	–
E 928	その他の動物による不慮の傷害	10	9	–	–	–	–	1	–	–	–	–
	男 M.	4	4	–	–	–	–	–	–	–	–	–
	女 F.	6	5	–	–	–	–	1	–	–	–	–
E 929	不慮の溺死および溺水	2 696	530	71	–	5	23	2	17	4	2 040	4
	男 M.	1 717	323	42	–	3	16	2	12	2	1 317	–
	女 F.	979	207	29	–	2	7	–	5	2	723	4
E 930	高圧および低圧	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 931	過度の高温および日射病	26	7	–	–	–	–	1	–	–	18	–
	男 M.	9	4	–	–	–	–	–	–	–	5	–
	女 F.	17	3	–	–	–	–	1	–	–	13	–
E 932	過度の低温	8	6	–	–	–	–	–	–	–	2	–
	男 M.	3	2	–	–	–	–	–	–	–	1	–
	女 F.	5	4	–	–	–	–	–	–	–	1	–
E 933	飢，渇および不良天候曝露	3	–	1	–	–	–	–	–	–	2	–
	男 M.	3	–	1	–	–	–	–	–	–	2	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934	天災	631	207	6	–	1	–	9	1	1	405	1
	男 M.	334	102	3	–	–	–	5	1	–	223	–
	女 F.	297	105	3	–	1	–	4	–	1	182	1
E 934. a	地震	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934. b	暴風雨および洪水	*630*	*206*	*6*	–	*1*	–	*9*	*1*	*1*	*405*	*1*
	男 M.	*334*	*102*	*3*	–	–	–	*5*	*1*	–	*223*	–
	女 F.	*296*	*104*	*3*	–	*1*	–	*4*	–	*1*	*182*	*1*
E 934. c	その他	*1*	*1*	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	*1*	*1*	–	–	–	–	–	–	–	–	–
E 935	雷撃	1	1	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 936	その他および詳細不明の不慮の事故	21	11	–	–	–	1	1	1	1	5	1
	男 M.	12	5	–	–	–	1	–	1	1	4	–
	女 F.	9	6	–	–	–	–	1	–	–	1	1

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

昭和34年 1959

5～14才　5～14 years of age

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数	3 807	634	48	13	20	87	62	56	4	2 880	3
	男 M.	2 652	340	30	12	15	75	43	43	4	2 088	2
	女 F.	1 155	294	18	1	5	12	19	13	–	792	1
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 871	バルビツール酸およびその誘導体による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 873	臭化物による不慮の中毒	2	2	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 874	その他の鎮痛薬および催眠薬による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 875	スルホンアミド薬による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 876	ストリキニーネによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 878	その他および詳細不明の医薬品による不慮の中毒	2	2	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 879	有毒食物による不慮の中毒	8	7	–	–	–	–	–	–	1	–	–
	男 M.	4	4	–	–	–	–	–	–	–	–	–
	女 F.	4	3	–	–	–	–	–	–	1	–	–
E 880	アルコールによる不慮の中毒	1	1	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 881	石油製品による不慮の中毒	1	1	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 882	工業溶媒による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 884	水銀およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 885	鉛およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 886	ヒ素，アンチモンおよびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 887	フッ化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒	3	–	1	–	–	–	–	–	–	2	–
	男 M.	2	–	1	–	–	–	–	–	–	1	–
	女 F.	1	–	–	–	–	–	–	–	–	1	–
E888. a	シアン化物	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E888. b	農薬用有機リン製剤	*1*	–	*1*	–	–	–	–	–	–	–	–
	男 M.	*1*	–	*1*	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E888. c	その他のリン製剤	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E888. d	その他および詳細不明の固体および液体物質	*2*	–	–	–	–	–	–	–	–	*2*	–
	男 M.	*1*	–	–	–	–	–	–	–	–	*1*	–
	女 F.	*1*	–	–	–	–	–	–	–	–	*1*	–
E 890	石炭ガス(光熱用)による不慮の中毒	7	7	–	–	–	–	–	–	–	–	–
	男 M.	4	4	–	–	–	–	–	–	–	–	–
	女 F.	3	3	–	–	–	–	–	–	–	–	–
E 891	自動車排出ガスによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒	18	16	–	–	–	–	1	–	1	–	–
	男 M.	12	10	–	–	–	–	1	–	1	–	–
	女 F.	6	6	–	–	–	–	–	–	–	–	–
E 893	シアン化物ガスによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 900	階段よりの墜落	2	1	–	–	–	–	1	–	–	–	–
	男 M.	1	–	–	–	–	–	1	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 901	はしごよりの墜落	3	3	–	–	–	–	–	–	–	–	–
	男 M.	2	2	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 902	その他の高所よりの墜落	150	28	3	–	3	7	9	17	1	82	–
	男 M.	116	18	1	–	3	7	8	13	1	65	–
	女 F.	34	10	2	–	–	–	1	4	–	17	–
E 903	同一面上における転倒	28	5	–	–	1	7	5	3	–	7	–
	男 M.	20	5	–	–	–	6	2	1	–	6	–
	女 F.	8	–	–	–	1	1	3	2	–	1	–

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢（特定階級）・傷害発生の場所・死因（基本分類）別

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

5～14才　5～14 years of age

昭和34年　1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial Place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の所 Other specified places	詳細不明の場所 Place not specified
E 904	詳細不明の窒息	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 910	落下物，投射物および飛来物による打撲	85	10	1	5	4	13	3	10	1	38	–
	男 M.	69	9	–	4	3	11	2	9	1	30	–
	女 F.	16	1	1	1	1	2	1	1	–	8	–
E 911	車による不慮の事故	8	–	–	1	2	1	2	–	–	2	–
	男 M.	7	–	–	1	2	1	2	–	–	1	–
	女 F.	1	–	–	–	–	–	–	–	–	1	–
E 912	機械による不慮の事故	16	3	1	–	3	1	1	2	–	5	–
	男 M.	13	2	1	–	2	1	1	2	–	4	–
	女 F.	3	1	–	–	1	–	–	–	–	1	–
E 913	刃器および刺器による不慮の事故	10	1	2	–	–	–	1	3	–	3	–
	男 M.	8	1	2	–	–	–	–	3	–	2	–
	女 F.	2	–	–	–	–	–	1	–	–	1	–
E 914	電気による不慮の事故	24	3	1	1	2	–	8	–	–	9	–
	男 M.	21	1	1	1	2	–	8	–	–	8	–
	女 F.	3	2	–	–	–	–	–	–	–	1	–
E 915	高圧機関の爆発による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 916	火および可燃物の爆発による不慮の事故	128	102	2	–	2	1	1	4	–	16	–
	男 M.	68	49	2	–	1	–	1	1	–	14	–
	女 F.	60	53	–	–	1	1	–	3	–	2	–
E 917	高熱物体，腐食性液体および水蒸気による不慮の事故	20	19	–	–	1	–	–	–	–	–	–
	男 M.	11	11	–	–	–	–	–	–	–	–	–
	女 F.	9	8	–	–	1	–	–	–	–	–	–
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. a	X線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 919	銃器による不慮の事故	10	5	–	–	–	–	1	–	–	4	–
	男 M.	9	4	–	–	–	–	1	–	–	4	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	9	6	–	–	–	–	1	1	1	–	–
	男 M.	5	3	–	–	–	–	1	–	1	–	–
	女 F.	4	3	–	–	–	–	–	1	–	–	–
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	6	5	–	–	–	–	–	–	–	1	–
	男 M.	4	3	–	–	–	–	–	–	–	1	–
	女 F.	2	2	–	–	–	–	–	–	–	–	–
E 923	その他の孔口への異物侵入	2	1	–	–	–	–	–	–	–	1	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	2	1	–	–	–	–	–	–	–	1	–
E 924	寝台および揺籃における不慮の機械的窒息	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 925	その他および詳細不明の状態における不慮の機械的窒息	27	7	–	3	1	2	2	–	–	12	–
	男 M.	22	4	–	3	1	2	2	–	–	10	–
	女 F.	5	3	–	–	–	–	–	–	–	2	–
E 926	乳児の養育不注意（1才未満）	•	•	•	•	•	•	•	•	•	•	•
	男 M.	•	•	•	•	•	•	•	•	•	•	•
	女 F.	•	•	•	•	•	•	•	•	•	•	•
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	7	2	1	–	–	–	–	–	–	4	–
	男 M.	3	1	–	–	–	–	–	–	–	2	–
	女 F.	4	1	1	–	–	–	–	–	–	2	–
E 928	その他の動物による不慮の傷害	9	–	–	–	–	–	4	–	–	5	–
	男 M.	9	–	–	–	–	–	4	–	–	5	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 929	不慮の溺死および溺水	2 125	30	13	3	–	50	1	8	–	2 020	–
	男 M.	1 709	25	8	3	–	43	1	7	–	1 622	–
	女 F.	416	5	5	–	–	7	–	1	–	398	–
E 930	高圧および低圧	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 931	過度の高温および日射病	9	5	–	–	–	1	–	–	–	3	–
	男 M.	8	4	–	–	–	1	–	–	–	3	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 932	過度の低温	4	–	1	–	–	–	–	–	–	3	–
	男 M.	4	–	1	–	–	–	–	–	–	3	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 933	飢，渇および不良天候曝露	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934	天災	1 056	357	21	–	1	–	20	–	1	656	–
	男 M.	495	172	12	–	1	–	8	–	1	301	–
	女 F.	561	185	9	–	–	–	12	–	–	355	–
E 934. a	地震	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934. b	暴風雨および洪水	*1 055*	*356*	*21*	–	*1*	–	*20*	–	*1*	*656*	–
	男 M.	*494*	*171*	*12*	–	*1*	–	*8*	–	*1*	*301*	–
	女 F.	*561*	*185*	*9*	–	–	–	*12*	–	–	*355*	–
E 934. c	その他	*1*	*1*	–	–	–	–	–	–	–	–	–
	男 M.	*1*	*1*	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 935	雷撃	2	–	1	–	–	–	–	–	–	1	–
	男 M.	2	–	1	–	–	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 936	その他および詳細不明の不慮の事故	25	5	–	–	–	1	3	6	–	4	3
	男 M.	21	5	–	–	–	3	2	5	–	4	2
	女 F.	4	–	–	–	–	1	1	1	–	–	1

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

15～44才　15～44 years of age　昭和34年　1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and qurary	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数……	8 719	1 528	161	828	1 762	60	329	215	87	3 733	16
	男 M.	6 746	745	121	805	1 714	56	296	183	66	2 747	13
	女 F.	1 973	783	40	23	48	4	33	32	21	986	3
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒	4	2	–	–	–	–	–	–	–	1	1
	男 M.	4	2	–	–	–	–	–	–	–	1	1
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 871	バルビツール酸およびその誘導体による不慮の中毒	35	24	–	–	1	–	1	4	1	4	–
	男 M.	16	11	–	–	1	–	1	2	–	1	–
	女 F.	19	13	–	–	–	–	–	2	1	3	–
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒	1	–	–	–	–	–	–	–	–	1	–
	男 M.	1	–	–	–	–	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 873	臭化物による不慮の中毒……	133	119	–	–	–	–	1	3	2	7	1
	男 M.	64	56	–	–	–	–	1	2	2	2	1
	女 F.	69	63	–	–	–	–	–	1	–	5	–
E 874	その他の鎮痛薬および催眠薬による不慮の中毒	172	133	–	–	–	1	1	8	10	18	1
	男 M.	97	78	–	–	–	1	1	4	2	11	–
	女 F.	75	55	–	–	–	–	–	4	8	7	1
E 875	スルホンアミド薬による不慮の中毒……	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 876	ストリキニーネによる不慮の中毒……	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 878	その他および詳細不明の医薬品による不慮の中毒	2	1	–	–	–	–	–	–	1	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	1	–	–
E 879	有毒食物による不慮の中毒……	43	35	–	–	4	–	–	1	–	3	–
	男 M.	30	22	–	–	4	–	–	1	–	3	–
	女 F.	13	13	–	–	–	–	–	–	–	–	–
E 880	アルコールによる不慮の中毒……	39	26	–	–	3	–	1	4	2	2	1
	男 M.	38	25	–	–	3	–	1	4	2	2	1
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 881	石油製品による不慮の中毒……	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E8 82	工業溶媒による不慮の中毒……	1	–	–	–	–	–	–	1	–	–	–
	男 M.	1	–	–	–	–	–	–	1	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒	13	10	–	–	3	–	–	–	–	–	–
	男 M.	8	5	–	–	3	–	–	–	–	–	–
	女 F.	5	5	–	–	–	–	–	–	–	–	–
E 884	水銀およびその化合物による不慮の中毒	4	2	–	–	–	–	–	–	–	2	–
	男 M.	1	–	–	–	–	–	–	–	–	1	–
	女 F.	3	2	–	–	–	–	–	–	–	1	–
E 885	鉛およびその化合物による不慮の中毒…	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 886	ヒ素，アンチモンおよびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 887	フッ化物による不慮の中毒……	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒	75	38	17	–	3	–	–	1	–	15	1
	男 M.	45	21	10	–	3	–	–	1	–	9	1
	女 F.	30	17	7	–	–	–	–	–	–	6	–
E 888. a	シアン化物……	*3*	*1*	–	–	*1*	–	–	*1*	–	–	–
	男 M.	*2*	–	–	–	*1*	–	–	*1*	–	–	–
	女 F.	*1*	*1*	–	–	–	–	–	–	–	–	–
E 888. b	農薬用有機リン製剤……	*42*	*17*	*16*	–	–	–	–	–	–	*8*	*1*
	男 M.	*25*	*11*	*9*	–	–	–	–	–	–	*4*	*1*
	女 F.	*17*	*6*	*7*	–	–	–	–	–	–	*4*	–
E 888. c	その他のリン製剤……	*7*	*7*	–	–	–	–	–	–	–	–	–
	男 M.	*3*	*3*	–	–	–	–	–	–	–	–	–
	女 F.	*4*	*4*	–	–	–	–	–	–	–	–	–
E 888. d	その他および詳細不明の固体および液体物質	*23*	*13*	*1*	–	*2*	–	–	–	–	*7*	–
	男 M.	*15*	*7*	*1*	–	*2*	–	–	–	–	*5*	–
	女 F.	*8*	*6*	–	–	–	–	–	–	–	*2*	–
E 890	石炭ガス(光熱用)による不慮の中毒……	157	122	–	–	7	–	–	18	6	4	–
	男 M.	78	49	–	–	7	–	–	15	3	4	–
	女 F.	79	73	–	–	–	–	–	3	3	–	–
E 891	自動車排出ガスによる不慮の中毒……	2	–	–	–	1	–	–	–	–	1	–
	男 M.	2	–	–	–	1	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒	72	39	–	–	6	–	3	4	3	17	–
	男 M.	51	21	–	–	6	–	3	2	3	16	–
	女 F.	21	18	–	–	–	–	–	2	–	1	–
E 893	シアン化物ガスによる不慮の中毒……	2	–	2	–	–	–	–	–	–	–	–
	男 M.	2	–	2	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒	41	1	1	25	10	–	–	3	–	1	–
	男 M.	40	–	1	25	10	–	–	3	–	1	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	2	1	–	–	1	–	–	–	–	–	–
	男 M.	1	–	–	–	1	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 900	階段よりの墜落……	48	17	–	–	11	1	–	16	3	–	–
	男 M.	37	10	–	–	9	1	–	14	3	–	–
	女 F.	11	7	–	–	2	–	–	2	–	–	–
E 901	はしごよりの墜落……	18	5	–	–	11	–	–	1	–	1	–
	男 M.	18	5	–	–	11	–	–	1	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 902	その他の高所よりの墜落……	1 183	73	14	47	486	4	58	48	10	443	–
	男 M.	1 119	59	13	47	476	4	55	43	9	413	–
	女 F.	64	14	1	–	10	–	3	5	1	30	–
E 903	同一面上における転倒……	124	27	1	1	16	8	28	5	5	33	–
	男 M.	106	16	1	1	16	7	25	5	4	31	–
	女 F.	18	11	–	–	–	1	3	–	1	2	–

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

15～44才　15～44 years of age

昭和34年　1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E 904	詳細不明の墜落	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 910	落下物，投射物および飛来物による打撲	1 269	18	8	425	401	5	57	19	6	330	–
	男 M.	1 210	11	6	413	392	5	55	17	6	305	–
	女 F.	59	7	2	12	9	–	2	2	–	25	–
E 911	車による不慮の事故	188	1	1	101	31	–	7	–	–	47	–
	男 M.	186	1	1	100	30	–	7	–	–	47	–
	女 F.	2	–	–	1	1	–	–	–	–	–	–
E 912	機械による不慮の事故	324	4	4	22	245	–	7	1	–	41	–
	男 M.	312	1	3	21	239	–	7	1	–	40	–
	女 F.	12	3	1	1	6	–	–	–	–	1	–
E 913	刃器および刺器による不慮の事故	27	6	2	–	8	1	2	5	–	3	–
	男 M.	24	5	1	–	8	–	2	5	–	3	–
	女 F.	3	1	1	–	–	1	–	–	–	–	–
E 914	電気による不慮の事故	456	16	17	15	239	1	61	15	5	87	–
	男 M.	452	15	17	15	238	1	61	15	4	86	–
	女 F.	4	1	–	–	1	–	–	–	1	1	–
E 915	高圧機関の爆発による不慮の事故	1	–	–	–	1	–	–	–	–	–	–
	男 M.	1	–	–	–	1	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 916	火および可燃物の爆発による不慮の事故	385	164	3	28	134	–	4	18	7	27	–
	男 M.	283	85	2	28	123	–	3	13	6	23	–
	女 F.	102	79	1	–	11	–	1	5	1	4	–
E 917	高熱物体，腐食性液体および水蒸気による不慮の事故	56	12	–	–	39	–	–	1	1	2	1
	男 M.	45	7	–	–	36	–	–	–	1	–	1
	女 F.	11	5	–	–	3	–	–	1	–	2	–
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. a	X線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 919	銃器による不慮の事故	84	1	–	41	24	–	–	3	–	15	–
	男 M.	82	1	–	41	24	–	–	1	–	15	–
	女 F.	2	–	–	–	–	–	–	2	–	–	–
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	41	26	–	–	1	–	2	4	3	5	–
	男 M.	31	17	–	–	1	–	2	4	2	5	–
	女 F.	10	9	–	–	–	–	–	–	1	–	–
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	1	1	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 923	その他の孔口への異物侵入	1	–	–	–	–	–	–	–	–	1	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	1	–
E 924	寝台および揺籃における不慮の機械的窒息	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 925	その他および詳細不明の状態における不慮の機械的窒息	212	8	9	117	24	–	5	1	2	46	–
	男 M.	194	7	8	109	22	–	4	–	2	42	–
	女 F.	18	1	1	8	2	–	1	1	–	4	–
E 926	乳児の養育不注意(1才未満)	•	•	•	•	•	•	•	•	•	•	•
	男 M.	•	•	•	•	•	•	•	•	•	•	•
	女 F.	•	•	•	•	•	•	•	•	•	•	•
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	7	1	1	–	1	–	2	–	–	2	–
	男 M.	3	1	1	–	1	–	–	–	–	–	–
	女 F.	4	–	–	–	–	–	2	–	–	2	–
E 928	その他の動物による不慮の傷害	28	3	6	–	–	5	8	–	–	6	–
	男 M.	24	2	6	–	–	4	8	–	–	4	–
	女 F.	4	1	–	–	–	1	–	–	–	2	–
E 929	不慮の溺死および溺水	1 320	25	11	3	19	16	4	9	–	1 232	1
	男 M.	1 127	6	9	3	18	15	3	9	–	1 064	–
	女 F.	193	19	2	–	1	1	1	–	–	168	1
E 930	高圧および低圧	11	–	–	–	–	–	–	–	–	11	–
	男 M.	10	–	–	–	–	–	–	–	–	10	–
	女 F.	1	–	–	–	–	–	–	–	–	1	–
E 931	過度の高温および日射病	25	1	4	2	4	–	1	1	–	12	–
	男 M.	12	–	–	1	4	–	1	1	–	5	–
	女 F.	13	1	4	1	–	–	–	–	–	7	–
E 932	過度の低温	189	9	13	–	1	–	21	5	–	140	–
	男 M.	173	9	13	–	1	–	19	4	–	127	–
	女 F.	16	–	–	–	–	–	2	1	–	13	–
E 933	飢，渇および不良天候曝露	11	–	–	–	–	–	–	–	–	11	–
	男 M.	7	–	–	–	–	–	–	–	–	7	–
	女 F.	4	–	–	–	–	–	–	–	–	4	–
E 934	天災	1 741	540	25	1	18	–	29	3	16	1 108	1
	男 M.	661	183	11	1	16	–	15	3	13	419	–
	女 F.	1 080	357	14	–	2	–	14	–	3	689	1
E 934. a	地震	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934. b	暴風雨および洪水	*1 740*	*539*	*25*	*1*	*18*	–	*29*	*3*	*16*	*1 108*	*1*
	男 M.	*661*	*183*	*11*	*1*	*16*	–	*15*	*3*	*13*	*419*	–
	女 F.	*1 079*	*356*	*14*	–	*2*	–	*14*	–	*3*	*689*	*1*
E 934. c	その他	*1*	*1*	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	*1*	*1*	–	–	–	–	–	–	–	–	–
E 935	雷撃	38	4	21	–	–	–	4	–	–	9	–
	男 M.	28	3	15	–	–	–	3	–	–	7	–
	女 F.	10	1	6	–	–	–	1	–	–	2	–
E 936	その他および詳細不明の不慮の事故	133	13	1	–	9	18	22	13	4	45	8
	男 M.	120	9	1	–	9	18	19	12	4	40	8
	女 F.	13	4	–	–	–	–	3	1	–	5	–

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

45～64才　45～64 years of age

昭和34年　1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数	4 305	1 198	137	245	553	10	201	147	37	1 774	3
	男 M.	3 198	720	87	237	519	9	164	125	23	1 313	1
	女 F.	1 107	478	50	8	34	1	37	22	14	461	2
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 871	バルビツール酸およびその誘導体による不慮の中毒	6	5	–	–	–	–	–	1	–	–	–
	男 M.	2	1	–	–	–	–	–	1	–	–	–
	女 F.	4	4	–	–	–	–	–	–	–	–	–
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒	1	–	–	–	–	–	–	–	–	1	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	1	–
E 873	臭化物による不慮の中毒	28	23	–	–	–	–	–	–	–	4	1
	男 M.	18	15	–	–	–	–	–	–	–	2	1
	女 F.	10	8	–	–	–	–	–	–	–	2	–
E 874	その他の鎮痛薬および催眠薬による不慮の中毒	21	21	–	–	–	–	–	–	–	–	–
	男 M.	12	12	–	–	–	–	–	–	–	–	–
	女 F.	9	9	–	–	–	–	–	–	–	–	–
E 875	スルホンアミド薬による不慮の中毒	1	1	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 876	ストリキニーネによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 877	ベラドンナヒヨスチンおよびアトロピンによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 878	その他および詳細不明の医薬品による不慮の中毒	4	3	–	–	–	–	–	–	–	1	–
	男 M.	4	3	–	–	–	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 879	有毒食物による不慮の中毒	76	72	–	–	–	–	–	1	–	3	–
	男 M.	62	58	–	–	–	–	–	1	–	3	–
	女 F.	14	14	–	–	–	–	–	–	–	–	–
E 880	アルコールによる不慮の中毒	20	10	–	–	–	–	4	1	–	5	–
	男 M.	19	10	–	–	–	–	4	–	–	5	–
	女 F.	1	–	–	–	–	–	–	1	–	–	–
E 881	石油製品による不慮の中毒	1	1	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 882	工業溶媒による不慮の中毒	1	–	–	–	1	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	1	–	–	–	–	–	–
E 883	腐食性化合物酸およびカセイアルカリによる不慮の中毒	3	2	–	–	–	–	–	1	–	–	–
	男 M.	2	2	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	1	–	–	–
E 884	水銀およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 885	鉛およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 886	ヒ素，アンチモンおよびその化合物による不慮の中毒	5	4	–	–	–	–	–	–	–	1	–
	男 M.	3	2	–	–	–	–	–	–	–	1	–
	女 F.	2	2	–	–	–	–	–	–	–	–	–
E 887	フッ化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒	40	21	11	–	1	–	–	2	–	5	–
	男 M.	34	16	10	–	1	–	–	2	–	5	–
	女 F.	6	5	1	–	–	–	–	–	–	–	–
E 888. a	シアン化物	*1*	*1*	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	*1*	*1*	–	–	–	–	–	–	–	–	–
E 888. b	農薬用有機リン製剤	*28*	*14*	*11*	–	–	–	–	*2*	–	*1*	–
	男 M.	*26*	*13*	*10*	–	–	–	–	*2*	–	*1*	–
	女 F.	*2*	*1*	*1*	–	–	–	–	–	–	–	–
E 888. c	その他のリン製剤	*1*	*1*	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	*1*	*1*	–	–	–	–	–	–	–	–	–
E 888. d	その他および詳細不明の固体および液体物質	*10*	*5*	–	–	*1*	–	–	–	–	*4*	–
	男 M.	*8*	*3*	–	–	*1*	–	–	–	–	*4*	–
	女 F.	*2*	*2*	–	–	–	–	–	–	–	–	–
E 890	石炭ガス(光熱用)による不慮の中毒	37	28	–	–	1	–	1	5	1	1	–
	男 M.	26	17	–	–	1	–	1	5	1	1	–
	女 F.	11	11	–	–	–	–	–	–	–	–	–
E 891	自動車排出ガスによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒	31	24	–	1	1	–	–	1	1	3	–
	男 M.	19	14	–	1	–	–	–	1	–	3	–
	女 F.	12	10	–	–	1	–	–	–	1	–	–
E 893	シアン化物ガスによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒	4	–	–	2	1	–	–	1	–	–	–
	男 M.	4	–	–	2	1	–	–	1	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 900	階段よりの墜落	81	42	–	–	10	–	1	22	1	5	–
	男 M.	59	27	–	–	9	–	1	17	1	4	–
	女 F.	22	15	–	–	1	–	–	5	–	1	–
E 901	はしごよりの墜落	33	16	–	–	11	–	4	1	–	1	–
	男 M.	23	9	–	–	9	–	3	1	–	1	–
	女 F.	10	7	–	–	2	–	1	–	–	–	–
E 902	その他の高所よりの墜落	808	163	29	22	172	5	47	45	9	316	–
	男 M.	702	124	21	20	168	5	42	42	5	275	–
	女 F.	106	39	8	2	4	–	5	3	4	41	–
E 903	同一面上における転倒	159	48	1	4	16	1	38	13	7	31	–
	男 M.	115	26	–	4	13	1	32	11	3	25	–
	女 F.	44	22	1	–	3	–	6	2	4	6	–

第 63 表　交通事故以外の不慮の事故死亡者数，

TABLE 63　NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

45～64才

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E 904	詳細不明の墜落	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 910	落下物，投射物および飛来物による打撲	535	18	3	113	161	–	24	9	–	207	–
	男 M.	498	14	3	108	154	–	18	8	–	193	–
	女 F.	37	4	–	5	7	–	6	1	–	14	–
E 911	車による不慮の事故	70	–	–	45	9	–	1	–	–	15	–
	男 M.	64	–	–	44	7	–	–	–	–	13	–
	女 F.	6	–	–	1	2	–	1	–	–	2	–
E 912	機械による不慮の事故	100	6	1	4	75	–	1	–	1	12	–
	男 M.	93	4	1	4	71	–	–	–	1	12	–
	女 F.	7	2	–	–	4	–	1	–	–	–	–
E 913	刃器および刺器による不慮の事故	5	1	1	–	1	–	–	1	–	1	–
	男 M.	4	1	–	–	1	–	–	1	–	1	–
	女 F.	1	–	1	–	–	–	–	–	–	–	–
E 914	電気による不慮の事故	54	9	2	3	25	–	6	1	–	8	–
	男 M.	52	7	2	3	25	–	6	1	–	8	–
	女 F.	2	2	–	–	–	–	–	–	–	–	–
E 915	高圧機関の爆発による不慮の事故	3	–	–	–	3	–	–	–	–	–	–
	男 M.	3	–	–	–	3	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 916	火および可燃物の爆発による不慮の事故	256	161	4	11	33	1	7	18	2	19	–
	男 M.	154	84	1	11	28	–	5	12	1	12	–
	女 F.	102	77	3	–	5	1	2	6	1	7	–
E 917	高熱物体，腐食性液体および水蒸気による不慮の事故	30	19	–	–	7	–	–	–	1	2	1
	男 M.	17	9	–	–	5	–	–	–	1	2	–
	女 F.	13	10	–	–	2	–	–	–	–	–	1
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. a	X線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 919	銃器による不慮の事故	25	1	4	3	5	–	1	–	–	11	–
	男 M.	24	1	4	3	4	–	1	–	–	11	–
	女 F.	1	–	–	–	1	–	–	–	–	–	–
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	90	79	–	–	–	–	1	2	3	5	–
	男 M.	75	64	–	–	–	–	1	2	3	5	–
	女 F.	15	15	–	–	–	–	–	–	–	–	–
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	3	–	1	–	–	–	1	1	–	–	–
	男 M.	2	–	–	–	–	–	1	1	–	–	–
	女 F.	1	–	1	–	–	–	–	–	–	–	–
E 923	その他の孔口への異物侵入	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN　昭和34年 1959

45～64 **years of age**

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E 924	寝台および揺籃における不慮の機械的窒息	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 925	その他および詳細不明の状態における不慮の機械的窒息	80	8	7	32	6	–	1	–	2	24	–
	男 M.	70	5	4	32	6	–	1	–	2	20	–
	女 F.	10	3	3	–	–	–	–	–	–	4	–
E 926	乳児の養育不注意(1才未満)	·	·	·	·	·	·	·	·	·	·	·
	男 M.	·	·	·	·	·	·	·	·	·	·	·
	女 F.	·	·	·	·	·	·	·	·	·	·	·
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	13	6	4	–	–	–	–	1	–	2	–
	男 M.	10	6	2	–	–	–	–	1	–	1	–
	女 F.	3	–	2	–	–	–	–	–	–	1	–
E 928	その他の動物による不慮の傷害	26	7	3	–	–	–	6	–	–	10	–
	男 M.	23	6	3	–	–	–	5	–	–	9	–
	女 F.	3	1	–	–	–	–	1	–	–	1	–
E 929	不慮の溺死および溺水	560	37	25	2	5	–	–	10	–	481	–
	男 M.	440	14	15	2	5	–	–	8	–	396	–
	女 F.	120	23	10	–	–	–	–	2	–	85	–
E 930	高圧および低圧	2	–	–	–	–	–	–	–	–	2	–
	男 M.	2	–	–	–	–	–	–	–	–	2	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 931	過度の高温および日射病	19	–	5	–	1	–	1	–	–	11	1
	男 M.	14	–	1	–	1	–	1	–	–	11	–
	女 F.	5	–	4	–	–	–	–	–	–	–	1
E 932	過度の低温	164	20	11	1	1	2	32	2	2	93	–
	男 M.	143	19	8	1	1	2	29	2	2	79	–
	女 F.	21	1	3	–	–	–	3	–	–	14	–
E 933	飢，渇および不良天候曝露	8	–	–	–	–	–	–	–	–	8	–
	男 M.	6	–	–	–	–	–	–	–	–	6	–
	女 F.	2	–	–	–	–	–	–	–	–	2	–
E 934	天災	850	335	17	–	5	1	14	3	4	471	–
	男 M.	356	143	7	–	4	1	5	3	1	192	–
	女 F.	494	192	10	–	1	–	9	–	3	279	–
E 934. a	地震	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934. b	暴風雨および洪水	*850*	*335*	*17*	–	*5*	*1*	*14*	*3*	*4*	*471*	–
	男 M.	*356*	*143*	*7*	–	*4*	*1*	*5*	*3*	*1*	*192*	–
	女 F.	*494*	*192*	*10*	–	*1*	–	*9*	–	*3*	*279*	–
E 934. c	その他	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 935	雷撃	12	2	7	–	–	–	2	–	–	1	–
	男 M.	9	2	4	–	–	–	2	–	–	1	–
	女 F.	3	–	3	–	–	–	–	–	–	–	–
E 936	その他および詳細不明の不慮の事故	40	5	1	2	2	–	8	5	3	14	–
	男 M.	34	4	1	2	2	–	6	4	2	13	–
	女 F.	6	1	–	–	–	–	2	1	1	1	–

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

TABLE 63　NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; EOR ALL JAPAN

65才以上　65 years and over

昭和34年　1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の所場 Other specified placer	詳細不明の場所 Place not specified
	総数	3 796	2 014	116	9	58	5	176	60	25	1 325	8
	男 M.	2 010	949	66	8	52	5	98	44	16	766	6
	女 F.	1 786	1 065	50	1	6	–	78	16	9	559	2
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 871	バルビツール酸およびその誘導体による不慮の中毒	1	–	–	–	–	–	–	–	–	–	1
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–	1
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 873	臭化物による不慮の中毒	9	8	–	–	–	–	–	–	–	1	–
	男 M.	3	3	–	–	–	–	–	–	–	–	–
	女 F.	6	5	–	–	–	–	–	–	–	1	–
E 874	その他の鎮痛薬および催眠薬による不慮の中毒	10	10	–	–	–	–	–	–	–	–	–
	男 M.	3	3	–	–	–	–	–	–	–	–	–
	女 F.	7	7	–	–	–	–	–	–	–	–	–
E 875	スルホンアミド薬による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 876	ストリキニーネによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 878	その他および詳細不明の医薬品による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 879	有毒食物による不慮の中毒	30	27	–	–	–	–	–	1	–	2	–
	男 M.	23	20	–	–	–	–	–	1	–	2	–
	女 F.	7	7	–	–	–	–	–	–	–	–	–
E 880	アルコールによる不慮の中毒	3	3	–	–	–	–	–	–	–	–	–
	男 M.	2	2	–	–	–	–	–	–	–	–	–
	女 F.	1	1	–	–	–	–	–	–	–	–	–
E 881	石油製品による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 882	工業溶媒による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒	4	4	–	–	–	–	–	–	–	–	–
	男 M.	2	2	–	–	–	–	–	–	–	–	–
	女 F.	2	2	–	–	–	–	–	–	–	–	–
E 884	水銀およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 885	鉛およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 886	ヒ素，アンチモンおよびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 887	フッ化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒	17	14	3	–	–	–	–	–	–	–	–
	男 M.	12	9	3	–	–	–	–	–	–	–	–
	女 F.	5	5	–	–	–	–	–	–	–	–	–
E 888. a	シアン化物	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888. b	農薬用有機リン製剤	*10*	*7*	*3*	–	–	–	–	–	–	–	–
	男 M.	*7*	*4*	*3*	–	–	–	–	–	–	–	–
	女 F.	*3*	*3*	–	–	–	–	–	–	–	–	–
E 888. c	その他のリン製剤	*4*	*4*	–	–	–	–	–	–	–	–	–
	男 M.	*3*	*3*	–	–	–	–	–	–	–	–	–
	女 F.	*1*	*1*	–	–	–	–	–	–	–	–	–
E 888. d	その他および詳細不明の固体および液体物質	*3*	*3*	–	–	–	–	–	–	–	–	–
	男 M.	*2*	*2*	–	–	–	–	–	–	–	–	–
	女 F.	*1*	*1*	–	–	–	–	–	–	–	–	–
E 890	石炭ガス(光熱用)にる不慮の中毒	22	22	–	–	–	–	–	–	–	–	–
	男 M.	6	6	–	–	–	–	–	–	–	–	–
	女 F.	16	16	–	–	–	–	–	–	–	–	–
E 891	自動車排出ガスによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒	28	25	–	–	–	–	–	–	1	2	–
	男 M.	14	12	–	–	–	–	–	–	–	2	–
	女 F.	14	13	–	–	–	–	–	–	1	–	–
E 893	シアン化物ガスによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 900	階段よりの墜落	125	98	–	–	4	–	1	15	2	5	–
	男 M.	59	41	–	–	4	–	1	9	2	2	–
	女 F.	66	57	–	–	–	–	–	6	–	3	–
E 901	はしごよりの墜落	38	36	–	–	–	–	1	–	–	1	–
	男 M.	29	27	–	–	–	–	1	–	–	1	–
	女 F.	9	9	–	–	–	–	–	–	–	–	–
E 902	その他の高所よりの墜落	678	266	37	2	27	–	36	10	9	291	–
	男 M.	437	132	26	1	27	–	27	7	5	212	–
	女 F.	241	134	11	1	–	–	9	3	4	79	–
E 903	同一面上における転倒	515	354	9	–	3	2	82	9	8	47	1
	男 M.	204	118	3	–	3	2	34	6	5	32	1
	女 F.	311	236	6	–	–	–	48	3	3	15	–

第 63 表　交通事故以外の不慮の事故死亡者数，

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

65才以上

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の所 Other specified places	詳細不明の場所 Place not specified
E 904	詳細不明の墜落	1	1	–	–	–	–	–	–	–	–	–
	男 M.	1	1	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 910	落下物，投射物および飛来物による打撲	98	19	3	3	11	1	5	3	–	53	–
	男 M.	81	11	1	3	10	1	5	3	–	47	–
	女 F.	17	8	2	–	1	–	–	–	–	6	–
E 911	車による不慮の事故	6	–	–	2	1	–	–	–	–	3	–
	男 M.	6	–	–	2	1	–	–	–	–	3	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 912	機械による不慮の事故	5	2	–	–	1	–	–	–	–	2	–
	男 M.	5	2	–	–	1	–	–	–	–	2	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 913	刃器および刺器による不慮の事故	3	2	–	–	1	–	–	–	–	–	–
	男 M.	1	–	–	–	1	–	–	–	–	–	–
	女 F.	2	2	–	–	–	–	–	–	–	–	–
E 914	電気による不慮の事故	3	1	1	–	–	–	–	–	–	1	–
	男 M.	2	1	–	–	–	–	–	–	–	1	–
	女 F.	1	–	1	–	–	–	–	–	–	–	–
E 915	高圧機関の爆発による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 916	火および可燃物の爆発による不慮の事故	506	426	5	1	5	–	6	9	–	54	–
	男 M.	246	190	3	1	2	–	4	6	–	40	–
	女 F.	260	236	2	–	3	–	2	3	–	14	–
E 917	高熱物体，腐食性液体および水蒸気による不慮の事故	38	32	–	–	–	–	1	1	–	4	–
	男 M.	14	10	–	–	–	–	1	1	–	2	–
	女 F.	24	22	–	–	–	–	–	–	–	2	–
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. a	X 線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 919	銃器による不慮の事故	2	–	–	–	–	–	1	–	–	1	–
	男 M.	2	–	–	–	–	–	1	–	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	270	260	–	–	–	–	3	1	5	–	1
	男 M.	211	202	–	–	–	–	3	1	4	–	1
	女 F.	59	58	–	–	–	–	–	–	1	–	–
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	11	10	–	–	–	–	–	–	–	1	–
	男 M.	9	8	–	–	–	–	–	–	–	1	–
	女 F.	2	2	–	–	–	–	–	–	–	–	–
E 923	その他の孔口への異物侵入	1	–	–	–	–	–	–	–	–	1	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	1	–

性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

昭和34年 1959

65 years and over

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の所 Other specified places	詳細不明の場所 Place not specified
E 924	寝台および揺籃における不慮の機械的窒息	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 925	その他および詳細不明の状態における不慮の機械的窒息	18	11	2	–	–	–	1	–	–	4	–
	男 M.	7	3	2	–	–	–	–	–	–	2	–
	女 F.	11	8	–	–	–	–	1	–	–	2	–
E 926	乳児の養育不注意 (1 才未満)	•	•	•	•	•	•	•	•	•	•	•
	男 M.	•	•	•	•	•	•	•	•	•	•	•
	女 F.	•	•	•	•	•	•	•	•	•	•	•
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	15	5	5	–	–	–	–	–	–	5	–
	男 M.	7	2	2	–	–	–	–	–	–	3	–
	女 F.	8	3	3	–	–	–	–	–	–	2	–
E 928	その他の動物による不慮の傷害	38	12	4	–	–	–	9	–	–	13	–
	男 M.	26	6	4	–	–	–	6	–	–	10	–
	女 F.	12	6	–	–	–	–	3	–	–	3	–
E 929	不慮の溺死および溺水	570	106	22	1	1	1	3	6	–	429	1
	男 M.	265	30	9	1	1	1	–	5	–	218	–
	女 F.	305	76	13	–	–	–	3	1	–	211	1
E 930	高圧および低圧	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 931	過度の高温および日射病	29	6	5	–	–	1	2	–	–	15	–
	男 M.	5	1	1	–	–	1	–	–	–	2	–
	女 F.	24	5	4	–	–	–	2	–	–	13	–
E 932	過度の低温	94	9	13	–	1	–	12	1	–	58	–
	男 M.	67	6	8	–	–	–	7	1	–	45	–
	女 F.	27	3	5	–	1	–	5	–	–	13	–
E 933	飢，渇および不良天候曝露	8	1	–	–	–	–	–	–	–	7	–
	男 M.	7	1	–	–	–	–	–	–	–	6	–
	女 F.	1	–	–	–	–	–	–	–	–	1	–
E 934	天災	548	227	5	–	3	–	6	2	–	305	–
	男 M.	222	94	3	–	2	–	2	2	–	119	–
	女 F.	326	133	2	–	1	–	4	–	–	186	–
E 934. a	地震	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934. b	暴風雨および洪水	*548*	*227*	*5*	–	*3*	–	*6*	*2*	–	*305*	–
	男 M.	*222*	*94*	*3*	–	*2*	–	*2*	*2*	–	*119*	–
	女 F.	*326*	*133*	*2*	–	*1*	–	*4*	–	–	*186*	–
E 934. c	その他	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 935	雷撃	4	1	–	–	–	–	1	–	–	2	–
	男 M.	2	–	–	–	–	–	1	–	–	1	–
	女 F.	2	1	–	–	–	–	–	–	–	1	–
E 936	その他および詳細不明の不慮の事故	48	16	2	–	–	–	6	2	–	18	4
	男 M.	30	6	1	–	–	–	5	2	–	12	4
	女 F.	18	10	1	–	–	–	1	–	–	6	–

第 63 表　交通事故以外の不慮の事故死亡者数，

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN　昭和34年 1959

不　詳 Unknown

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
	総数	1) 38	–	–	–	–	–	–	1	–	10	27
	男 M.	5	–	–	–	–	–	–	1	–	4	–
	女 F.	6	–	–	–	–	–	–	–	–	6	–
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 871	バルビツール酸およびその誘導体による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 873	臭化物による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 874	その他の鎮痛薬および催眠薬による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 875	スルホンアミド薬による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 876	ストリキニーネによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 878	その他および詳細不明の医薬品による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 879	有毒食物による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 880	アルコールによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 881	石油製品による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 882	工業溶媒による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 884	水銀およびその化合物による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 885	鉛およびその化合物による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 886	ヒ素，アンチモンおよびその化合物による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 887	フッ化物による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888. a	シアン化物 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888. b	農薬用有機リン製剤 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888. c	その他のリン製剤 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 888. d	その他および詳細不明の固体および液体物質 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 890	石炭ガス(光熱用)による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 891	自動車排出ガスによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 893	シアン化物ガスによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 900	階段よりの墜落 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 901	はしごよりの墜落 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 902	その他の高所よりの墜落 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 903	同一面上における転倒 男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。
1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 63 表　交通事故以外の不慮の事故死亡者数，性・年齢(特定階級)・傷害発生の場所・死因(基本分類)別

TABLE 63 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE PLACE WHERE THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

昭和34年 1959

不詳 Unknown

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	家庭 Home	農耕地 Farm	鉱山および採石場 Mine and quarry	工場施設およびその用地 Industrial place and premises	保養場および運動場 Place for recreation and sport	道路および公道 Street and highway	公共建造物 Public building	その他の集団収容施設 Resident institution	その他の場所 Other specified places	詳細不明の場所 Place not specified
E 904	詳細不明の墜落	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 910	落下物，投射物および飛来物による打撲	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 911	車による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 912	機械による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 913	刃器および刺器による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 914	電気による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 915	高圧機関の爆発による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 916	火および可燃物の爆発による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 917	高熱物体，腐食性液体および水蒸気による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. a	X 線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 919	銃器による不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	–	–	–	–	–	–	–	–	–	–	–
	… M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 923	その他の孔口への異物侵入	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 924	寝台および揺籃における不慮の機械的窒息	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 925	その他および詳細不明の状態における不慮の機械的窒息	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 926	乳児の養育不注意 (1 才未満)	•	•	•	•	•	•	•	•	•	•	•
	男 M.	•	•	•	•	•	•	•	•	•	•	•
	女 F.	•	•	•	•	•	•	•	•	•	•	•
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 928	その他の動物による不慮の傷害	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 929	不慮の溺死および溺水	1	–	–	–	–	–	–	–	–	1	–
	男 M.	1	–	–	–	–	–	–	–	–	1	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 930	高圧および低圧	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 931	過度の高温および日射病	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 932	過度の低温	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 933	飢，渇および不良天候曝露	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934	天災	1) 37	–	–	–	–	–	–	1	–	9	1) 27
	男 M.	4	–	–	–	–	–	–	1	–	3	–
	女 F.	6	–	–	–	–	–	–	–	–	6	–
E 934. a	地震	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 934. b	暴風雨および洪水	1) *37*	–	–	–	–	–	–	*1*	–	*9*	1) *27*
	男 M.	*4*	–	–	–	–	–	–	*1*	–	*3*	–
	女 F.	*6*	–	–	–	–	–	–	–	–	*6*	–
E 934. c	その他	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 935	雷撃	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–
E 936	その他および詳細不明の不慮の事故	–	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–	–

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。
1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 64 表　交通事故以外の不慮の事故死亡者数，

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

性・年齢(5才階級)・従業中－非従業中・死因(基本分類)別

ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

昭和34年
1959

総　数　**Total**

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才	45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Unknown	国際基本分類番号 International detailed list number
	総数……	1) 26 042	5 377	2 440	1 367	1 325	1 773	1 784	1 606	1 176	1 055	1 138	1 052	1 109	1 006	949	905	861	721	287	65	8	–	1) 38	
	男 M.	17 749	3 138	1 732	920	1 011	1 437	1 409	1 252	853	784	869	804	817	708	616	520	419	314	122	18	1	–	5	
	女 F.	8 266	2 239	708	447	314	336	375	354	323	271	269	248	292	298	333	385	442	407	165	47	7	–	6	
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒	4	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 870
	男 M.	4	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 871	バルビツール酸およびその誘導体による不慮の中毒	42	–	–	–	7	14	8	1	4	1	2	2	2	–	1	–	–	–	–	–	–	–	–	E 871
	男 M.	18	–	–	–	2	4	7	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	24	–	–	–	5	10	1	1	2	–	1	1	2	–	1	–	–	–	–	–	–	–	–	
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	E 872
	男 M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
E 873	臭化物による不慮の中毒……	172	–	–	2	25	40	34	11	14	9	11	6	7	4	2	1	5	1	–	–	–	–	–	E 873
	男 M.	86	–	–	1	9	19	17	7	7	5	7	5	5	1	–	–	2	1	–	–	–	–	–	
	女 F.	86	–	–	1	16	21	17	4	7	4	4	1	2	3	2	1	3	–	–	–	–	–	–	
E 874	その他の鎮痛薬および催眠薬による不慮の中毒	203	–	–	–	30	59	38	22	16	7	8	1	4	8	4	5	–	1	–	–	–	–	–	E 874
	男 M.	112	–	–	–	14	34	25	12	8	4	4	1	1	6	1	2	–	–	–	–	–	–	–	
	女 F.	91	–	–	–	16	25	13	10	8	3	4	–	3	2	3	3	–	1	–	–	–	–	–	
E 875	スルホンアミド薬による不慮の中毒……	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E 875
	男 M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
E 876	ストリキニーネによる不慮の中毒……	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 876
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 877
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 878	その他および詳細不明の医薬品による不慮の中毒	14	6	2	–	–	–	1	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	E 878
	男 M.	9	3	1	–	–	–	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	
	女 F.	5	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 879	有毒食物による不慮の中毒……	162	5	6	2	3	2	7	9	5	17	13	20	18	25	14	10	6	–	–	–	–	–	–	E 879
	男 M.	121	2	3	1	2	1	6	8	4	9	11	16	15	20	12	8	3	–	–	–	–	–	–	
	女 F.	41	3	3	1	1	1	1	1	1	8	2	4	3	5	2	2	3	–	–	–	–	–	–	
E 880	アルコールによる不慮の中毒……	67	4	1	–	3	4	11	3	12	6	5	3	7	5	2	1	–	–	–	–	–	–	–	E 880
	男 M.	62	3	–	–	3	4	10	3	12	6	5	3	6	5	2	–	–	–	–	–	–	–	–	
	女 F.	5	1	1	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
E 881	石油製品による不慮の中毒……	14	12	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	E 881
	男 M.	7	5	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 882	工業溶媒による不慮の中毒……	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E 882
	男 M.	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
E 883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒	27	7	–	–	1	1	4	3	4	–	2	1	–	–	1	2	1	–	–	–	–	–	–	E 883
	男 M.	16	4	–	–	1	–	3	2	2	–	1	1	–	–	–	2	–	–	–	–	–	–	–	
	女 F.	11	3	–	–	–	1	1	1	2	–	1	–	–	–	1	–	1	–	–	–	–	–	–	
E 884	水銀およびその化合物による不慮の中毒	5	1	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 884
	男 M.	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 885	鉛およびその化合物による不慮の中毒…	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 885
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 64 表　交通事故以外の不慮の事故死亡者数，

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

総　数

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才
E 886	ヒ素，アンチモンおよびその化合物による不慮の中毒	6	1	–	–	–	–	–	–	–	–
	男 M.	3	–	–	–	–	–	–	–	–	–
	女 F.	3	1	–	–	–	–	–	–	–	–
E 887	フッ化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒	156	21	3	–	11	21	18	11	10	4
	男 M.	108	15	2	–	6	13	9	7	6	4
	女 F.	48	6	1	–	5	8	9	4	4	–
E 888. a	シアン化物	*6*	*2*	–	–	–	*2*	*1*	–	–	–
	男 M.	*4*	*2*	–	–	–	*2*	–	–	–	–
	女 F.	*2*	–	–	–	–	–	*1*	–	–	–
E 888. b	農薬用有機リン製剤	*95*	*14*	*1*	–	*5*	*13*	*9*	*7*	*6*	*2*
	男 M.	*69*	*10*	*1*	–	*4*	*7*	*4*	*5*	*3*	*2*
	女 F.	*26*	*4*	–	–	*1*	*6*	*5*	*2*	*3*	–
E 888. c	その他のリン製剤	*14*	*2*	–	–	*2*	*1*	*2*	–	*1*	*1*
	男 M.	*8*	*2*	–	–	–	–	*1*	–	*1*	*1*
	女 F.	*6*	–	–	–	*2*	*1*	*1*	–	–	–
E 888. d	その他および詳細不明の固体および液体物質	*41*	*3*	*2*	–	*4*	*5*	*6*	*4*	*3*	*1*
	男 M.	*27*	*1*	*1*	–	*2*	*4*	*4*	*2*	*2*	*1*
	女 F.	*14*	*2*	*1*	–	*2*	*1*	*2*	*2*	*1*	–
E 890	石炭ガス（光熱用）による不慮の中毒	233	10	3	4	16	48	40	28	14	11
	男 M.	118	4	3	1	7	23	18	17	6	7
	女 F.	115	6	–	3	9	25	22	11	8	4
E 891	自動車排出ガスによる不慮の中毒	2	–	–	–	–	–	1	–	–	1
	男 M.	2	–	–	–	–	–	1	–	–	1
	女 F.	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒	205	56	10	8	10	15	17	6	10	14
	男 M.	125	29	6	6	6	11	11	5	9	9
	女 F.	80	27	4	2	4	4	6	1	1	5
E 893	シアン化物ガスによる不慮の中毒	2	–	–	–	–	–	2	–	–	–
	男 M.	2	–	–	–	–	–	2	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒	46	1	–	–	5	8	9	7	6	6
	男 M.	44	–	–	–	4	8	9	7	6	6
	女 F.	2	1	–	–	1	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	2	–	–	–	1	1	–	–	–	–
	男 M.	1	–	–	–	1	–	–	–	–	–
	女 F.	1	–	–	–	–	1	–	–	–	–
E 900	階段よりの墜落	264	8	2	–	3	3	12	8	10	12
	男 M.	162	6	1	–	1	3	11	6	7	9
	女 F.	102	2	1	–	2	–	1	2	3	3
E 901	はしごよりの墜落	94	2	2	1	1	5	6	2	–	4
	男 M.	74	2	2	–	1	5	6	2	–	4
	女 F.	20	–	–	1	–	–	–	–	–	–
E 902	その他の高所よりの墜落	2 948	129	102	48	137	254	267	205	170	150
	男 M.	2 453	79	78	38	129	243	259	196	156	136
	女 F.	495	50	24	10	8	11	8	9	14	14
E 903	同一面上における転倒	859	33	15	13	12	22	19	20	23	28
	男 M.	470	25	9	11	11	17	16	18	21	23
	女 F.	389	8	6	2	1	5	3	2	2	5

性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

Total

昭和34年
1959

45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100 才～	不詳 Unknown	国際基本分類番号 International detailed list number
1	1	1	2	–	–	–	–	–	–	–	–	–	E 886
–	1	1	1	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 887
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
15	9	7	9	7	6	2	2	–	–	–	–	–	E 888
12	7	6	9	6	3	2	1	–	–	–	–	–	
3	2	1	–	1	3	–	1	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	E 888. a
–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	
10	*7*	*5*	*6*	*2*	*6*	*2*	–	–	–	–	–	–	E 888. b
10	*5*	*5*	*6*	*2*	*3*	*2*	–	–	–	–	–	–	
–	*2*	–	–	–	*3*	–	–	–	–	–	–	–	
–	–	*1*	–	*3*	–	–	*1*	–	–	–	–	–	E 888. c
–	–	–	–	*2*	–	–	*1*	–	–	–	–	–	
–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	
4	*2*	*1*	*3*	*2*	–	–	*1*	–	–	–	–	–	E 888. d
2	*2*	*1*	*3*	*2*	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	*1*	–	–	–	–	–	
6	11	9	11	8	6	2	5	1	–	–	–	–	E 890
3	8	6	9	1	3	1	–	1	–	–	–	–	
3	3	3	2	7	3	1	5	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 891
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
8	6	4	13	11	7	4	4	2	–	–	–	–	E 892
6	4	–	9	7	4	1	2	–	–	–	–	–	
2	2	4	4	4	3	3	2	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 893
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	–	–	–	–	–	–	–	–	–	–	–	E 894
3	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 895
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
17	20	23	21	24	24	31	28	12	5	1	–	–	E 900
14	16	18	11	14	11	17	15	–	1	1	–	–	
3	4	5	10	10	13	14	13	12	4	–	–	–	
7	11	7	8	7	14	6	9	2	–	–	–	–	E 901
5	8	5	5	7	11	5	5	1	–	–	–	–	
2	3	2	3	–	3	1	4	1	–	–	–	–	
194	204	223	187	189	164	149	110	52	13	1	–	–	E 902
167	192	187	156	148	116	85	56	27	5	–	–	–	
27	12	36	31	41	48	64	54	25	8	1	–	–	
38	25	50	46	67	94	122	126	84	19	3	–	–	E 903
31	19	36	29	43	46	37	42	31	5	–	–	–	
7	6	14	17	24	48	85	84	53	14	3	–	–	

第 64 表　交通事故以外の不慮の事故死亡者数，性・年齢(5才階級)・従業中－非従業中・死因(基本分類)別

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

昭和34年 1959

総　数 Total

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才	45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Unknown	国際基本分類番号 International detailed list number
E 904	詳細不明の墜落	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	E 904
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 910	落下物，投射物および飛来物による打撲	2 032	45	53	32	123	238	257	300	195	156	179	146	117	93	47	23	12	15	1	–	–	–	–	E 910
	男 M.	1 885	27	43	26	119	229	247	285	184	146	172	130	108	88	43	17	10	11	–	–	–	–	–	
	女 F.	147	18	10	6	4	9	10	15	11	10	7	16	9	5	4	6	2	4	1	–	–	–	–	
E 911	車による不慮の事故	275	3	7	1	20	37	34	36	24	37	31	23	9	7	4	1	–	1	–	–	–	–	–	E 911
	男 M.	265	2	6	1	20	35	34	36	24	37	27	22	9	6	4	1	–	1	–	–	–	–	–	
	女 F.	10	1	1	–	–	2	–	–	–	–	4	1	–	1	–	–	–	–	–	–	–	–	–	
E 912	機械による不慮の事故	453	8	12	4	58	82	68	54	39	23	37	30	19	14	3	1	–	1	–	–	–	–	–	E 912
	男 M.	430	7	10	3	56	80	66	51	38	21	35	29	18	11	3	1	–	1	–	–	–	–	–	
	女 F.	23	1	2	1	2	2	2	3	1	2	2	1	1	3	–	–	–	–	–	–	–	–	–	
E 913	刃器および刺器による不慮の事故	53	8	5	5	5	5	6	3	5	3	–	2	2	1	1	1	1	–	–	–	–	–	–	E 913
	男 M.	42	5	4	4	4	5	6	2	4	3	–	2	2	–	1	–	–	–	–	–	–	–	–	
	女 F.	11	3	1	1	1	–	–	1	1	–	–	–	–	1	–	1	1	–	–	–	–	–	–	
E 914	電気による不慮の事故	540	3	8	16	81	120	107	89	32	27	19	17	12	6	2	–	1	–	–	–	–	–	–	E 914
	男 M.	527	–	6	15	81	119	106	88	31	27	19	17	11	5	2	–	–	–	–	–	–	–	–	
	女 F.	13	3	2	1	–	1	1	1	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	
E 915	高圧機関の爆発による不慮の事故	4	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	E 915
	男 M.	4	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 916	火および可燃物の爆発による不慮の事故	1 554	279	88	40	61	67	73	74	57	53	59	62	73	62	101	107	119	130	40	9	–	–	–	E 916
	男 M.	889	138	46	22	43	57	55	59	38	31	39	36	44	35	61	57	58	51	18	1	–	–	–	
	女 F.	665	141	42	18	18	10	18	15	19	22	20	26	29	27	40	50	61	79	22	8	–	–	–	
E 917	高熱物体，腐食性液体および水蒸気による不慮の事故	399	255	19	1	10	13	10	8	5	10	2	8	10	10	6	12	10	6	3	–	1	–	–	E 917
	男 M.	226	139	11	–	8	9	7	7	4	10	1	5	7	4	3	7	4	–	–	–	–	–	–	
	女 F.	173	116	8	1	2	4	3	1	1	–	1	3	3	6	3	5	6	6	3	–	1	–	–	
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 918
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 918. a	X線によるもの	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 918. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 918. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 919	銃器による不慮の事故	122	1	4	6	6	19	17	26	10	6	13	5	6	1	1	–	1	–	–	–	–	–	–	E 919
	男 M.	117	–	4	5	6	17	17	26	10	6	12	5	6	1	1	–	1	–	–	–	–	–	–	
	女 F.	5	1	–	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 920
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	643	233	7	2	8	4	6	7	6	10	11	11	27	41	43	66	69	69	21	2	–	–	–	E 921
	男 M.	449	127	4	1	4	4	4	6	5	8	10	8	24	33	34	56	49	52	18	2	–	–	–	
	女 F.	194	106	3	1	4	–	2	1	1	2	1	3	3	8	9	10	20	17	3	–	–	–	–	
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	49	28	6	–	–	–	–	1	–	–	2	1	–	–	3	4	3	1	–	–	–	–	–	E 922
	男 M.	34	18	4	–	–	–	–	1	–	–	2	–	–	–	2	4	2	1	–	–	–	–	–	
	女 F.	15	10	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	
E 923	その他の孔口への異物侵入	15	11	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	E 923
	男 M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	9	5	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	

第 64 表　交通事故以外の不慮の事故死亡者数，

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

総　数

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才
E 924	寝台および揺籃における不慮の機械的窒息	324	324	–	–	–	–	–	–	–	–
	男 M.	171	171	–	–	–	–	–	–	–	–
	女 F.	153	153	–	–	–	–	–	–	–	–
E 925	その他および詳細不明の状態における不慮の機械的窒息	820	483	15	12	23	35	51	44	23	36
	男 M.	528	235	11	11	21	34	50	35	20	34
	女 F.	292	248	4	1	2	1	1	9	3	2
E 926	乳児の養育不注意（1才未満）……	–	–	.	.	.	.	.	.	.	.
	男 M.	–	–	.	.	.	.	.	.	.	.
	女 F.	–	–	.	.	.	.	.	.	.	.
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	45	3	6	1	–	1	1	2	2	1
	男 M.	24	1	2	1	–	–	1	1	–	1
	女 F.	21	2	4	–	–	1	–	1	2	–
E 928	その他の動物による不慮の傷害……	111	10	5	4	6	4	7	5	3	3
	男 M.	86	4	5	4	6	2	7	4	3	2
	女 F.	25	6	–	–	–	2	–	1	–	1
E 929	不慮の溺死および溺水……	7 272	2 696	1 430	695	369	299	231	175	116	130
	男 M.	5 259	1 717	1 144	565	323	264	197	153	91	99
	女 F.	2 013	979	286	130	46	35	34	22	25	31
E 930	高圧および低圧……	13	–	–	–	2	2	2	3	–	2
	男 M.	12	–	–	–	2	1	2	3	–	2
	女 F.	1	–	–	–	–	1	–	–	–	–
E 931	過度の高温および日射病……	108	26	7	2	2	4	2	5	4	8
	男 M.	48	9	6	2	–	3	2	3	–	4
	女 F.	60	17	1	–	2	1	–	2	4	4
E 932	過度の低温……	459	8	4	–	15	58	32	34	25	25
	男 M.	390	3	4	–	13	52	29	34	23	22
	女 F.	69	5	–	–	2	6	3	–	2	3
E 933	飢，渇および不良天候曝露……	30	3	–	–	2	1	4	1	3	–
	男 M.	23	3	–	–	2	–	3	–	2	–
	女 F.	7	–	–	–	–	1	1	1	1	–
E 934	天災……	1) 4 863	631	605	451	230	250	345	369	309	238
	男 M.	2 072	334	309	186	72	109	135	142	112	91
	女 F.	2 764	297	296	265	158	141	210	227	197	147
E 934. a	地震……	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 934. b	暴風雨および洪水……	1) *4 860*	*630*	*604*	*451*	*230*	*250*	*345*	*368*	*309*	*238*
	男 M.	*2 071*	*334*	*308*	*186*	*72*	*109*	*135*	*142*	*112*	*91*
	女 F.	*2 762*	*296*	*296*	*265*	*158*	*141*	*210*	*226*	*197*	*147*
E 934. c	その他……	*3*	*1*	*1*	–	–	–	–	*1*	–	–
	男 M.	*1*	–	*1*	–	–	–	–	–	–	–
	女 F.	*2*	*1*	–	–	–	–	–	*1*	–	–
E 935	雷撃……	57	1	–	2	6	7	11	7	4	3
	男 M.	42	1	–	2	5	6	5	6	3	3
	女 F.	15	–	–	–	1	1	6	1	1	–
E 936	その他および詳細不明の不慮の事故……	267	21	10	15	32	26	24	22	15	14
	男 M.	217	12	7	14	28	24	23	17	15	13
	女 F.	50	9	3	1	4	2	1	5	–	1

注：1) 男女を合算しても総数にあわないのは総数中に男女不詳 27 を含むからである。

性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

Total

昭和34年
1959

45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Uuknown	国際基本分類番号 International detailed list number
–	–	–	–	–	–	–	–	–	–	–	–	–	E 924
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
33	21	13	13	3	7	5	3	–	–	–	–	–	E 925
29	18	11	12	2	4	1	–	–	–	–	–	–	
4	3	2	1	1	3	4	3	–	–	–	–	–	
.	.	.	.	.	.	.	.	.	.	.	.	.	E 926
.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	
3	4	5	1	7	4	3	1	–	–	–	–	–	E 927
2	3	4	1	3	3	1	–	–	–	–	–	–	
1	1	1	–	4	1	2	1	–	–	–	–	–	
5	7	4	10	17	7	6	7	–	1	–	–	–	E 928
4	6	3	10	12	6	4	4	–	–	–	–	–	
1	1	1	–	5	1	2	3	–	1	–	–	–	
121	132	166	141	140	146	138	102	37	6	1	–	1	E 929
105	114	126	95	91	75	49	35	14	1	–	–	1	
16	18	40	46	49	71	89	67	23	5	1	–	–	
–	1	–	1	–	–	–	–	–	–	–	–	–	E 930
–	1	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
3	3	6	7	7	4	6	7	4	1	–	–	–	E 931
3	2	3	6	1	1	2	1	–	–	–	–	–	
–	1	3	1	6	3	4	6	4	1	–	–	–	
29	46	47	42	29	26	20	15	4	–	–	–	–	E 932
24	41	41	37	25	16	14	10	2	–	–	–	–	
5	5	6	5	4	10	6	5	2	–	–	–	–	
1	4	–	3	1	2	4	1	–	–	–	–	–	E 933
1	3	–	2	1	2	3	1	–	–	–	–	–	
–	1	–	1	–	–	1	–	–	–	–	–	–	
243	194	210	203	180	145	122	71	22	7	1	–	1) 37	E 934
102	66	97	91	75	56	58	23	9	1	–	–	4	
141	128	113	112	105	89	64	48	13	6	1	–	6	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 934. a
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
243	*194*	*210*	*203*	*180*	*145*	*122*	*71*	*22*	*7*	*1*	–	1) *37*	E 934. b
102	*66*	*97*	*91*	*75*	*56*	*58*	*23*	*9*	*1*	–	–	*4*	
141	*128*	*113*	*112*	*105*	*89*	*64*	*48*	*13*	*6*	*1*	–	*6*	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 934. c
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
4	2	5	1	–	3	1	–	–	–	–	–	–	E 935
3	2	3	1	–	1	1	–	–	–	–	–	–	
1	–	2	–	–	2	–	–	–	–	–	–	–	
10	10	12	8	16	11	12	5	2	2	–	–	–	E 936
8	9	11	6	11	6	9	1	1	2	–	–	–	
2	1	1	2	5	5	3	4	1	–	–	–	–	

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

第 64 表　交通事故以外の不慮の事故死亡者数，

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

従 業 中

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才
	総数 男 M.	5 557	–	–	4	423	783	843	786	494	437
	女 F.	5 243	–	–	3	409	757	813	754	467	411
		314	–	–	1	14	26	30	32	27	26
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 871	バルビツール酸およびその誘導体による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 873	臭化物による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 874	その他の鎮痛薬および催眠薬による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 875	スルホンアミド薬による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 876	ストリキニーネによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 878	その他および詳細不明の医薬品による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 879	有毒食物による不慮の中毒 男 M.	1	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	–	–	–	–	–
		–	–	–	–	–	–	–	–	–	–
E 880	アルコールによる不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 881	石油製品による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 882	工業溶媒による不慮の中毒 男 M.	2	–	–	–	–	1	–	–	–	–
	女 F.	1	–	–	–	–	1	–	–	–	–
		1	–	–	–	–	–	–	–	–	–
E 883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒 男 M.	4	–	–	–	1	–	1	–	2	–
	女 F.	3	–	–	–	1	–	1	–	1	–
		1	–	–	–	–	–	–	–	–	–
E 884	水銀およびその化合物による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 885	鉛およびその化合物による不慮の中毒 男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–

性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

While at work

昭和34年 1959

45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100 才～	不詳 Unknown	国際基本分類番号 International detailed list number
484	408	309	253	154	89	58	26	6	–	–	–	–	
450	375	279	225	142	77	45	23	3	–	–	–	–	
34	33	30	18	12	12	13	3	3	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 870
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 871
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 872
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 873
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 874
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 875
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 876
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 877
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 878
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	1	–	–	–	–	–	–	–	–	–	–	E 879
–	–	1	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 880
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 881
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	E 882
1	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 883
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 884
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 885
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	

第 64 表　交通事故以外の不慮の事故死亡者数，

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

従 業 中

国際基本分類番号 International detailed list number	死因，性 Causes ofdeath and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才
E 886	ヒ素，アンチモンおよびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 887	フッ化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒	40	–	–	–	4	7	7	3	3	–
	男 M.	30	–	–	–	3	5	3	2	2	–
	女 F.	10	–	–	–	1	2	4	1	1	–
E 888. a	シアン化物	*1*	–	–	–	–	*1*	–	–	–	–
	男 M.	*1*	–	–	–	–	*1*	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 888. b	農薬用有機リン製剤	*36*	–	–	–	*3*	*6*	*6*	*3*	*3*	–
	男 M.	*26*	–	–	–	*2*	*4*	*2*	*2*	*2*	–
	女 F.	*10*	–	–	–	*1*	*2*	*4*	*1*	*1*	–
E 888. c	その他のリン製剤	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 888. d	その他および詳細不明の固体および液体物質	*3*	–	–	–	*1*	–	*1*	–	–	–
	男 M.	*3*	–	–	–	*1*	–	*1*	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 890	石炭ガス（光熱用）による不慮の中毒	17	–	–	–	1	2	1	5	2	2
	男 M.	17	–	–	–	1	2	1	5	2	2
	女 F.	–	–	–	–	–	–	–	–	–	–
E 891	自動車排出ガスによる不慮の中毒	1	–	–	–	–	–	–	–	–	1
	男 M.	1	–	–	–	–	–	–	–	–	1
	女 F.	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒	27	–	–	–	2	3	5	3	2	2
	男 M.	23	–	–	–	2	3	5	3	2	2
	女 F.	4	–	–	–	–	–	–	–	–	–
E 893	シアン化物ガスによる不慮の中毒	2	–	–	–	–	–	2	–	–	–
	男 M.	2	–	–	–	–	–	2	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒	39	–	–	–	3	7	7	7	5	6
	男 M.	39	–	–	–	3	7	7	7	5	6
	女 F.	–	–	–	–	–	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	1	–	–	–	1	–	–	–	–	–
	男 M.	1	–	–	–	1	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 900	階段よりの墜落	20	–	–	–	1	1	3	–	2	2
	男 M.	17	–	–	–	–	1	3	–	2	1
	女 F.	3	–	–	–	1	–	–	–	–	1
E 901	はしごよりの墜落	28	–	–	–	1	2	2	2	–	4
	男 M.	26	–	–	–	1	2	2	2	–	4
	女 F.	2	–	–	–	–	–	–	–	–	–
E 902	その他の高所よりの墜落	1 267	–	–	–	74	160	190	135	100	92
	男 M.	1 201	–	–	–	74	155	189	132	96	84
	女 F.	66	–	–	–	–	5	1	3	4	8
E 903	同一面上における転倒	98	–	–	1	4	2	8	5	7	9
	男 M.	88	–	–	–	4	2	7	5	7	9
	女 F.	10	–	–	1	–	–	1	–	–	–

性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

While at work

昭和34年 1959

45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	–	–	–	–	–	–	–	–	–	–	–	E 886
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 887
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
5	4	1	3	1	1	1	–	–	–	–	–	–	E 888
5	3	1	3	1	1	1	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 888. a
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
5	3	1	3	1	1	1	–	–	–	–	–	–	E 888. b
5	2	1	3	1	1	1	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 888. c
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	1	–	–	–	–	–	–	–	–	–	–	–	E 888. d
–	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
1	2	–	1	–	–	–	–	–	–	–	–	–	E 890
1	2	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 891
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	2	2	1	1	–	–	–	–	–	–	–	E 892
3	1	–	1	–	1	–	–	–	–	–	–	–	
–	–	2	1	1	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 893
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
3	1	–	–	–	–	–	–	–	–	–	–	–	E 894
3	1	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 895
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
1	6	1	1	2	–	–	–	–	–	–	–	–	E 900
1	6	1	–	2	–	–	–	–	–	–	–	–	
–	–	–	1	–	–	–	–	–	–	–	–	–	
3	7	3	4	–	–	–	–	–	–	–	–	–	E 901
3	5	3	4	–	–	–	–	–	–	–	–	–	
–	2	–	–	–	–	–	–	–	–	–	–	–	
105	100	88	87	65	36	24	8	3	–	–	–	–	E 902
97	98	81	80	57	33	17	6	2	–	–	–	–	
8	2	7	7	8	3	7	2	1	–	–	–	–	
15	10	12	7	5	8	4	1	–	–	–	–	–	E 903
12	9	11	7	5	7	2	1	–	–	–	–	–	
3	1	1	–	–	1	2	–	–	–	–	–	–	

第 64 表　交通事故以外の不慮の事故死亡者数，性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

昭和34年 1959

従　業　中　While at work

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才	45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Unknown	国際基本分類番号 International detailed list number
E 904	詳細不明の墜落	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 904
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 910	落下物，投射物および飛来物による打撲	1 752	–	–	–	107	220	245	285	187	148	171	135	106	81	37	15	9	6	–	–	–	–	–	E 910
	男 M.	1 684	–	–	–	104	216	239	274	180	138	165	122	100	79	37	15	9	6	–	–	–	–	–	
	女 F.	68	–	–	–	3	4	6	11	7	10	6	13	6	2	–	–	–	–	–	–	–	–	–	
E 911	車による不慮の事故	248	–	–	–	17	37	32	34	22	35	31	23	8	6	3	–	–	–	–	–	–	–	–	E 911
	男 M.	241	–	–	–	17	35	32	34	22	35	27	22	8	6	3	–	–	–	–	–	–	–	–	
	女 F.	7	–	–	–	–	2	–	–	–	–	4	1	–	–	–	–	–	–	–	–	–	–	–	
E 912	機械による不慮の事故	419	–	–	2	54	81	68	53	39	23	37	30	18	10	2	1	–	1	–	–	–	–	–	E 912
	男 M.	404	–	–	2	52	79	66	51	38	21	35	29	17	10	2	1	–	1	–	–	–	–	–	
	女 F.	15	–	–	–	2	2	2	2	1	2	2	1	1	–	–	–	–	–	–	–	–	–	–	
E 913	刃器および刺器による不慮の事故	12	–	–	–	4	3	1	1	1	–	–	–	1	1	–	–	–	–	–	–	1	–	–	E 913
	男 M.	10	–	–	–	4	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
E 914	電気による不慮の事故	450	–	–	1	65	112	96	80	27	24	17	16	7	4	1	–	–	–	–	–	–	–	–	E 914
	男 M.	448	–	–	1	65	111	96	80	27	24	17	16	6	4	1	–	–	–	–	–	–	–	–	
	女 F.	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
E 915	高圧機関の爆発による不慮の事故	4	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	E 915
	男 M.	4	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 916	火および可燃物の爆発による不慮の事故	289	–	–	–	25	36	39	43	25	21	23	24	10	8	13	12	4	4	2	–	–	–	–	E 916
	男 M.	256	–	–	–	25	34	33	42	22	18	20	16	8	8	12	9	4	4	1	–	–	–	–	
	女 F.	33	–	–	–	–	2	6	1	3	3	3	8	2	–	1	3	–	–	1	–	–	–	–	
E 917	高熱物体，腐食性液体および水蒸気による不慮の事故	47	–	–	–	7	8	7	7	3	7	2	3	3	–	–	–	–	–	–	–	–	–	–	E 917
	男 M.	41	–	–	–	7	6	6	6	3	7	1	3	2	–	–	–	–	–	–	–	–	–	–	
	女 F.	6	–	–	–	–	2	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 918
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 918. a	X線によるもの	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 918. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 918. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 919	銃器による不慮の事故	85	–	–	–	3	18	14	21	9	4	10	3	2	1	–	–	–	–	–	–	–	–	–	E 919
	男 M.	82	–	–	–	3	16	14	21	9	4	9	3	2	1	–	–	–	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 920
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 921
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E 922
	男 M.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 923	その他の孔口への異物侵入	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 923
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

第 64 表　交通事故以外の不慮の事故死亡者数，

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

While at work

昭和34年
1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才	45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Unknown	国際基本分類番号 International detailed liet number
E 924	寝台および揺籃における不慮の機械的窒息	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 924
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 925	その他および詳細不明の状態における不慮の機械的窒息	232	–	–	–	14	29	47	38	23	30	25	13	8	4	1	–	–	–	–	–	–	–	–	E 925
	男 M.	217	–	–	–	12	28	47	31	20	30	24	12	8	4	1	–	–	–	–	–	–	–	–	
	女 F.	15	–	–	–	2	1	–	7	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
E 926	乳児の養育不注意（1才未満）	–	–	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	E 926
	男 M.	–	–	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	女 F.	–	–	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	16	–	–	–	–	–	1	1	1	–	1	3	3	–	3	2	1	–	–	–	–	–	–	E 927
	男 M.	12	–	–	–	–	–	1	–	–	–	–	2	3	–	3	2	1	–	–	–	–	–	–	
	女 F.	4	–	–	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
E 928	その他の動物による不慮の傷害	48	–	–	–	4	1	5	4	2	1	5	3	2	8	8	1	3	1	–	–	–	–	–	E928
	男 M.	46	–	–	–	4	1	5	4	2	1	4	2	2	8	8	1	3	1	–	–	–	–	–	
	女 F.	2	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	
E 929	不慮の溺死および溺水	224	–	–	–	15	35	36	34	16	9	15	13	12	13	4	9	7	5	1	–	–	–	–	E 929
	男 M.	197	–	–	–	15	34	31	32	14	8	14	13	10	8	4	6	4	4	–	–	–	–	–	
	女 F.	27	–	–	–	–	1	5	2	2	1	1	–	2	5	–	3	3	1	1	–	–	–	–	
E 930	高圧および低圧	12	–	–	–	2	1	2	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	E 930
	男 M.	12	–	–	–	2	1	2	3	–	2	–	1	–	1	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 931	過度の高温および日射病	22	–	–	–	1	3	1	3	–	3	1	1	4	3	2	–	–	–	–	–	–	–	–	E 931
	男 M.	12	–	–	–	–	2	1	1	–	2	1	–	2	3	–	–	–	–	–	–	–	–	–	
	女 F.	10	–	–	–	1	1	–	2	–	1	–	1	2	–	2	–	–	–	–	–	–	–	–	
E 932	過度の低温	14	–	–	–	–	–	2	1	2	–	1	1	1	2	–	2	2	–	–	–	–	–	–	E 932
	男 M.	11	–	–	–	–	–	1	1	2	–	1	1	–	2	–	1	2	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
E 933	飢渇，および不良天候曝露	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 933
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 934	天災	66	–	–	–	4	5	10	8	9	6	3	4	6	4	4	1	2	–	–	–	–	–	–	E 934
	男 M.	58	–	–	–	3	5	10	7	7	6	3	4	5	3	4	–	1	–	–	–	–	–	–	
	女 F.	8	–	–	–	1	–	–	1	2	–	–	–	1	1	–	1	1	–	–	–	–	–	–	
E 934. a	地震	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 934. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 934. b	暴風雨および洪水	*66*	–	–	–	*4*	*5*	*10*	*8*	*9*	*6*	*3*	*4*	*6*	*4*	*4*	*1*	*2*	–	–	–	–	–	–	E 934. b
	男 M.	*58*	–	–	–	*3*	*5*	*10*	*7*	*7*	*6*	*3*	*4*	*5*	*3*	*4*	–	*1*	–	–	–	–	–	–	
	女 F.	*8*	–	–	–	*1*	–	–	*1*	*2*	–	–	–	*1*	*1*	–	*1*	*1*	–	–	–	–	–	–	
E 934. c	その他	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 934. c
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 935	雷撃	32	–	–	–	3	3	7	5	3	3	2	1	4	–	–	–	1	–	–	–	–	–	–	E 935
	男 M.	23	–	–	–	2	2	4	5	2	3	1	1	2	–	–	–	1	–	–	–	–	–	–	
	女 F.	9	–	–	–	1	1	3	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	
E 936	その他および詳細不明の不慮の事故	37	–	–	–	6	6	4	4	2	3	2	2	5	1	2	–	–	–	–	–	–	–	–	E 936
	男 M.	34	–	–	–	4	6	4	4	2	3	2	2	4	1	2	–	–	–	–	–	–	–	–	
	女 F.	3	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	

第 64 表　交通事故以外の不慮の事故死亡者数，性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

TABLE 64　NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

非　従　業　中　While not at work

昭和34年 1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才	45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Unknown	国際基本分類番号 Intrenational detailed list number
	総数	1) 20 485	5 377	2 440	1 363	902	990	941	820	682	618	654	644	800	753	795	816	803	695	281	65	8	–	1) 38	
	男 M.	12 506	3 138	1 732	917	602	660	596	498	386	373	419	429	538	473	474	443	374	291	119	18	1	–	5	
	女 F.	7 952	2 239	708	446	300	310	345	322	296	245	235	215	262	280	321	373	429	404	162	47	7	–	6	
E 870	モルヒネおよびその他のアヘン誘導体による不慮の中毒	4	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 870
	男 M.	4	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 871	バルビツール酸およびその誘導体による不慮の中毒	42	–	–	–	7	14	8	1	4	1	2	2	2	–	1	–	–	–	–	–	–	–	–	E 871
	男 M.	18	–	–	–	2	4	7	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	24	–	–	–	5	10	1	1	2	–	1	1	2	–	1	–	–	–	–	–	–	–	–	
E 872	アスピリンおよびサリチル酸誘導体による不慮の中毒	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	E 872
	男 M.	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	
E 873	臭化物による不慮の中毒	172	–	–	2	25	40	34	11	14	9	11	6	7	4	2	1	5	1	–	–	–	–	–	E 873
	男 M.	86	–	–	1	9	19	17	7	7	5	7	5	5	1	–	–	2	1	–	–	–	–	–	
	女 F.	86	–	–	1	16	21	17	4	7	4	4	1	2	3	2	1	3	–	–	–	–	–	–	
E 874	その他の鎮痛薬および催眠薬による不慮の中毒	203	–	–	–	30	59	38	22	16	7	8	1	4	8	4	5	–	1	–	–	–	–	–	E 874
	男 M.	112	–	–	–	14	34	25	12	8	4	4	1	1	6	1	2	–	–	–	–	–	–	–	
	女 F.	91	–	–	–	16	25	13	10	8	3	4	–	3	2	3	3	–	1	–	–	–	–	–	
E 875	スルホンアミド薬による不慮の中毒	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	E 875
	男 M.	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	
E 876	ストリキニーネによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 876
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 877	ベラドンナ，ヒヨスチンおよびアトロピンによる不慮の中毒	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 877
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 878	その他および詳細不明の医薬品による不慮の中毒	14	6	2	–	–	–	1	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	E 878
	男 M.	9	3	1	–	–	–	1	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	
	女 F.	5	3	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 879	有毒食物による不慮の中毒	161	5	6	2	3	2	7	9	5	17	13	20	17	25	14	10	6	–	–	–	–	–	–	E 879
	男 M.	120	2	3	1	2	1	6	8	4	9	11	16	14	20	12	8	3	–	–	–	–	–	–	
	女 F.	41	3	3	1	1	1	1	1	1	8	2	4	3	5	2	2	3	–	–	–	–	–	–	
E 880	アルコールによる不慮の中毒	67	4	1	–	3	4	11	3	12	6	5	3	7	5	2	1	–	–	–	–	–	–	–	E 880
	男 M.	62	3	–	–	3	4	10	3	12	6	5	3	6	5	2	–	–	–	–	–	–	–	–	
	女 F.	5	1	1	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	
E 881	石油製品による不慮の中毒	14	12	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	E 881
	男 M.	7	5	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	7	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 882	工業溶媒による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 882
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 883	腐食性化合物，酸およびカセイアルカリによる不慮の中毒	23	7	–	–	–	1	3	3	2	–	2	1	–	–	1	2	1	–	–	–	–	–	–	E 883
	男 M.	13	4	–	–	–	–	2	2	1	–	1	1	–	–	–	2	–	–	–	–	–	–	–	
	女 F.	10	3	–	–	–	1	1	1	1	–	1	–	–	–	1	–	1	–	–	–	–	–	–	
E 884	水銀およびその化合物による中慮の中毒	5	1	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 884
	男 M.	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	3	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 885	鉛およびその化合物による不慮の中毒	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 885
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

注：1)男女を合算しても総数にあわないのは，総数中に男女不詳27を含むからである。

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total

第 64 表　交通事故以外の不慮の事故死亡者数，

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

非　従　業　中

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才
E 886	ヒ素，アセチモンおよびその化合物による不慮の中毒	6	1	–	–	–	–	–	–	–	–
	男 M.	3	–	–	–	–	–	–	–	–	–
	女 F.	3	1	–	–	–	–	–	–	–	–
E 887	フッ化物による不慮の中毒	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 888	その他および詳細不明の固体および液体物質による不慮の中毒	116	21	3	–	7	14	11	8	7	4
	男 M.	78	15	2	–	3	8	6	5	4	4
	女 F.	38	6	1	–	4	6	5	3	3	–
E 888. a	シアン化物	*5*	*2*	–	–	–	*1*	*1*	–	–	–
	男 M.	*3*	*2*	–	–	–	–	*1*	–	–	–
	女 F.	*2*	–	–	–	–	*1*	–	–	–	–
E 888. b	農薬用有機リン製剤	*59*	*14*	*1*	–	*2*	*7*	*3*	*4*	*3*	*2*
	男 M.	*43*	*10*	*1*	–	*2*	*3*	*2*	*3*	*1*	*2*
	女 F.	*16*	*4*	–	–	–	*4*	*1*	*1*	*2*	–
E 888. c	その他のリン製剤	*14*	*2*	–	–	*2*	*1*	*2*	–	*1*	*1*
	男 M.	*8*	*2*	–	–	–	–	*1*	–	*1*	*1*
	女 F.	*6*	–	–	–	*2*	*1*	*1*	–	–	–
E 888. d	その他および詳細不明の固体および液体物質	*38*	*3*	*2*	–	*3*	*5*	*5*	*4*	*3*	*1*
	男 M.	*24*	*1*	*1*	–	*1*	*4*	*3*	*2*	*2*	*1*
	女 F.	*14*	*2*	*1*	–	*2*	*1*	*2*	*2*	*1*	–
E 890	石炭ガス（光熱用）による不慮の中毒	216	10	3	4	15	46	39	23	12	9
	男 M.	101	4	3	1	6	21	17	12	4	5
	女 F.	115	6	–	3	9	25	22	11	8	4
E 891	自動車排出ガスによる不慮の中毒	1	–	–	–	–	–	1	–	–	–
	男 M.	1	–	–	–	–	–	1	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 892	その他の一酸化炭素ガスによる不慮の中毒	178	56	10	8	8	12	12	3	8	12
	男 M.	102	29	6	6	4	8	6	2	7	7
	女 F.	76	27	4	2	4	4	6	1	1	5
E 893	シアン化物ガスによる不慮の中毒	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 894	その他のガスおよび蒸気による不慮の中毒	7	1	–	–	2	1	2	–	1	–
	男 M.	5	–	–	–	1	1	2	–	1	–
	女 F.	2	1	–	–	1	–	–	–	–	–
E 895	詳細不明のガスおよび蒸気による不慮の中毒	1	–	–	–	–	1	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	1	–	–	–	–
E 900	階段よりの墜落	244	8	2	–	2	2	9	8	8	10
	男 M.	145	6	1	–	1	2	8	6	5	8
	女 F.	99	2	1	–	1	–	1	2	3	2
E 901	はしごよりの墜落	66	2	2	1	–	3	4	–	–	–
	男 M.	48	2	2	–	–	3	4	–	–	–
	女 F.	18	–	–	1	–	–	–	–	–	–
E 902	その他の高所よりの墜落	1 681	129	102	48	63	94	77	70	70	58
	男 M.	1 252	79	78	38	55	88	70	64	60	52
	女 F.	429	50	24	10	8	6	7	6	10	6
E 903	同一面上における転倒	761	33	15	12	8	20	11	15	16	19
	男 M.	382	25	9	11	7	15	9	13	14	14
	女 F.	379	8	6	1	1	5	2	2	2	5

性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN　昭和34年

While not at work　1959

45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Unknown	国際基本分類番号 International detailed list number
1	1	1	2	–	–	–	–	–	–	–	–	–	E886
–	1	1	1	–	–	–	–	–	–	–	–	–	
1	–	–	1	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 887
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
10	5	6	6	6	5	1	2	–	–	–	–	–	E 888
7	4	5	6	5	2	1	1	–	–	–	–	–	
3	1	1	–	1	3	–	1	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	E 888. a
–	–	–	–	–	–	–	–	–	–	–	–	–	
1	–	–	–	–	–	–	–	–	–	–	–	–	
5	*4*	*4*	*3*	*1*	*5*	*1*	–	–	–	–	–	–	E 888. b
5	*3*	*4*	*3*	*1*	*2*	*1*	–	–	–	–	–	–	
–	*1*	–	–	–	*3*	–	–	–	–	–	–	–	
–	–	*1*	–	*3*	–	–	*1*	–	–	–	–	–	E 888. c
–	–	–	–	*2*	–	–	*1*	–	–	–	–	–	
–	–	*1*	–	*1*	–	–	–	–	–	–	–	–	
4	*1*	*1*	*3*	*2*	–	–	*1*	–	–	–	–	–	E 888. d
2	*1*	*1*	*3*	*2*	–	–	–	–	–	–	–	–	
2	–	–	–	–	–	–	*1*	–	–	–	–	–	
5	9	9	10	8	6	2	5	1	–	–	–	–	E 890
2	6	6	8	1	3	1	–	1	–	–	–	–	
3	3	3	2	7	3	1	5	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 891
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
5	5	2	11	10	6	4	4	2	–	–	–	–	E 892
3	3	–	8	7	3	1	2	–	–	–	–	–	
2	2	2	3	3	3	3	2	2	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 893
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 894
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 895
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
16	14	22	20	22	24	31	28	12	5	1	–	–	E 900
13	10	17	11	12	11	17	15	–	1	1	–	–	
3	4	5	9	10	13	14	13	12	4	–	–	–	
4	4	4	4	7	14	6	9	2	–	–	–	–	E 901
2	3	2	1	7	11	5	5	1	–	–	–	–	
2	1	2	3	–	3	1	4	1	–	–	–	–	
89	104	135	100	124	128	125	102	49	13	1	–	–	E 902
70	94	106	76	91	83	68	50	25	5	–	–	–	
19	10	29	24	33	45	57	52	24	8	1	–	–	
23	15	38	39	62	86	118	125	84	19	3	–	–	E 903
19	10	25	22	38	39	35	41	31	5	–	–	–	
4	5	13	17	24	47	83	84	53	14	3	–	–	

第 64 表　交通事故以外の不慮の事故死亡者数，性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST) ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

非　従　業　中 **While not at work**

昭和34年 1959

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才	45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Unknown	国際基本分類番号 International detailed list number
E 904	詳細不明の墜落	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	E 904
	男 M.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 910	落下物，投射物および飛来物による打撲	280	45	53	32	16	18	12	15	8	8	8	11	11	12	10	8	3	9	1	–	–	–	–	E 910
	男 M.	201	27	43	26	15	13	8	11	4	8	7	8	8	9	6	2	1	5	–	–	–	–	–	
	女 F.	79	18	10	6	1	5	4	4	4	–	1	3	3	3	4	6	2	4	1	–	–	–	–	
E 911	車による不慮の事故	27	3	7	1	3	–	2	2	2	2	–	–	1	1	1	1	–	1	–	–	–	–	–	E 911
	男 M.	24	2	6	1	3	–	2	2	2	2	–	–	1	–	1	1	–	1	–	–	–	–	–	
	女 F.	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	
E 912	機械による不慮の事故	34	8	12	2	4	1	–	1	–	–	–	–	1	4	1	–	–	–	–	–	–	–	–	E 912
	男 M.	26	7	10	1	4	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	
	女 F.	8	1	2	1	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	
E 913	刃器および刺器による不慮の事故	41	8	5	5	1	2	5	2	4	3	–	2	1	–	1	1	1	–	–	–	–	–	–	E 913
	男 M.	32	5	4	4	–	2	5	1	4	3	–	2	1	–	1	–	–	–	–	–	–	–	–	
	女 F.	9	3	1	1	1	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	
E 914	電気による不慮の事故	90	3	8	15	16	8	11	9	5	3	2	1	5	2	1	–	1	–	–	–	–	–	–	E 914
	男 M.	79	–	6	14	16	8	10	8	4	3	2	1	5	1	1	–	–	–	–	–	–	–	–	
	女 F.	11	3	2	1	–	–	1	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	
E 915	高圧機関の爆発による不慮の事故	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 915
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 916	火および可燃物の爆発による不慮の事故	1 265	279	88	40	36	31	34	31	32	32	36	38	63	54	88	95	115	126	38	9	–	–	–	E 916
	男 M.	633	138	46	22	18	23	22	17	16	13	19	20	36	27	49	48	54	47	17	1	–	–	–	
	女 F.	632	141	42	18	18	8	12	14	16	19	17	18	27	27	39	47	61	79	21	8	–	–	–	
E 917	高熱物体，腐食性液体および水蒸気による不慮の事故	352	255	19	1	3	5	3	1	2	3	–	5	7	10	6	12	10	6	3	–	1	–	–	E 917
	男 M.	185	139	11	–	1	3	1	1	1	3	–	2	5	4	3	7	4	–	–	–	–	–	–	
	女 F.	167	116	8	1	2	2	2	–	1	–	–	3	2	6	3	5	6	6	3	–	1	–	–	
E 918	放射線による不慮の事故	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 918
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 918. a	X線によるもの	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 918. a
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 918. b	その他の放射線によるもの	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 918. b
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 919	銃器による不慮の事故	37	1	4	6	3	1	3	5	1	2	3	2	4	–	1	–	1	–	–	–	–	–	–	E 919
	男 M.	35	–	4	5	3	1	3	5	1	2	3	2	4	–	1	–	1	–	–	–	–	–	–	
	女 F.	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 920	眼および附属器への異物侵入	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E 920
	男 M.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
E 921	閉塞または窒息の原因となる食物の吸入および嚥下	643	233	7	2	8	4	6	7	6	10	11	11	27	41	43	66	69	69	21	2	–	–	–	E 921
	男 M.	449	127	4	1	4	4	4	6	5	8	10	8	24	33	34	56	49	52	18	2	–	–	–	
	女 F.	194	106	3	1	4	–	2	1	1	2	1	3	3	8	9	10	20	17	3	–	–	–	–	
E 922	閉塞または窒息の原因となるその他の物体の吸入および嚥下	43	23	6	–	–	–	–	1	–	–	1	1	–	–	3	4	3	1	–	–	–	–	–	E 922
	男 M.	33	18	4	–	–	–	–	1	–	–	1	–	–	–	2	4	2	1	–	–	–	–	–	
	女 F.	15	10	2	–	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–	–	
E 923	その他の孔口への異物侵入	15	11	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	E 923
	男 M.	6	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	女 F.	9	5	2	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	

第 64 表　交通事故以外の不慮の事故死亡者数，

TABLE 64 NON-TRANSPORT ACCIDENTAL DEATHS BY SEX, AGE AND CAUSE (DETAILED LIST)

非　従　業　中

国際基本分類番号 International detailed list number	死因，性 Causes of death and sex	総数 Total	0～4才 years	5～9才	10～14才	15～19才	20～24才	25～29才	30～34才	35～39才	40～44才
E 924	寝台および揺籃における不慮の機械的窒息	324	324	–	–	–	–	–	–	–	–
	男 M.	171	171	–	–	–	–	–	–	–	–
	女 F.	153	153	–	–	–	–	–	–	–	–
E 925	その他および詳細不明の状態における不慮の機械的窒息	588	483	15	12	9	6	4	6	–	6
	男 M.	311	235	11	11	9	6	3	4	–	4
	女 F.	277	248	4	1	–	–	1	2	–	2
E 926	乳児の養育不注意（1才未満）……	–	–	.	.	.	.	.	.	.	.
	男 M.	–	–	.	.	.	.	.	.	.	.
	女 F.	–	–	.	.	.	.	.	.	.	.
E 927	有毒動物および昆虫の咬傷および刺傷による不慮の傷害	29	3	6	1	–	1	–	1	1	1
	男 M.	12	1	2	1	–	–	–	1	–	1
	女 F.	17	2	4	–	–	1	–	–	1	–
E 928	その他の動物による不慮の傷害……	63	10	5	4	2	3	2	1	1	2
	男 M.	40	4	5	4	2	1	2	–	1	1
	女 F.	23	6	–	–	–	2	–	1	–	1
E 929	不慮の溺死および溺水……	7 048	2 696	1 430	695	354	264	195	141	100	121
	男 M.	5 062	1 717	1 144	565	308	230	166	121	77	91
	女 F.	1 986	979	286	130	46	34	29	20	23	30
E 930	高圧および低圧……	1	–	–	–	–	1	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	1	–	–	–	–	1	–	–	–	–
E 931	過度の高温および日射病……	86	26	7	2	1	1	1	2	4	5
	男 M.	36	9	6	2	–	1	1	2	–	2
	女 F.	50	17	1	–	1	–	–	–	4	3
E 932	過度の低温……	445	8	4	–	15	58	30	33	23	25
	男 M.	379	3	4	–	13	52	28	33	21	22
	女 F.	66	5	–	–	2	6	2	–	2	3
E 933	飢，渇および不良天候曝露……	30	3	–	–	2	1	4	1	3	–
	男 M.	23	3	–	–	2	–	3	–	2	–
	女 F.	7	–	–	–	–	1	1	1	1	–
E 934	天　災……	1) 4 797	631	605	451	226	245	335	361	300	232
	男 M.	2 014	334	309	186	69	104	125	135	105	85
	女 F.	2 756	297	296	265	157	141	210	226	195	147
E 934. a	地　震……	–	–	–	–	–	–	–	–	–	–
	男 M.	–	–	–	–	–	–	–	–	–	–
	女 F.	–	–	–	–	–	–	–	–	–	–
E 934. b	暴風雨および洪水……	1) *4 794*	*630*	*604*	*451*	*226*	*245*	*335*	*360*	*300*	*232*
	男 M.	*2 013*	*334*	*308*	*186*	*69*	*104*	*125*	*135*	*105*	*85*
	女 F.	*2 754*	*296*	*296*	*265*	*157*	*141*	*210*	*225*	*195*	*147*
E934. c	そ　の　他……	*3*	*1*	*1*	–	–	–	–	*1*	–	–
	男 M.	*1*	–	*1*	–	–	–	–	–	–	–
	女 F.	*2*	*1*	–	–	–	–	–	*1*	–	–
E 935	雷　撃……	25	1	–	2	3	4	4	2	1	–
	男 M.	19	1	–	2	3	4	1	1	1	–
	女 F.	6	–	–	–	–	–	3	1	–	–
E 936	その他および詳細不明の不慮の事故……	230	21	10	15	26	20	20	18	13	11
	男 M.	183	12	7	14	24	18	19	13	13	10
	女 F.	47	9	3	1	2	2	1	5	–	1

注：1)男女を合算しても総数にあわないのは総数中に男女不詳27を含むからである。

性・年齢（5才階級）・従業中－非従業中・死因（基本分類）別

ACCORDING TO THE TIME WHEN THE ACCIDENT OR POISONING OCCURRED; FOR ALL JAPAN

While not at work

45～49才	50～54才	55～59才	60～64才	65～69才	70～74才	75～79才	80～84才	85～89才	90～94才	95～99才	100才～	不詳 Unknown	国際基本分類番号 International detailed list number
–	–	–	–	–	–	–	–	–	–	–	–	–	E 924
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
8	8	5	9	2	7	5	3	–	–	–	–	–	E 925
5	6	3	8	1	4	1	–	–	–	–	–	–	
3	2	2	1	1	3	4	3	–	–	–	–	–	
.	.	.	.	.	.	.	.	.	.	.	.	.	E 926
.	.	.	.	.	.	.	.	.	.	.	.	.	
.	.	.	.	.	.	.	.	.	.	.	.	.	
2	1	2	1	4	2	2	1	–	–	–	–	–	E 927
2	1	1	1	–	1	–	–	–	–	–	–	–	
–	–	1	–	4	1	2	1	–	–	–	–	–	
–	4	2	2	9	6	3	6	–	1	–	–	–	E 928
–	4	1	2	4	5	1	3	–	–	–	–	–	
–	–	1	–	5	1	2	3	–	1	–	–	–	
106	119	154	128	136	137	131	97	36	6	1	–	1	E 929
91	101	116	87	87	69	45	31	14	1	–	–	1	
15	18	38	41	49	68	86	66	22	5	1	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 930
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
2	2	2	4	5	4	6	7	4	1	–	–	–	E 931
2	2	1	3	1	1	2	1	–	–	–	–	–	
–	–	1	1	4	3	4	6	4	1	–	–	–	
28	45	46	40	29	24	18	15	4	–	–	–	–	E 932
23	40	41	35	25	15	12	10	2	–	–	–	–	
5	5	5	5	4	9	6	5	2	–	–	–	–	
1	4	–	3	1	2	4	1	–	–	–	–	–	E 933
1	3	–	2	1	2	3	1	–	–	–	–	–	
–	1	–	1	–	–	1	–	–	–	–	–	–	
240	190	204	199	176	144	120	71	22	7	1	–	1) 37	E 934
99	62	92	88	71	56	57	23	9	1	–	–	4	
141	128	112	111	105	88	63	48	13	6	1	–	6	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 934. a
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
240	*190*	*204*	*199*	*176*	*144*	*120*	*71*	*22*	*7*	*1*	–	1) *37*	E 934. b
99	*62*	*92*	*88*	*71*	*56*	*57*	*23*	*9*	*1*	–	–	*4*	
141	*128*	*112*	*111*	*105*	*88*	*63*	*48*	*13*	*6*	*1*	–	*6*	
–	–	–	–	–	–	–	–	–	–	–	–	–	E 934. c
–	–	–	–	–	–	–	–	–	–	–	–	–	
–	–	–	–	–	–	–	–	–	–	–	–	–	
2	1	1	1	–	3	–	–	–	–	–	–	–	E 935
2	1	1	1	–	1	–	–	–	–	–	–	–	
–	–	–	–	–	2	–	–	–	–	–	–	–	
8	8	7	7	14	11	12	5	2	2	–	–	–	E 936
6	7	7	5	9	6	9	1	2	–	–	–	–	
2	1	–	2	5	5	3	4	1	–	–	–	–	

1) Since the total of male and female includes 27 cases of "sex unknown", the components do not equal the total.

付録 第6表 日本における外国人の死因
APPENDIX 6 CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
1. 死亡者数，性・死因（簡単分類）・国籍別
1. DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	朝鮮 Korea	中華民国 The Republic of China	米国 U. S. A.	その他の外国 Other foreign countries
	総数 男 M.	4 364	4 028	200	67	69
	女 F.	3 060	2 830	138	42	50
		1 304	1 198	62	25	19
B 1	呼吸器系の結核 男 M.	328	313	11	1	3
	女 F.	269	261	6	–	2
		59	52	5	1	1
B 2	その他の結核 男 M.	49	47	1	1	–
	女 F.	29	29	–	–	–
		20	18	1	1	–
B 3	梅毒およびその続発症 男 M.	30	28	1	1	–
	女 F.	28	26	1	1	–
		2	2	–	–	–
B 4	腸チフス 男 M.	1	1	–	–	–
	女 F.	1	1	–	–	–
		–	–	–	–	–
B 5	コレラ 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 6	赤痢 男 M.	19	19	–	–	–
	女 F.	7	7	–	–	–
		12	12	–	–	–
B 6. a	細菌性赤痢(疫痢症状を呈するもの) 男 M.	*15*	*15*	–	–	–
	女 F.	*6*	*6*	–	–	–
		9	*9*	–	–	–
B 6. b	細菌性赤痢(その他) 男 M.	*4*	*4*	–	–	–
	女 F.	*1*	*1*	–	–	–
		3	*3*	–	–	–
B 6. c	アメーバ症 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 6. d	その他の原虫性および詳細不明の赤痢 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 7	猩紅熱およびレンサ球菌性口峡炎 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B. a	猩紅熱 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B. b	レンサ球菌性口峡炎 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 8	ジフテリア 男 M.	8	7	1	–	–
	女 F.	4	4	–	–	–
		4	3	1	–	–
B 9	百日咳 男 M.	5	5	–	–	–
	女 F.	1	1	–	–	–
		4	4	–	–	–
B 10	髄膜炎菌感染 男 M.	1	1	–	–	–
	女 F.	1	1	–	–	–
		–	–	–	–	–
B 11	ペスト 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 12	急性灰白髄炎 男 M.	1	1	–	–	–
	女 F.	–	–	–	–	–
		1	1	–	–	–
B 13	痘瘡 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 14	麻疹 男 M.	24	22	1	1	–
	女 F.	10	8	1	1	–
		14	14	–	–	–
B 15	発疹チフスおよびその他のリケッチア病 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 15. a	シラミ媒介の流行性発疹チフス 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 15. b	蕁虫病およびその他のコダニ媒介の発疹チフス様疾患 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 15. c	その他 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 16	マラリア 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 17	伝染性および寄生性として分類されたその他の疾患 男 M.	29	29	–	–	–
	女 F.	18	18	–	–	–
		11	11	–	–	–
B 17. a	パラチフス 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 17. b	撮 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 17. c	破傷風 男 M.	*5*	*5*	–	–	–
	女 F.	*5*	*5*	–	–	–
		–	–	–	–	–
B 17. d	炭疽 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–
B 17. e	回帰熱 男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
		–	–	–	–	–

付録 第6表 日本における外国人の死因
APPENDIX 6 CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
1. 死亡者数，性・死因（簡単分類）・国籍別
1. DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY

昭和34年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	朝鮮 Korea	中華民国 The Republic of China	米国 U. S. A.	その他の外国 Other foreign countries
B 17. f	日本脳炎	6	6	–	–	–
	男 M.	4	4	–	–	–
	女 F.	2	2	–	–	–
B 17. g	黄熱	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. h	狂犬病	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. i	伝染性下痢症	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. j	日本住血吸虫症	1	1	–	–	–
	男 M.	–	–	–	–	–
	女 F.	1	1	–	–	–
B 17. k	糸状虫症	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. l	その他の伝染性および寄生性として分類された疾患	17	17	–	–	–
	男 M.	9	9	–	–	–
	女 F.	8	8	–	–	–
B 18	悪性新生物（リンパ組織および造血組織の新生物を含む）	595	540	33	9	13
	男 M.	441	407	18	6	10
	女 F.	154	133	15	3	3
B 18. a	胃の悪性新生物	219	210	4	2	3
	男 M.	180	175	1	1	3
	女 F.	39	35	3	1	–
B 18. b	気管，気管支および肺の悪性新生物	42	37	2	1	2
	男 M.	36	34	–	–	2
	女 F.	6	3	2	1	–
B 18. c	乳房の悪性新生物	5	1	3	–	1
	男 M.	–	–	–	–	–
	女 F.	5	1	3	–	1
B 18. d	子宮の悪性新生物	32	28	4	–	–
	男 M.	–	–	–	–	–
	女 F.	32	28	4	–	–
B 18. e	白血病および無白血病	31	26	3	2	–
	男 M.	24	20	3	1	–
	女 F.	7	6	–	1	–
B 18. f	その他	266	238	17	4	7
	男 M.	201	178	14	4	5
	女 F.	65	60	3	–	2
B 19	良性および性質不詳の新生物	24	20	3	–	1
	男 M.	12	9	2	–	1
	女 F.	12	11	1	–	–
B 20	糖尿病	16	15	–	1	–
	男 M.	12	11	–	1	–
	女 F.	4	4	–	–	–
B 21	貧血	10	10	–	–	–
	男 M.	3	3	–	–	–
	女 F.	7	7	–	–	–
B 22	中枢神経系の血管損傷	544	502	27	8	7
	男 M.	393	365	19	3	6
	女 F.	151	137	8	5	1
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	15	11	4	–	–
	男 M.	10	7	3	–	–
	女 F.	5	4	1	–	–
B 24	リューマチ熱	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 25	慢性リューマチ性心臓疾患	22	18	3	–	1
	男 M.	11	9	2	–	–
	女 F.	11	9	1	–	1
B 26	動脈硬化性および変性性心臓疾患	184	157	6	9	12
	男 M.	118	100	3	7	8
	女 F.	66	57	3	2	4
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	68	50	1	9	8
	男 M.	52	39	–	7	6
	女 F.	16	11	1	2	2
B 26. b	リューマチ性と明示されない慢性心内膜炎	58	55	1	–	2
	男 M.	27	26	1	–	–
	女 F.	31	29	–	–	2
B 26. c	その他の心筋変性	58	52	4	–	2
	男 M.	39	35	2	–	2
	女 F.	19	17	2	–	–
B 27	その他の心臓疾患	70	66	3	1	–
	男 M.	41	39	1	1	–
	女 F.	29	27	2	–	–
B 28	高血圧性心臓疾患	15	13	2	–	–
	男 M.	12	10	2	–	–
	女 F.	3	3	–	–	–
B 29	その他の高血圧性疾患	24	22	1	1	–
	男 M.	14	12	1	1	–
	女 F.	10	10	–	–	–
B 30	インフルエンザ	7	5	1	–	1
	男 M.	5	3	1	–	1
	女 F.	2	2	–	–	–
B 31	肺炎（新生児肺炎を除く）	186	178	7	1	–
	男 M.	104	99	4	1	–
	女 F.	82	79	3	–	–
B 32	気管支炎	21	20	–	1	–
	男 M.	14	13	–	1	–
	女 F.	7	7	–	–	–
B 33	胃および十二指腸の潰瘍	71	68	1	1	1
	男 M.	61	59	1	–	1
	女 F.	10	9	–	1	–

付録 第6表 日本における外国人の死因
APPENDIX 6 CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
1. 死亡者数，性・死因（簡単分類）・国籍別
1. DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY

昭和 34 年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	朝鮮 Korea	中華民国 The Republic of China	米国 U. S. A.	その他の外国 Other foreign countries
B 34	虫垂炎	7	7	–	–	–
	男 M.	5	5	–	–	–
	女 F.	2	2	–		
B 35	腸閉塞およびヘルニア	32	27	1	3	1
	男 M.	21	17	1	2	1
	女 F.	11	10	–	1	–
B 36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	75	68	5	1	1
	男 M.	41	38	2	1	–
	女 F.	34	30	3	–	1
B 36. a	胃炎および十二指腸炎	*7*	*7*	–	–	–
	男 M.	*6*	*6*	–	–	–
	女 F.	*1*	*1*			
B 36. b	胃腸炎，腸炎および大腸炎	*68*	*61*	*5*	*1*	*1*
	男 M.	*35*	*32*	*2*	*1*	–
	女 F.	*33*	*29*	*3*	–	*1*
B 37	肝硬変	199	188	9	1	1
	男 M.	171	162	8	1	–
	女 F.	28	26	1	–	1
B 38	腎炎およびネフローゼ	86	79	5	–	2
	男 M.	48	44	3	–	1
	女 F.	38	35	2	–	1
B 38. a	急性腎炎およびネフローゼ	*25*	*22*	*2*	–	*1*
	男 M.	*13*	*10*	*2*	–	*1*
	女 F.	*12*	*12*	–	–	–
B 38. b	その他	*61*	*57*	*3*	–	*1*
	男 M.	*35*	*34*	*1*	–	–
	女 F.	*26*	*23*	*2*	–	*1*
B 39	前立腺肥大症	1	1	–	–	–
	男 M.	1	1	–	–	–
	女 F.	•	•	•	•	•
B 40	妊娠，分娩および産褥の合併症	15	14	1	–	–
	男 M.	•	•	•	•	•
	女 F.	15	14	1	–	–
B 41	先天奇形	27	24	2	–	1
	男 M.	14	11	2	–	1
	女 F.	13	13	–	–	–
B 42	出生時の損傷，分娩後窒息および肺不全拡張	19	14	2	1	2
	男 M.	14	9	2	1	2
	女 F.	5	5	–	–	–
B 43	新生児の感染	55	53	1	1	–
	男 M.	35	34	1	–	–
	女 F.	20	19	–	1	–
B 43. a	新生児肺炎	*48*	*46*	*1*	*1*	–
	男 M.	*29*	*28*	*1*	–	–
	女 F.	*19*	*18*	–	*1*	–
B 43. b	新生児下痢	*3*	*3*	–	–	–
	男 M.	*2*	*2*	–	–	–
	女 F.	*1*	*1*	–	–	–
B 43. c	その他の新生児の感染	*4*	*4*	–	–	–
	男 M.	*4*	*4*	–	–	–
	女 F.	–	–	–	–	–
B 44	その他の新生児固有の疾患および性質不明の未熟児	94	79	9	5	1
	男 M.	42	37	5	–	–
	女 F.	52	42	4	5	1
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	186	164	14	3	5
	男 M.	113	95	11	2	5
	女 F.	*73*	69	3	1	–
B 45. a	精神病の記載のない老衰	*73*	*67*	5	–	*1*
	男 M.	*32*	*28*	*3*	–	*1*
	女 F.	*41*	*39*	*2*	–	–
B 45. b	その他の診断名不明確および不明の原因	*113*	*97*	*9*	*3*	*4*
	男 M.	*81*	*67*	*8*	*2*	*4*
	女 F.	*32*	*30*	*1*	*1*	–
B 46	その他のすべての疾患	295	266	18	5	6
	男 M.	226	205	14	3	4
	女 F.	69	61	4	2	2
B 46. a	その他の循環器系の疾患（先天性を除く）	*9*	*8*	–	–	*1*
	男 M.	*7*	*6*	–	–	*1*
	女 F.	*2*	*2*	–	–	–
B 46. b	その他のすべての疾患	*286*	*258*	*18*	*5*	*5*
	男 M.	*219*	*199*	*14*	*3*	*3*
	女 F.	*67*	*59*	*4*	*2*	*2*
"E"	**不慮事故，中毒および暴力の二重分類（外因）**	**974**	**926**	**27**	**11**	**10**
	男 M.	**710**	**670**	**24**	**9**	**7**
	女 F.	**264**	**256**	**3**	**2**	**3**
BE 47	自動車事故	191	185	3	2	1
	男 M.	160	156	3	1	–
	女 F.	31	29	–	1	1
BE 48	その他の不慮の事故	468	447	8	5	8
	男 M.	325	307	7	5	6
	女 F.	143	140	1	–	2
BE 48. a	自動車以外の交通事故	*75*	*67*	*2*	–	*6*
	男 M.	*57*	*49*	*2*	–	*6*
	女 F.	*18*	*18*	–	–	–
BE 48. b	不慮の墜落	*49*	*47*	–	*1*	*1*
	男 M.	*42*	*41*	–	*1*	–
	女 F.	*7*	*6*	–	–	*1*
BE 48. c	不慮の溺死および溺水	*81*	*79*	*2*	–	–
	男 M.	*60*	*59*	*1*	–	–
	女 F.	*21*	*20*	*1*	–	–
BE 48. d	天災	*120*	*120*	–	–	–
	男 M.	*53*	*53*	–	–	–
	女 F.	*67*	*67*	–	–	–
BE 48. e	その他	*143*	*134*	*4*	*4*	*1*
	男 M.	*113*	*105*	*4*	*4*	–
	女 F.	*30*	*29*	–	–	*1*

付録 第6表　日本における外国人の死因

APPENDIX 6　CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN

1. 死亡者数，性・死因（簡単分類）・国籍別

1. DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY　昭和34年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	朝鮮 Korea	中華民国 The Republic of China	米国 U. S. A.	その他の外国 Other foreign countries
BE 49	自殺および自傷	235	221	11	2	1
	男 M.	158	147	9	1	1
	女 F.	77	74	2	1	–
BE 50	他殺および戦争行為	80	73	5	2	–
	男 M.	67	60	5	2	–
	女 F.	13	13	–	–	–
BE 50. a	他殺	*80*	*73*	*5*	*2*	–
	男 M.	*67*	*60*	*5*	*2*	–
	女 F.	*13*	*13*	–	–	–
BE 50. b	処刑および戦争行為	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
"N"	**不慮の事故，中毒および暴力の二重分類（傷害の性質）**	**974**	**926**	**27**	**11**	**10**
	男 M.	**710**	**670**	**24**	**9**	**7**
	女 F.	**264**	**256**	**3**	**2**	**3**
BN 47	骨折，頭部損傷および内部損傷	398	379	10	5	4
	男 M.	341	326	10	4	1
	女 F.	57	53	–	1	3
BN 47. a	頭蓋骨折	*197*	*188*	*5*	*2*	*2*
	男 M.	*166*	*158*	*5*	*2*	*1*
	女 F.	*31*	*30*	–	–	*1*
BN 47. b	その他の骨の骨折	*50*	*49*	–	–	*1*
	男 M.	*39*	*39*	–	–	–
	女 F.	*11*	*10*	–	–	*1*
BN 47. c	頭部の損傷（骨折を除く）	*80*	*76*	–	*3*	*1*
	男 M.	*69*	*67*	–	*2*	–
	女 F.	*11*	*9*	–	*1*	*1*
BN 47. d	胸，腹，骨盤腔の内部損傷	*71*	*66*	*5*	–	–
	男 M.	*67*	*62*	*5*	–	–
	女 F.	*4*	*4*	–	–	–
BN 48	熱傷	21	20	1	–	–
	男 M.	14	13	1	–	–
	女 F.	7	7	–	–	–
BN 49	毒物の作用	173	158	8	4	3
	男 M.	105	92	6	4	3
	女 F.	68	66	2	–	–
BN 50	その他の損傷	382	369	8	2	3
	男 M.	250	239	7	1	3
	女 F.	132	130	1	1	–
BN 50. a	裂傷および開放創	*62*	*59*	*1*	*1*	*1*
	男 M.	*50*	*48*	*1*	–	*1*
	女 F.	*12*	*11*	–	*1*	–
BN 50. b	溺死および死にいたらない溺水	*225*	*222*	*2*	–	*1*
	男 M.	*127*	*125*	*1*	–	*1*
	女 F.	*98*	*97*	*1*	–	–
BN 50. c	窒息および絞首	*55*	*51*	*3*	*1*	–
	男 M.	*40*	*36*	*3*	*1*	–
	女 F.	*15*	*15*	–	–	–
BN 50. d	その他	*40*	*37*	*2*	–	*1*
	男 M.	*33*	*30*	*2*	–	*1*
	女 F.	*7*	*7*	–	–	–

付録 第6表　日本における外国人の死因

APPENDIX 6　CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN

2. 乳児（1才未満）死亡者数，性・死因（簡単分類）・国籍別

2. INFANT DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY　昭和34年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	朝鮮 Korea	中華民国 The Republic of China	米国 U. S. A.	その他の外国 Other foreign countries
	総数	**408**	**376**	**19**	**9**	**4**
	男 M.	**224**	**204**	**14**	**3**	**3**
	女 F.	**184**	**172**	**5**	**6**	**1**
B 1	呼吸器系の結核	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 2	その他の結核	5	5	–	–	–
	男 M.	3	3	–	–	–
	女 F.	2	2	–	–	–
B 3	梅毒およびその続発症	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 4	腸チフス	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 5	コレラ	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 6	赤痢	4	4	–	–	–
	男 M.	3	3	–	–	–
	女 F.	1	1	–	–	–
B 6. a	細菌性赤痢（疫痢症状を呈するもの）	*3*	*3*	–	–	–
	男 M.	*2*	*2*	–	–	–
	女 F.	*1*	*1*	–	–	–
B 6. b	細菌性赤痢（その他）	*1*	*1*	–	–	–
	男 M.	*1*	*1*	–	–	–
	女 F.	–	–	–	–	–
B 6. c	アメーバ症	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 6. d	その他の原虫性および詳細不明の赤痢	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 7	猩紅熱およびレンサ球菌性口峡炎	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 7. a	猩紅熱	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 7. b	レンサ球菌性口峡炎	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 8	ジフテリア	1	1	–	–	–
	男 M.	1	1	–	–	–
	女 F.	–	–	–	–	–
B 9	百日咳	1	1	–	–	–
	男 M.	1	1	–	–	–
	女 F.	–	–	–	–	–

付録 第6表　日本における外国人の死因
APPENDIX 6　CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
2. 乳児（1才未満）死亡者数，性・死因（簡単分類）・国籍別
2. INFANT DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY

昭和34年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	朝鮮 Korea	中華民国 The Republic of China	米国 U. S. A.	その他の外国 Other foreign countries
B 10	髄膜炎菌感染	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 11	ペスト	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 12	急性灰白髄炎	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 13	痘瘡	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 14	麻疹	8	8	–	–	–
	男 M.	4	4	–	–	–
	女 F.	4	4	–	–	–
B 15	発疹チフスおよびその他のリケッチア病	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 15. a	シラミ媒介の流行性発疹チフス	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 15. c	その他	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 16	マラリア	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17	伝染性および寄生性として分類されたその他の疾患	3	3	–	–	–
	男 M.	3	3	–	–	–
	女 F.	–	–	–	–	–
B 17. a	パラチフス	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. b	癩	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. c	破傷風	*3*	*3*	–	–	–
	男 M.	*3*	*3*	–	–	–
	女 F.	–	–	–	–	–
B 17. d	炭疽	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. e	回帰熱	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. f	日本脳炎	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. g	黄熱	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. h	狂犬病	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. i	伝染性下痢症	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. j	日本住血吸虫症	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. k	糸状虫症	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 17. l	その他の伝染性および寄生性として分類された疾患	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 18	悪性新生物（リンパ組織および造血組織の新生物を含む）	2	1	1	–	–
	男 M.	2	1	1	–	–
	女 F.	–	–	–	–	–
B 18. a	胃の悪性新生物	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 18. b	気管，気管支および肺の悪性新生物	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 18. c	乳房の悪性新生物	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 18. d	子宮の悪性新生物	–	–	–	–	–
	男 M.	•	•	•	•	•
	女 F.	–	–	–	–	–
B 18. e	白血病および無白血病	*1*	–	*1*	–	–
	男 M.	*1*	–	*1*	–	–
	女 F.	–	–	–	–	–
B 18. f	その他	*1*	*1*	–	–	–
	男 M.	*1*	*1*	–	–	–
	女 F.	–	–	–	–	–
B 19	良性および性質不詳の新生物	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 20	糖尿病	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–

付録 第6表 日本における外国人の死因
APPENDIX 6 CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
2. 乳児(1才未満)死亡者数, 性・死因(簡単分類)・国籍別
2. INFANT DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	総数 Total	朝鮮 Korea	中華民国 The Republic of China	米国 U. S. A.	その他の外国 Other foreign countries
B 21	貧血	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 22	中枢神経系の血管損傷	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 23	髄膜炎(髄膜炎菌性および結核性を除く)	3	3	–	–	–
	男 M.	2	2	–	–	–
	女 F.	1	1	–	–	–
B 24	リューマチ熱	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 25	慢性リューマチ性心臓疾患	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 26	動脈硬化性および変性性心臓疾患	2	2	–	–	–
	男 M.	2	2	–	–	–
	女 F.	–	–	–	–	–
B 26. a	動脈硬化性心臓疾患(冠状動脈疾患を含む)	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 26. b	リューマチ性と明示されない慢性心内膜炎	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 26. c	その他の心筋変性	*2*	*2*	–	–	–
	男 M.	*2*	*2*	–	–	–
	女 F.	–	–	–	–	–
B 27	その他の心臓疾患	1	1	–	–	–
	男 M.	–	–	–	–	–
	女 F.	1	1	–	–	–
B 28	高血圧性心臓疾患	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 29	その他の高血圧性疾患	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 30	インフルエンザ	4	4	–	–	–
	男 M.	3	3	–	–	–
	女 F.	1	1	–	–	–
B 31	肺炎(新生児肺炎を除く)	98	96	2	–	–
	男 M.	49	48	1	–	–
	女 F.	49	48	1	–	–
B 32	気管支炎	6	6	–	–	–
	男 M.	3	3	–	–	–
	女 F.	3	3	–	–	–
B 33	胃および十二指腸の潰瘍	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 34	虫垂炎	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 35	腸閉塞およびヘルニア	9	8	–	1	–
	男 M.	6	5	–	1	–
	女 F.	3	3	–	–	–
B 36	胃炎, 十二指腸炎, 腸炎および大腸炎(新生児下痢を除く)	31	29	1	1	–
	男 M.	15	13	1	1	–
	女 F.	16	16	–	–	–
B 36. a	胃腸および十二指腸炎	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 36. b	胃腸炎, 腸炎および大腸炎	*31*	*29*	*1*	*1*	–
	男 M.	*15*	*13*	*1*	*1*	–
	女 F.	*16*	*16*	–	–	–
B 37	肝硬変	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 38	腎炎およびネフローゼ	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 38. a	急性腎炎およびネフローゼ	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 38. b	その他	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 39	前立腺肥大症	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	•	•	•	•	•
B 40	妊娠, 分娩および産褥の合併症	–	–	–	–	–
	男 M.	•	•	•	•	•
	女 F.	–	–	–	–	–
B 41	先天奇形	18	17	1	–	–
	男 M.	10	9	1	–	–
	女 F.	8	8	–	–	–
B 42	出生時の損傷, 分娩後窒息および肺不全拡張	19	14	2	1	2
	男 M.	14	9	2	1	2
	女 F.	5	5	–	–	–
B 43	新生児の感染	55	53	1	1	–
	男 M.	35	34	1	–	–
	女 F.	20	19	–	1	–
B 43. a	新生児肺炎	*48*	*46*	*1*	*1*	–
	男 M.	*29*	*28*	*1*	–	–
	女 F.	*19*	*18*	–	*1*	–
B 43. b	新生児下痢	*3*	*3*	–	–	–
	男 M.	*2*	*2*	–	–	–
	女 F.	*1*	*1*	–	–	–

付録 第6表 日本における外国人の死因
APPENDIX 6 CAUSES OF DEATHS FOR FOREIGNERS IN JAPAN
2. 乳児（1才未満）死亡者数，性・死因（簡単分類）・国籍別
2. INFANT DEATHS BY SEX, CAUSE (ABBREVIATED LIST) AND NATIONALITY

昭和 34 年
1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	総数 Total	朝鮮 Korea	中華民国 The Republic of China	米国 U. S. A	その他の外国 Other foreign countries
B 43. c	その他の新生児の感染	4	4	–	–	–
	男 M.	4	4	–	–	–
	女 F.	–	–	–	–	–
B 44	その他の新生児固有の疾患および性質不明の未熟児	94	79	9	5	1
	男 M.	42	37	5	–	–
	女 F.	52	42	4	5	1
B 45	精神病の記載のない老衰ならびに診断不明確および不明の原因	8	8	–	–	–
	男 M.	4	4	–	–	–
	女 F.	4	4	–	–	–
B 45. a	精神病の記載のない老衰	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 45. b	その他の診断名不明確および不明の原因	8	8	–	–	–
	男 M.	4	4	–	–	–
	女 F.	4	4	–	–	–
B 46	その他のすべての疾患	19	17	1	–	1
	男 M.	14	12	1	–	1
	女 F.	5	5	–	–	–
B 46. a	その他の循環器系の疾患（先天性を除く）	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
B 46. b	その他のすべての疾患	19	17	1	–	1
	男 M.	14	12	1	–	1
	女 F.	5	5	–	–	–
"E"	**不慮の事故，中毒および暴力の二重分類（外因）**	17	16	1	–	–
	男 M.	8	7	1	–	–
	女 F.	9	9	–	–	–
BE 47	自動車事故	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BE 48	その他の不慮の事故	17	16	1	–	–
	男 M.	8	7	1	–	–
	女 F.	9	9	–	–	–
BE 48. a	自動車以外の交通事故	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BE 48. b	不慮の墜落	1	1	–	–	–
	男 M.	–	–	–	–	–
	女 F.	1	1	–	–	–
BE 48. c	不慮の溺死および溺水	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BE 48. d	天災	2	2	–	–	–
	男 M.	–	–	–	–	–
	女 F.	2	2	–	–	–
BE 48. e	その他	14	13	1	–	–
	男 M.	8	7	1	–	–
	女 F.	6	6	–	–	–
BE 49	自殺および自傷	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BE 50	他殺および戦争行為	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BE 50. a	他殺	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BE 50. b	処刑および戦争行為	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
"N"	**不慮の事故，中毒および暴力の二重分類（傷害の性質）**	17	15	1	–	–
	男 M.	8	7	1	–	–
	女 F.	9	9	–	–	–
BN 47	骨折，頭部損傷および内部損傷	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BN 47. a	頭蓋骨折	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BN 47. b	その他の骨の骨折	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BN 47. c	頭部の損傷（骨折を除く）	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BN 47. d	胸，腹，骨盤腔の内部損傷	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BN 48	熱傷	2	2	–	–	–
	男 M.	2	2	–	–	–
	女 F.	–	–	–	–	–
BN 49	毒物の作用	2	2	–	–	–
	男 M.	1	1	–	–	–
	女 F.	1	1	–	–	–
BN 50	その他の損傷	13	12	1	–	–
	男 M.	5	4	1	–	–
	女 F.	8	8	–	–	–
BN 50. a	裂傷および開放創	–	–	–	–	–
	男 M.	–	–	–	–	–
	女 F.	–	–	–	–	–
BN 50. b	溺死および死にいたらない溺水	2	2	–	–	–
	男 M.	–	–	–	–	–
	女 F.	2	2	–	–	–
BN 50. c	窒息および絞首	6	6	–	–	–
	男 M.	3	3	–	–	–
	女 F.	3	3	–	–	–
BN 50. d	その他	5	4	1	–	–
	男 M.	2	1	1	–	–
	女 F.	3	3	–	–	–

付 録 第7表 外国における日本人の死因
APPENDIX 7 CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES
1. 死亡者数，性・死因（簡単分類）別
1. DEATHS BY SEX AND CAUSES (ABBREVIATED LIST)

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	死亡者数 Infant deaths
	総数 男 M.	1 441
	女 F.	1 096
		345
B 1	呼吸器系の結核 男 M.	13
	女 F.	7
		6
B 2	その他の結核 男 M.	–
	女 F.	–
		–
B 3	梅毒およびその続発症 男 M.	1
	女 F.	1
		–
B 4	腸チフス 男 M.	–
	女 F.	–
		–
B 5	コレラ 男 M.	–
	女 F.	–
		–
B 6	赤痢 男 M.	–
	女 F.	–
		–
B 6. a	細菌性赤痢（疫痢症状を呈するもの） 男 M.	–
	女 F.	–
		–
B 6. b	細菌性赤痢（その他） 男 M.	–
	女 F.	–
		–
B 6. c	アメーバ症 男 M.	–
	女 F.	–
		–
B 6. d	その他の原虫性および詳細不明の赤痢 男 M.	–
	女 F.	–
		–
B 7	猩紅熱およびレンサ球菌性口峡炎 男 M.	–
	女 F.	–
		–
B 7. a	猩紅熱 男 M.	–
	女 F.	–
		–
B 7. b	レンサ球菌性口峡炎 男 M.	–
	女 F.	–
		–
B 8	ジフテリア 男 M.	–
	女 F.	–
		–
B 9	百日咳 男 M.	–
	女 F.	–
		–
B 10	髄膜炎菌感染 男 M.	–
	女 F.	–
		–
B 11	ペスト 男 M.	–
	女 F.	–
		–
B 12	急性灰白髄炎 男 M.	–
	女 F.	–
		–
B 13	痘瘡 男 M.	–
	女 F.	–
		–
B 14	麻疹 男 M.	3
	女 F.	1
		2
B 15	発疹チフスおよびその他のリケッチア病 男 M.	–
	女 F.	–
		–
B 15. a	シラミ媒介の流行性発疹チフス 男 M.	–
	女 F.	–
		–
B 15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患 男 M.	–
	女 F.	–
		–
B 15. c	その他 男 M.	–
	女 F.	–
		–
B 16	マラリア 男 M.	1
	女 F.	1
		–
B 17	伝染性および寄生性として分類されたその他の疾患 男 M.	5
	女 F.	3
		2
B 17. a	パラチフス 男 M.	–
	女 F.	–
		–
B 17. b	癩 男 M.	–
	女 F.	–
		–
B 17. c	破傷風 男 M.	1
	女 F.	1
		–
B 17. d	炭疽 男 M.	–
	女 F.	–
		–
B 17. e	回帰熱 男 M.	–
	女 F.	–
		–
B 17. f	日本脳炎 男 M.	–
	女 F.	–
		–
B 17. g	黄熱 男 M.	–
	女 F.	–
		–
B 17. h	狂犬病 男 M.	–
	女 F.	–
		–
B 17. i	伝染性下痢症 男 M.	–
	女 F.	–
		–
B 17. j	日本住血吸虫症 男 M.	–
	女 F.	–
		–
B 17. k	糸状虫症 男 M.	–
	女 F.	–
		–
B 17. l	その他の伝染性および寄生性として分類された疾患 男 M.	4
	女 F.	2
		2
B 18	悪性新生物（リンパ組織および造血組織の新生物を含む） 男 M.	93
	女 F.	64
		29
B 18. a	胃の悪性新生物 男 M.	36
	女 F.	25
		11
B 18. b	気管，気管支および肺の悪性新生物 男 M.	9
	女 F.	7
		2
B 18. c	乳房の悪性新生物 男 M.	–
	女 F.	–
		–
B 18. d	子宮の悪性新生物 男 M.	6
	女 F.	6
B 18. e	白血病および無白血病 男 M.	1
	女 F.	1
		–
B 18. f	その他 男 M.	41
	女 F.	31
		10
B 19	良性および性質不詳の新生物 男 M.	3
	女 F.	3
		–
B 20	糖尿病 男 M.	4
	女 F.	3
		1
B 21	貧血 男 M.	2
	女 F.	–
		2
B 22	中枢神経系の血管損傷 男 M.	77
	女 F.	43
		34
B 23	髄膜炎（髄膜炎菌性および結核性を除く） 男 M.	3
	女 F.	3
		–
B 24	リューマチ熱 男 M.	–
	女 F.	–
		–
B 25	慢性リューマチ性心臓疾患 男 M.	–
	女 F.	–
		–
B 26	動脈硬化性および変性性心臓疾患 男 M.	36
	女 F.	28
		8
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む） 男 M.	24
	女 F.	19
		5
B 26. b	リューマチ性と明示されない慢性心内膜炎 男 M.	3
	女 F.	2
		1
B 26. c	その他の心筋変性 男 M.	9
	女 F.	7
		2
B 27	その他の心臓疾患 男 M.	13
	女 F.	8
		5
B 28	高血圧性心臓疾患 男 M.	3
	女 F.	1
		2
B 29	その他の高血圧性疾患 男 M.	3
	女 F.	–
		3
B 30	インフルエンザ 男 M.	–
	女 F.	–
		–
B 31	肺炎（新生児肺炎を除く） 男 M.	26
	女 F.	22
		4
B 32	気管支炎 男 M.	5
	女 F.	2
		3
B 33	胃および十二指腸の潰瘍 男 M.	8
	女 F.	8
		–

付 録 第7表 外国における日本人の死因
APPENDIX 7 CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES

1. 死亡者数，性・死因（簡単分類）別
1. DEATHS BY SEX AND CAUSES (ABBREVIATED LIST)

昭和34年 1959

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	死亡者数 Infant deaths
B 34	虫垂炎	3
	男 M.	3
	女 F.	–
B 35	腸閉塞およびヘルニア	2
	男 M.	2
	女 F.	–
B 36	胃炎，十二指腸炎，腸炎および大腸炎（新生児下痢を除く）	8
	男 M.	5
	女 F.	3
B 36. a	胃炎および十二指腸炎	*4*
	男 M.	*2*
	女 F.	*2*
B 36. b	胃腸炎，腸炎および大腸炎	*4*
	男 M.	*3*
	女 F.	*1*
B 37	肝硬変	2
	男 M.	1
	女 F.	1
B 38	腎炎およびネフローゼ	8
	男 M.	6
	女 F.	2
B 38. a	急性腎炎およびネフローゼ	*2*
	男 M.	*2*
	女 F.	–
B 38. b	その他	*6*
	男 M.	*4*
	女 F.	*2*
B 39	前立腺肥大症	–
	男 M.	–
	女 F.	–
B 40	妊娠，分娩および産褥の合併症	1
	男 M.	–
	女 F.	1
B 41	先天奇形	–
	男 M.	–
	女 F.	–
B 42	出生時の損傷，分娩後窒息および肺不全拡張	–
	男 M.	–
	女 F.	–
B 43	新生児の感染	–
	男 M.	–
	女 F.	–
B 43. a	新生児肺炎	–
	男 M.	–
	女 F.	–
B 43. b	新生児下痢	–
	男 M.	–
	女 F.	–
B 43. c	その他の新生児の感染	–
	男 M.	–
	女 F.	–
B 44	その他の新生児固有の疾患および性質不明の未熟児	1
	男 M.	–
	女 F.	1
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	529
	男 M.	326
	女 F.	203
B 45. a	精神病の記載のない老衰	*26*
	男 M.	*17*
	女 F.	*9*
B 45. b	その他の診断名不明確および不明の原因	*503*
	男 M.	*309*
	女 F.	*194*
B 46	その他のすべての疾患	55
	男 M.	37
	女 F.	18
B 46. a	その他の循環器系の疾患（先天性を除く）	*17*
	男 M.	*14*
	女 F.	*3*
B 46. d	その他のすべての疾患	*38*
	男 M.	*23*
	女 F.	*15*
"E"	不慮の事故，中毒および暴力の二重分類（外因）	533
	男 M.	518
	女 F.	15
BE 47	自動車事故	6
	男 M.	5
	女 F.	1
BE 48	その他の不慮の事故	510
	男 M.	504
	女 F.	6
BE 48. a	自動車以外の交通事故	*487*
	男 M.	*485*
	女 F.	*2*
BE 48. b	不慮の墜落	*1*
	男 M.	*1*
	女 F.	–
BE 48. c	不慮の溺死および溺水	*9*
	男 M.	*7*
	女 F.	*2*
BE 48. d	天災	*2*
	男 M.	*2*
	女 F.	–
BE 48. e	その他	*11*
	男 M.	*9*
	女 F.	*2*
BE 49	自殺および自傷	15
	男 M.	8
	女 F.	7
BE 50	他殺および戦争行為	2
	男 M.	1
	女 F.	1
BE 50. a	他殺	*2*
	男 M.	*1*
	女 F.	*1*
BE 50. b	処刑および戦争行為	–
	男 M.	–
	女 F.	–
"N"	不慮の事故，中毒および暴力の二重分類（傷害の性質）	533
	男 M.	518
	女 F.	15
BN 47	骨折，頭部損傷および内部損傷	37
	男 M.	37
	女 F.	–
BN 47. a	頭蓋骨折	*15*
	男 M.	*15*
	女 F.	–
BN 47. b	その他の骨の骨折	*6*
	男 M.	*6*
	女 F.	–
BN 47. c	頭部の損傷（骨折を除く）	*11*
	男 M.	*11*
	女 F.	–
BN 47. d	胸，腹，骨盤腔の内部損傷	*5*
	男 M.	*5*
	女 F.	–
BN48	熱傷	3
	男 M.	3
	女 F.	–
BN49	毒物の作用	3
	男 M.	2
	女 F.	1
BN50	その他の損傷	490
	男 M.	476
	女 F.	14
BN 50. a	裂傷および開放創	*5*
	男 M.	*5*
	女 F.	–
BN 50. b	溺死および死にいたらない溺水	*467*
	男 M.	*457*
	女 F.	*10*
BN 50. c	窒息および絞首	*5*
	男 M.	*4*
	女 F.	*1*
BN 50. b	その他	*13*
	男 M.	*10*
	女 F.	*3*

付 録 第7表 外国における日本人の死因
APPENDIX 7 CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES

2. 乳児（1才未満）死亡者数，性・死因（簡単分類）別
2. INFANT DEATHS BY SEX AND CAUSES (ABBREVIATED LIST)

国際簡単分類番号 International abbreviated list number	死因，性 Causes of death and sex	乳児死亡者数 Infant deaths
	総数	14
	男 M.	7
	女 F.	7
B 1	呼吸器系の結核	－
	男 M.	－
	女 F.	－
B 2	その他の結核	－
	男 M.	－
	女 F.	－
B 3	梅毒およびその続発症	－
	男 M.	－
	女 F.	－
B 4	腸チフス	－
	男 M.	－
	女 F.	－
B 5	コレラ	－
	男 M.	－
	女 F.	－
B 6	赤痢	－
	男 M.	－
	女 F.	－
B 6. a	細菌性赤痢（疫痢症状を呈するもの）	－
	男 M.	－
	女 F.	－
B 6. b	細菌性赤痢（その他）	－
	男 M.	－
	女 F.	－
B 6. c	アメーバ症	－
	男 M.	－
	女 F.	－
B 6. d	その他の原虫性および詳細不明の赤痢	－
	男 M.	－
	女 F.	－
B 7	猩紅熱およびレンサ球菌性口峡炎	－
	男 M.	－
	女 F.	－
B 7. a	猩紅熱	－
	男 M.	－
	女 F.	－
B 7. b	レンサ球菌性口峡炎	－
	男 M.	－
	女 F.	－
B 8	ジフテリア	－
	男 M.	－
	女 F.	－
B 9	百日咳	－
	男 M.	－
	女 F.	－
B 10	髄膜炎菌感染	－
	男 M.	－
	女 F.	－
B 11	ペスト	－
	男 M.	－
	女 F.	－
B 12	急性灰白髄炎	－
	男 M.	－
	女 F.	－
B 13	痘瘡	－
	男 M.	－
	女 F.	－
B 14	麻疹	－
	男 M.	－
	女 F.	－
B 15	発疹チフスおよびその他のリケッチア病	－
	男 M.	－
	女 F.	－
B 15. a	シラミ媒介の流行性発疹チフス	－
	男 M.	－
	女 F.	－
B 15. b	恙虫病およびその他のコダニ媒介の発疹チフス様疾患	－
	男 M.	－
	女 F.	－
B 15. c	その他	－
	男 M.	－
	女 F.	－
B 16	マラリア	－
	男 M.	－
	女 F.	－
B 17	伝染性および寄生性として分類されたその他の疾患	－
	男 M.	－
	女 F.	－
B 17. a	パラチフス	－
	男 M.	－
	女 F.	－
B 17. b	癩	－
	男 M.	－
	女 F.	－
B 17. c	破傷風	－
	男 M.	－
	女 F.	－
B 17. d	炭疽	－
	男 M.	－
	女 F.	－
B 17. e	回帰熱	－
	男 M.	－
	女 F.	－
B 17. f	日本脳炎	－
	男 M.	－
	女 F.	－
B 17. g	黄熱	－
	男 M.	－
	女 F.	－
B 17. h	狂犬病	－
	男 M.	－
	女 F.	－
B 17. i	伝染性下痢症	－
	男 M.	－
	女 F.	－
B 17. j	日本住血吸虫症	－
	男 M.	－
	女 F.	－
B 17. k	糸状虫症	－
	男 M.	－
	女 F.	－
B 17. l	その他の伝染性および寄生性として分類された疾患	－
	男 M.	－
	女 F.	－
B 18	悪性新生物（リンパ組織および造血組織の新生物を含む）	－
	男 M.	－
	女 F.	－
B 18. a	胃の悪性新生物	－
	男 M.	－
	女 F.	－
B 18. b	気管，気管支および肺の悪性新生物	－
	男 M.	－
	女 F.	－
B 18. c	乳房の悪性新生物	－
	男 M.	－
	女 F.	－
B 18. d	子宮の悪性新生物	－
	男 M.	－
	女 F.	－
B 18. e	白血病および無白血病	－
	男 M.	－
	女 F.	－
B 18. f	その他	－
	男 M.	－
	女 F.	－
B 19	良性および性質不詳の新生物	－
	男 M.	－
	女 F.	－
B 20	糖尿病	－
	男 M.	－
	女 F.	－
B 21	貧血	－
	男 M.	－
	女 F.	－
B 22	中枢神経系の血管損傷	－
	男 M.	－
	女 F.	－
B 23	髄膜炎（髄膜炎菌性および結核性を除く）	－
	男 M.	－
	女 F.	－
B 24	リューマチ熱	－
	男 M.	－
	女 F.	－
B 25	慢性リューマチ性心臓疾患	－
	男 M.	－
	女 F.	－
B 26	動脈硬化性および変性性心臓疾患	－
	男 M.	－
	女 F.	－
B 26. a	動脈硬化性心臓疾患（冠状動脈疾患を含む）	－
	男 M.	－
	女 F.	－
B 26. b	リューマチ性と明示されない慢性心内膜炎	－
	男 M.	－
	女 F.	－
B 26. c	その他の心筋変性	－
	男 M.	－
	女 F.	－
B 27	その他の心臓疾患	－
	男 M.	－
	女 F.	－
B 28	高血圧性心臓疾患	－
	男 M.	－
	女 F.	－
B 29	その他の高血圧性疾患	－
	男 M.	－
	女 F.	－
B 30	インフルエンザ	－
	男 M.	－
	女 F.	－
B 31	肺炎（新生児肺炎を除く）	2
	男 M.	2
	女 F.	－
B 32	気管支炎	3
	男 M.	2
	女 F.	1
B 33	胃および十二指腸の潰瘍	－
	男 M.	－
	女 F.	－

付 録 第7表 外国における日本人の死因
APPENDIX 7 CAUSES OF DEATHS FOR JAPANESE IN FOREIGN COUNTRIES

2. 乳児(1才未満)死亡者数, 性・死因(簡単分類)別 (昭和34年 1959)
2. INFANT DEATHS BY SEX AND CAUSE (ABBREVIATED LIST)

国際簡単分類番号 International abbreviated list number	死因, 性 Causes of death and sex	乳児死亡者数 Infant deaths
B 34	虫垂炎	–
	男 M.	–
	女 F.	–
B 35	腸閉塞およびヘルニア	–
	男 M.	–
	女 F.	–
B 36	胃炎, 十二指腸炎, 腸炎および大腸炎(新生児下痢を除く)	1
	男 M.	1
	女 F.	–
B 36. a	胃炎および十二指腸炎	–
	男 M.	–
	女 F.	–
B 36. b	胃腸炎, 腸炎および大腸炎	*1*
	男 M.	*1*
	女 F.	–
B 37	肝硬変	–
	男 M.	–
	女 F.	–
B 38	腎炎およびネフローゼ	–
	男 M.	–
	女 F.	–
B 38. a	急性腎炎およびネフローゼ	–
	男 M.	–
	女 F.	–
B 38. b	その他	–
	男 M.	–
	女 F.	–
B 39	前立腺肥大症	–
	男 M.	–
	女 F.	·
B 40	妊娠, 分娩および産褥の合併症	–
	男 M.	·
	女 F.	–
B 41	先天奇形	–
	男 M.	–
	女 F.	–
B 42	出生時の損傷, 分娩後窒息および肺不全拡張	–
	男 M.	–
	女 F.	–
B 43	新生児の感染	–
	男 M.	–
	女 F.	–
B 43. a	新生児肺炎	–
	男 M.	–
	女 F.	–
B 43. b	新生児下痢	–
	男 M.	–
	女 F.	–
B 43. c	その他の新生児の感染	–
	男 M.	–
	女 F.	–
B 44	その他の新生児固有の疾患および性質不明の未熟児	1
	男 M.	–
	女 F.	1
B 45	精神病の記載のない老衰ならびに診断名不明確および不明の原因	3
	男 M.	1
	女 F.	2
B 45. a	精神病の記載のない老衰	–
	男 M.	–
	女 F.	–
B 45. b	その他の診断名不明確および不明の原因	*3*
	男 M.	*1*
	女 F.	*2*
B 46	その他のすべての疾患	4
	男 M.	1
	女 F.	3
B 46. a	その他の循環器系の疾患(先天性を除く)	–
	男 M.	–
	女 F.	–
B 46. b	その他のすべての疾患	*4*
	男 M.	*1*
	女 F.	*3*
"E"	不慮の事故, 中毒および暴力の二重分類(外因)	–
	男 M.	–
	女 F.	–
BE 47	自動車事故	–
	男 M.	–
	女 F.	–
BE 48	その他の不慮の事故	–
	男 M.	–
	女 F.	–
BE 48. a	自動車以外の交通事故	–
	男 M.	–
	女 F.	–
BE 48. b	不慮の墜落	–
	男 M.	–
	女 F.	–
BE 48. c	不慮の溺死および溺水	–
	男 M.	–
	女 F.	–
BE 48. d	天災	–
	男 M.	–
	女 F.	–
BE 48. e	その他	–
	男 M.	–
	女 F.	–
BE 49	自殺および自傷	–
	男 M.	–
	女 F.	–
BE 50	他殺および戦争行為	–
	男 M.	–
	女 F.	–
BE 50. a	他殺	–
	男 M.	–
	女 F.	–
BE 50. b	処刑および戦争行為	–
	男 M.	–
	女 F.	–
"N"	不慮の事故, 中毒および暴力の二重分類(傷害の性質)	–
	男 M.	–
	女 F.	–
BN 47	骨折, 頭部損傷および内部損傷	–
	男 M.	–
	女 F.	–
BN 47. a	頭蓋骨折	–
	男 M.	–
	女 F.	–
BN 47. b	その他の骨の骨折	–
	男 M.	–
	女 F.	–
BN 47. c	頭部の損傷(骨折を除く)	–
	男 M.	–
	女 F.	–
BN 47. d	胸, 腹, 骨盤腔の内部損傷	–
	男 M.	–
	女 F.	–
BN 48	熱傷	–
	男 M.	–
	女 F.	–
BN 49	毒物の作用	–
	男 M.	–
	女 F.	–
BN 50	その他の損傷	–
	男 M.	–
	女 F.	–
BN 50. a	裂傷および開放創	–
	男 M.	–
	女 F.	–
BN 50. b	溺死および死にいたらない溺水	–
	男 M.	–
	女 F.	–
BN 50. c	窒息および絞首	–
	男 M.	–
	女 F.	–
BN 50. d	その他	–
	男 M.	–
	女 F.	–

昭和33年　人口動態統計　下巻
VITAL STATISTICS 1958, JAPAN (VOL. 2)

正　誤　表
CORRIGENDA

頁 Page	欄 Column	行 Line	誤 Error	正 Corrected
43(離婚)	夫・5才階級	4	×	空　欄 Blank
43　〃	妻・各才	4	脱　落 Missing	×
74	10	下から 1 1 from bottom	2	12
86	1	下から12 12 from bottom	脱　落 Missing	5
127	5	下から14 14 from bottom	*28*	*23*
132	3	7	—	1
〃	〃	9	—	1
134	3	19	—	1
〃	〃	20	—	1
〃	〃	22	1	—
〃	〃	23	1	—
170	表　側 Side	(E830—E835)	自転車非交通事故	自動車非交通事故
190	表側外 Out Side	下から 6 6 from bottom	N XVIII	N XVII
191	〃	下から 6 6 from bottom	N XVIII	N XVII
196	11	下から 3 3 from bottom	脱　落 Missing	1
〃	〃	下から 2 2 from bottom	〃	1
230	表　側 Side	BN 47.a	頭　骨折	頭蓋骨折
242	2	下から13 13 from bottom	*39*	*93*
244	4	15	1 41	1641
261	15	10	38	83
269	13	下から 5 5 from bottom	*28*	*38*
274	表　側 Side	B4	チフス	腸チフス
390	〃	BE 48.d	災	天災
393	6	25	*15*	*51*
425	4	下から 8 8 from bottom	611	61
431	6	21	84	83

昭和36年3月31日　印刷
昭和36年4月5日　発行

昭　和　34　年

人口動態統計（上下2冊）

下　巻

編集・発行　厚生省大臣官房統計調査部

印　　刷　三秀美術印刷株式会社