

死 亡

〔地域別にみた死因〕

〔Causes of death by prefecture〕

表 5.19 都道府県（13大都市再掲）別にみた死因

Table 5.19 Death rates (per 100,000 population) by causes of death

都道府県 Prefecture	総数 Total	1 ^{a)} コレラ	2 腸チフス	3 細菌性赤痢及び アメーバ症	4 の下痢性疾患 腸炎及びその他	5 呼吸系の結核	6 （後遺症を含まない） その他の結核	7 ら い	8 ジフテリア	9 百日咳
全 国 Total	709.7	—	—	0.0	0.6	2.5	0.2	0.0	0.0	0.0
a) 北海道	705.2	—	—	—	0.5	1.9	0.2	—	—	—
01 青森	832.3	—	—	—	1.0	2.5	0.2	—	—	—
02 岩手	834.5	—	—	—	0.7	2.3	0.1	—	—	—
03 宮城	658.5	—	—	—	0.7	1.5	0.1	—	—	—
04 秋田	889.5	—	—	—	1.7	2.8	0.1	—	—	—
05 山形	877.1	—	—	—	0.7	0.8	0.1	—	—	—
06 福島	797.8	—	—	—	0.6	2.6	0.2	—	—	0.0
07 茨城	700.5	—	—	—	0.7	1.7	0.0	—	—	—
08 栃木	746.5	—	—	—	0.5	1.9	0.1	—	—	0.1
09 群馬	736.2	—	—	—	0.6	2.0	0.1	—	—	—
10 埼玉	526.1	—	—	—	0.3	1.6	0.1	—	—	—
11 千葉	562.4	—	—	—	0.5	1.6	0.1	—	—	—
12 東京	643.4	—	—	0.0	0.4	3.0	0.3	—	—	—
13 神奈川	541.0	—	—	—	0.4	1.9	0.2	—	—	—
14 新潟	817.0	—	—	—	0.9	1.3	0.2	—	—	—
15 富山	818.7	—	—	—	0.5	1.4	0.2	—	—	—
16 石川	763.6	—	—	—	1.0	1.4	0.3	—	—	—
17 福井	803.5	—	—	—	1.0	2.9	0.4	—	—	—
18 山梨	812.2	—	—	—	0.6	1.6	0.1	—	—	—
19 長野	813.3	—	—	—	0.6	1.6	0.1	—	—	—
20 岐阜	715.6	—	—	—	0.5	4.0	0.0	—	—	—
21 静岡	680.4	—	—	—	0.5	1.8	0.2	—	—	—
22 愛知	603.8	—	—	—	0.4	2.7	0.2	—	—	—
23 三重	786.4	—	—	—	0.6	2.2	—	—	—	—
24 滋賀	695.6	—	—	0.1	1.0	2.5	—	—	—	—
25 京都	750.4	—	—	—	0.6	2.5	0.2	—	—	—
26 大阪	660.3	—	—	—	0.7	3.2	0.2	—	—	—
27 兵庫	733.2	—	—	—	1.0	3.2	0.1	—	—	—
28 奈良	692.6	—	—	—	0.6	2.3	0.4	—	—	—
29 和歌山	906.1	—	—	—	0.8	2.8	0.1	—	—	—
30 鳥取	900.7	—	—	—	0.7	2.3	—	—	—	—
31 島根	945.5	—	—	0.1	0.3	1.7	0.1	—	—	—
32 岡山	827.9	—	—	—	0.8	2.9	0.2	—	—	—
33 広島	755.1	—	—	—	0.7	1.5	0.2	—	—	—
34 山口	900.3	—	—	—	0.8	3.6	0.1	—	—	—
35 徳島	869.8	—	—	—	0.8	3.6	0.2	—	—	—
36 香川	841.0	—	—	—	1.7	3.1	0.4	—	—	—
37 愛媛	863.9	—	—	—	0.9	2.9	0.1	—	—	—
38 高知	1 017.3	—	—	—	0.6	3.4	0.1	—	—	—
39 福岡	740.1	—	—	—	0.4	2.8	0.1	—	—	—
40 佐賀	855.6	—	—	—	1.0	1.7	0.1	—	—	—
41 長崎	855.1	—	—	—	0.7	4.0	0.2	—	—	—
42 熊本	839.7	—	—	—	0.4	2.6	0.1	—	—	—
43 大分	853.7	—	—	—	1.1	3.7	0.4	—	0.1	—
44 宮崎	792.1	—	—	—	1.3	2.9	—	—	—	—
45 鹿児島	913.0	—	—	—	0.7	1.7	0.3	0.1	—	—
46 沖縄	565.5	—	—	—	0.3	1.9	0.3	—	—	—
13 大都市（再掲） 13 major cities (Regrouped)										
50 東京都の区	675.7	—	—	0.0	0.4	3.3	0.4	—	—	—
51 札幌市	544.3	—	—	—	0.4	1.7	—	—	—	—
52 仙台市	491.4	—	—	—	0.6	0.9	—	—	—	—
53 千代田市	472.5	—	—	—	0.2	1.4	—	—	—	—
54 横濱市	525.9	—	—	—	0.4	1.8	0.2	—	—	—
55 川崎市	499.8	—	—	—	0.6	1.7	0.2	—	—	—
56 名古屋市	627.3	—	—	—	0.2	3.3	0.4	—	—	—
57 京都市	745.6	—	—	—	0.3	2.3	0.3	—	—	—
58 大阪市	789.3	—	—	—	0.6	6.1	0.4	—	—	—
59 神戸市	704.2	—	—	—	1.1	3.8	—	—	—	—
60 広島市	574.0	—	—	—	0.6	0.9	0.3	—	—	—
61 北九州市	765.6	—	—	—	0.2	2.8	0.3	—	—	—
62 福岡市	546.8	—	—	—	0.3	2.2	—	—	—	—

General mortality

(簡単分類) 別死亡率 (人口10万対)

(the 117 rubrics list) : Japan, each prefecture and 13 major cities, 1993

平成5年

10 猩紅熱	11 髄膜炎菌感染	12 破傷風 (新生児破傷風を除く)	13 敗血症 (新生児敗血症を除く)	14 急性灰白髄炎	15 痘瘡	16 麻疹	17 日本脳炎	18 ウイルス肝炎B	19 その他のウイルス炎	20 他のリケッチア症 発疹チフス及びその	21 マラリア
—	—	0.0	3.2	—	—	0.0	—	0.4	1.7	0.0	—
—	—	—	3.1	—	—	—	—	0.7	1.4	—	—
—	—	—	2.9	—	—	—	—	0.3	1.0	0.1	—
—	—	0.1	2.8	—	—	—	—	0.4	1.1	—	—
—	—	0.0	1.9	—	—	—	—	0.2	1.4	—	—
—	—	—	3.7	—	—	0.2	—	0.2	1.2	0.1	—
—	—	—	3.8	—	—	—	—	0.1	1.5	—	—
—	—	—	2.6	—	—	—	—	0.4	1.8	—	—
—	—	0.0	4.3	—	—	—	—	0.3	2.1	—	—
—	—	—	2.8	—	—	—	—	0.2	1.9	—	—
—	—	—	3.7	—	—	—	—	0.4	1.8	—	—
—	—	0.0	1.9	—	—	0.0	—	0.2	1.4	—	—
—	—	0.0	2.3	—	—	—	—	0.2	1.3	—	—
—	—	0.0	2.7	—	—	0.0	—	0.4	1.5	—	—
—	—	—	2.0	—	—	—	—	0.3	1.5	—	—
—	—	—	2.3	—	—	—	—	0.3	1.1	—	—
—	—	—	4.9	—	—	—	—	0.7	1.5	—	—
—	—	—	4.7	—	—	0.1	—	0.3	1.1	—	—
—	—	—	4.0	—	—	—	—	0.4	2.3	—	—
—	—	—	4.2	—	—	—	—	0.3	2.0	—	—
—	—	—	2.8	—	—	—	—	0.6	1.4	—	—
—	—	—	2.5	—	—	—	—	0.6	1.6	—	—
—	—	—	2.9	—	—	—	—	0.2	1.4	—	—
—	—	0.0	2.9	—	—	—	—	0.3	1.4	—	—
—	—	0.1	3.9	—	—	—	—	0.2	1.5	—	—
—	—	—	4.4	—	—	—	—	0.3	1.0	—	—
—	—	—	4.5	—	—	—	—	0.3	1.4	—	—
—	—	—	3.6	—	—	0.0	—	0.4	1.9	—	—
—	—	—	2.9	—	—	—	—	0.3	1.9	—	—
—	—	—	3.1	—	—	—	—	0.1	1.6	—	—
—	—	—	4.3	—	—	—	—	0.7	2.2	—	—
—	—	—	3.3	—	—	—	—	1.0	0.8	—	—
—	—	—	4.5	—	—	—	—	0.5	1.9	—	—
—	—	—	3.1	—	—	0.1	—	0.4	2.0	—	—
—	—	—	2.3	—	—	0.0	—	0.4	1.6	—	—
—	—	—	6.3	—	—	—	—	0.4	2.6	—	—
—	—	—	4.0	—	—	—	—	0.7	4.0	—	—
—	—	—	3.9	—	—	—	—	0.4	2.5	—	—
—	—	0.1	4.3	—	—	—	—	0.7	1.7	—	—
—	—	—	3.2	—	—	0.1	—	1.2	3.3	—	—
—	—	—	3.7	—	—	—	—	0.4	1.9	—	—
—	—	—	3.8	—	—	—	—	0.5	3.9	—	—
—	—	0.1	4.4	—	—	—	—	0.4	1.6	—	—
—	—	0.1	4.7	—	—	—	—	0.5	2.1	—	—
—	—	—	3.3	—	—	—	—	0.7	1.6	—	—
—	—	0.1	2.7	—	—	—	—	0.6	1.7	—	—
—	—	0.1	5.2	—	—	0.1	—	0.5	2.1	0.1	—
—	—	—	6.2	—	—	0.2	—	0.1	1.4	—	—
—	—	0.0	3.0	—	—	0.0	—	0.4	1.5	—	—
—	—	—	2.8	—	—	—	—	0.6	1.4	—	—
—	—	—	1.8	—	—	—	—	0.3	0.6	—	—
—	—	—	1.6	—	—	—	—	0.4	0.8	—	—
—	—	—	1.4	—	—	—	—	0.2	1.9	—	—
—	—	—	2.3	—	—	—	—	0.3	1.0	—	—
—	—	—	3.2	—	—	—	—	0.3	1.1	—	—
—	—	—	5.6	—	—	—	—	0.2	1.4	—	—
—	—	—	4.2	—	—	0.0	—	0.2	2.1	—	—
—	—	—	3.4	—	—	—	—	0.5	1.9	—	—
—	—	—	2.2	—	—	0.1	—	0.2	1.4	—	—
—	—	—	2.5	—	—	—	—	0.9	2.5	—	—
—	—	—	3.2	—	—	—	—	—	1.7	—	—

Note: a) See page 34

b) 117 rubrics list code see page 456

表 5.19 都道府県 (13大都市再掲) 別にみた死因
Table 5.19 Death rates (per 100,000 population) by causes of death

都道府県 Prefecture	22 梅毒	23 (新生児を除く) ガン 症	24 日本住血吸虫症	25 フィラリア症	26 その他の感染症 及び寄生虫症	28~37 悪性新生物	28 食 道	29 胃	30 腸移行部及び肛門 直腸直腸S状結	31 肝
全 国 Total	0.0	0.1	0.0	0.0	2.7	190.4	6.5	38.2	8.0	22.4
北海道	0.0	0.2	—	—	2.8	202.8	8.0	35.9	9.1	19.7
01 青森	—	0.1	—	—	2.4	213.0	8.1	39.9	9.5	17.5
02 岩手	0.1	0.1	—	—	2.8	200.7	6.6	36.9	9.8	14.5
03 宮城	—	0.0	—	—	2.1	183.1	8.6	36.6	9.0	14.1
04 秋田	—	0.1	—	—	2.5	250.1	13.4	59.4	10.9	17.9
05 山形	—	0.2	—	—	2.6	234.7	7.1	58.6	11.5	18.7
06 福島	—	0.3	—	—	2.3	204.8	8.5	41.3	10.6	17.6
07 茨城	0.0	0.1	—	—	2.1	174.8	6.3	42.2	6.7	16.1
08 栃木	0.1	—	—	—	2.6	185.0	6.5	46.4	9.0	19.0
09 群馬	—	—	—	—	2.0	181.8	6.1	40.8	7.9	19.4
10 埼玉県	0.0	0.0	—	—	1.5	148.6	5.5	32.2	6.6	15.4
11 千葉県	0.0	0.0	—	—	1.6	153.3	6.4	32.3	6.0	16.1
12 東京都	0.0	0.1	—	—	3.0	184.7	8.1	35.5	8.3	20.8
13 神奈川県	0.0	0.0	0.0	—	2.4	158.4	6.8	31.7	6.7	17.4
14 新潟	—	0.1	—	—	3.0	218.5	9.5	54.2	10.1	14.0
15 富山	—	—	—	—	3.5	219.7	7.3	54.8	9.0	16.7
16 石川	0.1	0.1	—	—	2.2	200.6	4.6	42.6	7.4	16.9
17 福井	0.2	0.1	—	—	2.9	196.0	3.0	41.7	8.4	24.9
18 山梨	—	0.2	—	—	2.6	192.8	7.0	41.1	8.5	28.0
19 長野	—	0.3	—	—	3.1	198.5	6.4	43.6	10.3	16.6
20 岐阜	—	0.0	—	—	3.6	183.7	3.9	39.9	7.2	21.8
21 静岡県	0.1	0.1	—	—	3.6	177.0	4.9	35.3	7.7	21.1
22 愛知県	0.0	0.1	—	—	2.8	161.1	3.4	35.1	6.6	17.5
23 三重	—	0.1	—	—	2.9	192.3	5.3	39.8	6.8	20.3
24 滋賀	—	—	—	—	1.9	178.4	4.1	38.5	5.8	17.0
25 京都府	—	0.0	—	—	3.3	200.1	5.6	41.5	9.0	22.3
26 大阪府	0.0	0.1	—	—	2.5	193.1	5.7	36.5	7.1	34.2
27 兵庫県	—	0.0	—	—	2.4	201.8	6.9	37.8	8.3	29.6
28 奈良	—	0.1	—	—	1.7	192.7	6.3	43.7	7.4	27.6
29 和歌山	—	—	—	—	3.2	240.8	7.3	50.1	10.7	33.8
30 鳥取	0.2	0.2	—	—	2.0	236.1	4.7	54.0	10.4	30.5
31 島根	—	0.3	—	—	4.5	250.9	6.2	54.5	9.4	27.1
32 岡山	—	0.1	—	—	2.8	204.7	4.9	38.2	8.9	26.1
33 広島	0.0	—	—	—	2.6	201.9	5.7	36.5	8.7	33.0
34 山口	—	0.1	—	—	3.7	225.6	9.2	42.7	9.1	30.4
35 徳島	—	0.1	—	—	3.5	216.8	5.4	44.1	9.5	31.4
36 香川県	—	0.1	—	—	3.1	216.2	3.9	45.8	9.5	22.9
37 愛媛	—	0.1	—	—	3.7	214.0	5.8	43.6	7.6	26.6
38 高松	—	—	—	—	2.6	237.1	8.1	47.9	9.2	30.6
39 福岡	0.0	0.1	0.0	—	2.8	212.3	5.8	38.3	8.5	35.6
40 佐賀	—	0.2	—	—	3.8	241.8	7.1	47.0	7.4	37.3
41 長崎	—	0.1	—	—	4.5	229.4	7.4	38.1	9.1	27.6
42 熊本	0.1	0.1	—	—	3.9	208.6	5.9	32.8	7.1	28.4
43 大分	0.1	0.2	—	—	4.2	210.7	5.9	39.7	8.8	28.2
44 宮崎	—	0.3	—	—	2.2	194.8	8.0	34.8	9.6	22.7
45 鹿児島	0.1	0.1	—	0.1	2.7	217.9	8.7	33.5	10.2	25.7
46 沖縄	—	0.1	—	—	2.2	140.3	6.8	16.8	3.8	10.2
13 大都市 (再掲) 13 major cities (Regrouped)										
50 東京都の区	0.0	0.0	—	—	3.0	196.4	9.0	37.6	8.4	22.2
51 札幌市	—	0.2	—	—	2.0	159.8	5.5	27.7	7.6	16.9
52 仙台市	—	—	—	—	2.1	146.4	7.3	27.5	6.4	11.0
53 千代田市	—	—	—	—	1.8	142.4	7.5	30.0	6.5	14.6
54 横濱市	—	0.1	—	—	2.5	157.2	7.1	31.1	7.1	18.2
55 名古屋市	—	—	0.1	—	2.4	154.3	7.2	31.5	6.7	17.2
56 京都市	0.0	—	—	—	2.9	173.5	4.4	35.4	7.7	20.8
57 大阪市	—	0.1	—	—	3.0	207.1	6.4	42.4	9.2	23.7
58 神戸市	0.0	0.1	—	—	2.8	230.9	6.3	41.5	9.2	45.5
59 大阪市	—	0.1	—	—	2.6	205.8	8.9	35.3	8.5	34.3
60 広島市	—	—	—	—	2.6	166.2	5.7	29.8	5.5	28.4
61 北九州市	—	—	—	—	2.7	227.3	7.4	41.4	9.0	39.6
62 福岡市	—	0.2	—	—	2.0	167.3	5.7	28.2	7.5	25.8

(簡単分類) 別死亡率 (人口10万対) (つづき)

(the 117 rubrics list) : Japan, each prefecture and 13 major cities, 1993—con.

平成5年

32 肺	33 気管、 気管支、 肺	34 乳 房	34 乳 房 (人口10万対)	35 子宮 (人口10万対)	36 白 血 病	37 そ の 他	38 良 性 及 び 新 生 物	39 糖 尿 病	40 栄 養 欠 乏 症	41 貧 血	42 精 神 障 害
11.9	33.5	5.5	10.7	7.0	4.7	56.0	5.9	8.3	0.6	1.2	2.5
14.6	37.9	6.3	12.0	6.4	4.9	63.0	3.0	9.9	0.2	1.1	1.6
16.7	38.3	6.8	12.9	7.4	5.1	67.1	7.6	11.2	0.5	1.3	4.9
13.2	39.6	4.3	8.3	7.5	5.2	66.7	6.9	9.1	0.1	1.6	2.1
12.9	32.5	4.5	8.8	4.7	4.2	58.2	4.1	7.9	0.4	0.8	2.8
17.5	39.2	5.4	10.0	5.5	3.9	79.5	5.8	7.0	0.9	0.5	4.5
16.6	40.1	4.3	8.3	4.9	4.6	70.7	5.2	9.3	0.8	1.4	4.5
14.4	36.5	5.1	9.9	7.1	5.4	61.7	4.4	10.8	0.5	1.2	4.0
11.1	29.0	4.9	9.7	7.0	4.5	50.4	6.8	8.7	0.3	1.5	2.2
11.2	29.7	4.7	9.3	7.1	3.4	51.6	5.5	8.8	0.8	1.4	3.4
11.8	30.4	4.9	9.6	6.9	3.0	53.9	8.3	7.4	0.4	1.2	3.4
8.8	24.9	4.9	9.8	6.1	4.0	43.3	4.6	5.3	0.3	0.8	1.5
9.1	25.7	5.3	10.6	6.9	3.3	45.7	5.0	6.9	0.6	1.0	1.6
11.2	31.0	7.0	14.0	7.0	4.2	55.1	5.6	8.4	0.9	1.1	2.2
9.7	27.3	5.9	12.1	5.7	3.7	46.5	4.7	6.2	0.3	0.9	1.5
13.7	38.1	5.0	9.7	5.8	5.5	65.4	5.6	9.2	0.4	1.0	5.2
16.9	35.6	5.1	9.7	8.3	6.1	63.8	1.9	8.9	0.3	1.3	2.8
13.3	39.9	5.7	11.1	8.1	4.5	61.5	4.5	10.3	0.4	1.5	2.7
13.7	34.8	4.6	9.0	6.2	4.6	57.1	5.5	12.1	1.1	1.7	4.3
8.7	29.0	5.9	11.6	7.8	3.1	57.7	7.1	8.2	0.5	0.7	2.9
14.0	29.6	5.7	11.2	6.5	4.0	64.9	7.4	9.7	0.2	1.3	3.1
12.2	31.7	5.5	10.4	7.1	4.5	53.3	6.6	7.3	1.0	1.2	2.6
12.0	28.6	5.7	11.1	6.5	4.2	54.2	5.0	8.5	0.7	0.7	3.2
9.6	28.9	4.9	9.9	6.4	3.9	48.0	5.0	6.8	0.3	0.9	1.6
12.6	37.3	4.7	9.0	6.3	3.8	58.6	6.6	9.0	0.6	1.5	3.0
12.7	35.7	4.1	7.9	7.6	4.7	51.9	4.6	8.3	0.6	0.9	3.0
12.5	37.1	5.7	11.0	7.0	4.2	58.7	7.5	10.2	0.4	1.6	2.3
10.4	34.7	5.8	11.4	7.0	4.6	50.7	5.9	7.9	0.7	1.4	1.9
11.3	36.2	5.4	10.4	7.7	4.4	57.9	7.0	8.3	0.6	1.3	2.9
10.2	32.8	5.7	11.0	7.4	4.1	51.1	6.2	8.5	0.4	1.6	1.5
16.7	43.7	5.9	11.2	8.7	6.5	61.7	8.3	8.6	0.6	1.1	3.3
16.0	40.3	3.8	7.2	7.5	2.8	69.7	7.8	8.0	0.2	0.5	3.1
18.1	43.5	5.2	10.0	6.0	5.2	78.6	9.7	9.9	0.3	1.2	3.6
13.3	38.2	5.6	10.6	5.9	5.4	61.1	4.9	7.6	0.2	1.6	2.1
12.4	36.2	5.5	10.5	7.5	4.8	55.2	9.0	10.2	0.7	1.2	2.3
15.1	40.3	5.4	10.2	10.3	5.2	62.7	8.4	9.1	0.6	1.9	3.0
12.2	40.4	5.4	10.1	8.5	5.1	58.7	9.7	13.9	0.5	2.3	1.6
12.4	43.2	5.8	10.9	8.6	4.6	63.6	7.7	11.0	0.5	1.5	0.9
13.6	40.6	4.8	9.2	8.4	5.4	61.4	6.6	9.6	1.1	1.5	3.8
14.5	42.5	6.0	11.3	10.2	6.0	66.8	6.5	11.8	0.4	1.5	2.7
12.6	36.9	5.8	11.1	8.9	5.5	58.6	7.1	8.1	0.5	1.1	3.0
12.0	39.9	5.0	9.5	8.2	9.6	72.3	3.8	8.3	0.6	1.4	2.7
13.8	43.5	5.4	10.3	8.2	9.3	70.9	2.8	7.9	0.3	1.4	2.4
12.9	38.7	5.8	10.6	9.6	7.1	64.8	6.9	8.0	0.8	1.7	3.3
12.7	38.7	5.9	11.1	8.9	6.3	59.9	7.3	8.9	0.5	1.7	6.1
12.2	32.7	3.4	6.5	9.2	7.8	58.7	9.5	7.6	0.9	1.0	3.2
13.5	41.2	4.3	7.8	8.1	10.5	66.1	9.9	9.1	1.0	1.5	3.8
6.8	33.3	3.5	6.5	6.0	7.8	48.1	7.2	7.3	1.0	1.0	1.1
12.2	33.5	7.5	14.8	7.2	4.3	58.0	5.8	9.0	1.1	1.3	2.3
10.0	27.5	6.9	13.3	5.6	4.2	50.6	5.6	7.1	0.2	0.8	0.8
9.8	25.1	4.8	9.6	5.4	3.6	48.1	3.9	6.3	0.3	0.6	1.6
8.2	23.9	4.9	10.0	6.2	3.4	40.4	5.1	5.9	1.1	0.7	0.7
9.2	28.1	5.7	11.7	5.1	3.6	44.6	4.5	5.3	0.2	0.8	1.1
10.1	26.1	6.2	12.9	6.5	3.1	43.3	4.0	6.0	0.5	1.1	1.8
10.5	30.7	5.9	11.8	7.2	3.8	50.8	9.3	7.2	0.3	0.9	1.4
13.3	38.4	4.8	9.1	6.9	4.2	61.2	7.4	10.7	0.5	1.4	2.3
11.3	41.7	6.8	13.1	9.0	4.1	60.1	6.5	9.9	1.2	1.6	2.2
11.2	35.6	5.1	9.8	7.2	4.4	58.7	6.4	7.4	0.7	1.1	2.9
10.6	30.1	3.7	7.1	6.4	4.2	44.8	7.5	7.1	0.5	0.8	2.0
14.3	40.9	6.4	12.1	7.8	4.5	59.7	8.2	9.2	0.5	1.7	3.1
10.7	29.7	5.3	10.1	9.2	5.0	44.8	5.2	6.0	0.6	0.2	1.9

表 5.19 都道府県 (13大都市再掲) 別にみた死因
Table 5.19 Death rates (per 100,000 population) by causes of death

都道府県 Prefecture	43 髄 膜 炎	44 非 炎 性 疾 患 の 中 枢 神 経 系	45 急 性 リ ウ マ チ 熱	46 慢 性 リ ウ マ チ 性 疾 患	48~49 高 血 圧 性 疾 患	48 高 血 圧 性 心 疾 患	49 高 血 圧 性 疾 患 の 他	51~52 虚 血 性 心 疾 患	51 急 性 心 筋 梗 塞	52 虚 血 性 心 疾 患 の 他
全 国 Total	0.4	4.7	0.0	1.0	6.8	5.1	1.6	41.9	26.3	15.6
北海道	0.3	4.2	0.0	1.0	3.8	2.7	1.1	44.6	29.0	15.5
01 青森	0.4	5.0	—	1.0	4.8	3.1	1.6	42.1	29.7	12.5
02 岩手	0.1	2.8	0.1	1.0	5.0	4.0	1.0	45.7	32.5	13.2
03 宮城	0.2	4.6	—	0.8	6.0	4.0	2.0	39.6	25.0	14.7
04 秋田	0.4	6.0	—	1.0	6.2	5.2	1.0	42.0	23.4	18.6
05 山形	0.5	5.7	—	1.0	8.2	5.4	2.9	42.3	26.8	15.5
06 福島	0.4	4.9	0.1	0.9	6.9	4.8	2.1	41.2	26.9	14.3
07 茨城	0.5	4.6	0.0	1.3	7.5	5.5	2.0	40.2	26.7	13.6
08 栃木	0.6	5.0	—	1.2	8.5	6.6	1.9	44.2	29.9	14.3
09 群馬	0.3	5.3	0.1	0.9	7.1	5.7	1.5	39.1	26.0	13.1
10 埼玉県	0.2	3.4	0.0	0.7	4.4	3.2	1.1	29.7	20.8	8.9
11 千葉県	0.2	3.1	0.0	0.8	8.1	6.4	1.7	30.8	20.2	10.5
12 東京都	0.3	4.7	0.0	1.0	5.9	4.4	1.5	55.5	30.9	24.6
13 東京都 (再掲)	0.3	3.9	0.0	0.8	3.9	2.8	1.1	41.9	29.8	12.1
14 神奈川県	0.4	6.0	0.0	1.0	10.3	7.0	3.2	39.3	27.3	12.0
15 富山県	0.4	4.9	—	0.9	6.4	4.7	1.6	40.5	25.4	15.1
16 石川県	0.3	5.4	—	1.1	6.2	4.2	2.0	40.6	23.5	17.1
17 福井県	—	6.2	—	1.5	7.8	5.6	2.2	40.1	26.0	14.1
18 山梨県	—	5.2	—	0.7	4.8	3.7	1.0	38.5	25.8	12.8
19 長野県	0.4	5.8	0.0	1.2	7.5	5.2	2.2	40.4	27.4	13.0
20 岐阜県	0.5	4.9	—	1.0	6.4	4.7	1.7	34.3	22.1	12.3
21 静岡県	0.5	5.3	0.1	0.9	6.3	4.5	1.8	37.2	23.7	13.5
22 愛知県	0.3	3.9	—	0.9	5.3	4.1	1.2	29.8	18.7	11.1
23 三重県	0.5	5.4	—	0.9	8.4	5.8	2.6	44.2	28.8	15.4
24 滋賀県	0.4	5.2	—	1.0	8.7	6.9	1.8	36.2	21.5	14.7
25 京都府	0.2	6.0	—	1.1	6.3	4.7	1.6	43.5	28.4	15.1
26 大阪府	0.5	4.4	0.0	0.9	7.0	5.8	1.2	48.0	26.6	21.4
27 兵庫県	0.5	4.8	0.0	1.2	7.3	5.4	1.8	39.8	25.9	13.9
28 奈良県	0.4	5.0	—	0.8	6.3	4.9	1.4	32.1	22.3	9.8
29 和歌山県	0.7	6.4	—	1.4	8.1	5.7	2.4	43.2	29.2	14.0
30 鳥取県	0.5	6.5	—	1.0	5.9	5.2	0.7	41.9	28.1	13.9
31 島根県	0.9	8.1	—	0.9	7.9	6.2	1.7	47.0	30.1	16.9
32 岡山県	0.3	4.9	—	1.3	6.9	4.5	2.4	39.3	25.7	13.6
33 広島県	0.6	4.5	0.0	1.1	6.4	5.2	1.2	36.8	23.6	13.3
34 山口県	0.5	5.6	—	1.4	8.0	6.2	1.8	52.5	30.4	22.1
35 徳島県	0.8	5.1	0.1	1.3	6.2	4.9	1.2	50.9	31.1	19.8
36 香川県	0.1	5.0	0.1	1.5	6.5	4.9	1.6	44.1	25.1	19.0
37 愛媛県	0.2	5.4	—	2.0	7.7	5.8	1.9	40.4	24.4	15.9
38 高知県	0.7	6.0	—	2.1	7.9	5.8	2.1	55.4	34.6	20.8
39 福岡県	0.3	4.7	0.1	1.2	9.2	7.3	1.9	45.2	26.1	19.1
40 佐賀県	0.2	7.1	—	1.5	14.4	13.3	1.0	49.0	26.6	22.5
41 長門県	0.5	3.9	—	1.8	14.1	11.8	2.3	50.1	30.7	19.4
42 熊本市	0.3	5.5	—	1.2	9.6	7.6	2.0	45.5	26.2	19.3
43 大分県	0.7	5.6	—	1.8	13.0	10.7	2.3	58.6	33.1	25.4
44 宮崎県	0.4	4.5	0.1	0.9	10.2	7.4	2.7	42.2	25.3	16.9
45 鹿児島県	0.4	6.4	—	1.5	9.4	6.6	2.8	44.9	28.2	16.7
46 沖縄県	0.6	3.1	—	1.6	3.2	2.3	1.0	31.4	22.1	9.3
13 大都市 (再掲)										
50 東京都 (再掲)	0.4	4.7	0.0	1.1	6.5	4.6	1.8	60.7	32.1	28.6
51 札幌市	0.2	3.4	—	0.7	3.3	2.1	1.2	34.8	21.7	13.2
52 仙台市	0.3	3.7	—	0.6	4.9	2.8	2.1	32.6	19.7	12.9
53 千代田市	0.1	2.9	—	0.6	6.1	4.8	1.3	23.6	16.0	7.6
54 横濱市	0.2	4.1	—	1.1	3.1	2.2	0.9	43.0	31.0	12.0
55 川崎市	0.2	3.7	—	0.7	3.3	2.3	0.9	38.8	30.8	8.0
56 名古屋市	0.3	4.0	—	0.8	5.5	4.4	1.1	34.4	22.2	12.2
57 京都市	0.2	6.4	—	0.9	5.4	3.9	1.4	47.5	31.5	15.9
58 大阪市	0.7	5.4	0.1	1.3	11.9	10.5	1.4	61.0	27.7	33.3
59 神戸市	0.5	4.6	0.1	1.1	7.2	5.6	1.6	44.7	25.2	19.5
60 広島市	0.6	3.7	—	0.7	3.6	3.4	0.3	27.9	17.4	10.5
61 北九州市	0.4	4.7	—	1.4	7.3	5.5	1.8	50.6	30.9	19.7
62 福岡市	0.2	3.3	0.2	0.9	6.9	5.0	2.0	39.8	24.3	15.5

(簡単分類) 別死亡率 (人口10万対) (つづき)

(the 117 rubrics list) : Japan, each prefecture and 13 major cities, 1993—con. 平成5年

54~56 肺 及 び 心 血 管 疾 患 の 他	54 心 内 膜 の 慢 性 患 者	55 心 不 全	56 そ の 他 の 心 疾 患	58~60 脳 血 管 疾 患	58 脳 出 血	59 脳 梗 塞	60 そ の 他 の 血 管 疾 患	61 循 環 系 の 疾 患	62 急 性 気 管 支 炎	63 肺 炎	64 イン フル エン ザ
102.7	3.9	87.6	11.2	96.0	24.2	52.4	19.4	6.9	1.1	65.5	0.4
101.6	3.9	86.4	11.2	83.2	18.5	46.0	18.7	6.7	1.3	74.1	0.5
136.3	3.3	120.1	12.9	123.9	31.0	65.0	27.9	5.9	2.0	77.6	0.6
127.8	5.6	110.9	11.3	125.8	33.1	68.2	24.5	5.7	3.3	97.5	0.3
95.7	4.1	79.5	12.1	105.1	23.7	62.5	19.0	6.6	0.8	50.2	0.5
132.8	4.9	108.0	20.0	147.9	31.9	86.2	29.8	5.9	2.5	75.8	0.4
136.6	5.3	117.4	13.9	144.6	27.1	88.7	28.8	8.2	0.6	71.7	0.5
122.1	4.5	105.6	12.0	134.1	32.6	79.7	21.8	7.0	2.0	62.7	0.2
101.3	3.7	87.1	10.5	108.7	26.1	64.6	17.9	5.4	0.8	55.9	0.3
101.7	3.0	84.6	14.1	124.9	30.1	71.6	23.1	4.6	2.1	70.6	0.3
117.9	4.2	102.8	10.9	108.3	28.6	58.1	21.6	5.8	0.7	74.0	0.5
80.4	2.6	69.8	8.0	70.6	18.6	36.8	15.2	4.0	0.6	47.8	0.4
89.3	2.9	78.1	8.4	77.4	22.1	40.5	14.9	4.9	0.5	44.5	0.2
70.7	3.9	56.5	10.4	84.9	23.8	43.5	17.7	7.7	0.7	62.7	0.3
58.6	2.9	47.9	7.8	70.4	20.5	36.1	13.8	6.3	0.4	50.5	0.2
106.0	4.3	89.6	12.2	135.2	25.5	85.0	24.7	8.2	1.6	75.6	0.6
127.7	4.5	110.1	13.1	114.8	23.3	70.6	20.9	7.0	1.0	86.8	0.4
118.8	4.2	99.7	14.9	98.2	19.5	59.8	18.9	9.7	0.7	79.9	0.7
115.2	2.6	97.8	14.9	111.7	22.1	67.4	22.2	7.7	2.6	76.7	0.6
127.6	5.3	111.6	10.7	120.9	31.0	67.2	22.7	7.4	1.0	76.8	0.2
130.4	5.3	113.2	11.9	147.4	31.5	89.3	26.6	8.8	1.3	66.3	0.4
116.0	3.9	102.6	9.5	108.2	26.2	59.0	22.9	5.8	2.2	52.5	0.1
109.5	4.4	94.8	10.3	96.8	25.5	51.2	20.1	6.6	0.8	57.3	0.2
109.3	3.5	97.1	8.7	79.8	20.6	42.1	17.1	6.0	0.7	44.2	0.1
131.3	3.9	115.8	11.6	121.1	27.2	69.2	24.7	8.3	1.1	55.6	0.3
109.6	3.8	94.4	11.5	92.3	19.7	53.8	18.8	7.7	2.2	60.3	1.0
110.7	3.8	94.5	12.4	90.9	26.1	47.9	16.8	8.7	1.1	72.5	0.2
86.3	3.2	72.8	10.3	68.3	18.6	33.9	15.8	6.9	0.5	62.2	0.3
110.0	3.5	95.3	11.1	85.8	22.8	45.6	17.4	8.7	0.8	60.6	0.4
118.8	2.7	107.5	8.6	88.7	21.0	48.7	19.0	6.2	0.4	57.8	0.2
166.2	4.4	149.3	12.6	117.4	24.5	68.3	24.7	7.6	0.7	66.0	1.0
148.6	4.2	129.9	14.5	133.6	32.3	78.3	23.0	8.0	3.3	73.9	0.2
135.6	6.6	116.6	12.3	128.3	29.6	75.3	23.4	10.4	1.7	93.0	0.4
132.8	3.3	118.0	11.5	115.8	26.6	67.8	21.4	8.2	1.1	83.4	0.2
108.9	3.8	95.0	10.2	100.7	25.4	53.8	21.5	8.0	1.5	67.9	0.7
132.5	6.9	112.7	12.9	112.4	28.6	57.9	25.8	8.3	1.9	96.9	0.7
126.2	5.3	106.9	14.0	113.3	26.7	64.4	22.2	5.9	1.8	86.5	0.2
125.5	3.2	109.0	13.3	117.2	23.9	71.4	21.9	8.3	2.0	72.9	0.5
141.2	4.4	122.6	14.2	112.6	24.7	65.6	22.3	6.2	1.7	80.8	1.1
158.5	6.0	128.5	24.0	141.3	34.8	79.6	26.9	8.1	1.6	117.6	1.5
93.3	3.9	77.6	11.8	88.8	23.7	46.4	18.8	6.6	1.0	78.4	0.6
114.1	3.4	99.2	11.5	104.9	30.4	56.8	17.7	5.8	1.7	88.5	0.8
113.3	6.4	90.6	16.3	112.8	28.9	59.5	24.5	8.3	2.2	94.0	0.8
119.1	4.3	98.4	16.3	107.8	30.2	54.6	23.1	6.9	1.8	99.5	1.2
121.8	5.2	102.9	13.7	123.9	29.2	68.6	26.1	6.9	1.6	79.2	0.8
113.4	6.5	95.2	11.6	114.5	31.0	59.4	24.1	8.0	1.4	77.4	0.9
141.7	4.9	119.2	17.6	130.5	36.4	69.4	24.7	8.4	3.2	97.3	0.9
75.8	4.0	58.2	13.5	48.3	18.0	17.4	13.0	6.4	0.6	61.0	0.3
67.2	4.3	52.3	10.7	90.4	25.3	47.6	17.5	8.6	0.7	65.2	0.3
76.7	3.0	64.7	9.1	56.7	11.7	31.1	13.9	6.9	0.6	61.5	0.3
66.0	3.0	55.3	7.7	65.0	14.8	36.6	13.6	6.6	0.6	36.7	0.3
73.6	2.5	64.3	6.8	55.8	16.0	27.7	12.1	4.5	0.1	37.3	0.1
58.0	2.8	48.1	7.0	68.0	18.9	35.4	13.7	6.8	0.2	46.5	0.3
45.0	1.8	36.3	6.8	66.1	19.3	35.4	11.4	4.8	0.3	44.0	0.1
111.0	2.9	98.7	9.4	78.6	20.9	41.2	16.5	7.5	0.5	47.3	0.0
106.8	3.6	89.6	13.6	82.2	24.6	41.9	15.6	9.4	1.2	73.8	0.1
92.4	4.2	76.2	12.0	82.7	22.0	41.5	19.2	8.4	0.4	72.7	0.4
92.8	4.0	77.1	11.7	75.9	21.7	40.2	14.0	8.7	0.5	58.0	0.5
79.5	2.0	70.2	7.3	72.5	18.5	38.3	15.7	5.8	0.6	50.8	0.5
89.8	4.6	72.5	12.6	95.8	23.1	52.8	19.8	6.8	0.8	76.2	0.1
58.3	2.8	47.4	8.1	58.2	17.7	28.0	12.5	6.2	0.6	58.6	0.4

表 5.19 都道府県 (13大都市再掲) 別にみた死因
Table 5.19 Death rates (per 100,000 population) by causes of death

都道府県 Prefecture	66-68 気管支炎、 肺炎	66 気管支 炎	67 肺 腫	68 喘 息	69 胃 及 十二指腸 潰瘍	70 虫 垂 炎	71 腹 腔 ヘルニア	72 胃 及 十二指腸 炎	73 慢 性 肝 硬 変	74 肝 疾 患 (肝硬変を除く)
全 国 Total	12.8	4.0	3.9	5.0	3.0	0.1	2.9	0.5	13.6	2.5
01 北海道	12.1	3.8	3.8	4.4	2.6	0.1	3.0	0.4	11.1	2.4
02 青森県	11.2	3.0	2.6	5.6	3.3	0.1	2.9	0.4	14.0	2.9
03 岩手県	12.0	3.6	4.0	4.4	4.2	—	3.1	0.6	11.5	2.0
04 宮城県	11.0	4.0	3.3	3.8	2.7	—	2.4	0.3	8.9	2.6
05 秋田県	13.7	4.1	4.5	5.1	2.5	0.1	2.9	0.8	8.5	2.3
06 山形県	16.9	6.5	5.3	5.0	2.7	0.1	3.0	0.6	10.9	2.0
07 福島県	14.2	4.4	4.3	5.5	3.1	0.2	3.3	0.6	10.5	2.4
08 茨城県	13.3	3.2	4.3	5.8	2.4	0.1	2.3	0.4	13.2	2.2
09 栃木県	14.2	3.5	4.2	6.4	2.6	0.1	2.6	0.8	14.1	2.0
10 群馬県	13.8	5.3	4.9	3.6	2.0	0.1	3.1	0.6	10.8	2.7
11 埼玉県	8.3	2.1	2.3	3.8	1.8	0.0	2.0	0.6	11.1	2.1
12 千葉県	9.1	2.9	2.4	3.7	2.4	0.1	2.2	0.5	10.9	1.7
13 東京都	11.6	3.2	3.9	4.5	3.3	0.1	3.0	0.2	15.2	2.3
14 神奈川県	9.3	2.5	2.8	4.0	2.2	0.1	2.4	0.3	13.8	1.7
15 新潟県	14.0	4.7	4.5	4.9	2.4	0.2	3.4	0.6	8.4	2.2
16 富山県	12.5	4.5	4.0	4.0	3.7	0.1	2.9	0.7	11.6	2.9
17 石川県	12.3	4.9	3.1	4.4	2.9	—	3.9	0.5	10.8	2.8
18 福井県	14.8	5.5	4.0	5.2	2.9	—	2.9	1.1	14.8	2.4
19 山梨県	14.2	3.6	5.3	5.2	2.4	—	2.6	0.6	15.3	2.8
20 長野県	14.4	4.6	5.2	4.6	3.3	0.1	3.1	0.6	10.2	2.0
21 岐阜県	12.3	3.6	4.0	4.8	3.4	0.3	2.6	0.5	11.5	2.1
22 静岡県	10.6	2.9	4.0	3.7	3.1	0.0	2.1	0.4	12.3	1.9
23 愛知県	9.8	2.8	3.1	3.9	2.3	0.1	2.1	0.8	11.5	1.9
24 三重県	13.9	4.3	4.0	5.6	3.2	0.2	2.5	0.9	13.3	2.5
25 滋賀県	16.3	5.0	5.6	5.8	2.2	—	3.4	0.7	8.7	2.3
26 京都府	11.4	3.7	3.8	3.9	3.4	0.1	4.0	0.7	13.4	3.0
27 大阪府	11.7	3.3	3.3	5.1	2.9	0.0	3.2	0.5	17.6	2.9
28 兵庫県	14.5	3.7	4.3	6.5	3.2	0.0	2.7	0.8	17.3	2.8
29 奈良県	14.5	3.8	6.3	4.4	3.0	0.1	3.1	0.9	11.5	2.2
30 和歌山県	14.5	3.9	5.2	5.4	3.4	—	3.7	0.8	17.9	3.1
31 鳥取県	15.5	4.2	5.4	5.9	3.4	—	4.9	0.3	14.8	1.5
32 島根県	20.3	7.9	6.1	6.2	3.9	0.1	4.0	0.9	13.4	2.3
33 岡山県	16.6	4.7	4.8	7.1	3.8	—	3.0	0.7	15.3	2.7
34 広島県	12.4	3.3	4.5	4.6	3.1	—	3.0	0.8	17.1	2.4
35 山口県	19.3	7.6	5.2	6.5	3.7	0.1	3.4	0.3	17.4	3.5
36 徳島県	18.5	7.1	4.7	6.6	4.3	0.1	4.2	0.7	18.2	4.1
37 香川県	17.7	5.2	5.1	7.4	3.4	—	3.4	0.8	14.7	3.3
38 愛媛県	16.9	6.0	3.8	7.2	3.1	—	2.9	0.3	16.5	4.1
39 高知県	23.8	10.1	5.2	8.6	4.3	0.4	3.9	0.2	17.4	3.6
40 福岡県	15.3	5.5	4.0	5.9	3.3	0.1	3.0	0.4	15.8	3.0
41 佐賀県	14.9	6.7	3.1	5.1	3.2	—	4.2	0.7	17.4	3.3
42 長門県	18.8	7.3	4.6	6.9	3.0	0.1	4.3	0.8	17.0	2.9
43 熊本県	18.8	8.1	4.3	6.4	5.0	0.2	4.3	0.7	15.0	2.8
44 大分県	15.6	6.0	4.6	5.0	3.8	0.1	3.2	0.9	15.6	2.0
45 宮崎県	17.0	4.7	4.3	8.0	3.1	—	4.0	0.8	15.2	2.7
46 鹿児島県	20.5	6.6	4.5	9.4	5.4	0.2	3.5	1.0	13.6	4.3
47 沖縄県	15.5	4.8	3.5	7.1	2.7	0.1	2.1	0.4	9.7	1.9
13 大都市(再掲) 13 major cities (Regrouped)										
50 東京都	12.2	3.3	4.2	4.7	3.7	0.1	3.1	0.3	17.1	2.4
51 札幌市	8.6	3.8	2.4	2.4	1.7	0.1	2.4	0.2	11.1	1.7
52 仙台市	7.0	1.7	2.6	2.7	2.3	—	1.5	0.4	7.4	2.0
53 千葉市	6.1	1.9	1.9	2.4	1.4	—	1.9	0.5	10.0	1.2
54 横濱市	8.8	2.1	2.5	4.2	2.3	0.1	2.6	0.3	14.4	1.7
55 川崎市	9.8	3.3	2.7	3.8	1.7	0.3	1.8	0.2	14.7	1.5
56 名古屋市	10.8	2.9	3.2	4.7	2.2	0.0	2.4	0.8	13.3	2.1
57 京都市	10.6	3.7	3.6	3.4	3.7	—	3.7	0.6	14.3	3.0
58 大阪市	15.2	4.4	4.6	6.1	3.9	0.1	3.4	0.7	22.9	3.1
59 神戸市	13.3	3.0	4.0	6.2	3.4	—	2.1	0.5	21.9	2.5
60 広島市	7.5	0.8	4.1	2.6	1.8	—	2.5	0.2	14.9	1.5
61 北九州市	15.3	5.8	3.5	6.0	4.4	0.1	2.2	0.2	17.3	4.0
62 福岡市	10.7	3.3	2.8	4.6	2.1	—	2.1	0.3	11.1	2.7

(簡単分類) 別死亡率 (人口10万対) (つづき)
(the 117 rubrics list) : Japan, each prefecture and 13 major cities, 1993—con. 平成5年

76-77 腎臓病、 ネフローゼ症	76 急性糸球 腎炎	77 その他	78 前立腺肥 大症	79 直接産科 的死亡	80 間接産科 的死亡	81 先天異常	82 出生時 低体温
女子人口 10万対	出 10万対	生 10万対	出 10万対	女子人口 10万対	出 10万対	生 10万対	出 10万対
14.9	3.4	11.6	0.3	0.1	6.9	6.6	0.0
18.8	5.6	13.2	0.4	—	—	—	—
22.4	6.1	16.3	0.7	0.1	7.0	6.7	—
20.7	5.8	14.9	0.3	0.5	29.6	28.4	—
11.1	2.5	8.6	0.2	0.2	9.2	8.7	—
21.8	5.9	15.9	0.2	—	—	—	—
17.5	4.6	12.9	0.7	—	—	—	—
12.6	4.5	8.1	0.6	0.1	4.6	4.4	—
12.6	2.5	10.1	0.3	0.3	14.1	13.6	0.1
11.0	2.9	8.1	0.3	—	—	—	3.5
13.0	2.6	10.3	0.7	0.2	10.4	10.1	—
9.9	1.9	8.0	0.1	0.2	10.6	10.2	—
9.5	2.2	7.3	0.3	0.1	3.7	3.6	—
13.2	2.6	10.6	0.2	0.2	11.2	10.8	—
11.1	2.5	8.6	0.1	0.3	13.8	13.4	0.1
12.2	3.0	9.2	0.4	—	—	—	3.8
15.4	4.8	10.6	0.6	—	—	—	—
15.0	4.5	10.5	0.9	—	—	—	—
14.6	3.5	11.1	0.5	—	—	—	—
15.8	4.5	11.3	—	0.5	22.7	22.0	—
12.3	3.3	8.9	0.5	0.2	9.7	9.4	—
13.2	2.7	10.5	0.2	0.2	10.0	9.7	—
13.2	2.7	10.5	0.5	0.3	16.6	16.1	—
12.5	2.5	10.1	0.3	0.0	1.4	1.4	0.1
15.2	2.9	12.3	0.6	0.2	11.5	11.1	2.8
17.0	3.6	13.4	—	—	—	—	7.7
22.4	4.6	17.8	0.3	—	—	—	—
15.7	3.3	12.5	0.3	0.1	5.9	5.7	—
17.8	3.7	14.0	0.3	0.1	7.7	7.4	1.2
14.8	3.0	11.8	0.3	—	—	—	—
17.6	3.7	13.9	—	—	—	—	—
17.6	4.4	13.2	—	—	—	—	—
19.7	3.8	16.0	1.6	—	—	—	—
18.8	3.4	15.5	0.2	—	—	—	—
18.0	3.6	14.4	0.3	—	—	—	—
19.6	4.3	15.3	0.5	—	—	—	0.1
19.3	4.3	15.0	—	0.2	13.5	13.1	7.4
20.2	6.0	14.3	0.4	—	—	—	—
19.5	3.7	15.7	—	0.1	7.1	6.9	—
25.2	5.8	19.4	0.5	—	—	—	—
15.1	3.6	11.5	0.1	0.1	6.4	6.1	—
15.5	4.3	11.2	—	0.2	11.1	10.6	—
20.9	5.4	15.5	0.3	0.5	25.4	24.2	—
18.9	3.1	15.8	0.5	0.1	5.5	5.2	—
18.6	5.5	13.1	0.3	—	—	—	—
17.6	4.5	13.1	0.2	—	—	—	—
20.1	4.3	15.8	0.4	0.1	5.7	5.4	—
13.3	2.3	11.0	—	0.2	5.8	5.6	—
14.6	2.9	11.7	0.2	0.2	12.5	12.1	—
13.2	3.3	9.9	0.1	—	—	—	—
8.4	2.3	6.1	0.2	—	—	—	—
8.7	2.5	6.2	—	—	—	—	—
10.9	2.7	8.2	—	0.4	18.6	18.1	0.1
9.3	1.5	7.8	—	0.4	15.7	15.2	3.1
13.5	3.0	10.5	0.3	—	—	—	—
24.7	5.1	19.6	0.3	—	—	—	—
18.9	4.2	14.8	0.5	0.1	4.2	4.0	0.1
17.0	4.2	12.9	0.6	—	—	—	4.2
13.4	3.2	10.3	0.2	—	—	—	—
15.2	3.3	11.9	—	—	—	—	—
11.8	2.4	8.8	0.2	0.2	7.6	7.2	—

表 5.19 都道府県 (13大都市再掲) 別にみた死因
Table 5.19 Death rates (per 100,000 population) by causes of death

都道府県 Prefecture	84~87 その 他の死 因	84 新生児 破傷風	85 新生 カンジ ダ感 染	86 新生児 敗血症	87 そ の 他	88 精神 病の 記載	89 その 他の すべ て 患	91~101 損傷 及び 中毒	91 頭 蓋 骨 折	92 その 他の 骨の 折
全 国 Total	0.4	—	—	0.1	0.4	18.7	41.4	47.7	4.3	2.7
01 北海道	0.3	—	—	0.0	0.2	8.4	42.7	49.4	4.2	3.2
02 青森県	0.7	—	—	—	0.7	23.7	42.9	54.9	4.3	2.0
03 岩手県	0.3	—	—	—	0.3	19.2	48.9	61.9	4.4	2.5
04 宮城県	0.3	—	—	—	0.3	20.6	34.0	43.9	3.9	3.0
05 秋田県	0.4	—	—	0.1	0.3	16.7	51.6	62.6	4.4	3.9
06 山形県	0.4	—	—	—	0.4	33.8	47.0	52.9	1.9	3.0
07 福島県	0.6	—	—	0.0	0.5	31.6	46.7	48.0	2.6	2.0
08 茨城県	0.3	—	—	0.1	0.2	26.5	35.7	55.8	5.1	4.1
09 栃木県	0.9	—	—	0.3	0.7	18.6	42.4	54.1	5.4	2.9
10 群馬県	0.7	—	—	0.2	0.5	22.7	37.6	51.9	4.6	3.1
11 埼玉県	0.4	—	—	0.0	0.4	10.8	27.5	37.6	4.3	2.1
12 千葉県	0.4	—	—	0.1	0.3	14.7	30.2	41.5	3.8	2.0
13 東京都	0.4	—	—	0.1	0.4	9.9	36.3	35.2	4.0	2.0
14 神奈川県	0.5	—	—	0.1	0.5	9.4	30.2	38.2	4.1	2.7
15 新潟県	0.2	—	—	0.0	0.1	25.8	43.8	66.7	3.8	2.9
16 富山県	0.6	—	—	—	0.6	16.7	48.1	60.9	5.8	2.7
17 石川県	0.3	—	—	—	0.3	23.8	45.7	48.0	3.9	2.3
18 福井県	0.2	—	—	0.1	0.1	32.1	50.5	57.7	5.9	4.3
19 山梨県	0.2	—	—	—	0.2	43.4	48.6	54.3	4.2	3.8
20 長野県	0.4	—	—	—	0.4	32.7	43.1	47.1	3.5	3.5
21 岐阜県	0.6	—	—	0.1	0.5	27.7	40.3	50.5	4.8	2.1
22 静岡県	0.5	—	—	0.1	0.4	23.2	36.6	45.6	3.9	2.6
23 愛知県	0.3	—	—	0.0	0.3	14.5	36.2	41.2	3.1	2.4
24 三重県	0.5	—	—	—	0.5	34.2	47.0	47.1	3.5	3.4
25 滋賀県	0.2	—	—	—	0.2	20.9	44.9	43.9	3.6	2.4
26 京都府	0.5	—	—	0.1	0.4	20.0	49.9	40.9	5.0	2.1
27 大阪府	0.5	—	—	0.0	0.4	12.2	38.0	42.6	5.6	2.8
28 兵庫県	0.5	—	—	0.1	0.4	26.6	42.3	47.8	4.8	3.0
29 奈良県	0.3	—	—	—	0.3	21.7	39.0	41.0	4.3	1.5
30 和歌山県	0.4	—	—	0.1	0.3	40.6	46.4	58.6	4.3	3.2
31 鳥取県	0.3	—	—	—	0.3	34.7	54.2	60.8	3.9	3.4
32 島根県	0.1	—	—	—	0.1	34.0	56.6	62.3	3.2	3.2
33 岡山県	0.3	—	—	—	0.3	31.5	51.4	51.7	4.4	3.1
34 広島県	0.5	—	—	0.1	0.4	24.3	45.7	52.7	5.2	2.7
35 山口県	0.4	—	—	0.1	0.3	24.0	57.6	59.7	5.2	3.7
36 徳島県	0.6	—	—	—	0.6	28.0	54.5	54.2	4.6	3.1
37 香川県	0.3	—	—	—	0.3	24.9	48.9	64.1	5.6	4.7
38 愛媛県	0.3	—	—	—	0.3	32.7	54.1	59.0	6.0	4.1
39 高知県	0.2	—	—	—	0.2	24.2	66.5	67.8	4.3	2.8
40 福岡県	0.5	—	—	0.1	0.4	11.5	45.8	48.9	4.2	2.5
41 佐賀県	0.9	—	—	0.1	0.8	27.5	44.2	59.1	4.8	4.0
42 長門県	0.7	—	—	0.1	0.6	15.1	54.6	51.3	2.7	2.5
43 熊本県	0.2	—	—	—	0.2	18.4	59.1	51.2	2.9	3.3
44 大分県	0.2	—	—	—	0.2	21.3	57.2	47.3	5.4	3.3
45 宮崎県	0.8	—	—	0.1	0.7	15.8	52.1	56.8	3.9	1.9
46 鹿児島県	0.5	—	—	0.2	0.3	21.1	56.3	61.2	4.3	2.5
47 沖縄県	0.7	—	—	0.2	0.5	19.1	47.2	44.5	4.2	2.3
13 大都市 (再掲) 13 major cities (Regrouped)										
50 東京都の区	0.4	—	—	0.1	0.3	10.6	38.5	35.8	3.4	2.0
51 札幌市	0.3	—	—	0.1	0.3	2.5	34.5	36.5	3.1	2.0
52 仙台市	0.4	—	—	—	0.4	11.7	28.6	35.0	4.1	2.6
53 千代田市	0.4	—	—	—	0.4	10.9	26.7	34.7	4.0	2.0
54 横濱市	0.4	—	—	0.1	0.3	8.2	28.6	35.4	4.1	2.6
55 川崎市	0.7	—	—	0.1	0.6	8.3	26.8	38.2	3.5	2.1
56 名古屋市	0.3	—	—	0.1	0.1	9.4	37.0	37.7	4.2	2.5
57 京都市	0.4	—	—	0.1	0.3	16.9	51.0	36.3	4.5	1.9
58 大阪市	0.3	—	—	0.0	0.3	14.6	47.2	48.8	6.8	3.0
59 神戸市	0.5	—	—	0.2	0.3	22.5	42.1	43.5	4.7	2.6
60 広島市	0.2	—	—	—	0.2	12.2	36.8	40.8	4.8	2.3
61 北九州市	0.3	—	—	—	0.3	9.3	47.4	50.2	4.2	2.5
62 福岡市	0.5	—	—	0.2	0.2	5.9	34.5	38.3	4.1	2.2

(簡単分類) 別死亡率 (人口10万対) (つづき)

(the 117 rubrics list) : Japan, each prefecture and 13 major cities, 1993—con. 平成5年

93 頭蓋内損傷 (うものを除く)	94 胸、腹及び骨 盤の内部損傷	95 開 放 創	96 熱 傷	97 脊 髄 の 損 傷 及 び 神 経	98 毒 作 用 及 中 毒	99 溺 死	100 窒息及び絞首	101 その他の損傷	E104～E117 損傷及び中毒の 原因	E104～E114 不慮の有害作用 の事故及び	E104 自動車 事故
7.6	4.0	0.8	1.8	0.4	3.0	5.7	10.2	7.2	47.7	28.0	11.4
6.3	3.7	0.9	1.8	0.5	3.2	8.2	10.4	7.0	49.4	30.5	12.8
8.1	4.1	0.7	2.6	0.5	4.7	6.8	13.8	7.4	54.9	31.1	13.3
10.5	4.1	0.6	1.9	0.6	4.0	6.7	17.8	9.0	61.9	35.5	14.9
5.1	3.8	0.4	1.7	0.3	2.8	6.9	8.8	7.3	43.9	25.5	9.9
7.7	3.6	0.4	2.9	0.1	4.4	6.3	18.9	10.0	62.6	35.3	12.0
8.5	3.3	0.6	1.6	0.4	3.7	6.8	13.5	9.6	52.9	32.3	12.3
8.7	3.9	0.5	2.1	0.4	4.3	5.1	10.5	7.8	48.0	28.5	12.0
10.2	5.7	1.0	2.4	0.7	4.6	4.8	8.7	8.5	55.8	37.2	21.0
10.8	4.6	0.7	3.4	0.5	5.9	3.2	9.4	7.5	54.1	33.1	17.1
10.9	4.7	0.6	1.7	0.3	5.3	4.5	9.1	7.0	51.9	31.6	15.2
6.2	3.1	0.9	1.7	0.5	2.7	3.0	8.2	5.2	37.6	20.8	10.2
8.3	3.3	0.7	1.7	0.5	2.6	4.3	8.1	6.2	41.5	24.6	12.1
5.5	3.4	1.0	1.2	0.2	1.9	3.5	7.6	5.0	35.2	18.0	6.1
5.0	4.7	0.7	1.3	0.2	1.9	5.0	7.5	5.1	38.2	22.1	9.0
8.8	5.4	0.4	2.1	0.6	4.3	10.3	17.3	10.8	66.7	38.1	14.7
7.7	4.4	0.6	2.1	0.8	3.2	7.9	14.4	11.4	60.9	35.9	14.3
7.0	4.9	0.5	1.8	0.3	2.6	5.6	9.9	9.3	48.0	31.7	13.9
7.8	5.1	0.4	2.3	0.2	3.2	7.3	13.0	8.2	57.7	38.2	16.3
7.3	4.5	0.9	1.9	0.8	4.9	5.2	11.4	9.4	54.3	32.7	11.4
8.1	3.0	0.5	2.1	0.4	3.5	5.1	9.9	7.5	47.1	29.2	11.2
8.2	4.1	0.6	1.8	0.4	3.1	5.2	11.6	8.5	50.5	30.9	13.9
7.7	4.1	0.6	1.6	0.3	3.3	5.4	8.9	7.1	45.6	28.0	11.6
7.5	3.1	0.7	1.6	0.3	2.1	4.5	8.5	7.4	41.2	25.0	11.5
9.2	3.9	0.8	1.9	0.4	2.4	5.5	9.0	7.1	47.1	30.8	13.1
7.0	3.5	0.6	1.2	0.5	2.3	6.5	8.7	7.5	43.9	29.9	14.1
6.6	3.5	0.5	1.5	0.4	2.3	3.5	9.1	6.3	40.9	23.6	10.3
6.2	4.2	0.8	1.3	0.2	2.2	5.0	9.4	4.8	42.6	22.6	8.6
8.4	4.2	0.8	2.0	0.4	2.1	5.4	9.4	7.4	47.8	28.7	11.1
7.7	3.8	0.6	2.0	0.5	2.8	3.5	8.3	6.0	41.0	23.5	11.0
10.5	4.4	1.3	1.6	0.6	2.2	6.6	16.1	7.9	58.6	33.5	14.0
8.6	3.4	0.8	2.4	1.3	2.4	8.6	12.9	12.9	60.8	37.8	12.9
8.4	4.3	1.2	2.5	0.4	2.1	10.1	14.8	12.1	62.3	38.7	10.6
10.3	4.3	0.9	2.1	0.6	3.2	7.3	7.6	8.0	51.7	35.3	14.0
9.0	4.1	0.9	1.8	0.3	2.8	6.1	11.3	8.6	52.7	32.0	12.9
7.2	5.0	1.3	1.6	0.5	3.2	8.4	13.9	9.6	59.7	37.1	15.1
11.7	3.4	0.7	1.2	0.5	3.0	8.6	8.4	8.9	54.2	34.7	13.6
12.7	4.9	0.8	1.7	0.4	3.5	8.4	10.8	10.8	64.1	42.8	18.4
8.8	4.0	0.9	2.4	0.3	5.0	8.3	8.9	10.2	59.0	37.5	13.7
11.5	6.4	1.4	2.2	0.6	5.0	8.1	12.2	13.3	67.8	46.2	14.7
7.5	3.6	1.0	2.1	0.4	2.9	6.5	11.0	7.2	48.9	28.1	10.8
8.2	4.0	0.5	2.1	0.3	4.1	8.8	12.2	10.1	59.1	38.7	14.3
7.4	3.0	0.2	2.0	0.5	3.4	8.5	12.4	8.8	51.3	31.1	8.5
7.8	3.1	0.7	1.7	0.4	4.0	6.7	12.5	8.1	51.2	30.3	10.1
8.0	3.2	0.6	1.3	0.6	2.4	6.4	10.1	6.0	47.3	29.6	10.6
8.9	3.1	1.0	2.1	0.5	3.7	7.4	17.3	7.1	56.8	29.8	10.7
10.0	6.4	0.9	2.2	0.3	4.7	7.1	15.0	7.8	61.2	38.7	11.7
6.2	5.2	0.5	1.4	0.2	2.3	5.0	11.6	5.6	44.5	23.3	10.8
5.8	3.7	1.0	1.2	0.2	1.9	4.0	7.5	5.1	35.8	18.5	5.8
4.8	2.9	0.9	1.0	1.0	3.7	4.5	7.8	4.8	36.5	18.8	8.6
3.5	3.3	0.4	1.9	0.3	1.9	3.8	7.2	6.1	35.0	18.9	7.8
4.9	2.5	0.7	1.6	0.1	1.2	4.2	6.7	6.7	34.7	18.4	8.8
4.2	4.4	0.6	1.0	0.2	1.6	4.9	7.4	4.3	35.4	20.0	7.9
6.2	5.3	0.9	1.8	0.2	1.9	4.5	7.3	4.7	38.2	22.0	9.3
6.2	2.4	0.7	1.3	0.1	1.9	4.1	7.8	6.4	37.7	20.8	8.4
6.3	3.4	0.8	1.0	0.3	2.3	2.9	7.6	5.2	36.3	20.0	8.2
6.3	5.6	1.0	1.5	0.2	2.4	6.0	10.9	5.1	48.8	24.0	8.3
7.0	4.4	0.9	1.4	0.3	2.3	5.2	8.2	6.6	43.5	23.9	8.2
7.2	3.1	0.6	1.2	0.1	1.5	2.9	9.0	8.3	40.8	25.2	10.1
6.7	2.8	1.1	2.4	0.4	2.2	6.7	13.0	8.3	50.2	28.1	8.6
5.3	2.9	0.8	1.2	0.2	1.9	5.8	8.7	5.4	38.3	20.5	7.9

表 5.19 都道府県 (13大都市再掲) 別にみた死因
Table 5.19 Death rates (per 100,000 population) by causes of death

都道府県 Prefecture	E105 外の交通事故 以外 自動車事故 以外	E106 不慮の中毒	E107 不慮の墜落	E108 火災及び不慮の事故 火災及び不慮の事故	E109 天災	E110 不慮の溺死	E111 不慮の機械的窒息	E112 不慮の打撲	E113 不慮の工業性を主とする事故	E114 その他の有害作用 その他の有害作用
全 国 Total	0.8	0.4	3.7	1.0	0.3	3.0	3.6	0.4	0.9	2.6
01 北海道	1.0	0.5	2.4	1.2	3.6	2.3	3.0	0.5	1.2	2.1
02 青森県	1.4	0.7	3.1	1.8	—	2.7	3.5	0.5	1.1	3.0
03 岩手県	0.8	0.6	3.5	1.2	—	3.7	5.4	0.7	1.5	3.1
04 宮城県	0.9	0.4	3.3	0.9	—	3.1	3.9	0.4	0.9	1.9
05 秋田県	1.2	0.6	4.0	2.0	—	3.5	6.5	0.7	1.6	3.2
06 山形県	0.4	0.5	3.4	1.3	—	5.0	5.0	0.2	1.0	3.2
07 福島県	0.7	0.7	2.8	1.2	—	2.2	4.3	0.7	0.9	3.1
08 茨城県	0.7	0.3	3.9	1.0	0.1	2.6	3.5	0.3	1.1	2.6
09 栃木県	0.6	0.6	4.0	1.5	—	2.0	3.5	0.2	1.1	2.7
10 群馬県	0.6	0.8	4.4	1.3	—	2.1	3.0	0.3	1.1	3.0
11 埼玉県	0.6	0.4	2.6	0.6	0.0	1.5	2.4	0.3	0.6	1.6
12 千葉県	0.8	0.5	3.1	0.8	0.0	1.9	2.4	0.2	0.7	2.1
13 東京都	0.4	0.3	3.6	0.9	—	2.0	2.3	0.1	0.3	2.2
14 神奈川県	0.3	0.2	2.7	0.6	—	3.7	2.7	0.1	0.7	2.2
15 新潟県	1.3	0.6	4.7	1.0	—	5.5	5.7	0.4	1.1	3.1
16 富山県	1.2	0.2	4.9	0.4	0.1	4.3	6.5	0.8	1.2	2.0
17 石川県	0.8	0.6	3.3	0.9	—	3.4	4.7	0.5	0.6	2.9
18 福井県	1.5	0.4	5.0	1.1	—	4.9	4.3	0.5	1.2	3.0
19 山梨県	1.4	0.5	6.8	0.7	—	2.8	4.3	0.2	0.7	3.9
20 長野県	0.5	0.5	4.7	1.3	—	2.9	3.8	0.7	0.7	2.8
21 岐阜県	0.7	0.3	3.4	0.9	—	2.8	4.5	0.8	1.2	2.4
22 静岡県	0.4	0.3	4.4	0.7	—	3.2	3.5	0.4	1.0	2.6
23 愛知県	0.7	0.3	3.0	1.0	—	2.3	3.1	0.2	0.9	2.0
24 三重県	0.8	0.3	4.9	1.2	—	3.5	3.0	0.4	0.9	2.6
25 滋賀県	0.7	0.6	2.6	0.7	—	3.7	3.8	0.6	0.4	2.7
26 京都府	0.4	0.3	3.4	0.9	—	1.6	3.5	0.3	0.6	2.3
27 大阪府	0.5	0.3	3.4	0.9	—	2.9	2.9	0.3	0.6	2.3
28 兵庫県	1.1	0.4	4.0	1.3	—	2.9	3.6	0.3	0.9	3.1
29 奈良県	0.5	0.6	3.3	0.9	—	2.1	2.6	0.3	0.9	1.4
30 和歌山県	0.7	0.7	5.4	0.7	—	3.1	4.4	0.8	0.9	2.8
31 鳥取県	1.6	0.5	5.4	1.1	0.2	4.9	5.7	0.3	1.3	3.9
32 島根県	1.6	0.3	6.5	1.6	0.3	5.1	5.3	0.9	1.9	4.7
33 岡山県	1.3	0.5	5.0	1.4	—	3.6	4.7	0.5	0.8	3.5
34 広島県	1.1	0.6	4.6	0.9	0.1	3.3	4.6	0.5	1.0	2.5
35 山口県	2.0	0.3	4.0	1.0	0.5	4.7	4.5	0.6	1.1	3.4
36 徳島県	1.4	0.4	5.8	1.0	0.2	3.1	4.1	0.6	1.0	3.5
37 香川県	2.6	0.4	5.6	0.9	—	4.4	4.6	0.3	1.2	4.5
38 愛媛県	1.7	0.5	4.8	1.6	0.1	4.6	5.5	0.7	1.3	2.9
39 高知県	2.0	0.6	7.0	2.1	—	4.7	8.2	0.6	1.6	4.7
40 福岡県	0.9	0.4	3.8	0.9	0.0	3.8	4.1	0.4	0.8	2.2
41 佐賀県	0.8	1.3	5.7	0.8	0.1	6.0	5.4	0.3	1.6	2.4
42 長崎県	3.7	0.5	4.7	0.9	0.2	3.5	5.0	0.1	0.5	3.5
43 熊本県	1.2	0.7	4.8	0.9	0.1	4.3	3.9	0.3	1.1	2.8
44 大分県	1.1	0.5	5.3	0.9	0.7	3.1	3.1	0.5	1.5	2.4
45 宮崎県	0.4	0.3	4.0	0.9	0.3	3.9	4.0	0.7	1.3	3.3
46 鹿児島県	0.8	0.8	4.9	1.6	6.2	3.1	4.3	0.6	1.6	3.0
47 沖縄県	0.6	0.2	2.7	0.9	0.1	1.9	3.4	0.2	0.4	2.3
13 大都市 (再掲) 13 major cities (Regrouped)	0.4	0.3	3.8	1.0	—	2.1	2.3	0.1	0.3	2.4
50 東京都の区	0.2	0.6	2.0	0.7	1.0	1.9	1.2	0.3	0.6	1.8
51 札幌市	0.6	0.1	2.5	1.2	—	1.8	2.7	0.3	0.4	1.5
52 仙台市	0.8	—	2.2	0.5	—	1.5	2.4	0.1	0.4	1.8
53 横濱市	0.3	0.2	2.7	0.4	—	3.6	2.3	0.1	0.5	1.9
54 川崎市	0.4	0.1	2.4	1.4	—	3.2	2.2	0.1	0.3	2.6
55 名古屋市	0.6	0.4	3.6	0.9	—	1.9	2.0	0.4	0.7	2.1
56 京都市	0.5	0.1	3.0	1.1	—	1.3	3.0	0.2	0.2	2.3
57 大阪市	0.5	0.4	3.6	1.1	—	3.3	2.4	0.3	0.8	3.2
58 神戸市	0.7	0.4	3.5	1.1	—	3.0	3.2	0.4	0.6	2.9
60 広島市	0.6	0.2	4.4	0.5	—	1.6	4.6	0.4	0.6	2.3
61 北九州市	1.6	0.4	4.1	0.9	—	3.8	5.3	0.1	1.0	2.4
62 福岡市	0.6	0.4	3.0	0.6	—	2.8	2.9	0.2	0.3	1.8

(簡単分類) 別死亡率 (人口10万対) (つづき)
(the 117 rubrics list) : Japan, each prefecture and 13 major cities, 1993—con. 平成5年

E115 自 殺	E116 他 殺	E117 その 他の 外因	1～26 感 寄 染 生 症 虫 及 び 症	5～6 結 核	46,51～52, 54～56 心 疾 患	62,63,66 肺 気 管 炎 及 支 び 炎	4, 72 胃 腸 炎	79～80 妊 死 産 亡		
								女子人口 10万対 Per 100,000 females	出 生 10万対 Per 100,000 live births	出 産 10万対 Per 100,000 total births
16.6	0.7	2.4	11.3	2.6	145.6	70.6	1.1	0.1	7.7	7.4
15.5	0.5	2.8	10.8	2.1	147.1	79.2	0.9	—	—	—
20.5	0.7	2.7	10.5	2.7	179.4	82.6	1.4	0.1	7.0	6.7
23.8	0.5	2.1	10.5	2.4	174.5	104.4	1.3	0.6	29.6	28.4
14.5	0.4	3.4	8.0	1.6	136.2	55.0	1.1	0.2	9.2	8.7
25.7	0.4	1.2	12.5	2.9	175.8	82.4	2.6	—	—	—
18.5	0.5	1.6	9.7	0.9	179.9	78.9	1.3	—	—	—
16.5	0.1	2.9	10.9	2.8	164.2	69.2	1.2	0.1	4.6	4.4
16.3	1.0	1.3	11.4	1.8	142.8	59.9	1.1	0.3	17.6	17.0
19.3	0.7	0.9	10.1	2.0	147.1	76.2	1.3	—	—	—
17.5	0.7	2.0	10.6	2.1	157.9	79.9	1.2	0.2	10.4	10.1
14.9	0.6	1.4	7.1	1.7	110.8	50.5	0.9	0.2	10.6	10.2
13.9	0.7	2.3	7.6	1.7	120.9	47.9	0.9	0.1	3.7	3.6
14.8	0.7	1.7	11.3	3.3	127.2	66.6	0.6	0.2	11.2	10.8
13.2	0.6	2.2	8.7	2.1	101.4	53.4	0.6	0.4	17.6	17.1
26.6	0.5	1.5	9.3	1.5	146.3	81.8	1.5	—	—	—
22.2	0.9	2.0	12.8	1.6	169.1	92.2	1.3	—	—	—
14.6	0.3	1.5	11.3	1.6	160.5	85.4	1.5	—	—	—
17.4	0.5	1.6	14.3	3.3	156.8	84.8	2.1	—	—	—
20.0	0.3	1.3	11.6	1.7	166.8	81.4	1.2	0.5	22.7	22.0
16.5	0.1	1.2	10.6	1.8	172.1	72.1	1.2	0.2	9.7	9.4
17.1	0.3	2.1	12.9	4.0	151.3	58.3	1.0	0.2	10.0	9.7
15.6	0.6	1.3	10.8	2.0	147.6	61.0	0.9	0.3	16.6	16.1
13.7	0.6	2.0	10.7	2.8	140.0	47.7	1.1	0.1	4.2	4.1
14.3	0.5	1.5	11.3	2.2	176.4	60.9	1.5	0.2	11.5	11.1
12.0	0.2	1.8	11.2	2.5	146.9	67.4	1.8	0.2	7.7	7.5
15.0	0.5	1.8	12.8	2.7	155.3	77.3	1.3	—	—	—
16.1	1.0	3.0	12.5	3.4	135.2	66.0	1.1	0.1	7.1	6.9
16.1	0.7	2.4	11.9	3.3	151.0	65.1	1.7	0.1	7.7	7.4
13.5	1.1	2.9	9.8	2.6	151.7	61.9	1.5	—	—	—
20.6	1.1	3.4	14.0	2.9	210.8	70.6	1.7	—	—	—
19.1	0.5	3.4	10.3	2.3	191.5	81.4	1.0	—	—	—
19.1	0.1	4.4	14.0	1.8	183.5	102.6	1.2	—	—	—
12.9	0.5	3.1	12.3	3.1	173.5	89.3	1.5	—	—	—
16.7	0.6	3.4	9.4	1.7	146.8	72.8	1.4	—	—	—
18.7	1.0	2.9	17.5	3.6	186.4	106.4	1.0	0.1	7.4	7.2
15.9	0.2	3.3	17.0	3.9	178.4	95.4	1.6	0.2	13.5	13.1
18.2	0.3	2.8	15.2	3.5	171.1	80.1	2.4	—	—	—
17.1	0.9	3.5	14.5	3.1	183.6	88.5	1.2	0.1	7.1	6.9
18.4	1.1	2.1	14.6	3.6	216.0	129.2	0.9	—	—	—
17.8	0.7	2.3	12.4	3.0	139.7	84.9	0.8	0.1	6.4	6.1
18.6	0.1	1.7	14.9	1.8	164.7	96.9	1.7	0.2	11.1	10.6
17.0	0.4	2.8	15.9	4.2	165.2	103.6	1.6	0.5	25.4	24.2
18.8	0.8	1.4	14.5	2.7	165.8	109.4	1.1	0.1	5.5	5.2
14.3	0.9	2.4	15.2	4.2	182.2	86.8	2.0	—	—	—
23.3	1.3	2.4	11.8	2.9	156.5	83.5	2.1	—	—	—
20.1	0.6	1.9	13.7	2.1	188.1	107.1	1.7	0.1	5.7	5.4
17.7	0.8	2.7	12.7	2.3	108.8	66.3	0.7	0.2	5.8	5.6
14.8	0.5	2.0	12.0	3.7	129.0	69.1	0.7	0.2	12.5	12.1
13.9	0.6	3.1	9.1	1.7	112.2	65.9	0.6	—	—	—
12.3	0.5	3.3	6.4	0.9	99.3	39.0	1.1	—	—	—
11.8	0.9	3.5	6.2	1.4	97.8	39.2	0.7	—	—	—
12.9	0.4	2.1	8.4	2.0	102.0	48.8	0.7	0.4	21.7	21.1
13.9	0.8	1.4	8.6	1.8	84.4	47.7	0.8	0.4	15.7	15.2
14.0	0.6	2.2	11.4	3.7	146.2	50.8	1.0	—	—	—
13.8	0.5	2.1	13.2	2.6	155.2	78.7	1.0	—	—	—
19.4	1.4	4.1	16.7	6.5	154.7	77.5	1.3	0.2	8.3	7.9
16.5	0.8	2.3	13.5	3.8	138.6	61.5	1.7	—	—	—
12.4	0.9	2.3	8.3	1.2	108.2	52.3	0.8	—	—	—
19.1	0.9	2.1	12.1	3.1	141.8	82.7	0.4	—	—	—
14.9	0.7	2.2	9.7	2.2	99.0	62.6	0.6	0.2	7.6	7.2