

死亡

総数 Total

表5.12 年次別にみた主要死因¹⁾の総数
Table 5.12 Trends of deaths and death rates (per 100,000)

Table with columns for Year, Deaths, Death rates, and categories like 5~6, 28~37, 39 (Diabetes), and 46,51~52,54~56 (Heart disease). Rows cover years from 1899 to 1943.

注: 1) 死因分類の改正により、年次別比較には完全な内容の一致をみることはできない。本表は、昭和53年までは第8回分類に合致するように小分類によつてまとめられているが、54年以降は、第9回分類によるため、内容が異なるものが多いので注意を要する。死因内容の変遷は58ページの表2.1を参照されたい。
2) 表頭の死因名等は第9回簡単分類による。
3) 昭和18年以前及び昭和48年以降はすべて沖縄県を含む。また、昭和18年のみは樺太を含む数値である。
4) 総数には男女不詳を含む。
5) 昭和19~21年は資料がないため省略した。

General mortality

性別死亡数及び率 (人口10万対)
population) by sex and leading causes of death : Japan

総数 Total

Table with columns for Year, Deaths, Death rates, and categories for leading causes of death: 48~49 (Hypertension), 58~60 (Cerebrovascular), 62,63,66 (Pneumonia), and (再掲) 63 (Pneumonia) and 62,66 (Bronchitis). Rows cover years from 1899 to 1943.

Note: a) 117 rubrics list code see page 454

死亡

総数
Total

表5.12 年次別にみた主要死因¹⁾の
Table 5.12 Trends of deaths and death rates (per 100,000)

Table with 11 columns for causes of death (68-88) and 2 columns for Year. Rows include years from 1899 to 1943 with corresponding death counts and rates.

General mortality

性別死亡数及び率(人口10万対)(つづき)
population) by sex and leading causes of death : Japan-con.

総数
Total

Table with 8 columns for causes of death (4, 72, E104-E114, E115) and 2 columns for Year. Rows include years from 1899 to 1943 with corresponding death counts and rates.

死亡

男
Male

表5.12 年次別にみた主要死因¹⁾の
Table 5.12 Trends of deaths and death rates (per 100,000

Table with columns for Year, Deaths, Death rates, and various causes of death: 結核 (Tuberculosis), 悪性新生物 (Malignant neoplasms), 糖尿病 (Diabetes), 心疾患 (Heart disease).

General mortality

性別死亡数及び率 (人口10万対) (つづき)
population) by sex and leading causes of death : Japan-con.

男
Male

Table with columns for Year, Deaths, Death rates, and leading causes of death: 脳血管疾患 (Cerebrovascular diseases), 肺炎及び気管支炎 (Pneumonia and bronchitis), 肺がん (Lung cancer), 気管支炎 (Bronchitis).

死亡

女
Female

表5.12 年次別にみた主要死因¹⁾の
Table 5.12 Trends of deaths and death rates (per 100,000)

Table with columns for Year, Cause (68, 69, 73, 76-77, 88), Deaths, and Death rates. It tracks mortality trends from 1899 to 1943 for various causes like asthma, gastric ulcers, liver diseases, kidney diseases, and mental illness.

General mortality

性別死亡数及び率 (人口10万対) (つづき)
population) by sex and leading causes of death : Japan - con.

女
Female

Table with columns for Cause (4, 72, E104-E114, E104, E115), Deaths, Death rates, and Year. It tracks mortality trends for causes like pneumonia, falls, poisoning, traffic accidents, and homicide from 1899 to 1943.

死亡

女 Female

表5.12 年次別にみた主要死因¹⁾の
Table 5.12 Trends of deaths and death rates (per 100,000)

Table with columns for year (年次), cause of death (死因), deaths (死亡数), and death rates (死亡率) for categories 68 through 88. It lists data from 1947 to 1992.

General mortality

女 Female

性別死亡数及び率 (人口10万対) (つづき)
population) by sex and leading causes of death : Japan-con.

Table with columns for year (年次), cause of death (死因), deaths (死亡数), and death rates (死亡率) for categories 4, 72, E104~E114, and E115. It lists data from 1947 to 1992.