

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1～4	0～4	5～9	10～14	15～19	20～24	25～29	
117 rubrics ^{a)} list code	Causes of death and sex	Total	Years												
	総 数 Total	総数 T. 男女 M. F.	693.8 768.3 622.0	453.0 498.8 404.5	73.0 79.3 66.5	40.4 44.3 36.3	33.1 37.3 28.6	27.7 31.3 23.8	43.1 47.6 38.4	123.5 136.4 110.0	18.0 21.8 14.1	14.9 17.2 12.4	42.5 60.8 23.2	52.0 74.0 29.0	53.6 71.7 35.0
1	コ レ ラ	総数 T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
2	腸 チ フ ス	総数 T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
3	細菌性赤痢及びアメーバ症	総数 T. 男女 M. F.	0.0 0.0 —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
4	腸炎及びその他の下痢性疾患	総数 T. 男女 M. F.	0.6 0.5 0.7	1.1 1.1 1.0	0.6 0.8 0.3	0.4 0.6 0.2	— — —	0.1 0.2 0.1	0.3 0.4 0.1	0.4 0.5 0.3	0.0 0.0 —	— 0.1 0.0	0.1 0.1 0.0	0.0 0.0 —	0.0 0.0 —
5	呼吸系の結核	総数 T. 男女 M. F.	2.5 4.0 1.2	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.0 0.0 0.0	0.1 0.1 0.0
6	その他の結核(後遺症を含まない)	総数 T. 男女 M. F.	0.2 0.2 0.1	— — —	0.1 0.2 —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	— 0.0 0.0	— 0.0 0.0	— — —	0.0 0.1 0.0
7	ら い	総数 T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
8	ジ フ テ リ ア	総数 T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
9	百 日 咳	総数 T. 男女 M. F.	0.0 0.0 —	0.1 0.2 —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	— — —	— — —	— — —	— — —	— — —
10	猩 紅 熱	総数 T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
11	髄膜炎菌感染	総数 T. 男女 M. F.	0.0 0.0 —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
12	破 傷 (新生児破傷風を除く)	総数 T. 男女 M. F.	0.0 0.0 0.0	— — —	— — —	— — —	0.1 0.2 —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	— — —	— — —	— — —	— — —
13	敗 血 症 (新生児敗血症を除く)	総数 T. 男女 M. F.	3.3 3.1 3.4	7.9 9.0 6.8	0.9 1.3 0.5	0.2 0.3 —	0.3 0.3 0.3	0.3 0.2 0.5	0.4 0.5 0.3	1.9 2.2 1.6	0.1 0.1 0.1	0.0 0.0 0.1	0.1 0.1 0.1	0.1 0.1 0.1	0.0 0.0 0.0
14	急性灰白髄炎	総数 T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
15	痘 瘡	総数 T. 男女 M. F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
16	麻 疹	総数 T. 男女 M. F.	0.0 0.0 0.0	0.2 0.5 0.2	0.3 0.5 0.2	— — —	— — —	— — —	0.1 0.1 0.0	0.1 0.2 0.0	0.1 0.1 0.1	0.0 0.0 —	— — —	— — —	— — —
17	日 本 脳 炎	総数 T. 男女 M. F.	0.0 0.0 —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
18	ウイルス肝炎 B	総数 T. 男女 M. F.	0.3 0.4 0.2	— — —	0.1 0.2 —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	— 0.0 —	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0

注：1) 0歳は出生10万対の死亡率である。

General mortality

(简单分類) 別死亡率 (人口10万対)
causes of death (the 117 rubrics list) : Japan, 1992

平成4年

[illegible]

Note : a) 117 rubrics list code see page 454

死 亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
117 rubrics ^{a)} list code	Causes of death and sex	Total	Years											
19	その他のウイルス肝 炎	総数T. 男 M. 女 F.	1.3 1.5 1.1	0.7 0.8 0.7	0.2 0.2 0.3	0.4 0.6 0.2	0.1 0.2 0.3	0.2 0.3 0.2	0.3 0.4 0.3	0.1 0.1 0.1	0.1 0.1 0.0	0.2 0.1 0.2	0.1 0.1 0.2	0.2 0.2 0.1
20	発疹チフス及びその 他のリケッチア症	総数T. 男 M. 女 F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
21	マ ラ リ ア	総数T. 男 M. 女 F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
22	梅 毒	総数T. 男 M. 女 F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
23	カンジダ症 (新生児カンジダ症 を除く)	総数T. 男 M. 女 F.	0.1 0.1 0.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0
24	日本住血吸虫症	総数T. 男 M. 女 F.	0.0 0.0 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
25	フィラリア症	総数T. 男 M. 女 F.	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
26	その他の感染症及び 寄生虫症	総数T. 男 M. 女 F.	2.5 3.1 1.9	2.2 2.4 2.0	0.7 0.6 0.7	0.7 0.8 0.3	0.5 0.6 0.2	0.5 0.8 0.5	0.9 1.0 0.8	0.2 0.2 0.1	0.2 0.1 0.2	0.2 0.2 0.2	0.1 0.1 0.2	0.2 0.2 0.2
28~37	悪 性 新 生 物	総数T. 男 M. 女 F.	187.8 230.5 146.7	2.2 1.6 2.7	3.7 3.4 3.9	3.4 3.4 3.4	3.4 3.6 3.1	4.3 5.6 3.0	3.7 4.0 3.4	3.4 3.5 3.2	2.8 3.6 2.0	3.3 5.2 2.8	4.3 5.8 4.3	7.7 8.0 7.4
28	食 道	総数T. 男 M. 女 F.	6.4 10.8 2.1	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	— — —	— — —	0.0 0.0 —	0.0 0.0 —
29	胃	総数T. 男 M. 女 F.	38.9 50.3 27.9	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.2 0.2 0.1	0.4 0.4 0.4	1.5 1.2 1.7
30	直腸、直腸S状結 腸移行部及び肛門	総数T. 男 M. 女 F.	8.2 10.2 6.3	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.0 0.1 0.1	0.2 0.1 0.2
31	肝	総数T. 男 M. 女 F.	21.9 32.3 11.8	0.1 — 0.2	0.3 0.3 0.3	0.2 0.2 0.3	— — —	0.2 0.2 0.2	0.2 0.2 0.2	0.0 0.1 0.0	0.1 0.1 0.0	0.1 0.1 0.0	0.1 0.2 0.1	0.2 0.4 0.1
32	膵	総数T. 男 M. 女 F.	11.5 12.9 10.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	0.1 0.1 0.1
33	気管、気管支及び 肺	総数T. 男 M. 女 F.	32.5 48.2 17.4	— — —	— — —	— — —	0.1 — 0.2	0.0 — 0.0	0.0 — 0.0	— — —	— — —	0.1 0.0 0.1	0.1 0.1 0.1	0.3 0.3 0.3
34	乳 房	総数T. 男 M. 女 F.	5.3 0.1 10.3	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.3 — 0.5
35	子 宮	女 ²⁾ F.	7.4	—	—	—	—	—	—	—	—	0.0	0.1	0.5
36	白 血 病	総数T. 男 M. 女 F.	4.6 5.5 3.7	0.7 0.6 0.9	1.6 1.5 1.7	1.2 1.1 1.4	1.4 1.7 1.1	1.9 2.3 1.6	1.6 1.7 1.5	1.4 1.5 1.3	1.1 1.5 0.7	1.6 2.1 1.2	1.7 1.9 1.5	1.6 2.1 1.0

注：1) 0歳は出生10万対の死亡率である。
2) 女子人口10万対の死亡率である。

General mortality

(簡単分類) 別死亡率 (人口10万対) (つづき)
causes of death (the 117 rubrics list) : Japan, 1992—con.

平成4年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
0.2 0.3 0.2	0.2 0.3 0.2	0.5 0.7 0.4	1.0 1.3 0.8	1.3 1.5 1.0	2.7 4.0 1.5	3.5 4.9 2.2	4.1 5.1 3.3	4.5 4.7 4.4	4.7 5.3 4.4	4.7 6.0 3.9	4.9 8.0 3.4	6.2 4.1 7.0	4.5 5.3 4.0	4.9 6.4 4.1	5.3 7.1 4.5
— — —	— — —	— — —	— — —	0.0 — 0.0	0.0 — 0.0	0.0 — —	— — —	— — —	— — —	0.0 — —	— — —	— — —	0.0 — —	0.0 — —	— — —
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
— — —	— — —	0.0 0.0 —	0.0 0.0 —	0.0 0.0 —	0.0 0.1 —	0.1 0.1 0.1	0.0 0.1 —	0.2 0.4 0.0	0.1 0.1 0.1	0.1 0.3 0.1	— — —	— — —	0.1 0.2 0.0	0.1 0.2 0.0	— — —
0.0 — 0.1	— — —	— — —	0.0 0.0 —	0.0 0.1 0.0	0.1 0.1 0.0	0.1 0.1 0.1	0.1 0.2 0.0	0.3 0.6 0.2	0.6 1.2 0.2	1.2 1.9 0.8	3.1 4.0 2.6	2.8 4.1 2.3	0.6 0.9 0.4	1.9 2.6 1.5	3.0 4.0 2.5
— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.1 —	— — —	0.1 — —	— — —	— — —	— — —	0.0 0.0 —	— — —	— — —
— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
0.2 0.3 0.2	0.3 0.5 0.2	0.5 0.6 0.4	0.6 0.8 0.5	0.9 1.1 0.7	2.1 3.0 1.4	4.0 5.3 2.7	7.6 10.5 5.2	11.9 18.8 7.3	17.5 28.8 10.2	23.3 38.3 14.7	23.7 45.3 13.1	32.4 43.3 28.3	14.0 21.2 9.1	24.4 40.6 15.9	26.1 44.8 17.6
12.8 11.1 14.4	28.4 25.6 31.2	51.1 49.6 52.6	86.8 94.7 79.0	145.4 171.5 119.8	260.8 351.2 174.0	420.6 599.8 253.4	586.3 866.2 355.6	788.8 1 208.9 508.7	1 112.4 1 682.2 742.1	1 441.9 2 170.4 1 024.8	1 677.3 2 553.7 1 250.5	1 583.7 2 472.2 1 249.6	930.5 1 352.9 642.4	1 521.9 2 296.5 1 115.2	1 651.1 2 533.8 1 250.2
0.0 0.0 —	0.3 0.5 0.0	0.8 1.3 0.3	2.7 4.8 0.6	6.1 11.3 1.0	11.7 21.5 2.2	19.0 36.3 2.9	22.7 44.4 4.8	27.1 56.4 7.5	32.7 64.3 12.1	38.6 75.1 17.8	41.7 79.0 23.5	37.7 63.9 27.9	29.1 56.4 10.5	39.4 75.2 20.6	40.6 75.3 24.8
3.0 2.4 3.6	7.8 6.8 8.9	12.4 11.8 12.9	18.5 21.5 15.5	30.0 39.2 21.0	50.2 72.8 28.5	81.6 123.0 43.0	117.1 185.7 60.5	158.8 261.8 90.0	230.9 373.1 138.5	316.8 496.3 214.0	396.7 610.3 280.7	370.7 610.3 280.6	196.2 301.8 124.1	344.6 542.3 240.8	389.5 629.0 280.7
0.4 0.2 0.5	1.0 1.1 0.8	2.4 2.6 2.2	4.5 5.2 3.9	8.2 10.8 5.7	13.8 18.8 9.0	19.8 28.5 11.7	25.9 39.2 15.0	30.7 45.6 20.8	43.1 63.7 29.7	54.4 79.5 40.0	72.6 111.7 53.6	77.2 110.3 64.7	37.8 54.3 26.5	61.8 90.6 46.8	73.9 111.3 56.9
0.6 0.7 0.4	1.7 2.8 0.6	4.0 6.6 1.4	9.3 16.2 2.3	17.6 30.2 5.1	47.2 83.5 12.4	74.1 126.8 24.9	79.2 130.0 37.4	85.6 139.4 49.7	104.4 158.2 69.3	115.8 171.2 84.1	116.3 168.0 91.1	106.2 161.9 85.3	93.0 144.5 57.8	114.9 169.6 86.2	113.5 166.5 89.4
0.2 0.3 0.2	0.9 1.2 0.6	2.0 2.7 1.2	4.3 5.4 3.2	7.8 10.2 5.5	13.7 18.4 9.2	24.5 32.7 16.8	36.6 48.9 26.4	54.7 73.2 42.3	74.4 97.6 59.3	125.4 132.0 79.1	132.0 133.0 99.2	133.0 137.7 97.7	77.8 127.8 50.6	127.8 132.2 87.0	132.2 137.7 98.7
0.8 1.0 0.6	2.5 3.0 1.9	5.5 7.3 3.6	10.5 14.3 6.7	16.8 23.7 10.0	33.3 50.0 17.2	67.0 109.5 27.5	113.2 196.7 44.4	165.5 307.9 70.6	233.2 429.0 105.9	283.0 533.2 139.8	282.3 546.3 153.7	207.0 417.5 127.9	182.6 325.1 85.3	274.7 526.8 142.4	261.3 514.9 146.1
1.5 — 3.0	3.3 — 6.6	5.6 0.0 11.1	8.0 0.1 16.0	11.0 0.1 21.6	12.0 0.1 23.6	11.4 0.1 21.8	11.6 0.4 20.9	13.0 0.4 21.4	13.0 0.6 21.1	14.4 1.3 21.9	15.6 1.0 22.7	20.6 2.1 27.5	13.0 0.6 21.5	15.4 1.3 22.8	17.0 1.3 24.1
1.2 — 1.3	2.2 — 1.9	3.7 — 2.3	5.6 — 2.9	8.1 — 3.6	11.1 — 4.7	15.6 — 6.7	18.6 — 8.8	22.4 — 10.9	29.8 — 17.7	42.7 — 21.2	52.1 — 21.9	47.3 — 21.7	27.9 — 15.3	45.9 — 21.5	50.7 — 21.9
1.7 2.0 1.3	2.3 2.7 1.9	2.8 3.3 2.3	3.6 4.3 2.9	4.7 5.7 3.6	6.7 7.8 5.5	8.8 11.5 6.3	10.9 14.6 7.9	14.5 21.7 9.6	17.7 25.8 12.5	21.2 29.6 16.4	21.9 31.7 17.2	21.7 40.2 14.7	15.3 21.3 11.2	21.5 31.0 16.4	21.9 33.8 16.5

死 亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
117 rubrics ^{a)} list code	Causes of death and sex	Total	Years											
37	そ の 他	総数T. 男 M. 女 F.	54.9 60.1 49.8	1.3 1.0 1.7	1.7 1.6 1.9	1.9 2.1 1.7	1.8 1.6 2.0	2.3 3.3 1.3	1.9 2.2 1.7	1.8 1.9 1.2	1.6 2.0 1.5	2.2 2.8 1.5	2.6 3.1 2.0	3.2 3.7 2.8
38	良性及び性質不詳の 新生物	総数T. 男 M. 女 F.	5.8 6.6 4.9	1.9 2.3 1.5	1.2 1.0 1.4	0.6 0.8 0.3	0.7 0.8 0.7	1.2 1.4 1.1	0.9 1.0 0.9	1.1 1.2 1.0	1.0 1.1 0.9	0.5 0.6 0.4	0.6 0.8 0.5	0.9 1.0 0.7
39	糖 尿 病	総数T. 男 M. 女 F.	8.0 7.9 8.1	— — —	0.1 0.2 —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	0.0 0.1 —	0.1 0.1 —	0.1 0.1 —	0.4 0.4 0.3
40	栄 養 欠 乏 症	総数T. 男 M. 女 F.	0.5 0.6 0.4	0.3 0.5 0.2	— — —	— — —	— — —	— — —	0.1 0.1 0.0	— — —	0.0 — —	0.0 0.0 —	0.0 — —	0.1 0.1 0.1
41	貧 血	総数T. 男 M. 女 F.	1.2 1.0 1.4	0.2 0.2 0.3	0.7 1.0 0.3	0.2 0.3 —	0.2 0.2 0.3	0.3 0.2 0.5	0.3 0.4 0.3	0.2 0.3 0.2	0.2 0.1 0.2	0.2 0.2 0.2	0.1 0.2 0.0	0.1 0.1 0.1
42	精 神 障 害	総数T. 男 M. 女 F.	2.4 2.1 2.8	0.1 0.2 —	0.1 0.2 —	— 0.2 —	— — 0.2	0.1 — —	0.1 0.1 0.0	0.0 0.0 —	0.0 — —	0.1 0.1 0.1	0.2 0.1 0.2	0.2 0.3 0.2
43	髄 膜 炎	総数T. 男 M. 女 F.	0.4 0.4 0.3	2.2 2.7 1.7	0.7 0.8 0.5	0.3 0.5 0.2	— 0.6 —	— — —	0.3 0.5 0.2	0.7 0.9 0.5	0.0 0.0 0.1	0.0 — —	0.0 0.0 0.0	0.1 0.1 0.0
44	中枢神経系の非炎症 性疾患	総数T. 男 M. 女 F.	4.4 4.8 4.0	5.5 6.4 4.4	4.7 5.0 4.4	3.0 3.4 2.6	2.0 2.0 2.0	1.5 1.8 1.1	2.8 3.0 2.5	3.3 3.7 2.9	0.9 1.0 0.9	0.6 0.7 0.5	0.8 1.0 0.7	0.8 1.1 0.4
45	急性リウマチ熱	総数T. 男 M. 女 F.	0.0 0.0 0.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	— — —
46	慢性リウマチ性心疾 患	総数T. 男 M. 女 F.	1.0 0.6 1.4	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — —	0.0 0.1 —	0.0 — —
48~49	高 血 圧 性 疾 患	総数T. 男 M. 女 F.	7.0 5.2 8.8	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	— — —	0.0 0.0 —
48	高血圧性心疾患	総数T. 男 M. 女 F.	5.4 4.1 6.7	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —
49	その他の高血圧性 疾患	総数T. 男 M. 女 F.	1.6 1.1 2.1	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 —	— — —	— — —
51~52	虚 血 性 心 疾 患	総数T. 男 M. 女 F.	41.4 44.5 38.4	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — —	— — —	0.1 0.1 0.0	0.3 0.4 0.2	0.7 1.0 0.4
51	急性心筋梗塞	総数T. 男 M. 女 F.	25.4 28.7 22.2	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.1 —	0.2 0.3 0.2	0.4 0.5 0.3
52	その他の虚血性心 疾患	総数T. 男 M. 女 F.	16.0 15.9 16.1	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — —	— — —	0.0 0.0 0.0	0.1 0.2 0.1	0.3 0.4 0.1
54~56	肺循環疾患及びその 他の型の心疾患	総数T. 男 M. 女 F.	99.7 97.4 102.0	18.2 23.0 13.1	5.1 2.8 4.3	2.8 1.6 2.9	1.7 2.3 1.8	2.8 3.1 1.3	5.8 7.0 2.5	1.1 1.1 1.2	1.3 1.2 1.4	2.4 3.0 1.7	3.4 4.8 1.9	5.5 7.2 3.7

注：1) 0歳は出生10万対の死亡率である。

General mortality

(簡単分類) 別死亡率 (人口10万対) (つづき)
causes of death (the 117 rubrics list) : Japan, 1992-con.

平成4年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
4.0 4.5 3.4	7.6 7.4 7.7	13.8 13.9 13.7	22.6 22.9 22.3	39.2 40.2 38.1	66.5 78.2 55.3	106.3 131.5 82.9	158.8 206.4 119.6	225.5 302.4 174.3	345.0 469.9 263.8	474.5 658.8 369.0	585.2 849.0 456.7	600.8 933.0 476.0	285.3 371.0 226.8	518.5 731.9 406.4	589.5 869.5 462.4
0.7 0.9 0.6	1.2 1.4 1.0	1.7 1.9 1.5	2.5 2.9 2.1	3.4 4.1 2.7	6.4 8.8 4.0	10.0 14.1 6.2	13.2 19.2 8.3	19.4 27.5 13.9	34.5 47.8 25.9	51.8 73.8 39.2	70.5 92.3 59.9	102.3 139.2 88.4	28.9 37.9 22.8	62.3 84.2 50.8	79.4 103.8 68.3
0.4 0.5 0.2	0.7 1.0 0.4	1.4 2.0 0.9	2.5 3.3 1.6	4.7 6.6 2.8	8.1 11.2 5.2	13.0 17.0 9.2	19.9 22.9 17.3	32.4 36.1 29.9	53.9 60.8 49.4	91.7 98.8 87.7	107.3 115.0 103.6	103.7 117.5 98.4	45.4 47.5 44.0	97.3 104.6 93.4	106.3 115.6 102.1
0.1 0.1 0.1	0.2 0.2 0.1	0.1 0.2 0.1	0.2 0.4 0.1	0.3 0.6 0.1	0.6 0.9 0.2	0.6 0.9 0.2	0.7 1.1 0.4	1.4 2.3 0.7	2.3 3.3 1.6	4.0 4.1 3.9	8.6 13.0 6.5	20.8 19.6 21.3	2.5 3.0 2.1	7.1 7.8 6.7	12.0 14.6 10.9
0.2 0.2 0.1	0.1 0.1 0.1	0.2 0.2 0.2	0.2 0.2 0.2	0.6 0.6 0.5	0.8 0.9 0.6	1.2 1.2 0.9	1.9 2.0 1.6	3.9 4.5 3.5	7.5 8.5 6.9	12.5 12.7 12.4	26.3 28.0 25.5	47.3 40.2 50.0	7.2 6.8 7.5	20.0 19.1 20.6	32.2 31.0 32.7
0.3 0.5 0.2	0.4 0.7 0.2	0.7 1.1 0.3	0.9 1.4 0.3	1.3 2.1 0.5	1.4 2.4 0.4	1.8 2.8 0.9	2.2 2.9 1.6	4.4 5.0 4.0	10.9 12.2 10.1	31.3 27.2 33.6	71.2 64.0 74.7	125.9 99.0 136.0	14.8 12.1 16.5	52.4 42.9 57.4	86.5 72.5 92.8
0.1 0.1 0.1	0.1 0.1 —	0.2 0.2 0.1	0.2 0.3 0.1	0.3 0.4 0.1	0.4 0.6 0.1	0.9 1.2 0.7	0.8 1.0 0.6	1.1 1.4 0.9	1.8 1.9 1.7	2.0 2.7 1.6	2.3 2.7 2.1	1.1 3.1 0.4	1.3 1.6 1.1	2.0 2.7 1.6	2.0 2.8 1.6
0.7 0.9 0.4	0.7 0.7 0.7	1.2 1.6 1.8	1.7 2.0 1.3	2.6 3.2 2.0	4.1 4.9 3.3	7.7 10.0 5.6	11.1 14.6 8.2	19.1 24.2 15.7	27.5 35.6 22.2	33.3 44.2 27.1	38.5 45.7 35.1	38.3 47.4 34.9	21.2 26.2 17.8	35.3 44.8 30.3	38.5 46.1 35.0
— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.1 0.0 0.1	0.1 0.1 0.1	0.2 0.1 0.3	0.2 0.1 0.3	0.4 0.6 0.6	0.4 0.5 0.4	0.3 0.3 0.3	0.3 0.3 0.3	0.3 1.0 —	0.3 0.5 0.3	0.3 0.5 0.2
0.0 0.1 0.0	0.0 0.0 0.0	0.1 0.1 0.2	0.4 0.2 0.5	0.6 0.4 0.8	1.0 0.7 1.3	2.0 2.4 2.1	2.6 1.9 3.2	4.7 6.3 5.7	6.3 4.4 7.5	10.1 6.4 12.2	15.8 14.0 16.7	15.8 13.4 16.7	5.8 3.9 7.1	12.3 9.0 14.0	15.8 13.9 16.7
0.0 0.1 —	0.1 0.2 —	0.2 0.3 0.2	0.7 0.9 0.4	1.0 1.2 0.8	1.9 2.4 1.4	3.4 4.5 2.3	6.6 8.5 5.1	13.8 15.6 12.6	36.3 38.7 34.7	97.5 99.9 96.1	241.7 224.7 250.0	516.1 451.5 540.3	50.1 42.7 55.2	181.9 162.4 192.2	318.3 280.1 335.7
0.0 0.1 —	0.1 0.2 0.1	0.2 0.2 0.1	0.5 0.7 0.2	0.8 1.0 0.7	1.6 2.1 1.2	2.7 3.9 1.7	5.4 6.7 4.3	11.4 12.5 10.7	29.6 31.0 28.7	75.1 76.4 74.3	181.8 173.3 185.9	376.3 333.0 392.6	38.5 33.0 42.3	136.7 123.6 143.6	236.1 212.3 246.9
— — —	0.0 0.1 —	0.1 0.2 0.1	0.2 0.2 0.2	0.2 0.3 0.2	0.3 0.6 0.2	0.6 0.6 0.6	1.2 1.7 0.8	2.4 3.1 2.0	6.7 7.7 6.0	22.4 23.4 21.8	59.9 51.3 64.1	139.7 118.6 147.7	11.6 9.7 13.0	45.3 38.8 48.6	82.2 67.8 88.8
1.1 1.6 0.6	2.2 3.5 0.8	4.3 7.0 1.5	8.2 13.7 2.8	13.8 22.1 5.7	26.3 42.8 10.5	47.6 74.3 22.7	81.4 121.8 48.1	148.9 213.1 106.1	285.2 374.8 227.0	527.5 655.7 454.2	875.0 1 052.0 788.8	1 282.0 1 405.2 1 235.7	265.4 314.0 232.3	703.9 823.2 641.3	988.7 1 138.3 920.7
0.8 1.2 0.3	1.6 2.6 0.7	3.3 5.3 1.2	6.0 10.1 2.0	10.1 16.1 4.2	19.3 31.6 7.5	34.3 53.2 16.8	58.1 86.7 34.6	99.7 141.4 71.9	183.5 244.1 144.1	309.4 387.7 264.5	447.3 564.7 390.1	532.7 643.3 491.1	157.0 194.0 131.7	371.2 455.8 326.8	471.1 583.9 419.9
0.3 0.4 0.3	0.5 0.9 0.1	1.0 1.7 0.4	2.2 3.6 0.8	3.8 6.0 1.5	7.0 11.2 3.0	13.2 21.1 5.9	23.3 35.2 13.5	49.2 71.7 34.2	101.8 130.7 82.9	218.2 268.0 189.7	427.7 487.3 398.7	749.3 761.9 744.6	108.4 120.0 100.6	332.7 367.4 314.5	517.5 554.4 500.8
7.1 10.1 4.0	10.1 14.1 6.0	16.2 22.8 9.5	23.0 34.1 11.9	35.2 52.1 18.7	55.5 81.1 30.9	88.1 124.5 54.2	142.8 192.2 102.1	278.6 368.2 218.8	596.2 740.9 502.1	1 264.4 1 511.0 1 123.2	2 447.1 2 800.3 2 275.0	4 640.3 5 164.9 4 443.0	635.6 681.2 604.5	1 951.0 2 158.9 1 841.9	3 059.6 3 378.1 2 915.0

死 亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1～4	0～4	5～9	10～14	15～19	20～24	25～29
117 rubrics ^{a)} list code	Causes of death and sex	Total	Years											
54	心内膜の慢性疾患 総数T. 男 M. 女 F.	3.6 3.0 4.3	— — —	0.1 0.2 —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	0.0 0.0 0.0	0.0 0.1 —	0.0 0.0 0.0	0.1 0.1 0.1
55	心 不 全 総数T. 男 M. 女 F.	85.7 83.5 87.8	13.0 17.4 8.3	3.2 4.0 2.4	2.2 2.1 2.2	1.0 0.9 1.1	1.4 2.0 0.8	1.9 2.2 1.6	4.1 5.2 2.9	0.7 0.8 0.7	0.8 0.8 0.8	1.5 2.1 1.0	2.7 3.9 1.5	4.4 6.0 2.7
56	その他の心疾患 総数T. 男 M. 女 F.	10.4 10.9 9.9	5.2 5.6 4.8	1.8 1.8 1.9	0.7 0.6 0.7	0.6 0.6 0.7	0.4 0.3 0.5	0.9 0.8 0.9	1.7 1.8 1.7	0.4 0.3 0.5	0.5 0.3 0.6	0.8 0.9 0.7	0.6 0.8 0.4	1.0 1.1 0.9
58～60	脳 血 管 疾 患 総数T. 男 M. 女 F.	95.6 91.5 99.6	2.2 2.4 2.0	0.7 1.1 0.3	— — —	0.3 0.3 0.3	0.2 0.3 0.2	0.3 0.4 0.2	0.7 0.8 0.6	0.2 0.1 0.2	0.3 0.4 0.3	0.6 0.7 0.5	0.7 0.9 0.5	1.5 1.9 1.0
58	脳 出 血 総数T. 男 M. 女 F.	24.1 26.3 22.1	1.6 1.8 1.4	0.3 0.5 0.2	— — —	0.2 — 0.3	0.1 0.2 —	0.1 0.2 0.1	0.4 0.5 0.4	0.1 0.1 0.1	0.2 0.3 0.1	0.4 0.4 0.3	0.4 0.5 0.2	0.7 1.0 0.4
59	脳 梗 塞 総数T. 男 M. 女 F.	51.5 49.5 53.4	0.3 0.2 0.5	— — —	— — —	0.1 0.2 —	0.1 — 0.2	0.0 0.0 0.0	0.1 0.1 0.1	— — —	0.0 0.0 —	0.0 0.0 0.0	0.1 0.2 0.1	0.1 0.2 0.1
60	その他の脳血管疾患 総数T. 男 M. 女 F.	20.0 15.7 24.1	0.3 0.5 0.2	0.4 0.6 0.2	— — —	0.1 0.2 —	0.1 0.2 —	0.1 0.2 0.0	0.2 0.3 0.1	0.1 0.1 0.1	0.1 0.1 0.1	0.2 0.2 0.1	0.3 0.4 0.2	0.6 0.8 0.5
61	循環系のその他の疾患 総数T. 男 M. 女 F.	6.5 7.7 5.4	0.1 — 0.2	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	0.2 0.2 0.2	0.1 0.1 0.0	0.0 0.0 0.0	0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.2 0.1
62	急性気管支炎 総数T. 男 M. 女 F.	1.0 1.0 0.9	0.4 0.5 0.3	0.3 0.3 0.3	0.3 0.5 0.2	0.1 0.2 —	0.1 — 0.2	0.2 0.2 0.2	0.2 0.3 0.2	0.0 0.0 —	0.0 — 0.0	0.0 — 0.0	0.0 0.0 —	0.0 0.1 —
63	肺 炎 総数T. 男 M. 女 F.	60.2 69.9 50.8	10.6 10.3 10.9	3.8 3.9 3.8	1.7 1.6 1.7	1.0 0.3 0.5	0.5 1.8 0.8	1.7 1.8 1.7	3.5 3.5 3.5	0.7 0.8 0.6	0.5 0.6 0.4	0.6 0.7 0.4	0.8 1.0 0.7	1.0 1.0 1.0
64	インフルエンザ 総数T. 男 M. 女 F.	0.1 0.1 0.2	0.1 0.2 —	0.2 0.3 —	— — —	— — —	0.1 0.2 —	0.1 0.1 —	0.1 0.1 —	0.0 0.1 —	— — —	0.0 0.0 0.0	— — —	— — —
66～68	気管支炎、肺炎腫及び喘息 総数T. 男 M. 女 F.	12.3 16.1 8.6	1.7 1.8 1.7	1.1 1.8 0.3	0.6 0.5 0.7	0.3 0.3 0.3	0.6 0.5 0.8	0.6 0.7 0.5	0.9 0.9 0.8	0.3 0.3 0.2	0.4 0.6 0.2	0.6 0.8 0.5	1.0 1.4 0.6	0.8 1.0 0.6
66	気 管 支 炎 総数T. 男 M. 女 F.	3.9 4.6 3.2	0.6 0.3 0.9	0.4 0.5 0.3	0.1 0.2 —	— — —	0.1 0.2 —	0.1 0.2 0.1	0.2 0.2 0.2	0.0 — 0.1	0.0 0.0 —	0.1 0.1 —	0.0 0.1 —	0.0 0.0 0.0
67	肺 気 腫 総数T. 男 M. 女 F.	3.6 6.0 1.2	— — —	0.1 0.2 —	— — —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	— — —	— — —	— — —	0.0 0.0 0.0
68	喘 息 総数T. 男 M. 女 F.	4.8 5.5 4.2	1.2 1.4 0.9	0.6 1.1 —	0.5 0.3 0.7	0.3 0.3 0.3	0.5 0.5 0.8	0.5 0.5 0.5	0.6 0.7 0.5	0.2 0.3 0.1	0.4 0.6 0.2	0.6 0.7 0.5	1.0 1.3 0.6	0.8 1.0 0.5
69	胃及び十二指腸潰瘍 総数T. 男 M. 女 F.	2.9 3.2 2.6	— — —	— — —	0.1 0.2 —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	0.0 0.0 —	— — —	0.1 0.1 0.0	0.0 0.0 0.0	0.1 0.1 0.1
70	虫 垂 炎 総数T. 男 M. 女 F.	0.1 0.1 0.0	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	0.0 0.0 0.0	0.0 — 0.0	— — 0.0	0.0 0.0 —
71	腹腔ヘルニア及び腸閉塞 総数T. 男 M. 女 F.	2.8 2.6 2.9	0.5 0.5 0.5	— — —	— — —	0.2 0.2 0.2	0.1 — 0.2	0.1 0.0 0.1	0.1 0.1 0.2	0.0 0.1 —	0.1 0.1 0.1	0.1 0.1 0.0	0.1 0.1 0.1	0.2 0.1 0.1

注：1) 0歳は出生10万対の死亡率である。

General mortality

(簡単分類) 別死亡率 (人口10万対) (つづき)
causes of death (the 117 rubrics list) : Japan, 1992-con.

平成4年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
0.1 0.1 0.0	0.2 0.2 0.2	0.5 0.5 0.4	0.6 0.6 0.6	1.3 1.6 0.9	2.3 2.3 2.2	3.6 4.3 3.0	6.4 6.8 6.1	12.3 13.3 11.7	25.2 28.2 23.2	47.7 47.5 47.8	81.7 77.0 83.9	123.7 119.6 125.2	23.6 21.9 24.7	65.2 61.4 67.2	93.4 87.4 96.1
5.8 8.4 3.1	8.5 11.9 5.0	13.4 19.1 7.6	19.0 28.9 9.1	28.7 43.3 14.4	45.0 67.4 23.4	73.0 104.7 43.5	117.9 160.1 83.1	234.0 310.8 182.7	508.8 631.3 429.1	1 102.8 1 318.3 979.5	2 159.4 2 473.0 2 006.7	4 159.4 4 621.6 3 985.7	551.5 589.0 525.9	1 720.6 1 901.2 1 625.8	2 718.0 2 998.0 2 590.8
1.2 1.6 0.8	1.4 1.9 0.8	2.3 3.2 1.5	3.4 4.6 2.2	5.3 7.2 3.4	8.3 11.4 5.3	11.5 15.5 7.7	18.5 25.3 12.9	32.3 44.1 24.4	62.2 81.5 49.7	113.8 145.1 95.9	206.0 250.3 184.4	357.2 423.7 332.2	60.5 70.3 53.9	165.2 196.3 148.9	248.2 292.7 228.0
2.8 3.5 2.0	6.2 8.6 3.7	14.0 18.8 9.1	25.7 33.5 17.9	39.1 50.5 28.0	63.5 84.1 43.8	97.6 129.7 67.6	152.1 198.1 114.2	291.5 377.4 234.1	610.0 743.4 523.4	1 227.4 1 442.8 1 104.1	2 249.1 2 505.0 2 124.5	3 573.5 3 885.6 3 456.2	605.4 646.1 577.8	1 759.7 1 928.5 1 671.0	2 619.0 2 842.3 2 517.6
1.3 1.7 0.8	3.0 4.4 1.5	6.6 10.0 3.2	13.0 19.1 6.9	19.5 27.9 11.3	30.8 43.9 18.3	41.5 60.0 24.3	53.5 73.2 37.3	81.3 103.3 66.6	143.6 166.2 128.8	235.6 269.3 216.2	346.3 379.7 330.0	438.6 487.6 420.2	125.9 140.5 116.0	287.8 316.8 272.6	372.1 406.0 356.6
0.2 0.2 0.3	0.4 0.5 0.3	1.0 1.2 0.7	2.3 2.7 1.8	5.0 6.9 3.1	12.9 18.8 7.3	29.7 43.1 17.3	63.7 93.0 39.5	155.3 224.0 109.5	364.8 488.4 284.4	798.7 995.9 685.8	1 494.2 1 756.0 1 366.7	2 328.2 2 611.3 2 221.7	368.6 415.4 336.6	1 153.8 1 332.2 1 060.2	1 727.1 1 965.0 1 619.1
1.3 1.7 0.9	2.8 3.8 1.8	6.4 7.6 5.2	10.4 11.7 9.1	14.6 15.6 13.6	19.8 21.4 18.2	26.4 26.7 26.1	34.9 31.9 37.4	54.9 50.2 58.1	101.7 88.8 110.1	193.1 177.6 202.0	408.6 369.3 427.8	806.8 786.6 814.3	111.0 90.2 125.1	318.1 279.5 338.3	519.8 471.3 541.9
0.3 0.4 0.2	0.5 0.6 0.4	1.1 1.6 0.7	1.7 2.4 0.9	2.6 3.9 1.4	4.4 6.6 2.4	7.9 11.5 4.5	13.7 21.6 7.3	24.3 39.8 14.0	46.0 72.1 29.0	73.6 110.7 52.4	118.4 157.0 99.7	211.3 246.4 198.1	40.5 55.2 30.4	100.7 134.4 83.0	144.4 178.8 128.7
0.0 0.0 0.1	0.1 0.1 0.0	0.0 0.0 —	0.1 0.1 0.0	0.0 0.0 —	0.1 0.2 0.0	0.3 0.3 0.2	0.6 0.9 0.3	2.0 3.5 1.0	4.1 6.4 2.6	14.8 20.3 11.6	31.3 45.7 24.4	82.8 104.1 74.8	6.9 8.4 6.0	26.6 34.1 22.7	45.7 59.9 39.2
1.3 1.5 1.1	1.7 2.2 1.2	2.3 3.1 1.6	3.9 5.6 2.2	6.9 10.1 3.7	14.7 21.7 7.9	33.2 51.9 15.7	70.2 109.9 37.6	167.0 280.2 91.6	415.4 664.1 253.8	897.2 1 413.3 601.8	1 740.7 2 682.0 1 282.3	3 023.7 4 423.7 2 497.3	425.3 585.4 316.1	1 356.9 2 001.2 1 018.6	2 099.1 3 107.6 1 641.0
0.0 0.1 —	0.0 0.0 —	0.0 0.0 —	0.0 0.0 —	0.0 0.0 —	0.0 0.1 —	0.0 0.1 —	0.1 0.1 —	0.2 0.2 —	0.6 0.6 —	1.9 2.4 1.6	4.0 5.7 4.2	10.7 12.4 10.1	0.9 0.9 0.9	3.4 3.6 3.4	5.9 5.8 5.9
0.7 0.8 0.7	1.0 1.4 0.6	1.2 1.3 1.0	1.6 1.8 1.4	2.5 2.8 2.1	4.7 6.0 3.5	9.8 14.1 5.8	20.2 31.0 11.4	44.4 75.6 23.6	93.5 165.0 47.0	169.6 312.2 88.0	268.7 494.0 158.9	382.5 645.4 283.7	81.4 129.3 48.6	219.7 388.1 131.2	300.5 531.0 195.8
0.1 0.2 0.1	0.0 0.0 0.0	0.1 0.1 0.1	0.1 0.2 0.1	0.2 0.2 0.1	0.7 0.9 0.6	1.7 2.2 1.2	3.2 4.6 2.0	9.5 15.5 5.5	26.8 43.9 15.7	62.0 105.4 37.2	122.4 207.0 81.2	221.4 351.5 172.5	28.3 40.5 20.0	95.7 152.9 65.7	150.0 242.3 108.1
0.0 0.0 0.0	0.1 0.1 —	0.0 0.1 —	0.1 0.1 —	0.1 0.2 0.1	0.7 1.3 0.6	2.8 5.3 1.6	7.1 13.7 1.6	17.2 35.9 4.8	35.5 75.4 9.5	55.5 125.4 15.5	64.3 158.7 18.3	53.0 135.1 22.1	25.5 51.9 7.5	57.7 135.0 17.1	61.1 152.9 19.5
0.6 0.6 0.6	0.9 1.2 0.6	1.0 1.1 1.0	1.4 1.6 1.2	2.2 2.5 2.0	3.3 3.8 2.7	5.3 6.6 4.0	9.9 12.6 7.7	17.7 24.2 13.3	31.2 45.7 21.9	52.0 81.4 35.2	82.0 128.3 59.4	108.2 158.8 89.1	27.6 36.9 21.1	66.3 100.3 48.5	89.3 135.8 68.2
0.1 0.2 0.1	0.2 0.3 0.1	0.6 0.9 0.2	0.7 1.2 0.2	1.5 2.7 0.3	2.2 3.7 0.8	3.8 6.3 1.4	5.2 8.1 2.9	8.7 13.1 5.7	17.5 24.1 13.3	33.2 37.6 30.7	59.8 65.3 57.1	116.9 118.6 116.3	17.6 19.9 16.0	49.5 51.7 48.3	75.8 78.3 74.6
0.0 0.0 —	— — —	0.0 0.0 —	0.0 0.0 —	0.1 0.1 —	0.1 0.1 —	0.1 0.1 —	0.2 0.3 —	0.4 0.6 —	0.8 1.3 —	1.6 2.4 —	3.1 5.1 —	6.5 10.6 —	0.3 0.6 —	0.8 1.6 —	0.9 1.5 —
0.2 0.3 0.2	0.2 0.2 0.1	0.3 0.4 0.3	0.5 0.7 0.4	0.7 1.0 0.5	1.5 2.2 0.8	3.0 4.2 1.9	4.5 6.1 3.2	10.0 13.1 7.9	19.0 24.5 15.4	35.5 38.7 33.6	60.0 59.0 60.6	92.4 96.9 90.7	17.7 18.7 16.9	48.3 49.0 48.0	69.1 68.3 69.5

20

Table 5.16 Death rates (per 100,000 population) by sex, age and

注: 1) 0歳は出生10万対の死亡率である。
2) 女子人口10万対の死亡率である。
3) 男子人口10万対の死亡率である。

平成4年

[illegible]

死 亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1～4	0～4	5～9	10～14	15～19	20～24	25～29
117 rubrics ^{a)} list code	Causes of death and sex	Total	Years											
91～101	損 傷 及 び 中 毒	総数 T. 男 M. 女 F.	47.7 64.8 31.3	33.3 38.9 27.4	21.8 24.9 18.5	14.2 16.7 11.6	13.3 15.9 10.6	9.4 11.4 7.3	14.6 17.1 11.9	18.2 21.4 14.9	7.4 10.0 4.8	5.0 6.1 3.8	28.6 44.0 15.6	34.5 52.6 14.2
91	頭 蓋 骨 折	総数 T. 男 M. 女 F.	4.6 6.9 2.5	1.2 0.8 1.5	1.7 1.9 1.5	2.6 2.9 2.2	1.0 1.2 0.8	1.6 2.3 1.0	1.7 2.1 1.4	1.6 1.8 1.4	1.1 1.4 0.8	0.8 1.0 0.6	6.0 9.4 2.5	6.3 9.6 2.8
92	その他の骨の骨折	総数 T. 男 M. 女 F.	2.6 3.0 2.3	0.2 0.2 0.2	0.2 0.5 —	0.3 0.5 0.2	0.2 0.2 0.3	0.2 0.3 0.1	0.2 0.4 0.1	0.2 0.3 0.1	0.2 0.2 0.1	0.2 0.3 0.2	2.1 3.1 1.0	2.3 3.5 1.1
93	頭 蓋 内 損 傷 (頭蓋骨折を伴うものを除く)	総数 T. 男 M. 女 F.	7.8 11.0 4.8	2.2 2.6 1.9	3.0 3.9 2.1	3.2 4.2 2.0	3.2 4.2 2.1	1.9 2.7 1.0	2.8 3.7 1.8	2.7 3.5 1.8	1.8 2.5 1.0	1.2 1.5 0.8	7.9 12.2 3.3	7.1 11.3 2.7
94	胸、腹及び骨盤の 内部損傷	総数 T. 男 M. 女 F.	3.8 5.9 1.8	0.4 0.5 0.3	0.7 0.6 0.9	1.2 1.0 1.4	1.3 1.6 1.0	0.9 0.9 0.8	1.0 1.0 1.0	0.9 0.9 0.9	0.5 0.6 0.4	0.5 0.5 0.4	5.3 8.6 1.8	4.6 7.4 1.8
95	開 放 創	総数 T. 男 M. 女 F.	0.8 1.1 0.4	0.1 0.2 —	— — —	0.2 — —	— — —	0.1 — 0.2	0.1 0.1 0.0	0.1 0.1 0.0	0.1 0.1 0.0	0.1 0.4 0.2	0.5 0.7 0.3	0.5 0.7 0.3
96	熱 傷	総数 T. 男 M. 女 F.	1.9 2.3 1.4	0.7 0.8 0.7	0.8 0.8 0.9	1.0 1.1 0.9	1.6 2.3 0.8	1.0 0.9 1.1	1.1 1.3 0.9	1.0 1.2 0.9	0.5 0.4 0.5	0.3 0.2 0.3	0.4 0.6 0.3	0.8 1.1 0.5
97	神経及び脊髄の損 傷	総数 T. 男 M. 女 F.	0.4 0.7 0.2	0.1 — 0.2	— — —	0.2 0.2 0.2	— — —	0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.0	0.0 0.0 0.0	0.3 0.6 0.0	0.4 0.7 0.2	0.3 0.4 0.1
98	中毒及び毒作用	総数 T. 男 M. 女 F.	2.9 3.9 1.8	0.4 0.3 0.5	0.3 0.5 0.2	0.8 0.8 0.9	1.0 1.1 0.8	0.2 — 0.5	0.6 0.6 0.6	0.6 0.5 0.6	0.4 0.5 0.3	0.1 0.1 0.2	1.9 2.5 0.4	2.7 3.6 1.7
99	溺 死	総数 T. 男 M. 女 F.	5.1 6.2 4.1	3.1 4.2 1.9	11.0 12.1 9.7	3.1 3.4 2.7	2.9 3.3 2.5	2.2 2.4 1.9	4.7 5.2 4.1	4.4 5.0 3.7	1.9 2.7 1.0	0.6 1.0 0.3	1.4 2.1 0.7	2.0 3.2 0.9
100	窒息及び絞首	総数 T. 男 M. 女 F.	10.7 14.8 6.8	12.4 15.6 9.0	1.5 1.3 1.7	0.3 0.5 0.2	0.7 1.1 0.3	0.6 0.8 0.5	0.8 0.9 0.7	3.1 3.8 2.3	0.3 0.4 0.3	0.8 1.0 0.5	2.2 3.2 1.2	5.1 7.8 2.3
101	その他の損傷	総数 T. 男 M. 女 F.	7.1 9.1 5.1	12.6 13.8 11.2	2.4 3.2 1.5	1.4 1.8 1.0	1.3 0.8 1.8	0.9 1.2 0.5	1.5 1.7 1.2	3.6 4.1 3.2	0.7 1.0 0.4	0.4 0.4 0.4	2.2 3.2 1.2	3.4 5.0 1.7
E104～E117	損傷及び中毒の外因	総数 T. 男 M. 女 F.	47.7 64.8 31.3	33.3 38.9 27.4	21.8 24.9 18.5	14.2 16.7 11.6	13.3 15.9 10.6	9.4 11.4 7.3	14.6 17.1 11.9	18.2 21.4 14.9	7.4 10.0 4.8	5.0 6.1 3.8	28.6 44.0 15.6	34.5 52.6 14.2
E104～E114	不慮の事故及び有害 作用	総数 T. 男 M. 女 F.	28.1 39.0 17.6	27.4 33.1 21.3	19.9 22.8 16.8	12.1 14.0 10.2	11.3 13.9 8.7	7.7 9.8 5.6	12.7 15.0 10.2	15.5 18.6 12.4	6.5 8.9 3.9	3.4 4.3 2.5	23.3 37.6 8.3	22.0 35.3 8.1
E104	自動車事故	総数 T. 男 M. 女 F.	11.9 17.4 6.6	1.7 1.6 1.9	3.2 3.4 3.1	5.1 5.7 4.4	4.2 4.8 3.6	3.5 5.1 1.7	4.0 4.8 3.2	3.6 4.1 2.9	3.4 4.6 2.1	1.8 2.3 1.3	20.9 33.4 7.6	18.0 29.0 6.4
E105	自動車事故以外の 交通事故	総数 T. 男 M. 女 F.	0.9 1.4 0.3	0.1 — 0.2	0.6 1.0 0.2	0.6 1.1 0.5	0.5 0.5 0.5	0.1 0.2 —	0.4 0.7 —	0.4 0.5 0.2	0.2 0.3 0.1	0.1 0.2 0.1	0.3 0.6 0.1	0.4 0.6 0.2
E106	不慮の中毒	総数 T. 男 M. 女 F.	0.4 0.6 0.3	— — —	0.1 0.2 —	— — —	0.3 0.5 0.2	0.1 — 0.2	0.1 0.2 0.1	0.1 0.1 0.1	0.0 0.0 0.0	0.2 0.2 0.2	0.4 0.5 0.3	0.4 0.5 0.3

注：1) 0歳は出生10万対の死亡率である。

General mortality

(簡単分類) 別死亡率 (人口10万対) (つづき)
causes of death (the 117 rubrics list) : Japan, 1992—con.

平成4年

30～34	35～39	40～44	45～49	50～54	55～59	60～64	65～69	70～74	75～79	80～84	85～89	90～	65～	80～	85～
26.4 39.9 12.6	28.1 43.1 13.0	34.6 52.4 16.6	43.6 65.5 21.8	53.7 80.8 27.1	63.2 94.7 33.0	67.3 99.7 37.1	75.0 105.7 49.6	99.2 137.9 73.3	153.3 208.9 117.2	222.3 309.5 172.3	321.4 467.7 250.2	425.1 584.5 365.1	136.4 179.8 106.9	271.3 374.3 217.2	350.4 496.2 284.1
3.5 5.3 1.6	2.9 4.5 1.3	3.2 5.0 1.4	4.1 6.5 1.8	5.1 7.8 2.4	6.2 10.0 2.5	6.3 9.7 3.2	6.0 9.2 3.4	7.1 10.7 4.8	10.3 14.8 7.4	13.2 20.1 9.3	10.4 19.0 6.2	9.6 23.7 4.3	8.4 12.5 5.5	12.0 20.1 7.8	10.1 20.2 5.6
1.2 1.6 0.7	1.1 1.7 0.6	1.4 2.0 0.8	1.5 2.3 0.6	1.7 2.4 0.9	2.2 3.5 1.0	2.5 3.7 1.3	2.5 3.9 1.4	5.3 7.0 4.1	8.2 7.8 8.5	18.5 19.8 17.7	42.4 38.0 44.5	91.5 77.3 96.9	10.6 9.8 11.0	32.9 29.5 34.6	56.1 47.6 60.0
2.6 4.2 1.1	3.2 4.9 1.4	4.0 6.2 1.7	4.8 7.2 2.4	7.1 10.8 3.4	8.9 13.5 4.6	10.7 15.6 6.1	14.4 20.7 9.3	19.2 28.3 13.1	30.4 46.5 20.0	42.0 65.2 28.7	54.7 97.3 33.9	58.6 108.2 39.9	25.5 37.3 17.4	47.3 77.3 31.5	55.8 100.0 35.7
2.4 3.7 1.1	2.7 4.4 0.9	2.8 4.4 1.3	3.9 6.1 1.7	4.7 7.6 1.8	5.8 9.3 2.5	5.5 8.9 2.3	5.8 9.6 2.7	6.3 10.3 3.6	8.8 14.0 5.4	8.3 12.7 5.7	8.5 16.0 4.9	7.0 10.3 5.8	7.0 11.2 4.1	8.2 13.4 5.5	8.1 14.6 5.1
0.6 0.9 0.3	0.7 0.9 0.4	1.1 1.7 0.4	1.2 1.8 0.6	1.3 1.9 0.6	1.5 2.3 0.7	1.3 2.1 0.7	1.0 1.4 0.6	1.2 1.5 1.0	1.0 1.6 0.4	1.2 1.9 0.8	1.4 2.7 0.8	1.4 2.7 0.4	1.1 1.6 0.8	1.3 2.3 0.8	1.4 3.0 0.7
1.2 1.5 1.0	1.4 1.9 1.0	1.6 2.0 1.2	2.3 2.8 1.9	2.1 3.2 1.1	2.4 3.3 1.5	2.1 2.9 1.3	2.4 3.6 1.5	3.4 4.9 2.5	6.6 8.2 5.5	9.9 14.1 7.5	13.2 22.7 8.6	18.0 35.1 11.6	5.4 7.3 4.1	11.7 18.1 8.3	14.6 25.7 9.5
0.2 0.3 0.1	0.2 0.2 0.1	0.2 0.4 0.0	0.5 0.7 0.3	0.3 0.5 0.1	0.4 0.8 0.1	0.6 1.1 0.1	0.9 1.6 0.4	1.0 2.0 0.4	1.3 2.6 0.5	1.8 4.0 0.5	2.0 4.0 1.0	1.4 3.1 0.8	1.2 2.3 0.5	1.8 3.9 0.6	1.8 3.8 0.9
3.0 4.3 1.6	2.9 4.5 1.3	3.5 5.3 1.8	3.5 5.3 1.8	4.4 6.7 2.1	4.9 7.1 2.7	4.5 6.3 2.9	4.4 5.4 3.5	3.9 4.5 3.5	4.9 6.8 3.6	7.1 7.4 6.9	6.3 8.0 5.5	4.8 7.2 3.9	4.8 5.8 4.1	6.6 7.5 6.1	5.9 7.8 5.0
2.3 3.4 1.2	2.5 3.7 1.3	3.4 4.8 2.0	4.4 6.4 2.4	5.6 7.9 3.3	6.0 8.4 3.7	7.3 10.4 4.4	8.6 10.0 7.5	12.6 14.7 11.2	20.2 22.4 18.8	27.4 29.2 26.4	36.9 42.7 34.1	38.0 51.5 32.9	16.5 17.8 15.6	31.1 34.6 29.3	37.2 44.8 33.8
6.9 11.0 2.8	7.7 12.2 3.1	9.7 15.5 4.0	13.0 20.2 5.8	16.1 23.7 8.8	18.1 26.5 10.0	18.1 26.7 10.1	17.6 24.0 12.3	20.8 26.0 17.4	30.3 38.0 25.3	38.5 50.2 31.8	52.2 72.0 42.5	50.4 84.5 37.6	26.2 33.2 21.4	43.5 58.8 35.5	51.7 75.1 41.1
2.5 3.7 1.2	2.8 4.1 1.5	3.5 5.1 1.9	4.4 6.3 2.5	5.3 8.2 2.6	6.9 10.2 3.8	8.4 12.3 4.7	11.2 16.3 6.9	18.2 28.1 11.6	31.2 46.1 21.4	54.5 85.0 37.0	93.4 145.3 68.2	144.2 179.4 131.0	29.9 40.9 22.3	74.8 108.8 57.0	107.6 153.7 86.7
26.4 39.9 12.6	28.1 43.1 13.0	34.6 52.4 16.6	43.6 65.5 21.8	53.7 80.8 27.1	63.2 94.7 33.0	67.3 99.7 37.1	75.0 105.7 49.6	99.2 137.9 73.3	153.3 208.9 117.2	222.3 309.5 172.3	321.4 467.7 250.2	425.1 584.5 365.1	136.4 179.8 106.9	271.3 374.3 217.2	350.4 496.2 284.1
10.8 17.7 3.7	11.6 18.9 4.2	14.0 22.3 5.7	18.3 29.0 7.7	23.7 37.6 10.2	31.3 49.9 13.4	37.4 57.8 18.3	46.0 69.0 27.0	65.9 97.8 44.5	107.0 152.2 77.6	162.8 239.6 118.9	248.3 370.3 188.8	354.9 464.9 313.6	95.8 130.7 71.9	206.9 293.0 161.7	278.0 393.5 225.6
6.5 10.7 2.1	6.4 10.1 2.6	6.8 10.2 3.4	8.2 12.4 3.9	10.4 14.9 6.0	13.4 19.6 7.5	14.9 21.2 9.0	18.0 25.3 12.0	24.1 35.1 16.8	34.0 48.1 24.8	36.5 55.4 25.7	33.4 49.5 22.6	23.4 49.5 13.6	26.0 37.2 18.3	34.3 55.0 23.4	30.6 54.2 19.9
0.5 0.8 0.1	0.5 0.9 0.0	0.8 1.5 0.1	0.8 1.3 0.2	1.1 1.9 0.3	1.3 2.3 0.4	1.7 2.8 0.6	1.7 2.8 0.8	2.2 3.4 1.4	2.9 5.4 1.3	3.8 7.4 1.7	4.1 8.0 2.3	1.1 3.1 0.4	2.4 4.2 1.3	3.6 7.2 1.7	3.3 6.8 1.7
0.5 0.9 0.1	0.4 0.6 0.2	0.4 0.5 0.2	0.5 0.7 0.3	0.5 0.7 0.2	0.6 1.0 0.2	0.6 1.0 0.2	0.7 0.9 0.5	0.6 1.0 0.5	1.0 1.5 0.5	1.5 2.0 1.2	1.3 2.0 1.0	1.7 3.1 1.2	0.9 1.1 0.8	1.5 2.1 1.1	1.4 2.3 1.0

死 亡

表5.16 性・年齢別にみた死因
Table 5.16 Death rates (per 100,000 population) by sex, age and

簡 単 分類番号	死 因 ・ 性	総数	0歳 ¹⁾	1	2	3	4	1~4	0~4	5~9	10~14	15~19	20~24	25~29
117 rubrics ^{a)} list code	Causes of death and sex	Total	Years											
E107	不慮の墜落	総数T. 男 M. 女 F.	3.7 4.9 2.6	1.0 1.4 0.5	1.2 1.6 0.7	0.8 0.8 0.9	0.7 1.1 0.3	0.8 1.1 0.5	0.9 1.2 0.6	0.1 0.2 0.0	0.2 0.2 0.1	0.4 0.7 0.0	0.6 0.9 0.2	0.7 1.2 0.2
E108	火災及び火焔による不慮の事故	総数T. 男 M. 女 F.	1.0 1.3 0.8	0.7 0.6 0.7	0.7 0.8 0.5	1.1 2.5 1.0	1.5 0.8 0.5	0.9 1.3 1.0	1.0 1.2 0.7	0.4 0.4 0.4	0.3 0.2 0.4	0.2 0.3 0.1	0.2 0.3 0.2	0.3 0.3 0.2
E109	天 災	総数T. 男 M. 女 F.	0.0 0.0 0.0	— — —	— — —	0.1 — —	— — —	0.0 — —	0.0 — —	0.1 0.0 0.1	— — —	0.0 — —	— — —	— — —
E110	不慮の溺死	総数T. 男 M. 女 F.	2.6 3.3 2.0	2.5 3.7 1.2	10.4 11.2 9.6	2.7 2.9 2.4	2.5 3.0 2.0	1.7 4.6 3.9	4.2 4.4 3.3	1.5 2.3 0.7	0.6 0.8 0.3	0.6 1.1 0.1	0.9 1.5 0.4	0.8 1.3 0.2
E111	不慮の機械的窒息	総数T. 男 M. 女 F.	3.4 4.1 2.7	19.9 24.4 15.0	2.5 3.2 1.7	1.0 1.3 0.7	0.8 0.8 0.8	0.5 0.8 0.3	1.2 1.5 0.9	4.8 6.0 3.6	0.3 0.4 0.1	0.2 0.2 0.1	0.3 0.3 0.2	0.4 0.4 0.3
E112	不慮の打撲	総数T. 男 M. 女 F.	0.4 0.7 0.1	0.2 0.2 0.2	0.1 0.2 —	0.2 0.2 —	— — —	0.1 — —	0.1 0.1 0.1	0.1 0.1 0.1	0.1 0.1 0.1	0.2 0.4 —	0.2 0.3 —	0.2 0.3 —
E113	工業性を主とする不慮の事故	総数T. 男 M. 女 F.	1.0 1.7 0.2	0.2 — 0.3	0.5 0.3 0.7	0.5 0.8 0.2	0.5 0.6 0.3	— — —	0.4 0.3 0.3	0.2 0.2 0.1	0.1 0.0 0.0	0.2 1.2 0.0	0.6 1.0 0.1	0.6 1.0 0.1
E114	その他の不慮の事故及び有害作用	総数T. 男 M. 女 F.	2.7 3.5 1.9	1.2 1.1 1.4	0.7 1.0 0.3	0.2 — 0.5	0.2 0.2 0.3	0.2 0.3 —	0.3 0.5 0.5	0.2 0.2 0.1	0.1 0.2 0.1	0.2 0.3 0.0	0.5 0.8 0.2	0.5 0.7 0.3
E115	自 殺	総数T. 男 M. 女 F.	16.9 22.3 11.7	— — —	— — —	— — —	— — —	— — —	— — —	0.0 — 0.0	1.0 1.3 0.8	4.3 5.3 3.2	10.9 15.3 6.3	13.3 18.2 8.4
E116	他 殺	総数T. 男 M. 女 F.	0.6 0.7 0.5	4.0 3.5 4.4	0.9 0.6 1.2	1.0 1.3 0.7	1.4 1.6 1.1	0.9 0.8 1.0	1.6 1.5 1.7	0.6 0.5 0.7	0.3 0.3 0.4	0.4 0.4 0.4	0.5 0.5 0.4	0.3 0.6 0.1
E117	そ の 他 の 外 因	総数T. 男 M. 女 F.	2.1 2.8 1.4	2.0 2.3 1.7	1.0 1.5 0.5	1.1 1.5 0.7	0.6 0.5 0.8	0.9 0.9 0.7	1.1 1.3 0.9	0.3 0.5 0.1	0.2 0.8 0.1	0.6 1.6 0.5	1.2 1.6 0.8	1.4 1.8 1.0
(再掲) 1~26	感染症及び寄生虫症	総数T. 男 M. 女 F.	10.8 13.0 8.7	12.3 14.0 10.6	2.9 3.7 2.1	1.7 2.4 1.0	1.0 1.2 0.7	1.1 2.1 1.0	1.7 4.5 3.0	0.4 0.5 0.3	0.3 0.3 0.3	0.6 0.6 0.6	0.4 0.4 0.5	0.7 0.9 0.5
5~6	結 核	総数T. 男 M. 女 F.	2.7 4.1 1.3	— — —	0.1 0.2 —	— — —	— — —	0.0 0.0 —	0.0 0.0 —	— — —	— — —	0.0 0.0 0.0	0.0 0.0 0.1	0.1 0.2 0.1
46, 51~52, 54~56	心 疾 患	総数T. 男 M. 女 F.	142.2 142.6 141.8	18.2 23.0 13.1	5.1 6.0 4.3	2.8 2.8 2.9	1.7 1.6 1.8	1.8 2.3 1.3	5.8 7.0 4.6	1.2 1.1 1.2	1.3 1.2 1.4	2.4 3.1 1.7	3.8 5.2 2.2	6.2 8.2 4.2
62, 63, 66	肺炎及び気管支炎	総数T. 男 M. 女 F.	65.0 75.5 55.0	11.6 11.1 12.1	4.6 4.7 4.4	2.1 2.3 1.9	1.1 1.7 0.5	0.7 2.2 1.0	3.9 4.0 3.9	0.8 0.9 0.7	0.5 0.7 0.4	0.6 0.8 0.4	0.9 1.1 0.7	1.1 1.1 1.1
4, 72	胃 腸 炎	総数T. 男 M. 女 F.	1.2 1.0 1.4	1.1 1.1 1.0	0.6 0.8 0.3	0.4 0.6 0.2	— — —	0.2 0.3 —	0.3 0.6 0.3	0.0 0.0 0.0	— — —	0.1 0.1 0.0	0.1 0.1 0.0	0.1 0.2 —
79~80	妊 産 婦 死 亡 女 ²⁾	F.	0.2	—	—	—	—	—	—	—	—	—	0.3	0.8

注: 1) 0歳は出生10万対の死亡率である。
2) 女子人口10万対の死亡率である。

General mortality

(簡単分類) 別死亡率 (人口10万対) (つづき)
causes of death (the 117 rubrics list) : Japan, 1992-con.

平成4年

30~34	35~39	40~44	45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~89	90~	65~	80~	85~
0.7 1.2 0.2	0.9 1.7 0.2	1.5 2.6 0.4	2.4 4.2 0.7	3.4 6.1 0.7	4.5 8.2 0.9	5.2 9.0 1.6	6.7 11.8 2.5	9.0 14.1 5.6	15.1 21.4 11.0	31.8 40.0 27.0	62.6 77.0 55.5	116.3 109.3 119.0	17.6 21.8 14.8	49.3 55.6 46.0	77.6 84.9 74.3
0.4 0.4 0.4	0.4 0.5 0.4	0.5 0.7 0.3	0.9 1.1 0.7	0.9 1.4 0.3	1.1 1.7 0.6	1.2 2.0 0.5	1.7 2.5 1.0	2.5 3.8 1.7	4.9 5.8 4.3	8.3 12.0 6.1	10.4 17.3 7.0	11.5 18.6 8.9	4.1 5.4 3.1	9.2 14.0 6.7	10.7 17.6 7.6
0.0 0.0 —	— — —	0.0 — —	0.0 — —	— — —	0.0 — —	0.0 — —	0.0 — —	0.0 — —	— — —	— — —	— — —	— — —	0.0 — —	— — —	— — —
0.8 1.3 0.2	0.8 1.3 0.2	1.0 1.8 0.3	1.4 2.5 0.3	2.0 3.3 0.8	2.0 3.3 0.8	3.5 5.5 1.6	4.5 5.8 3.4	7.8 9.5 6.6	13.8 15.8 12.6	18.4 21.6 16.6	27.4 34.0 24.2	27.3 38.1 23.3	10.7 12.1 9.7	21.8 26.2 19.5	27.4 35.0 23.9
0.3 0.4 0.2	0.5 0.8 0.3	0.5 0.7 0.4	0.9 1.2 0.6	1.3 1.7 1.0	2.1 3.0 1.2	3.7 4.9 2.5	5.5 8.0 3.4	10.6 16.6 6.6	19.4 30.4 12.2	36.5 60.6 22.7	65.9 110.0 44.5	98.9 130.9 86.8	18.8 26.8 13.4	51.3 79.5 36.4	75.1 115.1 57.0
0.2 0.4 —	0.2 0.4 —	0.4 0.8 0.0	0.5 1.0 0.0	0.8 1.5 0.2	0.8 1.4 0.1	0.9 1.7 0.1	0.7 1.3 0.1	0.6 1.1 0.3	0.4 0.6 0.2	0.8 1.9 0.2	0.4 6.0 0.5	— — —	0.6 1.1 0.2	0.6 1.3 0.3	0.3 0.3 0.3
0.5 0.9 0.0	0.8 1.5 0.0	1.0 1.8 0.2	1.1 1.9 0.3	1.3 2.4 0.2	2.0 3.7 0.4	1.8 3.5 0.2	1.7 3.3 0.4	1.6 3.3 0.4	2.3 4.4 1.0	2.2 4.4 1.0	2.9 6.0 1.5	5.9 13.4 3.1	2.0 3.9 0.7	2.8 5.6 1.4	3.8 7.8 1.9
0.6 0.7 0.4	0.7 1.2 0.2	1.1 1.8 0.4	1.6 2.6 0.7	2.1 3.7 0.6	3.4 5.6 1.3	3.8 6.2 1.5	4.8 7.3 2.8	6.9 10.4 4.6	13.2 19.4 9.1	23.0 34.3 16.6	39.7 60.0 29.9	68.7 99.0 57.4	12.6 17.2 9.5	32.5 46.5 25.1	47.8 69.5 38.0
13.7 19.5 7.8	14.4 21.2 7.6	17.7 26.1 9.3	22.2 32.1 12.3	26.1 37.4 15.1	27.9 38.9 17.3	26.6 37.1 16.9	25.4 32.1 19.9	29.2 34.5 25.6	40.7 49.6 34.9	51.2 61.2 45.4	63.9 85.0 53.6	61.7 104.1 45.7	35.5 42.8 30.6	55.8 71.1 47.8	63.3 89.7 51.3
0.4 0.5 0.2	0.6 0.8 0.4	0.6 0.7 0.4	0.8 1.1 0.4	0.7 1.1 0.4	0.7 1.0 0.3	0.6 0.7 0.5	0.5 0.7 0.4	0.5 0.7 0.5	0.6 0.7 0.6	1.2 1.3 0.9	0.5 0.7 0.3	0.5 0.7 0.6	0.6 0.7 0.3	1.0 1.0 0.8	0.6 1.0 0.5
1.5 2.2 0.8	1.6 2.3 0.8	2.3 3.2 1.3	2.4 3.3 1.4	3.1 4.9 1.4	3.4 4.8 2.0	2.7 4.1 1.5	3.1 3.9 2.4	3.6 5.1 2.6	5.0 6.3 4.1	7.1 7.8 6.7	8.7 11.3 7.5	7.6 14.4 5.0	4.5 5.6 3.8	7.6 9.3 6.7	8.4 12.1 6.8
1.0 1.3 0.7	1.4 1.9 0.8	2.5 3.6 1.5	4.3 6.2 2.4	6.1 8.6 3.6	11.0 16.4 5.9	17.0 23.9 10.6	27.0 37.8 18.2	42.4 62.2 29.1	68.8 103.7 46.1	101.0 150.2 72.8	141.3 204.7 110.4	195.2 225.8 183.7	58.5 79.3 44.2	122.1 170.9 96.6	156.3 209.8 132.0
0.2 0.3 0.0	0.4 0.6 0.1	0.6 1.1 0.2	1.1 2.0 0.3	2.0 3.3 0.6	2.9 4.8 1.0	4.3 6.7 2.1	7.3 12.3 3.2	11.1 20.3 5.0	18.9 36.1 7.7	26.4 53.9 10.7	31.9 65.0 15.7	34.4 74.2 19.4	14.9 26.8 6.8	28.8 58.6 13.1	32.6 67.3 16.8
8.2 11.8 4.6	12.3 17.6 6.9	20.6 29.9 11.2	31.6 48.0 15.2	49.7 74.6 25.2	82.8 124.6 42.6	137.7 200.7 78.9	226.8 315.8 153.4	432.2 584.5 330.6	887.7 120.1 736.6	1802.0 2173.1 1589.6	3337.9 5938.0 3866.3	5938.0 6583.5 5695.3	906.8 999.1 844.0	2667.2 2991.1 2497.2	4064.1 4530.2 3852.4
1.4 1.7 1.2	1.8 2.3 1.3	2.4 3.2 1.6	4.1 5.9 2.3	7.1 10.4 3.8	15.5 22.8 8.5	35.1 54.5 17.1	74.0 115.4 39.9	178.5 299.1 98.1	446.3 714.5 272.1	974.0 1539.0 650.7	1894.4 2934.7 1387.8	3327.9 4879.4 2744.6	460.6 634.3 342.1	1479.2 2188.2 1107.0	2294.8 3409.8 1788.3
0.1 0.1 0.2	0.1 0.2 —	0.1 0.2 0.1	0.2 0.3 0.2	0.4 0.5 0.3	0.6 0.8 0.3	0.9 1.1 0.7	1.2 1.7 0.8	2.6 2.9 2.3	5.4 6.7 4.5	14.0 14.6 13.6	32.6 30.0 33.9	83.9 80.4 85.3	7.6 6.9 8.0	26.6 24.2 27.9	47.0 42.3 49.1
0.8	0.4	0.3	—	—	—	—	—	—	—	—	—	—	—	—	—