

周産期死亡

〔月別にみた周産期死亡〕

〔Perinatal deaths by months〕

表 8.3 月別にみた妊娠満28週以後の死産—早期新生児死亡・
年次別周産期死亡数及び率¹⁾ (出生千対)

Table 8.3 Trends of perinatal deaths and perinatal death rates
(per 1,000 live births) by months : Japan

年 次	総 数	1 月	2 月	3 月	4 月	5 月	6 月	7 月	8 月	9 月	10 月	11 月	12 月
Year	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
周産期死亡数 Perinatal deaths													
1970 昭和45年	41 917	3 864	3 545	3 856	3 522	3 468	3 428	3 699	3 341	3 220	3 256	3 116	3 602
75 50	30 513	2 733	2 523	2 705	2 538	2 656	2 545	2 760	2 628	2 330	2 366	2 217	2 512
80 55	18 385	1 544	1 472	1 546	1 560	1 620	1 514	1 633	1 604	1 517	1 449	1 431	1 495
85 60	11 470	961	952	983	916	1 043	969	1 000	1 007	906	953	861	919
89 平成1年	7 450	666	524	621	626	614	620	633	642	635	626	619	624
90 2	7 001	636	532	625	617	582	577	558	613	569	581	551	560
91 3	6 544	504	504	569	519	607	566	576	568	539	524	532	536
妊娠満28週以後の死産数 Foetal deaths of 28 weeks and over of gestation													
1970 昭和45年	29 107	2 766	2 522	2 746	2 497	2 437	2 385	2 514	2 261	2 209	2 207	2 105	2 458
75 50	20 268	1 860	1 711	1 858	1 706	1 769	1 659	1 748	1 764	1 528	1 549	1 442	1 674
80 55	12 231	1 054	991	1 027	1 069	1 080	988	1 105	1 073	985	986	921	952
85 60	7 733	659	654	656	630	671	644	690	682	609	626	607	605
89 平成1年	5 064	476	363	432	417	400	429	431	436	442	427	411	400
90 2	4 664	447	385	430	407	381	378	376	399	361	377	365	358
91 3	4 376	315	340	381	366	408	381	392	390	358	337	360	348
早期新生児死亡数 Early neonatal deaths													
1970 昭和45年	12 810	1 098	1 023	1 110	1 025	1 031	1 043	1 185	1 080	1 011	1 049	1 011	1 144
75 50	10 245	873	812	847	832	887	886	1 012	864	802	817	775	838
80 55	6 154	490	481	519	491	540	526	528	531	532	463	510	543
85 60	3 737	302	298	327	286	372	325	310	325	297	327	254	314
89 平成1年	2 386	190	161	189	209	214	191	202	206	193	199	208	224
90 2	2 337	189	147	195	210	201	199	182	214	208	204	186	202
91 3	2 168	189	164	188	153	199	185	184	178	181	187	172	188
周産期死亡率 Perinatal death rates													
1970 昭和45年	21.7	22.1	22.9	23.5	21.2	21.6	22.4	21.8	20.4	20.5	21.3	20.9	21.5
75 50	16.0	16.3	16.5	16.9	15.9	16.5	16.7	16.4	16.0	14.6	15.3	15.5	16.0
80 55	11.7	11.4	11.8	11.9	12.2	12.1	11.8	11.8	11.6	11.1	10.9	11.9	11.7
85 60	8.0	8.0	8.6	8.5	8.0	8.6	8.3	7.7	8.0	7.4	7.7	7.7	7.7
89 平成1年	6.0	6.3	5.6	6.0	6.2	5.7	6.1	5.8	5.9	6.1	6.0	6.1	5.8
90 2	5.7	6.1	5.7	6.2	6.2	5.5	5.8	5.2	5.7	5.6	5.6	5.7	5.5
91 3	5.3	5.0	5.5	5.7	5.3	5.8	5.6	5.3	5.3	5.2	4.9	5.4	5.2
妊娠満28週以後の死産比 Foetal death ratio of 28 weeks and over of gestation													
1970 昭和45年	15.0	15.8	16.3	16.7	15.0	15.1	15.6	14.8	13.8	14.1	14.4	14.1	14.7
75 50	10.7	11.1	11.2	11.6	10.7	11.0	10.9	10.4	10.7	9.6	10.0	10.1	10.7
80 55	7.8	7.8	7.9	7.9	8.3	8.0	7.7	8.0	7.8	7.2	7.4	7.6	7.5
85 60	5.4	5.5	5.9	5.7	5.5	5.5	5.5	5.3	5.4	5.0	5.1	5.4	5.1
89 平成1年	4.1	4.5	3.8	4.2	4.1	3.7	4.2	4.0	4.0	4.3	4.1	4.0	3.7
90 2	3.8	4.3	4.2	4.3	4.1	3.6	3.8	3.5	3.7	3.5	3.7	3.8	3.5
91 3	3.6	3.1	3.7	3.8	3.7	3.9	3.8	3.6	3.7	3.4	3.2	3.6	3.3
早期新生児死亡率 Early neonatal death rates													
1970 昭和45年	6.6	6.3	6.6	6.8	6.2	6.4	6.8	7.0	6.6	6.4	6.9	6.8	6.8
75 50	5.4	5.2	5.3	5.3	5.2	5.5	5.8	6.0	5.3	5.0	5.3	5.4	5.3
80 55	3.9	3.6	3.8	4.0	3.8	4.0	4.1	3.8	3.8	3.9	3.5	4.2	4.3
85 60	2.6	2.5	2.7	2.8	2.5	3.1	2.8	2.4	2.6	2.4	2.7	2.3	2.6
89 平成1年	1.9	1.8	1.7	1.8	2.1	2.0	1.9	1.9	1.9	1.9	1.9	2.0	2.1
90 2	1.9	1.8	1.6	1.9	2.1	1.9	2.0	1.7	2.0	2.0	2.0	1.9	2.0
91 3	1.8	1.9	1.8	1.9	1.6	1.9	1.8	1.7	1.7	1.7	1.7	1.7	1.8

注：1) 計算方法は53ページの「月間周産期死亡率」を参照されたい。

Perinatal death

〔出産時の体重別にみた周産期死亡〕

〔Perinatal deaths by birth weight〕

表 8.4 性・体重別にみた妊娠満28週以後の死産—早期新生児死亡別周産期死亡数
・率(性・体重別出生千対)及び百分率

Table 8.4 Perinatal deaths, perinatal death rates (per 1,000 live births)
and percent distribution by sex and birth weight: Japan, 1991

平成3年

	総 数	~0.9 kg	1.0~1.4	1.5~1.9	2.0~2.4	2.5~2.9	3.0~3.4	3.5~3.9	4.0~	(再掲) 2.5 kg 以下 2.5 kg and under (Secondary mention)
	Total									
周産期死亡数 ¹⁾ Perinatal deaths										
総 数 Total	6 544	1 226	1 099	1 037	1 050	1 050	721	232	72	4 431
男 M.	3 370	620	530	519	525	547	408	149	44	2 205
女 F.	3 104	566	558	509	521	500	313	83	27	2 162
妊娠満28週以後の死産 Foetal deaths of 28 weeks and over of gestation	4 376	694	839	781	758	686	417	141	48	3 083
男 M.	2 213	319	406	388	381	362	233	90	29	1 499
女 F.	2 093	335	422	384	373	321	184	51	18	1 520
早期新生児死亡 Early neonatal deaths	2 168	532	260	256	292	364	304	91	24	1 348
男 M.	1 157	301	124	131	144	185	175	59	15	706
女 F.	1 011	231	136	125	148	179	129	32	9	642
周産期死亡率 ²⁾ Perinatal death rates										
総 数 Total	5.3	519.3	255.7	94.2	16.9	2.7	1.3	1.3	3.4	54.3
男 M.	5.4	529.0	240.8	93.0	18.6	3.1	1.4	1.4	3.2	58.1
女 F.	5.2	476.0	266.1	93.7	15.4	2.4	1.2	1.2	3.5	49.6
妊娠満28週以後の死産比 Foetal death ratio of 28 weeks and over of gestation	3.6	293.9	195.2	70.9	12.2	1.8	0.8	0.8	2.3	37.8
男 M.	3.5	272.2	184.5	69.5	13.5	2.0	0.8	0.8	2.1	39.5
女 F.	3.5	281.7	201.2	70.7	11.0	1.5	0.7	0.7	2.3	34.9
早期新生児死亡率 Early neonatal death rates	1.8	225.3	60.5	23.2	4.7	0.9	0.5	0.5	1.1	16.5
男 M.	1.8	256.8	56.3	23.5	5.1	1.0	0.6	0.5	1.1	18.6
女 F.	1.7	194.3	64.9	23.0	4.4	0.9	0.5	0.4	1.2	14.7
百 分 率 ³⁾ Percentage										
総 数 Total	100.0	18.9	16.9	16.0	16.2	16.2	11.1	3.6	1.1	68.3
男 M.	100.0	18.6	15.9	15.5	15.7	16.4	12.2	4.5	1.3	66.0
女 F.	100.0	18.4	18.1	16.5	16.9	16.2	10.2	2.7	0.9	70.3
妊娠満28週以後の死産 Foetal death of 28 weeks and over of gestation	100.0	15.9	19.2	17.9	17.4	15.7	9.6	3.2	1.1	70.6
男 M.	100.0	14.4	18.4	17.6	17.3	16.4	10.6	4.1	1.3	67.9
女 F.	100.0	16.0	20.2	18.4	17.9	15.4	8.8	2.4	0.9	72.8
早期新生児死亡 Early neonatal death	100.0	25.1	12.2	12.1	13.8	17.1	14.3	4.3	1.1	63.5
男 M.	100.0	26.5	10.9	11.6	12.7	16.3	15.4	5.2	1.3	62.3
女 F.	100.0	23.4	13.8	12.6	15.0	18.1	13.0	3.2	0.9	64.9

注：1) 性・体重ともに不詳を含む。

2) 周産期死亡率 = $\frac{\text{年間の性・体重階級別周産期死亡数}}{\text{年間の性・体重階級別出生数}} \times 1,000$

3) 体重不詳を除き算出した。