

周産期死亡
5 表 (6-1)

第5表 周産期死亡数, 出産時の体重; 出産時
単産—複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5kg				0.5 ~		
	Total				Under 0.5kg				Total		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	6 544	3 370	3 104	70	228	94	104	30	998	526	462
妊娠満28週未満 Under 28 completed weeks	536	300	236	-	76	31	45	-	399	238	161
満28週—満31週 28-31 completed weeks	1 430	732	678	20	96	46	43	7	486	233	247
満32週—満35週 32-35 completed weeks	1 502	756	722	24	24	7	11	6	94	49	41
満36週—満39週 36-39 completed weeks	2 166	1 121	1 020	25	30	9	4	17	19	6	13
満40週—満43週 40-43 completed weeks	876	446	429	1	2	1	1	-	-	-	-
満44週— 44 completed weeks and over	6	4	2	-	-	-	-	-	-	-	-
不詳 Not stated (再掲)	28	11	17	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	3 952	2 028	1 874	50	200	85	100	15	987	522	455
満28週—満31週 Under 28 completed weeks	536	300	236	-	76	31	45	-	399	238	161
満32週—満35週 28-31 completed weeks	1 430	732	678	20	96	46	43	7	486	233	247
満36週—満39週 32-36 completed weeks	1 986	996	960	30	28	8	12	8	102	51	47
正期(満37週—満41週) Term (37-41)	2 469	1 285	1 164	20	27	8	4	15	11	4	7
過期(満42週—) Post-term (42 completed weeks and over)	95	46	49	-	1	1	-	-	-	-	-
単産 Single	5 966	3 108	2 816	42	144	67	69	8	840	454	378
妊娠満28週未満 Under 28 completed weeks	416	243	173	-	55	25	30	-	312	189	123
満28週—満31週	1 288	668	604	16	73	35	33	5	441	219	217
満32週—満35週	1 367	698	652	17	9	3	5	1	75	42	30
満36週—満39週	2 005	1 044	953	8	6	3	1	2	12	4	8
満40週—満43週	856	440	415	1	1	1	-	-	-	-	-
満44週— 44 completed weeks and over	6	4	2	-	-	-	-	-	-	-	-
不詳 Not stated (再掲)	28	11	17	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	3 506	1 826	1 643	37	138	64	68	6	834	451	375
満28週—満31週 Under 28 completed weeks	416	243	173	-	55	25	30	-	312	189	123
満32週—満35週	1 288	668	604	16	73	35	33	5	441	219	217
満36週—満39週	1 802	915	866	21	10	4	5	1	81	43	35
正期(満37週—満41週) Term (37-41)	2 337	1 225	1 107	5	5	2	1	2	6	3	3
過期(満42週—) Post-term (42 completed weeks and over)	95	46	49	-	1	1	-	-	-	-	-
複産 Plural	578	262	288	28	84	27	35	22	158	72	84
妊娠満28週未満 Under 28 completed weeks	120	57	63	-	21	6	15	-	87	49	38
満28週—満31週	142	64	74	4	23	11	10	2	45	14	30
満32週—満35週	135	58	70	7	15	4	6	5	19	7	11
満36週—満39週	161	77	67	17	24	6	3	15	7	2	5
満40週—満43週	20	6	14	-	1	-	1	-	-	-	-
満44週— 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-
不詳 Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	446	202	231	13	62	21	32	9	153	71	80
満28週—満31週 Under 28 completed weeks	120	57	63	-	21	6	15	-	87	49	38
満32週—満35週	142	64	74	4	23	11	10	2	45	14	30
満36週—満39週	184	81	94	9	18	4	7	7	21	8	12
正期(満37週—満41週) Term (37-41)	132	60	57	15	22	6	3	13	5	1	4
過期(満42週—) Post-term (42 completed weeks and over)	-	-	-	-	-	-	-	-	-	-	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・
(早期—正期—過期再掲) 別 平成3年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1991

0.9kg Not stated	1.0 ~ 1.4kg				1.5 ~ 1.9kg				2.0 ~ 2.4kg			
	Total				Total				Total			
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
10	1 099	530	558	11	1 037	519	509	9	1 050	525	521	4
-	56	29	27	-	4	2	2	-	-	-	-	-
6	571	288	279	4	221	134	85	2	38	21	16	1
4	345	157	181	7	479	228	246	5	391	215	176	-
-	117	51	66	-	295	141	153	1	528	252	273	3
-	10	5	5	-	38	14	23	1	89	35	54	-
-	-	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	2	-	2	-
10	1 023	496	516	11	820	419	394	7	592	316	273	3
-	56	29	27	-	4	2	2	-	-	-	-	-
6	571	288	279	4	221	134	85	2	38	21	16	1
4	396	179	210	7	595	283	307	5	554	295	257	2
-	76	34	42	-	213	98	113	2	442	201	240	1
-	-	-	-	-	4	2	2	-	14	8	6	-
8	972	478	484	10	934	459	467	8	995	500	491	4
-	45	27	18	-	3	2	1	-	-	-	-	-
5	515	262	250	3	209	124	83	2	35	19	15	1
3	308	142	159	7	443	207	231	5	373	210	163	-
-	94	42	52	-	244	112	132	-	495	235	257	3
-	10	5	5	-	35	14	20	1	88	34	54	-
-	-	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	2	-	2	-
8	910	449	451	10	750	376	367	7	561	305	253	3
-	45	27	18	-	3	2	1	-	-	-	-	-
5	515	262	250	3	209	124	83	2	35	19	15	1
-	350	160	183	7	538	250	283	5	526	286	238	2
-	62	29	33	-	180	81	98	1	418	187	230	1
-	-	-	-	-	4	2	2	-	14	8	6	-
2	127	52	74	1	103	60	42	1	55	25	30	-
-	11	2	9	-	1	-	1	-	-	-	-	-
1	56	26	29	1	12	10	2	-	3	2	1	-
1	37	15	22	-	36	21	15	-	18	5	13	-
-	23	9	14	-	51	29	21	1	33	17	16	-
-	-	-	-	-	3	-	3	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	113	47	65	1	70	43	27	-	31	11	20	-
-	11	2	9	-	1	-	1	-	-	-	-	-
1	56	26	29	1	12	10	2	-	3	2	1	-
1	46	19	27	-	57	33	24	-	28	9	19	-
-	14	5	9	-	33	17	15	1	24	14	10	-
-	-	-	-	-	-	-	-	-	-	-	-	-

周産期死亡
5 表 (6-2)

第5表 周産期死亡数, 出産時の体重; 出産時
単産—複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

総 数 Total	2.5 ~ 2.9kg				(再 掲) (Secondary mention) 2500g ちょうど Just 2500g				3.0 ~ 3.4kg				3.5
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total
単 産—複 産 Plurality of Birth													
妊 娠 期 間 Period of Gestation													
総 数 Total	1 050	547	500	3	19	11	8	-	721	408	313	-	232
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	14	7	7	-	2	-	2	-	2	2	-	-	-
満32週—満35週 32-35 completed weeks	121	73	47	1	5	3	2	-	31	16	15	-	6
満36週—満39週 36-39 completed weeks	654	339	313	2	8	5	3	-	395	241	154	-	81
満40週—満43週 40-43 completed weeks	258	126	132	-	4	3	1	-	291	148	143	-	143
満44週— 44 completed weeks and over	1	1	-	-	-	-	-	-	2	1	1	-	1
不 詳 Not stated	2	1	1	-	-	-	-	-	-	-	-	-	1
(再 掲) Pre-term													
早期(満37週未満) Under 37 completed weeks	248	144	101	3	9	4	5	-	50	27	23	-	13
満37週—満41週 37-41 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満42週—満44週 42-44 completed weeks	14	7	7	-	2	-	2	-	2	2	-	-	-
正期(満41週—満44週) Term (41-44 completed weeks)	234	137	94	3	7	4	3	-	48	25	23	-	13
過期(満44週—) Post-term (44 completed weeks and over)	774	388	386	-	9	6	3	-	648	372	276	-	201
単 産 Single	1 015	531	481	3	19	11	8	-	710	401	309	-	232
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	11	6	5	-	2	-	2	-	2	2	-	-	-
満32週—満35週 32-35 completed weeks	114	69	44	1	5	3	2	-	31	16	15	-	6
満36週—満39週 36-39 completed weeks	640	332	306	2	8	5	3	-	388	235	153	-	81
満40週—満43週 40-43 completed weeks	247	122	125	-	4	3	1	-	287	147	140	-	143
満44週— 44 completed weeks and over	1	1	-	-	-	-	-	-	2	1	1	-	1
不 詳 Not stated	2	1	1	-	-	-	-	-	-	-	-	-	1
(再 掲) Pre-term													
早期(満37週未満) Under 37 completed weeks	235	138	94	3	9	4	5	-	50	27	23	-	13
満37週—満41週 37-41 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満42週—満44週 42-44 completed weeks	11	6	5	-	2	-	2	-	2	2	-	-	-
正期(満41週—満44週) Term (41-44 completed weeks)	224	132	89	3	7	4	3	-	48	25	23	-	13
過期(満44週—) Post-term (44 completed weeks and over)	752	378	374	-	9	6	3	-	637	365	272	-	201
複 産 Plural	35	16	19	-	-	-	-	-	11	7	4	-	-
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	3	1	2	-	-	-	-	-	-	-	-	-	-
満32週—満35週 32-35 completed weeks	7	4	3	-	-	-	-	-	-	-	-	-	-
満36週—満39週 36-39 completed weeks	14	7	7	-	-	-	-	-	7	6	1	-	-
満40週—満43週 40-43 completed weeks	11	4	7	-	-	-	-	-	4	1	3	-	-
満44週— 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不 詳 Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-
(再 掲) Pre-term													
早期(満37週未満) Under 37 completed weeks	13	6	7	-	-	-	-	-	-	-	-	-	-
満37週—満41週 37-41 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満42週—満44週 42-44 completed weeks	3	1	2	-	-	-	-	-	-	-	-	-	-
正期(満41週—満44週) Term (41-44 completed weeks)	10	5	5	-	-	-	-	-	-	-	-	-	-
過期(満44週—) Post-term (44 completed weeks and over)	22	10	12	-	-	-	-	-	11	7	4	-	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・
(早期—正期—過期再掲) 別 平成3年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1991—CON.

~ 3.9kg			4.0kg ~ and over				不 詳 Not stated				出産時の平均体重 Mean birth weight			
男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
149	83	-	72	44	27	1	57	28	27	2	1.97	2.02	1.94	0.92
-	-	-	-	-	-	-	1	-	1	-	0.72	0.73	0.71	-
-	-	-	-	-	-	-	2	1	1	-	1.14	1.18	1.11	0.87
6	-	-	4	2	1	1	7	3	4	-	1.80	1.86	1.76	1.18
52	29	-	31	20	11	-	16	10	4	2	2.51	2.60	2.46	0.68
90	53	-	37	22	15	-	8	5	3	-	3.03	3.11	2.96	1.55
-	1	-	-	-	-	-	-	-	-	-	2.95	2.75	3.35	-
1	-	-	-	-	-	-	23	9	14	-	2.75	3.20	2.45	-
10	3	-	6	3	2	1	13	6	7	-	1.46	1.49	1.44	1.11
-	-	-	-	-	-	-	1	-	1	-	0.72	0.73	0.71	-
-	-	-	-	-	-	-	2	1	1	-	1.14	1.18	1.11	0.87
10	3	-	6	3	2	1	10	5	5	-	1.89	1.95	1.85	1.27
131	70	-	56	36	20	-	21	13	6	2	2.74	2.83	2.68	0.41
7	10	-	10	5	5	-	-	-	-	-	3.10	3.02	3.18	-
149	83	-	70	43	27	-	54	26	27	1	2.04	2.08	2.00	1.24
-	-	-	-	-	-	-	1	-	1	-	0.73	0.74	0.71	-
6	-	-	2	1	1	-	6	1	4	-	1.15	1.18	1.12	0.92
52	29	-	31	20	11	-	14	9	4	1	1.83	1.88	1.80	1.33
90	53	-	37	22	15	-	8	5	3	-	2.58	2.65	2.51	1.72
-	1	-	-	-	-	-	-	-	-	-	3.05	3.11	2.98	1.55
-	-	-	-	-	-	-	-	-	-	-	2.95	2.75	3.35	-
1	-	-	-	-	-	-	23	9	14	-	2.75	3.20	2.45	-
10	3	-	4	2	2	-	11	4	7	-	1.50	1.52	1.48	1.27
-	-	-	-	-	-	-	1	-	1	-	0.73	0.74	0.71	-
-	-	-	-	-	-	-	2	1	1	-	1.15	1.18	1.12	0.92
10	3	-	4	2	2	-	8	3	5	-	1.93	1.98	1.89	1.53
131	70	-	56	36	20	-	20	13	6	1	2.80	2.87	2.72	1.03
7	10	-	10	5	5	-	-	-	-	-	3.10	3.02	3.18	-
-	-	-	2	1	-	1	3	2	-	1	1.29	1.39	1.29	0.44
-	-	-	-	-	-	-	-	-	-	-	0.70	0.69	0.70	-
-	-	-	-	-	-	-	-	-	-	-	1.05	1.12	1.01	0.65
-	-	-	2	1	-	1	1	1	-	-	1.46	1.56	1.43	0.82
-	-	-	-	-	-	-	2	1	-	1	1.66	1.90	1.74	0.22
-	-	-	-	-	-	-	-	-	-	-	2.57	2.77	2.48	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	2	1	-	1	2	2	-	-	1.14	1.20	1.13	0.67
-	-	-	-	-	-	-	-	-	-	-	0.70	0.69	0.70	-
-	-	-	-	-	-	-	-	-	-	-	1.05	1.12	1.01	0.65
-	-	-	2	1	-	1	2	2	-	-	1.51	1.62	1.51	0.67
-	-	-	-	-	-	-	1	-	-	1	1.80	2.04	1.93	0.23

周産期死亡
5 表 (6-3)

第5表 周産期死亡数, 出産時の体重; 出産時
単産—複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5kg				0.5 ~		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	4 376	2 213	2 093	70	152	63	59	30	542	256	276
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	1 186	602	564	20	96	46	43	7	440	207	227
満32週—満35週 32-35 completed weeks	1 193	593	576	24	24	7	11	6	87	45	38
満36週—満39週 36-39 completed weeks	1 471	755	691	25	30	9	4	17	15	4	11
満40週—満43週 40-43 completed weeks	520	259	260	1	2	1	1	-	-	-	-
満44週— 44 completed weeks and over	6	4	2	-	-	-	-	-	-	-	-
不詳 (Not stated)	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Pre-term	2 730	1 367	1 313	50	124	54	55	15	534	254	270
満28週—満31週 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-
満32週—満35週 28-31 completed weeks	1 186	602	564	20	96	46	43	7	440	207	227
満36週—満39週 32-36 completed weeks	1 544	765	749	30	28	8	12	8	94	47	43
満40週—満43週 Term (37-41)	1 590	819	751	20	27	8	4	15	8	2	6
満44週— Post-term (42 completed weeks and over)	56	27	29	-	1	1	-	-	-	-	-
単産 Single	4 020	2 055	1 923	42	89	42	39	8	482	237	237
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	1 084	556	512	16	73	35	33	5	405	196	204
満32週—満35週 32-36 completed weeks	1 081	547	517	17	9	3	5	1	69	39	27
満36週—満39週 Term (37-41)	1 343	693	642	8	6	3	1	2	8	2	6
満40週—満43週 Post-term (42 completed weeks and over)	506	255	250	1	1	1	-	-	-	-	-
満44週— 不詳 (Not stated)	6	4	2	-	-	-	-	-	-	-	-
早期 (満37週未満) Pre-term	2 477	1 256	1 184	37	83	39	38	6	479	236	235
満28週—満31週 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-
満32週—満35週 28-31 completed weeks	1 084	556	512	16	73	35	33	5	405	196	204
満36週—満39週 32-36 completed weeks	1 393	700	672	21	10	4	5	1	74	40	31
満40週—満43週 Term (37-41)	1 487	772	710	5	5	2	1	2	3	1	2
満44週— Post-term (42 completed weeks and over)	56	27	29	-	1	1	-	-	-	-	-
複産 Plural	356	158	170	28	63	21	20	22	60	19	39
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	102	46	52	4	23	11	10	2	35	11	23
満32週—満35週 32-36 completed weeks	112	46	59	7	15	4	6	5	18	6	11
満36週—満39週 Term (37-41)	128	62	49	17	24	6	3	15	7	2	5
満40週—満43週 Post-term (42 completed weeks and over)	14	4	10	-	1	-	1	-	-	-	-
満44週— 不詳 (Not stated)	-	-	-	-	-	-	-	-	-	-	-
早期 (満37週未満) Pre-term	253	111	129	13	41	15	17	9	55	18	35
満28週—満31週 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-
満32週—満35週 28-31 completed weeks	102	46	52	4	23	11	10	2	35	11	23
満36週—満39週 32-36 completed weeks	151	65	77	9	18	4	7	7	20	7	12
満40週—満43週 Term (37-41)	103	47	41	15	22	6	3	13	5	1	4
満44週— Post-term (42 completed weeks and over)	-	-	-	-	-	-	-	-	-	-	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・

(早期—正期—過期再掲) 別 平成3年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1991—CON.

0.9kg	1.0 ~ 1.4kg				1.5 ~ 1.9kg				2.0 ~ 2.4kg			
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
不詳 Not stated	10	839	406	422	11	781	388	384	9	758	381	373
6	447	225	218	4	164	101	61	2	30	17	12	1
4	297	134	156	7	389	177	207	5	294	165	129	-
-	88	43	45	-	206	101	104	1	383	180	200	3
-	7	4	3	-	22	9	12	1	49	17	32	-
-	-	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
10	784	377	396	11	639	320	312	7	450	247	200	3
-	-	-	-	-	-	-	-	-	-	-	-	-
6	447	225	218	4	164	101	61	2	30	17	12	1
4	337	152	178	7	475	219	251	5	420	230	188	2
-	55	29	26	-	139	66	71	2	301	129	171	1
-	-	-	-	-	3	2	1	-	7	5	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
8	755	368	377	10	705	342	355	8	718	363	351	4
-	-	-	-	-	-	-	-	-	-	-	-	-
5	412	208	201	3	158	96	60	2	28	16	11	1
3	265	121	137	7	361	161	195	5	280	160	120	-
-	71	35	36	-	166	76	90	-	360	169	188	3
-	7	4	3	-	20	9	10	1	48	16	32	-
-	-	-	-	-	-	-	-	-	2	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
8	711	344	357	10	586	288	291	7	428	238	187	3
-	-	-	-	-	-	-	-	-	-	-	-	-
5	412	208	201	3	158	96	60	2	28	16	11	1
?	299	136	156	7	428	192	231	5	400	222	176	2
-	44	24	20	-	116	52	63	1	283	120	162	1
-	-	-	-	-	3	2	1	-	7	5	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	84	38	45	1	76	46	29	1	40	18	22	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	35	17	17	1	6	5	1	-	2	1	1	-
1	32	13	19	-	28	16	12	-	14	5	9	-
-	17	8	9	-	40	25	14	1	23	11	12	-
-	-	-	-	-	2	-	2	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	73	33	39	1	53	32	21	-	22	9	13	-
1	35	17	17	1	6	5	1	-	2	1	1	-
1	38	16	22	-	47	27	20	-	20	8	12	-
-	11	5	6	-	23	14	8	1	18	9	9	-
-	-	-	-	-	-	-	-	-	-	-	-	-

周産期死亡
5 表 (6-4)

第5表 周産期死亡数, 出産時の体重; 出産時
単産—複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9kg				(再掲) (Secondary mention) 2500g ちょうど Just 2500g				3.0 ~ 3.4kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	686	362	321	3	11	5	6	-	417	233	184	-	141
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	6	4	2	-	1	-	1	-	2	2	-	-	-
満32週—満35週 32-35 completed weeks	73	49	23	1	3	2	1	-	18	9	9	-	4
満36週—満39週 36-39 completed weeks	440	228	210	2	6	3	3	-	233	142	91	-	51
満40週—満43週 40-43 completed weeks	166	80	86	-	1	-	1	-	162	79	83	-	85
満44週— 44 completed weeks and over	1	1	-	-	-	-	-	-	2	1	1	-	1
不詳 (再掲) Not stated (Secondary mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term 満28週未満 Under 28 completed weeks	154	91	60	3	5	2	3	-	30	16	14	-	7
満28週—満31週 28-31 completed weeks	6	4	2	-	1	-	1	-	2	2	-	-	-
満32週—満36週 32-36 completed weeks	148	87	58	3	4	2	2	-	28	14	14	-	7
正期(満37週—満41週) Term (37-41 completed weeks)	517	264	253	-	6	3	3	-	373	213	160	-	124
過期(満42週—) Post-term (42 completed weeks and over)	15	7	8	-	-	-	-	-	14	4	10	-	10
単産 Single	664	353	308	3	11	5	6	-	409	227	182	-	141
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	5	3	2	-	1	-	1	-	2	2	-	-	-
満32週—満35週 32-35 completed weeks	70	48	21	1	3	2	1	-	18	9	9	-	4
満36週—満39週 36-39 completed weeks	429	223	204	2	6	3	3	-	228	137	91	-	51
満40週—満43週 40-43 completed weeks	159	78	81	-	1	-	1	-	159	78	81	-	85
満44週— 44 completed weeks and over	1	1	-	-	-	-	-	-	2	1	1	-	1
不詳 (再掲) Not stated (Secondary mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term 満28週未満 Under 28 completed weeks	147	88	56	3	5	2	3	-	30	16	14	-	7
満28週—満31週 28-31 completed weeks	5	3	2	-	1	-	1	-	2	2	-	-	-
満32週—満36週 32-36 completed weeks	142	85	54	3	4	2	2	-	28	14	14	-	7
正期(満37週—満41週) Term (37-41 completed weeks)	502	258	244	-	6	3	3	-	365	207	158	-	124
過期(満42週—) Post-term (42 completed weeks and over)	15	7	8	-	-	-	-	-	14	4	10	-	10
複産 Plural	22	9	13	-	-	-	-	-	8	6	2	-	-
妊娠満28週未満 Under 28 completed weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	1	1	-	-	-	-	-	-	-	-	-	-	-
満32週—満35週 32-35 completed weeks	3	1	2	-	-	-	-	-	-	-	-	-	-
満36週—満39週 36-39 completed weeks	11	5	6	-	-	-	-	-	5	5	-	-	-
満40週—満43週 40-43 completed weeks	7	2	5	-	-	-	-	-	3	1	2	-	-
満44週— 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (Secondary mention)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term 満28週未満 Under 28 completed weeks	7	3	4	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 completed weeks	1	1	-	-	-	-	-	-	-	-	-	-	-
満32週—満36週 32-36 completed weeks	6	2	4	-	-	-	-	-	-	-	-	-	-
正期(満37週—満41週) Term (37-41 completed weeks)	15	6	9	-	-	-	-	-	8	6	2	-	-
過期(満42週—) Post-term (42 completed weeks and over)	-	-	-	-	-	-	-	-	-	-	-	-	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・

(早期—正期—過期再掲) 別 平成3年
OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1991—CON.

~ 3.9kg			4.0kg ~ and over				不詳 Not stated				出産時の平均体重 Mean birth weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
90	51	-	48	29	18	1	12	5	5	2	1.96	2.03	1.92	0.92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	1.10	1.14	1.06	0.87
4	-	-	3	1	1	1	4	2	2	-	1.74	1.80	1.70	1.18
33	18	-	22	14	8	-	3	1	-	2	2.46	2.55	2.42	0.68
53	32	-	23	14	9	-	4	2	2	-	3.03	3.10	2.96	1.55
-	1	-	-	-	-	-	-	-	-	-	2.95	2.75	3.35	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	2	-	3	1	1	1	5	2	3	-	1.51	1.55	1.47	1.11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	1.10	1.14	1.06	0.87
5	2	-	3	1	1	1	4	2	2	-	1.82	1.88	1.79	1.27
81	43	-	39	24	15	-	7	3	2	2	2.70	2.79	2.66	0.41
4	6	-	6	4	2	-	-	-	-	-	3.09	2.98	3.18	-
90	51	-	47	29	18	-	10	4	5	1	2.01	2.07	1.97	1.24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	2	1	1	-	3	1	2	-	1.11	1.15	1.07	0.92
33	18	-	22	14	8	-	2	1	-	1	1.78	1.83	1.74	1.33
53	32	-	23	14	9	-	4	2	2	-	2.54	2.61	2.48	1.72
-	1	-	-	-	-	-	-	-	-	-	3.04	3.11	2.99	1.55
-	-	-	-	-	-	-	-	-	-	-	2.95	2.75	3.35	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	2	-	2	1	1	-	4	1	3	-	1.54	1.57	1.50	1.27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	1.11	1.15	1.07	0.92
-	2	-	2	1	1	-	3	1	2	-	1.87	1.91	1.83	1.53
81	43	-	39	24	15	-	6	3	2	1	2.77	2.84	2.71	1.03
4	6	-	6	4	2	-	-	-	-	-	3.09	2.98	3.18	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	2	1	-	1.36	1.51	1.37	0.44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	1	-	-	0.95	1.04	0.90	0.65
-	-	-	-	-	-	-	-	-	-	-	1.35	1.43	1.34	0.82
-	-	-	-	-	-	-	-	-	-	1	1.58	1.84	1.69	0.22
-	-	-	-	-	-	-	-	-	-	-	2.50	2.75	2.40	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	1	1	-	-	1.24	1.33	1.21	0.67
-	-	-	-	-	-	-	-	-	-	-	0.95	1.04	0.90	0.65
-	-	-	1	-	-	-	1	1	-	-	1.43	1.53	1.43	0.67
-	-	-	-	-	-	-	-	-	-	1	1.67	1.94	1.86	0.23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

周産期死亡
5 表 (6-5)

第5表 周産期死亡数, 出産時の体重; 出産時
単産—複産・妊娠期間 (4 週区分)・

早期新生児(生後1週未満)死亡数
Early Neonatal Deaths
(Under 1 Week)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5kg				0.5 ~		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	2 168	1 157	1 011	.	76	31	45	.	456	270	186
妊娠満28週未満 Under 28 completed weeks	536	300	236	.	76	31	45	.	399	238	161
満28週—満31週 28-31 completed weeks	244	130	114	.	-	-	-	.	46	26	20
満32週—満35週 32-35 completed weeks	309	163	146	.	-	-	-	.	7	4	3
満36週—満39週 36-39 completed weeks	695	366	329	.	-	-	-	.	4	2	2
満40週—満43週 40-43 completed weeks	356	187	169	.	-	-	-	.	-	-	-
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-
不詳 (再掲) Not stated	28	11	17	.	-	-	-	.	-	-	-
早期(満37週未満) Pre-term	1 222	661	561	.	76	31	45	.	453	268	185
満28週—満31週 Under 28 completed weeks	536	300	236	.	76	31	45	.	399	238	161
満32週—満35週 28-31 completed weeks	244	130	114	.	-	-	-	.	46	26	20
満36週—満39週 32-36 completed weeks	442	231	211	.	-	-	-	.	8	4	4
満40週—満43週 Term (37-41)	879	466	413	.	-	-	-	.	3	2	1
満44週— Post-term (42 completed weeks and over)	39	19	20	.	-	-	-	.	-	-	-
単産 Single	1 946	1 053	893	.	55	25	30	.	358	217	141
妊娠満28週未満 Under 28 completed weeks	416	243	173	.	55	25	30	.	312	189	123
満28週—満31週 28-31 completed weeks	204	112	92	.	-	-	-	.	36	23	13
満32週—満35週 32-35 completed weeks	286	151	135	.	-	-	-	.	6	3	3
満36週—満39週 36-39 completed weeks	662	351	311	.	-	-	-	.	4	2	2
満40週—満43週 40-43 completed weeks	350	185	165	.	-	-	-	.	-	-	-
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-
不詳 (再掲) Not stated	28	11	17	.	-	-	-	.	-	-	-
早期(満37週未満) Pre-term	1 029	570	459	.	55	25	30	.	355	215	140
満28週—満31週 Under 28 completed weeks	416	243	173	.	55	25	30	.	312	189	123
満32週—満35週 28-31 completed weeks	204	112	92	.	-	-	-	.	36	23	13
満36週—満39週 32-36 completed weeks	409	215	194	.	-	-	-	.	7	3	4
満40週—満43週 Term (37-41)	850	453	397	.	-	-	-	.	3	2	1
満44週— Post-term (42 completed weeks and over)	39	19	20	.	-	-	-	.	-	-	-
複産 Plural	222	104	118	.	21	6	15	.	98	53	45
妊娠満28週未満 Under 28 completed weeks	120	57	63	.	21	6	15	.	87	49	38
満28週—満31週 28-31 completed weeks	40	18	22	.	-	-	-	.	10	3	7
満32週—満35週 32-35 completed weeks	23	12	11	.	-	-	-	.	1	1	-
満36週—満39週 36-39 completed weeks	33	15	18	.	-	-	-	.	-	-	-
満40週—満43週 40-43 completed weeks	6	2	4	.	-	-	-	.	-	-	-
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-
不詳 (再掲) Not stated	-	-	-	.	-	-	-	.	-	-	-
早期(満37週未満) Pre-term	193	91	102	.	21	6	15	.	98	53	45
満28週—満31週 Under 28 completed weeks	120	57	63	.	21	6	15	.	87	49	38
満32週—満35週 28-31 completed weeks	40	18	22	.	-	-	-	.	10	3	7
満36週—満39週 32-36 completed weeks	33	16	17	.	-	-	-	.	1	1	-
満40週—満43週 Term (37-41)	29	13	16	.	-	-	-	.	-	-	-
満44週— Post-term (42 completed weeks and over)	-	-	-	.	-	-	-	.	-	-	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・
(早期—正期—過期再掲) 別 平成3年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1991—CON.

0.9kg Not stated	1.0 ~ 1.4kg				1.5 ~ 1.9kg				2.0 ~ 2.4kg			
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
不詳 Not stated	260	124	136	.	256	131	125	.	292	144	148	.
早期(満37週未満) Pre-term	56	29	27	.	4	2	2	.	-	-	-	.
満28週—満31週 Under 28 completed weeks	124	63	61	.	57	33	24	.	8	4	4	.
満32週—満35週 28-31 completed weeks	48	23	25	.	90	51	39	.	97	50	47	.
満36週—満39週 32-35 completed weeks	29	8	21	.	89	40	49	.	145	72	73	.
満40週—満43週 36-39 completed weeks	3	1	2	.	16	5	11	.	40	18	22	.
満44週— 40-43 completed weeks	-	-	-	.	-	-	-	.	-	-	-	.
不詳 (再掲) Not stated	-	-	-	.	-	-	-	.	2	-	2	.
早期(満37週未満) Pre-term	239	119	120	.	181	99	82	.	142	69	73	.
満28週—満31週 Under 28 completed weeks	56	29	27	.	4	2	2	.	-	-	-	.
満32週—満35週 28-31 completed weeks	124	63	61	.	57	33	24	.	8	4	4	.
満36週—満39週 32-36 completed weeks	59	27	32	.	120	64	56	.	134	65	69	.
満40週—満43週 Term (37-41)	21	5	16	.	74	32	42	.	141	72	69	.
満44週— Post-term (42 completed weeks and over)	-	-	-	.	1	-	1	.	7	3	4	.
単産 Single	217	110	107	.	229	117	112	.	277	137	140	.
妊娠満28週未満 Under 28 completed weeks	45	27	18	.	3	2	1	.	-	-	-	.
満28週—満31週 28-31 completed weeks	103	54	49	.	51	28	23	.	7	3	4	.
満32週—満35週 32-35 completed weeks	43	21	22	.	82	46	36	.	93	50	43	.
満36週—満39週 36-39 completed weeks	23	7	16	.	78	36	42	.	135	66	69	.
満40週—満43週 40-43 completed weeks	3	1	2	.	15	5	10	.	40	18	22	.
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-	.
不詳 (再掲) Not stated	-	-	-	.	-	-	-	.	2	-	2	.
早期(満37週未満) Pre-term	199	105	94	.	164	88	76	.	133	67	66	.
満28週—満31週 Under 28 completed weeks	45	27	18	.	3	2	1	.	-	-	-	.
満32週—満35週 28-31 completed weeks	103	54	49	.	51	28	23	.	7	3	4	.
満36週—満39週 32-36 completed weeks	51	24	27	.	110	58	52	.	126	64	62	.
満40週—満43週 Term (37-41)	18	5	13	.	64	29	35	.	135	67	68	.
満44週— Post-term (42 completed weeks and over)	-	-	-	.	1	-	1	.	7	3	4	.
複産 Plural	43	14	29	.	27	14	13	.	15	7	8	.
妊娠満28週未満 Under 28 completed weeks	11	2	9	.	1	-	1	.	-	-	-	.
満28週—満31週 28-31 completed weeks	21	9	12	.	6	5	1	.	1	1	-	.
満32週—満35週 32-35 completed weeks	5	2	3	.	8	5	3	.	4	-	4	.
満36週—満39週 36-39 completed weeks	6	1	5	.	11	4	7	.	10	6	4	.
満40週—満43週 40-43 completed weeks	-	-	-	.	1	-	1	.	-	-	-	.
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-	.
不詳 (再掲) Not stated	-	-	-	.	-	-	-	.	-	-	-	.
早期(満37週未満) Pre-term	40	14	26	.	17	11	6	.	9	2	7	.
満28週—満31週 Under 28 completed weeks	11	2	9	.	1	-	1	.	-	-	-	.
満32週—満35週 28-31 completed weeks	21	9	12	.	6	5	1	.	1	1	-	.
満36週—満39週 32-36 completed weeks	8	3	5	.	10	6	4	.	8	1	7	.
満40週—満43週 Term (37-41)	3	-	3	.	10	3	7	.	6	5	1	.
満44週— Post-term (42 completed weeks and over)	-	-	-	.	-	-	-	.	-	-	-	.

5 表 (6-6)

第5表 周産期死亡数, 出産時の体重; 出産時

単産—複産・妊娠期間（4週区分）.

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
Early Neonatal Deaths
(Under 1 Week)

[illegible]

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産・早期新生児死亡・性・

(早期—正期—過期再掲) 別 平成3年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1991—CON.

～ 3.9kg			4.0kg ～ and over				不 詳 Not stated				出産時の平均体重 Mean birth weight			
男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
59	32	.	24	15	9	.	45	23	22	.	1.99	2.01	1.96	.
-	-	.	-	-	-	.	1	-	1	.	0.72	0.73	0.71	.
-	-	.	-	-	-	.	1	1	-	.	1.36	1.35	1.37	.
2	-	.	1	1	-	.	3	1	2	.	2.05	2.07	2.02	.
19	11	.	9	6	3	.	13	9	4	.	2.63	2.72	2.53	.
37	21	.	14	8	6	.	4	3	1	.	3.04	3.12	2.96	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
1	-	.	-	-	-	.	23	9	14	.	2.75	3.20	2.45	.
5	1	.	3	2	1	.	8	4	4	.	1.36	1.36	1.36	.
-	-	.	-	-	-	.	1	-	1	.	0.72	0.73	0.71	.
-	-	.	-	-	-	.	1	1	-	.	1.36	1.35	1.37	.
5	1	.	3	2	1	.	6	3	3	.	2.13	2.18	2.08	.
50	27	.	17	12	5	.	14	10	4	.	2.82	2.90	2.73	.
3	4	.	4	1	3	.	-	-	-	.	3.12	3.06	3.19	.
59	32	.	23	14	9	.	44	22	22	.	2.08	2.09	2.07	.
-	-	.	-	-	-	.	1	-	1	.	0.73	0.74	0.71	.
-	-	.	-	-	-	.	1	1	-	.	1.37	1.35	1.40	.
2	-	.	-	-	-	.	3	1	2	.	2.05	2.07	2.03	.
19	11	.	9	6	3	.	12	8	4	.	2.66	2.74	2.57	.
37	21	.	14	8	6	.	4	3	1	.	3.05	3.12	2.97	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
1	-	.	-	-	-	.	23	9	14	.	2.75	3.20	2.45	.
5	1	.	2	1	1	.	7	3	4	.	1.42	1.41	1.43	.
-	-	.	-	-	-	.	1	-	1	.	0.73	0.74	0.71	.
-	-	.	-	-	-	.	1	1	-	.	1.37	1.35	1.40	.
5	1	.	2	1	1	.	5	2	3	.	2.15	2.20	2.10	.
50	27	.	17	12	5	.	14	10	4	.	2.84	2.92	2.75	.
3	4	.	4	1	3	.	-	-	-	.	3.12	3.06	3.19	.
-	-	.	1	1	-	.	1	1	-	.	1.18	1.20	1.16	.
-	-	.	-	-	-	.	-	-	-	.	0.70	0.69	0.70	.
-	-	.	-	-	-	.	-	-	-	.	1.30	1.32	1.27	.
-	-	.	1	1	-	.	-	-	-	.	1.98	2.06	1.89	.
-	-	.	-	-	-	.	1	1	-	.	2.01	2.18	1.88	.
-	-	.	-	-	-	.	-	-	-	.	2.72	2.80	2.68	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
-	-	.	1	1	-	.	1	1	-	.	1.03	1.03	1.02	.
-	-	.	-	-	-	.	-	-	-	.	0.70	0.69	0.70	.
-	-	.	-	-	-	.	-	-	-	.	1.30	1.32	1.27	.
-	-	.	1	1	-	.	1	1	-	.	1.93	1.99	1.87	.
-	-	.	-	-	-	.	-	-	-	.	2.22	2.38	2.09	.