

周産期死亡
5 表 (6-1)

第5表 周産期死亡数, 出産時の体重; 出産時

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 Plurality of Birth 妊 娠 期 間 Period of Gestation	総 数 Total				0.5 kg 未満 Under 0.5kg				0.5 ~		
	Total				Under 0.5kg				Total		
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female
総 数 Total	7 001	3 717	3 202	82	207	95	82	30	1 104	568	524
妊娠28週未満 Under 28 weeks gestation	561	311	250	-	61	29	32	-	430	235	195
満28週—満31週 28-31 weeks	1 609	827	752	30	88	43	36	9	532	269	253
満32週—満35週 32-35	1 601	873	703	25	28	15	5	8	119	53	65
満36週—満39週 36-39	2 235	1 197	1 016	22	25	7	6	12	21	9	11
満40週—満43週 40-43	947	489	453	5	5	1	3	1	2	2	-
満44週— 44 completed weeks and over	1	-	1	-	-	-	-	-	-	-	-
不 詳 Not stated (再 掲)	47	20	27	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	4 281	2 283	1 937	61	184	91	73	20	1 089	561	517
満28週未満 Under 28 weeks	561	311	250	-	61	29	32	-	430	235	195
満28週—満31週 28-31	1 609	827	752	30	88	43	36	9	532	269	253
満32週—満36週 32-36	2 111	1 145	935	31	35	19	5	11	127	57	69
正期(満37週—満41週) Term	2 571	1 377	1 174	20	22	4	8	10	15	7	7
過期(満42週—) Post-term	102	37	64	1	1	-	1	-	-	-	-
単 産 Single	6 403	3 387	2 966	50	129	63	58	8	935	478	448
妊娠28週未満 Under 28 weeks	436	245	191	-	44	21	23	-	330	183	147
満28週—満31週 28-31	1 465	747	697	21	69	34	30	5	490	244	237
満32週—満35週 32-35	1 459	787	656	16	12	7	4	1	100	44	56
満36週—満39週 36-39	2 074	1 111	953	10	3	1	1	2	13	5	8
満40週—満43週 40-43	923	479	441	3	1	1	-	-	2	2	-
満44週— 44 completed weeks and over	1	-	1	-	-	-	-	-	-	-	-
不 詳 Not stated (再 掲)	45	18	27	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	3 821	2 019	1 761	41	126	62	57	7	926	474	443
満28週未満 Under 28 weeks	436	245	191	-	44	21	23	-	330	183	147
満28週—満31週 28-31	1 465	747	697	21	69	34	30	5	490	244	237
満32週—満36週 32-36	1 920	1 027	873	20	13	7	4	2	106	47	59
正期(満37週—満41週) Term	2 437	1 313	1 116	8	3	1	1	1	9	4	5
過期(満42週—) Post-term	100	37	62	1	-	-	-	-	-	-	-
複 産 Plural	598	330	236	32	78	32	24	22	169	90	76
妊娠28週未満 Under 28 weeks	125	66	59	-	17	8	9	-	100	52	48
満28週—満31週 28-31	144	80	55	9	19	9	6	4	42	25	16
満32週—満35週 32-35	142	86	47	9	16	8	1	7	19	9	9
満36週—満39週 36-39	161	86	63	12	22	7	5	10	8	4	3
満40週—満43週 40-43	24	10	12	2	4	-	3	1	-	-	-
満44週— 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-
不 詳 Not stated (再 掲)	2	2	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	460	264	176	20	58	29	16	13	163	87	74
満28週未満 Under 28 weeks	125	66	59	-	17	8	9	-	100	52	48
満28週—満31週 28-31	144	80	55	9	19	9	6	4	42	25	16
満32週—満36週 32-36	191	118	62	11	22	12	1	9	21	10	10
正期(満37週—満41週) Term	134	64	58	12	19	3	7	9	6	3	2
過期(満42週—) Post-term	2	-	2	-	1	-	1	-	-	-	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・

(早期—正期—過期再掲) 別 平成2年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1990

0.9kg	1.0 ~ 1.4kg				1.5 ~ 1.9kg				2.0 ~ 2.4kg				
	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
12	-	1 209	643	552	14	1 114	583	518	13	1 071	549	517	5
-	-	63	43	20	-	3	1	2	-	1	1	-	-
10	10	635	331	298	6	262	138	122	2	61	32	27	2
1	1	371	193	172	6	516	286	224	6	382	221	159	2
1	1	130	70	58	2	296	146	147	3	526	248	277	1
-	-	10	6	4	-	37	12	23	2	100	47	53	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-
11	11	1 129	601	516	12	894	480	405	9	599	326	269	4
-	-	63	43	20	-	3	1	2	-	1	1	-	-
10	10	635	331	298	6	262	138	122	2	61	32	27	2
1	1	431	227	198	6	629	341	281	7	537	293	242	2
1	1	79	42	35	2	217	102	112	3	461	219	241	1
-	-	1	-	1	-	3	1	1	1	10	4	6	-
9	9	1 075	562	500	13	1 018	527	480	11	1 010	518	488	4
-	-	57	38	19	-	3	1	2	-	-	-	-	-
9	9	572	294	273	5	246	132	114	-	60	31	27	2
-	-	329	168	155	6	481	260	215	6	362	211	150	1
-	-	108	57	49	2	258	124	131	3	490	231	258	1
-	-	9	5	4	-	30	10	18	2	97	45	52	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-
9	9	1 011	530	470	11	829	439	383	7	565	307	255	3
-	-	57	38	19	-	3	1	2	-	-	-	-	-
9	9	572	294	273	5	246	132	114	-	60	31	27	2
-	-	382	198	178	6	580	306	267	7	505	276	228	1
-	-	63	32	29	2	186	87	96	3	434	207	226	1
-	-	1	-	1	-	3	1	1	1	10	4	6	-
3	3	134	81	52	1	96	56	38	2	61	31	29	1
-	-	6	5	1	-	-	-	-	-	1	1	-	-
1	1	63	37	25	1	16	6	8	2	1	1	-	-
1	1	42	25	17	-	35	26	9	-	20	10	9	1
1	1	22	13	9	-	38	22	16	-	36	17	19	-
-	-	1	1	-	-	7	2	5	-	3	2	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	2	118	71	46	1	65	41	22	2	34	19	14	1
-	-	6	5	1	-	-	-	-	-	1	1	-	-
1	1	63	37	25	1	16	6	8	2	1	1	-	-
1	1	49	29	20	-	49	35	14	-	32	17	14	1
1	1	16	10	6	-	31	15	16	-	27	12	15	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-

周産期死亡
5 表 (6-2)

第5表 周産期死亡数, 出産時の体重; 出産時

単産—複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS)													
単 産—複 産 Plurality of Birth 妊 娠 期 間 Period of Gestation	2.5 ～ 2.9kg				(再 掲) (Secondary mention) 2500g ちょうど Just 2500g				3.0 ～ 3.4kg				3.5
	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total
総 数 Total	1 082	563	517	2	25	12	13	-	801	462	339	-	266
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31 weeks	18	10	8	-	-	-	-	-	7	3	4	-	2
満32週～満35週 32-35	132	72	58	2	7	4	3	-	28	15	13	-	9
満36週～満39週 36-39	693	370	323	-	16	8	8	-	394	244	150	-	114
満40週～満43週 40-43	236	110	126	-	2	-	2	-	369	199	170	-	139
満44週～ 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	1
不 詳 Not stated (再 掲)	3	1	2	-	-	-	-	-	3	1	2	-	1
早期(満37週未満) Pre-term	270	156	112	2	9	5	4	-	62	33	29	-	20
満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週 28-31	18	10	8	-	-	-	-	-	7	3	4	-	2
満32週～満36週 32-36	252	146	104	2	9	5	4	-	55	30	25	-	18
正期(満37週～満41週) Term	787	402	385	-	16	7	9	-	693	412	281	-	231
過期(満42週～) Post-term	22	4	18	-	-	-	-	-	43	16	27	-	14
単 産 Single	1 042	535	505	2	23	11	12	-	790	455	335	-	264
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	16	8	8	-	-	-	-	-	7	3	4	-	2
満32週～満35週	123	65	56	2	7	4	3	-	28	15	13	-	9
満36週～満39週	669	354	315	-	14	7	7	-	386	239	147	-	112
満40週～満43週	231	107	124	-	2	-	2	-	366	197	169	-	139
満44週～	-	-	-	-	-	-	-	-	-	-	-	-	1
不 詳 (再 掲)	3	1	2	-	-	-	-	-	3	1	2	-	1
早期(満37週未満) 満28週未満	253	142	109	2	7	4	3	-	61	32	29	-	19
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満36週	16	8	8	-	-	-	-	-	7	3	4	-	2
満36週～満41週	237	134	101	2	7	4	3	-	54	29	25	-	17
正期(満37週～満41週)	764	388	376	-	16	7	9	-	684	406	278	-	230
過期(満42週～)	22	4	18	-	-	-	-	-	42	16	26	-	14
複 産 Plural	40	28	12	-	2	1	1	-	11	7	4	-	2
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週～満31週	2	2	-	-	-	-	-	-	-	-	-	-	-
満32週～満35週	9	7	2	-	-	-	-	-	-	-	-	-	-
満36週～満39週	24	16	8	-	2	1	1	-	8	5	3	-	2
満40週～満43週	5	3	2	-	-	-	-	-	3	2	1	-	-
満44週～	-	-	-	-	-	-	-	-	-	-	-	-	-
不 詳 (再 掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) 満28週未満	17	14	3	-	2	1	1	-	1	1	-	-	1
満28週～満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週～満36週	2	2	-	-	-	-	-	-	-	-	-	-	-
満36週～満41週	15	12	3	-	2	1	1	-	1	1	-	-	1
正期(満37週～満41週)	23	14	9	-	-	-	-	-	9	6	3	-	1
過期(満42週～)	-	-	-	-	-	-	-	-	1	-	1	-	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・

(早期—正期—過期再掲) 別 平成2年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1990—CON.

~ 3.9kg			4.0kg ~ and over				不 詳 Not stated				出産時の平均体重 Mean birth weight			
男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
169	96	1	69	47	22	-	78	38	35	5	1.97	2.01	1.94	1.00
-	-	-	-	-	-	-	3	2	1	-	0.73	0.76	0.71	-
-	2	-	-	-	-	-	4	1	2	1	1.18	1.19	1.18	0.89
6	3	-	6	5	1	-	10	7	3	-	1.79	1.82	1.76	1.24
81	33	-	29	18	11	-	7	4	-	3	2.53	2.60	2.48	0.69
82	56	1	34	24	10	-	15	6	8	1	3.03	3.11	2.96	1.78
-	1	-	-	-	-	-	-	-	-	-	3.75	-	3.75	-
-	1	-	-	-	-	-	39	18	21	-	2.96	2.90	2.98	-
14	6	-	14	10	4	-	20	11	6	3	1.47	1.50	1.45	1.03
-	-	-	-	-	-	-	3	2	1	-	0.73	0.76	0.71	-
-	2	-	-	-	-	-	4	1	2	1	1.18	1.19	1.18	0.89
14	4	-	14	10	4	-	13	8	3	2	1.89	1.92	1.87	1.16
150	80	1	47	30	17	-	19	9	8	2	2.75	2.83	2.69	0.88
5	9	-	8	7	1	-	-	-	-	-	3.12	3.33	3.02	1.75
167	96	1	68	46	22	-	72	36	34	2	2.03	2.07	2.00	1.32
-	-	-	-	-	-	-	2	2	-	-	0.75	0.77	0.73	-
-	2	-	-	-	-	-	3	1	2	-	1.19	1.20	1.19	0.89
6	3	-	5	4	1	-	10	7	3	-	1.82	1.85	1.79	1.66
79	33	-	29	18	11	-	6	4	-	2	2.58	2.65	2.52	1.38
82	56	1	34	24	10	-	14	6	8	-	3.06	3.12	3.00	2.35
-	1	-	-	-	-	-	-	-	-	-	3.75	-	3.75	-
-	1	-	-	-	-	-	37	16	21	-	2.96	2.90	2.98	-
13	6	-	13	9	4	-	18	11	5	2	1.51	1.53	1.49	1.22
-	-	-	-	-	-	-	2	2	-	-	0.75	0.77	0.73	-
-	2	-	-	-	-	-	3	1	2	-	1.19	1.20	1.19	0.89
13	4	-	13	9	4	-	13	8	3	2	1.92	1.95	1.89	1.61
149	80	1	47	30	17	-	17	9	8	-	2.80	2.87	2.74	1.75
5	9	-	8	7	1	-	-	-	-	-	3.15	3.33	3.07	1.75
2	-	-	1	1	-	-	6	2	1	3	1.30	1.39	1.28	0.47
-	-	-	-	-	-	-	1	-	1	-	0.68	0.71	0.64	-
-	-	-	-	-	-	-	1	-	-	1	1.07	1.09	1.07	0.90
-	-	-	1	1	-	-	-	-	-	-	1.45	1.54	1.45	0.48
2	-	-	-	-	-	-	1	-	-	1	1.78	1.93	1.84	0.20
-	-	-	-	-	-	-	1	-	-	1	1.94	2.38	1.73	0.05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
1	-	-	1	1	-	-	2	-	1	1	1.16	1.23	1.10	0.62
-	-	-	-	-	-	-	1	-	1	-	0.68	0.71	0.64	-
-	-	-	-	-	-	-	1	-	-	1	1.07	1.09	1.07	0.90
1	-	-	1	1	-	-	-	-	-	-	1.53	1.62	1.54	0.42
1	-	-	-	-	-	-	2	-	-	2	1.81	2.04	1.83	0.19
-	-	-	-	-	-	-	-	-	-	-	1.55	-	1.55	-

周産期死亡
5 表 (6-3)

第5表 周産期死亡数, 出産時の体重; 出産時

単産—複産・妊娠期間 (4 週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	総数 Total				0.5 kg 未満 Under 0.5kg				0.5 ~		
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female
総数 Total	4 664	2 394	2 188	82	144	66	48	30	616	298	306
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 weeks	1 337	670	637	30	86	43	34	9	491	243	238
満32週—満35週 32-35	1 248	677	546	25	28	15	5	8	103	45	57
満36週—満39週 36-39	1 530	776	732	22	25	7	6	12	20	8	11
満40週—満43週 40-43	548	271	272	5	5	1	3	1	2	2	-
満44週— 44 completed weeks and over	1	-	1	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	2 955	1 544	1 350	61	121	62	39	20	601	291	299
満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	1 337	670	637	30	86	43	34	9	491	243	238
満32週—満36週 32-36	1 618	874	713	31	35	19	5	11	110	48	61
正期(満37週—満41週) Term	1 651	827	804	20	22	4	8	10	15	7	7
過期(満42週—) Post-term	58	23	34	1	1	-	1	-	-	-	-
単産 Single	4 294	2 197	2 047	50	84	42	34	8	558	268	281
妊娠満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	1 234	615	598	21	68	34	29	5	456	222	225
満32週—満35週 32-35	1 130	607	507	16	12	7	4	1	88	40	48
満36週—満39週 36-39	1 402	714	678	10	3	1	1	2	12	4	8
満40週—満43週 40-43	527	261	263	3	1	1	-	-	2	2	-
満44週— 44 completed weeks and over	1	-	1	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	2 697	1 394	1 262	41	81	41	33	7	549	264	276
満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	1 234	615	598	21	68	34	29	5	456	222	225
満32週—満36週 32-36	1 463	779	664	20	13	7	4	2	93	42	51
正期(満37週—満41週) Term	1 541	780	753	8	3	1	1	1	9	4	5
過期(満42週—) Post-term	56	23	32	1	-	-	-	-	-	-	-
複産 Plural	370	197	141	32	60	24	14	22	58	30	25
妊娠満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	103	55	39	9	18	9	5	4	35	21	13
満32週—満35週 32-35	118	70	39	9	16	8	1	7	15	5	9
満36週—満39週 36-39	128	62	54	12	22	7	5	10	8	4	3
満40週—満43週 40-43	21	10	9	2	4	-	3	1	-	-	-
満44週— 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	258	150	88	20	40	21	6	13	52	27	23
満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	103	55	39	9	18	9	5	4	35	21	13
満32週—満36週 32-36	155	95	49	11	22	12	1	9	17	6	10
正期(満37週—満41週) Term	110	47	51	12	19	3	7	9	6	3	2
過期(満42週—) Post-term	2	-	2	-	1	-	1	-	-	-	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・

(早期—正期—過期再掲) 別 平成2年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1990—CON.

0.9kg	1.0 ~ 1.4kg				1.5 ~ 1.9kg				2.0 ~ 2.4kg				
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	
不詳 Not stated	12	907	473	420	14	850	436	401	13	753	374	374	5
早期(満37週未満) Pre-term	10	486	244	236	6	205	107	96	2	46	24	20	2
満28週—満31週 28-31	1	315	169	140	6	401	217	178	6	277	156	119	2
満32週—満36週 32-36	1	98	55	41	2	224	105	116	3	373	167	205	1
正期(満37週—満41週) Term	-	8	5	3	-	20	7	11	2	57	27	30	-
過期(満42週—) Post-term	-	-	-	-	-	-	-	-	-	-	-	-	-
単産 Single	11	847	440	395	12	696	369	318	9	429	231	194	4
妊娠満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	10	486	244	236	6	205	107	96	2	46	24	20	2
満32週—満36週 32-36	1	361	196	159	6	491	262	222	7	383	207	174	2
正期(満37週—満41週) Term	1	59	33	24	2	152	66	83	3	318	140	177	1
過期(満42週—) Post-term	-	1	-	1	-	2	1	-	1	6	3	3	-
複産 Plural	9	811	416	382	13	778	395	372	11	713	356	353	4
妊娠満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	9	447	223	219	5	195	103	92	-	46	24	20	2
満32週—満35週 32-35	-	278	145	127	6	374	198	170	6	262	149	112	1
満36週—満39週 36-39	-	79	44	33	2	194	89	102	3	351	158	192	1
満40週—満43週 40-43	-	7	4	3	-	15	5	8	2	54	25	29	-
満44週— 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	9	765	391	363	11	648	339	302	7	408	220	185	3
満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	9	447	223	219	5	195	103	92	-	46	24	20	2
満32週—満36週 32-36	-	318	168	144	6	453	236	210	7	362	196	165	1
正期(満37週—満41週) Term	-	45	25	18	2	128	55	70	3	299	133	165	1
過期(満42週—) Post-term	-	1	-	1	-	2	1	-	1	6	3	3	-
単産 Single	3	96	57	38	1	72	41	29	2	40	18	21	1
妊娠満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	1	39	21	17	1	10	4	4	2	-	-	-	-
満32週—満35週 32-35	1	37	24	13	-	27	19	8	-	15	7	7	1
満36週—満39週 36-39	1	19	11	8	-	30	16	14	-	22	9	13	-
満40週—満43週 40-43	-	1	1	-	-	5	2	3	-	3	2	1	-
満44週— 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲) Not stated (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	2	82	49	32	1	48	30	16	2	21	11	9	1
満28週未満 Under 28 weeks	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31	1	39	21	17	1	10	4	4	2	-	-	-	-
満32週—満36週 32-36	1	43	28	15	-	38	26	12	-	21	11	9	1
正期(満37週—満41週) Term	1	14	8	6	-	24	11	13	-	19	7	12	-
過期(満42週—) Post-term	-	-	-	-	-	-	-	-	-	-	-	-	-

周産期死亡
5 表 (6-4)

第5表 周産期死亡数, 出産時の体重; 出産時

単産—複産・妊娠期間(4週区分)・

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH (BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

妊娠満28週以後の死産数
Foetal Deaths of 28 Weeks
and Over of Gestation

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9kg				(再掲) (Secondary mention) 2500g ちょうど Just 2500g				3.0 ~ 3.4kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	703	359	342	2	17	7	10	-	481	260	221	-	146
妊娠満28週未満 Under 28 weeks gestation	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週 28-31 weeks	13	6	7	-	-	-	-	-	6	3	3	-	1
満32週—満35週 32-35	96	54	40	2	6	4	2	-	16	11	5	-	4
満36週—満39週 36-39	458	232	226	-	10	3	7	-	247	146	101	-	63
満40週—満43週 40-43	136	67	69	-	1	-	1	-	212	100	112	-	77
満44週— 44 completed weeks and over	-	-	-	-	-	-	-	-	-	-	-	-	1
不詳 (再掲) Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満) Pre-term	191	107	82	2	7	4	3	-	41	25	16	-	12
満28週—満31週 Under 28 weeks	13	6	7	-	-	-	-	-	6	3	3	-	1
満32週—満36週 32-36	178	101	75	2	7	4	3	-	35	22	13	-	11
正期(満37週—満41週) Term	500	249	251	-	10	3	7	-	414	225	189	-	129
過期(満42週—) Post-term	12	3	9	-	-	-	-	-	26	10	16	-	5
単産 Single	673	339	332	2	16	7	9	-	472	255	217	-	145
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週	13	6	7	-	-	-	-	-	6	3	3	-	1
満32週—満35週	89	48	39	2	6	4	2	-	16	11	5	-	4
満36週—満39週	439	221	218	-	9	3	6	-	241	143	98	-	62
満40週—満43週	132	64	68	-	1	-	1	-	209	98	111	-	77
満44週—	-	-	-	-	-	-	-	-	-	-	-	-	1
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満)	180	98	80	2	6	4	2	-	40	24	16	-	11
満28週—満31週	13	6	7	-	-	-	-	-	6	3	3	-	1
満32週—満36週	167	92	73	2	6	4	2	-	34	21	13	-	10
正期(満37週—満41週)	481	238	243	-	10	3	7	-	407	221	186	-	129
過期(満42週—)	12	3	9	-	-	-	-	-	25	10	15	-	5
複産 Plural	30	20	10	-	1	-	1	-	9	5	4	-	1
妊娠満28週未満	-	-	-	-	-	-	-	-	-	-	-	-	-
満28週—満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週—満35週	7	6	1	-	-	-	-	-	-	-	-	-	-
満36週—満39週	19	11	8	-	1	-	1	-	6	3	3	-	1
満40週—満43週	4	3	1	-	-	-	-	-	3	2	1	-	-
満44週—	-	-	-	-	-	-	-	-	-	-	-	-	-
不詳 (再掲)	-	-	-	-	-	-	-	-	-	-	-	-	-
早期(満37週未満)	11	9	2	-	1	-	1	-	1	1	-	-	1
満28週—満31週	-	-	-	-	-	-	-	-	-	-	-	-	-
満32週—満36週	11	9	2	-	1	-	1	-	1	1	-	-	1
正期(満37週—満41週)	19	11	8	-	-	-	-	-	7	4	3	-	-
過期(満42週—)	-	-	-	-	-	-	-	-	1	-	1	-	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・

(早期—正期—過期再掲) 別 平成2年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION. ACCORDING TO THE DEFINITION OF THE 9TH ICD: JAPAN, 1990—CON.

~ 3.9kg			4.0kg ~ and over				不詳 Not stated				出産時の平均体重 Mean birth weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
88	57	1	49	34	15	-	15	6	4	5	1.95	1.99	1.95	1.00
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	3	-	2	1	1.14	1.15	1.15	0.89
3	1	-	5	5	-	-	3	2	1	-	1.73	1.77	1.71	1.24
43	20	-	19	13	6	-	3	-	-	3	2.46	2.53	2.43	0.69
42	34	1	25	16	9	-	6	4	1	1	3.02	3.07	2.99	1.78
-	1	-	-	-	-	-	-	-	-	-	3.75	-	3.75	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	3	-	9	8	1	-	8	2	3	3	1.52	1.56	1.50	1.03
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	3	-	2	1	1.14	1.15	1.15	0.89
9	2	-	9	8	1	-	5	2	1	2	1.83	1.87	1.81	1.16
77	51	1	35	22	13	-	7	4	1	2	2.69	2.77	2.65	0.88
2	3	-	5	4	1	-	-	-	-	-	3.08	3.25	2.99	1.75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87	57	1	48	33	15	-	12	6	4	2	2.00	2.04	1.98	1.32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	2	-	2	-	1.16	1.17	1.16	0.89
3	1	-	4	4	-	-	3	2	1	-	1.77	1.80	1.73	1.66
42	20	-	19	13	6	-	2	-	-	2	2.53	2.60	2.47	1.38
42	34	1	25	16	9	-	5	4	1	-	3.06	3.09	3.04	2.35
-	1	-	-	-	-	-	-	-	-	-	3.75	-	3.75	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	3	-	8	7	1	-	7	2	3	2	1.54	1.58	1.51	1.22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	-	-	-	2	-	2	-	1.16	1.17	1.16	0.89
8	2	-	8	7	1	-	5	2	1	2	1.87	1.90	1.84	1.61
77	51	1	35	22	13	-	5	4	1	-	2.76	2.82	2.71	1.75
2	3	-	5	4	1	-	-	-	-	-	3.13	3.25	3.08	1.75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	1	-	-	3	-	-	3	1.40	1.49	1.46	0.47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	0.99	0.97	1.03	0.90
-	-	-	1	1	-	-	-	-	-	-	1.40	1.52	1.39	0.48
1	-	-	-	-	-	-	1	-	-	1	1.66	1.79	1.81	0.20
-	-	-	-	-	-	-	1	-	-	1	1.90	2.38	1.57	0.05
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	1	-	-	1	-	-	1	1.27	1.35	1.28	0.62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	1	0.99	0.97	1.03	0.90
1	-	-	1	1	-	-	-	-	-	-	1.46	1.57	1.47	0.42
-	-	-	-	-	-	-	-	-	-	-	1.71	1.95	1.79	0.19
-	-	-	-	-	-	-	-	-	-	-	1.55	-	1.55	-

第5表 周産期死亡数, 出産時の体重; 出産時

単産—複産・妊娠期間（4週区分）

早期新生児(生後1週未満)死亡数
Early Neonatal Deaths
(Under 1 Week)

單 產—複 產 Plurality of Birth 妊 娠 期 間 Period of Gestation	總 数				0.5 kg 未滿 Under 0.5kg				0.5 ~		
	Total										
	總 数	男	女	不 詳	總 数	男	女	不 詳	總 数	男	女
	Total	Male	Female	Not stated	Total	Male	Female	Not stated	Total	Male	Female
總 数	2 337	1 323	1 014	.	63	29	34	.	488	270	218
Total											
妊娠滿28週未滿	561	311	250	.	61	29	32	.	430	235	195
Under 28 weeks gestation											
滿28週—滿31週	272	157	115	.	2	-	2	.	41	26	15
28-31 weeks											
滿32週—滿35週	353	196	157	.	-	-	-	.	16	8	8
32-35											
滿36週—滿39週	705	421	284	.	-	-	-	.	1	1	-
36-39											
滿40週—滿43週	399	218	181	.	-	-	-	.	-	-	-
40-43											
滿44週—	-	-	-	.	-	-	-	.	-	-	-
44 completed weeks and over											
不 詳	47	20	27	.	-	-	-	.	-	-	-
Not stated											
(再 揭)											
早期(滿37週未滿)	1 326	739	587	.	63	29	34	.	488	270	218
Pre-term											
滿28週未滿	561	311	250	.	61	29	32	.	430	235	195
Under 28 weeks											
滿28週—滿31週	272	157	115	.	2	-	2	.	41	26	15
28-31											
滿32週—滿36週	493	271	222	.	-	-	-	.	17	9	8
32-36											
正期(滿37週—滿41週)	920	550	370	.	-	-	-	.	-	-	-
Term											
過期(滿42週—)	44	14	30	.	-	-	-	.	-	-	-
Post-term											
單 產	2 109	1 190	919	.	45	21	24	.	377	210	167
Single											
妊娠滿28週未滿	436	245	191	.	44	21	23	.	330	183	147
Under 28 weeks											
滿28週—滿31週	231	132	99	.	1	-	1	.	34	22	12
28-31											
滿32週—滿35週	329	180	149	.	-	-	-	.	12	4	8
32-35											
滿36週—滿39週	672	397	275	.	-	-	-	.	1	1	-
36-39											
滿40週—滿43週	396	218	178	.	-	-	-	.	-	-	-
40-43											
滿44週—	-	-	-	.	-	-	-	.	-	-	-
44 completed weeks and over											
不 詳	45	18	27	.	-	-	-	.	-	-	-
Not stated		</									

PERINATAL DEATH

の平均体重、妊娠満28週以後の死産・早期新生児死亡・性・

(早期—正期—過期再掲) 別 平成2年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION ACCORDING TO THE DEFINITION OF THE 9TH ICD): JAPAN, 1990—CON.

0.9kg		1.0 ～ 1.4kg			1.5 ～ 1.9kg				2.0 ～ 2.4kg			
不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated	総 数 Total	男 Male	女 Female	不 詳 Not stated
.	302	170	132	.	264	147	117	.	318	175	143	.
.	63	43	20	.	3	1	2	.	1	1	-	.
.	149	87	62	.	57	31	26	.	15	8	7	.
.	56	24	32	.	115	69	46	.	105	65	40	.
.	32	15	17	.	72	41	31	.	153	81	72	.
.	2	1	1	.	17	5	12	.	43	20	23	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	1	-	1	.
.	282	161	121	.	198	111	87	.	170	95	75	.
.	63	43	20	.	3	1	2	.	1	1	-	.
.	149	87	62	.	57	31	26	.	15	8	7	.
.	70	31	39	.	138	79	59	.	154	86	68	.
.	20	9	11	.	65	36	29	.	143	79	64	.
.	-	-	-	.	1	-	1	.	4	1	3	.
.	264	146	118	.	240	132	108	.	297	162	135	.
.	57	38	19	.	3	1	2	.	-	-	-	.
.	125	71	54	.	51	29	22	.	14	7	7	.
.	51	23	28	.	107	62	45	.	100	62	38	.
.	29	13	16	.	64	35	29	.	139	73	66	.
.	2	1	1	.	15	5	10	.	43	20	23	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	1	-	1	.
.	246	139	107	.	181	100	81	.	157	87	70	.
.	57	38	19	.	3	1	2	.	-	-	-	.
.	125	71	54	.	51	29	22	.	14	7	7	.
.	64	30	34	.	127	70	57	.	143	80	63	.
.	18	7	11	.	58	32	26	.	135	74	61	.
.	-	-	-	.	1	-	1	.	4	1	3	.
.	38	24	14	.	24	15	9	.	21	13	8	.
.	6	5	1	.	-	-	-	.	1	1	-	.
.	24	16	8	.	6	2	4	.	1	1	-	.
.	5	1	4	.	8	7	1	.	5	3	2	.
.	3	2	1	.	8	6	2	.	14	8	6	.
.	-	-	-	.	2	-	2	.	-	-	-	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	-	-	-	.	-	-	-	.	-	-	-	.
.	36	22	14	.	17	11	6	.	13	8	5	.
.	6	5	1	.	-	-	-	.	1	1	-	.
.	24	16	8	.	6	2	4	.	1	1	-	.
.	6	1	5	.	11	9	2	.	11	6	5	.
.	2	2	-	.	7	4	3	.	8	5	3	.
.	-	-	-	.	-	-	-	.	-	-	-	.

周産期死亡
5 表 (6-6)

第5表 周産期死亡数, 出産時の体重; 出産時

単産—複産・妊娠期間(4週区分)・

早期新生児(生後1週未満)死亡数
Early Neonatal Deaths
(Under 1 Week)

TABLE 5. PERINATAL DEATHS (TOTAL, FOETAL DEATHS
ACCORDING TO BIRTH WEIGHT, AND MEAN BIRTH
(BY 4 WEEK GROUPS AND BY SPECIFIED GROUPS

単産—複産 Plurality of Birth 妊娠期間 Period of Gestation	2.5 ~ 2.9kg				(再掲) (Secondary mention) 2500g ちょうど Just 2500g				3.0 ~ 3.4kg				3.5
	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total
総数 Total	379	204	175	.	8	5	3	.	320	202	118	.	120
妊娠満28週未満 Under 28 weeks gestation	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31 weeks	5	4	1	.	-	-	-	.	1	-	1	.	1
満32週—満35週 32-35	36	18	18	.	1	-	1	.	12	4	8	.	5
満36週—満39週 36-39	235	138	97	.	6	5	1	.	147	98	49	.	51
満40週—満43週 40-43	100	43	57	.	1	-	1	.	157	99	58	.	62
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-	.	-
不詳 Not stated (再掲)	3	1	2	.	-	-	-	.	3	1	2	.	1
早期(満37週未満) Pre-term	79	49	30	.	2	1	1	.	21	8	13	.	8
満28週未満 Under 28 weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31	5	4	1	.	-	-	-	.	1	-	1	.	1
満32週—満36週 32-36	74	45	29	.	2	1	1	.	20	8	12	.	7
正期(満37週—満41週) Term	287	153	134	.	6	4	2	.	279	187	92	.	102
過期(満42週—) Post-term	10	1	9	.	-	-	-	.	17	6	11	.	9
単産 Single	369	196	173	.	7	4	3	.	318	200	118	.	119
妊娠満28週未満 Under 28 weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31	3	2	1	.	-	-	-	.	1	-	1	.	1
満32週—満35週 32-35	34	17	17	.	1	-	1	.	12	4	8	.	5
満36週—満39週 36-39	230	133	97	.	5	4	1	.	145	96	49	.	50
満40週—満43週 40-43	99	43	56	.	1	-	1	.	157	99	58	.	62
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-	.	-
不詳 Not stated (再掲)	3	1	2	.	-	-	-	.	3	1	2	.	1
早期(満37週未満) Pre-term	73	44	29	.	1	-	1	.	21	8	13	.	8
満28週未満 Under 28 weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31	3	2	1	.	-	-	-	.	1	-	1	.	1
満32週—満36週 32-36	70	42	28	.	1	-	1	.	20	8	12	.	7
正期(満37週—満41週) Term	283	150	133	.	6	4	2	.	277	185	92	.	101
過期(満42週—) Post-term	10	1	9	.	-	-	-	.	17	6	11	.	9
複産 Plural	10	8	2	.	1	1	-	.	2	2	-	.	1
妊娠満28週未満 Under 28 weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31	2	2	-	.	-	-	-	.	-	-	-	.	-
満32週—満35週 32-35	2	1	1	.	-	-	-	.	-	-	-	.	-
満36週—満39週 36-39	5	5	-	.	1	1	-	.	2	2	-	.	1
満40週—満43週 40-43	1	-	1	.	-	-	-	.	-	-	-	.	-
満44週— 44 completed weeks and over	-	-	-	.	-	-	-	.	-	-	-	.	-
不詳 Not stated (再掲)	-	-	-	.	-	-	-	.	-	-	-	.	-
早期(満37週未満) Pre-term	6	5	1	.	1	1	-	.	-	-	-	.	-
満28週未満 Under 28 weeks	-	-	-	.	-	-	-	.	-	-	-	.	-
満28週—満31週 28-31	2	2	-	.	-	-	-	.	-	-	-	.	-
満32週—満36週 32-36	4	3	1	.	1	1	-	.	-	-	-	.	-
正期(満37週—満41週) Term	4	3	1	.	-	-	-	.	2	2	-	.	1
過期(満42週—) Post-term	-	-	-	.	-	-	-	.	-	-	-	.	-

PERINATAL DEATH

の平均体重, 妊娠満28週以後の死産—早期新生児死亡・性・

(早期—正期—過期再掲) 別 平成2年

OF 28 WEEKS AND OVER OF GESTATION, EARLY NEONATAL DEATHS) DISTRIBUTED
WEIGHTS, BY SEX, PLURALITY OF BIRTH, AND PERIOD OF GESTATION
ACCORDING TO THE DEFINITION OF THE 9TH ICD: JAPAN, 1990—CON.

~ 3.9kg			4.0kg ~ and over				不詳 Not stated				出産時の平均体重 Mean birth weight			
男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated	総数 Total	男 Male	女 Female	不詳 Not stated
81	39	.	20	13	7	.	63	32	31	.	2.00	2.05	1.94	.
-	-	.	-	-	-	.	3	2	1	.	0.73	0.76	0.71	.
-	1	.	-	-	-	.	1	1	-	.	1.36	1.35	1.38	.
3	2	.	1	-	1	.	7	5	2	.	1.97	1.97	1.96	.
38	13	.	10	5	5	.	4	4	-	.	2.67	2.72	2.61	.
40	22	.	9	8	1	.	9	2	7	.	3.05	3.16	2.91	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
-	1	.	-	-	-	.	39	18	21	.	2.96	2.90	2.98	.
5	3	.	5	2	3	.	12	9	3	.	1.36	1.37	1.34	.
-	-	.	-	-	-	.	3	2	1	.	0.73	0.76	0.71	.
-	1	.	-	-	-	.	1	1	-	.	1.36	1.35	1.38	.
5	2	.	5	2	3	.	8	6	2	.	2.07	2.09	2.05	.
73	29	.	12	8	4	.	12	5	7	.	2.86	2.92	2.78	.
3	6	.	3	3	-	.	-	-	-	.	3.18	3.44	3.05	.
80	39	.	20	13	7	.	60	30	30	.	2.09	2.14	2.03	.
-	-	.	-	-	-	.	2	2	-	.	0.75	0.77	0.73	.
-	1	.	-	-	-	.	1	1	-	.	1.38	1.35	1.41	.
3	2	.	1	-	1	.	7	5	2	.	1.99	2.00	1.97	.
37	13	.	10	5	5	.	4	4	-	.	2.70	2.74	2.63	.
40	22	.	9	8	1	.	9	2	7	.	3.05	3.16	2.92	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
-	1	.	-	-	-	.	37	16	21	.	2.96	2.90	2.98	.
5	3	.	5	2	3	.	11	9	2	.	1.42	1.42	1.42	.
-	-	.	-	-	-	.	2	2	-	.	0.75	0.77	0.73	.
-	1	.	-	-	-	.	1	1	-	.	1.38	1.35	1.41	.
5	2	.	5	2	3	.	8	6	2	.	2.09	2.12	2.06	.
72	29	.	12	8	4	.	12	5	7	.	2.88	2.94	2.79	.
3	6	.	3	3	-	.	-	-	-	.	3.18	3.44	3.05	.
1	-	.	-	-	-	.	3	2	1	.	1.14	1.23	1.01	.
-	-	.	-	-	-	.	1	-	1	.	0.68	0.71	0.64	.
-	-	.	-	-	-	.	-	-	-	.	1.28	1.34	1.18	.
-	-	.	-	-	-	.	-	-	-	.	1.67	1.64	1.74	.
1	-	.	-	-	-	.	-	-	-	.	2.22	2.29	2.04	.
-	-	.	-	-	-	.	-	-	-	.	2.18	-	2.18	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.
-	-	.	-	-	-	.	2	2	-	.	-	-	-	.
-	-	.	-	-	-	.	1	-	1	.	1.01	1.08	0.91	.
-	-	.	-	-	-	.	1	-	1	.	0.68	0.71	0.64	.
-	-	.	-	-	-	.	-	-	-	.	1.28	1.34	1.18	.
-	-	.	-	-	-	.	-	-	-	.	1.82	1.83	1.80	.
1	-	.	-	-	-	.	-	-	-	.	2.27	2.30	2.19	.
-	-	.	-	-	-	.	-	-	-	.	-	-	-	.