

1 幼稚園 (1) 男

Table with columns for district (区), sex (男), and various medical conditions (目, 耳, 鼻). Rows list districts like 北海道, 山福茨栃群, etc.

Table showing abnormal prevalence rates (%) for various conditions. Columns include categories like 歯, 皮膚, 寄生虫, etc. Rows list districts like 北海道, 山福茨栃群, etc.

(注) この表は、健康診断受検者のうち疾病異常被患者(疾病異常に該当する旨健康診断票に記載のあった者)の占める割合を参照のこと。

を示したものである。「近視」「遠視」「乱視」「弱視」「難聴」および「むし歯」の「処置完了者」については46ページの注2,3を



2 小学校 (1) 男

区分	栄養 要注意	せき 柱異常	胸郭 異常	目								耳			鼻 蓄う の症
				近 視	遠 視	乱 視	弱 (両 眼)	色 異 常	ト ホ ム	結 膜 炎	その 他 疾	難 (両 耳)	中 耳 炎	その 他 疾	
全 国	0.4	0.5	0.9	10.4	0.2	0.2	0.1	3.1	1.0	3.6	1.0	0.3	0.3	1.3	1.6
北海道 道森手 城田	0.2	0.3	0.6	18.7	0.1	0.1	0.3	2.8	0.5	2.5	0.4	0.2	0.1	0.2	1.6
	0.3	0.1	0.5	12.2	0.1	0.0	0.2	3.9	3.1	5.1	1.4	0.6	0.4	4.1	2.2
	0.2	0.1	0.8	9.5	-	-	0.1	3.4	7.3	6.5	1.2	0.1	0.5	4.7	7.2
	0.2	0.2	0.7	8.4	0.2	0.1	0.1	2.4	1.6	3.4	1.8	0.3	0.3	1.3	2.3
	0.1	0.0	0.5	9.7	1.1	-	0.1	3.1	2.5	3.4	0.7	0.1	0.3	0.3	0.4
山福茨 栃群	0.1	2.4	1.7	9.4	0.1	0.4	0.1	3.3	1.4	5.6	1.0	0.2	0.4	2.4	2.6
	0.7	0.4	0.6	8.3	0.1	0.1	0.0	3.1	3.4	3.4	1.1	0.1	0.3	0.1	0.3
	0.2	0.3	1.0	6.4	0.1	0.2	0.2	2.5	0.4	1.3	0.9	0.4	0.1	0.1	0.0
	0.3	0.1	0.8	7.4	0.2	0.2	0.2	2.8	1.4	4.8	2.1	0.2	0.3	0.9	0.6
	0.3	0.2	1.4	8.3	0.3	0.4	0.1	3.0	0.2	2.9	1.1	0.6	0.2	1.1	1.0
埼玉 東新 奈	0.2	0.3	0.8	10.0	0.1	0.2	0.2	3.0	0.1	2.6	1.7	0.2	0.2	2.0	0.5
	0.7	0.2	0.9	7.8	0.0	0.1	0.1	2.7	1.0	6.0	1.4	0.6	0.4	1.0	0.2
	0.2	0.2	0.7	15.8	0.8	0.8	0.1	2.6	0.3	5.2	1.1	0.2	0.2	4.7	2.7
	0.6	0.5	0.9	8.6	0.1	0.4	0.1	2.6	0.2	3.1	0.8	0.6	0.2	1.9	1.2
	0.5	0.3	2.5	11.0	0.1	0.4	0.1	3.9	0.2	2.9	0.8	0.3	0.4	0.7	2.1
宮石 福山 長	0.2	0.4	0.8	14.3	0.2	0.2	0.0	2.7	0.0	2.7	0.8	0.3	0.1	0.9	1.8
	0.3	0.3	1.3	13.1	0.1	0.1	0.1	3.6	0.3	2.9	0.3	0.3	0.1	0.2	0.2
	0.4	1.2	1.0	15.6	0.2	0.2	0.1	3.5	0.6	3.2	0.6	0.3	0.1	0.7	0.3
	0.6	1.1	1.5	8.9	0.0	0.1	0.1	4.1	0.3	3.5	1.4	0.1	0.2	1.2	1.8
	0.5	1.2	1.1	9.1	0.0	0.1	0.1	3.2	0.1	2.7	0.9	0.2	0.1	1.8	6.9
岐阜 愛三 滋	0.5	0.2	1.6	9.7	0.5	0.5	0.3	3.1	1.0	4.4	2.4	0.4	0.1	0.7	1.2
	0.6	1.0	0.8	13.1	0.7	1.0	0.1	3.6	0.9	2.9	1.2	0.6	0.2	1.4	0.6
	0.5	0.5	0.6	12.7	0.2	0.3	0.1	3.3	0.9	3.1	0.6	0.2	0.1	0.2	0.5
	0.3	0.1	0.6	6.0	-	-	-	4.1	1.4	3.1	0.3	0.2	0.0	0.4	0.2
	0.5	0.5	0.8	9.2	0.1	0.2	0.3	3.4	0.0	1.0	0.5	0.3	0.3	1.3	0.5
京大 兵奈 和	0.9	1.7	1.2	11.4	0.2	0.1	0.1	2.6	0.2	2.7	0.8	0.2	0.4	1.9	1.2
	0.1	0.3	0.9	11.8	0.4	0.4	0.1	3.6	0.4	4.2	1.6	0.6	0.2	0.8	0.8
	0.5	0.5	0.8	10.0	0.4	0.9	0.2	2.9	1.0	4.8	0.9	0.4	0.2	1.5	0.6
	0.3	0.5	0.6	9.9	0.1	0.1	0.1	3.0	0.6	2.4	0.3	0.2	0.2	0.1	0.7
	0.3	0.3	0.6	9.5	0.8	0.0	0.3	3.3	3.4	5.7	0.4	0.4	0.2	0.1	0.7
鳥島 岡広 山	0.6	0.6	1.3	10.0	0.1	0.2	0.1	3.1	0.8	3.1	1.0	0.3	0.3	1.8	3.8
	0.4	0.3	0.8	8.0	0.1	0.3	0.3	3.3	1.2	1.3	0.5	0.4	0.3	1.0	1.3
	0.2	0.1	0.9	12.5	0.1	0.2	0.2	4.0	0.1	3.8	2.7	0.4	0.3	1.7	0.6
	0.3	0.3	0.6	11.7	0.6	0.2	0.1	2.9	0.3	2.7	1.2	0.2	0.3	0.7	2.2
	0.5	0.6	0.5	10.7	0.1	0.3	0.3	2.9	0.3	3.6	1.4	0.5	0.5	2.3	3.0
徳香 愛高 福	0.2	0.3	1.0	9.9	0.0	0.0	0.1	3.2	0.2	2.2	0.6	0.4	0.5	0.6	0.7
	0.8	0.3	0.7	12.2	0.1	0.1	0.2	3.1	0.2	1.9	1.0	0.3	0.4	2.0	2.2
	0.3	0.7	0.8	10.2	0.0	0.1	0.1	3.0	0.9	4.0	0.6	0.1	0.3	0.2	1.0
	0.2	0.1	1.1	7.3	0.0	0.1	0.3	2.5	0.2	1.6	0.2	0.2	0.2	0.2	1.3
	0.1	0.1	0.4	12.9	0.2	0.3	0.1	3.4	0.9	4.9	1.5	0.6	0.9	3.1	4.7
佐長 熊大 宮鹿	0.1	0.3	0.5	8.4	0.1	0.2	0.1	3.4	1.1	5.0	1.0	0.4	0.4	1.5	2.3
	0.6	0.6	0.6	10.0	0.2	0.3	0.2	2.9	0.4	2.4	0.4	0.3	0.5	0.6	2.6
	0.9	0.5	1.1	8.0	0.2	0.0	0.1	3.1	0.7	3.6	0.8	0.4	0.4	1.0	1.5
	0.2	0.4	0.6	10.8	0.1	0.2	0.1	2.9	0.6	3.6	0.7	0.3	0.4	0.9	2.1
	0.1	0.2	1.1	6.3	0.1	0.0	0.2	2.6	3.9	6.7	0.9	0.4	0.3	0.5	2.3
0.3	0.5	1.0	4.0	0.1	0.2	0.0	2.6	2.8	4.3	1.5	0.2	0.5	0.4	0.8	

およびい頭		言語 障害	精神 薄弱	脳麻 性小 児痺	運能 動障 機害	心臓 の疾 患	ぜ ん 息	腎臓 の疾 患	身体 虚弱	伝皮 膚疾 性の 患	寄 生 虫 病	そ 疾 の 他 異 常	歯				
ア ノ イ デ ド	へ ん と ん												肥 大 の 頭 患	鼻 の 疾 患	む 計	し 如 了 置 者	歯 未 処 置 者
0.6	10.2	6.5	0.3	1.0	0.0	0.2	0.3	0.3	0.1	0.2	1.8	0.2	0.7	90.9	9.8	81.1	1.6
0.4	7.8	1.2	0.3	0.6	0.0	0.2	0.3	0.4	0.0	0.0	1.9	0.0	0.6	96.4	4.0	92.4	1.1
0.5	11.1	11.8	0.2	1.0	0.0	0.3	0.2	0.1	0.1	0.1	3.2	0.6	1.0	95.8	2.4	93.4	2.0
4.4	20.2	20.1	0.2	0.5	0.1	0.3	0.2	0.3	0.1	0.2	2.9	0.0	1.5	93.2	4.0	89.2	1.4
1.0	10.8	7.3	0.4	1.5	0.0	0.2	0.2	0.1	0.1	0.2	3.7	0.1	0.8	81.2	8.3	72.9	0.8
0.8	10.1	1.3	0.2	0.9	0.0	0.1	0.1	0.1	0.0	0.2	5.4	0.0	2.0	96.5	2.4	94.1	1.0
0.4	10.2	7.2	0.6	0.8	0.0	0.2	0.2	0.3	0.1	0.5	2.8	0.2	1.4	90.5	15.0	75.5	1.9
0.2	9.9	2.0	0.4	1.6	-	0.2	0.3	0.3	0.0	0.1	1.0	0.4	0.4	93.6	5.4	88.2	1.1
0.4	10.0	2.5	0.4	1.4	0.0	0.3	0.2	0.1	0.1	0.3	0.8	0.1	0.6	89.6	5.0	84.6	1.4
0.3	16.7	6.2	0.3	1.0	0.0	0.2	0.2	0.4	0.0	0.1	3.4	0.1	0.6	92.6	10.4	82.2	1.8
0.8	14.7	5.5	0.4	1.6	0.1	0.2	0.3	0.2	0.1	0.3	3.0	0.1	0.5	93.8	9.6	84.2	8.9
0.6	7.3	7.2	0.3	1.1	0.0	0.2	0.3	0.4	0.1	0.1	0.8	0.1	0.3	81.5	19.6	61.9	1.2
0.1	15.4	6.2	0.6	1.4	0.0	0.2	0.3	0.2	0.1	0.2	2.9	0.1	0.5	91.1	8.4	82.7	0.5
0.8	7.7	12.1	0.2	0.4	0.0	0.2	0.2	0.7	0.0	0.5	0.9	-	0.3	96.3	16.4	79.9	1.9
0.1	8.8	8.3	0.2	0.3	0.1	0.1	0.3	0.5	0.1	0.1	0.5	0.0	0.8	96.0	12.1	83.9	1.9
0.9	10.4	10.1	0.2	0.7	0.0	0.1	0.2	0.2	0.0	0.1	4.3	1.1	0.4	92.4	12.4	80.0	1.3
0.4	6.4	10.2	0.3	0.5	0.0	0.1	0.2	0.2	0.1	0.1	1.6	0.5	0.3	87.6	21.0	66.6	0.5
0.3	9.1	1.2	0.2	1.1	-	0.2	0.3	0.1	0.1	0.1	1.2	0.0	0.6	91.9	10.5	81.4	1.1
0.7	9.1	1.8	1.1	0.7	0.0	0.3	0.5	0.2	0.1	0.1	2.2	0.3	0.9	86.5	9.2	77.3	0.9
1.3	13.3	5.9	0.3	1.4	0.0	0.1	0.2	0.3	0.1	0.2	1.6	0.4	0.6	93.4	8.8	84.6	1.9
0.7	11.8	11.3	0.2	0.8	0.0	0.2	0.3	0.2	0.1	0.4	1.2	0.1	0.3	98.5	11.6	86.9	2.9
0.6	11.0	3.2	0.2	0.7	0.0	0.2	0.2	0.2	0.0	0.2	1.6	0.7	0.4	79.7	16.9	62.8	1.5
1.0	6.2	4.3	0.7	1.8	0.0	0.3	0.2	0.5	0.1	0.3	1.3	0.3	0.6	88.9	10.6	78.3	1.4
0.1	10.0	2.8	0.3	0.1	0.0	0.2	0.2	0.2	0.1	0.1	0.9	0.0	0.3	95.0	7.4	87.6	1.1
0.0	12.0	2.3	0.2	0.4	0.0	0.1	0.3	0.2	0.0	0.1	0.6	-	0.4	95.6	5.1	90.5	3.0
0.1	14.7	4.4	0.5	1.8	0.1	0.3	0.5	0.3	0.0	0.4	1.7	0.4	1.5	93.6	9.5	84.1	4.0
0.3	13.0	10.1	0.2	0.5	0.0	0.1	0.3	0.6	0.1	0.4	0.7	0.2	0.8	91.8	10.6	81.2	1.

2 小学校 (2) 女

区分	栄養 注意	せき 柱異常	胸郭 異常	目									耳			鼻 蓄う の症
				近 視	遠 視	乱 視	弱 視 (両眼)	色異 神常	トホ ラム	結 膜炎	その 他疾	難 聴 (両耳)	中 耳 炎	その 他疾		
全 国	0.4	0.4	0.6	13.0	0.2	0.3	0.2	0.2	1.4	4.3	1.1	0.3	0.2	1.1	1.2	
北海道 道森手 城田	0.3	0.1	0.3	22.7	0.1	0.1	0.2	0.2	0.6	2.7	0.4	0.1	0.1	0.3	1.3	
	0.2	0.1	0.4	16.4	0.1	0.0	0.2	0.2	3.9	6.9	1.7	0.4	0.4	3.9	1.9	
	0.2	0.1	0.4	11.7	-	-	0.2	0.2	10.9	7.5	1.4	0.1	0.5	4.1	6.0	
	0.1	0.1	0.3	10.6	0.1	-	0.1	0.1	2.2	4.2	2.1	0.2	0.1	1.3	1.6	
	0.1	0.0	0.2	13.1	1.4	0.0	-	0.2	3.8	3.8	0.9	0.1	0.2	0.3	0.4	
山福茨 栃群	1.0	2.1	1.3	11.1	0.1	0.3	0.1	0.2	2.0	6.9	1.5	0.2	0.1	1.9	1.7	
	0.5	0.2	0.3	10.5	-	0.3	0.1	0.1	4.0	3.9	0.9	0.2	0.2	0.1	0.3	
	0.1	0.3	0.6	8.0	0.1	0.2	0.1	0.1	0.4	1.4	1.0	0.4	0.1	0.1	0.0	
	0.2	0.3	0.6	8.4	0.1	0.1	0.2	0.1	1.5	5.7	2.0	0.2	0.2	0.9	0.4	
	0.2	0.1	0.6	9.8	0.2	0.3	0.1	0.2	0.1	3.3	0.9	0.3	0.1	0.8	0.8	
埼千東 奈神新	0.3	0.2	0.4	12.0	0.1	0.3	0.2	0.1	0.0	3.2	1.8	0.2	0.1	1.9	0.3	
	0.7	0.1	0.4	11.2	0.1	0.2	0.2	0.1	1.2	7.2	1.6	0.6	0.2	0.7	0.1	
	0.3	0.1	0.5	18.0	0.7	1.2	0.1	0.0	0.3	6.2	0.8	0.2	0.1	4.4	2.0	
	0.5	0.3	0.6	10.3	0.1	0.4	0.2	0.2	0.2	3.9	1.3	0.4	0.1	1.4	0.7	
	0.3	0.4	1.8	13.5	0.2	0.5	0.0	0.2	0.2	3.8	0.9	0.2	0.2	0.4	1.4	
富石福 山長	0.2	0.3	0.5	17.2	0.1	0.2	0.0	0.1	0.0	3.2	0.8	0.2	0.1	0.6	1.3	
	0.3	0.1	0.8	18.2	0.1	0.1	0.1	0.2	0.4	3.7	0.3	0.2	0.1	0.1	0.2	
	0.4	0.8	0.9	18.7	0.1	0.2	0.1	0.2	0.6	4.0	0.5	0.2	0.1	0.7	0.2	
	0.8	0.6	0.9	12.2	0.1	0.2	0.1	0.2	0.4	4.3	1.2	0.2	0.1	1.0	1.1	
	0.7	0.9	0.5	11.9	0.1	0.1	0.1	0.2	0.1	4.0	0.9	0.2	0.2	1.8	5.2	
岐静愛 三滋	0.5	0.2	1.4	11.4	0.4	0.4	0.4	0.3	1.1	4.8	2.4	0.2	0.1	0.5	0.9	
	0.8	1.0	0.5	14.1	0.6	1.1	0.0	0.2	1.0	3.4	1.5	0.8	0.2	1.1	0.4	
	0.7	0.3	0.5	15.5	0.1	0.4	0.1	0.2	1.0	3.8	0.6	0.1	0.1	0.1	0.4	
	0.3	0.1	0.3	9.0	0.1	-	-	0.3	1.3	3.3	0.3	0.2	0.0	0.3	0.1	
	0.3	0.5	0.5	11.3	0.1	0.3	0.3	0.2	0.0	1.1	0.4	0.3	0.2	1.0	0.4	
京大兵 歌庫良 山	0.8	1.6	0.7	13.6	0.3	0.1	0.1	0.1	0.3	3.8	1.0	0.2	0.3	2.3	0.9	
	0.2	0.3	0.2	15.1	0.7	0.6	0.2	0.2	0.6	5.0	1.5	0.6	0.2	0.7	0.6	
	0.6	0.5	0.5	12.8	0.4	1.4	0.2	0.2	1.2	6.0	0.9	0.4	0.1	1.4	0.6	
	0.3	0.5	0.2	13.6	0.2	0.2	0.1	0.2	0.7	2.5	0.3	0.2	0.1	0.1	0.3	
	0.4	0.2	0.5	12.7	0.4	0.0	0.4	0.2	5.1	7.2	0.5	0.3	0.1	0.1	0.5	
鳥島岡 山	0.5	0.5	1.0	12.1	0.1	0.2	0.1	0.1	1.6	3.7	1.0	0.3	0.1	1.7	2.8	
	0.3	0.2	0.5	9.1	0.1	0.5	0.5	0.1	1.4	1.3	0.4	0.6	0.2	1.3	0.9	
	0.2	0.1	0.4	15.8	0.1	0.3	0.2	0.2	0.2	4.6	3.0	0.3	0.2	1.3	0.6	
	0.3	0.2	0.4	14.6	1.3	0.1	0.0	0.1	0.3	3.1	1.4	0.2	0.2	0.6	1.7	
	0.8	0.5	0.5	13.7	0.3	0.4	0.2	0.2	0.6	5.2	1.3	0.4	0.3	2.0	2.0	
徳香愛 高福	0.2	0.3	0.4	11.7	0.0	0.1	0.1	0.1	0.3	3.2	0.6	0.4	0.3	0.5	0.5	
	0.5	0.2	0.6	15.5	0.0	0.3	0.3	0.1	0.3	2.2	1.0	0.4	0.4	1.8	1.4	
	0.2	0.6	0.4	13.3	0.0	0.2	0.3	0.1	1.1	5.4	0.8	0.2	0.2	0.1	0.8	
	0.2	0.1	0.8	9.4	0.1	0.1	0.5	0.2	0.2	1.7	0.3	0.3	0.2	0.1	0.8	
	0.2	0.1	0.3	15.6	0.2	0.3	0.2	0.1	1.3	6.0	1.9	0.7	0.5	3.0	3.3	
佐長熊 大宮鹿 島	0.2	0.2	0.3	11.1	0.0	0.2	0.1	0.2	1.5	6.4	0.9	0.3	0.4	1.2	2.2	
	0.6	0.4	0.4	11.7	0.2	0.4	0.3	0.1	0.5	2.4	0.4	0.2	0.4	0.3	1.6	
	0.8	0.7	0.7	11.5	0.2	0.0	0.1	0.3	0.9	4.4	1.3	0.4	0.2	0.9	1.4	
	0.2	0.3	0.4	12.8	0.1	0.4	0.0	0.1	0.6	4.5	0.5	0.5	0.2	0.9	1.7	
	0.2	0.1	0.7	8.0	0.1	0.1	0.4	0.1	4.8	7.9	0.9	0.3	0.3	0.5	1.8	
0.3	0.5	0.7	4.9	-	0.2	0.0	0.3	3.2	5.1	1.9	0.2	0.3	0.3	0.6		

およびいん頭		言語 障害	精神 薄弱	脳麻 性小 児痺	運能 動障 機害	心臓 の疾 患	ぜ ん 息	腎臓 の疾 患	身 体 虚 弱	伝皮 染膚 性疾 患	寄 生 虫 病	そ 疾 病 の 他 常	歯				
アノ イ デ ド	へん と と												肥 大 の 他 の 頭	鼻 の 疾 患 の 頭	む 計	し 処 置 者	歯 未 処 置 者
0.5	9.5	4.8	0.1	0.8	0.0	0.2	0.3	0.2	0.1	0.2	1.0	0.2	0.6	92.1	12.1	80.0	1.5
0.2	7.4	0.9	0.1	0.4	0.0	0.1	0.2	0.3	0.0	0.1	0.9	0.0	0.6	96.4	5.0	91.4	1.1
0.2	10.8	9.9	0.2	0.9	0.0	0.1	0.2	0.0	-	0.1	1.5	0.6	0.6	95.9	3.1	92.8	1.8
3.8	18.5	17.3	0.1	0.4	0.0	0.2	0.3	0.1	0.1	0.1	1.5	0.0	1.2	84.3	4.9	79.4	1.3
0.5	10.0	5.3	0.1	1.3	0.1	0.2	0.2	0.1	0.0	0.1	2.0	0.0	0.5	84.3	11.2	73.1	0.9
0.8	9.4	0.8	0.1	0.7	0.0	0.2	0.3	0.1	0.0	0.2	2.6	0.0	1.0	97.2	3.3	93.9	0.7
0.4	9.9	5.5	0.3	0.7	0.0	0.2	0.3	0.1	0.0	0.5	1.6	0.2	1.0	92.6	17.2	75.4	1.8
0.1	9.4	1.4	0.1	1.3	-	0.2	0.2	0.2	-	0.1	0.5	0.4	0.3	88.9	0.7	88.2	1.2
0.2	9.2	1.2	0.2	1.3	0.1	0.2	0.3	0.0	0.1	0.5	0.4	0.2	0.5	91.4	6.8	84.6	1.3
0.4	15.3	4.4	0.1	0.9	-	0.1	0.2	0.1	0.1	0.1	2.0	0.0	0.4	94.4	13.5	80.9	1.8
0.6	13.1	4.3	0.2	1.2	0.0	0.2	0.2	0.1	0.1	0.2	1.7	0.0	0.5	95.4	11.1	84.3	7.3
0.3	6.7	4.8	0.1	0.6	0.0	0.2	0.4	0.2	0.0	0.2	0.4	0.1	0.2	84.7	23.5	61.2	1.2
0.1	14.1	4.3	0.3	1.0	0.1	0.1	0.2	0.1	0.1	0.3	1.7	0.1	0.5	93.3	10.2	83.1	0.6
1.0	7.1	8.2	0.1	0.4	0.0	0.1	0.2	0.3	0.0	0.3	0.6	-	0.2	97.4	18.7	78.7	1.9
0.2	8.5	5.9	0.1	0.2	0.0	0.2	0.2	0.2	0.1	0.2	0.6	-	0.5	96.8	15.2	81.6	1.8
0.7	9.5	7.9	0.1	0.5	-	0.1	0.4	0.1	0.0	0.1	2.0	0.7	0.3	93.5	15.6	77.9	1.3
0.4	6.1	8.8	0.1	0.4	0.0	0.1	0.1	0.1	0.1	0.1	1.0	0.5	0.3	89.6	24.2	65.4	0.3
0.3	8.1	0.9	0.1	0.9	0.0	0.1	0.2	0.0	0.1	0.1	0.6	0.0	0.5	93.4	13.3	80.1	1.1
0.7	8.3	1.0	0.5	0.7	0.0	0.2	0.5	0.1	0.0	0.2	1.4	0.3	0.7	87.8	12.6	75.2	0.8
1.1	13.0	4.6	0.2	1.4	0.0	0.1	0.2	0.2	0.0	0.2	0.9	0.2	0.4	94.4	11.3	83.1	1.5
0.5	10.8	8.3	0.1	0.7	0.0	0.1	0.3	0.1	0.1	0.5	1.0	0.1	0.4	98.6	14.6	84.0	2.7
0.5	10.4	2.5	0.1	0.6	0.0	0.1	0.2	0.1	0.1	0.1	0.8	0.8	0.3	82.3	19.5	62.8	1.5
0.7	5.5	2.9	0.3	1.3	0.1	0.3	0.1	0.3	0.1	0.1	0.8	0.8	0.4	90.8	13.0	77.8	1.7
0.0	9.1	2.0	0.2	0.1	0.0	0.1	0.3	0.1	0.1	0.1	0.6	-	0.1	95.5	8.6	86.9	0.9
0.0	11.1	1.8	0.1	0.3	0.0	0.1	0.4	0.1	0.0	0.1	0.3	-	0.2	96.4	6.6	89.8	2.6
0.0	14.3	2.8	0.1	1.6	0.1	0.2	0.5	0.2	0.1	0.2	0.9	0.3	1.1	95.0	11.6	83.4	4.0
0.2	11.6	8.4	0.1	0.4	0.0	0.1	0.3	0.3	0.1	0.4	0.8	0.2	0.5	95.7	13.3	82.4	

36 都道府県別疾病異

3 中学校 (1) 男

Table with columns for region (区), sex (分), and various diseases (目, 耳, 鼻). Rows include national average (全 国) and various prefectures like Hokkaido (北海道), Tohoku (東北), Kanto (関東), etc.

常 被 患 率 (一 般 検 診) (つづき)

(%)

Table showing prevalence rates for various conditions: 小児歯科 (Pediatric Dentistry), 小児科 (Pediatrics), 内科 (Internal Medicine), 外科 (Surgery), 皮膚科 (Dermatology), etc. Includes a 'その他' (Others) category.

36 都道府県別疾病異

3 中学校 (2) 女

Table with columns for district (区分), nutrition (栄養), chest (胸郭), eyes (目), ears (耳), and nose (鼻). Rows include national average (全国) and various prefectures like Hokkaido (北海道), Tohoku (東北), Kanto (関東), etc.

常 被 患 率 (一 般 検 診) (つづき)

(%)

Table showing prevalence rates for various conditions: head (頭), speech (言語), mental (精神), nervous (脳麻), motor (運動), heart (心臓), breathing (ぜん息), kidney (腎臓), body (身体), skin (伝染), parasites (寄生), and diseases (その他). Includes sub-categories for dental (歯) and other diseases (その他).

4 高等学校 (1) 男

区 分	栄養 要注意	せき 柱異常	胸 郭異常	目								耳			鼻 蓄り の症
				近 視	遠 視	乱 視	弱 視(両 眼)	色 異 神常	ト ホ ム	結 膜 炎	その 他疾	難 聴(両 耳)	中 耳 炎	その 他疾	
全 国	0.1	0.2	0.4	38.3	0.4	1.5	0.5	4.1	0.9	3.0	0.8	0.4	0.3	0.6	1.6
北海道 青森 岩手 宮城	0.0	0.2	0.2	39.3	0.4	0.5	0.0	4.0	0.0	1.6	0.7	0.4	0.1	0.0	0.3
	0.1	0.1	0.2	35.2	0.1	0.6	0.2	4.3	3.1	5.9	0.9	0.1	0.4	2.7	2.6
	0.0	0.0	0.3	27.0	-	0.2	0.4	4.4	5.1	4.1	1.5	0.0	0.5	1.2	4.9
	0.1	0.1	0.2	31.5	0.0	0.5	0.6	3.8	1.2	2.4	2.6	0.3	0.4	0.1	1.1
山形 福島 茨城 栃木 群馬	-	0.3	0.0	35.7	-	-	-	4.8	2.6	1.9	1.2	0.2	0.2	0.4	1.5
	0.2	0.8	0.8	40.1	0.5	1.8	-	4.6	0.7	7.2	1.1	0.2	0.3	0.4	7.6
	0.0	0.0	0.2	27.5	9.4	2.4	2.6	3.3	1.4	1.5	0.4	0.1	0.1	0.0	0.4
	0.0	0.0	0.2	30.6	0.1	1.2	0.2	3.6	1.6	0.9	0.3	0.2	0.2	0.0	0.1
埼玉県 千葉県 東京都 神奈川県	0.2	0.0	0.4	33.1	1.4	0.7	0.2	5.1	0.8	5.5	1.1	0.2	0.3	0.6	1.8
	0.0	0.7	0.3	35.9	0.4	1.6	0.0	3.7	0.0	1.0	1.3	0.3	0.4	0.4	0.9
	0.0	0.1	0.6	31.2	0.3	1.9	0.0	4.4	0.2	2.8	1.1	0.7	0.2	1.1	1.2
	0.0	0.2	0.8	31.4	0.6	0.6	0.4	4.2	0.2	2.7	0.7	0.1	0.2	1.2	0.9
富山県 石川県 福井県 山梨県	0.0	0.2	0.2	48.7	0.3	1.7	-	4.4	0.1	2.7	0.7	0.2	0.3	0.4	0.9
	0.1	0.1	0.2	24.8	0.2	1.2	2.6	3.4	0.0	3.5	0.8	0.3	0.1	0.6	0.5
	0.1	0.1	0.7	39.8	-	1.2	0.2	3.8	0.1	3.3	1.3	0.3	0.4	0.9	2.1
	0.1	0.1	0.7	39.8	-	1.2	0.2	3.8	0.1	3.3	1.3	0.3	0.4	0.9	2.1
富山県 石川県 福井県 山梨県	0.1	0.5	0.7	48.6	0.1	0.6	1.7	4.5	0.0	3.3	1.0	0.7	0.3	0.8	2.7
	0.2	0.2	0.4	39.8	-	0.5	0.1	3.8	0.1	4.0	0.5	0.1	0.2	0.6	1.5
	0.1	0.6	0.5	54.5	-	0.5	0.1	4.6	0.3	2.5	0.8	0.9	0.1	0.2	0.9
	1.3	0.2	0.7	37.0	-	0.9	1.0	5.8	1.2	4.3	1.3	0.7	0.3	1.3	2.4
岐阜県 静岡県 愛知県 滋賀県	0.2	0.4	0.4	43.0	0.1	0.8	-	4.5	0.0	3.8	1.0	0.1	0.3	0.5	4.6
	0.1	0.1	0.2	48.9	0.7	0.3	0.1	3.4	0.3	4.1	1.4	0.2	0.0	0.0	0.4
	0.0	0.2	0.3	43.7	0.2	2.4	-	3.5	0.9	2.1	0.4	0.3	0.3	0.6	0.9
	0.3	0.0	0.2	48.7	0.1	9.7	0.0	3.9	0.7	5.4	1.8	1.6	0.4	0.4	1.5
東京都 大阪府 兵庫県 奈良県	0.1	0.2	0.6	44.8	0.3	3.5	0.1	4.5	2.3	3.4	1.0	0.1	0.3	0.6	2.9
	0.1	0.2	0.2	39.1	-	2.1	1.4	4.4	-	0.3	0.1	0.6	0.1	0.1	0.5
	0.0	0.5	0.2	37.9	0.0	0.8	-	4.3	0.1	2.7	0.6	0.3	0.7	0.3	1.8
	0.2	0.1	0.5	53.2	0.7	14.7	0.0	4.6	0.8	2.7	1.1	0.0	0.6	0.7	1.1
鳥取県 島根県 岡山県 広島県	0.2	0.1	0.2	42.7	0.2	0.8	-	3.5	1.3	5.6	0.7	0.3	0.3	0.3	0.6
	0.0	0.1	0.1	36.5	0.1	0.4	-	3.3	0.5	2.2	0.4	0.3	0.1	0.6	-
	0.1	0.0	0.2	29.0	1.7	0.6	0.1	4.2	5.2	3.2	0.4	0.5	0.1	0.1	0.2
	0.1	0.0	0.2	29.0	1.7	0.6	0.1	4.2	5.2	3.2	0.4	0.5	0.1	0.1	0.2
徳島県 香川県 愛媛県 高知県	0.0	0.1	0.9	41.3	0.2	1.7	0.1	3.7	0.4	1.6	0.1	0.3	0.3	0.0	1.0
	0.1	-	0.1	35.7	-	1.7	0.1	3.6	1.2	1.1	0.5	0.1	0.4	2.1	0.8
	-	0.0	0.2	37.2	0.2	1.7	0.0	4.8	0.2	5.3	0.8	0.2	0.4	0.8	2.4
	0.1	0.0	0.1	37.2	0.1	2.2	1.1	3.9	0.0	1.8	0.8	0.3	0.4	0.7	1.7
徳島県 香川県 愛媛県 高知県	-	0.1	0.3	45.5	0.1	0.9	0.1	4.4	0.4	4.7	0.8	0.2	0.3	1.1	1.8
	0.3	0.2	0.3	28.8	0.2	0.4	0.3	3.6	0.2	3.1	1.5	0.7	0.5	1.2	3.3
	0.3	0.3	0.2	52.3	-	0.3	0.0	3.6	0.7	2.0	1.9	0.2	0.4	2.2	2.0
	-	0.1	0.2	40.3	0.1	0.9	0.0	4.6	0.6	3.4	0.8	0.8	0.1	0.0	0.6
徳島県 香川県 愛媛県 高知県	0.1	0.1	0.2	25.2	0.1	0.1	0.0	3.1	0.1	1.3	0.1	0.3	0.1	0.1	0.6
	0.2	0.6	0.7	38.1	1.6	1.3	2.6	4.2	0.7	2.5	0.5	0.7	0.9	0.6	1.9
	0.1	0.2	0.2	39.5	4.4	-	4.9	3.9	0.7	4.7	0.8	0.6	0.4	1.0	6.4
	0.1	0.2	0.2	39.0	0.3	2.0	0.1	4.7	0.4	2.2	0.4	0.3	0.4	0.4	1.4
佐賀県 熊本県 大分県 宮崎県	-	0.0	0.1	39.1	-	1.3	0.6	4.2	0.1	4.4	1.0	0.0	0.5	0.2	2.3
	-	0.0	0.3	34.9	0.4	2.0	0.0	4.6	0.6	3.5	1.0	0.3	0.4	0.7	2.1
	-	0.1	0.2	29.8	-	0.9	0.1	4.0	2.5	3.6	0.2	0.1	0.3	0.6	0.7
	0.8	0.2	0.3	31.3	-	-	-	2.5	0.7	1.4	0.5	0.4	0.3	0.7	0.5

およびいん頭																	歯			
アノ イ デ ド	へん と ん	肥 大 の 頭	鼻 の 疾 患	言 語 障 害	精 神 薄 弱	麻 性 小 児 痺	運 能 障 害	心 臓 の 疾 患	ぜ ん 息	腎 臓 の 疾 患	身 体 虚 弱	伝 皮 染 膚 性 疾 患	寄 生 虫 病	そ 疾 の 病 異 の 常	歯					
															計	処 了 置 者	未 処 置	そ の 他 疾		
0.0	3.0	3.2	0.1	0.0	0.0	0.1	0.4	0.0	0.1	0.0	0.2	0.1	0.5	88.1	23.3	64.8	3.3			
-	1.9	0.6	0.1	-	0.0	0.2	0.5	0.0	0.0	-	0.3	1.3	-	1.0	94.0	11.9	82.1	2.2		
-	5.7	14.1	0.1	-	0.0	0.1	0.3	-	-	-	0.0	0.1	-	0.7	88.0	16.3	71.7	2.4		
0.0	3.5	5.0	0.0	-	-	0.1	0.2	0.0	0.1	0.0	0.0	0.1	-	0.1	86.7	12.0	74.7	2.7		
0.0	3.5	3.0	0.2	-	-	0.2	0.2	0.1	0.1	-	-	0.0	0.0	0.4	78.4	15.8	62.6	3.2		
0.0	2.4	0.9	0.0	-	0.0	0.1	0.3	-	-	0.0	0.6	-	-	0.4	88.6	14.7	73.9	1.3		
-	6.2	1.9	-	-	0.0	0.2	0.2	-	0.1	0.0	0.0	-	-	0.6	89.9	29.0	60.9	2.5		
-	1.9	2.1	0.0	-	-	0.0	0.1	-	0.0	-	0.0	0.3	0.1	0.1	90.9	17.1	73.8	4.0		
-	1.4	0.5	0.1	-	-	0.1	0.6	0.0	0.1	0.0	0.0	0.0	-	0.4	86.5	17.8	68.7	4.6		
-	5.8	6.4	0.1	-	-	0.2	0.6	0.0	0.1	0.0	0.8	0.0	-	0.2	84.7	28.2	56.5	4.2		
0.1	2.1	0.9	-	-	0.0	0.1	0.3	0.0	0.1	0.0	-	0.0	0.3	0.1	86.9	29.1	57.8	3.8		
-	1.7	3.4	0.1	-	0.0	0.3	0.1	-	0.4	-	0.6	0.1	0.2	0.2	92.3	30.8	61.5	4.9		
-	3.5	1.9	0.0	-	-	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.1	0.2	86.8	26.9	59.9	2.9		
0.0	4.0	1.8	0.0	-	0.0	0.0	0.1	0.0	0.4	-	0.0	-	-	0.3	92.0	35.5	56.5	3.4		
-	1.8	3.4	0.0	-	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.1	0.1	0.2	92.1	22.0	70.1	10.3		
-	2.5	4.1	0.1	-	0.0	0.3	0.6	0.0	0.1	0.0	0.3	0.3	0.3	2.3	87.3	22.4	64.9	3.3		
-	3.0	1.5	0.0	-	-	0.2	0.4	-	0.2	0.1	0.3	0.1	0.6	0.6	91.8	27.9	63.9	0.7		
-	2.8	3.4	0.0	-	-	0.1	0.3	-	0.2	0.0	-	0.1	0.3	0.1	90.3	22.4	67.9	2.1		
0.0	2.2	3.8	-	-	-	0.2	0.6	-	0.2	0.0	0.3	-	-	1.2	81.8	25.8	56.0	1.7		
-	4.8	8.9	0.0	0.1	-	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.4	0.4	86.3	23.0	63.3	0.8		
-	3.1	7.1	0.0	-	0.0	0.1	0.4	0.1	0.1	0.0	0.1	-	-	0.6	93.2	17.6	75.6	7.1		
-	1.1	1.0	-	-	-	0.1	0.5	0.0	0.1	0.0	0.1	0.1	0.2	0.4	90.2	21.9	68.3	3.0		
-	1.6	2.7	0.1	-	-	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.1	92.6	45.7	46.9	1.2		
-	2.8	3.8	0.0	-	-	0.1	0.5	0.0	0.1	-	0.0	-	-	0.8	87.1	22.8	64.3	3.6		
-	3.5	4.0	0.1	-	0.0	0.1	0.3	0.1	0.1	0.0	0.1	0.1	-							

4 高等学校 (2) 女

Table with columns for district (区分), eye (目), ear (耳), and nose (鼻) conditions. Rows include national average (全国) and various prefectures like Hokkaido (北海道), Tohoku (東北), Kanto (関東), etc.

常被患率 (一般検診) (つづき)

Table showing prevalence rates (%) for various diseases. Columns include categories like eye (眼), ear (耳), nose (鼻), and other conditions. Rows list specific diseases such as Anid (アノイド), Asthma (ぜん息), etc.