

13 都道府県別疾病

1 幼稚園 (1) 男

区分	栄養要主意	せき柱異常	胸郭異常	目									耳
				近視	遠視	乱視	弱視	色異常	トホラム	結膜炎	その他の疾患	難聴(両耳)	
全 国	0.5	0.3	1.3	1.6	0.0	0.0	0.0	0.5	0.4	2.5	0.5	0.1	0.3
北海道 青森 岩手 宮城 秋田	1.1	0.1	0.8	4.2	-	-	-	0.5	1.3	0.1	-	0.3	
	0.3	-	1.5	0.1	-	0.1	-	0.1	0.3	1.8	0.4	-	0.1
	0.3	0.1	1.5	-	-	-	-	-	1.8	5.8	0.8	0.1	0.3
	0.3	0.0	1.2	2.4	-	-	-	0.5	0.8	2.9	0.5	0.2	0.2
	0.1	0.3	0.7	0.4	-	-	-	0.3	1.7	4.3	0.1	-	0.1
山形 福島 茨城 栃木 群馬	1.3	0.2	4.9	3.6	-	-	-	4.4	0.5	1.1	0.3	-	0.2
	0.3	0.1	0.7	1.0	-	-	-	0.6	2.1	1.5	0.2	0.1	0.3
	0.5	0.1	1.6	0.8	-	-	-	0.6	0.1	1.8	0.4	-	0.1
	0.3	-	1.3	-	-	-	-	0.1	0.6	3.5	0.9	-	0.1
	0.1	0.1	1.2	1.4	-	-	-	0.2	0.9	0.2	0.2	0.1	0.2
埼玉 千葉 東京 神奈川 新潟	0.0	0.2	0.8	4.1	-	-	-	1.0	0.1	5.1	0.3	0.1	0.4
	0.2	0.2	0.9	1.2	-	0.1	0.1	0.7	0.2	2.4	0.4	0.3	0.5
	0.8	0.3	1.1	-	-	-	-	0.1	0.1	2.9	0.3	0.1	0.3
	0.1	0.5	1.3	-	-	-	-	0.1	3.3	0.5	-	0.2	
	0.7	0.2	3.4	-	-	-	-	0.0	1.8	0.3	0.1	0.1	
富山 石川 福井 山梨 長野	0.3	1.0	0.6	3.3	-	-	-	0.4	0.1	4.8	0.2	-	0.2
	0.1	0.4	3.9	1.7	-	0.1	0.1	-	2.4	0.6	0.1	0.6	
	0.5	0.3	1.0	3.4	0.1	-	-	1.6	0.2	3.2	0.3	0.1	0.3
	0.7	0.8	1.2	-	-	-	-	0.3	0.0	2.3	0.5	0.0	0.1
	0.4	0.5	1.2	1.2	-	-	-	0.2	0.0	1.7	1.2	0.1	0.1
岐阜 静岡 愛知 三重 滋賀	0.3	0.5	0.1	0.6	-	-	-	0.1	0.4	3.1	1.3	-	0.3
	0.7	0.2	1.0	-	-	-	-	3.3	0.2	2.3	0.1	0.3	0.4
	0.2	0.1	0.4	-	-	-	-	0.3	0.2	1.6	0.2	0.1	0.2
	0.1	0.3	0.7	-	-	-	-	3.8	1.3	1.3	0.1	0.0	0.0
	0.4	0.7	1.5	1.7	-	0.5	0.2	1.2	0.1	1.1	0.3	0.1	0.4
京都 大阪 兵庫 奈良 和歌	0.6	0.5	0.6	0.8	0.3	-	-	0.1	0.1	0.9	0.3	-	0.1
	1.3	2.2	2.6	5.6	-	-	-	1.4	0.3	3.9	0.8	0.4	0.8
	0.8	0.9	0.6	0.9	0.1	0.2	-	0.8	0.3	4.5	1.3	0.3	0.3
	0.5	0.5	1.3	5.3	-	0.1	0.1	0.2	0.3	3.2	0.4	0.1	0.0
	0.3	0.1	0.6	27.3	15.8	-	-	6.6	1.5	5.1	1.4	-	0.0
鳥取 島根 岡山 広島 山口	0.3	-	3.5	-	-	-	-	0.1	1.6	-	-	0.1	
	0.5	0.4	1.8	-	-	-	-	0.1	0.8	1.5	0.3	1.2	
	0.4	0.3	1.4	2.1	-	-	0.1	0.9	0.1	3.9	1.4	0.3	
	0.5	0.3	0.7	4.8	0.4	-	-	0.3	0.1	2.6	0.9	-	0.2
	0.9	0.2	2.1	0.3	-	-	-	0.3	2.0	0.6	0.8	0.8	0.2
徳島 香川 愛媛 高知 福岡	0.7	0.3	1.1	1.7	-	-	-	0.5	0.4	2.6	1.0	0.4	0.4
	0.6	0.2	1.2	3.4	-	-	-	1.1	0.3	2.8	0.7	0.3	0.4
	2.2	0.1	0.6	1.4	0.1	0.0	0.0	0.2	-	1.5	0.1	-	0.2
	0.5	-	1.2	-	-	-	-	-	0.2	0.2	0.2	-	0.1
	0.4	0.2	1.2	0.1	0.1	-	-	0.1	1.0	2.7	0.1	0.7	0.7
佐賀 長崎 熊本 大分 鹿児 島	0.2	0.1	0.7	13.0	-	-	-	0.5	1.7	0.1	0.1	0.6	
	0.3	0.3	1.0	2.4	-	-	-	1.2	0.1	0.9	0.4	-	0.4
	0.4	0.1	0.5	-	-	-	-	0.0	-	2.7	0.3	-	0.1
	0.3	-	0.7	0.6	-	0.1	-	0.4	0.4	2.2	0.5	-	0.1
	0.1	0.4	2.6	-	-	-	-	1.6	2.2	0.5	0.1	-	-
佐賀 長崎 熊本 大分 鹿児 島	0.2	0.9	2.3	1.2	-	-	-	0.1	0.5	1.0	2.4	-	0.1

異常被患者率(一般検診)

(%)

その他の疾患	鼻およびいん頭				伝皮膚性疾患	心臓の疾患	精神薄弱	身体虚弱	運動障害	寄生虫病	歯								
	蓄うの症	アイデノド	へうくんせんとん大	そ鼻のいの他んの頭患							計	処置完了者	未処置者						
											その他の疾患								
0.7	0.4	0.6	10.9	3.3	0.8	0.3	0.0	0.1	0.1	0.2	0.7	90.8	5.0	85.8	0.5				
0.0	-	0.3	11.2	0.7	0.4	0.2	-	0.4	0.0	-	1.2	93.5	2.5	91.0	0.2				
0.4	-	1.3	9.1	1.4	0.4	0.1	-	-	0.1	0.4	81.1	4.9	76.2	0.1					
0.7	0.9	0.7	13.6	7.7	1.2	0.3	-	0.2	0.0	0.3	1.0	90.3	3.8	86.5	0.1				
0.8	0.1	0.1	10.8	2.0	0.6	-	0.0	0.0	1.2	0.5	91.2	8.4	82.8	0.4					
0.3	0.3	0.0	13.6	2.8	0.3	-	-	-	0.1	0.1	96.1	5.5	90.6	1.3					
0.3	0.3	0.0	12.2	1.6	0.9	0.4	0.0	-	0.0	0.2	0.4	91.8	4.1	87.7	0.2				
0.5	1.4	0.1	11.7	3.2	0.7	0.1	0.1	0.1	-	-	0.2	93.5	2.7	90.8	0.1				
0.1	0.0	0.7	9.7	0.6	1.7	0.1	0.1	0.1	0.0	0.4	90.5	4.3	86.2	0.1					
0.0	-	0.0	6.2	1.4	0.9	0.1	0.0	0.2	-	0.2	0.3	94.5	4.3	90.2	0.3				
1.2	-	1.3	14.9	1.1	2.2	0.1	-	0.0	0.0	0.1	0.1	96.2	3.5	92.7	-				
0.1	0.0	0.1	12.2	1.6	0.9	0.4	0.0	-	0.0	0.2	0.4	91.8	4.1	87.7	0.2				
1.6	0.1	0.3	13.1	2.2	0.9	0.1	-	-	0.0	0.1	0.6	95.7	9.3	86.4	0.2				
0.4	0.1	0.6	13.0	3.6	0.6	0.3	0.0	0.1	0.1	-	0.7	91.2	8.2	83.0	0.5				
1.1	0.1	0.1	9.8	3.3	2.1	0.1	0.0	-	-	-	0.9	90.7	10.2	80.5	2.0				

13 都道府県別疾患

1 幼稚園 (2) 女

区分	栄養要注 意	せき 柱異常	胸郭 異常	目								耳	
				近 視	遠 視	乱 視	弱 (両眼) 視	色異 神常	トホ ラム	結膜 炎	その 他の疾 患	難 (両耳) 聴	中耳 炎
全 国		0.5	0.2	0.6	1.9	0.1	0.0	0.0	0.1	0.5	2.7	0.5	0.1
北 海 道	青森	0.9	-	0.5	5.5	0.1	-	0.1	-	0.6	1.2	0.2	0.1
	岩手	0.2	0.1	0.2	-	-	-	-	0.2	1.6	2.5	0.2	0.1
	宮城	0.2	-	0.5	-	-	-	-	-	2.2	6.7	0.4	-
	秋田	0.5	0.0	0.2	2.5	-	-	-	0.2	1.5	2.7	0.5	0.0
	山形	0.5	0.5	0.3	1.5	-	-	-	-	2.8	3.6	-	-
山 福 埼 砂 森	福島	1.2	0.2	2.0	5.4	-	-	-	0.5	0.6	1.9	0.7	-
	茨城	0.1	0.1	0.2	1.1	-	-	-	0.2	3.2	1.5	0.2	0.2
	群馬	0.6	0.1	0.5	0.4	-	-	-	-	0.1	1.2	0.4	0.1
	栃木	0.3	-	0.5	0.2	-	-	-	-	0.7	3.1	0.8	0.1
	埼玉	0.0	0.1	0.3	2.3	-	-	0.2	0.2	0.3	2.0	0.2	0.2
埼 千 東 神 奈 新	千葉	0.1	0.2	0.2	2.9	-	-	-	0.1	0.2	4.7	0.1	-
	東京	0.4	0.1	0.7	1.4	0.1	-	0.1	-	0.3	2.6	0.5	0.1
	神奈川	0.8	0.1	0.5	-	-	-	-	0.0	0.0	2.8	0.6	0.1
	新潟	0.2	0.6	0.7	-	-	-	-	0.1	0.1	3.8	0.5	-
	奈良	1.0	0.1	1.6	-	-	-	-	-	0.0	2.3	0.4	-
富 石 福 山 長	石川	0.2	0.4	0.3	4.4	-	-	-	-	0.1	5.0	0.2	0.1
	福井	0.1	0.1	1.1	1.3	-	-	-	-	-	1.9	0.3	0.4
	山梨	0.5	0.1	0.6	3.9	-	-	-	0.3	0.4	4.0	0.3	0.1
	長野	0.8	0.1	0.4	-	-	-	-	0.0	0.0	2.3	0.4	-
	岐阜	0.2	0.2	0.5	1.3	-	-	-	0.1	0.0	1.9	0.4	0.0
岐 静 豊 三 滋	静岡	0.3	0.3	0.1	0.8	-	-	-	-	0.4	3.7	1.1	0.2
	愛知	0.6	0.1	0.4	6.3	-	-	-	0.6	0.2	2.0	0.1	-
	三重	0.3	0.1	0.3	-	-	-	-	-	0.2	1.5	0.1	0.1
	滋賀	0.1	0.1	0.4	2.9	-	-	-	-	1.1	1.5	0.3	0.3
	京都	0.3	0.9	0.9	1.6	-	0.3	-	0.1	0.0	1.6	0.3	-
京 大 兵 川 歌	大坂	0.6	0.2	0.4	1.0	0.4	0.1	0.1	-	-	0.7	0.3	-
	兵庫	1.0	2.0	1.3	7.2	-	-	-	0.0	0.3	4.9	0.7	1.4
	奈良	0.4	0.6	0.0	1.5	0.1	0.1	0.1	-	0.4	4.3	1.4	0.2
	和歌	0.5	0.2	0.9	3.9	0.1	-	-	-	0.3	3.0	0.4	0.2
	山口	0.5	-	0.3	24.7	16.7	-	-	-	2.5	3.5	2.4	-
鳥 島 岡 広 山	鳥取	0.4	-	0.6	-	-	-	-	-	-	1.3	0.1	-
	島根	0.4	0.4	0.7	-	-	-	-	-	1.2	1.4	0.5	0.8
	岡山	0.2	0.1	0.5	2.8	0.2	-	-	0.1	0.3	3.9	1.8	0.5
	広島	0.2	0.4	0.9	3.5	-	-	-	0.1	0.1	2.9	0.9	0.2
	山口	0.8	0.2	1.1	0.1	-	-	-	0.1	0.1	2.2	0.5	0.2
徳 香 愛 高 福	徳島	0.4	-	0.4	0.4	-	-	-	-	0.5	3.8	1.1	0.4
	香川	0.3	0.2	0.4	5.4	-	-	-	-	0.7	2.4	0.4	0.3
	愛媛	2.4	0.2	0.3	1.8	-	-	-	-	0.1	1.0	0.2	0.0
	高知	0.6	-	0.8	-	-	-	-	-	-	0.2	0.1	-
	福岡	0.1	0.1	0.5	-	0.1	-	-	-	0.9	3.4	0.4	0.4
佐 長 熊 大 宮 鹿 児	長崎	0.2	0.3	0.1	24.1	-	-	-	-	0.3	2.3	0.1	-
	熊本	0.3	0.4	0.3	2.6	-	-	-	0.1	0.2	0.9	0.5	-
	大分	0.2	0.1	0.1	0.0	-	-	-	-	-	3.8	0.3	0.0
	宮崎	0.3	-	6.1	0.4	-	0.1	0.1	-	0.3	2.3	0.4	0.1
	鹿児	0.4	-	1.1	-	-	-	-	-	0.8	2.8	0.3	0.0
	児童	0.1	0.2	1.0	0.7	-	-	-	-	0.7	2.7	0.9	-

異常被患率(一般検診)(つづき)

都道府県

(%)

その他の疾	鼻およびいん頭				伝皮 染屑 性疾 の患	心臓 の疾 患	精神 薄弱	身体 虚弱	運動 障機害	寄生 虫病	そ疾 の病 他異 の常	歯			
	蓄う の症	アノ イデ	へう肥 んせ ん大	そ鼻の のい疾 他ん患 の頭								計	むし歯	処完了者	未歯者
0.6	0.3	0.6	8.9	2.5	0.6	0.3	0.0	0.1	0.0	0.2	0.6	91.2	5.2	86.0	0.5
-	-	0.5	8.2	0.7	0.2	0.1	-	0.1	0.0	0.1	1.2	92.4	3.7	88.7	0.1
0.1	0.1	0.9	9.4	1.2	0.4	0.1	-	0.1	0.1	0.1	0.2	80.1	5.3	74.8	-
1.0	1.3	0.5	13.4	5.4	1.3	0.1	0.0	0.1	-	0.1	0.9	90.5	4.9	85.6	0.2
0.5	0.1	0.3	8.6	1.3	0.4	0.0	-	0.0	0.0	1.1	0.2	90.9	2.9	83.0	-
0.7	0.3	0.2	13.2	1.8	0.1	-	0.1	-	-	0.3	0.4	96.9	4.2	92.7	1.6
0.6	0.7	-	9.9	2.0	0.8	0.2	-	0.0	-	-	0.3	94.7	2.7	92.0	-
0.2	-	0.8	8.3	0.6	0.9	0.2	-	0.1	0.0	0.1	0.3	91.4	3.0	88.4	0.0
0.0	-	-	5.7	1.0	0.4	0.3	0.1	0.2	-	0.4	0.3	93.4	3.4	90.0	0.3
0.8	-	0.8	10.5	0.5	1.6	0.2	-	-	0.0	-	0.2	99.2	4.8	94.4	-
0.2	0.1	0.2	10.5	1.3	0.7	0.2	0.0	0.0	-	0.2	0.6	91.6	4.7	86.9	0.2
1.2	0.1	0.2	9.4	1.7	0.4	0.2	-	0.0	0.0	0.2	0.3	97.9	10.4	87.5	0.5
0.3	0.0	0.3	8.8	2.8	0.5	0.2	-	0.1	0.1	0.1	0.8	89.9	8.2	81.7	0.5
1.0	0.1	0.2	8.2	2.3	1.2	0.3	-	-	0.0	-	0.8	92.2	10.2	82.0	2.1
0.7	0.3	0.4	10.0	2.3	1.1	0.3	0.1	0.1	0.0	0.2	0.5	87.9	9.7	78.2	0.7
0.1	0.0	0.3	10.0	1.8	0.9	0.3	-	-	0.0	0.1	0.7	91.1	4.9	86.2	0.1
1.3	1.2	0.2	7.3	3.3	0.7	0.2	-	0.1	0.1	-	0.2	77.8	3.1	74.7	0.1
0.1	0.2	0.4	10.0	1.0	0.5	0.6	-	0.1	-	-	0.7	93.3	3.4	89.9	0.5
0.2	0.4	0.3	6.1	0.9	0.8	0.4	0.0	0.1	0.0	-	0.6	90.7	1.2	89.5	0.1
0.2	0.2	2.5	12.1	2.8	0.4	0.1	-	-	-	0.1	0.0	91.8	12.4	79.4	2.4
0.3	0.2	1.5	9.1	3.7	0.8	0.1	-	0.1	-	0.2	1.0	89.3	7.8	81.5	-
0.3	0.2	1.2	7.1	2.8	1.1	0.1	-	-	0.0	0.3	0.2	74.1	3.1	71.0	-
0.2	0.0	0.6	8.4	1.1	0.3	0.4	-	0.2	-	0.2	1.0	96.3	2.4	93.9	0.3
0.2	0.0	0.4	4.6	1.0	0.4	0.3	0.0	0.2	0.0	-	0.5	92.0	5.1	86.9	0.1
0.0	0.2	0.1	10.6	1.9	0.1	0.4	0.0	0.0	0.2	0.4	0.4	94.7	2.0	92.7	0.3
1.2	0.2	0.1	11.1	5.1	0.9	0.3	-	-	-	-	0.6	97.0	4.3	92.7	0.3
-	0.1	0.1	8.0	3.6	0.3	0.3	0.0	0.1	0.0	0.4	0.4	88.5	5.8	82.7	0.4
1.3	0.2	0.8	13.4	3.6	0.5	0.4	-	0.3	0.1	0.6	0.5	88.6	6.2	82.4	0.9
1.5	0.9	1.1	7.0	3.7	0.3	0.4	0.0	0.1	0.2	0.4	0.4	94.5	5.7	88.8	0.5
1.0	0.0	0.9	11.6	1.9	0.5	0.6	-	0.1	0.1	0.6	0.9	91.5	8.3	88.2	1.3
0.6	0.2	0.6	10.5	1.4	0.1	0.7	-	0.0	0.0	0.1	0.8	95.2	0.9	94.3	0.2
0.2	-	1.1	5.3	0.8	0.2	0.2	-	0.1	-	-	0.6	95.2	2.7	92.5	-
1.9	1.0	2.0	8.6	5.9	1.6	0.2	-	-	0.1	0.4	1.2	95.5	3.2	92.3	0.4
3.9	1.5	0.3	8.0	9.8	0.8	0.6	0.2	-	0.1	0.1	0.2	91.1	5.7	85.4	0.1
1.1	0.9	0.5	7.0	4.5	0.5	0.2	0.1	-	0.1	0.4	0.4	88.0	5.5	82.5	0.3
0.6	0.4	0.5	10.5	5.6	0.5	0.2	0.2	0.1	0.1	0.1	0.7	89.6	4.6	85.0	0.3
0.7	-	0.9	7.2	4.0	0.2	0.2	0.0	-	-	0.6	0.2	92.7	1.5	91.2	0.1
0.7	0.0	-	10.0	2.7	0.3	0.2	0.0	-	0.1	0.2	1.3	94.1	5.5	88.6	0.2
0.8	-	0.5	7.4	0.2	0.1	0.3	-	0.0	0.0	0.4	0.3	87.9	2.6	85.3	0.0
-	-	-	8.4	0.7	0.3	0.1	-	-	-	0.3	1.3	89.2	5.9	83.3	0.2
0.3	0.3	3.5	6.7	2.6	0.1	0.2	-	0.1	0.0	0.1	0.2	86.9	7.8	79.1	4.0
0.1	0.5	1.3	14.4	1.6	0.8	0.5	0.1	-	0.0	0.4	2.0	82.3	4.2	78.1	-
0.2	0.1	0.3	12.1	1.0	0.3	0.3	-	-	0.0	0.1	0.9	95.4	2.8	92.6	0.0
0.1	-	0.5	6.3	0.8	0.5	0.3	-	0.1	0.0	0.2	0.1	89.7	5.5	84.2	-
0.1	0.5	0.4	5.9	1.5	0.2	0.2	-	-	0.0	0.6	0.1	93.8	2.2	91.6	0.4
0.1	-	0.5	7.2	1.9	0.1	0.2	-	0.0	-	-	0.5	93.1	3.2	89.9	-
0.3	0.3	0.2	5.1	3.1	0.7	0.3	-	0.1	0.0	0.3	0.8	94.8	3.6	91.2	0.8

13 都道府県別疾患異

2 小学校 (1) 男

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色異常	トボラム	結膜炎	その他の疾患	難聴(両耳)	中耳炎
全 国	0.5	0.7	1.0	10.0	0.2	0.2	0.2	2.9	1.5	3.6	0.9	0.4	0.4
北 海 道	0.4	0.1	0.6	20.0	0.1	0.1	0.1	2.8	0.3	2.2	0.3	0.2	0.2
	0.2	0.2	0.5	11.2	0.4	0.1	0.2	2.8	3.8	4.5	0.9	1.1	0.4
	0.6	0.2	0.8	10.7	1.0	0.0	0.6	3.2	6.8	5.1	1.7	0.9	0.3
	0.2	0.4	0.8	6.5	0.1	0.1	0.1	2.8	3.0	3.4	1.2	0.3	0.3
	0.1	0.3	0.5	10.6	0.0	0.1	0.1	3.2	2.7	3.2	0.5	0.3	0.3
山 福 茨 栃 群	1.8	3.7	2.5	6.9	0.3	0.3	0.1	3.0	1.8	7.1	1.1	0.3	0.3
	0.7	0.4	0.7	11.7	0.0	0.1	0.0	2.8	5.3	2.7	1.0	0.2	0.3
	0.5	0.2	0.9	9.1	0.1	0.1	0.2	2.0	1.0	0.9	0.7	0.3	0.3
	0.6	0.5	1.2	6.9	0.1	0.1	0.1	2.9	1.4	4.1	0.7	0.2	0.4
	0.2	1.2	1.2	6.2	0.2	0.5	0.1	2.8	0.2	2.4	0.4	0.4	0.4
埼 千 東 神 奈 新	0.4	0.4	1.0	9.3	0.2	0.5	0.3	3.0	0.5	4.1	0.9	0.4	0.3
	0.2	0.6	0.9	10.2	0.1	0.2	0.2	2.4	0.8	5.7	0.7	0.2	0.3
	0.4	0.5	0.8	12.1	0.2	0.2	0.0	2.7	0.2	6.8	1.5	0.3	0.2
	0.3	0.8	0.9	7.1	0.1	0.2	0.1	2.4	0.3	3.1	1.2	0.0	0.1
	0.4	0.3	2.8	11.4	0.1	0.1	0.1	3.0	0.2	3.4	1.5	0.5	0.5
富 石 福 山 長	0.6	0.7	1.4	14.0	0.0	0.1	0.1	2.8	0.2	3.7	1.1	0.3	0.2
	0.7	0.7	1.3	15.8	0.1	0.1	0.1	3.5	0.6	3.6	0.4	0.2	0.1
	0.6	1.2	1.1	13.9	0.1	0.5	0.2	3.5	1.0	2.4	0.5	0.2	0.2
	0.8	0.6	1.7	9.0	0.2	0.2	0.2	3.6	0.5	5.8	1.2	0.1	0.3
	0.7	1.1	0.8	8.6	0.1	0.2	0.1	2.9	0.1	3.3	1.7	0.5	0.2
岐 静 愛 三 滋	0.6	1.2	0.4	9.6	0.1	0.1	0.3	2.8	1.1	3.9	1.2	0.3	0.3
	0.3	1.3	1.3	10.4	0.1	0.1	0.1	3.2	0.5	4.3	0.6	0.4	0.2
	0.3	0.4	0.7	13.9	0.5	0.2	0.2	2.7	1.5	3.5	0.3	0.1	0.1
	0.3	0.2	0.4	9.6	0.1	0.1	0.1	3.7	2.6	3.8	0.7	0.4	0.4
	0.4	0.8	0.6	8.8	0.1	0.1	0.2	3.5	0.0	0.9	0.6	0.3	0.2
京 大 兵 奈 和 歌	0.3	2.8	1.7	10.3	0.1	0.2	0.0	3.0	0.2	1.0	0.5	0.5	0.2
	0.5	0.4	0.5	13.9	0.2	0.4	0.2	3.1	0.9	3.9	1.4	0.7	0.3
	0.7	0.6	0.6	10.2	0.2	0.5	0.4	2.7	2.1	4.6	1.9	0.9	0.7
	0.2	0.3	0.7	9.7	0.1	0.1	0.4	3.1	1.1	2.5	0.5	0.4	0.3
	0.5	0.7	0.7	10.7	0.8	0.1	0.1	3.3	5.6	3.3	0.3	0.2	0.1
鳥 島 岡 広 山	0.5	0.2	1.4	9.5	0.2	0.1	0.1	2.6	0.9	2.8	0.8	0.3	0.5
	0.5	0.4	1.9	6.1	1.5	0.1	0.5	2.2	2.0	1.9	0.4	0.3	0.3
	0.7	0.8	1.0	8.7	0.0	0.3	0.2	3.3	0.5	4.6	1.6	0.9	0.7
	0.3	0.3	0.5	11.9	0.2	0.2	0.2	3.1	0.2	4.5	0.8	0.5	0.4
	0.4	0.7	0.9	8.4	0.0	0.2	0.3	3.4	0.7	2.4	0.9	0.2	0.9
徳 香 愛 高 福	0.5	0.3	0.7	8.5	0.1	0.1	0.2	2.5	0.5	2.2	0.9	0.6	0.3
	0.3	0.3	0.5	12.4	0.0	0.1	0.3	3.5	1.0	2.0	0.8	0.4	0.5
	0.5	0.8	1.0	9.7	0.5	0.1	0.5	2.9	1.2	5.4	1.0	0.4	0.3
	0.2	0.5	1.2	7.2	0.0	0.1	0.1	2.6	0.7	2.1	0.5	0.4	0.2
	0.5	0.3	0.8	11.4	0.0	0.0	0.1	3.2	3.1	5.3	0.9	0.7	0.9
佐 長 熊 大 宮 鹿 児 島	0.4	0.5	0.6	7.6	0.1	0.2	0.1	2.7	1.0	3.4	0.9	0.4	0.6
	0.5	1.5	1.1	11.3	0.2	0.3	0.3	2.8	1.3	2.2	0.5	0.7	0.7
	0.3	0.2	0.7	8.7	0.2	0.1	0.2	3.0	1.2	4.6	0.7	0.5	0.5
	0.3	0.3	0.9	7.5	0.5	0.1	0.1	2.5	0.7	3.7	1.4	0.5	0.5
	1.4	0.5	1.7	6.0	0.1	0.1	0.1	2.5	4.5	3.0	0.7	0.1	0.4

常被患率(一般検診)(つづき)

都道府県

(%)

その耳他疾	鼻およびいん頭			伝皮膚性疾の患	心臓の疾患	精神薄弱	身体虚弱	運動障機害	寄生虫病	歯					
	蓄うの症	アノイデド	へう肥んせ大とん							むし	歯完了	未歯ある	歯置者	その歯他疾	
1.2	1.5	0.8	10.1	5.5	2.1	0.3	1.3	0.2	0.3	0.4	0.8	88.0	8.3	79.7	1.3
0.7	0.6	0.1	4.9	1.0	2.6	0.2	0.9	0.1	0.3	0.5	0.7	91.2	4.2	87.0	1.4
2.0	1.3	0.1	7.7	6.0	4.2	0.2	1.5	0.1	0.3	0.0	2.2	95.8	1.5	94.3	2.3
3.8	4.1	2.6	15.9	9.0	4.2	0.5	1.9	0.3	0.3	1.0	2.7	87.7	2.3	85.4	1.0
1.1	1.4	1.1	12.0	8.3	3.1	0.2	2.0	0.2	0.6	1.5	1.2	87.2	5.9	81.3	0.4
0.9	0.3	2.3	10.0	1.1	3.4	0.1	1.1	0.6	0.1	-	0.4	92.1	2.3	89.8	0.8
1.9	5.6	0.7	14.8	7.5	4.4	0.3	0.9	0.4	0.2	0.0	1.8	91.0	10.8	80.2	0.7
0.2	1.8	0.8	7.2	3.0	2.9	0.2	1.1	0.2	0.2	0.7	0.2	92.3	4.6	87.7	1.0
0.2	0.1	0.1	10.1	1.8	0.9	0.2	1.5	0.1	0.2	0.2	0.7	90.4	3.9	86.5	1.5
0.5	0.4	0.4	13.1	1.9	3.2	0.2	2.2	0.2	0.2	0.9	0.5	87.9	9.1	78.8	1.2
2.2	0.6	2.2	13.0	4.3	3.3	0.3	1.7	0.2	0.3	0.1	0.8	89.3	11.0	78.3	2.4
2.1	0.6	0.8	10.1	7.9	3.0	0.3	1.1	0.1	0.4	0.6	0.6	87.5	15.1	72.4	2.5
1.0	1.6	0.2	12.7	5.5	1.5	0.2	2.0	0.4	0.2	0.3	0.8	89.5	5.2	84.3	0.4

13 都道府県別疾病異

2 小学校 (2) 女

区分	栄養 要注意	せき柱異常	胸郭 異常	目								耳		
				近視	遠視	乱視	弱視	弱視眼	色異 神常	トホ ラム	結膜炎	その眼 他疾	難聴 (両耳)	中耳炎
全 国	0.5	0.5	0.6	12.8	0.1	0.3	0.2	0.2	1.9	4.2	0.9	0.3	0.2	
北海道	0.4	0.1	0.4	26.5	0.0	0.1	0.0	0.2	0.5	2.1	0.2	0.2	0.2	
青森県	0.2	0.1	0.2	15.6	0.4	0.2	0.2	0.2	5.2	5.4	0.9	0.7	0.3	
岩手県	0.5	0.2	0.5	14.0	0.3	1.2	0.4	0.2	9.6	5.6	1.5	1.1	0.2	
宮城県	0.2	0.3	0.5	8.2	0.1	0.2	0.1	0.3	3.4	4.3	1.2	0.2	0.2	
秋田県	0.1	0.3	0.3	14.0	0.2	0.1	0.2	0.2	3.3	4.0	0.4	0.3	0.3	
山形県	2.0	3.3	1.8	9.0	0.2	0.5	0.1	0.1	2.4	7.9	1.0	0.2	0.2	
福島県	0.4	0.3	0.2	16.7	0.0	0.8	0.1	0.7	7.1	3.1	1.1	0.1	0.2	
茨城県	0.3	0.2	0.6	11.7	0.0	0.1	0.2	0.1	1.4	1.0	0.7	0.2	0.2	
栃木県	0.6	0.4	1.1	8.7	0.0	0.1	0.1	0.2	2.1	4.8	0.5	0.2	0.2	
群馬県	0.3	0.7	0.5	7.4	0.2	0.5	0.0	0.2	0.3	2.8	1.5	0.3	0.2	
埼玉県	0.4	0.4	0.6	11.4	0.2	0.4	0.3	0.2	0.7	4.8	1.0	0.3	0.1	
千葉県	0.2	0.4	0.9	15.6	0.1	0.1	0.1	0.1	0.7	6.6	0.8	0.2	0.2	
東京都	0.4	0.4	0.5	14.8	0.2	0.3	0.1	0.2	0.2	8.2	2.1	0.3	0.1	
新潟県	0.3	0.7	0.6	8.0	0.1	0.2	0.1	0.1	0.5	4.4	1.4	0.0	0.1	
福井県	0.5	0.3	1.9	15.7	0.1	0.0	0.2	0.2	0.2	3.8	1.5	0.3	0.2	
富山県	0.6	0.5	0.8	18.2	0.0	0.2	0.1	0.1	0.4	5.1	1.0	0.4	0.1	
石川県	0.6	0.4	0.6	21.7	0.1	0.1	0.1	0.2	0.8	4.1	0.4	0.2	0.1	
福井県	0.7	1.0	0.6	16.6	0.1	0.6	0.2	0.3	1.1	3.2	0.5	0.4	0.1	
長野県	0.6	0.4	1.0	10.6	0.1	0.2	0.1	0.4	0.7	6.9	1.3	0.2	0.2	
岐阜県	0.7	0.8	0.4	10.8	0.0	0.2	0.1	0.2	0.2	4.7	1.6	0.3	0.2	
静岡県	0.7	1.1	0.3	10.7	0.0	0.1	0.4	0.2	1.2	4.6	1.5	0.3	0.2	
愛知県	0.3	0.8	0.7	13.5	0.2	0.3	0.1	0.2	0.7	6.1	0.6	0.2	0.2	
三重県	0.4	0.2	0.5	15.9	0.4	0.4	0.3	0.2	2.2	3.8	0.3	0.1	0.1	
滋賀県	0.3	0.3	0.2	11.8	0.1	0.1	0.2	0.1	3.2	3.7	0.5	0.3	0.4	
京都府	0.5	0.6	0.4	10.8	0.0	0.1	0.2	0.3	0.0	1.0	0.6	0.2	0.2	
大阪府	0.4	1.9	0.8	12.8	0.2	0.2	0.0	0.2	0.3	1.4	0.5	0.5	0.1	
兵庫県	0.6	0.3	0.4	18.6	0.4	0.6	0.2	0.1	1.2	4.0	1.4	0.7	0.3	
奈良県	0.8	0.5	0.3	12.6	0.3	0.8	0.6	0.2	2.5	5.6	1.6	0.7	0.7	
和歌山県	0.3	0.3	0.3	12.8	0.0	0.0	0.5	0.2	1.6	3.0	0.5	0.4	0.2	
鳥取県	0.5	0.5	0.4	14.2	0.2	0.1	0.1	0.2	7.5	4.6	0.3	0.1	0.0	
島根県	0.5	0.5	0.9	10.7	0.1	0.1	0.1	0.2	1.2	3.5	0.8	0.1	0.3	
広島県	0.5	0.4	1.1	8.4	-	0.1	0.2	0.3	2.3	1.7	0.4	0.4	0.2	
山口県	0.7	0.7	0.5	10.7	0.0	0.3	0.2	0.3	0.8	5.8	1.5	0.7	0.5	
徳島県	0.5	0.2	0.5	12.2	0.1	0.1	0.1	0.1	0.8	2.5	0.7	0.4	0.1	
香川県	0.4	0.2	0.4	16.1	0.1	0.2	0.3	0.3	1.3	3.0	0.7	0.4	0.4	
愛媛県	0.4	0.4	0.3	12.8	0.5	0.2	0.3	0.1	1.3	5.5	1.0	0.2	0.3	
高知県	0.1	0.3	0.6	7.7	0.1	0.1	0.2	0.2	0.7	2.5	0.5	0.3	0.2	
福岡県	0.6	0.3	0.5	14.6	0.0	0.0	0.1	0.1	3.8	6.9	1.0	0.7	0.7	
佐賀県	0.1	0.2	0.4	9.6	0.1	0.2	0.2	0.1	1.2	4.4	1.0	0.3	0.4	
長崎県	0.6	1.2	0.7	13.5	0.2	0.7	0.2	0.2	1.6	3.5	0.5	0.8	0.4	
熊本県	0.3	0.1	0.4	11.9	0.3	0.1	0.2	0.2	1.1	5.0	0.8	0.3	0.4	
大分県	0.2	0.2	0.6	11.3	0.5	0.3	0.1	0.2	0.7	3.8	1.3	0.4	0.3	
宮崎県	1.3	0.4	0.9	7.4	0.0	0.1	0.3	0.1	5.5	3.2	0.8	0.1	0.2	
鹿児島県	0.2	0.9	0.8	8.7	0.0	0.0	0.3	0.3	4.2	3.0	1.0	0.3	0.4	

常被患率(一般検診)(つづき)

(%)

疾 病 の 他 の 常 の 常	鼻およびいん頭				伝皮 染膚 性疾 の患	心臓 の疾 患	精神 薄弱	身体 虚弱	運動 機会	寄生 虫病	歯		
	鼻 の 症	お の い ん 頭	ア ノ イ デ ド	へ う 肥 大 と ん							む し 歯	計	歯 の 他 疾
1.0	1.1	0.6	9.7	4.0	1.2	0.3	1.2	0.2	0.2	0.4	0.6	89.4	10.4
0.8	0.4	0.1	4.7	0.7	1.8	0.4	0.8	0.1	0.2	0.4	0.5	91.7	4.3
1.8	0.8	0.1	7.4	5.1	2.2	0.1	1.3	0.1	0.3	1.3	96.4	2.0	94.4
3.5	3.1	1.9	14.7	7.4	3.3	0.4	1.8	0.4	0.2	1.2	90.5	3.3	87.2
0.6	1.0	1.2	11.8	5.6	1.6	0.2	1.7	0.2	0.3	1.3	88.4	7.4	81.0
0.9	0.3	2.3	9.7	0.9	1.8	0.1	1.0	0.8	0.1	0.2	93.4	3.3	90.1
1.7	4.3	0.6	14.7	5.7	2.8	0.3	0.9	0.5	0.2	-	1.3	93.0	13.0
0.1	1.5	0.8	6.7	2.5	1.9	0.2	0.9	0.2	0.2	0.6	0.1	92.1	6.2
0.2	0.1	0.1	9.5	1.0	0.5	0.2	1.3	0.1	0.2	0.1	0.3	91.7	5.5
0.4	0.3	0.5	12.1	1.5	2.1	0.3	1.9	0.1	0.2	0.8	0.4	90.7	12.0
1.8	0.5	2.0	12.1	3.1	2.0	0.2	1.0	0.2	0.2	0.1	0.6	92.3	14.0
1.6	0.5	0.8	8.6	5.6	1.6	0.2	1.0	0.1	0.3	0.6	0.5	89.4	17.5
0.8	1.4	0.1	12.1	3.6	0.7	0.2	1.6	0.2	0.2	0.3	0.9	85.8	6.9
2.9	2.7	0.2	8.9	6.7	0.3	0.1	0.6	0.0	0.2	0.0	0.4	94.3	17.8
1.5													

13 都道府県別疾患異

3 中学校 (1) 男

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色異常	トボラム	結膜炎	その他の眼疾	難聴(両耳)	
全国	0.3	0.3	0.5	19.1	0.3	0.5	0.3	4.0	1.8	3.8	0.9	0.4	0.4
北海道 青森 岩手 宮城 秋田	0.4	0.1	0.4	23.3	0.0	0.3	0.6	4.2	1.2	2.7	0.3	0.3	0.2
	0.1	0.1	0.4	17.1	0.2	0.4	0.8	4.4	4.6	4.2	0.4	0.5	0.2
	0.2	0.1	0.3	16.3	0.2	0.2	0.6	4.4	8.9	3.9	2.1	0.4	0.3
	0.2	0.2	0.9	14.6	0.1	0.4	0.0	3.6	3.4	6.1	0.7	0.3	0.4
	0.2	0.4	0.3	16.5	-	0.1	1.0	3.9	3.5	2.6	0.6	0.3	0.2
山形 福島 茨城 栃木 群馬	0.8	1.1	0.9	15.3	0.2	1.1	0.2	4.6	3.2	6.1	0.9	0.2	0.6
	0.2	0.0	0.2	20.8	-	0.2	0.0	3.6	4.9	3.3	0.8	0.1	0.2
	0.1	0.1	0.7	14.3	0.5	0.5	0.6	2.9	1.0	0.8	0.3	0.5	0.2
	0.1	0.7	0.6	16.2	0.2	0.2	0.3	3.9	1.7	3.1	0.6	0.3	0.4
	0.2	0.7	1.0	14.1	0.4	0.7	0.2	3.3	0.5	3.7	2.0	0.3	0.4
埼玉 千葉 東京 神奈川 新潟	0.1	0.2	0.4	18.3	0.5	0.7	0.4	4.1	0.5	4.7	0.8	0.4	0.4
	0.2	0.3	0.5	14.0	0.4	0.2	0.3	3.5	0.6	5.5	1.3	0.5	0.5
	0.1	0.1	0.3	29.8	0.2	1.9	0.3	4.0	0.4	7.3	1.1	0.7	0.7
	0.1	0.4	0.3	18.9	0.4	2.0	0.2	4.3	0.2	3.4	1.5	0.1	0.2
	0.2	0.2	0.8	20.3	0.0	0.2	0.6	4.6	0.2	4.6	1.5	0.2	0.2
富山 石川 福井 長野	0.7	0.2	0.4	23.4	0.1	0.4	0.0	3.5	0.4	4.5	1.1	0.4	0.2
	0.3	0.5	0.5	25.0	0.0	0.4	0.3	4.1	0.3	2.8	0.2	0.2	0.2
	0.2	0.4	0.4	23.3	0.0	0.6	0.6	4.2	1.2	3.0	0.7	0.8	0.2
	0.6	0.2	0.7	18.8	0.1	0.6	0.1	5.0	0.3	3.9	1.0	0.2	0.2
	0.3	0.4	0.5	18.8	0.2	0.5	0.1	4.0	0.2	3.3	2.0	0.3	0.2
岐阜 静岡 愛知 三重 滋賀	0.9	0.3	0.5	16.9	0.1	0.3	0.1	4.2	0.7	5.6	3.4	0.2	0.3
	0.2	0.2	0.5	23.7	0.2	0.5	0.2	4.6	1.4	5.9	0.7	0.3	0.3
	0.6	0.5	0.8	28.9	0.2	1.3	0.3	3.8	1.8	4.5	0.8	0.3	0.2
	0.2	0.1	0.4	17.7	0.4	0.2	0.0	4.7	3.9	3.2	0.3	0.6	0.1
	1.0	1.2	0.7	16.9	0.9	0.2	0.1	5.3	0.0	1.6	0.5	0.3	0.3
京都 大阪 奈良 兵庫 和歌	0.3	0.4	0.6	16.9	0.0	0.1	0.1	4.0	0.1	1.2	0.3	0.2	0.2
	0.2	0.2	0.2	28.4	3.8	1.1	0.2	4.2	1.3	4.2	1.3	0.4	0.9
	0.1	0.1	0.4	24.6	-	1.0	0.3	4.1	3.1	5.3	1.4	0.6	0.3
	0.5	0.2	0.5	22.1	0.7	0.3	0.2	4.3	0.7	2.0	0.3	0.3	0.2
	0.6	0.0	0.5	17.0	0.4	0.2	0.3	3.7	6.5	2.3	0.4	0.1	0.1
鳥取 島根 岡山 広島 山口	0.1	1.1	0.7	19.3	0.2	2.2	0.1	3.9	0.6	1.6	1.3	0.2	0.2
	0.8	0.2	1.0	13.1	-	0.3	0.4	3.6	1.0	2.1	0.5	0.4	0.4
	0.1	0.5	0.6	24.0	0.0	0.4	0.1	4.3	0.6	4.0	2.5	0.6	0.3
	0.2	0.2	0.4	22.6	1.2	0.5	0.2	3.6	0.5	2.7	0.6	0.4	0.2
	0.4	0.3	0.5	21.3	0.1	0.7	0.0	4.4	0.8	3.0	0.7	0.6	0.7
徳島 香川 愛媛 高知 福岡	0.5	0.3	1.0	15.6	0.1	0.5	0.1	3.2	0.3	2.5	0.6	0.6	0.6
	0.3	0.1	0.3	27.3	-	0.3	0.1	4.3	0.8	2.5	1.4	0.2	0.2
	0.2	0.4	0.9	16.7	0.0	0.0	0.4	3.5	0.8	2.9	1.0	0.6	0.2
	0.3	0.4	0.6	8.1	0.0	0.0	0.1	3.7	0.3	1.8	0.2	0.8	0.2
	0.4	0.2	0.6	24.9	0.4	0.4	1.1	4.2	5.1	4.7	0.8	1.0	1.1
佐賀 長崎 熊本 大分 宮崎 鹿児 島嶼	0.3	0.3	0.6	20.1	0.2	0.5	0.4	4.6	1.6	4.3	0.7	0.6	0.9
	0.4	0.3	0.3	19.5	0.1	1.5	0.4	6.3	1.7	2.1	0.6	0.5	0.4
	0.5	0.2	0.7	13.4	-	1.3	0.2	4.3	0.8	4.5	0.5	0.6	0.7
	0.4	0.0	0.2	14.7	0.2	0.6	0.5	4.1	2.3	4.3	0.8	0.6	0.7
	0.2	0.8	0.6	11.4	0.1	0.3	0.3	4.0	3.7	4.7	0.7	0.2	0.6
	0.3	0.3	0.4	15.0	0.6	0.4	0.3	3.8	2.6	6.2	1.2	0.4	0.5

常被患率(一般検診)(つづき)

(%)

その耳他疾	鼻およびいん頭			伝皮膚性疾患の疾患	心臓の疾患	精神薄弱	身体虚弱	運動障機害	寄生虫病	歯		
	蓄うの症	アノイデ	へら肥んせ大とん							むし	歯完了置	未歯者
0.8	1.9	0.1	6.4	3.0	2.1	0.4	2.1	0.2	0.3	0.4	0.7	84.0
1.2	3.0	0.1	5.7	2.7	2.8	0.2	1.1	0.2	0.1	0.0	0.6	74.7
0.2	2.0	0.0	4.0	2.8	2.0	0.3	0.5	0.2	0.1	0.1	0.5	70.5

13 都道府県別疾患異

3 中学校 (2) 女

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(弱眼)	色異常	トボラム	結膜炎	その他の眼疾	難聴(両耳)	中耳炎
全 国	0.3	0.3	0.3	24.1	0.3	0.7	0.4	0.3	1.9	3.8	0.9	0.3	0.3
北海道 青森 岩手 宮城 秋田	0.3	0.1	0.1	31.3	0.0	0.3	0.7	0.2	1.4	2.6	0.2	0.2	0.2
	0.1	0.1	0.2	24.3	0.1	0.6	1.0	0.4	4.5	4.8	0.3	0.5	0.3
	0.1	0.1	0.1	22.3	0.3	0.5	0.7	0.3	10.0	3.7	2.4	0.4	0.3
	0.2	0.1	0.3	20.2	0.1	0.7	0.1	0.2	3.5	6.0	0.8	0.2	0.3
	0.1	0.3	0.5	20.7	-	0.1	0.9	0.4	3.8	2.8	0.6	0.1	0.3
山形 福島 茨城 栃木 群馬	0.7	1.3	0.5	19.5	0.1	1.1	0.2	0.3	3.5	6.9	0.7	0.2	0.4
	0.2	0.0	0.1	25.9	0.0	0.3	0.0	0.3	5.5	3.6	0.8	0.2	0.2
	0.2	0.0	0.3	18.7	0.3	0.7	0.8	0.2	1.1	0.7	0.4	0.3	0.1
	0.1	0.5	0.3	20.6	0.2	0.2	0.3	0.2	1.8	3.6	0.5	0.2	0.3
	0.3	0.3	0.3	19.8	0.6	0.9	0.2	0.3	0.5	3.1	2.1	0.2	0.2
埼玉 千葉 東京 神奈川 新潟	0.1	0.2	0.2	23.6	0.1	1.0	0.5	0.2	0.5	4.6	0.7	0.2	0.3
	0.0	0.2	0.2	20.2	0.0	0.7	0.1	0.2	0.7	4.8	1.4	0.4	0.4
	0.1	0.1	0.1	30.2	0.2	1.9	0.3	0.2	0.2	6.2	1.1	0.6	0.6
	0.2	0.2	0.1	24.0	0.3	2.1	0.1	0.3	0.2	4.4	1.3	0.2	0.2
	0.2	0.2	0.3	25.0	0.1	0.4	0.6	0.3	0.2	4.8	1.3	0.2	0.2
富山 石川 福井 山梨 長野	0.4	0.3	0.2	29.7	0.0	0.5	0.0	0.3	0.3	5.4	1.2	0.3	0.1
	0.2	0.4	0.2	29.5	0.1	0.7	0.4	0.2	0.5	3.0	0.3	0.2	0.1
	0.2	0.5	0.2	27.2	-	0.8	0.9	0.5	1.4	2.9	0.8	0.5	0.1
	0.5	0.2	0.3	24.4	-	0.6	0.4	0.4	0.4	4.0	0.8	0.3	0.1
	0.4	0.4	0.2	23.6	1.9	0.6	0.3	0.1	0.2	3.8	1.8	0.2	0.1
岐阜 静岡 愛知 三重 滋賀	0.5	0.4	0.3	21.0	0.2	0.2	0.2	0.2	0.8	6.4	2.9	0.2	0.3
	0.2	0.1	0.5	29.1	0.1	0.6	0.2	0.3	1.6	5.5	0.6	0.3	0.3
	0.4	0.4	0.4	32.1	0.2	1.5	0.2	0.1	1.9	4.2	0.7	0.2	0.1
	0.2	0.1	0.2	21.9	0.0	0.2	0.0	0.2	3.3	3.1	0.2	0.4	0.3
	0.9	0.9	0.3	19.4	0.7	0.2	0.2	0.4	0.0	1.4	0.5	0.2	0.3
京都 大阪 奈良 兵庫 和歌山	0.3	0.3	0.2	19.0	0.0	0.1	-	0.2	0.2	1.3	0.2	0.1	0.1
	0.1	0.2	0.1	35.0	1.7	1.2	0.2	0.2	1.7	4.1	1.5	0.3	0.7
	0.1	0.1	0.1	31.0	0.1	1.0	0.2	0.2	2.4	4.7	1.3	0.4	0.2
	0.3	0.2	0.3	26.6	1.2	0.4	0.1	0.4	0.7	1.9	0.5	0.2	0.3
	0.5	0.2	0.2	25.2	0.1	0.3	0.5	0.3	7.5	2.2	0.6	0.1	0.0
鳥取 島根 岡山 広島	0.2	0.6	0.2	22.1	0.1	2.7	0.2	0.3	0.8	1.8	1.3	0.1	0.2
	0.4	0.2	0.8	15.1	-	0.4	0.1	0.2	1.2	1.6	0.4	0.4	0.2
	0.1	0.2	0.4	31.5	0.3	0.8	0.2	0.2	0.5	4.1	2.3	0.5	0.4
	0.2	0.2	0.2	26.3	0.0	0.5	0.0	0.3	0.6	2.4	0.7	0.5	0.3
	0.4	0.4	0.2	28.7	0.1	0.7	0.0	0.2	1.0	2.6	0.7	0.4	0.4
徳島 香川 愛媛 高知 福岡	0.2	0.2	0.4	18.6	-	0.5	-	0.3	0.4	2.8	0.6	0.4	0.3
	0.2	0.0	0.1	36.1	0.0	0.3	0.0	0.3	0.6	2.8	1.3	0.1	0.3
	0.1	0.2	0.4	22.5	0.0	0.0	0.5	0.2	0.4	2.4	1.2	0.3	0.1
	0.3	0.3	0.2	11.9	-	0.1	0.0	0.3	0.5	1.8	0.1	0.7	0.2
	0.2	0.2	0.3	30.9	0.1	0.3	1.5	0.3	4.3	4.8	0.6	0.8	1.0
佐賀 長崎 熊本 大分 宮崎 鹿児 島嶼	0.2	0.3	0.3	25.1	-	0.4	0.1	0.6	1.3	4.1	0.6	0.5	0.7
	0.4	0.2	0.1	23.1	0.0	1.3	0.5	0.4	1.8	2.3	0.7	0.5	0.4
	0.4	0.2	0.3	17.0	0.0	1.5	0.3	0.3	1.0	4.7	0.6	0.4	0.5
	0.4	0.0	0.0	19.5	0.1	0.7	0.6	0.3	2.4	3.5	0.6	0.4	0.6
	0.2	0.8	0.2	15.3	0.1	0.3	0.4	0.2	3.8	5.0	0.8	0.2	0.5
	0.2	0.1	0.4	18.1	0.3	0.5	0.2	0.3	3.5	7.6	1.4	0.3	0.5

常被患率(一般検診)(つづき)

(%)

その耳他疾	鼻およびいん頭				伝皮膚性疾患の患	心臓の疾患	精神薄弱	身体虚弱	運動障害	寄生虫病	歯				
	蓄うの症	アノイデ	へうせんとん	そ鼻のいん頭							計	むし歯	歯完了置者	その他歯	
0.6	1.7	0.1	6.4	2.5	0.9	0.4	1.8	0.2	0.3	0.4	0.6	88.3	20.6	67.7	2.6
0.3	0.7	0.1	4.1	0.9	0.9	0.5	1.8	0.2	0.2	0.1	0.6	92.4	8.4	84.0	1.1
0.3	2.4	0.2	5.2	2.4	2.3	0.3	1.9	0.2	0.2	0.0	0.8	91.0	10.3	80.7	3.9
1.5	6.8	0.0	9.0	10.8	1.5	0.3	3.7	0.2	0.3	0.4	1.0	87.1	7.8	79.3	1.0
0.5	2.7	0.0	10.2	2.5	1.7	0.3	2.6	0.1	0.3	0.5	0.5	81.4	12.6	68.8	1.9
0.6	1.1	0.1	5.3	2.0	0.8	0.3	0.9	0.2	0.1	0.0	0.3	89.9	10.4	79.5	0.8
0.9	3.6	0.0	8.9	3.0	2.8	0.4	1.7	0.3	0.3	0.0	0.5	90.5	25.7	64.8	1.7
0.3	0.5	-	6.5	0.8	1.2	0.2	0.2	0.3	0.3	0.3	0.3	88.8	14.2	74.6	2.7
0.2	0.8	0.3	5.3	0.9	0.6	0.5	1.1	0.1	0.2	0.3	0.6	86.7	12.0	74.7	5.1
0.7	1.2	0.0	10.2	2.7	1.3	0.4	2.4	0.3	0.5	1.3	0.3	86.9	19.1	67.8	2.7
0.7	1.6	0.3	9.5	3.6	1.9	0.3	3.5	0.3	0.2	1.2	0.5	90.4	20.5	69.9	4.1
0.8	1.2	0.0	6.9	3.0	1.7	0.5	1.6	0.1	0.2	0.5	0.2	9			

13 都道府県別疾病異

4 高等学校

(1) 男

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱(両眼)	色異神常	トボラム	結膜炎	その他の疾	難(両耳聴)	中耳炎
全 国	0.2	0.3	0.4	33.6	0.3	1.2	0.3	4.1	1.0	3.0	0.8	0.3	0.4
北海道 青森県 岩手県 宮城県 秋田県	0.7	0.2	0.3	38.2	0.1	2.3	1.7	4.2	0.2	1.7	0.9	0.4	0.4
	0.2	0.1	0.3	17.9	0.1	0.8	0.1	4.5	1.6	3.7	0.7	0.3	0.6
	0.0	0.2	0.2	28.7	0.0	0.3	0.4	3.9	4.6	2.2	0.7	0.0	0.4
	0.1	0.2	0.3	35.1	0.1	2.1	-	3.8	2.5	3.4	1.5	0.1	0.4
	0.0	0.7	0.1	40.1	0.0	0.4	0.1	4.8	2.2	3.9	0.6	0.2	0.4
山形県 福島県 茨城県 栃木県 群馬県	0.3	0.4	0.5	39.5	0.0	1.1	0.0	5.6	0.8	6.0	0.8	0.2	0.4
	0.0	0.2	0.2	30.7	0.3	0.6	0.1	4.7	2.7	1.1	0.1	0.2	0.0
	0.0	0.2	0.7	28.9	0.2	2.4	0.1	3.6	0.3	1.4	0.6	0.1	0.2
	0.3	0.0	0.4	26.2	0.8	1.0	0.1	4.1	1.8	2.6	1.4	0.0	0.4
	0.0	0.1	0.4	27.6	0.5	2.1	0.2	3.5	0.2	1.1	1.7	0.1	0.7
埼玉県 千葉県 東京都 神奈川県	0.0	0.2	0.4	33.5	0.5	3.2	0.1	3.4	0.7	2.6	2.4	0.6	0.2
	0.2	0.3	1.5	16.1	-	0.1	0.2	3.7	0.5	5.0	1.5	0.1	0.5
	0.1	0.1	0.5	48.5	-	3.7	-	4.2	0.1	2.9	0.5	0.3	0.3
	0.2	0.2	0.4	24.2	0.2	2.1	1.4	3.1	0.0	1.2	0.5	0.0	0.1
	0.1	0.0	0.6	32.3	0.0	0.5	0.1	5.8	0.1	1.8	1.4	0.1	0.5
富山県 石川県 福井県 長野県	0.1	0.2	0.4	40.6	0.1	0.3	0.7	3.8	0.1	2.3	0.8	0.2	0.3
	0.5	0.4	0.5	46.2	-	0.3	0.0	3.8	0.3	1.5	1.3	0.1	0.4
	0.2	0.1	0.2	47.9	0.1	0.9	0.2	4.9	0.4	1.9	0.7	0.5	0.1
	0.7	0.8	0.5	39.5	0.0	1.3	1.5	3.1	0.1	5.7	0.9	0.2	0.5
	0.2	0.4	0.6	38.7	0.1	0.8	0.3	3.8	0.1	3.0	1.4	0.1	0.3
岐阜県 静岡県 愛知県 三重県	0.1	0.2	0.2	28.6	0.5	1.9	0.6	3.2	0.7	7.8	1.8	-	0.2
	0.0	0.6	0.6	42.0	0.0	1.1	0.0	4.6	1.8	5.3	0.4	0.3	0.5
	0.2	0.3	0.1	45.1	0.2	1.8	0.0	3.4	0.7	3.3	0.3	0.2	0.2
	0.1	0.1	0.4	20.9	0.3	2.4	0.2	4.6	3.4	4.2	0.5	0.3	0.6
	0.3	0.7	0.5	36.8	0.6	0.9	0.5	3.3	-	0.8	0.1	0.4	0.2
京都市 大阪府 兵庫県 奈良県 和歌山县	0.1	0.4	0.4	22.6	0.1	0.2	0.1	4.3	0.0	3.0	0.7	0.3	0.4
	0.5	0.4	0.4	47.9	0.2	7.3	0.1	6.3	0.8	3.8	1.2	0.8	1.2
	0.2	0.3	0.3	40.2	1.4	2.1	0.0	4.7	0.6	4.6	1.1	0.1	0.3
	0.1	0.0	0.3	30.2	0.1	0.1	0.0	3.6	1.0	2.0	0.7	0.6	0.1
	0.2	0.2	0.3	34.2	2.7	0.5	0.7	4.1	2.3	4.9	0.5	0.4	0.4
鳥取県 島根県 広島県 山口県	0.1	0.5	1.0	31.6	0.2	1.0	0.0	5.1	0.2	0.8	0.2	0.1	0.3
	0.1	0.0	0.2	36.5	0.1	0.9	0.1	3.3	1.0	0.6	0.2	0.6	0.2
	0.1	0.1	0.3	39.0	0.4	1.6	0.4	4.4	0.3	4.0	1.3	0.2	0.4
	0.1	0.1	0.2	35.2	0.1	2.5	0.2	4.0	0.2	1.5	0.6	0.4	0.4
	0.4	0.1	0.6	31.5	-	0.8	0.0	2.6	0.3	2.5	1.1	0.5	0.5
徳島県 香川県 愛媛県 高知県	0.1	0.1	0.3	30.0	-	0.6	-	4.2	0.3	4.7	1.4	0.2	0.5
	0.2	0.8	0.4	34.3	0.0	0.6	0.0	3.1	0.1	1.7	1.2	1.0	0.4
	0.0	0.1	0.3	31.6	0.2	1.1	0.2	4.1	0.5	2.7	0.1	0.4	0.1
	0.0	0.1	0.1	17.9	-	0.1	-	4.3	0.3	1.7	0.5	0.3	0.1
	0.1	0.1	0.1	31.2	0.3	0.1	0.1	3.5	0.9	1.7	0.9	0.8	0.8
佐賀県 長崎県 熊本県 大分県 鹿児島県	0.1	0.2	0.4	33.8	0.0	0.8	0.0	5.2	1.2	6.7	0.7	0.4	0.6
	0.1	0.3	0.4	33.5	-	1.0	1.1	4.5	0.6	3.4	0.5	0.5	0.9
	-	0.2	0.3	24.4	0.0	0.3	0.0	4.3	1.2	4.0	0.7	0.2	0.6
	0.0	0.0	0.3	33.2	1.1	1.5	2.2	4.8	1.6	2.1	0.2	0.2	0.2
	0.1	0.4	0.3	28.8	0.2	1.4	0.6	5.1	5.4	5.1	0.7	0.3	0.5

常被患率(一般検診)(つづき)

都道府県

(%)

その他の疾	鼻およびいん頭				伝皮膚性疾の患	心臓の疾患	精神薄弱	身体虚弱	運動障機害	寄生虫病	歯								
	蓄うの症	アノイデ	へう肥んせんとん大	その他の頭患							計	むし歯	未処置者						
											その他の疾	その他の疾	その他の疾						
全 国	0.6	2.0	0.0	3.5	3.3	0.3	0.0	0.1	0.2	0.1	0.4	85.2	21.1	64.1					
北 海 道	0.1	2.0	0.0	2.5	1.0	0.2	0.6	0.0	0.1	0.0	0.7	90.8	18.8	72.0					
青 森 県	3.6	2.7	0.0	4.6	9.8	2.0	0.2	-	0.4	0.2	-	0.1	90.2	12.8					
岩 手 県	2.1	6.9	-	5.6	12.0	0.1	0.2	-	0.0	0.2	0.0	0.2	80.2	9.1					
宮 城 県	1.3	4.5	-	3.9	7.1	0.5	0.3	-	0.2	0.0	0.3	78.4	15.1	63.3					
秋 田 県	0.7	2.6	0.0	4.0	2.7	0.6	0.2	-	0.0	0.2	-	0.4	87.0	10.7					
山 形 県	0.4	8.8	-	12.3	3.7	0.5	0.4	-	0.0	0.2	-	0.2	84.4	26.1					
福 島 県	0.1	0.5	0.0	3.0	0.2	0.3	0.2	-	0.1	0.1	-	0.3	88.3	22.8					
茨 城 県	0.1	1.9	-	1.9	1.3	0.0	0.8	-	-	0.1	-	0.2	82.7	19.7					
栃 木 県	0.3	1.8	0.0	3.6	5.3	1.1	0.3	-	0.0	0.1	0.1	0.3	85.4	23.3					
群 馬 県	0.3	1.7	-	3.7	3.1	0.3	-	0.0	0.1	0.1	-	0.3	90.7	16.1					
埼 千 県	1.0	2.4	0.0	4.5	3.2	0.0	0.3	-	0.0	0.2	0.7	0.2	90.0	26.6					
東 神 県	0.5	2.1																	

13 都道府県別疾病異

4 高等学校 (2) 女

常被患率(一般検診)(つづき)

(%)

区分	栄養要注意	せき柱異常	胸郭異常	目								耳	
				近視	遠視	乱視	弱視(両眼)	色異常	トボラム	結膜炎	その他の眼疾	(両耳)難聴	
全 国	0.1	0.1	0.1	37.7	0.2	1.4	0.7	0.2	0.8	2.3	0.6	0.2	0.3
北海道 青森 岩手 宮城 秋田	0.1	0.0	0.1	45.9	0.4	2.0	3.0	0.1	0.3	1.1	0.3	0.1	0.2
	0.0	0.0	0.4	37.2	0.1	1.6	0.1	0.1	0.9	2.5	0.2	0.0	0.3
	0.0	0.1	0.1	38.7	-	0.5	0.8	0.5	4.2	2.8	0.9	0.0	0.2
	0.0	0.2	0.3	40.6	0.1	1.4	-	0.2	1.2	2.2	0.5	0.2	0.1
	0.1	1.2	0.6	37.8	0.1	0.8	0.2	0.2	2.5	1.0	0.3	0.1	0.2
山形 福島 茨城 栃木 群馬	0.3	0.2	0.2	41.0	0.2	1.7	0.0	0.2	0.5	4.6	1.1	0.2	0.1
	0.0	0.0	0.0	36.9	0.2	0.3	0.2	0.2	2.8	1.2	0.3	0.1	0.1
	-	0.0	0.2	36.4	0.2	1.3	0.1	0.2	0.8	1.2	0.6	0.1	0.1
	0.3	0.1	0.1	29.6	0.3	1.9	0.1	0.1	0.7	1.6	0.5	0.0	0.2
	-	0.0	0.0	29.3	0.2	1.2	0.2	0.1	0.2	1.0	1.4	0.1	0.3
埼玉 千葉 東京 神奈川 新潟	0.0	0.0	0.0	38.5	0.7	2.9	0.1	0.1	0.5	2.9	1.1	0.2	0.1
	0.0	0.0	0.2	22.5	-	0.0	4.9	0.1	0.4	2.7	0.8	0.1	0.4
	0.0	0.1	0.1	51.2	0.1	3.1	0.1	0.3	0.0	4.3	0.8	0.1	0.3
	0.0	0.1	0.1	31.7	0.2	2.3	0.3	0.2	0.1	1.1	0.3	-	0.1
	-	0.0	0.1	40.9	0.0	0.5	0.0	0.2	0.0	1.2	1.3	0.1	0.5
富山 石川 福井 山梨 長野	0.3	0.1	0.0	45.3	0.1	0.2	5.2	0.1	0.1	2.1	0.6	0.1	0.7
	0.1	0.3	0.2	49.1	0.1	0.6	0.0	0.2	0.2	1.0	1.0	0.0	0.2
	0.2	0.1	0.7	46.2	0.0	0.8	1.0	0.3	0.6	1.8	0.6	0.4	0.0
	0.9	0.2	0.2	28.9	0.0	2.0	1.2	0.2	0.0	6.0	1.0	0.1	0.3
	0.2	0.0	0.0	39.3	0.1	0.4	-	0.2	0.1	2.2	1.4	-	0.2
岐阜 静岡 愛知 三重 滋賀	0.2	0.1	0.1	34.9	0.4	1.7	0.1	0.2	1.3	4.3	1.7	0.1	0.2
	0.1	0.1	0.1	42.9	0.0	0.7	0.0	0.1	0.6	3.2	0.4	0.1	0.4
	0.1	0.1	0.2	49.6	0.1	2.9	0.9	0.2	1.0	2.8	0.2	0.1	0.3
	0.0	0.1	0.1	39.5	0.3	5.6	0.1	0.3	4.5	4.2	0.3	0.6	0.1
	0.1	0.1	0.1	37.4	0.5	1.1	1.4	0.1	-	0.6	0.4	0.4	0.1
京都 大分 奈良 兵庫 福岡	-	0.1	0.0	19.6	0.1	0.5	1.1	0.1	-	1.5	0.2	0.4	0.1
	0.2	0.2	0.1	47.0	0.4	8.0	0.2	0.1	0.1	1.5	0.4	0.2	0.6
	0.2	0.2	0.1	45.4	0.4	2.7	0.0	0.2	0.7	2.8	0.7	0.1	0.5
	0.0	0.0	0.1	35.8	0.0	1.0	0.2	0.3	0.6	1.2	0.4	0.3	0.1
	0.1	0.1	0.0	38.7	1.2	0.5	0.8	0.2	2.1	5.1	0.3	0.2	0.3
鳥取 島根 岡山 広島	0.1	0.2	0.2	34.9	0.3	1.3	0.1	0.2	0.3	0.5	0.3	0.2	0.1
	0.0	-	0.1	35.7	3.8	0.4	0.1	0.3	0.2	0.5	0.3	0.1	0.1
	0.1	0.0	0.1	36.3	0.1	2.3	0.7	0.2	0.1	3.1	1.2	0.1	0.5
	-	0.1	0.0	46.0	0.2	5.4	0.1	0.2	0.1	1.5	0.6	0.2	0.4
	0.1	0.0	0.1	37.5	0.0	1.1	0.2	0.1	0.1	2.2	0.7	0.3	0.2
徳島 香川 愛媛 高知 福岡	0.2	0.1	0.1	39.5	-	1.0	-	0.1	0.3	1.6	0.8	0.4	0.5
	0.1	0.1	0.1	42.6	0.0	0.4	0.1	0.2	0.0	1.2	1.0	0.4	0.3
	0.1	0.0	0.0	39.3	0.0	1.6	0.2	0.0	2.3	0.1	0.3	0.1	0.1
	0.0	0.0	0.0	18.9	0.2	0.4	0.0	0.2	0.0	0.5	0.2	0.3	0.1
	0.1	0.3	0.1	37.1	0.1	1.2	0.1	0.1	1.7	2.6	0.9	0.3	0.6
佐賀 長崎 熊本 大分 宮崎 鹿児 島嶼	0.1	0.1	0.2	40.4	0.0	0.5	0.0	0.2	1.2	7.2	0.5	0.4	0.3
	0.0	0.1	0.1	31.2	-	1.7	2.3	0.4	0.4	1.4	0.3	0.2	0.3
	-	0.1	0.1	33.8	-	0.7	0.1	0.1	0.1	4.8	0.8	0.2	0.3
	0.1	0.0	0.1	32.0	0.3	1.0	2.3	0.2	1.1	1.2	0.1	0.3	0.1
	0.1	0.0	0.2	34.9	0.1	1.0	1.1	0.1	3.4	5.3	0.4	0.2	0.3
	0.1	0.4	0.2	15.7	0.5	1.7	0.8	0.1	0.6	2.4	0.4	0.7	0.2

その他の耳疾	鼻およびいん頭				伝皮 染膚 性疾患	心臓 の疾患	精神 薄弱	身体 虚弱	運動 機会	寄生 虫病	その他の常	歯			
	蓄う の症	アノイ デド	へう肥 んせん とん大	そ鼻の いのい疾 他ん患 の頭								むし 歯	未歎 者	その歯 他疾	
0.3	1.5	0.1	3.5	2.2	0.1	0.3	0.0	0.1	0.1	0.2	0.5	89.7	24.1	65.6	2.5
0.1	0.8	0.0	4.9	0.5	0.0	1.0	-	0.0	0.1	0.0	1.3	93.4	18.8	74.6	0.8
1.4	1.5	0.0	2.7	6.3	0.2	0.2	-	-	0.1	-	0.2	93.3	18.6	74.7	1.1
1.2	5.7	0.0	4.1	5.9	0.0	0.1	-	0.0	0.1	-	0.3	90.5	10.2	80.3	1.3
0.3	0.8	0.0	4.7	2.9	0.0	0.1	-	0.0	0.1	-	0.6	89.3	25.3	64.0	0.4
0.6	1.7	0.0	5.1	1.3	0.2	0.2	-	0.0	0.0	-	0.3	93.8	9.0	84.8	1.1
0.2	5.4	-	5.5	1.9	0.0	0.2	-	0.0	0.1	-	0.4	91.8	24.0	67.8	2.1
0.0	0.3	0.0	3.8	0.6	0.0	0.2	-	0.0	0.2	-	0.5	93.2	16.3	76.9	2.6
0.0	1.4	-	4.2	0.9	-	0.2	-	0.0	0.0	-	0.3	82.3	21.2	61.1	4.9
0.1	3.1	1.1	4.6	1.4	0.1	0.2	-	0.1	0.1	-	0.5	91.0	24.9	66.1	2.3
0.3	2.0	0.1	3.9	2.1	0.0	0.3	-	0.1	0.2	-	0.6	94.4	19.7	74.7	6.1
0.2	1.9	-	2.3	1.4	-	0.3	-	0.1	0.0	-	0.5	93.9	26.5	67.4	