

22 年齢別疾病異

1 計

Table with columns for age groups (盲, 学, 校), sex (計), and various medical conditions (目, 耳, 鼻). Rows include age groups from 3 to 19 years.

- 1. 健康診断受検者のうち疾病異常被患者 (疾病異常に該当する旨健康診断票に記載のあった者) の占める割合を示す。
2. 盲学校の3歳は該当者がいない。

常 被 患 率 (一 般 検 診)

(%)

Table showing prevalence rates for various conditions: 眼 (アイデブド, へんとう, そ鼻のい), 伝皮染膚性疾, 心臓の疾患, 精神薄弱, 身体虚弱, 運障動機能害, 寄生虫病, そ疾の病他異常, 菌 (むし, 菌, 未菌者, 未菌者), 計, 処置, 完了者, 未処置, その菌他疾.

近視, 遠視, 乱視, 弱視, 難聴については66頁の(注)を参照のこと。

22 年 齡 別 疾 病 異

2 男

Table with columns for age groups (盲, 学校, 校), sex (男), and various diseases (目, 耳, 鼻). Rows include counts for each category and disease type.

常 被 患 率 (一 般 検 診)

(%)

Table showing prevalence rates (%) for various diseases (眼, 皮膚, 心臓, 精神, 身体, 運障, 寄生, その他) across different categories (おおよびいん頭, 歯, 計, 処完了者, 未処置者, その他).

174頁の(注)を参照のこと。

3 女

Table of disease prevalence for female children (3 years old) across various categories like '盲' (blindness), '学' (school), '校' (school), '聾' (deafness), '学' (school), '校' (school), '養' (nursing), '学' (school), '校' (school).

Table of general examination prevalence rates for various conditions such as 'およびいん頭', '伝皮染膚性疾', '心臓の疾患', '精神薄弱', '身体虚弱', '運障動機能害', '寄生虫病', 'そ疾の病他異の常', '菌', 'む', 'し', '菌', 'その菌他疾'.

174頁の(注)を参照のこと。