

第30表 疾病異常被患者率

(1) 小学校

| 区分 | 栄養要注意 | せき柱異常 | 胸郭異常 | 目 | | | | | | | 耳 | | 鼻およびいん頭 | | | 伝皮染腐性疾の患 |
|---|-------|-------|------|-------|-------|------|--------|------|------|--------|------|------|---------|--------|----------|----------|
| | | | | 近視 | 遠視 | 乱視 | 弱視(両眼) | 色神異常 | トボーム | 難聴(両耳) | 中耳炎 | 蓄のう症 | アイデノド | へせんと肥大 | 伝皮染腐性疾の患 | |
| 昭和23 24 25 26 27 総 28 29 30 31 32 | 1.57 | - | - | 8.30 | - | - | 0.65 | 0.72 | 5.30 | 0.56 | - | - | - | - | - | |
| | 1.92 | 1.27 | 1.10 | 5.44 | 0.16 | 0.04 | 0.30 | 0.72 | 5.08 | 0.48 | 0.83 | 0.15 | 0.30 | 6.78 | 1.46 | |
| | 1.75 | 1.14 | 1.03 | 8.22 | 0.20 | 0.06 | 0.46 | 1.09 | 5.32 | 0.44 | 0.86 | 0.16 | 0.40 | 7.29 | 1.43 | |
| | 1.75 | 1.23 | 1.21 | 7.72 | 0.09 | 0.06 | 0.24 | 0.74 | 5.09 | 0.38 | 0.94 | 0.25 | 0.56 | 8.51 | 2.05 | |
| | 1.53 | 1.03 | 0.96 | 8.99 | 0.27 | 0.10 | 0.56 | 0.94 | 6.66 | 0.54 | 0.95 | - | 0.78 | 8.65 | 1.97 | |
| | 28 | 1.41 | 1.05 | 1.08 | 10.50 | 0.45 | 0.14 | 0.55 | 1.44 | 5.55 | 0.52 | 0.87 | 0.62 | 0.98 | 9.88 | 2.10 |
| | 29 | 1.47 | 1.04 | 1.08 | 10.23 | 0.45 | 0.14 | 0.60 | 1.61 | 5.34 | 0.47 | 0.86 | 0.66 | 1.02 | 9.69 | 2.32 |
| 括 33 34 35 36 37 | 1.37 | 0.89 | 1.09 | 10.29 | 0.35 | 0.15 | 0.46 | 1.60 | 4.66 | 0.46 | 0.73 | 0.93 | 1.26 | 10.87 | 2.26 | |
| | 1.31 | 0.96 | 1.07 | 9.21 | 0.22 | 0.14 | 0.45 | 1.54 | 4.30 | 0.32 | 0.65 | 0.99 | 0.86 | 10.51 | 2.02 | |
| | 0.97 | 0.81 | 1.04 | 9.61 | 0.25 | 0.13 | 0.46 | 1.69 | 4.53 | 0.34 | 0.65 | 1.06 | 1.00 | 11.25 | 2.34 | |
| | 0.94 | 0.81 | 0.99 | 9.78 | 0.25 | 0.12 | 0.39 | 1.64 | 4.23 | 0.33 | 0.55 | 1.02 | 0.78 | 10.36 | 2.28 | |
| | 0.95 | 0.83 | 1.08 | 9.13 | 0.21 | 0.15 | 0.30 | 1.63 | 3.52 | 0.63 | 0.57 | 1.16 | 0.17 | 10.31 | 2.97 | |
| | 0.83 | 0.68 | 0.94 | 9.69 | 0.14 | 0.14 | 0.22 | 1.57 | 3.55 | 0.53 | 0.55 | 1.38 | 0.68 | 9.79 | 2.58 | |
| | 0.69 | 0.58 | 0.88 | 12.36 | 0.30 | 0.23 | 0.23 | 1.51 | 3.09 | 0.52 | 0.49 | 1.45 | 0.71 | 10.22 | 2.84 | |
| 昭和23 24 25 26 27 男 28 29 30 31 32 | 1.55 | - | - | 7.57 | - | - | 0.61 | 1.19 | 4.98 | 0.65 | - | - | - | - | - | |
| | 1.97 | 1.42 | 1.20 | 4.98 | 0.16 | 0.04 | 0.29 | 1.21 | 4.80 | 0.54 | 1.02 | 0.16 | 0.31 | 6.75 | 1.72 | |
| | 1.79 | 1.31 | 1.14 | 7.48 | 0.22 | 0.06 | 0.43 | 1.86 | 5.02 | 0.52 | 1.05 | 0.18 | 0.43 | 7.30 | 1.74 | |
| | 1.77 | 1.43 | 1.37 | 6.90 | 0.11 | 0.05 | 0.22 | 1.32 | 4.73 | 0.45 | 1.20 | 0.28 | 0.59 | 8.58 | 2.56 | |
| | 1.55 | 1.24 | 1.12 | 8.08 | 0.31 | 0.09 | 0.55 | 1.63 | 6.22 | 0.64 | 1.16 | - | 0.81 | 8.67 | 2.36 | |
| | 1.42 | 1.25 | 1.25 | 9.44 | 0.50 | 0.12 | 0.54 | 2.51 | 5.16 | 0.60 | 1.05 | 0.65 | 1.03 | 9.90 | 2.56 | |
| | 2.19 | 1.20 | 1.26 | 9.30 | 0.48 | 0.13 | 0.59 | 2.79 | 4.92 | 0.53 | 1.05 | 0.74 | 1.08 | 9.80 | 2.84 | |
| 33 34 35 36 37 | 1.39 | 1.02 | 1.28 | 9.34 | 0.40 | 0.15 | 0.44 | 2.80 | 4.32 | 0.52 | 0.88 | 1.04 | 1.34 | 10.94 | 2.73 | |
| | 1.31 | 1.10 | 1.23 | 8.54 | 0.24 | 0.13 | 0.42 | 2.74 | 3.94 | 0.36 | 0.80 | 1.12 | 0.94 | 10.62 | 2.47 | |
| | 1.01 | 0.91 | 1.24 | 8.80 | 0.24 | 0.13 | 0.45 | 3.03 | 4.15 | 0.38 | 0.78 | 1.17 | 1.09 | 11.37 | 2.85 | |
| | 0.94 | 0.93 | 1.17 | 8.86 | 0.27 | 0.11 | 0.38 | 2.92 | 3.81 | 0.37 | 0.66 | 1.10 | 0.83 | 10.42 | 2.79 | |
| | 0.97 | 0.95 | 1.27 | 8.29 | 0.22 | 0.15 | 0.27 | 2.90 | 3.19 | 0.66 | 0.68 | 1.28 | 0.77 | 10.32 | 3.64 | |
| | 0.86 | 0.71 | 1.12 | 8.73 | 0.16 | 0.13 | 0.22 | 2.85 | 3.13 | 0.54 | 0.65 | 1.52 | 0.76 | 9.72 | 3.21 | |
| | 0.70 | 0.65 | 1.06 | 11.09 | 0.25 | 0.21 | 0.23 | 2.77 | 2.80 | 0.57 | 0.59 | 1.60 | 0.79 | 10.24 | 3.55 | |
| 昭和23 24 25 26 27 女 28 29 30 31 32 | 0.66 | 0.63 | 1.09 | 10.82 | 0.17 | 0.15 | 0.24 | 2.83 | 2.54 | 0.50 | 0.57 | 1.72 | 0.79 | 10.07 | 3.24 | |
| | 1.58 | - | - | 9.03 | - | - | 0.68 | 0.24 | 5.61 | 0.46 | - | - | - | - | - | |
| | 1.87 | 1.12 | 1.01 | 5.92 | 0.15 | 0.04 | 0.31 | 0.22 | 5.37 | 0.42 | 0.64 | 0.13 | 0.29 | 6.82 | 1.20 | |
| | 1.71 | 0.97 | 0.91 | 8.97 | 0.17 | 0.06 | 0.48 | 0.30 | 5.63 | 0.38 | 0.66 | 0.14 | 0.37 | 7.27 | 1.12 | |
| | 1.72 | 1.02 | 1.04 | 8.57 | 0.07 | 0.07 | 0.26 | 0.14 | 5.46 | 0.31 | 0.68 | 0.22 | 0.53 | 8.43 | 1.52 | |
| | 1.51 | 0.82 | 0.80 | 9.90 | 0.23 | 0.10 | 0.57 | 0.23 | 7.12 | 0.43 | 0.73 | - | 0.74 | 8.62 | 1.57 | |
| | 1.39 | 0.85 | 0.91 | 11.59 | 0.41 | 0.15 | 0.56 | 0.33 | 5.95 | 0.44 | 0.66 | 0.59 | 0.92 | 9.86 | 1.63 | |
| 33 34 35 36 37 | 1.42 | 0.87 | 0.90 | 11.19 | 0.42 | 0.15 | 0.61 | 0.39 | 5.78 | 0.41 | 0.67 | 0.57 | 0.84 | 9.58 | 1.80 | |
| | 1.36 | 0.76 | 0.90 | 11.27 | 0.30 | 0.14 | 0.48 | 0.36 | 5.02 | 0.39 | 0.57 | 0.81 | 1.18 | 10.79 | 1.77 | |
| | 1.32 | 0.81 | 0.89 | 10.14 | 0.20 | 0.15 | 0.48 | 0.28 | 4.68 | 0.28 | 0.49 | 0.86 | 0.77 | 10.40 | 1.56 | |
| | 0.94 | 0.69 | 0.83 | 10.45 | 0.26 | 0.13 | 0.47 | 0.33 | 4.93 | 0.30 | 0.51 | 0.93 | 0.92 | 11.13 | 1.81 | |
| | 0.93 | 0.68 | 0.81 | 10.73 | 0.24 | 0.13 | 0.40 | 0.32 | 4.66 | 0.29 | 0.43 | 0.93 | 0.71 | 10.29 | 1.75 | |
| | 0.92 | 0.70 | 0.87 | 10.01 | 0.19 | 0.15 | 0.32 | 0.30 | 3.86 | 0.59 | 0.45 | 1.02 | 0.65 | 10.03 | 2.27 | |
| | 0.80 | 0.65 | 0.75 | 10.69 | 0.13 | 0.15 | 0.22 | 0.24 | 3.99 | 0.53 | 0.45 | 1.24 | 0.60 | 9.86 | 1.92 | |
| 28 29 30 31 32 | 0.67 | 0.50 | 0.70 | 13.68 | 0.35 | 0.26 | 0.23 | 0.21 | 3.40 | 0.48 | 0.38 | 1.32 | 0.63 | 10.20 | 2.10 | |
| | 0.62 | 0.51 | 0.72 | 13.42 | 0.18 | 0.18 | 0.28 | 0.20 | 3.08 | 0.46 | 0.36 | 1.35 | 0.70 | 9.91 | 1.97 | |

注) 健康診断受検者のうち疾病異常被患者(疾病異常に該当する旨健康診断票に記載のあった者)の占める割合を示す。

の推移 (昭和23年度~37年度)

| 心臓の疾患 | 精神薄弱 | 身体虚弱 | 運動機能害 | 寄生虫病 | むし歯 | | | 定期結核健康診断受検者のうち結核被患者の占める割合 | ツベルクリン皮内反応成績(計=100) | 寄卵生保虫有 |
|-------|------|------|-------|------|-------|-------|--------|---------------------------|---------------------|--------|
| | | | | | 計 | 処完了置者 | 未歯ある置者 | | | |
| - | 0.51 | 0.76 | 0.29 | - | .. | .. | 45.16 | - | - | 64.22 |
| - | 0.27 | 0.60 | 0.31 | 0.64 | 42.08 | 1.21 | 40.87 | 0.73 | 0.35 | 63.89 |
| - | 0.24 | 0.52 | 0.31 | 0.43 | 42.25 | 1.51 | 40.74 | 0.64 | 0.35 | 63.42 |
| - | 0.21 | 0.47 | 0.26 | 0.22 | 41.63 | 1.50 | 40.13 | 0.97 | 0.84 | 68.12 |
| - | 0.32 | 0.60 | 0.41 | - | 45.45 | 2.66 | 42.79 | 1.10 | 1.01 | 55.14 |

(2) 中学校

第30表 疾病異常被患者率

の推移 (昭和23年度~37年度)

| 区分 | 栄養 要 注 意 | せき 柱 異常 | 胸 郭 | 目 | | | | | | 耳 | | 鼻およびいん頭 | | | 伝皮 膚 疾 患 | |
|----|------------------------------|--------------------------------------|--------------------------------------|---|---|---|---|---|--------------------------------------|--------------------------------------|---|---|---|--------------------------------------|--------------------------------------|--------------------------------------|
| | | | | 近 視 | 遠 視 | 乱 視 | 弱 眼 (両眼) | 色 神 異常 | トボ ラム | 難 聴 (両耳) | 中 耳 炎 | 蓄 の う 症 | アイ ノド | へせ ん と う 大 | | |
| 総括 | 昭和23 24 25 26 27 | 1.12 1.51 1.38 1.40 1.11 | - 0.09 0.00 1.25 0.89 | - 8.86 8.85 0.40 9.51 0.58 | - 0.41 0.11 0.11 0.21 0.18 | - 0.69 0.68 1.43 1.53 1.62 | 8.22 1.10 1.30 4.55 5.39 | 0.88 0.60 0.52 0.25 0.63 | 4.50 0.60 0.57 0.30 0.64 | 0.67 0.17 0.16 0.16 0.26 | - 6.30 6.67 7.81 7.56 | - 1.07 1.11 2.02 1.57 | - - - - - | - - - - - | | |
| | 28 29 30 31 32 | 1.18 0.99 0.94 0.75 0.68 | 0.88 0.83 0.82 0.79 0.71 | 0.72 0.54 0.57 0.48 0.51 | 12.83 13.97 15.19 14.96 17.03 | 0.80 0.76 0.74 0.41 0.47 | 0.30 0.27 0.29 0.27 0.29 | 0.94 0.89 0.89 0.80 0.92 | 1.91 1.97 2.02 1.95 2.15 | 6.29 5.58 5.24 4.54 4.53 | 0.74 0.74 0.79 0.62 0.65 | 0.83 0.79 0.84 0.76 0.86 | 1.06 1.05 1.42 1.50 1.68 | 0.33 0.37 0.29 0.38 0.17 | 8.43 7.91 8.08 8.07 8.10 | 1.54 2.11 1.68 1.54 1.72 |
| | 33 34 35 36 37 | 0.67 0.67 0.60 0.45 0.43 | 0.65 0.66 0.57 0.51 0.44 | 0.47 16.84 16.71 18.85 20.03 | 16.94 0.56 0.45 0.42 0.32 | 0.34 0.57 0.42 0.54 0.49 | 0.89 2.17 2.12 2.05 2.14 | 2.19 3.91 3.53 2.92 2.65 | 4.25 3.91 3.53 2.92 2.65 | 0.65 0.76 0.65 0.58 0.56 | 0.76 1.80 1.85 1.80 1.88 | 1.80 2.04 1.20 0.15 0.12 | 0.18 8.02 8.06 6.87 6.72 | 8.02 1.74 2.10 2.10 1.56 | | |
| | 昭和23 24 25 26 27 | 1.16 1.58 1.44 1.35 1.14 | - 0.85 0.76 0.90 0.66 | - 7.89 7.88 8.47 9.31 | - 0.47 0.45 0.22 0.66 | - 0.11 0.10 0.09 0.18 | - 2.23 2.40 2.58 2.81 | - 1.47 2.40 2.58 2.81 | 4.23 4.24 4.56 5.01 | 0.75 0.71 0.71 0.75 0.82 | - 0.25 0.32 0.62 0.97 | - 0.19 0.28 0.13 0.28 | - 0.19 0.28 0.13 0.28 | - 5.76 6.21 7.28 7.06 | 1.24 1.31 2.44 1.89 | |
| | 28 29 30 31 32 | 1.18 1.02 0.98 0.78 0.72 | 0.98 0.92 0.83 0.57 0.61 | 0.83 12.70 11.34 13.04 15.41 | 11.34 0.83 0.94 0.46 0.52 | 0.94 0.26 0.86 0.25 0.27 | 0.30 0.76 0.86 0.74 0.87 | 0.86 3.44 5.25 3.48 3.77 | 5.82 5.25 0.97 4.21 4.22 | 0.86 0.86 0.97 0.71 0.75 | 0.97 1.11 1.38 0.88 1.80 | 1.20 0.32 <br;></br;> | | | | |
| | 33 34 35 36 37 | 0.71 0.73 0.66 0.50 0.48 | 0.72 0.73 0.64 0.53 0.49 | 0.56 15.10 15.09 14.94 18.02 | 15.10 0.44 0.42 0.36 0.36 | 0.64 0.42 0.41 0.52 0.45 | 0.31 0.53 3.89 3.82 3.86 | 0.79 3.87 3.96 3.74 3.86 | 3.96 3.87 3.96 3.74 2.53 | 0.73 0.88 0.82 0.68 0.55 | 0.88 1.86 2.24 1.94 2.04 | 0.20 7.72 8.14 7.75 6.73 | 7.72 2.25 2.61 2.75 2.05 | | | |
| | 昭和23 24 25 26 27 | 1.09 1.43 1.32 1.46 1.07 | - 0.92 0.61 1.13 0.76 | - 9.86 9.85 10.57 11.70 | - 0.34 0.34 0.20 0.20 0.48 | - 0.11 0.11 0.10 0.06 0.18 | - 0.72 0.72 1.06 0.45 1.35 | - 0.43 0.43 0.46 0.50 0.39 | 4.77 4.86 5.28 5.79 6.88 | 0.59 0.49 0.49 0.50 0.57 | - 0.25 0.28 0.21 0.18 0.62 | - 0.15 0.15 0.21 0.18 0.24 | - 6.86 7.15 8.35 8.35 8.07 | 0.89 0.90 1.60 1.60 1.24 | | |
| | 28 29 30 31 32 | 1.17 0.95 0.89 0.72 0.63 | 0.76 0.47 0.48 0.38 0.66 | 0.60 15.25 16.86 16.86 18.68 | 14.38 15.25 16.86 16.91 18.68 | 0.67 0.69 0.63 0.35 0.42 | 0.30 0.29 0.32 0.28 0.33 | 1.03 1.03 1.32 0.88 0.97 | 0.47 5.91 4.87 4.87 4.85 | 6.77 0.62 0.65 0.52 0.48 | 0.61 0.65 0.98 0.63 0.57 | 0.93 0.37 0.29 0.35 0.17 | 0.34 8.36 8.44 8.43 8.49 | 9.01 1.59 1.33 1.08 1.23 | | |
| | 33 34 35 36 37 | 0.62 0.60 0.53 0.40 0.39 | 0.58 0.59 0.54 0.43 0.34 | 0.37 18.87 18.58 18.58 20.36 | 18.87 18.58 18.58 20.36 22.12 | 0.47 0.38 0.27 0.41 0.29 | 0.37 0.48 0.45 0.56 0.53 | 1.00 0.61 0.37 0.51 0.53 | 4.54 4.18 3.71 2.77 2.77 | 0.56 0.69 0.64 0.52 0.47 | 0.63 1.84 0.55 0.49 1.71 | 1.75 0.15 1.75 0.12 0.12 | 0.17 8.33 8.68 6.81 6.71 | 1.22 1.49 1.41 1.31 1.06 | | |

| 心 臓 の 疾 患 | 精 神 薄 弱 | 身 体 虚 弱 | 運 動 能 力 | 寄 生 虫 病 | む し 歯 | | | 定期結核健診受検者のうち結核被患者の占める割合 | | | ツベルクリン皮内反応成績(計=100) | | | 寄 卵 保 有 |
|-----------------------|---|--|--|---|--|--|--|--|--|--|---|---|--|--|
| | | | | | 計 | 処 了 置 者 | 未 歯 ある 置 者 | 計 | 呼 吸 器 系 核 | その 結 他 核 | 陽 性 | 疑 陽 性 | 陰 性 | |
| 男 | - 0.11 0.15 0.14 0.19 0.26 0.33 0.37 0.40 0.43 | 0.56 0.44 0.42 0.29 0.28 0.44 0.44 0.35 0.40 0.43 | 0.23 0.25 0.26 0.26 0.28 0.42 0.42 0.38 0.30 0.44 | - | 34.49 34.84 37.15 34.69 33.37 33.10 33.54 35.74 59.3 53.5 | - - - - - - - - - - | - - - - - - - - - - | - - - - - - - - - - | - - - - - - - - - - | - - - - - - - - - - | 49.66 48.97 58.50 48.64 44.92 41.44 41.14 35.71 31.02 22.1 | 8.90 - - - - - - - - - | 41.44 - - - - - - - - - | - - - - - - - - - - |
| | 0.33 0.32 0.37 0.35 0.35 0.40 | 0.31 0.41 0.43 0.40 0.43 0.43 | 0.54 0.87 0.43 0.35 0.40 0.44 | 0.33 0.37 0.47 0.49 0.50 0.51 | 31.10 33.54 40.62 40.22 49.66 59.3 | - - - - - - | - - - - - - | - - - - - - | - - - - - - | - - - - - - | 42.40 - - - - - | - - - - - - | - - - - - - | |
| | 0.37 0.40 0.39 0.39 0.36 0.38 | 0.46 - 0.34 0.41 1.45 0.27 | 0.39 0.36 0.43 0.31 0.30 0.28 | 0.35 0.32 0.35 0.41 0.36 0.28 | 53.5 59.3 60.2 60.1 62.6 65.76 | - - - - - | - - - - - - | - - - - - - | - - - - - - | - - - - - - | 42.2 - - - - - | - - - - - - | - - - - - - | |
| | 0.37 0.31 0.31 0.31 0.36 0.37 | 0.46 - 0.44 0.44 0.45 0.47 | 0.35 0.32 0.42 0.31 0.30 0.30 | 0.35 0.37 0.41 0.41 0.36 0.36 | 59.3 33.10 33.54 35.74 59.3 65.76 | - - - - - | - - - - - - | - - - - - - | - - - - - - | - - - - - - | 42.40 - - - - - | - - - - - - | - - - - - - | |
| | 0.31 0.31 0.35 0.36 0.37 0.37 | 0.46 - 0.44 0.45 0.45 0.47 | 0.35 0.32 0.42 0.31 0.30 0.30 | 0.35 0.37 0.41 0.41 0.36 0.36 | 59.3 33.10 33.54 35.74 59.3 65.76 | - - - - - | - - - - - - | - - - - - - | - - - - - - | - - - - - - | 42.40 - - - - - | - - - - - - | - - - - - - | |
| | 0.31 0.31 0.35 0.36 0.37 0.37 | 0.46 - 0.44 0.45 0.45 0.47 | 0.35 0.32 0.42 0.31 0.30 0.30 | 0.35 0.37 0.41 0.41 0.36 0.36 | 59.3 33.10 33.54 35.74 59.3 65.76 | - - - - - | - - - - - - | - - - - - - | - - - - - - | - - - - - - | 42.40 - - - - - | - - - - - - | - - - - - - | |
| | 0.31 0.31 0.35 0.36 0.37 0.37 | 0.46 - 0.44 0.45 0.45 0.47 | 0.35 0.32 0.42 0.31 0.30 0.30 | 0. | | | | | | | | | | |

の推移 (昭和23年度~37年度)

(%)

(3) 高等学校

第30表 疾病異常被患率

| 区分 | 栄養 要 注 意 | せき 柱 異 常 | 胸 郭 異 常 | 目 | | | | | | 耳 | | 鼻およびいん頭 | | | 伝皮 染 瘍 疾 患 |
|------|-------------------|-------------------|------------------|--------|--------|--------|--------------------|------------------|------------------|--------------------|-------------|------------------|-------------------|---|------------------------|
| | | | | 近 視 | 遠 視 | 乱 視 | 弱 視 (両 眼) | 色 神 異 常 | ト ホ ラ ム | 難 聴 (両 耳) | 中 耳 炎 | 蓄 の う 症 | アイ デ ノ ド | へ せ ん と ん 肥 大 う 大 | |
| 総括 | 昭和23 | 0.61 | - | - | 12.09 | - | - | 1.29 | 0.78 | 1.48 | 0.39 | - | - | - | - |
| | 24 | 0.95 | 0.70 | 0.59 | 11.80 | 0.44 | 0.25 | 0.83 | 1.46 | 1.77 | 0.36 | 0.31 | 0.45 | 0.06 | 3.64 |
| | 25 | 0.82 | 0.57 | 0.50 | 11.48 | 0.44 | 0.26 | 0.78 | 1.52 | 1.93 | 0.35 | 0.32 | 0.50 | 0.09 | 3.82 |
| | 26 | 0.56 | 0.54 | 0.59 | 12.51 | 0.48 | 0.31 | 0.70 | 1.78 | 2.12 | 0.42 | 0.44 | 0.87 | 0.11 | 4.08 |
| | 27 | 0.58 | 0.55 | 0.46 | 14.40 | 0.53 | 0.32 | 1.30 | 1.74 | 3.25 | 0.36 | 0.56 | - | 0.13 | 4.80 |
| | 28 | 0.75 | 0.53 | 0.52 | 18.46 | 0.76 | 0.55 | 1.14 | 2.56 | 2.82 | 0.40 | 0.51 | 1.56 | 0.20 | 5.38 |
| 男 | 29 | 0.59 | 0.52 | 0.43 | 20.87 | 0.64 | 0.63 | 1.27 | 2.02 | 2.84 | 0.44 | 0.58 | 2.00 | 0.14 | 4.79 |
| | 30 | 0.56 | 0.47 | 0.43 | 22.98 | 0.62 | 0.72 | 1.03 | 2.05 | 2.92 | 0.44 | 0.59 | 1.81 | 0.06 | 5.39 |
| | 31 | 0.44 | 0.47 | 0.39 | 24.68 | 0.68 | 0.68 | 1.14 | 2.13 | 2.73 | 0.42 | 0.64 | 1.90 | 0.07 | 5.32 |
| | 32 | 0.37 | 0.43 | 0.33 | 26.49 | 0.57 | 0.74 | 1.24 | 2.28 | 2.51 | 0.40 | 0.69 | 1.87 | 0.06 | 5.08 |
| | 33 | 0.30 | 0.36 | 0.32 | 27.85 | 0.48 | 0.87 | 0.99 | 2.19 | 2.31 | 0.39 | 0.64 | 1.81 | 0.08 | 4.83 |
| | 34 | 0.29 | 0.32 | 0.31 | 29.20 | 0.34 | 1.02 | 0.67 | 2.17 | 2.04 | 0.53 | 0.69 | 1.85 | 0.04 | 4.81 |
| 女 | 35 | 0.28 | 0.32 | 0.29 | 30.24 | 0.36 | 1.19 | 0.52 | 2.19 | 2.08 | 0.46 | 0.72 | 2.30 | 0.09 | 4.73 |
| | 36 | 0.25 | 0.31 | 0.30 | 33.43 | 0.36 | 1.61 | 0.58 | 2.23 | 1.67 | 0.50 | 0.60 | 1.89 | 0.07 | 4.33 |
| | 37 | 0.26 | 0.25 | 0.27 | 33.44 | 0.59 | 2.14 | 0.46 | 2.22 | 1.50 | 0.44 | 0.61 | 1.81 | 0.11 | 4.31 |
| | 昭和23 | 0.69 | - | - | 10.94 | - | - | 1.23 | 1.47 | 1.45 | 0.49 | - | - | - | - |
| | 24 | 1.04 | 0.82 | 0.73 | 10.81 | 0.36 | 0.27 | 0.82 | 2.17 | 1.76 | 0.42 | 0.33 | 0.50 | 0.06 | 2.84 |
| | 25 | 0.90 | 0.68 | 0.61 | 10.71 | 0.39 | 0.24 | 0.79 | 2.34 | 1.92 | 0.42 | 0.37 | 0.55 | 0.08 | 3.21 |
| 昭和24 | 26 | 0.63 | 0.61 | 0.62 | 11.53 | 0.32 | 0.28 | 0.74 | 2.87 | 2.20 | 0.50 | 0.52 | 1.03 | 0.15 | 3.36 |
| | 27 | 0.68 | 0.62 | 0.58 | 13.76 | 0.56 | 0.34 | 1.27 | 2.73 | 3.18 | 0.42 | 0.61 | - | 0.14 | 4.25 |
| | 28 | 0.85 | 0.69 | 0.66 | 17.87 | 0.82 | 0.56 | 1.15 | 3.19 | 2.92 | 0.46 | 0.55 | 1.65 | 0.20 | 4.89 |
| | 29 | 0.65 | 0.66 | 0.58 | 20.23 | 0.54 | 0.60 | 1.18 | 3.27 | 2.97 | 0.51 | 0.65 | 2.22 | 0.12 | 4.59 |
| | 30 | 0.67 | 0.57 | 0.58 | 22.00 | 0.68 | 0.75 | 0.96 | 3.43 | 3.26 | 0.48 | 0.66 | 1.92 | 0.06 | 5.02 |
| | 31 | 0.48 | 0.59 | 0.51 | 23.70 | 0.45 | 0.63 | 1.15 | 3.57 | 2.86 | 0.48 | 0.72 | 2.08 | 0.09 | 5.11 |
| 昭和25 | 32 | 0.40 | 0.56 | 0.45 | 25.78 | 0.46 | 0.73 | 1.14 | 3.75 | 2.73 | 0.44 | 0.79 | 2.02 | 0.07 | 4.67 |
| | 33 | 0.32 | 0.45 | 0.42 | 26.94 | 0.42 | 0.89 | 0.88 | 3.83 | 2.53 | 0.43 | 0.73 | 2.03 | 0.10 | 4.58 |
| | 34 | 0.31 | 0.38 | 0.45 | 28.03 | 0.35 | 1.00 | 0.55 | 3.81 | 2.28 | 0.55 | 0.79 | 2.10 | 0.05 | 4.63 |
| | 35 | 0.33 | 0.43 | 0.41 | 29.34 | 0.41 | 1.13 | 0.49 | 3.84 | 2.34 | 0.50 | 0.83 | 2.55 | 0.11 | 4.61 |
| | 36 | 0.27 | 0.39 | 0.41 | 32.73 | 0.34 | 1.54 | 0.46 | 3.90 | 1.89 | 0.58 | 0.69 | 2.14 | 0.05 | 4.28 |
| | 37 | 0.28 | 0.32 | 0.41 | 32.85 | 0.46 | 2.11 | 0.48 | 3.96 | 1.69 | 0.51 | 0.64 | 2.03 | 0.07 | 4.40 |
| 昭和26 | 昭和23 | 0.53 | - | - | 13.24 | - | - | 1.36 | 0.09 | 1.51 | 0.28 | - | - | - | - |
| | 24 | 0.81 | 0.49 | 0.34 | 13.51 | 0.58 | 0.23 | 0.84 | 0.22 | 1.79 | 0.27 | 0.26 | 0.37 | 0.07 | 5.02 |
| | 25 | 0.68 | 0.40 | 0.33 | 12.70 | 0.52 | 0.28 | 0.75 | 0.22 | 1.93 | 0.26 | 0.26 | 0.42 | 0.09 | 4.79 |
| | 26 | 0.48 | 0.43 | 0.54 | 13.86 | 0.70 | 0.37 | 0.65 | 0.25 | 2.00 | 0.31 | 0.34 | 0.65 | 0.06 | 5.09 |
| | 27 | 0.43 | 0.44 | 0.28 | 15.36 | 0.48 | 0.30 | 1.34 | 0.24 | 3.36 | 0.27 | 0.49 | - | 0.13 | 5.65 |
| | 28 | 0.62 | 0.31 | 0.31 | 19.31 | 0.66 | 0.54 | 1.13 | 0.29 | 2.69 | 0.32 | 0.44 | 1.43 | 0.19 | 6.09 |
| 昭和27 | 29 | 0.50 | 0.31 | 0.23 | 21.73 | 0.77 | 0.66 | 1.40 | 0.28 | 2.67 | 0.35 | 0.49 | 1.70 | 0.16 | 5.05 |
| | 30 | 0.43 | 0.34 | 0.24 | 24.20 | 0.55 | 0.69 | 1.12 | 0.28 | 2.50 | 0.40 | 0.50 | 1.68 | 0.07 | 5.86 |
| | 31 | 0.39 | 0.31 | 0.22 | 25.92 | 0.46 | 0.74 | 1.12 | 0.28 | 2.56 | 0.35 | 0.55 | 1.72 | 0.06 | 5.59 |
| | 32 | 0.33 | 0.26 | 0.17 | 27.43 | 0.71 | 0.75 | 1.38 | 0.31 | 2.22 | 0.35 | 0.57 | 1.66 | 0.05 | 5.61 |
| | 33 | 0.28 | 0.24 | 0.20 | 28.88 | 0.56 | 0.85 | 1.11 | 0.29 | 2.05 | 0.35 | 0.55 | 1.55 | 0.06 | 5.12 |
| | 34 | 0.28 | 0.25 | 0.16 | 30.55 | 0.33 | 1.05 | 0.80 | 0.24 | 1.77 | 0.50 | 0.58 | 1.56 | 0.02 | 5.25 |
| 昭和28 | 35 | 0.23 | 0.19 | 0.15 | 31.29 | 0.29 | 1.25 | 0.56 | 0.25 | 1.78 | 0.42 | 0.58 | 2.02 | 0.08 | 4.87 |
| | 36 | 0.22 | 0.23 | 0.17 | 34.29 | 0.37 | 1.69 | 0.72 | 0.24 | 1.40 | 0.40 | 0.50 | 1.59 | 0.10 | 4.40 |
| | 37 | 0.23 | 0.16 | 0.12 | 34.11 | 0.73 | 2.18 | 0.45 | 0.20 | 1.28 | 0.36 | 0.57 | 1.55 | 0.17 | 4.21 |

224頁の(注)を参照のこと。

| 心臓 の 疾 患 | 精 神 薄 弱 | 身 体 虚 弱 | 運 動 機 能 害 | 寄 生 虫 病 | む し 歯 | | | 定期結核健診受検者のうち結核患者の占める割合 | | | ツベルクリン皮内反応成績 (計=100) | | | |
|-------------------|------------------|------------------|-----------------------|------------------|-------------|-----------------------|------------------------|------------------------|-----------------------|---------|-------------------------|-------------|--------|-------|
| | | | | | 計 | 処 完 了 置 者 | 未 歯 ある 置 者 | 計 | 呼 吸 器 系 核 | その 他 | 陽 性 | 疑 陽 性 | 陰 性 | |
| - | 0.01 | 0.25 | 0.09 | - | .. | .. | 39.13 | - | - | - | 65.81 | 7.98 | 26.21 | - |
| - | 0.01 | 0.23 | 0.12 | 0.59 | 58.79 | 15.58 | 43.21 | 0.95 | 0.60 | 0.35 | - | - | - | 50.19 |

第30表 疾病異常被患率

(4) 大学・短期大学

| 区分 | 栄養要注 意 | せき柱異常 | 胸郭異常 | 目 | | | | | 耳 | |
|----|-----------|-------|------|------|-------|------|------|------|--------|------|
| | | | | 近視 | 遠視 | 乱視 | 色神異常 | トホーム | 難聴(両耳) | 中耳炎 |
| 総括 | 昭和23 | 0.71 | — | — | 18.89 | — | — | 0.99 | 0.49 | 0.24 |
| | 24 | 1.09 | 0.46 | 0.86 | 23.43 | 0.67 | 0.59 | 2.08 | 0.76 | 0.31 |
| | 25 | 0.94 | 0.68 | 0.58 | 21.54 | 0.40 | 0.49 | 1.84 | 0.67 | 0.28 |
| | 26 | 0.80 | 0.42 | 0.48 | 22.56 | 0.23 | 0.51 | 2.03 | 0.83 | 0.23 |
| | 27 | 0.68 | 0.60 | 0.66 | 24.88 | 0.66 | 0.65 | 2.12 | 1.12 | 0.25 |
| | 28 | 0.60 | — | — | 26.24 | 1.07 | 0.56 | 2.00 | 0.97 | 0.28 |
| | 29 | 0.48 | — | — | 28.33 | 1.37 | 0.84 | 2.20 | 0.88 | 0.25 |
| | 30 | 0.34 | — | — | 30.38 | 0.67 | 0.77 | 2.64 | 0.78 | 0.21 |
| | 31 | 0.25 | — | — | 34.05 | 0.71 | 0.85 | 2.51 | 0.67 | 0.14 |
| | 32 | 0.18 | — | — | 35.77 | 0.52 | 1.11 | 2.68 | 0.65 | 0.17 |
| 男 | 昭和23 | 0.30 | — | — | 37.60 | 0.49 | 1.01 | 2.64 | 0.56 | 0.12 |
| | 24 | 0.14 | — | — | 40.48 | 0.52 | 1.14 | 2.84 | 0.57 | 0.08 |
| | 25 | 0.14 | — | — | 42.66 | 0.39 | 0.94 | 2.92 | 0.37 | 0.08 |
| | 26 | 0.15 | — | — | 39.21 | 0.91 | 1.01 | 2.94 | 0.40 | 0.12 |
| | 27 | 0.09 | — | — | 46.43 | 0.71 | 1.19 | 2.89 | 0.30 | 0.09 |
| | 28 | 0.74 | — | — | 19.31 | — | — | 1.19 | 0.50 | 0.26 |
| | 29 | 1.08 | 0.45 | 0.87 | 24.07 | 0.60 | 0.62 | 2.49 | 0.80 | 0.35 |
| | 30 | 0.96 | 0.71 | 0.60 | 21.53 | 0.35 | 0.48 | 2.13 | 0.68 | 0.30 |
| | 31 | 0.76 | 0.41 | 0.40 | 22.78 | 0.16 | 0.53 | 2.38 | 0.88 | 0.26 |
| | 32 | 0.71 | 0.61 | 0.51 | 25.31 | 0.66 | 0.65 | 2.52 | 1.17 | 0.26 |
| 女 | 昭和23 | 0.29 | — | — | 26.79 | 1.10 | 0.52 | 2.48 | 1.06 | 0.32 |
| | 24 | 0.47 | — | — | 28.50 | 1.56 | 0.78 | 2.71 | 0.93 | 0.29 |
| | 25 | 0.28 | — | — | 30.92 | 0.75 | 0.75 | 3.31 | 0.81 | 0.24 |
| | 26 | 0.22 | — | — | 35.00 | 0.60 | 0.82 | 3.15 | 0.70 | 0.16 |
| | 27 | 0.16 | — | — | 36.58 | 0.44 | 1.09 | 3.36 | 0.71 | 0.19 |
| | 28 | 0.29 | — | — | 38.09 | 0.41 | 0.99 | 3.36 | 0.62 | 0.13 |
| | 29 | 0.18 | — | — | 41.26 | 0.52 | 1.14 | 3.64 | 0.63 | 0.09 |
| | 30 | 0.14 | — | — | 43.48 | 0.30 | 0.92 | 3.82 | 0.41 | 0.09 |
| | 31 | 0.15 | — | — | 38.31 | 0.90 | 1.07 | 3.88 | 0.45 | 0.13 |
| | 32 | 0.06 | — | — | 47.19 | 0.64 | 1.24 | 3.83 | 0.31 | 0.09 |

^注 224頁の辻を参照のこと。「せき柱異常」「胸郭異常」「中耳炎」「アデノイド」「へんとうせん肥大」「伝染性の皮膚病

の推移 (昭和23年度～37年度)

(%)

| 鼻およびいん頭 | | 伝皮 染膏 性疾 の患 | むし歯 | | | 定期結核健康診断受検者のうち結核被患者の占める割合 | | | ツベルクリン皮内反応成績 (計=100) | | |
|---------------|------------------|----------------------|-------|---------------|---------------------|---------------------------|-----------------|---------|-------------------------|-------------|--------|
| アイ デ ノド | へう肥 んせ とん大 | | 計 | 処完 了 置者 | 未歯者 処あ る 置 | 計 | 呼系核 吸の 器結 | その 他 | 陽 性 | 疑 陽 性 | 陰 性 |
| - | - | - | .. | .. | 31.41 | - | - | - | 75.49 | 5.76 | 18.75 |
| 0.34 | 3.14 | 0.17 | 67.25 | 24.35 | 42.90 | 2.00 | 1.35 | 0.65 | - | - | - |
| 0.13 | 2.28 | 0.12 | 69.68 | 28.21 | 41.47 | 1.95 | 1.64 | 0.31 | .. | .. | 18.12 |
| 0.10 | 1.93 | 0.10 | 71.49 | 27.20 | 44.29 | 1.99 | 1.88 | 0.11 | .. | .. | 17.03 |
| 0.06 | 2.15 | 0.07 | 71.40 | 25.94 | 45.46 | 1.62 | 1.48 | 0.14 | 82.38 | 8.78 | 8.84 |
| - | - | - | 74.70 | 30.13 | 44.57 | 1.59 | 1.46 | 0.13 | 86.32 | 5.47 | 8.21 |
| - | - | - | 71.80 | 29.49 | 42.31 | 1.68 | 1.58 | 0.10 | 87.80 | 5.37 | 6.83 |
| - | - | - | 69.21 | 25.85 | 43.36 | 1.56 | 1.52 | 0.04 | 90.53 | 4.14 | 5.33 |
| - | - | - | 70.06 | 26.54 | 43.52 | 1.28 | 1.24 | 0.04 | 91.20 | 3.87 | 4.93 |
| - | - | - | 69.26 | 26.53 | 42.73 | 1.24 | 1.06 | 0.18 | 91.64 | 3.76 | 4.60 |
| - | - | - | 67.40 | 25.35 | 42.05 | 1.12 | 1.08 | 0.04 | 92.56 | 3.45 | 3.99 |
| - | - | - | 67.89 | 26.80 | 41.09 | 1.06 | 1.04 | 0.02 | 92.81 | 3.57 | 3.62 |
| - | - | - | 69.82 | 26.81 | 43.01 | 0.89 | 0.87 | 0.02 | 93.28 | 3.46 | 3.26 |
| - | - | - | 70.78 | 28.70 | 42.08 | 0.76 | 0.76 | 0.00 | 93.94 | 3.24 | 2.82 |
| - | - | - | 76.00 | 30.66 | 45.34 | 0.65 | 0.64 | 0.01 | 94.34 | 3.19 | 2.47 |
| - | - | - | .. | .. | 33.13 | - | - | - | 75.77 | 5.82 | 18.41 |
| 0.34 | 3.12 | 0.18 | 67.78 | 24.60 | 43.18 | 2.17 | 1.47 | 0.70 | - | - | - |
| 0.12 | 2.05 | 0.13 | 69.05 | 28.14 | 40.91 | 2.07 | 1.76 | 0.31 | .. | .. | 17.43 |
| 0.11 | 1.78 | 0.11 | 71.30 | 27.20 | 44.10 | 2.13 | 2.02 | 0.11 | .. | .. | 16.95 |
| 0.05 | 1.92 | 0.08 | 71.07 | 25.49 | 45.58 | 1.77 | 1.62 | 0.15 | 82.18 | 9.06 | 8.76 |
| - | - | - | 74.61 | 30.10 | 44.51 | 1.66 | 1.53 | 0.13 | 86.20 | 5.57 | 8.23 |
| - | - | - | 71.33 | 29.30 | 42.03 | 1.85 | 1.73 | 0.12 | 87.54 | 5.55 | 6.91 |
| - | - | - | 68.57 | 24.88 | 43.69 | 1.67 | 1.62 | 0.05 | 90.34 | 4.26 | 5.40 |
| - | - | - | 70.27 | 26.48 | 43.79 | 1.39 | 1.35 | 0.04 | 91.13 | 3.91 | 4.96 |
| - | - | - | 69.14 | 26.10 | 43.04 | 1.35 | 1.15 | 0.20 | 91.46 | 3.83 | 4.71 |
| - | - | - | 66.41 | 24.19 | 42.22 | 1.23 | 1.19 | 0.04 | 92.44 | 3.51 | 4.05 |
| - | - | - | 66.17 | 25.87 | 40.30 | 1.15 | 1.13 | 0.02 | 92.70 | 3.56 | 3.74 |
| - | - | - | 67.64 | 25.33 | 42.31 | 0.97 | 0.95 | 0.02 | 93.37 | 3.36 | 3.27 |
| - | - | - | 68.07 | 26.86 | 41.21 | 0.86 | 0.85 | 0.01 | 94.10 | 3.17 | 2.73 |
| - | - | - | 73.60 | 29.01 | 44.59 | 0.73 | 0.72 | 0.01 | 94.55 | 3.04 | 2.41 |
| - | - | - | .. | .. | 24.50 | - | - | - | 74.82 | 5.53 | 20.15 |
| 0.38 | 3.21 | 0.14 | 64.91 | 23.25 | 41.66 | 1.25 | 0.82 | 0.43 | - | - | - |
| 0.14 | 3.31 | 0.04 | 73.22 | 28.60 | 44.62 | 1.24 | 0.91 | 0.33 | .. | .. | 21.59 |
| 0.05 | 2.76 | 0.04 | 72.58 | 27.19 | 45.39 | 1.08 | 0.96 | 0.12 | .. | .. | 17.50 |
| 0.12 | 3.31 | 0.02 | 73.06 | 28.20 | 44.86 | 0.77 | 0.71 | 0.06 | 83.36 | 7.44 | 9.20 |
| - | - | - | 75.07 | 30.25 | 44.82 | 1.30 | 1.16 | 0.14 | 86.80 | 5.10 | 8.10 |
| - | - | - | 73.72 | 30.26 | 43.46 | 1.04 | 0.99 | 0.05 | 88.86 | 4.66 | 6.46 |
| - | - | - | 71.66 | 29.55 | 42.11 | 1.14 | 1.12 | 0.02 | 91.24 | 3.67 | 5.05 |
| - | - | - | 69.28 | 26.77 | 42.51 | 0.84 | 0.81 | 0.03 | 91.47 | 3.71 | 4.82 |
| - | - | - | 69.68 | 28.13 | 41.55 | 0.79 | 0.68 | 0.11 | 92.34 | 3.50 | 4.10 |
| - | - | - | 70.84 | 29.34 | 41.50 | 0.74 | 0.67 | 0.07 | 93.02 | 3.21 | 3.77 |
| - | - | - | 73.51 | 29.84 | 43.67 | 0.75 | 0.73 | 0.02 | 93.19 | 3.58 | 3.20 |
| - | - | - | 76.51 | 31.35 | 45.16 | 0.63 | 0.61 | 0.02 | 92.99 | 3.77 | 3.20 |
| - | - | - | 79.03 | 34.31 | 44.72 | 0.45 | 0.45 | 0.00 | 93.44 | 3.44 | 3.10 |
| - | - | - | 82.53 | 35.15 | 47.38 | 0.42 | 0.41 | 0.01 | 93.74 | 3.63 | 2.60 |

患は28年度以降調査していない。