

表 5 疾病異常被患率の

(1) 小学校

区分	男														
	昭和23年	24	25	26	27	28	29	30	31	32	33	34	35	36	
栄養要注意	1.55	1.97	1.79	1.77	1.55	1.42	1.63	1.39	1.31	1.01	0.94	0.97	0.86	70.0	
せき柱異常	-	1.42	1.31	1.43	1.24	1.25	1.20	1.02	1.10	0.91	0.93	0.95	0.71	0.65	
胸郭異常	-	1.20	1.14	1.37	1.12	1.25	1.25	1.28	1.23	1.24	1.17	1.27	1.12	1.06	
目	近視	7.57	4.98	7.43	6.90	8.03	9.44	9.30	9.34	8.54	8.80	8.85	8.29	8.73	11.09
	遠視	-	0.16	0.22	0.11	0.31	0.50	0.48	0.40	0.24	0.24	0.27	0.22	0.16	0.25
	乱視	-	0.04	0.05	0.05	0.09	0.12	0.13	0.15	0.13	0.13	0.11	0.15	0.13	0.21
	弱視	0.61	0.29	0.43	0.22	0.55	0.54	0.59	0.44	0.42	0.45	0.38	0.27	0.22	0.23
	色覚異常	1.19	1.21	1.86	1.32	1.63	2.51	2.79	2.80	2.74	3.03	2.92	2.90	2.35	2.77
トラホーム	4.98	4.80	5.02	4.73	6.22	5.16	4.92	4.32	3.94	4.15	3.81	3.19	3.13	2.80	
耳	難聴	0.65	0.54	0.52	0.45	0.64	0.60	0.53	0.52	0.36	0.38	0.37	0.66	0.54	0.57
	中耳炎	-	1.02	1.05	1.20	1.16	1.05	1.05	0.88	0.80	0.78	0.66	0.68	0.65	0.59
鼻おとよびい	蓄膿のう症	-	0.16	0.18	0.28	-	0.65	0.74	1.04	1.12	1.17	1.10	1.28	1.52	1.60
	アデノイド	-	0.31	0.43	0.59	0.81	1.03	1.08	1.34	0.94	1.09	0.83	0.77	0.76	0.79
	へんとうせん肥大	-	6.76	7.30	8.58	8.67	9.90	9.80	10.94	10.62	11.37	10.42	10.32	9.72	10.24
伝染性の皮膚疾患	-	1.72	1.74	2.56	2.36	2.56	2.84	2.73	2.47	2.85	2.79	3.64	3.21	3.55	
心臓の疾患	-	-	-	-	-	0.26	0.29	0.24	0.26	0.27	0.32	0.28	0.32	0.31	
精神薄弱	0.80	0.31	0.28	0.22	0.36	0.40	0.45	0.38	0.36	0.43	0.43	-	0.89	1.47	
身体虚弱	0.80	0.59	0.53	0.45	0.59	0.60	0.72	0.65	0.67	0.47	0.46	0.40	0.45	0.32	
運動機能障害	0.32	0.33	0.33	0.28	0.43	3.91	0.39	0.38	0.37	0.37	0.34	0.33	0.37	0.33	
寄生虫病	-	0.65	0.45	0.21	-	3.20	2.49	0.41	0.16	0.16	0.10	-	0.46	0.39	
計	-	42.39	42.32	41.54	44.88	51.19	58.77	65.17	69.48	76.7	79.0	80.8	83.3	82.26	
むし歯	処置完了者	-	1.21	1.45	1.44	2.47	2.27	2.16	2.81	2.76	3.0	3.7	4.5	5.38	
	未処置歯のある者	45.32	41.18	40.87	40.10	42.41	48.92	56.61	62.36	66.72	73.7	75.3	76.3	78.9	76.88
定期診断した者 健康判定	計	-	0.72	0.68	0.96	1.19	1.10	0.98	0.99	0.97	0.80	0.77	0.73	0.59	0.60
	呼吸器系	-	0.35	0.36	0.83	1.09	1.00	0.89	0.96	0.93	0.69	0.74	0.69	0.57	0.58
	その他	-	0.37	0.32	0.13	1.10	0.10	0.09	0.03	0.04	0.11	0.03	0.04	0.02	0.02
ツリ反応 ベンザル皮検 ク内査	陽性	27.97	-	-	-	41.25	51.85	54.35	57.78	58.11	59.2	60.1	60.4	63.1	63.6
	疑陽性	6.34	-	-	-	11.13	10.13	10.58	10.76	10.60	11.0	11.2	11.6	11.0	11.3
	陰性	65.69	-	73.25	70.10	47.62	38.01	35.06	31.46	31.29	29.8	28.7	28.0	25.9	25.1
寄生虫卵保有	-	63.91	63.54	53.08	55.34	49.30	42.92	38.76	33.06	29.7	26.0	22.1	14.35	11.86	
要養護	3.75	3.72	3.52	3.58	3.90	4.00	2.98	2.91	2.67	2.27	2.20	-	-	-	

(注) 「寄生虫卵保有」の35年度および36年度は回虫卵保有である。なお、その他の疾病異常の項目については36頁お

推移 (昭和23年度~昭和36年度)

年次統計

(%)

昭和23年	女													
	24	25	26	27	28	29	30	31	32	33	34	35	36	
1.58	1.87	1.71	1.72	1.51	1.39	1.42	1.36	1.32	0.94	0.93	0.92	0.80	0.67	
-	1.12	0.97	1.02	0.82	0.85	0.87	0.76	0.81	0.69	0.68	0.70	0.65	0.50	
-	1.01	0.91	1.04	0.80	0.91	0.90	0.90	0.89	0.83	0.81	0.87	0.75	0.70	
9.03	5.92	8.97	8.57	9.90	11.59	11.19	11.27	10.14	10.45	10.73	10.01	10.69	13.6	
-	0.15	0.17	0.07	0.23	0.41	0.42	0.30	0.20	0.26	0.24	0.19	0.13	0.35	
-	0.04	0.06	0.07	0.10	0.15	0.15	0.14	0.15	0.13	0.13	0.15	0.15	0.26	
0.68	0.31	0.48	0.26	0.57	0.56	0.61	0.43	0.48	0.47	0.40	0.32	0.22	0.23	
0.24	0.22	0.30	0.14	0.23	0.33	0.39	0.36	0.28	0.33	0.32	0.30	0.24	0.21	
5.61	5.37	5.63	5.46	7.12	5.95	5.78	5.02	4.68	4.93	4.66	3.86	3.99	3.40	
0.46	0.42	0.38	0.31	0.43	0.44	0.41	0.39	0.28	0.30	0.29	0.59	0.53	0.48	
-	0.64	0.66	0.68	0.73	0.66	0.67	0.57	0.49	0.51	0.43	0.45	0.45	0.38	
-	0.13	0.14	0.22	-	0.59	0.57	0.81	0.86	0.93	0.93	1.02	1.24	1.32	
-	0.29	0.37	0.53	0.74	0.92	0.84	1.18	0.77	0.92	0.71	0.65	0.60	0.63	
-	6.82	7.27	8.43	8.62	9.86	9.58	10.79	10.40	11.13	10.29	10.03	9.86	10.20	
-	1.20	1.12	1.52	1.57	1.63	1.80	1.77	1.56	1.81	1.75	2.27	1.92	2.10	
-	-	-	-	-	0.27	0.31	0.27	0.29	0.30	0.33	0.31	0.34	0.35	
0.21	0.22	0.21	0.19	0.27	0.29	0.36	0.30	0.31	0.37	0.35	-	0.80	1.38	
0.72	0.60	0.52	0.48	0.61	0.64	0.74	0.70	0.73	0.52	0.49	0.41	0.46	0.33	
0.25	0.29	0.29	0.24	0.39	0.34	0.34	0.34	0.33	0.32	0.30	0.28	0.31	0.29	
-	0.63	0.42	0.22	-	3.20	0.66	0.34	0.16	0.17	0.10	-	0.45	0.39	
-	41.75	42.17	41.74	46.03	52.73	60.83	67.87	71.50	81.5	81.1	82.5	85.1	84.03	
-	1.20	1.56	1.56	2.85	2.64	2.69	3.34	3.47	3.8	4.7	5.5	5.6	6.91	
45.00	40.55	40.61	40.18	43.18	50.09	58.14	64.53	68.03	77.7	76.4	77.0	79.5	77.12	
-	0.74	0.59	0.98	0.99	1.00	0.90	0.85	0.91	0.73	0.73	0.67	0.56	0.55	
-	0.35	0.32	0.86	0.92	0.90	0.80	0.82	0.87	0.62	0.71	0.64	0.54	0.53	
-	0.39	0.27	0.12	0.07	0.10	0.10	0.03	0.04	0.11	0.02	0.03	0.02	0.02	
30.77	-	-	-	47.58	58.81	60.05	63.12	63.66	64.3	65.2	65.1	67.5	67.3	
6.47	-	-	-	11.08	9.35	0.51	9.67	9.40	9.9	10.1	10.5	10.1	10.3	
62.76	-	70.52	66.10	41.34	31.83	30.44	27.21	26.94	25.8	24.7	24.4	22.4	22.4	
-	63.89	63.31	57.88	54.94	48.20	41.48	37.78	31.88	28.8	24.8	21.4	13.81	11.23	
3.84	3.56	3.39	3.65	3.86	3.90	2.98	2.87	2.54	2.39	2.09	-	-	-	

よび42頁の注を参照のこと

推移 (昭和23年度~昭和36年度)

(%)

表 5 疾病異常被患率の

(2) 中学校

区 分	男														
	昭和23年	24	25	26	27	28	29	30	31	32	33	34	35	36	
栄養要注意	1.16	1.58	1.44	1.35	1.14	1.18	1.02	0.98	0.78	0.72	0.71	0.73	0.66	0.50	
せき柱異常	-	1.25	1.16	1.36	1.01	0.98	0.92	0.91	0.88	0.75	0.72	0.73	0.69	0.53	
胸郭異常	-	0.85	0.76	0.90	0.66	0.83	0.61	0.66	0.57	0.61	0.56	0.64	0.71	0.63	
目	近視	6.79	7.89	7.88	8.47	9.31	11.34	12.70	13.56	13.04	15.41	15.10	15.09	14.94	17.40
	遠視	-	0.47	0.45	0.22	0.66	0.94	0.83	0.84	0.46	0.52	0.64	0.44	0.36	0.43
	乱視	-	0.11	0.10	0.09	0.18	0.30	0.26	0.26	0.25	0.27	0.31	0.42	0.41	0.52
	弱視	1.04	0.66	0.64	0.87	1.19	0.86	0.76	0.81	0.74	0.87	0.79	0.53	0.39	0.39
色神異常	1.47	2.23	2.40	2.58	2.81	3.29	3.44	3.53	3.48	3.77	3.87	3.89	3.82	3.74	
トラホーム	4.23	4.24	4.56	5.01	5.80	5.82	5.25	4.92	4.21	4.22	3.96	3.65	3.35	2.83	
耳	難聴	0.75	0.71	0.71	0.75	0.82	0.86	0.86	0.92	0.71	0.75	0.73	0.82	0.77	0.66
	中耳炎	-	0.61	0.66	0.75	0.97	0.97	0.93	0.98	0.88	0.98	0.88	0.92	0.75	0.68
鼻のおよび	蓄膿症	-	0.25	0.33	0.62	-	1.20	1.11	1.51	1.62	1.80	1.86	2.24	1.94	1.94
	アデノイド	-	0.19	0.22	0.13	0.28	0.32	0.38	0.29	0.40	0.18	0.20	0.15	0.12	0.15
	へんとうせん肥大	-	5.76	6.21	7.28	7.06	7.88	7.45	7.73	7.72	7.72	8.14	7.75	6.93	6.93
伝染性の皮膚疾患	-	1.24	1.31	2.44	1.89	1.88	2.62	2.02	1.99	2.19	2.25	2.61	2.75	2.86	
心臓の疾患	-	-	-	-	-	0.31	0.31	0.35	0.36	0.36	0.35	0.37	0.37	0.35	
精神薄弱	0.12	0.19	0.16	0.25	0.31	0.35	0.45	0.39	0.42	0.47	0.50	-	0.88	1.53	
身体虚弱	0.55	0.44	0.43	0.28	0.44	0.53	1.20	0.41	0.39	0.41	0.36	0.35	0.29	0.30	
運動機能障害	0.26	0.28	0.28	0.31	0.42	0.36	0.39	0.38	0.34	0.38	0.37	0.33	0.38	0.33	
寄生虫病	-	0.69	0.48	0.12	-	3.00	2.18	0.45	0.16	0.13	0.14	-	0.37	0.35	
むし歯	計	-	37.71	40.22	37.95	36.40	36.49	40.55	44.76	47.02	57.2	60.2	67.3	71.2	74.72
	処置完了者	-	4.17	4.48	4.26	4.61	4.03	4.38	5.98	6.87	7.8	9.2	9.9	10.8	12.28
未処置歯のある者	33.10	33.54	35.74	33.69	31.79	32.46	36.17	38.78	40.15	49.4	51.0	57.4	60.5	62.44	
定期診断した者	計	-	0.52	0.53	0.93	0.92	0.84	0.62	0.72	0.62	0.57	0.59	0.52	0.45	0.38
	呼吸器系	-	0.26	0.30	0.86	0.86	0.80	0.60	0.69	0.59	0.49	0.58	0.50	0.43	0.35
	その他	-	0.26	0.23	0.07	0.06	0.04	0.02	0.03	0.03	0.08	0.01	0.02	0.02	0.03
ツン検査	陽性	48.97	-	-	-	57.80	68.01	72.38	76.02	75.37	76.9	78.0	77.2	78.8	80.4
	疑陽性	8.63	-	-	-	13.33	11.55	10.99	10.05	10.20	10.3	10.0	10.8	10.1	9.9
	陰性	42.40	-	49.55	46.48	28.86	20.43	16.63	13.93	14.43	12.8	12.0	12.0	11.1	9.7
寄生虫卵保有	-	58.37	59.36	53.32	52.47	46.60	40.98	35.36	30.91	27.1	21.8	19.6	12.67	9.39	
要 養 護	2.67	2.47	2.27	1.73	2.29	2.90	1.78	1.93	1.67	1.77	2.02	-	-	-	

昭和23年	女												
	24	25	26	27	28	29	30	31	32	33	34	35	36
1.09	1.43	1.32	1.46	1.07	1.17	0.95	0.89	0.72	0.63	0.62	0.60	0.53	0.40
-	0.92	0.84	1.13	0.76	0.76	0.74	0.72	0.70	0.66	0.58	0.59	0.54	0.43
9.65	9.86	9.85	10.57	11.70	14.33	15.25	16.86	16.91	18.68	18.87	18.58	18.53	20.36
-	0.34	0.34	0.20	0.43	0.67	0.69	0.63	0.35	0.42	0.47	0.38	0.27	0.41
-	0.11	0.11	0.10	0.18	0.30	0.29	0.32	0.28	0.33	0.37	0.48	0.43	0.56
1.16	0.72	0.72	1.06	1.35	1.03	1.03	0.97	0.88	0.97	1.00	0.61	0.45	0.49
0.31	0.43	0.48	0.45	0.39	0.47	0.49	0.46	0.40	0.48	0.41	0.37	0.34	0.29
4.77	4.86	5.28	5.79	6.88	6.77	5.91	5.57	4.87	4.85	4.54	4.18	3.71	3.00
0.59	0.49	0.49	0.50	0.57	0.61	0.62	0.65	0.52	0.54	0.56	0.69	0.64	0.52
-	0.43	0.46	0.53	0.62	0.68	0.65	0.70	0.63	0.73	0.63	0.68	0.55	0.49
-	0.25	0.28	0.60	-	0.93	0.98	1.32	1.38	1.57	1.75	1.84	1.75	1.66
-	0.15	0.21	0.18	0.24	0.34	0.37	0.29	0.35	0.17	0.17	0.15	0.12	0.14
-	6.68	7.15	8.35	8.07	9.01	8.36	8.44	8.43	8.49	8.33	8.63	8.40	6.81
-	0.89	0.90	1.60	1.24	1.20	1.59	1.33	1.08	1.23	1.22	1.49	1.41	1.31
-	-	-	-	-	0.35	0.33	0.40	0.34	0.43	0.39	0.43	0.42	0.37
0.09	0.12	0.11	0.13	0.22	0.27	0.36	0.28	0.31	0.39	0.43	-	0.78	1.37
0.57	0.45	0.42	0.30	0.49	0.54	0.55	0.45	0.42	0.48	0.41	0.37	0.31	0.29
0.21	0.22	0.24	0.20	0.37	0.31	0.34	0.32	0.31	0.37	0.33	0.30	0.33	0.27
-	0.69	0.48	0.09	-	0.30	0.85	0.48	0.18	0.13	0.15	-	0.45	0.37
-	41.05	43.91	40.76	40.43	40.26	45.21	49.94	53.04	63.0	67.6	73.6	76.8	76.30
-	4.87	5.31	5.05	5.43	5.01	5.59	7.43	8.32	9.9	11.5	12.3	13.0	14.24
35.88	36.18	38.60	35.71	35.00	35.25	39.62	42.51	44.72	53.1	56.1	61.3	63.9	62.06
-	0.62	0.47	0.88	0.80	0.73	0.60	0.70	0.57	0.56	0.57	0.50	0.45	0.34
-	0.32	0.26	0.82	0.74	0.70	0.58	0.67	0.54	0.48	0.56	0.49	0.44	0.33
-	0.30	0.21	0.06	0.06	0.03	0.02	0.03	0.03	0.08	0.01	0.01	0.01	0.01
50.36	-	-	-	61.10	71.48	74.96	77.06	76.38	77.1	77.9	76.8	78.2	79.9
9.17	-	-	-	13.48	11.15	10.40	9.80	9.87	10.3	9.8	10.7	10.2	9.8
40.47	-	47.71	43.32	25.42	17.37	14.64	13.14	13.75	12.6	12.3	12.5	11.6	10.3
-	58.62	59.15	55.27	53.08	47.20	41.30	36.07	13.12	27.6	22.3	21.1	12.98	9.41
2.70	2.43	2.32	1.67	2.34	2.90	1.72	2.05	1.56	1.69	1.98	-	-	-

推移 (昭和23年度~昭和36年度)

(%)

表 5 疾病異常被患率の

(3) 高等学校

区分	男														
	昭和23年	24	25	26	27	28	29	30	31	32	33	34	35	36	
栄養要注意	0.69	1.04	0.90	0.63	0.68	0.85	0.65	0.67	0.48	0.40	0.32	0.31	0.33	0.27	
せき柱異常	-	0.82	0.68	0.61	0.62	0.69	0.66	0.57	0.59	0.56	0.45	0.38	0.43	0.39	
胸郭異常	-	0.73	0.61	0.62	0.58	0.66	0.58	0.58	0.51	0.45	0.42	0.45	0.41	0.41	
目	近視	10.94	10.81	10.71	11.53	13.76	17.87	20.23	22.00	23.70	25.78	26.94	28.03	29.34	32.73
	遠視	-	0.36	0.39	0.32	0.56	0.82	0.54	0.68	0.45	0.46	0.42	0.35	0.41	0.34
	乱視	-	0.27	0.24	0.23	0.34	0.56	0.60	0.75	0.63	0.73	0.89	1.00	1.13	1.54
	弱視	1.23	0.82	0.79	0.74	1.27	1.15	1.18	0.96	1.15	1.14	0.83	0.55	0.49	0.46
色神異常	1.47	2.17	2.34	2.87	2.73	3.19	3.27	3.43	3.57	3.75	3.83	3.81	3.84	3.90	
トラホーム	1.45	1.76	1.92	2.20	3.13	2.92	2.97	3.26	2.86	2.73	2.53	2.28	2.34	1.89	
耳	難聴	0.49	0.42	0.42	0.50	0.42	0.46	0.51	0.48	0.48	0.44	0.43	0.55	0.50	0.58
	中耳炎	-	0.33	0.37	0.52	0.61	0.55	0.65	0.66	0.72	0.79	0.73	0.79	0.83	0.69
鼻い おん とびう	蓄のう症	-	0.50	0.55	1.03	-	1.65	2.22	1.92	2.08	2.02	2.03	2.10	2.55	2.14
	アデノイド	-	0.06	0.08	0.15	0.14	0.20	0.12	0.60	0.09	0.07	0.10	0.05	0.11	0.05
	へんとうせ ん肥大	-	2.84	3.21	0.36	4.25	4.89	4.59	5.02	5.11	4.67	4.58	4.63	4.61	4.28
伝染性の皮膚疾患	-	0.28	0.27	0.38	0.36	0.32	0.31	0.35	0.39	0.29	0.28	0.38	0.31	0.37	
心臓の疾患	-	-	-	-	-	0.32	0.34	0.35	0.35	0.38	0.32	0.34	0.34	0.34	
精神薄弱	0.01	0.01	0.01	0.00	0.01	0.004	0.00	0.00	-	0.004	0.02	-	0.002	0.00	
身体虚弱	0.25	0.23	0.21	0.10	0.17	0.20	0.20	0.19	0.11	0.12	0.09	0.10	0.06	0.08	
運動機能障害	0.11	0.13	0.13	0.15	0.19	0.20	0.21	0.20	0.20	0.18	0.19	0.17	0.19	0.26	
寄生虫病	-	0.53	0.35	0.10	-	2.80	1.06	0.50	0.12	0.08	0.11	-	0.30	0.15	
むし 歯	計	-	55.80	59.68	52.77	52.45	51.46	49.75	49.82	52.52	55.7	59.9	63.9	63.5	72.36
	処置完了者	-	14.79	15.70	10.35	12.47	10.76	10.33	10.09	10.34	12.3	13.9	14.7	15.9	18.00
	未処置歯のある者	36.42	41.01	43.98	42.42	39.98	40.70	39.42	39.73	42.18	43.4	46.0	49.2	52.6	54.36
定康明 期診し 結断た 核で者 健判	計	-	0.99	0.85	0.69	0.79	0.84	0.63	0.74	0.60	0.54	0.55	0.57	0.51	0.43
	呼吸器系	-	0.61	0.51	0.67	0.75	0.80	0.65	0.72	0.58	0.48	0.54	0.55	0.49	0.42
	その他	-	0.38	0.34	0.02	0.04	0.04	0.03	0.02	0.02	0.06	0.01	0.02	0.02	0.01
ツン検 ベル皮 内ク反 クリ応	陽性	65.57	-	-	-	69.33	78.65	81.91	85.22	85.63	86.3	86.6	86.9	87.9	89.3
	疑陽性	8.06	-	-	-	11.97	9.21	8.52	7.12	6.97	6.9	7.0	7.0	6.7	6.2
	陰性	26.37	-	32.87	31.89	18.70	12.12	9.57	7.66	7.36	6.8	6.4	6.1	5.4	4.5
寄生虫卵保有	-	49.03	50.93	48.70	47.67	38.90	33.65	27.53	22.93	20.5	17.1	13.8	8.78	6.60	
要養護	1.30	1.14	1.17	1.00	1.13	1.90	1.00	1.63	1.19	1.03	0.73	-	-	-	

昭和23年	女													
	24	25	26	27	28	29	30	31	32	33	34	35	36	
0.53	0.81	0.68	0.48	0.43	0.62	0.50	0.43	0.39	0.33	0.28	0.23	0.23	0.22	
-	0.49	0.40	0.43	0.44	0.31	0.31	0.34	0.31	0.26	0.24	0.25	0.19	0.23	
-	0.34	0.33	0.54	0.23	0.31	0.23	0.24	0.22	0.17	0.20	0.16	0.15	0.17	
13.24	13.51	12.70	13.85	15.36	19.31	21.73	24.20	25.92	27.34	28.88	30.55	31.29	34.29	
-	0.58	0.52	0.70	0.43	0.66	0.77	0.55	0.46	0.71	0.56	0.33	0.29	0.37	
-	0.23	0.23	0.37	0.30	0.54	0.66	0.69	0.74	0.75	0.85	1.05	1.25	1.69	
1.36	0.84	0.75	0.65	1.34	1.13	1.40	1.12	1.12	1.33	1.11	0.80	0.56	0.72	
0.09	0.22	0.22	0.25	0.24	0.29	0.23	0.23	0.28	0.31	0.29	0.24	0.25	0.24	
1.51	1.79	1.93	2.00	3.35	2.69	0.67	2.50	2.56	2.22	2.05	1.77	1.73	1.40	
0.28	0.27	0.26	0.31	0.27	0.32	0.35	0.40	0.35	0.35	0.35	0.50	0.42	0.40	
-	0.26	0.26	0.34	0.49	0.44	0.49	0.50	0.55	0.57	0.55	0.58	0.58	0.50	
-	0.37	0.42	0.65	-	0.43	1.70	1.63	1.72	1.66	1.55	1.56	2.02	1.59	
-	0.07	0.09	0.06	0.13	0.19	0.16	0.07	0.06	0.05	0.06	0.02	0.08	0.10	
-	5.02	4.79	5.09	5.65	6.09	5.05	5.86	5.59	5.61	5.12	5.25	4.87	4.40	
-	0.19	0.12	0.12	0.15	0.11	0.21	0.11	0.18	0.11	0.10	0.15	0.11	0.11	
-	-	-	-	-	0.33	0.40	0.33	0.40	0.38	0.38	0.37	0.36	0.35	
0.01	0.02	0.01	0.04	0.004	0.01	0.03	0.00	0.01	0.002	0.001	-	0.001	0.00	
0.25	0.23	0.21	0.09	0.17	0.15	0.19	0.18	0.13	0.11	0.09	0.10	0.07	0.08	
0.07	0.10	0.09	0.09	0.12	0.20	0.15	0.14	0.15	0.13	0.13	0.12	0.13	0.13	
-	0.71	0.32	0.05	-	2.90	0.93	0.32	0.16	0.08	0.18	-	0.33	0.08	
-	63.94	66.34	58.85	60.39	56.31	56.57	55.96	59.97	63.5	66.5	72.6	75.7	80.23	
-	16.94	17.55	13.75	14.23	11.77	12.19	12.43	13.75	15.2	17.3	18.2	19.8	20.75	
41.84	47.00	43.79	45.10	46.16	44.54	44.33	43.53	46.22	48.3	49.2	54.4	55.8	59.48	
-	0.90	0.69	0.77	0.68	0.74	0.63	0.61	0.52	0.47	0.53	0.45	0.44	0.44	
-	0.59	0.46	0.72	0.62	0.70	0.60	0.59	0.50	0.42	0.51	0.44	0.42	0.42	
-	0.91	0.23	0.05	0.06	0.04	0.03	0.02	0.02	0.05	0.02	0.01	0.02	0.02	
66.05	-	-	-	73.35	81.85	84.92	87.47	87.97	87.8	88.1	87.5	89.8	89.8	
7.90	-	-	-	9.98	7.47	6.42	5.55	5.35	5.6	5.6	5.6	5.0	5.2	
26.05	-	31.86	30.92	16.78	10.68	8.66	6.93	6.68	6.6	6.3	6.9	5.2	5.0	
-	52.03	48.57	46.41	46.54	39.30	33.51	27.74	23.46	21.1	17.2	14.7	8.93	6.85	
1.43	1.11	1.30	1.65	1.11	2.20	1.35	1.52	1.12	0.96	0.80	-	-	-	

表 5 疾病異常被患率の

(4) 大 学

区 分	男														
	昭和23年	24	25	26	27	28	29	30	31	32	33	34	35	36	
栄養要注意	0.74	1.08	0.96	0.76	0.71	0.61	0.47	0.28	0.22	0.16	0.29	0.13	0.14	5.87	
せき柱異常	-	0.45	0.71	0.41	0.61	-	-	-	-	-	-	-	-	-	
胸郭異常	-	0.87	0.60	0.40	0.51	-	-	-	-	-	-	-	-	-	
目	近視	19.31	24.07	21.53	22.73	25.31	25.79	28.50	30.92	35.00	36.58	38.09	41.26	43.48	38.31
	遠視	-	0.60	0.35	0.16	0.66	1.10	1.56	0.75	0.60	0.44	0.41	0.52	0.30	0.90
	乱視	-	0.62	0.48	0.53	0.65	0.52	0.78	0.75	0.82	1.09	0.99	1.14	0.92	1.07
	色神異常	1.19	2.49	2.13	2.38	2.52	2.48	2.71	3.31	3.15	3.36	3.36	3.64	3.82	3.88
トラホーム	0.50	0.80	0.68	0.88	1.17	1.06	0.93	0.81	0.70	0.71	0.62	0.63	0.41	0.45	
耳	難聴	0.26	0.35	0.30	0.26	0.26	0.32	0.29	0.24	0.16	0.19	0.13	0.09	0.09	0.13
	中耳炎	-	0.91	0.54	0.48	0.61	-	-	-	-	-	-	-	-	-
鼻い おん よ び	アデノイド	-	0.34	0.12	0.11	0.05	-	-	-	-	-	-	-	-	-
	へんとうせ ん肥大	-	3.12	2.05	1.78	1.92	-	-	-	-	-	-	-	-	-
伝染性の皮膚疾患	-	0.18	0.13	0.11	0.08	-	-	-	-	-	-	-	-	-	
む し 歯	計	-	67.78	69.05	71.30	71.07	74.61	71.33	68.57	70.27	69.14	66.41	66.17	67.64	68.07
	処置完了者	-	24.60	28.14	27.20	25.49	30.10	29.30	24.88	26.48	26.10	24.19	25.87	25.33	26.86
	未処置歯のある者	33.13	43.18	40.91	44.10	45.58	44.51	42.03	43.69	43.79	43.04	42.22	40.30	42.31	41.21
定康明 期診し 結核 核で者 健判	計	-	2.17	2.07	2.13	1.77	1.66	1.85	1.67	1.39	1.35	1.23	1.15	0.97	0.86
	呼吸器系	-	1.47	1.76	2.02	1.62	1.53	1.73	1.62	1.35	1.15	1.19	1.13	0.95	0.85
	その他	-	0.70	0.31	0.11	0.15	0.13	0.12	0.05	0.04	0.20	0.04	0.02	0.02	0.01
ツン ベル ク リ 反	陽性	75.77	-	-	-	82.18	86.20	87.54	90.34	91.13	91.46	92.56	92.70	93.37	94.10
	疑陽性	5.82	-	-	-	9.06	5.57	5.55	4.26	3.91	3.83	3.45	3.56	3.36	3.17
	陰性	18.41	-	17.43	16.95	8.76	8.23	6.91	5.40	4.96	4.71	3.99	3.74	3.27	2.73

推 移 (昭和23年度~昭和63年度)

(%)

昭和23年	女												
	24	25	26	27	28	29	30	31	32	33	34	35	36
0.58	1.12	0.82	1.02	0.55	0.55	0.52	0.57	0.36	0.26	0.33	0.14	0.15	2.48
-	0.48	0.52	0.48	0.51	-	-	-	-	-	-	-	-	-
-	0.81	0.41	0.96	1.33	-	-	-	-	-	-	-	-	-
17.21	20.53	21.58	21.31	22.76	24.08	27.63	28.33	30.46	32.73	35.83	37.87	40.11	41.96
-	0.99	0.75	0.63	0.66	0.99	0.62	0.81	1.10	0.83	0.80	0.55	0.68	0.95
-	0.45	0.54	0.38	0.66	0.71	1.09	0.81	0.95	1.16	1.10	1.14	1.01	0.81
0.17	0.20	0.13	0.11	0.12	0.14	0.13	0.09	0.12	0.10	0.80	0.16	0.12	0.09
0.45	0.58	0.60	0.52	0.85	0.62	0.69	0.65	0.56	0.41	0.36	0.34	0.27	0.25
0.15	0.16	0.19	0.11	0.17	0.13	0.10	0.10	0.10	0.10	-	0.06	0.06	0.08
-	0.37	0.33	0.26	0.31	-	-	-	-	-	-	-	-	-
-	0.38	0.14	0.05	0.12	-	-	-	-	-	-	-	-	-
-	3.21	3.31	2.76	3.31	-	-	-	-	-	-	-	-	-
-	0.14	0.04	0.04	0.02	-	-	-	-	-	-	-	-	-
-	64.91	73.22	72.58	73.06	75.07	73.72	71.66	69.28	68.68	70.84	73.51	76.51	79.03
-	23.25	28.60	27.19	28.20	30.25	30.26	29.55	26.77	28.13	29.43	29.84	31.35	34.31
24.50	41.66	44.62	45.39	44.86	44.82	43.46	42.11	42.51	41.55	41.50	43.67	45.16	44.72
-	1.25	1.24	1.08	0.77	1.30	1.04	1.14	0.84	0.79	0.74	0.75	0.63	0.45
-	0.82	0.91	0.96	0.71	1.16	0.99	1.12	0.81	0.68	0.67	0.73	0.61	0.45
-	0.43	0.33	0.12	0.06	0.14	0.05	0.02	0.03	0.11	0.07	0.02	0.02	0.00
74.32	-	-	-	83.36	86.80	88.86	91.24	91.47	92.34	93.02	93.19	92.99	93.44
5.53	-	-	-	7.44	5.10	4.66	3.67	3.71	3.50	3.21	3.58	3.77	3.44
20.15	-	21.59	17.50	9.20	8.10	6.48	5.09	4.82	4.16	3.77	3.23	3.24	3.12