

第18表 特殊教育学校生徒

(1) 盲学校

区分	栄養 要注 意	せき 柱異 常	胸 郭異 常	伝皮 染病 性疾 の患	目								難 (両耳) 聴
					近 視	遠 視	乱 視	弱 (両眼) 視	色 神異 常	ト ム ホ ー	そ 眼 の 他 の 疾		
計	3.36	1.94	1.08	0.65	3.70	0.40	1.75	20.60	2.56	7.00	15.34	2.26	
総 才	20.00	40.00	20.00	-	-	-	-	-	-	-	-	-	
5	2.91	1.46	2.43	0.97	-	-	-	5.34	0.49	9.22	12.62	0.49	
6	5.67	1.33	2.33	0.33	-	-	-	7.67	0.67	7.33	16.67	2.00	
7	6.94	2.50	1.94	1.67	1.67	0.28	0.56	17.78	1.67	8.06	15.83	0.28	
8	5.90	1.79	2.56	1.79	2.31	-	2.31	21.54	2.82	5.64	15.38	1.28	
9	4.15	1.97	1.09	1.75	1.53	0.66	1.97	23.80	3.06	8.08	17.03	2.84	
10	4.94	3.25	1.36	1.90	0.54	0.54	2.71	25.75	2.71	8.40	19.82	1.90	
11	3.49	2.54	1.59	1.59	1.90	0.63	1.59	15.87	2.54	8.57	19.37	2.22	
12	2.01	2.90	0.67	0.89	4.24	0.45	1.12	17.63	2.23	8.26	16.29	0.89	
13	4.66	1.55	1.55	0.62	3.88	0.31	2.17	20.03	3.42	8.23	16.93	2.33	
14	2.17	1.88	0.87	0.87	7.53	0.72	1.74	26.63	3.33	6.95	15.34	2.17	
15	3.25	1.76	0.95	0.41	6.64	0.54	2.98	24.39	3.52	7.18	11.65	4.61	
16	1.95	1.39	0.84	0.42	4.60	0.70	0.14	25.10	2.93	7.53	14.23	1.81	
17	1.61	2.41	1.45	-	3.86	0.16	0.97	22.03	2.89	5.95	15.28	1.77	
18	2.09	1.04	0.52	0.35	3.13	0.35	1.74	22.43	2.09	8.17	17.57	2.09	
19	3.27	1.88	0.53	0.15	3.83	0.34	2.29	18.89	2.22	5.60	15.13	2.67	
20才以上													
計	3.40	2.02	1.44	0.84	3.73	0.46	1.96	20.40	2.84	6.52	15.33	2.51	
男 才	-	50.00	50.00	-	-	-	-	-	-	-	-	-	
5	1.79	0.89	3.57	0.89	-	-	-	6.25	-	8.95	12.50	0.89	
6	4.58	1.14	3.43	0.57	-	-	-	6.29	0.57	8.00	17.71	2.86	
7	7.54	2.51	2.51	2.01	0.50	0.50	1.01	18.59	1.51	9.05	15.58	0.50	
8	5.78	1.33	2.67	2.22	3.11	-	2.67	19.56	3.56	4.89	16.99	1.78	
9	5.88	1.96	1.57	2.75	1.57	0.39	2.75	25.88	3.53	9.02	20.78	2.75	
10	5.87	3.54	1.77	1.77	0.44	0.44	3.10	30.09	1.77	7.96	12.83	1.77	
11	4.47	2.79	2.23	1.12	2.23	1.12	1.68	12.85	2.23	7.82	15.08	1.12	
12	2.07	2.89	0.41	1.24	3.72	0.83	-	17.36	2.07	7.44	15.29	1.24	
13	5.17	1.63	2.18	0.82	4.96	0.54	1.91	21.25	3.27	7.90	18.44	1.09	
14	1.44	1.67	1.44	1.44	7.18	0.96	1.67	26.56	3.83	6.70	15.07	2.63	
15	4.09	2.27	1.59	0.68	8.41	0.68	4.77	23.18	4.09	7.50	9.55	5.68	
16	2.11	2.11	1.41	0.70	4.22	0.70	0.23	21.55	3.04	6.79	14.52	2.58	
17	1.32	2.38	1.59	-	3.97	0.26	1.06	25.66	3.70	5.39	15.08	2.12	
18	2.18	1.09	0.54	0.54	3.54	0.27	1.63	22.34	2.72	8.45	19.07	2.18	
19	3.07	1.95	0.71	0.24	3.42	0.30	2.42	17.95	2.66	4.49	15.11	2.89	
20才以上													
計	3.29	1.82	0.55	0.37	3.66	0.32	1.42	20.90	2.13	7.72	15.39	1.90	
女 才	33.33	33.33	-	-	-	-	-	-	-	-	-	-	
5	4.26	2.13	1.06	1.06	-	-	-	4.26	1.06	9.57	12.77	-	
6	7.20	1.60	0.80	-	-	-	-	9.60	0.80	6.40	15.20	0.80	
7	6.21	2.48	1.24	1.24	4.11	-	-	16.77	1.86	6.83	16.15	-	
8	6.06	2.42	2.42	1.21	1.21	-	1.82	24.24	1.82	6.67	13.33	0.61	
9	1.97	1.97	0.49	0.49	1.48	0.99	0.99	21.18	2.46	6.90	10.10	2.96	
10	5.50	2.80	0.70	2.10	0.70	0.70	2.10	18.88	4.20	9.09	15.98	2.10	
11	2.20	2.20	0.74	2.20	1.47	-	1.47	19.85	2.94	9.56	25.00	3.68	
12	1.94	2.91	0.97	0.49	4.85	-	2.43	17.96	2.43	9.22	17.48	0.49	
13	3.97	1.44	0.72	0.36	3.25	-	2.53	18.41	3.61	8.66	16.25	3.97	
14	3.30	2.20	-	-	8.06	0.37	1.83	26.74	2.56	7.33	15.75	1.47	
15	2.01	1.01	-	-	4.03	0.34	0.34	26.17	2.68	6.71	14.77	3.02	
16	1.72	0.94	-	-	5.17	0.69	-	30.34	2.76	8.62	19.79	0.69	
17	2.05	2.46	1.23	-	3.69	-	0.82	16.39	1.64	6.97	15.57	1.23	
18	1.92	0.96	0.48	-	2.50	0.48	1.92	22.60	0.96	7.69	14.90	1.92	
19	3.61	1.75	0.21	-	4.54	0.41	2.06	20.54	1.44	7.53	15.17	2.27	
20才以上													

児童の被患率(一般検診)

耳	中 耳 炎	そ 耳 の 他 の 疾	鼻およびいんとう				身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ お よ び の 他 の 異 常 疾 患	歯		
			せ ん い ど 症 (ア デ ノ 増 殖)	蓄 の う 症	へ ん た い 肥 大	そ の よ う の 他 の 疾 患						む し 歯	そ の 他 の 疾	
計	2.94	1.61	0.69	2.77	6.79	8.98	1.90	2.36	1.72	0.81	1.80	9.6	64.5	6.4
総 才	-	-	20.00	-	40.00	20.00	20.00	-	-	20.00	-	20.0	60.0	-
5	1.46	0.49	3.40	3.88	14.56	16.99	4.85	2.43	1.46	1.46	1.94	0.5	82.1	0.5
6	1.66	0.67	2.67	2.33	12.33	12.33	3.67	4.00	2.00	1.66	2.67	-	82.1	0.7
7	1.11	1.39	3.00	3.06	13.33	12.78	4.72	3.06	1.11	0.28	3.06	1.7	80.1	2.0
8	2.82	1.03	1.54	1.79	10.00	12.31	4.10	5.13	1.28	0.77	2.05	3.3	76.9	0.8
9	2.62	2.18	2.40	2.18	15.07	12.45	1.75	4.97	1.97	0.66	2.62	4.0	74.2	2.9
10	3.52	1.36	1.63	2.98	11.11	9.21	3.52	2.71	1.36	1.08	1.63	6.3	70.6	3.6
11	2.86	1.37	0.95	2.86	12.06	8.25	3.81	3.81	0.63	1.97	2.22	9.3	66.0	4.5
12	3.57	1.56	0.67	3.13	9.38	8.71	1.79	3.79	1.56	0.67	1.34	8.1	62.4	4.4
13	2.80	2.33	0.47	3.57	8.85	8.70	2.33	2.80	2.17	0.78	1.86	7.6	57.9	6.7
14	3.91	1.59	0.29	2.89	9.84	10.42	0.43	1.88	1.01	0.58	1.30	11.7	55.4	6.4
15	2.98	1.90	0.27	3.66	5.15	8.27	1.22	2.03	1.76	0.95	1.22	9.6	58.8	6.3
16	3.63	1.26	0.28	3.07	4.04	8.51	1.39	1.95	0.98	0.28	1.26	12.3	60.2	7.8
17	3.70	1.45	0.32	2.89	4.94	9.16	1.13	1.61	2.89	1.45	1.93	12.0	55.7	11.2
18	3.48	1.91	0.17	2.61	4.70	8.52	1.39	0.70	1.04	0.35	1.22	8.8	55.5	7.0
19	2.63	1.73	-	2.29	1.99	6.53	1.24	1.61	2.14	0.79	1.92	13.8	65.6	9.2
計	3.21	1.66	0.68	2.82	6.19	9.55	1.80	2.40	1.91	0.75	1.72	11.1	62.6	6.8
男 才	-	-	50.00	-	-	-	-	-	-	-	-	-	50.0	-
5	0.89	-	5.36	1.79	12.29	12.29	6.25	0.89	1.79	0.89	1.79	0.9	76.9	0.9
6	1.71	1.14	2.86	2.86	12.00	11.43	4.00	5.14	2.29	1.14	2.29	-	84.1	1.22
7	1.51	2.01	3.02	2.51	11.56	15.58	6.53	3.52	1.01	-	4.02	2.5	78.5	2.1
8	2.32	0.89	1.78	0.89	10.67	13.33	4.89	6.22	1.33	1.33	2.67	4.5	75.8	0.5
9	3.14	1.96	2.75	1.18	12.16	14.51	1.57	5.49	2.35	0.39	1.96	1.6	75.0	2.4
10	3.98	0.88	1.77	3.98	9.73	9.73	2.21	3.10	2.21	1.33	2.21	4.0	70.9	4.5
11	3.95	1.12	1.12	2.23	13.41	9.50	3.55	4.47	1.12	1.12	2.23	8.3	67.2	3.9
12	7.37	1.65	0.41	4.13	10.33	11.58	2.89	3.31	0.83	-	1.24	10.0	60.3	5.0
13	1.91	2.45	0.27	3.81	9.54	7.63	2.72	3.55	2.18	1.09	1.91	9.4	51.1	7.6
14	4.78	1.20	0.24	3.35	10.05	11.48	0.48	2.15	0.97	0.97	1.44	11.5	54.1	6.7
15	3.64	1.59	0.23	5.23	3.64	8.41	1.36	2.73	1.82	1.14	1.59	10.3	53.6	7.7
16	4.45	1.41	-	2.81	4.22	8.43	1.41	1.64	0.9					

第18表 特殊教育学校生徒

(2) ろう学校

区分	栄養 要注意	せき 柱異常	胸郭 異常	伝染病 の皮膚患	目							耳 (両耳) 難
					近 視	遠 視	乱 視	弱 (両眼) 視	色 神異常	ト ム ホ ー	そ 眼 の 他 の 疾	
計	1.62	0.92	1.38	2.05	12.67	0.31	0.45	0.61	1.71	5.37	7.59	2.94
3才	-	-	-	6.25	-	-	-	-	-	-	6.25	18.75
4	2.22	-	1.11	1.11	-	-	-	-	-	-	19.33	2.22
5	1.60	0.53	2.14	3.21	-	-	-	-	-	4.28	5.88	2.67
6	2.33	0.37	3.08	3.92	-	-	-	0.09	-	5.60	8.50	1.49
7	2.34	1.10	2.34	2.68	1.24	-	-	0.07	0.14	5.85	8.12	1.93
8	2.58	1.17	1.90	3.44	9.28	0.06	0.25	0.31	1.04	5.41	7.86	2.70
9	2.11	0.96	1.81	3.13	12.65	0.36	0.12	0.30	1.51	5.12	7.23	3.01
10	1.67	0.83	1.37	2.74	10.91	0.18	0.30	0.48	1.97	6.26	7.33	3.69
11	2.72	1.03	2.36	2.06	13.03	0.37	0.12	0.44	2.06	6.63	7.22	3.17
12	1.05	0.96	1.15	2.11	14.26	0.96	0.38	0.86	2.39	6.79	6.60	4.11
13	1.81	1.16	0.94	2.03	14.54	0.51	0.51	0.43	1.95	5.79	8.03	3.47
14	1.60	0.83	1.15	1.09	16.11	0.19	0.58	0.51	2.88	6.01	7.42	3.13
15	1.15	1.00	0.50	1.57	16.32	0.14	1.36	0.93	1.86	4.22	7.09	3.36
16	0.94	1.10	0.55	0.86	18.00	0.31	0.78	0.86	2.58	5.09	7.36	2.50
17	0.28	1.03	0.66	0.84	19.98	0.75	0.84	1.31	2.25	4.32	6.85	2.53
18	0.26	0.64	0.64	0.38	17.41	0.38	0.51	1.28	1.28	4.10	7.30	2.43
19	0.40	0.40	0.20	0.20	20.16	0.99	0.99	1.19	2.77	2.96	7.51	2.17
20才以上	0.53	0.79	0.53	0.40	19.55	0.26	0.79	1.72	1.98	4.49	10.17	5.30
計	1.83	1.06	1.75	2.40	11.12	0.34	0.40	0.57	2.63	5.01	7.34	3.07
3才	-	-	-	-	-	-	-	-	-	-	5.60	11.11
4	4.35	-	2.17	2.17	-	-	-	-	-	-	15.23	2.17
5	2.68	0.89	3.57	3.57	-	-	-	-	-	5.36	4.46	0.89
6	3.09	0.52	3.61	4.81	-	-	-	-	-	4.81	8.93	1.89
7	2.74	1.25	3.11	2.99	1.12	-	-	0.25	5.35	8.22	2.24	2.24
8	3.55	1.33	2.93	3.66	8.43	-	-	0.55	1.44	3.88	7.43	3.10
9	2.71	1.24	2.37	3.95	10.82	0.23	0.11	0.11	2.59	4.62	6.99	2.71
10	1.86	0.99	1.92	3.07	9.65	-	0.33	0.44	2.85	5.70	6.69	3.84
11	2.59	0.82	3.19	1.77	10.22	0.41	0.14	0.27	3.68	6.27	6.54	2.59
12	1.07	0.71	1.25	2.50	14.44	0.89	0.36	1.07	4.28	6.95	5.55	4.28
13	1.88	1.47	1.21	2.55	10.99	0.54	0.40	0.40	2.82	5.36	8.31	3.49
14	1.26	0.92	1.26	1.49	13.63	0.23	0.57	0.46	4.35	6.07	7.10	3.21
15	1.23	1.09	0.68	2.46	16.28	0.27	1.64	1.23	3.00	4.79	6.43	3.97
16	0.59	1.32	0.73	0.59	15.71	0.44	0.59	0.59	3.82	4.55	5.87	2.94
17	0.55	0.73	0.73	0.73	17.67	1.28	0.91	1.56	3.28	3.46	8.20	2.73
18	0.25	1.24	1.24	0.75	16.92	0.75	0.25	1.49	1.74	4.73	7.21	2.99
19	0.38	0.77	0.38	0.38	16.48	1.15	0.38	0.38	3.45	2.30	7.28	2.30
20才以上	0.25	1.25	0.99	0.50	18.61	0.25	0.74	1.25	2.98	4.47	11.41	3.47
計	1.36	0.77	0.99	1.64	14.47	0.27	0.52	0.66	0.64	5.80	7.88	2.79
3才	-	-	-	7.14	-	-	-	-	-	-	7.14	28.57
4	-	-	-	-	-	-	-	-	-	-	11.36	2.27
5	-	-	-	2.67	-	-	-	-	-	2.67	8.00	5.33
6	1.43	0.20	2.45	2.86	-	-	-	0.20	-	6.54	7.98	1.02
7	1.84	0.92	1.38	2.30	1.38	-	-	0.15	-	6.45	7.99	1.54
8	1.38	0.97	1.38	3.17	10.33	0.14	0.55	-	0.55	7.30	8.40	2.20
9	1.42	0.65	1.16	2.20	14.75	0.52	0.13	0.52	0.26	5.69	7.50	3.36
10	1.44	0.65	1.44	2.35	12.40	0.39	0.26	0.52	0.91	6.92	8.09	3.52
11	2.88	1.28	1.44	2.40	16.35	0.32	0.16	0.64	0.16	7.05	8.01	3.85
12	1.03	1.24	1.03	1.65	14.05	1.03	0.41	0.62	0.21	6.61	8.06	3.93
13	1.73	0.79	0.63	1.42	18.71	0.47	0.63	0.47	0.94	6.29	7.70	3.46
14	2.03	0.72	1.01	0.58	19.25	0.14	0.58	0.58	1.01	5.93	7.81	3.04
15	1.05	0.90	0.30	0.60	16.37	-	1.05	0.60	0.60	3.61	7.81	2.70
16	1.34	0.84	0.34	1.17	20.60	0.17	1.01	1.17	1.17	5.70	9.05	2.01
17	-	1.36	0.58	0.97	22.44	0.19	0.78	1.16	1.16	5.22	5.42	2.32
18	0.26	-	-	-	17.94	-	0.79	1.06	0.79	3.43	7.39	1.85
19	0.41	-	-	-	24.08	0.82	1.63	2.04	2.04	3.67	7.76	2.04
20才以上	0.85	0.28	-	0.28	20.62	0.28	0.85	2.26	0.85	4.52	8.76	3.11

児童の被患率(一般検診)

耳	鼻およびいんとう					身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ お よ び の 他 の 異 常 患	歯			
	中 耳 炎	そ 耳 の 他 の 疾	せ 症 イ ド (ア デ ノ 様 増 殖)	蓄 の う 症	へ せ ん 肥 大						そ お よ び の 他 の い ん とう の 疾 患	む し 歯		そ 歯 の 他 疾
												処 置 完 了 者	未 処 置 者	
4.62	1.50	1.09	3.85	10.44	9.15	1.23	1.74	1.24	0.96	1.60	6.3	65.9	1.4	
3.13	3.13	-	-	18.75	25.00	6.25	-	-	-	6.25	-	67.7	3.2	
1.11	4.44	3.33	-	21.11	16.67	2.22	1.11	-	-	2.22	-	74.4	-	
1.07	1.07	4.28	1.07	22.99	17.11	0.53	1.60	1.07	0.53	4.28	-	80.0	0.5	
2.15	1.77	2.71	2.61	13.63	11.11	1.87	0.65	1.21	0.84	1.68	0.3	76.3	0.3	
2.75	1.38	2.96	4.06	14.92	10.39	2.06	2.27	1.44	0.76	1.72	0.6	79.3	0.9	
3.44	2.09	1.78	3.75	13.45	10.26	2.27	1.47	1.47	1.35	1.97	1.0	76.2	0.4	
4.04	2.11	0.96	3.31	11.14	9.40	1.81	1.63	1.51	1.69	2.29	3.4	79.1	1.3	
4.23	1.91	1.13	3.64	13.65	9.36	1.01	1.97	1.85	1.13	1.73	5.0	74.1	1.3	
5.15	2.36	0.81	3.83	12.08	10.01	1.55	2.14	0.88	0.88	1.62	7.2	68.8	1.9	
4.88	1.44	0.77	4.88	11.77	9.67	1.05	2.01	1.82	0.77	1.44	7.3	61.3	1.4	
4.99	0.43	1.09	4.34	10.27	7.24	1.23	2.32	1.01	1.23	1.23	5.9	59.9	1.6	
5.69	1.09	1.02	4.48	9.21	9.08	0.90	1.98	0.96	1.15	1.53	7.1	58.0	2.1	
6.37	1.36	0.29	4.01	8.09	9.31	0.93	2.36	1.22	0.43	1.57	8.2	56.2	1.4	
5.09	1.17	0.08	3.99	6.81	7.67	0.23	1.72	0.94	0.70	1.25	10.2	55.8	1.5	
5.53	1.03	0.28	3.28	5.53	7.69	0.38	1.13	0.84	0.94	1.13	12.1	52.3	1.4	
6.27	0.64	-	5.12	3.84	6.66	0.13	1.28	0.77	0.64	0.77	13.6	54.7	2.5	
6.92	1.98	0.20	3.95	4.15	7.11	-	1.19	0.20	-	1.19	13.3	50.3	1.8	
5.02	0.92	-	3.70	3.96	6.61	1.19	0.66	1.85	0.92	1.06	13.8	55.3	3.1	
5.10	1.62	1.05	3.78	10.27	9.79	1.36	1.92	1.31	1.01	1.74	6.1	64.4	1.5	
5.60	5.60	-	-	22.22	33.33	5.60	-	-	-	11.11	-	77.8	5.6	
2.17	6.52	4.35	-	26.09	26.09	2.17	2.17	-	-	4.35	-	75.0	-	
0.89	-	4.46	-	22.32	17.86	0.89	1.79	0.89	0.89	5.36	-	78.9	-	
2.06	2.41	2.23	2.92	11.86	12.20	1.72	0.86	0.34	0.69	2.23	0.4	76.0	-	
2.74	1.87	2.62	3.99	14.20	10.59	2.49	3.49	1.62	1.12	1.49	0.3	80.6	1.4	
4.10	1.88	2.33	3.88	13.19	10.98	2.66	1.11	1.33	1.11	2.11	0.9	77.4	0.3	
4.62	2.25	1.13	2.82	11.84	9.47	1.69	1.58	1.47	2.03	2.14	3.2	74.3	1.3	
5.04	1.75	1.21	4.06	13.93	10.31	1.10	2.08	1.86	1.32	1.86	3.6	74.5	1.7	
6.68	2.18	1.09	3.54	12.26	11.72	1.63	2.72	1.09	0.95	1.77	7.3	66.9	2.2	
5.35	0.89	0.71	4.81	13.19										

第18表 特殊教育学校生徒

(3) 養護学校

区分	栄養 要注 意	せき 柱異 常	胸郭 異常	伝染 性の 皮膚 患	目							難 (両耳) 聴
					近 視	遠 視	乱 視	弱 (両 眼) 視	色 神 異常	ト ム ホ ー	そ 眼 の 他 の 疾	
計	8.00	10.96	5.58	1.56	16.30	0.62	0.49	1.64	1.48	3.74	7.02	2.26
3才	-	-	-	-	-	-	-	-	-	-	-	-
4才	-	-	-	-	-	-	-	-	-	-	-	-
5才	-	-	-	-	-	-	-	-	-	-	-	-
6才	3.49	13.04	4.35	1.74	0.87	-	-	0.87	-	6.09	6.09	-
7才	4.13	10.55	3.67	2.29	0.46	-	-	-	-	3.77	8.72	1.48
8才	11.40	14.47	7.89	0.88	15.35	-	0.44	0.88	1.75	5.26	11.40	3.95
9才	15.58	12.15	6.54	0.62	15.26	-	-	1.56	0.62	5.92	6.54	2.19
10才	11.83	11.47	8.24	0.72	20.07	-	0.36	1.43	1.43	2.87	6.81	2.51
11才	12.68	9.76	7.32	0.98	19.02	0.49	0.98	0.98	0.49	1.95	4.88	2.44
12才	5.59	10.61	3.35	1.68	21.23	-	-	2.23	0.56	2.23	6.70	3.35
13才	4.44	9.13	1.74	2.17	20.00	-	-	1.74	3.04	3.48	7.89	2.17
14才	4.23	10.77	4.62	2.69	18.46	1.54	-	1.15	2.69	2.69	9.57	1.54
15才	6.29	8.81	6.29	0.65	27.04	-	-	3.14	3.14	3.77	3.77	3.77
16才	3.05	8.40	6.87	2.29	20.61	3.82	3.05	1.53	3.05	2.29	3.82	-
17才	1.85	19.61	7.41	3.70	16.67	3.70	-	7.41	1.85	5.56	3.70	5.56
18才	5.88	5.88	-	-	5.88	5.88	-	5.88	-	5.88	11.76	-
19才	-	-	-	7.69	7.69	15.38	-	-	-	7.69	-	-
20才以上	-	5.88	5.88	5.88	17.65	-	-	-	-	-	11.76	-
計	7.98	11.46	6.43	2.32	15.10	1.01	0.46	1.47	2.40	3.25	6.82	2.56
3才	-	-	-	-	-	-	-	-	-	-	-	-
4才	-	-	-	-	-	-	-	-	-	-	-	-
5才	-	-	-	-	-	-	-	-	-	-	-	-
6才	5.81	12.86	4.29	1.43	1.43	-	-	1.43	-	1.43	4.39	-
7才	4.80	9.60	4.00	3.20	0.80	-	-	-	2.40	9.60	1.60	-
8才	13.13	24.24	12.12	2.02	18.18	-	-	-	4.04	4.04	17.17	5.05
9才	14.61	10.67	7.87	1.12	13.48	-	-	0.56	0.56	4.49	6.74	1.69
10才	12.95	10.07	10.07	1.45	20.86	-	0.72	0.72	2.88	4.32	6.52	3.60
11才	7.92	6.93	8.91	1.98	11.88	-	-	0.99	0.99	2.97	4.95	3.96
12才	4.44	7.78	1.11	2.22	21.11	-	-	2.22	1.11	-	4.44	3.33
13才	3.75	8.96	-	3.75	16.42	-	1.49	2.24	3.73	2.99	5.97	2.24
14才	5.56	15.28	5.56	2.08	18.06	2.08	-	2.08	4.16	3.47	5.56	2.08
15才	8.70	8.70	6.52	1.09	25.00	-	-	3.26	4.35	3.26	5.43	3.26
16才	5.45	12.73	12.73	5.45	21.82	9.09	5.45	1.82	7.27	3.64	3.64	-
17才	-	22.58	9.68	3.23	12.90	6.45	-	6.45	3.23	6.45	-	6.45
18才	-	-	-	-	12.50	12.50	-	12.50	-	12.50	-	-
19才	-	-	-	12.50	12.50	25.00	-	-	-	-	-	-
20才以上	-	-	11.11	11.11	22.22	-	-	-	-	-	11.11	-
計	8.03	10.39	4.63	0.70	17.64	0.17	0.52	1.83	0.44	4.28	7.25	1.92
3才	-	-	-	-	-	-	-	-	-	-	-	-
4才	-	-	-	-	-	-	-	-	-	-	-	-
5才	-	-	-	-	-	-	-	-	-	-	-	-
6才	-	13.33	4.44	2.22	-	-	-	-	-	13.33	8.89	-
7才	3.23	11.83	3.23	1.08	-	-	-	-	-	5.38	7.53	1.08
8才	10.08	6.98	4.65	-	13.18	-	0.78	1.55	-	6.20	6.98	3.10
9才	16.78	13.99	4.90	-	17.48	-	-	2.80	0.70	7.69	6.29	2.80
10才	10.71	12.86	6.43	-	19.29	-	-	2.14	-	1.43	7.14	1.43
11才	17.31	12.50	5.77	-	25.96	0.96	1.92	0.96	-	0.96	4.81	0.96
12才	6.74	13.48	5.62	1.12	21.35	-	-	2.25	-	4.49	8.99	3.37
13才	5.21	9.38	4.17	-	25.00	-	2.08	4.17	2.08	4.17	10.42	2.08
14才	2.59	5.17	3.45	3.45	18.97	0.86	-	0.86	1.72	12.07	0.86	-
15才	2.99	8.96	5.97	-	29.85	-	-	2.99	1.49	4.48	1.49	4.48
16才	1.32	5.26	2.63	-	19.74	-	1.32	1.32	-	1.32	3.95	-
17才	4.35	13.04	4.35	4.35	21.74	-	-	8.70	-	4.35	-	4.35
18才	11.11	11.11	-	-	-	-	-	-	-	-	22.22	-
19才	-	-	-	-	-	-	-	-	-	-	20.00	-
20才以上	-	12.50	-	-	12.50	-	-	-	-	-	12.50	-

児童の被患率(一般検診)

耳	鼻およびいんとう					身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ お よ び の 他 の 疾 患	歯		
	中 耳 炎	そ 耳 の 他 の 疾	せ ん イ ド の 機 増 殖	蓄 の う 症	へ ん と う 大						そ お よ び の 他 の 疾 患	む し 歯	そ 歯 の 他 疾
2.13	3.82	0.33	0.86	11.08	4.84	13.67	34.91	35.43	0.99	16.26	4.6	70.1	1.4
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	33.33	-	-	-	-	-	-
-	-	-	-	14.29	-	-	28.57	-	-	-	-	-	-
3.49	2.61	0.87	1.74	13.04	6.96	6.96	16.62	61.74	0.87	11.30	-	80.0	-
0.46	5.05	0.92	0.46	16.06	6.42	11.48	19.72	51.98	0.46	9.64	2.3	81.2	1.4
1.75	5.26	0.88	1.32	21.05	4.82	21.93	26.75	55.26	0.44	22.81	0.7	82.1	2.2
3.74	3.74	0.31	-	14.02	8.41	15.89	33.02	38.94	2.18	21.18	2.8	78.8	0.6
2.15	3.94	0.72	0.72	12.19	6.45	23.66	25.45	37.28	1.08	25.45	3.7	72.4	1.1
0.98	3.90	-	0.49	12.68	7.32	19.51	33.66	32.20	1.95	26.83	4.9	70.4	0.5
1.12	3.35	-	1.12	8.98	2.23	11.17	46.93	37.43	1.68	13.97	3.5	67.6	1.8
1.74	3.91	-	0.43	8.27	4.35	8.27	46.96	27.83	0.87	9.57	6.1	60.1	3.1
1.54	2.69	-	1.54	6.15	1.92	9.23	51.15	21.15	0.39	13.03	7.0	58.4	0.8
4.40	3.14	-	0.63	4.40	2.52	13.84	42.14	18.24	-	9.43	4.8	61.9	3.6
0.76	3.05	-	2.29	3.82	1.53	4.58	35.88	12.98	0.76	9.16	15.9	61.1	0.8
5.56	1.85	-	1.85	-	-	1.85	42.59	29.63	-	12.96	5.5	61.8	5.5
-	11.76	-	-	17.65	-	-	35.29	41.18	-	5.88	5.9	58.8	-
7.69	7.69	-	-	-	-	-	30.77	15.38	-	-	-	53.9	-
5.88	5.88	-	-	5.88	-	5.88	23.53	11.76	-	-	17.6	47.1	-
2.01	4.34	0.54	0.85	10.92	5.19	12.47	37.80	38.34	0.77	17.82	4.6	69.7	1.3
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	50.00	-	-	-	-	-	-
-	-	-	-	16.67	-	-	33.33	-	-	-	-	-	-
2.86	4.39	1.43	-	17.15	5.71	5.71	17.15	65.71	1.43	14.29	-	85.7	-
0.80	3.20	1.60	3.20	14.40	8.00	10.40	20.00	50.40	0.80	10.40	3.3	77.2	2.4
4.05	5.05	2.02	1.01	23.23	7.07	25.25	36.36	74.75	-	30.90	0.7	82.5	3.2
2.25	5.06	2.25	-	11.80	10.11	14.61	33.15	40.45	0.56	20.22	4.5	77.0	-
1.45	5.76	0.72	-	12.95	9.35	25.18	24.46	38.85	1.45	30.22	5.4	72.5	0.7
1.98	4.95	-	-	12.87	5.94	13.86	37.62	30.69	0.99	24.75	7.7	67.3	-
1.11	4.44	-	1.11	10.00	1.11	11.11	45.56	42.22	1.11	12.22	3.4	71.3	1.1
0.75	5.22	-	0.75	7.46	3.73	5.22	50.75	31.34	1.49	11.94	6.3	59.4	2.3
2.08	2.08	-	2.78	4.86	0.69	8.33	56.25	21.53	0.69	17.36	5.6	58.5	0.7
4.35	5.43	-	1.09	4.35	1.09	15.22	44.57	18.48	-	8.70	7.6	63.0	2.2
-	1.82	-	3.64	7.27	1.82	1.82	49.09	20.00	-	18.18	7.4	53.7	-
6.45	3.23	-	-	-	-	-	45.16	32.26	-	12.90	3.3	66.7	3.3
-	12.50	-	-	-	-	-	37.50	50.00	-	12.50	-	75.0	-
-	-	-	-	-	-	-	5						