

第6表 都道府県別 一般検診の被患率  
幼稚園—男

区分	栄養 要注意	せき 柱異常	胸 郭異 常	伝皮 染膚 性疾 の患	目		耳			せ殖デ ん症 ノイ ド 増
					トム ラホー	そ眼 の他 の疾	難(両 聴)	中 耳 炎	そ耳 の他 の疾	
全 国	1.1	0.7	1.8	1.3	1.6	3.2	0.1	0.6	0.7	1.2
北海道 北青森 岩手 宮城 秋田	0.8	0.2	1.6	2.5	0.4	2.2	0.1	0.3	0.5	0.2
	0.9	—	0.4	0.3	3.2	1.3	—	0.2	0.5	—
	1.6	0.2	1.5	2.4	4.6	5.2	—	0.6	0.6	0.2
	0.4	0.05	1.5	1.1	3.8	3.1	0.1	0.3	0.3	0.7
山形 福島 茨城 栃木 群馬	0.1	0.1	0.7	4.0	3.5	3.6	—	0.7	0.8	1.6
	2.9	2.0	4.6	1.9	2.0	1.8	0.1	0.7	2.4	1.8
	0.3	0.3	2.0	4.2	8.1	5.6	—	0.9	0.7	0.05
	0.8	0.2	2.0	1.1	1.1	1.4	—	0.4	0.6	0.8
埼玉県 千葉県 東京都 神奈川県	0.7	0.3	1.7	0.9	0.5	3.3	0.2	0.8	1.0	1.3
	0.5	0.1	2.5	1.0	1.6	4.3	0.1	0.5	0.7	0.2
	1.2	1.3	1.4	2.0	0.4	2.9	0.1	0.5	1.1	1.9
	1.0	0.7	3.0	1.6	0.1	3.0	0.04	0.7	0.4	1.9
富山 石川 福井 山梨 長野	1.0	0.4	4.8	2.6	0.7	3.0	0.03	0.6	0.2	0.2
	1.5	0.9	3.8	1.3	0.4	5.0	0.1	0.3	0.3	0.3
	1.3	1.0	3.9	0.3	0.4	1.4	0.1	0.3	0.1	0.3
	1.2	0.6	1.2	2.4	1.1	2.3	—	0.6	0.3	0.1
岐阜 静岡県 愛知県 滋賀県	1.1	0.9	3.2	2.2	1.4	5.0	—	0.2	1.6	1.5
	2.0	1.1	2.6	1.0	0.8	3.2	0.2	0.5	0.2	2.6
	1.1	0.7	1.2	0.7	1.5	2.4	0.1	1.0	0.3	0.8
	1.0	0.5	1.1	0.2	1.4	3.5	—	0.6	0.9	0.7
東京都 大阪府 兵庫県 奈良県	1.2	0.3	1.6	0.9	1.3	2.9	0.1	0.4	0.3	0.4
	1.2	0.9	2.0	0.5	3.7	2.1	—	0.1	0.3	0.4
	3.0	0.9	1.7	2.6	0.6	3.0	0.1	0.5	0.4	0.3
	1.9	1.1	2.1	0.5	0.6	3.3	0.1	0.9	1.1	3.7
京都府 大阪府 兵庫県 奈良県	1.9	0.9	0.9	2.0	0.8	3.0	0.2	0.9	0.7	2.0
	0.7	0.3	1.1	0.9	3.7	5.0	0.04	0.8	0.5	0.5
	1.2	0.2	1.4	0.9	1.4	2.7	0.1	0.5	1.4	3.2
	1.2	1.2	1.3	0.3	6.9	2.5	0.1	0.1	0.3	0.3
鳥取県 島根県 岡山県 広島県	0.4	0.4	1.9	3.3	0.4	0.5	0.4	0.1	—	1.8
	1.8	0.9	5.3	3.2	1.4	3.4	0.2	0.8	1.3	2.0
	0.6	0.3	1.8	1.4	2.5	2.3	0.1	0.5	1.5	1.1
	0.7	0.9	1.0	2.6	1.4	4.5	0.3	0.9	0.7	1.2
徳島県 香川県 愛媛県 高知県	0.6	0.2	1.9	1.4	1.0	3.4	0.2	0.4	0.6	2.3
	1.0	0.4	1.6	1.6	2.8	5.7	0.1	0.8	0.7	1.5
	0.9	0.9	1.6	1.8	1.8	4.1	0.04	0.8	1.2	0.3
	1.3	0.6	1.9	1.2	0.7	1.1	0.1	0.4	0.6	0.9
福岡県 佐賀県 熊本県 大分県 宮崎県	—	—	0.8	0.5	—	2.0	—	0.5	—	—
	0.7	1.1	1.6	1.9	1.2	2.4	—	0.7	0.3	1.8
	0.8	1.1	1.5	1.0	1.3	2.3	0.1	0.6	1.0	0.9
	1.4	1.1	2.1	1.3	1.1	2.0	0.2	—	0.4	0.1
鹿児島県 鹿儿岛県	0.6	0.01	2.4	1.8	1.1	4.7	0.02	0.3	0.5	0.5
	0.3	0.2	1.3	1.1	2.3	3.1	0.1	0.7	0.2	0.1
	0.7	0.1	1.3	0.1	2.4	2.4	—	0.6	0.2	0.5
	0.4	0.7	1.8	0.1	2.6	2.7	0.1	0.8	0.3	1.1

鼻およびいんとう			歯		が	身 体 虚 弱	精 神 薄 弱	運 障 動 機 能 害	心 臓 の 疾 患	そ の 他 の 疾 患
蓄 の う 症	へ ん と 肥 大	そ の 鼻 の 他 の お ん と う	む し 歯	そ の 歯 の 他 の 疾 患						
0.5	12.9	3.3	3.4	82.7	0.6	0.2	0.1	0.2	0.3	0.8
0.07	10.9	1.5	4.6	79.8	1.5	0.3	0	0.2	0.2	0.9
	0.2	12.3	2.2	5.4	80.3	0.3	—	—	0.4	0.3
	0.6	9.2	3.4	0.5	89.7	0.3	0.4	0.1	0.1	1.0
	0.7	12.7	2.2	1.9	87.9	0.3	0.1	0.1	0.1	0.2
0.8	9.6	0.8	2.8	89.7	0.7	—	—	—	0.1	1.4
	0.8	13.3	3.1	1.1	86.9	0.9	0.3	—	0.04	0.1
	—	9.6	2.4	1.3	89.6	0.3	—	—	0.1	1.8
	0.03	10.4	1.0	2.0	86.1	0.3	0.1	0.1	0.2	0.1
0.2	—	15.5	0.8	1.6	88.8	0.2	0.1	0.03	0.1	0.6
	0.2	15.2	1.1	2.8	84.3	0.3	0.1	0.1	0.1	0.7
	0.4	14.6	3.6	3.1	81.2	0.03	0.1	0.03	0.7	0.2
	0.1	11.5	1.1	1.5	89.7	1.0	0.3	0.1	0.1	0.7
0.5	21.5	3.8	6.7	70.0	1.1	0.2	0.01	0.1	0.2	0.5
	0.2	12.7	2.2	6.4	82.8	0.1	0.2	0.1	0.1	0.9
	0.2	14.0	3.4	1.7	77.4	0.3	0.1	0.03	0.1	0.7
	0.2	10.8	3.6	2.0	65.2	—	0.4	0.1	0.1	0.3
0.2	8.3	1.7	3.7	71.1	3.4	0.3	0.1	0.1	1.7	2.6
	0.4	6.1	1.3	1.1	84.1	0.2	0.7	—	0.3	0.1
	0.8	13.4	2.5	3.0	85.3	0.1	—	0.1	—	0.6
	2.6	16.9	4.3	5.6	81.5	1.1	0.3	0.2	0.2	3.1
0.04	11.7	3.3	2.8	50.9	0.1	0.2	0.1	0.1	0.1	1.1
	0.4	12.6	1.5	5.5	83.5	1.3	0.1	0.1	0.04	0.3
	0.4	11.2	2.6	2.9	90.7	0.4	0.2	0.02	0.1	0.2
	0.2	19.6	5.9	0.7	95.1	0.1	—	0.1	0.1	1.4
0.2	11.7	3.5	2.4	87.1	2.1	0.3	0.2	0.3	0.6	2.2
	0.4	17.9	9.4	2.3	86.3	0.2	0.4	0.03	0.2	0.2
	0.5	12.8	4.6	2.7	83.9	1.1	0.3	0.1	0.1	0.7
	0.7	12.6	1.6	1.7	91.9	0.1	0.3	0.1	0.2	0.4
0.1	—	10.1	2.8	2.6	80.7	0.6	0.2	—	0.1	0.3
	0.1	12.4	1.3	5.5	74.6	0.1	0.3	0.1	0.2	0.7
	0.1	9.9	0.4	0.6	78.1	0.1	0.2	—	—	0.1
	0.8	14.8	6.5	2.0	92.0	0.9	0.7	—	0.6	1.8
0.7	9.4	5.8	3.5	86.9	0.6	0.03	—	0.2	0.4	0.6
	1.8	12.9	4.9	1.8	86.5	0.1	0.2	0.1	0.3	0.8
	0.7	10.6	4.5	2.3	89.4	0.6	0.2	0.04	0.2	0.9
	0.6	7.7	4.9	2.2	83.9	0.1	0.3	0.03	0.4	0.5
0.4	10.6	6.2	2.6	84.1	0.4	0.4	0.3	0.2	0.3	1.0
	0.2	9.3	0.6	4.3	75.5	0.03	0.1	0.1	0.1	0.8
	—	7.9	1.6	1.3	90.2	—	0.5	—	0.5	—
	0.3	9.4	3.8	4.6	78.7	0.4	0.2	0.1	0.1	0.6
0.3	8.4	2.6	1.3	77.6	0.2	0.3	0.2	0.3	0.2	1.6
	0.3	11.9	3.6	1.6	90.3	—	—	—	0.1	0.6
	0.1	8.8	2.1	1.9	86.2	0.4	0.02	0.1	0.02	0.8
	—	11.7	2.1	3.0	84.3	0.2	0.8	0.1	0.3	0.3
0.4	8.4	0.8	1.7	75.8	0.1	—	—	—	0.3	0.8
	8.9	4.2	1.1	88.3	0.1	0.1	0.02	0.1	0.3	1.1

第6表 都道府県別 一般検診の被患率  
幼稚園—女

区分	栄養 要注意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	目		耳			せ殖デ ん症 様(イ ド)
					トム トラ ホ!	そ眼 の他 の疾	難(両 聴)	中 耳 炎	そ耳 の他 の疾	
全 国	0.9	0.4	0.9	0.9	1.8	3.2	0.1	0.5	0.6	1.0
北海道 北青森 岩手 宮城 秋田	0.5	0.1	0.8	1.3	0.6	2.0	0.04	0.8	0.3	0.3
	0.8	0.1	0.4	0.1	2.8	2.4	-	0.5	0.4	0.1
	1.1	-	1.0	2.1	6.8	6.5	-	0.7	0.4	0.2
	0.3	0.03	0.8	0.5	5.1	3.2	0.03	0.3	0.3	1.2
	0.1	0.1	0.6	2.3	2.5	2.9	-	0.4	0.9	1.9
山形 福島 茨城 栃木 群馬	2.3	0.7	2.1	1.0	1.7	2.4	-	0.2	1.9	1.7
	0.2	0.3	1.0	1.7	9.7	7.5	-	0.5	0.6	0.1
	0.7	0.2	1.4	0.3	1.0	2.2	-	0.2	-	0.5
	0.9	0.4	1.5	0.7	2.0	1.6	-	0.3	0.1	0.7
	1.3	0.3	1.3	0.9	0.9	2.1	0.03	0.5	0.6	0.6
埼玉県 千葉県 東京都 神奈川県 新潟	0.5	0.2	0.9	1.4	0.6	3.6	0.2	0.5	1.1	1.8
	0.6	0.1	1.4	0.8	1.9	3.8	-	0.4	0.6	0.1
	0.8	0.8	0.9	1.0	0.4	3.0	0.04	0.5	0.9	1.6
	1.2	0.3	1.2	1.1	0.2	2.6	0.2	0.4	0.2	0.3
	0.7	0.4	2.5	2.0	0.8	2.6	0.03	0.2	0.2	0.2
富山 石川 福井 山梨 長野	2.2	0.6	2.4	0.8	0.4	4.6	0.1	0.1	0.1	0.3
	0.9	0.4	2.4	0.3	0.5	1.3	-	0.3	0.1	0.3
	1.1	0.2	0.9	1.7	1.8	2.2	-	0.3	0.1	0.1
	0.8	1.7	1.8	1.1	1.4	5.2	-	0.2	0.8	0.7
	1.3	0.7	1.0	1.1	0.3	2.7	0.2	0.2	0.3	1.6
岐阜 静岡県 愛知県 三重 滋賀	0.8	0.5	0.9	0.8	2.1	2.4	-	0.6	0.3	0.8
	1.0	0.2	0.8	0.1	2.1	3.2	0.02	0.3	1.1	0.6
	0.6	0.1	0.5	0.6	1.2	2.6	0.1	0.2	0.2	0.5
	1.1	0.9	0.7	0.3	3.6	2.2	-	0.1	-	0.3
	2.0	0.7	0.9	1.4	0.6	2.4	0.1	0.3	0.3	0.7
東京都 大阪府 兵庫県 奈良 和歌山	1.2	0.9	0.8	0.1	0.5	4.1	-	0.8	1.0	2.4
	1.7	0.2	0.9	0.3	0.6	3.0	0.1	0.7	0.7	1.7
	0.7	0.1	0.6	0.8	4.1	4.5	0.2	0.5	0.4	0.6
	1.3	0.1	0.8	1.0	1.4	2.4	0.1	0.4	2.2	2.2
	0.7	0.3	1.0	0.3	6.2	3.2	0.1	0.3	0.2	0.3
鳥取 島根 岡山 広島	0.5	0.4	0.7	2.9	0.1	1.5	0.2	0.8	0.1	2.2
	1.4	0.6	2.2	1.9	1.6	3.0	0.1	0.3	0.8	1.5
	0.4	0.4	1.2	1.0	2.6	2.9	0.1	0.5	1.0	1.0
	0.4	0.4	0.4	2.0	1.7	4.9	0.04	0.6	0.7	1.4
	0.6	0.1	0.7	0.6	1.7	3.3	0.2	0.6	0.9	2.1
徳島 香川県 愛媛 高松 福岡	0.9	0.2	1.0	0.6	2.7	5.9	0.3	0.4	0.6	1.1
	0.7	0.3	1.1	1.4	1.7	4.1	0.1	0.7	0.7	0.3
	0.9	0.4	1.3	0.8	0.7	1.0	0.1	0.2	0.6	0.7
	-	-	0.5	0.2	0.2	1.6	-	0.3	-	-
	0.7	0.4	0.6	1.7	1.1	2.0	0.1	0.1	0.4	2.1
佐賀 長門 熊野 大分 宮崎 鹿児島	0.5	0.4	0.5	1.1	1.6	2.7	0.1	0.5	0.5	0.9
	1.5	0.4	1.1	0.5	1.1	2.0	-	0.3	0.9	0.2
	0.6	0.01	0.6	0.6	1.3	4.3	0.01	0.01	0.02	0.5
	0.01	-	0.1	0.1	1.2	2.9	0.1	0.7	0.1	0.2
	1.1	-	0.8	0.3	2.8	3.7	-	0.1	0.1	0.2
0.2	0.7	0.9	0.2	2.6	2.7	0.03	0.6	0.2	0.9	

鼻およびいんとう			歯		が	身 体 虚 弱	精 神 薄 弱	運 障 動 機 能 害	心 臓 の 疾 患	そ の よ び の 疾 患
蓄 の う 症	へ せ ん と う 大	そ の 鼻 の 他 の お ん と う の 疾 患	む し 歯	そ の 歯 の 他 の 疾 患						
0.4	12.0	2.7	3.3	82.8	0.6	0.2	0.05	0.1	0.3	0.8
0.1	9.4	0.7	4.7	78.1	0.3	0.2	0.03	0.03	0.2	1.0
0.1	13.5	1.9	3.4	92.3	0.8	0.3	-	0.1	0.2	0.3
0.8	9.3	3.2	1.3	86.9	0.3	0.3	-	0.1	0.1	1.1
0.2	10.8	1.9	1.0	88.7	0.2	0.3	0.1	-	0.2	0.4
-	9.3	0.4	1.1	91.1	0.4	-	-	-	0.1	1.3
0.5	11.9	1.9	2.0	87.0	0.4	0.04	-	-	0.3	0.6
-	7.8	2.3	0.3	82.5	0.7	-	-	-	0.3	1.4
-	8.9	0.8	1.6	85.2	0.3	0.1	-	-	0.4	0.1
0.1	15.3	1.0	0.9	89.7	0.1	-	-	0.1	0.3	0.3
0.1	12.6	0.8	2.9	86.0	0.2	0.1	0.1	0.1	0.3	0.7
0.1	13.6	3.2	3.5	82.4	0.1	0.1	0.03	-	0.2	1.0
-	9.9	0.6	1.6	89.5	0.5	0.1	-	0.1	0.1	0.8
0.4	18.9	3.1	6.4	70.1	1.1	0.3	0.01	0.1	0.2	0.5
0.03	12.7	2.2	5.6	82.4	0.6	0.1	0.03	0.1	0.1	0.8
0.03	13.0	2.4	1.2	80.8	0.2	0.1	0.03	-	0.2	0.3
0.1	10.1	2.5	2.3	68.5	-	0.3	0.1	-	0.5	1.0
0.2	8.3	1.4	5.2	72.9	4.7	0.3	0.2	-	1.3	2.3
-	7.3	1.4	1.0	83.1	-	0.9	0.1	0.7	0.5	0.5
0.7	11.8	2.9	4.2	87.2	0.7	0.1	-	-	-	0.4
1.9	14.1	3.4	6.3	80.2	0.9	0.4	-	-	0.3	2.5
0.2	12.1	2.9	3.8	66.2	0.1	0.2	-	0.2	-	0.6
0.6	10.5	1.9	4.8	86.2	0.4	0.04	0.02	0.1	0.1	0.4
0.1	9.9	1.5	3.4	89.2	0.4	0.3	0.03	0.1	0.2	1.4
0.1	15.6	5.2	0.2	95.5	0.1	-	-	0.2	0.8	1.4
0.2	10.3	2.3	2.4	81.9	3.0	0.2	0.03	0.2	0.3	1.0
0.6	15.4	7.2	4.2	84.4	0.4	0.2	0.1	0.2	0.3	1.8
0.4	11.0	3.4	2.8	85.4	1.0	0.4	0.0	0.0	0.6	0.7
0.5	11.3	1.4	1.4	89.6	0.1	0.4	0.1	0.1	0.5	1.0
-	9.0	3.5	2.8	78.6	2.0	0.2	-	0.1	0.3	0.1
0.5	11.7	1.6	5.2	72.9	0.2	0.4	0.1	-	0.2	0.3
0.4	7.7	0.1	0.4	73.7	-	0.2	-	-	0.1	0.4
1.2	11.3	3.9	1.9	91.0	0.8	0.6	-	0.2	0.3	1.0
2.6	9.8	4.4	5.2	84.3	1.0	0.1	-	0.03	0.2	0.8
0.8	11.7	3.9	2.1	87.9	0.2	0.1	0.1	0.1	0.3	0.5
0.7	10.0	5.9	2.2	74.2	0.6	0.1	0.1	0.1	0.2	0.7
0.8	5.9	4.5	2.2	84.3	-	0.3	0.03	0.2	0.4	0.2
0.4	26.6	5.5	2.6	83.4	0.4	0.4	0.4	0.4	0.3	0.9
0.1	8.1	0.2	3.0	78.0	0.8	0.1	0.02	0.1	0.2	0.8
0.2	6.9	0.8	1.6	61.4	1.2	0.5	-	-	-	1.4
0.1	8.4	2.6	5.2	78.3	0.3	0.1	0.1	0.04	0.2	0.5
0.3	8.5	2.0	1.1	77.3	0.3	0.2	0.03	0.2	0.2	0.9
0.2	10.5	2.4	1.3	88.6	-	0.2	-	-	0.4	0.4
0.002	8.0	1.8	2.0	84.7	0.4	0.01	0.002	0.01	0.01	0.8
-	10.7	1.1	2.9	84.5	-	0.7	0.02	0.1	0.7	0.02
0.1	9.5	1.1	2.1	72.4	4.4	0.3	-	0.2	0.2	0.5
0.3	7.7	3.7	1.0	90.6	0.03	0.2	-	0.1	0.3	0.9

第 6 表 都道府県別 一般検診の被患率  
小 学 校—男

区 分	栄養 要注意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	目							難(両 聴)
					近 視	遠 視	乱 視	弱(両 眼)	色 神 異常	ト ム ラ ホ ー	そ の 他 の 疾	
全 国	1.0	0.9	1.2	2.9	8.8	0.2	0.1	0.5	3.0	4.2	3.6	0.4
北海道	0.6	0.1	0.8	4.8	14.9	0.1	0.2	0.8	3.0	2.1	2.9	0.1
青森	0.6	0.3	0.5	4.6	12.1	0.4	0.04	1.1	2.9	12.9	1.6	0.2
岩手	0.5	0.2	1.1	3.9	11.7	0.1	0.01	1.1	3.0	12.3	4.2	0.2
宮城	0.6	0.3	0.9	3.2	8.7	0.1	0.1	0.03	3.0	9.5	2.0	0.2
秋田	0.5	0.5	0.6	5.8	12.6	0.1	0.01	0.5	3.3	10.4	1.1	0.3
山形	2.6	6.1	3.3	5.3	9.0	0.1	0.1	0.5	3.2	6.8	5.2	0.4
福島	1.6	0.2	1.1	2.4	8.0	0.4	0.04	0.7	2.6	6.8	4.8	0.2
茨城	0.3	0.7	1.1	1.7	5.9	0.4	0.02	0.6	2.7	4.4	1.7	0.5
栃木	1.0	0.9	1.5	3.7	7.1	0.3	0.1	0.2	2.7	6.6	4.0	0.2
群馬	0.7	1.9	1.0	2.3	5.8	0.2	0.1	0.6	3.3	1.8	2.7	0.4
埼玉県	1.2	0.8	1.7	3.0	6.8	0.2	0.1	0.4	2.7	1.7	2.7	0.3
千葉県	0.5	0.7	1.7	1.3	8.4	0.1	0.2	0.5	2.5	3.8	4.0	0.2
東京都	0.7	0.6	1.4	4.6	10.6	0.2	0.3	0.2	3.5	1.9	6.5	0.1
神奈川県	0.6	1.3	1.2	1.8	6.3	0.7	0.2	0.03	2.5	1.9	5.7	0.1
新潟	1.1	0.8	2.2	7.9	9.8	0.3	0.2	0.2	2.9	1.9	3.9	0.4
富山	1.6	1.6	1.8	7.4	11.0	0.02	0.1	0.5	3.1	2.6	6.9	0.3
石川県	1.5	1.2	1.5	2.4	9.8	0.1	-	0.6	3.5	2.0	2.2	0.3
福井	1.0	1.6	0.9	1.6	12.9	0.04	0.1	0.3	3.3	1.9	2.3	0.5
山梨	1.8	1.4	1.2	0.7	7.2	0.6	0.1	0.6	2.7	2.5	4.6	0.3
長野	1.3	1.8	1.6	2.1	7.4	0.1	0.3	0.1	3.3	0.7	5.1	0.2
岐阜	1.6	1.1	0.9	2.0	7.9	0.03	0.1	0.9	2.9	5.4	3.7	0.2
静岡県	0.6	0.4	1.3	0.4	8.3	0.1	0.03	0.2	2.6	1.9	2.8	0.5
愛知県	2.5	1.1	2.1	2.6	10.9	0.1	0.5	0.3	4.3	4.7	3.2	0.4
三重	0.5	0.6	0.7	0.8	10.5	0.4	0.04	0.7	3.7	3.0	1.3	0.3
滋賀	1.5	1.6	1.4	2.5	6.9	0.4	0.5	0.4	7.9	0.7	2.4	0.2
京都	2.6	2.8	1.3	2.0	10.2	0.1	0.1	0.3	3.2	1.7	6.9	0.4
大阪府	1.0	1.3	0.9	0.7	7.7	0.1	0.1	0.1	3.3	5.9	4.4	0.3
兵庫県	0.7	0.5	0.5	0.4	8.4	0.3	0.1	0.3	3.1	8.4	5.2	0.4
奈良	1.6	1.2	1.1	1.4	7.4	0.2	0.1	0.5	3.1	2.5	2.5	0.4
和歌山	0.8	0.6	0.8	2.1	4.1	0.5	0.1	0.7	3.4	8.6	3.5	0.6
鳥取	1.1	0.9	1.8	3.2	8.2	0.02	0.2	0.1	2.7	1.2	2.2	0.4
島根	2.0	1.2	2.7	5.6	7.0	0.2	0.2	0.5	2.6	1.5	3.0	0.5
岡山	1.4	1.2	1.4	0.9	7.8	0.5	0.1	0.7	2.5	2.0	3.5	0.9
広島	1.0	1.3	0.8	2.6	7.0	0.03	-	0.2	2.3	1.8	2.6	0.5
山口	0.7	0.6	1.2	1.6	9.0	0.1	0.1	0.3	2.6	3.6	3.4	0.8
徳島	0.9	0.3	0.8	0.9	3.9	0.5	0.04	0.2	2.1	4.1	2.9	0.8
香川県	0.8	0.4	0.4	1.4	8.3	0.1	0.03	0.4	2.8	3.5	3.7	0.8
愛媛	1.0	0.6	0.8	1.0	6.8	0.3	0.03	0.6	2.6	2.4	4.0	0.5
高松	0.5	0.7	1.0	4.4	4.6	0.7	0.1	0.6	2.3	2.1	1.6	0.5
福岡	1.2	0.6	1.0	0.4	9.1	0.7	0.2	0.6	2.4	5.3	1.8	0.6
佐賀	0.5	0.5	0.6	2.7	8.9	0.03	0.1	1.0	2.7	3.9	1.9	0.5
長門	1.3	1.9	1.7	3.1	9.7	0.2	0.03	0.7	2.5	4.2	2.7	0.4
熊本	1.1	0.3	0.9	2.7	5.8	0.5	0.04	0.5	3.0	4.5	3.3	0.5
大分	0.6	0.2	0.8	1.1	9.0	0.1	0.01	0.3	2.9	5.5	1.6	0.5
宮崎	0.4	0.9	1.9	3.6	4.4	0.3	0.03	0.5	2.7	3.9	3.9	0.4
鹿児島	0.5	0.9	1.1	1.5	4.3	0.5	0.1	0.4	3.2	8.7	3.7	0.7

耳	鼻およびいんとう					歯		が	身 体 虚 弱	精 神 薄 弱	運 障 機 能 害	心 臓 の 疾 患	そ の 他 の 疾 患
	中 耳 炎	そ の 他 の 疾	せ ん 様 増	殖 症 (ア ド)	デ ノ イ ド	蓄 の う 症	へ ん 肥 大						
0.8	1.2	1.1	1.2	11.4	4.5	3.0	73.7	1.0	0.5	0.4	0.4	0.3	1.1
0.3	0.3	0.03	0.1	11.0	0.8	2.2	76.9	0.1	0.4	0.3	0.3	0.4	0.7
0.6	0.5	0.04	0.1	9.5	1.4	0.9	87.0	0.2	0.1	0.3	0.3	0.1	2.4
1.0	2.0	1.9	4.1	12.1	8.3	1.3	74.5	1.2	0.4	0.3	0.3	0.2	1.3
0.6	0.8	0.2	0.3	8.8	3.2	1.2	66.2	0.4	0.4	1.0	0.4	0.2	0.7
0.7	1.6	1.2	0.1	10.5	1.7	1.1	82.7	5.5	0.4	0.5	0.3	0.3	1.2
1.0	2.5	1.1	2.1	18.9	6.8	4.4	62.1	0.6	1.6	0.3	0.5	0.4	1.9
0.9	0.4	0.1	1.5	9.7	1.4	1.5	71.9	0.4	0.2	0.3	0.3	0.4	0.4
0.6	0.3	0.1	0.2	8.3	0.7	1.6	69.6	1.8	0.3	0.5	0.3	0.2	0.4
0.6	0.5	0.7	0.3	14.5	2.2	2.3	75.0	1.3	0.2	0.4	0.3	0.2	0.7
0.9	0.9	1.4	0.9	16.0	3.8	2.6	73.8	2.3	0.2	0.3	0.3	0.2	0.6
0.5	1.7	1.5	0.3	9.8	5.9	2.5	74.5	0.5	0.3	1.1	0.3	0.2	0.8
0.6	0.6	0.4	0.2	13.1	2.0	2.2	74.7	1.3	0.6	0.3	0.3	0.2	0.8
0.7	3.5	1.2	1.3	16.4	8.3	5.4	74.4	0.4	0.7	0.4	0.4	0.1	2.7
0.7	2.0	0.8	0.4	10.2	4.6	5.0	81.3	0.8	0.4	0.3	0.3	0.3	0.5
1.1	1.0	2.6	1.4	11.4	6.8	2.6	65.8	1.0	0.4	0.5	0.4	0.3	1.9
0.7	0.3	1.6	4.5	10.3	9.9	4.4	62.9	0.6	0.7	0.5	0.4	0.4	0.8
0.2	0.1	0.2	0.9	8.7	0.6	1.5	85.6	0.2	0.6	0.2	0.3	0.2	0.5
0.5	0.2	0.1	0.1	9.3	1.6	1.6	67.5	1.2	0.5	0.2	0.4	0.2	0.4
1.0	1.6	2.7	2.4	14.3	4.1	5.1	76.2	1.3	0.7	0.5	0.2	0.3	1.4
0.5	1.7	1.8	4.3	11.5	6.9	3.3	78.4	2.3	0.4	0.4	0.4	0.5	1.1
0.7	0.8	2.4	1.2	12.0	3.6	3.2	66.8	0.4	0.7	0.7	0.3	0.3	0.9
0.9	2.0	2.3	0.8	12.4	4.1	2.2	81.2	0.4	0.2	0.2	0.3	0.3	0.4
0.6	1.2	1.7	1.1	12.5	6.3	2.2	85.3	3.0	0.7	0.5	0.4	0.2	1.9
0.5	0.7	1.0	0.3	12.2	2.2	1.7	80.2	0.4	0.1	0.3	0.4	0.2	0.7
0.6	0.7	0.2	0.5	12.4	2.3	2.4	79.2	3.6	0.6	0.5	0.4	0.6	1.2
1.3	1.4	2.5	2.0	18.5	12.6	4.4	80.3	0.7	0.9	0.5	0.5	0.5	0.9
0.8	1.2	1.7	1.5	10.7	4.4	4.2	78.8	0.4	0.7	0.6	0.5	0.4	1.7
0.6	0.5	0.6	0.9	11.0	3.0	3.2	76.2	1.2	0.3	0.2	0.4	0.3	1.4
0.7	0.3	0.1	0.2	8.1	1.5	5.9	52.6	0.2	0.5	0.4	0.3	0.2	0.7
0.8	0.5	0.5	2.6	10.6	4.8	4.0	68.8	1.7	0.3	0.4	0.4	0.4	0.6
0.7	0.5	0.3	0.3	9.3	3.1	3.3	68.4	2.7	0.2	0.3	0.2	0.2	1.1
0.8	0.5	1.8	1.2	12.7	4.6	3.1	73.0	1.6	0.8	0.3	0.4	0.1	1.1
0.9	1.0	0.5	0.6	10.0	2.9	5.4	66.4	1.6	0.5	0.3	0.5	0.3	0.9
1.0	0.4	0.3	1.4	9.2	4.0	4.5	72.4	1.4	0.3	0.3	0.3	0.2	0.5
1.7	2.1	4.1	4.9	11.6	9.9	3.5	71.5	1.2	0.5	0.4	0.5	0.4	0.6
1.2	1.7	1.6	1.3	9.0	7.2	1.3	78.0	0.4	0.4	0.6	0.3	0.2	0.8
1.2	1.5	0.3	2.3	9.1	4.7	5.8	61.6	0.6	0.7	0.8	0.5	0.4	0.8
0.7	0.4	0.8	1.2	9.1	1.3	1.9	68.3	0.1	0.4	0.4	0.4	0.3	0.6
0.5	0.5	0.5	0.5	9.9	3.1	5.1	68.6	0.6	0.4	0.9	0.3	0.3	0.5
1.0	1.8	1.3	1.2	11.0	7.5	1.8	64.1	0.6	0.6	0.5	0.4	0.3	0.3
0.7	0.6	0.4	0.9	7.2	3.2	1.6	58.9	0.9	0.4	0.6	0.6	0.2	1.2
0.9	1.2	0.8	0.2	11.5	4.0	2.3	75.5	0.7	0.3	0.4	0.4	0.3	1.1
1.3	0.5	1.0	0.5	7.2	3.9	2.7	63.9	0.9	0.2	0.4	0.4	0.2	0.9
0.9	0.8	0.2	3.2	10.9	2.0	2.5	76.4	0.4	0.4	0.2	0.3	0.2	1.2
0.7	0.7	0.1	0.5	8.2	1.2	1.5	74.0	0.8	0.3	0.4	0.4	0.2	1.5
0.9	1.3	0.4	0.8	6.0	3.8	1.8	74.3	1.5	0.4	0.5	0.5	0.2	0.7

第 6 表 都道府県別 一般検診の被患率  
小 学 校—女

区 分	染 疫 要 注 意	せ き 柱 異 常	胸 郭 異 常	伝 皮 染 膚 性 疾 の 患	目							難 (両 耳) 聴
					近 視	遠 視	乱 視	弱 (両 眼) 視	色 神 異 常	ト ラ ホ ー	そ の 眼 の 他 の 疾	
全 国	0.9	0.7	0.8	1.8	10.5	0.3	0.1	0.5	0.3	4.9	4.1	0.3
北海道 北青岩宮秋	0.6	0.2	0.5	3.9	20.0	0.1	0.2	1.0	0.3	2.6	2.8	0.2
	0.4	0.2	0.4	3.2	15.5	0.3	-	0.6	0.3	13.5	1.8	0.2
	0.5	0.1	0.7	2.5	14.8	0.2	0.01	1.2	0.5	15.3	5.0	0.2
	0.4	0.2	0.8	2.3	10.8	0.1	0.1	0.1	0.5	11.9	2.0	0.1
0.6	0.4	0.5	3.6	17.2	0.1	-	0.5	0.2	12.6	1.2	0.2	
山福茨栃群 形島城木馬	2.4	0.5	2.4	3.4	10.0	0.03	0.1	0.5	0.4	8.5	5.5	0.5
	0.8	0.1	0.8	1.7	9.6	-	0.01	0.7	0.2	9.3	5.6	0.1
	0.2	0.5	0.8	1.4	8.2	0.4	-	0.5	0.3	5.0	2.4	0.4
	1.1	1.0	1.2	3.1	8.6	0.3	0.1	0.3	0.3	7.8	4.2	0.2
0.6	1.4	0.7	2.0	6.8	0.2	0.1	0.6	0.4	1.9	2.6	0.3	
埼千東神新 奈 玉葉京川鴻	1.0	0.8	1.0	2.1	7.5	0.2	0.1	0.3	0.2	2.3	3.1	0.1
	0.5	0.5	1.1	0.8	10.6	0.2	0.3	0.6	0.3	4.2	4.8	0.1
	0.8	0.3	0.8	2.7	12.5	0.1	0.3	0.4	0.4	2.3	7.6	0.2
	0.5	0.8	0.6	1.0	8.9	0.4	0.2	0.1	0.3	2.6	6.7	0.1
0.7	0.3	0.7	3.4	7.5	0.1	0.2	0.1	0.1	1.3	3.4	0.1	
富石福山長 山 井梨野	1.7	1.4	1.1	5.6	13.5	0.02	0.1	0.6	0.2	2.7	7.5	0.2
	1.4	1.0	0.8	1.3	17.5	-	0.1	0.9	0.4	2.3	2.9	0.2
	1.0	1.4	0.6	1.0	14.3	0.01	0.1	0.4	0.3	2.4	3.3	0.3
	1.5	1.0	0.7	0.5	8.5	0.4	0.1	0.6	0.2	2.8	5.5	0.3
1.2	1.6	1.2	1.0	7.9	0.02	0.3	0.1	0.2	1.1	6.2	0.2	
岐静愛三滋 卓岡知重賀	1.5	0.8	0.7	1.3	10.3	0.01	0.04	0.9	0.4	6.7	3.9	0.3
	0.5	0.2	0.7	0.4	9.4	0.1	0.1	0.3	0.2	2.2	2.9	0.5
	2.2	0.9	1.6	1.7	11.9	0.1	0.5	0.1	0.4	5.6	3.4	0.3
	0.4	0.5	0.5	0.5	12.6	0.2	0.1	0.6	0.4	3.7	1.8	0.3
1.4	1.0	1.1	1.4	8.3	0.5	0.6	0.6	0.7	1.1	2.7	0.3	
京大兵奈和 歌 都阪庫良山	2.2	1.8	0.6	1.3	11.9	0.01	0.1	0.3	0.2	2.7	7.3	0.3
	1.0	0.8	0.5	0.4	9.9	1.7	0.1	0.1	0.4	6.3	5.0	0.4
	0.7	0.4	0.4	0.3	9.9	0.3	0.1	0.2	0.4	6.0	4.4	0.3
	1.2	0.7	0.8	1.4	8.3	0.3	-	0.4	0.3	2.7	2.9	0.3
1.3	0.3	0.5	0.6	9.1	0.5	0.1	0.2	0.4	11.3	4.6	0.6	
島鳥岡広山 取根山島口	1.0	0.7	0.9	1.6	8.9	0.1	0.3	0.2	0.4	1.7	2.3	0.4
	1.6	0.8	1.6	3.3	8.2	0.1	0.3	0.7	0.3	1.7	3.4	0.4
	1.2	0.8	1.0	0.6	8.8	0.2	0.5	0.8	0.1	4.7	4.0	0.5
	0.8	1.2	0.4	1.6	8.3	0.01	0.1	0.2	0.4	2.2	3.1	0.4
0.8	0.5	1.1	0.9	10.9	0.04	0.1	0.2	0.7	4.1	3.2	0.7	
徳香愛高福 島川媛知岡	0.8	0.2	0.5	0.5	4.5	0.4	0.03	0.3	0.3	4.7	3.1	0.8
	0.8	0.3	0.3	0.9	9.9	0.01	0.04	0.4	0.3	3.6	4.1	0.6
	0.9	0.3	0.5	0.8	8.8	0.2	0.04	0.9	0.3	3.8	4.5	0.3
	0.6	0.5	0.7	3.1	6.0	0.4	0.03	0.7	0.1	2.6	1.6	0.3
1.2	0.5	1.0	2.4	11.1	0.6	0.2	0.8	0.4	4.8	1.8	0.4	
佐長熊大宮鹿 児 賀崎本分崎島	0.6	0.4	0.4	1.7	10.4	0.01	0.03	1.2	0.4	4.2	2.3	0.4
	1.4	1.6	1.5	1.9	11.5	0.1	0.03	0.6	0.2	4.8	3.0	0.2
	1.0	0.3	0.8	1.7	6.9	0.4	0.1	0.5	0.5	5.5	4.0	0.4
	0.5	0.1	0.5	0.7	10.1	0.3	0.01	0.5	0.2	6.1	1.7	0.4
0.3	0.8	1.3	2.1	5.6	0.1	0.01	0.5	0.2	4.6	4.5	0.4	
0.8	0.9	0.9	0.7	5.0	0.2	0.03	0.5	0.2	10.4	4.5	0.5	

耳	鼻およびいんとう					歯		が	身 体 虚 弱	精 神 薄 弱	運 動 機 能 害	心 臓 の 疾 患	そ の 他 の 疾 患
	中 耳 炎	そ の 他 の 疾	せ ん 様 増 殖 症 (ア ド ノ イ ド)	蓄 の う 症	へ ん と う 大	そ お と う の 他 の 疾 患	む し 歯 列 置 者 完						
0.5	1.0	0.9	0.9	11.1	3.4	3.8	77.7	0.9	0.5	0.4	0.3	0.3	0.9
0.2	0.1	0.04	0.04	10.7	0.7	2.0	78.2	0.2	0.6	0.2	0.2	0.3	0.4
0.4	0.4	0.04	0.1	9.3	1.1	0.6	87.1	0.2	0.1	0.2	0.2	0.1	1.5
1.0	1.9	1.6	3.7	11.9	7.5	1.6	76.5	1.1	0.4	0.3	0.3	0.2	1.1
0.4	0.7	0.2	0.3	8.7	2.5	1.5	68.6	0.3	0.4	0.7	0.4	0.2	0.6
0.3	1.1	0.8	0.1	10.2	0.7	0.9	86.9	2.0	0.4	0.3	0.3	0.3	1.1
0.6	1.9	1.0	1.5	18.6	4.7	6.5	64.8	0.6	1.5	0.2	0.5	0.5	1.6
0.7	0.4	0.04	1.4	10.0	1.0	1.6	73.6	0.7	0.2	0.2	0.2	0.4	0.7
0.3	0.1	0.2	0.1	8.3	0.4	2.4	71.0	1.5	0.2	0.3	0.3	0.2	0.3
0.4	0.4	0.4	0.2	14.0	1.5	3.4	75.8	1.5	0.3	0.5	0.3	0.3	0.6
0.6	1.0	1.1	0.8	15.2	3.5	4.1	73.5	2.6	0.2	0.2	0.2	0.2	0.4
0.5	1.5	1.4	0.5	10.1	4.3	3.9	77.8	0.5	0.3	0.7	0.2	0.2	0.6
0.3	0.5	0.2	0.2	13.0	1.4	3.2	77.1	1.0	0.6	0.2	0.3	0.2	0.8
0.4	2.9	1.0	1.1	15.9	6.2	6.8	74.6	0.3	0.7	0.5	0.3	0.2	2.0
0.4	1.9	0.7	0.3	10.1	3.8	5.4	81.5	0.7	0.4	0.2	0.2	0.3	0.3
0.5	0.4	1.7	0.7	7.3	4.2	2.4	42.0	0.1	0.4	0.2	0.2	0.2	1.1
0.5	0.3	1.4	3.8	10.1	7.8	5.2	65.3	0.6	0.6	0.5	0.4	0.4	0.6
0.1	0.1	0.1	0.2	8.4	0.4	2.1	86.1	0.2	0.7	0.2	0.4	0.3	0.5
0.3	0.2	0.03	0.1	8.5	1.0	1.7	69.5	1.0	0.5	0.2	0.4	0.2	0.3
0.6	1.5	2.0	1.7	14.6	2.9	6.4	75.2	1.1	0.7	0.3	0.3	0.2	1.0
0.3	1.3	1.1	3.6	11.0	5.0	4.5	78.2	2.6	0.5	0.2	0.3	0.3	0.6
0.6	0.8	2.0	0.8	10.8	2.7	4.2	68.4	0.3	0.7	0.5	0.4	0.3	1.0
0.6	1.8	2.0	0.7	11.8	3.5	2.8	84.0	0.4	0.3	0.2	0.2	0.2	0.4
0.2	1.0	1.4	0.7	12.3	4.8	2.7	85.2	2.8	0.5	0.4	0.4	0.2	1.5
0.3	0.7	0.6	0.3	12.1	1.5	2.3	81.4	0.5	0.2	0.3	0.3	0.1	0.7
0.6	0.6	0.1	0.3	12.9	1.8	2.7	79.3	3.6	1.1	0.5	0.4	0.6	1.0
0.9	1.1	2.7	2.1	19.1	10.6	5.7	79.4	0.8	0.9	0.4	0.4	0.5	0.7
0.5	1.0	1.6	1.2	10.6	3.3	4.7	78.9	0.4	0.8	0.6	0.5	0.6	1.2
0.4	0.4	0.5	0.7	11.0	2.4	3.8	76.8	1.2	0.3	0.2	0.3	0.3	1.0
0.4	0.2	0.1	0.2	7.8	0.9	6.7	55.9	0.2	0.5	0.4	0.3	0.3	0.6
0.5	0.6	0.3	0.7	11.5	3.3	5.7	73.0	1.6	0.4	0.3	0.3	0.4	0.4
0.3	0.3	0.1	0.2	10.0	2.2	5.1	68.9	1.9	0.3	0.2	0.3	0.4	0.7
0.6	0.4	1.4	0.8	12.1	3.4	4.2	72.7	1.2	0.7	0.2	0.3	0.2	0.8
0.5	0.6	0.5	0.2	11.9	1.8	5.1	67.0	1.4	0.4	0.2	0.3	0.4	0.7
0.7	0.3	0.2	1.1	9.8	2.5	5.3	72.6	1.2	0.3	0.2	0.2	0.3	0.6
1.3	1.6	4.1	4.3	11.9	8.1	3.8	73.3	1.2	0.6	0.3	0.4	0.4	0.5
0.9	1.6	1.1	0.8	9.0	5.6	1.5	77.8	0.3	0.4	0.4	0.3	0.3	0.6
0.7	1.2	0.3	1.9	9.2	3.5	7.4	64.2	0.5	1.2	1.1	0.6	0.5	0.6
0.4	0.4	0.8	0.8	8.9	1.2	2.5	68.6	0.1	0.4	0.3	0.2	0.3	0.4
0.3	0.5	0.3	0.4	10.2	2.5	6.2	69.1	0.5	0.6	0.6	0.4	0.3	0.5
0.6	1.5	1.2	1.0	10.6	4.7	2.3	62.6	0.6	0.6	0.4	0.3	0.3	0.3
0.5	0.7	0.3	0.7	7.2	2.3	2.1	61.7	0.8	0.5	0.5	0.6	0.2	0.9
0.5	0.9	0.8	0.2	11.1	2.8	3.1	76.1	0.6	0.4	0.4	0.3	0.3	0.8
0.9	0.3	1.1	0.4	7.1	3.1	3.3	63.7	1.0	0.2	0.3	0.		

第 6 表 都道府県別 一般検診の被患率  
中 学 校 — 男

区 分	栄養 要注 意	せき 柱異 常	胸 郭異 常	伝皮 染膚 性疾 の患	目							難(両) 聴(耳)
					近 視	遠 視	乱 視	弱(両) 視(眼)	色 神異 常	トム ラホー	そ眼 の他 の疾	
全 国	0.7	0.8	0.6	2.2	15.4	0.5	0.3	0.9	3.8	4.2	3.4	0.8
北 海 道 道 森 手 城 田	0.5	0.4	0.4	4.4	21.5	0.3	0.3	0.5	3.9	2.9	1.9	0.7
	0.5	0.4	0.2	2.6	17.1	1.3	0.1	2.1	4.6	10.4	2.0	0.5
	0.4	0.2	0.5	2.5	15.6	0.1	0.2	1.3	4.2	14.2	4.3	0.3
	0.3	0.7	0.3	3.1	14.8	0.2	0.2	0.1	3.2	8.6	1.4	0.2
	0.7	0.3	0.2	4.1	14.8	0.4	0.05	0.9	3.4	8.6	2.1	0.5
山 福 茨 栃 群	2.0	4.1	1.9	3.0	14.5	0.1	0.2	0.6	4.5	6.2	3.9	0.9
	0.3	0.4	0.4	2.2	14.4	0.3	0.1	1.2	3.3	8.0	1.6	0.2
	0.1	0.8	0.7	1.2	11.7	0.2	0.5	0.9	2.8	3.1	1.3	0.7
	0.4	0.3	0.7	3.7	10.8	0.3	0.3	0.6	3.9	4.7	3.2	0.8
	0.4	1.3	0.6	2.8	11.9	0.4	0.2	0.7	4.0	1.8	3.0	0.6
埼 千 東 神 奈 新	0.6	0.7	0.6	3.4	12.8	1.3	0.4	0.7	3.3	1.9	4.2	0.5
	0.4	0.9	0.8	1.0	12.8	0.5	0.1	2.2	3.1	3.6	4.1	0.6
	0.7	0.2	0.5	3.5	22.3	0.9	0.2	1.2	4.2	1.8	7.4	0.4
	0.6	1.5	0.8	1.5	12.4	0.2	0.4	1.1	4.5	2.1	5.2	0.5
	0.6	0.5	0.8	4.4	15.8	0.3	0.3	1.1	3.7	2.0	3.0	0.5
富 石 福 山 長	2.0	1.2	0.9	2.3	17.4	0.1	0.2	0.7	3.7	2.3	5.5	0.6
	0.5	0.6	0.5	3.2	20.2	0.6	0.4	0.7	3.9	2.0	2.6	0.4
	1.0	2.4	0.6	2.7	19.8	0.1	0.1	0.6	4.3	1.9	2.9	1.0
	2.0	0.8	0.9	2.5	11.3	0.3	0.3	0.6	3.9	1.8	6.2	0.5
	1.3	1.0	0.7	2.8	15.2	0.1	0.4	0.3	3.1	1.1	4.7	0.5
岐 静 愛 三 滋	1.3	1.1	0.3	0.9	14.2	0.6	0.2	1.4	3.6	3.8	4.5	0.6
	0.3	0.5	0.4	0.3	15.8	0.1	0.4	0.6	3.7	3.3	2.2	0.6
	1.0	0.6	1.3	1.2	19.8	0.1	0.5	0.1	3.2	3.9	2.5	0.4
	1.0	0.5	0.4	1.9	16.1	1.2	0.2	1.6	4.4	3.2	2.0	0.7
	0.8	0.5	0.1	1.6	16.3	0.3	0.6	0.9	3.3	0.2	1.1	0.4
京 大 兵 奈 和 歌	0.7	1.0	1.0	0.5	20.3	0.5	0.4	0.9	4.2	1.9	4.1	0.5
	0.6	0.6	0.5	0.6	19.6	0.6	0.4	0.4	4.9	4.4	3.1	1.3
	0.8	0.4	0.5	0.5	15.3	0.7	0.3	0.8	3.8	7.2	3.8	1.0
	0.6	0.4	0.3	0.5	14.8	1.6	0.1	1.0	4.0	2.7	2.1	0.9
	0.9	1.1	1.1	0.3	11.6	0.5	0.3	0.3	4.3	8.7	2.2	1.0
鳥 島 岡 広 山	1.7	3.3	2.8	2.5	14.3	0.2	0.02	0.5	3.6	1.5	2.1	1.6
	1.1	0.5	0.7	3.9	11.5	0.4	0.3	1.7	3.7	2.9	2.9	1.1
	0.6	0.5	0.4	0.5	14.2	0.3	0.1	0.7	4.0	3.0	2.1	0.9
	1.0	0.9	0.5	2.7	14.1	0.2	0.7	0.6	3.8	2.3	3.3	1.0
	0.6	1.0	0.6	3.9	18.0	0.1	0.1	0.5	4.1	4.2	2.0	1.0
徳 香 愛 高 福	0.8	0.6	0.2	0.2	8.5	1.9	0.1	0.7	3.2	4.4	4.4	1.7
	0.8	0.3	0.3	0.2	16.9	0.1	0.1	0.7	4.5	3.2	2.5	1.3
	0.6	0.2	0.6	1.4	8.4	0.9	0.1	1.2	3.5	4.3	2.7	0.7
	0.4	0.6	0.3	1.4	6.3	1.1	0.03	0.8	3.2	2.4	1.4	0.9
	1.1	0.7	0.6	0.3	11.4	0.2	0.2	1.2	4.1	8.3	4.0	2.0
佐 長 熊 大 宮 鹿 児	0.3	0.4	0.4	2.1	12.3	0.1	0.1	0.6	3.5	6.2	2.5	0.8
	1.0	1.2	0.7	3.2	13.1	1.3	0.1	1.1	2.5	4.3	2.4	1.0
	0.4	0.3	0.4	0.9	9.1	0.1	0.2	0.7	3.4	3.5	3.3	0.6
	0.5	0.1	0.2	0.5	14.1	1.1	0.3	1.0	3.4	4.0	1.5	1.3
	0.8	0.7	0.6	1.5	6.5	0.04	0.02	1.1	2.7	4.2	2.9	0.5
0.4	3.0	0.7	1.7	6.7	2.6	0.1	1.1	2.6	8.8	2.8	0.7	

耳	鼻およびいんとう					歯			身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ の 他 の 疾 病	
	中 耳 炎	そ の 他 の 疾	せ ん 殖 症 増 ア ド	蓄 の う 症	へ ん 肥 大	そ お の よ う の 他 の 疾 患	歯							そ の 他 の 疾
							む し 処 了 者 置 完	歯 未 処 置 者 あ						
1.0	0.9	0.2	1.8	7.7	2.9	7.8	49.4	3.9	0.4	0.5	0.4	0.8		
0.6	0.5	0.1	0.7	5.2	1.4	6.7	50.6	1.3	0.3	0.1	0.4	0.5		
0.8	0.3	0.01	0.9	7.8	1.7	3.1	52.8	2.7	0.2	0.4	0.4	0.2		
0.9	1.5	0.4	3.7	9.9	5.1	4.3	44.5	4.0	0.7	0.5	0.4	0.2		
1.1	0.2	0.02	2.0	9.3	3.3	4.6	32.7	2.2	0.4	2.2	0.5	0.2		
0.8	1.3	0.2	1.1	8.3	2.1	2.8	49.6	3.3	0.4	0.4	0.5	0.3		
1.0	1.8	0.02	2.6	8.3	3.4	12.2	36.5	4.2	0.9	0.5	0.5	0.4		
0.9	0.5	0.1	0.7	6.9	0.9	4.5	45.2	3.2	0.2	0.2	0.3	0.2		
0.4	0.8	0.1	0.8	9.6	2.3	4.4	50.1	9.2	0.2	0.4	0.3	0.3		
0.7	0.3	0.04	1.4	11.7	2.1	5.4	52.1	6.2	0.2	0.6	0.3	0.3		
0.6	1.2	0.3	1.5	9.1	3.0	6.4	49.7	7.4	0.2	0.2	0.3	0.5		
0.7	1.0	0.01	0.8	8.0	1.8	8.0	55.1	5.0	0.8	0.8	0.3	0.3		
0.6	0.4	0.4	0.9	12.3	0.8	6.5	50.7	3.1	0.3	0.5	0.2	0.4		
1.3	2.1	0.2	3.6	8.7	5.5	12.5	50.6	2.5	0.3	0.3	0.4	0.2		
1.0	2.0	0.3	1.4	7.3	3.8	9.8	58.3	4.0	0.3	0.4	0.3	0.4		
1.2	1.4	0.2	3.0	7.8	3.9	8.7	36.9	3.4	0.2	0.6	0.3	0.4		
1.0	0.4	0.4	4.6	8.7	7.3	5.2	47.2	0.7	0.5	0.6	0.6	0.3		
0.4	0.1	0.2	0.8	6.0	0.5	5.7	56.5	2.0	0.3	0.4	0.4	0.6		
0.5	0.3	0.1	0.4	8.4	1.2	4.2	37.8	2.1	0.7	0.3	0.5	0.5		
1.2	1.7	0.1	3.3	11.0	2.1	7.8	46.3	6.4	0.6	0.7	0.4	0.4		
0.8	1.5	0.1	4.8	7.5	6.8	10.2	55.1	8.2	0.9	0.4	0.4	0.7		
0.8	0.4	0.2	0.7	7.3	1.3	7.2	47.3	4.1	0.5	0.6	0.6	0.3		
1.3	1.3	0.1	1.4	7.8	1.9	8.0	50.2	3.7	0.3	0.6	0.2	0.4		
0.8	0.3	0.5	1.3	7.5	2.6	9.3	53.0	2.3	0.5	0.1	0.3	0.3		
0.6	0.6	0.1	0.9	7.9	0.5	6.8	56.4	3.3	0.2	0.4	0.3	0.4		
0.4	0.2	0.01	0.6	8.4	1.5	6.1	49.4	8.6	0.2	0.3	0.3	0.3		
1.6	0.6	0.3	3.1	7.9	5.5	12.6	39.5	2.6	0.3	0.3	0.5	0.5		
1.2	0.9	0.3	1.7	7.6	3.3	11.2	50.7	4.5	0.9	1.0	0.3	0.6		
0.9	0.7	0.1	1.3	5.8	2.3	10.6	47.5	2.9	0.3	0.2	0.5	0.5		
0.3	0.3	0.01	0.3	7.4	0.5	11.4	35.3	1.0	0.3	0.7	0.2	0.4		
0.6	0.1	0.1	0.2	10.2	1.1	13.5	44.6	4.8	0.5	0.2	0.4	0.4		
0.9	1.0	0.1	0.7	5.6	5.1	11.9	37.5	3.0	0.2	0.7	0.3	0.4		
1.2	1.4	0.2	2.4	10.7	1.7	6.5	44.0	8.2	0.4	0.4	0.3	0.5		
0.8	0.9	0.1	1.0	7.1	0.9	9.5	37.5	7.7	0.3	0.4	0.3	0.3		
1.1	0.7	0.1	2.1	6.1	1.7	7.1	36.7	6.7	0.6	0.8	0.4	0.5		
1.6	1.2	0.3	4.0	6.3	6.6	6.0	51.1	4.3	0.4	0.5	0.5	0.4		
1.2	0.8	0.1	4.2	5.8	3.1	8.8	39.0	3.1	0.3	0.5	0.4	0.3		
1.4	1.3	0.1	2.4	5.5	2.6	13.1	48.0	3.4	0.4	0.6	0.4	0.4		
0.8	0.3	0.4	0.5	7.7	0.3	6.1	44.4	4.8	0.2	0.5	0.5	0.3		
0.5	0.3	0.1	1.2	7.0	1.2	8.0	52.8	4.8	0.2	0.4	0.3	0.3		
1.2	1.0	0.3	1.8	5.9	6.8	5.8	36.6	2.6	0.5	0.4	0.3	0.4		
0.9	1.3	0.1	0.6	7.5	2.7	4.6	43.0	4.9	0.4	0.4	0.5	0.3		
1.0	0.3	0.1	0.9	7.4	0.5	3.8	45.8	2.9	0.3	0.8	0.5	0.4		
1.1	0.4	0.1	0.9	6.3	2.3	4.3	35.4	6.8	0.2	0.4	0.5	0.2		
0.8	0.5	0.2	1.2	7.4	1.9	6.6	45.0	3.3	0.4	0.2	0.5	0.3		
0.7	0.5	0.01	0.5	5.7	0.7	3.6	40.6	2.4	0.4	0.3	0.3	0.4		
1.3	1.2	0.04	2.1	8.7	2.9	3.4	49.1	4.4	0.4	0.5				

第6表 都道府県別 一般検診の被患率  
中学校—女

区分	栄養 要注意	せき 柱異常	胸郭 異常	伝皮 染膚 性疾 の患	目							難(両 耳) 聴
					近 視	遠 視	乱 視	弱(両 眼) 視	色 神 異常	ト ム ホー	そ 眼 の 疾	
全 国	0.6	0.7	0.4	1.2	18.7	0.4	0.3	1.0	0.5	4.9	3.8	0.5
北海道 青森 岩手 宮城	0.4	0.3	0.2	3.1	29.0	0.2	0.4	0.6	1.6	3.4	1.8	0.5
	0.4	0.1	0.1	0.9	24.2	0.7	0.1	2.3	0.6	12.8	1.8	0.4
	0.3	0.2	0.2	1.8	20.2	0.1	0.3	1.7	0.5	16.1	4.8	0.2
	0.3	0.3	0.2	1.4	19.5	0.2	0.2	0.2	0.4	10.3	1.3	0.1
0.6	0.4	0.1	2.2	17.6	0.4	0.1	1.2	0.6	9.7	2.5	0.4	
山形 福島 茨城 栃木 群馬	2.2	0.4	1.7	2.3	17.4	0.04	0.3	0.8	0.5	8.1	4.4	0.5
	0.3	0.4	0.2	1.1	18.3	0.2	0.1	1.7	0.4	9.9	2.1	0.1
	0.1	0.3	0.5	0.6	16.9	0.1	0.7	1.1	0.3	3.6	1.5	0.4
	0.4	0.2	0.2	2.7	12.9	0.2	0.5	0.6	0.3	6.1	3.9	0.6
0.4	1.3	0.3	2.6	13.9	0.4	0.3	0.9	0.3	2.0	3.7	0.5	
埼玉県 千葉県 東京都 神奈川県	0.5	0.3	0.3	1.1	16.4	0.6	0.3	0.7	0.4	2.0	4.4	0.3
	0.3	0.5	0.4	0.7	16.2	0.4	0.2	0.8	0.3	3.4	4.5	0.6
	0.3	0.2	0.3	1.4	25.3	0.7	0.3	1.4	0.5	1.9	8.3	0.3
	0.6	1.2	0.7	0.8	17.5	0.1	0.5	2.0	0.3	2.5	6.2	0.4
0.7	0.4	0.5	2.8	18.7	0.4	0.3	1.4	0.3	1.9	3.9	0.4	
新潟県 富山県 石川県 福井県 山梨県 長野県	1.0	1.1	0.7	0.9	21.1	0.1	0.3	1.2	0.3	2.7	6.0	0.5
	0.4	0.5	0.4	1.7	23.2	0.2	0.5	1.1	0.3	2.0	2.6	0.5
	1.1	2.3	0.7	1.5	21.7	0.1	0.2	0.5	0.5	2.5	3.2	0.6
	1.4	0.5	0.4	1.6	13.9	0.4	0.3	0.8	0.3	2.0	6.6	0.4
1.1	1.0	0.3	1.7	17.4	0.1	0.4	0.3	0.2	1.5	5.5	0.4	
岐阜県 静岡県 愛知県 三重県 滋賀県	1.0	0.9	0.2	0.4	16.4	0.5	0.2	1.5	0.6	4.2	5.6	0.3
	0.4	0.5	0.2	0.1	19.3	0.1	0.5	0.3	0.3	3.9	2.4	0.3
	0.9	0.6	0.5	1.3	22.0	0.02	0.7	0.1	0.3	5.2	3.0	0.2
	0.6	0.4	0.2	1.0	19.7	1.0	0.1	1.5	0.5	3.5	2.2	0.5
0.5	0.6	0.2	1.0	24.9	0.1	1.5	0.2	0.4	0.3	1.3	0.4	
東京都 大阪府 兵庫県 奈良県 和歌山県	0.9	0.7	0.8	0.6	13.9	0.4	0.4	0.9	0.5	1.9	4.2	0.5
	0.6	0.6	0.5	0.4	23.4	0.8	0.8	0.4	0.6	4.7	3.6	0.9
	0.9	0.3	0.4	0.3	18.9	0.4	0.3	0.8	0.4	7.7	4.0	0.9
	0.7	0.4	0.2	0.1	18.3	1.1	0.1	1.1	0.3	2.9	2.5	0.5
0.7	1.2	0.3	0.2	13.6	0.3	0.1	0.4	0.6	8.5	2.4	0.7	
鳥取県 島根県 岡山県 広島県	0.6	0.3	1.0	1.6	16.7	0.4	0.2	0.5	0.4	1.8	3.0	1.0
	0.9	0.4	0.6	2.1	13.1	0.1	0.2	1.9	0.5	3.4	3.3	0.7
	0.6	0.4	0.2	0.2	16.6	0.2	0.1	0.8	0.4	3.7	2.7	0.9
	0.9	0.8	0.3	1.3	17.6	0.1	0.5	0.6	0.3	2.4	3.9	0.9
0.7	1.7	0.8	2.4	21.9	0.04	0.1	0.7	0.6	5.3	2.2	0.9	
徳島県 香川県 愛媛県 高知県 福岡県	0.5	0.1	0.1	0.1	10.7	1.4	0.1	0.7	0.3	5.2	4.0	1.1
	0.7	0.2	0.1	0.2	22.4	0.1	0.2	0.7	0.5	4.0	2.8	1.1
	0.7	0.1	0.5	0.9	12.3	0.5	0.2	1.6	0.3	4.2	3.2	0.6
	0.4	0.3	0.2	0.6	9.6	0.9	0.1	0.9	0.5	2.7	1.6	0.6
1.0	0.8	0.3	1.0	14.0	0.1	0.5	1.9	0.5	9.3	4.5	1.1	
佐賀県 長崎県 熊本県 大分県 宮崎県 鹿児島県	0.4	0.3	0.4	0.9	14.2	0.1	0.1	0.7	0.5	6.2	2.7	0.6
	1.0	0.7	0.5	1.4	15.7	1.3	0.1	1.1	0.5	5.1	2.2	0.7
	0.4	0.3	0.3	0.6	11.6	0.1	0.2	1.1	0.3	3.8	3.7	0.3
	0.5	0.3	0.4	0.3	16.6	0.9	0.4	1.3	0.5	4.5	1.5	0.9
	0.7	0.8	0.5	0.9	7.1	0.1	0.04	1.5	0.3	5.4	2.9	0.3
	0.3	2.7	0.7	0.8	7.2	1.9	0.1	1.0	0.3	11.2	3.7	0.4

耳	鼻およびいんとう						歯			身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ お よ び 異 常 の 疾 患													
	中 耳 炎	そ の 他 の 疾	せ ん 症 ノ イ ド 増	蓄 の う 症	へ ん 肥 大 の 疾	そ お よ び 異 常 の 疾	歯		そ の 他 の 疾																		
							む し 歯 処 置 者 完	未 処 置 者 の 処 置 あ																			
0.7	0.7	0.2	1.6	8.5	2.6	9.9	53.1	3.2	0.5	0.4	0.4	0.4	0.7														
0.5	0.5	0.1	0.4	5.6	1.1	7.9	55.5	1.1	0.4	0.1	0.4	0.4	0.6														
														0.4	0.1	0.01	0.6	8.6	1.2	4.0	58.4	2.6	0.1	0.3	0.2	0.2	0.9
														1.1	1.4	0.1	3.7	11.2	4.9	5.8	50.8	3.0	0.8	0.3	0.4	0.3	0.8
														0.9	0.2	0.01	2.1	9.9	2.9	6.4	40.8	1.7	0.5	2.2	0.5	0.2	0.4
0.7	1.0	0.2	1.1	8.9	2.4	3.6	58.1	2.0	0.3	0.3	0.4	0.3	0.6														
0.6	1.5	0.01	2.4	9.5	2.6	15.3	44.9	3.1	0.9	0.3	0.6	0.4	2.3														
														0.5	0.2	0.1	0.4	8.3	0.9	5.3	52.2	2.1	0.3	0.1	0.4	0.6	
														0.3	0.6	0.1	0.6	10.3	1.9	6.1	56.2	7.4	0.2	0.4	0.2	0.3	0.5
														0.5	0.3	0.04	1.2	12.6	1.6	6.3	57.7	4.6	0.3	0.5	0.3	0.3	0.7
0.5	1.0	0.4	1.5	9.6	2.7	7.9	53.9	4.8	0.2	0.2	0.2	0.3	0.4														
0.4	1.0	0.1	0.7	9.1	1.7	10.0	60.9	4.5	0.7	0.4	0.4	0.2	0.4														
														0.4	0.3	0.1	1.0	16.7	0.8	7.2	58.8	2.3	0.2	0.3	0.2	0.3	0.4
														1.1	1.0	0.1	2.6	9.2	5.4	14.5	51.1	2.6	0.3	0.2	0.2	0.2	
														0.8	1.3	0.2	1.4	8.6	3.5	13.2	63.5	2.8	0.4	0.3	0.3	0.4	
0.9	1.1	0.3	2.7	7.6	4.4	10.4	43.2	2.6	0.5	0.4	0.4	0.5	0.6														
0.6	0.3	0.2	3.4	9.6	6.2	7.0	55.2	0.4	0.7	0.7	0.6	0.6	0.5														
														0.3	0.1	0.2	0.5	6.6	0.5	7.8	62.3	1.3	0.5	0.2	0.3	0.6	1.0
														0.4	0.3	0.2	0.4	9.3	1.4	5.6	43.4	1.6	0.8	0.2	0.4	0.6	2.4
														0.8	1.1	0.1	3.1	12.1	2.1	10.6	49.7	3.6	0.5	0.7	0.5	0.3	0.7
0.6	1.4	0.1	4.6	8.3	5.5	12.5	58.1	5.9	0.9	0.3	0.5	0.5	0.5														
0.9	0.4	0.3	0.8	8.6	1.4	9.0	52.3	3.2	0.4	0.5	0.4	0.4	0.5														
														1.1	1.1	0.04	1.1	9.1	1.4	10.0	56.1	2.7	0.3	0.3	0.3	0.5	
														0.6	0.3	0.6	1.2	8.4	2.2	8.4	58.6	1.9	0.4	0.1	0.3	0.4	
														0.3	0.5	0.2	1.1	9.0	0.7	8.0	62.8	2.6	0.3	0.2	0.3	0.4	
0.3	0.1	-	0.4	9.3	1.1	7.5	55.1	7.1	0.2	0.2	0.3	0.3	0.6														
1.0	0.5	0.4	2.0	7.7	3.8	4.9	43.1	2.0	0.3	0.3	0.3	0.8	0.8														
														1.0	0.9	0.3	1.2	8.9	3.0	17.6	52.0	3.8	0.8	0.8	0.2	0.7	
														0.7	0.7	0.1	1.2	7.0	1.8	11.9	51.3	2.1	0.6	0.2	0.5	0.5	
														0.2	0.2	0.01	0.2	6.8	0.3	14.8	49.0	1.3	0.3	0.5	0.4	0.3	
0.3	0.02	0.2	0.2	9.6	0.4	11.5	43.4	2.7	0.5	0.1	0.4	0.4															
0.7	1.1	0.1	0.8	6.2	5.3	13.7	43.7	2.3	0.2	0.4	0.3	0.4	0.5														
														0.7	0.1	1.8	1.8	12.5	1.4	8.0	49.4	5.9	0.3	0.3	0.3	0.6	
														0.6	0.9	0.1	1.2	8.0	0.9	12.1	41.1	6.3	0.4	0.3	0.4	0.6	
														0.9	0.8	0.1	1.9	6.5	1.5	10.3	42.2	4.6	0.8	0.6	0.4	0.5	
1.4	1.4	0.4	3.8	6.7	5.4	8.3	51.3	3.0	0.6	0.4	0.4	0.3															
0.8	0.6	0.04	4.0	6.6	2.6	8.6	43.7	2.2	0.3	0.5	0.2	0.4	0.3														
														1.0	0.8	0.1	1.8	6.5	2.6	17.2	50.4	2.9	0.5	0.5	0.4	0.6	
														0.4	0.2	0.4	0.4	8.1	0.6	7.2	49.0	3.4	0.3	0.5	0.4	0.3	
														0.4	0.3	0.04	1.4	7.6	0.7	12.0	56.1	3.2	0.2	0.3	0.3	0.3	
1.2	0.9	0.3	1.3	6.1	5.5	6.8	39.8	2.4	0.6	0.4	0.4	0.5															
0.5	1.0	0.1	1.6	8.3	2.8	6.8	47.3	3.6	0.4	0.2	0.5</																



第6表 都道府県別 一般検診の被患率  
高等学校—男

区分	栄養 要注意	せき 柱異常	胸郭 異常	伝皮 染膚 性疾 の患	目								難 (両 耳) 聴
					近 視	遠 視	乱 視	弱 (両 眼) 視	色 神 異常	ト ラ ホ ー	そ 眼 の 他 の 疾		
全 国	0.4	0.6	0.5	0.3	25.8	0.5	0.7	1.1	3.8	2.7	3.1	0.4	
北海道	0.3	0.2	0.3	0.4	34.5	0.3	0.6	1.4	4.3	1.8	2.5	0.4	
	0.5	0.1	0.1	0.1	27.8	0.5	0.5	0.4	4.6	9.0	3.5	0.1	
	0.1	0.2	0.3	0.2	25.2	0.2	0.1	0.8	3.3	7.9	1.7	0.5	
	0.4	0.2	0.1	-	23.6	-	0.5	0.1	3.7	7.3	1.1	0.1	
青森	-	1.0	0.2	0.2	26.7	0.1	-	1.8	3.8	8.4	0.7	0.1	
	0.9	5.2	1.2	2.5	29.6	0.1	0.5	0.3	4.2	3.5	6.9	0.2	
	0.1	0.1	0.1	0.2	25.6	0.2	1.4	2.2	3.2	3.5	1.1	0.1	
	0.4	1.1	1.0	0.4	20.0	0.2	0.9	0.2	3.8	1.7	1.2	0.2	
山形	0.1	0.5	0.3	0.2	18.9	0.4	0.6	0.4	3.9	6.2	2.9	0.2	
	0.1	0.9	0.6	0.8	24.6	0.6	0.2	0.4	4.8	1.3	2.7	-	
	0.1	0.1	0.1	0.2	25.6	0.2	1.4	2.2	3.2	3.5	1.1	0.1	
	0.4	1.1	1.0	0.4	20.0	0.2	0.9	0.2	3.8	1.7	1.2	0.2	
福島	0.1	0.5	0.3	0.2	18.9	0.4	0.6	0.4	3.9	6.2	2.9	0.2	
	0.1	0.9	0.6	0.8	24.6	0.6	0.2	0.4	4.8	1.3	2.7	-	
	0.3	0.1	0.3	0.1	23.3	0.4	1.8	2.2	3.4	1.7	4.6	0.3	
	-	0.5	0.6	0.1	17.5	0.2	0.2	2.4	4.2	4.0	6.0	0.3	
茨城	0.3	0.6	0.5	0.2	30.8	0.7	0.6	0.9	4.0	0.9	3.3	0.7	
	0.1	0.3	0.5	0.1	23.4	2.1	0.6	1.1	4.1	0.7	3.7	0.3	
	0.8	0.2	0.7	0.6	25.4	0.1	0.6	3.0	4.1	0.9	2.4	0.6	
	0.1	0.3	0.5	0.1	23.4	2.1	0.6	1.1	4.1	0.7	3.7	0.3	
栃木	0.4	2.3	1.3	0.2	24.4	0.4	1.1	2.4	2.9	2.3	5.6	0.5	
	-	0.1	0.4	-	39.8	0.2	-	1.8	3.8	0.8	1.4	0.2	
	0.5	0.5	0.7	0.3	36.0	0.1	0.7	2.6	4.2	1.6	3.6	0.6	
	0.7	0.7	0.7	0.3	16.2	-	0.6	-	5.0	2.4	7.8	0.5	
群馬	1.1	2.4	0.9	0.4	26.7	0.2	0.6	0.1	4.1	0.4	4.7	0.2	
	0.5	1.0	0.6	0.4	24.0	0.4	0.7	5.8	3.8	1.9	5.9	0.5	
	0.1	0.2	0.3	0.6	26.3	0.5	1.6	3.7	4.0	2.8	2.1	1.0	
	0.3	0.4	0.7	0.1	30.2	0.6	2.5	0.3	3.0	2.6	2.1	0.2	
埼玉県	0.1	0.3	0.3	-	29.6	-	1.0	0.2	3.4	2.4	2.2	0.3	
	0.1	0.5	0.2	0.1	33.6	0.1	0.5	0.3	4.7	-	0.7	0.5	
	0.5	0.3	0.5	0.1	33.9	0.3	0.4	0.1	4.2	0.5	1.8	0.6	
	0.7	0.5	0.3	0.1	31.7	0.4	0.7	0.6	3.9	2.6	4.2	0.3	
千葉県	0.6	0.3	0.3	0.2	22.4	0.3	0.9	0.9	3.3	3.6	4.3	0.2	
	0.4	0.1	0.2	0.1	24.6	0.8	-	1.3	3.0	1.8	2.7	0.2	
	1.0	0.1	0.3	-	22.2	-	0.4	0.5	4.1	16.0	1.8	0.6	
	0.1	0.9	0.4	0.1	18.3	-	0.6	-	2.0	0.2	0.9	0.3	
東京都	0.6	0.5	1.7	2.6	17.0	0.2	0.7	0.4	4.1	0.8	0.6	0.4	
	0.3	0.4	0.2	0.4	23.8	0.4	0.8	0.1	4.2	1.8	3.9	0.3	
	0.4	0.3	0.8	1.0	23.3	0.1	1.1	0.4	3.7	1.8	5.5	0.9	
	0.6	0.2	0.3	0.3	25.5	0.1	0.6	2.1	3.8	2.4	2.6	0.4	
神奈川県	0.3	-	0.1	0.1	23.0	1.0	0.8	-	3.6	1.5	2.9	0.5	
	0.7	0.2	0.4	0.1	25.9	-	0.5	1.0	3.1	2.7	2.6	0.8	
	0.7	0.3	0.6	-	20.7	0.3	0.5	0.9	3.7	2.8	2.3	0.1	
	0.2	0.1	0.2	-	19.5	-	0.5	0.6	3.6	3.7	1.6	0.7	
新潟県	0.3	0.5	0.3	0.2	21.8	2.0	0.7	1.9	3.8	3.9	2.1	0.8	
	0.6	1.3	0.4	0.2	24.4	0.2	0.7	1.3	3.6	3.2	2.2	0.1	
	0.6	0.5	0.5	0.6	26.1	-	0.1	1.7	3.6	1.9	3.6	0.6	
	0.4	0.1	0.2	-	17.3	0.1	0.3	0.2	2.9	1.0	4.3	0.1	
富山県	0.4	0.1	0.3	-	17.0	0.9	0.6	0.6	2.6	2.3	2.6	1.0	
	0.1	0.7	0.2	0.1	12.3	-	0.4	0.1	3.0	3.3	3.0	0.3	
	0.3	1.2	0.7	0.1	14.4	0.2	0.3	1.0	2.9	5.7	3.3	0.9	
	0.3	0.5	0.3	0.2	21.8	2.0	0.7	1.9	3.8	3.9	2.1	0.8	

耳	鼻およびいんとう					歯			身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ お よ び 異 常 の 疾 患
	中 耳 炎	そ 耳 の 他 の 疾	せ 殖 症 ノ イ ド ノ 増 加	蓄 の う 症	へ ん ん 肥 大	そ お よ び 異 常 の 疾 患	む し 歯	そ 歯 の 他 の 疾					
0.8	0.6	0.1	2.0	4.7	2.7	12.3	43.4	4.2	0.1	0.004	0.2	0.4	0.5
0.5	0.3	-	1.1	3.4	2.2	8.9	47.6	2.6	0.1	-	0.2	0.5	0.4
0.4	0.1	-	1.1	2.8	1.6	7.4	48.7	4.6	0.1	-	0.2	0.3	0.5
0.5	0.6	-	2.2	3.3	2.1	6.9	39.6	7.1	0.1	0.1	0.2	0.2	0.5
0.7	0.2	-	2.4	4.6	1.8	7.2	38.0	2.0	0.1	-	0.3	0.4	0.6
0.2	0.5	-	0.8	4.6	1.0	2.4	64.2	1.2	0.2	-	0.2	0.1	1.3
1.3	0.8	-	6.1	4.6	4.9	14.1	30.7	2.8	0.1	0.02	0.2	0.6	1.7
0.9	0.1	-	0.8	3.7	0.4	7.4	43.8	4.9	-	-	-	0.3	0.4
0.3	0.3	-	2.4	2.7	2.6	9.4	48.6	11.8	-	-	0.1	0.3	0.7
0.5	1.0	-	3.2	8.5	4.4	9.7	46.9	6.5	0.1	0.01	0.1	0.3	0.2
0.4	0.3	-	1.7	4.3	1.4	9.2	50.0	4.8	0.1	-	0.1	0.3	4.2
0.4	0.8	-	1.7	3.4	3.0	14.6	47.3	2.1	0.1	-	0.2	0.3	0.1
0.5	0.2	-	1.8	6.9	1.3	12.9	40.4	3.0	0.2	0.03	0.2	0.3	0.5
0.8	0.9	0.1	1.5	5.4	2.4	16.0	43.9	2.4	0.1	0.01	0.1	0.3	0.5
0.6	0.8	-	0.3	3.4	1.8	14.9	56.8	2.3	-	0.03	0.2	0.3	0.5
0.6	0.3	-	2.5	4.3	2.1	11.6	40.8	2.9	0.2	-	0.1	0.4	0.7
1.3	1.6	0.1	12.3	3.8	4.3	10.6	42.3	1.0	-	-	0.3	0.1	0.2
1.1	0.4	-	1.6	2.6	1.7	12.9	40.3	0.6	0.1	-	0.2	0.2	0.6
0.2	0.2	0.2	0.1	3.8	0.6	8.6	34.8	12.1	0.1	-	0.2	0.7	0.5
1.0	0.6	-	2.9	3.9	6.9	20.0	46.3	2.2	-	-	0.2	0.7	0.5
1.0	1.0	0.1	3.0	6.9	10.7	8.6	57.7	13.4	0.2	-	0.1	0.7	1.0
0.5	0.4	0.1	1.5	4.1	1.6	10.8	49.2	3.8	0.1	-	0.3	0.5	0.6
1.0	1.0	-	2.5	4.8	3.9	13.5	45.1	4.8	-	-	0.1	0.4	0.3
1.3	0.8	0.6	1.5	4.4	2.7	16.6	35.4	2.6	0.3	-	0.3	0.4	0.3
0.6	0.4	-	2.5	5.1	2.9	14.4	46.4	2.2	0.1	-	0.2	0.3	0.2
0.3	0.1	-	0.1	3.6	0.1	14.6	39.9	4.4	-	-	0.3	0.6	0.3
0.5	0.1	-	0.4	4.6	3.6	14.4	37.3	3.6	0.4	-	0.2	0.3	0.4
1.3	0.9	-	3.6	7.5	4.8	15.8	42.6	3.1	0.2	-	0.2	0.5	0.8
0.5	0.4	-	1.2	4.9	0.9	13.3	40.6	5.3	0.2	-	0.2	0.3	0.5
0.1	0.2	-	0.1	1.2	0.1	16.2	32.5	0.1	0.1	-	0.1	0.2	0.3
0.2	-	-	0.4	4.1	0.8	14.5	41.0	10.5	-	0.01	0.2	0.7	0.2
0.1	-	-	-	1.9	-	13.8	38.4	0.3	-	-	-	0.1	0.3
1.5	0.2	0.2	1.8	7.3	1.2	9.3	47.6	26.3	0.4	-	0.4	0.9	0.6
0.5	0.4	-	3.2	5.1	4.7	11.6	37.1	5.5	0.1	-	0.1	0.3	0.4
1.2	0.4	-	2.7	4.8	2.3	12.7	35.8	9.8	0.1	-	0.2	0.6	0.3
1.1	0.5	0.1	6.2	5.4	4.7	16.2	34.5	4.5	0.2	-	0.2	0.4	0.5
0.6	0.2	-	1.4	2.8	0.6	10.6	39.4	0.5	0.2	-	0.2	0.1	0.1
0.7	1.4	-	2.2	4.6	1.1	16.8	36.3	2.7	-	-	0.3	0.5	0.4
0.5	0.3	0.2	0.8	4.3	0.7	13.5	42.5	6.3	0.1	-	0.1	0.6	0.8
0.5	0.2	-	1.4	3.1	1.2	10.0	59.2	3.4	0.6	-	0.4	0.1	0.1
0.7	0.3	0.2	1.4	4.4	3.3	10.7	36.8	3.3	0.1	-	0.2	0.4	0.4
0.9	1.1	-	4.7	6.0	5.3	8.1	43.9	4.4	-	-	0.2	0.3	0.2
1.0	0.5	0.1	2.0	4.7	1.4	8.7	47.7	6.7	0.1	-	0.1	0.3	0.3
1.3	0.5	-	1.4	5.9	3.4	7.0	35.5	3.7	-	-	0.2	0.2	0.6
2.0	1.5	-	2.6	3.7	1.1	10.3	38.7	2.4	0.2	0.01	0.2	0.5	0.4
0.4	0.5	-	1.3	2.2	0.4	5.9	51.2	0.2	-	-	0.1	0.4	0.5
0.7	0.5	-	2.9	4.3	1.7	5.9	51.1	3.8	0.1	-	0.2	0.4	0.5

第6表 都道府県別 一般検診の被患率  
高等学校—女

区分	栄養 要注意	せき 柱異常	胸 郭異常	伝皮 染膚 性疾 の患	目							難 聴
					近 視	遠 視	乱 視	弱 視 (両 眼)	色 神 異常	ト ム ラ ホ ー	そ の 他 の 疾	
全 国	0.3	0.3	0.2	0.1	27.4	0.7	0.8	1.4	0.3	2.2	2.7	0.4
北海道 北青岩宮秋	0.4	0.1	0.2	0.2	39.0	0.4	0.7	2.5	0.4	1.7	2.6	0.5
	0.1	-	-	-	38.8	-	0.1	0.2	0.3	4.6	3.1	0.2
	0.1	0.1	0.1	0.1	30.1	0.1	0.3	1.3	0.2	4.8	1.9	0.4
	0.1	0.1	0.1	0.1	27.4	1.4	0.7	-	0.1	5.4	0.6	0.1
山福茨栃群	0.6	2.0	0.4	0.6	24.0	-	0.1	1.2	0.4	3.2	5.7	0.3
	0.1	-	0.2	0.1	29.6	0.1	0.4	3.0	0.2	4.4	1.3	0.1
	-	0.3	0.3	0.1	28.6	2.3	0.2	0.3	0.2	1.8	3.8	-
	0.4	0.3	0.1	-	22.3	0.2	2.7	0.8	0.1	3.7	2.9	0.4
埼千東神新 奈	0.1	0.1	0.1	-	22.6	0.3	1.9	0.4	0.3	1.7	3.6	0.3
	-	0.1	0.2	-	18.8	0.6	0.1	1.1	0.5	2.4	4.0	0.3
	0.1	0.1	0.2	0.1	32.5	0.6	0.9	0.9	0.3	0.5	2.8	0.2
	0.1	0.2	0.1	-	26.2	0.3	1.3	1.1	0.3	0.3	1.0	0.1
富石福山長	0.7	0.9	0.3	0.1	27.6	0.2	1.3	5.2	0.2	3.1	6.6	0.2
	0.1	0.4	0.3	0.1	27.7	0.1	1.0	1.0	0.3	0.5	0.9	0.3
	0.2	0.2	-	-	37.7	0.2	0.5	3.1	0.4	0.8	2.5	0.2
	0.1	0.3	0.2	0.2	16.3	-	0.9	0.2	0.3	4.6	5.3	0.3
岐静愛三滋	0.9	0.6	0.3	-	20.8	1.7	0.2	5.6	0.3	1.6	3.5	0.3
	0.2	0.2	0.1	-	28.0	0.2	0.8	3.2	0.2	2.1	1.8	0.2
	0.8	0.3	0.2	-	32.1	0.6	2.2	0.2	0.3	1.9	2.1	0.2
	-	0.1	0.1	0.1	30.7	-	0.8	0.2	0.2	1.8	1.7	0.3
京大兵奈和 歌	1.7	0.2	0.1	0.2	28.5	1.1	0.4	0.7	0.3	0.6	1.4	0.5
	0.4	0.2	0.3	0.1	33.0	0.6	1.2	1.3	0.3	1.7	3.9	0.3
	0.4	0.1	0.1	-	25.2	0.5	0.9	1.3	0.4	2.4	3.5	0.4
	0.1	-	0.1	-	24.3	-	-	1.0	0.3	1.4	3.2	0.2
鳥島岡広山	0.1	-	0.1	-	16.9	-	0.2	-	0.5	0.1	1.1	0.1
	0.4	0.3	0.5	0.6	18.6	0.1	0.5	0.4	0.2	0.7	1.5	0.5
	0.1	0.2	0.1	-	29.7	0.7	1.1	0.2	0.3	2.8	2.4	0.4
	0.2	0.9	0.4	0.3	23.2	0.1	1.0	1.6	0.3	1.1	3.6	0.6
徳香愛高福	0.1	-	0.1	0.1	20.1	1.2	0.7	0.1	0.5	1.2	2.6	0.4
	0.3	0.1	-	-	27.5	-	0.3	0.6	0.1	1.4	1.8	0.8
	0.6	0.2	-	-	21.8	0.2	0.3	1.3	0.4	2.0	1.3	0.2
	0.2	0.1	0.1	-	21.3	-	0.5	0.9	0.5	3.9	2.5	0.6
佐長熊大宮鹿 児	0.3	0.2	0.1	0.2	20.5	2.1	0.5	3.5	0.4	3.5	1.6	0.6
	0.1	0.4	0.3	-	23.7	0.2	0.3	1.5	0.3	2.3	1.9	0.3
	0.2	-	0.1	0.3	27.8	-	0.1	1.9	0.3	2.1	2.8	0.5
	0.4	0.1	0.1	-	21.0	0.2	1.4	1.0	0.2	0.8	4.5	0.4
賀崎本分崎島	0.1	0.1	0.1	0.1	17.0	0.7	0.4	0.7	0.2	3.5	1.8	0.7
	0.2	0.4	0.1	-	15.3	0.3	-	0.2	0.2	1.4	1.3	0.3
	0.1	1.2	0.1	0.1	14.5	0.3	0.4	0.9	0.4	5.4	3.7	0.6
	0.1	-	-	-	-	-	-	-	-	-	-	-

耳	中 耳 炎	そ 耳 の 他 の 疾	鼻およびいんとう				歯		が	身 体 虚 弱	精 神 薄 弱	運 動 機 能 障 害	心 臓 の 疾 患	そ お よ び の 疾 患													
			蓄 の う 症	へ せ ん と う 大	そ お よ び の 疾 患	そ お よ び の 疾 患	む し 歯	そ 歯 の 他 の 疾																			
															せ ん 様 増	デ ブ ノ イ ド	完 者 置 了	未 処 置 者									
0.6	0.5	0.1	1.7	5.6	2.4	15.2	48.3	4.3	0.1	0.0	0.1	0.4	0.6														
0.6	0.4	0.1	1.1	4.7	2.2	12.4	50.7	1.8	0.2	-	0.2	0.9	0.5														
														0.3	0.5	-	1.4	10.1	3.1	10.8	52.6	0.5	-	-	0.7	0.3	
														0.6	0.8	0.1	2.8	5.3	3.0	11.3	46.2	6.5	0.1	-	0.2	0.4	0.7
														0.6	0.1	-	2.6	6.2	0.6	9.7	43.4	2.0	-	-	0.2	0.4	0.4
0.6	0.5	-	1.3	7.0	1.6	3.1	69.4	3.9	-	-	0.1	0.2	0.2														
														0.6	0.7	-	4.2	4.8	3.2	12.8	33.1	2.9	0.1	-	0.2	0.7	1.1
														1.2	-	-	1.7	3.9	0.2	8.0	51.9	3.3	-	-	0.1	0.2	0.1
														0.1	0.1	-	0.1	5.3	0.4	8.5	54.9	13.2	-	-	0.1	0.4	0.1
0.6	0.2	-	1.8	6.1	2.3	17.0	50.6	3.1	-	0.01	0.1	0.3	0.2														
														0.5	0.5	0.1	0.9	7.1	2.4	19.7	50.9	1.5	-	-	0.1	0.2	0.6
														0.2	0.1	-	0.4	4.5	2.1	17.5	55.1	3.4	-	-	0.1	0.2	0.1
														0.2	0.4	-	1.2	3.7	2.5	18.3	48.3	1.3	0.2	-	0.2	0.4	0.5
1.1	2.5	0.1	14.0	5.3	6.9	10.5	49.2	0.9	0.8	-	0.3	0.4	1.3														
														0.5	0.5	-	1.2	3.0	2.1	11.7	56.7	2.5	0.1	-	0.1	0.2	0.3
														0.1	0.2	0.1	-	4.3	0.5	11.8	40.5	6.1	-	-	0.1	0.9	2.0
														0.8	0.7	0.1	2.4	5.0	6.1	22.1	50.7	1.3	-	-	0.1	0.4	1.1
0.4	0.7	0.1	2.1	4.6	4.6	14.7	58.4	6.4	0.2	-	0.1	0.3	0.5														
														0.4	1.1	0.3	0.4	6.2	2.5	11.5	58.3	5.4	0.1	-	0.1	0.5	0.7
														0.9	1.2	-	1.4	5.5	3.3	12.2	59.8	2.3	0.1	-	0.1	0.2	0.2
														0.4	0.6	-	0.7	4.1	2.1	21.3	42.2	1.8	0.2	0.01	0.2	0.5	0.2
0.2	0.1	-	0.1	3.4	0.1	12.0	32.2	4.0	0.2	-	0.1	0.4	1.1														
														0.2	0.1	-	0.9	7.3	0.6	15.4	55.3	1.3	0.1	-	0.1	0.2	0.2
														0.2	0.1	-	0.1	3.4	0.1	12.0	32.2	4.0	0.2	-	0.1	0.4	1.1
														0.6	0.4	-	0.4	5.7	1.9	16.1	41.0	3.7	0.2	0.01	0.1	0.3	1.3
0.6	0.8	-	2.2	6.6	6.0	18.9	44.9	4.5	0.1	0.01	0.1	0.8	1.0														
														1.0	0.8	-	0.6	5.4	0.4	19.3	39.7	4.3	0.2	-	0.1	0.3	0.6
														0.4	0.2	0.1	0.6	5.4	0.4	19.3	39.7	4.3	0.2	-	0.1	0.3	0.6
														0.1	0.1	-	0.2	1.6	0.4	18.1	40.3	0.2	0.1	-	0.2	0.2	
0.3	-	-	0.4	4.8	1.4	17.5	40.7	12.4	0.3	-	0.1	0.4	0.5														
														0.2	-	0.1	0.1	4.1	0.2	20.2	49.9	1.7	-	-	0.2	0.1	1.3
														0.7	0.3	0.2	1.7	8.1	1.6	10.2	53.9	28.9	0.4	-	0.2	1.1	1.4
														0.8	-	-	4.0	6.0	3.9	14.1	50.5	7.4	-	-	0.1	0.3	0.6
0.8	0.6	-	2.5	6.7	2.5	14.9	41.5	9.3	-	-	0.1	0.3	1.2														
														0.8	0.6	-	2.5	6.7	2.5	14.9	41.5	9.3	-	-	0.1	0.3	1.2
														1.3	0.5	-	3.7	6.2	4.6	16.4	37.9	2.5	0.2	-	0.2	0.2	0.4
														0.4	0.1	-	0.9	4.1	0.3	11.6	42.4	1.5	0.1	-	0.1	0.2	0.2
0.4	0.1	-	0.9	4.1	0.3	11.6	42.4	1.5	0.1	-	0.1	0.2	0.2														
														0.9	0.3	0.2	2.7	2.3	1.0	24.5	28.9	1.8	-	-	0.2	0.4	0.3
														0.5	0.1	-	0.8	4.4	0.6	15.3	45.2	7.8	0.1	-	0.1	0.5	0.4
														0.6	-	-	1.3	4.2	0.8	12.7	59.7	3.5	0.3	-	0.3	0.3	0.3
0.5	0.2	0.1	1.0	4.1	2.0	18.8	39.9	2.4	-	0.001	-	0.3	0.2														
														0.3	0.2	-	2.2	3.9	3.0	9.7	43.3	2.9	0.1	-	0.2	0.2	0.3
														0.4	0.3	-	1.1	4.7	0.9	12.5	52.5	5.1	0.1	-	0.1	0.2	0.1
														0.8	0.3	0.1	2.2	5.7	5.3	13.5	35.9	11.7	0.2	-	0.2	0.3	0.3
0.6	0.9	-	2.5	4.5	1.1	13.7	41.6	3.5	0.1	-	0.1	0.5	0.5														
														0.6	0.9	-	2.5	4.5	1.1	13.7	41.6	3.5	0.1	-	0.1	0.5	0.5
														-	0.2	-	0.6	2.2	0.2	7.7	50.1	0.1	-	-	0.1	0.2	0.2
														0.2	0.3	-	2.2	6.0	1.3	7.6	61.9	5.3	0.1	-	0.1		